



Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
		Sail #	DW Rating		I J Max Headsail Mast Material Rig Type	P E PY EY		MGU MGM MSA	Yes/No		Yes/No		SLU ASA Sprit Lngth Fixed or _o		Ballast Ballast Mat.	Traps/H. moveable blst Keel Type	IB or OB Prop Type # of blades	
									SL	SPL	SLU	ASA						
Achates	Newport 30-2	6847	174	1974	40 12.5 155	40	34 10.25 0 0	3.8 6.6 206	Yes	No	40 12.5 750	0	30.5 26.5 10.67 5.17	8500 3000 Lead	No 1 FIXED	IB FOLD 2		
Acqua Veloce	J 80 ODR	394	111	2004	31.5 9.5 95	33 15.7	30 12.5	4.7 8.1 223	No	Yes	25.16 698 6.25 0	0	26.3 22 8.3 4.9	2900 1400 Lead	0 1 FIXED	OB None 3	Roller Furler	
Ad Lib	Aphrodite 101	8161	144	1979	36.83 11.81 100	32.23	39.33 11.48 0 0	4.5 6.1 253	Yes	No	11.9 622	0	32.75 26.33 7.92 5.42	6160 3527 Lead	No 1 FIXED	IB FOLD 2		
Adagio	Holiday 30	2	267	1951	35 9.67 155	35 9.67	28 14.67 0 0	5.57 9.54 245	Yes	No	9.67 500	0 0	30.11 25 9 6	11000 3000 lead	0 1 MVBL	IB Fixed_2 2		
Adrenalin	Custom Santa Cruz 50	7008	-15	1994	62.85 19 155	62.8 20.9	55.6 18.2 0 0	6.9 11.82 602	No	Yes	20.9 37.62 2320 0 90	0	51.45 47.77 12.25 9.12	21000 8000 Lead	No 1 FIXED	IB FOLD 2		
Aeolus	J 111	7	36	2011	48.37 13.85 105	51.4 20.08	45.17 14.5	6.1 10.1 410	No	Yes	31.79 1432 6.3 0	0	36.5 32.7 10.8 7.2	9300 3500 LeadSteel	0 1 FIXED	IB Fold		
Aeriagnie	C&C 40- TM	67777	90	1980	53 16.6 135	55	46.5 13.3		Yes	Yes	29.8 1309 0 0	0	39.6 31.5 12.7 7	17500 8200 Lead	0 1 FIXED	IB Feath		



Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications		
		Sail #	DW Rating		I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.			Traps/H. Strps Ballast Ballast Mat.	moveable blst Keel Type
									SL	SPL	SLU	ASA							
									SSMG SSF	SSA	SLE ASMG	SA							
Alcyone	BENETEAU OCEANIS 350	990	<b>144</b> <b>650</b> 195	1990	41.47 12.8 ALUMN MS	130	41.47 12.8	35.7 11.4	3.1 6.2	214	No	Yes	23.5 605 0 0	33.8 29.1 11.3 4.17	10582 3968 Iron	0 1 FIXED	IB Feath 3		
Alegre	Santana 22	5132	<b>234</b> <b>737</b> 182	1968	26 8.5 ALUMN MS	155	26	21.75 9.833 0 0	3.95 6.59 131	26 15.44 15.44	Yes	No	8.583 335	0	22 18.67 7.83 3.5	2600 1230 Steel	No 1 FIXED	OB None 0	
Allegro Non Troppo	Beneteau Farr First 36.7	56657	<b>81</b> <b>608</b> 211	2010	46.42 13 ALUMN FS	155	46.42 13	45.4 15.6	5.92 12.5 458	Yes	Yes	23.41 834 0 0	36 30.3 11.4 7.3	12939 3993 Lead	0 1 FIXED	IB Fold			
Allora	Morris 36	38082	<b>120</b> <b>652</b> 259	2007	38.66 12.75 CARBON FS	95	44.3	41.25 15.08	5.1 9.43 357	No	Yes	21.4 452 0 0	36.1 25 10.1 5.3	8900 3850 Lead	0 1 FIXED	IB Fold			
Alpha Puppy	1D 35	35024	<b>30</b> <b>517</b> 95	1999	42.49 12.52 CARBON FS	110	44.78	44.46 18.58 0 0	7.5 12 497	No	Yes	31.4 1238 4.9 0	35 31.5 10.75 7.6	6500 2600 lead	No 1 FIXED	IB FOLD 2	6/13/11, boat now in same configuration as B-Line. Added 4.9' bowsprit and oversized spinnaker. - 9 sec/mi for oversized asymmetric spinnaker, +3 sec/mi for inability to articulate sprit		
Amelie	Hunter 310	310	<b>174</b> <b>176</b>	1999	37.08 11.67 ALUMN MS	107		37.58 12.67	4.9 8.35 287	No	No	0 0	30.83 28 10.83 5.5	8500 3000 Lead	0 1 FIXED	IB Fixed_3			
Amici	Catalina 30	6520	<b>186</b> <b>735</b> 297	1976	41 11.5 ALUMN MS	135	41	33.5 11.9	3.9 6.8 221	Yes	No	4.4 20.9 19.11	11.6 75	0 0	29.92 25 10.83 5.25	10200 4250 Lead	0 1 FIXED	IB Fixed_3 3	Roller Furter

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
				I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		SLU ASA Sprit Lngth Fixed or _o		Ballast Ballast Mat.	Traps/H. moveable blst Keel Type	IB or OB Prop Type # of blades		
								SL	SPL	SLU	ASA							
								SSMG SSF	SSA	SLE ASMG	Fixed or _o							
Andiamo	Catalina 36-2	2168	150	2004	44.75 14.33 ALUMN MS	110	39 13	3.04 6.16	248	No	No	36 30.25 11.9 5.8	14200 6000 Lead	0 1 FIXED	IB Fixed_3 3			
Angel	J 120 ALUM	46730	48	2000	50.5 14.5 ALUMN FS	155	52 21.5	46.3 17.8 0 0	6.6 11.4 486	No	Yes	35.1 64 52.5 36.9	1774 7	7	13900 6000 Lead	No 1 FIXED	IB FOLD 2	
Aniara	Swan 38	8553	123	1978	51.083 15.75 ALUMN MS	100	45.291 12.5 0 0	4.1 7.2 314	Yes	No	48 24.67 27.17	15.75 1007	0	38.25 28.67 11.58 6.33	16120 7050 Lead	No 1 FIXED	IB FOLD 0	
Another Girl	Alerion Express 38-2		90	2011	42.98 12.99 CARBON MS	90	47.5 18.25	9.58 13.45 583	No	No	0 0	0	38.3 30.1 10.3 5.92	13000 5000 Lead	0 1 FIXED	IB Feath 2	(mtg 4/28/11, Custom rating of 90 assigned)	
Antares	Islander 30-2	6237	186	1971	38.5 12.58 ALUMN MS	155	38.416 32.5 11.58 0 0	4.75 8.125 235	Yes	No	38 22.7 22.92	12.416 720	0	30 24.58 10 5	8600 3600 Lead	No 1 FIXED	IB FOLD 2	
Arabella	Islander 28	6346	207	1976	36.8 11.8 ALUMN MS	105	36.8 9.2 0 0	3.16 5.333 161	Yes	No	36.8 21.1 21.1	11.8 647	0	27.92 23.08 9.88 5	7000 3000 Lead	0 1 FIXED	IB Fixed_2 2	
Arcadia	Custom Nash 28.5	3113	123	1969	33 10 ALUMN FS	120	34 11	32.5 4.92 13 8.41 0 251 0	No	Yes	24.606 756 4 100	28.5 25.5 9 6.5	4327 1200 Lead	No 1 FIXED	IB FOLD 2	(Weighed Displacement as of 4/4/2009)(mtg 2/28/13, change custom rating from 135 to 123 after review of race results and structural modifications) 3		

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications		
				I J Max Headsail Mast Material Rig Type	P E PY EY		MGU MGM MSA	Yes/No		SLU ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast	Traps/H. moveable blst							
								SL	SPL					SLU	ASA			Ballast Mat.	Keel Type
Archimedes	Express 27 ODR	18355	1985	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	29	No	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	NONE None 0				
		<b>611</b> 83		ALUMN FS		0 0	182			17.333 420	<input checked="" type="checkbox"/>								
ARGO	CAL 29-1 IB	28079	1974	37.83 12.33	150	37.83 12.67	31.67 12.17	4.332 7.573	Yes	37	No	29 24.17 9.25 4.75	8000 3350 Lead	No 1 FIXED	IB FOLD 2				
		<b>688</b> 258		ALUMN MS		0 0	223			22.19 684	<input type="checkbox"/>								
Argo	Beneteau 40.7 First Farr	46933	1999	51.61 14.47	105	51.61 14.47	48.85 17.72	6.72 11.51	Yes	50.9	No	39.33 34.83 12.33 7.75	15211 5950 Lead	0 1 FIXED	IB Feath 2				
		<b>54</b> <b>569</b> 164		ALUMN FS			515			26 1094	<input type="checkbox"/>	0 0							
Ariel	C&C 110	53	2001	51 14	150	51 14	45 15.6	5.78 9.9	No	51	Yes	31.3 1202	36.36 31.5 12 6.5	10900 4200 Lead	0 1 FIXED	IB Fold 2			
		<b>87</b> <b>598</b> 159		ALUMN MS			413			46.5 29.16	<input checked="" type="checkbox"/>	0							
Astra	Farr 40 ODR FR	40079	2000	53.2 15.5	105	53.12	54.8 19.4	7.29 12.47	Yes	52.59	No	40.75 35.27 13.22 8.53	10917 5079 Lead	No 1 FIXED	IB FOLD 2				
		<b>9</b> <b>522</b> 113		CARBON FS			629			27.42 1202	<input type="checkbox"/>	0							
Astraea	Ericson 381TM	28389	1986	47 16.25	140	47 16.25	40.25 14	4.67 7.67	No	47.5	Yes	24.7 841	37.67 30.5 12 6.5	14400 6300 Lead	No 1 FIXED	IB Fixed_2 2			
		<b>123</b> <b>626</b> 231		ALUMN MS			308			41.7 22.11	<input checked="" type="checkbox"/>	0							
Atalanta	Custom Farr 53	73237	1988	65.44 18.79	120	65.44	58.3 22.08	8.39 14.35	Yes	65	No	52.6 42.6 14.9 7.6	38000 13000 Lead	No 1 FIXED	IB FOLD 3	HEADSAIL MAY NOT EXCEED 120%.PHRF MTG 08/05/93. APPEAL GRANTED AS PER PHRF COMM MTG 12/9/93 FROM 15 TO 24. The existing rating was 15 as a result of the '72 and faster redistribution of all boats rating			
		<b>30</b> <b>537</b> 223		MS			766			33.9 1827	<input type="checkbox"/>	0							

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU ASA Sprit Lngth Fixed or _o	SL SPL SSMG SSF	SPL SSA		SLU ASA Sprit Lngth Fixed or _o	Ballast Ballast Mat.			Traps/H. moveable blst Keel Type
								Yes	No									
Audacious	J 29 7/8 OB	18917	1984	35 11.416 ALUMN FS	35	38.666 4.94 13 8.45 0 300 0	4.94 8.45 300	Yes	No	35 11.5 20.17 586 19.8	Yes	No	29.5 25 11.08 5.67	6000 2100 Lead	0 1 FIXED	OB None 0		
Auggie	Santana 22	476	1969	26 8.5 ALUMN MS	26	21.75 3.95 9.833 6.59 0 131 0	3.95 6.59 131	Yes	No	26 8.583 15.44 335 15.44	Yes	No	22 18.666 7.833 3.5	2600 1230 Cast Iron	No 1 FIXED	OB None 0		
Avalon	Catalina 30	6138	1992	41 11.416 ALUMN MS	41	35 4.63 11.5 7.72 0 246 0	4.63 7.72 246	No	No	35 4.63 11.5 7.72 0 246 0	No	No	29.92 25 10.83 5.25	10200 4200 Lead	0 1 FIXED	IB Fold 2		
Avion	Bianca 414	30345	1980	50.14 15.61 ALUMN MS	50.14	51.17 6.64 17.3 11.37 0 531 0	6.64 11.37 531	Yes	Yes	50 15.61 28.1 1171 28.1	Yes	31.69 1170 0 0	41.27 32.81 9.58 8.5	19953 8624 Lead	No 1 FIXED	IB Fold 2	(MTG 4/8/99 1360 LBS SHAVED OFF SIDES OF KEEL, 925 LBS ADDED TO BOTTOM OF KEEL - 3 FOR KEEL MODS)(New Rudder, NCTR, 2/15/01)	
Azure	CAL 40	72	1966	46 15.17 ALUMN MS	46	40 6.65 17.5 11.37 0 417 0	6.65 11.37 417	Yes	No	46.5 15.17 27.3 1056 27	Yes	No	39.3 30.5 11 5.5	15500 6000 Lead	0 1 FIXED	IB FEATH 2		
Azyxxi	Swan 38 SM	51965	1974	48.5 15.65 ALUMN MS	48.5	42.75 4.53 12 7.78 305 28.15 28.15	4.53 7.78 305	Yes	Yes	48.425 15.65 28.15 1136 28.15	Yes	27.89 1121 0 0	38.25 28.71 11.55 6.6	18300 7100 Lead	0 1 FIXED	IB Feath 3	(Mtg 4/22/10, -3 sec/mi for dual spinnakers, ability to fly asymmetric on squared back pole)	
B Mer	B 25 ODR	48	1995	28 8.5 ALUMN FS	28	28 4.37 11 7.31 0 187 0	4.37 7.31 187	Yes	No	28 9.5	Yes	No	25 21.25 8.33 5	2000 800 Lead	No 1 CNTRBD	OB None 0		

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications			
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.		Traps/H. Strps moveable blst						
								SL	SPL						Yes			No	Ballast Mat.	Keel Type
								SSMG SSF	SSA						SLU			ASA		
Back Bay	CAL 39-2/3 TM	8939	1979	54 16.7 ALUMN MS	54	47.5 13.7	4.9 8.4 375	Yes 53.2 26 26	Yes 16.4 1153	32.72 1343 0 90	39 32.08 12.15 6.7	17000 7000 Lead	0 1 FIXED	IB Feath						
		218	1982	30.75 9.83 ALUMN MS	30.75 26.5	25 9.1	3.25 5.5 131	Yes 29.66 17.5 17.75	No 9.8 434	0 0	24.5 19.2 9.2 4.2	2950 900 Lead	0 1 FIXED	OB None	(Mtg 5/13/14, +3 sec/mi for undersized mainsail)					
Balein	Olson 25	74	1985	32 9.583 ALUMN MS	32	28 10 0 0	3.8 6.4 166	Yes 31.7 17.28 17.28	No 9.583 456	0	25 21.25 9 4.5	3300 1300 Lead	No 1 FIXED	OB None 0						
Baleineau	Ericson 34 Olson SM	42147	1988	44 13 ALUMN MS	44	38.8 13 0 0	4.88 8.25 298	Yes 43.5 23.25 23.25	No 12.96 843	0	34 28 10.83 6	10600 3650 Lead	No 1 FIXED	IB FOLD 2						
Bandicoot	Wyliecat 30 IB	28530	2000	0 0 CARBON CATBOAT	29 10	39.75 20.5 0 0	7.87 13.46 488	No 29 17.75 17.75	No 10 429	18.8 512 0	30.5 25 9.5 5.25	5500 3050 Lead	0 1 FIXED	IB FEATH 2	(mtg 5/20/10, -21 sec/mi for added spinnakers)(9/5/12, removed spinnaker, back to standard configuration)					
Banditos	Moore 24	118	1982	26.25 9.75 ALUMN FS	150	25 9.5	3.91 6.5 147	Yes 26.6 17.55 17.55	No 9.75 389	0 0	23.75 21.75 7.16 4.083	2050 1025 Lead	0 1 FIXED	OB None 0						
Bay Loon	J 29 7/8 OB	18158	1984	35 11.5 ALUMN FS	150	38.8 13	4.94 8.45 301	Yes 35 20.5 20.5	No 11.5 598	0 0	29.5 25 11 5.5	5500 2100 Lead	0 1 FIXED	OB None 0						

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications							
				I J Max Headsail	ISP JSP	P E MGM PY MSA EY	M G U M G M S S M G S S F	S L S S M G S S F	S P L S S A	Yes/No	Yes/No	ASF		SLU ASA SLE Sprit Lngth ASMG Fixed or _o	Ballast	moveable blst		IB or OB Prop Type # of blades						
																			Mast Material	M G U M G M S S M G S S F	S L S S M G S S F	S P L S S A	Ballast Mat.	Keel Type
DW Rating	Disp/WL Ratio																							
Big Air	Open 5.7 ODR	189	2006	21.52 7.3	117	21.6 12.3	25.33 10.24	5.7 8.2	No	Yes	17.6 345 5 0	18.75 18.7 8.3 5.74	992 405 Lead	0 1 FIXED	OB None									
Big Blast	J 111	22	2010	48.37 13.85	105	51.4 20.08	45.17 14.5	6.1 10.1	No	Yes	31.86 1433 6.3 0	36.5 32.7 10.8 7.2	9300 3500 LeadSteel	0 1 FIXED	IB Fold 2									
Black Jack	Buccaneer 28 WD	8	1953	24 8.6	120		32.5 12		No	No	0 0	28 21.5 7.8 4.5	8500 3500 Lead	0 1 FIXED	OB None 0									
Blade Runner	Santa Cruz 27	28727	1979	32.7 10.9	125	32.7 10.9	28.2 8.7	3.27 5.64	Yes	Yes	19.58 533 0 90	27 24.08 8 4.5	3000 1600 Lead	0 1 FIXED	OB None									
Blue	Swan 53-2	53522	2012	71.96 19.52	105	73.84 19.53	65.88 21.98	7.64 13.38	No	Yes	38.89 2214 0 0	54.07 47.24 15.58 12.14	53000 22400 Lead	0 1 CNTRBRD	IB Fold									
Blue Crush	J 109	147	2004	46.49 13.29	156	49.57 18.8	43.24 15.49	5.87 10.07	No	Yes	30.67 1291 5.51 0	35.3 30.51 11.51 6.88	11572 3900 Lead	0 1 FIXED	IB Fold									
Blue Mist	Pearson 33 Vanguard	335	1965	37.5 12.25	150		32.5 14.75	4.42 8	Yes	No	0 0	32.5 22.35 9.25 4.5	11976 4250 Lead	0 1 FIXED	IB Fixed_3									

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		Ttl Disp. Ballast		Traps/H. moveable blst				
								SL	SPL	SLU	ASA				Ballast Mat.			Keel Type
								SSMG SSF	SSA	SLE ASMG	Sprit Lngth Fixed or _o							
Blue Passion	tartan 3400	7134	114	2006	46 13.67 95 CARBON FS	49.67 13.67	43 14.5	4.58 8.2 341	No	No		34.42 30.42 11.92 6.5	10800 3500 Lead	0 1 FIXED	IB Fold			
Blue Ribbon	Catalina 27 IB	343	213	1975	34.5 11.25 120 ALUMN MS		28.7 10.5	3.5 6.3 170	No	No		26.83 21.75 8.83 4	6850 2650 Lead	0 1 FIXED	IB Fixed_3 3			
Bluzzz	Swan 42	1133	78	1981	54.88 16.67 150 ALUMN MS	54.67 20.17	48.75 14.08 0 0	4.87 8.52 391	Yes	Yes	30.7 1385 3.5 <input type="checkbox"/>	41.99 33.9 13 7.75	24000 9200 Lead	0 1 FIXED	IB Feath 3	(Mtg 5/24/12, -3 sec/mi for sprit)		
Bodacious +	1D 48	48005	-15	1996	57.7 16.7 155 CARBON FS	68.3 16.7	61.3 22.5	9.84 14.66 848	Yes	Yes	30.1 1673 0 <input checked="" type="checkbox"/>	48.3 40.2 14.2 10.1	19743 8818 Lead	0 1 FIXED	IB Fold 2	Water ballast system not operational (mtg 8/19/08, custom rating assigned of -30, includes dual spinnakers)(Mtg 3/24/11, new smaller mainsail, smaller symmetrical, change cutom rating from 30 to 21)(Mtg 8/25/11)		
Boogie Woogie	Ranger 33 SM	8262	162	1976	38 13.87 125 ALUMN MS	38	31.5 11 0 0	4.43 7.39 212	Yes	No		33.17 26.25 9.58 5.17	10500 4800 Lead	No 1 FIXED	IB FOLD 2			
Bosporus II	Columbia 36	97415	156	1968	42.75 15 150 ALUMN MS	41.75 15	34.666 14 0 0	5.3 9.1 289	Yes	No		35.75 28.25 10.5 5.42	13000 5000 Lead	No 1 FIXED	IB Fold 2			
Boudicca	Open 5.7 ODR	214	138	2007	21.5 7.3 117 ALUMN FS	27.9 12.3	25.3 10.2	5.7 8.2 183	No	Yes	17.5 338 5 <input checked="" type="checkbox"/>	18.7 18.7 8.3 5.7	992 405 Lead	0 1 FIXED	OB None 0			

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
				J Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp. Traps/H. Strps		IB or OB Prop Type # of blades			
								SL SPL SSMG SSF	SPL SSA	SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ballast	moveable blst Keel Type				
																Ballast Mat.	Keel Type	
Disp/WL Ratio	Mast Material Rig Type	Mast Material Rig Type																
Breakaway	Ultimate 20 CM	180	2002	26.08 6.97 CARBON FS	114	27.58 12.79	27.33 10.17	5.5 7.96 193	No	Yes	19.167 441 6 0	20.83 18 8.33 5	1350 450 Lead	No 1 FIXED	OB Fixed_3 3			
Brigadoon	Custom Blackwatch Sloop	1719	1966	44.25 13.15 ALUMN MS	135	44.25	38.5 16 0 0	4 7.5 303	Yes	No	0	37 25.5 10.5 8	15700 4200 Lead	No 1 CNTRBD	IB Fixed_2 2			
Bright Hour	Farr 40 ODR MH	50092	2001	53.15 15.45 CARBON FS	0	50.04 17.06	54.8 19.36	8.49 13.77 674	Yes	No	0 0	40.7 35.3 13.2 8.53	10902 4960 Lead	0 1 FIXED	IB Fold			
Bullet	Express 37	40311	1985	48.75 14.33 ALUMN MS	155	48.75	42 13.75 0 0	5.3 8.83 344	Yes	No	0	37.08 30.83 11.57 7.25	11000 4600 Lead	No 1 FIXED	IB FOLD 2			
Buona Sera	Santa Cruz 70	41104	1986	73.2 22.5 CARBON MS	146	73.6	65.7 26.6	9.84 17.09 1029	No	Yes	40.49 2457 0 45	68.9 60.4 15.1 9.8	25800 8700 Lead	0 1 FIXED	IB Fold			
Byte Size	Santana 22	801	2001	26 8.5 ALUMN MS	90	26 8.5	21.75 9.833 0 0	3.95 6.59 131	Yes	No	0	22 18.67 7.83 3.5	2600 1230 Iron	No 1 FIXED	OB None 0			
Califia	Islander 36 ODR	67074	1978	45 14.48 ALUMN MS	135	45	39.25 12.75	3.69 6.88 265	No	No	0 0	36.08 28.25 11.17 6.08	13450 5450 Lead	0 1 FIXED	IB Feath 2			

Boat Name	Boat Model (Type)	Rating		I J Max Headsail Mast Material Rig Type	ISP		Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
		Sail #	Built		ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp. Traps/H. Strps		IB or OB Prop Type # of blades			
								DW Rating	Mast Material	SL SPL SSMG SSF	SPL SSA		SLU SLA SLE ASMG	ASF ASA Sprit Lngth Fixed or _o			Ballast	moveable blst Keel Type
California Condor	Class 40	94	2010	58.6 15.65 124 58.6 23.85	53.21 11.71 18.81 14.38		No	Yes	44.88	40	12225	0	IB	(mtg 4/22/10, custom rating of -9 assigned)(Mtg 1/27/11, water ballast disabled. Change custom rating from -9 to 0[zero], DW Rating changes from -60 to -45)(Mtg 5/26/11, enabling water ballast. Custom rating reverts back to -9)				
		<b>468</b>		CARBON					2054	39.17	4710	1	Fold					
		92		FS		715			6 0	14.7 9.84	Lead	FIXED	2					
California Girl	CAL 40 Mod	6853	1967	48.42 15.25 180 48.42	44 5.7 15 9.7 48.75 15.2 27.45 1106 26.35		Yes	No		39.3 30.33 11 5.583	15602 6000 Lead	No 1 FIXED	IB FEATH 2	Mastheight increased, Boom Shortened - 3 sec/mi for rig change MTG 2/17/2000 - Replaced quadrilateral rudder with ellipsoidal of same area- Change to rudder noted, NCTR 6-15-2000) Upon review of rig data and administrative				
Camelot	Santa Cruz 40	18903	1982	52 16 150 52	45.5 5.2 14 8.58 50 16 28.33 1178 28		Yes	No		40 36 12 7	12500 5000 Lead	0 1 FIXED	IB FOLD 2					
Can O' Whoopass	CAL 20	624	1965	22 7.33 115 22 7.33	23 4 10 6.7 140		Yes	No		20 18.1 7 3.33	2000 900 Iron	0 1 FIXED	OB None 2	(mtg 4/24/08, -18 sec/mi for adding single trapeze wire) (10/2/08 - removed trapeze, now racing as a standard cal 20 -18 sec/mi penalty removed)(3/5/09 added single trapeze back, -18 sec/mi)(8/26/09, switching back to standard Cal 20)				
Cape Farewell	Westsail 32	38408	1975	42.25 20 110 42.25	38.25 4.06 14.25 8.12 0 293 0		No	No		32 27.5 11 5	19500 7000 Lead	0 1 FIXED	IB Fixed_3 3					
Capo Gatto	Nonsuch 30	308	1985		45 7.9 24 14.3 605		No	No		30.33 28.75 11.1 5	11500 4500 Lead	0 1 FIXED	IB Fold 2					
Carmelita	Catalina 42-1/2	131	1990	53 16.42 155 53	46.75 4.98 15.5 8.85 0 399 0		Yes	Yes	27.75	41.83 36 13.83 6.66	22000 8300 Lead	No 1 FIXED	IB FEATH 3					

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.		Traps/H. Strps Ballast moveable blst Ballast Mat. Keel Type				
								SL	SPL						Yes			No
								SSMG SSF	SSA									
Carnaval	Santana 35	18638	1981	39 12.85 ALUMN FS	39	42 14.25 0 0	5.51 9.26 358	Yes	No	48 25.7 22.13	14 999	0	35 26.5 11.92 6.25	8500 3300 Lead	No 1 FIXED	IB FOLD 2	New Rudder Noted, NCTR (Mtg 4/25/13, -9 sec/mi for 22% OSA, -3 sec/mi for 9% OSP)(4/1/14, changing back to stock configuration, +12/sec/mi)	
Caro	Botin 65	65	2013	93.64 34.66 CARBON MS	170	93.64 34.66	85.27 12.43 29.25 18.73 1513	No	Yes	106.2 90.2 55.71	55.64 4558 0 0	65.6 63.6 17.32 15.7	37313 Lead	0 1 FIXED	IB Fold	(mtg 2/27/14, Custom Rating Assigned, -129 as Sailed)		
Carodon	Custom IOR	6897	1973	53.25 18.8 ALUMN MS	125	49 15	5.33 9.33 425	Yes	No	54.8 36 35.8	19.33 1642	0 0	43 38.2 12.2 6.8	28000 12000 Lead	No 1 FIXED	IB Fold	(Mtg 4/24/14, custom rating assigned. Includes small headsail credit. As Sailed:141)	
Cattitude	Tartan 10	860	1979	35 12 ALUMN FS	150	35	40.25 5.34 13.75 8.96 0 332 0	Yes	No	35.15 21.6 21.6	12 633	0	33.16 27 9.25 8.833	6700 3340 Lead	No 1 FIXED	IB FOLD 2		
Cayenne	Passport 40	52	1983	50.58 15.63 ALUMN MS	155	50.5	45.75 4.16 16 8.32 0 375 0	Yes	No	50 28.13 28.13	15.5 1172	0	39.42 33.42 12.666 5.75	22771 8500 Iron	No 1 FIXED	IB FEATH 3		
Cayenne	J 37	41626	1987	51.4 14.8 ALUMN MS	150	51.4 14.8	45.2 5 16.5 9 399	Yes	Yes	50.8 26.6 26.64	14.8 1126	26 1136 0 0	37.5 32.5 12.4 7.25	13500 5700 Lead	0 1 FIXED	IB Feath		
CentoMiglia	Flying Tiger 10 Meter ODR	15	2006	39.284 12.126 CARBON FS	105	45.282 19.134	40.167 6.463 14.895 10.499 378	No	Yes	51.541 42.651 27.76	27.493 1087 7.008 0	32.68 30.31 9.12 7.61	4376 1918 Lead	No 1 FIXED	OB None 3	(3/7/11, new class rudder installed, NCTR)		

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
				DW Rating Disp/WL Ratio	I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast	Traps/H. moveable blst		IB or OB Prop Type # of blades
									SL	SPL	SLU	ASA						
									SSMG SSF	SSA	SLE ASMG	SA						
Chance	J 120 ALUM	28484	2001	50.5 14.5 103	52 21.5	46.3 6.7 17.8 11.5 0 489 0	No	Yes	34.1 1765 7	40 35 12 7	13900 6000 Lead	No 1 FIXED	IB FOLD 2					
Cheap Trick	J 24	1870	1979	26.25 9.5 150	26.25	28 3.7 9.75 6.37 163	Yes	No	9.5 438 0 0	24 20 8.92 4	3100 985 Lead	0 1 FIXED	OB None	(Mtg 2/28/13, Changed to a mast-head spinnaker, -6 sec/mi for 16.8% increase in spinnaker area)				
Checkedred Past	Custom Wyliecat 39	3	2002			52 10.2 26.6 17.4 826	No	No	0 0 0	38.83 32 11.5 6.6	12000 6200 Lead	0 1 FIXED	IB FOLD 2	Boat has been modified for handicapped sailing				
Chesapeake	Merit 25	18245	1984	28.75 9.66 155	28.75	28 4.25 9.75 6.69 0 172 0	Yes	No	9.66 410 0	24.5 20.5 8 4	3000 1050 Lead	No 1 FIXED	OB None 0					
Chloe	Rhodes Swiftsure 33	37	1961	39 13 155	39 13	33.8 5.58 14.7 9.55 296	Yes	No	13 761 0 0	33.08 22.92 10 6.58	11500 3400 Lead	0 1 FIXED	IB Fixed_2					
Cinnabar	San Juan 24	12	1972	30 9.5 110	29.8 9.5	26 2.5 8 4.33 0 112 0	Yes	No	9.5 387 0	24 19.5 8 4	3200 1650 Lead	0 1 FIXED	OB None 0					
Claire de Lune	Moore 24	80	1980	26.25 9.8 150	26.25	25 3.91 9.5 6.5 147	Yes	No	9.75 395 0 0	23.75 21.75 7.16 4.083	2050 1025 Lead	0 1 FIXED	OB None 0					



Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications					
			Built	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF		LOA	Ttl Disp.	Traps/H. Strps		IB or OB					
										E	MGM		SL	SPL			SLU	ASA			LWL	Ballast	moveable blst	# of blades
Disp/WL Ratio	Mast Material	Rig Type	EY	SSF	ASMG	Fixed or _o	Max Draft	Ballast Mat.	Keel Type															
Coyote	Beneteau 42 IK TM	28776	<b>84</b>	1985	55.43	155	55.71	49.2	4.8	Yes	No		44.58	23560	No	IB	(mtg 5/21/09, added 15" scoop to transom, NCTR)							
			<b>586</b>		16.73			14.6	8.5				36	9500	1	FOLD								
								0	400			<input type="checkbox"/>	13.2	Iron	FIXED	2								
			230		MS			0					7.25											
Crescendo	Catalina 36	6333	<b>147</b>	1986	45	135	44.8	39	4.4	No	Yes	24	36.3	13500	0	IB								
			<b>654</b>		14			12	8.01		46	900	30.3	6000	1	Fixed_3								
					ALUMN						42.5	0	12	Lead	FIXED	3								
			221		MS				280		24.5	<input checked="" type="checkbox"/>	5.833											
Crews Nest	Catalina 34 1&2	1383	<b>147</b>	1997	44	130	44	38.5	3.6	Yes	No		35.67	11950	No	IB								
			<b>639</b>		13.5		13.5	12	6.8				29.83	5000	1	FEATH								
					ALUMN			0	251			0	11.75	Lead	FIXED	3								
			205		MS			0				<input checked="" type="checkbox"/>	5.58											
Crinan II	Wyliecat 30 IB	15	<b>132</b>	2002				39.75	7.79	No	No		30.5	5500	No	IB								
			<b>653</b>					20.5	13.32				25	3050	1	FOLD								
					ALUMN			0	485			0	9.5	Lead	FIXED	2								
			160		CATBOAT			0				<input type="checkbox"/>	5.25											
Critical Mass	Custom Mancebo 23	18843	<b>216</b>	1979				27.33	8.33	No	No		24.15	2630	0	OB								
			<b>723</b>					14.4	8.33				20.18	1038	1	None	(Mtg 8/27/09, boat converted to Cat configuration, custom rating changed from 201 to 195)(Mtg 3/28/13, change custom rating from 195 to 207 after review of appeal/race results)(Mtg 8/28/14, change custom rating from 207 to							
					CARBON			0	251			0	7.96	Lead	FIXED	0								
			145		CAT			0				<input type="checkbox"/>	4.33											
CruzSea Baby	Beneteau First 10R ODR	52878	<b>84</b>	2007	43.2	105	46.41	42.25	5.59	No	Yes	27.5	32.75	9715	0	IB								
			<b>603</b>		12.07		16.5	14.73	9.57		49.5	1055	28.7	3528	1	Fold	(Rudder Modifications noted, smaller non-class spinnaker +3 sec/mi)							
					CARBON						41.5	4.43	11	Lead	FIXED	2								
			187		FS				371		27.9	<input checked="" type="checkbox"/>	6.55											
Cuckoo	Bird ODR	16	<b>204</b>	1927	20.25	155	20.25	32	7	No	No		30.083	8900	No	OB								
					9.5			20.5	12.5				24.25	5000	1	None								
					WOOD			0	373			0	7.666	Lead	FIXED	0								
			284		MS			0				<input type="checkbox"/>	5.25											

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications					
			Built	DW Rating	I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No		Yes/No	ASF		LOA LWL	Ttl Disp.	Traps/H. Strps		IB or OB Prop Type # of blades					
										Mast Material	PY		MSA	SL			SPL	SLU			ASA	Max Beam	Ballast	moveable blst
Disp/WL Ratio											Fixed or _o													
Daddy-O	Olson 30 OB	18123	<b>99</b>	1981	36	150	36	31.5	4.364	Yes	No		30	3600	0	OB								
			<b>584</b>		11.75		11.8	10.75	7.268				27.5	1700	1	None								
					ALUMN				208			0	9.6	Lead	FIXED									
			79		MS						<input type="checkbox"/>	0	5.6											
Dare Dare	Jeanneau Sun Fast 3200	39	<b>75</b>	2008	41.92	112	43.77	38.67	5.28	Yes	Yes	24.48	33.1	7496	0	IB								
			<b>592</b>		12.58		13.61	13.92	9.06				28	2866	1	Fold								
					ALUMN				321			1	11.5	Lead	FIXED	2								
			155		FS						<input type="checkbox"/>	0	6.2											
Daredevil	Melges 24	659	<b>84</b>		27.85	100	31.85	28.75	3.83	No	Yes	20.67	24	1750	0	OB								
			<b>573</b>		7.98		11.5	12.42	7.09				22	650	1	None								
					CARBON				195			4.6	8.17	Lead	CNTRBRD									
			75		FS						<input checked="" type="checkbox"/>	0	5.25											
Dark & Stormy	1D 35	35018	<b>30</b>	1998	42	110	44.8	44	7.5	No	Yes	31.4	35	6550	0	IB	Fixed bow sprit, using Asymmetrical spinnaker(mtg 3/20/08, -9 sec/mi for oversized spinnaker, +3 sec mi for not being able to articulate pole, as sailed: 30)							
			<b>518</b>		12.47		17.39	19	12				31.5	2660	1	FOLD								
					CARBON				497			4.92	10.9	Lead	FIXED	2								
			95		FS						<input checked="" type="checkbox"/>	0	7.58											
Daydreamer	O'Day 22 MH	1733	<b>282</b>	1975	24	150		20.17		No	No		21.67	2083	0	OB								
					9			7.67					18.92	600	1	None								
					ALUMN							0	7.17	Iron	FIXED									
			140		MS						<input type="checkbox"/>	0	1.92											
Deception	Santa Cruz 50	97263	<b>-6</b>	1987	61.8	155	61.8	55	7.1	Yes	Yes	32.9	50	17500	0	IB	ELPT Keel & OS/Spinnaker; Has a Code 0 headsail aboard - tacked to stem, no sprit							
			<b>482</b>		18.3		18.3	18.4	12				46	8000	1	FOLD								
					ALUMN				605			0	12	Lead	FIXED	2								
			82		MS						<input checked="" type="checkbox"/>	0	8											
Delicate Balance	Custom Andrews 56	87868	<b>-21</b>	1992	66.3	150	66	56	7.5	Yes	No	39.6	56	23000	No	IB	(PHRF Comm mtg 2/14/06 change rating from -24 to -21)(8/28/06 - changed headsail back to 155, change rating from -21 to -24)(Mtg 5/22/08, -9 sec/mi for oversized pole, 22', -3 sec/mi for dual spinnakers and ability to fly							
			<b>489</b>		19.2			20	13				48	10500	1	FEATH								
					ALUMN				665			0	14.3	Lead	FIXED	2								
			95		MS						<input type="checkbox"/>		9											

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications									
				I J	Max Headsail		P E PY EY	MGU MGM MSA	Yes/No		SL SPL SSMG SSF	SPL SSA		SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o			Ttl Disp.	Traps/H. Strps Ballast Ballast Mat.	moveable blst Keel Type						
									Mast Material	ISP											SL	SPL	SLU	ASF	Ttl Disp.	Traps/H. Strps
Desperado	Express 27 ODR	77539	1981	28.5 9	155	28.5	28.5 10.416 0 0	4.22 7.03 182	Yes	No	29 9.833 17.75 17.75	0	27.25 23.75 8.166 4.5	2450 1100 Lead	No 1 FIXED	OB None 0										
DFZ	J 70 ODR	72		26.77 7.68	100	30.15 13.5	26.16 9.44	4.71 6.93 164	No	Yes	18.7 35.43 28.87 18.24	0	22.75 20.47 7.38 4.92	1750 630 Lead	0 1 MVBL	OB None										
Ditzy	ALERION EXPRESS 28 ODR	38079	2004	30 9.75	90		33 12.5 0 0	4.085 7.6 233	Yes	No	9.75 429	0	28.25 22.83 8.2 4.5	5700 2200 Lead	No 1 FIXED	IB FOLD 2										
Dolce	Alberg 30	318	1968	36.03 10.75	145	36.06	31.11 14.48	4.49 8.2 246	Yes	No	10.75 570	0	30.25 22 8.75 4.5	9000 3300 Iron	0 1 FIXED	IB Fixed_2 2										
Domino	Wilderness 30 MOD	38081	1985	36 12.25	155	36 12.25	31.5 10.83	4.11 6.93 203	Yes	No	12.25 655	0	30 27.75 8.8 5.5	5450 2150 Lead	0 1 FIXED	IB Fold	(Mtg 3/28/13, +6 sec/mi for small rig)									
Dona Mae	Olson 25	18341	1985	32 9.6	155	32	28 10 0 0	3.8 6.4 166	Yes	No	9.583 459	0	25 21.25 9 4.6	3300 1300 Lead	No 1 FIXED	OB None 3										
Double Digit	J 111	94	2013	48.37 13.84	105	54.41 20	45.17 14.5	5.18 10.1 396	No	Yes	31.79 1404 8 0	0	36.5 32.7 10.8 7.2	9300 3500 LeadSteel	0 1 FIXED	IB Fold										

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
		Sail #	DW Rating		I J Max Headsail Mast Material Rig Type	P E PY EY		MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst		
									SL	SPL	SLU	ASA						
									SSMG SSF	SSA	SLE	ASMG						
Double Play	Yankee 30-2	28440	177	1971	40 12.75 ALUMN MS	125	39.5	35 9.9 0 0	3.805 6.496 208	Yes	No	39.98 22.95 22.95	12.75 765	30.08 23 9 5	0 1 FIXED	8700 4130 Lead	IB Fold 2	Modified Rudder, new mast installed (same specifications as previous mast)
Dr Feelgood	Olson 29	24	99	1986	34 11 ALUMN FS	155	36	32.5 11.5	4.36 7.48 223	Yes	No	36 21.15 21.15	11.75 635	29.67 27.5 9.33 5.58	0 1 FIXED	3600 1950 Lead	OB None	
Dragonsong	Olson 30 OB	87014	99	1982	36 11.75 ALUMN MS	155	35.9 11.67	31.5 10.75 0 0	4.364 7.268 208	Yes	No	36 21.15 21.15	11.75 635	30 27.5 9.33 5.08	No 1 FIXED	3600 1800 Lead	OB None 0	
Dream	ALERION EXPRESS 28 ODR	222	168	2003	30 9.75 ALUMN FS	90		33 12.5 0 0	4.58 7.9 242	No	No			28.25 22.83 8.17 4.5	No 1 FIXED	5700 2200 Lead	IB FOLD 2	
Dura Mater	CAL 27-2 IB	616	210	1979	36 12 ALUMN MS	120		30.83 10.25	4.21 7 195	No	No			26.58 22.08 9.25 4.25	0 1 FIXED	6700 3100 Lead	IB Fixed_2 2	
Dust	Pearson 26 Commander	281	258	1966	31.5 9.5 ALUMN MS	155	31.5	26 11.5	3.3 5.75 154	No	No			25.7 18.5 8 3.7	0 1 FIXED	5200 2500 Lead	OB None	
Eagle Rae	Bavaria Vision 46		84	2014	56.43 15.72 ALUMN FS	106	56.43 15.72	54.333 19.85	7.87 14.73 681	No	No			45.89 44.94 13.74 7.02	0 1 FIXED	33543 7606 Iron	IB Fold	+3 sec/mi for in-mast furling mainsail

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications			
		Sail #	DW Rating		I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.			Traps/H. Strps Ballast moveable blst		
									SL	SPL	SLU	ASA							Ballast Mat.	Keel Type
Easom Riggin/Eight Ball	Mumm/Farr 30	57	54	1996	38.3 10.89 CARBON FS	104	44.9 13.5	40.52 6.42 14.56 10.4 376	42 5.28	Yes	Yes	24.6 921 0 90	30.9 27.5 10.16 6.89	4500 2060 Lead	0 1 FIXED	IB Fold 2				
Eclipse	Express 37	18495	72	1985	48.75 14.33 MS	155	48.75	42 5.28 13.75 8.83 0 344 0	42 5.28	Yes	No	0	37.08 30.83 11.57 7.25	11000 4500 Lead	0 1 FIXED	IB FOLD 2	Rudder modification noted, no change to rating. (Actual weight from yard 11200 - 9500 was design displacement. No mods from standard express 27.) 3/26/01			
Egret	Tartan 30	445	186	1977	39 13 ALUMN MS	125	39	34.583 4.61 11.5 7.7 0 243 0	34.583 4.61	Yes	No	0	29.92 24.25 10 4.92	8750 3700 Lead	No 1 FIXED	IB Fixed_2 2				
El Raton	Express 27 ODR	28050	129	1985	28.5 9 ALUMN FS	155	28.5	28.5 4.22 10.416 7.03 0 182 0	28.5 4.22	Yes	No	0	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0				
Elan	Beneteau 37	46	120	2012	45.83 15 ALUMN FS	105	48	43.5 6.16 12.83 8.83 359	43.5 6.16	No	Yes	26.6 915 0 0	37.8 34.08 12.83 6.25	14359 3901 Iron	0 1 FIXED	IB Fixed_3				
Elan	Express 37	87700	72	1985	48.75 14.33 ALUMN MS	155	48.75	42 5.28 13.75 8.83 0 344 0	42 5.28	Yes	No	0	37.083 30.833 11.57 7.25	11000 4500 Lead	No 1 FIXED	IB FOLD 2				
Elise	Express 27 ODR	101	129	1986	28.5 9 ALUMN FS	155	28.5	28.5 4.22 10.416 7.03 182	28.5 4.22	Yes	No	0 0	27.25 23.75 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0				

Boat Name	Boat Model (Type)	Rating		I J Max Headsail Mast Material Rig Type	ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications				
		Sail #	Built			P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.			Traps/H. Strps moveable blst			
								DW Rating	Mast Material	SL SPL SSMG SSF	SPL SSA							SLU SLE ASMG	Ballast	Keel Type
Elizabeth Ann	Westsail 32	0	1973	42.5 18 130	42.5	37.5 14.4	3.5 8 280	Yes	Yes	28.8 876 0 0	32 27.5 11 5	19500 7000 LeadIron	0 1 FIXED	IB Feath						
Elusive	Olson 911S	42133	1986	41.5 12.3 150	41.5	36 11.9	4.5 7.7 255	Yes	No	0 0	29.9 25 10.33 5.4	7200 Lead	0 1 FIXED	IB FOLD 2						
Emerald	Yankee 30-2	37894	1971	40.5 12.75 125	40.5	34.92 11 0 0	4.18 7.15 229	Yes	No	0	30 23 9 5	8700 4170 Lead	No 1 FIXED	IB FOLD 2						
Emily Carr	Santa Cruz 50	49211	1981	61 19 150	61	55 17 0 0	6.4 11 555	Yes	No	0	53 46.5 12 8	15000 7500 Lead	No 1 FIXED	IB FOLD 2	3' SUGAR SCOOP ON TRANSOM IF STD 50FT LOA OF BOAT					
Enchante'	Beneteau 42 IK TM	63222	1985	55.43 16.73 155	55.71	49.2 14.6 0 0	4.8 8.5 400	No	No	0	43.67 36 13.83 7.19	20509 8700 Iron	No 1 FIXED	IB FOLD 2						
Encore	Sydney 36 CR	3632	2006	45.6 14 104		44.36 16.4	6.1 10.6 431	No	Yes	28.9 1283 1.4 90	36.06 31.04 11.32 7.55	12897 4850 Lead	No 1 FIXED	IB FOLD 2	(Australian IRC Rating 1.052)(Mtg 8/23/12, change custom rating from 54 to 57)					
Endeavor	Hunter 36	36		44.83 13.16 110		44.92 15	5 8.4 371	No	No	0 0	35.5 31.25 12 5.5	13990 5023 Lead	0 1 FIXED	IB Fixed_2	In-mast furling Mainsail +3 sec/mi)					

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications		
				I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No		Yes/No	ASF		Ballast Ballast Mat.	Traps/H. moveable blst Keel Type				
									SL	SPL								SLU	ASA
PY	MSA	SSFG	SSA	SLU	ASF														
Endless Summer	Catalina 42-1/2 WK	688	2000	53 16.5	155	42.1 19.07	46.75 15.5	5.08 9.16	No	No	0	41.83 36 13.83 4.83	28000 8300 Lead	0 1 FIXED	IB Feath 3				
Energy	J 105 ODR w/ 5'BS	46060	1996	40.6 13.5	100	42.1 19.07	41.5 14.5	5.5 9.4	No	Yes	26 926	34.5 29.5 11 6.5	7750 3400 Lead	No 1 FIXED	IB FOLD 2				
Ergo	Ericson 35-2 SM	97050	1970	40 14	125	40 14	32.67 13	4.45 7.45	Yes	Yes	19.6 673	34.67 25.83 10.04 4.49	11600 5000 Lead	No 1 FIXED	IB FOLD 2	(new rudder noted mgt 6-8-04; NCTR).			
Escapade	Express 37	18051	1985	48.75 14.33	155	48.75	42 13.75	5.28 8.83	Yes	No	0	37.08 30.83 11.57 7.25	11000 4500 Lead	No 1 FIXED	IB FOLD 2				
Escapade	Sabre 40-2	38011	1997	54 15.5	110	54 16	47.5 17	5.6 9.9	Yes	Yes	23.5 1001	40.2 34 13.3 7.5	19760 7500 Lead	0 1 FIXED	IB FEATH 3				
Espresso	Hobie 33 ODR	77981	1982	33.28 12.4	125	36.28	35 12.5	4.75 8	Yes	No	0	33 30.5 8 5.416	4000 1800 Lead	No 1 FIXED	OB None 0	Standard rig, with longer elliptical rudder. Boat is an ODR boat with a short spinnaker pole, but Spinnaker is standard ODR size.			
E-Ticket	Moorings 38 SD	119	1990	47.5 13.9	155	47.5 13.9	41.7 15	5.69 9.45	Yes	No	0	38.4 31.33 12.5 4.8	13700 5400 Steel	0 1 FIXED	IB Fold 2	Shoal Draft			

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications						
		Sail #	DW Rating		I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No		Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB							
										SL	SPL									SLU	ASA	LWL	Ballast	moveable blst	IB or OB
Disp/WL Ratio	Mast Material	MS	PY	MSA	SSSF	ASM	Fixed or _o	Max Draft																	
Etoile	Beneteau 361 Oceanis	201	129	2002	45.21 13.94	101	14.2	38.39 14.44	4.6 8.41	No	Yes	22.25 786	36.33 31.08	12790 4156	0 1	IB Fold	(Mtg 4/26/12, -9 sec/mi for added sprit that is 27% over J)								
			614		ALUMN				307			21.75	5	Cast Iron	FIXED										
			194		MS						<input checked="" type="checkbox"/>	0													
Europa	New York 36	36046	90	1982	42.1 12.7	153		46.5 16	6 9.92	Yes	No		36.67 29.5	12170 4200	0 1	IB Feath	(mtg 2/27/14, custom rating assigned, as sailed: 90)								
			654		ALUMN				435			12	11.67	Lead	FIXED										
			215		FS						<input type="checkbox"/>	0	6.33												
Even Keel	Catalina 320	769	159	2000	43.7 12.4	110	12.4	38 13.3	5.16 8.66	No	Yes	18.241 665	32.6 28	11300 4000	No 1	IB FOLD									
			672		ALUMN				303			0	11.9	Lead	FIXED		3								
			234		MS						<input checked="" type="checkbox"/>	0	6.3												
Evenstar	Ranger 23	6404	216	1974	27.54 9.75	155	27.5 9.7	24 9.2	3.3 5.4	Yes	No		23.67 20	3400 1500	0 1	OB None									
			724		ALUMN				126			17.46	7.92	Lead	FIXED										
			193		MS						<input checked="" type="checkbox"/>	0	3.9												
Ex Indigo	Custom Diva 39	8	87	1987	41.73 12.8	125	41.73 12.8	46.75 14.75	5.72 9.6	Yes	No		38.75 30.83	9920 4575	No 1	IB FOLD	Back Stay Crane								
			591		ALUMN				413			22.6	9.83	Lead	FIXED		2								
			154		FS						<input type="checkbox"/>	0	5.75												
Expeditious	Express 37	18478	72	1986	48.75 14.33	155	48.75	42 13.75	5.28 8.83	Yes	No		37.08 30.83	11000 4500	No 1	IB FOLD	INSTALED NEW CLASS-APPROVED CARBONFIBER RUDDER - MTG 6-12-2000 NCTR.								
			587		ALUMN				344			25.5	11.57	Lead	FIXED		2								
			171		MS						<input type="checkbox"/>	0	7.25												
Express Lane	Express 34	3416	102	1987	44.25 13	95	44.25	38.5 12.83	4.87 8.46	Yes	No		34 28.33	9245 3800	No 1	IB FOLD									
			613		ALUMN				296			23.4	10.33	Lead	FIXED		2								
			185		MS						<input type="checkbox"/>	0	6.109												

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
				DW Rating Disp/WL Ratio	J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			SLU ASA Sprit Lngth Fixed or _o	Ballast Ballast Mat.	Traps/H. moveable blst Keel Type		IB or OB Prop Type # of blades
									SL	SPL	SLU	ASA						
									SSMG SSF	SSA	SLE ASMG	ASA Fixed or _o						
Expression	Express 37 MOD	33985	1984	48.75 14.33 ALUMN MS	150	48.75	42 13.75	5.3 9 346	Yes 48.16 23.2 23.2	No 14.33 931	19 705 0 90	37.1 30.83 11.5 6	9500 4500 Lead	0 1 FIXED	IB Fold 2	(mtg 1/21/10, +3 sec/mi for modified keel, -3 sec/mi for dual spinnaker/ability to fly asym on squared back pole)(1/19/11, removed asym, only using symmetric spinnaker, +3 sec/mi)		
Eyrie	Hawkfarm 28 ODR	6100	1976	33 11 ALUMN FS	125	33.25 11.5	36 10.5 0 0	4.37 7.26 236	Yes 33 20 19.4	No 11.5 547	0	28 23.5 9.75 5.17	5700 2700 Lead	No 1 FIXED	IB FOLD 2	Rudder changes noted NCTR mtg 4/20/04)		
Fast Lane	Capri 30 IB	87227	1985	40.3 12 ALUMN MS	120	40.9 12	36.8 11.75	4.37 7.8 259	Yes 38 20.8 20.8	No 12 659	0 0	29.5 24.2 11.2 5.5	4985 2300 Lead	0 1 FIXED	IB Fold			
Faster	J 70 MOD	57	2012	26.77 7.68 CARBON FS	100	30.15 13.5	26.16 9.43	4.324 6.561 158	No	Yes 33.46 28.28 14.43	18.7 393 5.1 0	22.75 20.47 7.38 4.75	1786 630 Lead	0 1 MVBL	OB None	(Mtg 4/29/14, +3 sec/mi for smaller than class mainsail, +6 sec/mi for smaller than class spinnaker)		
Festina Lente	Beneteau 45 Oceanis	0	2013	57.2 18.6 ALUMN MS	104		53.8 17.1		No	Yes 62 56.4 34.7	35 1715 2 0	45.5 42.1 14.9 7.1	21048 6189 Cast Iron	0 1 FIXED	IB Feath			
Firebolt	Laser 28	18228	1984	31.1 9.65 ALUMN FS	125	31.73	33.14 12.96 0 0	4 8.125 243	Yes 31.5 20.25 20	No 9.65 530	0	28.41 23.62 9.48 4.98	3950 1500 Lead	0 1 FIXED	IB FOLD 2			
Firebolt	Olson 25	87863	1985	32 9.583 ALUMN MS	130	32	28 10 0 0	3.8 6.4 166	Yes 31 17.28 17.28	No 9.583 446	0	25 21.25 9 4.5	3300 1300 Lead	No 1 FIXED	OB None 0	Roller Furter		

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications					
			Built	DW Rating	I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No		Yes/No	ASF		LOA LWL	Ttl Disp.	Traps/H. Strps			IB or OB Prop Type # of blades				
										Mast Material	PY		MSA	SL			SPL	SLU			ASA	Max Beam	Ballast	moveable blst
Disp/WL Ratio	FS	EY	SSF	ASM	Fixed or _o																			
Firefly	Beneteau 40.7 First Farr	60407	<b>51</b> <b>569</b> 164	2008	51.61 14.47	155	51.61 14.47	48.85 17.72	6.2 11.3	Yes	No	25.7 1010 0 0	39.33 34.83 12.33 7.75	15211 5953 Lead	0 1 FIXED	IB Fold 2								
First Light	Beneteau 35S5	115	<b>126</b> <b>630</b> 206	1991	41.66 11.15	98		42.65 15.09 0 0	5.25 9.042 366	Yes	No	0	35.42 29.33 11.83 6	11460 4190 Lead	No 1 FIXED	IB Fixed_2 2								
Flame	Santana 22	619	<b>234</b> <b>737</b> 182	1972	26 8.5	150	26	21.75 9.8	3.9 6.5 130	Yes	No	0 0	22 18.67 7.85 3.5	2600 1230 Cast Iron	0 1 FIXED	OB None 0								
Flight	J 24 ODR	1036	<b>168</b> <b>693</b> 176	1979	26.25 9.5	150	26.25	28 9.75 0 0	3.7 6.37 163	Yes	No	0	24 20 8.92 4	3100 965 Lead	No 1 FIXED	OB None 0								
Flight Risk	Thompson 650	650	<b>102</b> <b>570</b> 99	2000	26.67 8.86	100	28.25 14.86	28.29 10.4	5.7 8 204	No	Yes	20.58 586 7.87	22.3 19.8 8.16 5.9	1692 660 Lead	Yes 3 FIXED	OB None	(mtg 1/21/10, weighed displacement of 1692lbs updated, NCTR)(Mtg 3/18/10, change custom rating from 108 to 99)(Mtg 8/18/10, submitted appeal, rating changed from 99 to 102)							
For Pete's Sake	Ultimate 24 ODR	28469	<b>111</b> <b>582</b> 98	2003	28.04 7.82	102	30.8 14.5	31 11.5 0 0	5.5 8.8 238	No	Yes	22.2 587 6.7 0	24.38 21.17 8.48 5.52	2040 750 lead	No 1 FIXED	OB None								
Free Bowl of Soup	J 105 ODR w/ 5'BS	519	<b>78</b> <b>580</b> 124	2002	40.6 13.5	100	42.1 19	41.5 14.5	5.4 9.47 358	No	Yes	24.5 974 5.5 0	34.5 30.5 11 6.5	7750 3400 Lead	0 1 FIXED	IB Fold								

Boat Name	Boat Model (Type)	Rating		I J Built	Foretriangle:		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications				
		Sail #	DW Rating		Max Headsail	Mast Material		P E PY EY	MGU MGM MSA	Yes/No		Yes/No	ASF		Ttl Disp.	Traps/H.			Strps			
										SL	SPL		SLU							ASA	Ballast	moveable blst
SSF	SSA	ASM	Fixed or _o	Max Beam	Keel Type																	
Freedom	Worth 40	18230	96	1984	54 16	155	16	47 14	5.5 9.2	Yes	52 28.8 28.8	16 1248	No	0	40 34.25 12.5 7.25	21000 7800 Lead	0 1 FIXED	IB FOLD 2				
Freewater	Ranger 33	0	150	1978	41.5 13.87	155	41.5	35 13.75	4.93 8.65	No			No	0	33.17 26.25 9.58 5.17	10500 4500 Lead	0 1 FIXED	IB Feath 3				
French Kiss	Beneteau 350 Oceanis	28713	144	1989	41.47 12.8	140	41.47	35.7 11.6	4.2 7.3	Yes	39.5 22.5 22.5	12.52 741	No	0	33.83 29.83 11.17 5.17	10580 3525 Lead	0 1 FIXED	IB FOLD 2	Above deck Roller Furler			
Frequent Flyer	Mumm/Farr 30	52	54	1996	38.2 10.9	104	44.9 13.58	40.5 14.6	6.42 10.4	Yes	44.58 25.25 24.67	13.58 934	Yes	25.25 882 0 0	30.9 27.6 10.1 6.9	4561 1997 Lead	0 1 FIXED	IB Fold				
Friday Harbor	Beneteau 323 DK	28580	147	2004	42.67 11.06	116		38.9 13.17	5 8.56	No			Yes	19.91 661 0 0	32 29.17 10.67 5.92	8448 2258 Iron	No 1 FIXED	IB FOLD 2				
Froglips	J 24 ODR	2392	168	1981	26.25 9.5	150	26.25	28 9.75	3.7 6.37	Yes	26.5 17.13 17.03	9.5 378	No	0	24 20 8.92 4	3100 965 Lead	No 1 FIXED	OB None 0				
FROLIC	Islander 36 TM	47462	141	1974	47 14.5	150	47 14.5	40.75 12.6	4.8 8.25	Yes	46.5 25.8 24.6	14.5 990	No	0 0	36.08 28.25 11.17 6.08	13450 5450 Iron	0 1 FIXED	IB Feath 3				

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications					
			Built	DW Rating	I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No		Yes/No	ASF		LOA LWL	Ttl Disp.	Traps/H. Strps			IB or OB Prop Type # of blades				
										Mast Material	PY		MSA	SL SSMG SSF			SPL SSA	SLU SLE ASMG			ASA Sprit Lngth Fixed or _o	Max Beam Max Draft	Ballast	moveable blst Keel Type
Funner	Melges 20	133	<b>111</b>	2009	23.19 7.05	110	27.2 10.95	24.25 9.84	3.83 7.42	No	Yes	18.8 417 3.9 0	20 19.4 7 4.5	1105 415 Lead	0 1 FIXED	OB None								
			<b>604</b>		CARBON FS				152															
			69								<input checked="" type="checkbox"/>	0												
Galaxsea	Custom Nauticat 43.5	28743	<b>180</b>	1985	51 20	104	20.6	45 13.6	4.3 7.9	Yes	Yes	29.2 1119 4.9	43.6 37.7 12.2 5.9	34000 11000 Lead	No 1 FIXED	IB FEATH 3	Stay sail measurements foot=1', Luff=34'6", Leach=30'2", LP=132"							
			<b>629</b>		ALUMN KTCH			32.4 8.5	338			50 52 50 25.6												
			288								<input checked="" type="checkbox"/>													
Gammon	Tartan 10	8084	<b>126</b>	1979	35 12	150	35	40.25 13.75	5.34 8.96	Yes	No	0	31.083 27.18 9.25 5.833	6700 3340 Lead	No 1 FIXED	IB FOLD 0								
			<b>629</b>		ALUMN FS			0 0	332			0 <input type="checkbox"/>												
			152																					
Ganesha	Sabre 36-2	28862	<b>111</b>	1996	48.5 13.46	155		41.6 14.83	5.66 9.63	No	No	0 0	36.17 30.42 12 6.5	13800 5520 Lead	No 1 FIXED	IB FOLD 2	Adjustable back stays							
			<b>223</b>		ALUMN MS			0 0	368			<input checked="" type="checkbox"/>												
Gavilan	Custom Wylie 39	28439	<b>93</b>	1996	49 14.5	122	49	43 15.5	5.73 9.75	Yes	Yes	24.6 783 1.17	41.5 31.75 11.5 6.77	17900 5920 Lead	No 1 FIXED	IB FEATH 3	(mtg 4/28/11, change custom rating from 84 to 96 after review of rating appeal)(Mtg 1/26/12, -3 sec/mi for sprit)							
			<b>604</b>		ALUMN MS			0 0	390			48.64 26.6 26.6												
			254								<input checked="" type="checkbox"/>													
Gentle Storm II	Catalina 42-1/2	38875	<b>102</b>	2004	53 16.42	135	53 16.42	46.75 15.416	5.75 9.833	No	Yes	27 1159 1	41.83 36 13.83 6	20500 8300 Lead	No 1 FIXED	IB FOLD 3	ASYM SPIN NOTED NCTR.							
			<b>605</b>		ALUMN MS			0 0	425			54 49 27												
			200								<input checked="" type="checkbox"/>													
Gento	Soto 30	0	<b>36</b>	2012	38.25 12.25	102	38.67 19.83	38.67 13.58	5.83 8.83	No	Yes	26.25 968 7.7 0	30 28.75 9.58 6.5	3800 1415 Lead	0 1 FIXED	OB None								
			<b>516</b>		CARBON MS				322			49.83 40 25.75												
			73								<input checked="" type="checkbox"/>													

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications		
			Built	DW Rating	I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No		Yes/No		LOA	Ttl Disp.	Traps/H. Strps		IB or OB Prop Type			
										SL	SPL	SLU	ASA			LWL	Ballast			moveable blst	# of blades
Disp/WL Ratio	Mast Material	Rig Type	PY EY	MSA	SSGF	SSA	SLE	Fixed or _o	Max Draft	Ballast Mat.	Keel Type										
Giant Slayer	Santa Cruz 27	59369	<b>138</b>	1979	32.583	155	32.583	28.2	3.7	Yes		27	3300	No	OB	(Mtg 3/27/14, -3 sec/mi for 10% overized asymmetrical spinnaker)					
			<b>621</b>		10.75			8.7	6.3			24	1500	1	None						
					ALUMN			0	157			8	Lead	FIXED	0						
			<b>109</b>		MS			0				4.5									
Gig	Humboldt 30 IB	18112	<b>108</b>	1983	37.5	149	37.5	41.5	5.13	Yes		30	5400	No	IB						
			<b>603</b>		11.5			13.75	8.83			26.66	2222	1	FOLD						
					ALUMN			0	338			10.5	Lead	FIXED	2						
			<b>130</b>		FS			0				5.75									
Golden Moon	Express 37	18488	<b>72</b>	1985	48.75	155	48.75	42	5.37	Yes		37	11000	No	IB						
			<b>586</b>		14.33			13.75	8.99			30.83	4500	1	FOLD						
					ALUMN			0	347			11.57	Lead	FIXED	2						
			<b>171</b>		MS			0				7.25									
Grace	Pretorien 35	63157	<b>132</b>	1984	48.8	135	48.8	42.5	4.5	Yes		35.43	14560	0	IB						
			<b>618</b>		14.8			12	7.83			30.33	6720	1	Feath						
					ALUMN				304			11.81	Lead	FIXED	2						
			<b>237</b>		MS			25.9				6									
Grace Kellie	Catalina 320 WK	917	<b>168</b>	2002	43	120		38	5.09	No		34.2	11700	0	IB						
					12			13	8.53			28	4400	1	Feath						
					ALUMN				298			11.8	Lead	FIXED	3						
			<b>242</b>		MS							4.4									
GravlaX	X-402	34840	<b>87</b>	1986	52	155	51.9	46.5	4.42	Yes		39.7	15587	0	IB	(Mtg 3/28/13, +3 sec/mi for increased displacement)					
			<b>594</b>		15.5			13.58	7.63			31.5	6820	1	Feath						
					ALUMN				347			12.95	LeadSteel	FIXED	2						
			<b>227</b>		MS			26.17				7.5									
Green Buffalo	CAL 40	8538	<b>114</b>	1967	46.7	155	46.7	39.8	6.65	Yes		39.3	17500	0	IB	Schumacher designed rudder - same as original					
					15.2			17.6	11.37			30	6000	1	FEATH						
			<b>618</b>		ALUMN			0	416			10.9	Lead	FIXED	3						
			<b>295</b>		MS			0				5.8									

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
		Sail #	DW Rating		I J Max Headsail Mast Material Rig Type	P E PY EY		MGU MGM MSA	Yes/No		Yes/No		SLU SLE ASMG		ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.			Traps/H. Ballast moveable blst Ballast Mat. Keel Type
									SL	SPL	SLU	ASA							
									SSMG	SSA	SSA	SSA							
Green Dragon	Cal 20	4188	273	1965	22	125	22	23	3.84	Yes	No	20	1950	0	OB				
			748		7.33	125		9.84	6.5			18.08	900	1	None				
			150		ALUMN FS			0	137		<input type="checkbox"/>	7	Steel	FIXED	0				
								0				3.33							
Green Onions	Wyliecat 30 IB	28571	132	2004				40	7.87	No	No	30.42	5800	No	IB	Must have a YC card before registering for 2005 and clear YC for 2004			
			652					20.67	13.46			25	3000	1	FOLD				
			169		CARBON CAT			0	493		<input type="checkbox"/>	9.42	Lead	FIXED	2				
								0				5.25							
Grey Ghost	Hanse 341/342	38405	138	2006	45.58	125		43.44	5.58	No	Yes	34	11243	No	IB	(Mtg 10/12/06, -6 s/m for sprit & inc. ISP/JSP)(Mtg 1/18/07 -3 s/m for sprit, if spinnaker dimensions change, boat will be re-rated)(6/6/08, removed asymmetric spinnaker & sprit, +3 s/m)(2/14/12, switching back to			
			617		12.66			14.42	9.37		22.81	30.17	3660	1	FOLD				
			186		ALUMN FS				375		49.2	11.08	Iron	FIXED	2				
											853	6.08							
											1								
											<input checked="" type="checkbox"/>								
Gruntled	Moore 24	68	150	1980	26.25	150	26.25	25	3.91	Yes	No	23.75	2050	No	OB				
			635		9.75			9.5	6.5			21.75	1025	1	None				
			91		ALUMN FS			0	147		<input type="checkbox"/>	7.16	Lead	FIXED	0				
								0				4.083							
								0											
Gypsy Lady	CAL 34-1	7507	174	1969	39	155	39	33.5	4.75	Yes	No	33.3	10000	No	IB				
			672		13.75		13.75	14	8.25			26	3750	1	FOLD				
			259		ALUMN MS			0	264		<input type="checkbox"/>	10	Lead	FIXED	2				
								0				5							
Half Off	Moore 24	117	150	1983	26.25	150	26.25	25	3.91	Yes	No	23.75	2050	No	OB				
			635		9.75			9.5	6.5			21.75	1025	1	None				
			91		ALUMN FS			0	147		<input type="checkbox"/>	7.16	Lead	FIXED	0				
								0				4.08							
Hamachi	J 125	13696	-12	1999	49	155	52	46.5	7.29	No	Yes	41	9330	0	IB				
			465		14.67		23	18	12.14			37	4646	1	Fold				
			84		CARBON FS				512		<input checked="" type="checkbox"/>	10.6	Lead	FIXED	2				
												7.9							

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
				DW Rating Disp/WL Ratio	I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast			Traps/H. moveable blst
									SL	SPL	SLU	ASA						
									SSMG SSF	SSA	SLE ASMG	Fixed or _o						
Hana Ho	Santa Cruz 50	77007	-6 482 84	1980	61.39 18.85 ALUMN MS	155	61.5 18.75	54.92 16.98 0 0	6.5 11.1 558	Yes	Yes	34.2 1733 0	52 46 12 7.75	18000 8000 Lead	0 1 FIXED	IB Feath 3	(Mtg 5/26/11, +3 sec/mi for interior changes)(2/24/12, interior changes removed, boat is back to standard weight for a SC 50)	
Harp	Catalina 38	18003	117 622 320	1983	50.7 15.43 ALUMN MS	155	50.9 15.43	44 11.5 0 0	4.8 7.97 316	Yes	No	0	38.17 30.25 11.83 6.79	19489 6850 Lead	No 1 FIXED	IB FOLD 2	DEC 93 - 7X19 STND RIG/ W/ROD RIG & SHRTN UPR SPREADERS 2 IN. NO CHNG RTNG ( MTG 1/27/94)	
Harrier	Custom Still 30	77564	162 686 265	1981	33.46 10.33 ALUMN FS	155	33.46	37.07 13.12 0 0	5.1 8.5 291	Yes	No	0	30.75 24.5 10.5 6	8580 2530 Lead	No 1 FIXED	IB FEATH 2	VESSEL IS A CRUISING VERSION OF A 1/2 TON IOR DESIGN (FULL INTERIOR, TEAK DECK, EXTENDED TRUNK CABIN, 4 BATTERIES, ETC.), WEIGHT CHANGE NOTED, NO CHANGE TO RATING 12/07/05	
Hawkeye	IMX38	50444	66 584 177	1996	50.74 14.44 ALUMN MS	150	50.74	43.8 16.07	6.1 10.3 417	Yes	No	0 0	37.4 31.2 12.1 6.95	11800 6173 Lead	0 1 FIXED	IB FOLD 2		
Head Rush	Antrim 27 CM ODR	21	75 558 98	2000	29 8.2 CARBON FS	116	37.3 15	34 14	7.5 10.9 329	No	Yes	20.1 675 6.83 13	27.8 23.8 9.25 6	2900 1050 Lead	0 1 FIXED	OB None 0		
Heart of Gold	Olson 911S	41327	126 643 209	1987	41.5 12.33 ALUMN MS	155	41.5	35.5 11.83 0 0	4.5 7.7 251	Yes	No	0	29.9 25 10.3 5.5	7200 3200 Lead	No 1 FIXED	IB FOLD 2		
Hellion	Olson 30 OB	28775	99 584 79	1981	36 11.75 ALUMN MS	155	35.9 11.67	31.5 10.75	4.36 7.27 208	Yes	No	0 0	30 27.5 9.33 5.08	3600 1800 Lead	0 1 FIXED	OB None	Roller Furter	

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
		Sail #	DW Rating		I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp.	Traps/H. Strps		IB or OB Prop Type # of blades	
										SL	SPL	SLU	ASA			Ballast	moveable blst		
ASF	Fixed or _o	Max Beam	Keel Type																
Heron	C&C 32	32023	159	1980	41.1	130	41	35.3	4.34	Yes	No	31.5	9680	0	IB				
			678		12.8			11.3	7.35			24.66	3900	1	Fixed_2				
			293		ALUMN				239			10.25	Lead	FIXED					
					MS						<input type="checkbox"/>	5.66							
Holua	Santa Cruz 70	97656	-84	1989	73.2	140	73.59	65.55	9.76	No	Yes	68.6	23673	0	IB	(mtg 6/19/08, custom rating of -84 assigned)(mtg 2/18/10, new rudder, NCTR)(mtg 6/15/10, new smaller asymmetric spinnaker, change custom rating from -84 to -81)(Mtg 5/26/11, spinnaker pole now articulates, change custom rating			
			419		21.55		26	24.9	16.6			58	9150	1	FEATH				
			55		CARBON				987			15.07	Lead	FIXED	2				
					MS							10.25							
Holy Toledo	Hobie 33 ODR	77520	87	1983	33.83	150	36.5	35	4.75	Yes	No	33	4000	0	OB				
			552		12.4		13.12	12.5	8.22			30.5	1800	1	None				
			64		ALUMN				262			8	Lead	FIXED					
					FS						<input type="checkbox"/>	5.5							
Hoot	Olson 30 OB	77916	99	1982	36	155	35.9	31.5	4.364	Yes	No	30	3500	No	OB				
			584		11.25		11.67	10.75	7.268			27.5	1800	1	None				
			76		ALUMN			0	208			9.33	Lead	FIXED	0				
					MS			0			<input type="checkbox"/>	5.08							
Hot Betty	Olson 30 OB	67537	99	1979	36	155	35.9	31.5	4.364	Yes	No	30	3600	No	OB				
			584		11.75		11.67	10.75	7.268			27.5	1800	1	None				
			79		ALUMN			0	208			9.33	Lead	FIXED	0				
					MS			0			<input type="checkbox"/>	5.08							
Hot Ice	C&C 110	38110	90	2004	51	98	51	45	5.8	No	No	36.36	10900	No	IB	carbon mast noted (standard on C & C 110) NCTR PHRF Mtg 3/16/06;			
					14			15.5	9.9			31.5	4200	1	FOLD				
			159		CARBON			0	412			12	Lead	FIXED	2				
					MS			0			<input type="checkbox"/>	6.5							
Il Cousins	Venture 21 1200# FR	862	228	1969	23.5	155		21.83	4.6	No	No	21	1200	0	OB				
					7.7			8.6	8			18.5	400	1	None				
					ALUMN				140			6.8	Iron	MVBL					
			86		FS						<input type="checkbox"/>	5.5							

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications			
		Sail #	DW Rating		I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No		Yes/No	ASF		LOA LWL	Ttl Disp.	Traps/H. Strps		IB or OB Prop Type # of blades		
										SSMG	SPL SSA		SLU SLA	ASA			Max Beam			Ballast	moveable blst
Disp/WL Ratio	Mast Material	PY EY	MSA	SSMG SSF	SSA	SLE ASMG	Sprits Lngth Fixed or _o	Max Draft	Ballast Mat.	Keel Type											
Impatience	Swan 46	38146	63 568 261	1985	61.97 18.7 ALUMN MS	155	60.1 18.7	53.4 16.9	5.85 10 510	Yes	Yes	29.1 1495 0 0	47.1 37.9 14.5 8.17	31300 11400 Lead	0 1 FIXED	IB Fold 3					
Iniscaw	Martin 32	49143	126 618 189	1980	42.5 13.67 ALUMN MS	145	37.17 12	4.7 8 270	Yes	No	0 0	32.8 27 9.6 6.1	8200 4100 Lead	0 1 FIXED	IB FOLD 2	(Mtg 10/2/13, new rudder, NCTR)					
Insolent Minx	Melges 24	725	84 577 75	2008	27.85 7.98 CARBON FS	100	31.85 11.5	28.75 12.42 195	3.83 7.09	No	Yes	20.67 577 0 0	24 22 8.2 5.25	1750 650 Lead	0 1 CNTRBRD	OB None					
Inspired Environments	Beneteau 40.7 First Farr	28423	54 569 163	1999	51.61 14.47 ALUMN MS	125	51.61 14.47	48.85 17.72 0 0	6.72 11.5 515	Yes	No	0 0	39.2 34.9 12.25 7.75	15211 5950 Lead	No 1 FIXED	IB FOLD 2					
Invictus	Hunter 41 DS	38093	129 195	2007	51.6 13 ALUMN FS	110	50.8 19.6	6 10.11 524	No	No	0 0	40.4 35.6 13.3 6.6	19400 6506 Lead	0 1 FIXED	IB Fixed_3 3	(Mtg 4/25/13, +3 sec/mi for in-mast furling main)					
Invisible Hand	Custom R/P 63	98888	-129 369 62	2008	93.97 27.04 CARBON FS	163	93.94 34.54	86.85 30.31 1594	12.92 19.29	No	Yes	55.74 4493 8.2 0	63 58.8 16.2 15.1	27731 12800 LeadSteel	0 1 FIXED	IB None 0	Retractable Prop (Mtg 5/23/13, -3 sec/mi for 8% increase in spinnaker area. Change custom rating from -126 to -129)				
lone	J 30	8994	141 657 189	1981	34.19 11.041 ALUMN FS	140	38 13 0 0	4.83 8.21 290	Yes	No	0	29.83 25 11.2 5.25	6500 2100 Lead	0 1 FIXED	IB FOLD 2						

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU ASA SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.		Traps/H. Strps moveable blst				
								SL	SPL						Ballast			Keel Type
								SSMG SSF	SSA						Ballast Mat.			Keel Type
Iowa	Hunter 380	899	117	1999	48 12.916 ALUMN FS	110	48	46.666 5.52 18.416 9.97 0 458 0	No	Yes	19 735 0	37.25 32 12.583 6.5	15595 No 5495 1 Lead FIXED	IB FOLD 3	MAIN SAIL SYSTEM ROLLER FURLING WHICH DOES NOT ALLOW BATTENS. + 6 sec/mi FM 117 TO 123 PER MTG 1/23/2001 - (New main has vertical Battens w/in mast furling system. Noted mgt 4/11/02, back to base rating of 117)			
Iseult	Wyliecat 30 IB	13	132	2001	0 CARBON CAT			39.75 7.87 20.8 13.46 491	No	No	0 0	30.5 25 9.42 9.25	5500 0 3050 1 Lead FIXED	IB Fold 2				
Isle Of Skye	Tartan 33 7/8 RIG	6	159	1979	36.42 12.42 ALUMN FS	100	36.42	41.58 4.6 14.42 8.1 0 328 0	No	No	0	33.67 28.08 10.92 4.42	10000 No 4400 1 Lead FIXED	IB FEATH 3				
Itinerant	Hunter 34	1025	150	1986	47.42 13.75 ALUMN MS	105		41 4.02 11.75 6.87 271	No	No	0 0	34.42 28.25 11.5 5.5	11820 0 5366 1 Steel FIXED	IB Fixed_2				
J World's Hula Girl	Santa Cruz 50 Mod	77285	-12	1980	61.36 18.98 CARBON FS	153	64.61	58.02 6.23 16.97 10.56 573	No	Yes	35.22 1777 3.98 90	52.3 47.9 12.06 10.721	17484 0 5180 1 Lead FIXED	IB Fold	Keel & Rudder Modified, Mast Modified			
Jack	Capri 25	77614	168	1981	30.75 9.83 ALUMN MS	135	30.8	26.5 3.61 9.5 6.17 150	Yes	No	0 0	24.6 19.2 9.2 4.1	2785 0 900 1 Lead FIXED	OB None				
Jam Jam	Yankee 30-1 SM	90	189	1972	37.5 12.75 ALUMN MS	150	37.5	34.5 2.45 9.75 4.91 170	Yes	No	0 0	30 23 9 5.1	8900 0 4180 1 Lead FIXED	IB Fixed_3 3	(mtg 4/28/11, +3 sec/mi for engine modifications)			

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications		
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps moveable blst				
								SL	SPL	SLU	ASA							Ballast Mat.	Keel Type
								SSMG SSF	SSA	SLE ASMG	0								
Jane Doe	Ericson 911S Olson	28555	1988	41.5 12.33 ALUMN MS	155	41.5 12.33	35.5 4.73 11.833 7.69 0 253 0	42 12.17 22 768 21.7	Yes	Yes	21.6 721 0 <input checked="" type="checkbox"/>	29.92 25 10.33 5.42	8700 3200 Lead	No 1 FIXED	IB Fold 2	Installed carbon rudder designed by Carl Schumacher and aluminum tiller. (Noted - NCTR mtg 2-21-02)			
Jarlen	J 35	28528	1990	46.333 14.583 ALUMN MS	150	46.3 18.05	41.416 5.43 14 9.11 0 347 0	46 14.583 26 997 26	Yes	No	0 <input type="checkbox"/>	35.42 30 11.67 6.75	10500 4400 Lead	No 1 FIXED	IB FOLD 2				
Javelin	J 88	32	2014	38.67 11.28 CARBON FS	104	46 18.05	36.82 5.44 12 8.4 282	No	Yes	29 1022 5.25 0 <input checked="" type="checkbox"/>	29.19 26.84 9.5 6.5	4990 1840 Lead	0 1 FIXED	IB Fold					
Javelin	J 105 ODR w/ 5'BS	394	2001	40.6 13.5 ALUMN FS	100	42.1 19.07	41.5 5.5 14.5 9.4 358	No	Yes	25.5 957 5 0 <input checked="" type="checkbox"/>	34.5 29.5 11 6.5	8697 3400 Lead	0 1 FIXED	IB Fold					
Jazzy	1D 35	35043	1999	42.49 12.52 CARBON FS	110	44.78	44.46 7.55 18.58 12 0 498 0	45.11 14.76 26.5 996 26.5	Yes	No	0 <input type="checkbox"/>	35 31.5 10.75 7.6	6755 2600 lead	No 1 FIXED	IB FOLD 2				
Jeannette	Custom Frers 40 IOR 1 Tonner	40646	1986	47.2 13.7 ALUMN FS	100	13.7	51.48 7.13 18.76 12.19 575	46.69 13.7 24.66 959 24.66	Yes	No	0 0 <input type="checkbox"/>	39.5 33 12.6 8.1	12900 6000 Lead	0 1 FIXED	IB FOLD 2	(mtg 5/31/07 custom rating changed from 63 to 60 based on performance data)			
Jet Stream	Custom JS 9000	9045	2003	27.08 9.5 CARBON FS	87	30.25 15.5	31 5.6 8.73 7 199	No	Yes	21.8 561 3 0 <input checked="" type="checkbox"/>	29.9 27.9 5.7 6.8	2425 1543 Lead	0 1 FIXED	OB None 0	(Mtg 1/22/09, custom rating of 78 assigned)(Mtg 8/19/10, -9 sec/mi for adding 3' sprit, -3 sec/mi for increased spinnaker area, Original rating of 78 contained a 3 sec error, rating should have been 75, change custom rating to 63)				

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications				
		Sail #	DW Rating		I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No		Yes/No	ASF		LOA LWL	Ttl Disp.	Traps/H. Strps		IB or OB Prop Type # of blades			
										PY	MSA		SL	SPL			SLU			ASA	Ballast	moveable blst
Disp/WL Ratio	Mast Material	Rig Type	EY	SSF	ASMG	Fixed or _o	Max Draft	Ballast Mat.	Keel Type													
Jimrit	Cal 25-1 OB	1523	<b>225</b> <b>730</b> 227	1972	29.75 10 ALUMN MS	100	29.75	25 11	4.3 7.2 166	Yes	No	25 20 8 4	4000 1700 Lead	1 FIXED	OB None							
Joie De Vivre	C&C 33	18797	<b>159</b> <b>659</b> 249		43 14 ALUMN MS	110	43	37.25 10.75 0 0	4.4 6.33 235	No	Yes	32.9 26.42 10.54 5.5	10100 3975 Lead	0 1 FIXED	IB FOLD							
Jombo	Wylie Wabbit ODR W/Trap	44	<b>126</b> <b>621</b> 55	1983	20.75 6.5 ALUMN FS	150		23.75 10 0 0		Yes	No	23.75 20 5.583 3.5	975 440 Lead	1 3 FIXED	OB None 0							
Josie	Dehler 39 SD	39	<b>81</b> <b>584</b> 194	2000	51.51 14.44 ALUMN FS	125	51.67 17.08	48.88 17.55	6.3 11.2 502	Yes	Yes	38.71 35.1 12.53 5.4	18450 6176 Iron/Lead	0 1 FIXED	IB FOLD 2	Change in weight noted NCTR MTG 4/8/03. (Mtg 3/20/08, boat is shoal draft version)						
Joyride	J 109 ODR	47	<b>72</b> <b>580</b> 175	2003	46.5 13.3 ALUMN FS	105	49 18.8	43.25 15.5 0 0	5.89 10.07 399	No	Yes	35.25 30.5 11.5 7	10900 3900 Lead	No 1 FIXED	IB FOLD 2							
J-Tripper	J 105 ODR w/ 5'BS	135	<b>78</b> <b>576</b> 137	1996	40.6 13.5 ALUMN FS	100	42.1 19.07	41.5 14.5 0 0	5.5 9.4 358	No	Yes	34.5 29.5 11 6.5	7750 3400 Lead	No 1 FIXED	IB FOLD 2							
Kabunza	Pearson 36-2	362	<b>132</b>  266	1986	47.1 15.4 ALUMN MS	110		41 14.5	3.65 7.3 300	No	No	36.5 29.5 12.3 6.5	15000 5800 Lead	0 1 FIXED	IB Fixed_2 2							



Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:		ISP		Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications						
		Sail #	DW Rating		I J	Max Headsail	P E	MGU MGM	Yes/No		Yes/No		LOA	LWL	Ttl Disp.	Traps/H.	Strps	IB or OB								
									Mast Material	PY	MSA	SL							SPL		SLU	ASA	Max Beam	Ballast	moveable blst	Prop Type
Disp/WL Ratio																										
Knot Studying	Hunter 33	87	180	1980	42.5	125	37.08	3.5			Yes		No		33.33	10600	0	IB								
			651		14		10.75	6.5			42	13.58			26.83	4100	1	Fixed_2								
			249		ALUMN						25.2	882		<input type="checkbox"/>	11	Lead	FIXED	2								
					MS						25.2			<input type="checkbox"/>	5.25											
KOH-Ring	Tayana 47/48 TM	38092	111	2006	61.8	100	55.5	5.99			No		No		48.1	35000	0	IB								
			580		18.7		17.5	10.24							40.3	11675	1	Feath								
			243		ALUMN									<input type="checkbox"/>	14.6	Iron	FIXED									
					MS									<input type="checkbox"/>	6											
Kookaburra	J 120 ALUM	153	51	2001	50.5	100	46.5	6.2			No		Yes	30.3	40	13900	No	IB								
			556		14.5		17.8	10.7					60.8	1265	35	6000	1	FOLD								
			147		ALUMN		0	471					50.6	7	12	Lead	FIXED	2								
					FS		0						26.5	<input checked="" type="checkbox"/>	7											
Krissy 2	Passport 40	97552	141	1987	50.6	125	45.9	6			No		No		39.4	22771	0	IB								
					15.6		16	10.3							33.42	8600	1	Fixed_3								
			277		ALUMN									<input type="checkbox"/>	12.67	Steel	FIXED									
					MS									<input type="checkbox"/>	5.75											
Kuai	Melges 20	114	111	2009	23.19	110	24.25	3.83			No		Yes	18.8	20	1105	0	OB								
			604		7.05		9.84	7.42					29.78	417	19.4	415	1	None								
			69		CARBON			152					26.25	3.9	7	Lead	FIXED	0								
					FS								17.65	<input checked="" type="checkbox"/>	4.5											
Kwazy	Wylie Wabbit ODR W/Trap	26	126	1982	20.416	150	23	4.02			Yes		No		23.58	975	Yes	NONE								
			604		6.416		10	6.71					22	8.5	20	440	3	None								
			55		ALUMN		0	141					14	257	5.42	Lead	FIXED	0								
					FS		0						14		3.41											
Kynntana	Freedom 38	38086	141	1988	33.34	100	45.5	6.25			No		No		38.42	14370	0	IB								
					11.5		16.57	10.7							30.58	6500	1	Fixed_2								
			228		CARBON			447						<input type="checkbox"/>	12.5	Lead	FIXED									
					FS									<input type="checkbox"/>	5.6											

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications				
		Sail #	DW Rating		I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No		Yes/No	ASF		LOA LWL	Ttl Disp.	Traps/H. Strps			IB or OB Prop Type # of blades			
										PY	MSA		SL	SPL			SLU	ASA			Max Beam	Ballast	moveable blst
Disp/WL Ratio	Mast Material	Rig Type	SSFF	SSA	SLU	ASA	Max Beam	Ballast Mat.	Keel Type	# of blades													
La Dolce Vita	J 32	64	<b>123</b> <b>635</b> 186	2001	39.2 11	105	40.5 13	38.5 15.5	5.1 9.2	No	Yes	19.7 677 2.5 0	32.4 29 11 6	10000 3840 Lead	0 1 FIXED	IB Feath 3	(Mtg 8/22/13, -6 sec/mi for sprit)						
Lady Jane	Jeanneau 39i Sun Odyssey	7913	<b>93</b> <b>594</b> 168	2008	48.1 13.1	122	48.1	46.3 14.6	5.42 9.28	No	Yes	27.46 1012 1 0	38.1 35.2 12.9 6.7	16163 5026 Cast Iron	0 1 FIXED	IB Feath 3							
Layla	Ultimate 20	92	<b>144</b> <b>613</b> 105		26.08 6.97	110	27.58 12.97	27.33 10.17	5.5 7.96	No	Yes	19.2 451 6 0	20.83 18 8.33 5	1350 450 Lead	0 1 FIXED	OB None 0							
Leda	Lapworth 36	71	<b>150</b> <b>632</b> 252	1965	40.5 13.5	150	40.5 13.5	35.5 17.5 0 0		Yes	No	0	36 29 9.5 5.43	13500 4500 Lead	No 1 FIXED	IB FOLD 0							
Legacy	Ranger 29	8028	<b>180</b> <b>705</b> 250	1972	37 12.333	155	37	31 11 0 0	4.18 7.15 204	Yes	No	0	28.583 23 9.291 4.416	6700 3130 Iron	No 1 FIXED	IB FOLD 2							
Legendary	Jeanneau 41 Sun Legend	28618	<b>87</b> <b>592</b> 223	1989	50.75 15	120	50.75 15	46.25 14.42 0 0	5.51 9.22 396	Yes	No	0	41.1 32.75 12.916 6.42	17196 6878 Iron	No 1 FIXED	IB FOLD 2	Roller Furler.						
Leglus	Ohashi 52	2480	<b>-39</b> <b>442</b> 54	1986	49.26 16.387	149	62 16.387	57.578 21.325	8.103 13.517	Yes	Yes	29.658 1175 3.792 0	52.5 50.06 12.6 11.36	15017 5.952 Lead	0 1 FIXED	IB FOLD 2	(mtg 10/21/09 assigned custom rating of -39)						

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU ASA Sprit Lngth Fixed or _o	SL SPL SSMG SSA	SPL SSA		SLU ASA Sprit Lngth Fixed or _o	Ballast Ballast Mat.			Traps/H. moveable blst Keel Type
								Yes	No									
Lelo Too	Tartan 30	16354	180 1975	39 13 155	39	34 11.416 0 0	4.61 7.69 238	Yes	No	29.92 24.25 10 4.916	8750 3700 Lead	0 1 FIXED	IB FOLD 0					
Libra	Express 27 ODR	113	129 1986	28.5 9 155	28.5	28.5 10.416	4.22 7.03 182	Yes	No	27.25 23.75 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0					
Libra	Mini Transat 6.5 Type Zero	839	105 2013	29.5 8.4 141	32 15.98	30 11.1	6.85 8.3 236	No	Yes	21.3 21.3 9.8 5.3	2215 948 LeadIron	0 1 FIXED	OB None					
Life is Good	Wyliecat 30 OB	38349	129 2007	0 CARBON CAT		40 21	7.67 13.46 493	No	No	30.5 25 9.5 5.25	5500 3050 Lead	0 1 FIXED	OB None 3					
Lightspeed	Custom Wylie 39	52839	81 1985	48 14.5 150	48 14.5	43 15	5.75 9.7 384	Yes	No	39.25 31.67 11.42 6.75	15300 5100 Lead	0 1 FIXED	IB Fold 2	(Mtg 1/17/08 +3sec/mi for fixed prop, as sailed 72)(mtg 3/18/10, change custom rating from 72 to 84)(Mtg 2/23/12, -3 sec/mi for folding prop, as sailed 81)				
Lightwave	J 105 ODR w/ 5'BS	319	78 2000	40.6 13.5 100	42.1 19.07	41.5 14.5	5.5 9.4 358	No	Yes	34.5 29.5 11 6.5	7750 3400 Lead	No 1 FIXED	IB FOLD 2					
Lil Angel	Newport 30-2	6884	174 1979	39.5 12.1 150	39.5	34 10.25	4.26 7.07 217	Yes	No	30 25 10.5 4.75	8500 2500 Lead	0 1 FIXED	IB FOLD 2					

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications			
		Sail #	DW Rating		I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.			Traps/H. Strps moveable blst		
									SL SPL SSMG SSF	SPL SSA SSA	SLU SLU SLE ASM	ASA ASA Sprit Lngth Fixed or _o							Ballast Mat.	Keel Type
Lilith	Custom Wyliecat 39	7	102	1992				50.75 26.5 0 0	10.45 17.5 811	No	No		38.83 32 11.83 6.67	12000 6200 Lead	No 1 FIXED	IB FOLD 2	HULL DESIGN IS VERY SIMILAR TO WYLIECAT 30.NO JIB, NO SPINNAKER, NO SPANKER,NO REACHER, NO VANG,NO TWEEKER,NO STAYS ETC., AS SAILED RATING 102 PER MTG 6/2/02			
Linda Carol	Catalina 320	385	165	1996	47.58 12.33	125		38 13.25	4.92 8.66	No	Yes	20.96 684 0 0	32.5 28 11.75 6.25	11300 4000 Lead	No 1 FIXED	IB Fixed_3 3				
Liquid Asset	Sabre 34-1	177	150	1983	43.58 14	105	43.58	38.08 10.83	4.4 7.4	No	Yes	0 0	33.67 26.25 10.5 5.5	11400 4600 Lead	0 1 FIXED	IB Fixed_2 2				
Little Wing	Pearson 27 Renegade	111	246	1968	32.5 10.7	150	34	28 12.5	3.83 6.5	Yes	No	0 0	27.1 21 8.5 4.25	6500 2100 Lead	0 1 FIXED	IB Fixed_3				
Locura	Custom 92' Salthouse	28992	-51	1994	88.53 27.28	100	89.53 34.17	96.46 36.42	12.53 22.15	No	Yes	54.14 4204 0 0	91.96 82.35 20.9 9.84	126705 31100 Lead	0 1 FIXED	IB Feath				
Lonesome Dove	Elite 29	9066	165	1984	35.833 11.083	130		30.333 10.333	2.6 5.1	Yes	No	0	28.67 24.42 10.5 5.58	6160 2310 Iron	No 1 FIXED	IB Fixed_2 2				
Loya	Ericson 34 Olson SM	3246	105	1989	44.5 13.25	154	44 13.25	38.84 12.9	4.69 8.38	Yes	Yes	23.8 886 0 0	34 28 10.83 6	10600 3650 Lead	0 1 FIXED	IB Fold 2				

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
				J Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp.	Traps/H. Strps		IB or OB Prop Type # of blades		
								SL	SPL	SLU	ASA			Ballast	moveable blst			
																		SSMG
SSF	SSA	ASM	Fixed or _o															
Lucky Duck	Custom Santa Cruz 52	28729	-30	2001	64.14 18.95	153	64.6 22.5	57.5 21	8.5 14	Yes	Yes	39.44 2208	53 46.25 14 9	22900 8000 Lead	0 1 FIXED	IB Fold 2	(Mtg 8/23/12, Custom Rating Assigned, -21 as sailed)(Mtg 5/23/13, weighed displacement added)(Mtg 3/27/14, New Rudder, -3 sec/mi for OSP, -6 sec/mi for 10%+ increase in spinnaker area. No penalty for keel/displacement)	
Luna Sea	Islander 36 ODR	420	144	1980	45 14.48	135	45	39.25 12.75	5.05 8.44	Yes	No		36.08 28.25 11.17 6.08	18000 5450 Lead	No 1 FIXED	IB Feath 3		
Luna Sea	Santana 525	77611	189	1979	26.5 8.75	150	29.15	29 10	4 6.5	Yes	No	0	24.6 18.5 9.4 4.5	2400 950 Lead	No 1 FIXED	OB None		
Made Easy	Beneteau 42 IK TM	53202	84	1984	55.43 16.73	145	55.43 16.73	49.2 14.6	5.5 9.5	Yes	No		42.8 36.25 13.17 7.25	22857 8700 Iron	No 1 FIXED	IB FEATH 3	(8/27/10, boat weight, displacement is 22857 not 18600)	
Maggie	C&C 37/40R	43728	72	1990	53.5 16	150		47.25 15.5	6 10	Yes	No		39.5 31.75 12.5 7.4	16000 6300 Lead	0 1 FIXED	IB Feath 3		
Maitreya	Custom Atkin Ingrid 38	0	186	1976	51 21	132	51 21	45.3 15.5	4 7.75	No	Yes	34.6 1266	38 30 11.6 5.5	30000 12000 Lead	0 1 FIXED	IB FEATH 3	(mtg 10/21/09, custom rating of 186 assigned)	
Marilyn	Kettenberg 41	86240	138	1967	44 14.75	150		38.25 15.75	5.95 10.2	No	No		41 27.58 10.33 5.06	14000 5000 Lead	0 1 FIXED	IB Fold		

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications							
		Sail #	DW Rating		I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No		Yes/No	ASF		LOA LWL	Ttl Disp.	Traps/H.		Strps	IB or OB Prop Type # of blades					
										PY	MSA		SL	SPL							SLU	ASA	Max Beam	Ballast	moveable blst
Disp/WL Ratio	Mast Material	Rig Type	SSMG	SSA	SLE	Sprit Lngth	ASMG	Fixed or _o	Max Draft	Ballast Mat.	Keel Type														
Maris	Dana 24	0	243	1987	34 12.25	100	28.5 10.83	3.5 6.28	No	No			27.25 21.24 8.58 3.83	8000 3200 Lead	0 1 FIXED	IB Feath									
Marrakesh	Express 34	3	99 612	1987	44.25 13	155	44.25 12.83	4.87 8.46	Yes	No			34 28.33 10.33 6.11	9245 3800 Lead	No 1 FIXED	IB FOLD 2									
Mary Belle Bright	Coronado 30	28032	207	1972	34.666 12	180	30.666 11.166	4.47 7	No	No			29.75 25 10.08 5.25	9100 2700 Lead	No 1 FIXED	IB Fixed_2 2									
Mas!	Moore 24	138	150 635	1983	26.25 9.75	150	26.25 9.5	3.91 6.5	Yes	No			23.75 21.75 7.16 4.08	2050 1025 Lead	0 1 FIXED	OB None									
Max	Ultimate 24 ODR	2	108 583	2002	28.04 7.82	110	30.8 11.35	14.5 9.18	No	Yes			24.38 21.17 8.48 5.52	2040 750 Lead	0 1 FIXED	OB None									
MaxSea	Fisher 30	248	321 763	1977	30.75 8.33	135	10.75 15.33	6.5 166	No	Yes			29.99 25.25 9.48 4.23	18000 6500 Lead	0 1 FIXED	IB Fixed_3	(Mtg 8/28/14, custom rating of 321 assigned)								
Mega Hurtz	Laser 28 ODR MOD	53470	129 631	1974	31.1 9.65	125	31.73 12.96	8.4 257	Yes	No			28.41 23.62 9.48 4.98	3950 1500 Lead	0 1 FIXED	OB None 2	(Mtg 2/27/14, switched to outboard motor, -3 sec/mi)								

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications									
		Sail #	DW Rating		I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No		Yes/No	ASF	LOA	LWL	Ttl Disp.	Traps/H.		Strps	IB or OB							
										PY	MSA										SL	SPL	SLU	ASA	Ballast	moveable blst	IB or OB
Disp/WL Ratio	Mast Material	Rig Type	SSFF	ASMG	Fixed or _o	Max Draft	Ballast Mat.	Keel Type	# of blades																		
Melilani	J 105 ODR w/ 5'BS	32	<b>78</b>	1992	40.6	100	42.1	41.5	5.5	No	Yes	24.5	34.5	7750	No		IB										
			<b>581</b>		13.5		19.07	14.5	9.4		49	955	29.5	3400	1		FOLD										
			137		ALUMN			0	358		40.7	5	11	Lead	FIXED		2										
					FS			0			25.8	<input checked="" type="checkbox"/>	6.5														
Meritime	C&C 30	276	<b>180</b>	1976	39	120		34	3.8	No	No		30	7900	0		IB										
					13.5			11.5	7				24.75	3650	1		Fixed_2										
					ALUMN				222			0	10	Lead	FIXED		2										
			237		MS						<input type="checkbox"/>		5														
Mesmerize	C&C 35-3	18133	<b>117</b>	1983	46.25	150	46.25	40.5	4.5	Yes	No		34.65	10825	No		IB										
			<b>634</b>		13.6		13.6	12.71	8.26				28	4500	1		FEATH										
					ALUMN			0	303			0	11.16	Lead	FIXED		3										
			224		MS			0			<input type="checkbox"/>		6.42														
Milagro	Offshore One Design 34	33468	<b>114</b>	1980	41.34	110	41.34	37.1	4.49	Yes	No		33.67	8050	0		IB										
			<b>617</b>		13			11.68	7.7				28	3650	1		Fold										
					ALUMN				261			0	11.08	Lead	FIXED												
			167		MS						<input type="checkbox"/>	0	6.33														
Mimicat	Hinckley 38	2707	<b>153</b>	1969	45	125	15	39.5	4.8	Yes	Yes	24.75	37.6	17500	0		IB										
			<b>647</b>		15			14	8.2			793	28.1	6000	1		FEATH										
					ALUMN				311		44	0	10.6	Lead	FIXED		3										
			359		MS						39.6	0	6														
											22.28	<input checked="" type="checkbox"/>															
MinFlicka	Hanse 370	38028	<b>102</b>	2008	49.3	150		47.3	6	No	Yes	24.5	36.11	16500	0		IB	Roller Furler									
			<b>609</b>		13.7			16.1	10			1024	33	5045	1		FOLD										
					ALUMN				445			0.75	12.4	Lead	FIXED		2										
			209		FS						25.6	<input checked="" type="checkbox"/>	6.5														
Mintaka 4	Farr 38	18441	<b>78</b>	1979	43.67	155	44.5	44.9	6.8	Yes	No		38.25	11850	No		IB	(2002-removed dinette stbrd, add bench seat w/55 gal fuel tank, original was 12.5. Rudder replaced 12" longer, 4" narrower. Changes noted mtg 1/17/02, NCTR)(removed short pole, changed spinnakers, 1/12/04) (Mtg 1/24/12 - new stem									
			<b>579</b>		13.67			17.9	11.6				31.17	4100	1		FOLD										
					ALUMN			0	478			0	12	Lead	FIXED		2										
			178		FS			0			<input type="checkbox"/>		6.33														

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU ASA Sprit Lngth Fixed or _o	SL SPL SSMG SSA	SLU ASA Sprit Lngth Fixed or _o		Ballast Ballast Mat.	Traps/H. moveable blst Keel Type		
								Yes	No								
Disp/WL Ratio																	
Mirage	Santa Cruz 27	8027	1979	32.7 10.9 ALUMN MS	125	28.25 8.58	3.68 6.06	153	Yes	No	27 24 8 4.5	3300 1500 Lead	0 1 FIXED	OB None			
Mirage	Express 27 ODR	8477	1981	28.5 9 ALUMN FS	155	28.5 10.416 0 0	4.22 7.03 182		Yes	No	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0			
Mirthmaker	A 35	18250	2007	44.22 13.45 CARBON FS	90	44.94 14.66	5.42 8.88 381		Yes	Yes	34.7 30.47 11.6 6.88	9810 4367 Lead	0 1 FIXED	IB Fold 2	(Mtg 5/20/10, custom rating of 60 assigned, would like a copy of ORR Certificate)(mtg 6/15/10, change custom rating from 60 to 63 based on further clarification of boats configuration, would still like copy of ORR certificate if available)		
Mischief	Islander 36 ODR	28383	1981	45 14.48 ALUMN MS	150	39.25 12.583 0 0	4.8 8.29 296		Yes	No	36.08 28.25 11.17 6.08	13450 5820 Lead	No 1 FIXED	IB FEATH 3			
Miss Kate	Catalina 27 IB	4630	1980	34.5 11.25 ALUMN MS	125	28.66 10.5	3.99 6.83 180		No	Yes	26.85 21.75 8.85 4	6850 2700 Lead	0 1 FIXED	IB Fixed_2			
Mistral	Santana 22 ODR	245	1967	26 8.5 ALUMN MS	120	21.75 9.83	3.95 6.59 131		Yes	No	22 18.67 7.83 3.5	2600 1230 Iron	0 1 FIXED	OB None 0			
Monkey	Hunter 31	38087	1983	42 12 ALUMN MS	95	37.5 11	4.5 7.5 255		No	No	31.4 26.3 10.11 5.6	9700 4000 Iron	0 1 FIXED	IB Fixed_2			

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications				
				I J Max Headsail Mast Material Rig Type	P E PY EY		MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps moveable blst						
								SL SPL SSMG SSF	SPL SSA	SLU SLE ASM	ASA Sprit Lngth Fixed or _o							Ballast	Keel Type		
																				Ballast Mat.	Keel Type
Moonlight	Express 27 ODR	28059	129	1986	28.5 9	155	28.5	28.5	4.22	10.416	7.03	29	9.833	No		27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0		
Moonshine	Custom DP 26	8398	144	1980	26.25 9	125	26.25	27.25	4.18	11	7.15	26.6	9.83	No		26 24 8.25 4.83	2600 800 Lead	No 1 FIXED	OB None 0	(Mtg 1/21/10, appealed rating, rating changed from 132 to 138)(Mtg 2/18/10, changed from masthead to fractional/smaller symmetric spinnaker +6/sec/mi, change custom rating from 138 to 144)	
Mooretician	Moore 24	89	150	1981	26.25 9.75	150	26.25	25	3.91	9.5	6.5	26.6	9.75	No		23.75 21.75 7.16 4.08	2050 1025 Lead	No 1 FIXED	OB None 0		
Motorcycle Irene	Express 27 ODR	28137	129	1982	28.5 9	155	28.5	28.5	4.22	10.416	7.03	29	9.833	No		27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0		
Mouton Noir	Passoa 47	102409	141	1991	53.42 16.5	155	53.42 18.125	47.66 16.08				Yes	53.6 29.7 29.7	16.5 1327	Yes	32.48 1328 1.42	46.75 39.92 14.08 8.1	35000 11000 Iron	0 1 CNTRBRD	IB FEATH 3	
Mr McGregor	Wylie Wabbit ODR W/Trap	8426	126	1982	20.5 6.5	150	20.5	23.75 10	4.03 6.72	0	145	22	8.5	No		23.75 20 5.58 3.5	975 440 Lead	1 3 FIXED	OB None 0	INCLUDES HIKING STRAPS AND SINGLE TRAPEZE.	
Music	Catalina 34 1&2	56583	147	2001	44 13.5	130		38.5 12	3.6 6.8		251	No		No		35.66 29.84 11.75 5.56	11950 5000 Lead	0 1 FIXED	IB FOLD 2		

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications								
			Built	DW Rating	I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No		Yes/No	ASF	LOA	LWL	Ttl Disp.	Traps/H.	Strps		IB or OB							
										PY	MSA										SL	SPL	SLU	ASA	Ballast	moveable blst	IB or OB
Disp/WL Ratio	Mast Material	Rig Type	EY	SSF	ASMG	Fixed or _o	Max Draft	Ballast Mat.	Keel Type	# of blades																	
Nancy	Wyliecat 30 OB	28890	<b>129</b>	1995				40	7.87	No	No	30.5		5500	No		OB										
			<b>650</b>		CARBON		20.7	13.46				25		3050	1		None										
			<b>160</b>		CT		0	493			<input type="checkbox"/>	9.5	0	Lead	FIXED		0										
							0					5.25															
Native	Newport 33	174	<b>168</b>	1984	43	135		37	3.29	No	Yes	33		9500	0		IB	Roller Furler									
			<b>663</b>		12.83		10.25	5.79				27		4000	1		Fold										
			<b>219</b>		ALUMN							10.83	0	Lead	FIXED		2										
					MS			208			<input type="checkbox"/>	5.17	0														
Nemesis	Pearson 26 Commander	151	<b>261</b>	1964	31.5	100		26	3.3	No	No	25.7		5200	0		OB										
					9.5		11.5	5.75				18.5		2500	1		None										
					ALUMN							8	0	Lead	FIXED												
			<b>373</b>		MS			154			<input type="checkbox"/>	3.7	0														
Neptunes Car	Newport 30-2	737	<b>180</b>	1976	39.4	155	39.4	34	4.26	Yes	No	30		8500	0		IB										
			<b>680</b>		12.1		10.25	7.07		39	12.1	25		2500	1		Fixed_3										
			<b>247</b>		ALUMN			217		21.78	708	10.5	0	Lead	FIXED		3										
					MS					21.78		4.75	0														
											<input type="checkbox"/>																
Nessie	C&C 41	32564	<b>75</b>	1984	56	125	56	50	5	Yes	No	40.8		18000	0		IB	Roller Furling Jib									
			<b>590</b>		16.5		14	8		55.4	16.5	33.3		8000	1		FEATH										
			<b>222</b>		ALUMN			394		29.5	1331	12.92	0	Lead	FIXED		3										
					MS					26.1		7.83	0														
											<input type="checkbox"/>																
Neverland	Tartan 3700 SD 5.0'	106	<b>114</b>	2006	51.75	135	51.75	45.25	5.7	No	Yes	37	25.4	16150	0		IB										
			<b>608</b>		15		15	9.68		53.83	1025	32.5		6200	1		Fold										
			<b>214</b>		CARBON			404		46.8	0	12.6	0	Lead	FIXED		2										
					MS					24.21	<input checked="" type="checkbox"/>	5	0														
No Regrets	Catalina 30	1186	<b>183</b>	1978	41	155	41	35.5	4.63	No	No	29.92		10200	0		IB										
					11.5		11.5	11.5	7.72			25		4250	1		Fixed_2										
					ALUMN				250			10.83	0	Lead	FIXED		2										
			<b>297</b>		MS						<input type="checkbox"/>	5.25	0														

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications		
				I J Max Headsail Mast Material Rig Type	P E PY EY		MGU MGM MSA	Yes/No		Yes/No		Ttl Disp.		Traps/H.	Strps				
								SL	SPL	SLU	ASA							Ballast	moveable blst
ASF	Fixed or _o	Max Draft	IB or OB	Prop Type	# of blades														
Now and Zen	Newport 30-2	6883	174	1978	39.5 12.125 ALUMN MS	150	34 10.25 0 0	3.25 5.7 190	Yes	No	<input type="checkbox"/>	0	30 25 10.5 4.75	8000 2600 Lead	No 1 FIXED	IB Fold 2			
Nutmeg	Islander 36 ODR	87245	144		45 14.48 ALUMN MS	150	39.25 12.75 0 0	5.05 8.44 303	No	No	<input type="checkbox"/>	0	36.083 28.25 11.166 6.083	13450 5450 Lead	No 1 FIXED	IB FOLD 0			
Ohana	Catalina 36-2	2191	141	2004	44.75 14.33 ALUMN MS	155	44.9 14.33	39 12 286	4.83 8.05	No	No	<input type="checkbox"/>	0 0	36 30.2 11.9 5.83	13500 6000 Lead	0 1 FIXED	IB Feath		
Ohana	Beneteau 45F5	38023	63	1991	53.15 15.08 ALUMN FS	100	55.15 16	7.06 12.08 613	Yes	No	<input type="checkbox"/>	0 0	44.11 36.9 14.1 7.9	26500 8500 Lead	0 1 FIXED	IB FEATH 3	(Mtg 12/1/11, -6 sec/mi for new keel)		
Old School	Yankee Dolphin 24	212	733	1971	30.8 9 ALUMN MS	120	30.8	26.8 11.8 184	4.5 7.08	Yes	No	<input type="checkbox"/>	0 0	26.17 19 7.6 2.7	4250 1750 Lead	0 1 CNTRBRD	OB None		
Oreo	Santana 22 ODR	5044	234	1970	26 8.5 ALUMN MS	125	26	21.75 9.333 0 0	3.52 6.59	Yes	No	<input type="checkbox"/>	0	22 18.67 7.83 3.5	2600 1230 Iron	No 1 FIXED	OB None 0		
Ouessant	Farallone Clipper FR	8214	159	1957	35.69 13.87 WOOD FS	150	35.69	40.34 18.79 0 0	7 12.1 448	Yes	No	<input type="checkbox"/>	0	37.833 28.25 9.5 5.916	18344 7200 Iron	No 1 FIXED	IB Fixed_2 2		

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications							
		Sail #	DW Rating		I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No		Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB	Prop Type	Modifications						
										SL	SPL										SLU	ASA	LWL	Ballast	moveable blst	# of blades
EY		SSF		ASMG	Fixed or _o	Max Draft																				
Outsider	Azzura 310	1000	57	1996	35.35 11.55	110	43.33 21.57	38.75 13.25	6.68 10.5	No	Yes	30.1 1163	30.75 27.4	4850 2100	No 1	OB Fixed_3	6 FT ARTIC, RETRAC BOWSPRIT. MTG 3/28/96 (RATED 66) (CHNG NOTED 4/18/96-NO CHNGE RTNG. (2/13/96 FM 66 TO 60.)( MTG 11/13/97 FM 60 TO 57)MTG 2/12/98 FM 57 TO 63 (MTG 4/9/98) Inboard SailDrive removed and replaced with									
			525		CARBON		0	352			6	10	Lead	FIXED	3											
			107		FS		0				<input type="checkbox"/>	7.2														
Paco	J 124	4	27	2005	49 14	105	54.7 15.6	48.4 17	6.77 11.36	No	Yes	31.16 1278	40.7 36.2	12600 5000	0 1	IB Fold										
			542		CARBON			500			0	11.33	Lead	FIXED	2											
			121		FS						<input checked="" type="checkbox"/>	7														
Pain Killer	J 80 ODR	369	111	2001	30 9.415	139	33.25 15.666	30 12.416	4.7 8.1	No	Yes	25.16 698	26.3 22	2900 1400	0 1	OB Fixed_2										
			612		ALUMN		0	222			6.25	8.3	Lead	FIXED	2											
			124		MS		0				<input checked="" type="checkbox"/>	4.9														
Pakele	Ranger 33 SM	453	162	1978	38 13.87	155	38	30.9 10.5	4.1 6.11	No	No		33.17 26.25	10500 4800	0 1	IB Fixed_2										
			162		ALUMN			188			0	9.58	Lead	FIXED												
			264		MS						<input type="checkbox"/>	5.17														
Panigale	Columbia 5.5 M ODR MOD	35	183	1965	30 8.5	95	30 11.5	33.95 11.31	3.9 6.75	No	Yes	22.67 531	32.42 25	4500 2800	0 1	NONE None	(Mtg 10/23/14, +3 sec/mi for fixed asymmetrical spinnaker, +3 sec/mi for asymmetric 10% smaller than class symmetric)									
			625		ALUMN			218			0	6.25	Lead	FIXED												
			131		FS						<input checked="" type="checkbox"/>	4.33														
Paradigm	J 32	79	126	2002	39.166 11	150	40.583 11.916	38.42 15.42	5.5 9.58	No	Yes	17.83 722	32.4 29	11500 3840	No 1	IB FOLD										
			647		ALUMN			343			0	11	Lead	FIXED	2											
			214		FS						<input checked="" type="checkbox"/>	6														
Pearl	Ranger 33 SM	278	165	1977	38 13.9	125	38	31.5 11	4.43 7.39	Yes	No		33.2 26.3	10500 4800	0 1	IB Fixed_2										
			666		ALUMN			212			0	9.583	Lead	FIXED	2											
			262		MS						<input type="checkbox"/>	5.166														

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications					
		Sail #	DW Rating		I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.	Traps/H. Strps		IB or OB Prop Type # of blades				
									SL	SPL	SLU	SSMG SSF				SSA			SLE	ASMG	Ballast	moveable blst
Pegasus	J 35	28390	72	1993	46.333 14.583 ALUMN MS	155	46.3	41.416 14 0 0	5.43 9.11 347	Yes	Yes	22.1 838 0	35.42 30 11.67 6.75	10500 4400 Lead	0 1 FIXED	IB FOLD 2						
Petit Bateau	Open 5.7 ODR	290	138	2010	21.52 7.3 Alumn FS	115	27.9 12.3	25.33 10.24	5.7 8.2 183	No	Yes	17.5 338 5 0	18.7 18.7 8.3 5.7	992 405 LeadSteel	2 1 FIXED	OB None 0						
Phat Jack	Express 37	18257	72	1985	48.75 14.33 ALUMN MS	150	48.75	42 13.75	5.25 8.83 343	Yes	No	0 0	37.08 30.83 11.57 7.25	11000 4500 Lead	0 1 FIXED	IB FEATH 2						
Picante	Islander Bahama 28	1	207	1981	36.8 11.75 ALUMN MS	150	11.75	31.2 9.2	3.78 6.24 177	No	Yes	20 478 0 0	27.9 23 9.8 5.5	7000 3000 Lead	0 1 FIXED	IB Fixed_3 3						
Pied-a-Mer	Beneteau 310	116	138	1993	37.04 10.83 ALUMN FS	95		37.86 12.96 0 0	5.08 8.51 296	No	Yes	18.24 453 0	31 28.66 10.5 4.2	7300 2340 Iron	No 1 FIXED	IB Fixed_2 2						
Pilot	Islander 36 ODR	6747	144	1979	45 14.48 ALUMN MS	150	45	39.25 12.75 0 0	5.05 8.44 303	Yes	No	0	36.08 28.25 11.17 6.08	13450 5450 Lead	No 1 FIXED	IB FOLD 2						
Pizote	Santana 30-30 GP	87322	120	1984	40.83 11.67 ALUMN MS	150	40.83	36.17 11.08 0 0	5.25 8.5 267	Yes	No	0	29.92 25.42 10.25 5.5	6500 2435 Lead	No 1 FIXED	IB FOLD 2						

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps moveable blst	IB or OB Prop Type # of blades	
								SL	SPL	SLU	ASA						
								SSMG SSF	SSA	SLE	ASMG						
PJ	Palmer Johnson 30 1/2 Ton	8892	1973	38 12.6 155		34 9.5	4.56 7.63	Yes	36.26 12.6	No		29.11 22.8 9.6 5.4	8000 3710 Lead	0 1 FIXED	IB Fold 2		
Plan B	J 29 7/8 IB LP 160%	28594	1985	34 11.42 155	35	38.67 13	4.94 8.25	Yes	35 12.42	No		29.916 25 11.083 5.667	6000 2100 Lead	No 1 FIXED	IB FOLD 0		
Plus Sixteen	Ericson 911S Olson	97707	1991	42 12.25 125	42 12.5	35.761 11.811	4.035 7.136	Yes	43.5 12.25	Yes	20.932 698	30 25 10.33 5.42	8500 3200 LeadSteel	No 1 FIXED	IB FEATH 2		
Pneumaddict	Farr 30	48	1996	38.29 10.89 104	45.18 13.58	40.55 14.57	6.42 10.4	Yes	45 13.58	Yes	26.24 965	30.94 27.56 10.1 6.9	4548 2095 Lead	0 1 FIXED	IB Fold		
Polecat	Wyliecat 30 IB	5	1997		29.5 12	40 20	7.35 12.66	No		Yes	21.6 493	30.5 25 9.416 5.25	5500 3050 Lead	No 1 FIXED	IB FOLD 2	Articulating Sprint and Pole added for asym spin. Mast allowed to Rotate. (-21) Inboard engine installed (+3) (2/29/12, removed spinnakers from boat, mast is now fixed and boat is sailing as a stock Wyliecat 30 IBV4/24/14 added	
Popcorn	Nonsuch 33	77	1997			50.33 24.33	7.2 13.6	No		No		33.33 31.42 12.42 5.25	15350 6050 Lead	No 1 FIXED	IB FOLD 2		
Por Favor	Hobie 33 ODR MOD	51946	1982	33.8 12.4 135	36.5 13.125	34.1 12.33	4.83 8.25	Yes	36.5 13.125	Yes	21.97 711	33 30.5 8 5.5	4000 1800 Lead	0 1 FIXED	OB None 0	Double Spreader Ballanger Mast (Mtg 2/18/10, Modified ODR, -6 sec/mi for oversized spinnaker) (Mtg 5/24/12, rudder modifications noted, NCTR)	

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications													
			Built	DW Rating	I J	Max Headsail	ISP JSP	P E	MGU MGM	SL	SPL	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB												
																					Mast Material	PY	MSA	SSMG	SSA	SLU	ASA	LWL	Ballast	moveable blst	IB or OB
Disp/WL Ratio												Max Draft																			
Pressure Drop	Beneteau Farr First 36.7	52489	<b>81</b>	2012	46.4	155	46.4	45.4	5.92	Yes	No		36	12495	0		IB														
			<b>600</b>		13.1		13.1	15.6	12.49				30.3	4034	1		None														
			<b>204</b>		ALUMN				458				11.4	Lead	FIXED		2														
					FS						<input type="checkbox"/>	0	7.3																		
Prime Number	J 70 ODR	0	<b>114</b>	2012	26.77	100	30.15	26.16	4.71	No	Yes	18.7	22.78	1750	0		OB														
			<b>607</b>		7.68		13.5	9.44	6.93		Yes	491	20.47	630	1		None														
			<b>93</b>		CARBON				164		28.87	5.1	7.38	Lead	MVBL																
					FS						18.24	<input checked="" type="checkbox"/>	4.92																		
Princess	Sabre 40-2	28876	<b>75</b>	1996	53.5	110	53.5	47.8	6.27	No	Yes	26.75	40.17	19500	No		IB	base rtg changed frm 69 to 72 MTG 4/8/03.													
			<b>588</b>		15.5		20.5	17	10.7		Yes	1205	35.25	7000	1		FOLD														
			<b>202</b>		ALUMN			0	476		46.65	5	13.25	Lead	FIXED		2														
					MS			0			27.88	<input type="checkbox"/>	6.25																		
Psycho Tiller	Jeanneau Sun Fast 32i	23	<b>141</b>	2004	39.2	130	38.1	36.7	3.5	Yes	No		31.5	9237	0		IB														
			<b>666</b>		11.1		10.6	12.2	7.4		Yes	11.1	27.11	2491	1		FOLD														
			<b>211</b>		ALUMN				247		38.4	539	10.9	Cast Iron	FIXED		2														
					FS						17.1		6.6																		
											15.8	<input type="checkbox"/>																			
Puffin	Alden 44	38144	<b>117</b>	1978	54.1	100		47.08	5.7	No	No		44.17	24500	0		IB														
					19.5			14.75	9.6				34.08		1		Feath														
			<b>281</b>		ALUMN				416				12.5	Lead	CNTRBRD																
					CTR							<input type="checkbox"/>	8.75																		
Punk Dolphin	Custom Wylie 38	18481	<b>72</b>	1985	48	150	48	43	5.58	Yes	No		38	14000	No		IB														
			<b>581</b>		14.33			14	9.55		Yes	14.33	31	5000	1		FOLD														
			<b>214</b>		ALUMN			0	369		25.8	1026	11.6	Lead	FIXED		2														
					MS			0			25		6.75																		
												<input type="checkbox"/>																			
Pyewacket	Andrews 68	678	<b>-81</b>	1994	71.4	148	73.86	65.5	10.14	No	Yes	41.4	68.48	25181	0		IB	(Mtg 10/2/13, custom rating assigned. -81 as sailed)													
			<b>421</b>		23		25.53	25.5	15.81		Yes	2522	58.82	10000	1		Fold														
			<b>56</b>		CARBON				987		77.1		15	Lead	FIXED		2														
					MS						64.6	0	10.7																		
											43.04	<input type="checkbox"/>	90																		

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications					
			Built	DW Rating	I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No		Yes/No	ASF		LOA LWL	Ttl Disp.	Traps/H. Strps			IB or OB Prop Type # of blades				
										Mast Material	PY		MSA	SL			SPL	SLU			ASA	Max Beam	Ballast	moveable blst
Disp/WL Ratio	FS	SSSF	ASMG	Fixed or _o	Max Draft	Ballast Mat.	Keel Type																	
Q	Custom Schumacher 40	28901	54	2001	47	105	47	47.5	6.75	Yes	No		40	10166	No	IB								
			554		14.67			18.35	11.75				31.5	4528	1	FOLD								
			148		CARBON		0	513	26.41	1030		0	11	Lead	FIXED	2								
					FS		0		26.41			<input type="checkbox"/>	7.6											
Queen Bee	J 109 mod	7444	69	2003	46.5	105	49	43.25	5.89	No	Yes	27.75	35.25	10900	No	IB	modification: Carbon Mast= -3 sec/mi							
			580		13.3			15.5	10.07				30.5	3900	1	FOLD								
			175		CARBON		0	399	45.63	5.5		11.5	Lead	FIXED	2									
					FS		0		27.2	<input checked="" type="checkbox"/>	0	7												
Quest	Wauquiez 33 Gladiatuer	38072	150	1983	44.5	140	44.5	38	3.25	Yes	No		32.83	11000	0	IB								
			643		13.75			11.5	5.5				27.25	4800	1	Fold								
			247		ALUMN				222			0	11	Lead	FIXED	2								
					MS				24.6	906		<input type="checkbox"/>	6											
Quicksilver	Catalina 30	28045	183	1980	41	100		35	3.7	No	Yes	18.98	29.22	10200	0	IB								
			711		11.5			11.5	6.8				25	4200	1	Fold								
			297		ALUMN				225			0	10.83	Lead	FIXED	2								
					MS							<input type="checkbox"/>	5.25											
Quila	Santa Cruz 27	18723	141	1976	32.583	155	32.583	28.25	3.68	Yes	No		27	3000	No	OB								
			613		10.75			8.583	6.1				24	1500	1	None								
			99		ALUMN			0	154			0	8	Lead	FIXED	0								
					MS			0				<input type="checkbox"/>	4.5											
Quiver	Custom Nelson Marek 36	28669	45	1999	43.85	105	51.9	45.75	6.56	Yes	Yes	26.24	35.6	7725	No	IB	(mtg 6/15/10, added lead shoe to keel, -3 sec/mi, change custom rating from 48 to 45)(Mtg 2/29/12, added sprit equal to SPL, NCTR)							
			542		12.5			16.47	10.66				29.32	3255	1	FOLD								
			139		CARBON				453			1.5	10.3	Lead	FIXED	2								
					FS			26.21	1101			<input checked="" type="checkbox"/>	7.6											
								26.21																
Raccoon	Cal 20	8008	273	1967	22	125	22	23	3.666	Yes	No		20	1950	0	OB								
			748		7.333			9.833	6.5				18.08	900	1	None								
			150		ALUMN			0	135			0	7	Cast Iron	FIXED	0								
					FS			0				<input type="checkbox"/>	3.33											

Boat Name	Boat Model (Type)	Rating		I J Max Headsail Mast Material Rig Type	ISP		Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
		Sail #	Built		ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp. Traps/H. Strps		IB or OB Prop Type # of blades			
								DW Rating	ISP JSP	SL SPL SSMG SSF	SPL SSA		SLU SLA SLE ASMG	ASF ASA Sprit Lngth Fixed or _o			Ballast	moveable blst Keel Type
Racer X	J 105 ODR w/ 5'BS	375	1996	40.6 13.5 ALUMN FS	100	42.1 19.07	41.5 14.5 0 0	5.5 9.4 358	No	Yes	25 854 5 23	34.5 29.5 11 6.5	7750 3400 Lead	No 1 FIXED	IB FOLD 2			
Racer X	Farr 36 ODR	6	2006	46.78 13.19 CARBON FS	110	54.82 21.06	49.93 18.63 0 0	8.53 12.965 592	No	Yes	36.279 1751 7.35 0	36.1 32.8 11.72 8.5	6744 3078 Lead	No 1 FIXED	IB FOLD 2			
Ragtime	Custom Spencer 65	7960	1964	69.06 22.45 CARBON MS	105	70.36 26.94	63 22.23	9.3 14.9 861	No	Yes	45.8 2572 0 0	64.74 52 11.83 10.83	24204 9000 Lead	0 1 FIXED	IB FEATH 2	(mtg 8/27/09, custom rating of -48 assigned)		
Ragtime	J 90 MOD	50090	1998	35.6 10.5 CARBON FR	125	43.1 18	38.85 14.5 0 0	5.91 9.74 345	No	Yes	27.9 983 7.5 0	30 27 8.5 6.5	3400 1595 Lead	No 1 FIXED	OB FOLD 2	(Mtg 4/28/11, Switched to larger Mainsail & smaller Asymmetrical, -3 sec/mi for oversized main girths, -3 sec/mi for increased "P", +3 sec/mi for smaller asymmetrical)(Mtg 1/26/12, removed saildrive, added OB 2 sec/mi/4/24/12, new rudder)		
Ragtime!	J 92	18	1993	37 11.5 ALUMN FS	155	38.5 14.5	38 13.5 0 0	4.7 8.2 293	No	Yes	29.75 1019 3 90	30 25.8 10 5.9	5500 2275 Lead	No 1 FIXED	IB FOLD 2	(changes noted 3-11-03, NCTR)(2/14/06 - Spinnaker based on 1019 sq feet/94.67 meters)(Mtg 01/16/14, -3 sec/mi for flying asymmetric off squared back pole)(Mtg 4/24/14, New Rudder noted NCTR - Shakedown pole/crit)		
RAM	J 130 CM SD	29	1995	57 16.5 CARBON FS	120	58.5 23.5	52.5 18.5 0 0	7 12 578	No	Yes	37.9 1993 7 0	42.58 38.17 12.67 7	18000 6750 Lead	No 1 FIXED	IB FOLD 2			
Raven	Freedom 40	22868	1978	47.67 21 ALUMN CAT	137		41.16 19.4 41.16 19.4	5.02 9.87 406	No	No	0 0	40 35 12 9.7	20228 6000 Lead	0 1 CNTRBRD	IB Fixed_2			

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications		
			Built	DW Rating	I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps Ballast moveable blst Ballast Mat. Keel Type				
									SL	SPL	SLU	ASA								
									SSMG SSF	SSA	SLE	ASMG								
Razzberries	Ericson 34 Olson TM	97479	<b>99</b>	1988	46.77 12.95 ALUMN MS	155	47	40.9 12.95 0 0	5.1 8.5 320	Yes	No	45.7 12.95 23.31 23.31	888	0	<input type="checkbox"/>	33.88 28 10.8 6.085	10855 3500 Lead	No 1 FIXED	IB FOLD 2	
Red Bird	Jeanneau 53	0	<b>63</b>	1988	62.3 20.4	104		57.4 19.7		No	No			0	<input type="checkbox"/>	52.7 45.8 15.7 7.4	41000 10490 Iron	0 1 FIXED	IB Feath	In Mast Furling (Mtg 2/27/14, +3 sec/mi for in-mast furling, +3 sec/mi for MGM <50% of E)
Red Cloud	Farr 36 Mod	99	<b>87</b>	1976	38.3 12.16 ALUMN FS	108	46.3 12.16	41 16.75 0 0	6.4 10.9 410	Yes	No	45.4 21.8 21.8	12.16 825	0	<input type="checkbox"/>	36 31.33 11.92 6.16	10430 3950 Lead	No 1 FIXED	IB Fold 2	(550# ADDED TO KEEL 300# TO FILL MIDDLE WINDOW+250# TO BOTTOM)(Mtg 1/26/12, -3 sec/mi for new mainsail)(mtg 3/29/12, +3 sec/mi after review of rating appeal, as sailed: 87)
Red Hawk	Hawkfarm 28 ODR	59024	<b>162</b>	1978	33 11 ALUMN FS	155	33.25 11.5	36 10.5 0 0	4.37 7.26 236	Yes	No	33 20.7 20.7	11.5 569	0	<input type="checkbox"/>	28 23.5 9.75 5.166	5700 2700 Lead	0 1 FIXED	IB FOLD 2	
Red Sky	Ericson 34 Olson SM	28340	<b>105</b>	1989	44 12.95 ALUMN MS	150	44 12.95	38.7 12.95 0 0	5.1 8.5 302	Yes	No	42 23.4 23	12.95 816	0	<input type="checkbox"/>	33.88 28 10.8 6.08	10855 3500 Lead	No 1 FIXED	IB FOLD 2	MTG 12/11/97(RUDDER REPLACED 8" DEEPER ADN 3" NARROWER.)
Red Sky	Beneteau Farr First 36.7	52316	<b>81</b>	2005	46.41 13.1 ALUMN FS	155	46.4 13.1	45.4 15.6	5.92 12.5 458	Yes	Yes	45.9 23.5 23.5	13.1 899	21.3 854 0 0	<input checked="" type="checkbox"/>	35 30.3 11.4 7.2	12495 4034 Lead	0 1 FIXED	IB Fold	
Redhead	Cal 40	7817	<b>114</b>	1964	46 15.17 ALUMN MS	155	46.36	40 17.5 0 0	6.5 11.3 414	Yes	No	46 27.3 26.2	15.17 1038	0	<input type="checkbox"/>	39.5 30 10.92 5.75	16500 6000 Lead	No 1 FIXED	IB FOLD 2	

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications		
				DW Rating Disp/WL Ratio	J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast		Traps/H. moveable blst	IB or OB Prop Type # of blades
									SL	SPL	SLU	ASA							
									SSMG SSF	SSA	SSMG SSF	SSA							
Reinrag2	J 125	83940	1999	49 14.8 155	52.1 23.3	46.5 7.58 18 12.49	7.58 12.49	No	Yes	39.4 1846 8.5 0	41 37 10.6 7.9	8350 4646 Lead	0 1 FIXED	IB FOLD 2					
Relentless	Sydney 32	28732	2002	40.6 12.2 110	40.6 13.1	39.7 5.6 14.75 9.59	5.6 9.59	Yes	No	0 786	31.9 28.4 10.6 6.9	6850 2860 Lead	No 1 FIXED	IB FOLD 2	-3 Sec/mi for OSP				
Relentless	J 92	93	1997	37 11.5 155	38.5 17.5	38 5.2 13.5 8.7	5.2 8.7	No	Yes	26.4 915 5.5 0	30 26.5 10 5.9	5500 2275 Lead	0 1 FIXED	IB Fold 2					
Rhapsody	J 32	56303	2000	39.2 11 155	40.583 13	38.5 5.12 15.5 9.25	5.12 9.25	No	Yes	22.5 830 2 0	32.4 29 11 6	11500 3840 Lead	0 1 FIXED	IB Fold 3	(Mtg 5/23/13, -3 sec/mi for sprit, -3 sec/mi for oversized spinnaker)				
Rhum Boogie	Quest 33 CM IB	33007	2004	41 10.7 150	41 17	39 7.044 15 10.985	7.044 10.985	No	Yes	27.6 1075 6.3 0	32.6 29.4 11.4 6.9	7400 1940 Lead	0 1 FIXED	IB FOLD 2	Rating is without Water Ballast				
Rio	Santa Cruz 27	57337	1977	32.583 10.75 155	32.583	28.25 3.7 8.583 6.1	3.7 6.1	Yes	No	0 518	27 24 8 4.5	3000 1500 Lead	No 1 FIXED	OB None 0					
Road Runner	Ranger 23	6422	1979	27 9.7 125		24 3.48 9.17 5.96	3.48 5.96	Yes	No	0 404	23 20 7.97 3.75	3400 1500 Lead	0 1 FIXED	OB None 3					

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		Ttl Disp.		Traps/H. Strps moveable blst				
								SL SPL SSMG SSF	SPL SSA SSA	SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o				Ballast Mat.			Keel Type
Rock On	Olson 25	18198	1984	32 9.583 ALUMN MS	32	28 10 0 0	3.86 6.4 167	No	Yes	15.91 419 3 3	25 21.25 9 4.5	3300 1300 Lead	0 1 FIXED	OB None 3	(mtg 1/16/14, -3 sec/mi for sprit)			
		674																
		156																
Roust About	Peterson 34	18630	1979	46.5 14.6 ALUMN MS	46.5 14.6	41.3 11.7	4.5 7.9 293	No	No	0 0	33.92 28.25 11.17 6.25	10800 5100 Lead	0 1 FIXED	IB Feath 3				
Roxanne	Tartan 4100 SD TM	322		57 15 ALUMN MS	135	57 15	6.8 11.5 533	No	Yes	26.8 1206 0 0	41.3 35.9 13.6 5.4	20400 8000 Lead	0 1 FIXED	IB Feath				
Rufles	Melges 32 ODR	174	1997	40.86 10.7 CARBON FS	105	48.3 18.7	6.95 11.14 438	No	Yes	31.82 1344 8 5	31.84 28.5 9.83 7	4200 1600 Lead	0 1 FIXED	OB None 0				
Rumour	Ericson 32-3	18260		42 13.75 ALUMN MS	150	42 13.75	4.6 7.7 253	Yes	No	0 0	32.5 25.83 10.83 6	9800 4200 Lead	No 1 FIXED	IB Fixed_2 2				
Run Wild	Custom Wylie 24	12	2006	26.8 7.8 CARBON MS	90	31.45 15.33	5.33 7.45 196	No	Yes	20 540 5.5 0	24 22 5.5 6.5	1400 600 Lead	0 1 FIXED	OB None	(Mtg 11/29/13, Custom rating assigned. As Sailed: 111)			
Rustler	Esse 850	71		32.8 10 ALUMN FS	105	37.72 16.2	6.23 8.85 277	No	Yes	24.3 779 6.05 0	28 28 7.25 6.6	3000 1540 Lead	0 1 FIXED	IB Fold	Outboard replaced with inboard saildrive (Mtg 2/28/13, custom rating assigned, as sailed: 75)			

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications			
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		SLU ASA Sprit Lngth Fixed or _o		ASF	Ttl Disp.			Traps/H. Strps		
								SL	SPL	SLU	ASA								Ballast	moveable blst
								SSMG SSF	SSA	SLE ASMG	Fixed or _o									
S'agapo	Spirit 46	8168	2003	42.3 10.92 CARBON FS	105	42.75 14.67	49.05 15	6.16 9.65 444	Yes	Yes	22.17 817 3.75 0	46.25 33.83 9.25 6.5	11386 4536 LeadSteel	0 1 FIXED	IB Fold 3	(Mtg 3/24/11, Custom Rating of 48 assigned, includes OSP, Dual Spinnakers & 100% jib)(Mtg 3/29/12, -3 sec/mi for increased I, -3 sec/mi for 10% increase in spinnaker area, -6sec/mi for 15% increase in SPL, +2 sec/mi for				
Sagebrush	Santa Cruz 33	38091	1981	41 13.5 ALUMN MS	150	41 13.5	34.5 11	4.4 7.4 232	Yes	No	0 0	33.7 28.2 10 6.5	7000 3000 Lead	0 1 FIXED	IB Fold	(Mtg 8/28/14, added 12" scoop to stern, -3 sec/mi)				
Sailfish	Cape Dory 36 CUT	28658		42 15.5 ALUMN CTR	90	42 15.5	37 16	4.9 8.6 316	No	Yes	26.7 799 0 0	36.1 27 10.7 5	16000 6050 Lead	0 1 FIXED	IB Fixed_3 3					
Sailor Dog	Catalina 34 1&2	1798	2007	44 13.5 ALUMN MS	110	44 13.5	38.5 12	2.8 5.9 229	No	Yes	20.5 723 0 0	34.5 29.8 11.7 5.6	11950 5000 Lead	0 1 FIXED	IB Fixed_3 3	In-Mast furling main +3 sec/mi, MGM less than 50% of E +3 sec/mi				
Salient	Cal 39-2/3	30	1978	50 17 ALUMN MS	100	50	44 14 0 0	5.3 9.1 367	Yes	No	0	39 32.08 12 6.67	19000 7000 Lead	No 1 FIXED	IB Fixed_3 3					
Salsa	Ultimate 20	94	1995	26.08 6.97 ALUMN FS	100	27.58 13	27.5 10.25	5.5 7.96 195	No	Yes	19.2 447 6 0	20.94 18 8.33 5.03	1350 450 Lead	0 1 CNTRBRD	OB None 0					
Sans Souci	Beneteau Oceanis 321	28591	2000	42 12.33 ALUMN MS	125		35.25 13.58	2.97 6.19 229	No	No	0	32.58 29.42 11.25 4.25	9700 3274 Lead	No 2 FIXED	IB Fold 3	(Furling Main +3 sec/mi, MGM < 50% of E +3 sec/mi)				

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU ASA Sprit Lngth Fixed or _o	SL SPL SSMG SSA	ASF		Max Beam Max Draft	Ttl Disp. Ballast Mat.			Traps/H. moveable blst Keel Type
								Yes	No									
Saraband	Westsail 32	28144	216	1988	42.5 18	130	42.5	37.5 15.5	5.5 8.75	Yes	No	32 27.5 11 5	19500 7000 LeadSteel	0 1 FIXED	IB Feath 3			
			678		ALUMN CTR		0 0	325										
			426								<input type="checkbox"/>							
Sassy	MacGregor 26 WB	38265	222	1988	22.6 9.75	146	22.6 9.75	25.17 10.25	3.92 6.58	Yes	No	25.83 23.5 7.92 6.33	2850 1200 Water	No 1 AGGERBR	OB None	(Masthead Spinnaker; -12 sec penalty for increased ISP due to masthead spinnaker PHRF Mtg 3/16/06)(1/29/07- changed spinnaker hoist back to standard configuration, ISP now same as I)		
			683		ALUMN FS			154										
			100								<input type="checkbox"/>							
Savoir Faire	Beneteau 42 IK	28735	90	1984	52.82 16.73	145	52.82	46.59 14.6	5.4 9.35	Yes	No	42.92 36 12.75 7.25	20900 7920 Iron	No 1 FIXED	IB FEATH 2	PER MTG 8/14/97		
			581		ALUMN MS			0 0	401									
			204								<input type="checkbox"/>							
Scaramouche V	PJ 49	0	90	1971	57 20	128	20	52 16.9	6.3 10.8	No	Yes	49.25 39.16 11.91 8	32500 14300 Lead	0 1 FIXED	IB Feath 3	(mtg 1/21/10, custom rating of 72 assigned)(Mtg 3/29/12, custom rating chaged from 72 to 90 after review of rating appeal)		
			581		ALUMN MS				518									
			246								<input checked="" type="checkbox"/>							
Scarlet Runner	Custom RP 52	11	-99	2009	67.75 20.5	98	76.99 27.62	68.83 23.95	9.71 14.73	No	Yes	52.46 48.22 14.82 11.51	18517 8124 Lead	0 1 FIXED	IB Fold			
			419		CARBON MS				976									
			75								<input checked="" type="checkbox"/>							
Scorpio	Custom Wylie 42	28900	30	1991	55.05 16.26	110	55	49.36 17.22	6.4 11.1	Yes	Yes	42.25 36.67 12.39 7.95	13880 7759 Lead	0 1 FIXED	IB FOLD 2	(mtg 4/9/98, New Rudder)(Mtg 10/26/00, rating changed from 36 to 30)(Mtg 1/17/02 rating Changed from 30 to 36)(mtg 4/22/10, added 10% penalty pole, -6 sec/mi, change custom rating from 36 to 30)		
			531		MS			0 0	502									
			128								<input type="checkbox"/>							
Sea Breeze	Catalina 320	850	156	2001	43.58 12.33	135	43.58	38 13.25	5.168 8.661	No	No	32.5 28 11.75 6	11300 4000 Lead	0 1 FIXED	IB Fold 2			
					ALUMN MS				303									
											<input type="checkbox"/>							

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications	
		Sail #	DW Rating		J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp.	Traps/H. Strps			IB or OB Prop Type # of blades
										SL	SPL	SLU	ASA			Ballast	moveable blst		
ASF	Fixed or _o	Max Beam	Keel Type																
Sea Dancer	Yamaha 25-2	161	<b>213</b> <b>723</b> 239	1980	31.85 9.77 ALUMN MS	135	31.83 9.7	27.92 9.02	2.75 5 136	Yes	No	9.77	24.75 19.25 8.92 5.42	3748 1433 Iron	0 1 FIXED	IB Fixed_2 2			
Sea Room	J 105 ODR w/ 5'BS	520	<b>78</b> <b>580</b> 137		40.6 13.5 ALUMN FS	100	42.1 19.07	42 15 0 0	5.5 9.4 368	No	Yes	9.77	34.5 29.5 11 6.5	7750 3400 Lead	0 1 FIXED	IB FOLD 2	Needs YC membership to race in YRA races		
Sea Saw	Henderson 30	102	<b>48</b> <b>514</b> 82	1996	37.11 11.04 CARBON FS	155	42.26 18.75	38.17 14.43 0 0	5.45 9.25 326	No	Yes		30.83 27.75 9.92 7	3850 1750 LeadSteel	No 1 FIXED	OB None 0			
Sea Star	CAL 39-2/3	38022	<b>117</b> <b>611</b> 236	1977	50 16.7 ALUMN MS	125	50	44 13.8 30 29	4.5 8 337	Yes	Yes		39 32 12 6.7	17000 7000 Lead	0 1 FIXED	IB FEATH 3	Roller Furler		
Sea Witch	Yankee 30-1 SM	8855	<b>183</b> <b>709</b> 325	1971	37.5 12.75 ALUMN MS	155	37.5	32.5 9.83 0 0	2.45 4.91 161	Yes	No		30 23 9 5	8700 4180 Lead	No 1 FIXED	IB FOLD 2	mtg 2/10/04 - short "E" = +3 sec/mi.		
Seabiscuit	Catalina 36	295	<b>138</b> <b>644</b> 246	1985	44.75 14.33 ALUMN MS	155	44.75 14.33	39 12 0 0	4.166 6.833 262	No	Yes		36.33 30.25 11.92 5.42	15000 6000 Lead	No 1 FIXED	IB FOLD 2	Using a J length whisker pole to pole back the tack of the asymmetric spinnaker. (mtg 1/22/09, -3 sec/mi for being able to fly A-Spin on squared back pole.)		
Seascape	Ericson 32-3	28326	<b>159</b>  258	1985	42 13.8 ALUMN MS	135		36 11.5 0 0	4.18 7.28 243	No	No		32.5 25.83 10.83 6	9800 4200 Lead	0 1 FIXED	IB Fixed_2 2	Roller Furler		



Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications														
		Sail #	DW Rating		I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	SL SPL SSMG SSF	SPL SSA	Yes/No	Yes/No		ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.			Traps/H. Strps Ballast Ballast Mat.	moveable blst Keel Type												
																				Disp/WL Ratio	155	28.5	4.22	28.5	7.03	29	9.83	No	27.25	0	OB
Shenanigans	Express 27 ODR	67	129	1983	28.5	155	28.5	4.22	Yes	No		27.25	2450	0	OB																
			609		9		10.42	7.03				23.75	1100	1	None																
			83		ALUMN FS		0 0	182			<input type="checkbox"/>	8.17 4.5	Lead	FIXED	0																
Shoofly	Custom Barnett Offshore 41	87978	51	1986	53	135	47	4.87	Yes	Yes	28	41.5	14000	0	IB	(Mtg 1/26/12, Custom rating of 54 assigned)(1/12/14, changed to 135% headsail from 95%, -3 sec/mi change custom rating from 54 to 51)(mtg 3/27/14, switching from Asymmetric to Symmetric spinnaker only. NCTB)															
			561		14.75		15.75	8.93			1260	35	6955	1	FOLD																
			148		ALUMN CTR		0 0	403			2.7	11 7.6	Lead	FIXED	0																
Siento El Viento	C&C 29	38311	174	1977	39.5	155	33.5		Yes	No		29.5	7500	No	IB																
			693		12.8		10.1					23.6	2700	1	Fold																
			259		ALUMN MS		22	715			<input type="checkbox"/>	10.5 5.25	Lead	FIXED	2																
Silkye	Wyliecat 30 OB	38003	129	1996			39.9	7.87	No	No		30.5	5500	No	OB																
			650				20.7	13.46				25	3050	1	None																
			160		CAT		0 0	492			<input type="checkbox"/>	9.5 5.25	Lead	FIXED	0																
Silverheels II	Tartan 34 CB	87997	171	1973	41	120	35	4	Yes	No		34	11000	0	IB																
			677		13.5		10.5	6.66				25	5000	1	Fixed_3																
			320		ALUMN MS			218			<input type="checkbox"/>	10.5 8	Lead	CNTRBRD	3																
Simplicity	Sabre 34-2	178	144	1982	43.58	120	38.08	4.4	No	No		34.166	11140	0	IB																
					14		10.83	7.4				28.25	4600	1	Fixed_3																
			225		ALUMN MS			254			<input type="checkbox"/>	11.17 6	LeadIron	FIXED																	
Sir Leansalot	Hunter 40	161	105	1986	53.9	125	48	5.2	Yes	No		39.7	17400	0	IB																
			608		17		13.9	9				32.5	6000	1	Fold																
			230		ALUMN MS		0 0	396			<input type="checkbox"/>	13.5 6.5	Iron	FIXED	2																

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications				
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU ASA Sprit Lngth Fixed or _o	SL SPL SSMG SSA	SLE ASA Sprit Lngth Fixed or _o		Ballast Ballast Mat.	Traps/H. moveable blst Keel Type						
								SL	SPL									SLU	ASA	SLE	ASA
Sirena	Ericson 32-2	18319	1972	35 13 110	35	31 13	4.9 8.4	239	Yes	No	31 24 9.8 5	8800 4000 Lead	0 1 FIXED	IB Fixed_2 2							
Siroco	Soverel 30 MH	67572	1979	42 12.29 155		37 10 0 0	4.2 6.92	231	Yes	No	29.75 25.42 11 5.3	7300 2960 Lead	0 1 FIXED	IB FOLD							
Skinny Love	11 Metre ODR	92	1996	32.53 10.166 95	41	36.08 13.583 0 0	5.23 8.82	293	Yes	No	33.67 26.92 8.67 5.42	3600 1600 Lead	No 1 FIXED	OB None 0	MTG 4/9/98. Sail number 90, using sail # 246 for Vallejo 2008						
SLICE	Wilderness 21	22	1978	25 8.67 152	25 8.67	24.9 8	2.98 5.14	118	Yes	No	20.6 17.9 7.3 4	1870 1070 Lead	0 1 FIXED	OB None 0							
Slider	Beneteau 323 DK	41	2006	42.6666 11.083 116		38.91 13.166	4.19 7.6	283	No	Yes	32.83 31.08 10.75 5.91	9235 2258 Iron	No 1 FIXED	IB Fold 2							
SLOWMO!	Catalina 22-1 OB SK	2482	1973	25.93 8 150		21 9.66	3.47 5.96	118	No	No	21.6 19.4 7.8 5	2250 550 Iron	0 1 MVBL	OB None 3							
Smokin J	J 29 7/8 OB	18383	1984	35 11.5 150	35	38.8 13	4.94 8.45	301	Yes	No	29.5 25 11 5.6	6000 2100 Lead	0 1 FIXED	OB None							

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications			
		Sail #	DW Rating		I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No		Yes/No	ASF		LOA LWL	Ttl Disp.	Traps/H. Strps		IB or OB Prop Type # of blades		
										SSMG	SPL		SLU	ASA			Max Beam			Ballast	moveable blst
Disp/WL Ratio	Mast Material	PY EY	MSA	SSSF	SSA	ASMG	Fixed or _o	Max Draft	Ballast Mat.	Keel Type											
Snafu	Moore 24	121	<b>150</b> <b>647</b> 91	1982	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No	27 17.55 17.55	9.75 395	23.75 21.75 7.16 4.08	2050 1000 Lead	0 1 FIXED	OB None				
Sobrante	Alerion Express 28 SD	386	<b>174</b>  225	2008	30 9.75	90	30	33 12.5	4.085 7.6	No	No			28.25 22.83 8.17 3.58	5900 2400 Lead	0 1 FIXED	IB Fold				
Solstice	Islander 30-2	265	<b>189</b>  263	1984	38.5 12.58	125	38.5	32.5 11.58	4.75 8.125	No	No			30 24.583 10 5	8600 3500 Lead	No 1 FIXED	IB Fold 3				
Sonata	Laser 28	33685	<b>135</b> <b>640</b> 157	1985	31.1 9.65	155	31.73	33.14 12.96	4.98 8.4	Yes	No	31.78 19.1 19.1	10.61 506	28.42 23.62 9.48 5	4550 1500 Lead	No 1 FIXED	IB FOLD 2	(Rudder noted, NCTR - 1-13-03)(MTG 4/26/07 -6 sec/mi for OSP)			
Southern Comfort XL	Olson 30 OB	30409	<b>99</b> <b>584</b> 86	1981	36 11.75	155	36 11.67	31.5 10.75	4.36 7.27	Yes	Yes	36 21.2 21.2	11.75 636	30 27.5 9.33 5.16	3950 1800 Lead	0 1 FIXED	OB None 0	Double Spreader Mast			
Southernaire	Catalina 309 WK	129	<b>189</b> <b>666</b> 249	2007	42.75 12	155	44.5 12.5	38.75 13.75	3.44 6.88	No	Yes	44.05 40 23	22.5 802 0 0	32.75 26.5 11.5 4.33	10200 4400 Lead	0 1 FIXED	IB Fixed_3 3	(mtg 5/20/10, -3 sec/mi for in-mast furling mainsail, -3 sec/mi for MGM < 50% of E)			
Sparky	Catalina 25 FK	1498	<b>222</b> <b>720</b> 190	1979	29 10.5	145	29 10.5	24.66 9.58	3.68 1.45	Yes	No	28.66 16.5 16.41	10.5 394	25 22.16 8 4	4550 1900 Cast Iron	0 1 FIXED	OB None 0				

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp.	Traps/H. Strps		IB or OB Prop Type # of blades		
								SL	SPL	SLU	ASA			Ballast	moveable blst			
								SSMG	SSA	SLE	Sprit Lngth Fixed or _o							Ballast Mat.
SSF	SSA	ASM	ASF															
Spike Africa	Cal 20	4013	1968	22 7.33 ALUMN FS	22	23 9.83	3.67 6.5 135	22 13 13	Yes	No	0 0 0	20 18.08 7 3.33	1950 900 Iron	0 1 FIXED	OB None			
Spindrift	Cal 39-2/3 TM	67799	1980	54.33 16.7 ALUMN MS	110	47.51 13.06	4.91 8.36 367	No	No	0 0	39 32.1 12 6.8	17000 7000 Lead	0 1 FIXED	IB Feath 3	(Mtg Dec '10, +3 sec/mi for small headsail, E & P Must be black-banded.)			
Spindrift V	Express 37	18305	1985	48.75 14.33 ALUMN MS	150	48.75	42 13.75 0 0	5.28 8.83 344	Yes	No	0	37.08 30.83 11.57 7.25	11000 4500 Lead	No 1 FIXED	IB FOLD 2			
Spirit of Freedom	J 124	38006	2006	49 14 CARBON FS	155	54.7 15.4	48.4 17	Yes	No	0 0	40.7 36.2 11.3 6.9	12600 5000 Lead	No 1 FIXED	IB FOLD 2	(mtg 4/22/10, -6 sec/mi for OSP)			
Starbuck	Custom Black Soo 30	8666	1968	30 13 ALUMN MS	125	29.5 13	25 11.73 0 0	4.9 7.5 178	Yes	No	30.4 796 6.67 14	31 27.5 6.8 6.4	4500 1800 Iron	0 1 FIXED	OB None 0	(Mtg 1/17/02, added scoop, custom rating changed from 144 to 141)(mtg 1/11/13, Added A-sail, -9 sec/mi, rating changed from 141 to 132)(Mtg 5/13/14, removed A-Sail, +9 sec/mi, change custom rating from 132 to 141, +2 sec/mi for small)		
Stink Eye	Laser 28 ODR MOD	33562		31.73 9.65 ALUMN MS	110	33.2	33.14 12.3 0 0	7.8 9.4 293	Yes	Yes	19 546 0.92	28.42 23.62 9.48 5	4050 1500 Lead	No 1 FIXED	OB FOLD 2	(Mtg 3/27/14, -3 sec/mi for oversized mainsail girths, -3 sec/mi for OB motor)		
Storm Petrel	Andrews 28	74428	2009	34.51 11 CARBON FS	105	39.94 17	34.67 13.17	5.11 8.62 274	No	Yes	27.55 944 6 0	28 25.75 9.82 7	4448 1232 LeadSteel	0 1 FIXED	IB Fold	(Mtg 2/27/14, custom rating of 81 assigned)		



Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications				
		Sail #	DW Rating		I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No		Yes/No		LOA LWL	Ttl Disp.	Traps/H.	Strps	IB or OB					
										SL	SPL	SLU	ASA							Max Beam	Ballast	moveable blst	IB or OB
Disp/WL Ratio	Mast Material	FS	PY	MSA	SSSF	ASMG	Fixed or _o	Max Draft	Ballast Mat.	Keel Type	# of blades												
SWAZIK	Swan 45 ODR	52445	<b>-12</b>	2003	61.39 17.78	149	68.08 19.52	61.25 21.85	9.02 14.7	Yes	Yes	34.12 1911	47.1 42.6	23093	0	IB							
			<b>508</b>		CARBON				821				12.7	9500	1	Fold							
			136		FS						<input type="checkbox"/>	90	9.38	Lead	FIXED								
Sweet Grapes	Ericson 36 Holland	19	<b>108</b>	1981	47.75 14.5	147	47.75	42 12	3.5 7.2	Yes	No		35.58 29	11600	0	IB							
			<b>621</b>		ALUMN				278			0	11.83	5230	1	FOLD							
			216		MS						<input type="checkbox"/>	0	6.25	Lead	FIXED	2							
Sweet Okole	Custom Farr 36	29000	<b>84</b>	1976	42.049 12.35	155	42.049	44.54 16	5.9 10	Yes	No		36 31.33	9188	No	IB	(78 MTG 1/28/93) (81 MTG 3/18/93)(Mtg 5/22/08, +3 sec/mi for switching to smaller headsail, +3 sec/mi for removing 250# shoe from keel, change custom rating from 81 to 87)(6/7/10, change headsail to 155% 2 sec/mi change rating						
			<b>585</b>		ALUMN				416			0	11.88	3750	1	FOLD							
			136		FS				0		<input type="checkbox"/>	0	6	Lead	FIXED	2							
Sweet Pea	Islander 30-2	195	<b>186</b>	1971	38.5 12.6	155	38.5	32.5 12.5	4.75 8.13	Yes	No		30 24.58	8600	0	IB							
			<b>676</b>		ALUMN				242			0	10	3500	1	FOLD							
			263		MS				0		<input type="checkbox"/>	0	5	Lead	FIXED	2							
Sweet Tea	Moore 24	105	<b>150</b>	1981	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No		23.75 21.75	2050	0	OB							
			<b>635</b>		ALUMN				147			0	7.16	1025	1	None							
			91		FS						<input type="checkbox"/>	0	4.08	Lead	FIXED								
Swift Ness	J 111	101	<b>36</b>	2014	48.37 13.85	105	51.4 20.08	45.17 14.5	6.1 10.1	No	Yes	31.8 1404	36.5 32.7	9300	0	IB							
			<b>534</b>		CARBON				410			6.3	10.8	3500	1	Fold							
			121		FS						<input checked="" type="checkbox"/>	0	7.2	LeadSteel	FIXED								
Symmetry	J 111	91	<b>36</b>	2013	48.37 13.85	105	51.4 20.08	45.17 14.45	6.16 10.1	No	Yes	31.1 1399	36.5 32.7	9300	0	IB							
			<b>534</b>		CARBON				410			6.3	10.8	3500	1	Fold							
			121		FS						<input checked="" type="checkbox"/>	0	7.2	LeadSteel	FIXED								

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications				
		Sail #	DW Rating		I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst						
									SL	SPL								SLU	ASA	Ballast Mat.	Keel Type
Synchronicity	Olson 25	68	159	1985	32 9.583 ALUMN MS	155	32 9.6	28 3.8 10 6.4 0 166 0	3.8 6.4 166	Yes	No	25 21.25 9 4.5	3300 1300 Lead	No 1 FIXED	OB None 0						
Synergizer	Ericson 28-2	28091	183	1988	36 12 ALUMN FS	150	12 13.416	35.5 4.5 11 7.481 0 241 0	4.5 7.481	Yes	Yes	20 23.33 10 5.5	7500 3200 Lead	No 1 FIXED	IB FOLD 2						
Tackful	Santana 22	581	237	1972	26 8.5 ALUMN MS	120	26	21.75 3.95 9.833 6.59 0 131 0	3.95 6.59	No	No	22 18.666 7.833 3.5	2600 1230 Iron	No 1 FIXED	OB None 0						
Take 5	Wilderness 21	19	222	1978	25 8.67 ALUMN FS	150	25 8.67	25 2.97 8 5 117	2.97 5	Yes	No	20.6 17.9 7.3 4	1870 1070 Lead	0 1 FIXED	OB None						
Talisman	Pearson 31-2	38027	165	1991	42.5 12.8 ALUMN MS	150	43	36.8 4.2 12 6.8 247	4.2 6.8	Yes	No	30.8 25.4 10.8 5.6	10000 3800 Lead	0 1 FIXED	IB Fixed_2 2						
Tartanic	Tartan 10	26337	129	1979	35 12 ALUMN FS	105	35	40.25 5.34 13.75 8.96 332	5.34 8.96	Yes	No	33.16 27 9.25 5.83	6700 3340 Lead	0 1 FIXED	IB Fold 2						
TASHI	Catalina 30	2010	189	1976	41 11.5 ALUMN MS	110	41	35 4.63 11.5 7.72 246	4.63 7.72	No	No	29.92 25 10.83 5.25	10200 4250 Lead	0 1 FIXED	IB Fixed_3 3						

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		Ttl Disp. Ballast		Traps/H. moveable blst	IB or OB Prop Type # of blades		
								SL	SPL	SLU	ASA						
								SSMG SSF	SSA	SLE	Sprit Lngth Fixed or _o					Ballast Mat.	
DW Rating																	
Disp/WL Ratio																	
Temerity	Olson 34	28134	99	1986	44.8 13.25 ALUMN MS	155	44.8 13.25	38.84 5 12.9 8.4 0 300 0	5	Yes	No	34 28 10.83 6	9540 3600 Lead	1 FIXED	IB FOLD 2		
Tequila Mockingbird	Express 27 ODR	18353	129		28.5 9 ALUMN FS	155	28.5	28.5 4.22 10.416 7.03 0 182 0	7	Yes	No	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0		
Terremoto	Rip Tide 35	59902	-12	1997	45.5 13.17 CARBON FS	104	47.94 23.17	43.42 7 15.58 10.35 422	7	No	Yes	35.2 31.3 11.25 8.33	5690 2402 Lead	0 4 FIXED	IB Fold	Water Ballast adds 1200#	
TESA	Catalina 42-1/2	642	102	1999	53 16.41 ALUMN MS	155	53 23	46.75 5.91 15.416 10 0 430 0	10	Yes	Yes	41.83 36 13.83 6.8	25500 8300 Lead	0 1 FIXED	IB FEATH 3	Added one electric main halyard winch	
The Bar-ba-loot	Moore 24	62	150	1981	26.25 9.75 ALUMN FS	150	26.25	25 3.91 9.5 6.5 0 147 0	6.5	Yes	No	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0		
The Edge	Hunter 45	38077	66	2007	47.9 14.1 ALUMN MS	150		50 7.5 20.8 13 604	13	No	No	45 40 14.5 6.5	22936 7237 Lead	0 1 FIXED	IB Fold		
Think Fast	Olson 30 OB	28708	99	1980	36 11.75 ALUMN MS	150	35.9 11.67	31.5 4.364 10.75 7.268 0 208 0	7.268	Yes	No	30 27.5 9.33 5.08	3600 1800 Lead	0 1 FIXED	OB None 0		

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps moveable blst		
								SL	SPL	SLU	ASA						
								SSMG SSF	SSA	SLE ASMG	ASA						
Thirsty 30	Beneteau First 30R MOD	64077	2013	41.6 12.75 ALUMN MS	116	15.42	40.3 14.25	5.72 8.85	Yes	Yes	22.56 838 2.1 90	31.3 27.6 10.6 6.4	7900 2800 Cast Iron	0 1 FIXED	IB Fold		
Tiburon	Santa Cruz 37	38042	2008	47 13.5 CARBON MS	105	52.17 19	47 17	6.46 11.05	No	Yes	33.3 1541 5.5 0	37 34.75 10.64 7.5	9882 3730 Lead	0 1 FIXED	IB FOLD 2		
Tijd	Beneteau First 30	45	2011	41.66 13.78 ALUMN FS	105	42.16 15.7	40.2 14.25	6.24 9.38	No	Yes	28.9 1050 2 0	31.7 27.5 10.5 6.25	8267 2403 Cast Iron	0 1 FIXED	IB Fold		
Tiki Blue	Beneteau 423	38423	2005	48.65 16.52 ALUMN MS	140	48.65 16.52	43.44 14.83	5.49 9.6	Yes	No	0 0	41.67 38.58 12.92 6.92	20224 5569 Iron	No 1 FIXED	IB FOLD 3		
Tinker	Wilderness 21	6	1977	25 8.67 ALUMN MS	125	25	25 8	2.83 4.66	Yes	No	0	20.5 17.8 7.25 4	1870 1070 Lead	No 1 FIXED	OB None	Added roller furler	
TNT	Custom Tripp 43	43690	1998	55.81 16.48 CARBON MS	104	59.43	52.33 18.53	7.4 12.7	Yes	No	0 0	43 36.7 12.07 8.98	15001 6542 Lead	0 1 FIXED	IB FOLD 2	(Mtg 1/17/08, custom rating of 3 assigned)(mtg 5/22/08, change to headsail smaller than 125% +3 sec/mi)(mtg 10/21/09, new rig on boat, NCTR)	
Toon Town	Ultimate 20 CM	178	2004	26.08 7 CARBON FS	150	27.58 12.79	27.33 10.17	5.5 7.96	No	Yes	19.2 449 6 0	20.8 18 8.3 5	1350 450 Lead	0 1 FIXED	OB None 0		

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp. Traps/H. Strps		IB or OB Prop Type # of blades			
								SL	SPL	SLU	ASA		Ballast	moveable blst				
								SSMG SSF	SSA	SLE ASMG	Sprit Lngth Fixed or _o						Ballast Mat.	Keel Type
Disp/WL Ratio																		
Tortuga	Westsail 32	207	216	1974	31.2 18.4	150	38.3 15.1		No	No		32 27.6 11 5	19500 7000 Lead	0 1 FIXED	IB FOLD 3			
Tortuga	Pyramid 660 ODR MOD	8375	174	1981	21.82 6.8	104	28	25.7 10.5	4 6.8	Yes	No	21.8 18.1 6.2 3.9	850 400 Lead	2 1 FIXED	OB None 2	(Mtg 5/20/10, removed trapeze +18 sec/mi, hiking straps still allowed)(1/24/13, added upper spreaders & stays, NCTR)		
Traveler	Express 34	97089	99	1987	44.3 13	150	44.3	38.5 12.83	4.87 8.46	Yes	No	34 28.3 10.5 6	8500 3700 Lead	0 1 FIXED	IB FOLD 2	-6 FOR OVERSIZED SPINNAKER		
Tupelo Honey	Elan 40	28908	69	2004	48.89 14.21	105	50.05 14.21	48.82 17.23	5.58 10.09	Yes	No	39.04 34.07 12.55 7.87	17600 5621 LeadSteel	No 1 FIXED	IB FOLD 2			
Twilight Zone	Merit 25	67614	171	1979	28.75 9.66	100	28.75	28 9.75	4.25 6.69	Yes	No	24.5 20.5 8 4	3000 1050 Lead	No 1 FIXED	OB None 0			
Twist	J 120 ALUM	28442	48	2000	50.5 14.5	150	52 21.5	46.5 17.8	6.75 11.5	No	Yes	40 35 12 7	13900 6000 Lead	No 1 FIXED	IB FOLD 2			
Twisted	Farr 40 ODR MH	40046	0	1999	53.15 15.45	105	50.04 17.06	54.8 19.36	8.49 13.77	Yes	No	40.7 35.3 13.2 8.53	10902 4960 Lead	0 1 FIXED	IB FOLD 2	(Mtg 12/1/11, interior mods for IRC, smaller mainsail: NCTR)(Mtg 5/24/12, switching to MH ODR configuration)		

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU ASA SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.		Traps/H. Strps Ballast moveable blst Ballast Mat. Keel Type			
								SL	SPL								
								SSMG SSF	SSA								
U Decide	Ultimate 20	155	2001	26.08 6.97 114	27.58 12.79	27.33 10.17	5.5 7.96	No	Yes	17.7 433 6 0	20.83 18 8.33 5	1350 450 Lead	0 1 FIXED	OB None 0			
Ultimate Antics	Ultimate 20	153	2004	25.08 6.97 110	27.58 12.79	27.5 10.25	5.5 7.96	No	Yes	19.2 447 6 0	20.95 18 8.33 5.03	1350 450 Lead	0 1 CNTRBRD	OB None			
Ultimate Cypher	Hunter 410	38069	2000	47.75 16.17 120	49.25 19	45.42 19.25	5.51 10.38	No	Yes	28.5 993 2.83 0	40.67 37.86 13.83 6.5	21000 7100 Lead	0 1 FIXED	IB Fixed_2 2	(+3 sec/mi for in-mast furling mainsail, roller furler)(Mtg 11/29/13, - 3 sec/mi for 10% increase in JSP, -3 sec/mi for 10% increase in ISP)		
Uno	Wyliecat 30 IB	28632	1995	35.8 5.5 CARBON CAT	35.8 12	39.66 19.75	9.31 13.05	No	12 Yes	19.68 550 0 90	30.5 25 9.5 5.25	5800 3000 Lead	0 1 FIXED	IB FOLD 2	(mtg 2/21/08, penalty for oversized main -3 sec/mi)(Mtg 5/22/08, -24 for asymmetric spinnaker flown on 12' pole)		
USA 24	Viper 640 ODR	24	1996	21.67 8.3 100	23 14.3	25.6 10	4.66 7.01	No	Yes	17.95 410 6 0	21.08 19.08 8.17 4.5	749 271 Lead	3 3 MVBL	OB None			
Valis	Crealock 44	16	2002	58.88 19.33 120	58.88 19.5	51.75 16	5.618 9.943	Yes	No	19.33 0 0	44.08 33.58 12.67 5.25	28145 11000 Lead	0 1 FIXED	IB FEATH 3			
Vento	Swan 391	40841		53.5 16.25 95	53.5 16.25	47.25 14	5.5 9.2	Yes	Yes	26 1014 0 0	39.9 33.1 12.4 7.2	18900 6800 Lead	0 1 FIXED	IB Fold			

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications										
			Built	J	Max	Head	Sail	ISP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps		IB or OB									
											JSP	E									MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	IB or OB
Disp/WL Ratio	Mast Material	Rig Type	EY	SSF	ASM	G	Fixed or _o	Max Draft																					
Verve	Express 27 ODR	18283	129	1981	28.5	155	28.5	28.5	4.22	Yes	No		27.25	2450	No		OB												
			611		9		10.416	7.03		29	9.833		23.75	1100	1		None												
			83		ALUMN		0	182		17.5		0	8.17	Lead	FIXED		0												
					FS		0			17.9			4.5																
Vitesse Too	Hobie 33 ODR	87112	90	1983	33.8	125	36.8	35	4.75	Yes	No		33	4000	No		OB	Extended rudder 10", NCTR											
			552		12.4		12.4	8		36.2	13.25		30.5	1800	1		None												
			64		ALUMN		0	259		23.4	694		8	Lead	FIXED		0												
					FS		0			21.4			5.5																
Void Star	Santa Cruz 40	59995	48	1982	52	142	52	45.5	5.2	Yes	No		40	12500	0		IB												
			546		16		14	8.58		50	16		36	5000	1		FEATH												
					ALUMN			370		28.33	1178		12	Lead	FIXED		2												
			122		MS					28			7																
Voyager	Beneteau 423	52523	102	2006	48.64	140	48.64	43.43	5.49	No	Yes	27.94	43.14	21000	0		IB												
			579		16.51		14.83	9.6		48.3	955		38.55	5836	1		Feath												
			167		ALUMN			381		42.4	0		12.93	Iron	FIXED														
					MS					24.6	<input checked="" type="checkbox"/>	0	6.89																
Wahoo	Capo 30	87304	120	1983	41.7	150	41.5	36	4.37	Yes	No		30	7200	0		IB												
			645		12.75		11.5	7.47		41.5	12		25	3000	1		None												
			209		ALUMN			247		21.5	740		10.3	Lead	FIXED		2												
					MS					21			5.43																
War Pony	Farr 36 ODR	2	9	2003	46.78	126	48.72	49.93	8.53	No	Yes	32.81	36.1	6744	0		IB												
			485		13.19		18.64	12.96		51.67	1384		32.8	3078	1		FOLD												
			87		CARBON			592		51.67	7.35		11.72	Lead	FIXED		2												
					FS					31.99	<input checked="" type="checkbox"/>	0	8.5																
Warhawk	Hawkfarm 28	57846	168	1975	33	155	33	36	4.37	Yes	No		28	5700	No		IB	SPINNAKER & POLS HAVE BEEN REDUCED TO "J", SMALLER THAN CLASS											
			671		11		10.416	7.25		33	11		23.5	2700	1		FOLD												
			200		FS		0	235		19.8	545		9.75	Lead	FIXED		2												
							0			19.8			5.5																

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications	
		Sail #	DW Rating		I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No		Yes/No	ASF		LOA LWL	Ttl Disp.	Traps/H. Strps			IB or OB Prop Type # of blades
										SSMG	SPL		SLU	ASA			Ballast	moveable blst		
Disp/WL Ratio	Mast Material	PY EY	MSA	SSSF	SSA	SLE	ASMG	Fixed or _o	Max Beam	Max Draft										
Warpath	Olson 30 OB	198	<b>99</b>	1982	36 11.75	150	35.9 11.67	31.5 10.75	4.364 7.268	36	Yes	11.75	No		0	30 27.5 9.33 5.08	3600 1800 Lead	No 1 FIXED	OB None 0	
Wave Dancer	J 29 7/8 OB	18109	<b>123</b>	1981	35 11.416	150	35	38.666 13	4.94 8.45	35	Yes	11.5	No		0	29.5 25 11.083 5.667	6000 2100 Lead	No 1 FIXED	OB None 0	
Wet Corvette	Melges 30	103	<b>36</b>	1994	36.85 10.59	150	36.85 18.96	38 15.49			No		Yes		8.4 90	30 28.6 9.1 7	3800 1750 Lead	0 1 MVBL	IB FOLD 2	
Whiplash	MC 38	38100	<b>-27</b>	2012	52.16 15.19	100	58.5 23.16	53.64 16.4	8.72 12.13		No		Yes	39.53 2014	0	37.23 34.61 11.48 9.18	7185 3520 Lead	0 1 FIXED	IB Fold	(Mtg 11/29/12, custom rating assigned. As Sailed: -27)
Whirlwind	Wyliecat 30 IB	38068	<b>132</b>	2009		0		39.75 20.56	7.87 13.46		No		No		0 0	30.56 25 9.42 5.25	5500 3050 Lead	0 1 FIXED	IB Fold 2	
White Bear	Nonsuch 30	431	<b>174</b>	1987				45 24	8.68 15.12		No		No		0 0	30.33 28.75 11.9 5	11500 4500 Lead	0 1 FIXED	IB Fold 3	
White Cloud	Yamaha 33 IK SM	28688	<b>162</b>	1979	42.8 13.78	150	42.8	37.42 10.67	4.38 7.27	44 24 24	Yes	13.78 880	No		0 0	33.25 26.92 11 6.2	10582 4409 Iron	0 1 FIXED	IB Fixed_2	

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications					
		Sail #	DW Rating		I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No		Yes/No	ASF		Ttl Disp.	Traps/H. Strps	IB or OB Prop Type # of blades						
										Mast Material	PY		MSA			SL			SPL	SLU	ASA	Ballast	moveable blst
Disp/WL Ratio					EY		SSF		ASM	Fixed or _o													
White Shadow	J 88	23	75	2014	38.67 11.28	104	46 18.05	36.82 12	5.44 8.4	No	Yes	29 1022	29.19 26.84	4990 1840	0 1	IB Fold							
			561		CARBON				282			5.25	9.5	Lead	FIXED								
			117		FS						<input checked="" type="checkbox"/>	0	6.5										
White Trash	Moore 24	78	150	1979	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No		23.75 21.75	2050 1025	0 1	OB None							
			636		ALUMN				147			0	7.16	Lead	FIXED	0							
			91		FS						<input type="checkbox"/>	0	4.08										
Why I Didnt Make Art Today	Olson 30 OB	38071	99		36 11.75	150	36 11.75	31.5 10.75	3.89 6.48	Yes	No		30 27.5	3600 1800	0 1	OB None	Cockpit modifications noted, NCTR						
			586		ALUMN				195			0	9.3	Lead	FIXED								
			79		MS						<input type="checkbox"/>	0	5.1										
Wicked	Farr 36 ODR	5	9	2005	46.78 13.19	110	54.82 21.06	49.93 18.63	8.53 12.96	No	Yes	36.28 1751	36.1 32.8	6745 3076	0 1	IB FOLD							
			491		CARBON				592			7.35	11.72	Lead	FIXED	2							
			87		FS						<input checked="" type="checkbox"/>	0	8.5										
Wicked Sister	Farr 36 ODR	3	9	2004	46.78 13.19	110	54.82 21.06	49.93 18.63	8.53 12.96	No	Yes	36.28 1751	36.1 32.8	6745 3076	0 1	IB Fold							
			491		CARBON				592			7.36	11.72	Lead	FIXED								
			87		FS						<input checked="" type="checkbox"/>	0	8.5										
Wild 1	Flying Tiger 10 Meter ODR	41	54	2007	39.284 12.126	105	45.282 19.134	40.167 14.895	6.463 10.499	No	Yes	27.493 1087	32.68 30.31	4376 1918	0 1	OB None							
			517		CARBON				378			7.008	9.12	Lead	FIXED	3							
			71		FS						<input checked="" type="checkbox"/>	0	7.61										
Wildrose	Newport 20	254	270	1972	25 8.33	130	25 8.33	21 8.8	3.6 6	Yes	No		20 18	2800 990	0 1	OB None							
			771		ALUMN				114			0	7.5	Lead	FIXED								
			218		MS						<input type="checkbox"/>	0	5.5										

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications			
		Sail #	DW Rating		J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp. Ballast	Traps/H. moveable blst	IB or OB Prop Type # of blades				
										SL	SPL	SLU	ASA						ASF	SL	SPL
Ballast Mat.	Keel Type																				
Wile E Coyote	Express 27 ODR	11	129	1981	28.5 9	155	28.5	28.5 4.22 10.416 7.03	0 182	Yes	No	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 3						
Willow	Wauquiez 40s Centurion	38300	69 573 179	2004	51.5 14.17	110	51.5	49.21 7.3 19.3 12.5	564	Yes	Yes	41.17 36.4 12.66 7.75	18960 6085 Lead	No 1 FIXED	IB FEATH 3	(mtg 3/18/10, -3 sec/mi for oversized a-sail.)(mtg 1/27/11, - 3 sec/mi for added sprit)					
Wind Circle	Islander 26 IB	18	246		29.5 11.166	120		27.333 10.166		No	No	26.166 23.666 10 4.5	7000 Lead	No 1 FIXED	IB Fixed_2 2						
Wind Song	CAL 39-2/3	154	111 624 262	1982	50 16.7	135	50 16.7	44 4.5 13.75 8	336	Yes	Yes	39 32.08 12 6.75	19000 7000 Lead	0 1 FIXED	IB Feath 3	(Mtg 4/25/13, -3 sec/mi for OSA)					
Wind Speed	J 30	39963	141 657 195	1980	34.19 11.5	155	34.2	37.5 4.9 12.5 8.1	281	Yes	No	29.83 25 11.18 5.25	6700 2100 Lead	No 1 FIXED	IB FOLD 2	+6 sec/mi for J length pole (mtg 11/16/01)					
Windblown	CAL 29-2 IB	747	186	1975	37 12.33	110		31.67 4.75 12.25 7.583	229	No	No	29 24 9.25 4.75	8000 3350 Lead	0 1 FIXED	IB Fold 2						
Windsong	International Folkboat OB	567	228 817 295	1969	26 8.3	155	26 8.3	28.8 4.44 11.2 7.34	195	Yes	No	25.75 19.75 7.5 4	5000 2750 Iron	0 1 FIXED	OB None						

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst	IB or OB Prop Type # of blades	
								SL	SPL	SLU	ASA						
								SSMG SSF	SSA	SLE ASMG	ASA						
Windswept Lady	X-362 Classic	50980	1998	46.6 12.9 ALUMN MS	46.6 12.9	40.6 14.1	5.05 8.86 333	Yes	No	46.13 23.23 22.97	12.9 891	35.1 30.4 11.4 6.2	12320 5170 Lead	0 1 FIXED	IB Fold		
Windtrip Infinity	J 92s	35	2006	40.68 11.48 ALUMN FS	44.08 16.67	38.88 13.95	5.42 9 324	No	Yes	23.25 48.67 39.67 24	23.25 878 5.17 0	30 26.7 10 6.24	5610 2317 Lead	0 1 FIXED	IB Fold		
Wolfpack	Donovan 30	3001	1986	38.5 11.6 ALUMN MS	11.6	34 11.45 0 0	4.35 7.3 231	No	Yes	20.65 41.25 37 19.4	641 0 90	30 25 10.75 5.67	3300 1330 Lead	No 1 FIXED	OB None	(Mtg 6/26/14, New Rudder, NCTR)	
Wotta Lark	Santana 22	664	1967	26 8.5 ALUMN MS	26	21.75 9.83 0 0	3.95 6.59 131	No	No	0	0	22 18.67 7.83 3.5	2600 1230 Lead	0 1 FIXED	OB None 0		
Wren	Custom Ron Holland 43	52502	1989	50 17.33 ALUMN MS	135	50 16		No	Yes	28.6 55 52.1 28.25	28.6 1264 0 0	42.67 33.83 13 6.67	23780 9396 Lead	0 1 FIXED	IB Feath	(Mtg 2/27/14, custom rating assigned : 90 as sailed)	
Wuda Shuda	Soverel 26 OB	20354	1975	36 10.5 ALUMN MS	150	30.25 9 0 0	3.42 5.85 163	Yes	No	35.6 18.9 18.9	10.5 561	26 21.5 10 4.75	5000 2800 Lead	No 1 FIXED	OB None 0		
Wuvulu	Islander Bahama 30	61	1979	40 12.75 ALUMN MS	150	38.416 33.75 11.5 0 0	4.75 8.125 243	Yes	No	38.5 22.44 22.75	12.416 722	30 24.58 10 5	8600 3500 Lead	No 1 FIXED	IB FOLD 2		

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
				DW Rating Disp/WL Ratio	I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast			Traps/H. moveable blst Keel Type
									SL	SPL	SLU	ASA						
									SSMG SSF	SSA	SLE	ASMG						
Wysiwyg	Olson 30 OB	28132	1981	36 11.75 155 35.9 11.67	ALUMN MS	31.5 4.364 10.75 7.268 0 208 0	Yes	No	30 27.5 9.33 5.083	3600 1800 Lead	No 1 FIXED	OB None 0						
X TA C	Olson 29	18457	1986	34 11 155 36	ALUMN MS	32.42 4.59 11.42 7.66 0 226 0	Yes	No	29.67 27.5 9.33 5.25	3900 1900 Lead	No 1 FIXED	OB None 0	RUDDER REPLACED W/MORE 30 - CHANGE NOTED NCTR.					
X-Dream	X-119	42637	1990	48.56 14.1 150 48.65	ALUMN FS	52.49 6.54 17.22 11.19 0 538 0	Yes	No	39.27 33.6 10.8 6.5	11957 4851 Lead	No 1 FIXED	IB FOLD 2						
XL	Cal 40	46	1965	46.2 15.1 155 46.2	ALUMN MS	40 6.5 17.5 11.3 46.2 15.1 27.2 1047 27.2	Yes	No	39.3 30.3 11 5.6	15000 6000 Lead	0 1 FIXED	IB Fold						
Yellowfin	J105 ODR w/77^ m & 100%	357	2000	40.6 13.5 100 42.1 19.07	ALUMN FS	41.5 5.5 14.5 9.4 0 358 0	No	Yes	34.5 29.5 11 6.5	7750 3400 Lead	No 1 FIXED	IB FOLD 2						
Youngster	IOD ODR	82	1937	29.25 8.33 103 41 10.67	ALUMN MS	38.83 6.12 16.25 10.47 0 374 0	Yes	No	33.42 21.42 6.75 5.333	7100 4100 Lead	No 1 FIXED	NONE None 0	(mtg 1/21/10, switched to Masthead Spinnaker, -12 sec/mi for 40% increase in ISP, -6 sec/mi for oversized spinnaker girths)(138 rating valid for PHRF Races, not valid for IOD Class races. Boat must be in close configuration to sail					
Yucca	Custom DitTMar 50	8526	1937	41.36 14.06 150 54.25	ALUMN MS	50.04 7.916 20.12 13.25 0 607 0	Yes	No	49.09 32 7.94 7.03	23750 11000 Lead	No 1 FIXED	IB FOLD 2	Oversized Spinnaker noted at original rating					

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		Ttl Disp. Ballast		Traps/H. moveable blst			
								SL	SPL	SLU	ASA						
								SSMG SSF	SSA	SLE ASMG	Sprit Lngth Fixed or _o				Ballast Mat.		
Disp/WL Ratio																	
Zamazaan	Custom Farr 52	3883	1978	61.881 18.51 ALUMN MS	135	61.881 18.51	65.2 23.2 0 0	8.82 15.08 900	Yes	No	69.78 21.9 39.44 2293 39.44	52.19 47.26 15.45 8.79	24226 8279 Lead	No 1 FIXED	IB FOLD 2	RTG W/USYRU AGE ALLOWANCE IOR RTG W/USYRU AGE ALLOWANCE R=44.9 (1987) 18/24 AS PER PHRF MTG 4/20/95. SHORTENED MAST 6.15 FEET FROM TOP, REDUCED MAINSAIL AREA FROM 24/27 MTC 9/10/95	
Zeehond	Newport 30-2	707	1976	39.5 12.125 ALUMN MS	150	39.5	34 10.25 0 0	3.6 6.33 201	Yes	No	39.25 12.125 21.78 712 21.75	30 25 10.5 4.75	8500 2600 Lead	No 1 FIXED	IB FOLD 2		
Zilla	B 25 ODR	28925	1991	28 8.5 ALUMN FS	155	28 9.5	28 11 0 0	4.37 7.31 187	Yes	No	28 9.5 17.1 399 17.1	25 21.25 8.33 5	2000 800 Lead	No 1 FIXED	OB None 0		
Zingara	Islander 36 NCPHRF	484	1978	45 14.48 ALUMN MS	125	45 14.8	39.25 12.75 0 0	4.8 8.29 298	No	No		36.1 28.25 11.17 6.08	13450 5820 Lead	No 1 FIXED	IB Fold 2	Roller Furler	
Zingaro	Santana 22	5050	1971	26 8.5 ALUMN MS	125	26	21.75 9.83 0 0	3.95 6.59 131	No	No	26 8.58 15.44 335 15.44	22 18.67 7.833 3.5	2600 1260 Iron	0 1 FIXED	OB None 0		
Zoe	Capri 26 WK	248	1992	32.9 8.7 ALUMN MS	110	32.9 8.7	27.6 11 0 0	4.35 7.25 184	No	No		26.2 22.9 9.9 3.5	5100 1750 Lead	0 1 FIXED	IB Fixed_2 2		
Zsa-Zsa	1D 35	35017	1999	42.49 12.52 CARBON FS	110	44.78	44.46 18.58 0 0	7.55 12 498	Yes	No	50 14.76 26.5 1104 26.5	35 31.5 10.75 7.6	6500 2600 lead	No 1 FIXED	IB Feath 2		