NCPHRF - CURRENT FLEET ROSTER

This Roster represents the information on file for boats with a current NCPHRF certificate. If the boat you are looking for is not listed, their certificate is either not current or not yet updated to the list. You can contact the YRA office to verify a boat not found on this list at info@yra.org or via phone at 415.771.9500. This list is updated monthly.

As of: ***2/23/2017***

Boat Name	Boat Model (Type)	Rating Sail # DW Rating *Disp/WL Ratio*	Built	*Foretriangle:* I J Max Headsail Mast Material Rig Type	ISP JSP	*Main:* P E PY EY	MGU MGM MSA	*Symmetric Spin.* Yes/No SL SSMG SSF	SPL SSA	*Asymmetric Spin.* Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	*Hull* LOA LWL Max Beam Max Draft	*Displacement/Keel* Ttl Disp. Ballast Ballast Mat.	Traps/H. Strps moveable blst Keel Type	*EnginelProp* IB or OB Prop Type # of blades	*Modifications*
The Mighty Windsong	International Folkboat OB	567 228 **817** *295*	1969	26 8.3 ALUMN MS	155	26 8.3	28.8 11.2	4.44 7.34 195	Yes 27.13 14.89 4.92	8.36 292	No ☐	0 0	25.75 19.75 7.5 4	5000 2750 Iron	0 1 FIXED	OB None	
Miss Kate	Catalina 27 IB	4630 210 **738** *303*	1980	34.5 11.25 ALUMN MS	125	34.5 11.25	28.66 10.5	3.99 6.83 180	No		Yes 34.35 31.85 18.25	20.35 515 0 ☑ 0	26.85 21.75 8.85 4	6850 2700 Lead	0 1 FIXED	IB Fixed_2	
Albacore	Santana 22 ODR	18325 237 **737** *182*	1976	25.67 8.58 ALUMN MS	125	25.67 8.58	21.75 9.83	3.95 6.59 131	Yes 26 15.44 15.44	8.58 335	No ☐	0 0	22 18.67 7.83 3.5	2600 1230 Iron	0 1 FIXED	OB None	
Anapos	Santana 22	5158 237 **737** *182*	1966	26 8.5 ALUMN MS	120	26	21.75 9.833 0 0	3.95 6.59 131	Yes 26 15.44 15.44	8.583 335	No ☐	0	22 18.666 7.833 3.5	2600 1230 Iron	No 1 FIXED	OB None 0	
Auggie	Santana 22 ODR	476 237 **737** *182*	1969	26 8.5 ALUMN MS	125	26	21.75 9.833 0 0	3.95 6.59 131	Yes 26 15.44 15.44	8.583 335	No ☐	0	22 18.666 7.833 3.5	2600 1230 Cast Iron	No 1 FIXED	OB None 0	
Byte Size	Santana 22	801 237 **737** *182*	2001	26 8.5 ALUMN MS	90	26 8.5	21.75 9.833 0 0	3.95 6.59 131	Yes 26 15.44 15.44	8.583 335	No ☐	0	22 18.67 7.83 3.5	2600 1230 Iron	No 1 FIXED	OB None 0	

Boat Name	Boat Model (Type)	Rating Sail # DW Rating *Disp/WL Ratio*	Built	Foretriangle: I J Max Headsail Mast Material Rig Type	ISP JSP	Main: P E PY EY	MGU MGM MSA	Symmetric Spin. Yes/No SL SSMG SSF	SPL SSA	Asymmetric Spin. Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Hull LOA LWL Max Beam Max Draft	Displacement/Keel Ttl Disp. Ballast Ballast Mat.	Traps/H. Strps moveable blst Keel Type	EnginelProp IB or OB Prop Type # of blades	Modifications
The Belafonte	Santana 22 ODR	5000 237 **737** *182*	1970	26 8.5 ALUMN MS	110 26	21.75 9.833 0 0	3.95 6.59 131	Yes 26 15.44 15.44	8.583 335	No ☐	0	22 18.67 7.833 3.5	2600 1230 Iron	No 1 FIXED	OB None 0	
Zingaro	Santana 22	5050 237 **737** *182*	1971	26 8.5 ALUMN MS	125 26	21.75 9.83	3.95 6.59 131	Yes 26 15.44 15.44	8.58 335	No ☐	0 0	22 18.67 7.833 3.5	2600 1260 Iron	0 1 FIXED	OB None 0	
Evenstar	Ranger 23	6404 216 **724** *193*	1974	27.54 9.75 ALUMN MS	155 27.5 9.7	24 9.2	3.3 5.4 126	Yes 27.7 17.46 17.46	9.7 403	No ☑	0 0	23.67 20 7.92 3.9	3400 1500 Lead	0 1 FIXED	OB None	
Dura Mater	CAL 27-2 IB	616 213 **721** *283*	1979	36 12 ALUMN MS	120	30.83 10.25	4.21 7 195	Yes 32.8 18.4 21.1	11.8 518	No ☐	0 0	26.58 22.08 9.25 4.25	6700 3100 Lead	0 1 FIXED	IB Fixed_3 3	
Tinker	Wilderness 21	6 225 **718** *151*	1977	25 8.67 ALUMN MS	125 25	25 8 0 0	2.83 4.66 113	Yes 25 15.6 15.6	8.67 325	No ☐	0	20.5 17.8 7.25 4	1870 1070 Lead	No 1 FIXED	OB None	Added roller furler
Summertime Dream	Custom Schumacher 26	18859 186 **705** *187*	1979	26.28 8.07 ALUMN FS	150 26.28 8.07	29.58 10.76 0 0	4.33 7.23 195	Yes 25.67 14.52 14	8 308	No ☐	0	26.08 20 9.08 5.08	3300 1360 Lead	0 1 FIXED	OB None 0	Boat has previously been called "War"
Happiness	Cal 27-2 OB	3893 201 **700** *283*		36 12 ALUMN MS	95 36 12	30.67 10.25	3.25 6.5 180	Yes 36 21.6 21.6	12 648	No ☐	0 0	26.58 22.08 9.25 4.25	6700 3100 Lead	0 1 FIXED	OB None	

Boat Name	Boat Model (Type)	Rating Sail # DW Rating *Disp/WL Ratio*	Built	*Foretriangle:* I J Max Headsail Mast Material Rig Type	ISP JSP	*Main:* P E PY EY	MGU MGM MSA	*Symmetric Spin.* Yes/No SL SSMG SSF	SPL SSA	*Asymmetric Spin.* Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	*Hull* LOA LWL Max Beam Max Draft	*Displacement/Keel* Ttl Disp. Ballast Ballast Mat.	Traps/H. Strps moveable blst Keel Type	*EnginelProp* IB or OB Prop Type # of blades	*Modifications*
Youngster	IOD ODR	82 156 **699** *328*	1937	29.25 8.33 ALUMN MS	103 41 10.67	38.83 16.25 0 0	6.12 10.47 374	Yes 30 15 15	8.416 375	No ☐	0	33.42 21.42 6.75 5.333	7100 4100 Lead	No 1 FIXED	NONE None 0	(mtg 1/21/10, switched to Masthead Spinnaker, -12 sec/mi for 40% increase in ISP, -6 sec/mi for oversized spinnaker girths)(138 rating valid for PHRF Races, not valid for IOD Class races. Boat must be in class configuration to sail
Alte Liebe	Albin Ballad 30	1266 183 **698** *287*	1978	37.083 11.249 ALUMN MS	155 37.8	31.916 9.333 0 0	3.33 5.58 171	Yes 36.83 22.2 21.83	12.27 679	No ☐	0	29.916 22.583 9.666 5.09	7276 3417 Lead	No 1 FIXED	IB FOLD 2	The J measurement in all Ballad documents & Sailmaker plans is 12.27 however the actual J= 11.3" (MTG 8/25/94), standard SPL is 12.27 (mtg 3/20/08)
Tortuga	Westsail 32	207 216 **694** *422*	1974	31.2 18.4 ALUMN CTR	150	38.3 15.1		No		No ☐	0 0	32 27.6 11 5	19500 7000 Lead	0 1 FIXED	IB FOLD 3	
Bandido	Merit 25	28125 168 **693** *158*	1983	28.75 9.66 ALUMN FS	150 28.75	28 9.75 0 0	4.25 6.69 172	Yes 29 17.39 17.39	9.66 420	No ☐	0	24.5 20.5 8 4	3000 1050 Lead	No 1 FIXED	OB None 3	
Double Agent	Merit 25	8465 168 **693** *158*	1981	28.75 9.66 ALUMN FS	155 28.75	28 9.75 0 0	4.25 6.69 172	Yes 29 17.39 17.39	9.66 420	No ☐	0	24.5 20.5 8 4	3000 1050 Lead	No 1 FIXED	OB None 0	
Irish Blessing	J 24 ODR	2184 168 **693** *176*		26.25 9.5 ALUMN FS	150 26.25	28 9.75	3.7 6.37 163	Yes 26.5 17 16.8	9.5 375	No ☐	0 0	24 20 8.92 4	3100 965 Lead	0 1 FIXED	OB None 0	
Shut Up & Drive	J 24 ODR	513 168 **693** *176*		26.25 9.5 ALUMN FS	150 26.25	28 9.75 0 0	3.7 6.37 163	Yes 26.5 17 16.8	9.5 375	No ☐	0	24 20 8.916 4	3100 965 Lead	No 1 FIXED	OB None 0	

Boat Name	Boat Model (Type)	Rating Sail # DW Rating *Disp/WL Ratio*	Built	Foretriangle: I J Max Headsail Mast Material Rig Type	ISP JSP	Main: P E PY EY	MGU MGM MSA	Symmetric Spin. Yes/No SL SSMG SSF	SPL SSA	Asymmetric Spin. Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Hull LOA LWL Max Beam Max Draft	Displacement/Keel Ttl Disp. Ballast Ballast Mat.	Traps/H. Strps moveable blst Keel Type	EnginelProp IB or OB Prop Type # of blades	Modifications
Siento El Viento	C&C 29	38311 174 **693** *259*	1977	39.5 12.8 ALUMN MS	155	33.5 10.1		Yes 39 22 22	12.8 715	No ☐	0	29.5 23.6 10.5 5.25	7500 2700 Lead	No 1 FIXED	IB Fold 2	
Moxie	CAL 28-2	28217 183 **691** *269*	1988	39.9 11.4 ALUMN MS	90	39.9 11.4	34.17 10.33	4.28 7.11 219	Yes 39.26 20.39 20.39	11.4 667	No ☐	0 0	28 23 10.8 5.3	7200 Lead	0 1 FIXED	IB FOLD 2	
Lelo Too	Tartan 30	16354 180 **687** *279*	1975	39 13 ALUMN MS	155	39	34 11.416 0 0	4.61 7.69 238	Yes 37 21.666 10.833	13 601	No ☐	0	29.92 24.25 10 4.916	8750 3700 Lead	0 1 FIXED	IB FOLD 0	
Serendipity	CAL 29-1 IB	6601 180 **687** *258*	1974	37.833 12.333 ALUMN MS	155	37.833 12.67	31.666 12.166 0 0	4.332 7.573 223	Yes 37 22 22	12.16 678	No ☐	0	29.25 24.17 9.25 4.75	8000 3350 Lead	No 1 FIXED	IB FOLD 2	
Sirena	Ericson 32-2	18319 186 **685** *289*	1972	35 13 ALUMN MS	110	35	31 13	4.9 8.4 239	Yes 37 23.1 21.9	13 705	No ☐	0 0	31 24 9.8 5	8800 4000 Lead	0 1 FIXED	IB Fixed_2 2	
Wildcat of Loch Awe	S-2 7.9 FR DB	59838 165 **685** *190*	1983	31.83 9.5 ALUMN FS	135	31.83	29.42 12.33	4.75 7.92 216	Yes 30.33 17.08 17.08	9.5 432	No ☐	0 0	25.92 21.67 9 5	4250 1750 Lead	0 1 AGGERBR	OB None	
Xtasea	Catalina 30	0 186 **685** *297*	1985	41 11.5 ALUMN MS	110	41	35.5 11.5	4.63 7.72 250	Yes 40.45 20.7 20.7	11.5 698	No ☐	0 0	29.92 25 10.83 5.25	10200 4250 Lead	0 1 FIXED	IB Fixed_2 2	

Boat Name	Boat Model (Type)	Rating Sail # DW Rating *Disp/WL Ratio*	Built	Foretriangle: I J Max Headsail Mast Material Rig Type	ISP JSP	Main: P E PY EY	MGU MGM MSA	Symmetric Spin. Yes/No SL SSMG SSF	SPL SSA	Asymmetric Spin. Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Hull LOA LWL Max Beam Max Draft	Displacement/Keel Ttl Disp. Ballast Ballast Mat.	Traps/H. Strps moveable blst Keel Type	EnginelProp IB or OB Prop Type # of blades	Modifications
Christine Rose	Catalina 30 TM	0 183 **684** *297*	1977	43 13.16 ALUMN MS	150 43 13.16	37 12 270	4.8 8	Yes 43.08 23.6 23.6	13.16 847	No ☐	0 0	29.92 25 10.83 5.25	10200 4250 Lead	0 1 FIXED	IB Fixed_3 3	
Constance	Tartan 34 CB	346 165 **683** *326*	1974	41 14 ALUMN MS	125 41	35.5 10.5 224	4 6.9	No 41 24.5 24.3	14 836	Yes 43.6 37.4 22.4 ☑	20.3 742 0 0	34.3 25 10.2 8.3	11200 5000 Lead	0 1 CNTRBRD	IB Fold 2	Roller Furler
Sweet Pea	Islander 30-2	195 186 **677** *263*	1971	38.5 12.58 ALUMN MS	155 38.42	32.5 11.58 0 0	4.75 8.125 235	Yes 38.6 22.5 22.5	12.42 724	No ☐	0	30 24.58 10 5	8600 3500 Lead	0 1 FIXED	IB FOLD 2	
Lonesome Dove	Elite 29	9066 165 **676** *192*	1984	35.833 11.083 ALUMN MS	130	30.333 10.333 0 0	2.6 5.1 157	Yes 33.083 20.083 20.416	10.416 556	No ☐	0	28.67 24.42 10.5 5.58	6160 2310 Iron	No 1 FIXED	IB Fixed_2 2	
Lil Angel	Newport 30-2	6884 174 **675** *247*	1979	39.5 12.1 ALUMN MS	150 39.5	34 10.25 0 0	4.26 7.07 217	Yes 39 21.75 21.75	12.1 707	No ☐	0	30 25 10.5 4.75	8500 2500 Lead	0 1 FIXED	IB FOLD 2	
Samba Pa Ti	J 22	3 186 **674** *119*	1982	24.8 8.8 ALUMN FS	125 24.8 8.8	26.1 9 147	3.78 6.27	Yes 24 16 16	8.8 320	No ☐	0 0	22.5 19 8 3.8	1790 700 Lead	0 1 FIXED	OB None	
Finn	Capo 26 IB	18782 162 **673** *184*	1985	34.6 10.56 ALUMN MS	155	30 10 185	4.1 6.8	Yes 35 18.8 18.3	10.5 545	No ☐	0 0	26 22 9.25 4.58	4300 1900 Lead	0 1 FIXED	IB Fold	

Boat Name	Boat Model (Type)	Rating Sail # DW Rating *Disp/WL Ratio*	Built	*Foretriangle:* I J Max Headsail Mast Material Rig Type	ISP JSP	*Main:* P E PY EY	MGU MGM MSA	*Symmetric Spin.* Yes/No SL SSMG SSF	SPL SSA	*Asymmetric Spin.* Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	*Hull* LOA LWL Max Beam Max Draft	*Displacement/Keel* Ttl Disp. Ballast Ballast Mat.	Traps/H. Strps moveable blst Keel Type	*EnginelProp* IB or OB Prop Type # of blades	*Modifications*
Vip	Farallone Clipper FR	7 159 **673** *363*	1957	36.82 14 WOOD FS	155 36.82	40.5 18.5 0 0	6.16 10.979 420	Yes 36.76 25.195 24.86	14 770	No ☐	0	38 28.75 9.5 5.6	19000 7000 Iron	No 1 FIXED	IB Fixed_3 3	
Gygax	Hinckley Pilot 35 TM	4802 192 **672** *393*	1975	44.36 13.8 ALUMN MS	155 44.36 13.8	41.83 15.81	5.5 9.97 383	Yes 42 24.8 24.8	13.8 868	No ☐	0 0	35.5 25 9.5 5	13500 4200 Lead	0 1 FIXED	IB Feath	
Carpe Vita	Olson 25	97399 159 **671** *156*	1988	32 9.583 ALUMN MS	130 32	28 10 0 0	3.8 6.4 166	Yes 32 17.25 17	9.583 459	No ☐	0	25 21.25 9 4.5	3300 1300 Lead	No 1 FIXED	OB None 0	
Grey Wulff	Olson 25	18517 159 **671** *156*	1984	32 9.6 ALUMN MS	155 32	28 10	3.8 6.4 166	Yes 31.7 17.28 17.28	9.6 456	No ☐	0 0	25 21.25 9 4.5	3300 1300 Lead	0 1 FIXED	OB None	
Now and Zen	Newport 30-2	6883 174 **671** *233*	1978	39.5 12.125 ALUMN MS	150	34 10.25 0 0	3.25 5.7 190	Yes		No ☐	0	30 25 10.5 4.75	8000 2600 Lead	No 1 FIXED	IB Fold 2	
Zeehond	Newport 30-2	707 174 **671** *247*	1976	39.5 12.125 ALUMN MS	150 39.5	34 10.25 0 0	3.6 6.33 201	Yes 39.25 21.78 21.75	12.125 712	No ☐	0	30 25 10.5 4.75	8500 2600 Lead	No 1 FIXED	IB FOLD 2	
Capo Gatto	Nonsuch 30	308 174 **668** *220*	1985	ALUMN CAT		45 24	7.9 14.3 605	No		No ☐	0 0	30.33 28.75 11.1 5	11500 4500 Lead	0 1 FIXED	IB Fold 2	

Boat Name	Boat Model (Type)	Rating Sail # DW Rating *Disp/WL Ratio*	Built	*Foretriangle:* I J Max Headsail Mast Material Rig Type	ISP JSP	*Main:* P E PY EY	MGU MGM MSA	*Symmetric Spin.* Yes/No SL SSMG SSF	SPL SSA	*Asymmetric Spin.* Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	*Hull* LOA LWL Max Beam Max Draft	*Displacement/Keel* Ttl Disp. Ballast Ballast Mat.	Traps/H. Strps moveable blst Keel Type	*EnginelProp* IB or OB Prop Type # of blades	*Modifications*
Red Hawk	Hawkfarm 28 ODR	59024 162 **667** *200*	1978	33 11 155 ALUMN FS	33.25 11.5	36 10.5 0 0	4.37 7.26 236	Yes 33 20.7 20.7	11.5 569	No ☐	0	28 23.5 9.75 5.166	5700 2700 Lead	0 1 FIXED	IB FOLD 2	
Pearl	Ranger 33 SM	278 165 **666** *264*	1977	38 13.9 125 ALUMN MS	38	31.5 11	4.43 7.39 212	Yes 38.36 24.61 23.62	13.67 780	No ☐	0 0	33.17 26.25 9.583 5.166	10500 4800 Lead	0 1 FIXED	IB Fixed_2 2	
White Bear	Nonsuch 30	431 174 **666** *220*	1987	ALUMN CAT		45 24	8.68 15.12 629	No		No ☐	0 0	30.33 28.75 11.9 5	11500 4500 Lead	0 1 FIXED	IB Fold 3	
Plus Sixteen	Ericson 911S Olson	97707 135 **662** *247*	1991	41.5 12.25 125 ALUMN MS	41.5 12.33	35.761 11.811 0 0	4.035 7.136 240	Yes 43.5 22.605 22.605	12.25 819	Yes 41.995 35.761 21.702 ☐	20.932 698 0	30 25 10.33 5.42	8500 3200 LeadSteel	No 1 FIXED	IB FEATH 2	
Shanti	Ericson 911S Olson	326 132 **662** *253*	1989	41.5 12.33 150 ALUMN MS	41.5 12.33	35.5 11.83 0 0	4.73 7.69 253	Yes 42 22 21.7	12.17 768	No ☐	0	29.92 25 10.33 5.42	8700 3200 Lead	0 1 FIXED	IB FOLD 2	CHANGE TO RUDDER NOTED, NCTR
Joie De Vivre	C&C 33	18797 159 **659** *249*		43 14 110 ALUMN MS	43	37.25 10.75 0 0	4.4 6.33 235	No		Yes 43.25 38.33 21.33 ☑	21.42 726 0	32.9 26.42 10.54 5.5	10100 3975 Lead	0 1 FIXED	IB FOLD	
Ione	J 30	8994 141 **657** *189*	1981	34.19 11.041 140 ALUMN FS		38 13 0 0	4.83 8.21 290	Yes 34.5 20 21	11.04 581	No ☐	0	29.83 25 11.2 5.25	6500 2100 Lead	0 1 FIXED	IB FOLD 2	

Boat Name	Boat Model (Type)	Rating Sail # DW Rating *Disp/WL Ratio*	Built	*Foretriangle:* I J Max Headsail Mast Material Rig Type	ISP JSP	*Main:* P E PY EY	MGU MGM MSA	*Symmetric Spin.* Yes/No SL SSMG SSF	SPL SSA	*Asymmetric Spin.* Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	*Hull* LOA LWL Max Beam Max Draft	*Displacement/Keel* Ttl Disp. Ballast Ballast Mat.	Traps/H. Strps moveable blst Keel Type	*EnginelProp* IB or OB Prop Type # of blades	*Modifications*
Kelika	Hunter 33.5	28815 150 **657** *254*	1991	39.166 11.666 ALUMN FS	150 39.116	43.166 13.5 0 0	5.2 8.9 350	Yes 39 21.15 21.15	11.75 687	No ☐	0	33.33 26.83 11 4.5	10800 4500 Iron	No 1 FIXED	IB FEATH 2	
Wind Speed	J 30	39963 141 **657** *195*	1980	34.19 11.5 ALUMN FS	155 34.2	37.5 12.5 0 0	4.9 8.1 281	Yes 33.6 20.7 20.7	11.5 580	No ☐	0	29.83 25 11.18 5.25	6700 2100 Lead	No 1 FIXED	IB FOLD 2	+6 sec/mi for J length pole (mtg 11/16/01)
Endless Summer	Catalina 36	271 150 **655** *222*	1984	44.75 14.33 ALUMN MS	95 44.75 14.33	39 12 279	4.33 8.01	No		Yes 43.75 38.08 25.33	23.33 850 0 ☑ 0	36.33 30.25 11.92 5.83	13500 6000 Lead	0 1 FIXED	IB Fixed_3 3	
FROLIC	Islander 36 TM	47462 141 **655** *271*	1974	47 14.5 ALUMN MS	155 47 14.5	40.75 12.6 307	4.8 8.25	Yes 46.5 25.8 24.6	14.5 990	No ☐	0 0	36.08 28.25 11.17 6.08	13450 5450 Iron	0 1 FIXED	IB Feath 3	
Kira	Cal 33-2	28999 132 **655** *236*	1986	46 13.25 ALUMN MS	125 46 13.25	40.5 12.75 0 0	4.82 8.23 307	No		Yes 43.6 39.5 19.68	21.86 697 0 ☐	33 27.5 11.33 6.12	10800 4475 Lead	No 1 FIXED	IB FOLD 2	(Mtg 1/26/12, -3 sec/mi for increased "e" & MSA)
Luna Sea	Islander 36 ODR	420 144 **655** *363*	1980	45 14.48 ALUMN MS	135 45	39.25 12.75 0 0	5.05 8.44 303	Yes 45 27 27	15 1013	No ☐	0	36.08 28.25 11.17 6.08	18000 5450 Lead	No 1 FIXED	IB Feath 3	
Bandicoot	Wyliecat 30 IB	28530 132 **653** *160*	2000	0 0 CARBON CATBOAT	29 10	39.75 20.5 0 0	7.87 13.46 488	No 29 17.75 17.75	10 429	No 31.5 25 22.5	18.8 512 0 ☑	30.5 25 9.5 5.25	5500 3050 Lead	0 1 FIXED	IB FEATH 2	(mtg 5/20/10, -21 sec/mi for added spinnakers)(9/5/12, removed spinnaker, back to standard configuration)

Boat Name	Boat Model (Type)	Rating Sail # DW Rating *Disp/WL Ratio*	Built	*Foretriangle:* I J Max Headsail ISP JSP Mast Material Rig Type	*Main:* P E PY EY MGU MGM MSA	*Symmetric Spin.* Yes/No SL SSMG SSF SPL SSA	*Asymmetric Spin.* Yes/No SLU SLE ASMG ASF ASA Sprit Lngth Fixed or _o	*Hull* LOA LWL Max Beam Max Draft	*Displacement/Keel* Ttl Disp. Ballast Ballast Mat. Traps/H. Strps moveable blst Keel Type	*EnginelProp* IB or OB Prop Type # of blades	*Modifications*
Crinan II	Wyliecat 30 IB	15 132 **653** *160*	2002	ALUMN CATBOAT	39.75 20.5 0 0 7.79 13.32 485	No	No ☐ 0	30.5 25 9.5 5.25	5500 3050 Lead No 1 FIXED	IB FOLD 2	
Iseult	Wyliecat 30 IB	13 132 **653** *160*	2001	0 CARBON CAT	39.75 20.8 7.87 13.46 491	No	No ☐ 0 0	30.5 25 9.42 9.25	5500 3050 Lead 0 1 FIXED	IB Fold 2	
Catalyst	Wyliecat 30 IB	28571 132 **652** *169*	2004	CARBON CAT	40 20.67 0 0 7.87 13.46 493	No	No ☐ 0	30.42 25 9.42 5.25	5800 3000 Lead No 1 FIXED	IB Feath 2	Must have a YC card before registering for 2005 and clear YC for 2004
Curie	Beneteau 32S5	52868 138 **652** *195*	1990	38.39 9.68 150 38.39 9.68 ALUMN FS	38.88 13.78 5.3 9.01 321	Yes 39.98 17.3 17.3 9.6 576	No 35.75 32.75 18.4 ☑ 17.3 519 0 0	32.6 27.83 10.83 6	9260 2980 Cast Iron 0 1 FIXED	IB FOLD 2	
Friction Loss	J 30	67425 141 **652** *189*	1979	34 11.5 155 34.1 11.5 ALUMN FS	38 13 0 0 4.94 8.45 295	Yes 34.4 22.2 22 11.5 635	No 37.7 34.5 22.4 ☐ 21.06 666 0	29.83 25 11.17 5.25	6500 2100 Lead 0 1 FIXED	IB FOLD 2	
Absinthe	Moore 24	102 150 **650** *91*	1981	26.25 9.75 150 26.25 ALUMN FS	25 9.5 0 0 3.91 6.5 147	Yes 27 17.55 17.55 9.75 395	No ☐ 0	23.75 21.75 7.16 4.083	2050 1025 Lead No 1 FIXED	OB None 0	
Nancy	Wyliecat 30 OB	28890 126 **650** *160*	1995	CARBON CAT	39.66 19.75 0 0 8.71 13.46 491	No	No ☐ 0	30.5 25 9.5 5.25	5500 3050 Lead No 1 FIXED	OB None 0	(-3 sec/mi for square top main)

Boat Name	Boat Model (Type)	Rating Sail # DW Rating *Disp/WL Ratio*	Built	Foretriangle: I J Max Headsail Mast Material Rig Type	ISP JSP	Main: P E PY EY	MGU MGM MSA	Symmetric Spin. Yes/No SL SSMG SSF	SPL SSA	Asymmetric Spin. Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Hull LOA LWL Max Beam Max Draft	Displacement/Keel Ttl Disp. Ballast Ballast Mat.	Traps/H. Strps moveable blst Keel Type	EnginelProp IB or OB Prop Type # of blades	Modifications
Nicole	Orion 35	8210 150 **650** *249*	1979	44 14 ALUMN MS	150 44	39.5 10.5 0 0	4.42 7.319 260	Yes 43.667 25.2 25.2	14.125 917	No ☐	0	34.58 28.75 10.83 6	13000 4700 Lead	0 1 FIXED	IB FOLD 2	Displacement Obtained by actual weight on scale, Rudder is new design and new build.
Warwhoop	Contessa 33	63336 138 **650** *229*	1984	37.916 11.17 ALUMN FS	100 37.93	39.416 13.86 0 0	5.31 9 326	Yes 36.1 21.5 21.6	11.916 647	Yes 40 37.5 21.17 ☐	20.92 682 0	33 25.52 11.08 5.8	8375 3700 Lead	No 1 FIXED	IB FOLD 2	(Mtg 1/26/17, -3 sec/mi for oversized asymmetric area)(Mtg 2/23/17, -3 sec/mi for OSP, -3 sec/mi for oversized symmetric spinnaker area)
Andiamo	Catalina 36-2	2168 153 **649** *233*	2004	44.75 14.33 ALUMN MS	115	39 13	3.04 6.16 248	No		Yes 43 37 24 ☑	29 833 0 0	36 30.25 11.9 5.8	14200 6000 Lead	0 1 FIXED	IB Fixed_3 3	In-Mast Furling Mainsail, +3 sec/mi
Liquid Asset	Ranger 33	27707 150 **649** *264*	1970	41.5 13.7 ALUMN MS	150 41.5 13.67	35 13.75	4.93 8.67 280	Yes 41.5 24.6 24.6	13.7 851	No ☐	0 0	33.17 26.25 9.58 5.17	10500 4500 Lead	0 1 FIXED	IB Fold	
Foxxfyre	Yamaha 33 IK SM	67248 159 **648** *373*	1978	42.81 13.78 ALUMN MS	150 42.81	37.4 10.6 0 0	4.38 7.27 246	Yes 44 24.8 23.7	13.78 901	No ☐	0	33.25 26.92 11 6.25	16000 4410 Iron	No 1 FIXED	IB FEATH 2	PER PHRF MTG 3/16/2000 - Weight Differencer from brochure is significant.
JouJou	Capo 30	87324 123 **648** *209*	1984	41.7 12.75 ALUMN MS	120 41.5	36 11.5	4.37 7.47 247	Yes 41.5 21.5 21	12 740	No ☐	0	30 25 10.33 5.43	7200 3000 Lead	0 1 FIXED	IB Fold 2	Roller Furler
Redux	Olson 911S	28106 126 **648** *209*	1987	41.5 12.33 ALUMN MS	155 41.5	35.5 11.83 0 0	4.5 7.7 251	Yes 41 21.9 21.9	12.166 748	No ☐	0	29.9 25 10.33 5.416	7200 3200 Lead	No 1 FIXED	IB FOLD 2	

Boat Name	Boat Model (Type)	Rating Sail # DW Rating *Disp/WL Ratio*	Built	*Foretriangle:* I J Max Headsail Mast Material Rig Type	ISP JSP	*Main:* P E PY EY	MGU MGM MSA	*Symmetric Spin.* Yes/No SL SSMG SSF	SPL SSA	*Asymmetric Spin.* Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	*Hull* LOA LWL Max Beam Max Draft	*Displacement/Keel* Ttl Disp. Ballast Ballast Mat.	Traps/H. Strps moveable blst Keel Type	*EnginelProp* IB or OB Prop Type # of blades	*Modifications*
Serenity	Islander 36 ODR	82659 144 **648** *272*	1973	45 14.48 ALUMN MS	135 45	39.25 12.75	3.69 6.88 265	Yes 45 27 27	15 1013	No ☑	0 0	36.08 28.25 11.17 6.083	13500 5450 Lead	0 1 FIXED	IB Feath	
White Cloud	Yamaha 33 IK SM	28688 162 **648** *247*	1979	42.8 13.78 ALUMN MS	150 42.8	37.42 10.67	4.38 7.27 247	Yes 44 24 24	13.78 880	No ☑	0 0	33.25 26.92 11 6.2	10582 4409 Iron	0 1 FIXED	IB Fixed_2	
Snafu	Moore 24	121 150 **647** *91*	1982	26.25 9.75 ALUMN FS	150 26.25	25 9.5	3.91 6.5 147	Yes 27 17.55 17.55	9.75 395	No ☐	0 0	23.75 21.75 7.16 4.08	2050 1000 Lead	0 1 FIXED	OB None	
Mirth	Catalina 34 1&2	28634 150 **646** *205*	2005	44 13.5 ALUMN MS	125	38.5 12	4.17 7.33 265	No		Yes 42.23 38.63 20.21	22.02 693 0 ☑ 0	35.67 29.83 11.75 5.58	11950 5000 Lead	No 1 FIXED	IB FEATH 3	
Ad Lib	Aphrodite 101	8161 144 **645** *153*	1979	36.83 11.81 ALUMN FS	100 32.23	39.33 11.48 0 0	4.5 6.1 253	Yes 35.6 21.3 19.6	11.9 622	No ☐	0	32.75 26.33 7.92 5.42	6160 3527 Lead	No 1 FIXED	IB FOLD 2	
Double Down	Custom Schumacher 30	18480 123 **645** *203*	1988	41.37 12.16 ALUMN MS	150 41.5	36.416 11.83 0 0	4.5 7.69 257	Yes 40.75 21.75 21.35	12.08 736	No ☐	0	29.92 26 10.65 6.17	7854 3650 Lead	No 1 FIXED	IB FOLD 2	Rudder change, old rudder 85lbs new 65 lbs. Old alum/new carbon MTG 10/27/94 Noted- NCTR (MTG 1/9/97 Alum headsail removed and excess wires removed from mast- Noted NCTR)(Mtg 2/21/08, change custom rating from 126 to 123 after
Music	Catalina 34 1&2	56583 147 **645** *204*	2001	44 13.5 ALUMN MS	130	38.5 12	3.6 6.8 251	No		Yes 45 39.2 21.7	21.8 762 0 ☑ 0	35.66 29.84 11.75 5.56	11950 5000 Lead	0 1 FIXED	IB FOLD 2	

Boat Name	Boat Model (Type)	Rating Sail # DW Rating *Disp/WL Ratio*	Built	*Foretriangle:* I J Max Headsail Mast Material Rig Type	ISP JSP	*Main:* P E PY EY	MGU MGM MSA	*Symmetric Spin.* Yes/No SL SSMG SSF	SPL SSA	*Asymmetric Spin.* Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	*Hull* LOA LWL Max Beam Max Draft	*Displacement/Keel* Ttl Disp. Ballast Ballast Mat.	Traps/H. Strps moveable blst Keel Type	*EnginelProp* IB or OB Prop Type # of blades	*Modifications*
Zara	Beneteau 310	144 135 **645** *151*	1993	37.04 10.83 ALUMN FS	135 37.04 10.82	37.8 12.9	5.2 8.9 301	No		Yes 37 35 16.6	☑ 21.6 528 0 0	31.2 27.7 10.5 4.3	7054 2160 Lead	0 1 FIXED	IB Fixed_2	
Flyer	Peterson 33 (CHITA)	18620 144 **644** *229*	1979	42.5 13.9 ALUMN MS	155 42.5	36.66 9.91	3.66 6.21 213	Yes 41.91 24.83 24.67	13.75 866	No	☐ 0 0	32.67 26.58 10.5 6.08	9480 4960 Lead	0 1 FIXED	IB FOLD 2	
Heart of Gold	Olson 911S	41327 126 **643** *209*	1987	41.5 12.33 ALUMN MS	155 41.5	35.5 11.83 0 0	4.5 7.7 251	Yes 41.1 22.19 22.19	12.16 760	No	☐ 0	29.9 25 10.3 5.5	7200 3200 Lead	No 1 FIXED	IB FOLD 2	
Mas!	Moore 24	138 150 **642** *91*	1983	26.25 9.75 ALUMN FS	150 26.25	25 9.5	3.91 6.5 147	Yes 26.6 17 17.25	9.75 378	Yes 28.4 25.1 17.3	☐ 17.6 387 0 90	23.75 21.75 7.16 4.08	2050 1025 Lead	0 1 FIXED	OB None	
Happy Daze	Santana 30-30 GP	87322 120 **641** *180*	1984	40.83 11.67 ALUMN MS	150 40.83	36.17 11.08 0 0	5.25 8.5 267	Yes 40.25 19.5 18.6	11.75 648	No	☐ 0	29.92 25.42 10.25 5.5	6500 2435 Lead	No 1 FIXED	IB FOLD 2	
Rhapsody	J 32	56303 120 **640** *214*	2000	39.2 11 ALUMN FS	155 40.583 13	38.5 15.5	5.12 9.25 335	No		Yes 46.25 41.55 22.75	☑ 22.5 830 2 0	32.4 29 11 6	11500 3840 Lead	0 1 FIXED	IB Fold 3	(Mtg 5/23/13, -3 sec/mi for sprit, -3 sec/mi for oversized spinnaker)
Bosporus II	Columbia 36	97415 156 **639** *262*	1968	42.75 15 ALUMN MS	150 41.75 15	34.666 14 0 0	5.3 9.1 289	Yes 41.5 25.8 26	15 894	No	☐ 0	35.75 28.25 10.5 5.42	13000 5000 Lead	No 1 FIXED	IB Fold 2	

Boat Name	Boat Model (Type)	Rating Sail # DW Rating *Disp/WL Ratio*	Built	Foretriangle: I J Max Headsail Mast Material Rig Type	ISP JSP	Main: P E PY EY	MGU MGM MSA	Symmetric Spin. Yes/No SL SSMG SSF	SPL SSA	Asymmetric Spin. Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Hull LOA LWL Max Beam Max Draft	Displacement/Keel Ttl Disp. Ballast Ballast Mat.	Traps/H. Strps moveable blst Keel Type	EnginelProp IB or OB Prop Type # of blades	Modifications
Oxymoron	Moore 24	28993 150 **639** *91*	1981	26.25 9.75 ALUMN FS	150 26.2	25 9.5 0 0	3.91 6.5 147	Yes 26.6 17.55 17.55	9.75 389	No ☐	0	23.75 21.75 7.16 4.25	2050 1025 Lead	0 1 FIXED	OB None 0	
Orca	Moore 24	85 150 **638** *91*	1981	26.25 9.75 ALUMN FS	150 26.25	25 9.5 0 0	3.91 6.5 147	Yes 26 17.55 17.55	9.75 380	No ☐	0	23.75 21.75 7.16 4.083	2050 1025 Lead	0 1 FIXED	OB None 0	
Cadenza	Moore 24	18878 150 **636** *91*	1977	26.25 9.75 FS	150 26.25	25 9.5 0 0	4.01 6.54 148	Yes 27	9.75	No ☐	0	23.75 21.75 7.17 4.083	2050 1025 Lead	No 1 FIXED	OB None 0	
Crazy Eights	Moore 24	28888 150 **636** *91*	1978	26 9.8 ALUMN FS	150 26.3 9.75	25 9.5	3.91 6.5 147	Yes 26.6 17.55 17.55	9.75 389	No ☐	0	23.75 21.75 7.16 4.083	2050 1000 Lead	0 1 FIXED	OB None 0	
Hasta Nunca	Moore 24	142 150 **636** *91*		26.25 9.75 ALUMN FS	150 26.25	25 9.5	3.91 6.5 147	Yes 26.6 17.55 17.55	9.75 389	No ☐	0 0	23.75 21.75 7.16 4.08	2050 1025 Lead	0 1 FIXED	OB None 0	
Mooretician	Moore 24	89 150 **636** *91*	1981	26.25 9.75 ALUMN FS	150 26.25	25 9.5 0 0	3.91 6.5 147	Yes 26.6 17.55 17.55	9.75 389	No ☐	0	23.75 21.75 7.16 4.08	2050 1025 Lead	No 1 FIXED	OB None 0	
Scarlett	Moore 24	86 150 **636** *91*	1980	26.25 9.75 ALUMN FS	150 26.25	25 9.5	3.89 6.45 147	Yes 26.5 17.5 17.5	9.75 386	No ☐	0 0	24 21.75 7.17 4.08	2050 1000 Lead	No 1 FIXED	OB None	

Boat Name	Boat Model (Type)	Rating Sail # DW Rating *Disp/WL Ratio*	Built	Foretriangle: I J Max Headsail Mast Material Rig Type	ISP JSP	Main: P E PY EY	MGU MGM MSA	Symmetric Spin. Yes/No SL SSMG SSF	SPL SSA	Asymmetric Spin. Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Hull LOA LWL Max Beam Max Draft	Displacement/Keel Ttl Disp. Ballast Ballast Mat.	Traps/H. Strps moveable blst Keel Type	EnginelProp IB or OB Prop Type # of blades	Modifications
Slight Disorder	Moore 24	98 150 **636** *91*	1981	26.25 9.75 ALUMN FS	150	26.25 9.75	25 9.5 0 0	3.91 6.5 147	Yes 26.6 17.5 17.5	9.8 388	No ☐	0	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0	
The Jackal	Moore 24	22 150 **636** *91*	1977	26.25 9.75 ALUMN FS	150	26.25 9.75	25 9.5	3.91 6.5 147	Yes 26.6 17.55 17.55	9.75 389	No ☐	0 0	23.75 21.75 7.16 4.08	2050 1025 Lead	0 1 FIXED	OB None	
White Trash	Moore 24	78 150 **636** *91*	1979	26.25 9.75 ALUMN FS	150	26.25	25 9.5	3.91 6.5 147	Yes 26.6 17.55 17.55	9.75 389	No ☐	0 0	23.75 21.75 7.16 4.08	2050 1025 Lead	0 1 FIXED	OB None 0	
Firefly	Moore 24	64 150 **635** *91*	1980	26.25 9.75 ALUMN FS	150	26.25	25 9.5 0 0	3.91 6.5 147	Yes 27 17.55 17.55	9.75 395	No ☐	0	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0	
Gruntled	Moore 24	68 150 **635** *91*	1980	26.25 9.75 ALUMN FS	150	26.25	25 9.5 0 0	3.91 6.5 147	Yes 27 17.5 17.5	9.75 394	No ☐	0	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0	
Incognito	Moore 24	136 150 **635** *91*	1984	26.25 9.75 ALUMN FS	150	26.25	25 9.5 0 0	3.91 6.5 147	Yes 27 17.55 17.55	9.75 395	No ☐	0	23.75 21.75 7.16 4.08	2050 1025 Lead	No 1 FIXED	OB None 0	
JR	Moore 24	76 150 **635** *91*	1980	26.25 9.75 ALUMN FS	155	26.25	25 9.5 0 0	3.91 6.5 147	Yes 27 17.55 17.55	9.75 395	No ☐	0	23.75 21.75 7.16 4.08	2050 1025 Lead	No 1 FIXED	OB None 0	

Boat Name	Boat Model (Type)	Rating Sail # DW Rating *Disp/WL Ratio*	Built	Foretriangle: I J Max Headsail Mast Material Rig Type	ISP JSP	Main: P E PY EY	MGU MGM MSA	Symmetric Spin. Yes/No SL SSMG SSF	SPL SSA	Asymmetric Spin. Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Hull LOA LWL Max Beam Max Draft	Displacement/Keel Ttl Disp. Ballast Ballast Mat.	Traps/H. Strps moveable blst Keel Type	EnginelProp IB or OB Prop Type # of blades	Modifications
La Dolce Vita	J 32	64 120 **635** *186*	2001	39.2 11 ALUMN FS	155	40.5 13	38.5 15.5 334	No		Yes 43 39.5 19.7	19.7 677 2.5 ☑ 0	32.4 29 11 6	10000 3840 Lead	0 1 FIXED	IB Feath 3	(Mtg 8/22/13, -6 sec/mi for sprit)
Moxy	Moore 24	110 150 **635** *91*	1982	26.25 9.75 ALUMN FS	150	26.25	25 9.5 0 0 3.91 6.5 147	Yes 27 17.55 17.55	9.75 395	No	☐ 0	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0	
Paramour	Moore 24	75 150 **635** *91*	1980	26.25 9.75 ALUMN FS	150	26.25	25 9.5 0 0 3.91 6.5 147	Yes 27 17.55 17.55	9.75 395	No	☐ 0	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0	
Rocket Science	Moore 24	104 150 **635** *91*		26.25 9.75 ALUMN FS	155	26.25 9.76	25 9.5 3.91 6.5 147	Yes 27 17.55 17.55	9.75 395	No	☐ 0 0	23.75 21.75 7.16 4.08	2050 1025 Lead	0 1 FIXED	OB None 3	
Sweet Tea	Moore 24	105 150 **635** *91*	1981	26.25 9.75 ALUMN FS	150	26.25	25 9.5 3.91 6.5 147	Yes 27 17.55 17.55	9.75 395	No	☐ 0 0	23.75 21.75 7.16 4.08	2050 1025 Lead	0 1 FIXED	OB None	
Crews Nest	Catalina 34 1&2	1383 147 **634** *205*	1997	44 13.5 ALUMN MS	130	44 13.5	38.5 12 0 0 3.6 6.8 251	Yes 42 24 23.5	13.5 837	No	☑ 0	35.67 29.83 11.75 5.58	11950 5000 Lead	No 1 FIXED	IB FEATH 3	
Friday Harbor	Beneteau 323 DK	28580 147 **633** *155*	2004	42.67 11.06 ALUMN MS	116		38.9 13.17 5 8.56 306	No		Yes 45.4 41.34 17.9	19.91 661 0 ☑ 0	32 29.17 10.67 5.92	8448 2258 Iron	No 1 FIXED	IB FOLD 2	

Boat Name	Boat Model (Type)	Rating Sail # DW Rating *Disp/WL Ratio*	Built	Foretriangle: I J Max Headsail Mast Material Rig Type	ISP JSP	Main: P E PY EY	MGU MGM MSA	Symmetric Spin. Yes/No SL SSMG SSF	SPL SSA	Asymmetric Spin. Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Hull LOA LWL Max Beam Max Draft	Displacement/Keel Ttl Disp. Ballast Ballast Mat.	Traps/H. Strps moveable blst Keel Type	EnginelProp IB or OB Prop Type # of blades	Modifications
Joyicity	Custom Davidson 26	20746 156 **633** *120*	1975	27 9.1 CARBON FS	150 31.15 10	28.75 11.5 0 0	5.1 8.1 210	Yes 31.12 18 18	10 467	No ☐	0	26.42 22.5 8.25 5.25	3000 1450 Lead	No 1 FIXED	IB FOLD 2	Removed IOR Bump infilled w/Divinicell w/fiberglass skin/faired; Installed Melges rig w/mod for Spinnaker; shortened boom; increased "P"' increased "J", Code zero type furler used above deck; Halyard on luff side of sail; 10 ft spin
Stratocaster	J 32	16 126 **633** *193*	1996	39.2 11 ALUMN FS	155 40.68	38.5 15.5 0 0	5.88 10.07 355	Yes 39 20.4 19.75	11 659	Yes 44.92 38.38 23.95 ☑	23.95 831 0	32.5 28.67 11 5.75	10000 3840 Lead	No 1 FIXED	IB FOLD 2	
Eliana II	Morgan 38-2	77486 156 **632** *272*	1981	46 16.25 ALUMN MS	110 46 16.25	40.5 14.5 324	4.69 8.34	Yes 47.8 30.1 30	16.25 1198	No ☐	0 0	38.33 30.5 12 6	17000 6800 Lead	0 1 FIXED	IB Fixed_3 3	(Mtg 1/26/17, -3 sec/mi for oversized symmetric spinnaker area)
Mega Hurtz	Laser 28 ODR MOD	53470 129 **631** *136*	1974	31.1 9.65 ALUMN FS	125 31.73	33.14 12.96 257	4.98 8.4	Yes 33 20.37 18.92	11.32 552	No ☐	0 0	28.41 23.62 9.48 4.98	3950 1500 Lead	0 1 FIXED	OB None 2	(Mtg 2/27/14, switched to outboard motor, -3 sec/mi)
Boudicca	Elan 310	310 129 **630** *197*	2010	40.19 11.74 ALUMN FS	106 42.55 14.87	39.53 13.55 323	5.28 8.92	No		Yes 46.59 42.02 24.18 ☑	25.91 906 3 0	30.3 28.58 10.5 6.23	10141 2292 Iron	0 1 FIXED	IB Fold	
First Light	Beneteau 35S5	115 126 **630** *206*	1991	41.66 11.15 ALUMN FS	98	42.65 15.09 0 0	5.25 9.042 366	Yes 42.7 20.5 20.5	11.15 729	No ☐	0	35.42 29.33 11.83 6	11460 4190 Lead	No 1 FIXED	IB Fixed_2 2	
Azure	Catalina 275 Sport	1 156 **629** *121*	2013	34.42 8.99 ALUMN FS	106 11.83	31.5 11.48 233	5.33 8.17	No		Yes 37.5 35 22 ☐	22 665 0 0	27.5 26.57 8.5 5.2	5000 2040 Lead	0 1 FIXED	IB Fixed_2	

Boat Name	Boat Model (Type)	Rating Sail # DW Rating *Disp/WL Ratio*	Built	*Foretriangle:* I J Max Headsail Mast Material Rig Type	ISP JSP	*Main:* P E PY EY	MGU MGM MSA	*Symmetric Spin.* Yes/No SL SSMG SSF	SPL SSA	*Asymmetric Spin.* Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	*Hull* LOA LWL Max Beam Max Draft	*Displacement/Keel* Ttl Disp. Ballast Ballast Mat.	Traps/H. Strps moveable blst Keel Type	*EnginelProp* IB or OB Prop Type # of blades	*Modifications*
Baleineau	Ericson 34 Olson SM	42147 105 **629** *219*	1988	44 13 ALUMN MS	155 44 44	38.8 13 0 0	4.88 8.25 298	Yes 43.5 23.25 23.25	12.96 843	No ☐	0	34 28 10.83 6	10600 3650 Lead	No 1 FIXED	IB FOLD 2	
Galaxsea	Custom Nauticat 43.5	28743 180 **629** *288*	1985	51 20 ALUMN KTCH	104 20.6	45 13.6 32.4 8.5	4.3 7.9 338	Yes 50.98 33.43 35.6	20 1439	Yes 52 50 25.6	29.2 1119 4.9 ☑	43.6 37.7 12.2 5.9	34000 11000 Lead	No 1 FIXED	IB FEATH 3	Stay sail measurements foot=1 ', Luff=34'6", Leach=30'2", LP=132"
Ahi	Santana 35	30980 114 **628** *208*	1981	39 12.85 ALUMN FS	155 39	42 14.25 358	5.51 9.26	Yes 39 23.13 23.13	12.85 752	No ☐	0 0	35 26.5 11.92 6.25	8500 3300 Lead	0 1 FIXED	IB Fold 2	(Mtg 6/27/13, new rudder noted, NCTR)
Archaeopteryx	Hotfoot 20	101 177 **628** *78*	1986	25 7 ALUMN FS	105 26.08 7.67	27.08 10.08 166	4.05 6.6	Yes 26.97 13.86 13.3	7.67 309	No ☐	0 0	20 18 8.5 5	1000 400 Lead	0 1 CNTRBRD	OB None	
Wood Eye	Catalina 38	111 123 **625** *261*	1981	49.83 15.5 ALUMN MS	110 49.83 15.5	44 11.5 313	4.7 7.9	Yes 49 27.9 27.9	15.42 1139	No ☐	0 0	38.17 30.25 11.83 6.75	15900 6850 Lead	0 1 FIXED	IB Fixed_2 2	
Giant Slayer	Santa Cruz 27	59369 141 **624** *109*	1979	32.583 10.9 ALUMN MS	155 32.583 10.9	28.25 8.7 0 0	3.7 6.3 157	Yes 32.8 19.6 19.6	10.9 536	Yes 30.02 32.58 13.42	17.67 372 0 ☐ 90	27 24 8 4.5	3304 1800 Lead	No 1 FIXED	OB None 0	(Mtg 3/27/14, -3 sec/mi for 10% overized symmetrical spinnaker)
Rare Bird	Moore 24	67 141 **624** *91*		26.58 9.75 ALUMN FS	100 28.31 11.65	25 9.5 147	3.91 6.5	Yes 27 17.55 17.55	11.65 395	Yes 32.18 28.27 18.74	17.22 464 0 ☑ 0	23.75 21.75 7.16 4.083	2050 1025 Lead	0 1 FIXED	OB None	(Mtg 10/27/16, -6 sec/mi for OSP, -6 sec/mi for increased spinnaker area)

Boat Name	Boat Model (Type)	Rating Sail # DW Rating *Disp/WL Ratio*	Built	Foretriangle: I J Max Headsail Mast Material Rig Type	ISP JSP	Main: P E PY EY	MGU MGM MSA	Symmetric Spin. Yes/No SL SSMG SSF	SPL SSA	Asymmetric Spin. Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Hull LOA LWL Max Beam Max Draft	Displacement/Keel Ttl Disp. Ballast Ballast Mat.	Traps/H. Strps moveable blst Keel Type	EnginelProp IB or OB Prop Type # of blades	Modifications
Azure	CAL 40	72 114 **623** *248*	1966	46 15.17 ALUMN MS	150 46	40 17.5 0 0	6.65 11.37 417	Yes 46.5 27.3 27	15.17 1056	No ☐	0	39.3 30.5 11 5.5	15500 6000 Lead	0 1 FIXED	IB FEATH 2	
Topgallant	Tartan 10	18608 129 **623** *155*	1978	35 11.75 ALUMN FS	125 35	40.25 13.75 0 0	5.34 8.96 332	Yes 35 21.6 20.3	12 622	No ☐	0	33.16 27 9.25 5.83	6700 3340 Lead	No 1 FIXED	IB FOLD 2	(4/25/02 Installed Running Backstay)
Breakaway	Ultimate 20 CM	180 144 **622** *105*	2002	26.08 6.97 CARBON FS	114 27.58 12.79	27.33 10.17	5.5 7.96 193	No 0 0		Yes 30.42 28.417 17.7	19.167 441 6 ☑ 0	20.83 18 8.33 5	1350 450 Lead	No 1 FIXED	OB Fixed_3 3	
Green Buffalo	CAL 40	8538 114 **622** *255*	1967	46.7 15.2 ALUMN MS	155 46.7	39.8 17.6 0 0	6.65 11.37 416	Yes 46.01 27.3 27.3	15.2 1047	No ☐	0	39.3 30 10.9 5.8	15148 6000 Lead	0 1 FIXED	IB FEATH 3	Schumacher designed rudder - same as original
Geodesic III	Optima 101	103 144 **621** *155*	1985	38.71 12 ALUMN FS	125 38.71 12	38.39 13.45	4.9 8.2 298	Yes 37 21.5 21.5	12 663	Yes 38.4 33.4 19.6	19.6 586 0 ☑ 0	32.84 29.25 11.15 4.76	8511 3968 Iron	0 1 FIXED	IB Fixed_2	
Sweet Grapes	Ericson 36 Holland	19 108 **621** *216*	1981	47.75 14.5 ALUMN MS	147 47.75	42 12	3.5 7.2 278	Yes 47 25.83 24.83	14.5 1004	No ☐	0 0	35.58 29 11.83 6.25	11600 5230 Lead	0 1 FIXED	IB FOLD 2	
Polecat	Wyliecat 30 IB	5 132 **620** *160*	1997	CARBON CAT	29.5 12	40 20 0 0	7.35 12.66 468	No		No 32.8 29.3 18.4	21.6 493 8 ☐ 15	30.5 25 9.416 5.25	5500 3050 Lead	No 1 FIXED	IB FOLD 2	Articulating Sprint and Pole added for asym spin. Mast allowed to Rotate.(-21) Inboard engine installed (+3) (2/29/12, removed spinnakers from boat, mast is now fixed and boat is sailing as a stock Wyliecat 30 IB)(4/24/14, added

Boat Name	Boat Model (Type)	Rating Sail # DW Rating *Disp/WL Ratio*	Built	Foretriangle: I J Max Headsail ISP JSP Mast Material Rig Type	Main: P E MGU MGM PY EY MSA	Symmetric Spin. Yes/No SL SPL SSMG SSA SSF	Asymmetric Spin. Yes/No ASF SLU ASA SLE Sprit Lngth ASMG Fixed or _o	Hull LOA LWL Max Beam Max Draft	Displacement/Keel Ttl Disp. Traps/H. Strps Ballast moveable blst Ballast Mat. Keel Type	EnginelProp IB or OB Prop Type # of blades	Modifications
Quila	Santa Cruz 27	18723 141 **620** *99*	1976	32.583 10.75 155 32.583 ALUMN MS	28.25 8.583 3.68 6.1 0 0 154	Yes 32.74 10.75 19.4 529 19.4	No ☐ 0	27 24 8 4.5	3000 No 1500 1 Lead FIXED	OB None 0	
TAZ!!	Express 27 ODR	8100 132 **620** *83*	1981	28.5 9 125 28.5 ALUMN FS	28.5 10.42 4.23 7.04 182	Yes 28.58 9.83 13 332 17.75	No ☐ 0	27.3 23.8 8.17 4.5	2450 0 1100 1 Lead FIXED	NONE None	
Gotcha	Santa Cruz 27	47911 141 **619** *105*	1975	32.58 10.75 150 32.58 ALUMN MS	28.25 8.583 3.68 6.06 154	Yes 32.8 10.9 19.6 536 19.6	No ☐ 0 0	27 24 8 4.5	3200 0 1600 1 Lead FIXED	OB None	
Iniscaw	Martin 32	49143 126 **618** *189*	1980	42.5 13.67 145 ALUMN MS	37.17 12 4.7 8 270	Yes 42.4 13.67 22.4 806 24.4	No ☐ 0	32.8 27 9.6 6.1	8200 0 4100 1 Lead FIXED	IB FOLD 2	(Mtg 10/2/13, new rudder, NCTR)
Highlander	Cal 40	4590 117 **617** *246*	1968	46.2 15.2 150 46.2 ALUMN MS	39.5 17.5 6.65 11.37 412	Yes 46.5 15.17 27.3 1056 27	No ☐ 0 0	39.25 30.25 11 5.58	15000 0 6000 1 Lead FIXED	IB Fixed_2 2	
Another Girl	Alerion Express 38-2	20 90 **616** *217*	2011	42.98 12.99 90 CARBON MS	47.5 18.25 9.58 13.45 583	No	No ☐ 0 0	38.3 30.1 10.3 5.92	13000 0 5000 1 Lead FIXED	IB Feath 2	(mtg 4/28/11, Custom rating of 90 assigned)
Traveler	Express 34	97089 99 **616** *170*	1987	44.3 13 150 44.3 ALUMN MS	38.5 12.83 4.87 8.46 0 0 296	Yes 42.7 13 22.2 787 21.8	No ☐ 0	34 28.3 10.5 6	8500 0 3700 1 Lead FIXED	IB FOLD 2	-6 FOR OVERSIZED SPINNAKER

Boat Name	Boat Model (Type)	Rating Sail # DW Rating *Disp/WL Ratio*	Built	*Foretriangle:* I J Max Headsail Mast Material Rig Type	ISP JSP	*Main:* P E PY EY	MGU MGM MSA	*Symmetric Spin.* Yes/No SL SSMG SSF	SPL SSA	*Asymmetric Spin.* Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	*Hull* LOA LWL Max Beam Max Draft	*Displacement/Keel* Ttl Disp. Ballast Ballast Mat.	Traps/H. Strps moveable blst Keel Type	*EnginelProp* IB or OB Prop Type # of blades	*Modifications*
UHOO!	Ultimate 20	64 144 **614** *86*	1996	22.8 7 ALUMN FS	100 27.58 13	27.5 10.33 0 0	5.3 7.96 194	No		Yes 31.3 28.4 17.6	19.2 446 6 ☑	20.8 18 8.166 5	1100 450 Lead	No 1 CENTER	OB None 0	
Marrakesh	Express 34	3 102 **613** *185*	1987	44.25 13 ALUMN MS	125 44.25	38.5 12.83 0 0	4.87 8.46 296	Yes 44 23.4 23.4	13 858	No	0 ☐	34 28.33 10.33 6.11	9245 3800 Lead	No 1 FIXED	IB FOLD 2	
Peabody	Ultimate 20	22 144 **613** *105*		25.08 6.97 FS	110 27.58 12.79	27.5 10.25	5.5 7.96 195	No		Yes 31.3 28.4 17.7	19.2 448 6 ☑ 0	20.94 18 8.33 5.03	1350 450 Lead	0 1 CNTRBRD	OB None	
Pony Express	Express 34	28234 99 **613** *150*	1988	44.25 12.92 ALUMN MS	155 44.25	38.5 12.83 0 0	4.87 8.46 296	Yes 44 23.4 23.4	12.89 858	No	0 ☐	34 28.33 10.5 6	7500 3700 Lead	No 1 FIXED	IB FOLD 2	
Windswept Lady	X-362 Classic	50980 96 **613** *199*	1998	46.6 12.9 ALUMN MS	125 46.6 12.9	40.6 14.1	5.05 8.86 333	Yes 46.13 23.23 22.97	12.9 891	Yes 46.8 42.3 22.9	26.7 878 0 ☐	35.1 30.4 11.4 6.2	12320 5170 Lead	0 1 FIXED	IB Fold	
Abigail Morgan	Express 27 ODR	18394 129 **612** *83*	1985	28.5 9 ALUMN FS	150 28.5	28.5 10.416 0 0	4.22 7.03 182	Yes 28.562 17.75 17.4	9.833 421	No	0 ☐	27.25 23.75 8.166 4.5	2450 1100 Lead	No 1 FIXED	OB None 0	
Elise	Express 27 ODR	101 129 **612** *83*	1986	28.5 9 ALUMN FS	155 28.5	28.5 10.416	4.22 7.03 182	Yes 28.6 17.75 17.75	9.8 423	No	0 ☐ 0	27.25 23.75 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0	

Boat Name	Boat Model (Type)	Rating Sail # DW Rating *Disp/WL Ratio*	Built	*Foretriangle:* I J Max Headsail Mast Material Rig Type	ISP JSP	*Main:* P E PY EY	MGU MGM MSA	*Symmetric Spin.* Yes/No SL SSMG SSF	SPL SSA	*Asymmetric Spin.* Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	*Hull* LOA LWL Max Beam Max Draft	*Displacement/Keel* Ttl Disp. Ballast Ballast Mat.	Traps/H. Strps moveable blst Keel Type	*EnginelProp* IB or OB Prop Type # of blades	*Modifications*
Hang 20	Express 27 ODR	48 129 **612** *83*	1982	28.5 9 ALUMN FS	125 28.5	28.5 10.42 182	4.22 7.03	Yes 28.5 17.7 17.7	9.83 420	No ☐	0 0	27.3 23.8 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0	
Simply Irresistible	Express 27 ODR	18070 129 **612** *83*	1983	28.5 9 ALUMN FS	155 28.5	28.5 10.416 0 0 182	4.22 7.03	Yes 28.6 17.75 17.5	9.8 422	No ☐	0	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0	
Andale	Express 27 ODR	72 129 **611** *83*	1985	28.5 9 ALUMN FS	155 28.5	28.5 10.42 182	4.22 7.03	Yes 29 17.7 17.7	9.83 428	No ☐	0 0	27.25 23.75 8.17 4.5	2450 1100 Lead	0 1 FIXED	None	
Bombora	Express 27 ODR	38047 129 **611** *83*		28.5 9 ALUMN FS	155 28.5	28.5 10.42 182	4.22 7.03	Yes 28.5 17.7 17.7	9.83 420	No ☐	0 0 0	27.25 23.8 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0	
Current Affair	Express 27 ODR	56 129 **611** *83*	1983	28.5 9 ALUMN FS	155 28.5	28.5 10.42 182	4.22 7.03	Yes 29 17.75 17.75	9.83 429	No ☐	0 0	27.25 23.75 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None	
El Raton	Express 27 ODR	28050 129 **611** *83*	1985	28.5 9 ALUMN FS	155 28.5	28.5 10.416 0 0 182	4.22 7.03	Yes 29 17.75 17.75	9.833 429	No ☐	0	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0	
Get Happy!!	Express 27 ODR	1 129 **611** *83*	1981	28.5 9 ALUMN FS	155 28.5	28.5 10.416 0 0 182	4.22 7.03	Yes 29 17.7 17.7	9.833 428	No ☐	0	27.25 23.75 8.166 4.5	2450 1100 Lead	No 1 FIXED	OB None 0	

Boat Name	Boat Model (Type)	Rating Sail # DW Rating *Disp/WL Ratio*	Built	Foretriangle: I J Max Headsail Mast Material Rig Type	ISP JSP	Main: P E PY EY	MGU MGM MSA	Symmetric Spin. Yes/No SL SSMG SSF	SPL SSA	Asymmetric Spin. Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Hull LOA LWL Max Beam Max Draft	Displacement/Keel Ttl Disp. Ballast Ballast Mat.	Traps/H. Strps moveable blst Keel Type	EnginelProp IB or OB Prop Type # of blades	Modifications
Motorcycle Irene	Express 27 ODR	28137 129 **611** *83*	1982	28.5 9 ALUMN FS	155 28.5	28.5 10.416 0 0	4.22 7.03 182	Yes 29 17.7 17.7	9.833 428	No ☐	0	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0	
Salty Hotel	Express 27 ODR	60 129 **611** *83*	1983	28.5 9 ALUMN FS	155 28.5	28.5 10.416	4.22 7.03 182	Yes 29 17.75 17.75	9.83 429	No ☐	0 0	27.25 23.75 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0	
Sea Star	CAL 39-2/3	38022 114 **611** *236*	1977	50 16.7 ALUMN MS	150 50	44 13.8	4.5 8 337	Yes 48 30 29	16.7 1192	Yes 48 44 30 ☑	34 1181 0 0	39 32 12 6.7	17000 7000 Lead	0 1 FIXED	IB FEATH 3	Roller Furler
Swamp Donkey	Express 27 ODR	8444 129 **611** *83*	1981	28.5 9 ALUMN FS	155 28.5	28.5 10.416 0 0	4.22 7.03 182	Yes 29 17.8 17.8	9.833 430	No ☐	0	27.25 23.75 8.166 4.5	2450 1100 Lead	No 1 FIXED	OB None 0	
Verve	Express 27 ODR	18283 129 **611** *83*	1981	28.5 9 ALUMN FS	155 28.5	28.5 10.416 0 0	4.22 7.03 182	Yes 29 17.5 17.9	9.833 425	No ☐	0	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0	
Wetsu	Express 27 w/J length pole	70 129 **611** *83*	1983	28.5 9 ALUMN FS	155 28.5	28.5 10.42 0 0	4.22 7.03 182	Yes 29 17.7 17.5	9.833 427	No ☐	0	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0	-6 Sec/mi OSP
Make Me Smile	Express 27 ODR	91 129 **610** *83*		28.5 9 ALUMN FS	155 28.5	28.5 10.42	4.22 7.03 182	Yes 28.5 17.7 17.7	9.83 420	No ☐	0	27.25 23.8 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0	

Boat Name	Boat Model (Type)	Rating Sail # DW Rating *Disp/WL Ratio*	Built	Foretriangle: I J Max Headsail Mast Material Rig Type	ISP JSP	Main: P E PY EY	MGU MGM MSA	Symmetric Spin. Yes/No SL SSMG SSF	SPL SSA	Asymmetric Spin. Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Hull LOA LWL Max Beam Max Draft	Displacement/Keel Ttl Disp. Ballast Ballast Mat.	Traps/H. Strps moveable blst Keel Type	EnginelProp IB or OB Prop Type # of blades	Modifications
Moonlight	Express 27 ODR	28059 129 **610** *83*	1986	28.5 9 ALUMN FS	155 28.5	28.5 10.416 0 0	4.22 7.03 182	Yes 29 16.5 17.6	9.833 404	No ☐	0	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0	
Big Air	Open 5.7 ODR	189 138 **609** *69*	2006	21.52 7.3 ALUMN FS	117 21.6 12.3	25.33 10.24	5.7 8.2 183	No		Yes 25.82 20.64 17.9	17.6 345 5 ☑ 0	18.75 18.7 8.3 5.74	992 405 Lead	0 1 FIXED	OB None	
Domino	Wilderness 30 MOD	38081 126 **608** *116*	1985	36 12.25 ALUMN MS	155 36 12.25	31.5 10.83	4.11 6.93 203	Yes 36.15 22.05 20.5	12.25 655	No ☐	0 0	30 27.75 8.8 5.5	5450 2150 Lead	0 1 FIXED	IB Fold	(Mtg 3/28/13, +6 sec/mi for small rig)
Allons-Y	J 70 ODR	346 114 **607** *93*	2014	26.77 7.68 CARBON FS	100 30.15 13.5	26.16 9.44	4.71 6.93 164	No		Yes 35.43 28.87 18.24	18.7 491 5.1 ☑ 0	22.75 20.47 7.38 4.92	1750 630 Lead	0 1 MVBL	OB None	
Benny	J 70 ODR	897 114 **607** *93*	2015	26.77 7.68 CARBON FS	100 30.15 13.5	26.16 9.44	4.71 6.93 164	No		Yes 35.43 28.87 18.24	18.7 491 5.1 ☑ 0	22.75 20.47 7.38 4.92	1750 630 Lead	0 1 MVBL	OB None	
Penny Pincher	J 70 ODR	215 114 **607** *93*	2014	26.77 7.68 CARBON FS	100 30.15 13.5	26.16 9.44	4.71 6.93 164	No		Yes 35.43 28.87 18.24	18.7 491 5.1 ☑ 0	22.78 20.47 7.38 4.92	1750 630 Lead	0 1 MVBL	OB None	
Uno	Wyliecat 30 IB	28632 129 **607** *169*	1995	35.8 5.5 CARBON CAT	35.8 12	39.66 19.75	9.31 13.05 493	No	12	Yes 37.02 32.8 18.7	19.68 550 0 ☐ 90	30.5 25 9.5 5.25	5800 3000 Lead	0 1 FIXED	IB FOLD 2	(mtg 2/21/08, penalty for oversized main -3 sec/mi)(Mtg 5/22/08, -24 for asymmetric spinnaker flown on 12' pole)(1/24/16, not using spinnaker +24 sec/mi)

Boat Name	Boat Model (Type)	Rating Sail # DW Rating *Disp/WL Ratio*	Built	Foretriangle: I J Max Headsail Mast Material Rig Type	ISP JSP	Main: P E PY EY	MGU MGM MSA	Symmetric Spin. Yes/No SL SSMG SSF	SPL SSA	Asymmetric Spin. Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Hull LOA LWL Max Beam Max Draft	Displacement/Keel Ttl Disp. Ballast Ballast Mat.	Traps/H. Strps moveable blst Keel Type	EnginelProp IB or OB Prop Type # of blades	Modifications
Wingman Racing	J 70 ODR	584 114 **607** *93*	2014	26.77 7.68 CARBON FS	100 30.15 13.5	26.16 9.44	4.71 6.93 164	No		Yes 35.43 28.87 18.21	18.7 491 5.1 ☑ 0	22.75 20.47 7.38 4.95	1750 630 Lead	0 1 MVBL	OB None	
Zwei Flying Fish	San Juan 33s	59733 129 **606** *127*	1981	34.83 11.48 ALUMN FS	134 34.83	39.16 12.66	4.66 8.08 292	Yes 33.7 19.75 19.75	11.833 555	No	☐ 0 0	33.1 27.8 7.95 5.5	6000 3500 Lead	0 1 FIXED	IB Fold	(Mtg 5/28/15, +3 sec/mi for small rig)
Gavilan	Custom Wylie 39	28439 93 **604** *254*	1996	49 14.5 ALUMN MS	122 49	43 15.5 0 0	5.73 9.75 390	Yes 48.64 26.6 26.6	14.5 1078	Yes 48.39 47.08 18.47	24.6 783 1.17 ☑	41.5 31.75 11.5 6.77	17900 5920 Lead	No 1 FIXED	IB FEATH 3	(mtg 4/28/11, change custom rating from 84 to 96 after review of rating appeal)(Mtg 1/26/12, -3 sec/mi for sprit)
Pork Chop Express	Express 27 ODR MOD	115 126 **604** *83*	1986	28.5 9 ALUMN MS	130 32.5	28.5 10.4	4.2 7 182	Yes 28.58 16.44 14.11	9.8 380	Yes 33.04 28.84 15.72	19.55 425 0 ☐ 90	27.25 23.75 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None	(Mtg 1/26/17, -3sec/mi for switching to MH configuration. New Rudder, NCTR)
Bad Hare Day	Wylie Wabbit ODR W/Trap	35 126 **603** *55*	1982	20.75 6.5 ALUMN FS	150 20.5	23.75 10 0 0	4.03 6.72 145	Yes 21.6 14 14	8.5 252	No	☐ 0	23.75 20 5.583 3.5	975 440 Lead	Yes 3 FIXED	OB None 0	
CruzSea Baby	Beneteau First 10R ODR	52878 81 **603** *187*	2007	43.2 12.07 CARBON FS	155 46.41 16.5	42.25 14.73	5.59 9.57 371	No		Yes 49.5 41.5 27.9	27.5 1055 4.43 ☑ 0	32.75 28.7 11 6.55	9715 3528 Lead	0 1 FIXED	IB Fold 2	(Rudder Modifications noted, smaller non-class spinnaker +3 sec/mi)
Ala Moana	Beneteau First 30	104 99 **602** *179*	2012	41.66 13.78 ALUMN FS	105 42.16 15.78	40.3 14.25	6.28 9.38 356	No		Yes 48.6 43.7 26.9	28.82 1049 2 ☑ 0	31.7 27.6 10.5 6.25	8267 2403 Cast Iron	0 1 FIXED	IB Fold 2	

Boat Name	Boat Model (Type)	Rating Sail # DW Rating *Disp/WL Ratio*	Built	*Foretriangle:* I J Max Headsail Mast Material Rig Type	ISP JSP	*Main:* P E PY EY	MGU MGM MSA	*Symmetric Spin.* Yes/No SL SSMG SSF	SPL SSA	*Asymmetric Spin.* Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	*Hull* LOA LWL Max Beam Max Draft	*Displacement/Keel* Ttl Disp. Ballast Ballast Mat.	Traps/H. Strps moveable blst Keel Type	*EnginelProp* IB or OB Prop Type # of blades	*Modifications*
Keala	Wylie Wabbit ODR W/Trap	12 126 **602** *55*	1982	20.5 6.5 ALUMN FS	150 20.5	23.75 10 0 0	4.03 6.72 145	Yes 22 13.9 13.7	8.5 254	No ☐	0	23.75 20 5.58 3.5	975 440 Lead	Yes 3 FIXED	OB None 0	Hiking straps and single trapeze
Mr McGregor	Wylie Wabbit ODR W/Trap	8426 126 **602** *55*	1982	20.5 6.5 ALUMN FS	150 20.5	23.75 10 0 0	4.03 6.72 145	Yes 22 13.9 13.7	8.5 254	No ☐	0	23.75 20 5.58 3.5	975 440 Lead	1 3 FIXED	OB None 0	INCLUDES HIKING STRAPS AND SINGLE TRAPEZE.
Tijd	Beneteau First 30	45 102 **602** *181*	2011	41.66 13.78 ALUMN FS	105 42.16 15.7	40.2 14.25	6.24 9.38 354	No 15		Yes 45.6 40.5 23.8	25.5 866 1 ☐ 90	31.7 27.5 10.5 6.25	8267 2403 Cast Iron	0 1 FIXED	IB Fold	(Mtg 8/27/15, -3 sec/mi for OSP, +6 sec/mi for small spinnaker)
Wind Blown Hare	Wylie Wabbit ODR W/Trap	29 126 **602** *55*	1982	20.5 6.5 ALUMN FS	150 20.5	23.75 10 0 0	4.03 6.72 145	Yes 22 13.9 13.7	8.5 254	No ☐	0	23.75 20 5.583 3.5	975 440 Lead	1 3 FIXED	OB None 0	
Ariadne	Beneteau Farr First 36.7	403 84 **601** *204*		46.4 13.1 ALUMN FS	125 46.4 13.1	46.4 15.6 0 0	5.92 12.49 468	Yes 45.8 23.5 23.5	13.1 897	No ☐	0 0	36 30.3 11.4 7.3	12495 4034 Lead	No 1 FIXED	IB Fold 2	
Lonestar	Beneteau First 10R ODR MOD	40 84 **601** *187*	2007	43.2 12.07 CARBON FS	100 46.41 16.5	42.25 14.73	5.59 9.57 371	No		Yes 52.9 45.8 26.4	25.5 1078 4.43 ☑ 0	32.75 28.7 11 6.55	9715 3528 Lead	0 1 FIXED	IB FOLD 2	(Mtg 5/20/10, +3 sec/mi for non-class smaller kite)(Mtg 9/23/10, rudder modifications noted, NCTR)(Mtg 4/26/12, new rudder noted, NCTR)
Mulan	Beneteau First 10R ODR	52659 81 **601** *187*	2007	43.2 12.07 CARBON FS	120 46.41 16.5	42.25 14.73	5.59 9.57 371	No		Yes 52.59 45.8 26.4	25.5 1075 4.43 ☑ 0	32.75 28.7 11 6.55	9715 3258 Lead	0 1 FIXED	IB Fold 2	

Boat Name	Boat Model (Type)	Rating Sail # DW Rating *Disp/WL Ratio*	Built	*Foretriangle:* I J Max Headsail Mast Material Rig Type	ISP JSP	*Main:* P E PY EY	MGU MGM MSA	*Symmetric Spin.* Yes/No SL SSMG SSF	SPL SSA	*Asymmetric Spin.* Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	*Hull* LOA LWL Max Beam Max Draft	*Displacement/Keel* Ttl Disp. Ballast Ballast Mat.	Traps/H. Strps moveable blst Keel Type	*EnginelProp* IB or OB Prop Type # of blades	*Modifications*
Serenade	Sabre Spirit	96 **601** *210*	2007	45.5 12.87 CARBON FS	106 51.2 12.87	45.5 16.55 425	5.55 9.93	Yes 44.92 23.17 22.24	12.87 860	No 53.6 45.2 23.9	☑ 23 976 0 0	36.67 28.33 10.42 6.58	10500 3740 Lead	0 1 FIXED	IB Fold	
Starbuck	Custom Black Soo 30	8666 144 **600** *98*	1968	30 13 ALUMN MS	125 29.5 13	25 11.73 0 0	4.9 7.5 178	Yes 31 22.1 23.2	13 577	No 37.4 32.6 19.1	☐ 20.4 565 0 0	31 27.5 6.8 6.4	4500 1800 Iron	0 1 FIXED	OB None 0	(Mtg 1/17/02, added scoop, custom rating changed from 144 to 141)(mtg 1/11/13, Added A-sail, -9 sec/mi, rating changed from 141 to 132)(Mtg 5/13/14, removed A-Sail, +9 sec/mi, change custom rating from 132 to 141, +3 sec/mi for small headsail
Frisky	Open 5.7 ODR	281 138 **599** *69*	2009	21.52 7.3 ALUMN FS	117 27.9 12.3	25.33 10.24 183	5.7 8.2	No		Yes 25.8 20.6 17.5	☑ 17.5 338 5 0	18.7 18.7 8.3 5.7	992 405 Lead	0 1 FIXED	NONE None	
Iolani	Hughes 48	38048 120 **599** *336*	1972	54.3 18.2 ALUMN YAWL	135 20.2	48.2 19 23 10	5.9 10.4 493	Yes 40.32 32.76 32.76	18.2 1101	Yes 54 48.6 32.76	☑ 32.76 1400 0	48 35.1 11.1 6	32000 14300 Lead	0 1 FIXED	IB FEATH 3	
Popstar	Catalina 400	331 108 **599** *192*	2005	52.5 15.5 ALUMN MS	135 52.5 16.5	46.9 17 393	4.02 8.27	No		Yes 52.16 50 29	☑ 27.9 1225 0 0	41.54 36.5 13.5 6.92	20500 8300 Lead	0 1 FIXED	IB Fold 3	(+3 sec/mi for in-mast furling mainsail, +3 sec/mi for MGM <50% of E)
Dare Dare	Jeanneau Sun Fast 3200	39 81 **598** *164*	2008	41.92 12.58 ALUMN FS	102 43.77 13.61	38.67 13.68 311	5.28 8.46	Yes 44.91 24.08 23.39	13.58 896	Yes 42.06 42.06 25.52	☐ 24.41 887 1 0	33.1 28 11.5 6.2	7916 2866 Lead	0 1 FIXED	IB Fold 2	
Elan	Beneteau 37	46 114 **596** *165*	2012	45.83 15 ALUMN FS	105 48	43.5 12.83 359	6.16 8.83	No		Yes 45.94 39.17 25.6	☑ 26.6 915 0 0	37.8 34.08 12.83 6.25	14359 3901 Iron	0 1 FIXED	IB Fold	

Boat Name	Boat Model (Type)	Rating Sail # DW Rating *Disp/WL Ratio*	Built	*Foretriangle:* I J Max Headsail Mast Material Rig Type	ISP JSP	*Main:* P E PY EY	MGU MGM MSA	*Symmetric Spin.* Yes/No SL SSMG SSF	SPL SSA	*Asymmetric Spin.* Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	*Hull* LOA LWL Max Beam Max Draft	*Displacement/Keel* Ttl Disp. Ballast Ballast Mat.	Traps/H. Strps moveable blst Keel Type	*EnginelProp* IB or OB Prop Type # of blades	*Modifications*
Carmelita	Catalina 42-1/2	131 105 **595** *214*	1990	53 16.42 ALUMN MS	125 53	46.75 15.5 0 0	4.98 8.85 399	Yes 49 29.55 29.55	16.42 1207	Yes 57 51.25 24.42	27.75 1131 0 ☑	41.83 36 13.83 6.66	22000 8300 Lead	No 1 FIXED	IB FEATH 3	
Checkered Past	Custom Wyliecat 39	3 102 **595** *166*	2002	CARBON CAT		52 26.6	10.2 17.4 826	No		No ☐	0 0	38.83 32 11.5 6.6	12000 6200 Lead	0 1 FIXED	IB FOLD 2	Boat has been modified for handicapped sailing
Hijinks	J 92	90 108 **595** *134*	1996	37 11.5 ALUMN FS	97 38.5 17	37.66 13.22	5 8.6 297	No		Yes 45.4 40.85 23.55	26.51 868 5.5 ☑ 0	30 26.5 10 5.9	5500 2275 Lead	0 1 FIXED	IB Fold 2	
Oscar	Santa Cruz 33	57663 117 **595** *145*	1978	41 13.583 ALUMN MS	125 41	35.42 15	4.25 7.166 269	Yes 41 24.6 24.6	13.68 841	No ☐	0	33 28 10.06 6	7000 3000 Lead	No 1 FIXED	IB FOLD 2	
Bessie's Girl	Bristol 45.5	30088 114 **594** *352*	1980	57 18.83 ALUMN KTCH	130 57 18.83	47.25 15.2 30.25 8.25	4.66 8.56 390	Yes 56 33 33	18.83 1540	Yes 56 51.5 29.5	33 1353 0 ☑ 0	45.5 37.25 13.2 11	40000 15000 Lead	No 1 CNTRBRD	IB FEATH 3	(mtg 2/18/10, -3 sec/mi for dual spinnakers/ability to use asym on squared back pole)
Freedom	Worth 40	18230 96 **594** *238*	1984	54 16 ALUMN MS	155 16	47 14 0 0	5.5 9.2 397	Yes 52 28.8 28.8	16 1248	No ☐	0	40 34.25 12.5 7.25	21000 7800 Lead	0 1 FIXED	IB FOLD 2	
Ragtime!	J 92	18 105 **593** *146*	1993	37 11.5 ALUMN FS	155 38.5 17	38 13.5 0 0	4.7 8.2 293	No 39.98 30.6 30.6	14.5 1019	Yes 46.8 38.5 28.4	29.75 1019 5.5 ☑	30 25.8 10 5.9	5500 2275 Lead	No 1 FIXED	IB FOLD 2	(changes noted 3-11-03, NCTR)(2/14/06 - Spinnaker based on 1019 sq feet/94.67 meters)(Mtg 01/16/14, -3 sec/mi for flying asymmetric off squared back pole)(Mtg 4/24/14, New Rudder noted, NCTR - Shortened pole/sprit

Boat Name	Boat Model (Type)	Rating Sail # DW Rating *Disp/WL Ratio*	Built	*Foretriangle:* I J Max Headsail Mast Material Rig Type	ISP JSP	*Main:* P E PY EY	MGU MGM MSA	*Symmetric Spin.* Yes/No SL SSMG SSF	SPL SSA	*Asymmetric Spin.* Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	*Hull* LOA LWL Max Beam Max Draft	*Displacement/Keel* Ttl Disp. Ballast Ballast Mat.	Traps/H. Strps moveable blst Keel Type	*EnginelProp* IB or OB Prop Type # of blades	*Modifications*
Dawn's Early Light	J 36	77549 87 **590** *169*	1982	44.219 14 ALUMN FS	97 44.21 14	47 15	5.8 9.5 418	Yes 44.25 25.26 24.12	14 923	No ☐	0 0	35.95 30.5 11.76 6.6	10570 4600 Lead	0 1 FIXED	IB Fold	
Relentless	J 92	93 105 **590** *134*	1997	37 11.5 ALUMN FS	155 38.5 17.5	38 13.5	5.2 8.7 306	No		Yes 45.2 40.6 25.4	26.4 915 5.5 ☑ 0	30 26.5 10 5.9	5500 2275 Lead	0 1 FIXED	IB Fold 2	
Arcadia	Custom Nash 28.5	3113 123 **589** *119*	1969	33 10 ALUMN FS	120 34 11	32.5 13 0 0	4.92 8.41 251	No		Yes 38.8 34.908 24.606	24.606 756 4 ☐ 100	28.5 25.5 9 6.5	4327 1200 Lead	No 1 FIXED	IB FOLD 2	(Weighed Displacement as of 4/4/2009)(mtg 2/28/13, change custom rating from 135 to 123 after review of race results and structural modifications) 3
Relentless	Sydney 32	28732 81 **589** *136*	2002	40.6 12.2 ALUMN FS	110 40.6 13.1	39.7 14.75 0 0	5.6 9.59 349	Yes 40.29 23.4 23.4	13.1 786	No ☐	0	31.9 28.4 10.6 6.9	6850 2860 Lead	No 1 FIXED	IB FOLD 2	-3 Sec/mi for OSP
Ada Helen	ace	922 96 **588** *238*	2005	53 16.5 ALUMN MS	155 53 16.5	46.75 15.5		No	18	Yes 54.76 50.5 29.7	29.7 1303 0 ☐ 90	43.8 36 13.1 6	24400 8300 Lead	No 1 FIXED	IB FOLD 3	(Mtg 3/20/08 -6/sec/mi for OSP)(mtg 6/19/08, new larger a-sail, correct size for J, NCTR)
Drop Beer	Beneteau Class 10	18277 90 **588** *123*	1984	37.8 12.6 ALUMN FS	150 38.6	39.7 13.9 0 0	4 8.7 308	Yes 36.11 22.1 22.1	12.6 665	No ☐	0	34.2 29.6 9.9 6.8	7000 2200 Iron	0 1 FIXED	IB FOLD 0	NEW RUDDER 3/4/95, NCTR (MTG 3/36/95)
Nightmare	Custom Wilderness 30 SX FR OB	305 111 **588** *100*	1980	34 11.75 FS	125	34.4 11.5 0 0	4.59 7 233	Yes 38.75 23.25 23.25	11.75 751	No ☐	0	29.75 27.75 8.83 5.92	4700 1650 Lead	No 1 FIXED	OB None 0	(-3 sec/mi for change from IB to OB, -6 sec/mi for keel change.)(mtg 2/26/15, -9 sec/mi for oversized spinnaker)

Boat Name	Boat Model (Type)	Rating Sail # DW Rating *Disp/WL Ratio*	Built	Foretriangle: I J Max Headsail Mast Material Rig Type	ISP JSP	Main: P E PY EY	MGU MGM MSA	Symmetric Spin. Yes/No SL SSMG SSF	SPL SSA	Asymmetric Spin. Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Hull LOA LWL Max Beam Max Draft	Displacement/Keel Ttl Disp. Ballast Ballast Mat.	Traps/H. Strps moveable blst Keel Type	EnginelProp IB or OB Prop Type # of blades	Modifications
Princess	Sabre 40-2	28876 75 **588** *202*	1996	53.5 15.5 ALUMN MS	110 53.5 20.5	47.8 17 0 0	6.27 10.7 476	No		Yes 57.94 46.65 27.88	☐ 26.75 1205 5	40.17 35.25 13.25 6.25	19500 7000 Lead	No 1 FIXED	IB FOLD 2	base rtg changed frm 69 to 72 MTG 4/8/03.
Windtrip Infinity	J 92s	35 96 **587** *134*	2006	40.68 11.48 ALUMN FS	107 44.08 16.67	38.88 13.95	5.42 9 324	No		Yes 48.67 39.67 24	☑ 23.25 878 5.17 0	30 26.7 10 6.24	5610 2317 Lead	0 1 FIXED	IB Fold	
Nantucket Sleighride	J 105 ODR w/ 5'BS	414 78 **585** *137*	2001	40.6 13.5 ALUMN FS	100 42.1 19.07	41.5 14.5	5.5 9.4 358	No		Yes 48.9 38.7 23.3	☑ 25 863 5 0	34.5 29.5 11 6.5	7750 3400 Lead	0 1 FIXED	IB Fold 2	
Dragonsong	Olson 30 OB	87014 99 **584** *79*	1982	36 11.75 ALUMN MS	155 35.9 11.67	31.5 10.75 0 0	4.364 7.268 208	Yes 36 21.15 21.15	11.75 635	No	☐ 0	30 27.5 9.33 5.08	3600 1800 Lead	No 1 FIXED	OB None 0	
Junkyard Dog	J 109 ODR	168 72 **583** *175*	2004	46.5 13.3 ALUMN FS	105 49 18.83	43.25 15.5 0 0	5.88 10 398	No		Yes 56.33 45.63 27.2	☑ 27.75 1160 5.5 0	35.25 30.5 11.5 7	10900 3900 Lead	No 1 FIXED	IB FOLD 2	
La Viajera	J 109 ODR	46480 72 **583** *175*	2004	46.5 13.3 ALUMN FS	105 49.6 18.8	43.25 15.5	5.89 10.07 399	No		Yes 56.33 45.63 27.2	☑ 27.75 1160 5.5 0	35.25 30.5 11.5 7	10900 3900 Lead	0 1 FIXED	IB Fold 2	
For Pete's Sake	Ultimate 24 ODR	28469 111 **582** *98*	2003	28.04 7.82 CARBON FS	102 30.8 14.5	31 11.5 0 0	5.5 8.8 238	No		Yes 36 30.6 20.9	☑ 22.2 587 6.7 0	24.38 21.17 8.48 5.52	2040 750 lead	No 1 FIXED	OB None	

Boat Name	Boat Model (Type)	Rating Sail # DW Rating *Disp/WL Ratio*	Built	Foretriangle: I J Max Headsail Mast Material Rig Type	ISP JSP	Main: P E PY EY	MGU MGM MSA	Symmetric Spin. Yes/No SL SSMG SSF	SPL SSA	Asymmetric Spin. Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Hull LOA LWL Max Beam Max Draft	Displacement/Keel Ttl Disp. Ballast Ballast Mat.	Traps/H. Strps moveable blst Keel Type	EnginelProp IB or OB Prop Type # of blades	Modifications
Advantage 3	J 105 ODR w/ 5'BS	84 78 **581** *137*	1994	40.6 13.5 ALUMN FS	100 42.1 19.07	41.5 14.5 0 0	5.5 9.4 358	No		Yes 49 38.6 26.4	25.5 957 5 ☑	34.5 29.5 11 6.5	7750 3400 Lead	No 1 FIXED	IB FOLD 2	
Bullet	Express 37	40311 72 **581** *171*	1985	48.75 14.33 ALUMN MS	155 48.75	42 13.75 0 0	5.3 8.83 344	Yes 48 25.79 25.79	14.33 1032	No ☐	0	37.08 30.83 11.57 7.25	11000 4600 Lead	No 1 FIXED	IB FOLD 2	
Elan	Express 37	87700 72 **581** *171*	1985	48.75 14.33 ALUMN MS	155 48.75	42 13.75 0 0	5.28 8.83 344	Yes 48 25.79 25.79	14.33 1032	No ☐	0	37.083 30.833 11.57 7.25	11000 4500 Lead	No 1 FIXED	IB FOLD 2	
Godot	J 105 ODR w/ 5'BS	28905 78 **581** *137*	1992	40.6 13.5 ALUMN FS	95 42.1 19.07	41.5 14.6 0 0	5.5 9.4 359	No		Yes 49.54 38.55 26.8	23.29 958 5 ☑	34.5 29.5 11 6.5	7750 3400 Lead	No 1 FIXED	IB FOLD 2	
Vuja Star	J 105 ODR w/ 5'BS	181 78 **581** *155*	1998	40.6 13.5 ALUMN FS	100 42.1 19.07	41.5 14.5	5.5 9.4 358	No		Yes 49.52 39.8 24.8	29.5 958 5.5 ☑ 0	34.5 29.5 11 6.5	8733 3400 Lead	0 1 FIXED	IB Fold 2	
Hylite	Hylas 49 SM	49 111 **580** *258*	2007	57.42 19.5 ALUMN CTR	130 57.42 19.5	51 18.5	4.5 9.17 470	No		Yes 60 55.33 24.42	28.67 1214 0 ☑ 0	48.83 39.5 14.25 6	35000 14500 Lead	0 1 FIXED	IB Fold	(Mtg 1/26/17, Custom rating of 111 assigned)
Pegasus - Motion X	J 100 ODR MOD	1197 69 **579** *135*	2005	38 12.7 CARBON FS	95 43 15.63	38 15.3	5.32 9.32 332	No		Yes 47.8 39.1 23.9	23.3 861 4.13 ☑	32.8 29 9.3 5.8	7250 2500 Lead	No 1 FIXED	IB FOLD 2	(Mtg 2/26/09, -3 sec/mi for adding sprit)(mtg 1/21/10, additional -3 sec/mi for lengthening sprit to 4.13')(Mtg 1/27/11, -6 sec/mi for increased "e")(Mtg 1/26/11, shortened J, boat rigged for shorthanded sailing, NCTRV(1/23/17

Boat Name	Boat Model (Type)	Rating Sail # DW Rating *Disp/WL Ratio*	Built	Foretriangle: I J Max Headsail Mast Material Rig Type	ISP JSP	Main: P E PY EY	MGU MGM MSA	Symmetric Spin. Yes/No SL SSMG SSF	SPL SSA	Asymmetric Spin. Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Hull LOA LWL Max Beam Max Draft	Displacement/Keel Ttl Disp. Ballast Ballast Mat.	Traps/H. Strps moveable blst Keel Type	EnginelProp IB or OB Prop Type # of blades	Modifications
Roxanne	Tartan 4100 SD TM	322 90 **579** *200*		57 15 ALUMN MS	135 57 15	50.1 18	6.8 11.5 533	No		Yes 58.9 53 27.7	27 1285 0 ☑ 0	41.3 35.9 13.6 5.4	20400 8000 Lead	0 1 FIXED	IB Feath	
Timber Wolf	Farr 38-1 C&B Marine	67519 75 **579** *185*	1980	43.91 13.36 ALUMN FS	155 47.9	44.83 17.91 0 0	6.7 11.6 476	Yes 48 26.4 26.4	14.67 1056	No ☐	0	38.32 30.9 11.97 6.39	12000 4100 Lead	0 1 FIXED	IB FOLD 2	(REDUCED MGM, ADDED 6" TO RUDDER LENGTH -NOTED NCTR-2/15/01)(-3 sec/mi for oversized spinnaker)
Escapade	Express 37	18051 72 **577** *171*	1985	48.75 14.33 ALUMN MS	155 48.75	42 13.75 0 0	5.28 8.83 344	Yes 48 25.58 25.42	14.33 1022	No ☐	0	37.08 30.83 11.57 7.25	11000 4500 Lead	No 1 FIXED	IB FOLD 2	
Expeditious	Express 37	18478 72 **577** *171*	1986	48.75 14.33 ALUMN MS	155 48.75	42 13.75 0 0	5.28 8.83 344	Yes 48 25.5 25.4	14.33 1019	No ☐	0	37.08 30.83 11.57 7.25	11000 4500 Lead	No 1 FIXED	IB FOLD 2	INSTALED NEW CLASS-APPROVED CARBONFIBER RUDDER - MTG 6-12-2000 NCTR.
Golden Moon	Express 37	18488 72 **577** *171*	1985	48.75 14.33 ALUMN MS	155 48.75	42 13.75 0 0	5.37 8.99 347	Yes 48.27 25.79 25.79	14.33 1037	Yes 49.8 46 25	29.5 1034 0 ☐ 90	37 30.83 11.57 7.25	11000 4500 Lead	No 1 FIXED	IB FOLD 2	
Mudshark	Express 37	28052 72 **577** *171*	1986	48.75 14.33 MS	155 48.75	42 13.75 0 0	5.28 8.83 344	Yes 48	14.33	No ☐	0	37.08 30.83 11.57 7.25	11000 4500 Lead	No 1 FIXED	IB FOLD 2	
Phat Jack	Express 37	18257 72 **577** *171*	1985	48.75 14.33 ALUMN MS	150 48.75	42 13.75	5.25 8.83 343	Yes 48 25.7 25.7	14.33 1028	No ☐	0 0	37.08 30.83 11.57 7.25	11000 4500 Lead	0 1 FIXED	IB FEATH 2	

Boat Name	Boat Model (Type)	Rating Sail # DW Rating *Disp/WL Ratio*	Built	*Foretriangle:* I J Max Headsail Mast Material Rig Type	ISP JSP	*Main:* P E PY EY	MGU MGM MSA	*Symmetric Spin.* Yes/No SL SSMG SSF	SPL SSA	*Asymmetric Spin.* Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	*Hull* LOA LWL Max Beam Max Draft	*Displacement/Keel* Ttl Disp. Ballast Ballast Mat.	Traps/H. Strps moveable blst Keel Type	*EnginelProp* IB or OB Prop Type # of blades	*Modifications*
Rufless	Melges 24	445 84 **577** *76*	1999	27.85 7.95 CARBON FS	100 31.85 12	28.9 12.45	3.83 7.09 196	No		Yes 38 32.9 19.23	20.67 577 0 ☑ 0	24 22 8.17 5.25	1783 650 Lead	0 1 CNTRBRD	OB None 0	
Jaybird	J 133 CM	52443 24 **574** *278*	2004	57 17.25 CARBON FS	100 60.4 24	54 18.6	7 12 595	No		Yes	0 ☐ 0	38.08 30.25 11.8 6.8	16900 6850 Iron	0 1 FIXED	IB Fixed_2	
Gratitude	Hylas 46	60373 102 **573** *197*	2002	58.4 17.7 ALUMN CTR	135 58.4 17.7	50.6 18	4.6 9.6 469	No		Yes 54.6 51.6 30.6	25.5 1309 0 ☑ 0	46.3 40 13.9 6.6	27777 12347 Lead	0 1 FIXED	IB Feath 3	
Invictus	Jeanneau Sunfast 3600	12 63 **572** *154*	2015	46.58 13.83 ALUMN FS	105 48 17.67	44.25 15.08	6.49 9.91 411	No		Yes 55.77 46.59 28	27.8 1192 0 ☑ 0	35.42 31.25 11.67 7	10362 4850 Lead	0 1 FIXED	IB Feath	
Dr Feelgood	Olson 29	24 99 **571** *79*	1986	34 11 ALUMN FS	155 36	32.5 11.5	4.36 7.48 223	Yes 36 21.15 21.15	11.75 635	No	0 ☐ 0	29.67 27.5 9.33 5.58	3600 1950 Lead	0 1 FIXED	OB None	
Vera Cruz	Sunsail F40 ODR	1003 42 **571** *185*	2012	52.69 15.09 ALUMN FS	105 56.54 17.06	51.15 17.65	6.53 11.42 534	No		Yes 58.07 49.5 25.9	30.32 1200 1.98 ☑ 0	40.15 35 12.76 8.04	17437 6609 Lead	0 1 FIXED	IB Fold 2	
Jeannette	Custom Frers 40 IOR 1 Tonner	40646 66 **569** *163*	1986	47.2 13.7 ALUMN FS	100 13.7	51.48 18.76	7.13 12.19 575	Yes 46.69 24.66 24.66	13.7 959	No	0 ☐ 0	39.5 33 12.6 8.1	12900 6000 Lead	0 1 FIXED	IB FOLD 2	(mtg 5/31/07 custom rating changed from 63 to 60 based on performance data)(Mtg 8/27/15, change custom rating back to 63 after review of race results)

Boat Name	Boat Model (Type)	Rating Sail # DW Rating *Disp/WL Ratio*	Built	Foretriangle: I J Mast Material Rig Type	Max Headsail	ISP JSP	Main: P E PY EY	MGU MGM MSA	Symmetric Spin. Yes/No SL SSMG SSF	SPL SSA	Asymmetric Spin. Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Hull LOA LWL Max Beam Max Draft	Displacement/Keel Ttl Disp. Ballast Ballast Mat.	Traps/H. Strps moveable blst Keel Type	EnginelProp IB or OB Prop Type # of blades	Modifications
Encore	Sydney 36 CR	3632 57 **565** *196*	2006	45.6 14 ALUMN FS	104		44.36 16.4	6.1 10.6 431	No 49.9 28.6 27.2	15.4 1178	Yes 55.7 48 29.9 ☐	28.9 1283 1.4 90	36.06 31.04 11.32 7.55	12897 4850 Lead	No 1 FIXED	IB FOLD 2	(Australian IRC Rating 1.052)(Mtg 8/23/12, change custom rating from 54 to 57)
Courageous	J 88	77 81 **561** *117*	2015	38.67 11.28 CARBON FS	104	46 18.05	36.82 12	5.44 8.4 282	No		Yes 47.83 40.84 27.32 ☑	29 1022 5.25 0	29.19 26.84 9.5 6.5	4990 1840 Lead	0 1 FIXED	IB Fold	
Juno	J 88	20 81 **561** *117*	2014	38.67 11.28 CARBON FS	105	46 18.05	36.82 12	5.44 8.4 282	No		Yes 47.83 40.84 27.32 ☑	29 1022 5.25 0	29.19 26.84 9.5 6.5	4990 1840 Lead	0 1 FIXED	IB Feath	
White Shadow	J 88	23 81 **561** *117*	2014	38.67 11.28 CARBON FS	104	46 18.05	36.82 12	5.44 8.4 282	No		Yes 47.83 40.84 27.32 ☑	29 1022 5.25 0	29.19 26.84 9.5 6.5	4990 1840 Lead	0 1 FIXED	IB Fold	
Kookaburra	J 120 ALUM	153 48 **556** *147*	2001	50.5 14.5 ALUMN FS	155	52 21.5	46.5 17.8 0 0	6.2 10.7 471	No		Yes 60.8 50.6 26.5 ☑	30.3 1265 7	40 35 12 7	13900 6000 Lead	No 1 FIXED	IB FOLD 2	
Abracadabra	Antrim 27 CM ODR	28927 75 **555** *98*	1996	28.69 8.17 CARBON FS	116	37.25 15	33.75 14 0 0	7.5 10.9 327	No		Yes 44.2 38 20.1 ☐	25.1 723 6.83 13	27.83 23.75 9.25 6	2900 1050 Lead	No 1 FIXED	OB None 0	BOWSPRINT IS ARTICULATING
Alchera	J 120 Mod	28870 51 **554** *147*	2001	50.5 14.5 CARBON FS	125	52 21.55	46.5 17.57 0 0	6 10.57 463	No		Yes 57.96 49.99 30.6 ☑	34 1407 7	40 35 12 7	13900 6000 Lead	No 1 FIXED	IB FOLD 2	Modifications for offshore singlehanding: Smaller spinnaker and main, 2 extra winches at helm, 3 additional gel batteries, dodger boss widened and all control lines led to cockpit, radar pole, veltran MHN jib. (Mtg 2/21/08, +3 sec/mi for small

Boat Name	Boat Model (Type)	Rating: Sail # / DW Rating / Disp/WL Ratio	Rating: Built	Foretriangle: I / J / Mast Material / Rig Type	Foretriangle: Max Headsail	Foretriangle: ISP / JSP	Main: P / E / PY / EY	Main: MGU / MGM / MSA	Symmetric Spin. Yes/No / SL / SSMG / SSF	Symmetric Spin. SPL / SSA	Asymmetric Spin. Yes/No / SLU / SLE / ASMG	Asymmetric Spin. ASF / ASA / Sprit Lngth / Fixed or _o	Hull LOA / LWL / Max Beam / Max Draft	Displacement/Keel Ttl Disp. / Ballast / Ballast Mat.	Displacement/Keel Traps/H. Strps / moveable blst / Keel Type	EnginelProp IB or OB / Prop Type / # of blades	Modifications
Vitesse Too	Hobie 33 ODR	87112 90 **552** *64*	1983	33.8 12.4 ALUMN FS	125	36.8	35 12.4 0 0	4.75 8 259	Yes 36.2 23.4 21.4	13.25 694	No ☐	0	33 30.5 8 5.5	4000 1800 Lead	No 1 FIXED	OB None 0	Extended rudder 10", NCTR
Soiree	Beneteau Oceanis 49 SD	38776 87 **551** *167*		59.75 18.42 ALUMN FS	135	59.75 18.42	51.67 18.33	4.7 9.3 480	No		Yes 55.73 50.72 26.75 ☑	29.41 1210 0 0	49.5 43.67 14.75 5.75	30517 480 Iron	0 1 FIXED	IB Feath	(Mtg 10/27/16, +3 sec/mi for In-mast furling mainsail)
Turbo Camper	Hobie 33 ODR MOD	87574 84 **550** *67*	1984	33.28 12.4 ALUMN FS	155	36.5 13.13	35 12.5 0 0	4.75 8.1 261	No 37 23.6 23.6	13.13 728	Yes 39 34.2 23 ☐	23 702 0.6 90	33 30.5 8 5.42	4200 1900 Lead	1 FIXED	OB None 0	(Mtg 3/29/12, -3 sec/mi for displacement changes)
Sweetspot	C&C 121 DK W/5' BS	46921 60 **549** *143*	2000	57 15 ALUMN MS	135	57 20	51 16.386 0 0	6.19 10.6 496	No		Yes 63.8 55.6 37.5 ☑	36 1851 5	40 35.5 13.8 8	14100 5500 Lead	No 1 FIXED	IB FOLD 2	Deep Keel-bowsprint, (Mtg 4/24/08, rating appeal submitted, change base rating for C&C 121 DK w/ 5' BS, aka C&C 121 XP, to 60)
Void Star	Santa Cruz 40	59995 45 **548** *122*	1982	52 16 ALUMN MS	135	52 18.67	45.5 14	5.2 8.58 370	No 50 28.33 28	16 1178	Yes 56.2 48.32 27.13 ☑	33.62 1238 0 0	40 36 12 7	12500 5000 Lead	0 1 FIXED	IB FEATH 2	(Mtg 10/22/15, -6 sec/mi for 20% increase in JSP)(4/6/16, +3 sec/mi for non-articulating spinnaker)
Acey Deucy	J 44	97659 21 **547** *180*	1989	60.606 17.08 ALUMN MS	155	60.416	53.51 19.41 0 0	7.3 12.5 615	Yes 59.8 30.8 30.8	17.085 1535	Yes 63.8 55.9 27.8 ☑	27 1379 1	44.83 38.58 13.67 8.14	22770 9000 Lead	0 1 FIXED	IB FOLD 2	Electric Winches
Quiver	Custom Nelson Marek 36	28669 45 **542** *139*	1999	43.85 12.5 CARBON FS	105	51.9 14.57	45.75 16.47	6.56 10.66 453	Yes 50.39 26.21 26.21	14.57 1101	Yes 57.4 47.57 28.34 ☑	26.24 1221 1.5	35.6 29.32 10.3 7.6	7725 3255 Lead	No 1 FIXED	IB FOLD 2	(mtg 6/15/10, added lead shoe to keel, -3 sec/mi, change custom rating from 48 to 45)(Mtg 2/29/12, added sprit equal to SPL, NCTR)

Boat Name	Boat Model (Type)	Rating Sail # DW Rating *Disp/WL Ratio*	Built	Foretriangle: I J Max Headsail Mast Material Rig Type	ISP JSP	Main: P E PY EY	MGU MGM MSA	Symmetric Spin. Yes/No SL SSMG SSF	SPL SSA	Asymmetric Spin. Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Hull LOA LWL Max Beam Max Draft	Displacement/Keel Ttl Disp. Ballast Ballast Mat.	Traps/H. Strps moveable blst Keel Type	EnginelProp IB or OB Prop Type # of blades	Modifications
Twist	J 120 ALUM	28442 48 **541** *147*	2000	50.5 14.5 150 ALUMN FS	52 21.5	46.5 17.8 0 0	6.75 11.5 492	No		Yes 64 50.6 37.65	34.1 1764 7 ☑ 0	40 35 12 7	13900 6000 Lead	No 1 FIXED	IB FOLD 2	
Frequent Flyer	Mumm/Farr 30	52 54 **540** *99*	1996	38.2 10.9 104 CARBON FS	44.9 13.58	40.5 14.6	6.42 10.4 377	Yes 44.58 25.25 24.67	13.58 934	Yes 46.92 41.33 23.67	25.25 882 0 ☑ 0	30.9 27.6 10.1 6.9	4561 1997 Lead	0 1 FIXED	IB Fold	
Saetta	J 120 ALUM	28486 48 **540** *147*	1999	50.5 14.5 153 ALUMN FS	52 21.5	46.5 17.8 0 0	6.75 11.5 492	No		Yes 65.61 51.8 36.42	37.6 1793 7 ☑ 0	40 35 12 7	13900 6000 Lead	No 1 FIXED	IB FOLD 2	
Afterburner	Synergy 1000	1001 45 **538** *84*	1999	40.75 12 110 CARBON FS	45.75 16.4	42 15.5	6.99 11.03 417	No		Yes 51 43.7 28	26 1089 4.3 ☑ 0	32.83 29.17 9.75 7	4600 1850 Lead	0 1 FIXED	IB Feath 2	
Hokulani	J 120 ALUM	43 48 **538** *147*	1996	50.42 14.42 155 ALUMN FS	50.42 21.42	46.42 17.67	6.58 11.42 486	No		Yes 62.5 51.5 37.3	37.8 1777 0 ☑ 0	40 35 12 7	13900 6000 Lead	0 1 FIXED	IB Fold	
Nadja Delphine	X-41	0 15 **537** *149*	2009	55.9 16.11 106 CARBON FS	58.63	53.31 18.04	6.82 11.61 570	Yes 58.63 28.61 27.79	17.06 1390	No ☐	0 0	40.52 35.07 11.94 8.2	14109 6019 Lead	0 1 FIXED	IB Fold	
Skinny Love	11 Metre ODR	92 69 **536** *84*	1996	32.53 10.166 95 ALUMN FS	41	36.08 13.583 0 0	5.23 8.82 293	Yes 41 23.62 23.62	13.17 807	No ☐	0	33.67 26.92 8.67 5.42	3600 1600 Lead	No 1 FIXED	OB None 0	MTG 4/9/98. Sail number 90, using sail # 246 for Vallejo 2008

Boat Name	Boat Model (Type)	Rating Sail # DW Rating *Disp/WL Ratio*	Built	*Foretriangle:* I J Max Headsail Mast Material Rig Type	ISP JSP	*Main:* P E PY EY	MGU MGM MSA	*Symmetric Spin.* Yes/No SL SSMG SSF	SPL SSA	*Asymmetric Spin.* Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	*Hull* LOA LWL Max Beam Max Draft	*Displacement/Keel* Ttl Disp. Ballast Ballast Mat.	Traps/H. Strps moveable blst Keel Type	*EnginelProp* IB or OB Prop Type # of blades	*Modifications*
Rustler	Esse 850	71 75 **535** *62*		32.8 10 ALUMN FS	105 37.72 16.2	34.4 11.97	6.23 8.85 277	No		Yes 43.5 36.9 23	24.3 779 6.05 ☑ 0	28 28 7.25 6.6	3000 1540 Lead	0 1 FIXED	IB Fold	Outboard replaced with inboard saildrive (Mtg 2/28/13, custom rating assigned, as sailed: 75)
Swift Ness	J 111	101 36 **534** *121*	2014	48.37 13.85 CARBON FS	105 51.4 20.08	45.17 14.5	6.1 10.1 410	No		Yes 59.05 46.88 31.8	31.8 1404 6.3 ☑ 0	36.5 32.7 10.8 7.2	9300 3500 LeadSteel	0 1 FIXED	IB Fold	
Sapphire	Synergy 1000	38008 48 **532** *81*	2004	40.8 12 CARBON FS	125 45.75 16.4	42 15.5	5.86 10.03 387	No		Yes 52 46.2 28.8	28 1172 4.3 ☐ 0	32.83 29.17 9.75 7	4400 1850 Lead	No 1 FIXED	IB FOLD 2	(Mtg 10/22/15, +3 sec/mi for smaller than class mainsail)
Six Brothers	Columbia C 30-2	32006 57 **529** *104*	2013	36.67 12.67 ALUMN FS	103 42 17.67	38 14.67	7.77 10.64 374	No		Yes 50 42.05 29.43	31.5 1145 0 ☑ 0	32 27 10.13 7.42	4500 1900 Lead	0 1 FIXED	IB None	
Albion	J 124	14 27 **522** *121*	2007	49 14 CARBON FS	145 54.7 19.43	48.4 17	6.4 11 488	No		Yes 60.53 51.51 32.74	32.74 1528 3.83 ☑ 0	40.7 36.2 11.33 7	12600 5000 Lead	0 1 FIXED	IB Fold	(Mtg 2/23/17, -6 sec/mi for asymmetric spinnaker modifications)
Zsa-Zsa	1D 35	35017 36 **520** *95*	1999	42.49 12.52 CARBON FS	110 44.78	44.46 18.58 0 0	7.55 12 498	Yes 50 26.5 26.5	14.76 1104	No	☐ 0	35 31.5 10.75 7.6	6500 2600 lead	No 1 FIXED	IB Feath 2	
Ardea	Custom Nelson/Marek 50	42616 21 **519** *176*	1989	59.92 17.59 ALUMN FS	100 59.92 17.59	65.19 24.08	9.35 15.98 946	Yes 59.2 31.1 30.4	17.59 1527	Yes 62.2 55.8 30.9	31.6 1526 0 ☐ 90	49.8 38.55 14.86 9.32	22145 12627 Lead	0 1 FIXED	IB Fold	(Mtg 8/28/15, custom rating of 21 assigned)

Boat Name	Boat Model (Type)	Rating Sail # DW Rating *Disp/WL Ratio*	Built	Foretriangle: I J Max Headsail Mast Material Rig Type	ISP JSP	Main: P E PY EY	MGU MGM MSA	Symmetric Spin. Yes/No SL SSMG SSF	SPL SSA	Asymmetric Spin. Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Hull LOA LWL Max Beam Max Draft	Displacement/Keel Ttl Disp. Ballast Ballast Mat.	Traps/H. Strps moveable blst Keel Type	EnginelProp IB or OB Prop Type # of blades	Modifications
Dark & Stormy	1D 35	35018 30 **518** *95*	1998	42 12.47 CARBON FS	110 44.8 17.39	44 19	7.5 12 497	No		Yes 51.8 46.62 29.83	☑ 31.4 1236 4.92 0	35 31.5 10.9 7.58	6550 2660 Lead	0 1 FIXED	IB FOLD 2	Fixed bow sprit, using Asymmetrical spinnaker(mtg 3/20/08, -9 sec/mi for oversized spinnaker, +3 sec mi for not being able to articulate pole, as sailed: 30)
Wet Corvette	Melges 30	103 36 **507** *74*	1994	36.85 10.59 CARBON FS	150 36.85 18.96	38 15.49		No		Yes	☐ 8.4 90	30 28.6 9.1 7	3800 1750 Lead	0 1 MVBL	IB FOLD 2	
Wildcard	Santa Cruz 37	37005 27 **507** *94*	2009	47.1 13.4 CARBON FS	107 52.17 19	47 17	6.4 11 474	No		Yes 59.7 50.85 33.3	☑ 33.3 1534 5.6 0	37 34.75 10.64 7.5	8662 3730 Lead	0 1 FIXED	IB FOLD 2	(Mtg 1/26/16, new keel box & rudder noted, NCTR)
Family Hour, TNG	Henderson 30	46595 48 **504** *82*	1997	37 11 CARBON FS	155 42.3 17.8	38.2 14	6.74 10.62 356	Yes 41.5 19.8 19.8	11 685	Yes 49.99 41.99 31.9	☐ 31.9 1223 6.2 15	30.83 27.75 9.84 7	3850 1750 Lead	0 1 FIXED	OB None 0	Kelp Cutter
Twisted	Farr 40 ODR MH	40046 0 **498** *113*	1999	53.15 15.45 CARBON FS	105 50.04 17.06	54.8 19.36	8.49 13.77 674	Yes 60.69 34.39 34.44	17.06 1740	No	☐ 0 0	40.7 35.3 13.2 8.53	10902 4960 Lead	0 1 FIXED	IB FOLD 2	(Mtg 12/1/11, interior mods for IRC, smaller mainsail: NCTR)(Mtg 5/24/12, switching to MH ODR configuration)
Tiburon	C&C 30 Mills	11 36 **495** *77*	2014	40.8 11.28 CARBON FS	105 46.74 18.6	41.8 14.2	7 10 387	No		Yes 52.9 46.16 31	☑ 31.5 1284 7 0	30 28.7 9.8 7.5	3995 1579 Lead	0 1 FIXED	IB Fold	
Bodacious +	1D 48	48005 -15 **490** *138*	1996	57.7 16.7 CARBON FS	155 68.3 16.7	61.3 22.5	9.84 14.66 848	Yes 66.7 33.1 32.6	16.7 1834	Yes 67.7 65.7 30.1	☑ 30.1 1673 0 0	48.3 40.2 14.2 10.1	19743 8818 Lead	0 1 FIXED	IB Fold 2	Water ballast system not operational (mtg 8/19/08, custom rating assigned of -30, includes dual spinnakers)(Mtg 3/24/11, new smaller mainsail, smaller symmetrical, change cutom rating from -30 to -24)(Mtg 8/25/11

Boat Name	Boat Model (Type)	Rating Sail # DW Rating *Disp/WL Ratio*	Built	*Foretriangle:* I J Max Headsail Mast Material Rig Type	ISP JSP	*Main:* P E PY EY	MGU MGM MSA	*Symmetric Spin.* Yes/No SL SSMG SSF	SPL SSA	*Asymmetric Spin.* Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	*Hull* LOA LWL Max Beam Max Draft	*Displacement/Keel* Ttl Disp. Ballast Ballast Mat.	Traps/H. Strps moveable blst Keel Type	*EnginelProp* IB or OB Prop Type # of blades	*Modifications*
Deception	Santa Cruz 50	97263 -6 **482** *82*	1987	61.8 18.3 ALUMN MS	155 61.8 18.3	55 18.4	7.1 12 605	Yes 61.7 34.2 34.2	18.3 1758	Yes 62.83 58.47 24.8	32.9 1335 0 ☑ 0	50 46 12 8	17500 8000 Lead	0 1 FIXED	IB FOLD 2	ELPT Keel & OS/Spinnaker; Has a Code 0 headsail aboard - tacked to stem, no sprit (Mtg 5/26/16, -3 sec/mi for oversized mainsail)(Mtg 6/23/16, change rating back to -6)
Rufless	Melges 32 MOD	174 30 **481** *82*	2007	40.86 10.7 CARBON FS	105 48.3 18.7	44.05 15.49	6.95 11.14 438	No		Yes 54 46.2 28.2	31.3 1203 8 ☑ 0	31.84 28.5 9.83 7	4200 1600 Lead	1 FIXED	OB None	(mtg 2/23/17, no longer using the class spinnaker. +3 sec/mi for small asymmetric)
OAXACA	Santa Cruz 50	8927 -12 **480** *78*	1982	61.48 18.88 ALUMN FS	155 61.22 20.65	54.75 16.98	6.08 10.67 540	Yes 61.2 36.6 36.6	20.65 1867	No 65.5 59.5 36.2	36.5 1889 0 ☐ 0	50.23 46.67 12 7.91	17374 8000 Lead	0 1 FIXED	IB Fold	(Mtg 5/26/16, -6 sec/mi for oversized ASA)
Emily Carr	Santa Cruz 50	49211 -6 **478** *68*	1981	61 19 ALUMN MS	150 61	55 17 0 0	6.4 11 555	Yes 61 34 33	18.92 1718	No ☐	0	53 46.5 12 8	15000 7500 Lead	No 1 FIXED	IB FOLD 2	3' SUGAR SCOOP ON TRANSOM IF STD 50FT LOA OF BOAT
Wicked Sister	Farr 36 ODR	3 9 **473** *87*	2004	46.78 13.19 CARBON FS	110 54.82 21.06	49.93 18.63	8.53 12.96 592	No		Yes 61.38 55.05 36.05	36.28 1751 7.36 ☑ 0	36.1 32.8 11.72 8.5	6745 3076 Lead	0 1 FIXED	IB Fold	
Tyr	J 125	52125 -12 **471** *75*	2000	49 14.8 CARBON FS	155 52 23.4	46.5 18	6.79 11.65 497	No	23.4	Yes 62.17 52.49 38.09	39.3 1831 0 ☑ 0	41 37 10.6 7.9	8350 4646 Lead	0 1 FIXED	IB Fold 2	
California Condor	Class 40	94 0 **469** *92*	2010	53.9 15.65 CARBON FS	104 58.6 23.85	53.21 18.81	11.71 14.38 715	No		Yes 67.72 59.55 37.2	44.88 2054 8.2 ☑ 0	40 39.17 14.7 9.84	12225 4710 Lead	0 1 FIXED	IB Fold 2	Full Crew Configuration

Boat Name	Boat Model (Type)	Rating Sail # DW Rating *Disp/WL Ratio*		Built	Foretriangle: I J Mast Material Rig Type	Max Headsail	ISP JSP	Main: P E PY EY	MGU MGM MSA	Symmetric Spin. Yes/No SL SSMG SSF	SPL SSA	Asymmetric Spin. Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Hull LOA LWL Max Beam Max Draft	Displacement/Keel Ttl Disp. Ballast Ballast Mat.	Traps/H. Strps moveable blst Keel Type	EnginelProp IB or OB Prop Type # of blades	Modifications
Can't Touch This	J 125	93204 **468** *84*	-12	1999	49 15 CARBON MS	155	52.1 23	47 18	6.8 11.6 502	No		Yes 61.3 52.3 41	41 1941 8 ☐ 0	41 37 10.6 7.9	9330 4646 Lead	0 1 FIXED	IB FOLD 2	(Mtg 2/26/09, -3 sec/mi for oversized main girths)(3/9/09, corrected main girths, removed -3 sec/mi penalty)
Secret Squirrel	Schock 40	51507 **464** *84*	-12	2000	42.5 13.6 CARBON FS	104	49.5 20.58	44.4 16.8 0 0	7.2 11.8 470	No		Yes 60 49 31.685	33.92 1459 7 ☑ 0	40 35 10 8	7914 1800 Lead	No 2 MOVABL	OB None 0	(mtg 10/21/09, switched to 104% headsail, from 150%, smaller girths on mainsail. Change custom rating from -18 to -12)
Danger Zone	Taylor 32	4128 **443** *37*	-24	1994	40 10.7 ALUMN MS	100	19.4	37.1 14.3	9.5 11.6 395	No		Yes 43.35 36.3 24.6	26.52 829 0 ☑ 0	32 28.9 14.8 5.6	1962 551 Lead	1 CNTRBRD	OB None	
Invisible Hand	Pac 52	5202 **402** *57*	-102	2016	66 20.5 CARBON FS	101	76 29.5	69.23 22.98	10.96 15.76 1017	No	29.5	Yes 85.5 71.7 45.5	44.7 2970 0 ☐ 90	52 50 14.5 11.8	15700 8360 Lead	0 1 FIXED	IB None	
Adagio	CAL 25-2 OB	 *192*	216	1979	33 11 ALUMN MS	150		28 9.5	3.9 6.5 165	No		No	0 ☐ 0	29.25 22 9 4.5	4500 2000 Lead	0 1 FIXED	OB None	
Aquadisiac	Newport 30-3	38075 *208*	174	1985	40 12.5 ALUMN MS	155	40	34 10.25	3.8 6.6 206	No		No	0 ☐ 0	30.5 26.5 10.67 5.17	8500 2600 Lead	0 1 FIXED	IB Fold 2	
Arby	Colgate 26	212 *148*	159	2004	27.75 8.25 ALUMN FS	105	27.75	29.75 11.2	4.3 7.3 200	No 28 14.85 14.85	8.25 347	No	0 ☐ 0	25.7 20 8.5 4.5	2600 1040 Lead	0 1 FIXED	OB Fixed_3 3	Non Spinnaker configuration

Boat Name	Boat Model (Type)	Rating Sail # DW Rating *Disp/WL Ratio*	Built	Foretriangle: I J Max Headsail Mast Material Rig Type	ISP JSP	Main: P E PY EY	MGU MGM MSA	Symmetric Spin. Yes/No SL SSMG SSF	SPL SSA	Asymmetric Spin. Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Hull LOA LWL Max Beam Max Draft	Displacement/Keel Ttl Disp. Ballast Ballast Mat.	Traps/H. Strps moveable blst Keel Type	EnginelProp IB or OB Prop Type # of blades	Modifications
Blue Passion	tartan 3400	7134 114 *174*	2006	46 13.67 CARBON FS	95	49.67 13.67	43 14.5 341	No		No	☑ 0 0	34.42 30.42 11.92 6.5	10800 3500 Lead	0 1 FIXED	IB Fold	
Califia	Islander 36 ODR	67074 144 *271*	1978	45 14.48 ALUMN MS	135	45	39.25 12.75 265	No		No	☐ 0 0	36.08 28.25 11.17 6.08	13450 5450 Lead	0 1 FIXED	IB Feath 2	
Daseins Den	Dana 24	###### 246 *342*	1987	34 12.25 ALUMN CTR	120		28.25 10.75 160	No		No	☐ 0 0	24.16 21.42 8.58 3.83	7400 3100 Lead	0 1 FIXED	IB Fixed_2	
Ecco	CAL 39-2/3	115 117 *234*	1980	50 16.7 ALUMN MS	125	50	44 13.75 351	No		No	☐ 0 0	39 32.1 12.15 6.7	17000 7000 Lead	0 1 FIXED	IB Feath	
Endless Summer	Catalina 42-1/2 WK	688 111 *273*	2000	53 16.5 ALUMN MS	155		46.75 15.5 405	No		No	☐ 0 0	41.83 36 13.83 4.83	28000 8300 Lead	0 1 FIXED	IB Feath 3	
Firefly	Harbor 20	226 213 *162*	2006	25.75 7 ALUMN FS	90	25.75 7	26 10 151	No		No	☐ 0 0	20 17.17 7 3.5	1800 900 Lead	0 1 FIXED	OB None	
Ga	Knarr ODR	123 198 *250*		33.583 6.583 WOOD FS	125	33.583	31 11.166 0 0 211	No		No	☐ 0	30.333 20.333 7 4.25	4630 2866 Lead	No 1 FIXED	OB None 0	

Boat Name	Boat Model (Type)	Rating Sail # DW Rating *Disp/WL Ratio*	Built	*Foretriangle:* I J Max Headsail Mast Material Rig Type	ISP JSP	*Main:* P E PY EY	MGU MGM MSA	*Symmetric Spin.* Yes/No SL SSMG SSF	SPL SSA	*Asymmetric Spin.* Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	*Hull* LOA LWL Max Beam Max Draft	*Displacement/Keel* Ttl Disp. Ballast Ballast Mat.	Traps/H. Strps moveable blst Keel Type	*EnginelProp* IB or OB Prop Type # of blades	*Modifications*
Grunion	Catalina 425	11 87 *133*	2017	55.75 15.67 ALUMN MS	125 17.34	52 18	5.04 9.58 490	No		No	0 ☑ 0	41.67 39.08 13.67 6.67	17500 7000 Lead	0 1 FIXED	IB Fold	(Mtg 1/26/17, need to submit spinnaker measurements when available)
Hangover	Islander 36 ODR	367 147 *271*	1976	45 14.48 ALUMN MS	135 45	39.25 12.75	5.05 8.44 303	No		No	0 ☐ 0	36.8 28.25 11.17 6.08	13450 5820 Lead	0 1 FIXED	IB Fixed_2	
Harizon	Dufour 310	122 159 *211*	2016	40.35 10.82 ALUMN FS	95	38.25 14.57	5.54 9.47 332	No		No	0 ☐ 0	31.72 28.54 10.88 6.23	10802 2932 Iron	0 1 FIXED	IB Fold	
Imagine	Ericson 32-3	716 159 *258*	1987	42 13.8 ALUMN MS	135	36.4 11.8	4.18 7.28 248	No		No	0 ☐ 0	32.5 25.83 10.83 6	9800 4200 Lead	0 1 FIXED	IB Fixed_2 2	
Isle Of Skye	Tartan 33 7/8 RIG	6 159 *205*	1979	36.42 12.42 ALUMN FS	100 36.42	41.58 14.42 0 0	4.6 8.1 328	No		No	0 ☐	33.67 28.08 10.92 4.42	10000 4400 Lead	No 1 FIXED	IB FEATH 3	
Kabunza	Pearson 36-2	362 132 *266*	1986	47.1 15.4 ALUMN MS	110	41 14.5	3.65 7.3 300	No		No	0 ☐ 0	36.5 29.5 12.3 6.5	15000 5800 Lead	0 1 FIXED	IB Fixed_2 2	
Kapai	Islander 36 ODR	438 147 *271*	1977	45 14.48 ALUMN MS	125 45	39.25 12.75 0 0	5.05 8.44 303	No		No	0 ☐	36.08 28.25 11.17 6	13450 5500 Lead	0 1 FIXED	IB FOLD 2	

Boat Name	Boat Model (Type)	Rating Sail # DW Rating *Disp/WL Ratio*	Built	Foretriangle: I J Mast Material Rig Type	Max Headsail	ISP JSP	Main: P E PY EY	MGU MGM MSA	Symmetric Spin. Yes/No SL SSMG SSF	SPL SSA	Asymmetric Spin. Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Hull LOA LWL Max Beam Max Draft	Displacement/Keel Ttl Disp. Ballast Ballast Mat.	Traps/H. Strps moveable blst Keel Type	EnginelProp IB or OB Prop Type # of blades	Modifications
Kiwa	Ericson 32-2	285 183 *309*	1973	36 18 ALUMN MS	155	36	31.5 13	4.9 8.4 243	No		No	☐ 0 0	32 24 9.67 4.91	9400 4400 Lead	0 1 FIXED	IB Fixed_2 2	
Lioness	Bermuda 40	981 174 *381*	1962	42.5 15.58 ALUMN YAWL	160		36.6 17.2 17.7 8.5		No		No	☐ 0 0	40.75 28.8 11.75 4.25	20000 5600 Lead	0 1 CNTRBRD	IB Fixed_3 3	(Mtg 5/22/08, +6 secmi for 3-blade fixed prop, no penalty for headsail larger than 155%, no credit for sonar transducer, custom rating of 174 assigned)
Mottley	Catalina 34	8 147 *205*	1986	44 13.5 ALUMN MS	130	44 14	38.5 12 0 0	4.7 8.05 281	No		No	☐ 0	34.5 29.833 11.75 5.583	11950 5000 Lead	No 1 FIXED	IB Fold 2	
Nepenthe	Hawkfarm 28	6122 174 *200*	1976	33.3 11 ALUMN FS	115	33	36 10.5	4.3 7.2 234	No		No	☐ 0 0	28 23.5 9.75 5.5	5700 2700 Lead	0 1 FIXED	IB Fixed_2 2	
Post Time	Catalina 42-1/2	362 102 *234*	1993	53 16.42 ALUMN MS	135	53 16.42	46.75 15.5	5 9 401	No		No	☐ 0 0	41.83 36 13.83 6	24000 8300 Lead	0 1 FIXED	IB Feath 3	In-Boom Furling Mast, Electric Halyard Winch
Sacagawea	Catalina 34 1&2	375 156 *205*	1987	44 13.5 ALUMN MS	95	44 13.48	38.5 11.75	4.7 7.54 272	No		No	☐ 0 0	34.5 29.83 11.75 5.6	11950 5000 Lead	0 1 FIXED	IB Fixed_3 3	
Sail La Vie	Beneteau 411	28597 105 *166*	1999	46.67 16.25 ALUMN MS	140		41.5 14.83 0 0	4.872 8.77 344	No		No	☐ 0	41.67 36.09 13 5.58	17196 5500 Steel	No 1 FIXED	IB FEATH 3	

Boat Name	Boat Model (Type)	Rating Sail # DW Rating *Disp/WL Ratio*		Built	Foretriangle: I J Mast Material Rig Type	Max Headsail	ISP JSP	Main: P E PY EY	MGU MGM MSA	Symmetric Spin. Yes/No SL SSMG SSF	SPL SSA	Asymmetric Spin. Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Hull LOA LWL Max Beam Max Draft	Displacement/Keel Ttl Disp. Ballast Ballast Mat.	Traps/H. Strps moveable blst Keel Type	EnginelProp IB or OB Prop Type # of blades	Modifications
Sea Breeze	Catalina 320	850 *234*	156	2001	43.58 12.33 ALUMN MS	135	43.58	38 13.25	5.168 8.661 303	No		No ☐	0 0	32.5 28 11.75 6	11300 4000 Lead	0 1 FIXED	IB Fold 2	
SF	CAL 25-1 OB	1062 *227*	225	1969	29.75 10 ALUMN MS	120	29.75	25 11	4.17 7 163	No		No ☐	0 0	25 20 8 4	4000 1700 Lead	0 1 FIXED	OB None	
Sobrante	Alerion Express 28 ODR	406 *218*	168	2009	30 9.75 ALUMN FS	90	30 9.75	33 12.5	4.8 7.6 241	No		No ☐	0 0	28.25 22.83 8.2 4.5	5700 2200 Lead	0 1 FIXED	IB Fold 2	
Sterling	Catalina 34 1&2	1269 *204*	153	1994	44 13.5 ALUMN MS	125		38.5 12	3.6 6.8 251	No		No ☐	0 0	35.66 29.84 11.75 5.56	11950 5000 Lead	0 1 FIXED	IB Fixed_2	
USA 76	IACC	76 *103*	-78	2002	83.99 27.17 CARBON FS	100		99.18 30.19	14.12 20.33 1892	No		No ☑	0 0	82.6 61.6 11.9 13.45	52910 39683 Lead	No 1 FIXED	IB Fold	(mtg 12/5/13, custom rating of -78 assigned)
Wimm	Jeanneau Sun Odyssey 349	38105 *182*	141	2016	43.6 12.37 ALUMN MS	112		40.68 13.62	4.9 8.2 318	No		No ☐	0 0	33.92 30.84 11.29 6.86	11770 3483 Cast Iron	0 1 FIXED	IB Fold	
Zenith	Islander 36 NCPHRF	472 *271*	147	1978	45 14.48 ALUMN MS	135	45 14.8	39.25 12.75 0 0	5.05 8.44 303	No		No ☐	0	36.08 28.25 11.166 6.083	13450 5820 Lead	No 1 FIXED	IB Fold 2	