

NCPHRF - CURRENT FLEET ROSTER

This Roster represents the information on file for boats with a current NCPHRF certificate. If the boat you are looking for is not listed, their certificate is either not current or not yet updated to the list. You can contact the YRA office to verify a boat not found on this list at info@yra.org or via phone at 415.771.9500. This list is updated monthly.

As of: 8/28/2018

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Keel		Engine/Prop	Modifications
				I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No	Yes/No	ASF ASA	SLU ASA		SL Sprit Lngth	LWL		
		DW Rating		Mast Material			PY	MSA	SSMG	SSA	SLE	Fixed or _o	Max Beam	Ballast Mat.	moveable blst	Prop Type	
		Disp/WL Ratio		Rig Type			EY		SSF		ASMG		Max Draft	Ballast Mat.	Keel Type	# of blades	
007	J 105 ODR w/ 5'BS	112	1995	40.6 13.5	100	42.1 19.07	41.5 14.5	5.5 9.4	No		Yes	25	34.5	7750	No	IB	(mtg 2/18/10, -3 sec/mi for headsail larger than 100%)
		595		ALUMN			0	358			48.8	862	29.5	3400	1	FOLD	
		137		FS			0				38.7	5	11	Lead	FIXED	2	
							0				23.3	<input checked="" type="checkbox"/>	6.5				
1FA	J 70 ODR	534	2014	26.77 7.68	100	30.15 13.5	26.16 9.44	4.71 6.93	No		Yes	18.7	22.75	1750	0	OB	
		611		CARBON							35.43	491	20.47	630	1	None	
		93		FS				164			28.87	5.1	7.38	Lead	MVBL		
											18.24	<input checked="" type="checkbox"/>	4.92				
Abba-Zaba	Tartan 10	8112	1979	35 12	125	35	40.25 13.75	5.34 8.86	Yes		No		33.16	6700	0	IB	(+3 sec/mi credit for 125% or smaller headsail)
		628		ALUMN			0	331		35	12		27	3340	1	FOLD	
		155		FS			0			21.6	630		9.25	Lead	FIXED	2	
							0			21.6		<input type="checkbox"/>	5.83				
Abigail Morgan	Express 27 ODR	18394	1985	28.5 9	150	28.5	28.5 10.416	4.22 7.03	Yes		No		27.25	2450	No	OB	
		608		ALUMN			0	182		28.562	9.833		23.75	1100	1	None	
		83		FS			0			17.75	421		8.166	Lead	FIXED	0	
							0			17.4		<input type="checkbox"/>	4.5				
Abstract	J 105 ODR w/ 5'BS	459		40.6 13.5	100	42 19.07	41.5 14.5	5.5 9.4	No		Yes	26.2	34.5	7750	0	IB	
		595		ALUMN				358			49.5	859	29.5	3400	1	Fold	
		137		FS							39.8	5	11	Lead	FIXED	2	
											22.3	<input checked="" type="checkbox"/>	6.5				
Acey Deucy	J 44	97659	1989	60.606 17.08	155	60.416	53.51 19.41	7.3 12.5	Yes		Yes	27	44.83	22770	0	IB	Electric Winches
		562		ALUMN			0	615		59.8	17.085		38.58	9000	1	FOLD	
		180		MS			0			30.8	1535		13.67	Lead	FIXED	2	
							0			30.8		<input checked="" type="checkbox"/>	8.14				

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications		
				DW Rating Disp/WL Ratio	J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			SLU ASA Sprit Lngth Fixed or _o	Ballast Ballast Mat.	Traps/H. moveable blst Keel Type		IB or OB Prop Type # of blades	
									SL	SPL	SLU	ASA							
									SSMG SSF	SSA	SLE ASMG	ASA							
Ad Lib	Aphrodite 101	8161	1979	36.83 11.81 ALUMN FS	100	32.23	39.33 11.48 0 0	4.5 6.1 253	Yes	No	35.6 11.9 21.3 622	0	<input type="checkbox"/>	32.75 26.33 7.92 5.42	6160 3527 Lead	No 1 FIXED	IB FOLD 2		
Adelante	Yankee Dolphin 24	67	1969	30 9 ALUMN MS	125		21 9.25	3 5.5 109	No	No		0	<input type="checkbox"/>	24.16 19 7.67 5.16	4250 1750 Lead	0 1 CNTRBRD	OB None	(Mtg 5/21/18, +6 sec/mi for small P & E)	
Adrenalin	Custom Santa Cruz 50	7008	1994	62.85 19 ALUMN MS	155	62.8 20.9	55.6 18.2 0 0	6.9 11.82 602	No	Yes	20.9	36.81 1970	<input type="checkbox"/>	90	51.45 47.77 12.25 9.12	21000 8000 Lead	No 1 FIXED	IB FOLD 2	(Mtg 4/23/15, +6 sec/mi for 20% decrease in spinnaker area, change custom rating from -15 to -9)
Advantage 3	J 105 ODR w/ 5'BS	84	1994	40.6 13.5 ALUMN FS	100	42.1 19.07	41.5 14.5 0 0	5.5 9.4 358	No	Yes		25.5 957	<input checked="" type="checkbox"/>	5	34.5 29.5 11 6.5	7750 3400 Lead	No 1 FIXED	IB FOLD 2	
Aerie	CS 36	2160	1980	49 15 ALUMN MS	155	49	42.75 12.75	4.33 7.58 308	Yes	No	48.65 25.5 25.5	15	<input type="checkbox"/>	0	36.5 29.25 11.5 6.25	15500 6500 Lead	0 1 FIXED	IB Fold	
Afterburner	Synergy 1000	1001	1999	40.75 12 CARBON FS	110	45.75 16.4	42 15.5	6.99 11.03 417	No	Yes		26 1089	<input checked="" type="checkbox"/>	0	32.83 29.17 9.75 7	4600 1850 Lead	0 1 FIXED	IB Feath 2	
Agent Smith	Etchells 22 ODR	1242	2002	26.66 8.22 ALUMN FS	90		32.49 11.57	4.5 7.6 226	Yes	No	27 14.4 14.4	8.22 324	<input type="checkbox"/>	0	30.5 22 6.83 4.5	3337 2105 Lead	0 1 FIXED	OB None	

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications								
				DW Rating Disp/WL Ratio	I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU ASA Sprit Lngth Fixed or _o	SL SPL SSMG SSA		SLE ASA Sprit Lngth Fixed or _o	ASF			Ttl Disp. Ballast Mat.	Traps/H. moveable blst Keel Type						
									39 12.85 155	39										42 14.25 9.26	5.51 9.26	39 23.13 752	12.85 752	No	0
Ahi	Santana 35	30980	114	1981	39 12.85 155	39	42 14.25 9.26	5.51 9.26	39 23.13 752	12.85 752		35 26.5 11.92 6.25	8500 3300 Lead	0 1 FIXED	IB Fold 2	(Mtg 6/27/13, new rudder noted, NCTR)									
Akialoa	J 35	28435	75	1989	46.33 14.58 120	46.3	41.42 14	5.43 9.11				35.42 30 11.67 6.75	10500 4400 Lead	No 1 FIXED	IB FOLD 2										
Ala Moana	Beneteau First 30	104	99	2012	41.66 13.78 105	42.16 15.78	40.3 14.25	6.28 9.38				31.7 27.6 10.5 6.25	8267 2403 Cast Iron	0 1 FIXED	IB Fold 2										
Alchemy	Olson 25	18252	159	1984	32 9.583 155	32	28 10	3.8 6.4	32 17.25 17	9.583 459		25 21.25 9 4.5	3300 1300 Lead	No 1 FIXED	OB None 0										
Alchimiste	Archambault 27	38973	78	2013	34.25 10.83 100	39.08 15.98	34.78 12.63	4.75 8.16	38.98 21.56 20.41	12.2 693		27.4 22.7 9.7 5.7	4894 1814 Lead	0 1 FIXED	IB Fold	(Mtg 10/22/15, Custom rating assigned. Includes -9 sec/mi penalty for 22% oversized ASA & +3 sec/mi credit for non-articulating sprit. As sailed: 78)									
Alessandra	Grand Soleil 50		48	1997	64.14 18.93 155	65.5	58.07 18.2	6.9 11.77	65.29 32.97 33	18.93 1794		50.58 40.83 14.08 7.33	29321 11243 Lead	0 1 FIXED	IB Feath	(Mtg 5/21/18, Custom rrating of 48 assigned)									
Allegro	Catalina 34 1&2	1128	147	1991	44 13.5 130	44 13.5	38.5 12	4.8 8				34.5 29.8 11.7 5.5	11950 5000 Lead	0 1 FIXED	IB Fold										

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications		
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU ASA Sprit Lngth Fixed or _o	SL SPL SSMG SSA	SLU ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst				
								Yes	No									Ballast Mat.	Keel Type
ALLEGRO NON TROPPO	Alerion Express 28 ODR	188	168	30 9.75 ALUMN FS	90	30 9.75	33 4.8 12.5 7.6 241	No	No	0	28.25 22.83 8.2 4.5	5700 2200 Lead	0 1 FIXED	IB Fold 2					
Allons-Y	J 70 ODR	346	114	2014 26.77 7.68 100 CARBON FS	30.15 13.5	26.16 4.71 9.44 6.93 164	No	Yes	18.7 35.43 491 28.87 5.1 7.38 18.24 0	22.75 20.47 7.38 4.92	1750 630 Lead	0 1 MVBL	OB None						
Allora	Morris 36	38082	120	2007 38.66 12.75 95 CARBON FS	44.3	41.25 5.1 15.08 9.43 357	No	Yes	21.4 39.2 452 34.3 0 10.1 13.1 0	36.1 25 5.3	8900 3850 Lead	0 1 FIXED	IB Fold						
Aloha	Hobie 33 ODR	13	87	1982 33.8 12.4 155 ALUMN FS	36.5	35 4.79 12.5 7.87 259	No	Yes	23.5 40.49 731 38.4 0 21.92 0 90	33 30.5 8 5.5	4200 1900 Lead	0 1 FIXED	OB None						
Alte Liebe	Albin Ballad 30	1266	183	1978 37.083 11.249 155 ALUMN MS	37.8	31.916 3.33 9.333 5.58 0 171 0	Yes	No	36.83 12.27 22.2 679 21.83	29.916 22.583 9.666 5.09	7276 3417 Lead	No 1 FIXED	IB FOLD 2	The J measurement in all Ballad documents & Sailmaker plans is 12.27 however the actual J= 11.3" (MTG 8/25/94), standard SPL is 12.27 (mtg 3/20/08)					
Alternate Reality	Express 27 ODR	18079	129	1982 28.5 9 155 ALUMN FS	28.5 9	28.5 4.23 10.4 7.04 182	Yes	No	28.3 9.75 17.4 410 17.4	27.25 23.75 8.075 7.5	2450 1100 Lead	0 1 FIXED	OB None 0						
Amaranth	Beneteau 345	38118	132	1984 44.22 12.9 120 ALUMN MS	44.22 12.9	38.7 4.17 12.1 7.5 269	No	Yes	23.83 21.92 343 21.04 0 18 0	34.5 29.17 11.42 6.3	10141 4600 Iron	0 1 FIXED	IB Feath 2						

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications			
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H.	Strps		IB or OB Prop Type # of blades		
								SL	SPL	SLU	ASA								Ballast	moveable blst
								SSMG SSF	SSA	SLE ASMG	Fixed or _o								Ballast Mat.	Keel Type
Anais	Hanse 505	61019	2014	64.16 19.16 ALUMN FS	100	65 20	58.6 6.55 20 11.87	6.55 655	No	Yes	38.52 2151 1.5 0	49 44.4 15.6 7.7	36000 8300 Lead	0 1 FIXED	IB Feath					
Anapos	Santana 22	29	1966	26 8.5 ALUMN MS	120	26	21.75 3.95 9.833 6.59 0 131 0	3.95 6.59	Yes	No	8.583 335 0	22 18.666 7.833 3.5	2600 1230 Iron	No 1 FIXED	OB None 0					
Andale	Express 27 ODR	72	1985	28.5 9 ALUMN FS	155	28.5	28.5 4.22 10.42 7.03 17.7 182 17.7	4.22 7.03 182	Yes	No	9.83 428 0 0	27.25 23.75 8.17 4.5	2450 1100 Lead	0 1 FIXED	None					
Andiamo	Catalina 36-2	2168	2004	44.75 14.33 ALUMN MS	115		39 3.04 13 6.16 248	3.04 6.16	No	Yes	29 833 0 0	36 30.25 11.9 5.8	14200 6000 Lead	0 1 FIXED	IB Fixed_3 3	In-Mast Furling Mainsail, +3 sec/mi				
Andiamo	Hotfoot 20	97546	1985	25 7 ALUMN FS	110	26.08 9	26.82 3.9 10 6.4 0 160 0	3.9 6.4 160	No	Yes	16.2 367 2 0	20 18 8.5 5	1000 400 Lead	0 1 KEEL/C	OB None 0	(Mtg 2/26/18, +3 sec/mi for small headsail, +3 sec/mi for non-articulating pole, -3 sec/mi for increased JSP, -9 sec/mi for increased spinnaker area)				
Angelique	Columbia 57	13	1973	67.2 20.9 ALUMN CTR	127	67.2 24.16	64.46 7.1 23.2 14.33 837	7.1 14.33	No	Yes	38.77 2115 4.5 90	56.6 40.8 13 8.5	50000 22500 Lead	1 FIXED	IB Feath	(Mtg 1/25/18, Custom rating of 72 assigned, includes OSP & 4' sprit)				
Anjo	Beneteau/Sunsail F40 ODR	38117	2012	52.69 15.09 ALUMN FS	105	56.54 17.06	51.15 6.53 17.65 11.42 534	6.53 11.42 534	No	Yes	30.32 1200 1.98 0	40.15 35 12.76 8.04	17437 6609 Lead	0 1 FIXED	IB Fold 2					

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications									
		Sail #	DW Rating		I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No		Yes/No	ASF	LOA	LWL	Ttl Disp.	Traps/H.		Strps	IB or OB							
										PY	MSA										SL	SPL	SLU	ASA	Ballast	moveable blst	Prop Type
Disp/WL Ratio	Mast Material	Rig Type	SSFF	SSA	ASMG	Fixed or _o	Max Draft	Ballast Mat.	Keel Type	# of blades																	
Anne Bonny	Yankee Dolphin 24	97	273	1968	30 9	100	30.8	26.8 11.42	4.5 7.08	No	No	24.17 19 7.6 2.67	4250 1750 Lead	0 1 CNTRBRD	OB None												
Anon	Yamaha 25-2	38400	213	1978	31.85 9.77	95	3.83 9.7	26.75 8.75	2.83 5	No	No	24.75 19.25 8.92 5.42	3748 1433 Iron	0 1 FIXED	IB Fold 2	Roller Furler											
Another Girl	Alerion Express 38-2	20	90 619 217	2011	42.98 12.99	90		47.5 18.25	9.58 13.45	No	No	38.3 30.1 10.3 5.92	13000 5000 Lead	0 1 FIXED	IB Feath 2	(mtg 4/28/11, Custom rating of 90 assigned)											
Antares	Islander 30-2	6237	186 684 263	1971	38.5 12.58	155	38.416	32.5 11.58 0 0	4.75 8.125 235	Yes	No	30 24.58 10 5	8600 3600 Lead	No 1 FIXED	IB FOLD 2												
Apogee	Islander 36 Freeport	36	162	1978	46.75 16.75	150		42 12.75	5 8.4	No	No	35.9 27.6 12 5.3	17000 7030 Lead	0 1 FIXED	IB Fold												
Aquavit	Jeanneau 42i P	7381	63 562 153	2008	52.42 15.92	125	52.42 19.75	50.92 14.67	5.42 9.42	No	Yes	33.42 56.92 49.58 33.42	42.17 38.08 13.67 7.67	18541 5556 Cast Iron	0 1 FIXED	IB Fold											
Arcadia	Custom Nash 28.5	3113	123 596 119	1969	33 10	120	34 11	32.5 13 0 0	4.92 8.41 251	No	Yes	24.606 38.8 34.908 24.606	28.5 25.5 9 6.5	4327 1200 Lead	No 1 FIXED	IB FOLD 2	(Weighed Displacement as of 4/4/2009)(mtg 2/28/13, change custom rating from 135 to 123 after review of race results and structural modifications) 3										

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		Ttl Disp.		Traps/H. Strps moveable blst				
								SL	SPL	SLU	ASA				Ballast Mat.			Keel Type
								SSMG SSF	SSA	SLE ASMG	Sprit Lngth Fixed or _o							
Archaeopteryx	Hotfoot 20	101	177	1986	25 7	105	26.08 7.67	27.08 10.08	4.05 6.6	Yes	No	20 18 8.5 5	1000 400 Lead	0 1 CNTRBRD	OB None			
			628 78		ALUMN FS													
Archimedes	Express 27 ODR	18355	129	1985	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	No	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	NONE None 0			
			608 83		ALUMN FS			0 0	182									
Archimedes	J 105 ODR w/ 5'BS	562	78	2002	40.6 13.5	100	42.1 19.17	41.5 14.5	5.5 9.4	No	Yes	34.5 29.5 11 6.5	7750 3400 Lead	0 1 FIXED	IB Feath 2			
			592 137		ALUMN FS				358									
Ardea	Custom Nelson/Marek 50	42616	18	1989	59.92 17.59	155	59.92 17.59	65.19 24.08	9.35 15.98	Yes	Yes	49.8 38.55 14.86 9.32	22145 12627 Lead	0 1 FIXED	IB Fold	(Mtg 8/28/15, custom rating of 21 assigned)(2/12/18, switched to a 155% hs, -3 sec/mi)		
			534 176		ALUMN FS				946									
Argo	Beneteau 40.7 First Farr	46933	54	1999	51.61 14.47	105	51.61 14.47	48.85 17.72	6.72 11.51	Yes	No	39.33 34.83 12.33 7.75	15211 5950 Lead	0 1 FIXED	IB Feath 2			
			581 164		ALUMN FS				515									
Astra	Farr 40 ODR MH	40079	0	2000	53.2 15.44	105	53.12 17.06	54.8 19.4	7.29 12.47	Yes	Yes	40.75 35.27 13.22 8.53	10917 5079 Lead	No 1 FIXED	IB FOLD 2			
			517 113		CARBON MS			0 0	629									
Athena	Express 27 ODR	18409	129	1981	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	No	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0			
			608 83		ALUMN FS			0 0	182									

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
		Sail #	DW Rating		I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.			Traps/H. Ballast moveable blst Ballast Mat. Keel Type
									SL	SPL	SLU	ASA						
									SSMG SSF	SSA	SLE ASMG	Fixed or _o						
Auggie	Santana 22 ODR	476	237	1969	26	8.5	125	26	21.75	3.95	Yes	No	22	2600	No	OB		
			740						9.833	6.59			18.666	1230	1	None		
			182		ALUMN MS				0	131			7.833	Cast Iron	FIXED	0		
									0				3.5					
Avalon	Catalina 30	6138	180	1992	41	11.5	135	41	35	4.63	Yes	No	29.92	10200	0	IB		
			688						11.5	7.72			25	4200	1	Fold		
			297		ALUMN MS				0	246			10.83	Lead	FIXED	2		
									0				5.25					
Avion	Bianca 414	30345	81	1980	50.14	15.61	150	50.14	51.17	6.64	Yes	Yes	41.27	19953	No	IB	(MTG 4/8/99 1360 LBS SHAVED OFF SIDES OF KEEL, 925 LBS ADDED TO BOTTOM OF KEEL - 3 FOR KEEL MODS)(New Rudder, NCTR, 2/15/01)	
			591						17.3	11.37			32.81	8624	1	Fold		
			257		ALUMN MS				0	531			9.58	Lead	FIXED	2		
									0				8.5					
Azimuth	Pearson 365	7365	201	1979	43	15	120	43	38	3.25	No	Yes	36.42	17700	0	IB		
			659						13	6.5			30	7300	1	Fixed_3		
			298		ALUMN MS					249			11.42	Lead	FIXED			
													4.5					
Azure	CAL 40	72	114	1966	46	15.17	150	46	40	6.65	Yes	No	39.3	15500	0	IB		
			633						17.5	11.37			30.5	6000	1	FEATH		
			248		ALUMN MS				0	417			11	Lead	FIXED	2		
									0				5.5					
Bacon Berger	Antrim 27 CM ODR	6	75	1997	28.69	8.17	110	37.14	33.75	7.5	No	Yes	27.73	2800	0	OB		
			564						14	10.9			23.75	1050	1	None		
			95		CARBON FS					327			9.25	Lead	FIXED			
													6					
Bad Dog	J 111	103	36	2011	48.37	13.85	105	51.4	45.7	6.1	No	Yes	36.5	9300	0	IB		
			546						14.5	10.1			32.7	3500	1	Fold		
			121		CARBON FS					414			10.8	LeadSteel	FIXED			
													7.2					

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications			
		Sail #	DW Rating		I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No		Yes/No	ASF		LOA LWL	Ttl Disp.	Traps/H. Strps		IB or OB Prop Type # of blades		
										SSMG	SPL SSA		SLU SLA	ASA			Max Beam			Ballast	moveable blst
Disp/WL Ratio	Mast Material	PY EY	MSA	SSMG SSF	SSA	SLU ASMG	Sprits	Lnth Fixed or _o	Max Draft	Ballast Mat.	Keel Type										
Bad Hare Day	Wylie Wabbit ODR W/Trap	35	126	1982	20.75 6.5	150	20.5	23.75 10	4.03 6.72	Yes	No	23.75 20	975 440	Yes 3	OB None						
			597		ALUMN			0	145			5.583	Lead	FIXED	0						
			55		FS			0				3.5									
Bald Eagles	J 105 ODR w/ 5'BS	347	78	2000	40.6 13.5	100	42.1 19.07	41.5 14.5	5.5 9.4	No	Yes	34.5 29.5	7750 3400	No 1	IB FOLD						
			592		ALUMN			0	358			11	Lead	FIXED	2						
			137		FS			0				6.5									
Bandicoot	Wyliecat 30 IB	28530	132	2000	0 0		29 10	39.75 20.5	7.87 13.46	No	No	30.5 25	5500 3050	0 1	IB FEATH	(mtg 5/20/10, -21 sec/mi for added spinnakers)(9/5/12, removed spinnaker, back to standard configuration)					
			648		CARBON			0	488			9.5	Lead	FIXED	2						
			160		CATBOAT			0				5.25									
Bandido	Merit 25	28125	168	1983	28.75 9.66	150	28.75	28 9.75	4.25 6.69	Yes	No	24.5 20.5	3000 1050	No 1	OB None						
			698		ALUMN			0	172			8	Lead	FIXED	3						
			158		FS			0				4									
Banditos	Moore 24	118	150	1982	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No	23.75 21.75	2050 1025	0 1	OB None						
			632		ALUMN				147			7.16	Lead	FIXED	0						
			91		FS							4.083									
Basic Instinct	Custom Elliott 10.50	8123	69	1993	41 12.5	125	45.6 13.9	44.2 17.5	8.5 12	Yes	No	34.42 31.83	10220 3000	No 1	IB FOLD	(mtg 3/19/09, changed to smaller headsail, +3 sec/mi, & larger mainsail, -6 sec/mi, change rating from 66 to 63)(Mtg 10/21/09, new smaller headsail, still with large headboard. Change mainsail penalty from 6 sec/mi to 2 sec/mi)					
			576		ALUMN			0	497			12.08	Lead	FIXED	2						
			144		FS			0				7									
Benny	J 88	79169	81	2014	38.67 11.28	100	46 18.05	36.82 12	5.44 8.4	No	Yes	29.19 26.84	4990 1840	0 1	IB Fold						
			575		CARBON				282			8.5	Lead	FIXED							
			117		FS							6.5									

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications								
		Sail #	DW Rating		I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No		Yes/No	ASF	LOA	LWL	Ttl Disp.	Traps/H.	Strps		IB or OB							
										PY	MSA										SL	SPL	SLU	ASA	Ballast	moveable blst	IB or OB
Disp/WL Ratio	Mast Material	Rig Type	SSFF	ASMG	Fixed or _o	Max Draft	Ballast Mat.	Keel Type	# of blades																		
Big Blast	J 111	22	36	2010	48.37	105	51.4	45.17	6.1	No	Yes	31.86	36.5	9300	0		IB										
			546		13.85		20.08	14.5	10.1		59.05	1433	32.7	3500	1		Fold										
					CARBON				410		48.88	6.3	10.8	LeadSteel	FIXED		2										
			121		FS						31.86	<input checked="" type="checkbox"/>	0														
Big Buoys	J 105 ODR w/ 5'BS	28447	78		40.6	100	42.1	41.5	5.5	No	Yes	25	34.5	7750	No		IB										
			595		13.5		19.07	14.5	9.4		48.9	854	29.5	3400	1		FOLD										
					ALUMN			0	358		38.7	5	11	Lead	FIXED		2										
			137		FS			0			23	<input type="checkbox"/>	6.5														
Black Sheep	Beneteau 25	88	117	1997	29.833	105	31.5	30.833	4.5	No	Yes	20.34	24.58	2755	No		OB	(Mtg 8/25/11, -9 sec/mi for adding 4.25' sprit)(Mtg 8/23/12, new rudder noted, -6 sec/mi for 20% increase in spinnaker area)									
			629		8.53		12.75	11.917	7.5		37.47	566	22.17	1124	1		None										
					ALUMN				216		32.91	4.25	8.5	Cast Iron	FIXED		0										
			115		FS			17.75			19.06	<input checked="" type="checkbox"/>	5.17														
Blackhawk	J 105 ODR w/ 5'BS	40	78	1992	40.6	100	42.1	41.5	5.5	No	Yes	25	34.5	7750	No		IB										
			595		13.5		19.07	14.5	9.4		48.88	862	29.5	3400	1		FOLD										
					ALUMN			0	358		38.71	5	11	Lead	FIXED		2										
			137		FS			0			23.26	<input type="checkbox"/>	6.5														
Bloom County	Custom Mancebo 31	18151	90	1984	33	155	37.67	33.5	5.166	Yes	No		30.96	4470	No		OB	(mtg 3/18/10, -9 sec/mi for larger spinnaker flown on OSP, change custom rating from 99 to 90)									
			578		10.13		13	11.33	8.333			13	27.5	1700	1		None										
					ALUMN			0	247		23.4	730	9.83	Lead	FIXED		0										
			98		FS			0			22.7	<input type="checkbox"/>	5.42														
Blue	Swan 53-2	61522	30	2012	71.96	105	73.84	65.88	7.64	No	Yes	38.89	54.07	54482	0		IB	(Mtg 3/23/17, -3 sec/mi for ability to fly a-sail on a squared back pole)									
			543		19.52		19.53	21.98	13.38		75.95	2214	47.24	22400	1		Fold										
					CARBON				826		67.09	0	15.58	Lead	CNTRBRD												
			235		MS						36.72	<input type="checkbox"/>	12.14														
Blue	Riptide 41	1717	-39		59.02	155	63.65	57.52	9.29	No	Yes	38.87	41.14	12044	0		IB	(Mtg 5/21/18, custom rating of -39 assigned)									
			448		17.17		24.77	20.76	13.68		71.23	2179	40.37		4		Fold										
					CARBON				741		61.97	0	13.14	Lead	FIXED												
			83		FS						39.37	<input checked="" type="checkbox"/>	9.56														

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
		Sail #	DW Rating		I J Max Headsail Mast Material Rig Type	P E PY EY		MGU MGM MSA	Yes/No		Yes/No		SLU ASA Sprit Lngth Fixed or _o		Max Beam Max Draft	Ttl Disp. Ballast Mat.			Traps/H. moveable blst Keel Type
									SL	SPL	SLU	ASA							
									SSMG SSF	SSA	SLE ASMG	ASA							
Blue Angel	Moore 24	106	150	1982	26.25 9.75	155	26.25	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0				
Blue Moon	Pearson 303	155	189	1984	40.4 13.35	150		34.8 10.8	4.4 7.25	Yes	No	30.33 25.37 10.92 4.33	10100 3500 Lead	0 1 FIXED	IB Fixed_2 2				
Blue Ribbon	Catalina 27 IB	343	213	1975	34.5 11.25	120		28.7 10.5	3.5 6.3	No	No	26.83 21.75 8.83 4	6850 2650 Lead	0 1 FIXED	IB Fixed_3 3				
Bodacious +	1D 48	48005	-15	1996	57.7 16.7	155	68.3 16.7	61.3 22.5	9.84 14.66	Yes	Yes	48.3 40.2 14.2 10.1	19743 8818 Lead	0 1 FIXED	IB Fold 2	Water ballast system not operational (mtg 8/19/08, custom rating assigned of -30, includes dual spinnakers)(Mtg 3/24/11, new smaller mainsail, smaller symmetrical, change cutom rating from 30 to 24)(Mtg 8/25/11)			
Bombora	Express 27 ODR	38047	129		28.5 9	155	28.5	28.5 10.42	4.22 7.03	Yes	No	27.25 23.8 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0				
Boomer	Melges 20	676	111	2009	23.19 7.05	110	27.2 10.95	24.25 9.84	3.83 7.42	No	Yes	20 19.4 7 4.5	1105 415 Lead	0 1 FIXED	OB None 0				
Borealis	Gulf 39 PH	77135	129		50 16.17	128		42 13.75	4.83 8.58	No	No	38.83 33.67 12 5	17500 Iron	1 FIXED	IB Fold				

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications						
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU ASA Sprit Lngth Fixed or _o	SL SPL SSMG SSA	SLE SA		ASF	Ttl Disp. Ballast Mat.			Traps/H. moveable blst Keel Type					
								DW Rating Disp/WL Ratio	45										39.25 12.75	3.69 6.88	No	No	44.88 2054 8.2 0
C Minus	J 24 ODR	38119		26.25 9.5	150	26.25 9.5	28 9.75	3.7 6.37	Yes	No	26.5 17 16.8	9.5 375	0	0	24 20 8.92 4	3100 950 Lead	0 1 FIXED	OB None 0					
Califia	Islander 36 ODR	67074	1978	45 14.48	135	45	39.25 12.75	3.69 6.88	No	No			0 0	36.08 28.25 11.17 6.08	13450 5450 Lead	0 1 FIXED	IB Feath 2						
California Condor	Class 40	94	2010	53.9 15.65	104	58.6 23.85	53.21 18.81	11.71 14.38	No	Yes			44.88 2054 8.2 0	40 39.17 14.7 9.84	12225 4710 Lead	0 1 FIXED	IB Fold 2	Full Crew Configuration					
Can O' Whoopass	CAL 20	624	1965	22 7.33	115	22 7.33	23 10	4 6.7	Yes	No			0 0	20 18.1 7 3.33	2000 900 Iron	0 1 FIXED	OB None 2	(mtg 4/24/08, -18 sec/mi for adding single trapeze wire) (10/2/08 - removed trapeze, now racing as a standard cal 20 -18 sec/mi penalty removed)(3/5/09 added single trapeze back, -18 sec/mi)(8/26/09, switching back to standard Cal 20)					
Can't Touch This	J 125	93204	1999	49 15	155	52.1 23	47 18	6.8 11.6	No	Yes			41.17 1686 8 0	41 37 10.6 7.9	9330 4646 Lead	0 1 FIXED	IB FOLD 2	(Mtg 8/24/17, -6 sec/mi for oversized LP, -3 sec/mi for oversized genoa luff)					
Capo Gatto	Nonsuch 30	308	1985				45 24	7.9 14.3	No	No			0 0	30.33 28.75 11.1 5	11500 4500 Lead	0 1 FIXED	IB Fold 2						
Carbon Footprint	Rogers 46	7787	2008	57.86 18.21	0	66.05	59.55 21.33	9.55 14.63	No	Yes			41.44 2367 0 0	46.03 43.4 13.07	13761 7716 Lead	0 1 FIXED	IB Fold	(Mtg 4/25/18, Custom Rating assigned of -45)					

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst		
								SL	SPL	SLU	ASA						
								SSMG SSF	SSA	SLE ASMG	Fixed or _o						
Carita	C&C 32	38035	1983	41.1 13.2 ALUMN MS	90	36.3 11.5	3.9 6.8 235	No	Yes	21.8 551 0 0	31.6 24.8 10.3 5.7	9680 3900 Lead	0 1 FIXED	IB Fixed_2 2			
Carmelita	Catalina 42-1/2	131	1990	53 16.42 ALUMN MS	125	46.75 15.5 0 0	4.98 8.85 399	Yes	Yes	27.75 1131 0 0	41.83 36 13.83 6.66	22000 8300 Lead	No 1 FIXED	IB FEATH 3	Electric Winches		
Carnaval	Santana 35	18638	1981	39 12.85 ALUMN MS	155	42 14.25 0 0	5.51 9.26 358	Yes	No	0 1028 0	35 26.5 11.92 6.25	8500 3300 Lead	No 1 FIXED	IB FOLD 2	New Rudder Noted, NCTR (Mtg 4/25/13, -9 sec/mi for 22% OSA, -3 sec/mi for 9% OSP)		
Cascade	Antrim 27 CM ODR	13	1998	28.69 8.17 CARBON FS	116	33.75 14 0 0	7.5 10.9 327	No	Yes	23 708 6.83 13	27.73 23.75 9.25 6	2900 1050 Lead	No 1 FIXED	OB None 0			
Catapult	Santa Cruz 70	87654	1989	73.34 22.19 CARBON MS	155	73.74 25.26	66.11 24.67 963	No	Yes	39.1 2348 0 0	68 59.7 15.1 10	23847 9000 Lead	0 1 FIXED	IB Fold	(Mtg 5/25/17, Custom rating assigned. As Sailed: -84)		
CaZan	DK 46	61046	2001	61.94 17.85 ALUMN MS	126	70.54 19.85	63.55 21.95 826	Yes	No	33.56 1823 0 0	46.26 40.52 13.45 9.84	22439 9480 Lead	0 1 FIXED	IB Fold	(Mtg 5/25/17, custom rating assigned. As Sailed: -21)		
Centomiglia	Flying Tiger 10 Meter	15	2006	39.284 12.126 CARBON FS	105	45.282 19.134	40.167 14.895 344	No	Yes	27.493 1087 7.008 0	32.68 30.31 9.12 7.61	4376 1918 Lead	No 1 FIXED	OB None 3	(3/7/11, new class rudder installed, NCTR)(Mtg 8/24/17, +3 sec/mi for small girth mainsail)		

Boat Name	Boat Model (Type)	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications						
		Sail #	Built	I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No		Yes/No	ASF		LOA LWL	Ttl Disp.	Traps/H. Strps		IB or OB Prop Type # of blades						
									DW Rating	Mast Material		PY	MSA			SL	SPL			SLU	ASA	Max Beam	Ballast	moveable blst
ASF Fixed or _o	ASF Fixed or _o																							
		Circlesea	Folkboat	125	252		21.99 6.56	100	10.17	28.71 11.15	4.42 7.33	No	No		25.08 19.82 7.26 3.92	4640 2315 Iron	0 1 FIXED	OB None 0						
City Lights	Custom Santa Cruz 52 SD	28552	-6 504 111	1996	64.55 18.9	155	18.9	57.5 21 0 0	7.98 13.65 719	Yes	No		53 46.5 14 7	24577 Lead	No 1 FIXED	IB FOLD 2	Base=-15, Shoal Draft = +9, Stock Aluminum Mast, Full Cruising Layout - Standard Size Spinnaker (Norm note 4/28/03)							
Clean Sweep	Olson 25	28609	159 675 156	1984	32 9.583	155	32	28 10 0 0	3.8 6.4 166	Yes	No		25 21.25 9 4.5	3300 1300 Lead	No 1 FIXED	OB None 0								
Color Blind	Moore 24	49	150 631 91	1979	26.25 9.75	150	26.25	25 9.5 0 0	3.91 6.5 147	Yes	No		23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0								
Comfortably Numb	Capri 26	86	213	1990	32.91 8.75	110		27.66 10.91	4.3 7.25	No	No		26.17 22.92 9.83 4.83	5250 1900 Lead	0 1 FIXED	IB Fixed_2								
Companera	Farr 44	0	45 569 216	1988	56 16.01	115	56.5 19.15	49.5 17.69	6.63 11.35	No	Yes		44.08 36.25 13.08 8.25	22668 7550 Lead	0 1 FIXED	IB FEATH 3	(mtg 9/24/09 Custom rating assigned of 54, -9 sec/mi for Oversized Spinnaker/QSP, as sailed: 45)							
Constellation	Custom Wylie Constellation 33	8042	150 664 238	1979	37.5 12.75	160	37.5 12.75	32.5 11.5 0 0	4.5 7.5 225	Yes	No		33.21 25.21 9.21 6	8374 3725 Lead	No 1 FIXED	IB FOLD 2	MEDIUM DISPLACEMENT CRUISING BOAT: SAIL AREA/DISP RATIO = 16.5 NO CREDIT IF JIB IS REDUCED TO 155%.							

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
		Sail #	DW Rating		I J Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp.	Traps/H. Strps		IB or OB Prop Type # of blades		
									SL	SPL	SLU	ASA			Ballast	moveable blst			
																		SSMG	
ASF	Fixed or _o	Ballast Mat.	Keel Type																
Coquelicot	Ranger 33	148	153	1975	41.5 13.87	120	43.75 13.87	35 13.75	4.6 8.1	Yes	No	33 26.3 9.6 5	10500 4500 Lead	No 1 FIXED	IB FOLD 2	Double Spreader rig, water supply 41 gallons, below v berth, 26 gallon bladder tank starboard, rudder 9 inches deeper, group 31 batteries, 15 hsp one cyl disel replaced by 29 hsp Perkins 3 cylendar engine. (NCTB) (MTC 2 21 02)			
Courageous	J 88	77	81	2015	38.67 11.28	104	46 18.05	36.82 12	5.44 8.4	No	Yes	29 29.19 26.84 9.5 6.5	4990 1840 Lead	0 1 FIXED	IB Fold				
Covfefe	Wylie Wabbit ODR W/Trap	60	126	1985	20.5 6.5	150	20.5	23.75 10	4.03 6.72	Yes	No	23.75 20 5.58 3.5	975 440 Lead	1 3 FIXED	OB None				
Coyote	Cal 20	4161	273	1962	22 7.53	105	22	23 9.5	3.5 6	Yes	No	15.5 20 18 7 3.33	2130 900 Iron	0 1 FIXED	OB None	(mtg 5/20/10, -9 sec/mi for sprit)(1/24/12, dropped asymmetrical, using symmetrical only. +9 sec/mi)			
Crazy Rhythm	Santa Cruz 27	18771	144	1978	32.58 10.75	125	32.58	28.166 8.583	3.68 6.06	Yes	No	27 24 8 4.5	3200 1600 Lead	No 1 FIXED	OB None 0	(Outboard Removed)			
Crews Nest	Catalina 34 1&2	1383	147	1997	44 13.5	130	44 13.5	38.5 12	3.6 6.8	Yes	No	35.67 29.83 11.75 5.58	11950 5000 Lead	No 1 FIXED	IB FEATH 3				
Crinan II	Wyliecat 30 IB	15	132	2002				39.75 20.5	7.79 13.32	No	No	30.5 25 9.5 5.25	5500 3050 Lead	No 1 FIXED	IB FOLD 2				

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU ASA SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.		Traps/H. Strps moveable blst				
								SL	SPL						Ballast			Keel Type
								SSMG SSF	SSA						Ballast Mat.			Keel Type
CruzSea Baby	Beneteau First 10R ODR	52878	2007	43.2 12.07 CARBON FS	155	46.41 16.5	42.25 5.59 14.73 9.57 371	No	Yes	27.5 1055 4.43 0	32.75 28.7 11 6.55	9715 3528 Lead	0 1 FIXED	IB Fold 2	(Rudder Modifications noted, smaller non-class spinnaker +3 sec/mi)			
Cuckoo	Bird ODR	16	1927	20.25 9.5 WOOD MS	155	20.25	32 7 20.5 12.5 0 373 0	No	No	0	30.083 24.25 7.666 5.25	8900 5000 Lead	No 1 FIXED	OB None 0				
Current Affair	Express 27 ODR	56	1983	28.5 9 ALUMN FS	155	28.5	28.5 4.22 10.42 7.03 182	Yes	No	9.83 429	27.25 23.75 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None				
Dare Dare	Jeanneau Sun Fast 3200	39	2008	41.92 12.58 ALUMN FS	102	43.77 13.61	38.67 5.28 13.68 8.46 311	Yes	Yes	24.41 887 1 90	33.1 28 11.5 6.2	7916 2866 Lead	0 1 FIXED	IB Fold 2				
Daredevil	Melges 24	659		27.85 7.98 CARBON FS	100	31.85 12	28.75 3.83 12.42 7.09 195	No	Yes	20.67 577 4.6 0	24 22 8.17 5.25	1750 650 Lead	0 1 CNTRBRD	OB None				
Dark Horse	Olson 30 OB	101	1981	36 11.75 ALUMN MS	155	35.9 11.67	31.5 4.36 10.75 7.26 208	Yes	Yes	19.97 513 0 0	30 27.5 9.33 5.08	3600 1800 Lead	0 1 FIXED	OB None	(Mtg 4/25/18, New Rudder, NCTR)			
Daseins Den	Dana 24	324558	1987	34 12.25 ALUMN CTR	120		28.25 3 10.75 5.85 160	No	No	0 0	24.16 21.42 8.58 3.83	7400 3100 Lead	0 1 FIXED	IB Fixed_2				

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications									
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No	ASF		SLU ASA SLE ASMG	SPL SSA SSA SSA			Ballast	Traps/H. moveable blst							
									Mast Material	SL										SPL	SLU	ASA	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type
Disp/WL Ratio	SSG	SSA	SLE	Spr	Max	Mat.	Type																			
Dawn's Early Light	J 36	77549	87	1982	44.219 14	125	44.21 14	47 15	5.8 9.5	Yes	No	35.95 30.5 11.76 6.6	10570 4600 Lead	0 1 FIXED	IB Fold											
Deception	Santa Cruz 50	97263	-6	1987	61.8 18.3	155	61.8 18.3	55 18.4	7.1 12	Yes	Yes	50 46 12 8	17500 8000 Lead	0 1 FIXED	IB FOLD 2	ELPT Keel & OS/Spinnaker; Has a Code 0 headsail aboard - tacked to stem, no sprit (Mtg 5/26/16, -3 sec/mi for oversized mainsail)(Mtg 6/23/16, change rating back to -6)										
Defiance	Schock Grand Prix 41	87591	66	1984	54.5 16.1	155		48 15		Yes	No	40.75 32.1 12.9 7.5	15800 7500 Lead	No 1 FIXED	IB FOLD 2											
Dianne	Express 27 ODR	0	129	1981	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	No	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0											
Dire Straits	J 24 ODR	8485	168	1980	26.25 9.5	150	26.25	28 9.75	3.9 6.5	Yes	No	24 20 8.9 4	3100 950 Lead	No 1 FIXED	OB None 0											
Divine Wind	Olson 40	69069	45	1983	50 15.75	150	51.21 15.8	44 14.25	5.5 9.29	Yes	No	40.33 36 11.25 6.5	10500 5500 Lead	0 1 FIXED	IB Feath 2											
Dolphin	Pacific Seacraft 37	87907	177	1984	44 15.75	135	44.2 16	38.17 14.25	4.75 8.58	No	Yes	36.92 27.75 10.83 5.5	16500 6200 Lead	0 1 FIXED	IB Fixed_2											

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications							
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU ASA Sprit Lngth Fixed or _o	SL SPL SSMG SSA	Yes/No		ASF	Ttl Disp.			Traps/H. Strps						
								DW Rating	Disp/WL Ratio										SSMG	SSA	SLU	ASA	Ballast	moveable blst
Domino	Wilderness 30 MOD	38081	1985	36 12.25 ALUMN MS	36 12.25	31.5 4.11 10.83 6.93	4.11 6.93	Yes	No	30 27.75 8.8 5.5	30 27.75 8.8 5.5	5450 2150 Lead	0 1 FIXED	IB Fold	(Mtg 3/28/13, +6 sec/mi for small rig)									
Don't Panic	C&C 30 Mills	30026	2016	40.8 11.28 CARBON FS	46.74 18.6	41.7 7 14.2 10	7 10 386	No	Yes	30 28.7 9.8 7.5	30 28.7 9.8 7.5	3995 1579 Lead	0 1 FIXED	IB Fold										
Double Down	Custom Schumacher 30	18480	1988	41.37 12.16 ALUMN MS	41.5	35.5 4.5 12 7.69	4.5 7.69	Yes	No	29.92 26 10.65 6.17	29.92 26 10.65 6.17	7854 3650 Lead	No 1 FIXED	IB FOLD 2	Rudder change, old rudder 85lbs new 65 lbs. Old alum/new carbon MTG 10/27/94 Noted- NCTR (MTG 1/9/97 Alum headsail removed and excess wires removed from mast- Noted NCTR)(Mtg 2/21/08, change custom rating from 126 to 122 after									
Double Espresso	Olson 30 OB	18069	1982	36 11.75 ALUMN MS	35.9 11.75	31.5 4.36 10.75 7.26	4.36 7.26 208	Yes	No	30 27.5 9.33 5.08	30 27.5 9.33 5.08	3600 1800 Lead	0 1 FIXED	NONE None										
Downtown Upoar	J 24 ODR	2394	1981	26.25 9.5 ALUMN FS	26.25	28 3.7 9.75 6.37	3.7 6.37 163	Yes	No	24 20 9.2 4.1	24 20 9.2 4.1	3125 965 Lead	0 1 FIXED	OB None 0										
Dr Feelgood	Olson 29	24	1986	34 11 ALUMN FS	36	32.5 4.36 11.5 7.48	4.36 7.48 223	Yes	No	29.67 27.5 9.33 5.58	29.67 27.5 9.33 5.58	3600 1950 Lead	0 1 FIXED	OB None										
Dragonsong	Olson 30 OB	87014	1982	36 11.75 ALUMN MS	35.9 11.67	31.5 4.364 10.75 7.268	4.364 7.268 208	Yes	No	30 27.5 9.33 5.08	30 27.5 9.33 5.08	3600 1800 Lead	No 1 FIXED	OB None 0										

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:		ISP		Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
		Sail #	DW Rating		I J	Max Headsail	Mast Material	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp.	Traps/H. Strps		IB or OB Prop Type # of blades		
										SSMG SSF	SPL SSA	SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o			Ballast	moveable blst			
																				Ballast Mat.
Disp/WL Ratio	Rig Type	SSMG SSF	SPL SSA	SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ballast Mat.	Keel Type													
Elan	Beneteau 37	46	117	2012	45.83 15	105	48	43.5 12.83	6.16 8.83	No	Yes	26.6 915	37.8 34.08 12.83 6.25	14359 3901 Iron	0 1 FIXED	IB Fold				
Elan	Express 37	87700	72	1985	48.75 14.33	155	48.75	42 13.75 0 0	5.28 8.83 344	Yes	No	48 14.33 25.79 1032	37.083 30.833 11.57 7.25	11000 4500 Lead	No 1 FIXED	IB FOLD 2				
Eliana	Morgan 38-2	77486	156	1981	46 16.25	130	46 16.25	40.5 14.5	4.69 8.34	Yes	No	46.35 16.25 29.25 1124 28.5	38.33 30.5 12 6	17000 6800 Lead	0 1 FIXED	IB Fixed_3 3	(Mtg 1/26/17, -3 sec/mi for oversized symmetric spinnaker area)(Mtg 3/26/18, smaller spinnaker added, spinnaker area penalty removed)			
Elise	Express 27 ODR	101	129	1986	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	No	28.6 9.8 17.75 423 17.75	27.25 23.75 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0				
Elizabeth Ann	Westsail 32	0	216	1973	42.5 18	155	42.5	37.5 14.4	3.5 8	Yes	Yes	28.8 876 36 1047 26.5	32 27.5 11 5	21000 7000 LeadIron	0 1 FIXED	IB Feath	Interior Modifications, NCTR			
Ellabel	Jeanneau Sun Odyssey 409	38116	87	2016	50.83 14.75	106		49.17 16	6.1 10.4	No	No	0 0	40.5 36.08 13.08 6.92	17328 4982 Steel	0 1 FIXED	IB Fold 3				
Encore	Catalina 34 1&2	38102	150	2003	44 13.5	90		38.5 12	4.7 8.05	No	No	0 0	34.5 29.83 11.75 5.58	11950 5000 Lead	0 1 FIXED	IB Feath 3				

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
				DW Rating Disp/WL Ratio	J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp. Traps/H. Strps		IB or OB Prop Type # of blades		
									SL	SPL	SLU	ASA		Ballast	moveable blst			
									SSMG	SSA	SLE	Sprit Lngth Fixed or _o						Ballast Mat.
Encore	Sydney 36 CR	3632	2006	45.6 14 104	42.1 19.07	44.36 6.1 16.4 10.6	6.1 10.6 431	No	Yes	28.9 1283 1.4 90	36.06 31.04 11.32 7.55	12897 4850 Lead	No 1 FIXED	IB FOLD 2	(Australian IRC Rating 1.052)(Mtg 8/23/12, change custom rating from 54 to 57)			
Energy	J 105 ODR w/ 5'BS	46060	1996	40.6 13.5 100	42.1 19.07	41.5 5.5 14.5 9.4	5.5 9.4 358	No	Yes	26 926 5	34.5 29.5 11 6.5	7750 3400 Lead	No 1 FIXED	IB FOLD 2				
Envolee	Figaro II	0	2012	42.75 12.42 104	42.75	42.67 6.5 15.42 10.63	6.5 10.63 410	Yes	No	0 865	32.18 32 11.33 6.5	6724 2425 LeadWater	0 1 FIXED	IB Fold	(mtg 4/27/17, water ballast disabled, +6 sec/mi)(5/23/18, Water Ballast Enabled, -6 sec/mi)			
Ergo	Express 27 ODR	40428		28.5 9 155	28.5	28.5 4.22 10.416 7.03	4.22 7.03 182	Yes	No	0 9.833 428	27.25 23.75 8.075 4.5	2450 1100 Lead	0 1 FIXED	OB None 0				
Ergo	Ericson 35-2 SM	97050	1970	40 14 125	40 14	32.67 4.45 13 7.45	4.45 7.45 237	Yes	Yes	19.6 673 0	34.67 25.83 10.04 4.49	11600 5000 Lead	No 1 FIXED	IB FOLD 2	(new rudder noted mgt 6-8-04; NCTR).			
Escapade	Express 37	18051	1985	48.75 14.33 155	48.75	42 5.28 13.75 8.83	5.28 8.83 344	Yes	No	14.33 1022	37.08 30.83 11.57 7.25	11000 4500 Lead	No 1 FIXED	IB FOLD 2				
Escapade	Sabre 40-2	38011	1997	54 15.5 110	54 16	47.5 5.6 17 9.9	5.6 9.9 449	Yes	Yes	23.5 1001 0	40.2 34 13.3 7.5	19760 7500 Lead	0 1 FIXED	IB FEATH 3				

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
				J Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp. Traps/H. Strps		IB or OB Prop Type # of blades			
								SL SPL SSMG SSF	SPL SSA	SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ballast	moveable blst Keel Type				
																Ballast Mat.	Keel Type	
Disp/WL Ratio	Mast Material Rig Type	MSA	SSMG	SSA	SLE	Fixed or _o	Ballast Mat.	Keel Type										
Espresso	Hobie 33 ODR	77981	1982	33.28 12.4 ALUMN FS	125	36.28	35 12.5 0 0	4.75 8 260	Yes 36 23.4 21.4	12.4 690	No <input type="checkbox"/>	33 30.5 8 5.416	4000 1800 Lead	No 1 FIXED	OB None 0	Standard rig, with longer elliptical rudder. Boat is an ODR boat with a short spinnaker pole, but Spinnaker is standard ODR size.		
E-Ticket	Moorings 38 SD	119	1990	47.5 13.9 ALUMN MS	155	47.5 13.9	41.7 15	5.69 9.45 369	Yes 47.6 25.4 23.8	13.9 995	No <input type="checkbox"/>	38.4 31.33 12.5 4.8	13700 5400 Steel	0 1 FIXED	IB Fold 2	Shoal Draft (Mtg 10/27/16, -3 sec/mi for oversized spinnaker area)		
Evenstar	Ranger 23	6404	1974	27.54 9.75 ALUMN MS	155	27.5 9.7	24 9.2	3.3 5.4 126	Yes 27.7 17.46 17.46	9.7 403	No <input checked="" type="checkbox"/>	23.67 20 7.92 3.9	3400 1500 Lead	0 1 FIXED	OB None			
Everlong	Beneteau 40.7 First Farr	51705	2002	51.61 14.47 ALUMN MS	104	51.61 14.47	48.85 17.72 0 0	6.73 11.51 515	Yes 50.92 26 26	14.47 1103	Yes <input type="checkbox"/>	39.33 34.83 12.33 7.75	15211 5950 Lead	0 1 FIXED	IB FOLD 2			
Evil Octopus	J 24 ODR	2176	1981	26.25 9.5 ALUMN FS	150	26.25	28 9.75 0 0	3.7 6.37 163	Yes 26.5 17 16.8	9.5 375	No <input type="checkbox"/>	24 20 8.92 4	3125 965 Lead	0 1 FIXED	OB None 0			
Expeditious	Express 37	18478	1986	48.75 14.33 ALUMN MS	155	48.75	42 13.75 0 0	5.28 8.83 344	Yes 48 25.5 25.4	14.33 1019	No <input type="checkbox"/>	37.08 30.83 11.57 7.25	11000 4500 Lead	No 1 FIXED	IB FOLD 2	INSTALED NEW CLASS-APPROVED CARBONFIBER RUDDER - MTG 6-12-2000 NCTR.		
Fandango	CAL 27-2 IB	43	1975	36 12 ALUMN MS	150	36	30.8 10.25 0 0	4.21 7 195	Yes 36.04 21.5 21.5	12 646	No <input type="checkbox"/>	26.58 22.08 9.25 4.25	6700 3100 Lead	No 1 FIXED	IB FOLD 2			

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications		
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		SLU ASA SLE Sprit Lngth Fixed or _o		ASF	Ttl Disp.			Traps/H. Strps Ballast moveable blst Ballast Mat.	Keel Type
								SL	SPL	SLU	ASA								
								SSMG SSF	SSA	ASMG	Fixed or _o								
Farriage	Catalina 42-1/2	336	1992	53 16.42 130 53 16.42	53	46.75 5.75 16.42 9.83	5.75	9.83	No	Yes	27.08 53 1042 47.37 0 24.37	0	41.83 36 13.83 6.83	20600 8300 Lead	0 1 FIXED	IB Feath 3			
Fast Lane	Olson 25	46657	1985	32 9.6 155 32	32	28 3.8 10 6.4	3.8	6.4	Yes	No	9.6 17.25 459 17	0	25 21.25 9 4.5	3300 1300 Lead	0 1 FIXED	OB None			
Fatuity	Moore 24	48	1980	26.25 9.75 150 26.25	26.25	25 3.91 9.5 6.5	3.91	6.5	Yes	No	9.75 17.55 395 17.55	0	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0			
Fired Up!	Express 27 ODR	14	1982	28.5 9 155 28.5	28.5	28.5 4.22 10.416 7.03	4.22	7.03	Yes	No	9.833 17.55 424 17.55	0	27.25 23.75 8.166 4.5	2450 1100 Lead	No 1 FIXED	OB None 0			
Firefly	Moore 24	64	1980	26.25 9.75 150 26.25	26.25	25 3.91 9.5 6.5	3.91	6.5	Yes	No	9.75 17.55 395 17.55	0	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0			
Firefly	Hunter 36	357	2007	44.83 13.17 110 44.83 13.5	44.83 13.5	43.92 4.08 15.92 8.17	4.08	8.17	No	Yes	23.67 44.5 833 39.92 0 23.67	0	35.5 30.58 12 6.12	13900 5023 Lead	0 1 FIXED	IB Fold	In Mast furling mainsail. +3 sec/mi		
First Light	Beneteau 35S5	115	1991	41.66 11.15 98	98	42.65 5.25 15.09 9.042	5.25	9.042	Yes	No	11.15 20.5 729 20.5	0	35.42 29.33 11.83 6	11460 4190 Lead	No 1 FIXED	IB Fixed_2 2			

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
				DW Rating Disp/WL Ratio	J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp. Ballast	Traps/H. moveable blst Keel Type	IB or OB Prop Type # of blades		
									SL	SPL	SLU	ASA						
									SSMG SSF	SSA	SLE ASMG	Sprit Lngth Fixed or _o						
Flight	J 24 ODR	1036	1979	26.25 9.5 ALUMN FS	150	26.25	28 9.75 0 0	3.7 6.37 163	Yes	No	24 20 8.92 4	3100 965 Lead	No 1 FIXED	OB None 0				
Flotek	J 70 ODR	60	2014	26.77 7.68 CARBON FS	100	30.15 13.5	26.16 9.44	4.71 6.93 164	No	Yes	22.75 20.47 7.38 4.92	1750 630 Lead	0 1 MVBL	OB None				
Flying Baby	J 100 ODR	138	2007	38.48 11.48 CARBON FS	100	42.98 11.48	38 13.48	5.11 8.76 305	No	Yes	32.8 29 9.3 5.8	6500 2500 Lead	0 1 FIXED	IB FOLD 2				
Flying Tiger	Moore 24	155	1988	26.25 9.75 FS	150	26.2	25 9.5 0 0	3.91 6.5 147	Yes	No	23.75 21.75 7.16 4.08	2050 1025 Lead	No 1 FIXED	OB None 0				
Foamy	Moore 24	129	1984	26.25 9.75 ALUMN FS	155	26.25	25 9.5 0 0	3.91 6.5 147	Yes	No	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB FEATH 2				
For Pete's Sake	Ultimate 24 ODR	28469	2003	28.04 7.82 CARBON FS	102	30.8 14.5	31 11.5 0 0	5.5 8.8 238	No	Yes	24.38 21.17 8.48 5.52	2040 750 lead	No 1 FIXED	OB None				
Foxxfyre	Yamaha 33 IK SM	67248	1978	42.81 13.78 ALUMN MS	150	42.81	37.4 10.6 0 0	4.38 7.27 246	Yes	No	33.25 26.92 11 6.25	16000 4410 Iron	No 1 FIXED	IB FEATH 2	PER PHRF MTG 3/16/2000 - Weight Differencer from brochure is significant.			

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		Ttl Disp.		Traps/H. Strps moveable blst				
								SL	SPL	SLU	ASA				Ballast Mat.			Keel Type
								SSMG SSF	SSA	SLE ASMG	Sprit Lngth Fixed or _o							
Free	Swan 461	46117		64.96 16.76	105	66.6 20.07	59.05 19.35	7.25 12.5	No	Yes	33.04 2056	46.09 40.29 14.01 7.55	39000 12400 Lead	1 FIXED	IB Fold	(Mtg 4/25/18, Custom Rating of 45 assigned)		
				CARBON MS				677			<input checked="" type="checkbox"/>							
Freedom	Worth 40	18230	1984	54 16	155	16	47 14	5.5 9.2	Yes	No		40 34.25 12.5 7.25	21000 7800 Lead	0 1 FIXED	IB FOLD 2			
				ALUMN MS			0 0	397			<input type="checkbox"/>							
Freedom	Beneteau 523	38333	2006	65.22 20.77	105		59.09 18.53	6.39 11.04	No	Yes	35.519 1854	53.08 47.92 16 7.5	32800 10935 Iron	No 1 FIXED	IB FOLD 3	Bow Thruster, in-mast furling, above deck jib furler; (Mtg 8/17/06 - +6 s/m for small girth main); electric winches added 1/29/07 (Mtg 3/28/13, +3 secmi for 8% decrease in mainsail area)		
				ALUMN FS				620			<input type="checkbox"/>							
Frequent Flyer	Mumm/Farr 30	52	1996	38.2 10.9	104	44.9 13.58	40.5 14.6	6.42 10.4	Yes	Yes	25.25 882	30.9 27.6 10.1 6.9	4561 1997 Lead	0 1 FIXED	IB Fold			
				CARBON FS				377			<input checked="" type="checkbox"/>							
Friction Loss	J 30	67425	1979	34 11.5	155	34.1 11.5	38 13	4.94 8.45	Yes	No	21.06 666	29.83 25 11.17 5.25	6500 2100 Lead	0 1 FIXED	IB FOLD 2			
				ALUMN FS			0 0	295			<input type="checkbox"/>							
Friday Harbor	Beneteau 323 DK	28580	2004	42.67 11.06	116		38.9 13.17	5 8.56	No	Yes	19.91 661	32 29.17 10.67 5.92	8448 2258 Iron	No 1 FIXED	IB FOLD 2			
				ALUMN MS				306			<input checked="" type="checkbox"/>							
Froglips	J 24 ODR	2392	1981	26.25 9.5	150	26.25	28 9.75	3.7 6.37	Yes	No		24 20 8.92 4	3100 965 Lead	No 1 FIXED	OB None 0			
				ALUMN FS			0 0	163			<input type="checkbox"/>							

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
			Built	DW Rating	I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp.	Traps/H. Strps		IB or OB Prop Type # of blades		
									SL	SPL	SLU	ASA			Ballast	moveable blst			
																		SSMG	
Disp/WL Ratio																			
FUGU	Wilderness 30 SX FR IB	67967	120	1980	34.08 11.75 ALUMN FS	150	34.1 11.8	34.44 4.37 11.5 7.48	4.37 7.48	236	Yes	Yes	20.36 603 0 0	29.75 27.75 8.75 5.5	4200 1900 Lead	0 1 FIXED	OB None 0	(Mtg 11/20/08, -6 sec/mi for replacing inboard with outboard engine)	
Furthur	Santa Cruz 27	116	141	1979	32.7 10.9 ALUMN MS	150	32.7 10.9	28.25 3.7 8.7 6.3	3.7 6.3	157	Yes	No	0 0	27 24 8 4.5	3300 1600 Lead	0 1 FIXED	OB None 0		
Ga	Knarr ODR	123	198		33.583 6.583 WOOD FS	125	33.583	31 4.47 11.166 7.46	4.47 7.46	211	No	No	0	30.333 20.333 7 4.25	4630 2866 Lead	No 1 FIXED	OB None 0		
Galaxsea	Custom Nauticat 43.5	28743	180	1985	51 20 ALUMN KTCH	104	20.6	45 4.3 13.6 7.9	4.3 7.9	338	Yes	Yes	29.2 1119 4.9 0	43.6 37.7 12.2 5.9	34000 11000 Lead	No 1 FIXED	IB FEATH 3	Stay sail measurements foot=1', Luff=34'6", Leach=30'2", LP=132"	
Ganesha	Sabre 36-2	28862	111	1996	48.5 13.46 ALUMN MS	155		41.6 5.66 14.83 9.63	5.66 9.63	368	No	No	0 0	36.17 30.42 12 6.5	13800 5520 Lead	No 1 FIXED	IB FOLD 2	Adjustable back stays	
Geodesic	J 30	8994	144	1981	34.19 11.5 ALUMN FS	120		38 4.83 13 8.21	4.83 8.21	290	Yes	No	0	29.83 25 11.2 5.25	7000 2100 Lead	0 1 FIXED	IB FOLD 2		
Geodesic III	Optima 101	103	141	1985	38.71 12 ALUMN FS	125	38.71 12	38.39 4.9 13.45 8.2	4.9 8.2	298	Yes	Yes	19.6 586 2 0	32.84 29.25 11.15 4.76	8511 3968 Iron	0 1 FIXED	IB Fixed_2	(Mtg 4/27/17, added 2' retractable bowsprit, -3 sec/mi)	

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications	
		Sail #	DW Rating		I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp.	Traps/H. Strps			IB or OB Prop Type # of blades
										SL	SPL	SLU	ASA			Ballast	moveable blst		
ASF	Fixed or _o	Max Beam	Keel Type																
Goose	Catalina 30	1210	180	1979	41 11.416 ALUMN MS	155	41	35 11.5 0 0	4.63 7.72 246	Yes	No	29.92 25 10.83 5.25	10200 4200 Lead	No 1 FIXED	IB FOLD 2				
Gotcha	Santa Cruz 27	47911	141	1975	32.58 10.75 ALUMN MS	150	32.58	28.25 8.583	3.68 6.06 154	Yes	No	27 24 8 4.5	3200 1600 Lead	0 1 FIXED	OB None				
Gratitude	Hylas 46	60373	102	2002	58.4 17.7 ALUMN CTR	135	58.4 17.7	50.6 18	4.6 9.6 469	No	Yes	46.3 40 13.9 6.6	27777 12347 Lead	0 1 FIXED	IB Feath 3				
Great Expectations	Catalina 320	1002	165	2004	43.48 12.33 ALUMN MS	120	43.58 12.33	38 13.25	5.04 8.61 300	No	Yes	32.5 28 11.75 6.46	11300 4000 Lead	0 1 FIXED	IB Fixed_3 3	Furling Mainsail			
Green Buffalo	CAL 40	8538	114	1967	46.7 15.2 ALUMN MS	155	46.7	39.8 17.6 0 0	6.65 11.37 416	Yes	No	39.3 30 10.9 5.8	15148 6000 Lead	0 1 FIXED	IB FEATH 3	Schumacher designed rudder - same as original			
Grunion	Catalina 425	11	96	2017	55.75 15.67 ALUMN MS	125	17.34	52 18	5.04 9.58 490	No	No	41.67 39.08 13.67 6.67	17500 7000 Lead	0 1 FIXED	IB Fold	(Mtg 3/26/18, +3 sec/mi for bow thruster)			
Gusto	Swan 441	44119	72	1979	60.65 19.05 ALUMN MS	125		54.5 14.5 0 0	5.65 9.5 475	No	Yes	44.36 35.4 13.35 8.25	28500 12000 Lead	No 1 FIXED	IB FEATH 3				

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications			
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU ASA Sprit Lngth Fixed or _o	SL SPL SSMG SSA	SLU ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast Mat.	Traps/H. moveable blst Keel Type					
								DW Rating Disp/WL Ratio	ISP JSP									MGU MGM MSA	SL SPL SSMG SSA	SLU ASA Sprit Lngth Fixed or _o
Gygax	Hinckley Pilot 35 TM	4802	1975	44.36 13.8 155	44.36 13.8	41.83 15.81	5.5 9.97	Yes	No	35.5 25 9.5 5	13500 4200 Lead	0 1 FIXED	IB Feath							
Gypsy Lady	CAL 34-1	7507	1969	39 13.75 155	39 13.75	33.5 14	4.75 8.25	Yes	No	33.3 26 10 5	10000 3750 Lead	No 1 FIXED	IB FOLD 2							
Half Off	Moore 24	117	1983	26.25 9.75 150	26.25	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.08	2050 1025 Lead	No 1 FIXED	OB None 0							
Hana Ho	Santa Cruz 50	77007	1980	61.39 18.85 155	61.5 20.73	54.92 16.98	6.5 11.1	Yes	Yes	52 46 12 7.75	18000 8000 Lead	0 1 FIXED	IB Feath 3	(Mtg 5/26/11, +3 sec/mi for interior changes)(2/24/12, interior changes removed, boat is back to standard weight for a SC 50)(Mtg 5/25/17, New Rudder, NCTR. -3 sec/mi for OSP, -3 sec/mi for oversized spinner area)						
Hana Hou	J 160	69499	1997	66.5 18.83 150	68.5 26	62 24.16	9.1 15.6	No	Yes	52.7 47.5 14.5 8.67	36000 12000 Lead	0 1 FIXED	IB Feath 3	Aluminum Mast & Boom (Mtg 9/24/15, +6 sec/mifor aluminum rig)						
Hang 20	Express 27 ODR	48	1982	28.5 9 125	28.5	28.5 10.42	4.22 7.03	Yes	No	27.3 23.8 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0							
Happiness	Cal 27-2 OB	3893		36 12 95	36 12	30.67 10.25	3.25 6.5	Yes	No	26.58 22.08 9.25 4.25	6700 3100 Lead	0 1 FIXED	OB None							

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		SLU ASA Sprit Lngth Fixed or _o		Ballast Ballast Mat.	Traps/H. moveable blst Keel Type	IB or OB Prop Type # of blades		
								SL	SPL	SLU	ASA							
								SSMG SSF	SSA	SLE ASMG	Fixed or _o							
Hard N' Fast	Merit 25	28071	1983	28.75 9.66 ALUMN FS	28.75	28 9.75 0 0	3.92 6.58 167	Yes	No	24.5 20.5 8 4	3000 1050 Lead	No 1 FIXED	OB None 0					
Harizon	Dufour 310	122	2016	40.35 10.82 ALUMN FS	95	38.25 14.57	5.54 9.47 332	No	No	31.72 28.54 10.88 6.23	10802 2932 Iron	0 1 FIXED	IB Fold					
Harp	Catalina 38	18003	1983	50.7 15.43 ALUMN MS	155	50.9 15.43	44 11.5 0 0	4.8 7.97 316	Yes	No	49.2 27.3 27.5	15.42 1121	0	38.17 30.25 11.83 6.79	19489 6850 Lead	No 1 FIXED	IB FOLD 2	DEC 93 - 7X19 STND RIG/ W/ROD RIG & SHR TN UPR SPREADERS 2 IN. NO CHNG RTNG (MTG 1/27/94)
Head Rush	Antrim 27 CM ODR	21	2000	29 8.2 CARBON FS	116	37.3 15	34 14	7.5 10.9 329	No	Yes	42.65 38 20.1	20.1 6.83 13	27.73 23.8 9.25 6	2900 1050 Lead	0 1 FIXED	OB None 0		
Heart of Gold	Olson 911S	41327	1987	41.5 12.33 ALUMN MS	125	41.5	35.5 11.83 0 0	4.5 7.7 251	Yes	No	41.1 22.19 22.19	12.16 760	0	29.9 25 10.3 5.5	7200 3200 Lead	No 1 FIXED	IB FOLD 2	
High and Dry	Santana 22	114	1967	26 8.5 ALUMN MS	150	26	21.75 9.83	3.95 6.59 131	Yes	No	26 15.44 15.44	8.58 335	0 0	22 18.67 7.83 3.5	2600 1230 Cast Iron	0 1 FIXED	OB None	
Highlander	Cal 40	4590	1968	46.2 15.2 ALUMN MS	150	46.2	39.5 17.5	6.65 11.37 412	Yes	No	46.5 27.3 27	15.17 1056	0 0	39.25 30.25 11 5.58	15000 6000 Lead	0 1 FIXED	IB Fixed_2 2	

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
				DW Rating Disp/WL Ratio	J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast	Traps/H. moveable blst		IB or OB Prop Type # of blades
									SL	SPL	SLU	ASA						
									SSMG SSF	SSA	SLE ASMG	ASA						
Highlighter	Islander 36 ODR	28312	1976	45 14.48 ALUMN MS	150	45	39.25 12.75 0 0	5.05 8.44 303	Yes	No	44.5 26.6 25.9	15 981	0	36.083 28.25 11.166 6.083	13450 5820 Lead	No 1 FIXED	IB FOLD 2	
Hijinks	J 92	90	1996	37 11.5 ALUMN FS	97	38.5 17	37.66 13.22	5 8.6 297	No	Yes	26.51 868 5.5 0	0	30 26.5 10 5.9	5500 2275 Lead	0 1 FIXED	IB Fold 2		
Hokulani	J 120 ALUM	43	1996	50.27 14.5 ALUMN FS	155	52.6 21.69	46.5 17.79	6.66 11.43 489	No	Yes	37.5 1760 0 0	0	40 35 12 7	13900 6000 Lead	0 1 FIXED	IB Fold		
Holokiki	Moore 24	18878	1977	26.25 9.75 ALUMN FS	125	26.25	25 9.5 0 0	4.01 6.54 148	Yes	Yes	16.17 308 0 0	0	23.75 21.75 7.17 4.083	2050 1025 Lead	No 1 FIXED	OB None 0		
Horizon	Santa Cruz 50	18926	1982	61.7 18.43 ALUMN MS	145	61.7 20.3	55.2 19	7.15 12.05 618	No	Yes	36.4 1880 0 90	0	50.23 46.906 12.02 7.988	18844 8000 Lead	0 1 FIXED	IB FOLD 2	(Mtg 6/16/08, -6 sec/mi for oversized spinnaker, -3 sec/mi for oversized main)	
Hot Ice	C&C 110	38110	2004	51 14 CARBON MS	98	51	45 15.5 0 0	5.8 9.9 412	No	No	0	0	36.36 31.5 12 6.5	10900 4200 Lead	No 1 FIXED	IB FOLD 2	carbon mast noted (standard on C & C 110) NCTR PHRF Mtg 3/16/06;	
Iguana	Beneteau 411	61069	2000	47.67 16.25 ALUMN MS	110	47.67 19.25	44.1 14.8	3.53 7.14 322	No	Yes	30.02 1140 0 90	0	41.7 36.1 13 5	17196 5500 Cement	1 FIXED	IB Fold 3		

Boat Name	Boat Model (Type)	Rating		I J Max Headsail Mast Material Rig Type	ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications					
		Sail #	Built			P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.	Traps/H.		Strps	IB or OB Prop Type # of blades			
								DW Rating	Disp/WL Ratio	SL SPL SSMG SSF	SPL SSA								SLU SLE ASMGM	Ballast	moveable blst
Imagination	Bavaria 40	0	2001	47.25 14.58 ALUMN FS	48	44.46 15.58	5 9.21 386	No	Yes	20 828 0 0	40.94 35.93 13.1 6.4	17417 6283 Lead	0 1 FIXED	IB Fold							
Imagine	Ericson 32-3	716	1987	42 13.8 ALUMN MS		36.4 11.8	4.18 7.28 248	No	No	0 0	32.5 25.83 10.83 6	9800 4200 Lead	0 1 FIXED	IB Fixed_2 2							
Imagine	Davidson 44 MOD	77220	1980	49.92 15.38 ALUMN FS	50.33	58.3 18.33 0 0	6.9 12.8 652	Yes	No	0	44 38.5 13 7.6	24410 7000 Lead	No 1 FIXED	IB FOLD 3	(Mtg 4/27/17, custom rating of 57 assigned)						
Immoral	Moore 24	66	1980	26.25 9.75 ALUMN FS	26.25	25 9.5 0 0	3.91 6.5 147	Yes	No	0	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0							
Impetuous	CAL 34-1	5716	1968	39 13.73 ALUMN MS	39	33.5 13.97 0 0	4.63 8.5 265	Yes	No	0	33.3 25.13 10 5	9500 3750 Lead	No 1 FIXED	IB Fixed_3 2							
In the Fog	Etchells 22 ODR	1315		26.66 8.22 ALUMN FS	90	32.49 11.57	4.5 7.6 226	Yes	No	0	30.5 22 6.83 4.5	3337 2105 Lead	0 1 FIXED	OB None							
Incognito	Moore 24	136	1984	26.25 9.75 ALUMN FS	26.25	25 9.5 0 0	3.91 6.5 147	Yes	No	0	23.75 21.75 7.16 4.08	2050 1025 Lead	No 1 FIXED	OB None 0							

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
		Sail #	DW Rating		I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp.	Traps/H. Strps		IB or OB Prop Type # of blades	
										SL	SPL	SLU	ASA			Ballast	moveable blst		
ASF	Fixed or _o	Max Beam	Keel Type																
Invictus	Jeanneau Sunfast 3600	12	60 578 <i>154</i>	2015	46.58 13.83 ALUMN FS	105	48 17.67	44.25 15.08	6.49 9.91	411	No	Yes	31.99 1405 0 0	35.42 31.25 11.67 7	10362 4850 Lead	0 1 FIXED	IB Feath	(Mtg 11/30/17, -3 sec/mi for oversized asymmetric spinnaker)	
Iolani	Hughes 48	38048	120 607 <i>336</i>	1972	54.3 18.2 ALUMN YAWL	135	20.2	48.2 19 23 10	5.9 10.4 493		Yes	Yes	32.76 1400 48.6 0	48 35.1 11.1 6	32000 14300 Lead	0 1 FIXED	IB FEATH 3		
Iris	Hylas 42 Frers	46270	84 595 <i>242</i>	1987	55.5 16.8 ALUMN MS	129	55.5 16.8	48.77 14.4	5.43 9.38	418	Yes	Yes	28.42 1206 0 90	42.08 33.5 13 7	20050 8800 Lead	0 1 FIXED	IB Feath 3		
Irish Blessing	J 24 ODR	2184	168 695 <i>176</i>		26.25 9.5 ALUMN FS	150	26.25	28 9.75	3.7 6.37	163	Yes	No	0 0	24 20 8.92 4	3100 965 Lead	0 1 FIXED	OB None 0		
Irish Red	Catalina 25	3221	222 711 <i>190</i>	1982	29 10.5 ALUMN MS	135		24.66 9.58	3.9 6.5	146	No	Yes	17.9 370 0 90	25 22.17 8 4	4550 1900 Lead	0 1 FIXED	OB None		
Iseult	Wyliecat 30 IB	13	132 648 <i>160</i>	2001		0		39.75 20.8	7.87 13.46	491	No	No	0 0	30.5 25 9.42 9.25	5500 3050 Lead	0 1 FIXED	IB Fold 2		
Island Girl	Islander 36	57449	147 <i>271</i>	1974	45 14.48 ALUMN MS	135	45 14.8	39.25 12.75 0 0	3.69 6.88 265		No	No	0	36.08 28.25 11.17 6.08	13450 5450 Iron	No 1 FIXED	IB FOLD 2		

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications						
		Sail #	DW Rating		I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No		Yes/No	ASF		LOA LWL	Ttl Disp.	Traps/H. Strps		IB or OB Prop Type					
										PY	MSA		SL	SPL			SLU			ASA	Max Beam	Ballast	moveable blst	# of blades
Disp/WL Ratio	Mast Material	Rig Type	EY	SSF	ASM	Fixed or _o																		
Isle Of Misfits	Hunter 35 Legend	210	138	1990	42	110	44.08	5.5	No	Yes	24.6	35.58	12600	0	IB									
			636		12.17		14.25	9.2		49.5	957	29.75	5000	1	Fixed_2									
			218		ALUMN			375		39.8	0	11.75	Lead	FIXED										
					MS					26	<input type="checkbox"/>	6.5												
Itinerant	Hunter 34	1025	150	1986	47.42	105	41	4.02	No	No		34.42	11820	0	IB									
					13.75		11.75	6.87				28.25	5366	1	Fixed_2									
					ALUMN			271			0	11.5	Steel	FIXED										
			238		MS					<input type="checkbox"/>	0	5.5												
J World's Hula Girl	Santa Cruz 50 Mod	77285	-18	1980	61.36	153	64.61	6.55	No	Yes	35.22	52.3	18018	0	IB	Keel & Rudder Modified, Mast Modified (Mtg 6/23/16, rating changed to -18)								
			485		18.98		58.02	6.55		64.61	1775	43	5180	1	Fold									
			103		CARBON		16.97	11.03		60	3.98	12.04	Lead	FIXED										
					FS			589		33.92	<input checked="" type="checkbox"/>	10.72												
Jabouf	Catalina 30	4895	180	1987	41	150	35	4.63	Yes	No		29.92	10200	0	IB									
			701		11.42		11.5	7.72		40.45	11.5	25	4200	1	Fold									
			297		ALUMN			246		20.7		10.83	Lead	FIXED	2									
					MS					20.7	<input type="checkbox"/>	5.25												
Jacqueline	Freedom 30 SD	3	174	1986	28.4		35.2	5.25	Yes	No		30	7660	0	IB									
			687		9.8		13.9	9		31.4	9	25.42	3150	1	Fixed_2									
			212		CARBON			291		14	380	10.8	Lead	FIXED										
					CAT					16.7	<input type="checkbox"/>	4.5												
Jamani	J 120 ALUM	52879	48	2002	50.5	155	46.5	6.7	No	Yes	34	40	13900	0	IB									
			543		14.5		17.8	11.5		64	1729	35	6000	1	FOLD									
			147		ALUMN			491		50	7	12	Lead	FIXED	2									
					FS					37	<input checked="" type="checkbox"/>	7												
Jarlen	J 35	28528	72	1990	46.333	150	41.416	5.43	Yes	No		35.42	10500	No	IB									
			597		14.583		14	9.11		46	14.583	30	4400	1	FOLD									
			177		ALUMN		0	347		26		11.67	Lead	FIXED	2									
					MS		0			26	<input type="checkbox"/>	6.75												

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
				J Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp. Traps/H. Strps		IB or OB Prop Type # of blades			
								SL	SPL	SLU	ASA		Ballast	moveable blst				
																SSMG	SSA	
SSF	SSA	ASM	Fixed or _o															
Javelin	J 105 ODR w/ 5'BS	394	2001	40.6 13.5 ALUMN FS	100	42.1 19.07	41.5 14.5	5.5 9.4 358	No	Yes	25.5 957 5 0	34.5 29.5 11 6.5	8697 3400 Lead	0 1 FIXED	IB Fold			
Jazzbeau	Ericson 33	18682	1982	29.7 12.7 ALUMN FS	122	39.11	43.3 14	5.46 9.15 364	Yes	No	13.4 743 0 0	33 26.1 11.2 5.11	9500 3950 Lead	0 1 FIXED	IB FOLD 2	Roller Furler		
Jeannette	Custom Frers 40 IOR 1 Tonner	40646	1986	47.2 13.7 ALUMN FS	100	13.7	51.48 18.76	7.13 12.19 575	Yes	No	13.7 959 0 0	39.5 33 12.6 8.1	11918 6000 Lead	0 1 FIXED	IB FOLD 2	(mtg 5/31/07 custom rating changed from 63 to 60 based on performance data)(Mtg 8/27/15, change custom rating back to 63 after review of race results)		
Jet Stream	Custom JS 9000	9045	2003	27.08 9.5 CARBON FS	87	30.25 15.5	30.84 10.171	6.07 8.17 226	No	Yes	21.8 561 3 0	29.9 27.9 5.7 6.8	2425 1543 Lead	0 1 FIXED	OB None 0	(Mtg 1/22/09, custom rating of 78 assigned)(Mtg 8/19/10, -9 sec/mi for adding 3' sprit, -3 sec/mi for increased spinnaker area, Original rating of 78 contained a 3 sec error, rating should have been 75, change custom rating to 62/7/07/17. New		
Jewel	ALERION EXPRESS 28 ODR	255	2004	30 9.75 ALUMN FS	90	30 9.75	33 12.5	4.8 7.6 241	No	No	0 0	28.25 22.83 8.2 4.5	5700 2200 Lead	0 1 FIXED	IB Fold 2			
Jose Cuervo	J 105 ODR w/ 5'BS	42	1992	40.6 13.5 ALUMN FS	100	42.1 19.07	41.5 14.5 0 0	5.5 9.4 358	No	Yes	26.2 877 5 0	34.5 29.5 11 6.5	7750 3400 Lead	No 1 FIXED	IB FOLD 0			
JouJou	Capo 30	87324	1984	41.7 12.75 ALUMN MS	120	41.5	36 11.5	4.37 7.47 247	Yes	No	12 740 0	30 25 10.33 5.43	7200 3000 Lead	0 1 FIXED	IB Fold 2	Roller Furler (Mtg 1/25/18, New Rudder Installed, NCTR)		

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications			
		Sail #	DW Rating		I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.	Traps/H. Strps moveable blst		IB or OB Prop Type # of blades		
									SL	SPL	SLU	ASA							Ballast Mat.	Keel Type
JR	Moore 24	76	150	1980	26.25 9.75	155	26.25	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.08	2050 1025 Lead	No 1 FIXED	OB None 0					
JSloop	J 37 C SD	38113	90	1990	51.5 14.8	120	51.5	45 16.5	5 9.16	Yes	No	37.5 32.5 12.5 5.5	14500 5700 0	0 1 FIXED	IB Feath					
J-Tripper	J 105 ODR w/ 5'BS	135	78	1996	40.6 13.5	100	42.1 19.07	41.5 14.5	5.5 9.4	No	Yes	34.5 29.5 11 6.5	7750 3400 Lead	No 1 FIXED	IB FOLD 2					
Junkyard Dog	J 109 ODR	168	72	2004	46.5 13.3	105	49 18.83	43.25 15.5	5.88 10	No	Yes	35.25 30.5 11.5 7	10900 3900 Lead	No 1 FIXED	IB FOLD 2					
Juno	J 88	20	81	2014	38.67 11.28	105	46 18.05	36.82 12	5.44 8.4	No	Yes	29.19 26.84 9.5 6.5	4990 1840 Lead	0 1 FIXED	IB Feath					
Just Em	Cal 20	1234	273	1964	22 7.33	110	22 7.33	23 10	4 6.7	Yes	No	20 18.1 7 3.33	1950 900 Iron	0 1 FIXED	OB None					
Just Saying	C&C 40-2	28155	96	1981	53 16.62	150	54.75	46.5 13.3	5 8.41	Yes	No	39.58 31.6 12.67 7.4	17100 7910 Lead	No 1 FIXED	IB Fixed_2 2					

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications			
		Sail #	DW Rating		I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.	Traps/H. Strps moveable blst		IB or OB Prop Type # of blades		
									SL	SPL	SLU	ASA							Ballast Mat.	Keel Type
Kabunza	Pearson 36-2	362	132	1986	47.1 15.4	110	41 14.5	3.65 7.3	No	No		36.5 29.5 12.3 6.5	15000 5800 Lead	0 1 FIXED	IB Fixed_2 2					
Kapai	Islander 36 ODR	438	147	1977	45 14.48	125	39.25 12.75	5.05 8.44	No	No		36.08 28.25 11.17 6	13450 5500 Lead	0 1 FIXED	IB FOLD 2					
Keala	Wylie Wabbit ODR W/Trap	12	126 596 55	1982	20.5 6.5	150	23.75 10 0 0	4.03 6.72 145	Yes	No		23.75 20 5.58 3.5	975 440 Lead	Yes 3 FIXED	OB None 0	Hiking straps and single trapeze				
Kele	Catalina 320	218	165 680 234	1995	43.48 12.33	120	38 13.25	5.04 8.61 300	No	Yes	20.4 686 0 0	32.5 28 11.75 6.46	11300 4000 Lead	0 1 FIXED	IB Fixed_3 3					
Kelika	Hunter 33.5	28815	150 663 254	1991	39.166 11.666	150	43.166 13.5 0 0	5.2 8.9 350	Yes	No		33.33 26.83 11 4.5	10800 4500 Iron	No 1 FIXED	IB FEATH 2					
Kingfisher	Sabre 426 WK	23	78 598 240	2004	56 16.6	130	49 17.5	5.7 10.3 478	No	Yes	29.6 1374 0 0	42.5 36 13.5 5.16	24595 8850 Lead	0 1 FIXED	IB Feath					
Kira	Cal 33-2	28999	132 661 236	1986	46 13.25	125	40.5 12.75 0 0	4.82 8.23 307	No	Yes	21.86 697 0 0	33 27.5 11.33 6.12	10800 4475 Lead	No 1 FIXED	IB FOLD 2	(Mtg 1/26/12, -3 sec/mi for increased "e" & MSA)				

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications		
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		Ttl Disp.		Traps/H.	Strps	IB or OB Prop Type # of blades			
								SL	SPL	SLU	ASA							Ballast	moveable blst
								SSMG SSF	SSA	SLE ASMG	Sprit Lngth Fixed or _o								
Disp/WL Ratio																			
Kira	Aerodyne 38 SD	38104	48	2003	50.82 14.5 ALUMN FS	105	57.25 20.83	51.75 6.25 16.5 10.6 506	No	Yes	39.5 2062	37.66 34.21 13 6	11850 4150 Lead	0 1 FIXED	IB Fixed_2				
Kookaburra	J 120 ALUM	153	48	2001	50.5 14.5 ALUMN FS	155	52 21.5	46.5 6.2 17.8 10.7 0 471 0	No	Yes	30.3 1265 7	40 35 12 7	13900 6000 Lead	No 1 FIXED	IB FOLD 2				
Kuai	Melges 32 ODR	211	27	2006	40.86 10.7 CARBON FS	105	48.3 18.7	44.05 6.95 15.49 11.14 438	No	Yes	31.82 1344 8 0	31.84 28.5 9.83 7	4200 1600 Lead	0 1 FIXED	OB None				
Kuda Wuda	SR 33	58484	69	1995	38.99 11.5 ALUMN MS	150	45.71 12.65	40.83 5.9 15.54 10.1 378	Yes	Yes	22.51 825 0 0	33.08 27.74 11.42 7.01	6503 2400 Lead	0 1 FIXED	IB Fold				
Kwazy	Wylie Wabbit ODR W/Trap	26	126	1982	20.416 6.416 ALUMN FS	150	20.5	23 4.02 10 6.71 0 141 0	Yes	No	0	23.58 20 5.42 3.41	975 440 Lead	Yes 3 FIXED	NONE None 0				
Kynntana	Freedom 38	38086	141	1988	33.34 11.5 CARBON FS	100	33.34 11.5	45.5 6.25 16.57 10.7 447	No	No	0 0	38.42 30.58 12.5 5.6	14370 6500 Lead	0 1 FIXED	IB Fold				
L2O	J 29 7/8 OB	18721	123	1983	35 11.5 ALUMN FS	150	35	38.8 4.94 13 8.45 0 301 0	Yes	No	0	29.5 25 11 5.6	6000 2100 Lead	No 1 FIXED	OB None 0				

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications				
		Sail #	DW Rating		I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No		Yes/No	ASF		LOA LWL	Ttl Disp.	Traps/H. Strps			IB or OB Prop Type # of blades			
										PY	MSA		SL	SPL			SLU	ASA			Max Beam	Ballast	moveable blst
Disp/WL Ratio	Mast Material	Rig Type	SSFF	SSA	SLE	Sprit Lngth	Max Draft	Ballast Mat.	Keel Type														
La Dolce Vita	J 32	64	120	2001	39.2 11	155	40.5 13	38.5 15.5	5.1 9.2	No	Yes	19.7 677	32.4 29	10000 3840	0 1	IB Feath	(Mtg 8/22/13, -6 sec/mi for sprit)						
			642		ALUMN						39.5	2.5	11	Lead	FIXED	3							
			186		FS						19.7	<input checked="" type="checkbox"/>	0	6									
La Viajera	J 109 ODR	56480	72	2004	46.5 13.3	105	49.6 18.8	43.25 15.5	5.89 10.07	No	Yes	27.75 1160	35.25 30.5	10900 3900	0 1	IB Fold							
			598		ALUMN						45.63	5.5	11.5	Lead	FIXED	2							
			175		FS						27.2	<input checked="" type="checkbox"/>	0	7									
Lackerli	Ranger 23	155	219	1976	27.54 9.75	100	27.5	24 9.17	3.4 5.9	No	No		23.67 20	3400 1500	0 1	OB None							
					ALUMN							0	7.92	Lead	FIXED								
			193		MS							<input type="checkbox"/>	0	3.75									
Lady Jane	Jeanneau 39i Sun Odyssey	7913	93	2008	48.1 13.1	122	48.1	46.3 14.6	5.42 9.28	No	Yes	27.46 1012	38.1 35.2	16163 5026	0 1	IB Feath							
			602		ALUMN						42.81	1	12.9	Cast Iron	FIXED	3							
			168		FS						26.08	<input checked="" type="checkbox"/>	0	6.7									
Leglus	Ohashi 52	2480	-6	1986	49.26 16.387	149	62 21.92	57.578 21.325	8.103 13.517	No	Yes	34.8 2089	52.5 50.06	15017 5.952	0 1	IB FOLD	(mtg 10/21/09 assigned custom rating of -39)(Mtg 3/24/16, +3 sec/mi for no spinnaker articulation, change custom rating from -36 to -6)						
			456		ALUMN						63.648	2076	63.6	Lead	FIXED	2							
			54		FS						39.37		38.188	38	<input checked="" type="checkbox"/>	0							
Lenora	Hunter 33-2	60700	153	2004	37.42 10.83	115	38.42 10.83	36.46 15.83	4.83 8.33	No	Yes	18.5 531	33.5 29.42	10400 3459	0 1	IB Fold							
			651		ALUMN						35.5	0	11.17	Lead	FIXED	3							
			186		FS						16.67	<input checked="" type="checkbox"/>	0	5.5									
Libra	Mini Transat 6.5 - Pogo 2	839	117	2013	29.5 8.4	141	32 15.98	30 11.1	6.85 8.3	No	Yes	24.9 732	21.3 21.3	2215 948	0 1	OB None	(Mtg 5/21/18, custom rating changed from 105 to 117)						
			598		ALUMN						33.4	7.6	9.8	LeadIron	FIXED								
			104		FS						24.9	<input type="checkbox"/>	10	5.3									

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications		
		Sail #	DW Rating		I J Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps				
									SL	SPL	SLU	ASA							Ballast	moveable blst
Lickety Split	Santa Cruz 27	76	141	1977	32.58	152	32.58	28.25	3.68	Yes	No			27	3000	0	OB			
			620		10.75			8.58	6.06			32.75	10.75	24	1600	1	None			
			99		ALUMN MS				153			19.4	529	8	Lead	FIXED				
											<input type="checkbox"/>	0	0	4.5						
Lightning	Custom Santa Cruz 52	51152	-9	1996	64.5	105	64.5	57.5	7.55	No	No			53	24466	No	IB	(mtg 4/13/06 switch from Asymmetric to Symmetric spinnaker NCTR) (mtg 6/6/06 -6 sec/mi for oversized main, change custom rating from -12 to -18)(Mtg 4/25/18, switched to smaller mainsail and headsail, change custom rating		
					19		20.5	21	13.43					45.5	8993	1	FEATH			
			118		ALUMN MS				706		<input type="checkbox"/>	0		14	Lead	FIXED	2			
														7						
Lightwave	J 105 ODR w/ 5'BS	319	78	2000	40.6	100	42.1	41.5	5.5	No	Yes	22.9		34.5	7750	No	IB			
			592		13.5		19.07	14.5	9.4		49.4	947		29.5	3400	1	FOLD			
			137		ALUMN FS			0	358		38.5	5		11	Lead	FIXED	2			
								0	0		26.6	<input checked="" type="checkbox"/>		6.5						
Lilith	Custom Wyliecat 39	7	102	1992				50.75	10.45	No	No			38.83	12000	No	IB	HULL DESIGN IS VERY SIMILAR TO WYLIECAT 30.NO JIB, NO SPINNAKER, NO SPANKER,NO REACHER, NO VANG,NO TWEEKER,NO STAYS ETC., AS SAILED RATING 102 PER MTG 5/15/02		
			597					26.5	17.5					32	6200	1	FOLD			
			166		CARBON CAT			0	811			<input type="checkbox"/>	0	11.83	Lead	FIXED	2			
								0	0					6.67						
Limitless	Express 37	18513	72	1985	48.75	155	48.75	42	5.3	Yes	Yes	25.79		37.1	11100	No	IB			
			592		14.33		14.33	13.75	9		50.6	1037		30.8	4500	1	FOLD			
			173		ALUMN MS			0	346		45.94	0		11.57	Lead	FIXED	2			
								0	0		25.79	1037		7.25						
											25.79	<input type="checkbox"/>	90							
Lindo	J 109	195	69	2005	46.5	155	49	43.3	5.89	No	Yes	27.75		35.25	10900	0	IB			
			595		13.3		18.8	15.5	10.07		56.33	1160		30.5	3900	1	FOLD			
			175		ALUMN FS				400		45.63	5.5		11.5	Lead	FIXED	2			
											27.2	<input checked="" type="checkbox"/>	0	7						
Lioness	Bermuda 40	981	174	1962	42.5	155		36.6		No	No			40.75	20000	0	IB	(Mtg 5/22/08, +6 secmi for 3-blade fixed prop, no penalty for headsail larger than 155%, no credit for sonar transducer, custom rating of 174 assigned)		
					15.58			17.2						28.8	5600	1	Fixed_3			
			381		ALUMN YAWL			17.7	8.5			<input type="checkbox"/>	0	11.75	Lead	CNTRBRD	3			
														4.25						

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps Ballast Ballast Mat.			moveable blst Keel Type
								SL	SPL	SLU	ASA							
								SSMG SSF	SSA	SLE ASMG	ASA							
Little Dipper	Catalina 22-1 OB SK	13293	1974	25.93 8 150 ALUMN MS	25.83	21 9.67	3.5 6.08 119	Yes 8 310	No	0 0	21.6 19.4 7.67 5	2250 550 Iron	0 1 MVBL	OB None				
Little Wing	J 24 ODR	4268	1974	26.25 9.5 150 ALUMN FS	26.25	28 9.75	3.7 6.37 163	Yes 9.5 375	No	0 0	24 20 8.92 4	3100 965 Lead	1 FIXED	OB None 0				
Lively	Olson 30 IB	8488	1982	36 11.75 95 ALUMN MS	35.9 11.67	31.5 10.75 0 0	4.364 7.268 208	Yes 11.75 592	No	0	30 27.5 9.33 5.08	3600 1800 Lead	No 1 FIXED	IB FEATH 3				
Loca Motion	Express 37	18410	1985	48.75 14.33 155 ALUMN MS	48.75 14.33	42 13.75 0 0	5.28 8.83 344	Yes 14.33 1030	No	0	37.08 30.83 11.57 7.25	9000 4500 Lead	No 1 FIXED	IB FOLD 2				
Loki	Santana 525	8108	1978	26.5 8.75 150 ALUMN FS	26.5	29 10	4.1 6.8 179	Yes 8.75 309	No	0 0	24.58 18.5 9.33 4.25	2400 950 Lead	0 1 FIXED	OB None				
Lonestar	Beneteau First 10R ODR MOD	40	2007	43.2 12.07 100 CARBON FS	46.41 16.5	42.25 14.73	5.59 9.57 371	No	Yes 25.5 1078 4.43 0	26.4	32.75 28.7 11 6.55	9715 3528 Lead	0 1 FIXED	IB FOLD 2	(Mtg 5/20/10, +3 sec/mi for non-class smaller kite)(Mtg 9/23/10, rudder modifications noted, NCTR)(Mtg 4/26/12, new rudder noted, NCTR)			
Loose Cannon	Express 27 ODR	34	1982	28.5 9 155 ALUMN FS	28.5	28.5 10.416 0 0	4.22 7.03 182	Yes 9.833 429	Yes 17.75 26.51 17	17.75 407 0	27.25 23.75 8.166 4.5	2450 1100 Lead	No 1 FIXED	OB None 0				

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications				
		Sail #	DW Rating		I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No		Yes/No	ASF		LOA LWL	Ttl Disp.	Traps/H. Strps		IB or OB Prop Type # of blades			
										SL	SPL		SLU	ASA			Max Beam	Ballast Mat.			moveable blst	Keel Type
Disp/WL Ratio	Mast Material	PY EY	MSA	SSMG SSF	SSA	SLE	ASMG	Fixed or _o	Max Draft	Ballast Mat.	Keel Type	# of blades										
Low-Down	Santa Cruz 27	8027	141	1979	32.7	155	28.25	3.68	Yes	No			27	3300	0	OB	Roller Furler					
			634		10.9		8.58	6.06					24	1500	1	None						
			109		ALUMN MS			153				0 0	8 4.5	Lead	FIXED							
Lucky Duck	Custom Santa Cruz 52	28729	-30	2001	64.14	155	64.6	8.76	Yes	Yes	40.91		53	22153	0	IB	(Mtg 8/23/12, Custom Rating Assigned, -21 as sailed)(Mtg 5/23/13, weighed displacement added)(Mtg 3/27/14, New Rudder, -3 sec/mi for OSP, -6 sec/mi for 10%+ increase in spinnaker area. No penalty for keel/displacement					
			484		18.95		21	14.22			2190		46.25	8000	1	Fold						
			102		CARBON MS			745			2	90	14 9	Lead	FIXED	2						
Lucky Mud	Pearson 323	110	189	1978	41	100	36	3	No	No			32.3	12800	0	IB						
					13.81		10.75	5.2					27.5	4500	1	Fixed_3						
					ALUMN MS			197				0 0	10 4.5	Lead	FIXED							
Luna Sea	Islander 36 ODR	420	144	1980	45	135	39.25	5.05	Yes	No			36.08	18000	No	IB						
			660		14.48		12.75	8.44			15		28.25	5450	1	Feath						
			363		ALUMN MS		0 0	303			1013		11.17 6.08	Lead	FIXED	3						
Lyric	Mason 44	38114	159	1986	51	110	44.9	3.07	No	Yes	29.29		43.92	27400	0	IB	(Mtg 11/30/17, +3 sec/mi for in-mast furling mainsail, +3 sec/mi for MGM <50% of E, +3 sec/mi for small headsail)					
			639		17.75		14.5	6.36			1179		31.75	9400	1	Feath						
			389		ALUMN KTCH		27.5 10.9	306			0	0	12.25 6.25	Lead	FIXED							
MAD MEN	J 111	17	36	2011	48.37	105	45.17	5.18	No	Yes	31.79		36.5	9300	0	IB						
			544		13.84		14.5	10.1			1404		32.7	3500	1	Fold						
			121		CARBON FS			396			8	0	10.8 7.2	LeadSteel	FIXED	2						
Magic	Express 27 ODR	80	126		28.5	155	28.5	4.22	Yes	No			27.25	2450	0	OB	(-3 sec/mi for non-class MH Spinnaker)					
			604		9		10.416	7.03			9.9		23.75	1100	1	None						
			83		ALUMN FS			182			0	0	8.166 4.5	Lead	FIXED	0						

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst	IB or OB Prop Type # of blades	
								SL	SPL	SLU	ASA						
								SSMG SSF	SSA	SLE ASMG	Fixed or _o						
Magic Bus	Express 27 ODR	41	1982	28.5 9 155	28.5	28.5 10.416 0 0	4.22 7.03 182	Yes	No	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0				
Magical	Catalina 36 TM WK	97242	1987	46.75 14.33 150	46.75 14.33	41 13	4.2 7.5 295	No	Yes	35.58 30.25 11.92 4.17	14100 6000 Lead	0 1 FIXED	IB Fixed_3	(Mtg 8/27/18, +6 sec/mi for shoal draft wing keel)			
Make My Day	Olson 25	87742	1985	32 9.583 155	32	28 10 0 0	3.96 6.4 168	Yes	No	25 21.25 9 4.5	3300 1300 Lead	No 1 FIXED	OB None 0	increased purchase in outhaul and backstay added boomkicker			
Mariposa	C&C 40-2 TM DK	77206	1980	55 16.584 150	54.75	8.75 13.17 0 0	5 8.41 68	Yes	No	39.58 31.5 12.67 7.33	17400 8210 Lead	No 1 FIXED	IB FEATH 3				
Mas Tiempo	Islander 30-2	3156	1973	38.5 12.6 100		32.5 12.5	3.67 6.5 213	Yes	Yes	29.92 24.1 10 5	8600 3500 Lead	0 1 FIXED	IB FOLD 2				
Max	Ultimate 24 ODR	2	2002	28.04 7.82 110	30.8 14.5	31 11.35	6.81 9.18 254	No	Yes	24.38 21.17 8.48 5.52	2040 750 Lead	0 1 FIXED	OB None				
Maxine	Yankee 30-1 SM	43	1971	37.5 12.75 125	37.5 12.75	32.5 9.7	2.4 4.8 158	No	No	30.13 23 9 5	8700 4130 Lead	0 1 FIXED	IB FOLD 2	+3 sec/mi for MGM less than 50% of E			

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
				J Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp.	Traps/H. Strps		IB or OB Prop Type # of blades		
								SL SPL SSMG SSF	SPL SSA SSA	SLU SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o			Ballast	moveable blst			
																		Ballast Mat.
Mayan	Alden Schooner	1947	1947	43 25.33 WOOD Schooner	43 25.33	52 24.85 712	7.89 14.4	No	Yes	46.6 1517 9 0	58.9 45.5 16.45 9	64000 10000 Cast Iron	0 1 CNTRBRD	IB Feath	(mtg 12/4/15, custom rating of 144 assigned)			
Meliki	Santana 22	5194	1967	26 8.5 ALUMN MS	26	21.75 9.833 0 0	3.95 6.59 131	Yes	No	8.583 0	22 18.67 7.83 3.5	2600 1230 Iron	No 1 FIXED	OB None 0				
Mental Floss	Olson 30 OB	24	1979	36 11.75 ALUMN MS	35.9 11.67	31.5 10.75 208	4.36 7.26	Yes	Yes	18 458 0 0	30 27.5 9.33 5.08	3800 1800 Lead	0 1 FIXED	OB None				
Merlin	Cal 20	691	1965	22 7.33 ALUMN FS	22 7.33	23 10 140	4 6.7	Yes	No	7.33 242	20 18.1 7 3.33	2000 900 Iron	0 1 FIXED	OB None	Roller Furler			
Mintaka 4	Farr 38	18441	1979	43.67 13.67 ALUMN FS	46.2	44.9 17.9 0 0	6.8 11.6 478	Yes	No	14.5 948	38.25 31.17 12 6.33	11850 4100 Lead	No 1 FIXED	IB FOLD 2	(2002-removed dinette stbrd, add bench seat w/55 gal fuel tank, original was 12.5. Rudder replaced 12" longer, 4" narrower. Changes noted mtg 1/17/02, NCTR)(removed short pole, changed spinnakers, 4/4/04) (Mtg 1/24/12, new stow)			
Mirth	Catalina 34 1&2	28634	2005	44 13.5 ALUMN MS	125	38.5 12 265	4.17 7.33	No	Yes	22.02 693 0 0	35.67 29.83 11.75 5.58	11950 5000 Lead	No 1 FIXED	IB FEATH 3				
Mirthmaker	A 35	18250	2007	44.22 12.99 CARBON FS	90	44.94 14.66 398	5.7 9.78	Yes	Yes	26.28 941 1.5 90	34.7 30.47 11.6 6.88	9810 4367 Lead	0 1 FIXED	IB Fold 2	(Mtg 5/20/10, custom rating of 60 assigned, would like a copy of ORR Certificate)(mtg 6/15/10, change custom rating from 60 to 63 based on further clarification of boats configuration)(Mtg 10/27/16, change custom rating from 63 to 60 after			

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
				J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			Ttl Disp.	Traps/H. Strps	IB or OB Prop Type # of blades	
									SL	SPL	SLU	ASA					
									SSMG SSF	SSA	SLE ASMG	Sprit Lngth Fixed or _o					
DW Rating	Mast Material																
Disp/WL Ratio	Rig Type																
Mister DJ	J 28	29	1987	34	155	34	36	4.8	Yes		No		28.5	7900	0	IB	
		697		10.5			13	8.15		33.8	10.5		24	3000	1	Fold	
		260		ALUMN FS				274		18.9	532		10	Lead	FIXED		
										18.9		<input type="checkbox"/>	0				
Mistral	Beneteau Farr First 36.7	28394	2002	46.4	155	46.4	45.4	5.92	Yes		No		35	12495	No	IB	
		614		13.1		13.1	15.6	12.49		45.8	13.1		30.3	4034	1	FOLD	
		204		ALUMN FS			0	458		23.47	885		11.6	Iron	FIXED	2	
							0			22.07		<input type="checkbox"/>	7.2				
Mojo	J 105 ODR w/ 5'BS	119	1995	41	100	42.1	42	5.5	No		Yes	26	34.5	7750	0	IB	
		592		14		19.1	15	9.4			49.5	926	29.5	3400	1	FOLD	
		137		ALUMN FS				368			39.8	5	11	Lead	FIXED	2	
											24.6	<input checked="" type="checkbox"/>	6.5				
Mojo	J 35	18935	1983	46.4	150	46.3	41.75	5.21	Yes		No		35.42	10500	No	IB	
		599		14.7		14.7	14.98	8.77		46	14.7		30	4400	1	Feath	
		177		ALUMN MS				353		26.25	1006		11.8	Lead	FIXED	2	
										26.25		<input type="checkbox"/>	6.9				
Moksha	Contessa 26	91	1974	31.5	142	31.5	27.8	3.8	Yes		No		25.5	5400	0	OB	
		698		10.33			10.4	6.6		31	10.33		20	2300	1	None	
		307		ALUMN MS				170		16.7	1208		7.5	Lead	FIXED		
										167		<input type="checkbox"/>	4				
Monster Express	Express 27 ODR	40316	1985	28.5	155	28.5	28.5	4.22	Yes		No	0	27.25	2450	0	OB	
		607		9			10.42	7.03		29	9.83		23.75	1100	1	None	
		83		ALUMN FS				182		17.7	428		8.17	Lead	FIXED		
										17.7		<input type="checkbox"/>	4.5				
Moonlight	Express 27 ODR	28059	1986	28.5	155	28.5	28.5	4.22	Yes		No		27.25	2450	No	OB	
		606		9			10.416	7.03		29	9.833		23.75	1100	1	None	
		83		ALUMN FS			0	182		16.5	404		8.17	Lead	FIXED	0	
							0			17.6		<input type="checkbox"/>	4.5				

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps moveable blst	IB or OB Prop Type # of blades	
								SL	SPL	SLU	ASA						
								SSMG SSF	SSA	SLE	ASMG						
Moore Wave'Ohs	Moore 24	34	1979	26.25 9.75 ALUMN FS	26.25	25 9.5 0 0	3.91 6.5 147	Yes	No	23.75 21.75 7.16 4.083	2050 1025 Lead	0 1 FIXED	OB None 0				
Mooretician	Moore 24	89	1981	26.25 9.75 ALUMN FS	26.25	25 9.5 0 0	3.91 6.5 147	Yes	No	23.75 21.75 7.16 4.08	2050 1025 Lead	No 1 FIXED	OB None 0				
Moorigami	Moore 24	77	1981	26.25 9.75 ALUMN FS	26.25	25 9.5 0 0	3.91 6.5 147	Yes	No	23.75 21.75 7.16 4.083	2050 1025 Lead	0 1 FIXED	OB None 0				
Morning Star	Valiant 32	7782	1985	42 13.5 ALUMN MS	42 13.3	37 11 0 0	3.9 6.8 235	No	Yes	32 26 10.42 5.17	11800 4700 Lead	No 1 FIXED	IB Fold 3				
Motorcycle Irene	Express 27	28137	1982	28.5 9 ALUMN FS	28.5	28.5 10.416 0 0	4.22 7.03 182	No	Yes	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0	New Rudder, NCTR			
Mottley	Catalina 34	8	1986	44 13.5 ALUMN MS	44 14	38.5 12 0 0	4.7 8.05 281	No	No	34.5 29.833 11.75 5.583	11950 5000 Lead	No 1 FIXED	IB Fold 2				
Mouton Noir	Passoa 47	102409	1991	53.42 16.5 ALUMN MS	53.42 18.125	47.66 16.08		Yes	Yes	46.75 39.92 14.08 8.1	35000 11000 Iron	0 1 CNTRBRD	IB FEATH 3				

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
				DW Rating Disp/WL Ratio	J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp. Ballast	Traps/H. moveable blst Keel Type	IB or OB Prop Type # of blades		
									SL	SPL	SLU	ASA						
									SSMG SSF	SSA	SLE ASMG	Sprit Lngth Fixed or _o						
Moxie	XC-38		2015	51.51 14.36 Alumn FS	108	52 21.5	50.43 16.31	6.16 10.5 488	No	Yes	25.59 1046 0 0	37.9 34.06 12.5 6.5	19186 8047 Lead	0 1 FIXED	IB Fold			
Mr Magoo	J 120 ALUM	28289	1996	50.5 14.5 ALUMN FS	150	52 21.5	46.3 17.8 0 0	6.7 11.5 489	No	Yes	34.1 1765 8 0	40 35 12 7	13900 6000 Lead	0 1 FIXED	IB FOLD 2	MTG 4/9/98		
Mr McGregor	Wylie Wabbit ODR W/Trap	8426	1982	20.5 6.5 ALUMN FS	150	20.5	23.75 10 0 0	4.03 6.72 145	Yes	No	8.5 254 0	23.75 20 5.58 3.5	975 440 Lead	1 3 FIXED	OB None 0	INCLUDES HIKING STRAPS AND SINGLE TRAPEZE.		
Mudshark	Express 37	28052	1986	48.75 14.33 MS	155	48.75	42 13.75 0 0	5.28 8.83 344	Yes	No	14.33 0	37.08 30.83 11.57 7.25	11000 4500 Lead	No 1 FIXED	IB FOLD 2			
Mulan	Beneteau First 10R ODR	52659	2007	43.2 12.07 CARBON FS	100	46.41 16.5	42.25 14.73	5.59 9.57 371	No	Yes	25.5 1078 4.43 0	32.75 28.7 11 6.55	9715 3258 Lead	0 1 FIXED	IB Fold 2	(mtg 9/23/10, +3 sec/mi for non- class smaller kite)		
Music	NORDIC 44	319	1988	57 17.5 ALUMN MS	135	57	52.5 16 0 0	5 8.39 447	Yes	No	17.58 1490 0	43.1 35.5 12.11 6.9	26000 9340 Lead	No 1 FIXED	IB Fold 3			
Music	Hunter 37 Legend WK	25352	1987	48 13.6 ALUMN FS	110	48	48.72 15.35	5.93 9.98 447	Yes	No	13 1046 0 0	37.6 31.4 12.1 5	14900 6000 Lead	0 1 FIXED	IB Fixed_2 2	(mtg 5/22/08 +3 sec/mi for 110% headsail, +3 sec/mi for 2-blade fixed prop, -9sec/mi for oversized luff & girths on spinnaker)		

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications		
				DW Rating	Mast Material	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp.	Traps/H. Strps		IB or OB Prop Type # of blades			
									Max Headsail	J	SL	SPL			SLU	ASA			Ballast	moveable blst
Disp/WL Ratio	Rig Type			ASF	Fixed or _o															
Music	Catalina 34 1&2	56583	2001	44 13.5	130	38.5 12	3.6 6.8	No	Yes	21.8 762	35.66 29.84	11950 5000	0 1	IB FOLD						
		648 204		ALUMN MS			251		39.2 21.7	0 <input checked="" type="checkbox"/>	11.75 5.56	Lead	FIXED	2						
Nancy	Wyliecat 30 OB	28890	1995			39.66 19.75	8.71 13.46	No	No		30.5 25	5500 3050	No 1	OB None			(-3 sec/mi for square top main)			
		645 160		CARBON CAT		0 0	491			0 <input type="checkbox"/>	9.5 5.25	Lead	FIXED	0						
Nautigal	Spaulding 38	660	1938	35.4 12.2	92.5	40.5 19	7.2 12.19	Yes	No		38 29	25000 13000	0 1	IB Fold						
		677 466		WOOD MS			456		21.9 21.5	0 <input type="checkbox"/>	9.5 6	Iron	FIXED							
Neja	Dasher 32	7325	1961	38.01 12.59	155	33.22 14.6	5.12 8.86	Yes	No		31.75 26.75	11323 3600	0 1	IB Fold			500 pounds less lead in keel than the Dasher Easom Boat Works built			
		673 269		ALUMN MS			277		21.94 21.94	0 <input type="checkbox"/>	8.9 5.75	Lead	FIXED							
Nemesis	Pearson 26 Commander	151	1964	31.5 9.5	155	26 11.5	3.3 5.75	Yes	Yes	21.06 444	25.7 18.5	5200 2500	0 1	OB None						
		774 373		ALUMN MS			154		17.1 16.4	0 <input checked="" type="checkbox"/>	8 3.7	Lead	FIXED							
NeNe	J 105 ODR w/ 5'BS	3	1992	40.6 13.5	100	41.5 14.5	5.5 9.4	No	Yes	26.2 927	34.5 29.5	7750 3400	0 1	IB Fold						
		78 591 137		ALUMN FS			358		39.8 24.6	5.5 <input checked="" type="checkbox"/>	11 6.5	Lead	FIXED	2						
Nessie	Catalina 34 1&2	734	1988	44 1.5	100	38.5 12	4.7 7.54	No	No		34.5 29.83	11950 5000	0 1	IB Fixed_3						
		156 205		ALUMN MS			274			0 <input type="checkbox"/>	11.75 5.58	Lead	FIXED	3						

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:				Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		Ttl Disp.	Traps/H. Strps moveable blst					
								SL	SPL	SLU	ASA				Ballast Mat.	Keel Type		
								SSMG SSF	SSA	SLE ASMG	Sprit Lngth Fixed or _o							
Nessie	C&C 41	32564	1984	56 16.5 ALUMN MS	56	50 14	5 8 394	Yes	55.4 29.5 26.1	No	16.5 1331	0	40.8 33.3 12.92 7.83	18000 8000 Lead	0 1 FIXED	IB FEATH 3	Roller Furling Jib	
Neverland	Tartan 3700 SD 5.0'	106	2006	51.75 15 CARBON MS	135	51.75 15	45.25 15 404	No	53.83 46.8 24.21	Yes	25.4 1025 0	0	37 32.5 12.6 5	17780 6200 Lead	0 1 FIXED	IB Fold 2		
New Sinsation	Santana 20	28449	1978	24.5 8.16 ALUMN FS	150	24.5	24.5 7 110	Yes	23.75 13.67 13.67	No	8.16 271	0	20.2 16 8 4	1350 550 Lead	0 1 FIXED	OB None		
Nice Rack	Martin 243	9	1998	28 9 CARBON FS	106	36.25 16	33 13 301	No	43 35 19	Yes	18.5 614 0 0	0	24 24 8 5.7	1680 410 Lead	0 1 CNTRBRD	OB None	(Mtg 8/26/16, Custom Rating of 63 assigned)	
Nicole	Orion 35	8210	1979	44 14 ALUMN MS	150	44	39.5 10.5 0 0	4.42 7.319 260	Yes	43.667 25.2 25.2	No	14.125 917	0	34.58 28.75 10.83 6	13000 4700 Lead	0 1 FIXED	IB FOLD 2	Displacement Obtained by actual weight on scale, Rudder is new design and new build.
Nightmare	Custom Wilderness 30 SX FR OB	305	1980	34 11.75 FS	125		34.4 11.5 0 0	4.59 7 233	Yes	38.75 23.25 23.25	No	11.75 751	0	29.75 27.75 8.83 5.92	4700 1650 Lead	No 1 FIXED	OB None 0	(-3 sec/mi for change from IB to OB, -6 sec/mi for keel change.)(mtg 2/26/15, -9 sec/mi for oversized spinnaker)
Nimbus	J 105 ODR w/ 5'BS	468	2001	41 14 ALUMN FS	100	42.1 19.1	42 15 0 0	5.5 9.4 368	No	49.5 39.8 22.3	Yes	26.2 859 5	0	34.5 29.5 11 6.5	7750 3400 Lead	0 1 FIXED	IB FOLD 2	

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications		
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU ASA Sprit Lngth Fixed or _o	SL SPL SSMG SSA	SLE ASA Sprit Lngth Fixed or _o		Ballast Ballast Mat.	Traps/H. moveable blst Keel Type				
								SL	SPL									SLU	ASA
Nina	Olson 29	27	1987	34 11 155	36	32.5 4.5 11.5 7.27	4.5 7.27	Yes	No	34 11.25	20.25 574	29.67 27.5 9.33 5.58	3700 1950 Lead	0 1 FIXED	OB None 0				
No Name	Catalina 22-1 OB SK	10015	1981	25.83 8 150	25.83 12	21 9.66	3.5 6 118	No	No			21.5 19.33 7.67 5	2490 800 Lead	0 1 MVBL	OB None				
Numbers	Taylor 49	7119	1997	60.93 17.42 155	61.1 20.74	64.23 9.22 24.61 15.78	9.22 15.78	No	Yes	35.99 1887	0	49.17 43.37 13.59 9.99	23645 4210 Lead	0 1 FIXED	IB Fold	(Mtg 5/21/18, Custom rating of -15 assigned)			
OAXACA	Santa Cruz 50	8927	1982	61.48 18.88 155	61.22 20.65	54.75 6.08 16.98 10.67	6.08 10.67	Yes	No	36.5 1889	0	50.23 46.67 12 7.91	17374 8000 Lead	0 1 FIXED	IB Fold	(Mtg 5/26/16, -6 sec/mi for oversized ASA)			
Ohana	Beneteau 45F5	38023	1991	53.15 15.08 100	55.15 16	55.4 7.06 18.58 12.08	7.06 12.08	Yes	No	15.08 1187	0	44.11 36.9 14.1 7.9	26500 8500 Lead	0 1 FIXED	IB FEATH 3	(Mtg 12/1/11, -6 sec/mi for new keel)			
Old School	Yankee Dolphin 24	212	1971	30.8 9 120	30.8	26.8 4.5 11.8 7.08	4.5 7.08	Yes	No	8.67	365	26.17 19 7.6 2.7	4250 1750 Lead	0 1 CNTRBRD	OB None				
Orca	Moore 24	85	1981	26.25 9.75 150	26.25	25 3.91 9.5 6.5	3.91 6.5	Yes	No	9.75	380	23.75 21.75 7.16 4.083	2050 1025 Lead	0 1 FIXED	OB None 0				

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications											
				DW Rating Disp/WL Ratio	J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst			Strps Keel Type										
																			110	52.46	5.41	9.26	16.05	1283	0	40.08	No	IB
Osprey	Santa Cruz 40	77974	42	1983	52.5	110	52.46	45.51	5.41	Yes	No	40.08	10675	No	IB	(Mtg 4/28/11, -9 sec/mi for modified keel)												
			547									34.3	2979	1	FOLD													
			120		SL			0	387		<input type="checkbox"/>	12.269	Lead	FIXED	2													
							0	0				8.33																
Ouessant	Farallone Clipper FR	8214	159	1957	35.69	150	35.69	40.34	7	Yes	No	37.833	18344	No	IB													
			675		13.87			18.79	12.1			28.25	7200	1	Fixed_2													
			370		WOOD			0	448		<input type="checkbox"/>	9.5	Iron	FIXED	2													
					FS			0	0			5.916																
Outsider	Azzura 310	1000	57	1996	35.35	110	43.33	38.75	6.68	No	Yes	30.1	4850	No	OB	6 FT ARTIC. RETRAC BOWSPRIT. MTG 3/28/96 (RATED 66) (CHNG NOTED 4/18/96-NO CHNGE RTNG. (2/13/96 FM 66 TO 60.)(MTG 11/13/97 FM 60 TO 57)MTG 2/12/98 FM 57 TO 63 (MTG 4/9/98) Inboard Sail Drive removed and replaced with												
			540		11.55			13.25	10.5		47.01	1163	2100	1	Fixed_3													
			107		CARBON			0	352		39.7	6	Lead	FIXED	3													
					FS			0	0		32.7	<input type="checkbox"/>	7.2															
OWL	Pacific Seacraft 37	37	171	1996	44	153	18.79	38.17	4.88	No	Yes	27.28	16000	0	IB	(Mtg 4/28/16, -3 sec/mi for sprit)												
			651		16.83			14.25	8.66		46.42	1005	6200	1	Feath													
			340		ALUMN				310		39.67	0	Lead	FIXED														
					CTR						28.21	<input checked="" type="checkbox"/>	5.5															
Oxomoxo	Swan 391	39118	90	1983	53.5	135	54	47.3	4.92	Yes	Yes	31	20315	0	IB	(Mtg 10/26/17, -3 sec/mi for oversized asymmetrical, -3 sec/mi for oversized SPL)												
			606		16.3			14	8.5		56	1374	6800	1	Fold													
			255		ALUMN				379		49	0	Lead	FIXED														
					MS						31.5	<input type="checkbox"/>	7.2															
Oxymoron	Moore 24	28993	150	1981	26.25	150	26.2	25	3.91	Yes	No	23.75	2050	0	OB													
			635		9.75			9.5	6.5			21.75	1025	1	None													
			91		ALUMN			0	147		17.55	389	Lead	FIXED	0													
					FS			0	0		17.55																	
Pain Killer	J 80 ODR	369	114	2001	30	100	33.25	30	4.7	No	Yes	25.16	2900	0	OB													
			618		9.415		15.666	12.416	8.1		39.162	698	1400	1	None													
					ALUMN			0	222		31.996	6.25	Lead	FIXED	2													
			124		MS			0	0		23.156	<input checked="" type="checkbox"/>	4.9															

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop		Modifications			
			Built	ISP JSP	I J	Max Headsail	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.	Traps/H. Strps	IB or OB Prop Type # of blades				
									DW Rating	Mast Material	SL SPL SSMG SSF	SPL SSA							SLU SLU SLE ASMG	Ballast	moveable blst
Pakala	Express 37 MOD	97090	69		48.75	150	48.75	42	5.22	No	Yes	25.7	37.08	9800	0	IB	(Mtg 2/25/16, -3 sec/mi for sprit, +3 sec/mi for no spin pole, -3 sec/mi for oversized spinnaker)				
			587		14.33		16.75	13.75	8.92		52.3	1076	30.83	4600	1	Fold					
					ALUMN						48.1	0	11.5	Lead	FIXED						
			152		MS						25.74	<input type="checkbox"/>	0	7.25							
Paradigm	J 32	79	126	2002	39.166	150	40.583	38.42	5.5	No	Yes	17.83	32.4	11500	No	IB					
			653		11		11.916	15.42	9.58		42.09	722	29	3840	1	FOLD					
					ALUMN						39.25	0	11	Lead	FIXED	2					
			214		FS						22.17	<input checked="" type="checkbox"/>	0	6							
Passages	Olson 30 OB	67582	99	1979	36	155	35.9	31.5	4.36	Yes	No	22.74	30	3600	0	OB					
			583		11.75		11.75	10.75	7.26	36	11.75	36.75	632	1700	1	None					
					ALUMN					21.15	635	37.63	0	9.33							
			79		MS					21.15		19.82	<input type="checkbox"/>	90	5.08	Lead		FIXED			
Passat	North Star 500	57313	237	1973	33	150	12.75	27.5	3.5	No	Yes	18	24.98	4298	0	IB	(Mtg 4/25/18, -3 sec/mi for sprit)				
			720		10.25			8.75	6.1		32	563	20.23	1710	1	Fixed_3					
					ALUMN						31	2.6	9	Lead	FIXED						
			236		MS				149		22.3	<input type="checkbox"/>	0	5							
Peaches	Express 27 ODR	18364	129	1986	28.5	155	28.5	28.5	4.22	Yes	No		27.25	2450	No	OB					
			607		9			10.416	7.03	29	9.833		23.75	1100	1	None					
					ALUMN			0	182	17.75	429		8.166	Lead	FIXED	0					
			83		FS			0		17.75		<input type="checkbox"/>	0	4.5							
Pearl	J 80 ODR	344	114	2001	31.5	100	33.25	30	4.7	No	Yes	25.16	26.25	2900	0	OB					
			618		9.42		15.67	12.42	8.1		39.16	699	22	1400	1	None					
					ALUMN						32	6.25	8.2	Lead	FIXED						
			124		MS				222		23.16	<input checked="" type="checkbox"/>	0	4.75							
Pegasus-Motion X	Moore 24	1197	150	1983	26.25	150	26.25	25	3.91	Yes	No		23.75	2050	0	OB					
			621		12.7			9.5	6.5	26.5	9.75		21.75	1025	1	None					
					ALUMN					17.55	388		7.16	Lead	FIXED						
			91		FS				147	17.55		<input type="checkbox"/>	0	4.08							

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications				
				I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No		Yes/No	ASF		Ballast Ballast Mat.	moveable blst Keel Type	IB or OB Prop Type # of blades					
									PY	MSA								SL	SPL	SLU	ASA
																		SSMG	SSA	SLE	Sprit Lngth
EY		SSF		ASMG	Fixed or _o	Max Draft															
Pelican	Cape Dory 27	20304	234	1984	34.42 11	110	34.42	29.75 11.25	4.4 7.4	No	No	27.08 20 8.5 4	7500 3000 Lead	0 1 FIXED	IB Fixed_2 2						
Penny Pincher	J 70 ODR	215	114	2014	26.77 7.68	100	30.15 13.5	26.16 9.44	4.71 6.93	No	Yes	22.78 20.47 7.38 4.92	1750 630 Lead	0 1 MVBL	OB None						
Peregrine	J 120 Carbon	25487	45	2001	50.5 14.5	150	52	46.5 17.8	6.76 11.57	No	Yes	40 35 12 7	13900 6000 Lead	0 1 FIXED	IB Fold 2						
Perseverance	Catalina 36 TM	28706	141	2000	46.75 14.33	125	46.75	41 13 0 0	4.2 7.5 295	No	Yes	36.333 30.25 11.916 5.833	13500 6042 Lead	No 1 FIXED	IB FEATH 3						
Phat Jack	Express 37	18257	72	1985	48.75 14.33	150	48.75	42 13.75	5.25 8.83	Yes	No	37.08 30.83 11.57 7.25	11000 4500 Lead	0 1 FIXED	IB FEATH 2						
Photon	J 70 ODR	897	114	2015	26.77 7.68	100	30.15 13.5	26.16 9.44	4.71 6.93	No	Yes	22.75 20.47 7.38 4.92	1750 630 Lead	0 1 MVBL	OB None						
Picante	Islander Bahama 28 SM	1	216	1981	33.8 11.75	150	11.75	28 8.2	3.58 5.75	No	Yes	27.9 23 9.8 5.5	7000 3000 Lead	0 1 FIXED	IB Fixed_3 3						

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps Ballast moveable blst Ballast Mat. Keel Type		
								SL	SPL	SLU	ASA						
								SSMG SSF	SSA	SLE ASMG	Fixed or _o						
Pickled Herring	J 70 ODR	348	2014	26.77 7.68 100	30.15 13.5	26.16 9.44	4.71 6.93	No	Yes	18.7 491 5.1 0	22.75 20.47 7.38 4.92	1750 630 Lead	0 1 MVBL	OB None			
Pinocchio	Borges/Aquilles 33	9	1991	44 12.7 135		38.25 12.25	4.85 8.1	No	No	0 0	33.5 28 11 6	10000 4400 Lead	0 1 FIXED	IB Fixed_2	(Mtg 12/5/13, custom rating of 120 assigned. +3 sec/mi for fixed prop. As sailed- 123)		
Platinum	Morgan 45-4 CB	28799	1982	56.2 18 105	56.2 18	49.2 16	6 10.4 468	Yes	No	18 1512 0	45 36.9 13.4 7.5	22500 10000 Lead	No 1 CNTRBRD	IB FOLD 3			
Plus Sixteen	Ericson 911S Olson	97707	1991	41.5 12.25 125	41.5 12.33	35.761 11.811	4.035 7.136	Yes	Yes	20.932 698 0	30 25 10.33 5.42	8500 3200 LeadSteel	No 1 FIXED	IB FEATH 2			
Poke & Destroy	Evelyn 32-2 OB	6906	1983	38 12.7 155	38	33.25 12	4.8 7.95 242	No	Yes	23 776 0 90	32.1 28.2 9.8 6	4800 2000 Lead	0 1 FIXED	OB None			
Polecat	Wyliecat 30 IB	5	1997		29.5 12	40 20 0 0	7.35 12.66 468	No	No	21.6 493 8 15	30.5 25 9.416 5.25	5500 3050 Lead	No 1 FIXED	IB FOLD 2	(Articulating Sprint and Pole added for asym spinnaker, added asymmetrical, -21 sec/mi)(5/22/14, removed Asymmetric, +21 sec/mi)(Mtg 8/25/16, New rudder installed, NCTR)		
Pork Chop Express	Express 27 ODR	115	1986	28.5 9 130	32.5	28.5 10.4	4.2 7 182	Yes	No	19.55 425 0 90	27.25 23.75 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None	(Mtg 1/26/17, -3sec/mi for switching to MH configuration. New Rudder, NCTR)(08/11/17, switching back to OD config)		

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
				DW Rating Disp/WL Ratio	J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.	Traps/H. Strps moveable blst		IB or OB Prop Type # of blades
									SL	SPL	SLU	ASA						
									SSMG SSF	SSA	SLE ASMG	SA						
Puffin	Alden 44	38144	117	1978	54.1 19.5 100	ALUMN CTR	47.08 14.75	5.7 9.6 416	No	Yes	33 1369 0 0	44.17 34.08 12.5 8.75	24500 0 1 Lead	CNTRBRD	IB Feath			
Puhaka	Catalina 38	111	126	1981	49.83 15.5 110	ALUMN MS	49.83 15.5	44 11.5 7.9 313	Yes	No	49 15.42 27.9 1139 27.9	38.17 30.25 11.83 6.75	15900 6850 1 Lead	0 1 FIXED	IB Fixed_3 2			
Punk Dolphin	Custom Wylie 38	18481	72	1985	48 14.33 150	ALUMN MS	48	43 14 9.55 0 369 0	Yes	No	48 14.33 25.8 1026 25	38 31 11.6 6.75	14000 5000 1 Lead	No 1 FIXED	IB FOLD 2			
Pyewacket	Andrews 68	678	-81	1994	71.37 23 165	CARBON MS	73.86 25.53	65.5 9.22 25.3 15.35 953	Yes	Yes	40.94 2459 0 90	68.48 58.82 15 10.7	25188 10000 1 Lead	0 1 FIXED	IB Fold 2	(Mtg 10/2/13, custom rating assigned. -81 as sailed)		
Q	Custom Schumacher 40	28901	54	2001	47 14.67 105	CARBON FS	47	47.5 6.75 18.35 11.75 0 513 0	Yes	No	46.8 14.67 26.41 1030 26.41	40 31.5 11 7.6	10166 4528 1 Lead	No 1 FIXED	IB FOLD 2			
QE 3	Tartan 10	8049	129	1978	35 12 125	ALUMN FS	35 0	40.25 5.34 13.75 8.96 0 332 0	Yes	No	35 12 21.6 630 21.6	33.16 27 9.25 5.83	6700 3340 1 Lead	0 1 FIXED	IB FOLD 2			
Quantum	Beneteau 405 TM	56281	90	1986	52.17 14.83 155	ALUMN MS	52.17	46.26 4.76 15.09 8.74 385	Yes	No	51.45 14.8 26.64 1142 26.64	40.42 35.5 12.75 7.19	18518 7694 1 Iron	0 1 FIXED	IB Fold			

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications		
				I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SL SPL SSMG SSF	SPL SSA	Yes/No		ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast			Traps/H. moveable blst Keel Type	
								SL	SPL			SLU							ASA
Red Cloud	Farr 36 Mod	99	1976	38.3 12.16 ALUMN FS	108	46.3 12.16	41 6.4 16.75 10.9 0 410 0	Yes	No	36 31.33 11.92 6.16	10430 3950 Lead	No 1 FIXED	IB Fold 2	(550# ADDED TO KEEL 300# TO FILL MIDDLE WINDOW+250# TO BOTTOM)(Mtg 1/26/12, -3 sec/mi for new mainsail)(mtg 3/29/12, +3 sec/mi after review of rating appeal, as sailed: 87)					
Red Hawk	Hawkfarm 28 ODR	59024	1978	33 11 ALUMN FS	155	33.25 11.5	36 4.37 10.5 7.26 0 236 0	Yes	No	28 23.5 9.75 5.166	5700 2700 Lead	0 1 FIXED	IB FOLD 2						
Red Sky	Ericson 34 Olson SM	28340	1989	44 12.95 ALUMN MS	150	44 12.95	38.7 5.1 12.95 8.5 0 302 0	Yes	Yes	33.88 28 10.8 6.08	10855 3500 Lead	No 1 FIXED	IB FOLD 2	MTG 12/11/97(RUDDER REPLACED 8" DEEPER ADN 3" NARROWER.)					
Redux	Olson 911S	28106	1987	41.5 12.33 ALUMN MS	155	41.5	35.5 4.5 11.83 7.7 0 251 0	Yes	No	29.9 25 10.33 5.416	7200 3200 Lead	No 1 FIXED	IB FOLD 2						
Renaissance of Tahoe Vista	Islander 36	234	1973	44.9 14.4 ALUMN MS	150	44.9 14.4	39.1 5 12.7 8.4 300	Yes	No	36.08 28.25 11.17 6.08	13450 5450 Iron	0 1 FIXED	IB Fixed_2						
Revelry	Catalina 42-1/2	703	1999	53 16.416 ALUMN MS	125	53 16.416	46.75 5.75 15.416 9.833 0 425 0	No	Yes	41.833 36 13.833 6.83	20500 8300 Lead	No 1 FIXED	IB FEATH 3	ASYM SPIN NOTED NCTR.					
Rhapsody	Santana 22 ODR	6285		26 8.5 ALUMN MS	115	26 8.5	21.75 3.95 9.83 6.59 131	No	No	22 18.67 7.83 3.5	2600 1230 Iron	0 1 FIXED	OB None						

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
				DW Rating Disp/WL Ratio	J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast	Traps/H. moveable blst		IB or OB Prop Type # of blades
									SL	SPL	SLU	ASA						
									SSMG SSF	SSA	SLE ASMG	SA						
Rhapsody	J 32	56303	2000	39.2 11 155 40.583 13	ALUMN FS	38.5 5.12 15.5 9.25 335	No	Yes	22.5 830 2 0	32.4 29 11 6	11500 3840 Lead	0 1 FIXED	IB Fold 3	(Mtg 5/23/13, -3 sec/mi for sprit, -3 sec/mi for oversized spinnaker)				
Riff Rider	Cal 40	46	1965	46.2 15.1 155 46.2	ALUMN MS	40 6.5 17.5 11.3 414	Yes	No	0 0	39.3 30.3 11 5.6	15000 6000 Lead	0 1 FIXED	IB Fold					
Rio	Santa Cruz 27	57337	1977	32.583 10.75 155 32.583	ALUMN MS	28.25 3.7 8.583 6.1 0 154 0	Yes	No	0 0	27 24 8 4.5	3000 1500 Lead	No 1 FIXED	OB None 0					
Road Runner	Ranger 23	6422	1979	27 9.7 125	ALUMN MS	24 3.48 9.17 5.96 132	Yes	No	0 0	23 20 7.97 3.75	3400 1500 Lead	0 1 FIXED	OB None 3					
Rocket Science	Moore 24	104		26.25 9.75 155 26.25 9.76	ALUMN FS	25 3.91 9.5 6.5 147	Yes	No	0 0	23.75 21.75 7.16 4.08	2050 1025 Lead	0 1 FIXED	OB None 3					
Rosalita	CAL 29-1 IB	373	1972	38 12 125 37.8 12.7	ALUMN MS	32 4.332 12 7.537 224	No	No	0 0	29 24.2 9.25 4.75	8000 3350 Lead	0 1 FIXED	IB Fixed_2 2	Roller Furler				
Roxanne	Tartan 4100 SD TM	322		57 15 135 57 15	ALUMN MS	50.1 6.8 18 11.5 533	No	Yes	27 1285 0 0	41.3 35.9 13.6 5.4	20400 8000 Lead	0 1 FIXED	IB Feath					

Boat Name	Boat Model (Type)	Rating		I J Max Headsail Mast Material Rig Type	ISP		Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
		Sail #	Built		ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp. Traps/H. Strps		IB or OB Prop Type # of blades			
								DW Rating	Mast Material	SL SPL SSMG SSF	SPL SSA		SLU ASA SLE ASMG	ASF ASA Sprit Lngth Fixed or _o			Ballast	moveable blst Keel Type
Ruby	Moore 24	6	150	1974	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No	23.9 21.9 7.2 4.1	2050 1025 Lead	0 1 FIXED	OB None 0			
Rufless	Melges 32 MOD	174	36	2007	40.86 10.7	105	41 19.42	44.03 15.39	5.84 9.94	No	Yes	31.76 30.45 9.83 7.02	3988 1600 Lead	0 1 FIXED	OB None	(mtg 2/23/17, no longer using the class spinnaker. +3 sec/mi for small asymmetric)(Mtg 5/21/18, +6 sec/mi for short ISP)		
Rum Line	Dehler 38	252	63	2018	49.57 14.3	105	54.17 16.6	54.13 17.06	5.48 10.26	No	Yes	38.19 34.78 12.3 6.66	16534 5247 Cast Iron	0 1 FIXED	IB Feath			
Rumour	Ericson 32-3	18260	159		42 13.75	150	42 13.75	36 11.5 0 13.75	4.6 7.7 253	Yes	No	32.5 25.83 10.83 6	9800 4200 Lead	No 1 FIXED	IB Fixed_2 2			
Runaway	Custom Andrews 70 Turbo	46269	-105	1995	71.14 21	148	85.99 28.2	77.98 25.66 0 0	10.76 17.09 1227	No	Yes	70.5 61.2 15 12.5	24522 9531 LeadSteel	No 1 FIXED	IB FOLD 2	(Formerly Pegasus - deeper, lighter keel, taller main, extended waterline at bow +/- 21", add stern scoop, lightened interior)(Mtg 3/24/16, +6 sec/mi for spinnaker change. As sailed: -111)(Mtg 3/26/18, +3 sec/mi for smaller mainsail, -6 sec/mi for		
Sabbatical	Ron Holland 43	8	90	1986	55 17	150		48.5 16	6.1 10.3 461	No	Yes	42.6 33.9 13 6.8	23780 9390 Lead	0 1 FIXED	IB Fold	(Mtg 3/26/18, custom rating of 90 assigned)		
Sacagawea	Jeanneau Sun Odyssey 349	43	141	2018	43.58 12.42	110		40.67 13.08		No	No	32.67 30.83 11.25 6.42	11773 3483 Cast Iron	0 1 FIXED	IB Feath			

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications									
			Built	J	Max	Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB									
											PY	MGM									SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	IB or OB
Disp/WL Ratio	Mast Material	Rig Type	EY		ASMG	Fixed or _o	Max Draft																					
Saetta	J 120 ALUM	28486	48	1999	50.5	153	52	46.5	6.75	No	Yes	37.6	40	13900	No		IB											
			556		14.5		21.5	17.8	11.5		65.61	1793	35	6000	1		FOLD											
			147		ALUMN		0	492			51.8	7	12	Lead	FIXED		2											
					FS		0				36.42	<input checked="" type="checkbox"/>	0															
Sailor Dog	Catalina 34 1&2	1798	162	2007	44	110	44	38.5	2.8	No	Yes	20.5	34.5	11950	0		IB	In-Mast furling main +3 sec/mi, MGM less than 50% of E +3 sec/mi										
			660		13.5		13.5	12	5.9		40.5	723	29.8	5000	1		Fixed_3											
			205		ALUMN				229		38	0	11.7	Lead	FIXED		3											
					MS						22.5	<input type="checkbox"/>	0															
Salient	Cal 39-2/3	30	123	1978	50	100	50	44	5.3	Yes	No		39	19000	No		IB											
			621		17			14	9.1		50.7	16.67	32.08	7000	1		Fixed_3											
			262		ALUMN			0	367		30.1	1272	12	Lead	FIXED		3											
					MS			0			30.1		6.67															
Salty Hotel	Express 27 ODR	60	129	1983	28.5	155	28.5	28.5	4.22	Yes	No		27.25	2450	0		OB											
			607		9			10.416	7.03		29	9.83	23.75	1100	1		None											
			83		ALUMN				182		17.75	429	8.17	Lead	FIXED		0											
					FS						17.75		4.5															
Sam I Am	Catalina 30	356	189	1976	41	110	41	35.5	4.63	No	No		29.92	10200	0		IB											
					11.42			11.5	7.72				25	4200	1		Fixed_3											
			297		ALUMN				250				10.83	Lead	FIXED		3											
					MS								5.25															
Samba Pa Ti	J 22	1623	186	1982	24.8	125	24.8	26.1	3.78	Yes	No		22.5	1790	0		OB											
			670		8.8		8.8	9	6.27		24	8.8	19	700	1		None											
			119		ALUMN				147		16	320	8	Lead	FIXED													
					FS						16		3.8															
Saoirse	Tripp 41	51597	0	2001	55	104	58.5	57	7.6	No	Yes		41	14400	0		IB	(Mtg 1/25/18, custom rating of 0 assigned)										
			526		16			20	13				37	5300	1		Feath											
			129		CARBON				679				8.5	Lead	FIXED													
					MS								12.67															

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:		ISP		Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications									
		Sail #	DW Rating		J	Max Headsail	E	MGU	SL	SPL	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	IB or OB	Strps												
																		Mast Material	PY		MGM	SSMG	SSA	SLU	ASA	Max Beam	Ballast	moveable blst	IB or OB
Disp/WL Ratio																													
Scarlett	Moore 24	86	150	1980	26.25 9.75	150	26.25	25 9.5	3.89 6.45	Yes	No	24 21.75 7.17 4.08	2050 1000 Lead	No 1 FIXED	OB None														
Schock Full O'Nuts	Schock 35	97285	75	1987	49 13.75	155	49 13.75	44 13.75	5.4 9	Yes	No	35 29.5 11.75 6.75	10000 4000 Lead	No 1 FIXED	IB FOLD 2														
Scilla	J 70 ODR	327	114	2012	26.77 7.68	100	30.15 13.5	26.16 9.44	4.71 6.93	No	Yes	22.78 20.47 7.38 4.92	1750 630 Lead	0 1 MVBL	OB None														
Scoop	Wylie 34	18719	120	1982	38.25 11.33	155	38.5	41 14.25	5.2 9	Yes	No	33.75 25.75 10.83 6	7800 3235 Lead	No 1 FIXED	IB FOLD 2														
Sea Breeze	Catalina 320	850	156	2001	43.58 12.33	135	43.58	38 13.25	5.168 8.661	No	No	32.5 28 11.75 6	11300 4000 Lead	0 1 FIXED	IB Feath 3														
Sea Saw	Henderson 30	102	48	1996	37.11 11.04	155	42.26 18.75	38.28 14.29	7.3 10.58	No	Yes	30.83 27.75 9.92 7	3850 1750 LeadSteel	No 1 FIXED	OB None 0														
Sea Star	CAL 39-2/3	38022	114	1977	50 16.7	150	50	44 13.8	4.5 8	Yes	Yes	39 32 12 6.7	17000 7000 Lead	0 1 FIXED	IB FEATH 3	Roller Furler													

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
				J Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp.	Traps/H. Strps		IB or OB Prop Type # of blades		
								SL SPL SSMG SSF	SPL SSA SSA	SLU SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o			Ballast	moveable blst			
																	Ballast Mat.	
Seascape	Ericson 32-3	28326	1985	42 13.8	135	36 11.5	4.18 7.28	No	No	32.5 25.83 10.83 6	9800 4200 Lead	0 1 FIXED	IB Fixed_2 2	Roller Furler				
Selene	Pearson 323	212		41 13.83	99	36 10.75	4.15 7	No	No	32.25 27.5 10.25 4.42	12800 4500 Lead	0 1 FIXED	IB Feath 3					
Sensei	Norseman 447	23	1982	56 18.9	155	51 16	6.12 10.4 487	No	No	44.58 37.5 13 6.3	28000 12000 Lead	0 1 FIXED	IB Feath					
Sequoia	Cal 40	60061		46.2 15.17	155	40 17.5	6.65 11.37 417	Yes	No	39.3 30 11 5.5	15000 6000 Lead	0 1 FIXED	IB None 2					
Serenade	Sabre Spirit		2007	45.5 12.87	106	45.5 16.55	5.55 9.93 425	Yes	No	36.67 28.33 10.42 6.58	10500 3740 Lead	0 1 FIXED	IB Fold					
Serenity	Islander 36 ODR	82659	1973	45 14.48	135	39.25 12.75	3.69 6.88 265	Yes	No	36.08 28.25 11.17 6.083	13500 5450 Lead	0 1 FIXED	IB Feath					
Shanti	Ericson 911S Olson	326	1989	41.5 12.33	150	35.5 11.83	4.73 7.69 253	Yes	No	29.92 25 10.33 5.42	8700 3200 Lead	0 1 FIXED	IB FOLD 2	CHANGE TO RUDDER NOTED, NCTR				

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		Ttl Disp.		Traps/H. Strps moveable blst				
								SL	SPL	SLU	ASA				Ballast Mat.			Keel Type
								SSMG SSF	SSA	SLE ASMG	Sprit Lngth Fixed or _o							
Shark-On-Bluegrass	Olson 25	18201	159	1984	32 9.583 ALUMN MS	32	28 10 0 0	3.8 6.4 166	Yes	32 17.25 17	9.583 459	No	0	25 21.25 9 4.5	3300 1300 Lead	No 1 FIXED	OB None 0	
Shearwater	J 35	40248	69	1985	46.4 14.7 ALUMN MS	149	46.4 13.97	14.7	Yes	46.34 26.44 25.91	14.7	Yes	28 1096 0 90	35.42 30 11.75 7.08	11000 4400 Lead	0 1 FIXED	IB Fold	(Mtg 6/25/18, -3 sec/mi for 10% oversized spinnaker area)
Shenanigans	Express 27 ODR	67	129	1983	28.5 9 ALUMN FS	155	28.5 10.42	4.22 7.03	Yes	29 16 16	9.83 387	No	0	27.25 23.75 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0	
Shenanigans	J 120 ALUM	46630	48	1998	50.5 14.5 ALUMN MS	155	52 17.8	21.4 11.5 491	No	Yes	34.4 1775 6.9 0	40 34.5 12 7	13900 6000 Lead	0 1 FIXED	IB Fold 2			
Shut Up & Drive	J 24 ODR	513	168		26.25 9.5 ALUMN FS	150	26.25 9.75	3.7 6.37	Yes	26.5 17 16.8	9.5 375	No	0	24 20 8.916 4	3100 965 Lead	No 1 FIXED	OB None 0	
Siento El Viento	C&C 29	38311	174	1977	39.5 12.8 ALUMN MS	155	33.5 10.1		Yes	39 22 22	12.8 715	No	0	29.5 23.6 10.5 5.25	7500 2700 Lead	No 1 FIXED	IB Fold 2	
Silkye	Wyliecat 30 OB	38003	123	1996			39.9 20.66	11.45 15.61	No	No		30.5 25 9.5 5.25	5500 3050 Lead	No 1 FIXED	OB None 0	(Mtg 08/25/16, installed retractable saildrive, NCTR. Added squaretop mainsail, -6 sec/mi)		

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications		
		Sail #	DW Rating		I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps moveable blst	IB or OB Prop Type # of blades			
									SL	SPL	SLU	ASA							Ballast Mat.	Keel Type
Sir Leansalot	Hunter 40	161	108	1986	53.9 17	125	53.9 17	48 13.9 0 0	5.2 9 396	Yes	No	52.5 29.2 29	17 1276	<input type="checkbox"/>	0	39.7 32.5 13.5 6.5	17400 6000 Iron	0 1 FIXED	IB Fixed_2 2	
Siroco	Soverel 30 MH	67572	126	1979	42 12.29	155		37 10 0 0	4.2 6.92 231	Yes	No	41.8 22.1 22.1	12.3 770	<input type="checkbox"/>	0	29.75 25.42 11 5.3	7300 2960 Lead	0 1 FIXED	IB FOLD	
Six Brothers	Columbia C 30-2	32006	57	2013	36.67 12.67	103	42 17.67	38 14.67	7.77 10.64	No	Yes	50 42.05 29.43	31.5 1145 0 0	<input checked="" type="checkbox"/>	0	32 27 10.13 7.42	4811 1900 Lead	0 1 FIXED	IB None	
Skinny Love	11 Metre ODR	92	69	1996	32.53 10.166	95	41	36.08 13.583 0 0	5.23 8.82 293	Yes	No	41 23.62 23.62	13.17 807	<input type="checkbox"/>	0	33.67 26.92 8.67 5.42	3600 1600 Lead	No 1 FIXED	OB None 0	MTG 4/9/98. Sail number 90, using sail # 246 for Vallejo 2008
Slainte	Cal 20	1510	273	1973	22 7.33	115	22 7.33	23 9.833	3.67 6.5	Yes	No	22 13.2 13.2	7.33 242	<input type="checkbox"/>	0 0	20 18.08 7 3.33	1950 900 Iron	0 1 FIXED	OB None	
Slight Disorder	Moore 24	98	150	1981	26.25 9.75	150	26.25 9.75	25 9.5 0 0	3.91 6.5 147	Yes	No	26.6 17.5 17.5	9.8 388	<input type="checkbox"/>	0	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0	
Snafu	Moore 24	121	150	1982	26.25 9.75	150	26.25	25 9.5	3.91 6.5 147	Yes	No	27 17.55 17.55	9.75 395	<input type="checkbox"/>	0 0	23.75 21.75 7.16 4.08	2050 1000 Lead	0 1 FIXED	OB None	

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU ASA SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast		Traps/H. moveable blst	IB or OB Prop Type # of blades		
								SL	SPL								
								SSMG SSF	SSA								
Snafu	CS 30	68588	1988	42 12.04 ALUMN MS	42 12.04	36.416 3.95 11.416 6.5 0 232 0		NO	Yes	20.04	30 25.51 10.25 5.416	8000 3440 Lead	0 1 FIXED	IB FOLD 2			
Snowy Owl	Express 37 SD	69458	1988	48.75 14.33 ALUMN MS	150	48.75	42 5 13.8 8.75 339	Yes	No		37.08 30.83 11.57 6.25	11000 4500 Lead	0 1 FIXED	IB Fold 2	Shoal Draft version		
Snowy Owl	J 22	1624	1982	24.8 8.8 ALUMN FS	125	24.8 8.8	26.1 3.78 9 6.27 147	Yes	No		22.5 19 8 3.8	1790 700 Lead	0 1 FIXED	OB None			
Sobrante	Alerion Express 28 ODR	406	2009	30 9.75 ALUMN FS	90	30 9.75	33 4.8 12.5 7.6 241	No	No		28.25 22.83 8.2 4.5	5700 2200 Lead	0 1 FIXED	IB Fold 2			
Solana	Santa Cruz 27	21102	1977	32.58 10.75 ALUMN MS	150	32.58	28.25 3.68 8.58 6.06 153	Yes	No		27 24 8 4.5	3000 1500 Lead	0 1 FIXED	OB None			
Soleil de la Mer	Saffier SE26	0	2018	31.8 9.8 ALUMN FS	80	9.8	33.2 4.4 9.25 7.68 212	No	Yes	19.5	26 24.2 8 3.4	4000 1900 Lead	0 1 FIXED	IB Fold			
Some Assembly Required	Holder 20	183	1984	22.6 7.25 ALUMN FS	155	22.6 13.05	24.04 3.84 9.33 6.58 141	Yes	No		20.33 18.42 7.83 3.58	1160 335 Lead	4 1 MVBL	OB None	(Mtg 8/24/17, added 4 soft hiking straps to seats, NCTR)		

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		Ttl Disp.		Traps/H. Strps				
								SL	SPL	SLU	ASA				Ballast			moveable blst
								SSMG SSF	SSA	SLE	Sprit Lngth Fixed or _o							
Sonata	Laser 28	33685	1985	31.1 9.65 ALUMN FS	125	31.73	33.14 12.96 0 0	4.98 8.4 257	Yes	No	28.41 23.62 9.48 4.98	4550 1500 Lead	No 1 FIXED	IB FOLD 2	(Rudder noted, NCTR - 1-13-03)(MTG 4/26/07 -6 sec/mi for OSP)			
		644 157																
Sonho Meu	Moore 24	100	1981	26.25 9.75 ALUMN FS	155	26.25	25 9.5 0 0	3.91 6.5 147	Yes	No	23.75 21.75 7.16 4.083	2050 1025 Lead	0 1 FIXED	OB None 0				
Sonrisa	Baba 40	1		50 21 ALUMN CTR	100	50 21	46 14.75	5.3 9 391	No	Yes	30.5 1196 0 0	39.83 34.5 12.83 6	29000 12000 Iron	0 1 FIXED	IB Feath			
Sparky	Catalina 25 FK	1498	1979	29 10.5 ALUMN MS	145	29 10.5	24.66 9.58	3.68 1.45 102	Yes	Yes	17.9 369 0 0	25 22.16 8 4	4550 1900 Cast Iron	0 1 FIXED	OB None 0			
Spartan	J 105 ODR w/ 5'BS	431	2001	40.6 13.5 ALUMN FS	100	42.1 19.07	41.5 14.6 0 0	5.5 9.4 359	No	Yes	26 926 5 0	34.5 29.5 11 6.5	7750 3400 Lead	No 1 FIXED	IB FOLD 2			
Spirit of Freedom	J 124	38006	2006	49 14 CARBON FS	100	54.7 18.2	48.4 17		No	Yes	27.02 1021 0 0	40.7 36.2 11.3 6.9	12600 5000 Lead	No 1 FIXED	IB FOLD 2	(Mtg 1/25/18, -6 sec/mi for sprit, +6sec/mi for smallspinnaker)!!		
Split Water	J 88	78	2015	38.67 11.28 CARBON FS	104	46 18.05	36.82 12	5.44 8.4 282	No	Yes	29 1022 5.25 0	29.19 26.84 9.5 6.5	4990 1840 Lead	0 1 FIXED	IB Fold			

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
				DW Rating Disp/WL Ratio	J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp. Ballast Mat.	Traps/H. moveable blst Keel Type	IB or OB Prop Type # of blades		
									SL	SPL	SLU	ASA						
									SSMG SSF	SSA	SLE ASMG	Sprit Lngth Fixed or _o						
Starbuck	Custom Black Soo 30	8666	1968	30 13 125	29.5 13	25 4.9 11.73 7.5	4.9 7.5	Yes	No	31 27.5 6.8 6.4	4500 1800 Iron	0 1 FIXED	OB None 0	(Mtg 1/17/02, added scoop, custom rating changed from 144 to 141)(mtg 1/11/13, Added A-sail, -9 sec/mi, rating changed from 141 to 132)(Mtg 5/13/14, removed A-Sail, +9 sec/mi, change custom rating from 132 to 141, +2 sec/mi for small headsail)				
Starship	Santa Cruz 52 SD	38109	1998	64.55 19 155		57.5 8.3 21 14.2	8.3 14.2	Yes	Yes	53 46.24 14 7	23452 9000 Lead	0 1 FIXED	IB Feath	Shoal Draft (Mtg 1/25/18, Custom rating assigned, includes -3 sec/mi for main girths and -3 sec/mi for OSP. As Sailed: -12)				
Sterling	Catalina 34 1&2	1269	1994	44 13.5 125		38.5 3.6 12 6.8	3.6 6.8	No	No	35.66 29.84 11.75 5.56	11950 5000 Lead	0 1 FIXED	IB Fixed_2					
Stewball	Express 37	18278	1985	48.75 14.33 150	48.75	42 5.28 13.75 8.83	5.28 8.83	Yes	No	37.083 30.833 11.57 7.25	11000 4500 Lead	0 1 FIXED	IB FOLD 2					
Stink Eye	Laser 28	33562		31.73 9.65 110	33.2	33.14 4.92 12.3 8.3	4.92 8.3	Yes	No	28.42 23.62 9.48 5	4050 1500 Lead	No 1 FIXED	OB FOLD 2	(Mtg 1/25/18, -3 sec/mi for mainsail girths, -3 sec/mi for change to OB motor, -3 sec/mi for oversized spinnaker girth)				
Story Maker	Tartan 101	7090	2014	47.6 12.5 105	50.12 16.5	45.24 5.6 14.83 9.63	5.6 9.63	No	Yes	33 29.1 10.9 6.5	8500 3250 Lead	0 1 FIXED	IB Fold					
Strange Magic	Islander Bahama 30	179	1981	40 12.75 150	40 12.75	33.75 4.37 11.5 7.47	4.37 7.47	No	No	29.92 24.58 10 5	8230 3130 Lead	0 1 FIXED	IB Fold					

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications						
		Sail #	DW Rating		I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No		Yes/No	ASF		LOA LWL	Ttl Disp.	Traps/H. Strps		IB or OB Prop Type # of blades					
										Mast Material	PY		MSA	SL			SPL			SLU	ASA	Max Beam	Ballast	moveable blst
Disp/WL Ratio										Fixed or _o														
Stratocaster	J 32	16	126	1996	39.2 11	155	40.68	38.5 15.5	5.88 10.07	Yes	Yes	23.95 831	32.5 28.67	10000 3840	No 1	IB FOLD								
			641		ALUMN FS			0 0	355			0 <input checked="" type="checkbox"/>	11 5.75	Lead	FIXED	2								
Such Fast	1D 35	35020	36		42.49 12.52	108	44.78 14.76	44.46 18.58	7.53 12	Yes	Yes	28.54 1097	35 31.5	6580 2660	0 1	IB Fold								
			535		ALUMN FS				498			0 <input type="checkbox"/>	10.9 7.58	Lead	FIXED									
Summertime Dream	Custom Schumacher 26	18859	186	1979	26.28 8.07	150	26.28 8.07	29.58 10.76	4.33 7.23	Yes	No		26.08 20	3300 1360	0 1	OB None	Boat has previously been called "War"							
			706		ALUMN FS			0 0	195			0 <input type="checkbox"/>	9.08 5.08	Lead	FIXED	0								
Surprise	Custom Schumacher 46	28098	6	1997	57 17	160	63	57 19.75	7.5 12.8	Yes	Yes	37.23 1681	46 40.63	18300 8000	No 1	IB FOLD	(MTG 4/9/98)(mtg 2/20/04)							
			524		CARBON FS			0 0	670			0 <input type="checkbox"/>	12.92 7.75	Lead	FIXED	2								
Sweet Grapes	Ericson 36 Holland	19	108	1981	47.75 14.5	147	47.75	42 12	3.5 7.2	Yes	No		35.58 29	11600 5230	0 1	IB FOLD								
			631		ALUMN MS				278			0 <input type="checkbox"/>	11.83 6.25	Lead	FIXED	2								
Sweet Okole	Custom Farr 36	29000	66	1976	41.98 12.34	155	45.98 14.82	44.49 16	6 10.37	Yes	Yes	25.2 947	36 31.33	9696 3750	No 1	IB FOLD	(78 MTG 1/28/93) (81 MTG 3/18/93)(Mtg 5/22/08, +3 sec/mi for switching to smaller headsail, +3 sec/mi for removing 250# shoe from keel, change custom rating from 81 to 87)(6/7/10, change headsail to 155% 2 sec/mi change rating							
			575		CARBON FS			0 0	423			0 <input type="checkbox"/>	11.88 7	Lead	FIXED	2								
Sweet Pea	Islander 30-2	195	186	1971	38.5 12.58	155	38.42	32.5 11.58	4.75 8.125	Yes	No		30 24.58	8600 3500	0 1	IB FOLD								
			683		ALUMN MS			0 0	235			0 <input type="checkbox"/>	10 5	Lead	FIXED	2								

Boat Name	Boat Model (Type)	Rating		I J Built	Foretriangle:		ISP		Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
		Sail #	DW Rating		Max Headsail	Mast Material	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp.	Traps/H. Strps		IB or OB Prop Type # of blades			
									SSMG SSF	SPL SSA	SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o			Ballast	moveable blst				
																		Ballast Mat.	Keel Type	
Disp/WL Ratio	Mast Rig Type	SSMG SSF	SPL SSA	SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ballast Mat.	Keel Type													
Sweetspot	C&C 121 DK W/5' BS	46921	60	2000	57 15 135	57 20	51 6.19 16.386 10.6	0 496	No	Yes	36 1851	40 35.5 13.8 8	14100 5500 Lead	No 1 FIXED	IB FOLD 2	Deep Keel-bowsprit, (Mtg 4/24/08, rating appeal submitted, change base rating for C&C 121 DK w/ 5' BS, aka C&C 121 XP, to 60)				
Swift Ness	J 111	101	36	2014	48.37 13.85 105	51.4 20.08	45.17 6.1 14.5 10.1	410	No	Yes	31.8 1404 6.3 0	36.5 32.7 10.8 7.2	9300 3500 LeadSteel	0 1 FIXED	IB Fold					
Symmetry	J 111	91	36	2013	48.37 13.85 105	51.4 20.08	45.17 6.16 14.45 10.1	410	No	Yes	31.1 1399 6.3 0	36.5 32.7 10.8 7.2	9300 3500 LeadSteel	0 1 FIXED	IB Fold					
Synchronicity	Olson 25	68	159	1985	32 9.583 155	32 9.6	28 3.8 10 6.4	0 166	Yes	No	32 9.583 17.28 461	25 21.25 9 4.5	3300 1300 Lead	No 1 FIXED	OB None 0					
Take 5	Wilderness 21	19	222	1978	25 8.67 150	25 8.67	25 2.97 8 5	117	Yes	No	25.1 8.67 15.6 324	20.6 17.9 7.3 4	1870 1070 Lead	0 1 FIXED	OB None					
Take Five	Express 27 ODR	28031	129	1982	28.5 9 155	28.5	28.5 4.22 10.416 7.03	182	Yes	No	29 9.833 17.75 429	27.25 23.75 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0					
Tango	Catalina 34 1&2	1689	150	2004	44 13.5 120		38.5 4.7 12 8	280	No	Yes	21 640 0	35.67 29.83 11.75 5.58	11950 5000 Lead	0 1 FIXED	IB Feath 3					

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications							
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU ASA Sprit Lngth Fixed or _o	SL SPL SSMG SSF	SPL SSA		Yes/No	ASF			Ttl Disp. Ballast	Traps/H. moveable blst					
								28.5 10.42	4.23 7.04											Yes	No	27.3 23.8 8.17 4.5	2450 1100 Lead	0 1 FIXED
24.8 8.8	125	24.8 8.8	26.1 9	3.78 6.27	147	Yes	No	22.5 19 8 3.8	1790 700 Lead	0 1 FIXED														
											TAZ!!	Express 27 ODR	8100	1981	28.5 9 155	28.5	28.5 10.42	4.23 7.04	Yes	No	27.3 23.8 8.17 4.5	2450 1100 Lead	0 1 FIXED	NONE None
Team Eaton	J 22	5	1982	24.8 8.8 125	24.8 8.8	26.1 9	3.78 6.27	Yes	No	22.5 19 8 3.8	1790 700 Lead	0 1 FIXED	OB None											
TESA	Catalina 42-1/2	642	1999	53 16.41 155	53 23	46.75 15.416	5.91 10	Yes	Yes	41.83 36 13.83 6.8	25500 8300 Lead	0 1 FIXED	IB FEATH 3	Added one electric main halyard winch										
The Bar-Ba-Loot	Wylie Wabbit ODR W/Trap	8415	1982	20.5 6.5 150	20.5	23.75 10	4.03 6.72	Yes	No	23.75 20 5.583 3.5	975 440 Lead	Yes 3 FIXED	OB None 0											
The Fugitive	Farr 12-20	28077	1987	48.5 14.17 154	48.59 15.91	43.04 16.8	6.4 10.83	Yes	Yes	40 33.58 12.5 6.5	15330 5864 Lead	0 1 FIXED	IB Fold 2	(Mtg 02/26/18, -6 sec/mi for 13% oversized pole)										
The Jackal	Moore 24	22	1977	26.25 9.75 150	26.25 9.75	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.08	2050 1025 Lead	0 1 FIXED	OB None											
The Shadow	Custom Mull 32	18787	1974	39.833 13.25 125	39.83	35.166 9.75	3.45 6.2	Yes	No	32.166 26.666 10 5	10600 4500 Lead	No 1 FIXED	IB FOLD 2	RMVD Foam Bumps from both sides of hull, Red Beam by approx 7" Replaced Rudder and Skeg Design w/balanced Rudder Depth same, area increased approx 8 sqft. Hull dry rot, Crsnfg Accom, Ref, Head Star Cov. Changed MTC 10/6/07										

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps moveable blst		
								SL	SPL	SLU	ASA						
								SSMG SSF	SSA	SLE	ASMG						
Think Fast	Olson 30 OB	28708	99	1980	36 11.75 ALUMN MS	150	35.9 11.67	31.5 4.364 10.75 7.268 0 208 0	36 11.75 623	Yes	No	30 27.5 9.33 5.08	3600 1800 Lead	0 1 FIXED	OB None 0		
Tiburon	C&C 30 Mills	11	36	2014	40.8 11.28 CARBON FS	105	46.74 18.6	41.8 7 14.2 10 387	No	Yes	31.5 1284 7 0	30 28.7 9.8 7.5	3995 1579 Lead	0 1 FIXED	IB Fold		
Tiki Blue	Beneteau 423	38423	105	2005	48.65 16.52 ALUMN MS	125	48.65 16.52	43.44 5.49 14.83 9.6 381	Yes	No	0 0	41.67 38.58 12.92 6.92	20224 5569 Iron	No 1 FIXED	IB FOLD 3		
Timber Wolf	Farr 38-1 C&B Marine	67519	75	1980	43.91 13.36 ALUMN FS	155	47.9	44.83 6.7 17.91 11.6 0 476 0	Yes	No	0	38.32 30.9 11.97 6.39	12000 4100 Lead	0 1 FIXED	IB FOLD 2	(REDUCED MGM, ADDED 6" TO RUDDER LENGTH -NOTED NCTR- 2/15/01)-3 sec/mi for oversized spinnaker)	
Topper II	Moore 24	71	150	1981	26.25 9.75 ALUMN FS	150	26.25	25 3.91 9.5 6.5 0 147 0	Yes	No	0	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0		
Tortuga	Westsail 32	207	216	1974	31.2 18.4 ALUMN CTR	150		38.3 15.1	No	No	0 0	32 27.6 11 5	19500 7000 Lead	0 1 FIXED	IB FOLD 3		
Tramp Boat	Farr 10/20 ODR	18430	108	1985	37.75 11.67 ALUMN FS	150	39.67 12.67	39.5 5.8 15.42 10 0 362 0	Yes	No	0	33.92 28.42 10.5 5.75	8176 3100 Lead	No 1 FIXED	IB FOLD		

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications												
				DW Rating Disp/WL Ratio	I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	SL SPL SSMG SSF	SPL SSA	Yes/No	Yes/No		ASF ASA Sprit Lngth Fixed or _o	Ballast Ballast Mat.	Traps/H. moveable blst Keel Type		IB or OB Prop Type # of blades											
																			44.3 13 ALUMN MS	44.3	38.5 12.83 0 0	4.87 8.46 296	Yes	Yes	21.8 848 0	34 28.3 10.5 6	8500 3700 Lead	0 1 FIXED	IB FOLD 2
48.89 14.21 ALUMN FS	50.05 14.21	48.82 17.23 0 0	5.58 10.09 467	Yes	No	0	39.04 34.07 12.55 7.87	17600 5621 LeadSteel	No 1 FIXED	IB FOLD 2																			
Traveler	Express 34	97089	1987	44.3 13 ALUMN MS	44.3	38.5 12.83 0 0	4.87 8.46 296	Yes	Yes	21.8 848 0	34 28.3 10.5 6	8500 3700 Lead	0 1 FIXED	IB FOLD 2															
Trex	Sunsail F40 ODR (Beneteau F40)	1007	2012	52.69 15.09 ALUMN FS	105	56.54 17.06	51.15 17.65	6.53 11.42 534	No	Yes	30.32 1200 1.98 0	40.15 35 12.76 8.04	17437 6609 Lead	0 1 FIXED	IB Fold 2														
Tupelo Honey	Elan 40	28908	2004	48.89 14.21 ALUMN FS	105	50.05 14.21	48.82 17.23 0 0	5.58 10.09 467	Yes	No	0	39.04 34.07 12.55 7.87	17600 5621 LeadSteel	No 1 FIXED	IB FOLD 2														
Twist	J 120 ALUM	28442	2000	50.5 14.5 ALUMN FS	150	52 21.5	46.5 17.8 0 0	6.75 11.5 492	No	Yes	34.1 1764 7 0	40 35 12 7	13900 6000 Lead	No 1 FIXED	IB FOLD 2														
Twisted	Farr 40 ODR MH	40046	1999	53.15 15.45 CARBON FS	105	50.04 17.06	54.8 19.36 674	8.49 13.77	Yes	No	0 0	40.7 35.3 13.2 8.53	10902 4960 Lead	0 1 FIXED	IB FOLD 2	(Mtg 12/1/11, interior mods for IRC, smaller mainsail: NCTR)(Mtg 5/24/12, switching to MH ODR configuration)													
Tyr	J 125	52125	2000	49 14.8 CARBON FS	155	52 23.4	46.5 18 497	6.79 11.65	No	Yes	39.3 1831 0 0	41 37 10.6 7.9	8350 4646 Lead	0 1 FIXED	IB Fold 2														
U Decide	Ultimate 20	155	2001	26.08 6.97 ALUMN FS	114	27.58 12.79	27.33 10.17 193	5.5 7.96	No	Yes	17.7 433 6 0	20.83 18 8.33 5	1350 450 Lead	0 1 FIXED	OB None 0														

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps Ballast moveable blst Ballast Mat. Keel Type		
								SL	SPL	SLU	ASA						
								SSMG SSF	SSA	SLE ASMG	Fixed or _o						
Uno	Wyliecat 30 IB	28632	1995	35.8 5.5 CARBON CAT	35.8 12	39.66 19.75	9.31 13.05 493	No	Yes	19.68 550 0 90	30.5 25 9.5 5.25	5800 3000 Lead	0 1 FIXED	IB FOLD 2	(mtg 2/21/08, penalty for oversized main -3 sec/mi)(Mtg 5/22/08, -24 for asymmetric spinnaker flown on 12' pole)(1/24/16, not using spinnaker +24 sec/mi)		
Ursa Minor	Santana 525	178	1979	26.5 8.75 155 ALUMN FS	26.5	29 10	4.05 6.7 178	Yes	No	8.75 341 0 0	24.58 18.5 9.33 4.25	2400 950 Lead	0 1 FIXED	OB None			
USA 279	Open 5.7 ODR	279		21.52 7.3 117 ALUMN FS	27.9 12.3	25.33 10.24	5.7 8.2 183	No	Yes	17.5 338 5 0	18.7 18.7 8.3 5.7	992 405 Lead	0 1 FIXED	OB None			
USA 76	IACC	76	2002	83.99 27.17 100 CARBON FS		99.18 30.19	14.12 20.33 1892	No	No	0 0	82.6 61.6 11.9 13.45	52910 39683 Lead	No 1 FIXED	IB Fold	(mtg 12/5/13, custom rating of -78 assigned)		
USA63	J 70 ODR	63	2012	26.77 7.68 100 CARBON FS	30.15 13.5	26.16 9.44	4.71 6.93 164	No	Yes	18.7 491 5.1 0	22.75 20.47 7.38 4.92	1750 630 Lead	0 1 MVBL	OB None			
Velvet Hammer	Schock 40	51507	2000	42.5 13.6 104 CARBON FS	49.5 20.58	44.4 16.8 0 0	7.2 11.8 470	No	Yes	33.92 1459 7 0	40 35 10 8	7914 1800 Lead	No 2 MOVABL	OB None 0	(mtg 10/21/09, switched to 104% headsail, from 150%, smaller girths on mainsail. Change custom rating from -18 to -12)		
Velvet Hammer	J 125	40844	1998	48.86 14.8 155 CARBON FS	52.03 22.13	46.5 18	7.58 12.2 518	No	Yes	37.73 1724 0	41 37 10.5 7.9	9771 4646 Lead	0 1 FIXED	IB Fold 2			

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications		
		Sail #	DW Rating		I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps moveable blst				
									SL	SPL	SLU	ASA							Ballast Mat.	Keel Type
Venga	Alberg 30	30	231	1965	36.75 10.5	100	36	31 14.25	4.49 8.2	Yes	No	36.5 18.9 18.9	10.5 575	0	0	30.25 21.67 8.75 4.5	9000 3300 Iron	0 1 FIXED	IB Fixed_3 3	Roller Furler
Vento	Swan 391	40841	99		53.5 16.25	95	53.5 16.25	47.25 14	5.5 9.2	Yes	Yes	26 1014		39.9 33.1 12.4 7.2	18900 6800 Lead	0 1 FIXED	IB Fold			
Venture	Jeanneau Sun Odyssey 49	28641	66	2005	55.75 16.75	125	56.92 20.3	51.65 17.75	6.74 11.54	No	Yes	35.1 1666		49.08 42.25 14.67 7	34445 8267 Cast Iron	0 1 FIXED	IB FEATH 3	+ 3 sec/mi for bow thruster, +3 sec/mi for small headsail. Replaced in-mast furling main with in-boom furling main, replaced mast. (Mtg 4/23/18, -6 sec/mi for increased SPL, -6 sec/mi for increased geometric area)		
Ventus	J 88	60	81	2015	38.67 11.28	104	46 18.05	36.82 12	5.44 8.4	No	Yes	29 1022		29.19 26.84 9.5 6.5	4990 1840 Lead	0 1 FIXED	IB Fold			
Vera Cruz	Sunsail F40 ODR	1003	54	2012	52.69 15.09	105	56.54 17.06	51.15 17.65	6.53 11.42	No	Yes	30.32 1200		40.15 35 12.76 8.04	17437 6609 Lead	0 1 FIXED	IB Fold 2			
Verve	Express 27 ODR	18283	129	1981	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	No		9.833	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0			
Vip	Farallone Clipper FR	7	159	1957	36.82 14	155	36.82	40.5 18.5	6.16 10.979	Yes	No		14	38 28.75 9.5 5.6	19000 7000 Iron	No 1 FIXED	IB Fixed_3 3			

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications		
		Sail #	DW Rating		I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No		Yes/No	ASF		LOA LWL	Ttl Disp.	Traps/H. Strps			IB or OB Prop Type # of blades	
										SSMG	SPL SSA		SLU	ASA			Max Beam	Ballast			moveable blst
Disp/WL Ratio	Mast Material	PY EY	MSA	SSMG SSF	SSA	SLE ASMG	Fixed or _o	Max Draft	Ballast Mat.	Keel Type											
Vitamin Sea	Catalina 36	271	150	1984	44.75 14.33	120	44.75 14.33	39 12	4.33 8.01	No	Yes	23.33 850	36.33 30.25	13500 6000	0 1	IB Fixed_3					
			659		ALUMN MS				279			0	11.92	Lead	FIXED	3					
			222								<input checked="" type="checkbox"/>	0	5.83								
Vitesse Too	Hobie 33 ODR	87112	90	1983	33.8 12.4	125	36.8	35 12.4	4.75 8	Yes	No		33 30.5	4000 1800	No 1	OB None	Extended rudder 10", NCTR				
			555		ALUMN FS			0 0	259			0	8 5.5	Lead	FIXED	0					
			64								<input type="checkbox"/>										
Void Star	Santa Cruz 40	59995	45	1982	52 16	135	52 18.67	45.5 14	5.2 8.58	No	Yes	33.62 1238	40 36	12500 5000	0 1	IB FEATH	(Mtg 10/22/15, -6 sec/mi for 20% increase in JSP)(4/6/16, +3 sec/mi for non-articulating spinnaker)				
			556		ALUMN MS				370			0	12	Lead	FIXED	2					
			122								<input checked="" type="checkbox"/>	0	7								
Vuja Star	J 105 ODR w/ 5'BS	181	78	1998	40.6 13.5	100	42.1 19.07	41.5 14.5	5.5 9.4	No	Yes	29.5 958	34.5 29.5	8733 3400	0 1	IB Fold					
			591		ALUMN FS				358			5.5 0	11	Lead	FIXED	2					
			155								<input checked="" type="checkbox"/>		6.5								
WadioActive	Wylie Wabbit ODR W/Trap	13	126	1982	20.5 6.5	150	20.5	23.75 10	4.03 6.72	Yes	No		23.75 20	975 440	1 3	NONE None					
			596		ALUMN FS				145			0	5.58	Lead	FIXED						
			55								<input type="checkbox"/>	0	3.5								
Warpath	Olson 30 OB	198	99	1982	36 11.75	150	35.9 11.67	31.5 10.75	4.364 7.268	Yes	No		30 27.5	3600 1800	No 1	OB None					
			585		MS			0 0	208			0	9.33	Lead	FIXED	0					
			79								<input type="checkbox"/>		5.08								
Warwhoop	Contessa 33	63336	141	1984	37.916 11.17	100	37.93	39.416 13.86	5.31 9	Yes	Yes	20.92 682	33 25.52	8375 3700	No 1	IB FOLD	(Mtg 1/26/17, -3 sec/mi for oversized asymmetric area)(Mtg 2/23/17, -3 sec/mi for oversized symmetric spinnaker area)				
			660		ALUMN FS			0 0	326			0	11.08	Lead	FIXED	2					
			229								<input type="checkbox"/>		5.8								

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications						
		Sail #	DW Rating		I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No		Yes/No	ASF		LOA LWL	Ttl Disp.	Traps/H. Strps		IB or OB Prop Type # of blades					
										Mast Material	PY		MSA	SL			SPL	SLU			ASA	Max Beam	Ballast	moveable blst
Disp/WL Ratio	Disp/WL Ratio	EY	SSF	ASF	ASF	Max Draft	Ballast Mat.	Keel Type																
Wasta	Wylie Wabbit ODR W/Trap	15	126 596 55	1982	20.5 6.5	150	20.5	23.75 10	4.03 6.72	145	Yes	No	23.75 20 5.58 3.5	975 440 Lead	1 3 FIXED	OB None								
Water Witch	P-Class Cutter	3	90	1928	65.59 23.7	120	23.7	59.41 26	7.67 14.57	829	No	No	56 39 11.5 8	48000 15000 Cast Iron	0 1 FIXED	IB Feath	(Mtg 10/26/17, custom rating assigned of 90)							
Wayward Whale	Ericson 38	75	120	1982	50 16.25	105		43.25 14	5.46 9.16	364	No	No	37.8 30.6 12 6.6	14900 6300 Lead	0 1 FIXED	IB Fixed_2 2								
Wayward Wind	Baltic 38 DP	87258	99 594 208	1983	52.25 15.82	105	52.25	46.25 13.75	4.53 8.2	357	Yes	No	38.08 31.5 12.34 7.25	14330 6512 Lead	0 1 FIXED	IB Fold								
Werewolf	Olson 30 OB	30815	99 585 79	1983	36 11.75	150	35.9 11.67	31.5 10.75	4.36 7.26	208	Yes	No	30 27.5 9.33 5.08	3600 1800 Lead	0 1 FIXED	OB None								
Westerly	Santa Cruz 70	18997	-90 433 44	1987	72.08 21.26	153	73.03 25.58	64.57 24.89	10.73 17.36	1009	Yes	Yes	68 62 15.08 10.3	23240 9600 Lead	0 1 FIXED	IB Fold	(Mtg 2/26/18, custom rating assigned. As Sailed: -90)							
Wet Corvette	Melges 30	103	36 522 74	1994	36.85 10.59	150	36.85 18.96	38 15.49			No	Yes	30 28.6 9.1 7	3800 1750 Lead	0 1 MVBL	IB FOLD 2								

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		Ttl Disp. Ballast		Traps/H. moveable blst	IB or OB Prop Type # of blades		
								SL	SPL	SLU	ASA						
								SSMG SSF	SSA	SLE ASMG	Sprit Lngth Fixed or _o					Ballast Mat.	
Disp/WL Ratio																	
Wet Spot	Moore 24	51	1979	26.25 9.75	150	26.25	25 9.5 0 0	3.91 6.5 147	Yes	No	23.75 21.75 7.16 4.08	2050 1025 Lead	No 1 FIXED	OB None 0			
Wetsu	Express 27 w/J length pole	70	1983	28.5 9	155	28.5	28.5 10.42 0 0	4.22 7.03 182	Yes	No	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0	-6 Sec/mi OSP		
Whistler	Ohlson 38	54389	1972	44 14.6	155	44	38.5 12	4.5 9.6 298	Yes	No	38 27.58 10.21 5.58	14900 6000 Lead	0 1 FIXED	IB Feath 3	(mtg 4/25/18, -6 sec/mi for oversized mainsail girth)		
White Jacket	Etchells 22 ODR	901	1991	27.27 8.22	90		32.49 11.57 0 0		Yes	No	30.5 22 6.83 4.5	3337 2105 Lead	0 1 FIXED	OB None 0			
White Shadow	J 88	23	2014	38.67 11.28	104	46 18.05	36.82 12	5.44 8.4 282	No	Yes	29 1022 5.25 0	29.19 26.84 9.5 6.5	4990 1840 Lead	0 1 FIXED	IB Fold		
White Trash	Moore 24	78	1979	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.08	2050 1025 Lead	0 1 FIXED	OB None 0			
White Wabbit	Wylie Wabbit ODR W/Trap	19	1982	20.5 6.6	110	26.1	23.75 10 0 0	4.03 6.72 145	Yes	No	23.75 20 5.58 3.5	975 440 Lead	Yes 1 FIXED	OB None 0			

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications				
		Sail #	DW Rating		I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No		Yes/No	ASF		LOA LWL	Ttl Disp.	Traps/H. Strps		IB or OB Prop Type # of blades			
										SSMG	SPL		SLU	ASA			Max Beam			Ballast	moveable blst	
																						SSA
Disp/WL Ratio	Mast Material	PY EY	MSA	SSMG SSF	SSA	SLE ASMG	Sprit Lngth Fixed or _o	Max Draft	Ballast Mat.	Keel Type												
Why I Didnt Make Art Today	Olson 30 OB	38071	99	2004	36	150	36	31.5	3.89	Yes	No	30	3600	0	OB	Cockpit modifications noted, NCTR						
			587		11.75		11.75	10.75	6.48								35.67	11	27.5	1800	1	None
			79		ALUMN MS			195	20.96								623		0	9.3	FIXED	
Wicked Sister	Farr 36 ODR	3	9	2004	46.78	110	54.82	49.93	8.53	No	Yes	36.1	6745	0	IB							
			495		13.19		21.06	18.63	12.96								61.38	1751	32.8	3076	1	Fold
			87		CARBON FS			592	55.05								7.36	11.72	Lead	FIXED		
Wikki Wikki	Santana 22 ODR	716	237	1977	26	120	26	21.75	3.95	No	No	22	2600	0	OB							
					8.5			9.83	6.59										18.67	1230	1	None
			182		ALUMN MS			131										0	7.83	Iron	FIXED	
Wild 1	Flying Tiger 10 Meter ODR	41	54	2007	39.284	105	45.282	40.167	6.463	No	Yes	32.68	4376	0	OB							
			531		12.126		19.134	14.895	10.499								51.541	1087	30.31	1918	1	None
			71		CARBON FS			378	42.651								7.008	9.12	Lead	FIXED	3	
Wild Spirit	Wylie 36	0	141	1970	44.67	100	44.67	40.75	5.3	No	Yes	36.5	13720	0	IB	(Mtg 3/24/16, same hull as "Alert", +3 sec/mi for small "I", +3 sec/mi for no spinnaker articulation)						
			648		14.75		14.75	14	9.1								45	815	30	5575	1	Fixed_2
			231		ALUMN CTR			340	39.66								0	10.9	Lead	FIXED		
Wildcard	Santa Cruz 37	37005	27	2009	47.1	107	52.17	47	6.4	No	Yes	37	8662	0	IB	(Mtg 1/26/16, new keel box & rudder noted, NCTR)						
			521		13.4		19	17	11								59.7	1534	34.75	3730	1	FOLD
			94		CARBON FS			474	50.85								5.6	10.64	Lead	FIXED	2	
Wildcat of Loch Awe	S-2 7.9 FR DB	59838	165	1983	31.83	135	31.83	29.42	4.75	Yes	No	25.92	4250	0	OB	(Mtg 2/27/18, new rudder noted, NCTR)						
			692		9.5			12.25	7.92								30.33	9.5	21.67	1750	1	None
			190		ALUMN FS			216	17.08								432		9	Lead	AGGERBF	

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications												
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU ASA Sprit Lngth Fixed or _o	SL SPL SSMG SSF	SSA		Yes/No	ASF			Ttl Disp. Ballast	Traps/H. moveable blst	Strps Keel Type									
								DW Rating	Disp/WL Ratio												31.5 13	4.53 8.19	Yes	No	22.23 639	31.58 24	8800 4000	0 1	IB Fixed_3
Wild-Type	Ericson 32-2	614	1975	38 13	155	13	31.5 13	4.53 8.19	No	Yes	22.23 639	31.58 24	8800 4000	0 1	IB Fixed_3	Roller Furler													
		709 289		ALUMN MS							0 0	8.67 4.92	Lead FIXED	3															
Wile E Coyote	Express 27 ODR	11	1981	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	No	9.833	27.25 23.75	2450 1100	No 1	OB None														
		607 83		ALUMN FS			0 0	182	17.7 17.7	428	0	8.17 4.5	Lead FIXED	3															
Willow	Wauquiez 40s Centurion	38300	2004	51.5 14.17	110	51.5	49.21 19.3	7.3 12.5	Yes	Yes	28.54 1155	41.17 36.4	18960 6085	No 1	IB FEATH	(mtg 3/18/10, -3 sec/mi for oversized a-sail.)(mtg 1/27/11, - 3 sec/mi for added sprit)													
		584 179		ALUMN FS				564	25.54 25.54	1080	2.4	12.66 7.75	Lead FIXED	3															
Wind Speed	J 30	39963	1980	34.19 11.5	155	34.2	37.5 12.5	4.9 8.1	Yes	No	11.5	29.83 25	6700 2100	No 1	IB FOLD	+6 sec/mi for J length pole (mtg 11/16/01)													
		664 195		ALUMN FS			0 0	281	20.7 20.7	580	0	11.18 5.25	Lead FIXED	2															
Windwalker	Islander 36 ODR	57307	1976	45 14.48	150	45	39.25 12.75	4.8 8.2	Yes	No	15	36.08 28.25	13450 5820	No 1	IB FOLD														
		656 271		ALUMN MS			0 0	297	45.25 23.3 24.7	889	0	11.17 6.08	Lead FIXED	2															
Wolfpack	Donovan 30	3001	1986	38.5 11.6	150	11.6	34 10.66	4.3 7.2	No	Yes	11.6	30 25	3300 1330	No 1	OB None	(Mtg 6/26/14, New Rudder, NCTR)(Mtg 1/26/16, +3 sec/mi for smaller "E")													
		87 575 96		ALUMN MS			0 0	222			90	10.75 5.67	Lead FIXED																
Woof	J 24 ODR	3316		26.25 9.5	150	26.25	28 9.75	3.7 6.37	Yes	No	9.5	24 20	3100 965	0 1	OB None														
		695 176		ALUMN FS				163	17 16.8	375	0 0	8.92 4	Lead FIXED	0															

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications			
		Sail #	DW Rating		I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No		Yes/No	ASF		LOA LWL	Ttl Disp.	Traps/H. Strps		IB or OB Prop Type # of blades		
										SL	SPL		SLU	ASA			Max Beam			Ballast	moveable blst
Disp/WL Ratio	Mast Material	PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades										
WooHoo	Moore 24	80	150	1980	26.25 9.8	150	26.25	25 9.5	3.91 6.5	Yes	No		23.75 21.75 7.16 4.083	2050 1025 Lead	0 1 FIXED	OB None 0					
Wuvulu	Islander Bahama 30	61	180	1979	40 12.75	150	38.416	33.75 11.5	4.75 8.125	Yes	No		30 24.58 10 5	8600 3500 Lead	No 1 FIXED	IB FOLD 2					
Wysiwyg	Olson 30 OB	28132	99	1981	36 11.75	155	35.9 11.67	31.5 10.75	4.364 7.268	Yes	No		30 27.5 9.33 5.083	3600 1800 Lead	No 1 FIXED	OB None 0					
X TA C	Olson 29	18457	99	1986	34 11	155	36	32.42 11.42	4.59 7.66	Yes	No		29.67 27.5 9.33 5.25	3900 1900 Lead	No 1 FIXED	OB None 0	RUDDER REPLACED W/MORE 30 - CHANGE NOTED NCTR.				
X-Wing	Express 27 ODR	59	129	1983	28.5 9	155	28.5	28.5 10.42	4.22 7.03	Yes	No		27.25 23.75 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None					
Yellow Brick Road	Jeanneau Sun Odyssey 40	33300	96	1999	50 13.75	125	50 13.8	43.25 15.67	5.7 9.89	No	Yes	25.59 1095	40 33.33 12.92 6.33	16094 5291 Iron	0 1 FIXED	IB FEATH 3					
Yeti	Express 27 ODR	38	129	1983	28.5 9	155	28.5	28.5 10.4	4.22 7.03	Yes	Yes	17.77 396	27.25 23.75 8.16 4.5	2450 1100 Lead	0 1 FIXED	OB None	New Rudder, NCTR				

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications			
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No	ASF	Ttl Disp.		Traps/H. Strps						
								SL	SPL						SLU			ASA	Ballast	moveable blst
								SSMG	SSA						SLE			Sprit Lngth Fixed or _o		
Zaff	J 92	56272	1993	37 11.5 155 39	17	37.75 5.36 13.25 8.94	5.36	No	Yes	29.5	30	5500	0	IB	(Mtg 2/26/18, -3 sec/mi for increased ISP and oversized main girths)(Mtg 5/21/18, +3 sec/mi for small asymmetric spinnaker)					
		597 146		ALUMN FS			307		45.8 38.6 28.9	1021 0 <input checked="" type="checkbox"/>	25.8 10 5.9	2275 Lead	1 FIXED	Fold						
Zamazaan	Custom Farr 52	3883	1978	61.99 18.51 135 71.07	21.9	65.2 8.76 23.62 15.09	8.76	Yes	Yes	34.35	52.19	25391	No	IB	RTG W/USYRU AGE ALLOWANCE IOR RTG W/USYRU AGE ALLOWANCE R=44.9 (1987) 18/24 AS PER PHRF MTG 4/20/95. SHORTENED MAST 6.15 FEET FROM TOP, REDUCED MAINSAIL AREA FROM 24/27 MTG 8/10/95					
		516 109		ALUMN MS		0 906 0		70.01 21.9 39.4 2299 39.4	73.16 66.31 39.86	2252 0 <input type="checkbox"/> 90	47.26 15.45 8.79	9679 Lead	1 FIXED	FOLD 2						
Zara	Beneteau 310	144	1993	37.04 10.83 135 37.04	10.82	37.8 5.2 12.9 8.9	5.2	No	Yes	21.6	31.2	7054	0	IB						
		647 151		ALUMN FS			301		37 35 16.6	528 0 <input checked="" type="checkbox"/> 0	27.7 10.5 4.3	2160 Lead	1 FIXED	Fixed_2						
Zeehond	Newport 30-2	707	1976	39.5 12.125 150 39.5		34 3.6 10.25 6.33	3.6	Yes	No		30	8500	No	IB						
		677 247		ALUMN MS		0 201 0		39.25 12.125 21.78 712 21.75		0 <input type="checkbox"/>	25 10.5 4.75	2600 Lead	1 FIXED	FOLD 2						
Zena	North Star 727 Farr	28824	1976	24.4 7.8 110 24.4		25.7 4.3 10.9 7.19	4.3	Yes	No	0	23.1	2700	No	OB						
		714 161		ALUMN FS			170	24.34 7.8 14 284 14		0 <input type="checkbox"/> 0	19.7 8.3 4.6	900 Iron	1 FIXED	None						
Zenith	Islander 36 NCPHRF	472	1978	45 14.48 135 45	14.8	39.25 5.05 12.75 8.44	5.05	No	No		36.08	13450	No	IB						
		271		ALUMN MS		0 303 0				0 <input type="checkbox"/>	28.25 11.166 6.083	5820 Lead	1 FIXED	Fold 2						
Zilla	B 25 ODR	28925	1991	28 8.5 155 28	9.5	28 4.37 11 7.31	4.37	Yes	No		25	2000	No	OB						
		621 95		ALUMN FS		0 187 0		28 9.5 17.1 399 17.1		0 <input type="checkbox"/>	21.25 8.33 5	800 Lead	1 FIXED	None 0						

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		Ttl Disp. Ballast		Traps/H. moveable blst	IB or OB Prop Type # of blades		
								SL	SPL	SLU	ASA						
								SSMG SSF	SSA	SLE ASMG	Sprit Lngth Fixed or _o					Ballast Mat.	
DW Rating Disp/WL Ratio																	
Zingara	Islander 36 NCPHRF	484	1978	45 14.48 ALUMN MS	125	45 14.8	39.25 4.8 12.75 8.29 0 298 0		No	No		36.1 28.25 11.17 6.08	13450 5820 Lead	No 1 FIXED	IB Fold 2	Roller Furler	
Zingaro	Santana 22	5050	1971	26 8.5 ALUMN MS	125	26	21.75 3.95 9.83 6.59 131	Yes 26 15.44 15.44	No			22 18.67 7.833 3.5	2600 1260 Iron	0 1 FIXED	OB None 0		
Zipper	Santa Cruz 27	57878	1977	32.58 10.75 ALUMN MS	125	32.58 10.75	27.67 3.58 8.58 6.1 150	Yes 33.9 19.6 19.2	Yes 36 30.2 20.6	20 565 0 90	27 24.08 8 4.5	3120 1600 Lead	0 1 FIXED	OB None			
Zorza	Islander 36 NCPHRF	6717	1994	45 14.48 ALUMN MS	95	45	39.25 5.05 12.75 8.44 303	No	No		36.08 28.25 11.17 6.08	13450 5820 Lead	0 1 FIXED	IB Fixed_3 3			
Zsa-Zsa	1D 35	35017	1999	42.49 12.52 CARBON FS	110	44.78	44.46 7.55 18.58 12 0 498 0	Yes 50 26.5 26.5	No			35 31.5 10.75 7.6	6500 2600 lead	No 1 FIXED	IB Feath 2		
Zwei Flying Fish	San Juan 33s	59733	1981	34.83 11.48 ALUMN FS	134	34.83	39.16 4.66 12.66 8.08 292	Yes 33.7 19.75 19.75	No			33.1 27.8 7.95 5.5	6000 3500 Lead	0 1 FIXED	IB Fold	(Mtg 5/28/15, +3 sec/mi for small rig)	