

NCPHRF - CURRENT FLEET ROSTER

This Roster represents the information on file for boats with a current NCPHRF certificate. If the boat you are looking for is not listed, their certificate is either not current or not yet updated to the list. You can contact the YRA office to verify a boat not found on this list at info@yra.org or via phone at 415.771.9500. This list is updated monthly.

As of: 7/13/2017

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SPL SSMG SSF	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast Ballast Mat.		Traps/H. moveable blst Keel Type			
The Mighty Windsong	International Folkboat OB	567	228 1969	26 8.3	155	26 8.3	28.8 11.2	4.44 7.34	Yes 27.13 14.89 4.92	8.36 292	No	0 0	25.75 19.75 7.5 4	5000 2750 Iron	0 1 FIXED	OB None	
Nemesis	Pearson 26 Commander	151	258 1964	31.5 9.5	155		26 11.5	3.3 5.75	Yes 31.2 17.1 16.4	9.5 441	Yes 33 29.19 16.17	21.06 444 0 0	25.7 18.5 8 3.7	5200 2500 Lead	0 1 FIXED	OB None	
Green Dragon	Cal 20	4188	273 1965	22 7.33	125	22	23 9.84 0 0	3.84 6.5 137	Yes 22 13 13	7.33 238	No	0	20 18.08 7 3.33	1950 900 Steel	0 1 FIXED	OB None 0	
Can O' Whoopass	CAL 20	624	273 1965	22 7.33	115	22 7.33	23 10	4 6.7 140	Yes 22 13.2 13.2	7.33 242	No	0 0	20 18.1 7 3.33	2000 900 Iron	0 1 FIXED	OB None 2	(mtg 4/24/08, -18 sec/mi for adding single trapeze wire) (10/2/08 - removed trapeze, now racing as a standard cal 20 -18 sec/mi penalty removed)(3/5/09 added single trapeze back, -18 sec/mi)(8/26/09, switching back to standard Cal 20)
Miss Kate	Catalina 27 IB	4630	210 1980	34.5 11.25	125	34.5 11.25	28.66 10.5	3.99 6.83 180	No		Yes 34.35 31.85 18.25	20.35 515 0 0	26.85 21.75 8.85 4	6850 2700 Lead	0 1 FIXED	IB Fixed_2	
Albacore	Santana 22 ODR	18325	237 1976	25.67 8.58	125	25.67 8.58	21.75 9.83	3.95 6.59 131	Yes 26 15.44 15.44	8.58 335	No	0 0	22 18.67 7.83 3.5	2600 1230 Iron	0 1 FIXED	OB None	

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
		Sail #	DW Rating		I	J	Max Headsail	ISP	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB	
								JSP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type	
		Disp/WL Ratio			Mast Material				PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades	
						EY		SSF		ASM	Fixed or _o	Max Draft							
Anapos	Santana 22	5158	237	1966	26	120	26	21.75	3.95	Yes	No	22	2600	No	OB				
					8.5			9.833	6.59			18.666	1230	1	None				
					ALUMN			0	131	15.44	0	7.833	Iron	FIXED	0				
					MS			0		15.44	<input type="checkbox"/>	3.5							
Auggie	Santana 22 ODR	476	237	1969	26	125	26	21.75	3.95	Yes	No	22	2600	No	OB				
					8.5			9.833	6.59			18.666	1230	1	None				
					ALUMN			0	131	15.44	0	7.833	Cast Iron	FIXED	0				
					MS			0		15.44	<input type="checkbox"/>	3.5							
Byte Size	Santana 22	801	237	2001	26	90	26	21.75	3.95	Yes	No	22	2600	No	OB				
					8.5		8.5	9.833	6.59			18.67	1230	1	None				
					ALUMN			0	131	15.44	0	7.83	Iron	FIXED	0				
					MS			0		15.44	<input type="checkbox"/>	3.5							
High and Dry	Santana 22	114	234	1967	26	150	26	21.75	3.95	Yes	No	22	2600	0	OB				
					8.5			9.83	6.59			18.67	1230	1	None				
					ALUMN				131	15.44	0	7.83	Cast Iron	FIXED					
					MS					15.44	<input type="checkbox"/>	3.5							
Meliki	Santana 22	5194	237	1967	26	125	26	21.75	3.95	Yes	No	22	2600	No	OB				
					8.5			9.833	6.59			18.67	1230	1	None				
					ALUMN			0	131	15.44	0	7.83	Iron	FIXED	0				
					MS			0		15.44	<input type="checkbox"/>	3.5							
The Belafonte	Santana 22 ODR	5000	237	1970	26	110	26	21.75	3.95	Yes	No	22	2600	No	OB				
					8.5			9.833	6.59			18.67	1230	1	None				
					ALUMN			0	131	15.44	0	7.833	Iron	FIXED	0				
					MS			0		15.44	<input type="checkbox"/>	3.5							
Zingaro	Santana 22	5050	237	1971	26	125	26	21.75	3.95	Yes	No	22	2600	0	OB				
					8.5			9.83	6.59			18.67	1260	1	None				
					ALUMN				131	15.44	0	7.833	Iron	FIXED	0				
					MS					15.44	<input type="checkbox"/>	3.5							

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications	
		Sail #	DW Rating		I	J	Max Headsail	ISP	JSP	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps		IB or OB
										E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst		Prop Type
		Disp/WL Ratio			Mast Material					PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type		# of blades
							EY		SSF		ASM	Fixed or _o	Max Draft							
Quiet Thing	Ranger 22	200	216	1978	25.75	155	25.75	26	2.8	Yes		No		22.5	2200	0	OB			
					8.5			7.4	4.8		25.4	8.2		17.5	900	1	None			
			732		ALUMN				115		14.7	311		7.8	Lead	FIXED				
			187		FS						14.7		<input type="checkbox"/>	4.3						
Vanga	Alberg 30	30	231	1965	36.75	100	36	31	4.49	Yes		No		30.25	9000	0	IB	Roller Furler		
					10.5			14.25	8.2		36.5	10.5		21.67	3300	1	Fixed_3			
			732		ALUMN				243		18.9	575		8.75	Iron	FIXED	3			
			402		MS						18.9		<input type="checkbox"/>	4.5						
Picante	Islander Bahama 28 SM	1	210	1981	33.8	150	11.75	28	3.58	No		Yes	20	27.9	7000	0	IB			
					11.75			8.2	5.75			33	478	23	3000	1	Fixed_3			
			726		ALUMN				146			29.4	0	9.8	Lead	FIXED	3			
			262		MS							18	<input checked="" type="checkbox"/>	5.5						
Evenstar	Ranger 23	6404	216	1974	27.54	155	27.5	24	3.3	Yes		No		23.67	3400	0	OB			
					9.75			9.2	5.4		27.7	9.7		20	1500	1	None			
			724		ALUMN				126		17.46	403		7.92	Lead	FIXED				
			193		MS						17.46		<input checked="" type="checkbox"/>	3.9						
No Name	swift	274	219	1978	25.9	125	25.9	26	3.3	Yes		No		22.5	2183	0	OB	Roller Furler		
					8.5			7.5	5.5		25.9	8.3		17.58	900	1	None			
			724		ALUMN				126		15.3	332		7.83	Lead	FIXED				
			183		FS						15.6		<input type="checkbox"/>	4.3						
Obsession	Harbor 20	299	207	2010	25.75	95	26.38	26	3.25	Yes		No		20	1800	0	OB	(Mth 5/25/17, -6 sec/mi for OSP)		
					7		8.16	10	6.05		25.9	8		17.2	900	1	None			
			722		ALUMN				147		13.7	295		7	Lead	FIXED				
			161		FS						13.6		<input type="checkbox"/>	3.5						
Dura Mater	CAL 27-2 IB	616	213	1979	36	120		30.83	4.21	Yes		No		26.58	6700	0	IB			
					12			10.25	7		32.8	11.8		22.08	3100	1	Fixed_3			
			721		ALUMN				195		18.4	518		9.25	Lead	FIXED	3			
			283		MS						21.1		<input type="checkbox"/>	4.25						

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications			
			Built	J	Max Headsail	ISP	P	MGU	Yes/No		Yes/No		LOA	Ttl Disp. Traps/H. Strps		IB or OB						
									JSP	E	MGM	SL		SPL	SLU		ASA	LWL		Ballast	moveable blst	# of blades
Disp/WL Ratio	Mast Material	SPF	SSA	ASMG	Fixed or _o	Max Draft	Ballast Mat.	Keel Type														
Sparky	Catalina 25 FK	1498	222	1979	29	145	29	24.66	3.68	Yes	Yes	17.9	25	4550	0	OB						
					10.5		10.5	9.58	1.45		28.66	10.5	22.16	1900	1	None						
			720		ALUMN				102		16.5	394	8	Cast Iron	FIXED	0						
			190		MS						16.41		4									
New Sinsation	Santana 20	28449	222	1978	24.5	150	24.5	24.5	3.16	Yes	No		20.2	1350	0	OB						
					8.16			7	4.92		23.75	8.16	16	550	1	None						
			719		ALUMN				110		13.67	271	8	Lead	FIXED							
			150		FS						13.67		4									
Tinker	Wilderness 21	6	225	1977	25	125	25	25	2.83	Yes	No		20.5	1870	No	OB	Added roller furler					
					8.67			8	4.66		25	8.67	17.8	1070	1	None						
			718		ALUMN			0	113		15.6	325	7.25	Lead	FIXED							
			151		MS			0			15.6		4									
un-named	Catalina 22-2 OB FK	15622	255	2006	25.8	135	25.83	21	3.5	Yes	No		21.5	2250	0	OB						
					8		8	9.67	6.08		25	8	19.33	550	1	None						
			716		ALUMN				119		14.4	300	7.67	Lead	CNTRBRD							
			142		FS						14.4		5									
Jam Jam	Yankee 30-1 SM	90	192	1972	37.5	125	37.5	34.5	2.45	Yes	No		30	8900	0	IB	(mtg 4/28/11, +3 sec/mi for engine modifications)					
					12.75			9.75	4.91		35	12.75	23	4180	1	Fixed_3						
			715		ALUMN				170		19.5	586	9	Lead	FIXED	3						
			332		MS						22.5		5.1									
Wild-Type	Ericson 32-2	614	186	1975	38	155	13	31.5	4.53	No	Yes	22.23	31.58	8800	0	IB	Roller Furler					
					13		13	13	8.19		39.55	639	24	4000	1	Fixed_3						
			707		ALUMN				237		35.38	0	8.67	Lead	FIXED	3						
			289		MS						20.01	0	4.92									
Summertime Dream	Custom Schumacher 26	18859	186	1979	26.28	150	26.28	29.58	4.33	Yes	No		26.08	3300	0	OB	Boat has previously been called "War"					
					8.07		8.07	10.76	7.23		25.67	8	20	1360	1	None						
			705		ALUMN			0	195		14.52	308	9.08	Lead	FIXED	0						
			187		FS			0			14		5.08									

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications	
		Sail #	DW Rating		I	J	Max Headsail	ISP	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	IB or OB	# of blades		
					Mast Material			JSP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst			Prop Type
		Disp/WL Ratio			Rig Type				PY	MSA	SSMG	SSA	SLE	Sprit Length	Max Beam	Ballast Mat.	Keel Type			
						EY		SSF		ASM	Fixed or _o	Max Draft								
Don Wan	Santana 28	8191	186	1978	36	155	36	31	3.6	Yes	No		28.25	7500	No	IB				
					12			9.416	6.1			23	2550	1	Fold					
		704			ALUMN			0	175			9.17	Lead	FIXED	2					
		280			MS			0			<input type="checkbox"/>	5								
Happiness	Cal 27-2 OB	3893	201		36	95	36	30.67	3.25	Yes	No		26.58	6700	0	OB				
					12		12	10.25	6.5			22.08	3100	1	None					
		700			ALUMN				180			9.25	Lead	FIXED						
		283			MS			21.6	648		<input type="checkbox"/>	4.25								
Youngster	IOD ODR	82	156	1937	29.25	103	41	38.83	6.12	Yes	No		33.42	7100	No	NONE	(mtg 1/21/10, switched to Masthead Spinnaker, -12 sec/mi for 40% increase in ISP, -6 sec/mi for oversized spinnaker girths)(138 rating valid for PHRF Races, not valid for IOD Class races. Boat must be in class configuration to sail)			
					8.33		10.67	16.25	10.47			8.416	21.42	4100	1	None				
		699			ALUMN			0	374			15	6.75	Lead	FIXED	0				
		328			MS			0			<input type="checkbox"/>	5.333								
Alte Liebe	Albin Ballad 30	1266	183	1978	37.083	155	37.8	31.916	3.33	Yes	No		29.916	7276	No	IB	The J measurement in all Ballad documents & Sailmaker plans is 12.27 however the actual J= 11.3" (MTG 8/25/94), standard SPL is 12.27 (mtg 3/20/08)			
					11.249			9.333	5.58			36.83	12.27	3417	1	FOLD				
		698			ALUMN			0	171			22.2	679	Lead	FIXED	2				
		287			MS			0			<input type="checkbox"/>	5.09								
Ross's Dream	Catalina 30	4895	180	1987	41	150	41	35	4.63	Yes	No		29.92	10200	0	IB				
					11.42			11.5	7.72			40.45	11.5	4200	1	Fold				
		696			ALUMN				246			20.7	698	Lead	FIXED	2				
		297			MS			20.7			<input type="checkbox"/>	5.25								
Tortuga	Westsail 32	207	216	1974	31.2	150		38.3		No	No		32	19500	0	IB				
					18.4			15.1					27.6	7000	1	FOLD				
		694			ALUMN							11	Lead	FIXED	3					
		422			CTR						<input type="checkbox"/>	5								
Bandido	Merit 25	28125	168	1983	28.75	150	28.75	28	4.25	Yes	No		24.5	3000	No	OB				
					9.66			9.75	6.69			29	9.66	1050	1	None				
		693			ALUMN			0	172			17.39	420	Lead	FIXED	3				
		158			FS			0			<input type="checkbox"/>	4								

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		Ttl Disp. Ballast		Traps/H. moveable blst	IB or OB Prop Type # of blades			
								SL SSMG SSF	SPL SSA	SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o					Ballast Mat.		Keel Type
Double Agent	Merit 25	8465	168	1981	28.75 9.66	155	28.75	28	4.25	Yes	No	24.5 20.5 8 4	3000 1050 Lead	No 1 FIXED	OB None 0			
Downtown Upoar	J 24 ODR	2394	168	1981	26.25 9.5	150	26.25	28	3.7	Yes	No	24 20 9.2 4.1	3125 965 Lead	0 1 FIXED	OB None 0			
Irish Blessing	J 24 ODR	2184	168		26.25 9.5	150	26.25	28	3.7	Yes	No	24 20 8.92 4	3100 965 Lead	0 1 FIXED	OB None 0			
Shut Up & Drive	J 24 ODR	513	168		26.25 9.5	150	26.25	28	3.7	Yes	No	24 20 8.916 4	3100 965 Lead	No 1 FIXED	OB None 0			
Siento El Viento	C&C 29	38311	174	1977	39.5 12.8	155		33.5 10.1		Yes	No	29.5 23.6 10.5 5.25	7500 2700 Lead	No 1 FIXED	IB Fold 2			
Moxie	CAL 28-2	28217	183	1988	39.9 11.4	90	39.9 11.4	34.17 10.33	4.28 7.11	Yes	No	28 23 10.8 5.3	7200 Lead	0 1 FIXED	IB FOLD 2			
Lelo Too	Tartan 30	16354	180	1975	39 13	155	39	34 11.416	4.61 7.69	Yes	No	29.92 24.25 10 4.916	8750 3700 Lead	0 1 FIXED	IB FOLD 0			

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications		
		Sail #	DW Rating		I	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No		LOA	Ttl Disp.	Traps/H.		Strps	IB or OB
										E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst			Prop Type
		Disp/WL Ratio			Mast Material					PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type			# of blades
						Rig Type	EY			SSF		ASMG	Fixed or _o	Max Draft							
Serendipity	CAL 29-1 IB	6601	180	1974	37.833	155	37.833	31.666	4.332		Yes	No		29.25	8000	No	IB				
					12.333		12.67	12.166	7.573	37	12.16			24.17	3350	1	FOLD				
						ALUMN		0	223	22	678		0	9.25	Lead	FIXED	2				
						MS		0		22			<input type="checkbox"/>	4.75							
Jacqueline	Freedom 30 SD	3	174	1986	28.4			35.2	5.25		Yes	No		30	7660	0	IB				
					9.8			13.9	9	31.4	9			25.42	3150	1	Fixed_2				
						CARBON			291	14	380		0	10.8	Lead	FIXED					
						CAT				16.7			<input type="checkbox"/>	4.5							
Sirena	Ericson 32-2	18319	186	1972	35	110	35	31	4.9		Yes	No		31	8800	0	IB				
					13			13	8.4	37	13			24	4000	1	Fixed_2				
						ALUMN			239	23.1	705		0	9.8	Lead	FIXED	2				
						MS				21.9			<input type="checkbox"/>	5							
Wildcat of Loch Awe	S-2 7.9 FR DB	59838	165	1983	31.83	135	31.83	29.42	4.75		Yes	No		25.92	4250	0	OB				
					9.5			12.33	7.92	30.33	9.5			21.67	1750	1	None				
						ALUMN			216	17.08	432		0	9	Lead	AGGERBF					
						FS				17.08			<input type="checkbox"/>	5							
Xtasea	Catalina 30	0	186	1985	41	110	41	35.5	4.63		Yes	No		29.92	10200	0	IB				
					11.5			11.5	7.72	40.45	11.5			25	4250	1	Fixed_2				
						ALUMN			250	20.7	698		0	10.83	Lead	FIXED	2				
						MS				20.7			<input type="checkbox"/>	5.25							
Christine Rose	Catalina 30 TM	0	183	1977	43	150	43	37	4.8		Yes	No		29.92	10200	0	IB				
					13.16		13.16	12	8	43.08	13.16			25	4250	1	Fixed_3				
						ALUMN			270	23.6	847		0	10.83	Lead	FIXED	3				
						MS				23.6			<input type="checkbox"/>	5.25							
Constance	Tartan 34 CB	346	165	1974	41	125	41	35.5	4		No	Yes	20.3	34.3	11200	0	IB	Roller Furler			
					14			10.5	6.9	41	14			25	5000	1	Fold				
						ALUMN			224	24.5	836		0	10.2	Lead	CNTRBRD	2				
						MS				24.3			<input checked="" type="checkbox"/>	8.3							

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications		
		Sail #	DW Rating		I	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp.	Traps/H.		Strps	IB or OB
										E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst			Prop Type
		Disp/WL Ratio			Mast Material					PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type			# of blades
							EY		SSF		ASM	Fixed or _o	Max Draft								
Goose	Catalina 30	1210	180	1979	41	155	41	35	4.63	Yes		No		29.92	10200	No		IB			
					11.416			11.5	7.72		40	11.5		25	4200	1		FOLD			
			683		ALUMN			0	246		20.7	690		10.83	Lead	FIXED		2			
			297		MS			0			20.7		<input type="checkbox"/>	5.25							
Toypedo	Ranger 26-2	67341	189	1980	26.4	150	28	30.5	4	Yes		No		26	3000	0		OB			
					9		9	11	7		26.5	9		20	1140	1		None			
			682		ALUMN				197		16.2	358		8	Lead	FIXED					
			170		FS						16.2		<input type="checkbox"/>	5							
Antares	Islander 30-2	6237	186	1971	38.5	155	38.416	32.5	4.75	Yes		No		30	8600	No		IB			
					12.58			11.58	8.125		38	12.416		24.58	3600	1		FOLD			
			677		ALUMN			0	235		22.7	720		10	Lead	FIXED		2			
			263		MS			0			22.92		<input type="checkbox"/>	5							
Sweet Pea	Islander 30-2	195	186	1971	38.5	155	38.42	32.5	4.75	Yes		No		30	8600	0		IB			
					12.58			11.58	8.125		38.6	12.42		24.58	3500	1		FOLD			
			677		ALUMN			0	235		22.5	724		10	Lead	FIXED		2			
			263		MS			0			22.5		<input type="checkbox"/>	5							
Lonesome Dove	Elite 29	9066	165	1984	35.833	130		30.333	2.6	Yes		No		28.67	6160	No		IB			
					11.083			10.333	5.1		33.083	10.416		24.42	2310	1		Fixed_2			
			676		ALUMN			0	157		20.083	556		10.5	Iron	FIXED		2			
			192		MS			0			20.416		<input type="checkbox"/>	5.58							
Lil Angel	Newport 30-2	6884	174	1979	39.5	150	39.5	34	4.26	Yes		No		30	8500	0		IB			
					12.1			10.25	7.07		39	12.1		25	2500	1		FOLD			
			675		ALUMN			0	217		21.75	707		10.5	Lead	FIXED		2			
			247		MS			0			21.75		<input type="checkbox"/>	4.75							
Samba Pa Ti	J 22	3	186	1982	24.8	125	24.8	26.1	3.78	Yes		No		22.5	1790	0		OB			
					8.8		8.8	9	6.27		24	8.8		19	700	1		None			
			674		ALUMN				147		16	320		8	Lead	FIXED					
			119		FS						16		<input type="checkbox"/>	3.8							

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
		Sail #	DW Rating		I J	Max Headsail		P E	MGU MGM	Yes/No	Yes/No	ASF	Ttl Disp.		Traps/H. Strps			
						Mast Material		PY	MSA	SL	SPL	SLU	ASA		Ballast	moveable blst		
		Disp/WL Ratio			Rig Type			EY		SSMG	SSA	SLE	Sprit Lngth		Ballast Mat.	Keel Type		
Wuvulu	Islander Bahama 30	61	180	1979	40 12.75	150	38.416	33.75 11.5	4.75 8.125	Yes		No		30 24.58	8600 3500	No 1	IB FOLD	
			674 263		ALUMN MS			0 0	243				0	10 5	Lead FIXED		2	
Finn	Capo 26 IB	18782	162	1985	34.6 10.56	155		30 10	4.1 6.8	Yes		No		26 22	4300 1900	0 1	IB Fold	
			673 184		ALUMN MS				185				0 0	9.25 4.58	Lead FIXED			
Ouessant	Farallone Clipper FR	8214	159	1957	35.69 13.87	150	35.69	40.34 18.79	7 12.1	Yes		No		37.833 28.25	18344 7200	No 1	IB Fixed_2	
			673 370		WOOD FS			0 0	448				0	9.5 5.916	Iron FIXED		2	
Vip	Farallone Clipper FR	7	159	1957	36.82 14	155	36.82	40.5 18.5	6.16 10.979	Yes		No		38 28.75	19000 7000	No 1	IB Fixed_3	
			673 363		WOOD FS			0 0	420				0	9.5 5.6	Iron FIXED		3	
Gygax	Hinckley Pilot 35 TM	4802	192	1975	44.36 13.8	155	44.36 13.8	41.83 15.81	5.5 9.97	Yes		No		35.5 25	13500 4200	0 1	IB Feath	
			672 393		ALUMN MS				383				0 0	9.5 5	Lead FIXED			
Alchemy	Olson 25	18252	159	1984	32 9.583	155	32	28 10	3.8 6.4	Yes		No		25 21.25	3300 1300	No 1	OB None	
			671 156		ALUMN MS			0 0	166				0	9 4.5	Lead FIXED		0	
Carpe Vita	Olson 25	97399	159	1988	32 9.583	130	32	28 10	3.8 6.4	Yes		No		25 21.25	3300 1300	No 1	OB None	
			671 156		ALUMN MS			0 0	166				0	9 4.5	Lead FIXED		0	

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications	
			Built	DW Rating	J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No	ASF		LOA LWL Max Beam Max Draft	Ttl Disp.	Traps/H. Strps			IB or OB Prop Type # of blades
										SL	SPL		SLU	ASA			Ballast	moveable blst		
SSF	SSA	ASM	Fixed or _o																	
Fast Lane	Olson 25	46657	159	1985	32	155	32	28	3.8	Yes	No		25	3300	0	OB				
					9.6			10	6.4				21.25	1300	1	None				
			671		ALUMN				166			0	9	Lead	FIXED					
			156		MS						<input type="checkbox"/>	0	4.5							
Grey Wulff	Olson 25	18517	159	1984	32	155	32	28	3.8	Yes	No		25	3300	0	OB				
					9.6			10	6.4				21.25	1300	1	None				
			671		ALUMN				166			0	9	Lead	FIXED					
			156		MS						<input type="checkbox"/>	0	4.5							
Now and Zen	Newport 30-2	6883	174	1978	39.5	150		34	3.25	Yes	No		30	8000	No	IB				
					12.125			10.25	5.7				25	2600	1	Fold				
			671		ALUMN			0	190			0	10.5	Lead	FIXED	2				
			233		MS			0			<input type="checkbox"/>		4.75							
Shadowfax	Olson 25	91	159	1986	32	155	32	28	3.8	Yes	No		25	3300	No	OB				
					9.6			10	6.4				21.25	1300	1	None				
			671		ALUMN			0	166			0	9	Lead	FIXED	0				
			156		MS			0			<input type="checkbox"/>		4.5							
Shark-On-Bluegrass	Olson 25	18201	159	1984	32	155	32	28	3.8	Yes	No		25	3300	No	OB				
					9.583			10	6.4				21.25	1300	1	None				
			671		ALUMN			0	166			0	9	Lead	FIXED	0				
			156		MS			0			<input type="checkbox"/>		4.5							
Synchronicity	Olson 25	68	159	1985	32	155	32	28	3.8	Yes	No		25	3300	No	OB				
					9.583			10	6.4				21.25	1300	1	None				
			671		ALUMN			0	166			0	9	Lead	FIXED	0				
			156		MS			0			<input type="checkbox"/>		4.5							
Zeehond	Newport 30-2	707	174	1976	39.5	150	39.5	34	3.6	Yes	No		30	8500	No	IB				
					12.125			10.25	6.33				25	2600	1	FOLD				
			671		ALUMN			0	201			0	10.5	Lead	FIXED	2				
			247		MS			0			<input type="checkbox"/>		4.75							

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications		
		Sail #	DW Rating		I J Max Headsail Mast Material Rig Type	P E PY EY		MGU MGM MSA	Yes/No		Yes/No		SLU ASA Sprit Lngth Fixed or _o		Ballast	Traps/H. moveable blst	IB or OB Prop Type # of blades			
									SL	SPL	SLU	ASA							Ttl Disp.	Keel Type
Harry	Newport 30-2	6889	174	1974	39.5 12.125	150	39.5	34 10.25	4.2 7	Yes	No	30 25 10.5 4.75	8500 2500 Lead	No 1 FIXED	IB FOLD 2					
		669 247			ALUMN SL			0 0	215			<input type="checkbox"/>	0							
Snafu	CS 30	68588	159	1988	42 12.04	125	42 12.04	36.416 11.416	3.95 6.5	NO	Yes	30 25.51 10.25 5.416	8000 3440 Lead	0 1 FIXED	IB FOLD 2					
		669 219			ALUMN MS			0 0	232			40.653 20.04	20.04	<input checked="" type="checkbox"/>	0					
Capo Gatto	Nonsuch 30	308	174	1985				45 24	7.9 14.3	No	No	30.33 28.75 11.1 5	11500 4500 Lead	0 1 FIXED	IB Fold 2					
		668 220			ALUMN CAT				605			<input type="checkbox"/>	0 0							
Neja	Dasher 32	7325	174	1961	38.01 12.59	155	38.01	33.22 14.6	5.12 8.86	Yes	No	31.75 26.75 8.9 5.75	11323 3600 Lead	0 1 FIXED	IB Fold	500 pounds less lead in keel than the Dasher Easom Boat Works built				
		668 269			ALUMN MS				277			<input type="checkbox"/>	0 0							
Achates	Newport 30-2	6847	174	1974	39.5 12.5	155	39.5	34 10.25	3.8 6.6	Yes	No	30 25 10.67 5.17	8500 3000 Lead	No 1 FIXED	IB FOLD 2					
		667 247			ALUMN MS			0 0	206			<input type="checkbox"/>	0							
Red Hawk	Hawkfarm 28 ODR	59024	162	1978	33 11	155	33.25 11.5	36 10.5	4.37 7.26	Yes	No	28 23.5 9.75 5.166	5700 2700 Lead	0 1 FIXED	IB FOLD 2					
		667 200			ALUMN FS			0 0	236			<input type="checkbox"/>	0							
Pearl	Ranger 33 SM	278	165	1977	38 13.9	125	38	31.5 11	4.43 7.39	Yes	No	33.17 26.25 9.583 5.166	10500 4800 Lead	0 1 FIXED	IB Fixed_2 2					
		666 264			ALUMN MS				212			<input type="checkbox"/>	0 0							

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications							
			Built	DW Rating	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps		IB or OB						
											SL	SPL									SLU	ASA	LWL	Ballast	moveable blst	IB or OB
PY	MSA	SSSF	ASM	Fixed or _o	Max Draft																					
White Bear	Nonsuch 30	431	174	1987				45	8.68	No	No	30.33	11500	0		IB										
								24	15.12			28.75	4500	1		Fold										
			666		ALUMN				629			11.9	Lead	FIXED		3										
			220		CAT							5														
Tule Lost	Ericson 911S Olson	28911	132	1988	41.5	155	41.5	35.5	4.73	Yes	No	29.92	8680	No		IB	MUST HAVE YACHT CLUB MEMBERSHIP CARD WITH ENTRY FORM FOR 2006 RACING									
					12.33			11.083	7.69			25	3200	1		FOLD										
			663		ALUMN			0	247			10.33	Lead	FIXED		0										
			253		MS			0				5.42														
Plus Sixteen	Ericson 911S Olson	97707	135	1991	41.5	125	41.5	35.761	4.035	Yes	Yes	20.932	8500	No		IB										
					12.25			11.811	7.136			25	3200	1		FEATH										
			662		ALUMN			0	240			10.33	LeadSteel	FIXED		2										
			247		MS			0				5.42														
Shanti	Ericson 911S Olson	326	132	1989	41.5	150	41.5	35.5	4.73	Yes	No	29.92	8700	0		IB	CHANGE TO RUDDER NOTED, NCTR									
					12.33			11.83	7.69			25	3200	1		FOLD										
			662		ALUMN			0	253			10.33	Lead	FIXED		2										
			253		MS			0				5.42														
The Shadow	Custom Mull 32	18787	150	1974	39.833	125	39.83	35.166	3.45	Yes	No	32.166	10600	No		IB	RMVD Foam Bumps from both sides of hull, Red Beam by approx 7" Replaced Rudder and Skeg Design w/balanced Rudder Depth same, area increased approx 8 sqft. Hull dry rot, Crsnfg Accom, Ref, Head Stops Cav. Checked MTC 10/6/07									
					13.25			9.75	6.2			26.666	4500	1		FOLD										
			661		ALUMN			0	200			10	Lead	FIXED		2										
			254		MS			0				5														
Joie De Vivre	C&C 33	18797	159		43	110	43	37.25	4.4	No	Yes	21.42	10100	0		IB										
					14			10.75	6.33			26.42	3975	1		FOLD										
			659		ALUMN			0	235			10.54	Lead	FIXED												
			249		MS			0				5.5														
Cordon Rouge	J 30	68	144	1979	34	125	34	38	5.1	Yes	No	29.83	6700	No		IB										
					11.5			13	8.4			25	2100	1		FOLD										
			657		ALUMN				296			11.2	Lead	FIXED		3										
			195		FS			20				5.25														

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications					
			Built	J	Max Headsail	ISP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp. Traps/H. Strps		IB or OB								
									DW Rating	Mast Material				E	MGM		SL	SPL		SLU	ASA	Ballast	moveable blst	# of blades
																	SSMG	SSA		SLE	Sprit Lngth			
Disp/WL Ratio	Rig Type	PY	MSA	SSG	SSA	ASMG	Fixed or _o	Max Draft	Ballast Mat.	Keel Type														
Ione	J 30	8994	141	1981	34.19 11.041	140		38 13	4.83 8.21	Yes		No		29.83 25 11.2 5.25	6500 2100 Lead	0 1 FIXED	IB FOLD 2							
Kelika	Hunter 33.5	28815	150	1991	39.166 11.666	150	39.116	43.166 13.5	5.2 8.9	Yes		No		33.33 26.83 11 4.5	10800 4500 Iron	No 1 FIXED	IB FEATH 2							
Sailor Dog	Catalina 34 1&2	1798	162	2007	44 13.5	110	44 13.5	38.5 12	2.8 5.9	No		Yes	20.5 723	34.5 29.8 11.7 5.6	11950 5000 Lead	0 1 FIXED	IB Fixed_3 3	In-Mast furling main +3 sec/mi, MGM less than 50% of E +3 sec/mi						
Wind Speed	J 30	39963	141	1980	34.19 11.5	155	34.2	37.5 12.5	4.9 8.1	Yes		No		29.83 25 11.18 5.25	6700 2100 Lead	No 1 FIXED	IB FOLD 2	+6 sec/mi for J length pole (mtg 11/16/01)						
Endless Summer	Catalina 36	271	150	1984	44.75 14.33	95	44.75 14.33	39 12	4.33 8.01	No		Yes	23.33 850	36.33 30.25 11.92 5.83	13500 6000 Lead	0 1 FIXED	IB Fixed_3 3							
FROLIC	Islander 36 TM	47462	141	1974	47 14.5	155	47 14.5	40.75 12.6	4.8 8.25	Yes		No		36.08 28.25 11.17 6.08	13450 5450 Iron	0 1 FIXED	IB Feath 3							
Kira	Cal 33-2	28999	132	1986	46 13.25	125	46 13.25	40.5 12.75	4.82 8.23	No		Yes	21.86 697	33 27.5 11.33 6.12	10800 4475 Lead	No 1 FIXED	IB FOLD 2	(Mtg 1/26/12, -3 sec/mi for increased "e" & MSA)						

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
		Sail #	DW Rating		I	J	Max Headsail	ISP	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB	
								JSP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type	
		Disp/WL Ratio			Mast Material				PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades	
				Rig Type		EY		SSF		ASM	Fixed or _o	Max Draft							
Luna Sea	Islander 36 ODR	420	144	1980	45		45	39.25	5.05	Yes	No	36.08	18000	No	IB				
					14.48	135		12.75	8.44			28.25	5450	1	Feath				
		655			ALUMN		0	27	1013		0	11.17	Lead	FIXED	3				
		363			MS		0	27			<input type="checkbox"/>	6.08							
Brandy	Farr 30 1/2 Ton	57257	150	1979	31		31	34	4.5	Yes	No	30.33	4894	0	OB	(Mtg 4/24/15, -6 sec/mi for increased P)			
					9.6	145		12.9	7.11			23.5	1909	1	None				
		654			ALUMN			17	445		0	10	Lead	FIXED					
		171			FS			17			0	5.33							
Bandicoot	Wyliecat 30 IB	28530	132	2000	0		29	39.75	7.87	No	No	30.5	5500	0	IB	(mtg 5/20/10, -21 sec/mi for added spinnakers)(9/5/12, removed spinnaker, back to standard configuration)			
					0		10	20.5	13.46			25	3050	1	FEATH				
		653			CARBON			0	488	17.75	429	9.5	Lead	FIXED	2				
		160			CATBOAT			0		17.75		5.25							
Crinan II	Wyliecat 30 IB	15	132	2002				39.75	7.79	No	No	30.5	5500	No	IB				
								20.5	13.32			25	3050	1	FOLD				
		653			ALUMN			0	485		0	9.5	Lead	FIXED	2				
		160			CATBOAT			0			<input type="checkbox"/>	5.25							
Iseult	Wyliecat 30 IB	13	132	2001		0		39.75	7.87	No	No	30.5	5500	0	IB				
								20.8	13.46			25	3050	1	Fold				
		653			CARBON				491		0	9.42	Lead	FIXED	2				
		160			CAT						0	9.25							
Warwhoop	Contessa 33	63336	141	1984	37.916		37.93	39.416	5.31	Yes	Yes	33	8375	No	IB	(Mtg 1/26/17, -3 sec/mi for oversized asymmetric area)(Mtg 2/23/17, -3 sec/mi for oversized symmetric spinnaker area)			
					11.17	100		13.86	9			25.52	3700	1	FOLD				
		653			ALUMN			0	326	36.1	11.17	11.08	Lead	FIXED	2				
		229			FS			0		21.5	647	5.8							
								21.6		21.17									
Allora	Morris 36	38082	120	2007	38.66		44.3	41.25	5.1	No	Yes	36.1	8900	0	IB				
					12.75	95		15.08	9.43			25	3850	1	Fold				
		652			CARBON				357		21.4	10.1	Lead	FIXED					
		259			FS						452	5.3							
											0								
											0								
											<input checked="" type="checkbox"/>								

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop		Modifications				
			Built	DW Rating	J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			Ttl Disp.	Traps/H.	Strps	IB or OB		Prop Type			
										SL	SPL	SLU	ASA								Ballast	moveable blst	IB or OB
Disp/WL Ratio	Mast Material	Rig Type	SSF	SSA	ASMG	Fixed or _o	Max Beam	Max Draft	Ballast Mat.	Keel Type	# of blades												
Catalyst	Wyliecat 30 IB	28571	132	2004				40	7.87	No	No			30.42	5800	No	IB	Must have a YC card before registering for 2005 and clear YC for 2004					
							20.67	13.46						25	3000	1	Feath						
			652		CARBON		0	493			0	<input type="checkbox"/>		9.42	Lead	FIXED	2						
			169		CAT		0							5.25									
Curie	Beneteau 32S5	52868	138	1990	38.39	150	38.39	38.88	5.3	Yes	No	17.3		32.6	9260	0	IB	(mtg 2/18/10, - 6 sec/mi for 10% OSP)(8/2/11, boat returned to ODR Configuration)					
					9.68		9.68	13.78	9.01					27.83	2980	1	FOLD						
			652		ALUMN				321			35.75	519	10.83	Cast Iron	FIXED	2						
			195		FS			17.3			18.4	<input checked="" type="checkbox"/>	0	6									
Friction Loss	J 30	67425	141	1979	34	155	34.1	38	4.94	Yes	No	21.06		29.83	6500	0	IB						
					11.5		11.5	13	8.45					25	2100	1	FOLD						
			652		ALUMN			0	295			37.7	666	11.17	Lead	FIXED	2						
			189		FS			0			22.4	<input type="checkbox"/>		5.25									
Cassiopeia	Islander 36 ODR	6763	144	1971	45	150	45	39.25	4.8	Yes	No			36.08	13947	No	IB						
					14.48			12.75	8.29					28.25	5450	1	FOLD						
			651		ALUMN				298			27	1020	11.17	Lead	FIXED	2						
			281		MS			27				<input checked="" type="checkbox"/>	0	6									
Absinthe	Moore 24	102	150	1981	26.25	150	26.25	25	3.91	Yes	No			23.75	2050	No	OB						
					9.75			9.5	6.5					21.75	1025	1	None						
			650		ALUMN			0	147					7.16	Lead	FIXED	0						
			91		FS			0				<input type="checkbox"/>	0	4.083									
Nancy	Wyliecat 30 OB	28890	126	1995				39.66	8.71	No	No			30.5	5500	No	OB	(-3 sec/mi for square top main)					
								19.75	13.46					25	3050	1	None						
			650		CARBON			0	491					9.5	Lead	FIXED	0						
			160		CAT			0				<input type="checkbox"/>	0	5.25									
Nicole	Orion 35	8210	150	1979	44	150	44	39.5	4.42	Yes	No			34.58	13000	0	IB	Displacement Obtained by actual weight on scale, Rudder is new design and new build.					
					14			10.5	7.319					28.75	4700	1	FOLD						
			650		ALUMN			0	260					10.83	Lead	FIXED	2						
			249		MS			0				<input type="checkbox"/>	0	6									

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
		Sail #	DW Rating		I J Max Headsail Mast Material Rig Type	P E PY EY		MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps	IB or OB Prop Type # of blades		
									SL	SPL	SLU	ASA				Ballast			moveable blst
Andiamo	Catalina 36-2	2168	153	2004	44.75 14.33	115	39 13	3.04 6.16	No	Yes	29 833	36 30.25 11.9 5.8	14200 6000 Lead	0 1 FIXED	IB Fixed_3 3	In-Mast Furling Mainsail, +3 sec/mi			
Liquid Asset	Ranger 33	27707	150	1970	41.5 13.7	150	41.5 13.67	35 13.75	4.93 8.67	Yes	No	41.5 24.6 24.6	13.7 851	0 0	33.17 26.25 9.58 5.17	10500 4500 Lead	0 1 FIXED	IB Fold	
Foxxfyre	Yamaha 33 IK SM	67248	159	1978	42.81 13.78	150	42.81	37.4 10.6	4.38 7.27	Yes	No	44 24.8 23.7	13.78 901	0	33.25 26.92 11 6.25	16000 4410 Iron	No 1 FIXED	IB FEATH 2	PER PHRF MTG 3/16/2000 - Weight Differencer from brochure is significant.
Heart of Gold	Olson 911S	41327	126	1987	41.5 12.33	155	41.5	35.5 11.83	4.5 7.7	Yes	No	41.1 22.19 22.19	12.16 760	0	29.9 25 10.3 5.5	7200 3200 Lead	No 1 FIXED	IB FOLD 2	
JouJou	Capo 30	87324	123	1984	41.7 12.75	120	41.5	36 11.5	4.37 7.47	Yes	No	41.5 21.5 21	12 740	0	30 25 10.33 5.43	7200 3000 Lead	0 1 FIXED	IB Fold 2	Roller Furler
Lenora	Hunter 33-2	60700	153	2004	37.42 10.83	115	38.42 10.83	36.46 15.83	4.83 8.33	No	Yes	18.5 531 0 0	33.5 29.42 11.17 5.5	10400 3459 Lead	0 1 FIXED	IB Fold 3			
Redux	Olson 911S	28106	126	1987	41.5 12.33	155	41.5	35.5 11.83	4.5 7.7	Yes	No	41 21.9 21.9	12.166 748	0	29.9 25 10.33 5.416	7200 3200 Lead	No 1 FIXED	IB FOLD 2	

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications						
			Built	J	Max Headsail	ISP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp. Traps/H. Strps		IB or OB									
									DW Rating	Mast Material				E	MGM		SL	SPL		SLU	ASA	LWL	Ballast	moveable blst	# of blades
45	135	45	39.25	3.69	Yes	No	36.08	13500	0	IB															
Serenity	Islander 36 ODR	82659	144	1973	45	135	45	39.25	3.69	Yes	No	36.08	13500	0	IB										
					14.48			12.75	6.88			28.25	5450	1	Feath										
			648		ALUMN				265			11.17	Lead	FIXED											
			272		MS						<input checked="" type="checkbox"/>	0													
White Cloud	Yamaha 33 IK SM	28688	162	1979	42.8	150	42.8	37.42	4.38	Yes	No	33.25	10582	0	IB										
					13.78			10.67	7.27			26.92	4409	1	Fixed_2										
			648		ALUMN				247			11	Iron	FIXED											
			247		MS						<input checked="" type="checkbox"/>	0													
White Jacket	Etchells 22 ODR	901	120	1991	27.27	90		32.49		Yes	No	30.5	3337	0	OB										
					8.22			11.57				22	2105	1	None										
			648		ALUMN			0				6.83	Lead	FIXED	0										
			142		FS			0			<input type="checkbox"/>	0													
Windwalker	Islander 36 ODR	57307	144	1976	45	150	45	39.25	4.8	Yes	No	36.08	13450	No	IB										
					14.48			12.75	8.2			28.25	5820	1	FOLD										
			648		ALUMN			0	297			11.17	Lead	FIXED	2										
			271		MS			0			<input type="checkbox"/>	0													
Paradigm	J 32	79	126	2002	39.166	150	40.583	38.42	5.5	No	Yes	17.83	11500	No	IB										
					11		11.916	15.42	9.58		42.09	722	3840	1	FOLD										
			647		ALUMN				343		39.25	0	Lead	FIXED	2										
			214		FS						22.17	<input checked="" type="checkbox"/>	6												
Snafu	Moore 24	121	150	1982	26.25	150	26.25	25	3.91	Yes	No	23.75	2050	0	OB										
					9.75			9.5	6.5			21.75	1000	1	None										
			647		ALUMN				147			7.16	Lead	FIXED											
			91		FS						<input type="checkbox"/>	0													
Mirth	Catalina 34 1&2	28634	150	2005	44	125		38.5	4.17	No	Yes	22.02	11950	No	IB										
					13.5			12	7.33		42.23	693	5000	1	FEATH										
			646		ALUMN				265		38.63	0	Lead	FIXED	3										
			205		MS						20.21	<input checked="" type="checkbox"/>	5.58												

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications						
			Built	J	Max Headsail	ISP JSP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp. Traps/H. Strps		IB or OB									
									DW Rating	Mast Material				E	MGM			SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	# of blades
EY	SSA	ASMG	Fixed or _o	Max Draft																					
					Ad Lib	Aphrodite 101	8161	144	1979	36.83 11.81	100	32.23	39.33 11.48	4.5 6.1	Yes	No	32.75 26.33	6160 3527	No 1	IB FOLD					
								645 153	ALUMN FS	0 0	253		21.3 19.6	622		<input type="checkbox"/>	7.92 5.42	Lead FIXED	2						
Double Down	Custom Schumacher 30	18480	123	1988	41.37 12.16	150	41.5	36.416 11.83	4.5 7.69	Yes	No	29.92 26	7854 3650	No 1	IB FOLD	Rudder change, old rudder 85lbs new 65 lbs. Old alum/new carbon MTG 10/27/94 Noted- NCTR (MTG 1/9/97 Alum headsail removed and excess wires removed from mast- Noted NCTR)(Mtg 2/21/08, change custom rating from 126 to 123 after									
			645 203	ALUMN MS	0 0	257		21.75 21.35	736		<input type="checkbox"/>	10.65 6.17	Lead FIXED	2											
Music	Catalina 34 1&2	56583	147	2001	44 13.5	130		38.5 12	3.6 6.8	No	Yes	35.66 29.84	11950 5000	0 1	IB FOLD										
			645 204	ALUMN MS					251		21.8 762	11.75 5.56	Lead FIXED	2											
Zara	Beneteau 310	144	135	1993	37.04 10.83	135	37.04 10.82	37.8 12.9	5.2 8.9	No	Yes	31.2 27.7	7054 2160	0 1	IB Fixed_2										
			645 151	ALUMN FS					301		21.6 528	10.5 4.3	Lead FIXED												
Coquelicot	Ranger 33	148	153	1975	41.5 13.87	120	43.75 13.87	35 13.75	4.6 8.1	Yes	No	33 26.3	10500 4500	No 1	IB FOLD	Double Spreader rig, water supply 41 gallons, below v berth, 26 gallon bladder tank starboard, rudder 9 inches deeper, group 31 batteries, 15 hsp one cyl disel replaced by 29 hsp Perkins 3 cylendar engine. (NCTR)(MTC 2/21/02)									
			644 262	ALUMN MS				0 0	270			9.6 5	Lead FIXED	2											
Flyer	Peterson 33 (CHITA)	18620	144	1979	42.5 13.9	155	42.5	36.66 9.91	3.66 6.21	Yes	No	32.67 26.58	9480 4960	0 1	IB FOLD										
			644 229	ALUMN MS					213			10.5 6.08	Lead FIXED	2											
Mas!	Moore 24	138	150	1983	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	Yes	23.75 21.75	2050 1025	0 1	OB None										
			642 91	ALUMN FS					147		17.6 387	7.16 4.08	Lead FIXED												

Boat Name	Boat Model (Type)	Rating			Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications						
		Sail #	Built	I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No		Yes/No	ASF		LOA LWL	Ttl Disp.	Traps/H. Strps		IB or OB Prop Type # of blades							
									DW Rating	Mast Material		PY	MSA			SL SSMG SSF	SPL SSA			SLU SLE ASMG	ASA Sprit Lngth Fixed or _o	Max Beam Max Draft	Ballast	moveable blst	Keel Type
Wild Spirit	Wylie 36	0	141	1970	44.67 14.75	100	44.67 14.75	40.75 14	5.3 9.1	No	Yes	23.5 815 0	36.5 30 10.9 6	13720 5575 Lead	0 1 FIXED	IB Fixed_2	(Mtg 3/24/16, same hull as "Alert", +3 sec/mi for small "I", +3 sec/mi for no spinnaker articulation)								
Happy Daze	Santana 30-30 GP	87322	120	1984	40.83 11.67	150	40.83	36.17 11.08	5.25 8.5	Yes	No	0	29.92 25.42 10.25 5.5	6500 2435 Lead	No 1 FIXED	IB FOLD 2									
Rhapsody	J 32	56303	120	2000	39.2 11	155	40.583 13	38.5 15.5	5.12 9.25	No	Yes	22.5 830 2 0	32.4 29 11 6	11500 3840 Lead	0 1 FIXED	IB Fold 3	(Mtg 5/23/13, -3 sec/mi for sprit, -3 sec/mi for oversized spinnaker)								
Bosporus II	Columbia 36	97415	156	1968	42.75 15	150	41.75 15	34.666 14	5.3 9.1	Yes	No	0	35.75 28.25 10.5 5.42	13000 5000 Lead	No 1 FIXED	IB Fold 2									
Oxymoron	Moore 24	28993	150	1981	26.25 9.75	150	26.2	25 9.5	3.91 6.5	Yes	No	0	23.75 21.75 7.16 4.25	2050 1025 Lead	0 1 FIXED	OB None 0									
Orca	Moore 24	85	150	1981	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No	0	23.75 21.75 7.16 4.083	2050 1025 Lead	0 1 FIXED	OB None 0									
Queimada	Catalina 34 1&2	611	147	1988	44 13.5	150	44 13.5	38.5 12	4.2 7.2	Yes	No	0 0	34.5 29.83 11.75 5.58	11950 5000 Lead	0 1 FIXED	IB Fold 2									

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications	
		Sail #	DW Rating		I	J	Max Headsail	ISP	JSP	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps		IB or OB
										E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst		Prop Type
		Disp/WL Ratio			Mast Material					PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type		# of blades
							EY		SSF		ASM	Fixed or _o	Max Draft							
Anna Banana	Moore 24	146	150	1984	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No			23.75 21.75 7.16 4.08	2050 1025 Lead	No 1 FIXED	OB None			
		636 91			ALUMN FS				147			<input type="checkbox"/>	0 0							
Cadenza	Moore 24	18878	150	1977	26.25 9.75	150	26.25	25 9.5	4.01 6.54	Yes	No			23.75 21.75 7.17 4.083	2050 1025 Lead	No 1 FIXED	OB None 0			
		636 91			FS			0 0	148			<input type="checkbox"/>	0							
Crazy Eights	Moore 24	28888	150	1978	26 9.8	150	26.3 9.75	25 9.5	3.91 6.5	Yes	No			23.75 21.75 7.16 4.083	2050 1000 Lead	0 1 FIXED	OB None 0			
		636 91			ALUMN FS				147			<input type="checkbox"/>	0							
Hasta Nunca	Moore 24	142	150		26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No			23.75 21.75 7.16 4.08	2050 1025 Lead	0 1 FIXED	OB None 0			
		636 91			ALUMN FS				147			<input type="checkbox"/>	0 0							
Moore Fun	Moore 24	18884	153	1979	26.25 9.75	125	26.25	25 9.5	3.91 6.5	Yes	No			23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0			
		636 91			ALUMN FS			0 0	147			<input type="checkbox"/>	0							
Mooretician	Moore 24	89	150	1981	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No			23.75 21.75 7.16 4.08	2050 1025 Lead	No 1 FIXED	OB None 0			
		636 91			ALUMN FS			0 0	147			<input type="checkbox"/>	0							
Scarlett	Moore 24	86	150	1980	26.25 9.75	150	26.25	25 9.5	3.89 6.45	Yes	No			24 21.75 7.17 4.08	2050 1000 Lead	No 1 FIXED	OB None			
		636 91			ALUMN FS				147			<input type="checkbox"/>	0 0							

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications		
		Sail #	DW Rating		I	J	Max Headsail	ISP	JSP	P	MGU	Yes/No			Yes/No	ASF	Ttl Disp.		Traps/H. Strps	IB or OB
										E	MGM	SL	SPL		SLU	ASA	Ballast		moveable blst	Prop Type
		Disp/WL Ratio			Mast Material					PY	MSA	SSMG	SSA		SLE	Sprit Lngth	Ballast Mat.		Keel Type	# of blades
						Rig Type	EY		SSF		ASM	Fixed or _o								
Sea Spirit	Catalina 34 1&2	108	147	1986	44	130	44	38.5	4.36	Yes	No			34.5	11950	No	IB			
					13.5		13.5	12	7.54					29.83	5000	1	FOLD			
					636	ALUMN			270			0		11.75	Lead	FIXED	2			
					205	MS						0		5.58						
Slight Disorder	Moore 24	98	150	1981	26.25	150	26.25	25	3.91	Yes	No			23.75	2050	No	OB			
					9.75		9.75	9.5	6.5					21.75	1025	1	None			
					636	ALUMN		0	147			0		7.16	Lead	FIXED	0			
					91	FS		0				0		4.083						
The Jackal	Moore 24	22	150	1977	26.25	150	26.25	25	3.91	Yes	No			23.75	2050	0	OB			
					9.75		9.75	9.5	6.5					21.75	1025	1	None			
					636	ALUMN			147			0		7.16	Lead	FIXED				
					91	FS						0		4.08						
Wet Spot	Moore 24	51	150	1979	26.25	150	26.25	25	3.91	Yes	No			23.75	2050	No	OB			
					9.75		9.75	9.5	6.5					21.75	1025	1	None			
					636	FS		0	147			0		7.16	Lead	FIXED	0			
					91			0				0		4.08						
White Trash	Moore 24	78	150	1979	26.25	150	26.25	25	3.91	Yes	No			23.75	2050	0	OB			
					9.75		9.75	9.5	6.5					21.75	1025	1	None			
					636	ALUMN			147			0		7.16	Lead	FIXED	0			
					91	FS						0		4.08						
Color Blind	Moore 24	49	150	1979	26.25	150	26.25	25	3.91	Yes	No			23.75	2050	No	OB			
					9.75		9.75	9.5	6.5					21.75	1025	1	None			
					635	ALUMN		0	147			0		7.16	Lead	FIXED	0			
					91	FS		0				0		4.083						
Fatuity	Moore 24	48	150	1980	26.25	150	26.25	25	3.91	Yes	No			23.75	2050	No	OB			
					9.75		9.75	9.5	6.5					21.75	1025	1	None			
					635	ALUMN		0	147			0		7.16	Lead	FIXED	0			
					91	FS		0				0		4.083						

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
		Sail #	DW Rating		I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU SLE ASMUG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast Mat.		Traps/H. moveable blst Keel Type	IB or OB Prop Type # of blades		
									SL	SPL								
									SSMG SSF	SSA								
Firefly	Moore 24	64	150	1980	26.25 9.75	150	26.25	25 9.5 0 0	3.91 6.5 147	Yes	No	27 9.75 17.55 395 17.55	0	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0	
Gruntled	Moore 24	68	150	1980	26.25 9.75	150	26.25	25 9.5 0 0	3.91 6.5 147	Yes	No	27 9.75 17.5 394 17.5	0	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0	
Incognito	Moore 24	136	150	1984	26.25 9.75	150	26.25	25 9.5 0 0	3.91 6.5 147	Yes	No	27 9.75 17.55 395 17.55	0	23.75 21.75 7.16 4.08	2050 1025 Lead	No 1 FIXED	OB None 0	
JR	Moore 24	76	150	1980	26.25 9.75	155	26.25	25 9.5 0 0	3.91 6.5 147	Yes	No	27 9.75 17.55 395 17.55	0	23.75 21.75 7.16 4.08	2050 1025 Lead	No 1 FIXED	OB None 0	
La Dolce Vita	J 32	64	120	2001	39.2 11	155	40.5 13	38.5 15.5	5.1 9.2 334	No	Yes	19.7 677 2.5 0	0	32.4 29 11 6	10000 3840 Lead	0 1 FIXED	IB Feath 3	(Mtg 8/22/13, -6 sec/mi for sprit)
Low-Down	Santa Cruz 27	8027	141	1979	32.7 10.9	140		28.25 8.58	3.68 6.06	Yes	No	32.15 10.81 19.45 521 19.45	0	27 24 8 4.5	3300 1500 Lead	0 1 FIXED	OB None	
Moxy	Moore 24	110	150	1982	26.25 9.75	150	26.25	25 9.5 0 0	3.91 6.5 147	Yes	No	27 9.75 17.55 395 17.55	0	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0	

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
		Sail #	DW Rating		I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp.	Traps/H. Strps		IB or OB Prop Type # of blades	
										SL	SPL	SLU	ASA			Ballast	moveable blst		
Disp/WL Ratio	Mast Material	Rig Type	SSSF	SSA	ASMG	Fixed or _o													
Paramour	Moore 24	75	150	1980	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0				
		635 91			ALUMN FS			0 0	147			<input type="checkbox"/>	0						
Rocket Science	Moore 24	104	150		26.25 9.75	155	26.25 9.76	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.08	2050 1025 Lead	0 1 FIXED	OB None 3				
		635 91			ALUMN FS				147			<input type="checkbox"/>	0 0						
Stink Eye	Laser 28 ODR MOD	33562	126		31.73 9.65	110	33.2	33.14 12.3	5.2 8.3	Yes	Yes	28.42 23.62 9.48 5	4050 1500 Lead	No 1 FIXED	OB FOLD 2	(Mtg 3/27/14, -3 sec/mi for oversized mainsail girths, -3 sec/mi for OB motor)			
		635 140			ALUMN MS			0 0	252			<input checked="" type="checkbox"/>	19 546 0.92						
Sweet Tea	Moore 24	105	150	1981	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.08	2050 1025 Lead	0 1 FIXED	OB None				
		635 91			ALUMN FS				147			<input type="checkbox"/>	0 0						
WooHoo	Moore 24	80	150	1980	26.25 9.8	150	26.25	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.083	2050 1025 Lead	0 1 FIXED	OB None 0				
		635 91			ALUMN FS				147			<input type="checkbox"/>	0 0						
Aerie	CS 36	2160	123	1980	49 15	155	49	42.75 12.75	4.33 7.58	Yes	No	36.5 29.25 11.5 6.25	15500 6500 Lead	0 1 FIXED	IB Fold				
		634 282			ALUMN MS				308			<input type="checkbox"/>	0 0						
Crews Nest	Catalina 34 1&2	1383	147	1997	44 13.5	130	44 13.5	38.5 12	3.6 6.8	Yes	No	35.67 29.83 11.75 5.58	11950 5000 Lead	No 1 FIXED	IB FEATH 3				
		634 205			ALUMN MS			0 0	251			<input checked="" type="checkbox"/>	0						

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications				
			Built	DW Rating	J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No	ASF		Ttl Disp.	Traps/H. Strps			IB or OB			
										SL	SPL		SLU							ASA	Ballast	moveable blst
SSF	SSA	ASM	Fixed or _o	Max Draft	Keel Type	# of blades																
Kira	Aerodyne 38 SD	38104	45	2003	50.82 14.5	105	57.25 20.83	51.75 16.5	6.25 10.6	No	Yes	39.5 2062	37.66 34.21 13 6	11850 4150 Lead	0 1 FIXED	IB Fold						
French Kiss	Beneteau 350 Oceanis	28713	144	1989	41.47 12.8	140	41.47	35.7 11.6	4.2 7.3	Yes	No	0	33.83 29.83 11.17 5.17	10580 3525 Lead	0 1 FIXED	IB FOLD 2	Above deck Roller Furler					
Friday Harbor	Beneteau 323 DK	28580	147	2004	42.67 11.06	116		38.9 13.17	5 8.56	No	Yes	19.91 661	32 29.17 10.67 5.92	8448 2258 Iron	No 1 FIXED	IB FOLD 2						
Irie	Beneteau 393 Oceanis SD	38200	150		46 14.5	110	46 14.5	40.2 15.1	4.63 8.12	No	Yes	24 755	38.12 35.1 13 5.1	21700 5357 Cast Iron	0 1 FIXED	IB Fold 3						
Joyicity	Custom Davidson 26	20746	156	1975	27 9.1	150	31.15 10	28.75 11.5	5.1 8.1	Yes	No	0	26.42 22.5 8.25 5.25	3000 1450 Lead	No 1 FIXED	IB FOLD 2	Removed IOR Bump infilled w/Divinacell w/fiberglass skin/faired; Installed Melges rig w/mod for Spinnaker; shortened boom; increased "P" increased "J"; Code zero type furler used above deck; Helved on buff side of coil; 10 ft spin					
Stratocaster	J 32	16	126	1996	39.2 11	155	40.68	38.5 15.5	5.88 10.07	Yes	Yes	23.95 831	32.5 28.67 11 5.75	10000 3840 Lead	No 1 FIXED	IB FOLD 2						
Eliana II	Morgan 38-2	77486	156	1981	46 16.25	110	46 16.25	40.5 14.5	4.69 8.34	Yes	No	0 0	38.33 30.5 12 6	17000 6800 Lead	0 1 FIXED	IB Fixed_3 3	(Mtg 1/26/17, -3 sec/mi for oversized symmetric spinnaker area)					

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications	
		Sail #	DW Rating		I	J	Max Headsail	ISP	JSP	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps		IB or OB
										E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst		Prop Type
		Disp/WL Ratio			Mast Material					PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type		# of blades
							EY		SSF		ASMG	Fixed or _o	Max Draft							
Leda	Lapworth 36	71	150	1965	40.5	150	40.5	35.5		Yes		No		36	13500	No	IB			
					13.5		13.5	17.5			40.5	13.5		29	4500	1	FOLD			
								0			23.8	803		9.5	Lead	FIXED	0			
								0			23.8		<input type="checkbox"/>	5.43						
Blade Runner	Santa Cruz 27	28727	141	1979	32.7	150	32.7	28.2	3.27	Yes		Yes	19.58	27	3000	0	OB			
					10.9		10.9	8.7	5.64		32.74	10.9	34.05	24.08	1600	1	None			
									146		19.6	535	31.27	8	Lead	FIXED				
											19.6		19.58	4.5						
												<input type="checkbox"/>	90							
Mega Hurtz	Laser 28 ODR MOD	53470	129	1974	31.1	125	31.73	33.14	4.98	Yes		No		28.41	3950	0	OB			
					9.65			12.96	8.4		33	11.32		23.62	1500	1	None			
									257		20.37	552		9.48	Lead	FIXED	2			
											18.92		<input type="checkbox"/>	4.98				(Mtg 2/27/14, switched to outboard motor, -3 sec/mi)		
Sonrisa	Baba 40	0	147		50	100	50	46	5.3	No		Yes	30.5	39.83	29000	0	IB			
					21		21	14.75	9			52	1196	34.5	12000	1	Feath			
									391			46	0	12.83	Iron	FIXED				
												29	<input type="checkbox"/>	6						
Boudicca	Elan 310	310	129	2010	40.19	106	42.55	39.53	5.28	No		Yes	25.91	30.3	10141	0	IB			
					11.74		14.87	13.55	8.92			46.59	906	28.58	2292	1	Fold			
									323			42.02	3	10.5	Iron	FIXED				
												24.18	<input checked="" type="checkbox"/>	6.23						
Breakout	Santana 35	18679	114	1982	39	155	39	42	5.51	Yes		No		35	8500	No	IB			
					12.85			14.25	9.26		39	12.85		26.5	3300	1	FOLD			
									358				0	11.92	Lead	FIXED	2			
													<input type="checkbox"/>	6.25						
First Light	Beneteau 35S5	115	126	1991	41.66	98		42.65	5.25	Yes		No		35.42	11460	No	IB			
					11.15			15.09	9.042					29.33	4190	1	Fixed_2			
								0	366				0	11.83	Lead	FIXED	2			
								0					<input type="checkbox"/>	6						

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
		Sail #	DW Rating		I	J	Max Headsail	ISP	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB	
								JSP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type	
		Disp/WL Ratio			Mast Material				PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades	
						EY		SSF		ASM	Fixed or _o	Max Draft							
Azure	Catalina 275 Sport	1	156	2013	34.42	106	11.83	31.5	5.33	No	Yes	22	27.5	5000	0	IB			
					8.99			11.48	8.17		37.5	665	26.57	2040	1	Fixed_2			
			629		ALUMN				233		35	0	8.5	Lead	FIXED				
			121		FS						22	<input type="checkbox"/>	5.2						
Baleineau	Ericson 34 Olson SM	42147	105	1988	44	155	44	38.8	4.88	Yes	No		34	10600	No	IB			
					13		44	13	8.25	43.5	12.96		28	3650	1	FOLD			
			629		ALUMN			0	298	23.25	843	0	10.83	Lead	FIXED	2			
			219		MS			0		23.25		<input type="checkbox"/>	6						
Galaxsea	Custom Nauticat 43.5	28743	180	1985	51	104	20.6	45	4.3	Yes	Yes	29.2	43.6	34000	No	IB	Stay sail measurements foot=1', Luff=34'6", Leach=30'2", LP=132"		
					20			13.6	7.9	50.98	20	52	1119	11000	1	FEATH			
			629		ALUMN			32.4	338	33.43	1439	50	4.9	Lead	FIXED	3			
			288		KTCH			8.5		35.6		25.6	<input checked="" type="checkbox"/>	5.9					
Skye	Capo 30 MOD	0	114	1984	41.7	120	41.5	36	4.37	Yes	No		33	7500	0	IB	(Mtg 5/25/17, -9 sec/mi for increased LOA from added sugar scoop)		
					12.75		12.75	11.5	7.47	41.5	12		26	3000	1	Feath			
			629		ALUMN				247	21.5	740	0	10.33	Lead	FIXED				
			194		MS					21		<input type="checkbox"/>	5.42						
Ahi	Santana 35	30980	114	1981	39	155	39	42	5.51	Yes	No		35	8500	0	IB	(Mtg 6/27/13, new rudder noted, NCTR)		
					12.85			14.25	9.26	39	12.85		26.5	3300	1	Fold			
			628		ALUMN				358	23.13	752	0	11.92	Lead	FIXED	2			
			208		FS					23.13		<input type="checkbox"/>	6.25						
Archaeopteryx	Hotfoot 20	101	177	1986	25	105	26.08	27.08	4.05	Yes	No		20	1000	0	OB			
					7		7.67	10.08	6.6	26.97	7.67		18	400	1	None			
			628		ALUMN				166	13.86	309	0	8.5	Lead	CNTRBRD				
			78		FS					13.3		<input type="checkbox"/>	5						
Short Bus	Hunter 35 Legend	210	138	1990	42	110		44.08	5.5	No	Yes	24.6	35.58	12600	0	IB			
					12.17			14.25	9.2		49.5	957	29.75	5000	1	Fixed_2			
			628		ALUMN				375		39.8	0	11.75	Lead	FIXED				
			218		MS						26	<input type="checkbox"/>	6.5						

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications									
			Built	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF		LOA	Ttl Disp.	Traps/H.	Strps		IB or OB								
										DW Rating	Mast Material		PY	MGM							SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type
Max Draft	Ballast Mat.	Keel Type	# of blades																									
Loya	Ericson 34 Olson SM	3246	105	1989	44.5	154	44	38.84	4.69	Yes	Yes	23.8	34	10600	0		IB											
					13.25		13.25	12.9	8.38		47.2	28	3650	1		Fold												
			627		ALUMN				296		42.1	10.83	Lead	FIXED		2												
			219		MS						23.8	6																
Red Sky	Ericson 34 Olson SM	28340	105	1989	44	150	44	38.7	5.1	Yes	Yes	21.98	33.88	10855	No		IB	MTG 12/11/97(RUDDER REPLACED 8" DEEPER ADN 3" NARROWER.)										
					12.95		12.95	12.95	8.5		41.5	28	3500	1		FOLD												
			627		ALUMN			0	302		33.77	10.8	Lead	FIXED		2												
			225		MS			0			17.91	6.08																
Razzberries	Ericson 34 Olson TM	97479	99	1988	46.77	155	47	40.9	5.1	Yes	No		33.88	10855	No		IB											
					12.95			12.95	8.5			28	3500	1		FOLD												
			625		ALUMN			0	320			10.8	Lead	FIXED		2												
			225		MS			0				6.085																
Wood Eye	Catalina 38	111	123	1981	49.83	110	49.83	44	4.7	Yes	No		38.17	15900	0		IB											
					15.5		15.5	11.5	7.9			30.25	6850	1		Fixed_2												
			625		ALUMN				313			11.83	Lead	FIXED		2												
			261		MS							6.75																
Giant Slayer	Santa Cruz 27	59369	141	1979	32.583	155	32.583	28.25	3.7	Yes	Yes	17.67	27	3304	No		OB	(Mtg 3/27/14, -3 sec/mi for 10% overized symmetrical spinnaker)										
					10.9		10.9	8.7	6.3		30.02	24	1800	1		None												
			624		ALUMN			0	157		32.58	8	Lead	FIXED		0												
			109		MS			0			13.42	4.5																
Rare Bird	Moore 24	67	141		26.58	100	28.31	25	3.91	Yes	Yes	17.22	23.75	2050	0		OB	(Mtg 10/27/16, -6 sec/mi for OSP, -6 sec/mi for increased spinnaker area)										
					9.75		11.65	9.5	6.5		32.18	21.75	1025	1		None												
			624		ALUMN				147		28.27	7.16	Lead	FIXED														
			91		FS						18.74	4.083																
Abba-Zaba	Tartan 10	8112	129	1979	35	125	35	40.25	5.34	Yes	No		33.16	6700	0		IB	(+3 sec/mi credit for 125% or smaller headsail)										
					12			13.75	8.86			27	3340	1		FOLD												
			623		ALUMN			0	331			9.25	Lead	FIXED		2												
			155		FS			0				5.83																

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
		Sail #	DW Rating		I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		Ballast		Traps/H. moveable blst	IB or OB Prop Type # of blades			
									SL	SPL	SLU	ASA					Ttl Disp.		Keel Type
Azure	CAL 40	72	114	1966	46 15.17	150	46	40 17.5	6.65 11.37	Yes	No	39.3 30.5 11 5.5	15500 6000 Lead	0 1 FIXED	IB FEATH 2				
QE 3	Tartan 10	8049	129	1978	35 12	125	35 0	40.25 13.75	5.34 8.96	Yes	No	33.16 27 9.25 5.83	6700 3340 Lead	0 1 FIXED	IB FOLD 2				
Topgallant	Tartan 10	18608	129	1978	35 11.75	125	35	40.25 13.75	5.34 8.96	Yes	No	33.16 27 9.25 5.83	6700 3340 Lead	No 1 FIXED	IB FOLD 2	(4/25/02 Installed Running Backstay)			
Breakaway	Ultimate 20 CM	180	144	2002	26.08 6.97	114	27.58 12.79	27.33 10.17	5.5 7.96	No	Yes	20.83 18 8.33 5	1350 450 Lead	No 1 FIXED	OB Fixed_3 3				
Flight Risk	Catalina 38	87586	117	1983	49.8 15.5	155	49.8	44 11.5	4.18 7.12	Yes	No	38.24 30.45 11.12 6.1	19489 6850 Lead	No 1 FIXED	IB Fold 2	Roller Furler			
Green Buffalo	CAL 40	8538	114	1967	46.7 15.2	155	46.7	39.8 17.6	6.65 11.37	Yes	No	39.3 30 10.9 5.8	15148 6000 Lead	0 1 FIXED	IB FEATH 3	Schumacher designed rudder - same as original			
Harp	Catalina 38	18003	117	1983	50.7 15.43	155	50.9 15.43	44 11.5	4.8 7.97	Yes	No	38.17 30.25 11.83 6.79	19489 6850 Lead	No 1 FIXED	IB FOLD 2	DEC 93 - 7X19 STND RIG/ W/ROD RIG & SHR TN UPR SPREADERS 2 IN. NO CHNG RTNG (MTG 1/27/94)			

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications	
		Sail #	DW Rating		I	J	Max Headsail	ISP	JSP	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps		IB or OB
										E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst		Prop Type
		Disp/WL Ratio			Mast Material					PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type		# of blades
						Rig Type	EY		SSF		ASM	Fixed or _o	Max Draft							
Nozomi	CAL 40	164	114	1970	46.2	155	46.2	39.9	6.6	Yes	No			39.5	15500	0	IB			
					15.2			17.6	11.37					30	6000	1	FEATH			
		622			ALUMN				416			0		11	Lead	FIXED	3			
		261			MS							0		5.6						
Redhead	Cal 40	7817	114	1964	46	155	46.36	40	6.5	Yes	No			39.5	16500	No	IB			
					15.17			17.5	11.3					30	6000	1	Feath			
		622			ALUMN			0	414			0		10.92	Lead	FIXED	2			
		278			MS			0						5.75						
Crazy Rhythm	Santa Cruz 27	18771	144	1978	32.58	125	32.58	28.166	3.68	Yes	No			27	3200	No	OB	(Outboard Removed)		
					10.75			8.583	6.06					24	1600	1	None			
		621			ALUMN			0	153			0		8	Lead	FIXED	0			
		105			MS			0						4.5						
Geodesic III	Optima 101	103	141	1985	38.71	125	38.71	38.39	4.9	Yes	Yes	19.6		32.84	8511	0	IB	(Mtg 4/27/17, added 2' retractable bowsprit, -3 sec/mi)		
					12		12	13.45	8.2			586		29.25	3968	1	Fixed_2			
		621			ALUMN				298			2		11.15	Iron	FIXED				
		155			FS							0		4.76						
Sweet Grapes	Ericson 36 Holland	19	108	1981	47.75	147	47.75	42	3.5	Yes	No			35.58	11600	0	IB			
					14.5			12	7.2					29	5230	1	FOLD			
		621			ALUMN				278			0		11.83	Lead	FIXED	2			
		216			MS							0		6.25						
Whispering Winds	Lancer 36 MH	87374	141		42	125	41.9	37	4.8	No	Yes	26		36.17	10500	0	IB			
					16			12	7.9			932		29	4000	1	Fixed_3			
		621			ALUMN				269			0		11.75	Lead	FIXED				
		196			MS							0		6						
Polecat	Wyliecat 30 IB	5	132	1997			29.5	40	7.35	No	No	21.6		30.5	5500	No	IB	(Articulating Sprint and Pole added for asym spinnaker, added asymmetrical, -21 sec/mi)(5/22/14, removed Asymmetric, +21 sec/mi)(Mtg 8/25/16, New rudder installed, NCTR)		
							12	20	12.66			493		25	3050	1	FOLD			
		620			CARBON			0	468			8		9.416	Lead	FIXED	2			
		160			CAT			0				15		5.25						

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		SLU SLE ASMG		ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast	Traps/H. moveable blst		IB or OB Prop Type # of blades
								SL	SPL	SLU	ASA							
								SSMG SSF	SSA	SLE	Spr							
Quila	Santa Cruz 27	18723	141 1976	32.583 10.75 155	32.583	28.25 8.583 0 0	3.68 6.1 154	Yes	No	27 24 8 4.5	3000 1500 Lead	No 1 FIXED	OB None 0					
TAZI!	Express 27 ODR	8100	132 1981	28.5 9 125	28.5	28.5 10.42	4.23 7.04 182	Yes	No	27.3 23.8 8.17 4.5	2450 1100 Lead	0 1 FIXED	NONE None					
Gotcha	Santa Cruz 27	47911	141 1975	32.58 10.75 150	32.58	28.25 8.583	3.68 6.06 154	Yes	No	27 24 8 4.5	3200 1600 Lead	0 1 FIXED	OB None					
Wings	Columbia 5.5 M ODR	31	177 1965	29.125 8.25 96	30	34 11.416 0 0	4.59 7.65 237	Yes	No	32.416 25 6.25 4.33	4400 2800 Lead	No 1 FIXED	NA None 0					
Iniscaw	Martin 32	49143	126 1980	42.5 13.67 145		37.17 12	4.7 8 270	Yes	No	32.8 27 9.6 6.1	8200 4100 Lead	0 1 FIXED	IB FOLD 2	(Mtg 10/2/13, new rudder, NCTR)				
Highlander	Cal 40	4590	117 1968	46.2 15.2 150	46.2	39.5 17.5	6.65 11.37 412	Yes	No	39.25 30.25 11 5.58	15000 6000 Lead	0 1 FIXED	IB Fixed_2 2					
Alchimiste	Archambault 27	38973	78 2013	34.25 10.83 100	39.08 15.98	34.78 12.63	4.75 8.16 261	No	Yes	27.4 22.7 9.7 5.7	4894 1814 Lead	0 1 FIXED	IB Fold	(Mtg 10/22/15, Custom rating assigned. Includes -9 sec/mi penalty for 22% oversized ASA & +3 sec/mi credit for non-articulating sprit. As sailed: 78)				

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
		Sail #	DW Rating		I	J	Max	ISP	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB	
					Headsail			JSP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type	
		Disp/WL Ratio			Rig Type			PY	MSA	SSMG	SSA	SLE	Sprit	Lngrh	Max Beam	Ballast Mat.	Keel Type	# of blades	
					EY		SSF		ASM	G	Fixed or _o	Max Draft							
Another Girl	Alerion Express 38-2	20	90	2011	42.98	90		47.5	9.58	No	No		38.3	13000	0	IB	(mtg 4/28/11, Custom rating of 90 assigned)		
					12.99			18.25	13.45			30.1	5000	1	Feath				
					616	CARBON					0	10.3	Lead	FIXED	2				
					217	MS					0	5.92							
Neverland	Tartan 3700 SD 5.0'	106	114	2006	51.75	135	51.75	45.25	5.7	No	Yes	25.4	37	17780	0	IB			
					15		15	15	9.68		53.83	1025	32.5	6200	1	Fold			
					616	CARBON					46.8	0	12.6	Lead	FIXED	2			
					235	MS			404		24.21	0	5						
Traveler	Express 34	97089	99	1987	44.3	150	44.3	38.5	4.87	Yes	No		34	8500	0	IB	-6 FOR OVERSIZED SPINNAKER		
					13			12.83	8.46	42.7	13		28.3	3700	1	FOLD			
					616	ALUMN		0	296	22.2	787	0	10.5	Lead	FIXED	2			
					170	MS		0		21.8		0	6						
U Decide	Ultimate 20	155	144	2001	26.08	114	27.58	27.33	5.5	No	Yes	17.7	20.83	1350	0	OB			
					6.97		12.79	10.17	7.96		30.42	433	18	450	1	None			
					616	ALUMN			193		28.42	6	8.33	Lead	FIXED	0			
					105	FS					17.67	0	5						
Riff Rider	Cal 40	46	114	1965	46.2	155	46.2	40	6.5	Yes	No		39.3	15000	0	IB			
					15.1			17.5	11.3	46.2	15.1		30.3	6000	1	Fold			
					615	ALUMN			414	27.2	1047	0	11	Lead	FIXED				
					245	MS				27.2		0	5.6						
UHOO!	Ultimate 20	64	144	1996	22.8	100	27.58	27.5	5.3	No	Yes	19.2	20.8	1100	No	OB			
					7		13	10.33	7.96		31.3	446	18	450	1	None			
					614	ALUMN		0	194		28.4	6	8.166	Lead	CENTER	0			
					86	FS		0			17.6	0	5						
Marrakesh	Express 34	3	102	1987	44.25	125	44.25	38.5	4.87	Yes	No		34	9245	No	IB			
					13			12.83	8.46	44	13		28.33	3800	1	FOLD			
					613	ALUMN		0	296	23.4	858	0	10.33	Lead	FIXED	2			
					185	MS		0		23.4		0	6.11						

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Keel		Engine/Prop	Modifications	
			Rating		I	J	P	MGU	Yes/No		Yes/No	ASF		Ttl Disp.	Traps/H. Strps			IB or OB
			Built		Max	Headsail	E	MGM	SL	SPL	SLU	ASA						
			DW Rating		Mast	Material	PY	MSA	SSMG	SSA	SLE	Sprit Lngth		Max Beam	Ballast Mat.			Keel Type
Disp/WL Ratio	Rig Type	JSP	EY	SSF	ASM	G	Fixed or _o	Max Draft										
Peabody	Ultimate 20	22	144		25.08	110	27.58	27.5	5.5	No	Yes	19.2	20.94	1350	0	OB		
					6.97		12.79	10.25	7.96		31.3	448	18	450	1	None		
									195		28.4	6	8.33	Lead	CNTRBRD			
											17.7	<input checked="" type="checkbox"/>	5.03					
Pony Express	Express 34	28234	99	1988	44.25	155	44.25	38.5	4.87	Yes	No		34	7500	No	IB		
					12.92			12.83	8.46				28.33	3700	1	FOLD		
								0	296			0	10.5	Lead	FIXED	2		
								0			<input type="checkbox"/>		6					
Windswept Lady	X-362 Classic	50980	96	1998	46.6	125	46.6	40.6	5.05	Yes	Yes	26.7	35.1	12320	0	IB		
					12.9		12.9	14.1	8.86		46.8	878	30.4	5170	1	Fold		
									333		42.3	0	11.4	Lead	FIXED			
											22.9	<input type="checkbox"/>	6.2					
Abigail Morgan	Express 27 ODR	18394	129	1985	28.5	150	28.5	28.5	4.22	Yes	No		27.25	2450	No	OB		
					9			10.416	7.03				23.75	1100	1	None		
								0	182			0	8.166	Lead	FIXED	0		
								0			<input type="checkbox"/>		4.5					
Elise	Express 27 ODR	101	129	1986	28.5	155	28.5	28.5	4.22	Yes	No		27.25	2450	0	OB		
					9			10.416	7.03				23.75	1100	1	None		
									182			0	8.17	Lead	FIXED	0		
											<input type="checkbox"/>	0	4.5					
Hang 20	Express 27 ODR	48	129	1982	28.5	125	28.5	28.5	4.22	Yes	No		27.3	2450	0	OB		
					9			10.42	7.03				23.8	1100	1	None		
									182			0	8.17	Lead	FIXED	0		
											<input type="checkbox"/>	0	4.5					
Simply Irresistible	Express 27 ODR	18070	129	1983	28.5	155	28.5	28.5	4.22	Yes	No		27.25	2450	No	OB		
					9			10.416	7.03				23.75	1100	1	None		
								0	182			0	8.17	Lead	FIXED	0		
								0			<input type="checkbox"/>		4.5					

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications			
		Sail #	DW Rating		I J Max Headsail	Mast Material		P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast Mat.	Traps/H. moveable blst Keel Type			Strps		
		Disp/WL Ratio																			
Yeti	Express 27 ODR	38	129	1983	28.5 9	155	28.5	28.5 10.4	4.22 7.03	Yes	28.6 17.7 17.7	9.83 422	No		0 0	27.25 23.75 8.16 4.5	2450 1100 Lead	0 1 FIXED	OB None		
Andale	Express 27 ODR	72	129	1985	28.5 9	155	28.5	28.5 10.42	4.22 7.03	Yes	29 17.7 17.7	9.83 428	No		0 0	27.25 23.75 8.17 4.5	2450 1100 Lead	0 1 FIXED	None		
Archimedes	Express 27 ODR	18355	129	1985	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	29 17.333 17.6	9.833 420	No		0	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	NONE None 0		
Bombora	Express 27 ODR	38047	129		28.5 9	155	28.5	28.5 10.42	4.22 7.03	Yes	28.5 17.7 17.7	9.83 420	No		0 0	27.25 23.8 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0		
Current Affair	Express 27 ODR	56	129	1983	28.5 9	155	28.5	28.5 10.42	4.22 7.03	Yes	29 17.75 17.75	9.83 429	No		0 0	27.25 23.75 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None		
Dianne	Express 27 ODR	0	129	1981	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	29 17.75 17.75	9.833 429	No		0	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0		
El Raton	Express 27 ODR	28050	129	1985	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	29 17.75 17.75	9.833 429	No		0	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0		

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop		Modifications			
			Built	DW Rating	J Max	I Head	Sail Material	ISP JSP	P E	MGU MGM	Yes/No			SLU ASA	ASF Sprit Lngth Fixed or _o	Ttl Disp.	Traps/H. Strps		IB or OB Prop Type # of blades		
											SL	SPL								Ballast	moveable blst
PY EY	MSA	SSG	SSA	SLE	ASMG	Fixed	Max Draft	Ballast Mat.	Keel Type	# of blades											
Ergo	Express 27 ODR	40428	129		28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	29	9.833	No	0	27.25 23.75 8.075 4.5	2450 1100 Lead	0 1 FIXED	OB None 0			
Get Happy!!	Express 27 ODR	1	129	1981	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	29	9.833	No	0	27.25 23.75 8.166 4.5	2450 1100 Lead	No 1 FIXED	OB None 0			
Levitation II	Express 27 ODR	77	129	1984	28.5 9	150	28.5	28.5 10.416	4.22 7.03	Yes	29	9.833	No	0	27.25 23.75 8.166 4.5	2450 1100 Lead	No 1 FIXED	OB None 0			
Motorcycle Irene	Express 27 ODR	28137	129	1982	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	29	9.833	No	0	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0			
Peaches	Express 27 ODR	18364	129	1986	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	29	9.833	No	0	27.25 23.75 8.166 4.5	2450 1100 Lead	No 1 FIXED	OB None 0			
Salty Hotel	Express 27 ODR	60	129	1983	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	29	9.83	No	0	27.25 23.75 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0			
Sea Star	CAL 39-2/3	38022	114	1977	50 16.7	150	50	44 13.8	4.5 8	Yes	48	16.7	Yes	34 1181	39 32 12 6.7	17000 7000 Lead	0 1 FIXED	IB FEATH 3	Roller Furler		

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications										
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps moveable blst	IB or OB Prop Type # of blades											
								SL	SPL	SLU	ASA																
								SSMG SSF	SSA	SLE	ASMG							Ballast Mat.	Keel Type								
Swamp Donkey	Express 27 ODR	8444	129	1981	28.5 9	155	28.5	28.5	4.22	10.416	7.03	29	9.833	No		27.25	23.75	8.166	4.5	2450	No	1	OB	None	0		
					611 83	ALUMN FS				0	182			<input type="checkbox"/>	0			Lead	FIXED								
Take Five	Express 27 ODR	28031	129	1982	28.5 9	155	28.5	28.5	4.22	10.416	7.03	29	9.833	No		27.25	23.75	8.17	4.5	2450	0	1	OB	None	0		
					611 83	ALUMN FS					182	17.75	429		<input type="checkbox"/>	0			Lead	FIXED							
Verve	Express 27 ODR	18283	129	1981	28.5 9	155	28.5	28.5	4.22	10.416	7.03	29	9.833	No		27.25	23.75	8.17	4.5	2450	No	1	OB	None	0		
					611 83	ALUMN FS				0	182	17.5	425		<input type="checkbox"/>	0			Lead	FIXED							
Wetsu	Express 27 w/J length pole	70	129	1983	28.5 9	155	28.5	28.5	4.22	10.42	7.03	29	9.833	No		27.25	23.75	8.17	4.5	2450	No	1	OB	None	0	-6 Sec/mi OSP	
					611 83	ALUMN FS				0	182	17.7	427		<input type="checkbox"/>	0			Lead	FIXED							
Wile E Coyote	Express 27 ODR	11	129	1981	28.5 9	155	28.5	28.5	4.22	10.416	7.03	29	9.833	No		27.25	23.75	8.17	4.5	2450	No	1	OB	None	3		
					611 83	ALUMN FS				0	182	17.7	428		<input type="checkbox"/>	0			Lead	FIXED							
Make Me Smile	Express 27 ODR	91	129		28.5 9	155	28.5	28.5	4.22	10.42	7.03	28.5	9.83	No		27.25	23.8	8.17	4.5	2450	0	1	OB	None	0		
					610 83	ALUMN FS					182	17.7	420		<input type="checkbox"/>	0			Lead	FIXED							
Moonlight	Express 27 ODR	28059	129	1986	28.5 9	155	28.5	28.5	4.22	10.416	7.03	29	9.833	No		27.25	23.75	8.17	4.5	2450	No	1	OB	None	0		
					610 83	ALUMN FS				0	182	16.5	404		<input type="checkbox"/>	0			Lead	FIXED							

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications		
		Sail #	DW Rating		I	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No		LOA	Ttl Disp.	Traps/H.		Strps	IB or OB
										E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst			Prop Type
		Disp/WL Ratio			Mast Material					PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type			# of blades
						Rig Type	EY		SSF		ASMG	Fixed or _o	Max Draft								
Sir Leansalot	Hunter 40	161	108	1986	53.9	125	53.9	48	5.2	Yes		No		39.7	17400	0		IB			
					17		17	13.9	9		52.5	17		32.5	6000	1		Fixed_2			
			610		ALUMN			0	396		29.2	1276	<input type="checkbox"/>	13.5	Iron	FIXED		2			
			230		MS			0			29			6.5							
Tule Fog	Express 27 ODR	18178	129	1984	29	155	28.5	29	4.22	Yes		No		27.3	2450	n		OB			
					9			10	7.03		29	9.83		23.8	1100	1		None			
			610		ALUMN				182		17.7	428	<input type="checkbox"/>	8.166	Lead	FIXED		0			
			83		FS			17.7			17.7			4.5							
Big Air	Open 5.7 ODR	189	138	2006	21.52	117	21.6	25.33	5.7	No		Yes	17.6	18.75	992	0		OB			
					7.3		12.3	10.24	8.2			25.82	345	18.7	405	1		None			
			609		ALUMN				183		20.64	5		8.3	Lead	FIXED					
			69		FS						17.9	<input checked="" type="checkbox"/>	0	5.74							
Shenanigans	Express 27 ODR	67	129	1983	28.5	155	28.5	28.5	4.22	Yes		No		27.25	2450	0		OB			
					9			10.42	7.03		29	9.83		23.75	1100	1		None			
			609		ALUMN			0	182		16	387	<input type="checkbox"/>	8.17	Lead	FIXED		0			
			83		FS			0			16			4.5							
Althea	Cavalier 39	38101	129	1981	48.5	120	46	42	4.55	No		Yes	28.23	38.98	13228	0		IB	(Mtg 4/28/16, -3 sec/mi for oversized spinnaker pole, -3 sec/mi for oversized spinnaker)		
					14.83		16.13	12	7.79			48.75	1029	29.49	7513	1		Fixed_3			
			608		ALUMN				301		42.41	0		11.22	Lead	FIXED					
			234		MS						26.82	<input type="checkbox"/>	90	5.97							
Domino	Wilderness 30 MOD	38081	126	1985	36	155	36	31.5	4.11	Yes		No		30	5450	0		IB	(Mtg 3/28/13, +6 sec/mi for small rig)		
					12.25		12.25	10.83	6.93			36.15	12.25	27.75	2150	1		Fold			
			608		ALUMN				203		22.05	655	<input type="checkbox"/>	8.8	Lead	FIXED					
			116		MS			20.5			20.5			5.5							
Revelry	Catalina 42-1/2	703	105	1999	53	125	53	46.75	5.75	No		Yes	27.5	41.833	20500	No		IB	ASYM SPIN NOTED NCTR.		
					16.416		16.416	15.416	9.833			52.7	1097	36	8300	1		FEATH			
			608		ALUMN			0	425		47.4	0		13.833	Lead	FIXED		3			
			200		MS			0			26	<input type="checkbox"/>		6.83							

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications		
		Sail #	DW Rating		I	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp.	Traps/H.		Strps	IB or OB
										E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst			Prop Type
		Disp/WL Ratio					Mast Material			PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type			# of blades
							EY		SSF		ASMG	Fixed or _o	Max Draft								
Allons-Y	J 70 ODR	346	114	2014	26.77 7.68	100	30.15 13.5	26.16 9.44	4.71 6.93	No	Yes	18.7 491	22.75	1750	0	OB					
		607 93			CARBON FS				164		35.43 28.87 18.24	5.1 0	20.47 7.38 4.92	630 Lead	1 MVBL	None					
Benny	J 70 ODR	897	114	2015	26.77 7.68	100	30.15 13.5	26.16 9.44	4.71 6.93	No	Yes	18.7 491	22.75	1750	0	OB					
		607 93			CARBON FS				164		35.43 28.87 18.24	5.1 0	20.47 7.38 4.92	630 Lead	1 MVBL	None					
Penny Pincher	J 70 ODR	215	114	2014	26.77 7.68	100	30.15 13.5	26.16 9.44	4.71 6.93	No	Yes	18.7 491	22.78	1750	0	OB					
		607 93			CARBON FS				164		35.43 28.87 18.24	5.1 0	20.47 7.38 4.92	630 Lead	1 MVBL	None					
Prime Number	J 70 ODR	29	114	2012	26.77 7.68	100	30.15 13.5	26.16 9.44	4.71 6.93	No	Yes	18.7 491	22.78	1750	0	OB					
		607 93			CARBON FS				164		35.43 28.87 18.24	5.1 0	20.47 7.38 4.92	630 Lead	1 MVBL	None					
Rampage	J 70 ODR	582	114	2014	26.77 7.68	100	30.15 13.5	26.16 9.44	4.71 6.93	No	Yes	18.7 491	22.75	1750	0	OB					
		607 93			CARBON FS				164		35.43 28.87 18.24	5.1 0	20.47 7.38 4.92	630 Lead	1 MVBL	None					
Scilla	J 70 ODR	327	114	2012	26.77 7.68	100	30.15 13.5	26.16 9.44	4.71 6.93	No	Yes	18.7 491	22.78	1750	0	OB					
		607 93			CARBON FS				164		35.43 28.87 18.24	5.1 0	20.47 7.38 4.92	630 Lead	1 MVBL	None					
Uno	Wyliecat 30 IB	28632	129	1995	35.8 5.5		35.8 12	39.66 19.75	9.31 13.05	No	Yes	19.68 550	30.5	5800	0	IB	(mtg 2/21/08, penalty for oversized main -3 sec/mi)(Mtg 5/22/08, -24 for asymmetric spinnaker flown on 12' pole)(1/24/16, not using spinnaker +24 sec/mi)				
		607			CARBON				493		37.02 32.8	0	25	3000	1	FOLD					
		169			CAT						18.7	90	9.5 5.25	Lead	FIXED	2					

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications			
			Built	J	Max Headsail	ISP	P	MGU	Yes/No		SLU	ASF	LOA	Ttl Disp. Traps/H. Strps		IB or OB						
									JSP	E				MGM	SL		SPL	LWL		Ballast	moveable blst	# of blades
Disp/WL Ratio	Mast Material	SSSF	SSA	ASMG	Fixed or_o	Max Draft	Ballast Mat.	Keel Type														
Wingman Racing	J 70 ODR	584	114	2014	26.77 7.68	100	30.15 13.5	26.16 9.44	4.71 6.93	No	Yes	18.7 491	22.75 20.47	1750 630	0 1	OB None						
		607 93			CARBON FS				164		28.87 18.21	5.1 0	7.38 4.95	Lead	MVBL							
Zwei Flying Fish	San Juan 33s	59733	129	1981	34.83 11.48	134	34.83	39.16 12.66	4.66 8.08	Yes	No	11.833	33.1 27.8	6000 3500	0 1	IB Fold	(Mtg 5/28/15, +3 sec/mi for small rig)					
		606 127			ALUMN FS				292		19.75 19.75	555	7.95 5.5	Lead	FIXED							
Boomer	Melges 20	676	111	2009	23.19 7.05	110	27.2 10.95	24.25 9.84	3.83 7.42	No	Yes	18.8 417	20 19.4	1105 415	0 1	OB None						
		604 69			CARBON FS				152		26.25 17.65	3.9 0	7 4.5	Lead	FIXED	0						
Farriage	Catalina 42-1/2	336	102	1992	53 16.42	130	53 16.42	46.75 16.42	5.75 9.83	No	Yes	27.08 1042	41.83 36	20600 8300	0 1	IB Feath						
		604 201			ALUMN MS				437		47.37 24.37	0 0	13.83 6.83	Lead	FIXED	3						
Gavilan	Custom Wylie 39	28439	93	1996	49 14.5	122	49	43 15.5	5.73 9.75	Yes	Yes	24.6 783	41.5 31.75	17900 5920	No 1	IB FEATH	(mtg 4/28/11, change custom rating from 84 to 96 after review of rating appeal)(Mtg 1/26/12, -3 sec/mi for sprit)					
		604 254			ALUMN MS			0 0	390		26.6 26.6	1078	11.5 6.77	Lead	FIXED	3						
Kwazy	Wylie Wabbit ODR W/Trap	26	126	1982	20.416 6.416	150	20.5	23 10	4.02 6.71	Yes	No	8.5	23.58 20	975 440	Yes 3	NONE None						
		604 55			ALUMN FS			0 0	141		14 14	257	5.42 3.41	Lead	FIXED	0						
Pork Chop Express	Express 27 ODR MOD	115	126	1986	28.5 9	130	32.5	28.5 10.4	4.2 7	Yes	Yes	19.55 425	27.25 23.75	2450 1100	0 1	OB None	(Mtg 1/26/17, -3sec/mi for switching to MH configuration. New Rudder, NCTR)					
		604 83			ALUMN MS				182		16.44 14.11	380	8.17 4.5	Lead	FIXED							

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
		Sail #	DW Rating		I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp.	Traps/H. Strps		IB or OB Prop Type # of blades	
										SL	SPL	SLU	ASA			Ballast	moveable blst		
ASF	Fixed or _o	Max Beam	Keel Type																
Problen Child	Melges 20	134	111	2009	23.19 7.05	110	27.2 10.95	24.25 9.84	3.83 7.42	No	Yes	18.8 417 3.9 0	20 19.4 7 4.5	1105 415 Lead	0 1 FIXED	OB None			
Bad Hare Day	Wylie Wabbit ODR W/Trap	35	126	1982	20.75 6.5	150	20.5	23.75 10 0 0	4.03 6.72 145	Yes	No	21.6 8.5 14 252 14	23.75 20 5.583 3.5	975 440 Lead	Yes 3 FIXED	OB None 0			
CruzSea Baby	Beneteau First 10R ODR	52878	81	2007	43.2 12.07	155	46.41 16.5	42.25 14.73	5.59 9.57	No	Yes	27.5 1055 4.43 0	32.75 28.7 11 6.55	9715 3528 Lead	0 1 FIXED	IB Fold 2	(Rudder Modifications noted, smaller non-class spinnaker +3 sec/mi)		
Gig	Humboldt 30 IB	18112	108	1983	37.5 11.5	149	37.5	41.5 13.75 0 0	5.13 8.83 338	Yes	No	37 11.5 20.7 635 20.2	30 26.66 10.5 5.75	5400 2222 Lead	No 1 FIXED	IB FOLD 2			
Tequila Mockingbird	Express 27 ODR	18353	126		28.5 9	155	32.5	28.5 10.416 0 0	4.22 7.03 182	Yes	Yes	18.85 450 0 90	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0	(Mtg 4/23/15, switched to MH configuration, -3 sec/mi for increased spinnaker area)		
Ala Moana	Beneteau First 30	104	99	2012	41.66 13.78	105	42.16 15.78	40.3 14.25	6.28 9.38	No	Yes	28.82 1049 2 0	31.7 27.6 10.5 6.25	8267 2403 Cast Iron	0 1 FIXED	IB Fold 2			
Hera	Beneteau Farr First 36.7	28372	81	2002	46.4 13.1	150	46.4 13.1	45.4 15.6 0 0	5.92 12.49 458	Yes	No	45.8 13.1 23.01 871 22.1	36 30.3 11.6 7.2	12495 3748 Lead	No 1 FIXED	IB FOLD 2			

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications			
			Built	J	Max Headsail	ISP JSP	P	MGU	Yes/No		SLU	ASF	LOA	Ttl Disp. Traps/H. Strps		IB or OB						
									DW Rating	Mast Material				E	MGM		SL	SPL		Ballast	moveable blst	# of blades
EW	MSA	SSMG	SSA	ASF	Max Draft																	
Allegro	Beneteau Farr First 36.7	56657	78	2010	46.42 13.1	155	46.42 14.35	45.4 15.6	5.92 12.49	Yes	Yes	36	12939	0	IB	(Mtg 1/26/16, -3 sec/mi for increased JSP)						
															Fold							
			601 211		ALUMN FS			458				30.3 11.4 7.3	3993 Lead	1 FIXED	2							
Ariadne	Beneteau Farr First 36.7	403	84		46.4 13.1	125	46.4 13.1	46.4 15.6	5.92 12.49	Yes	No	36	12495	No	IB							
															Fold							
			601 204		ALUMN FS			468				30.3 11.4 7.3	4034 Lead	1 FIXED	2							
Lonestar	Beneteau First 10R ODR MOD	40	84	2007	43.2 12.07	100	46.41 16.5	42.25 14.73	5.59 9.57	No	Yes	32.75	9715	0	IB	(Mtg 5/20/10, +3 sec/mi for non-class smaller kite)(Mtg 9/23/10, rudder modifications noted, NCTR)(Mtg 4/26/12, new rudder noted, NCTR)						
															FOLD							
			601 187		CARBON FS			371				28.7 11 6.55	3528 Lead	1 FIXED	2							
Mulan	Beneteau First 10R ODR	52659	81	2007	43.2 12.07	120	46.41 16.5	42.25 14.73	5.59 9.57	No	Yes	32.75	9715	0	IB							
															Fold							
			601 187		CARBON FS			371				28.7 11 6.55	3258 Lead	1 FIXED	2							
Serenade	Sabre Spirit		96	2007	45.5 12.87	106	51.2 12.87	45.5 16.55	5.55 9.93	Yes	No	36.67	10500	0	IB							
															Fold							
			601 210		CARBON FS			425				28.33 10.42 6.58	3740 Lead	1 FIXED								
White Wabbit	Wylie Wabbit ODR W/Trap	19	126	1982	20.5 6.6	110	26.1	23.75 10	4.03 6.72	Yes	No	23.75	975	Yes	OB							
															None							
			601 55		ALUMN FS			145				20 5.58 3.5	440 Lead	1 FIXED	0							
Yellow Brick Road	Jeanneau Sun Odyssey 40	33300	90	1999	50 13.75	125	50 13.8	43.25 15.67	5.7 9.89	No	Yes	40	16094	0	IB							
															FEATH							
			601 198		ALUMN MS			396				33.33 12.92 6.33	5291 Iron	1 FIXED	3							

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications						
			Built	J	Max Headsail	ISP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp. Traps/H. Strps		IB or OB									
									DW Rating	Mast Material				E	MGM		SL	SPL		SLU	ASA	LWL	Ballast	moveable blst	# of blades
EY	SSF	ASM	Fixed or _o	Max Draft																					
Starbuck	Custom Black Soo 30	8666	144	1968	30	125	29.5	25	4.9	Yes	No	20.4	31	4500	0	OB	(Mtg 1/17/02, added scoop, custom rating changed from 144 to 141)(mtg 1/11/13, Added A-sail, -9 sec/mi, rating changed from 141 to 132)(Mtg 5/13/14, removed A-Sail, +9 sec/mi, change custom rating from 132 to 141, +2 sec/mi for small headsail)								
					13		13	11.73	7.5	31	13	37.4	27.5	1800	1	None									
			600		ALUMN		0	0	178	22.1	577	32.6	6.8	Iron	FIXED	0									
			98		MS		0	0		23.2		19.1	6.4												
Escapade	Sabre 40-2	38011	75	1997	54	110	54	47.5	5.6	Yes	Yes	23.5	40.2	19760	0	IB									
					15.5		16	17	9.9	51.25	15.5	53.5	34	7500	1	FEATH									
			599		ALUMN				449	27.3	1151	47	13.3	Lead	FIXED	3									
			229		MS					25.6		24	7.5												
E-Ticket	Moorings 38 SD	119	117	1990	47.5	155	47.5	41.7	5.69	Yes	No		38.4	13700	0	IB	Shoal Draft (Mtg 10/27/16, -3 sec/mi for oversized spinnaker area)								
					13.9		13.9	15	9.45	47.6	13.9		31.33	5400	1	Fold									
			599		ALUMN				369	25.4	995	0	12.5	Steel	FIXED	2									
			202		MS					23.8		0	4.8												
Frisky	Open 5.7 ODR	281	138	2009	21.52	117	27.9	25.33	5.7	No	Yes	17.5	18.7	992	0	NONE									
					7.3		12.3	10.24	8.2		25.8	338	18.7	405	1	None									
			599		ALUMN				183		20.6	5	8.3	Lead	FIXED										
			69		FS						17.5	0	5.7												
Iolani	Hughes 48	38048	120	1972	54.3	135	20.2	48.2	5.9	Yes	Yes	32.76	48	32000	0	IB									
					18.2			19	10.4	40.32	18.2	54	35.1	14300	1	FEATH									
			599		ALUMN			23	493	32.76	1101	48.6	11.1	Lead	FIXED	3									
			336		YAWL			10		32.76		32.76	6												
Popstar	Catalina 400	331	108	2005	52.5	135	52.5	46.9	4.02	No	Yes	27.9	41.54	20500	0	IB	(+3 sec/mi for in-mast furling mainsail, +3 sec/mi for MGM <50% of E)								
					15.5		16.5	17	8.27		52.16	1225	36.5	8300	1	Fold									
			599		ALUMN				393		50	0	13.5	Lead	FIXED	3									
			192		MS						29	0	6.92												
Dare Dare	Jeanneau Sun Fast 3200	39	81	2008	41.92	102	43.77	38.67	5.28	Yes	Yes	24.41	33.1	7916	0	IB									
					12.58		13.61	13.68	8.46		44.91	13.58	42.06	2866	1	Fold									
			598		ALUMN				311	24.08	896	42.06	11.5	Lead	FIXED	2									
			164		FS					23.39		25.52	6.2												

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications									
			Built	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF		Ttl Disp.	Traps/H.	Strps		IB or OB								
										DW Rating	Mast Material		PY							MGM	SL	SPL	SLU	ASA	Ballast	moveable blst	Prop Type
Fixed or _o	Max Beam	Max Draft	Ballast Mat.	Keel Type	# of blades																						
Tortuga	Pyramid 660 ODR MOD	8375	174	1981	21.82 6.8	104	28 7	25.7 10.5	4 6.8	Yes	No	25.9 14 13.3	8 299	26.6 0 0	21.8 18.1 6.2 3.9	850 400 Lead	2 1 FIXED	OB None 2	(Mtg 5/20/10, removed trapeze +18 sec/mi, hiking straps still allowed)(1/24/13, added upper spreaders & stays, NCTR)								
Elan	Beneteau 37	46	114	2012	45.83 15	105	48	43.5 12.83	6.16 8.83	No	Yes	45.94 39.17 25.6	26.6 915 0 0	37.8 34.08 12.83 6.25	14359 3901 Iron	0 1 FIXED	IB Fold										
Lilith	Custom Wyliecat 39	7	102	1992				50.75 26.5 0 0	10.45 17.5 811	No	No		0	38.83 32 11.83 6.67	12000 6200 Lead	No 1 FIXED	IB FOLD 2	HULL DESIGN IS VERY SIMILAR TO WYLIECAT 30.NO JIB, NO SPINNAKER, NO SPANKER,NO REACHER, NO VANG,NO TWEEKER,NO STAYS ETC., AS SAILED RATING 102 PER MTG 6/5/02									
Carmelita	Catalina 42-1/2	131	105	1990	53 16.42	125	53	46.75 15.5 0 0	4.98 8.85 399	Yes	Yes	49 29.55 29.55	16.42 1207	27.75 1131 0 0	41.83 36 13.83 6.66	22000 8300 Lead	No 1 FIXED	IB FEATH 3									
Checkered Past	Custom Wyliecat 39	3	102	2002				52 26.6	10.2 17.4	No	No		0 0	38.83 32 11.5 6.6	12000 6200 Lead	0 1 FIXED	IB FOLD 2	Boat has been modified for handicapped sailing									
Hijinks	J 92	90	108	1996	37 11.5	97	38.5 17	37.66 13.22	5 8.6	No	Yes	40.85 23.55	26.51 868 5.5 0	30 26.5 10 5.9	5500 2275 Lead	0 1 FIXED	IB Fold 2										
Oscar	Santa Cruz 33	57663	117	1978	41 13.583	125	41	35.42 15	4.25 7.166	Yes	No	41 24.6 24.6	13.68 841	33 28 10.06 6	7000 3000 Lead	No 1 FIXED	IB FOLD 2										

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications				
			Built	J	Max Headsail	ISP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp. Traps/H. Strps		IB or OB							
									E	MGM				SL	SPL		SLU	ASA		LWL	Ballast	moveable blst	Prop Type
Disp/WL Ratio	Mast Material	JSP	EY	SSSF	ASMG	Fixed or _o	Max Draft	# of blades															
Puffin	Alden 44	38144	117	1978	54.1 19.5	100	53 23	47.08 14.75	5.7 9.6	No	Yes	33 1369	44.17 34.08	24500	0 1	IB Feath							
			595 281		ALUMN CTR				416			49 32	0 <input type="checkbox"/>	12.5 8.75	Lead CNTRBRD								
TESA	Catalina 42-1/2	642	102	1999	53 16.41	155	53 23	46.75 15.416	5.91 10	Yes	Yes	31 1275	41.83 36	25500 8300	0 1	IB FEATH	Added one electric main halyard winch						
			595 248		ALUMN MS			0 0	430			44.2 32	0 <input checked="" type="checkbox"/>	13.83 6.8	Lead FIXED	3							
Vita E Bella	Catalina 42-1/2	989	99	2007	53 16.5	155	16.5	46.9 15.6	5.2 9.5	No	Yes	27.3 1105	41.83 36	24400 3765	0 1	IB FOLD	(mtg 3/28/13, -3 sec/mi for added sprit)						
			595 238		ALUMN MS				415			50.4 25	3.67 <input checked="" type="checkbox"/>	13.1 6.8	Lead FIXED	3							
Bessie's Girl	Bristol 45.5	30088	114	1980	57 18.83	130	57 18.83	47.25 15.2	4.66 8.56	Yes	Yes	33 1353	45.5 37.25	40000 15000	No 1	IB FEATH	(mtg 2/18/10, -3 sec/mi for dual spinnakers/ability to use asym on squared back pole)						
			594 352		ALUMN KTCH			30.25 8.25	390			51.5 29.5	0 <input checked="" type="checkbox"/>	13.2 11	Lead CNTRBRD	3							
Freedom	Worth 40	18230	96	1984	54 16	155	16	47 14	5.5 9.2	Yes	No		40 34.25	21000 7800	0 1	IB FOLD							
			594 238		ALUMN MS			0 0	397			28.8 28.8	0 <input type="checkbox"/>	12.5 7.25	Lead FIXED	2							
Imagination	Bavaria 40	0	108	2001	47.25 14.58	111	48	44.46 15.58	5 9.21	No	Yes	20 828	40.94 35.93	17417 6283	0 1	IB Fold							
			594 171		ALUMN FS				386			44 22	0 <input checked="" type="checkbox"/>	13.1 6.4	Lead FIXED								
Lady Jane	Jeanneau 39i Sun Odyssey	7913	93	2008	48.1 13.1	122	48.1	46.3 14.6	5.42 9.28	No	Yes	27.46 1012	38.1 35.2	16163 5026	0 1	IB Feath							
			594 168		ALUMN FS				398			42.81 26.08	1 <input checked="" type="checkbox"/>	12.9 6.7	Cast Iron FIXED	3							

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
		Sail #	DW Rating		I	J	Max Headsail	ISP	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB	
								JSP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type	
		Disp/WL Ratio			Mast Material				PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades	
				Rig Type		EY		SSF		ASM	Fixed or _o	Max Draft							
Ragtime!	J 92	18	105	1993	37	155	38.5	38	4.7	No	Yes	29.75	30	5500	No	IB	(changes noted 3-11-03, NCTR)(2/14/06 - Spinnaker based on 1019 sq feet/94.67 meters)(Mtg 01/16/14, -3 sec/mi for flying asymmetric off squared back pole)(Mtg 4/24/14, New Rudder noted NCTR - Shortened pole/sprit		
					11.5		17	13.5	8.2	39.98	14.5	46.8	25.8	2275	1	FOLD			
					ALUMN			0	293	30.6	1019	38.5	10	Lead	FIXED	2			
					FS			0		30.6		28.4	5.9						
Vento	Swan 391	40841	99		53.5	95	53.5	47.25	5.5	Yes	Yes	26	39.9	18900	0	IB			
					16.25		16.25	14	9.2	51.83	16.25	51.83	33.1	6800	1	Fold			
					ALUMN				399	29.3	1266	49	12.4	Lead	FIXED				
					MS					29.3		23.67	7.2						
Double Espresso	Olson 30 OB	18069	99	1982	36	155	35.9	31.5	4.36	Yes	No		30	3600	0	OB			
					11.75		11.75	10.75	7.26	36	11.75		27.5	1800	1	None			
					ALUMN				208	21.16	635	0	9.33	Lead	FIXED				
					MS					21.16		<input type="checkbox"/>	5.08						
Ex Indigo	Custom Diva 39	8	87	1987	41.73	125	41.73	46.75	5.72	Yes	No		38.75	9920	No	IB	Back Stay Crane		
					12.8		12.8	14.75	9.6	41.4	12.8		30.83	4575	1	FOLD			
					ALUMN			0	413	22.6	780	0	9.83	Lead	FIXED	2			
					FS			0		22.6		<input type="checkbox"/>	5.75						
Dawn's Early Light	J 36	77549	87	1982	44.219	125	44.21	47	5.8	Yes	No		35.95	10570	0	IB			
					14		14	15	9.5	44.25	14		30.5	4600	1	Fold			
					ALUMN				418	25.26	923	0	11.76	Lead	FIXED				
					FS					24.12		<input type="checkbox"/>	6.6						
Expression	Express 37 MOD	33985	75	1984	48.75	150	48.75	42	5.3	Yes	No	19	37.1	9500	0	IB	(mtg 1/21/10, +3 sec/mi for modified keel, -3 sec/mi for dual spinnaker/ability to fly asym on squared back pole)(1/19/11, removed asym, only using symmetric spinnaker, +3 sec/mi)		
					14.33			13.75	9	48.16	14.33	48	30.83	4500	1	Fold			
					ALUMN				346	23.2	931	45	11.5	Lead	FIXED	2			
					MS					23.2		18	6						
Javelin	J 100 ODR	4	81	2004	38.5	95	43	38	5.13	No	Yes	24.34	32.8	6500	No	IB			
					11.5		12.7	13.5	8.77		49.93	899	29	2500	1	FOLD			
					CARBON				306			38.71	9.3	Lead	FIXED	2			
					FS							24.34	5.8						

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
		Sail #	DW Rating		I	J	Max Headsail	ISP	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB	
								JSP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type	
		Disp/WL Ratio			Mast Material				PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades	
				Rig Type		EY		SSF		ASM	Fixed or _o	Max Draft							
Relentless	J 92	93	105	1997	37	155	38.5	38	5.2	No	Yes	26.4	30	5500	0	IB			
					11.5		17.5	13.5	8.7		45.2	915	26.5	2275	1	Fold			
											40.6	5.5	10	Lead	FIXED	2			
											25.4	<input checked="" type="checkbox"/>	5.9						
Arcadia	Custom Nash 28.5	3113	123	1969	33	120	34	32.5	4.92	No	Yes	24.606	28.5	4327	No	IB	(Weighed Displacement as of 4/4/2009)(mtg 2/28/13, change custom rating from 135 to 123 after review of race results and structural modifications) 3		
					10		11	13	8.41		38.8	756	25.5	1200	1	FOLD			
								0	251		34.908	4	9	Lead	FIXED	2			
								0			24.606	<input type="checkbox"/>	6.5						
Relentless	Sydney 32	28732	81	2002	40.6	110	40.6	39.7	5.6	Yes	No		31.9	6850	No	IB	-3 Sec/mi for OSP		
					12.2		13.1	14.75	9.59	40.29		13.1	28.4	2860	1	FOLD			
								0	349	23.4		786	10.6	Lead	FIXED	2			
								0		23.4	<input type="checkbox"/>	0	6.9						
Ada Helen	ace	922	96	2005	53	155	53	46.75		No	Yes	29.7	43.8	24400	No	IB	(Mtg 3/20/08 -6/sec/mi for OSP)(mtg 6/19/08, new larger a-sail, correct size for J, NCTR)		
					16.5		16.5	15.5		18	54.76	1303	36	8300	1	FOLD			
											50.5	0	13.1	Lead	FIXED	3			
											29.7	<input type="checkbox"/>	90						
Drop Beer	Beneteau Class 10	18277	90	1984	37.8	150	38.6	39.7	4	Yes	No		34.2	7000	0	IB	NEW RUDDER 3/4/95, NCTR (MTG 3/36/95)		
					12.6			13.9	8.7	36.11		12.6	29.6	2200	1	FOLD			
								0	308	22.1		665	9.9	Iron	FIXED	0			
								0		22.1	<input type="checkbox"/>	0	6.8						
Nightmare	Custom Wilderness 30 SX FR OB	305	111	1980	34	125		34.4	4.59	Yes	No		29.75	4700	No	OB	(-3 sec/mi for change from IB to OB, -6 sec/mi for keel change.)(mtg 2/26/15, -9 sec/mi for oversized spinnaker)		
					11.75			11.5	7	38.75		11.75	27.75	1650	1	None			
								0	233	23.25		751	8.83	Lead	FIXED	0			
								0		23.25	<input type="checkbox"/>	0	5.92						
Princess	Sabre 40-2	28876	75	1996	53.5	110	53.5	47.8	6.27	No	Yes	26.75	40.17	19500	No	IB	base rtg changed frm 69 to 72 MTG 4/8/03.		
					15.5		20.5	17	10.7		57.94	1205	35.25	7000	1	FOLD			
								0	476		46.65	5	13.25	Lead	FIXED	2			
								0			27.88	<input type="checkbox"/>	6.25						

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications		
		Sail #	DW Rating		I	J	Max Headsail	ISP	JSP	P	MGU	Yes/No	Yes/No		ASF	Ttl Disp.	Traps/H. Strps		IB or OB	
										E	MGM	SL	SPL		SLU	ASA	Ballast		moveable blst	Prop Type
		Disp/WL Ratio			Mast Material					PY	MSA	SSMG	SSA		SLE	Sprit Lngth	Ballast Mat.		Keel Type	# of blades
					Rig Type		EY		SSF		ASM	Fixed or _o								
Joker	J 35	400	75	1986	46.4 14.7	125	46.4	41.5 14	5.43 9.11	Yes	No	46 26.4 26.4	14.7 1012	35.42 30 11.8 6.75	10500 4400 Lead	0 1 FIXED	IB FOLD 2			
Mojo	J 35	18935	72	1983	46.4 14.7	150	46.3	41.75 14.98	5.21 8.77	Yes	No	46 26.25 26.25	14.7 1006	35.42 30 11.8 6.9	10500 4400 Lead	No 1 FIXED	IB Feath 2			
Raven	C&C 115	38108	69	2004	52.17 14.5	106	52.17	49.33 16.33	6.2 8.6	No	Yes	24.7 53.3 47.3 22.5	962 0	37.75 33 11.92 6.67	11800 4200 Lead	0 1 FIXED	IB Fold 2			
Windtrip Infinity	J 92s	35	96	2006	40.68 11.48	107	44.08	38.88 13.95	5.42 9	No	Yes	23.25 48.67 39.67 24	878 5.17 0	30 26.7 10 6.24	5610 2317 Lead	0 1 FIXED	IB Fold			
Raven	Benteau First 35	38073	75	2001	47.24 13.12	108	51.48	45.93 14.75	5.98 10.23	Yes	No	51.31 26.25 25.46	14.73 1116	36.32 30.6 12.76 7.25	12125 3681 Iron	0 1 FIXED	IB Fold			
Akula	J 105 ODR w/ 5'BS	16	78	1992	40.6 13.5	100	42.1	41.5 14.6	5.5 9.4	No	Yes	25 48.9 38.7 23	854 5	34.5 29.5 11 6.5	7750 3400 Lead	No 1 FIXED	IB FOLD 2			
Crackers	J 105 ODR w/ 5'BS	581	78	2002	40.6 13.5	100	42.1	41.5 14.5	5.5 9.4	No	Yes	26.2 49.5 39.8 22.3	859 5 0	34.5 29.5 11 6.5	8664 3400 Lead	0 1 FIXED	IB Fold			
			587 177		ALUMN MS			0 0	348			<input type="checkbox"/>	0							
			587 177		ALUMN MS				353			<input type="checkbox"/>	0							

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications										
			Built	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB											
										DW Rating	Mast Material									E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type
Max Draft	Ballast Mat.	Keel Type	# of blades																										
FUGU	Wilderness 30 SX FR IB	67967	120	1980	34.08 11.75	150	34.1 11.8	34.44 11.5	4.37 7.48	Yes	Yes	20.36 603	29.75 27.75	4200 1900	0 1	OB None	(Mtg 11/20/08, -6 sec/mi for replacing inboard with outboard engine)												
			585 89		ALUMN FS				236			21.15 20.39	604 0	8.75 5.5	Lead FIXED	0													
Jarlen	J 35	28528	72	1990	46.333 14.583	150	46.3	41.416 14	5.43 9.11	Yes	No		35.42 30	10500 4400	No 1	IB FOLD													
			585 177		ALUMN MS			0 0	347			26 26	997 0	11.67 6.75	Lead FIXED	2													
Nantucket Sleighride	J 105 ODR w/ 5'BS	414	78	2001	40.6 13.5	100	42.1 19.07	41.5 14.5	5.5 9.4	No	Yes	25 863	34.5 29.5	7750 3400	0 1	IB Fold													
			585 137		ALUMN FS				358			5 0	11 6.5	Lead FIXED	2														
Russian Roulette	J 105 ODR w/ 5'BS	85	78	1995	40.6 13.5	100	42.1 19.07	41.5 14.5	5.5 9.4	No	Yes	25 854	34.5 29.5	7750 3400	0 1	IB Fold													
			585 137		ALUMN FS				358			5.5 0	11 6.5	Lead FIXED	2														
Sweet Okole	Custom Farr 36	29000	78	1976	42.049 12.35	155	42.049	44.54 16	5.9 10	Yes	No		36 31.33	9696 3750	No 1	IB FOLD	(78 MTG 1/28/93) (81 MTG 3/18/93)(Mtg 5/22/08, +3 sec/mi for switching to smaller headsail, +3 sec/mi for removing 250# shoe from keel, change custom rating from 81 to 87)(6/7/10, change headsail to 155# - 2 sec/mi change rating)												
			585 143		ALUMN FS			0 0	416			0	11.88 7	Lead FIXED	2														
Dragonsong	Olson 30 OB	87014	99	1982	36 11.75	155	35.9 11.67	31.5 10.75	4.364 7.268	Yes	No		30 27.5	3600 1800	No 1	OB None													
			584 79		ALUMN MS			0 0	208			0	9.33 5.08	Lead FIXED	0														
Hot Betty	Olson 30 OB	67537	99	1979	36 11.75	155	35.9 11.67	31.5 10.75	4.364 7.268	Yes	Yes	21 630	30 27.5	3600 1800	No 1	OB None													
			584 79		ALUMN MS			0 0	208			0	9.33 5.08	Lead FIXED	0														

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications							
			Built	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF		LOA	Ttl Disp.	Traps/H. Strps			IB or OB						
										DW Rating	Mast Material		PY	MGM			SL	SPL			SLU	ASA	LWL	Ballast	moveable blst	# of blades
Max Draft	Ballast Mat.	Keel Type																								
			Javelin	J 105 ODR w/ 5'BS	394	78	2001	40.6	100	42.1	41.5	5.5	No	Yes	25.5	34.5	8697	0	IB							
					13.5		19.07	14.5	9.4		49	957	29.5	3400	1	Fold										
			584		ALUMN				358		38.6	5	11	Lead	FIXED											
			154		FS						26.4	<input checked="" type="checkbox"/>	0													
Kai Ola	Jeanneau Sun Odyssey 379	0	105	2011	46.67	132	46.67	44.58	5.4	Yes	No		37.17	14771	0	IB	(Mtg 5/25/17, -3 sec/mi for oversized spinnaker)									
					13.58			13.92	9.1			13.58	36	3914	1	Fixed_3										
			584		ALUMN				372		26	982	12.33	Steel	FIXED											
			144		MS			25.5				<input type="checkbox"/>	0	6.33												
Red Cloud	Farr 36 Mod	99	87	1976	38.3	108	46.3	41	6.4	Yes	No		36	10430	No	IB	(550# ADDED TO KEEL 300# TO FILL MIDDLE WINDOW+250# TO BOTTOM)(Mtg 1/26/12, -3 sec/mi for new mainsail)(mtg 3/29/12, +3 sec/mi after review of rating appeal, as sailed: 87)									
					12.16		12.16	16.75	10.9			12.16	31.33	3950	1	Fold										
			584		ALUMN			0	410		21.8	825	11.92	Lead	FIXED	2										
			154		FS			0			21.8		6.16													
Warpath	Olson 30 OB	198	99	1982	36	150	35.9	31.5	4.364	Yes	No		30	3600	No	OB										
					11.75		11.67	10.75	7.268			11.75	27.5	1800	1	None										
			584		MS			0	208			0	9.33	Lead	FIXED	0										
			79					0				<input type="checkbox"/>	5.08													
Junkyard Dog	J 109 ODR	168	72	2004	46.5	105	49	43.25	5.88	No	Yes	27.75	35.25	10900	No	IB										
					13.3		18.83	15.5	10		56.33	1160	30.5	3900	1	FOLD										
			583		ALUMN			0	398		45.63	5.5	11.5	Lead	FIXED	2										
			175		FS			0			27.2	<input checked="" type="checkbox"/>	0													
La Viajera	J 109 ODR	46480	72	2004	46.5	105	49.6	43.25	5.89	No	Yes	27.75	35.25	10900	0	IB										
					13.3		18.8	15.5	10.07		56.33	1160	30.5	3900	1	Fold										
			583		ALUMN				399		45.63	5.5	11.5	Lead	FIXED	2										
			175		FS						27.2	<input checked="" type="checkbox"/>	0													
Makanani	Ultimate 24 ODR	3	111	2003	28.04	110	30.8	31	6.35	No	Yes	21.3	24.38	2040	0	OB										
					7.82		14.5	11.35	9.18		36	566	21.17	750	1	None										
			583		CARBON				250		27.8	6.7	8.48	Lead	FIXED											
			98		FS						21.3	<input checked="" type="checkbox"/>	0													
													5.52													

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications	
		Sail #	DW Rating		I	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No		LOA	Ttl Disp.	Traps/H. Strps		IB or OB
										E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst		Prop Type
		Disp/WL Ratio			Mast Material					PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type		# of blades
							EY		SSF		ASM	Fixed or _o	Max Draft							
Max	Ultimate 24 ODR	2	108	2002	28.04	110	30.8	31	6.81	No		Yes	21.3	24.38	2040	0	OB			
					7.82		14.5	11.35	9.18			35.5	562	21.17	750	1	None			
			583		CARBON				254			27.8	6.7	8.48	Lead	FIXED				
			98		FS							21.3	<input checked="" type="checkbox"/>	0						
X TA C	Olson 29	18457	99	1986	34	155	36	32.42	4.59	Yes		No		29.67	3900	No	OB	RUDDER REPLACED W/MORE 30 - CHANGE NOTED NCTR.		
					11			11.42	7.66	34	11.25			27.5	1900	1	None			
			583		ALUMN			0	226	20.25	574		0	9.33	Lead	FIXED	0			
			85		MS			0		20.25		<input type="checkbox"/>		5.25						
For Pete's Sake	Ultimate 24 ODR	28469	111	2003	28.04	102	30.8	31	5.5	No		Yes	22.2	24.38	2040	No	OB			
					7.82		14.5	11.5	8.8			36	587	21.17	750	1	None			
			582		CARBON			0	238			30.6	6.7	8.48	lead	FIXED				
			98		FS			0				20.9	<input checked="" type="checkbox"/>	0						
Advantage 3	J 105 ODR w/ 5'BS	84	78	1994	40.6	100	42.1	41.5	5.5	No		Yes	25.5	34.5	7750	No	IB			
					13.5		19.07	14.5	9.4			49	957	29.5	3400	1	FOLD			
			581		ALUMN			0	358			38.6	5	11	Lead	FIXED	2			
			137		FS			0				26.4	<input checked="" type="checkbox"/>	6.5						
Bullet	Express 37	40311	72	1985	48.75	155	48.75	42	5.3	Yes		No		37.08	11000	No	IB			
					14.33			13.75	8.83	48	14.33			30.83	4600	1	FOLD			
			581		ALUMN			0	344	25.79	1032		0	11.57	Lead	FIXED	2			
			171		MS			0		25.79		<input type="checkbox"/>		7.25						
Dream	Sceptre 41	12	129	1983	53	90	53	47	5.24	Yes		No	28	41	21500	0	IB			
					17.67			13	8.73	53	17.67	48.67	1038	36	8700	1	Fold			
			581		ALUMN				374	29.5	1290	45.17	0	12.67	Lead	FIXED				
			209		MS					28		26.17	<input checked="" type="checkbox"/>	0						
Elan	Express 37	87700	72	1985	48.75	155	48.75	42	5.28	Yes		No		37.083	11000	No	IB			
					14.33			13.75	8.83	48	14.33			30.833	4500	1	FOLD			
			581		ALUMN			0	344	25.79	1032		0	11.57	Lead	FIXED	2			
			171		MS			0		25.79		<input type="checkbox"/>		7.25						

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications	
			Built	J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp.	Traps/H. Strps		IB or OB Prop Type # of blades			
									DW Rating	Mast Material	SL	SPL			SLU	ASA		Ballast		moveable blst
ASF	Fixed or_o	Max Beam	Keel Type	# of blades																
Godot	J 105 ODR w/ 5'BS	28905	78	1992	40.6 13.5	95	42.1 19.07	41.5 14.6	5.5 9.4	No	Yes	23.29	34.5 29.5 11 6.5	7750 3400 Lead	No 1 FIXED	IB FOLD 2				
Lightwave	J 105 ODR w/ 5'BS	319	78	2000	40.6 13.5	100	42.1 19.07	41.5 14.5	5.5 9.4	No	Yes	22.9	34.5 29.5 11 6.5	7750 3400 Lead	No 1 FIXED	IB FOLD 2				
Mamaluc	J 105 ODR w/ 5'BS	265	78	1999	40.6 13.5	100	42.1 19.07	41.5 14.5	5.5 9.4	No	Yes	25.9	34.5 29.5 11 6.5	7750 3400 Lead	No 1 FIXED	IB FOLD 2				
Punk Dolphin	Custom Wylie 38	18481	72	1985	48 14.33	150	48	43 14	5.58 9.55	Yes	No		38 31 11.6 6.75	14000 5000 Lead	No 1 FIXED	IB FOLD 2				
Savoir Faire	Beneteau 42 IK	28735	90	1984	52.82 16.73	145	52.82	46.59 14.6	5.4 9.35	Yes	No		42.92 36 12.75 7.25	20900 7920 Iron	No 1 FIXED	IB FEATH 2	PER MTG 8/14/97			
Vuja Star	J 105 ODR w/ 5'BS	181	78	1998	40.6 13.5	100	42.1 19.07	41.5 14.5	5.5 9.4	No	Yes	29.5	34.5 29.5 11 6.5	8733 3400 Lead	0 1 FIXED	IB Fold 2				
Hylite	Hylas 49 SM	49	111	2007	57.42 19.5	130	57.42 19.5	51 18.5	4.5 9.17	No	Yes	28.67	48.83 39.5 14.25 6	35000 14500 Lead	0 1 FIXED	IB Fold	(Mtg 1/26/17, Custom rating of 111 assigned)			

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
		Sail #	DW Rating		I	J	Max Headsail	ISP	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB	
								JSP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type	
		Disp/WL Ratio			Mast Material				PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades	
				Rig Type		EY		SSF		ASM	Fixed or _o	Max Draft							
Lindo	J 109	195	69	2005	46.5	155	49	43.3	5.89	No	Yes	27.75	35.25	10900	0	IB			
					13.3		18.8	15.5	10.07		56.33	1160	30.5	3900	1	FOLD			
		580			ALUMN				400		45.63	5.5	11.5	Lead	FIXED	2			
		<i>175</i>			FS						27.2	<input checked="" type="checkbox"/>	7						
Ohana	Beneteau 45F5	38023	63	1991	53.15	100	55.15	55.4	7.06	Yes	No		44.11	26500	0	IB	(Mtg 12/1/11, -6 sec/mi for new keel)		
					15.08		16	18.58	12.08				36.9	8500	1	FEATH			
		580			ALUMN				613			0	14.1	Lead	FIXED	3			
		<i>240</i>			FS							<input type="checkbox"/>	7.9						
Sea Ghost	Beneteau 42 IK	68222	90	1984	52.82	155	52.82	46.5	5.4	Yes	No		42.92	20900	0	IB	DOUBLE HEADRAIL, HYDRALIC BACKSTAY PER MTG 8/14/97		
					16.73			14.6	9.35				36.25	7920	1	FOLD			
		580			ALUMN			0	400			0	12.75	Iron	FIXED	2			
		<i>199</i>			MS			0				<input type="checkbox"/>	7.25						
Tiki Blue	Beneteau 423	38423	105	2005	48.65	125	48.65	43.44	5.49	Yes	No		41.67	20224	No	IB			
					16.52		16.52	14.83	9.6				38.58	5569	1	FOLD			
		580			ALUMN				381			0	12.92	Iron	FIXED	3			
		<i>160</i>			MS							<input checked="" type="checkbox"/>	6.92						
Nina	Olson 29	27	99	1987	34	155	36	32.5	4.5	Yes	No		29.67	3700	0	OB			
					11			11.5	7.27				27.5	1950	1	None			
		579			ALUMN			0	222			0	9.33	Lead	FIXED	0			
		<i>81</i>			FS			0				<input type="checkbox"/>	5.58						
Pegasus - Motion X	J 100 ODR MOD	1197	69	2005	38	95	43	38	5.32	No	Yes	23.3	32.8	7250	No	IB	(Mtg 2/26/09, -3 sec/mi for adding sprit)(mtg 1/21/10, additional -3 sec/mi for lengthening sprit to 4.13')(Mtg 1/27/11, -6 sec/mi for increased "e")(Mtg 1/26/11, shortened J, boat rigged for shortened ceiling. NCTBY4/22/17		
					12.7		15.63	15.3	9.32			861	29	2500	1	FOLD			
		579			CARBON				332			4.13	9.3	Lead	FIXED	2			
		<i>135</i>			FS							<input checked="" type="checkbox"/>	5.8						
Roxanne	Tartan 4100 SD TM	322	90		57	135	57	50.1	6.8	No	Yes	27	41.3	20400	0	IB			
					15		15	18	11.5			1285	35.9	8000	1	Feath			
		579			ALUMN				533			0	13.6	Lead	FIXED				
		<i>200</i>			MS							<input checked="" type="checkbox"/>	5.4						

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications			
			Built	J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.		Traps/H. Strps moveable blst						
									DW Rating	Mast Material						SL			SPL	Ballast Mat.	Keel Type
Timber Wolf	Farr 38-1 C&B Marine	67519	75	1980	43.91 13.36	155	47.9	44.83 17.91	6.7 11.6	Yes	No	48 26.4 26.4	14.67 1056	0	0	38.32 30.9 11.97 6.39	12000 4100 Lead	0 1 FIXED	IB FOLD 2	(REDUCED MGM, ADDED 6" TO RUDDER LENGTH -NOTED NCTR- 2/15/01)(-3 sec/mi for oversized spinnaker)	
Insolent Minx	Melges 24	725	84	2008	27.85 7.98	100	31.85 12	28.75 12.42	3.83 7.09	No	Yes	38 32.9 19.23	20.67 577 0 0	24 22 8.2 5.25	1750 650 Lead	0 1 CNTRBRD	OB None				
Mintaka 4	Farr 38	18441	81	1979	43.67 13.67	125	46.2	44.9 17.9	6.8 11.6	Yes	No	44.13 26.07 24.6	14.5 948	0	0	38.25 31.17 12 6.33	11850 4100 Lead	No 1 FIXED	IB FOLD 2	(2002-removed dinette stbrd, add bench seat w/55 gal fuel tank, original was 12.5. Rudder replaced 12" longer, 4" narrower. Changes noted mtg 1/17/02, NCTR)(removed short pole, changed spinnakers, 11/2/01) (Mtg 1/24/12 new stem)	
Wayward Wind	Baltic 38 DP	87258	96	1983	52.25 15.82	155	52.25	46.25 13.75	4.53 8.2	Yes	No	53.21 28.4 58.4	15.8 1525	0 0	0	38.08 31.5 12.34 7.25	14330 6512 Lead	0 1 FIXED	IB Fold		
Eclipse	Express 37	18495	72	1985	48.75 14.33	155	48.75	42 13.75	5.28 8.83	Yes	No	48 25.79 25.79	14.33 1032	0	0	37.08 30.83 11.57 7.25	11000 4500 Lead	0 1 FIXED	IB FOLD 2	Rudder modification noted, no change to rating. (Actual weight from yard 11200 - 9500 was design displacement. No mods from standard express 27.) 3/26/01	
Escapade	Express 37	18051	72	1985	48.75 14.33	155	48.75	42 13.75	5.28 8.83	Yes	No	48 25.58 25.42	1022	0	0	37.08 30.83 11.57 7.25	11000 4500 Lead	No 1 FIXED	IB FOLD 2		
Expeditious	Express 37	18478	72	1986	48.75 14.33	155	48.75	42 13.75	5.28 8.83	Yes	No	48 25.5 25.4	1019	0	0	37.08 30.83 11.57 7.25	11000 4500 Lead	No 1 FIXED	IB FOLD 2	INSTALED NEW CLASS- APPROVED CARBONFIBER RUDDER - MTG 6-12-2000 NCTR.	

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications										
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	SL SSMG SSF	SPL SSA	Yes/No	Yes/No	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H.	Strps		IB or OB Prop Type # of blades									
																			DW Rating	Mast Material	Rig Type	SSMG	SSA	SLU	ASA	Ballast	moveable blst
Golden Moon	Express 37	18488	72 1985	48.75 14.33 155	48.75	42 5.37 13.75 8.99 0 0	5.37 8.99 347	Yes	Yes	29.5 1034 0 90	37 30.83 11.57 7.25	11000 4500 Lead	No 1 FIXED	IB FOLD 2													
Mudshark	Express 37	28052	72 1986	48.75 14.33 155	48.75	42 5.28 13.75 8.83 0 0	5.28 8.83 344	Yes	No	0	37.08 30.83 11.57 7.25	11000 4500 Lead	No 1 FIXED	IB FOLD 2													
Phat Jack	Express 37	18257	72 1985	48.75 14.33 150	48.75	42 5.25 13.75 8.83 0 0	5.25 8.83 343	Yes	No	0 0	37.08 30.83 11.57 7.25	11000 4500 Lead	0 1 FIXED	IB FEATH 2													
Rufless	Melges 24	445	84 1999	27.85 7.95 100	31.85 12	28.9 3.83 12.45 7.09 0 196	3.83 7.09	No	Yes	20.67 577 0 0	24 22 8.17 5.25	1783 650 Lead	0 1 CNTRBRD	OB None 0													
Stewball	Express 37	18278	72 1985	48.75 14.33 150	48.75	42 5.28 13.75 8.83 0 0	5.28 8.83 344	Yes	No	0	37.083 30.833 11.57 7.25	11000 4500 Lead	0 1 FIXED	IB FOLD 2													
Jaybird	J 133 CM	52443	24 2004	57 17.25 100	60.4 24	54 7 18.6 12 0 595	7 12	No	Yes	0 0	38.08 30.25 11.8 6.8	16900 6850 Iron	0 1 FIXED	IB Fixed_2													
Mirthmaker	A 35	18250	69 2007	44.22 13.45 90	51.06	44.94 5.42 14.66 8.88 0 381	5.42 8.88	Yes	Yes	24.2 996 1.5	34.7 30.47 11.6 6.88	9810 4367 Lead	0 1 FIXED	IB Fold 2	(Mtg 5/20/10, custom rating of 60 assigned, would like a copy of ORR Certificate)(mtg 6/15/10, change custom rating from 60 to 63 based on further clarification of boats configuration)(Mtg 10/27/16, change custom rating from 63 to 60 after												

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications							
			Built	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF		LOA	Ttl Disp.	Traps/H. Strps		IB or OB							
										DW Rating	Mast Material		E	MGM			SL	SPL			SLU	ASA	LWL	Ballast	moveable blst	Prop Type
EY	SSF	ASM	G	Fixed or _o	Max Draft																					
						Gratitude	Hylas 46	60373	102	2002	58.4	135	58.4	50.6	4.6	No	Yes	25.5	46.3	27777	0	IB				
											17.7		17.7	18	9.6		54.6	1309	40	12347	1	Feath				
					573						51.6	0	13.9	Lead	FIXED	3										
					197						30.6	<input checked="" type="checkbox"/>	0	6.6												
Willow	Wauquiez 40s Centurion	38300	69	2004	51.5	110	51.5	49.21	7.3	Yes	Yes	28.54	41.17	18960	No	IB	(mtg 3/18/10, -3 sec/mi for oversized a-sail.)(mtg 1/27/11, - 3 sec/mi for added sprit)									
					14.17			19.3	12.5		50.73	14.17	36.4	6085	1	FEATH										
					573						25.54	1080	46.75	2.4	12.66	3										
					179						25.54		27.66	<input checked="" type="checkbox"/>	7.75											
Invictus	Jeanneau Sunfast 3600	12	63	2015	46.58	105	48	44.25	6.49	No	Yes	27.8	35.42	10362	0	IB										
					13.83		17.67	15.08	9.91		55.77	1192	31.25	4850	1	Feath										
					572						46.59	0	11.67	Lead	FIXED											
					154						28	<input checked="" type="checkbox"/>	0	7												
Dr Feelgood	Olson 29	24	99	1986	34	155	36	32.5	4.36	Yes	No		29.67	3600	0	OB										
					11			11.5	7.48		36	11.75	27.5	1950	1	None										
					571						21.15	635	9.33	Lead	FIXED											
					79						21.15		5.58													
Vera Cruz	Sunsail F40 ODR	1003	42	2012	52.69	105	56.54	51.15	6.53	No	Yes	30.32	40.15	17437	0	IB										
					15.09		17.06	17.65	11.42		58.07	1200	35	6609	1	Fold										
					571						49.5	1.98	12.76	Lead	FIXED	2										
					185						25.9	<input checked="" type="checkbox"/>	0	8.04												
Basic Instinct	Custom Elliott 10.50	8123	72	1993	41	125	45.6	44.2	8.5	No	Yes	29.4	34.42	10220	No	IB	(mtg 3/19/09, changed to smaller headsail, +3 sec/mi, & larger mainsail, -6 sec/mi, change rating from 66 to 63)(Mtg 10/21/09, new smaller headsail, still with large headboard. Change mainsail penalty from 6 sec/mi to 2 sec/mi)									
					12.5		13.9	17.5	12		48	1192	31.83	3000	1	FOLD										
					570			0	497		30	1198	45.82	0	12.08	2										
					144			0			29.75		29.4	<input checked="" type="checkbox"/>	7											
Flight Risk	Thompson 650	650	102	2000	26.67	100	28.25	28.29	5.7	No	Yes	20.58	22.3	1692	Yes	OB	(mtg 1/21/10, weighed displacement of 1692lbs updated, NCTR)(Mtg 3/18/10, change custom rating from 108 to 99)(Mtg 8/18/10, submitted appeal, rating changed from 99 to 102)									
					8.86		14.86	10.4	8		37.79	586	19.8	660	3	None										
					570						33.6	7.87	8.16	Lead	FIXED											
					99						19.5	<input checked="" type="checkbox"/>	5.9													

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
			Built	DW Rating	I J Max Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.		Traps/H. moveable blst				
									SL	SPL						Ballast			Keel Type
Argo	Beneteau 40.7 First Farr	46933	54	1999	51.61 14.47	105	51.61 14.47	48.85 17.72	6.72 11.51	Yes	No	39.33 34.83 12.33 7.75	15211 5950 Lead	0 1 FIXED	IB Feath 2				
Everlong	Beneteau 40.7 First Farr	51705	54	2002	51.61 14.47	104	51.61 14.47	48.85 17.72	6.73 11.51	Yes	Yes	39.33 34.83 12.33 7.75	15211 5950 Lead	0 1 FIXED	IB FOLD 2				
Jeannette	Custom Frers 40 IOR 1 Tonner	40646	66	1986	47.2 13.7	100	13.7	51.48 18.76	7.13 12.19	Yes	No	39.5 33 12.6 8.1	12900 6000 Lead	0 1 FIXED	IB FOLD 2	(mtg 5/31/07 custom rating changed from 63 to 60 based on performance data)(Mtg 8/27/15, change custom rating back to 63 after review of race results)			
Imagine	Davidson 44 MOD	77220	57	1980	49.92 15.38	125	50.33	58.3 18.33	6.9 12.8	Yes	No	44 38.5 13 7.6	24410 7000 Lead	No 1 FIXED	IB FOLD 3	(Mtg 4/27/17, custom rating of 57 assigned)			
Encore	Sydney 36 CR	3632	57	2006	45.6 14	104		44.36 16.4	6.1 10.6	No	Yes	36.06 31.04 11.32 7.55	12897 4850 Lead	No 1 FIXED	IB FOLD 2	(Australian IRC Rating 1.052)(Mtg 8/23/12, change custom rating from 54 to 57)			
Hot Socks	Figaro II	27	48	2004	42.75 12.42	104	42.75	42.67 15.42	7 11	Yes	No	32.18 32 11.33 6.5	6724 2425 LeadWater	0 1 FIXED	IB Fold				
Salt Peanuts	Custom Dees GP 26	18	78	2008	29.35 8.07	130	36.43 14.32	32.42 12.63	5.58 8.69	No	Yes	25.72 21.22 8 6.04	2340 1100 Lead	0 1 FIXED	OB None 0	(mtg 2/18/10, change custom rating from 75 to 78)(3/28/12, New Rudder Noted)			

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications		
		Sail #	DW Rating		I	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp.	Traps/H.		Strps	IB or OB
										E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst			Prop Type
		Disp/WL Ratio			Mast Material					PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type			# of blades
							EY		SSF		ASMG	Fixed or _o	Max Draft								
Courageous	J 88	77	81	2015	38.67	104	46	36.82	5.44	No	Yes	29	29.19	4990	0	IB					
					11.28		18.05	12	8.4		47.83	1022	26.84	1840	1	Fold					
		561			CARBON				282		40.84	5.25	9.5	Lead	FIXED						
		117			FS						27.32	<input checked="" type="checkbox"/>	0	6.5							
Inconceivable	J 88	9	81	2013	38.67	104	46	36.82	5.44	No	Yes	29	29.19	4990	0	IB					
					11.28		18.05	12	8.4		47.83	1022	26.84	1840	1	Fold					
		561			CARBON				282		40.84	5.25	9.5	Lead	FIXED						
		117			FS						27.32	<input checked="" type="checkbox"/>	0	6.5							
Juno	J 88	20	81	2014	38.67	105	46	36.82	5.44	No	Yes	29	29.19	4990	0	IB					
					11.28		18.05	12	8.4		47.83	1022	26.84	1840	1	Feath					
		561			CARBON				282		40.84	5.25	9.5	Lead	FIXED						
		117			FS						27.32	<input checked="" type="checkbox"/>	0	6.5							
M Squared	J 88	75	81		38.67	104	46	36.82	5.44	No	Yes	29	29.19	4990	0	IB					
					11.28		18.05	12	8.4		47.83	1022	26.84	1840	1	Fold					
		561			CARBON				282		40.84	5.25	9.5	Lead	FIXED						
		117			FS						27.32	<input checked="" type="checkbox"/>	0	6.5							
Ventus	J 88	60	81	2015	38.67	104	46	36.82	5.44	No	Yes	29	29.19	4990	0	IB					
					11.28		18.05	12	8.4		47.83	1022	26.84	1840	1	Fold					
		561			CARBON				282		40.84	5.25	9.5	Lead	FIXED						
		117			FS						27.32	<input checked="" type="checkbox"/>	0	6.5							
White Shadow	J 88	23	81	2014	38.67	104	46	36.82	5.44	No	Yes	29	29.19	4990	0	IB					
					11.28		18.05	12	8.4		47.83	1022	26.84	1840	1	Fold					
		561			CARBON				282		40.84	5.25	9.5	Lead	FIXED						
		117			FS						27.32	<input checked="" type="checkbox"/>	0	6.5							
Envolee	Figaro II	0	54	2012	42.75	104	42.75	42.67	6.5	Yes	No		32.18	6724	0	IB	(mtg 4/27/17, water ballast disabled, +6 sec/mi)				
					12.42			15.42	10.63				32	2425	1	Fold					
		558			CARBON				410		23.62	865	11.33	LeadWater	FIXED						
		93			FS						23.63		6.5								

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications		
			Built	DW Rating	I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp.	Traps/H. Strps		IB or OB Prop Type # of blades			
										Mast Material	Rig Type	SL	SPL			SLU	ASA			Ballast	moveable blst
Disp/WL Ratio							SSF	SSA	ASM	Fixed or _o											
Kookaburra	J 120 ALUM	153	48	2001	50.5 14.5	155	52 21.5	46.5 6.2 17.8 10.7	6.2 10.7	No	Yes	30.3 1265	40 35 12 7	13900 6000 Lead	No 1 FIXED	IB FOLD 2					
Abacadabra	Antrim 27 CM ODR	28927	75	1996	28.69 8.17	116	37.25 15	33.75 7.5 14 10.9	7.5 10.9	No	Yes	25.1 723 6.83	27.83 23.75 9.25 6	2900 1050 Lead	No 1 FIXED	OB None 0	BOWSPRINT IS ARTICULATING				
Alchera	J 120 Mod	28870	51	2001	50.5 14.5	125	52 21.55	46.5 6 17.57 10.57	6 10.57	No	Yes	34 1407 7	40 35 12 7	13900 6000 Lead	No 1 FIXED	IB FOLD 2	Modifications for offshore singlehanded: Smaller spinnaker and main, 2 extra winches at helm, 3 additional gel batteries, dodger boss widened and all control lines led to cockpit, radar pole, veltran MHN jib. (Mtg 2/21/08 - 12 sec/mi for small)				
Q	Custom Schumacher 40	28901	54	2001	47 14.67	105	47	47.5 6.75 18.35 11.75	6.75 11.75	Yes	No	0	40 31.5 11 7.6	10166 4528 Lead	No 1 FIXED	IB FOLD 2					
Xtreme	Hobie 33 ODR	18170	90	1984	33.83 12.4	125	36.25	35 4.75 12.5 8	4.75 8	Yes	No	0	33 30.5 8 5.42	4000 1800 Lead	No 1 FIXED	OB None 0					
Vitesse Too	Hobie 33 ODR	87112	90	1983	33.8 12.4	125	36.8	35 4.75 12.4 8	4.75 8	Yes	No	0	33 30.5 8 5.5	4000 1800 Lead	No 1 FIXED	OB None 0	Extended rudder 10", NCTR				
Soiree	Beneteau Oceanis 49 SD	38776	87		59.75 18.42	135	59.75 18.42	51.67 4.7 18.33 9.3	4.7 9.3	No	Yes	29.41 1210 0 0	49.5 43.67 14.75 5.75	30517 480 Iron	0 1 FIXED	IB Feath	Electric Winches (Mtg 10/27/16, +3 sec/mi for In-mast furling mainsail)				

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications										
			Built	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF		LOA	LWL	Ttl Disp.	Traps/H.	Strps	IB or OB	Prop Type								
										DW Rating	Mast Material		PY	MSA								SL	SPL	SLU	ASA	Max Beam	Ballast	moveable blst	# of blades
Phantom	J 44	28844	21	1990	60.606	120	60.416	53.53	7.3	Yes		Yes	27	44.75	23838	No		IB											
					17.08			19.41	12.5			63.8	1379	38.58	9000	1		Feath											
			550		ALUMN			0	615			55.9	0	13.67	Lead	FIXED		3											
			189		MS			0				27.8	<input checked="" type="checkbox"/>	8.14															
Turbo Camper	Hobie 33 ODR MOD	87574	84	1984	33.28	155	36.5	35	4.75	No		Yes	23	33	4200			OB	(Mtg 3/29/12, -3 sec/mi for displacement changes)										
					12.4		13.13	12.5	8.1			39	702	30.5	1900	1		None											
			550		ALUMN			0	261			34.2	0.6	8	Lead	FIXED		0											
			67		FS			0				23	<input type="checkbox"/>	5.42															
Wasabi	JPK 1080	38103	63		46.66	100	51.51	46.2	5.84	No		Yes		35.43	10692	0		IB											
					14.17		19.09	15.48	9.61					30.84	4740	1		Fold											
			550		CARBON				419				0	11.98	Steel	FIXED													
			166		FS								<input type="checkbox"/>	7.22															
Sweetspot	C&C 121 DK W/5' BS	46921	60	2000	57	135	57	51	6.19	No		Yes	36	40	14100	No		IB	Deep Keel-bowsprit, (Mtg 4/24/08, rating appeal submitted, change base rating for C&C 121 DK w/ 5' BS, aka C&C 121 XP, to 60)										
					15		20	16.386	10.6			63.8	1851	35.5	5500	1		FOLD											
			549		ALUMN			0	496			55.6	5	13.8	Lead	FIXED		2											
			143		MS			0				37.5	<input checked="" type="checkbox"/>	8															
Void Star	Santa Cruz 40	59995	45	1982	52	135	52	45.5	5.2	No		Yes	33.62	40	12500	0		IB	(Mtg 10/22/15, -6 sec/mi for 20% increase in JSP)(4/6/16, +3 sec/mi for non-articulating spinnaker)										
					16		18.67	14	8.58			56.2	1238	36	5000	1		FEATH											
			548		ALUMN				370			48.32	0	12	Lead	FIXED		2											
			122		MS			28				27.13	<input checked="" type="checkbox"/>	7															
Acey Deucy	J 44	97659	21	1989	60.606	155	60.416	53.51	7.3	Yes		Yes	27	44.83	22770	0		IB	Electric Winches										
					17.08			19.41	12.5			63.8	1379	38.58	9000	1		FOLD											
			547		ALUMN			0	615			55.9	1	13.67	Lead	FIXED		2											
			180		MS			0				27.8	<input checked="" type="checkbox"/>	8.14															
Jet Stream	Custom JS 9000	9045	63	2003	27.08	87	30.25	31	5.6	No		Yes	21.8	29.9	2425	0		OB	(Mtg 1/22/09, custom rating of 78 assigned)(Mtg 8/19/10, -9 sec/mi for adding 3' sprit, -3 sec/mi for increased spinnaker area, Original rating of 78 contained a 3 sec error, rating should have been 75, change custom rating to 62)										
					9.5		15.5	8.73	7			35.8	561	27.9	1543	1		None											
			544		CARBON				199			30.1	3	5.7	Lead	FIXED		0											
			51		FS							20.1	<input checked="" type="checkbox"/>	6.8															

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications			
			Built	DW Rating	J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			Ttl Disp.	Traps/H. Strps	IB or OB Prop Type # of blades				
										Mast Material	Rig Type	SL	SPL			SLU			ASA	Ballast	moveable blst
Disp/WL Ratio								ASF	Max Beam												
Ebb Tide	Wauquiez 45s Centurion	60245	57	2003	55.77 17.72	100	55.77 17.72	51.84 19.32	6.51 11.68	Yes	Yes	32.25 1541	45.92 40.25 13.67 8.17	23148 8488 Lead	0 1 FIXED	IB Fold 3	(Mtg 5/26/11, Increased "JSP" by 5.67" which equals a 30% increase. - 9 sec/mi per NCPHRF Rules & Guidelines.)(Mtg 3/29/12, JSP now same as J+9 sec/mi, Asymmetrical spinnaker still oversized, -3 sec/mi)				
Jamani	J 120 ALUM	52879	48	2002	50.5 14.5	155	52 21.5	46.5 17.8	6.7 11.5	No	Yes	34 1729 7 0	40 35 12 7	13900 6000 Lead	0 1 FIXED	IB FOLD 2					
Quiver	Custom Nelson Marek 36	28669	45	1999	43.85 12.5	105	51.9 14.57	45.75 16.47	6.56 10.66	Yes	Yes	26.24 1221 1.5 0	35.6 29.32 10.3 7.6	7725 3255 Lead	No 1 FIXED	IB FOLD 2	(Mtg 6/15/10, added lead shoe to keel, -3 sec/mi, change custom rating from 48 to 45)(Mtg 2/29/12, added sprit equal to SPL, NCTR)				
Chance	J 120 ALUM	28484	51	2001	50.5 14.5	100	52 21.5	46.3 17.8 0 0	6.7 11.5 489	No	Yes	34.1 1765 7 0	40 35 12 7	13900 6000 Lead	No 1 FIXED	IB FOLD 2					
Twist	J 120 ALUM	28442	48	2000	50.5 14.5	150	52 21.5	46.5 17.8 0 0	6.75 11.5 492	No	Yes	34.1 1764 7 0	40 35 12 7	13900 6000 Lead	No 1 FIXED	IB FOLD 2					
Divine Wind	Olson 40	69069	45	1983	50 15.75	150	51.21 15.8	44 14.25	5.5 9.29	Yes	No	25.25 882 0 0	40.33 36 11.25 6.5	10500 5500 Lead	0 1 FIXED	IB Feath 2					
Frequent Flyer	Mumm/Farr 30	52	54	1996	38.2 10.9	104	44.9 13.58	40.5 14.6	6.42 10.4	Yes	Yes	25.25 882 0 0	30.9 27.6 10.1 6.9	4561 1997 Lead	0 1 FIXED	IB Fold					

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
		Sail #	DW Rating		I	J	Max	IS	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	IB or OB		
					Headsail	Mast	Material	JSP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type	
		Disp/WL Ratio			Rig Type			PY	MSA	SSMG	SSA	SLE	Sprit	Lngrh	Max Beam	Ballast Mat.	Keel Type	# of blades	
					EY		SSF		ASM	G	Fixed or _o	Max Draft							
Peregrine	J 120 Carbon	25487	45	2001	50.5	150	52	46.5	6.76	No	Yes	35.1	40	13900	0	IB			
					14.5			17.8	11.57		64	1776	35	6000	1	Fold			
			540		CARBON				493		52.5	7	12	Lead	FIXED	2			
			147		FS						36.96	<input checked="" type="checkbox"/>	0						
Saetta	J 120 ALUM	28486	48	1999	50.5	153	52	46.5	6.75	No	Yes	37.6	40	13900	No	IB			
					14.5		21.5	17.8	11.5		65.61	1793	35	6000	1	FOLD			
			540		ALUMN			0	492		51.8	7	12	Lead	FIXED	2			
			147		FS			0	0		36.42	<input checked="" type="checkbox"/>	0						
Afterburner	Synergy 1000	1001	45	1999	40.75	110	45.75	42	6.99	No	Yes	26	32.83	4600	0	IB			
					12		16.4	15.5	11.03		51	1089	29.17	1850	1	Feath			
			538		CARBON				417		43.7	4.3	9.75	Lead	FIXED	2			
			84		FS						28	<input checked="" type="checkbox"/>	0						
Hokulani	J 120 ALUM	43	48	1996	50.42	155	50.42	46.42	6.58	No	Yes	37.8	40	13900	0	IB			
					14.42		21.42	17.67	11.42		62.5	1777	35	6000	1	Fold			
			538		ALUMN				486		51.5	0	12	Lead	FIXED				
			147		FS						37.3	<input checked="" type="checkbox"/>	0						
Nadja Delphine	X-41	0	15	2009	55.9	106	58.63	53.31	6.82	Yes	No		40.52	14109	0	IB	Electronic winches		
					16.11			18.04	11.61				35.07	6019	1	Fold			
			537		CARBON				570		28.61	1390	11.94	Lead	FIXED				
			149		FS						27.79		8.2						
Skinny Love	11 Metre ODR	92	69	1996	32.53	95	41	36.08	5.23	Yes	No		33.67	3600	No	OB	MTG 4/9/98. Sail number 90, using sail # 246 for Vallejo 2008		
					10.166			13.583	8.82				26.92	1600	1	None			
			536		ALUMN			0	293		23.62	807	8.67	Lead	FIXED	0			
			84		FS			0	0		23.62		5.42						
Rustler	Esse 850	71	75		32.8	105	37.72	34.4	6.23	No	Yes	24.3	28	3000	0	IB	Outboard replaced with inboard saildrive (Mtg 2/28/13, custom rating assigned, as sailed: 75)		
					10		16.2	11.97	8.85		43.5	779	28	1540	1	Fold			
			535		ALUMN				277		36.9	6.05	7.25	Lead	FIXED				
			62		FS						23	<input checked="" type="checkbox"/>	0						

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications		
				J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			Ttl Disp.	Traps/H. Strps	IB or OB Prop Type # of blades			
									SL	SPL	SLU	ASA						Ballast	moveable blst
Disp/WL Ratio	Mast Material Rig Type																		
Spirit of Freedom	J 124	38006	27 2006	49 14	155	54.7 15.4	48.4 17		Yes	Yes	32.6 1243	40.7 36.2 11.3 6.9	12600 5000 Lead	No 1 FIXED	IB FOLD 2	(mtg 4/22/10, -3 sec/mi for OSP, -3 sec/mi for ability to square back pole)			
Swift Ness	J 111	101	36 2014	48.37 13.85	105	51.4 20.08	45.17 14.5	6.1 10.1	No	Yes	31.8 1404	36.5 32.7 10.8 7.2	9300 3500 LeadSteel	0 1 FIXED	IB Fold				
Symmetry	J 111	91	36 2013	48.37 13.85	105	51.4 20.08	45.17 14.45	6.16 10.1	No	Yes	31.1 1399	36.5 32.7 10.8 7.2	9300 3500 LeadSteel	0 1 FIXED	IB Fold				
Bustin Loose	Sydney 38 MH	38044	21 2002	54 14.9	104	52.03 14.77	50.53 18.046	6.85 11.73	Yes	Yes	27.69 1116	38.6 35.3 12.4 8.8	12250 5140 Lead	0 1 FIXED	IB FOLD 2				
Bad Dog	J 111	103	36 2011	48.37 13.85	105	51.4 20.08	45.7 14.5	6.1 10.1	No	Yes	31.86 1433	36.5 32.7 10.8 7.2	9300 3500 LeadSteel	0 1 FIXED	IB Fold				
Sapphire	Synergy 1000	38008	48 2004	40.8 12	125	45.75 16.4	42 15.5	5.86 10.03	No	Yes	28 1172	32.83 29.17 9.75 7	4400 1850 Lead	No 1 FIXED	IB FOLD 2	(Mtg 10/22/15, +3 sec/mi for smaller than class mainsail)			
Anais	Hanse 505	61019	45 2014	64.16 19.16	100	65 20	58.6 20	6.55 11.87	No	Yes	38.52 2151	49 44.4 15.6 7.7	36000 8300 Lead	0 1 FIXED	IB Feath				

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications						
			Built	J	Max	ISP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp. Traps/H. Strps		IB or OB									
									DW Rating	Mast Material				E	MGM		SL	SPL		SLU	ASA	LWL	Ballast	moveable blst	# of blades
ISP JSP	PE	MGY	SSFF	SSA	ASMG	Fixed or_o	Max Draft	Ballast Mat.	Keel Type																
Blue	Swan 53-2	61522	30	2012	71.96 19.52	105	73.84 19.53	65.88 21.98	7.64 13.38	No	19.43	Yes	38.89 2214	54.07 47.24	54482 22400	0 1	IB Fold	(Mtg 3/23/17, -3 sec/mi for ability to fly a-sail on a squared back pole)							
			530 235		CARBON MS				826			67.09 36.72	0 <input type="checkbox"/>	15.58 12.14	Lead	CNTRBRD									
Six Brothers	Columbia C 30-2	32006	57	2013	36.67 12.67	103	42 17.67	38 14.67	7.77 10.64	No		Yes	31.5 1145	32 27	4500 1900	0 1	IB None								
			529 104		ALUMN FS				374			42.05 29.43	0 <input checked="" type="checkbox"/>	10.13 7.42	Lead	FIXED									
Chance	Farr 395	39528	27	2002	51.25 14	105	56.33 20.36	50 18.42	7.54 12.53	No		Yes	33.46 1617	39.33 34.5	12500 4600	No 1	IB FOLD								
			528 138		CARBON FS			0 0	567			52.49 33.79	6.36 <input checked="" type="checkbox"/>	12.08 7.83	Lead	FIXED	2								
Outsider	Azzura 310	1000	57	1996	35.35 11.55	110	43.33 21.57	38.75 13.25	6.68 10.5	No		Yes	30.1 1163	30.75 27.4	4850 2100	No 1	OB Fixed_3	6 FT ARTIC, RETRAC BOWSPRIT. MTG 3/28/96 (RATED 66) (CHNG NOTED 4/18/96-NO CHNGE RTNG. (2/13/96 FM 66 TO 60.)(MTG 11/13/97 FM 60 TO 57)MTG 2/12/98 FM 57 TO 63 (MTG 4/9/98) Inboard SailDrive removed and replaced with							
			525 107		CARBON FS			0 0	352			39.7 32.7	6 <input type="checkbox"/>	10 7.2	Lead	FIXED	3								
Captain Sluggo	Hobie 33	77870	54	1982	34.7 12.2	105	42.3	38.1 13.5	6 9.6	No	14.32	Yes	25.6 928	33 30.4	4532 1800	0 1	OB None	(Meeting 4/27/17, Custom rating assigned: 54)							
			524 73		CARBON MS				328			42.4 25.6	0 <input type="checkbox"/>	8 5.4	Lead	FIXED									
Albion	J 124	14	27	2007	49 14	145	54.7 19.43	48.4 17	6.4 11	No		Yes	32.74 1528	40.7 36.2	12600 5000	0 1	IB Fold	(Mtg 2/23/17, -6 sec/mi for asymmetric spinnaker modifications)							
			522 121		CARBON FS				488			51.51 32.74	3.83 <input checked="" type="checkbox"/>	11.33 7	Lead	FIXED									
Zsa-Zsa	1D 35	35017	36	1999	42.49 12.52	110	44.78	44.46 18.58	7.55 12	Yes		No		35 31.5	6500 2600	No 1	IB Feath								
			520 95		CARBON FS			0 0	498			26.5 26.5	1104 <input type="checkbox"/>	10.75 7.6	lead	FIXED	2								

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications							
			Built	J	Max Headsail	ISP	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp. Traps/H. Strps		IB or OB	Modifications										
													DW Rating	Mast Material			E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	# of blades
EY	SSF	ASM	Fixed or _o	Max Draft																						
Ardea	Custom Nelson/Marek 50	42616	21	1989	59.92	100	59.92	65.19	9.35	Yes	Yes	31.6	49.8	22145	0	IB	(Mtg 8/28/15, custom rating of 21 assigned)									
					17.59		17.59	24.08	15.98		62.2	38.55	12627	1	Fold											
			519		ALUMN				946		55.8	14.86	Lead	FIXED												
			176		FS						30.9	9.32														
Dark & Stormy	1D 35	35018	30	1998	42	110	44.8	44	7.5	No	Yes	31.4	35	6550	0	IB	Fixed bow sprit, using Asymmetrical spinnaker(mtg 3/20/08, -9 sec/mi for oversized spinnaker, +3 sec mi for not being able to articulate pole, as sailed: 30)									
					12.47		17.39	19	12		51.8	31.5	2660	1	FOLD											
			518		CARBON				497		46.62	10.9	Lead	FIXED	2											
			95		FS						29.83	7.58														
Alpha Puppy	1D 35	35024	30	1999	42.49	110	44.78	44.46	7.5	No	Yes	31.4	35	6500	No	IB	6/13/11, boat now in same configuration as B-Line. Added 4.9' bowsprit and oversized spinnaker. -9 sec/mi for oversized asymmetric spinnaker, +3 sec/mi for inability to articulate sprit									
					12.52		19.134	18.58	12		51.8	31.5	2600	1	FOLD											
			517		CARBON			0	497		46.6	10.75	lead	FIXED	2											
			95		FS			0			29.9	7.6														
CentoMiglia	Flying Tiger 10 Meter ODR	15	54	2006	39.284	105	45.282	40.167	6.463	No	Yes	27.493	32.68	4376	No	OB	(3/7/11, new class rudder installed, NCTR)									
					12.126		19.134	14.895	10.499		51.541	30.31	1918	1	None											
			517		CARBON				378		42.651	9.12	Lead	FIXED	3											
			71		FS						27.76	7.61														
Wild 1	Flying Tiger 10 Meter ODR	41	54	2007	39.284	105	45.282	40.167	6.463	No	Yes	27.493	32.68	4376	0	OB										
					12.126		19.134	14.895	10.499		51.541	30.31	1918	1	None											
			517		CARBON				378		42.651	9.12	Lead	FIXED	3											
			71		FS						27.76	7.61														
Gentoo	Soto 30	1	36	2012	38.25	102	38.67	38.67	5.83	No	Yes	26.25	30	3800	0	OB	(Mtg 9/16, -3 sec/mi for larger mainsail)									
					12.25		19.83	13.58	8.83		49.83	28.75	1415	1	None											
			516		CARBON				322		40	9.58	Lead	FIXED												
			73		MS						25.75	6.5														
Divine Wind	Flying Tiger 10 Meter ODR	30	54	2007	39.28	105	45.28	40.16	6.463	No	Yes	27.49	32.65	4900	0	OB										
					12.12		19.134	14.89	10.5		51.54	30.31	1918	1	None											
			514		CARBON				378		42.65	9.15	Lead	FIXED	0											
			80		FS						27.76	7.62														

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications												
			Built	J	Max Headsail	ISP JSP	P	MGU	E	MGM	Yes/No		Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB												
											DW Rating	Mast Material									PY	MSA	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	IB or OB	Prop Type
Elusive	Swan 42 Club	4216	9	2007	59.07 16.44	106	62.99 19.05	56.56 19	7.1 12.5	Yes	Yes	34.8 1808	42.59 38.15	17158 6988	0 1		IB Fold		(Mtg 2/25/16, +3 sec/mi for decrease in Spinnaker Area, +6 sec/mi for decreased JSP, -3 sec/mi for articulation, -3 sec/mi for switch to larger headsail)(06/09/17, switching back to stock configuration)												
			513 140		CARBON FS			641				2.6 0	12.8 9	Lead	FIXED		2														
Freedom	Beneteau 523	38333	54	2006	65.22 20.77	105	59.09 18.53	6.39 11.04		No	Yes	35.519 1854	53.08 47.92	32800 10935	No 1		IB FOLD		Bow Thruster, in-mast furling, above deck jib furler; (Mtg 8/17/06 - +6 s/m for small girth main); electric winches added 1/29/07 (Mtg 3/28/13, +3 secmi for 8% decrease in mainsail area)												
			512 135		ALUMN FS			620				2 0	16 7.5	Iron	FIXED		3														
Surprise	Custom Schumacher 46	28098	6	1997	57 17	160	63	57 19.75	7.5 12.8	Yes	Yes	37.23 1681	46 40.63	18300 8000	No 1		IB FOLD		(MTG 4/9/98)(mtg 2/20/04)												
			510 124		CARBON FS			0 0	670			0 90	12.92 7.75	Lead	FIXED		2														
Wet Corvette	Melges 30	103	36	1994	36.85 10.59	150	36.85 18.96	38 15.49		No	Yes	8.4 90	30 28.6 9.1 7	3800 1750	0 1		IB FOLD														
			507 74		CARBON FS									Lead	MVBL		2														
Wildcard	Santa Cruz 37	37005	27	2009	47.1 13.4	107	52.17 19	47 17	6.4 11	No	Yes	33.3 1534	37 34.75	8662 3730	0 1		IB FOLD		(Mtg 1/26/16, new keel box & rudder noted, NCTR)												
			507 94		CARBON FS				474			5.6 0	10.64 7.5	Lead	FIXED		2														
Trois Amis	Screamer 12 Meter MOD	194	36	1985	44.58 15.75	140	44.58	41 14.2	5.3 9.2	Yes	No		39.37 32.5	6000 1350	0 1		OB None		(mtg 3/23/17, custom rating of 36 assigned)												
			506 79		ALUMN MS				345			0 0	10.33 7.67	Lead	FIXED																
CaZan	DK 46	61046	-21	2001	61.94 17.85	126	70.54 19.849	63.55 21.95	8.2 14.21	Yes	No	33.56 1822	46.26 40.52	22439 9480	0 1		IB Fold		(Mtg 5/25/17, custom rating assigned. As Sailed: -21)												
			504 153		ALUMN MS				826			0 0	13.45 9.84	Lead	FIXED																

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications						
			Built	DW Rating	J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No		Yes/No	ASF		Ttl Disp.	Traps/H. Strps	IB or OB							
										PY	MSA		SL						SPL	SLU	ASA	Ballast	moveable blst	IB or OB
Disp/WL Ratio	Mast Material	Rig Type	SSSF	ASMG	Fixed or _o	Ballast Mat.	Keel Type	# of blades																
Family Hour, TNG	Henderson 30	46595	48	1997	37 11	155	42.3 17.8	38.2 14	6.74 10.62	Yes	Yes	31.9 1223	30.83 27.75	3850 1750	0 1	OB None	Kelp Cutter							
		504 82			CARBON FS				356			6.2 15	9.84 7	Lead	FIXED	0								
Astra	Farr 40 ODR MH	40079	0	2000	53.2 15.5	105	53.12	54.8 19.4	7.29 12.47	Yes	No		40.75 35.27	10917 5079	No 1	IB FOLD								
		502 113			CARBON MS			0 0	629			0	13.22 8.53	Lead	FIXED	2								
Bright Hour	Farr 40 ODR MH	50092	0	2001	53.15 15.45	0	50.04 17.06	54.8 19.36	8.49 13.77	Yes	No		40.7 35.3	10902 4960	0 1	IB Fold								
		498 113			CARBON FS				674			0 0	13.2 8.53	Lead	FIXED									
Twisted	Farr 40 ODR MH	40046	0	1999	53.15 15.45	105	50.04 17.06	54.8 19.36	8.49 13.77	Yes	No		40.7 35.3	10902 4960	0 1	IB FOLD	(Mtg 12/1/11, interior mods for IRC, smaller mainsail: NCTR)(Mtg 5/24/12, switching to MH ODR configuration)							
		498 113			CARBON FS				674			0 0	13.2 8.53	Lead	FIXED	2								
Tiburon	C&C 30 Mills	11	36	2014	40.8 11.28	105	46.74 18.6	41.8 14.2	7 10	No	Yes	31.5 1284	30 28.7	3995 1579	0 1	IB Fold								
		495 77			CARBON FS				387			7 0	9.8 7.5	Lead	FIXED									
Zamazaan	Custom Farr 52	3883	21	1978	70.4 18.51	135	70.4 18.51	65.2 23.2	8.82 15.08	Yes	No		52.19 47.26	25391 9679	No 1	IB FOLD	RTG W/USYRU AGE ALLOWANCE IOR RTG W/USYRU AGE ALLOWANCE R=44.9 (1987) 18/24 AS PER PHRF MTG 4/20/95. SHORTENED MAST 6.15 FEET FROM TOP, REDUCED MAINSAIL AREA FROM 24/27 MTG 8/10/95							
		492 109			ALUMN MS			0 0	900			0	15.45 8.79	Lead	FIXED	2								
Bodacious +	1D 48	48005	-15	1996	57.7 16.7	155	68.3 16.7	61.3 22.5	9.84 14.66	Yes	Yes	30.1 1673	48.3 40.2	19743 8818	0 1	IB Fold	Water ballast system not operational (mtg 8/19/08, custom rating assigned of -30, includes dual spinnakers)(Mtg 3/24/11, new smaller mainsail, smaller symmetrical, change cutom rating from 30 to 24VMTg 8/25/11							
		490 138			CARBON FS				848			0 0	14.2 10.1	Lead	FIXED	2								

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications		
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps	IB or OB Prop Type # of blades			
								SL	SPL	SLU	ASA							Ballast	moveable blst
								SSMG SSF	SSA	SLE ASMG	Fixed or _o							Ballast Mat.	Keel Type
Deception	Santa Cruz 50	97263	-6	1987	61.8 18.3	155	61.8 18.3	55 18.4	7.1 12	Yes	Yes	32.9 1335	50 46 12 8	17500 8000 Lead	0 1 FIXED	IB FOLD 2	ELPT Keel & OS/Spinnaker; Has a Code 0 headsail aboard - tacked to stem, no sprit (Mtg 5/26/16, -3 sec/mi for oversized mainsail)(Mtg 6/23/16, change rating back to -6)		
California Condor	Class 40	94	6	2010	53.9 15.65	104	58.6 23.85	53.21 18.81	11.71 14.38	No	Yes	39.7 1623	40 39.17 14.7 9.84	12225 4710 Lead	0 1 FIXED	IB Fold 2	Short-Handed Bay Configuration		
Rufless	Melges 32 MOD	174	30	2007	40.86 10.7	105	48.3 18.7	44.05 15.49	6.95 11.14	No	Yes	31.3 1203	31.84 28.5 9.83 7	4200 1600 Lead	1 FIXED	OB None	(mtg 2/23/17, no longer using the class spinnaker. +3 sec/mi for small asymmetric)		
OAXACA	Santa Cruz 50	8927	-12	1982	61.48 18.88	155	61.22 20.65	54.75 16.98	6.08 10.67	Yes	No	36.5 1889	50.23 46.67 12 7.91	17374 8000 Lead	0 1 FIXED	IB Fold	(Mtg 5/26/16, -6 sec/mi for oversized ASA)		
Emily Carr	Santa Cruz 50	49211	-6	1981	61 19	150	61	55 17 0 0	6.4 11 555	Yes	No	0	53 46.5 12 8	15000 7500 Lead	No 1 FIXED	IB FOLD 2	3' SUGAR SCOOP ON TRANSOM IF STD 50FT LOA OF BOAT		
Hana Ho	Santa Cruz 50	77007	-12	1980	61.39 18.85	155	61.5 20.73	54.92 16.98	6.5 11.1	Yes	Yes	35.9 1847	52 46 12 7.75	18000 8000 Lead	0 1 FIXED	IB Feath 3	(Mtg 5/26/11, +3 sec/mi for interior changes)(2/24/12, interior changes removed, boat is back to standard weight for a SC 50)(Mtg 5/25/17, New Rudder, NCTR. -3 sec/mi for OSP, -3 sec/mi for oversized spinnaker area)		
Horizon	Santa Cruz 50	18926	-15	1982	61.7 18.43	145	61.7 20.3	55.2 19	7.15 12.05	No	Yes	36.4 1880	50.23 46.906 12.02 7.988	18844 8000 Lead	0 1 FIXED	IB FOLD 2	(Mtg 6/16/08, -6 sec/mi for oversized spinnaker, -3 sec/mi for oversized main)		

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications		
		Sail #	DW Rating		I	J	Max Headsail	ISP	JSP	P	MGU	Yes/No	Yes/No		ASF	Ttl Disp.			Traps/H. Strps	
										E	MGM	SL	SPL		SLU	ASA			Ballast	moveable blst
		Disp/WL Ratio					Mast Material			PY	MSA	SSMG	SSA		SLE	Sprit Lngth			Ballast Mat.	Keel Type
				Rig Type			EY		SSF		ASMG	Fixed or_o								
Kuai	Melges 32 ODR	211	27	2006	40.86 10.7	105	48.3 18.7	44.05 15.49	6.95 11.14	No	Yes	31.82 1344	31.84 28.5	4200 1600	0 1	OB None				
		475 82			CARBON FS				438			<input checked="" type="checkbox"/>	8 0	9.83 7	Lead FIXED					
Wicked Sister	Farr 36 ODR	3	9	2004	46.78 13.19	110	54.82 21.06	49.93 18.63	8.53 12.96	No	Yes	36.28 1751	36.1 32.8	6745 3076	0 1	IB Fold				
		473 87			CARBON FS				592			<input checked="" type="checkbox"/>	7.36 0	11.72 8.5	Lead FIXED					
Lucky Duck	Custom Santa Cruz 52	28729	-30	2001	64.14 18.95	155	64.6 22.5	57.5 21	8.76 14.22	Yes	Yes	40.91 2190	53 46.25	22544 8000	0 1	IB Fold	(Mtg 8/23/12, Custom Rating Assigned, -21 as sailed)(Mtg 5/23/13, weighed displacement added)(Mtg 3/27/14, New Rudder, -3 sec/mi for OSP, -6 sec/mi for 10%+ increase in spinnaker area. No penalty for keel/displacement)			
		471 104			CARBON MS				745		67.29 40.55 2254 38.74	<input type="checkbox"/>	2 90	14 9	Lead FIXED	2				
Tyr	J 125	52125	-12	2000	49 14.8	155	52 23.4	46.5 18	6.79 11.65	No	Yes	39.3 1831	41 37	8350 4646	0 1	IB Fold				
		471 75			CARBON FS				497			23.4	0 0	10.6 7.9	Lead FIXED	2				
Can't Touch This	J 125	93204	-12	1999	49 15	155	52.1 23	47 18	6.8 11.6	No	Yes	41 1941	41 37	9330 4646	0 1	IB FOLD	(Mtg 2/26/09, -3 sec/mi for oversized main girths)(3/9/09, corrected main girths, removed -3 sec/mi penalty)			
		468 84			CARBON MS				502		61.3 52.3 41	<input type="checkbox"/>	8 0	10.6 7.9	Lead FIXED	2				
Velvet Hammer	Schock 40	51507	-12	2000	42.5 13.6	104	49.5 20.58	44.4 16.8	7.2 11.8	No	Yes	33.92 1459	40 35	7914 1800	No 2	OB None	(mtg 10/21/09, switched to 104% headsail, from 150%, smaller girths on mainsail. Change custom rating from -18 to -12)			
		464 84			CARBON FS			0 0	470		60 49 31.685	<input checked="" type="checkbox"/>	7 0	10 8	Lead MOVABL	0				
Danger Zone	Taylor 32	4128	-24	1994	40 10.7	100	19.4	37.1 14.3	9.5 11.6	No	Yes	26.52 829	32 28.9	1962 551		OB None				
		443 37			ALUMN MS				395		43.35 36.3 24.6	<input checked="" type="checkbox"/>	0 0	14.8 5.6	Lead CNTRBRD	1				

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
		Sail #	DW Rating		I	J	Max Headsail	ISP	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB	
								JSP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type	
		Disp/WL Ratio			Mast Material				PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades	
						EY		SSF		ASMG	Fixed or _o	Max Draft							
Leglus	Ohashi 52	2480	-6	1986	49.26	149	62	57.578	8.103	No	Yes	34.8	52.5	15017	0	IB	(mtg 10/21/09 assigned custom rating of -39)(Mtg 3/24/16, +3 sec/mi for no spinnaker articulation, change custom rating from -36 to -6)		
					16.387		21.92	21.325	13.517		70.6	50.06	5.952	1	FOLD				
		439			ALUMN					39.37	2076	12.6	Lead	FIXED	2				
		<i>54</i>			FS				724	38.188	38	11.36							
Buona Sera	Santa Cruz 70	41104	-81	1986	73.15	155	73.63	65.49	9.12	No	Yes	40.06	68.9	24905	0	IB	(Mtg 8/27/15, New rudder noted, -9 sec/mi for new keel)(Mtg 3/23/17, -6 sec/mi for 13% increase in SPL, -3 sec/mi for increase in spinnaker area, +3 sec/mi for decrease in mainsail area)		
					22.52			25.39	15.72		79.07	60.4	8960	1	Fold				
		423			CARBON					68.31	0	15.1	Lead	FIXED					
		<i>51</i>			MS				961	40.95	45	10.62							
Catapult	Santa Cruz 70	41005	-84	1989	73.34	155	73.74	66.11	9.3	No	Yes	39.1	68	23847	0	IB	(Mtg 5/25/17, Custom rating assigned. As Sailed: -84)		
					22.19		25.26	24.67	15.75		76.8	59.7	9000	1	Fold				
		417			CARBON					67.9	0	15.1	Lead	FIXED					
		<i>51</i>			MS				963	38.9	0	10							
Zephyrus	Riechel/Pugh Turbo 77	69011	-99	1997	85.37	128	94.94	87.34	11.5	No	Yes	56.1	77.67	31939	0	IB	(mtg 8/27/09, -6 sec/mi for new oversized jib. Changed custom rating from -126 to -132)(Mtg 4/26/12, New pintop mainsail, change custom rating from -132 to 129)(Mtg 8/23/12, change custom rating from -129 to -90 after review)		
					35		35	30.5	19.2		103.41	65.2	12300	1	FOLD				
		409			CARBON					88.35	0	14.78	Lead	FIXED	2				
		<i>52</i>			FS				1563	56.66	0	14.12							
Invisible Hand	Pac 52	5202	-102	2016	66	101	76	69.23	10.96	No	Yes	44.7	52	15700	0	IB			
					20.5		29.5	22.98	15.76		85.5	50	8360	1	None				
		402			CARBON					71.7	0	14.5	Lead	FIXED					
		<i>57</i>			FS				1017	45.5	90	11.8							
Merlin	Custom Lee 68	8955	-87	1977	71.96	146	74.35	66.87	11	No	Yes	48.05	68.6	24363	0	IB	(Mtg 4/27/17, custom rating assigned: -81)(Mtg 5/25/17, -3 sec/mi for larger headsail, -3 sec/mi for increased J. New custom rating: -87 as sailed)		
					22.5		30.4	27.5	18		87.51	64	10484	1	FOLD				
		392			CARBON			0	1109		83.44	12.17	Lead	FIXED	2				
		<i>42</i>			MS			0		42.34	90	10.65							
Adagio	CAL 25-2 OB	216		1979	33	150		28	3.9	No	No		29.25	4500	0	OB			
					11			9.5	6.5				22	2000	1	None			
					ALUMN						0	9	Lead	FIXED					
		<i>192</i>			MS				165		0	4.5							

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications									
			Built	J	Max Headsail	ISP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB											
									DW Rating	Mast Material								E		MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type
EY	SSA	ASMG	Fixed or _o	Max Draft																								
					Akialoa	J 35	28435	75	1989	46.33	120	46.3	41.42	5.43	No	No	35.42	10500	No	IB								
					14.58			14	9.11			30	4400	1	FOLD													
					ALUMN			0	347		<input type="checkbox"/>	0	Lead	FIXED	2													
			177		MS			0				6.75																
All Hail	Catalina 34 TM	524	144	1988	46	130	45.9	40.5	4.8	No	No	35.66	12000	0	IB													
					13.5			12	8			29.84	5000	1	Fold													
					ALUMN				296		<input type="checkbox"/>	0	Lead	FIXED														
			205		MS							5.56																
Alpha	Sonar 23	498	174	1990	23	100		27.5	1.23	No	No	23	2100	n	OB													
					8.25			11.17	7.3			19.92	900	1	None													
					ALUMN				156		<input type="checkbox"/>	0	Lead	FIXED														
			121		MS							3.92																
Amandla	Catalina 34 1&2	796	147	1988	46	130		38.5		No	No	35.75	11950	0	IB													
					13.5			12				29.8	5000	1	FOLD													
					ALUMN						<input type="checkbox"/>	0	Lead	FIXED	3													
			205		MS							5.6																
Apogee	Islander 36 Freeport	36	162	1978	46.75	150		42	5	No	No	35.9	17000	0	IB													
					16.75			12.75	8.4			27.6	7030	1	Fold													
					ALUMN				323		<input type="checkbox"/>	0	Lead	FIXED														
			368		MS							5.3																
Aquadisiac	Newport 30-3	38075	174	1985	40	155	40	34	3.8	No	No	30.5	8500	0	IB													
					12.5			10.25	6.6			26.5	2600	1	Fold													
					ALUMN				206		<input type="checkbox"/>	0	Lead	FIXED	2													
			208		MS							5.17																
Arby	Colgate 26	212	159	2004	27.75	105	27.75	29.75	4.3	No	No	25.7	2600	0	OB	Non Spinnaker configuration												
					8.25			11.2	7.3			20	1040	1	Fixed_3													
					ALUMN				200		<input type="checkbox"/>	0	Lead	FIXED	3													
			148		FS							4.5																

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
		Sail #	DW Rating		I	J	Max Headsail	ISP	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB	
								JSP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type	
		Disp/WL Ratio			Mast Material			PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades		
				Rig Type	EY		SSF		ASM	Fixed or _o	Max Draft								
Avalon	Catalina 30	6138	183	1992	41	120	41	35	4.63	No	No		29.92	10200	0	IB			
					11.416			11.5	7.72				25	4200	1	Fold			
					ALUMN			0	246			<input type="checkbox"/>	10.83	Lead	FIXED	2			
					MS			0					5.25						
		297																	
Blue Passion	tartan 3400	7134	114	2006	46	95	49.67	43	4.58	No	No		34.42	10800	0	IB			
					13.67		13.67	14.5	8.2				30.42	3500	1	Fold			
					CARBON				341			<input checked="" type="checkbox"/>	11.92	Lead	FIXED				
		174			FS								6.5						
Blue Ribbon	Catalina 27 IB	343	213	1975	34.5	120		28.7	3.5	No	No		26.83	6850	0	IB			
					11.25			10.5	6.3				21.75	2650	1	Fixed_3			
					ALUMN				170			<input type="checkbox"/>	8.83	Lead	FIXED	3			
		303			MS								4						
Blue Ribbon II	Catalina 270 IB	38087	207	1994	33.58	135	33.58	28.42	4.67	No	No		27	6400	0	IB			
					9.25			11.5	7.61				23.75	2000	1	Fixed_2			
					ALUMN				199			<input type="checkbox"/>	9.83	Lead	FIXED	2			
		217			MS								5						
Blue Zephyr	Jeanneau Sun Odyssey 42 DS	108		2010	51.58	150		48.82	3.55	No	No		42.42	19676	0	IB	(mtg 4/27/17, +3sec/mi for in-mast furling, +3 sec/mi for MGM < 50% of E)		
					16.25			14.6	6.9				38	5628	1	Fixed_3			
					ALUMN				350			<input type="checkbox"/>	13.5	Iron	FIXED				
		163			FS								6.92						
Borealis	Gulf 39 PH	77135	129		50	128		42	4.83	No	No		38.83	17500		IB			
					16.17			13.75	8.58				33.67		1	Fold			
					ALUMN				334			<input type="checkbox"/>	12	Iron	FIXED				
		208			MS								5						
BZ	Sonar 23	174			23	100		27.5	1.23	No	No		23	2100	No	NONE			
					8.25			11.17	7.3				19.92	900	1	None			
					ALUMN				156			<input type="checkbox"/>	7.8	Lead	FIXED				
		121			FS								3.92						

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
		Sail #	DW Rating		I	J	Max Headsail	ISP	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB	
								JSP	E	MGM	SL	SPL	SLU	LWL	Ballast	moveable blst		Prop Type	
		Disp/WL Ratio			Mast Material				PY	MSA	SSMG	SSA	SLE	Max Beam	Ballast Mat.	Keel Type		# of blades	
					Rig Type	EY		SSF		ASMG	Max Draft								
Enchante'	Beneteau 42 IK TM	63222	84	1985	55.43 16.73	155	55.71	49.2 14.6	4.8 8.5	No	No	43.67 36 13.83 7.19	20509 8700 Iron	No 1 FIXED	IB FOLD 2				
Endless Summer	Catalina 42-1/2 WK	688	111	2000	53 16.5	155		46.75 15.5	5.08 9.16	No	No	41.83 36 13.83 4.83	28000 8300 Lead	0 1 FIXED	IB Feath 3				
Firefly	Harbor 20	226	213	2006	25.75 7	90	25.75 7	26 10	3.6 6.25	No	No	20 17.17 7 3.5	1800 900 Lead	0 1 FIXED	OB None				
Ga	Knarr ODR	123	198		33.583 6.583	125	33.583	31 11.166	4.47 7.46	No	No	30.333 20.333 7 4.25	4630 2866 Lead	No 1 FIXED	OB None 0				
Ganesha	Sabre 36-2	28862	111	1996	48.5 13.46	155		41.6 14.83	5.66 9.63	No	No	36.17 30.42 12 6.5	13800 5520 Lead	No 1 FIXED	IB FOLD 2	Adjustable back stays			
Grunion	Catalina 425	11	87	2017	55.75 15.67	125	17.34	52 18	5.04 9.58	No	No	41.67 39.08 13.67 6.67	17500 7000 Lead	0 1 FIXED	IB Fold	(Mtg 1/26/17, need to submit spinnaker measurements when available)			
Hangover	Islander 36 ODR	367	147	1976	45 14.48	135	45	39.25 12.75	5.05 8.44	No	No	36.8 28.25 11.17 6.08	13450 5820 Lead	0 1 FIXED	IB Fixed_2				

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
		Sail #	DW Rating		I	J	Max Headsail	ISP	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB	
								JSP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type	
		Disp/WL Ratio			Mast Material				PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades	
						EY		SSF		ASM	Fixed or _o	Max Draft							
Maxine	Yankee 30-1 SM	43	186	1971	37.5	125	37.5	32.5	2.4	No	No	20.75	30.13	8700	0	IB	+3 sec/mi for MGM less than 50% of E		
					12.75		12.75	9.7	4.8		36.4	23	4130	1	FOLD				
					ALUMN				158		31	9	Lead	FIXED	2				
					MS						21.5	5							
Mottley	Catalina 34	8	147	1986	44	130	44	38.5	4.7	No	No		34.5	11950	No	IB			
					13.5		14	12	8.05			29.833	5000	1	Fold				
					ALUMN			0	281			11.75	Lead	FIXED	2				
					MS			0				5.583							
Nepenthe	Hawkfarm 28	6122	174	1976	33.3	115	33	36	4.3	No	No		28	5700	0	IB			
					11			10.5	7.2			23.5	2700	1	Fixed_2				
					ALUMN				234			9.75	Lead	FIXED	2				
					FS							5.5							
Nessie	Catalina 34 1&2	734	156	1988	44	100	44	38.5	4.7	No	No		34.5	11950	0	IB			
					1.5		13.48	12	7.54			29.83	5000	1	Fixed_3				
					ALUMN				274			11.75	Lead	FIXED	3				
					MS							5.58							
Nutmeg	Islander 36 ODR	87245	144		45	150	45	39.25	5.05	No	No		36.083	13450	No	IB			
					14.48			12.75	8.44			28.25	5450	1	FOLD				
					ALUMN			0	303			11.166	Lead	FIXED	0				
					MS			0				6.083							
Oshun	Catalina 27 OB	1216	201	1974	34	95		28.67	4.24	No	No		26.83	6850	0	OB			
					11.25			10.5	7.08			21.75	2750	1	None				
					ALUMN				185			8.83	Lead	FIXED					
					MS							4							
Passat	North Star 500	57313	240	1973	33	140		27.5	3.5	No	No		24.98	4298	0	IB			
					10.25			8.75	6.1			20.23	1710	1	Fixed_3				
					ALUMN				149			9	Lead	FIXED					
					MS							5							

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications	
		Sail #	DW Rating		I	J	Max Headsail	ISP	JSP	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps		IB or OB
										E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst		Prop Type
		Disp/WL Ratio			Mast Material					PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type		# of blades
					Rig Type		EY		SSF	ASM	Fixed or _o	Max Draft								
Post Time	Catalina 42-1/2	362	102	1993	53 16.42	135	53 16.42	46.75 15.5	5 9	No	No			41.83 36 13.83 6	24000 8300 Lead	0 1 FIXED	IB Feath 3	In-Boom Furling Mast, Electric Halyard Winch		
Sacagawea	Catalina 34 1&2	375	156	1987	44 13.5	95	44 13.48	38.5 11.75	4.7 7.54	No	No			34.5 29.83 11.75 5.6	11950 5000 Lead	0 1 FIXED	IB Fixed_3 3			
Sail La Vie	Beneteau 411	28597	105	1999	46.67 16.25	140		41.5 14.83	4.872 8.77	No	No			41.67 36.09 13 5.58	17196 5500 Steel	No 1 FIXED	IB FEATH 3			
Scraft	Hunter 36	38096	156	2005	44.83 13.17	125		44.92 16	6 10.3	No	No			35.5 30.58 12 5.42	13900 5023 Lead	0 1 FIXED	IB Fixed_3	Roller Furler, In-mast Furling Mainsail		
Sea Breeze	Catalina 320	850	156	2001	43.58 12.33	135	43.58	38 13.25	5.168 8.661	No	No			32.5 28 11.75 6	11300 4000 Lead	0 1 FIXED	IB Fold 2			
Seaya	Catalina 380	252	120	2000	50.916 14.667	135		44.833 15.667	5.2 10	No	No			38.42 32.42 12.33 7.17	19000 6800 Lead	No 1 FIXED	IB FEATH 3			
SF	CAL 25-1 OB	1062	225	1969	29.75 10	120	29.75	25 11	4.17 7	No	No			25 20 8 4	4000 1700 Lead	0 1 FIXED	OB None			

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
				J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp.	Traps/H. Ballast	Strps moveable blst Keel Type	IB or OB Prop Type # of blades	
									SL	SPL	SLU	ASA						
									SSMG SSF	SSA	SLE ASMG	Sprit Lngth Fixed or _o						
SLOWMO!	Catalina 22-1 OB SK	2482	270	1973	25.93 8	150	21 9.66	3.47 5.96	No	No	21.6 19.4 7.8 5	2250 550 Iron	0 1 MVBL	OB None 3				
Sobrante	Alerion Express 28 ODR	406	168	2009	30 9.75	90	30 9.75	33 12.5	4.8 7.6	No	No	28.25 22.83 8.2 4.5	5700 2200 Lead	0 1 FIXED	IB Fold 2			
Spirit	Alerion Express 28 ODR	275	168		30 9.75	90	30 9.75	33 12.5	4.8 7.6	No	No	28.25 22.83 8.2 4.5	5700 2200 Lead	0 1 FIXED	IB Fold 2			
Sterling	Catalina 34 1&2	1269	153	1994	44 13.5	125	38.5 12	3.6 6.8	No	No	35.66 29.84 11.75 5.56	11950 5000 Lead	0 1 FIXED	IB Fixed_2				
Strange Magic	Islander Bahama 30	179	180	1981	40 12.75	150	40 12.75	33.75 11.5	4.37 7.47	No	No	29.92 24.58 10 5	8230 3130 Lead	0 1 FIXED	IB Fold			
TASHI	Catalina 30	2010	189	1976	41 11.5	110	41	35 11.5	4.63 7.72	No	No	29.92 25 10.83 5.25	10200 4250 Lead	0 1 FIXED	IB Fixed_3 3			
Thea	Folkboat	108	252	1984	21.988 6.562	100	10.166	28.707 11.154	4.416 7.333	No	No	25.079 19.822 7.261 3.916	4640 2315 Iron	No 1 FIXED	OB None 0			

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.	Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications	
		Sail #	DW Rating		I	J	Max Headsail	ISP	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H. Strps	IB or OB		
								JSP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst		Prop Type
		Disp/WL Ratio			Mast Material			PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades		
				Rig Type	EY		SSF		ASMG	Fixed or _o	Max Draft								
USA 76	IACC	76	-78	2002	83.99 27.17	100			99.18 30.19	14.12 20.33	No	No		82.6 61.6 11.9 13.45	52910 39683 Lead	No 1 FIXED	IB Fold	(mtg 12/5/13, custom rating of -78 assigned)	
Wimm	Jeanneau Sun Odyssey 349	38105	141	2016	43.6 12.37	112			40.68 13.62	4.9 8.2	No	No		33.92 30.84 11.29 6.86	11770 3483 Cast Iron	0 1 FIXED	IB Fold		
Zenith	Islander 36 NCPHRF	472	147	1978	45 14.48	135	45 14.8		39.25 12.75	5.05 8.44	No	No		36.08 28.25 11.166 6.083	13450 5820 Lead	No 1 FIXED	IB Fold 2		
Zingara	Islander 36 NCPHRF	484	150	1978	45 14.48	125	45 14.8		39.25 12.75	4.8 8.29	No	No		36.1 28.25 11.17 6.08	13450 5820 Lead	No 1 FIXED	IB Fold 2	Roller Furler	