

NCPHRF - CURRENT FLEET ROSTER

This Roster represents the information on file for boats with a current NCPHRF certificate. If the boat you are looking for is not listed, their certificate is either not current or not yet updated to the list. You can contact the YRA office to verify a boat not found on this list at info@yra.org or via phone at 415.771.9500. This list is updated monthly.

As of: **8/24/2017**

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Keel		Engine/Prop	Modifications
			Built	DW Rating	I J	Max Headsail	ISP JSP	P E	MGU MGM	SSMG	SPL SSA	SLU SLE	ASF ASA		Ballast	Traps/H. Strps		
			Disp/WL Ratio		Mast Material			PY MSA			SLU SLE	ASF ASA	Max Beam	Ballast Mat.	Keel Type		# of blades	
The Mighty Windsong	International Folkboat OB	567	228	1969	26 8.3	155	26 8.3	28.8 4.44	11.2 7.34	Yes 27.13	No 8.36		25.75 19.75	5000 2750	0 1	OB None		
			817 295		ALUMN MS			195		14.89 4.92	292	0 0	7.5 4	Iron	FIXED			
Nemesis	Pearson 26 Commander	151	258	1964	31.5 9.5	155		26 3.3	11.5 5.75	Yes 31.2	Yes 9.5	21.06 444	25.7 18.5	5200 2500	0 1	OB None		
			774 373		ALUMN MS			154		17.1 16.4	441	0 0	8 3.7	Lead	FIXED			
Green Dragon	Cal 20	4188	273	1965	22 7.33	125	22	23 3.84	9.84 6.5	Yes 22	No 7.33		20 18.08	1950 900	0 1	OB None		
			748 150		ALUMN FS			137		13 13	238	0	7 3.33	Steel	FIXED	0		
Sprite	Cal 20	347	273	1964	22 7.33	125	22 7.33	23 3.67	9.83 6.5	Yes 22	No 7.33		20 18.08	1950 900	0 1	OB None		
			748 150		ALUMN FS			135		13.2 13.2	242	0 0	7 3.33	Iron	FIXED			
Can O' Whoopass	CAL 20	624	273	1965	22 7.33	115	22 7.33	23 4	10 6.7	Yes 22	No 7.33		20 18.1	2000 900	0 1	OB None		(mtg 4/24/08, -18 sec/mi for adding single trapeze wire) (10/2/08 - removed trapeze, now racing as a standard cal 20 -18 sec/mi penalty removed)(3/5/09 added single trapeze back, -18 sec/mi)(8/26/09, switching back to standard Cal 20)
			746 153		ALUMN FS			140		13.2 13.2	242	0 0	7 3.33	Iron	FIXED	2		
Miss Kate	Catalina 27 IB	4630	210	1980	34.5 11.25	125	34.5 11.25	28.66 3.99	10.5 6.83	No 34.35	Yes 515	20.35	26.85 21.75	6850 2700	0 1	IB Fixed_2		
			738 303		ALUMN MS			180		31.85 18.25		0 0	8.85 4	Lead	FIXED			

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
		Sail #	DW Rating		I J Max Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps	IB or OB Prop Type # of blades		
									SL	SPL	SLU	ASA				Ballast			moveable blst
Zingaro	Santana 22	5050	237	1971	26 8.5	125	26	21.75 9.83	3.95 6.59	Yes	No	22 18.67 7.833 3.5	2600 1260 Iron	0 1 FIXED	OB None 0				
Quiet Thing	Ranger 22	200	216	1978	25.75 8.5	155	25.75	26 7.4	2.8 4.8	Yes	No	22.5 17.5 7.8 4.3	2200 900 Lead	0 1 FIXED	OB None				
Vanga	Alberg 30	30	231	1965	36.75 10.5	100	36	31 14.25	4.49 8.2	Yes	No	30.25 21.67 8.75 4.5	9000 3300 Iron	0 1 FIXED	IB Fixed_3 3	Roller Furler			
Picante	Islander Bahama 28 SM	1	210	1981	33.8 11.75	150	11.75	28 8.2	3.58 5.75	No	Yes	27.9 23 9.8 5.5	7000 3000 Lead	0 1 FIXED	IB Fixed_3 3				
Evenstar	Ranger 23	6404	216	1974	27.54 9.75	155	27.5 9.7	24 9.2	3.3 5.4	Yes	No	23.67 20 7.92 3.9	3400 1500 Lead	0 1 FIXED	OB None				
No Name	swift	274	219	1978	25.9 8.5	125	25.9 8.6	26 7.5	3.3 5.5	Yes	No	22.5 17.58 7.83 4.3	2183 900 Lead	0 1 FIXED	OB None	Roller Furler			
Obsession	Harbor 20	299	207	2010	25.75 7	95	26.38 8.16	26 10	3.25 6.05	Yes	No	20 17.2 7 3.5	1800 900 Lead	0 1 FIXED	OB None	(Mth 5/25/17, -6 sec/mi for OSP)			

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
		Sail #	DW Rating		I	J	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	IB or OB			
					Max Headsail	ISP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type		
		Disp/WL Ratio			Mast Material	JSP	PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades		
						Rig Type		EY		ASMG	Fixed or _o	Max Draft						
Dura Mater	CAL 27-2 IB	616	213	1979	36	120		30.83	4.21	Yes	No		26.58	6700	0	IB		
					12			10.25	7			22.08	3100	1	Fixed_3			
		721			ALUMN				195		0	9.25	Lead	FIXED	3			
		283			MS						0	4.25						
Sparky	Catalina 25 FK	1498	222	1979	29	145	29	24.66	3.68	Yes	Yes	17.9	25	4550	0	OB		
					10.5		10.5	9.58	1.45		Yes	369	22.16	1900	1	None		
		720			ALUMN				102		0	8	Cast Iron	FIXED	0			
		190			MS						0	4						
New Sinsation	Santana 20	28449	222	1978	24.5	150	24.5	24.5	3.16	Yes	No		20.2	1350	0	OB		
					8.16			7	4.92			8.16	16	550	1	None		
		719			ALUMN				110		0		8	Lead	FIXED			
		150			FS						0	4						
Tinker	Wilderness 21	6	225	1977	25	125	25	25	2.83	Yes	No		20.5	1870	No	OB	Added roller furler	
					8.67			8	4.66			8.67	17.8	1070	1	None		
		718			ALUMN			0	113		0		7.25	Lead	FIXED			
		151			MS			0			0	4						
un-named	Catalina 22-2 OB FK	15622	255	2006	25.8	135	25.83	21	3.5	Yes	No		21.5	2250	0	OB		
					8		8	9.67	6.08				19.33	550	1	None		
		716			ALUMN				119		0		7.67	Lead	CNTRBRD			
		142			FS						0	5						
Jam Jam	Yankee 30-1 SM	90	192	1972	37.5	125	37.5	34.5	2.45	Yes	No		30	8900	0	IB	(mtg 4/28/11, +3 sec/mi for engine modifications)	
					12.75			9.75	4.91			12.75	23	4180	1	Fixed_3		
		715			ALUMN				170		0		9	Lead	FIXED	3		
		332			MS						0	5.1						
Catch 22	Custom Zenrich 20	22	189	1979	25.5	155	25.5	25.5	3.67	Yes	No		20	1800	0	OB	(Mtg 1/26/12, Custom rating of 189 assigned)	
					8			8.67	5.08			8	18	400	1	None		
		714			ALUMN				131		0		7.79	Lead	FIXED			
		140			FS						0	4						

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications				
			Built	J	Max	ISP	P	MGU	Yes/No		Yes/No		LOA	Ttl Disp. Traps/H. Strps		IB or OB							
									DW Rating	Mast Material	E	MGM		SL	SPL			SLU	ASA	LWL	Ballast	moveable blst	Prop Type
EY	SSF	ASM	Fixed or _o	Max Draft	Ballast Mat.	Keel Type																	
							Wild-Type	Ericson 32-2	614	186	1975	38	155	13	31.5	4.53	No	Yes	22.23	31.58	8800	0	IB
					13			13	8.19		39.55	639	24	4000	1	Fixed_3							
			707		ALUMN				237		35.38	0	8.67	Lead	FIXED	3							
			289		MS						20.01	<input checked="" type="checkbox"/>	4.92										
Summertime Dream	Custom Schumacher 26	18859	186	1979	26.28	150	26.28	29.58	4.33	Yes	No		26.08	3300	0	OB	Boat has previously been called "War"						
					8.07		8.07	10.76	7.23			8	20	1360	1	None							
			705		ALUMN			0	195			0	9.08	Lead	FIXED	0							
			187		FS			0				<input type="checkbox"/>	5.08										
Don Wan	Santana 28	8191	186	1978	36	155	36	31	3.6	Yes	No		28.25	7500	No	IB							
					12			9.416	6.1			12	23	2550	1	Fold							
			704		ALUMN			0	175			0	9.17	Lead	FIXED	2							
			280		MS			0				<input type="checkbox"/>	5										
Happiness	Cal 27-2 OB	3893	201		36	95	36	30.67	3.25	Yes	No		26.58	6700	0	OB							
					12		12	10.25	6.5			12	22.08	3100	1	None							
			700		ALUMN				180			0	9.25	Lead	FIXED								
			283		MS			21.6				<input type="checkbox"/>	4.25										
Youngster	IOD ODR	82	156	1937	29.25	103	41	38.83	6.12	Yes	No		33.42	7100	No	NONE	(mtg 1/21/10, switched to Masthead Spinnaker, -12 sec/mi for 40% increase in ISP, -6 sec/mi for oversized spinnaker girths)(138 rating valid for PHRF Races, not valid for IOD Class races. Boat must be in class configuration to sail)						
					8.33		10.67	16.25	10.47			8.416	21.42	4100	1	None							
			699		ALUMN			0	374			0	6.75	Lead	FIXED	0							
			328		MS			0				<input type="checkbox"/>	5.333										
Alte Liebe	Albin Ballad 30	1266	183	1978	37.083	155	37.8	31.916	3.33	Yes	No		29.916	7276	No	IB	The J measurement in all Ballad documents & Sailmaker plans is 12.27 however the actual J= 11.3" (MTG 8/25/94), standard SPL is 12.27 (mtg 3/20/08)						
					11.249			9.333	5.58			12.27	22.583	3417	1	FOLD							
			698		ALUMN			0	171			0	9.666	Lead	FIXED	2							
			287		MS			0				<input type="checkbox"/>	5.09										
Ross's Dream	Catalina 30	4895	180	1987	41	150	41	35	4.63	Yes	No		29.92	10200	0	IB							
					11.42			11.5	7.72			11.5	25	4200	1	Fold							
			696		ALUMN				246			0	10.83	Lead	FIXED	2							
			297		MS			20.7				<input type="checkbox"/>	5.25										

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
			Built	ISP	I	J	P	MGU	Yes/No	Yes/No	ASF	Ttl Disp.		Traps/H. Strps	IB or OB		
			DW Rating	JSP	Max Headsail	Mast Material	E	MGM	SL	SPL	SLU	ASA		Ballast	moveable blst	Prop Type	
			Disp/WL Ratio		Rig Type	PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam		Ballast Mat.	Keel Type	# of blades	
Tortuga	Westsail 32	207	216	1974	31.2 18.4	150	38.3 15.1		No	No		32 27.6 11 5	19500 7000 Lead	0 1 FIXED	IB FOLD 3		
Bandido	Merit 25	28125	168	1983	28.75 9.66	150	28.75 9.75 6.69	28 4.25	Yes	No		24.5 20.5 8 4	3000 1050 Lead	No 1 FIXED	OB None 3		
Double Agent	Merit 25	8465	168	1981	28.75 9.66	155	28.75 9.75 6.69	28 4.25	Yes	No		24.5 20.5 8 4	3000 1050 Lead	No 1 FIXED	OB None 0		
Downtown Upoar	J 24 ODR	2394	168	1981	26.25 9.5	150	26.25 9.75 6.37	28 3.7	Yes	No		24 20 9.2 4.1	3125 965 Lead	0 1 FIXED	OB None 0		
Irish Blessing	J 24 ODR	2184	168		26.25 9.5	150	26.25 9.75 6.37	28 3.7	Yes	No		24 20 8.92 4	3100 965 Lead	0 1 FIXED	OB None 0		
Shut Up & Drive	J 24 ODR	513	168		26.25 9.5	150	26.25 9.75 6.37	28 3.7	Yes	No		24 20 8.916 4	3100 965 Lead	No 1 FIXED	OB None 0		
Siento El Viento	C&C 29	38311	174	1977	39.5 12.8	155	33.5 10.1		Yes	No		29.5 23.6 10.5 5.25	7500 2700 Lead	No 1 FIXED	IB Fold 2		

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
		Sail #	DW Rating		I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp. Ballast	Traps/H. moveable blst	IB or OB Prop Type # of blades			
									SL	SPL	SLU	ASA							
									SSMG SSF	SSA	SLE ASMG	Sprit Lngth Fixed or _o							
Ballast Mat.	Keel Type																		
Xtasea	Catalina 30	0	186	1985	41 11.5	110	41	35.5 11.5	4.63 7.72	Yes	No	29.92 25 10.83 5.25	10200 4250 Lead	0 1 FIXED	IB Fixed_2 2				
Christine Rose	Catalina 30 TM	0	183	1977	43 13.16	150	43 13.16	37 12	4.8 8	Yes	No	29.92 25 10.83 5.25	10200 4250 Lead	0 1 FIXED	IB Fixed_3 3				
Constance	Tartan 34 CB	346	165	1974	41 14	125	41	35.5 10.5	4 6.9	No	Yes	34.3 25 10.2 8.3	11200 5000 Lead	0 1 CNTRBRD	IB Fold 2	Roller Furler			
Goose	Catalina 30	1210	180	1979	41 11.416	155	41	35 11.5 0 0	4.63 7.72 246	Yes	No	29.92 25 10.83 5.25	10200 4200 Lead	No 1 FIXED	IB FOLD 2				
Toypedo	Ranger 26-2	67341	189	1980	26.4 9	150	28 9	30.5 11	4 7	Yes	No	26 20 8 5	3000 1140 Lead	0 1 FIXED	OB None	Fixed Keel, No daggerboard			
Antares	Islander 30-2	6237	186	1971	38.5 12.58	155	38.416	32.5 11.58 0 0	4.75 8.125 235	Yes	No	30 24.58 10 5	8600 3600 Lead	No 1 FIXED	IB FOLD 2				
Sweet Pea	Islander 30-2	195	186	1971	38.5 12.58	155	38.42	32.5 11.58 0 0	4.75 8.125 235	Yes	No	30 24.58 10 5	8600 3500 Lead	0 1 FIXED	IB FOLD 2				

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications	
			Built	J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp.	Traps/H. Strps		IB or OB Prop Type # of blades			
									DW Rating	Mast Material	SL SPL SSMG SSF	SPL SSA			SLU SLE ASMUG	ASF ASA Sprit Lngth Fixed or _o		Ballast		moveable blst
Lonesome Dove	Elite 29	9066	165	1984	35.833 11.083	130	39.5	30.333 10.333	2.6 5.1	Yes	No	28.67 24.42 10.5 5.58	6160 2310 Iron	No 1 FIXED	IB Fixed_2 2					
			676 192		ALUMN MS		0 0	157			<input type="checkbox"/>	0								
Lil Angel	Newport 30-2	6884	174	1979	39.5 12.1	150	39.5	34 10.25	4.26 7.07	Yes	No	30 25 10.5 4.75	8500 2500 Lead	0 1 FIXED	IB FOLD 2					
			675 247		ALUMN MS		0 0	217			<input type="checkbox"/>	0								
Samba Pa Ti	J 22	3	186	1982	24.8 8.8	125	24.8 8.8	26.1 9	3.78 6.27	Yes	No	22.5 19 8 3.8	1790 700 Lead	0 1 FIXED	OB None					
			674 119		ALUMN FS			147			<input type="checkbox"/>	0 0								
Wuvulu	Islander Bahama 30	61	180	1979	40 12.75	150	38.416	33.75 11.5	4.75 8.125	Yes	No	30 24.58 10 5	8600 3500 Lead	No 1 FIXED	IB FOLD 2					
			674 263		ALUMN MS			243			<input type="checkbox"/>	0								
Finn	Capo 26 IB	18782	162	1985	34.6 10.56	155		30 10	4.1 6.8	Yes	No	26 22 9.25 4.58	4300 1900 Lead	0 1 FIXED	IB Fold					
			673 184		ALUMN MS			185			<input type="checkbox"/>	0 0								
Ouessant	Farallone Clipper FR	8214	159	1957	35.69 13.87	150	35.69	40.34 18.79	7 12.1	Yes	No	37.833 28.25 9.5 5.916	18344 7200 Iron	No 1 FIXED	IB Fixed_2 2					
			673 370		WOOD FS			0 0	448		<input type="checkbox"/>	0								
Vip	Farallone Clipper FR	7	159	1957	36.82 14	155	36.82	40.5 18.5	6.16 10.979	Yes	No	38 28.75 9.5 5.6	19000 7000 Iron	No 1 FIXED	IB Fixed_3 3					
			673 363		WOOD FS			0 0	420		<input type="checkbox"/>	0								

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
				DW Rating <i>Disp/WL Ratio</i>	J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast	Traps/H. moveable blst		IB or OB Prop Type # of blades
									SL	SPL	SLU	ASA						
									SSMG SSF	SSA	SLE	ASMG						
Gygax	Hinckley Pilot 35 TM	4802	192	1975	44.36 13.8	155	44.36 13.8	41.83 15.81	5.5 9.97	Yes	No	35.5 25 9.5 5	13500 4200 Lead	0 1 FIXED	IB Feath			
Alchemy	Olson 25	18252	159	1984	32 9.583	155	32	28 10	3.8 6.4	Yes	No	25 21.25 9 4.5	3300 1300 Lead	No 1 FIXED	OB None 0			
Carpe Vita	Olson 25	97399	159	1988	32 9.583	130	32	28 10	3.8 6.4	Yes	No	25 21.25 9 4.5	3300 1300 Lead	No 1 FIXED	OB None 0			
Fast Lane	Olson 25	46657	159	1985	32 9.6	155	32	28 10	3.8 6.4	Yes	No	25 21.25 9 4.5	3300 1300 Lead	0 1 FIXED	OB None			
Grey Wulff	Olson 25	18517	159	1984	32 9.6	155	32	28 10	3.8 6.4	Yes	No	25 21.25 9 4.5	3300 1300 Lead	0 1 FIXED	OB None			
Now and Zen	Newport 30-2	6883	174	1978	39.5 12.125	150		34 10.25	3.25 5.7	Yes	No	30 25 10.5 4.75	8000 2600 Lead	No 1 FIXED	IB Fold 2			
Shadowfax	Olson 25	91	159	1986	32 9.6	155	32	28 10	3.8 6.4	Yes	No	25 21.25 9 4.5	3300 1300 Lead	No 1 FIXED	OB None 0			

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
		Sail #	DW Rating		I	J	Max Headsail	ISP	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB	
								JSP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type	
		Disp/WL Ratio			Mast Material				PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades	
				Rig Type		EY		SSF		ASM	Fixed or _o	Max Draft							
Shark-On-Bluegrass	Olson 25	18201	159	1984	32	155	32	28	3.8	Yes	No	25	3300	No	OB				
					9.583			10	6.4	32	9.583	21.25	1300	1	None				
					ALUMN			0	166	17.25	459	9	Lead	FIXED	0				
					MS			0		17		4.5							
											<input type="checkbox"/>								
Synchronicity	Olson 25	68	159	1985	32	155	32	28	3.8	Yes	No	25	3300	No	OB				
					9.583			10	6.4	32	9.583	21.25	1300	1	None				
					ALUMN			0	166	17.28	461	9	Lead	FIXED	0				
					MS			0		17.28		4.5							
											<input type="checkbox"/>								
Zeehond	Newport 30-2	707	174	1976	39.5	150	39.5	34	3.6	Yes	No	30	8500	No	IB				
					12.125			10.25	6.33	39.25	12.125	25	2600	1	FOLD				
					ALUMN			0	201	21.78	712	10.5	Lead	FIXED	2				
					MS			0		21.75		4.75							
											<input type="checkbox"/>								
Make My Day	Olson 25	87742	159	1985	32	155	32	28	3.96	Yes	No	25	3300	No	OB				
					9.583			10	6.4	32	9.583	21.25	1300	1	None				
					ALUMN			0	168	17.29	460	9	Lead	FIXED	0				
					MS			0		17		4.5							
											<input type="checkbox"/>								
Harry	Newport 30-2	6889	174	1974	39.5	150	39.5	34	4.2	Yes	No	30	8500	No	IB				
					12.125			10.25	7	39.24	12.1	25	2500	1	FOLD				
					ALUMN			0	215	21.78	712	10.5	Lead	FIXED	2				
					SL			0		21.78		4.75							
											<input type="checkbox"/>								
Nutmeg	Islander 36 ODR	87245	144		45	150	45	39.25	5.05	No	No	36.083	13450	No	IB				
					14.48			12.75	8.44			28.25	5450	1	FOLD				
					ALUMN			0	303			11.166	Lead	FIXED	0				
					MS			0				6.083							
											<input type="checkbox"/>								
Snafu	CS 30	68588	159	1988	42	125	42	36.416	3.95	NO	Yes	20.04	8000	0	IB				
					12.04			11.416	6.5		44	707	3440	1	FOLD				
					ALUMN			0	232	40.653	0	10.25	Lead	FIXED	2				
					MS			0		20.04	<input checked="" type="checkbox"/>	5.416							

Boat Name	Boat Model (Type)	Rating			Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications									
		Sail #	Built	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF		LOA	Ttl Disp.	Traps/H.	Strps	IB or OB	Prop Type								
										DW Rating	Mast Material		E	MGM							SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	# of blades
EY	SSF	ASM	G	Fixed or _o	Max Draft																							
Capo Gatto	Nonsuch 30	308	174	1985				45	7.9	No	No			30.33	11500	0		IB										
								24	14.3					28.75	4500	1		Fold										
									605					11.1	Lead	FIXED		2										
														5														
Neja	Dasher 32	7325	174	1961	38.01	155	38.01	33.22	5.12	Yes	No			31.75	11323	0		IB	500 pounds less lead in keel than the Dasher Easom Boat Works built									
					12.59			14.6	8.86					26.75	3600	1		Fold										
									277					8.9	Lead	FIXED												
														5.75														
Achates	Newport 30-2	6847	174	1974	39.5	155	39.5	34	3.8	Yes	No			30	8500	No		IB										
					12.5			10.25	6.6					25	3000	1		FOLD										
								0	206					10.67	Lead	FIXED		2										
								0						5.17														
Red Hawk	Hawkfarm 28 ODR	59024	162	1978	33	155	33.25	36	4.37	Yes	No			28	5700	0		IB										
					11		11.5	10.5	7.26					23.5	2700	1		FOLD										
								0	236					9.75	Lead	FIXED		2										
								0						5.166														
Pearl	Ranger 33 SM	278	165	1977	38	125	38	31.5	4.43	Yes	No			33.17	10500	0		IB										
					13.9			11	7.39					26.25	4800	1		Fixed_2										
									212					9.583	Lead	FIXED		2										
														5.166														
Some Assembly Required	Holder 20	183	192	1984	22.6	155	22.6	24.04	3.84	Yes	No			20.33	1160	4		OB	(Mtg 8/24/17, added 4 soft hiking straps to seats, NCTR)									
					7.25		13.05	9.33	6.58					18.42	335	1		None										
									141					7.83	Lead	MVBL												
														3.58														
White Bear	Nonsuch 30	431	174	1987				45	8.68	No	No			30.33	11500	0		IB										
								24	15.12					28.75	4500	1		Fold										
									629					11.9	Lead	FIXED		3										
														5														

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications					
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU ASA Sprit Lngth Fixed or _o	SL SPL SSMG SSA	SLE ASF Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst			Strps Keel Type				
								DW Rating	Disp/WL Ratio										4.3 4.4	4.35 4.43	Yes No	Yes No
Tule Lost	Ericson 911S Olson	28911	132	1988	41.5 12.33	155	41.5	35.5 11.083	4.73 7.69	Yes	No	29.92 25 10.33 5.42	8680 3200 Lead	No 1 FIXED	IB FOLD 0	MUST HAVE YACHT CLUB MEMBERSHIP CARD WITH ENTRY FORM FOR 2006 RACING						
			663 253		ALUMN MS		0 0	247			<input type="checkbox"/>											
Plus Sixteen	Ericson 911S Olson	97707	135	1991	41.5 12.25	125	41.5	35.761 11.811	4.035 7.136	Yes	Yes	30 25 10.33 5.42	8500 3200 LeadSteel	No 1 FIXED	IB FEATH 2							
			662 247		ALUMN MS		0 0	240			<input type="checkbox"/>											
Shanti	Ericson 911S Olson	326	132	1989	41.5 12.33	150	41.5	35.5 11.83	4.73 7.69	Yes	No	29.92 25 10.33 5.42	8700 3200 Lead	0 1 FIXED	IB FOLD 2	CHANGE TO RUDDER NOTED, NCTR						
			662 253		ALUMN MS		0 0	253			<input type="checkbox"/>											
The Shadow	Custom Mull 32	18787	150	1974	39.833 13.25	125	39.83	35.166 9.75	3.45 6.2	Yes	No	32.166 26.666 10 5	10600 4500 Lead	No 1 FIXED	IB FOLD 2	RMVD Foam Bumps from both sides of hull, Red Beam by approx 7" Replaced Rudder and Skeg Design w/balanced Rudder Depth same, area increased approx 8 sqft. Hull dry rot, Crsnfg Accom, Ref, Head Stops Cov. Changed MTC 10/6/07						
			661 254		ALUMN MS		0 0	200			<input type="checkbox"/>											
Boogie Woogie	Ranger 33 MOD	8262	153	1976	41.5 13.87	150	41.5	31.5 11	4.43 7.39	Yes	No	33.17 26.25 9.58 5.17	10500 4800 Lead	No 1 FIXED	IB FOLD 2	(Mtg 8/24/17, +3 sec/mi for short "E")						
			660 264		ALUMN MS		0 0	212			<input type="checkbox"/>											
Joie De Vivre	C&C 33	18797	159		43 14	110	43	37.25 10.75	4.4 6.33	No	Yes	32.9 26.42 10.54 5.5	10100 3975 Lead	0 1 FIXED	IB FOLD							
			659 249		ALUMN MS		0 0	235			<input checked="" type="checkbox"/>											
Cordon Rouge	J 30	68	144	1979	34 11.5	125	34	38 13	5.1 8.4	Yes	No	29.83 25 11.2 5.25	6700 2100 Lead	No 1 FIXED	IB FOLD 3							
			657 195		ALUMN FS			296			<input type="checkbox"/>											

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:				Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications													
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	SL SPL SSMG SSF	SPL SSA	Yes/No	Yes/No	ASF	ASA		SLU SLE ASMG	Sprit Lngth Fixed or _o			Ttl Disp.	Traps/H. Strps Ballast moveable blst Ballast Mat. Keel Type											
																					DW Rating	Mast Material	ISP JSP	MGU MGM MSA	SPL SSA	Yes/No	Yes/No	ASF	ASA	SLU SLE ASMG	Sprit Lngth Fixed or _o
Luna Sea	Islander 36 ODR	420	144	1980	45 14.48	135	45	39.25 12.75	5.05 8.44	Yes	No	36.08 28.25 11.17 6.08	18000 5450 Lead	No 1 FIXED	IB Feath 3																
Brandy	Farr 30 1/2 Ton	57257	150	1979	31 9.6	145	31	34 12.9	4.5 7.11	Yes	No	30.33 23.5 10 5.33	4894 1909 Lead	0 1 FIXED	OB None	(Mtg 4/24/15, -6 sec/mi for increased P)															
Bandicoot	Wyliecat 30 IB	28530	132	2000	0 0		29 10	39.75 20.5	7.87 13.46	No	No	30.5 25 9.5 5.25	5500 3050 Lead	0 1 FIXED	IB FEATH 2	(mtg 5/20/10, -21 sec/mi for added spinnakers)(9/5/12, removed spinnaker, back to standard configuration)															
Crinan II	Wyliecat 30 IB	15	132	2002				39.75 20.5	7.79 13.32	No	No	30.5 25 9.5 5.25	5500 3050 Lead	No 1 FIXED	IB FOLD 2																
Iseult	Wyliecat 30 IB	13	132	2001		0		39.75 20.8	7.87 13.46	No	No	30.5 25 9.42 9.25	5500 3050 Lead	0 1 FIXED	IB Fold 2																
Warwhoop	Contessa 33	63336	141	1984	37.916 11.17	100	37.93	39.416 13.86	5.31 9	Yes	Yes	33 25.52 11.08 5.8	8375 3700 Lead	No 1 FIXED	IB FOLD 2	(Mtg 1/26/17, -3 sec/mi for oversized asymmetric area)(Mtg 2/23/17, -3 sec/mi for oversized symmetric spinnaker area)															
Allora	Morris 36	38082	120	2007	38.66 12.75	95	44.3	41.25 15.08	5.1 9.43	No	Yes	36.1 25 10.1 5.3	8900 3850 Lead	0 1 FIXED	IB Fold																

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop		Modifications					
			Built	DW Rating	J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			Ttl Disp.	Traps/H. Strps	IB or OB	# of blades						
										Mast Material	Rig Type	SL	SPL							SLU	ASA	Ballast	moveable blst	Prop Type
Disp/WL Ratio							ASF	Fixed or _o																
Catalyst	Wyliecat 30 IB	28571	132	2004				40	7.87	No	No			30.42	5800	No	IB	Must have a YC card before registering for 2005 and clear YC for 2004						
							20.67	13.46					25	3000	1	Feath								
			652		CARBON		0	493			0	<input type="checkbox"/>	9.42	Lead	FIXED	2								
			169		CAT		0	0					5.25											
Curie	Beneteau 32S5	52868	138	1990	38.39	150	38.39	38.88	5.3	Yes	No	17.3	32.6	9260	0	IB	(mtg 2/18/10, - 6 sec/mi for 10% OSP)(8/2/11, boat returned to ODR Configuration)							
					9.68		9.68	13.78	9.01				27.83	2980	1	FOLD								
			652		ALUMN				321				10.83	Cast Iron	FIXED	2								
			195		FS			17.3		17.3	35.75	519	6											
								32.75	0	<input checked="" type="checkbox"/>	0													
Friction Loss	J 30	67425	141	1979	34	155	34.1	38	4.94	Yes	No	21.06	29.83	6500	0	IB								
					11.5		11.5	13	8.45				25	2100	1	FOLD								
			652		ALUMN			0	295				11.17	Lead	FIXED	2								
			189		FS			0	0	22	34.4	11.5	5.25											
								22.2	635															
								22.4		<input type="checkbox"/>														
Cassiopeia	Islander 36 ODR	6763	144	1971	45	150	45	39.25	4.8	Yes	No		36.08	13947	No	IB	(mtg 2/18/10, - 6 sec/mi for 10% OSP)(8/2/11, boat returned to ODR Configuration)							
					14.48			12.75	8.29				28.25	5450	1	FOLD								
			651		ALUMN				298				11.17	Lead	FIXED	2								
			281		MS			27	1020				6											
								27		<input checked="" type="checkbox"/>	0													
Absinthe	Moore 24	102	150	1981	26.25	150	26.25	25	3.91	Yes	No		23.75	2050	No	OB								
					9.75			9.5	6.5				21.75	1025	1	None								
			650		ALUMN			0	147				7.16	Lead	FIXED	0								
			91		FS			0	0	17.55	395		4.083											
								17.55		<input type="checkbox"/>														
Nancy	Wyliecat 30 OB	28890	126	1995				39.66	8.71	No	No		30.5	5500	No	OB	(-3 sec/mi for square top main)							
								19.75	13.46				25	3050	1	None								
			650		CARBON			0	491				9.5	Lead	FIXED	0								
			160		CAT			0	0				5.25											
										<input type="checkbox"/>														
Nicole	Orion 35	8210	150	1979	44	150	44	39.5	4.42	Yes	No		34.58	13000	0	IB	Displacement Obtained by actual weight on scale, Rudder is new design and new build.							
					14			10.5	7.319				28.75	4700	1	FOLD								
			650		ALUMN			0	260				10.83	Lead	FIXED	2								
			249		MS			0	0	25.2	917		6											
										<input type="checkbox"/>														

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
		Sail #	DW Rating		I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp.	Traps/H. Strps		IB or OB Prop Type # of blades	
									SL	SPL	SLU	ASA			Ballast	moveable blst		
Andiamo	Catalina 36-2	2168	153	2004	44.75 14.33	115	41.5	39 13	3.04 6.16	No	Yes	29 833	36 30.25 11.9 5.8	14200 6000 Lead	0 1 FIXED	IB Fixed_3 3	In-Mast Furling Mainsail, +3 sec/mi	
Liquid Asset	Ranger 33	27707	150	1970	41.5 13.7	150	41.5	35 13.75	4.93 8.67	Yes	No	0 0	33.17 26.25 9.58 5.17	10500 4500 Lead	0 1 FIXED	IB Fold		
Foxxfyre	Yamaha 33 IK SM	67248	159	1978	42.81 13.78	150	42.81	37.4 10.6	4.38 7.27	Yes	No	0 0	33.25 26.92 11 6.25	16000 4410 Iron	No 1 FIXED	IB FEATH 2	PER PHRF MTG 3/16/2000 - Weight Differencer from brochure is significant.	
Heart of Gold	Olson 911S	41327	129	1987	41.5 12.33	125	41.5	35.5 11.83	4.5 7.7	Yes	No	0 0	29.9 25 10.3 5.5	7200 3200 Lead	No 1 FIXED	IB FOLD 2		
JouJou	Capo 30	87324	123	1984	41.7 12.75	120	41.5	36 11.5	4.37 7.47	Yes	No	0 0	30 25 10.33 5.43	7200 3000 Lead	0 1 FIXED	IB Fold 2	Roller Furler	
Lenora	Hunter 33-2	60700	153	2004	37.42 10.83	115	38.42 10.83	36.46 15.83	4.83 8.33	No	Yes	18.5 531 0 0	33.5 29.42 11.17 5.5	10400 3459 Lead	0 1 FIXED	IB Fold 3		
Redux	Olson 911S	28106	126	1987	41.5 12.33	155	41.5	35.5 11.83	4.5 7.7	Yes	No	0 0	29.9 25 10.33 5.416	7200 3200 Lead	No 1 FIXED	IB FOLD 2		

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications								
			Built	J	Max Headsail	ISP JSP	P	MGU	Yes/No		Yes/No	ASF		LOA	Ttl Disp.	Traps/H.	Strps	IB or OB									
									DW Rating	Mast Material		PY	MGM							SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type
Ad Lib	Aphrodite 101	8161	144	1979	36.83 11.81	100	32.23	39.33 11.48	4.5 6.1	Yes	No	32.75 26.33	6160 3527	No 1		IB FOLD											
		645 153			ALUMN FS		0 0	253			21.3 19.6	622	<input type="checkbox"/>	0	7.92 5.42	Lead FIXED	2										
Double Down	Custom Schumacher 30	18480	123	1988	41.37 12.16	150	41.5	36.416 11.83	4.5 7.69	Yes	No	29.92 26	7854 3650	No 1		IB FOLD		Rudder change, old rudder 85lbs new 65 lbs. Old alum/new carbon MTG 10/27/94 Noted- NCTR (MTG 1/9/97 Alum headsail removed and excess wires removed from mast- Noted NCTR)(Mtg 2/21/08, change custom rating from 126 to 123 after									
		645 203			ALUMN MS		0 0	257			21.75 21.35	736	<input type="checkbox"/>	0	10.65 6.17	Lead FIXED	2										
Music	Catalina 34 1&2	56583	147	2001	44 13.5	130		38.5 12	3.6 6.8	No	Yes	35.66 29.84	11950 5000	0 1		IB FOLD											
		645 204			ALUMN MS			251			21.8 762		11.75 5.56	0 FIXED	0	2											
Zara	Beneteau 310	144	135	1993	37.04 10.83	135	37.04 10.82	37.8 12.9	5.2 8.9	No	Yes	31.2 27.7	7054 2160	0 1		IB Fixed_2											
		645 151			ALUMN FS			301			21.6 528		10.5 4.3	0 FIXED	0	2											
Coquelicot	Ranger 33	148	153	1975	41.5 13.87	120	43.75 13.87	35 13.75	4.6 8.1	Yes	No	33 26.3	10500 4500	No 1		IB FOLD		Double Spreader rig, water supply 41 gallons, below v berth, 26 gallon bladder tank starboard, rudder 9 inches deeper, group 31 batteries, 15 hsp one cyl disel replaced by 29 hsp Perkins 3 cylendar engine. (NCTR)(MTC 2/21/02)									
		644 262			ALUMN MS			270			45.51 13.87		9.6 5	0 FIXED	0	2											
Flyer	Peterson 33 (CHITA)	18620	144	1979	42.5 13.9	155	42.5	36.66 9.91	3.66 6.21	Yes	No	32.67 26.58	9480 4960	0 1		IB FOLD											
		644 229			ALUMN MS			213			41.91 24.83 24.67	866	10.5 6.08	0 FIXED	0	2											
Mas!	Moore 24	138	150	1983	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	Yes	23.75 21.75	2050 1025	0 1		OB None											
		642 91			ALUMN FS			147			17 17.25	378	7.16 4.08	0 FIXED	90	2											

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications		
		Sail #	DW Rating		I	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp.	Traps/H.		Strps	IB or OB
										E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst			Prop Type
		Disp/WL Ratio			Mast Material					PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type			# of blades
							EY		SSF		ASM	Fixed or _o	Max Draft								
Anna Banana	Moore 24	146	150	1984	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	26.6 17.55 17.55	9.75 389	No		23.75 21.75 7.16 4.08	2050 1025 Lead	No 1 FIXED	OB None			
		636 91			ALUMN FS				147			0 0	<input type="checkbox"/>	0 0							
Cadenza	Moore 24	18878	150	1977	26.25 9.75	150	26.25	25 9.5	4.01 6.54	Yes	27	9.75	No		23.75 21.75 7.17 4.083	2050 1025 Lead	No 1 FIXED	OB None 0			
		636 91			FS			0 0	148			0	<input type="checkbox"/>	0							
Crazy Eights	Moore 24	28888	150	1978	26 9.8	150	26.3 9.75	25 9.5	3.91 6.5	Yes	26.6 17.55 17.55	9.75 389	No		23.75 21.75 7.16 4.083	2050 1000 Lead	0 1 FIXED	OB None 0			
		636 91			ALUMN FS				147			0	<input type="checkbox"/>	0							
Hasta Nunca	Moore 24	142	150		26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	26.6 17.55 17.55	9.75 389	No		23.75 21.75 7.16 4.08	2050 1025 Lead	0 1 FIXED	OB None 0			
		636 91			ALUMN FS				147			0	<input type="checkbox"/>	0							
Moore Fun	Moore 24	18884	153	1979	26.25 9.75	125	26.25	25 9.5	3.91 6.5	Yes	27	9.75	No		23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0			
		636 91			ALUMN FS			0 0	147			395	<input type="checkbox"/>	0							
Mooretician	Moore 24	89	150	1981	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	26.6 17.55 17.55	9.75 389	No		23.75 21.75 7.16 4.08	2050 1025 Lead	No 1 FIXED	OB None 0			
		636 91			ALUMN FS			0 0	147			389	<input type="checkbox"/>	0							
Scarlett	Moore 24	86	150	1980	26.25 9.75	150	26.25	25 9.5	3.89 6.45	Yes	26.5 17.5 17.5	9.75 386	No		24 21.75 7.17 4.08	2050 1000 Lead	No 1 FIXED	OB None			
		636 91			ALUMN FS				147			386	<input type="checkbox"/>	0 0							

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications		
		Sail #	DW Rating		I	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp.	Traps/H.		Strps	IB or OB
										E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst			Prop Type
		Disp/WL Ratio			Mast Material					PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type			# of blades
							EY		SSF		ASM	Fixed or _o	Max Draft								
Sea Spirit	Catalina 34 1&2	108	147	1986	44	130	44	38.5	4.36	Yes		No		34.5	11950	No		IB			
					13.5		13.5	12	7.54		42	13.5		29.83	5000	1		FOLD			
					636		ALUMN				24	837		11.75	Lead	FIXED		2			
					205		MS				23.5		<input type="checkbox"/>	5.58							
Slight Disorder	Moore 24	98	150	1981	26.25	150	26.25	25	3.91	Yes		No		23.75	2050	No		OB			
					9.75		9.75	9.5	6.5		26.6	9.8		21.75	1025	1		None			
					636		ALUMN				17.5	388		7.16	Lead	FIXED		0			
					91		FS				17.5		<input type="checkbox"/>	4.083							
The Jackal	Moore 24	22	150	1977	26.25	150	26.25	25	3.91	Yes		No		23.75	2050	0		OB			
					9.75		9.75	9.5	6.5		26.6	9.75		21.75	1025	1		None			
					636		ALUMN				17.55	389		7.16	Lead	FIXED		0			
					91		FS				17.55		<input type="checkbox"/>	4.08							
Wet Spot	Moore 24	51	150	1979	26.25	150	26.25	25	3.91	Yes		No		23.75	2050	No		OB			
					9.75		9.75	9.5	6.5		26.6	9.75		21.75	1025	1		None			
					636		FS				17.55	389		7.16	Lead	FIXED		0			
					91						17.55		<input type="checkbox"/>	4.08							
White Trash	Moore 24	78	150	1979	26.25	150	26.25	25	3.91	Yes		No		23.75	2050	0		OB			
					9.75		9.75	9.5	6.5		26.6	9.75		21.75	1025	1		None			
					636		ALUMN				17.55	389		7.16	Lead	FIXED		0			
					91		FS				17.55		<input type="checkbox"/>	4.08							
Blue Angel	Moore 24	106	150	1982	26.25	155	26.25	25	3.91	Yes		No		23.75	2050	No		OB			
					9.75		9.75	9.5	6.5		27	9.75		21.75	1025	1		None			
					635		ALUMN				17.55	395		7.16	Lead	FIXED		0			
					91		FS				17.55		<input type="checkbox"/>	4.083							
Color Blind	Moore 24	49	150	1979	26.25	150	26.25	25	3.91	Yes		No		23.75	2050	No		OB			
					9.75		9.75	9.5	6.5		27	9.75		21.75	1025	1		None			
					635		ALUMN				17.55	395		7.16	Lead	FIXED		0			
					91		FS				17.55		<input type="checkbox"/>	4.083							

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications		
		Sail #	DW Rating		I	J	Max Headsail	ISP	JSP	P	MGU	Yes/No	Yes/No		ASF	Ttl Disp.			Traps/H. Strps	
										E	MGM	SL	SPL		SLU	ASA			Ballast	moveable blst
		Disp/WL Ratio			Mast Material					PY	MSA	SSMG	SSA		SLE	Sprit Lngth			Ballast Mat.	Keel Type
				Rig Type			EY		SSF		ASM	Fixed or _o								
Fatuity	Moore 24	48	150	1980	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No			23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0			
Firefly	Moore 24	64	150	1980	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No			23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0			
Gruntled	Moore 24	68	150	1980	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No			23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0			
Incognito	Moore 24	136	150	1984	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No			23.75 21.75 7.16 4.08	2050 1025 Lead	No 1 FIXED	OB None 0			
JR	Moore 24	76	150	1980	26.25 9.75	155	26.25	25 9.5	3.91 6.5	Yes	No			23.75 21.75 7.16 4.08	2050 1025 Lead	No 1 FIXED	OB None 0			
La Dolce Vita	J 32	64	120	2001	39.2 11	155	40.5 13	38.5 15.5	5.1 9.2	No	Yes	19.7 677 2.5 0		32.4 29 11 6	10000 3840 Lead	0 1 FIXED	IB Feath 3	(Mtg 8/22/13, -6 sec/mi for sprit)		
Low-Down	Santa Cruz 27	8027	141	1979	32.7 10.9	140		28.25 8.58	3.68 6.06	Yes	No			27 24 8 4.5	3300 1500 Lead	0 1 FIXED	OB None			

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications		
		Sail #	DW Rating		I	J	Max Headsail	ISP	JSP	P	MGU	Yes/No	Yes/No		ASF	Ttl Disp.			Traps/H. Strps	
										E	MGM	SL	SPL		SLU	ASA			Ballast	moveable blst
		Disp/WL Ratio			Mast Material					PY	MSA	SSMG	SSA		SLE	Sprit Lngth			Ballast Mat.	Keel Type
				Rig Type			EY		SSF		ASM	Fixed or _o								
Moxy	Moore 24	110	150	1982	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No	27 9.75	0	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0			
Paramour	Moore 24	75	150	1980	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No	27 9.75	0	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0			
Rocket Science	Moore 24	104	150		26.25 9.75	155	26.25 9.76	25 9.5	3.91 6.5	Yes	No	27 9.75	0 0	23.75 21.75 7.16 4.08	2050 1025 Lead	0 1 FIXED	OB None 3			
Stink Eye	Laser 28 ODR MOD	33562	126		31.73 9.65	110	33.2	33.14 12.3	5.2 8.3	Yes	Yes	19 546	0.92	28.42 23.62 9.48 5	4050 1500 Lead	No 1 FIXED	OB FOLD 2	(Mtg 3/27/14, -3 sec/mi for oversized mainsail girths, -3 sec/mi for OB motor)		
Sweet Tea	Moore 24	105	150	1981	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No	27 9.75	0 0	23.75 21.75 7.16 4.08	2050 1025 Lead	0 1 FIXED	OB None			
WooHoo	Moore 24	80	150	1980	26.25 9.8	150	26.25	25 9.5	3.91 6.5	Yes	No	27 9.75	0 0	23.75 21.75 7.16 4.083	2050 1025 Lead	0 1 FIXED	OB None 0			
Aerie	CS 36	2160	123	1980	49 15	155	49	42.75 12.75	4.33 7.58	Yes	No	48.65 15	1034	36.5 29.25 11.5 6.25	15500 6500 Lead	0 1 FIXED	IB Fold			

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst	IB or OB Prop Type # of blades	
								SL	SPL	SLU	ASA						
								SSMG SSF	SSA	SLE ASMG	ASA						
Crews Nest	Catalina 34 1&2	1383	147	1997	44 13.5	130	44 13.5	38.5 12	3.6 6.8	Yes	No	35.67 29.83 11.75 5.58	11950 5000 Lead	No 1 FIXED	IB FEATH 3		
Kira	Aerodyne 38 SD	38104	45	2003	50.82 14.5	105	57.25 20.83	51.75 16.5	6.25 10.6	No	Yes	37.66 34.21 13 6	11850 4150 Lead	0 1 FIXED	IB Fold		
French Kiss	Beneteau 350 Oceanis	28713	144	1989	41.47 12.8	140	41.47	35.7 11.6	4.2 7.3	Yes	No	33.83 29.83 11.17 5.17	10580 3525 Lead	0 1 FIXED	IB FOLD 2	Above deck Roller Furler	
Friday Harbor	Beneteau 323 DK	28580	147	2004	42.67 11.06	116		38.9 13.17	5 8.56	No	Yes	32 29.17 10.67 5.92	8448 2258 Iron	No 1 FIXED	IB FOLD 2		
Irie	Beneteau 393 Oceanis SD	38200	150		46 14.5	110	46 14.5	40.2 15.1	4.63 8.12	No	Yes	38.12 35.1 13 5.1	21700 5357 Cast Iron	0 1 FIXED	IB Fold 3		
Joyicity	Custom Davidson 26	20746	156	1975	27 9.1	150	31.15 10	28.75 11.5	5.1 8.1	Yes	No	26.42 22.5 8.25 5.25	3000 1450 Lead	No 1 FIXED	IB FOLD 2	Removed IOR Bump infilled w/Divinacell w/fiberglass skin/faired; Installed Melges rig w/mod for Spinnaker; shortened boom; increased "P" increased "J", Code zero type furler used above deck; Handed on left side of coil; 10 # spin	
Stratocaster	J 32	16	126	1996	39.2 11	155	40.68	38.5 15.5	5.88 10.07	Yes	Yes	32.5 28.67 11 5.75	10000 3840 Lead	No 1 FIXED	IB FOLD 2		

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications										
			Built	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB											
										DW Rating	Mast Material									E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type
EY	SSA	ASMG	Fixed or _o	Max Draft																									
					Eliana II	Morgan 38-2	77486	156	1981	46	110	46	40.5	4.69	Yes	No	38.33	17000	0	IB	(Mtg 1/26/17, -3 sec/mi for oversized symmetric spinnaker area)								
					16.25		16.25	14.5	8.34			30.5	6800	1	Fixed_3														
			632		ALUMN							12	Lead	FIXED	3														
			272		MS				324		<input type="checkbox"/>	0	6																
Leda	Lapworth 36	71	150	1965	40.5	150	40.5	35.5	17.5	Yes	No	36	13500	No	IB														
					13.5		13.5	17.5				29	4500	1	FOLD														
			632		ALUMN			0				9.5	Lead	FIXED	0														
			252		MS			0			<input type="checkbox"/>	0	5.43																
Blade Runner	Santa Cruz 27	28727	141	1979	32.7	150	32.7	28.2	3.27	Yes	Yes	19.58	3000	0	OB														
					10.9		10.9	8.7	5.64			24.08	1600	1	None														
			631		ALUMN				146			8	Lead	FIXED															
			98		MS						<input type="checkbox"/>	90	4.5																
Mega Hurtz	Laser 28 ODR MOD	53470	129	1974	31.1	125	31.73	33.14	4.98	Yes	No	28.41	3950	0	OB	(Mtg 2/27/14, switched to outboard motor, -3 sec/mi)													
					9.65			12.96	8.4			23.62	1500	1	None														
			631		ALUMN				257			9.48	Lead	FIXED	2														
			136		FS						<input type="checkbox"/>	0	4.98																
Sonrisa	Baba 40	0	147		50	100	50	46	5.3	No	Yes	30.5	39.83	0	IB														
					21		21	14.75	9			1196	34.5	1	Feath														
			631		ALUMN				391			0	12.83	1															
			321		CTR						<input type="checkbox"/>	0	6	FIXED															
Boudicca	Elan 310	310	129	2010	40.19	106	42.55	39.53	5.28	No	Yes	25.91	30.3	0	IB														
					11.74		14.87	13.55	8.92			906	28.58	1	Fold														
			630		ALUMN				323			3	10.5	1															
			197		FS						<input checked="" type="checkbox"/>	0	6.23	FIXED															
Breakout	Santana 35	18679	114	1982	39	155	39	42	5.51	Yes	No	35	8500	No	IB														
					12.85			14.25	9.26			26.5	3300	1	FOLD														
			630		ALUMN				358			0	11.92	1															
			208		FS						<input type="checkbox"/>	0	6.25	FIXED	2														

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
			Built	ISP	I	J	Max	Head	Sail	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB	
			Rating	JSP	Head	Sail	Sail	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type			
			Disp/WL Ratio	Mast Material	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades							
First Light	Beneteau 35S5	115	126	1991	41.66	98		42.65	5.25	Yes	No	35.42	11460	No	IB				
					11.15		15.09	9.042		42.7	11.15	29.33	4190	1	Fixed_2				
					630	ALUMN	0	366		20.5	729	11.83	Lead	FIXED	2				
					206	FS	0			20.5		6							
Azure	Catalina 275 Sport	1	168	2013	34.42	106	11.83	31.5	5.33	No	Yes	27.5	5000	0	IB				
					8.99			11.48	8.17		37.5	26.57	2040	1	Fixed_2				
					629	ALUMN			233		35	8.5	Lead	FIXED					
					121	FS					22	5.2							
Baleineau	Ericson 34 Olson SM	42147	105	1988	44	155	44	38.8	4.88	Yes	No	34	10600	No	IB				
					13		44	13	8.25		43.5	28	3650	1	FOLD				
					629	ALUMN		0	298		23.25	10.83	Lead	FIXED	2				
					219	MS	0				23.25	6							
Galaxsea	Custom Nauticat 43.5	28743	180	1985	51	104	20.6	45	4.3	Yes	Yes	43.6	34000	No	IB	(Stay sail measurements foot=1', Luff=34'6", Leach=30'2", LP=132")			
					20			13.6	7.9		50.98	20	11000	1	FEATH				
					629	ALUMN		32.4	338		33.43	1439	Lead	FIXED	3				
					288	KTCH		8.5			35.6	5.9							
Nymph	S&S 30	60602	144	2013	38	90	43.58	40	5.35	No	Yes	30.5	6500	0	IB				
					9.5			14	8.96		43.2	27.5	2400	1	Fold				
					629	ALUMN			332		37.5	8.25	Lead	FIXED					
					142	FS					15.8	5.5							
Skye	Capo 30 MOD	0	114	1984	41.7	120	41.5	36	4.37	Yes	No	33	7500	0	IB	(Mtg 5/25/17, -9 sec/mi for increased LOA from added sugar scoop)			
					12.75		12.75	11.5	7.47		41.5	12	3000	1	Feath				
					629	ALUMN			247		21.5	740	Lead	FIXED					
					194	MS					21	5.42							
Ahi	Santana 35	30980	114	1981	39	155	39	42	5.51	Yes	No	35	8500	0	IB	(Mtg 6/27/13, new rudder noted, NCTR)			
					12.85			14.25	9.26		39	12.85	3300	1	Fold				
					628	ALUMN			358		23.13	752	Lead	FIXED	2				
					208	FS					23.13	6.25							

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications											
			Built	J	Max	Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps		IB or OB										
											DW Rating	Mast Material									PY	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type
Max Draft																														
Archaeopteryx	Hotfoot 20	101	177	1986	25	105	26.08	27.08	4.05	Yes	No	20	1000	0		OB														
					7		7.67	10.08	6.6			18	400	1		None														
			628		ALUMN				166			8.5	Lead	CNTRBRD																
			78		FS							5																		
Short Bus	Hunter 35 Legend	210	138	1990	42	110		44.08	5.5	No	Yes	24.6	12600	0		IB														
					12.17			14.25	9.2		Yes	24.6	5000	1		Fixed_2														
			628		ALUMN				375		49.5	957	Lead	FIXED																
			218		MS						39.8	0																		
											26	<input type="checkbox"/>	6.5																	
Loya	Ericson 34 Olson SM	3246	105	1989	44.5	154	44	38.84	4.69	Yes	Yes	23.8	10600	0		IB														
					13.25		13.25	12.9	8.38		Yes	23.8	3650	1		Fold														
			627		ALUMN				296		44	13.25	Lead	FIXED		2														
			219		MS						23.6	864																		
											23.35	0	6																	
Red Sky	Ericson 34 Olson SM	28340	105	1989	44	150	44	38.7	5.1	Yes	Yes	21.98	10855	No		IB	MTG 12/11/97(RUDDER REPLACED 8" DEEPER ADN 3" NARROWER.)													
					12.95		12.95	12.95	8.5		Yes	21.98	3500	1		FOLD														
			627		ALUMN			0	302		42	12.95	Lead	FIXED		2														
			225		MS			0			23.4	816																		
											17.91	0	6.08																	
Razzberries	Ericson 34 Olson TM	97479	99	1988	46.77	155	47	40.9	5.1	Yes	No		10855	No		IB														
					12.95			12.95	8.5		No		3500	1		FOLD														
			625		ALUMN			0	320		45.7	12.95	Lead	FIXED		2														
			225		MS			0			23.31	888																		
											23.31	0	6.085																	
Wood Eye	Catalina 38	111	123	1981	49.83	110	49.83	44	4.7	Yes	No		15900	0		IB														
					15.5		15.5	11.5	7.9		No		6850	1		Fixed_2														
			625		ALUMN				313		49	15.42	Lead	FIXED		2														
			261		MS						27.9	1139																		
											27.9	0	6.75																	
Giant Slayer	Santa Cruz 27	59369	141	1979	32.583	155	32.583	28.25	3.7	Yes	Yes	17.67	3304	No		OB	(Mtg 3/27/14, -3 sec/mi for 10% overized symmetrical spinnaker)													
					10.9		10.9	8.7	6.3		Yes	17.67	1800	1		None														
			624		ALUMN			0	157		32.8	10.9	Lead	FIXED		0														
			109		MS			0			19.6	536																		
											19.6	0	4.5																	
											13.42	90																		

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
		Sail #	DW Rating		I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp.	Traps/H. Strps		IB or OB Prop Type # of blades		
									SL	SPL	SLU	ASA			Ballast	moveable blst			
																		SSMG	
Rare Bird	Moore 24	67	141		26.58 9.75	100	28.31 11.65	25 9.5	3.91 6.5	Yes	Yes	17.22	23.75	2050	0	OB	(Mtg 10/27/16, -6 sec/mi for OSP, -6 sec/mi for increased spinnaker area)		
		624 91		ALUMN FS					147		27 11.65	32.18 464	21.75	1025	1	None			
											17.55 395	28.27 0	7.16	Lead	FIXED				
Abba-Zaba	Tartan 10	8112	129	1979	35 12	125	35	40.25 13.75	5.34 8.86	Yes	No		33.16	6700	0	IB	(+3 sec/mi credit for 125% or smaller headsail)		
											35 12		27	3340	1	FOLD			
											21.6 630	0	9.25	Lead	FIXED	2			
											21.6	<input type="checkbox"/>	5.83						
Azure	CAL 40	72	114	1966	46 15.17	150	46	40 17.5	6.65 11.37	Yes	No		39.3	15500	0	IB			
											46.5 15.17		30.5	6000	1	FEATH			
											27.3 1056	0	11	Lead	FIXED	2			
											27	<input type="checkbox"/>	5.5						
QE 3	Tartan 10	8049	129	1978	35 12	125	35 0	40.25 13.75	5.34 8.96	Yes	No		33.16	6700	0	IB			
											35 12		27	3340	1	FOLD			
											21.6 630	0	9.25	Lead	FIXED	2			
											21.6	<input type="checkbox"/>	5.83						
Topgallant	Tartan 10	18608	129	1978	35 11.75	125	35	40.25 13.75	5.34 8.96	Yes	No		33.16	6700	No	IB	(4/25/02 Installed Running Backstay)		
											35 12		27	3340	1	FOLD			
											21.6 622	0	9.25	Lead	FIXED	2			
											20.3	<input type="checkbox"/>	5.83						
Breakaway	Ultimate 20 CM	180	144	2002	26.08 6.97	114	27.58 12.79	27.33 10.17	5.5 7.96	No	Yes	19.167	20.83	1350	No	OB			
											30.42 441		18	450	1	Fixed_3			
											28.417 193	6	8.33	Lead	FIXED	3			
											17.7	<input checked="" type="checkbox"/>	5						
Flight Risk	Catalina 38	87586	117	1983	49.8 15.5	155	49.8	44 11.5	4.18 7.12	Yes	No		38.24	19489	No	IB	Roller Furler		
											49 15.5		30.45	6850	1	Fold			
											27.9 1139	0	11.12	Lead	FIXED	2			
											27.9	<input type="checkbox"/>	6.1						

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications					
			Built	J	Max Headsail	ISP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp. Traps/H. Strps		IB or OB								
									JSP	E				MGM	SL		SPL	SLU		ASA	LWL	Ballast	moveable blst	# of blades
Disp/WL Ratio	Mast Material	Rig Type	EY	SSFF	ASMG	Fixed or _o	Max Draft																	
Green Buffalo	CAL 40	8538	114	1967	46.7	155	46.7	39.8	6.65	Yes	No	39.3	15148	0	IB	Schumacher designed rudder - same as original								
					15.2			17.6	11.37			30	6000	1	FEATH									
			622		ALUMN		0	416			0	10.9	Lead	FIXED	3									
			255		MS		0				<input type="checkbox"/>	5.8												
Harp	Catalina 38	18003	117	1983	50.7	155	50.9	44	4.8	Yes	No	38.17	19489	No	IB	DEC 93 - 7X19 STND RIG/ W/ROD RIG & SHRTN UPR SPREADERS 2 IN. NO CHNG RTNG (MTG 1/27/94)								
					15.43			11.5	7.97			30.25	6850	1	FOLD									
			622		ALUMN		0	316			0	11.83	Lead	FIXED	2									
			320		MS		0				<input type="checkbox"/>	6.79												
Nozomi	CAL 40	164	114	1970	46.2	155	46.2	39.9	6.6	Yes	No	39.5	15500	0	IB									
					15.2			17.6	11.37			30	6000	1	FEATH									
			622		ALUMN		0	416			0	11	Lead	FIXED	3									
			261		MS		0				<input type="checkbox"/>	5.6												
Redhead	Cal 40	7817	114	1964	46	155	46.36	40	6.5	Yes	No	39.5	16500	No	IB									
					15.17			17.5	11.3			30	6000	1	Feath									
			622		ALUMN		0	414			0	10.92	Lead	FIXED	2									
			278		MS		0				<input type="checkbox"/>	5.75												
Crazy Rhythm	Santa Cruz 27	18771	144	1978	32.58	125	32.58	28.166	3.68	Yes	No	27	3200	No	OB	(Outboard Removed)								
					10.75			8.583	6.06			24	1600	1	None									
			621		ALUMN		0	153			0	8	Lead	FIXED	0									
			105		MS		0				<input type="checkbox"/>	4.5												
Geodesic III	Optima 101	103	138	1985	38.71	145	38.71	38.39	4.9	Yes	Yes	19.6	8511	0	IB	(Mtg 4/27/17, added 2' retractable bowsprit, -3 sec/mi)								
					12			13.45	8.2			586	3968	1	Fixed_2									
			621		ALUMN		0	298			2	11.15	Iron	FIXED										
			155		FS		0				<input type="checkbox"/>	4.76												
Sweet Grapes	Ericson 36 Holland	19	108	1981	47.75	147	47.75	42	3.5	Yes	No	35.58	11600	0	IB									
					14.5			12	7.2			29	5230	1	FOLD									
			621		ALUMN		0	278			0	11.83	Lead	FIXED	2									
			216		MS		0				<input type="checkbox"/>	6.25												

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:		ISP		Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications											
			Built	J	Max	Headsail	P	MGU	Yes/No	SPL	SLU	ASA	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB	# of blades													
																				DW Rating	Mast Material	E	MGM	SL	SSA	SLU	ASF	LWL	Ballast	moveable blst	Prop Type
EY	SSFF	ASMG	Fixed or _o	Max Draft																											
Whispering Winds	Lancer 36 MH	87374	141		42	125	41.9	37	4.8	No	Yes	26	36.17	10500	0	IB															
					16			12	7.9		42	932	29	4000	1	Fixed_3															
			621		ALUMN				269		39	0	11.75	Lead	FIXED																
			196		MS						28	<input checked="" type="checkbox"/>	6																		
Polecat	Wyliecat 30 IB	5	132	1997			29.5	40	7.35	No	No	21.6	30.5	5500	No	IB															
							12	20	12.66		32.8	493	25	3050	1	FOLD															
			620		CARBON			0	468		29.3	8	9.416	Lead	FIXED	2	(Articulating Sprint and Pole added for asym spinnaker, added asymmetrical, -21 sec/mi)(5/22/14, removed Asymmetric, +21 sec/mi)(Mtg 8/25/16, New rudder installed, NCTR)														
			160		CAT			0			18.4	<input type="checkbox"/>	5.25																		
Quila	Santa Cruz 27	18723	141	1976	32.583	10.75	155	32.583	3.68	Yes	No		27	3000	No	OB															
								8.583	6.1			10.75	24	1500	1	None															
			620		ALUMN			0	154			19.4	8	Lead	FIXED	0															
			99		MS			0				<input type="checkbox"/>	4.5																		
TAZ!!	Express 27 ODR	8100	132	1981	28.5	12.5	28.5	28.5	4.23	Yes	No		27.3	2450	0	NONE															
					9			10.42	7.04			9.83	23.8	1100	1	None															
			620		ALUMN				182			13	8.17	Lead	FIXED																
			83		FS							17.75	4.5																		
Gotcha	Santa Cruz 27	47911	141	1975	32.58	10.75	150	32.58	3.68	Yes	No		27	3200	0	OB															
								8.583	6.06			10.9	24	1600	1	None															
			619		ALUMN				154			19.6	8	Lead	FIXED																
			105		MS							19.6	4.5																		
												<input type="checkbox"/>	0																		
Wings	Columbia 5.5 M ODR	31	177	1965	29.125	8.25	96	30	4.59	Yes	No		32.416	4400	No	NA															
								11.416	7.65			8.25	25	2800	1	None															
			619		ALUMN			0	237			24	6.25	Lead	FIXED	0															
			128		FS			0				24	4.33																		
												<input type="checkbox"/>	0																		
Iniscaw	Martin 32	49143	126	1980	42.5	13.67	145	37.17	4.7	Yes	No		32.8	8200	0	IB															
								12	8			13.67	27	4100	1	FOLD															
			618		ALUMN				270			22.4	9.6	Lead	FIXED	2	(Mtg 10/2/13, new rudder, NCTR)														
			189		MS							24.4	6.1																		
												<input type="checkbox"/>	0																		

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications		
		Sail #	DW Rating		I	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No		LOA	Ttl Disp.	Traps/H.		Strps	IB or OB
										E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst			Prop Type
		Disp/WL Ratio			Mast Material					PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type			# of blades
							EY		SSF		ASM	Fixed or _o	Max Draft								
UHOO!	Ultimate 20	64	144	1996	22.8	100	27.58	27.5	5.3	No	Yes	19.2	20.8	1100	No		OB				
					7		13	10.33	7.96		31.3	446	18	450	1		None				
		614			ALUMN			0	194		28.4	6	8.166	Lead	CENTER		0				
		86			FS			0			17.6	<input checked="" type="checkbox"/>	5								
Marrakesh	Express 34	3	102	1987	44.25	125	44.25	38.5	4.87	Yes	No		34	9245	No		IB				
					13			12.83	8.46				28.33	3800	1		FOLD				
		613			ALUMN			0	296		23.4	858	10.33	Lead	FIXED		2				
		185			MS			0			23.4		6.11								
Peabody	Ultimate 20	22	144		25.08	110	27.58	27.5	5.5	No	Yes	19.2	20.94	1350	0		OB				
					6.97		12.79	10.25	7.96		31.3	448	18	450	1		None				
		613							195		28.4	6	8.33	Lead	CNTRBRD						
		105			FS						17.7	<input checked="" type="checkbox"/>	5.03								
Pony Express	Express 34	28234	99	1988	44.25	155	44.25	38.5	4.87	Yes	No		34	7500	No		IB				
					12.92			12.83	8.46				28.33	3700	1		FOLD				
		613			ALUMN			0	296		23.4	858	10.5	Lead	FIXED		2				
		150			MS			0			23.4		6								
Windswept Lady	X-362 Classic	50980	96	1998	46.6	125	46.6	40.6	5.05	Yes	Yes	26.7	35.1	12320	0		IB				
					12.9		12.9	14.1	8.86		46.8	878	30.4	5170	1		Fold				
		613			ALUMN				333		42.3	0	11.4	Lead	FIXED						
		199			MS			22.97			22.9	<input type="checkbox"/>	6.2								
Abigail Morgan	Express 27 ODR	18394	129	1985	28.5	150	28.5	28.5	4.22	Yes	No		27.25	2450	No		OB				
					9			10.416	7.03				23.75	1100	1		None				
		612			ALUMN			0	182		17.75	421	8.166	Lead	FIXED		0				
		83			FS			0			17.4		4.5								
Elise	Express 27 ODR	101	129	1986	28.5	155	28.5	28.5	4.22	Yes	No		27.25	2450	0		OB				
					9			10.416	7.03				23.75	1100	1		None				
		612			ALUMN				182		17.75	423	8.17	Lead	FIXED		0				
		83			FS			17.75				<input type="checkbox"/>	4.5								

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
		Sail #	DW Rating		I J	Max Headsail		P E	MGU MGM	SL	SPL	Yes/No	Yes/No		ASF	Ttl Disp.			Traps/H. Strps
						Mast Material		PY	MSA	SSMG	SSA	SLU	ASA			Ballast			moveable blst
		Disp/WL Ratio			Rig Type			EY		SSF		SLE	Sprit Lngth		Fixed or _o	Ballast Mat.			Keel Type
Hang 20	Express 27 ODR	48	129	1982	28.5 9	125	28.5	28.5	4.22	Yes	No			27.3 23.8 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0		
Simply Irresistible	Express 27 ODR	18070	129	1983	28.5 9	155	28.5	28.5	4.22	Yes	No			27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0		
Yeti	Express 27 ODR	38	129	1983	28.5 9	155	28.5	28.5	4.22	Yes	No			27.25 23.75 8.16 4.5	2450 1100 Lead	0 1 FIXED	OB None		
Andale	Express 27 ODR	72	129	1985	28.5 9	155	28.5	28.5	4.22	Yes	No			27.25 23.75 8.17 4.5	2450 1100 Lead	0 1 FIXED	None		
Archimedes	Express 27 ODR	18355	129	1985	28.5 9	155	28.5	28.5	4.22	Yes	No			27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	NONE None 0		
Bombora	Express 27 ODR	38047	129		28.5 9	155	28.5	28.5	4.22	Yes	No		0	27.25 23.8 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0		
Current Affair	Express 27 ODR	56	129	1983	28.5 9	155	28.5	28.5	4.22	Yes	No			27.25 23.75 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None		

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
		Sail #	DW Rating		I J	Max Headsail		P E	MGU MGM	SL	SPL	Yes/No	ASF		Ttl Disp.	Traps/H. Strps		
						Mast Material		PY	MSA	SSMG	SSA	SLU	ASA		Ballast	moveable blst		
		Disp/WL Ratio			Rig Type			EY		SSF		SLE	Sprit Lngth		Ballast Mat.	Keel Type		
										Fixed or _o								
Dianne	Express 27 ODR	0	129	1981	28.5 9	155	28.5	28.5	4.22	Yes	No		27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0		
El Raton	Express 27 ODR	28050	129	1985	28.5 9	155	28.5	28.5	4.22	Yes	No		27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0		
Ergo	Express 27 ODR	40428	129		28.5 9	155	28.5	28.5	4.22	Yes	No	0	27.25 23.75 8.075 4.5	2450 1100 Lead	0 1 FIXED	OB None 0		
Get Happy!!	Express 27 ODR	1	129	1981	28.5 9	155	28.5	28.5	4.22	Yes	No		27.25 23.75 8.166 4.5	2450 1100 Lead	No 1 FIXED	OB None 0		
Levitation II	Express 27 ODR	77	129	1984	28.5 9	150	28.5	28.5	4.22	Yes	No		27.25 23.75 8.166 4.5	2450 1100 Lead	No 1 FIXED	OB None 0		
Motorcycle Irene	Express 27 ODR	28137	129	1982	28.5 9	155	28.5	28.5	4.22	Yes	No		27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0		
Peaches	Express 27 ODR	18364	129	1986	28.5 9	155	28.5	28.5	4.22	Yes	No		27.25 23.75 8.166 4.5	2450 1100 Lead	No 1 FIXED	OB None 0		

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications	
			Built	J	Max	IS	P	MGU	Yes/No		SLU	ASF	LOA	Ttl Disp. Traps/H. Strps		IB or OB				
									ISP	MGM				SL	SPL		Ballast	moveable blst		Prop Type
DW Rating	Mast Material	EY		ASA	Max Draft	Ballast Mat.														
Make Me Smile	Express 27 ODR	91	129	1986	28.5	155	28.5	28.5	4.22	Yes	No	27.25	2450	0	OB					
					9		10.42	4.22	7.03			23.8	1100	1	None					
			610		ALUMN			182				8.17	Lead	FIXED	0					
			83		FS						<input type="checkbox"/>	4.5								
Moonlight	Express 27 ODR	28059	129	1986	28.5	155	28.5	28.5	4.22	Yes	No	27.25	2450	No	OB					
					9		10.416	4.22	7.03			23.75	1100	1	None					
			610		ALUMN		0	182				8.17	Lead	FIXED	0					
			83		FS		0				<input type="checkbox"/>	4.5								
Sir Leansalot	Hunter 40	161	108	1986	53.9	125	53.9	48	5.2	Yes	No	39.7	17400	0	IB					
					17		13.9	9				32.5	6000	1	Fixed_2					
			610		ALUMN		0	396				13.5	Iron	FIXED	2					
			230		MS		0				<input type="checkbox"/>	6.5								
Tule Fog	Express 27 ODR	18178	129	1984	29	155	28.5	29	4.22	Yes	No	27.3	2450	n	OB					
					9		10	4.22	7.03			23.8	1100	1	None					
			610		ALUMN			182				8.166	Lead	FIXED	0					
			83		FS						<input type="checkbox"/>	4.5								
Big Air	Open 5.7 ODR	189	138	2006	21.52	117	21.6	25.33	5.7	No	Yes	17.6	18.75	0	OB					
					7.3		10.24	5.7	8.2			345	18.7	1	None					
			609		ALUMN			183				5	8.3	1	None					
			69		FS						<input checked="" type="checkbox"/>	0	5.74	FIXED	0					
Shenanigans	Express 27 ODR	67	129	1983	28.5	155	28.5	28.5	4.22	Yes	No	27.25	2450	0	OB					
					9		10.42	4.22	7.03			23.75	1100	1	None					
			609		ALUMN		0	182				8.17	Lead	FIXED	0					
			83		FS		0				<input type="checkbox"/>	4.5								
Althea	Cavalier 39	38101	129	1981	48.5	120	46	42	4.55	No	Yes	28.23	38.98	0	IB	(Mtg 4/28/16, -3 sec/mi for oversized spinnaker pole, -3 sec/mi for oversized spinnaker)				
					14.83		12	4.55	7.79			1029	29.49	1	Fixed_3					
			608		ALUMN			301				0	11.22	1	Fixed_3					
			234		MS						<input type="checkbox"/>	90	5.97	FIXED						

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications							
			Built	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF		LOA	Ttl Disp.	Traps/H. Strps			IB or OB						
										DW Rating	Mast Material		E	MGM			SL	SPL			SLU	ASA	LWL	Ballast	moveable blst	# of blades
EW	MSA	SSMG	SSA	ASMG	Fixed or _o	Max Draft																				
Domino	Wilderness 30 MOD	38081	126	1985	36	155	36	31.5	4.11	Yes	No		30	5450	0	IB	(Mtg 3/28/13, +6 sec/mi for small rig)									
					12.25		12.25	10.83	6.93			27.75	2150	1	Fold											
			608		ALUMN						0	8.8	Lead	FIXED												
			116		MS						0	5.5														
Pork Chop Express	Express 27 ODR	115	129	1986	28.5	130	32.5	28.5	4.2	Yes	No	19.55	27.25	2450	0	OB	(Mtg 1/26/17, -3sec/mi for switching to MH configuration. New Rudder, NCTR)(08/11/17, switching back to OD config)									
					9			10.4	7			23.75	1100	1	None											
			608		ALUMN						425	8.17	Lead	FIXED												
			83		MS						0	4.5														
Revelry	Catalina 42-1/2	703	105	1999	53	125	53	46.75	5.75	No	Yes	27.5	41.833	20500	No	IB	ASYM SPIN NOTED NCTR.									
					16.416		16.416	15.416	9.833			1097	36	8300	1	FEATH										
			608		ALUMN			0	425			0	13.833	Lead	FIXED	3										
			200		MS			0				26	6.83													
Allons-Y	J 70 ODR	346	114	2014	26.77	100	30.15	26.16	4.71	No	Yes	18.7	22.75	1750	0	OB										
					7.68		13.5	9.44	6.93			491	20.47	630	1	None										
			607		CARBON				164			5.1	7.38	Lead	MVBL											
			93		FS							0	4.92													
Benny	J 70 ODR	897	114	2015	26.77	100	30.15	26.16	4.71	No	Yes	18.7	22.75	1750	0	OB										
					7.68		13.5	9.44	6.93			491	20.47	630	1	None										
			607		CARBON				164			5.1	7.38	Lead	MVBL											
			93		FS							0	4.92													
Penny Pincher	J 70 ODR	215	114	2014	26.77	100	30.15	26.16	4.71	No	Yes	18.7	22.78	1750	0	OB										
					7.68		13.5	9.44	6.93			491	20.47	630	1	None										
			607		CARBON				164			5.1	7.38	Lead	MVBL											
			93		FS							0	4.92													
Prime Number	J 70 ODR	29	114	2012	26.77	100	30.15	26.16	4.71	No	Yes	18.7	22.78	1750	0	OB										
					7.68		13.5	9.44	6.93			491	20.47	630	1	None										
			607		CARBON				164			5.1	7.38	Lead	MVBL											
			93		FS							0	4.92													

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications			
			Built	J	Max Headsail	ISP	P	MGU	Yes/No		SLU	ASF	LOA	Ttl Disp. Traps/H. Strps		IB or OB						
									DW Rating	Mast Material				E	MGM		SL	SPL		Ballast	moveable blst	# of blades
JSP	ASA	LWL	Max Beam	Max Draft																		
					Max Beam	Max Draft	Max Beam	Max Draft	Max Beam	Max Draft	Max Beam	Max Draft	Max Beam	Max Draft								
Rampage	J 70 ODR	582	114	2014	26.77 7.68	100	30.15 13.5	26.16 9.44	4.71 6.93	No	Yes	18.7 491	22.75 20.47	1750 630	0 1	OB None						
		607 93			CARBON FS				164			5.1 0	7.38 4.92	Lead MVBL								
Scilla	J 70 ODR	327	114	2012	26.77 7.68	100	30.15 13.5	26.16 9.44	4.71 6.93	No	Yes	18.7 491	22.78 20.47	1750 630	0 1	OB None						
		607 93			CARBON FS				164			5.1 0	7.38 4.92	Lead MVBL								
Uno	Wyliecat 30 IB	28632	129	1995	35.8 5.5		35.8 12	39.66 19.75	9.31 13.05	No	Yes	19.68 550	30.5 25	5800 3000	0 1	IB FOLD	(mtg 2/21/08, penalty for oversized main -3 sec/mi)(Mtg 5/22/08, -24 for asymmetric spinnaker flown on 12' pole)(1/24/16, not using spinnaker +24 sec/mi)					
		607 169			CARBON CAT				493		12	0 90	9.5 5.25	Lead FIXED	2							
Wingman Racing	J 70 ODR	584	114	2014	26.77 7.68	100	30.15 13.5	26.16 9.44	4.71 6.93	No	Yes	18.7 491	22.75 20.47	1750 630	0 1	OB None						
		607 93			CARBON FS				164			5.1 0	7.38 4.95	Lead MVBL								
Zwei Flying Fish	San Juan 33s	59733	129	1981	34.83 11.48	134	34.83	39.16 12.66	4.66 8.08	Yes	No		33.1 27.8	6000 3500	0 1	IB Fold	(Mtg 5/28/15, +3 sec/mi for small rig)					
		606 127			ALUMN FS				292			0 0	7.95 5.5	Lead FIXED								
Boomer	Melges 20	676	111	2009	23.19 7.05	110	27.2 10.95	24.25 9.84	3.83 7.42	No	Yes	18.8 417	20 19.4	1105 415	0 1	OB None						
		604 69			CARBON FS				152			3.9 0	7 4.5	Lead FIXED	0							
Farriage	Catalina 42-1/2	336	102	1992	53 16.42	130	53 16.42	46.75 16.42	5.75 9.83	No	Yes	27.08 1042	41.83 36	20600 8300	0 1	IB Feath						
		604 201			ALUMN MS				437			0 0	13.83 6.83	Lead FIXED	3							

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications											
			Built	J	Max	Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps		IB or OB										
											DW Rating	Mast Material									PY	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type
Max Draft	Ballast Mat.	Keel Type	# of blades																											
Gavilan	Custom Wylie 39	28439	93	1996	49	122	49	43	5.73		Yes	Yes	24.6	41.5	17900	No	IB	(mtg 4/28/11, change custom rating from 84 to 96 after review of rating appeal)(Mtg 1/26/12, -3 sec/mi for sprit)												
					14.5			15.5	9.75	48.64	14.5	48.39	31.75	5920	1	FEATH														
			604		ALUMN		0	0	390	26.6	1078	47.08	11.5	Lead	FIXED	3														
			254		MS		0	0		26.6		18.47	6.77																	
Kwazy	Wylie Wabbit ODR W/Trap	26	126	1982	20.416	150	20.5	23	4.02		Yes	No	23.58	975	Yes	NONE														
					6.416			10	6.71	22	8.5		20	440	3	None														
			604		ALUMN		0	0	141	14			5.42	Lead	FIXED	0														
			55		FS		0	0		14		<input type="checkbox"/>	3.41																	
Problen Child	Melges 20	134	111	2009	23.19	110	27.2	24.25	3.83		No	Yes	18.8	20	1105	0	OB													
					7.05		10.95	9.84	7.42			29.78	19.4	415	1	None														
			604		CARBON				152			26.25	7	Lead	FIXED															
			69		FS							17.65	4.5																	
Bad Hare Day	Wylie Wabbit ODR W/Trap	35	126	1982	20.75	150	20.5	23.75	4.03		Yes	No	23.75	975	Yes	OB														
					6.5			10	6.72	21.6	8.5		20	440	3	None														
			603		ALUMN		0	0	145	14			5.583	Lead	FIXED	0														
			55		FS		0	0		14		<input type="checkbox"/>	3.5																	
CruzSea Baby	Beneteau First 10R ODR	52878	81	2007	43.2	155	46.41	42.25	5.59		No	Yes	27.5	32.75	9715	0	IB	(Rudder Modifications noted, smaller non-class spinnaker +3 sec/mi)												
					12.07		16.5	14.73	9.57			49.5	28.7	3528	1	Fold														
			603		CARBON				371			41.5	11	Lead	FIXED	2														
			187		FS							27.9	6.55																	
Gig	Humboldt 30 IB	18112	108	1983	37.5	149	37.5	41.5	5.13		Yes	No	30	5400	No	IB														
					11.5			13.75	8.83	37	11.5		26.66	2222	1	FOLD														
			603		ALUMN		0	0	338	20.7	635		10.5	Lead	FIXED	2														
			130		FS		0	0		20.2		<input type="checkbox"/>	5.75																	
Tequila Mockingbird	Express 27 ODR	18353	126		28.5	155	32.5	28.5	4.22		Yes	Yes	18.85	27.25	2450	No	OB	(Mtg 4/23/15, switched to MH configuration, -3 sec/mi for increased spinnaker area)												
					9			10.416	7.03	30.5	9.833	33.85	23.75	1100	1	None														
			603		ALUMN		0	0	182	18.25	460	26.25	8.17	Lead	FIXED	0														
			83		FS		0	0		17.5		17.75	4.5																	

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications										
			Built	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB											
										DW Rating	Mast Material									PY	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type
Max Draft																													
Ala Moana	Beneteau First 30	104	99	2012	41.66 13.78	105	42.16 15.78	40.3 14.25	6.28 9.38	No	Yes	28.82 1049	31.7 27.6	8267 2403	0 1	IB Fold													
			602 179		ALUMN FS				356			2 0	10.5 6.25	Cast Iron	FIXED	2													
Hera	Beneteau Farr First 36.7	28372	81	2002	46.4 13.1	150	46.4 13.1	45.4 15.6	5.92 12.49	Yes	No		36 30.3	12495 3748	No 1	IB FOLD													
			602 204		ALUMN FS			0 0	458			0	11.6 7.2	Lead	FIXED	2													
Keala	Wylie Wabbit ODR W/Trap	12	126	1982	20.5 6.5	150	20.5	23.75 10	4.03 6.72	Yes	No		23.75 20	975 440	Yes 3	OB None	Hiking straps and single trapeze												
			602 55		ALUMN FS			0 0	145			0	5.58 3.5	Lead	FIXED	0													
Lepus	Wylie Wabbit ODR W/Trap	18	126	1982	20.5 6.5	150	20.5	23.75 10	4.03 6.72	Yes	No		23.75 20	975 440	1 3	OB None	Hiking Straps & Trapeze per class rules												
			602 55		ALUMN FS			0 0	145			0	5.58 3.5	Lead	FIXED	0													
Mistral	Beneteau Farr First 36.7	28394	81	2002	46.4 13.1	155	46.4 13.1	45.4 15.6	5.92 12.49	Yes	No		35 30.3	12495 4034	No 1	IB FOLD													
			602 204		ALUMN FS			0 0	458			0	11.6 7.2	Iron	FIXED	2													
Mr McGregor	Wylie Wabbit ODR W/Trap	8426	126	1982	20.5 6.5	150	20.5	23.75 10	4.03 6.72	Yes	No		23.75 20	975 440	1 3	OB None	INCLUDES HIKING STRAPS AND SINGLE TRAPEZE.												
			602 55		ALUMN FS			0 0	145			0	5.58 3.5	Lead	FIXED	0													
Pressure Drop	Beneteau Farr First 36.7	52489	78	2006	46.4 13.1	155	46.4 14.35	45.4 15.6	5.92 12.49	Yes	No	23.29 867	36 30.3	12495 4034	0 1	IB Fold	(12/2/16, -3 sec/mi for JSP)												
			602 204		ALUMN FS				458			0 90	11.4 7.3	Lead	FIXED	2													

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications						
			Built	J	Max	ISP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp. Traps/H. Strps		IB or OB									
									DW Rating	Mast Material				E	MGM		SL	SPL		SLU	ASA	LWL	Ballast	moveable blst	# of blades
EY	SSF	ASM	Fixed or _o	Max Draft																					
Tijd	Beneteau First 30	45	102	2011	41.66	105	42.16	40.2	6.24	No	Yes	25.5	31.7	8267	0	IB	(Mtg 8/27/15, -3 sec/mi for OSP, +6 sec/mi for small spinnaker)								
					13.78		15.7	14.25	9.38		15	45.6	27.5	2403	1	Fold									
			602		ALUMN							40.5	10.5	Cast Iron	FIXED										
			181		FS							23.8	6.25												
Wind Blown Hare	Wylie Wabbit ODR W/Trap	29	126	1982	20.5	150	20.5	23.75	4.03	Yes	No		23.75	975	1	OB									
					6.5			10	6.72			20	440	3	None										
			602		ALUMN			0	145			13.9	5.583	Lead	FIXED	0									
			55		FS			0				13.7	3.5												
Allegro	Beneteau Farr First 36.7	56657	78	2010	46.42	155	46.42	45.4	5.92	Yes	Yes	23.41	36	12939	0	IB	(Mtg 1/26/16, -3 sec/mi for increased JSP)								
					13.1		14.35	15.6	12.49			834	30.3	3993	1	Fold									
			601		ALUMN				458			43	11.4	Lead	FIXED	2									
			211		FS							21.83	7.3												
Ariadne	Beneteau Farr First 36.7	403	84		46.4	125	46.4	46.4	5.92	Yes	No		36	12495	No	IB									
					13.1		13.1	15.6	12.49				30.3	4034	1	Fold									
			601		ALUMN			0	468			0	11.4	Lead	FIXED	2									
			204		FS			0					7.3												
Lonestar	Beneteau First 10R ODR MOD	40	84	2007	43.2	100	46.41	42.25	5.59	No	Yes	25.5	32.75	9715	0	IB	(Mtg 5/20/10, +3 sec/mi for non-class smaller kite)(Mtg 9/23/10, rudder modifications noted, NCTR)(Mtg 4/26/12, new rudder noted, NCTR)								
					12.07		16.5	14.73	9.57			1078	28.7	3528	1	FOLD									
			601		CARBON				371			4.43	11	Lead	FIXED	2									
			187		FS							26.4	6.55												
Mulan	Beneteau First 10R ODR	52659	84	2007	43.2	100	46.41	42.25	5.59	No	Yes	25.5	32.75	9715	0	IB	(mtg 9/23/10, +3 sec/mi for non-class smaller kite)								
					12.07		16.5	14.73	9.57			1078	28.7	3258	1	Fold									
			601		CARBON				371			4.43	11	Lead	FIXED	2									
			187		FS							26.4	6.55												
Serenade	Sabre Spirit		96	2007	45.5	106	51.2	45.5	5.55	Yes	No	23	36.67	10500	0	IB									
					12.87		12.87	16.55	9.93			976	28.33	3740	1	Fold									
			601		CARBON				425			0	10.42	Lead	FIXED										
			210		FS							23.9	6.58												

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
		Sail #	DW Rating		I J	Max Headsail		P E	MGU MGM	Yes/No	Yes/No	ASF	Ttl Disp.		Traps/H. Strps			
						Mast Material		PY	MSA	SL	SPL	SLU	ASA		Ballast	moveable blst		
		Disp/WL Ratio				Rig Type		EY		SSMG	SSA	SLE	Sprit Lngth		Ballast Mat.	Keel Type		
								ASM	Fixed or_o									
White Wabbit	Wylie Wabbit ODR W/Trap	19	126	1982	20.5 6.6	110	26.1	23.75 10	4.03 6.72	Yes	21.6	8.6	No	23.75 20	975 440	Yes 1	OB None 0	
			601 55		ALUMN FS			0 0	145		14 14	252		5.58 3.5	Lead	FIXED		
Yellow Brick Road	Jeanneau Sun Odyssey 40	33300	90	1999	50 13.75	125	50 13.8	43.25 15.67	5.7 9.89	No			Yes	25.59 33.33	16094 5291	0 1	IB FEATH 3	
			601 198		ALUMN MS			0 0	396				52.33 45.37 27.23	1095 0 0	12.92 6.33	Iron	FIXED	
Starbuck	Custom Black Soo 30	8666	144	1968	30 13	125	29.5 13	25 11.73	4.9 7.5	Yes	31	13	No	20.4 27.5	4500 1800	0 1	OB None 0	(Mtg 1/17/02, added scoop, custom rating changed from 144 to 141)(mtg 1/11/13, Added A-sail, -9 sec/mi, rating changed from 141 to 132)(Mtg 5/13/14, removed A-Sail, +9 sec/mi, change custom rating from 132 to 141, +2 sec/mi for small headsail)
			600 98		ALUMN MS			0 0	178		22.1 23.2	577	32.6 19.1	0 0	6.8 6.4	Iron	FIXED	
Escapade	Sabre 40-2	38011	75	1997	54 15.5	110	54 16	47.5 17	5.6 9.9	Yes	51.25	15.5	Yes	23.5 34	19760 7500	0 1	IB FEATH 3	
			599 229		ALUMN MS				449		27.3 25.6	1151	47 24	0 0	13.3 7.5	Lead	FIXED	
E-Ticket	Moorings 38 SD	119	117	1990	47.5 13.9	155	47.5 13.9	41.7 15	5.69 9.45	Yes	47.6	13.9	No	38.4 31.33	13700 5400	0 1	IB Fold 2	Shoal Draft (Mtg 10/27/16, -3 sec/mi for oversized spinnaker area)
			599 202		ALUMN MS				369		25.4 23.8	995		0 0	12.5 4.8	Steel	FIXED	
Frisky	Open 5.7 ODR	281	138	2009	21.52 7.3	117	27.9 12.3	25.33 10.24	5.7 8.2	No			Yes	17.5 18.7	992 405	0 1	NONE None	
			599 69		ALUMN FS				183				20.6 17.5	5 0	8.3 5.7	Lead	FIXED	
Iolani	Hughes 48	38048	120	1972	54.3 18.2	135	20.2	48.2 19	5.9 10.4	Yes	40.32	18.2	Yes	32.76 35.1	32000 14300	0 1	IB FEATH	
			599 336		ALUMN YAWL			23 10	493		32.76 32.76	1101	48.6 32.76	0 0	11.1 6	Lead	FIXED	3

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications							
			Built	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF		LOA	Ttl Disp.	Traps/H. Strps		IB or OB							
										DW Rating	Mast Material		E	MGM			SL	SPL			SLU	ASA	LWL	Ballast	moveable blst	# of blades
Disp/WL Ratio	Rig Type	EY		ASM	Fixed or _o	Max Draft																				
Popstar	Catalina 400	331	108	2005	52.5	135	52.5	46.9	4.02	No	Yes	27.9	41.54	20500	0	IB	(+3 sec/mi for in-mast furling mainsail, +3 sec/mi for MGM <50% of E)									
					15.5		16.5	17	8.27		52.16	1225	36.5	8300	1	Fold										
											50	0	13.5	Lead	FIXED	3										
											29	<input checked="" type="checkbox"/>	6.92													
Dare Dare	Jeanneau Sun Fast 3200	39	81	2008	41.92	102	43.77	38.67	5.28	Yes	Yes	24.41	33.1	7916	0	IB										
					12.58		13.61	13.68	8.46		44.91	13.58	28	2866	1	Fold										
											24.08	896	11.5	Lead	FIXED	2										
											23.39		6.2													
Tortuga	Pyramid 660 ODR MOD	8375	174	1981	21.82	104	28	25.7	4	Yes	No		21.8	850	2	OB	(Mtg 5/20/10, removed trapeze +18 sec/mi, hiking straps still allowed)(1/24/13, added upper spreaders & stays, NCTR)									
					6.8		7	10.5	6.8			8	18.1	400	1	None										
											14	299	6.2	Lead	FIXED	2										
											13.3		3.9													
Elan	Beneteau 37	46	114	2012	45.83	105	48	43.5	6.16	No	Yes	26.6	37.8	14359	0	IB										
					15			12.83	8.83		45.94	915	34.08	3901	1	Fold										
											39.17	0	12.83	Iron	FIXED											
											25.6	<input checked="" type="checkbox"/>	6.25													
Lilith	Custom Wyliecat 39	7	102	1992				50.75	10.45	No	No		38.83	12000	No	IB	HULL DESIGN IS VERY SIMILAR TO WYLIECAT 30.NO JIB, NO SPINNAKER, NO SPANKER,NO REACHER, NO VANG,NO TWEEKER,NO STAYS ETC., AS SAILED RATING 102 PER MTG 6/15/02									
								26.5	17.5			0	32	6200	1	FOLD										
								0	811			0	11.83	Lead	FIXED	2										
								0				<input type="checkbox"/>	6.67													
Carmelita	Catalina 42-1/2	131	105	1990	53	125	53	46.75	4.98	Yes	Yes	27.75	41.83	22000	No	IB										
					16.42			15.5	8.85		49	16.42	36	8300	1	FEATH										
								0	399		29.55	1207	13.83	Lead	FIXED	3										
								0			24.42	<input checked="" type="checkbox"/>	6.66													
Checkedred Past	Custom Wyliecat 39	3	102	2002				52	10.2	No	No		38.83	12000	0	IB	Boat has been modified for handicapped sailing									
								26.6	17.4			0	32	6200	1	FOLD										
												0	11.5	Lead	FIXED	2										
												<input type="checkbox"/>	6.6													

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications	
		Sail #	DW Rating		I	J	Max	ISP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps		IB or OB
					Headsail			JSP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst			Prop Type
		Disp/WL Ratio			Rig Type			PY	MSA	SSMG	SSA	SLE	Sprit	Lngrh	Max Beam	Ballast Mat.	Keel Type			# of blades
					EY		SSF		ASM	G	Fixed or _o	Max Draft								
Hijinks	J 92	90	108	1996	37	97	38.5	37.66	5	No	Yes	26.51	30	5500	0	IB				
					11.5		17	13.22	8.6		45.4	868	26.5	2275	1	Fold				
					ALUMN				297		40.85	5.5	10	Lead	FIXED	2				
					FS						23.55	<input checked="" type="checkbox"/>	5.9							
Oscar	Santa Cruz 33	57663	117	1978	41	125	41	35.42	4.25	Yes	No		33	7000	No	IB				
					13.583			15	7.166		41	13.68	28	3000	1	FOLD				
					ALUMN				269		24.6	841	10.06	Lead	FIXED	2				
					MS						24.6		6							
Puffin	Alden 44	38144	117	1978	54.1	100		47.08	5.7	No	Yes	33	44.17	24500	0	IB				
					19.5			14.75	9.6		53	1369	34.08		1	Feath				
					ALUMN				416		49	0	12.5	Lead	CNTRBRD					
					CTR						32	<input type="checkbox"/>	8.75							
TESA	Catalina 42-1/2	642	102	1999	53	155	53	46.75	5.91	Yes	Yes	31	41.83	25500	0	IB	Added one electric main halyard winch			
					16.41		23	15.416	10		52	1275	36	8300	1	FEATH				
					ALUMN			0	430		44.2	0	13.83	Lead	FIXED	3				
					MS			0			32	<input checked="" type="checkbox"/>	6.8							
Vita E Bella	Catalina 42-1/2	989	99	2007	53	155	16.5	46.9	5.2	No	Yes	27.3	41.83	24400	0	IB	(mtg 3/28/13, -3 sec/mi for added sprit)			
					16.5		16.5	15.6	9.5		53.8	1105	36	3765	1	FOLD				
					ALUMN				415		50.4	3.67	13.1	Lead	FIXED	3				
					MS						25	<input checked="" type="checkbox"/>	6.8							
Bessie's Girl	Bristol 45.5	30088	114	1980	57	130	57	47.25	4.66	Yes	Yes	33	45.5	40000	No	IB	(mtg 2/18/10, -3 sec/mi for dual spinnakers/ability to use asym on squared back pole)			
					18.83		18.83	15.2	8.56		56	18.83	37.25	15000	1	FEATH				
					ALUMN			30.25	390		33	1540	13.2	Lead	CNTRBRD	3				
					KTCH			8.25			33		11							
											29.5	<input checked="" type="checkbox"/>								
Freedom	Worth 40	18230	96	1984	54	155	16	47	5.5	Yes	No		40	21000	0	IB				
					16		16	14	9.2		52	16	34.25	7800	1	FOLD				
					ALUMN			0	397		28.8	1248	12.5	Lead	FIXED	2				
					MS			0			28.8		7.25							

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
		Sail #	DW Rating		I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp.	Traps/H. Strps		IB or OB Prop Type # of blades	
										SL	SPL	SLU	ASA			Ballast	moveable blst		
ASF	Fixed or _o	SSF	SSA	ASMG	Fixed or _o	Keel Type													
Imagination	Bavaria 40	0	108	2001	47.25 14.58	111	48	44.46 15.58	5 9.21	No	Yes	20 828	40.94 35.93 13.1 6.4	17417 6283 Lead	0 1 FIXED	IB Fold			
Lady Jane	Jeanneau 39i Sun Odyssey	7913	93	2008	48.1 13.1	122	48.1	46.3 14.6	5.42 9.28	No	Yes	27.46 1012	38.1 35.2 12.9 6.7	16163 5026 Cast Iron	0 1 FIXED	IB Feath 3			
Ragtime!	J 92	18	105	1993	37 11.5	155	38.5 17	38 13.5	4.7 8.2	No	Yes	29.75 1019	30 25.8 10 5.9	5500 2275 Lead	No 1 FIXED	IB FOLD 2	(changes noted 3-11-03, NCTR)(2/14/06 - Spinnaker based on 1019 sq feet/94.67 meters)(Mtg 01/16/14, -3 sec/mi for flying asymmetric off squared back pole)(Mtg 4/24/14, New Rudder noted. NCTR. Shortened pole/sprit		
Vento	Swan 391	40841	99		53.5 16.25	95	53.5 16.25	47.25 14	5.5 9.2	Yes	Yes	26 1014	39.9 33.1 12.4 7.2	18900 6800 Lead	0 1 FIXED	IB Fold			
Double Espresso	Olson 30 OB	18069	99	1982	36 11.75	155	35.9 11.75	31.5 10.75	4.36 7.26	Yes	No	0 0	30 27.5 9.33 5.08	3600 1800 Lead	0 1 FIXED	OB None			
Ex Indigo	Custom Diva 39	8	87	1987	41.73 12.8	125	41.73 12.8	46.75 14.75	5.72 9.6	Yes	No	0	38.75 30.83 9.83 5.75	9920 4575 Lead	No 1 FIXED	IB FOLD 2	Back Stay Crane		
Dawn's Early Light	J 36	77549	87	1982	44.219 14	125	44.21 14	47 15	5.8 9.5	Yes	No	0 0	35.95 30.5 11.76 6.6	10570 4600 Lead	0 1 FIXED	IB Fold			

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications										
			Built	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB											
										DW Rating	Mast Material									E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type
Max Draft	Max Draft	Max Draft	Max Draft	Max Draft	Max Draft	Max Draft	Max Draft	Max Draft	Max Draft	Max Draft	Max Draft																		
Expression	Express 37 MOD	33985	75	1984	48.75	150	48.75	42	5.3	Yes	No	19	37.1	9500	0	IB	(mtg 1/21/10, +3 sec/mi for modified keel, -3 sec/mi for dual spinnaker/ability to fly asym on squared back pole)(1/19/11, removed asym, only using symmetric spinnaker, +3 sec/mi)												
			590		14.33			13.75	9		48	30.83	4500	1	Fold														
			147		ALUMN				346		45	11.5	Lead	FIXED	2														
					MS						18	6																	
Javelin	J 100 ODR	4	81	2004	38.5	95	43	38	5.13	No	Yes	24.34	32.8	6500	No	IB													
			590		11.5		12.7	13.5	8.77		49.93	899	29	2500	1	FOLD													
			121		CARBON				306		38.71	0	9.3	Lead	FIXED	2													
					FS						24.34		5.8																
Relentless	J 92	93	105	1997	37	155	38.5	38	5.2	No	Yes	26.4	30	5500	0	IB													
			590		11.5		17.5	13.5	8.7		45.2	915	26.5	2275	1	Fold													
			134		ALUMN				306		40.6	5.5	10	Lead	FIXED	2													
					FS						25.4	<input checked="" type="checkbox"/>	5.9																
Arcadia	Custom Nash 28.5	3113	123	1969	33	120	34	32.5	4.92	No	Yes	24.606	28.5	4327	No	IB	(Weighed Displacement as of 4/4/2009)(mtg 2/28/13, change custom rating from 135 to 123 after review of race results and structural modifications)												
			589		10		11	13	8.41		38.8	756	25.5	1200	1	FOLD	3												
			119		ALUMN			0	251		34.908	4	9	Lead	FIXED	2													
					FS			0			24.606	<input type="checkbox"/>	6.5																
Relentless	Sydney 32	28732	81	2002	40.6	110	40.6	39.7	5.6	Yes	No		31.9	6850	No	IB	-3 Sec/mi for OSP												
			589		12.2		13.1	14.75	9.59		40.29	13.1	28.4	2860	1	FOLD													
			136		ALUMN			0	349		23.4	786	10.6	Lead	FIXED	2													
					FS			0			23.4		6.9																
Ada Helen	ace	922	96	2005	53	155	53	46.75		No	Yes	29.7	43.8	24400	No	IB	(Mtg 3/20/08 -6/sec/mi for OSP)(mtg 6/19/08, new larger a-sail, correct size for J, NCTR)												
			588		16.5		16.5	15.5			54.76	1303	36	8300	1	FOLD													
			238		ALUMN						50.5	0	13.1	Lead	FIXED	3													
					MS						29.7	<input type="checkbox"/>	6																
Drop Beer	Beneteau Class 10	18277	90	1984	37.8	150	38.6	39.7	4	Yes	No		34.2	7000	0	IB	NEW RUDDER 3/4/95, NCTR (MTG 3/36/95)												
			588		12.6			13.9	8.7		36.11	12.6	29.6	2200	1	FOLD													
			123		ALUMN			0	308		22.1	665	9.9	Iron	FIXED	0													
					FS			0			22.1		6.8																

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
			Built	DW Rating	I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps	IB or OB Prop Type # of blades		
									SL	SPL	SLU	ASA				Ballast			moveable blst
Nightmare	Custom Wilderness 30 SX FR OB	305	111	1980	34 11.75	125	34.4 11.5	4.59 7	Yes	No	29.75 27.75	4700 1650	No 1	OB None	(-3 sec/mi for change from IB to OB, -6 sec/mi for keel change.)(mtg 2/26/15, -9 sec/mi for oversized spinnaker)				
			588 100		FS		0 0	233			8.83 5.92	Lead	FIXED	0					
Princess	Sabre 40-2	28876	75	1996	53.5 15.5	110	47.8 17	6.27 10.7	No	Yes	40.17 35.25	19500 7000	No 1	IB FOLD	base rtg changed frm 69 to 72 MTG 4/8/03.				
			588 202		ALUMN MS		0 0	476			13.25 6.25	Lead	FIXED	2					
Joker	J 35	400	75	1986	46.4 14.7	125	41.5 14	5.43 9.11	Yes	No	35.42 30	10500 4400	0 1	IB FOLD					
			587 177		ALUMN MS		0 0	348			11.8 6.75	Lead	FIXED	2					
Mojo	J 35	18935	72	1983	46.4 14.7	150	41.75 14.98	5.21 8.77	Yes	No	35.42 30	10500 4400	No 1	IB Feath					
			587 177		ALUMN MS			353			11.8 6.9	Lead	FIXED	2					
Raven	C&C 115	38108	69	2004	52.17 14.5	106	49.33 16.33	6.2 8.6	No	Yes	37.75 33	11800 4200	0 1	IB Fold					
			587 149		CARBON FS			447			11.92 6.67	Lead	FIXED	2					
Windtrip Infinity	J 92s	35	96	2006	40.68 11.48	107	38.88 13.95	5.42 9	No	Yes	30 26.7	5610 2317	0 1	IB Fold					
			587 134		ALUMN FS			324			10 6.24	Lead	FIXED						
Raven	Benteau First 35	38073	75	2001	47.24 13.12	108	45.93 14.75	5.98 10.23	Yes	No	36.32 30.6	12125 3681	0 1	IB Fold					
			586 192		ALUMN FS			419			12.76 7.25	Iron	FIXED						

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications							
		Sail #	DW Rating		I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No		Yes/No	ASF		LOA LWL	Ttl Disp.	Traps/H.	Strps		IB or OB						
										PY	MSA		SL	SPL							SLU	ASA	Max Beam	Ballast	moveable blst	IB or OB
Disp/WL Ratio	Mast Material	Rig Type	EY	SSF	ASM	Fixed or _o																				
Akula	J 105 ODR w/ 5'BS	16	78	1992	40.6 13.5	100	42.1 19.07	41.5 14.6	5.5 9.4	No	Yes	25 854	34.5 29.5	7750 3400	No 1		IB FOLD									
		585 137			ALUMN FS		0 0	359			5 <input checked="" type="checkbox"/>	11 6.5	Lead FIXED	2												
Crackers	J 105 ODR w/ 5'BS	581	78	2002	40.6 13.5	100	42.1 19.07	41.5 14.5	5.5 9.4	No	Yes	26.2 859	34.5 29.5	8664 3400	0 1		IB Fold									
		585 153			ALUMN FS			358			5 <input checked="" type="checkbox"/> 0	11 6.5	Lead FIXED													
FUGU	Wilderness 30 SX FR IB	67967	120	1980	34.08 11.75	150	34.1 11.8	34.44 11.5	4.37 7.48	Yes	Yes	20.36 603	29.75 27.75	4200 1900	0 1		OB None	(Mtg 11/20/08, -6 sec/mi for replacing inboard with outboard engine)								
		585 89			ALUMN FS			236		21.15 21.15	604 0	8.75 5.5	Lead FIXED	0												
Jarlen	J 35	28528	72	1990	46.333 14.583	150	46.3	41.416 14	5.43 9.11	Yes	No		35.42 30	10500 4400	No 1		IB FOLD									
		585 177			ALUMN MS			0 0	347	46 26 26	14.583 997	0 <input type="checkbox"/>	11.67 6.75	Lead FIXED	2											
Nantucket Sleighride	J 105 ODR w/ 5'BS	414	78	2001	40.6 13.5	100	42.1 19.07	41.5 14.5	5.5 9.4	No	Yes	25 863	34.5 29.5	7750 3400	0 1		IB Fold									
		585 137			ALUMN FS			358			5 <input checked="" type="checkbox"/> 0	11 6.5	Lead FIXED	2												
Russian Roulette	J 105 ODR w/ 5'BS	85	78	1995	40.6 13.5	100	42.1 19.07	41.5 14.5	5.5 9.4	No	Yes	25 854	34.5 29.5	7750 3400	0 1		IB Fold									
		585 137			ALUMN FS			358			5.5 <input checked="" type="checkbox"/> 0	11 6.5	Lead FIXED	2												
Sweet Okole	Custom Farr 36	29000	78	1976	42.049 12.35	155	42.049	44.54 16	5.9 10	Yes	No		36 31.33	9696 3750	No 1		IB FOLD	(78 MTG 1/28/93) (81 MTG 3/18/93)(Mtg 5/22/08, +3 sec/mi for switching to smaller headsail, +3 sec/mi for removing 250# shoe from keel, change custom rating from 81 to 87)(6/7/10, change headsail to 155% 2 sec/mi change rating								
		585 143			ALUMN FS			0 0	416	43.82 22.23 22.23	12.35 812	0 <input type="checkbox"/>	11.88 7	Lead FIXED	2											

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications					
			Built	DW Rating	J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			Ttl Disp.	Traps/H.	Strps		IB or OB				
										Mast Material	SL	SPL	SLU							ASA	Ballast	moveable blst	IB or OB
Disp/WL Ratio	FS	SSF	ASM	Fixed or _o																			
Dragonsong	Olson 30 OB	87014	99	1982	36 11.75	155	35.9 11.67	31.5 10.75	4.364 7.268	Yes	No	30 27.5 9.33 5.08	3600 1800 Lead	No 1 FIXED	OB None 0								
Hot Betty	Olson 30 OB	67537	99	1979	36 11.75	155	35.9 11.67	31.5 10.75	4.364 7.268	Yes	Yes	30 27.5 9.33 5.08	3600 1800 Lead	No 1 FIXED	OB None 0								
Javelin	J 105 ODR w/ 5'BS	394	78	2001	40.6 13.5	100	42.1 19.07	41.5 14.5	5.5 9.4	No	Yes	34.5 29.5 11 6.5	8697 3400 Lead	0 1 FIXED	IB Fold								
Kai Ola	Jeanneau Sun Odyssey 379	0	105	2011	46.67 13.58	132	46.67	44.58 13.92	5.4 9.1	Yes	No	37.17 36 12.33 6.33	14771 3914 Steel	0 1 FIXED	IB Fixed_3	(Mtg 5/25/17, -3 sec/mi for oversized spinnaker)							
Red Cloud	Farr 36 Mod	99	87	1976	38.3 12.16	108	46.3 12.16	41 16.75	6.4 10.9	Yes	No	36 31.33 11.92 6.16	10430 3950 Lead	No 1 FIXED	IB Fold 2	(550# ADDED TO KEEL 300# TO FILL MIDDLE WINDOW+250# TO BOTTOM)(Mtg 1/26/12, -3 sec/mi for new mainsail)(mtg 3/29/12, +3 sec/mi after review of rating appeal, as sailed: 87)							
Warpath	Olson 30 OB	198	99	1982	36 11.75	150	35.9 11.67	31.5 10.75	4.364 7.268	Yes	No	30 27.5 9.33 5.08	3600 1800 Lead	No 1 FIXED	OB None 0								
Junkyard Dog	J 109 ODR	168	72	2004	46.5 13.3	105	49 18.83	43.25 15.5	5.88 10	No	Yes	35.25 30.5 11.5 7	10900 3900 Lead	No 1 FIXED	IB FOLD 2								

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications										
			Built	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB											
										DW Rating	Mast Material									PY	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type
Max Draft	Ballast Mat.	Keel Type	# of blades																										
La Viajera	J 109 ODR	46480	72	2004	46.5	105	49.6	43.25	5.89	No	Yes	27.75	35.25	10900	0	IB													
					13.3		18.8	15.5	10.07		56.33	1160	30.5	3900	1	Fold													
		583			ALUMN				399		45.63	5.5	11.5	Lead	FIXED	2													
		175			FS						27.2	<input checked="" type="checkbox"/>	0																
Makanani	Ultimate 24 ODR	3	111	2003	28.04	110	30.8	31	6.35	No	Yes	21.3	24.38	2040	0	OB													
					7.82		14.5	11.35	9.18		36	566	21.17	750	1	None													
		583			CARBON				250		27.8	6.7	8.48	Lead	FIXED														
		98			FS						21.3	<input checked="" type="checkbox"/>	0																
Max	Ultimate 24 ODR	2	108	2002	28.04	110	30.8	31	6.81	No	Yes	21.3	24.38	2040	0	OB													
					7.82		14.5	11.35	9.18		35.5	562	21.17	750	1	None													
		583			CARBON				254		27.8	6.7	8.48	Lead	FIXED														
		98			FS						21.3	<input checked="" type="checkbox"/>	0																
Quantum	Beneteau 405 TM	0	90	1986	52.17	155	52.17	46.26	4.76	Yes	No		40.42	18518	0	IB													
					14.83			15.09	8.74			14.8	35.5	7694	1	Fold													
		583			ALUMN				385		26.64	1142	12.75	Iron	FIXED														
		188			MS						26.64		7.19																
X TA C	Olson 29	18457	99	1986	34	155	36	32.42	4.59	Yes	No		29.67	3900	No	OB	RUDDER REPLACED W/MORE 30 - CHANGE NOTED NCTR.												
					11			11.42	7.66			11.25	27.5	1900	1	None													
		583			ALUMN			0	226		20.25	574	9.33	Lead	FIXED	0													
		85			MS			0			20.25		5.25																
For Pete's Sake	Ultimate 24 ODR	28469	111	2003	28.04	102	30.8	31	5.5	No	Yes	22.2	24.38	2040	No	OB													
					7.82		14.5	11.5	8.8		36	587	21.17	750	1	None													
		582			CARBON			0	238		30.6	6.7	8.48	lead	FIXED														
		98			FS			0			20.9	<input checked="" type="checkbox"/>	0																
Advantage 3	J 105 ODR w/ 5'BS	84	78	1994	40.6	100	42.1	41.5	5.5	No	Yes	25.5	34.5	7750	No	IB													
					13.5		19.07	14.5	9.4		49	957	29.5	3400	1	FOLD													
		581			ALUMN			0	358		38.6	5	11	Lead	FIXED	2													
		137			FS			0			26.4	<input checked="" type="checkbox"/>	6.5																

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications		
			Built	DW Rating	J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps moveable blst	IB or OB Prop Type # of blades			
									SL	SPL	SLU	ASA							Ballast Mat.	Keel Type
Bullet	Express 37	40311	72	1985	48.75 14.33	155	48.75	42 13.75	5.3 8.83	Yes	No	48 14.33	25.79 1032	37.08 30.83 11.57 7.25	11000 4600 Lead	No 1 FIXED	IB FOLD 2			
Dream	Sceptre 41	12	129	1983	53 17.67	90	53	47 13	5.24 8.73	Yes	No	28 1038	45.17 1290	41 36 12.67 6.08	21500 8700 Lead	0 1 FIXED	IB Fold			
Elan	Express 37	87700	72	1985	48.75 14.33	155	48.75	42 13.75	5.28 8.83	Yes	No	48 14.33	25.79 1032	37.083 30.833 11.57 7.25	11000 4500 Lead	No 1 FIXED	IB FOLD 2			
Godot	J 105 ODR w/ 5'BS	28905	78	1992	40.6 13.5	95	42.1 19.07	41.5 14.6	5.5 9.4	No	Yes	23.29 958	38.55 5	34.5 29.5 11 6.5	7750 3400 Lead	No 1 FIXED	IB FOLD 2			
Lightwave	J 105 ODR w/ 5'BS	319	78	2000	40.6 13.5	100	42.1 19.07	41.5 14.5	5.5 9.4	No	Yes	22.9 947	38.5 5	34.5 29.5 11 6.5	7750 3400 Lead	No 1 FIXED	IB FOLD 2			
Mamaluc	J 105 ODR w/ 5'BS	265	78	1999	40.6 13.5	100	42.1 19.07	41.5 14.5	5.5 9.4	No	Yes	25.9 962	39.76 5	34.5 29.5 11 6.5	7750 3400 Lead	No 1 FIXED	IB FOLD 2			
Punk Dolphin	Custom Wylie 38	18481	72	1985	48 14.33	150	48	43 14	5.58 9.55	Yes	No	48 14.33	25.8 1026	38 31 11.6 6.75	14000 5000 Lead	No 1 FIXED	IB FOLD 2			

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications					
			Built	J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No	ASF			Ttl Disp.	Traps/H.	Strps		IB or OB Prop Type # of blades				
									DW Rating	Mast Material		SL	SPL							SLU	ASA	Ballast	moveable blst
Savoir Faire	Beneteau 42 IK	28735	90	1984	52.82 16.73	145	52.82	46.59 14.6	5.4 9.35	Yes	No	53 16.73	30.183 1355	42.92 36 12.75 7.25	20900 7920 Iron	No 1 FIXED	IB FEATH 2	PER MTG 8/14/97					
			581 204		ALUMN MS			0 0	401			<input type="checkbox"/>	0										
Vuja Star	J 105 ODR w/ 5'BS	181	78	1998	40.6 13.5	100	42.1 19.07	41.5 14.5	5.5 9.4	No	Yes	29.5 958	34.5 29.5 11 6.5	8733 3400 Lead	0 1 FIXED	IB Fold 2							
			581 155		ALUMN FS				358			<input checked="" type="checkbox"/>	0										
Hylite	Hylas 49 SM	49	111	2007	57.42 19.5	130	57.42 19.5	51 18.5	4.5 9.17	No	Yes	28.67 1214	48.83 39.5 14.25 6	35000 14500 Lead	0 1 FIXED	IB Fold	(Mtg 1/26/17, Custom rating of 111 assigned)						
			580 258		ALUMN CTR				470			<input checked="" type="checkbox"/>	0										
Lindo	J 109	195	69	2005	46.5 13.3	155	49 18.8	43.3 15.5	5.89 10.07	No	Yes	27.75 1160	35.25 30.5 11.5 7	10900 3900 Lead	0 1 FIXED	IB FOLD 2							
			580 175		ALUMN FS				400			<input checked="" type="checkbox"/>	0										
Ohana	Beneteau 45F5	38023	63	1991	53.15 15.08	100	55.15 16	55.4 18.58	7.06 12.08	Yes	No	15.08	44.11 36.9 14.1 7.9	26500 8500 Lead	0 1 FIXED	IB FEATH 3	(Mtg 12/1/11, -6 sec/mi for new keel)						
			580 240		ALUMN FS				613			<input type="checkbox"/>	0										
Sea Ghost	Beneteau 42 IK	68222	90	1984	52.82 16.73	155	52.82	46.5 14.6	5.4 9.35	Yes	No	53 16.73	42.92 36.25 12.75 7.25	20900 7920 Iron	0 1 FIXED	IB FOLD 2	DOUBLE HEADRAIL, HYDRALIC BACKSTAY PER MTG 8/14/97						
			580 199		ALUMN MS			0 0	400			<input type="checkbox"/>	0										
Tiki Blue	Beneteau 423	38423	105	2005	48.65 16.52	125	48.65 16.52	43.44 14.83	5.49 9.6	Yes	No	16.5	41.67 38.58 12.92 6.92	20224 5569 Iron	No 1 FIXED	IB FOLD 3							
			580 160		ALUMN MS				381			<input checked="" type="checkbox"/>	0										

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
		Sail #	DW Rating		I	J	Max Headsail	ISP	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB	
								JSP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type	
		Disp/WL Ratio			Mast Material				PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades	
				Rig Type		EY		SSF		ASM	Fixed or _o	Max Draft							
Nina	Olson 29	27	99	1987	34	155	36	32.5	4.5		Yes	No	29.67	3700	0	OB			
					11			11.5	7.27	34	11.25	27.5	1950	1	None				
					ALUMN			0	222	20.25	574	9.33	Lead	FIXED	0				
					FS			0		20.25		5.58							
											<input type="checkbox"/>								
Pegasus - Motion X	J 100 ODR MOD	1197	69	2005	38	95	43	38	5.32		No	Yes	32.8	7250	No	IB	(Mtg 2/26/09, -3 sec/mi for adding sprit)(mtg 1/21/10, additional -3 sec/mi for lengthening sprit to 4.13')(Mtg 1/27/11, -6 sec/mi for increased "e")(Mtg 1/26/11, shortened J, boat rigged for sheeted ceiling NCTBY1/22/17		
					12.7		15.63	15.3	9.32			47.8	29	2500	1	FOLD			
					CARBON				332			39.1	9.3	Lead	FIXED	2			
					FS							23.9	5.8						
											<input checked="" type="checkbox"/>								
Roxanne	Tartan 4100 SD TM	322	90		57	135	57	50.1	6.8		No	Yes	41.3	20400	0	IB			
					15		15	18	11.5			58.9	35.9	8000	1	Feath			
					ALUMN				533			53	13.6	Lead	FIXED				
					MS							27.7	5.4						
											<input checked="" type="checkbox"/>								
Timber Wolf	Farr 38-1 C&B Marine	67519	75	1980	43.91	155	47.9	44.83	6.7		Yes	No	38.32	12000	0	IB	(REDUCED MGM, ADDED 6" TO RUDDER LENGTH -NOTED NCTR-2/15/01)(-3 sec/mi for oversized spinnaker)		
					13.36			17.91	11.6	48	14.67	30.9	4100	1	FOLD				
					ALUMN			0	476	26.4	1056	11.97	Lead	FIXED	2				
					FS			0		26.4		6.39							
											<input type="checkbox"/>								
Insolent Minx	Melges 24	725	84	2008	27.85	100	31.85	28.75	3.83		No	Yes	24	1750	0	OB			
					7.98		12	12.42	7.09			38	22	650	1	None			
					CARBON				195			32.9	8.2	Lead	CNTRBRD				
					FS							19.23	5.25						
											<input checked="" type="checkbox"/>								
Mintaka 4	Farr 38	18441	81	1979	43.67	125	46.2	44.9	6.8		Yes	No	38.25	11850	No	IB	(2002-removed dinette stbrd, add bench seat w/55 gal fuel tank, original was 12.5. Rudder replaced 12" longer, 4" narrower. Changes noted mtg 1/17/02, NCTR)(removed short pole, changed spinnakers, 1/12/04)(Mtg 1/24/12, new stem		
					13.67			17.9	11.6	44.13	14.5	31.17	4100	1	FOLD				
					ALUMN			0	478	26.07	948	12	Lead	FIXED	2				
					FS			0		24.6		6.33							
											<input type="checkbox"/>								
Wayward Wind	Baltic 38 DP	87258	96	1983	52.25	155	52.25	46.25	4.53		Yes	No	38.08	14330	0	IB			
					15.82			13.75	8.2	53.21	15.8	31.5	6512	1	Fold				
					ALUMN				357	28.4	1525	12.34	Lead	FIXED					
					MS					58.4		7.25							
											<input type="checkbox"/>								

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
			Built	I	J	ISP	P	MGU	Yes/No	Yes/No	ASF	Ttl Disp.	Traps/H. Strps					
			DW Rating	Max Headsail	ISP	E	MGM	SL	SPL	SLU	ASA	Ballast	moveable blst					
			Disp/WL Ratio	Mast Material	JSP	PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Ballast Mat.	Keel Type					
							SSFF	ASMG	Fixed or _o									
Stewball	Express 37	18278	72	1985	48.75 14.33	150	48.75	42 13.75	5.28 8.83	Yes	No	37.083 30.833	11000 4500	0 1	IB FOLD			
			577 171		ALUMN MS		0 0	344		25.7 24.76	1020	<input type="checkbox"/>	0	11.57 7.25	Lead FIXED	2		
Jaybird	J 133 CM	52443	24	2004	57 17.25	100	60.4 24	54 18.6	7 12	No	Yes	38.08 30.25	16900 6850	0 1	IB Fixed_2			
			574 278		CARBON FS			595				<input type="checkbox"/>	0 0	11.8 6.8	Iron FIXED			
Mirthmaker	A 35	18250	69	2007	44.22 13.45	90	51.06	44.94 14.66	5.42 8.88	Yes	Yes	34.7 30.47	9810 4367	0 1	IB Fold		(Mtg 5/20/10, custom rating of 60 assigned, would like a copy of ORR Certificate)(mtg 6/15/10, change custom rating from 60 to 63 based on further clarification of boats configuration)(Mtg 10/27/16, change custom rating from 63 to 60 after	
			574 158		CARBON FS			381		25.38 25.38	1064	46.7 22.5	<input type="checkbox"/>	1.5	11.6 6.88	Lead FIXED	2	
Gratitude	Hylas 46	60373	102	2002	58.4 17.7	135	58.4 17.7	50.6 18	4.6 9.6	No	Yes	46.3 40	27777 12347	0 1	IB Feath			
			573 197		ALUMN CTR			469				25.5 54.6 51.6 30.6	<input checked="" type="checkbox"/>	0	13.9 6.6	Lead FIXED	3	
Willow	Wauquiez 40s Centurion	38300	69	2004	51.5 14.17	110	51.5	49.21 19.3	7.3 12.5	Yes	Yes	41.17 36.4	18960 6085	No 1	IB FEATH		(mtg 3/18/10, -3 sec/mi for oversized a-sail.)(mtg 1/27/11, - 3 sec/mi for added sprit)	
			573 179		ALUMN FS			564		50.73 25.54 25.54	14.17 1080	52.8 46.75 27.66	<input checked="" type="checkbox"/>	2.4	12.66 7.75	Lead FIXED	3	
Invictus	Jeanneau Sunfast 3600	12	63	2015	46.58 13.83	105	48 17.67	44.25 15.08	6.49 9.91	No	Yes	35.42 31.25	10362 4850	0 1	IB Feath			
			572 154		ALUMN FS			411				27.8 55.77 46.59 28	<input checked="" type="checkbox"/>	0	11.67 7	Lead FIXED		
Dr Feelgood	Olson 29	24	99	1986	34 11	155	36	32.5 11.5	4.36 7.48	Yes	No	29.67 27.5	3600 1950	0 1	OB None			
			571 79		ALUMN FS			223		36 21.15 21.15	11.75 635		<input type="checkbox"/>	0 0	9.33 5.58	Lead FIXED		

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications								
			Built	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No		LOA	Ttl Disp.	Traps/H.	IB or OB	Prop Type	Modifications								
										DW Rating	Mast Material	PY	MGM							SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	# of blades
Rating	Material	Material	Material	Material	Material	Material	Material	Material	Material	Material	Material	Material	Material	Material	Material	Material	Material										
Trex	Sunsail F40 ODR (Beneteau F40)	1007	42	2012	52.69 15.09	105	56.54 17.06	51.15 17.65	6.53 11.42	No	Yes	30.32	40.15	17437	0	IB											
			571		ALUMN						1200	35	6609	1	Fold												
			185		FS						1.98	12.76	Lead	FIXED	2												
											0	8.04															
Vera Cruz	Sunsail F40 ODR	1003	42	2012	52.69 15.09	105	56.54 17.06	51.15 17.65	6.53 11.42	No	Yes	30.32	40.15	17437	0	IB											
			571		ALUMN						1200	35	6609	1	Fold												
			185		FS						1.98	12.76	Lead	FIXED	2												
											0	8.04															
Basic Instinct	Custom Elliott 10.50	8123	72	1993	41 12.5	125	45.6 13.9	44.2 17.5	8.5 12	No	Yes	29.4	34.42	10220	No	IB	(mtg 3/19/09, changed to smaller headsail, +3 sec/mi, & larger mainsail, -6 sec/mi, change rating from 66 to 63)(Mtg 10/21/09, new smaller headsail, still with large headboard. Change mainsail result from 6 sec/mi to 2 sec/mi)										
			570		ALUMN						1192	31.83	3000	1	FOLD												
			144		FS						0	12.08	Lead	FIXED	2												
											29.4	7															
Flight Risk	Thompson 650	650	102	2000	26.67 8.86	100	28.25 14.86	28.29 10.4	5.7 8	No	Yes	20.58	22.3	1692	Yes	OB	(mtg 1/21/10, weighed displacement of 1692lbs updated, NCTR)(Mtg 3/18/10, change custom rating from 108 to 99)(Mtg 8/18/10, submitted appeal, rating changed from 99 to 102)										
			570		CARBON						586	19.8	660	3	None												
			99		FS						7.87	8.16	Lead	FIXED	2												
											0	5.9															
Argo	Beneteau 40.7 First Farr	46933	54	1999	51.61 14.47	105	51.61 14.47	48.85 17.72	6.72 11.51	Yes	No		39.33	15211	0	IB											
			569		ALUMN						14.47	34.83	5950	1	Feath												
			164		FS						1094	12.33	Lead	FIXED	2												
											0	7.75															
											0																
Everlong	Beneteau 40.7 First Farr	51705	54	2002	51.61 14.47	104	51.61 14.47	48.85 17.72	6.73 11.51	Yes	Yes		39.33	15211	0	IB											
			569		ALUMN						14.47	34.83	5950	1	FOLD												
			164		MS						1103	12.33	Lead	FIXED	2												
											0	7.75															
											0																
Jeannette	Custom Frers 40 IOR 1 Tonner	40646	66	1986	47.2 13.7	100	13.7	51.48 18.76	7.13 12.19	Yes	No		39.5	12900	0	IB	(mtg 5/31/07 custom rating changed from 63 to 60 based on performance data)(Mtg 8/27/15, change custom rating back to 63 after review of race results)										
			569		ALUMN						13.7	33	6000	1	FOLD												
			163		FS						959	12.6	Lead	FIXED	2												
											0	8.1															
											0																

Boat Name	Boat Model (Type)	Rating			Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications	
		Sail #	Built	I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp.	Traps/H. Strps		IB or OB Prop Type # of blades			
									DW Rating	Mast Material	SL SPL SSMG SSF	SPL SSA			SLU SLE ASMUG	ASA Sprit Lngth Fixed or _o			Ballast	moveable blst
Disp/WL Ratio	Rig Type																			
Imagine	Davidson 44 MOD	77220	57	1980	49.92 15.38	125	50.33	58.3 18.33	6.9 12.8	Yes	No	44 38.5 13 7.6	24410 7000 Lead	No 1 FIXED	IB FOLD 3	(Mtg 4/27/17, custom rating of 57 assigned)				
			568 194		ALUMN FS		0 0	652		27 1132 27		<input type="checkbox"/>	0							
Encore	Sydney 36 CR	3632	57	2006	45.6 14	104		44.36 16.4	6.1 10.6	No	Yes	36.06 31.04 11.32 7.55	12897 4850 Lead	No 1 FIXED	IB FOLD 2	(Australian IRC Rating 1.052)(Mtg 8/23/12, change custom rating from 54 to 57)				
			565 196		ALUMN FS			431		28.6 27.2	1178	48 29.9	1.4 <input type="checkbox"/>	90						
Hot Socks	Figaro II	27	48	2004	42.75 12.42	104	42.75	42.67 15.42	7 11	Yes	No	32.18 32 11.33 6.5	6724 2425 LeadWater	0 1 FIXED	IB Fold					
			564 93		CARBON FS			422		41 20.1 20.5	13.5 689	0 0 <input type="checkbox"/>	0							
Salt Peanuts	Custom Dees GP 26	18	78	2008	29.35 8.07	130	36.43 14.32	32.42 12.63	5.58 8.69	No	Yes	25.72 21.22 8 6.04	2340 1100 Lead	0 1 FIXED	OB None 0	(mtg 2/18/10, change custom rating from 75 to 78)(3/28/12, New Rudder Noted)				
			562 111		CARBON FS			258		43.5 31.76 19.85	626 6.23 0	<input checked="" type="checkbox"/>	0							
Courageous	J 88	77	81	2015	38.67 11.28	104	46 18.05	36.82 12	5.44 8.4	No	Yes	29.19 26.84 9.5 6.5	4990 1840 Lead	0 1 FIXED	IB Fold					
			561 117		CARBON FS			282		47.83 40.84 27.32	1022 5.25 0	<input checked="" type="checkbox"/>	0							
Inconceivable	J 88	9	81	2013	38.67 11.28	104	46 18.05	36.82 12	5.44 8.4	No	Yes	29.19 26.84 9.5 6.5	4990 1840 Lead	0 1 FIXED	IB Fold					
			561 117		CARBON FS			282		47.83 40.84 27.32	1022 5.25 0	<input checked="" type="checkbox"/>	0							
Juno	J 88	20	81	2014	38.67 11.28	105	46 18.05	36.82 12	5.44 8.4	No	Yes	29.19 26.84 9.5 6.5	4990 1840 Lead	0 1 FIXED	IB Feath					
			561 117		CARBON FS			282		47.83 40.84 27.32	1022 5.25 0	<input checked="" type="checkbox"/>	0							

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications		
		Sail #	DW Rating		I	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp.	Traps/H.		Strps	IB or OB
										E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst			Prop Type
		Disp/WL Ratio			Mast Material					PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type			# of blades
							EY		SSF		ASMG	Fixed or _o	Max Draft								
M Squared	J 88	75	81		38.67	104	46	36.82	5.44	No	Yes	29	29.19	4990	0	IB					
					11.28		18.05	12	8.4		47.83	1022	26.84	1840	1	Fold					
					561	CARBON			282		40.84	5.25	9.5	Lead	FIXED						
					117	FS					27.32	<input checked="" type="checkbox"/>	0	6.5							
Split Water	J 88	78	81	2015	38.67	104	46	36.82	5.44	No	Yes	29	29.19	4990	0	IB					
					11.28		18.05	12	8.4		47.83	1022	26.84	1840	1	Fold					
					561	CARBON			282		40.84	5.25	9.5	Lead	FIXED						
					117	FS					27.32	<input checked="" type="checkbox"/>	0	6.5							
Ventus	J 88	60	81	2015	38.67	104	46	36.82	5.44	No	Yes	29	29.19	4990	0	IB					
					11.28		18.05	12	8.4		47.83	1022	26.84	1840	1	Fold					
					561	CARBON			282		40.84	5.25	9.5	Lead	FIXED						
					117	FS					27.32	<input checked="" type="checkbox"/>	0	6.5							
White Shadow	J 88	23	81	2014	38.67	104	46	36.82	5.44	No	Yes	29	29.19	4990	0	IB					
					11.28		18.05	12	8.4		47.83	1022	26.84	1840	1	Fold					
					561	CARBON			282		40.84	5.25	9.5	Lead	FIXED						
					117	FS					27.32	<input checked="" type="checkbox"/>	0	6.5							
Envolee	Figaro II	0	54	2012	42.75	104	42.75	42.67	6.5	Yes	No		32.18	6724	0	IB	(mtg 4/27/17, water ballast disabled, +6 sec/mi)				
					12.42			15.42	10.63				32	2425	1	Fold					
					558	CARBON			410			0	11.33	LeadWater	FIXED						
					93	FS						<input type="checkbox"/>	0	6.5							
Kookaburra	J 120 ALUM	153	48	2001	50.5	155	52	46.5	6.2	No	Yes	30.3	40	13900	No	IB					
					14.5		21.5	17.8	10.7		60.8	1265	35	6000	1	FOLD					
					556	ALUMN		0	471		50.6	7	12	Lead	FIXED	2					
					147	FS		0			26.5	<input checked="" type="checkbox"/>	7								
Abracadabra	Antrim 27 CM ODR	28927	75	1996	28.69	116	37.25	33.75	7.5	No	Yes	25.1	27.83	2900	No	OB	BOWSPRINT IS ARTICULATING				
					8.17		15	14	10.9		44.2	723	23.75	1050	1	None					
					555	CARBON		0	327		38	6.83	9.25	Lead	FIXED	0					
					98	FS		0			20.1	<input type="checkbox"/>	13	6							

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications			
			Built	J	Max	ISP	P	MGU	Yes/No		SLU	ASF	LOA	Ttl Disp. Traps/H. Strps		IB or OB						
									DW Rating	Mast Material				E	MGM		SL	SPL		Ballast	moveable blst	# of blades
52	6	No	Yes	34	40	No																
Alchera	J 120 Mod	28870	51	2001	50.5	125	52	46.5	6	No	Yes	34	40	13900	No	IB	Modifications for offshore singlehanding: Smaller spinnaker and main, 2 extra winches at helm, 3 additional gel batteries, dodger boss widened and all control lines led to cockpit, radar pole, veltran MHN jib. (Mtg 2/21/09, +2 sec/mi for small)					
					14.5		21.55	17.57	10.57		57.96	1407	35	6000	1	FOLD						
			554		CARBON		0	463			49.99	7	12	Lead	FIXED	2						
			147		FS		0				30.6	<input checked="" type="checkbox"/>	7									
Q	Custom Schumacher 40	28901	54	2001	47	105	47	47.5	6.75	Yes	No		40	10166	No	IB						
					14.67			18.35	11.75				31.5	4528	1	FOLD						
			554		CARBON		0	513				0	11	Lead	FIXED	2						
			148		FS		0					<input type="checkbox"/>	7.6									
Xtreme	Hobie 33 ODR	18170	90	1984	33.83	125	36.25	35	4.75	Yes	No		33	4000	No	OB						
					12.4			12.5	8				30.5	1800	1	None						
			553		ALUMN		0	260				0	8	Lead	FIXED	0						
			64		FS		0					<input type="checkbox"/>	5.42									
Vitesse Too	Hobie 33 ODR	87112	90	1983	33.8	125	36.8	35	4.75	Yes	No		33	4000	No	OB	Extended rudder 10", NCTR					
					12.4			12.4	8				30.5	1800	1	None						
			552		ALUMN		0	259				0	8	Lead	FIXED	0						
			64		FS		0					<input type="checkbox"/>	5.5									
Soiree	Beneteau Oceanis 49 SD	38776	87		59.75	135	59.75	51.67	4.7	No	Yes	29.41	49.5	30517	0	IB	Electric Winches (Mtg 10/27/16, +3 sec/mi for In-mast furling mainsail)					
					18.42		18.42	18.33	9.3				43.67	480	1	Feath						
			551		ALUMN				480			0	14.75	Iron	FIXED							
			167		FS							<input checked="" type="checkbox"/>	5.75									
Phantom	J 44	28844	21	1990	60.606	120	60.416	53.53	7.3	Yes	Yes	27	44.75	23838	No	IB						
					17.08			19.41	12.5				38.58	9000	1	Feath						
			550		ALUMN		0	615				0	13.67	Lead	FIXED	3						
			189		MS		0					<input checked="" type="checkbox"/>	8.14									
Turbo Camper	Hobie 33 ODR MOD	87574	84	1984	33.28	155	36.5	35	4.75	No	Yes	23	33	4200		OB	(Mtg 3/29/12, -3 sec/mi for displacement changes)					
					12.4		13.13	12.5	8.1				30.5	1900	1	None						
			550		ALUMN			0	261			0.6	8	Lead	FIXED	0						
			67		FS			0				<input type="checkbox"/>	5.42									

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications									
			Built	DW Rating	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB									
											E	MGM									SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type
EY		SSF		ASM	Fixed or _o	Max Draft																						
Wasabi	JPK 1080	38103	63		46.66	100	51.51	46.2	5.84	No	15.32	Yes		35.43	10692	0	IB											
					14.17		19.09	15.48	9.61					30.84	4740	1	Fold											
			550		CARBON				419				0	11.98	Steel	FIXED												
			166		FS							<input type="checkbox"/>	90	7.22														
Sweetspot	C&C 121 DK W/5' BS	46921	60	2000	57	135	57	51	6.19	No		Yes	36	40	14100	No	IB	Deep Keel-bowsprit, (Mtg 4/24/08, rating appeal submitted, change base rating for C&C 121 DK w/ 5' BS, aka C&C 121 XP, to 60)										
					15		20	16.386	10.6			63.8	1851	35.5	5500	1	FOLD											
			549		ALUMN			0	496			55.6	5	13.8	Lead	FIXED	2											
			143		MS			0				37.5	<input checked="" type="checkbox"/>	8														
Void Star	Santa Cruz 40	59995	45	1982	52	135	52	45.5	5.2	No		Yes	33.62	40	12500	0	IB	(Mtg 10/22/15, -6 sec/mi for 20% increase in JSP)(4/6/16, +3 sec/mi for non-articulating spinnaker)										
					16		18.67	14	8.58			56.2	1238	36	5000	1	FEATH											
			548		ALUMN				370			48.32	0	12	Lead	FIXED	2											
			122		MS			28.33	1178			27.13	<input checked="" type="checkbox"/>	0														
Acey Deucy	J 44	97659	21	1989	60.606	155	60.416	53.51	7.3	Yes		Yes	27	44.83	22770	0	IB	Electric Winches										
					17.08			19.41	12.5			63.8	1379	38.58	9000	1	FOLD											
			547		ALUMN			0	615			55.9	1	13.67	Lead	FIXED	2											
			180		MS			0				27.8	<input checked="" type="checkbox"/>	8.14														
Ebb Tide	Wauquiez 45s Centurion	60245	57	2003	55.77	100	55.77	51.84	6.51	Yes		Yes	32.25	45.92	23148	0	IB	(Mtg 5/26/11, Increased "JSP" by 5.67' which equals a 30% increase. - 9 sec/mi per NCPHRF Rules & Guidelines.)(Mtg 3/29/12, JSP now same as J+9 sec/mi, Asymmetrical spinnaker still oversized, -3 sec/mi)										
					17.72		17.72	19.32	11.68			58.86	1541	40.25	8488	1	Fold											
			542		ALUMN				567			52.39	0	13.67	Lead	FIXED	3											
			161		FS			30.62				33.49	<input checked="" type="checkbox"/>	8.17														
Jamani	J 120 ALUM	52879	48	2002	50.5	155	52	46.5	6.7	No		Yes	34	40	13900	0	IB											
					14.5		21.5	17.8	11.5			64	1729	35	6000	1	FOLD											
			542		ALUMN				491			50	7	12	Lead	FIXED	2											
			147		FS							37	<input checked="" type="checkbox"/>	0														
Quiver	Custom Nelson Marek 36	28669	45	1999	43.85	105	51.9	45.75	6.56	Yes		Yes	26.24	35.6	7725	No	IB	(mtg 6/15/10, added lead shoe to keel, -3 sec/mi, change custom rating from 48 to 45)(Mtg 2/29/12, added sprit equal to SPL, NCTR)										
					12.5		14.57	16.47	10.66			57.4	1221	29.32	3255	1	FOLD											
			542		CARBON				453			47.57	1.5	10.3	Lead	FIXED	2											
			139		FS			26.21	1101			28.34	<input checked="" type="checkbox"/>	7.6														

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications									
			Built	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF		LOA	Ttl Disp.	Traps/H.	Strps		IB or OB								
										DW Rating	Mast Material		PY	MGM							SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type
Chance	J 120 ALUM	28484	51	2001	50.5	100	52	46.3	6.7	No	Yes	34.1	40	13900	No		IB											
					14.5		21.5	17.8	11.5		64.1	1765	35	6000	1		FOLD											
			541		ALUMN			0	489		50.6	7	12	Lead	FIXED		2											
			147		FS			0			37.65	<input type="checkbox"/>	7															
Twist	J 120 ALUM	28442	48	2000	50.5	150	52	46.5	6.75	No	Yes	34.1	40	13900	No		IB											
					14.5		21.5	17.8	11.5		64	1764	35	6000	1		FOLD											
			541		ALUMN			0	492		50.6	7	12	Lead	FIXED		2											
			147		FS			0			37.65	<input checked="" type="checkbox"/>	7															
Divine Wind	Olson 40	69069	45	1983	50	150	51.21	44	5.5	Yes	No		40.33	10500	0		IB											
					15.75		15.8	14.25	9.29		50.17	15.75	36	5500	1		Feath											
			540		ALUMN				376		28.35	1185	11.25	Lead	FIXED		2											
			102		MS						28.35		6.5															
Frequent Flyer	Mumm/Farr 30	52	54	1996	38.2	104	44.9	40.5	6.42	Yes	Yes	25.25	30.9	4561	0		IB											
					10.9		13.58	14.6	10.4		44.58	13.58	27.6	1997	1		Fold											
			540		CARBON				377		25.25	934	10.1	Lead	FIXED													
			99		FS						24.67		6.9															
Jet Stream	Custom JS 9000	9045	60	2003	27.08	87	30.25	30.84	6.07	No	Yes	21.8	29.9	2425	0		OB	(Mtg 1/22/09, custom rating of 78 assigned)(Mtg 8/19/10, -9 sec/mi for adding 3' sprit, -3 sec/mi for increased spinnaker area, Original rating of 78 contained a 3 sec error, rating should have been 75, change custom rating to 62/7/07/17. New										
					9.5		15.5	10.171	8.17		35.8	561	27.9	1543	1		None											
			540		CARBON				226		30.1	3	5.7	Lead	FIXED		0											
			51		FS						20.1	<input checked="" type="checkbox"/>	6.8															
Peregrine	J 120 Carbon	25487	45	2001	50.5	150	52	46.5	6.76	No	Yes	35.1	40	13900	0		IB											
					14.5			17.8	11.57		64	1776	35	6000	1		Fold											
			540		CARBON				493		52.5	7	12	Lead	FIXED		2											
			147		FS						36.96	<input checked="" type="checkbox"/>	7															
Saetta	J 120 ALUM	28486	48	1999	50.5	153	52	46.5	6.75	No	Yes	37.6	40	13900	No		IB											
					14.5		21.5	17.8	11.5		65.61	1793	35	6000	1		FOLD											
			540		ALUMN			0	492		51.8	7	12	Lead	FIXED		2											
			147		FS			0			36.42	<input checked="" type="checkbox"/>	7															

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
		Sail #	DW Rating		I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp.	Traps/H. Strps		IB or OB Prop Type # of blades	
										SL	SPL	SLU	ASA			Ballast	moveable blst		
ASF	Fixed or _o	Max Beam	Keel Type																
Afterburner	Synergy 1000	1001	45	1999	40.75 12	110	45.75 16.4	42 15.5	6.99 11.03	No	Yes	26 1089	32.83 29.17	4600 1850	0 1	IB Feath			
			538 84		CARBON FS				417			4.3 0	9.75 7	Lead FIXED		2			
Hokulani	J 120 ALUM	43	48	1996	50.42 14.42	155	50.42 21.42	46.42 17.67	6.58 11.42	No	Yes	37.8 1777	40 35	13900 6000	0 1	IB Fold			
			538 147		ALUMN FS				486			0 0	12 7	Lead FIXED					
Nadja Delphine	X-41	0	15	2009	55.9 16.11	106	58.63	53.31 18.04	6.82 11.61	Yes	No		40.52 35.07	14109 6019	0 1	IB Fold	Electronic winches		
			537 149		CARBON FS				570			0 0	11.94 8.2	Lead FIXED					
Skinny Love	11 Metre ODR	92	69	1996	32.53 10.166	95	41	36.08 13.583	5.23 8.82	Yes	No		33.67 26.92	3600 1600	No 1	OB None	MTG 4/9/98. Sail number 90, using sail # 246 for Vallejo 2008		
			536 84		ALUMN FS			0 0	293			0	8.67 5.42	Lead FIXED		0			
Rustler	Esse 850	71	75		32.8 10	105	37.72 16.2	34.4 11.97	6.23 8.85	No	Yes	24.3 779	28 28	3000 1540	0 1	IB Fold	Outboard replaced with inboard saildrive (Mtg 2/28/13, custom rating assigned, as sailed: 75)		
			535 62		ALUMN FS				277			6.05 0	7.25 6.6	Lead FIXED					
Spirit of Freedom	J 124	38006	27	2006	49 14	155	54.7 15.4	48.4 17		Yes	Yes	32.6 1243	40.7 36.2	12600 5000	No 1	IB FOLD	(mtg 4/22/10, -3 sec/mi for OSP, -3 sec/mi for ability to square back pole)		
			535 121		CARBON FS							0 0	11.3 6.9	Lead FIXED		2			
Swift Ness	J 111	101	36	2014	48.37 13.85	105	51.4 20.08	45.17 14.5	6.1 10.1	No	Yes	31.8 1404	36.5 32.7	9300 3500	0 1	IB Fold			
			534 121		CARBON FS				410			6.3 0	10.8 7.2	LeadSteel FIXED					

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications			
		Sail #	DW Rating		I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No		Yes/No	ASF		LOA LWL	Ttl Disp.	Traps/H. Strps			IB or OB Prop Type # of blades		
										PY	MSA		SL	SPL			SLU	ASA			Ballast	moveable blst
EY		SSF		ASMG	Fixed or _o	Max Draft																
Symmetry	J 111	91	36	2013	48.37 13.85	105	51.4 20.08	45.17 14.45	6.16 10.1	No	Yes	31.1 1399	36.5 32.7	9300 3500	0 1	IB Fold						
		534 121			CARBON FS				410			6.3 0	10.8 7.2	LeadSteel	FIXED							
Bustin Loose	Sydney 38 MH	38044	21	2002	54 14.9	104	52.03 14.77	50.53 18.046	6.85 11.73	Yes	Yes	27.69 1116	38.6 35.3	12250 5140	0 1	IB FOLD						
		533 127			ALUMN FS			0 0	543	30.12 30	1422	48.33 25.49	12.4 8.8	Lead	FIXED	2						
Bad Dog	J 111	103	36	2011	48.37 13.85	105	51.4 20.08	45.7 14.5	6.1 10.1	No	Yes	31.86 1433	36.5 32.7	9300 3500	0 1	IB Fold						
		532 121			CARBON FS				414			6.3 0	10.8 7.2	LeadSteel	FIXED							
Sapphire	Synergy 1000	38008	48	2004	40.8 12	125	45.75 16.4	42 15.5	5.86 10.03	No	Yes	28 1172	32.83 29.17	4400 1850	No 1	IB FOLD	(Mtg 10/22/15, +3 sec/mi for smaller than class mainsail)					
		532 81			CARBON FS				387			4.3 0	9.75 7	Lead	FIXED	2						
Anais	Hanse 505	61019	45	2014	64.16 19.16	100	65 20	58.6 20	6.55 11.87	No	Yes	38.52 2151	49 44.4	36000 8300	0 1	IB Feath						
		530 187			ALUMN FS				655			1.5 0	15.6 7.7	Lead	FIXED							
Blue	Swan 53-2	61522	30	2012	71.96 19.52	105	73.84 19.53	65.88 21.98	7.64 13.38	No	Yes	38.89 2214	54.07 47.24	54482 22400	0 1	IB Fold	(Mtg 3/23/17, -3 sec/mi for ability to fly a-sail on a squared back pole)					
		530 235			CARBON MS				826	19.43		0 90	15.58 12.14	Lead	CNTRBRD							
Six Brothers	Columbia C 30-2	32006	57	2013	36.67 12.67	103	42 17.67	38 14.67	7.77 10.64	No	Yes	31.5 1145	32 27	4500 1900	0 1	IB None						
		529 104			ALUMN FS				374			0 0	10.13 7.42	Lead	FIXED							

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
			Built	J	Max	ISP	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	IB or OB	# of blades			
			DW Rating	Mast	Material	JSP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst			Prop Type	
			Disp/WL Ratio	Rig Type			PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type				
				EY		SSF		ASM	Fixed or _o	Max Draft									
Chance	Farr 395	39528	27	2002	51.25 14	105	56.33 20.36	50 18.42	7.54 12.53	No	Yes	33.46 62.6 1617	39.33 34.5	12500 4600	No 1	IB FOLD			
			528 138		CARBON FS		0 0	567				6.36 <input checked="" type="checkbox"/>	12.08 7.83	Lead FIXED		2			
Outsider	Azzura 310	1000	57	1996	35.35 11.55	110	43.33 21.57	38.75 13.25	6.68 10.5	No	Yes	30.1 47.01 1163	30.75 27.4	4850 2100	No 1	OB Fixed_3		6 FT ARTIC. RETRAC BOWSPRIT. MTG 3/28/96 (RATED 66) (CHNG NOTED 4/18/96-NO CHNGE RTNG. (2/13/96 FM 66 TO 60.)(MTG 11/13/97 FM 60 TO 57)MTG 2/12/98 FM 57 TO 63 (MTG 4/9/98) Inboard SailDrive removed and replaced with	
			525 107		CARBON FS		0 0	352				6 <input type="checkbox"/>	10 7.2	Lead FIXED		3			
Captain Sluggo	Hobie 33	77870	54	1982	34.7 12.2	105	42.3	38.1 13.5	6 9.6	No	Yes	25.6 44.6 928	33 30.4	4532 1800	0 1	OB None		(Meeting 4/27/17, Custom rating assigned: 54)	
			524 73		CARBON MS			328			14.32	0 90 <input type="checkbox"/>	8 5.4	Lead FIXED					
Albion	J 124	14	27	2007	49 14	145	54.7 19.43	48.4 17	6.4 11	No	Yes	32.74 60.53 1528	40.7 36.2	12600 5000	0 1	IB Fold		(Mtg 2/23/17, -6 sec/mi for asymmetric spinnaker modifications)	
			522 121		CARBON FS			488				3.83 0 <input checked="" type="checkbox"/>	11.33 7	Lead FIXED					
CentoMiglia	Flying Tiger 10 Meter	15	57	2006	39.284 12.126	105	45.282 19.134	40.167 14.895	5.25 9.12	No	Yes	27.493 51.541 1087	32.68 30.31	4376 1918	No 1	OB None		(3/7/11, new class rudder installed, NCTR)(Mtg 8/24/17, +3 sec/mi for small girth mainsail)	
			521 71		CARBON FS			344				7.008 0 <input checked="" type="checkbox"/>	9.12 7.61	Lead FIXED		3			
Zsa-Zsa	1D 35	35017	36	1999	42.49 12.52	110	44.78	44.46 18.58	7.55 12	Yes	No		35 31.5	6500 2600	No 1	IB Feath			
			520 95		CARBON FS			0 0	498			0 <input type="checkbox"/>	10.75 7.6	lead FIXED		2			
Ardea	Custom Nelson/Marek 50	42616	21	1989	59.92 17.59	100	59.92 17.59	65.19 24.08	9.35 15.98	Yes	Yes	31.6 62.2 1526	49.8 38.55	22145 12627	0 1	IB Fold		(Mtg 8/28/15, custom rating of 21 assigned)	
			519 176		ALUMN FS			946				0 90 <input type="checkbox"/>	14.86 9.32	Lead FIXED					

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications							
			Built	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF		LOA	Ttl Disp.	Traps/H. Strps		IB or OB							
										DW Rating	Mast Material		PY	MGM			SL	SPL			SLU	ASA	LWL	Ballast	moveable blst	# of blades
Max Draft	Ballast Mat.	Keel Type																								
			Dark & Stormy	1D 35	35018	30	1998	42	110	44.8	44	7.5	No	Yes	31.4	35	6550	0	IB	Fixed bow sprit, using Asymmetrical spinnaker(mtg 3/20/08, -9 sec/mi for oversized spinnaker, +3 sec mi for not being able to articulate pole, as sailed: 30)						
					12.47		17.39	19	12		51.8	1236	31.5	2660	1	FOLD										
			518		CARBON				497		46.62	4.92	10.9	Lead	FIXED	2										
			95		FS						29.83	<input checked="" type="checkbox"/>	0													
Alpha Puppy	1D 35	35024	30	1999	42.49	110	44.78	44.46	7.5	No	Yes	31.4	35	6500	No	IB	6/13/11, boat now in same configuration as B-Line. Added 4.9 bowsprit and oversized spinnaker. -9 sec/mi for oversized asymmetric spinnaker, +3 sec/mi for inability to articulate sprit									
					12.52			18.58	12		51.8	1238	31.5	2600	1	FOLD										
			517		CARBON			0	497		46.6	4.9	10.75	lead	FIXED	2										
			95		FS			0			26.25	<input checked="" type="checkbox"/>	29.9													
Wild 1	Flying Tiger 10 Meter ODR	41	54	2007	39.284	105	45.282	40.167	6.463	No	Yes	27.493	32.68	4376	0	OB										
					12.126		19.134	14.895	10.499		51.541	1087	30.31	1918	1	None										
			517		CARBON				378		42.651	7.008	9.12	Lead	FIXED	3										
			71		FS						27.76	<input checked="" type="checkbox"/>	0													
Gentoo	Soto 30	1	36	2012	38.25	102	38.67	38.67	5.83	No	Yes	26.25	30	3800	0	OB	(Mtg 9/16, -3 sec/mi for larger mainsail)									
					12.25		19.83	13.58	8.83		49.83	968	28.75	1415	1	None										
			516		CARBON				322		40	7.7	9.58	Lead	FIXED											
			73		MS						25.75	<input checked="" type="checkbox"/>	0													
Divine Wind	Flying Tiger 10 Meter ODR	30	54	2007	39.28	105	45.28	40.16	6.463	No	Yes	27.49	32.65	4900	0	OB										
					12.12		19.134	14.89	10.5		51.54	1087	30.31	1918	1	None										
			514		CARBON				378		42.65	7	9.15	Lead	FIXED	0										
			80		FS						27.76	<input checked="" type="checkbox"/>	0													
Elusive	Swan 42 Club	4216	9	2007	59.07	106	62.99	56.56	7.1	Yes	Yes	34.8	42.59	17158	0	IB	(Mtg 2/25/16, +3 sec/mi for decrease in Spinnaker Area, +6 sec/mi for decreased JSP, -3 sec/mi for articulation, -3 sec/mi for switch to larger headsail)(06/09/17, switching back to stock configuration)									
					16.44		19.05	19	12.5		62	19.05	65	6988	1	Fold										
			513		CARBON				641		34	1754	59.1	2.6	12.8	2										
			140		FS						33.7	<input checked="" type="checkbox"/>	0	9	Lead	FIXED										
Freedom	Beneteau 523	38333	54	2006	65.22	105		59.09	6.39	No	Yes	35.519	53.08	32800	No	IB	Bow Thruster, in-mast furling, above deck jib furler; (Mtg 8/17/06 - +6 s/m for small girth main); electric winches added 1/29/07 (Mtg 3/28/13, +3 secmi for 8% decrease in mainsail area)									
					20.77			18.53	11.04		66.974	1854	47.92	10935	1	FOLD										
			512		ALUMN				620		58.269	2	16	Iron	1	3										
			135		FS						35.519	<input type="checkbox"/>	0	7.5	FIXED											

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
			Built	DW Rating	I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps Ballast moveable blst Keel Type		
									SL	SPL	SLU	ASA						
Angel	J 130 DK AM	46079	15	1993	57 16.5	155	58.5 23.5	52.5 18.5	7.03 12.02	No	Yes	39.5 2195	42.6 38.17 12.67 8.5	15500 6450 Lead	0 1 FIXED	IB Feath		
Bright Hour	Farr 40 ODR MH	50092	0	2001	53.15 15.45	0	50.04 17.06	54.8 19.36	8.49 13.77	Yes	No	0 0	40.7 35.3 13.2 8.53	10902 4960 Lead	0 1 FIXED	IB Fold		
Twisted	Farr 40 ODR MH	40046	0	1999	53.15 15.45	105	50.04 17.06	54.8 19.36	8.49 13.77	Yes	No	0 0	40.7 35.3 13.2 8.53	10902 4960 Lead	0 1 FIXED	IB FOLD 2	(Mtg 12/1/11, interior mods for IRC, smaller mainsail: NCTR)(Mtg 5/24/12, switching to MH ODR configuration)	
Don't Panic	C&C 30 Mills	30026	36	2016	40.8 11.28	105	46.74 18.6	41.7 14.2	7 10	No	Yes	31.5 1283 7 0	30 28.7 9.8 7.5	3995 1579 Lead	0 1 FIXED	IB Fold		
Tiburon	C&C 30 Mills	11	36	2014	40.8 11.28	105	46.74 18.6	41.8 14.2	7 10	No	Yes	31.5 1284 7 0	30 28.7 9.8 7.5	3995 1579 Lead	0 1 FIXED	IB Fold		
Zamazaan	Custom Farr 52	3883	21	1978	70.4 18.51	135	70.4 18.51	65.2 23.2	8.82 15.08	Yes	No	0	52.19 47.26 15.45 8.79	25391 9679 Lead	No 1 FIXED	IB FOLD 2	RTG W/USYRU AGE ALLOWANCE IOR RTG W/USYRU AGE ALLOWANCE R=44.9 (1987) 18/24 AS PER PHRF MTG 4/20/95. SHORTENED MAST 6.15 FEET FROM TOP, REDUCED MAINSAIL AREA FROM 24/97 MTG 8/10/95	
Bodacious +	1D 48	48005	-15	1996	57.7 16.7	155	68.3 16.7	61.3 22.5	9.84 14.66	Yes	Yes	30.1 1673 0 0	48.3 40.2 14.2 10.1	19743 8818 Lead	0 1 FIXED	IB Fold 2	Water ballast system not operational (mtg 8/19/08, custom rating assigned of -30, includes dual spinnakers)(Mtg 3/24/11, new smaller mainsail, smaller symmetrical, change cutom rating from 30 to 24)(Mtg 8/25/11)	

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications								
		Sail #	-39		I J	Max	ISP	P	MGU	Yes/No		Yes/No		LOA	Ttl Disp.	Traps/H.	IB or OB										
										Head	Sail	JSP	E					MGM		SL	SPL	SLU	ASF	LWL	Ballast	moveable blst	Prop Type
Disp/WL Ratio	Rig Type	EY	SSFF	ASMG	Fixed or _o	Max Draft																					
Lotus	Vismara 50	0	-39	2008	65.5	106	72.01	65.62	7.32	No	Yes	35.6	50.2	24912	0	IB	(Mtg 8/24/17, Custom rating assigned: -39)										
		485			17.95		23	20.34	13.67		75	1926	46.42	9259	1	Fold											
		113			CARBON				796		64.6	0	14.1	Lead	CNTRBRD												
					FS						32.5	<input checked="" type="checkbox"/>	9.84														
Deception	Santa Cruz 50	97263	-6	1987	61.8	155	61.8	55	7.1	Yes	Yes	32.9	50	17500	0	IB	ELPT Keel & OS/Spinnaker; Has a Code 0 headsail aboard - tacked to stem, no sprit (Mtg 5/26/16, -3 sec/mi for oversized mainsail)(Mtg 6/23/16, change rating back to -6)										
		482			18.3		18.3	18.4	12	61.7	18.3	62.83	46	8000	1	FOLD											
		82			ALUMN				605	34.2	1758	58.47	12	Lead	FIXED	2											
					MS					34.2		24.8	8														
California Condor	Class 40	94	6	2010	53.9	104	58.6	53.21	11.71	No	Yes	39.7	40	12225	0	IB	Short-Handed Bay Configuration										
		481			15.65		23.85	18.81	14.38		64.53	1623	39.17	4710	1	Fold											
		92			CARBON				715		55.77	8.2	14.7	Lead	FIXED	2											
					FS						30.54	<input checked="" type="checkbox"/>	9.84														
Rufless	Melges 32 MOD	174	30	2007	40.86	105	48.3	44.05	6.95	No	Yes	31.3	31.84	4200		OB	(mtg 2/23/17, no longer using the class spinnaker. +3 sec/mi for small asymmetric)										
		481			10.7		18.7	15.49	11.14		54	1203	28.5	1600	1	None											
		82			CARBON				438		46.2	8	9.83	Lead	FIXED												
					FS						28.2	<input checked="" type="checkbox"/>	7														
OAXACA	Santa Cruz 50	8927	-12	1982	61.48	155	61.22	54.75	6.08	Yes	No	36.5	50.23	17374	0	IB	(Mtg 5/26/16, -6 sec/mi for oversized ASA)										
		480			18.88		20.65	16.98	10.67	61.2	20.65	65.5	46.67	8000	1	Fold											
		78			ALUMN				540	36.6	1867	59.5	12	Lead	FIXED												
					FS					36.6		36.2	7.91														
Emily Carr	Santa Cruz 50	49211	-6	1981	61	150	61	55	6.4	Yes	No		53	15000	No	IB	3' SUGAR SCOOP ON TRANSOM IF STD 50FT LOA OF BOAT										
		478			19			17	11	61	18.92		46.5	7500	1	FOLD											
		68			ALUMN			0	555	34	1718	0	12	Lead	FIXED	2											
					MS			0		33		<input type="checkbox"/>	8														
Hana Ho	Santa Cruz 50	77007	-12	1980	61.39	155	61.5	54.92	6.5	Yes	Yes	35.9	52	18000	0	IB	(Mtg 5/26/11, +3 sec/mi for interior changes)(2/24/12, interior changes removed, boat is back to standard weight for a SC 50)(Mtg 5/25/17, New Rudder, NCTR. -3 sec/mi for OSP, -3 sec/mi for oversized spinnaker area)										
		478			18.85		20.73	16.98	11.1	60.9	20.73	65.5	46	8000	1	Feath											
		84			ALUMN			0	558	33.75	1713	59.68	12	Lead	FIXED	3											
					MS			0		33.75		35.3	7.75														

Boat Name	Boat Model (Type)	Rating			Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications											
		Sail #	Built	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB	Prop Type	Modifications										
										DW Rating	Mast Material										PY	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	# of blades
EY	MSA	SSF	SSA	ASM	Fixed or _o	Max Draft	Ballast Mat.	Keel Type	# of blades																					
Horizon	Santa Cruz 50	18926	-15	1982	61.7 18.43	145	61.7 20.3	55.2 19	7.15 12.05	No	Yes	36.4 1880	50.23 46.906	18844 8000	0 1		IB FOLD	2	(Mtg 6/16/08, -6 sec/mi for oversized spinnaker, -3 sec/mi for oversized main)											
Kuai	Melges 32 ODR	211	27	2006	40.86 10.7	105	48.3 18.7	44.05 15.49	6.95 11.14	No	Yes	31.82 1344	31.84 28.5	4200 1600	0 1		OB None													
Racer X	Farr 36 ODR	6	9	2006	46.78 13.19	110	54.82 21.06	49.93 18.63	8.53 12.965	No	Yes	36.279 1751	36.1 32.8	6744 3078	No 1		IB FOLD	2												
Wicked Sister	Farr 36 ODR	3	9	2004	46.78 13.19	110	54.82 21.06	49.93 18.63	8.53 12.96	No	Yes	36.28 1751	36.1 32.8	6745 3076	0 1		IB Fold													
Lucky Duck	Custom Santa Cruz 52	28729	-30	2001	64.14 18.95	155	64.6 22.5	57.5 21	8.76 14.22	Yes	Yes	40.91 2190	53 46.25	22544 8000	0 1		IB Fold	2	(Mtg 8/23/12, Custom Rating Assigned, -21 as sailed)(Mtg 5/23/13, weighed displacement added)(Mtg 3/27/14, New Rudder, -3 sec/mi for OSP, -6 sec/mi for 10%+ increase in spinnaker area. No penalty for keel/displacement)											
Tyr	J 125	52125	-12	2000	49 14.8	155	52 23.4	46.5 18	6.79 11.65	No	Yes	39.3 1831	41 37	8350 4646	0 1		IB Fold	2												
Can't Touch This	J 125	93204	-12	1999	49 15	155	52.1 23	47 18	6.8 11.6	No	Yes	41 1941	41 37	9330 4646	0 1		IB FOLD	2	(Mtg 2/26/09, -3 sec/mi for oversized main girths)(3/9/09, corrected main girths, removed -3 sec/mi penalty)											

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications						
			Built	J	Max Headsail	ISP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp. Traps/H. Strps		IB or OB									
									E	MGM				SL	SPL		SLU	ASA		LWL	Ballast	moveable blst	# of blades		
																								PY	MSA
Disp/WL Ratio	Mast Material	Rig Type	EY	SSSF	ASM	Fixed or _o	Max Draft																		
								Velvet Hammer	Schock 40	51507	-12	2000	42.5	104	49.5	44.4	7.2	No	Yes	33.92	40	7914	No		
													13.6	20.58	16.8	11.8		60	1459	35	1800	2	None		
					CARBON		0	470		49	7	10	Lead	MOVABL	0										
					FS		0			31.685	<input checked="" type="checkbox"/>	0													
Danger Zone	Taylor 32	4128	-24	1994	40	100	19.4	37.1	9.5	No	Yes	26.52	32	1962		OB									
					10.7		14.3	11.6		43.35	829	28.9	551	1	None										
					ALUMN			395		36.3	0	14.8	Lead	CNTRBRD											
					MS					24.6	<input checked="" type="checkbox"/>	0													
Leglus	Ohashi 52	2480	-6	1986	49.26	149	62	57.578	8.103	No	Yes	34.8	52.5	15017	0	IB	(mtg 10/21/09 assigned custom rating of -39)(Mtg 3/24/16, +3 sec/mi for no spinnaker articulation, change custom rating from -36 to -6)								
					16.387	21.92	21.325	13.517		63.648	21.292	70.6	50.06	5.952	1	FOLD									
					ALUMN			724		39.37	2076	63.6	12.6	Lead	FIXED	2									
					FS					38.188		38	<input checked="" type="checkbox"/>	0											
Buona Sera	Santa Cruz 70	41104	-81	1986	73.15	155	73.63	65.49	9.12	No	Yes	40.06	68.9	24905	0	IB	(Mtg 8/27/15, New rudder noted, -9 sec/mi for new keel)(Mtg 3/23/17, -6 sec/mi for 13% increase in SPL, -3 sec/mi for increase in spinnaker area, +3 sec/mi for decrease in mainsail area)								
					22.52	25.39	25.39	15.72			25.5	79.07	60.4	8960	1	Fold									
					CARBON			961		68.31	0	15.1	Lead	FIXED											
					MS					40.95	<input type="checkbox"/>	45	10.62												
Catapult	Santa Cruz 70	41005	-84	1989	73.34	155	73.74	66.11	9.3	No	Yes	39.1	68	23847	0	IB	(Mtg 5/25/17, Custom rating assigned. As Sailed: -84)								
					22.19	24.67	24.67	15.75				76.8	59.7	9000	1	Fold									
					CARBON			963		67.9	0	15.1	Lead	FIXED											
					MS					38.9	<input checked="" type="checkbox"/>	0	10												
Zephyrus	Riechel/Pugh Turbo 77	69011	-99	1997	85.37	128	94.94	87.34	11.5	No	Yes	56.1	77.67	31939	0	IB	(mtg 8/27/09, -6 sec/mi for new oversized jib. Changed custom rating from -126 to -132)(Mtg 4/26/12, New pintop mainsail, change custom rating from -132 to 129)(Mtg 8/23/12, change custom rating from 129 to 99 after review)								
					35	30.5	30.5	19.2			35	103.41	65.2	12300	1	FOLD									
					CARBON			1563		88.35	0	14.78	Lead	FIXED											
					FS					56.66	<input checked="" type="checkbox"/>	0	14.12												
Invisible Hand	Pac 52	5202	-102	2016	66	101	76	69.23	10.96	No	Yes	44.7	52	15700	0	IB									
					20.5	22.98	22.98	15.76			29.5	85.5	50	8360	1	None									
					CARBON			1017		71.7	0	14.5	Lead	FIXED											
					FS					45.5	<input type="checkbox"/>	90	11.8												

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
		Sail #	DW Rating		I	Max Headsail	ISP	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H. Strps	IB or OB			
					J		JSP	E	MGM	SL	SPL	SLU	ASA	Ballast	moveable blst	Prop Type			
		Disp/WL Ratio			Mast Material		PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades			
					Rig Type	EY		ASM	Fixed or _o	Max Draft									
Merlin	Custom Lee 68	8955	-87	1977	71.96 22.5	146	74.35 30.4	66.87 27.5	11 18	No	30.4	Yes	48.05 3097	68.6 64	24363 10484	0 1	IB FOLD	(Mtg 4/27/17, custom rating assigned: -81)(Mtg 5/25/17, -3 sec/mi for larger headsail, -3 sec/mi for increased J. New custom rating: -87 as sailed)	
					CARBON		0	1109				83.44	0	12.17	Lead	FIXED	2		
					MS		0					42.34	<input type="checkbox"/>	90					
Adagio	CAL 25-2 OB			216	1979	33 11	150	28 9.5	3.9 6.5	No		No		29.25 22	4500 2000	0 1	OB None		
					ALUMN								0	9	Lead	FIXED			
					MS								<input type="checkbox"/>	0					
														4.5					
Akialoa	J 35	28435	75	1989	46.33 14.58	120	46.3	41.42 14	5.43 9.11	No		No		35.42 30	10500 4400	No 1	IB FOLD		
					ALUMN			0	347				0	11.67	Lead	FIXED	2		
					MS			0					<input type="checkbox"/>						
														6.75					
All Hail	Catalina 34 TM	524	144	1988	46 13.5	130	45.9 13.5	40.5 12	4.8 8	No		No		35.66 29.84	12000 5000	0 1	IB Fold		
					ALUMN				296				0	11.75	Lead	FIXED			
					MS								<input type="checkbox"/>	0					
														5.56					
Alpha	Sonar 23	498	174	1990	23 8.25	100		27.5 11.17	1.23 7.3	No		No		23 19.92	2100 900	n 1	OB None		
					ALUMN				156				0	7.8	Lead	FIXED			
					MS								<input type="checkbox"/>	0					
														3.92					
Amandla	Catalina 34 1&2	796	147	1988	46 13.5	130		38.5 12		No		No		35.75 29.8	11950 5000	0 1	IB FOLD		
					ALUMN								0	11.75	Lead	FIXED	3		
					MS								<input type="checkbox"/>						
														5.6					
Apogee	Islander 36 Freeport	36	162	1978	46.75 16.75	150		42 12.75	5 8.4	No		No		35.9 27.6	17000 7030	0 1	IB Fold		
					ALUMN				323				0	12	Lead	FIXED			
					MS								<input type="checkbox"/>	0					
														5.3					

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
		Sail #	DW Rating		I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp.	Traps/H. Strps		IB or OB Prop Type # of blades	
										SL	SPL	SLU	ASA			Ballast	moveable blst		
SSF	SSA	ASM	Fixed or _o																
Aquadisiac	Newport 30-3	38075	174	1985	40 12.5	155	40	34 10.25	3.8 6.6	No	No	30.5 26.5 10.67 5.17	8500 2600 Lead	0 1 FIXED	IB Fold 2				
Arby	Colgate 26	212	159	2004	27.75 8.25	105	27.75	29.75 11.2	4.3 7.3	No	No	25.7 20 8.5 4.5	2600 1040 Lead	0 1 FIXED	OB Fixed_3 3	Non Spinnaker configuration			
Avalon	Catalina 30	6138	183	1992	41 11.416	120	41	35 11.5	4.63 7.72	No	No	29.92 25 10.83 5.25	10200 4200 Lead	0 1 FIXED	IB Fold 2				
Blue Passion	tartan 3400	7134	114	2006	46 13.67	95	49.67 13.67	43 14.5	4.58 8.2	No	No	34.42 30.42 11.92 6.5	10800 3500 Lead	0 1 FIXED	IB Fold				
Blue Ribbon	Catalina 27 IB	343	213	1975	34.5 11.25	120		28.7 10.5	3.5 6.3	No	No	26.83 21.75 8.83 4	6850 2650 Lead	0 1 FIXED	IB Fixed_3 3				
Blue Ribbon II	Catalina 270 IB	38087	207	1994	33.58 9.25	135	33.58	28.42 11.5	4.67 7.61	No	No	27 23.75 9.83 5	6400 2000 Lead	0 1 FIXED	IB Fixed_2 2				
Blue Zephyr	Jeanneau Sun Odyssey 42 DS	108		2010	51.58 16.25	150		48.82 14.6	3.55 6.9	No	No	42.42 38 13.5 6.92	19676 5628 Iron	0 1 FIXED	IB Fixed_3	(mtg 4/27/17, +3sec/mi for in-mast furling, +3 sec/mi for MGM < 50% of E)			

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications	
		Sail #	DW Rating		I	J	Max Headsail	ISP	JSP	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps		IB or OB
										E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst		Prop Type
		Disp/WL Ratio			Mast Material					PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type		# of blades
							EY		SSF		ASMG	Fixed or _o	Max Draft							
Borealis	Gulf 39 PH	77135	129		50	128		42	4.83	No	No			38.83	17500			IB		
					16.17			13.75	8.58					33.67				Fold		
					ALUMN							0		12	Iron	1				
		208			MS							0		5	FIXED					
BZ	Sonar 23		174		23	100		27.5	1.23	No	No			23	2100	No		NONE		
					8.25			11.17	7.3					19.92	900	1		None		
					ALUMN							0		7.8	Lead	FIXED				
		121			FS				156			0		3.92						
Califia	Islander 36 ODR	67074	144	1978	45	135	45	39.25	3.69	No	No			36.08	13450	0		IB		
					14.48			12.75	6.88					28.25	5450	1		Feath		
					ALUMN							0		11.17	Lead	FIXED		2		
		271			MS				265			0		6.08						
Ciao Bella	Beneteau 37	38	117	2009	45.833	105		43.5		No	No			37.666	14008	0		IB		
					15			12.9						34.75	3902	1		FOLD		
					ALUMN							0		12.833	Iron	FIXED		3		
		152			FS							0		6.25						
Circlesea	Folkboat	125	252		21.99	100	10.17	28.71	4.42	No	No			25.08	4640	0		OB		
					6.56			11.15	7.33					19.82	2315	1		None		
					WOOD							0		7.26	Iron	FIXED		0		
		271			MS				194			0		3.92						
Crane Wife	Fuji 32 KTH	0	252	1977	36.25	148		29.08	3.8	No	No			31.5	13115	0		IB		
					14.75			11.21	5.96					29	4635	1		Fixed_3		
					ALUMN			18.25	177			0		9.83	Iron	FIXED				
		244			KTCH			8				0		3.66						
Daseins Den	Dana 24	#####	246	1987	34	120		28.25	3	No	No			24.16	7400	0		IB		
					12.25			10.75	5.85					21.42	3100	1		Fixed_2		
					ALUMN							0		8.58	Lead	FIXED				
		342			CTR				160			0		3.83						

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
		Sail #	DW Rating		I	J	Max Headsail	ISP	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB	
								JSP	E	MGM	SL	SPL	SLU	LWL	Ballast	moveable blst		Prop Type	
		Disp/WL Ratio			Mast Material				PY	MSA	SSMG	SSA	SLE	Max Beam	Ballast Mat.	Keel Type		# of blades	
						EY		SSF		ASMG	Max Draft								
Dulcinea	Catalina 38	88	117	1981	49.83	130	49.8	44	4.37	No	No	38.17	15900	0		IB			
					15.5		15.5	11.5	7.6			30.25	6850	1		Fold			
					ALUMN				304			11.83	Lead	FIXED		2			
		261			MS						<input type="checkbox"/>	0							
											0								
Ecco	CAL 39-2/3	115	117	1980	50	125	50	44	5	No	No	39	17000	0		IB			
					16.7			13.75	8.5			32.1	7000	1		Feath			
					ALUMN				351			12.15	Lead	FIXED					
		234			MS						<input type="checkbox"/>	0							
											0								
Enchante'	Beneteau 42 IK TM	63222	84	1985	55.43	155	55.71	49.2	4.8	No	No	43.67	20509	No		IB			
					16.73			14.6	8.5			36	8700	1		FOLD			
					ALUMN			0	400			13.83	Iron	FIXED		2			
		200			MS			0			<input type="checkbox"/>	0							
											0								
Endless Summer	Catalina 42-1/2 WK	688	111	2000	53	155		46.75	5.08	No	No	41.83	28000	0		IB			
					16.5			15.5	9.16			36	8300	1		Feath			
					ALUMN				405			13.83	Lead	FIXED		3			
		273			MS						<input type="checkbox"/>	0							
											0								
Firefly	Harbor 20	226	213	2006	25.75	90	25.75	26	3.6	No	No	20	1800	0		OB			
					7		7	10	6.25			17.17	900	1		None			
					ALUMN				151			7	Lead	FIXED					
		162			FS						<input type="checkbox"/>	0							
											0								
Ga	Knarr ODR	123	198		33.583	125	33.583	31	4.47	No	No	30.333	4630	No		OB			
					6.583			11.166	7.46			20.333	2866	1		None			
					WOOD			0	211			7	Lead	FIXED		0			
		250			FS			0			<input type="checkbox"/>	0							
											0								
Ganesha	Sabre 36-2	28862	111	1996	48.5	155		41.6	5.66	No	No	36.17	13800	No		IB	Adjustable back stays		
					13.46			14.83	9.63			30.42	5520	1		FOLD			
					ALUMN			0	368			12	Lead	FIXED		2			
		223			MS			0			<input checked="" type="checkbox"/>	0							
												6.5							

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
		Sail #	DW Rating		I	J	Max Headsail	ISP	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB	
								JSP	E	MGM	SL	SPL	SLU	LWL	Ballast	moveable blst		Prop Type	
		Disp/WL Ratio			Mast Material				PY	MSA	SSMG	SSA	SLE	Max Beam	Ballast Mat.	Keel Type		# of blades	
						EY		SSF		ASMG	Max Draft								
Grunion	Catalina 425	11	87	2017	55.75	125	17.34	52	5.04	No	No	41.67	17500	0		IB	(Mtg 1/26/17, need to submit spinnaker measurements when available)		
					15.67			18	9.58			39.08	7000	1		Fold			
					ALUMN				490			13.67	Lead	FIXED					
					MS							6.67							
Hangover	Islander 36 ODR	367	147	1976	45	135	45	39.25	5.05	No	No	36.8	13450	0		IB			
					14.48			12.75	8.44			28.25	5820	1		Fixed_2			
					ALUMN				303			11.17	Lead	FIXED					
					MS							6.08							
Harizon	Dufour 310	122	159	2016	40.35	95		38.25	5.54	No	No	31.72	10802	0		IB			
					10.82			14.57	9.47			28.54	2932	1		Fold			
					ALUMN				332			10.88	Iron	FIXED					
					FS							6.23							
Imagine	Ericson 32-3	716	159	1987	42	135		36.4	4.18	No	No	32.5	9800	0		IB			
					13.8			11.8	7.28			25.83	4200	1		Fixed_2			
					ALUMN				248			10.83	Lead	FIXED		2			
					MS							6							
Invictus	Hunter 41 DS	38093	129	2007	51.6	110		50.8	6	No	No	40.4	19400	0		IB	(Mtg 4/25/13, +3 sec/mi for in-mast furling main)		
					13			19.6	10.11			35.6	6506	1		Fixed_3			
					ALUMN				524			13.3	Lead	FIXED		3			
					FS							6.6							
Isle Of Skye	Tartan 33 7/8 RIG	6	159	1979	36.42	100	36.42	41.58	4.6	No	No	33.67	10000	No		IB			
					12.42			14.42	8.1			28.08	4400	1		FEATH			
					ALUMN			0	328			10.92	Lead	FIXED		3			
					FS			0				4.42							
Itinerant	Hunter 34	1025	150	1986	47.42	105		41	4.02	No	No	34.42	11820	0		IB			
					13.75			11.75	6.87			28.25	5366	1		Fixed_2			
					ALUMN				271			11.5	Steel	FIXED					
					MS							5.5							

Boat Name	Boat Model (Type)	Rating			Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications							
		Sail #	Built	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No		LOA	Ttl Disp.	Traps/H.	Strps	IB or OB	Prop Type	Modifications						
										E	MGM	SL	SPL								SLU	ASA	LWL	Ballast	moveable blst	# of blades
Disp/WL Ratio	Mast Material	Rig Type	EY	SSF	ASMG	Fixed or _o	Max Draft																			
Kabunza	Pearson 36-2	362	132	1986	47.1 15.4	110	41 14.5	3.65 7.3	No	No			36.5 29.5 12.3 6.5	15000 5800 Lead	0 1 FIXED	IB Fixed_2 2										
Kapai	Islander 36 ODR	438	147	1977	45 14.48	125	39.25 12.75	5.05 8.44	No	No			36.08 28.25 11.17 6	13450 5500 Lead	0 1 FIXED	IB FOLD 2										
Kiwa	Ericson 32-2	285	183	1973	36 18	155	31.5 13	4.9 8.4	No	No			32 24 9.67 4.91	9400 4400 Lead	0 1 FIXED	IB Fixed_2 2										
Kraken	Knarr ODR	47	198		33.583 6.583	125	31 11.166	4.47 7.46	No	No	6.583		30.333 20.333 7 4.25	4360 2866 Cast Iron	No 1 FIXED	OB None 0										
Kynntana	Freedom 38	38086	141	1988	33.34 11.5	100	33.34 16.57	11.5 10.7	No	No			38.42 30.58 12.5 5.6	14370 6500 Lead	0 1 FIXED	IB Fold										
Lawless	Catalina 36-2	2056	147	2002	44.75 14.42	155	39 12	4.83 8.05	No	No			36.42 30.33 11.92 5.83	13500 6042 Lead	0 1 FIXED	IB Fixed_3										
Lioness	Bermuda 40	981	174	1962	42.5 15.58	160	36.6 17.2 17.7 8.5		No	No			40.75 28.8 11.75 4.25	20000 5600 Lead	0 1 CNTRBRD	IB Fixed_3 3	(Mtg 5/22/08, +6 secmi for 3-blade fixed prop, no penalty for headsail larger than 155%, no credit for sonar transducer, custom rating of 174 assigned)									

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
		Sail #	DW Rating		I	J	P	MGU	Yes/No	Yes/No	LOA	Ttl Disp.	Traps/H.	IB or OB				
					Max	Headsail	E	MGM	SL	SPL	LWL	Ballast	moveable blst	Prop Type				
		Disp/WL Ratio			Material	Rig Type	PY	MSA	SSMG	SSA	Max Beam	Ballast Mat.	Keel Type	# of blades				
				ISP	JSP													
Lucky Mud	Pearson 323	110	189	1978	41	100	ALUMN	MS	36	3	No	No	32.3	12800	0	IB		
					13.81				10.75	5.2			27.5	4500	1	Fixed_3		
					280					197		<input type="checkbox"/>	0	10	FIXED			
													4.5	Lead				
Makani	Nonsuch 30	278	174	1985		0	ALUMN	CAT	44.9	8	No	No	30.33	11500	0	IB		
									23.9	14.5			28.75	4500	1	Feath		
										607		<input type="checkbox"/>	0	11.83	FIXED			
													5	Lead				
Maxine	Yankee 30-1 SM	43	186	1971	37.5	125	ALUMN	MS	32.5	2.4	No	No	30.13	8700	0	IB	+3 sec/mi for MGM less than 50% of E	
					12.75				9.7	4.8			23	4130	1	FOLD		
										158			9	Lead	FIXED	2		
					325							<input checked="" type="checkbox"/>	0	5				
Mottley	Catalina 34	8	147	1986	44	130	ALUMN	MS	38.5	4.7	No	No	34.5	11950	No	IB		
					13.5				12	8.05			29.833	5000	1	Fold		
									0	281		<input type="checkbox"/>	0	11.75	FIXED	2		
					205				0				5.583	Lead				
Nepenthe	Hawkfarm 28	6122	174	1976	33.3	115	ALUMN	FS	36	4.3	No	No	28	5700	0	IB		
					11				10.5	7.2			23.5	2700	1	Fixed_2		
										234		<input type="checkbox"/>	0	9.75	FIXED	2		
					200								5.5	Lead				
Nessie	Catalina 34 1&2	734	156	1988	44	100	ALUMN	MS	38.5	4.7	No	No	34.5	11950	0	IB		
					1.5				12	7.54			29.83	5000	1	Fixed_3		
										274		<input type="checkbox"/>	0	11.75	FIXED	3		
					205								5.58	Lead				
Oshun	Catalina 27 OB	1216	201	1974	34	95	ALUMN	MS	28.67	4.24	No	No	26.83	6850	0	OB		
					11.25				10.5	7.08			21.75	2750	1	None		
										185		<input type="checkbox"/>	0	8.83	FIXED			
					303								4	Lead				

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
			Built	J	Max	IS	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	IB or OB				
			DW Rating	Mast	Head	JSP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst		Prop Type		
			Disp/WL Ratio	Material	Sail		PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type		# of blades		
Passat	North Star 500	57313	240	1973	33 10.25	140	27.5 8.75	3.5 6.1	No	No			24.98 20.23	4298 1710	0 1	IB Fixed_3			
			236		ALUMN MS			149			<input type="checkbox"/>	0 0	9 5	Lead FIXED					
Post Time	Catalina 42-1/2	362	102	1993	53 16.42	135	46.75 15.5	5 9	No	No			41.83 36	24000 8300	0 1	IB Feath 3	In-Boom Furling Mast, Electric Halyard Winch		
			234		ALUMN MS			401			<input type="checkbox"/>	0 0	13.83 6	Lead FIXED					
Prime Number	Tartan 4100 SD	38107	96	2004	57 15	106	47.75 17.22	5.64 10.08	No	No			41.25 35.75	20400 8000	0 1	IB Fold			
			203		CARBON MS			458			<input type="checkbox"/>	0 0	13.5 5.33	Lead FIXED					
Sacagawea	Catalina 34 1&2	375	156	1987	44 13.5	95	38.5 11.75	4.7 7.54	No	No			34.5 29.83	11950 5000	0 1	IB Fixed_3 3			
			205		ALUMN MS			272			<input type="checkbox"/>	0 0	11.75 5.6	Lead FIXED					
Sail La Vie	Beneteau 411	28597	105	1999	46.67 16.25	140	41.5 14.83	4.872 8.77	No	No			41.67 36.09	17196 5500	No 1	IB FEATH 3			
			166		ALUMN MS			0 0			<input type="checkbox"/>	0	13 5.58	Steel FIXED					
Scraft	Hunter 36	38096	156	2005	44.83 13.17	125	44.92 16	6 10.3	No	No			35.5 30.58	13900 5023	0 1	IB Fixed_3	Roller Furler, In-mast Furling Mainsail		
			221		ALUMN MS			426			<input type="checkbox"/>	0 0	12 5.42	Lead FIXED					
Sea Breeze	Catalina 320	850	156	2001	43.58 12.33	135	38 13.25	5.168 8.661	No	No			32.5 28	11300 4000	0 1	IB Fold 2			
			234		ALUMN MS			303			<input type="checkbox"/>	0 0	11.75 6	Lead FIXED					

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
		Sail #	DW Rating		I	J	P	MGU	Yes/No	Yes/No	LOA	Ttl Disp.	Traps/H.	IB or OB				
					Max Headsail	ISP	E	MGM	SL	SPL	LWL	Ballast	moveable blst	Prop Type				
		Disp/WL Ratio	Mast Material		JSP	PY	MSA	SSMG	SSA	SLU	ASA	Max Beam	Keel Type	# of blades				
							SSF	ASF	Max Draft									
Seaya	Catalina 380	252	120	2000	50.916	135	14.667	44.833	5.2	No	No		38.42	19000	No	IB		
					ALUMN			15.667	10			0	32.42	6800	1	FEATH		
					MS				405		<input type="checkbox"/>		12.33	Lead	FIXED	3		
		253											7.17					
SF	CAL 25-1 OB	1062	225	1969	29.75	120	10	25	4.17	No	No		25	4000	0	OB		
					ALUMN			11	7			0	20	1700	1	None		
					MS				163		<input type="checkbox"/>	0	8	Lead	FIXED			
		227										0	4					
SLOWMO!	Catalina 22-1 OB SK	2482	270	1973	25.93	150	8	21	3.47	No	No		21.6	2250	0	OB		
					ALUMN			9.66	5.96			0	19.4	550	1	None		
					MS				118		<input type="checkbox"/>	0	7.8	Iron	MVBL	3		
		140										0	5					
Sobrante	Alerion Express 28 ODR	406	168	2009	30	90	9.75	33	4.8	No	No		28.25	5700	0	IB		
					ALUMN			12.5	7.6			0	22.83	2200	1	Fold		
					FS				241		<input type="checkbox"/>	0	8.2	Lead	FIXED	2		
		218										0	4.5					
Spartan	Dufour 1300	0	195	1975	31.17	110	9.18	27.89	3.54	No	No		23.88	2866	0	OB		
					ALUMN			8.2	5.91			0	18.04	1257	1	None		
					MS				146		<input type="checkbox"/>	0	8.66	Iron	FIXED			
		222										0	4.76					
Spirit	Alerion Express 28 ODR	275	168		30	90	9.75	33	4.8	No	No		28.25	5700	0	IB		
					ALUMN			12.5	7.6			0	22.83	2200	1	Fold		
					FS				241		<input type="checkbox"/>	0	8.2	Lead	FIXED	2		
		218										0	4.5					
Sterling	Catalina 34 1&2	1269	153	1994	44	125	13.5	38.5	3.6	No	No		35.66	11950	0	IB		
					ALUMN			12	6.8			0	29.84	5000	1	Fixed_2		
					MS				251		<input type="checkbox"/>	0	11.75	Lead	FIXED			
		204										0	5.56					

