

NCPHRF - CURRENT FLEET ROSTER

This Roster represents the information on file for boats with a current NCPHRF certificate. If the boat you are looking for is not listed, their certificate is either not current or not yet updated to the list. You can contact the YRA office to verify a boat not found on this list at info@yra.org or via phone at 415.771.9500. This list is updated monthly.

As of: 5/25/2017

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications	
			Built	DW Rating	I J	Max Headsail	ISP JSP	P E	MGU MGM	SSMG	SPL SSA	SLU SLE	ASF ASA	ASG Fixed or _o	LOA LWL	Ttl Disp.	Traps/H. Strps	IB or OB		Prop Type
			Disp/WL Ratio		Mast Material			PY EY	MSA	SSG	SSA	SLE	Sprits	Lnth	Max Beam	Max Draft	Ballast Mat.	moveable blst	Keel Type	# of blades
The Mighty Windsong	International Folkboat OB	567	228	1969	26 8.3	155	26 8.3	28.8 11.2	4.44 7.34	Yes	27.13 14.89 4.92	8.36 292	No		25.75 19.75 7.5 4	5000 2750 Iron	0 1 FIXED	OB None		
Nemesis	Pearson 26 Commander	151	258	1964	31.5 9.5	155		26 11.5	3.3 5.75	Yes	31.2 17.1 16.4	9.5 441	Yes	21.06 444 0 0	25.7 18.5 8 3.7	5200 2500 Lead	0 1 FIXED	OB None		
Green Dragon	Cal 20	4188	273	1965	22 7.33	125	22	23 9.84 0 0	3.84 6.5 137	Yes	22 13 13	7.33 238	No		20 18.08 7 3.33	1950 900 Steel	0 1 FIXED	OB None 0		
Can O' Whoopass	CAL 20	624	273	1965	22 7.33	115	22 7.33	23 10	4 6.7	Yes	22 13.2 13.2	7.33 242	No		20 18.1 7 3.33	2000 900 Iron	0 1 FIXED	OB None 2	(mtg 4/24/08, -18 sec/mi for adding single trapeze wire) (10/2/08 - removed trapeze, now racing as a standard cal 20 -18 sec/mi penalty removed)(3/5/09 added single trapeze back, -18 sec/mi)(8/26/09, switching back to standard Cal 20)	
Miss Kate	Catalina 27 IB	4630	210	1980	34.5 11.25	125	34.5 11.25	28.66 10.5	3.99 6.83	No			Yes	20.35 515 0 0	26.85 21.75 8.85 4	6850 2700 Lead	0 1 FIXED	IB Fixed_2		
Albacore	Santana 22 ODR	18325	237	1976	25.67 8.58	125	25.67 8.58	21.75 9.83	3.95 6.59	Yes	26 15.44 15.44	8.58 335	No		22 18.67 7.83 3.5	2600 1230 Iron	0 1 FIXED	OB None		

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications		
		Sail #	DW Rating		I	J	Max Headsail	ISP	JSP	P	MGU	Yes/No	Yes/No		ASF	Ttl Disp.			Traps/H. Strps	
										E	MGM	SL	SPL		SLU	ASA			Ballast	moveable blst
		Disp/WL Ratio			Mast Material					PY	MSA	SSMG	SSA		SLE	Sprit Lngth			Ballast Mat.	Keel Type
							EY		SSF		ASM	Fixed or _o								
Anapos	Santana 22	5158	237	1966	26	120	26	21.75	3.95	Yes	No			22	2600	No	OB			
					8.5			9.833	6.59					18.666	1230	1	None			
								0	131			0		7.833	Iron	FIXED	0			
								0				<input type="checkbox"/>		3.5						
Auggie	Santana 22 ODR	476	237	1969	26	125	26	21.75	3.95	Yes	No			22	2600	No	OB			
					8.5			9.833	6.59					18.666	1230	1	None			
								0	131			0		7.833	Cast Iron	FIXED	0			
								0				<input type="checkbox"/>		3.5						
Byte Size	Santana 22	801	237	2001	26	90	26	21.75	3.95	Yes	No			22	2600	No	OB			
					8.5		8.5	9.833	6.59					18.67	1230	1	None			
								0	131			0		7.83	Iron	FIXED	0			
								0				<input type="checkbox"/>		3.5						
High and Dry	Santana 22	114	234	1967	26	150	26	21.75	3.95	Yes	No			22	2600	0	OB			
					8.5			9.83	6.59					18.67	1230	1	None			
									131			0		7.83	Cast Iron	FIXED				
												<input type="checkbox"/>	0	3.5						
Meliki	Santana 22	5194	237	1967	26	125	26	21.75	3.95	Yes	No			22	2600	No	OB			
					8.5			9.833	6.59					18.67	1230	1	None			
								0	131			0		7.83	Iron	FIXED	0			
								0				<input type="checkbox"/>		3.5						
The Belafonte	Santana 22 ODR	5000	237	1970	26	110	26	21.75	3.95	Yes	No			22	2600	No	OB			
					8.5			9.833	6.59					18.67	1230	1	None			
								0	131			0		7.833	Iron	FIXED	0			
								0				<input type="checkbox"/>		3.5						
Zingaro	Santana 22	5050	237	1971	26	125	26	21.75	3.95	Yes	No			22	2600	0	OB			
					8.5			9.83	6.59					18.67	1260	1	None			
									131			0		7.833	Iron	FIXED	0			
												<input type="checkbox"/>	0	3.5						

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications	
		Sail #	DW Rating		I	J	Max Headsail	ISP	JSP	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps		IB or OB
										E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst		Prop Type
		Disp/WL Ratio			Mast Material					PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type		# of blades
							EY		SSF		ASMG	Fixed or _o	Max Draft							
Quiet Thing	Ranger 22	200	216	1978	25.75	155	25.75	26	2.8	Yes	No			22.5	2200	0	OB			
					8.5			7.4	4.8					17.5	900	1	None			
			732		ALUMN				115			0		7.8	Lead	FIXED				
			187		FS							0		4.3						
Vanga	Alberg 30	30	231	1965	36.75	100	36	31	4.49	Yes	No			30.25	9000	0	IB	Roller Furler		
					10.5			14.25	8.2					21.67	3300	1	Fixed_3			
			732		ALUMN				243			0		8.75	Iron	FIXED	3			
			402		MS							0		4.5						
Picante	Islander Bahama 28 SM	1	210	1981	33.8	150	11.75	28	3.58	No	Yes	20		27.9	7000	0	IB			
					11.75			8.2	5.75		33	478		23	3000	1	Fixed_3			
			726		ALUMN				146		29.4	0		9.8	Lead	FIXED	3			
			262		MS						18	0		5.5						
Evenstar	Ranger 23	6404	216	1974	27.54	155	27.5	24	3.3	Yes	No			23.67	3400	0	OB			
					9.75			9.2	5.4					20	1500	1	None			
			724		ALUMN				126			0		7.92	Lead	FIXED				
			193		MS							0		3.9						
Obsession	Harbor 20	299	207	2010	25.75	95	26.38	26	3.25	Yes	No			20	1800	0	OB	(Mth 5/25/17, -6 sec/mi for OSP)		
					7		8.16	10	6.05					17.2	900	1	None			
			722		ALUMN				147			0		7	Lead	FIXED				
			161		FS							0		3.5						
Dura Mater	CAL 27-2 IB	616	213	1979	36	120		30.83	4.21	Yes	No			26.58	6700	0	IB			
					12			10.25	7					22.08	3100	1	Fixed_3			
			721		ALUMN				195			0		9.25	Lead	FIXED	3			
			283		MS							0		4.25						
Sparky	Catalina 25 FK	1498	222	1979	29	145	29	24.66	3.68	Yes	Yes	17.9		25	4550	0	OB			
					10.5		10.5	9.58	1.45		29.9	369		22.16	1900	1	None			
			720		ALUMN				102		25.5	0		8	Cast Iron	FIXED	0			
			190		MS						15.5	0		4						

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
			Built	ISP	I	J	Max Headsail	ISP	P	MGU	Yes/No	Yes/No	ASF		Ttl Disp.	Traps/H.	Strps		IB or OB
			DW Rating	JSP	Mast Material			E	MGM	SL	SPL	SLU	ASA		Ballast	moveable blst	Prop Type		
			Disp/WL Ratio		Rig Type			PY	MSA	SSMG	SSA	SLE	Sprit Lngth		Ballast Mat.	Keel Type	# of blades		
New Sinsation	Santana 20	28449	222	1978	24.5	150	24.5	24.5	3.16	Yes	No	20.2	1350	0	OB				
					8.16		7	4.92		23.75	8.16	16	550	1	None				
			719		ALUMN				110	13.67	271	8	Lead	FIXED					
			150		FS					13.67		4							
Tinker	Wilderness 21	6	225	1977	25	125	25	25	2.83	Yes	No	20.5	1870	No	OB	Added roller furler			
					8.67		8	4.66		25	8.67	17.8	1070	1	None				
			718		ALUMN		0	113		15.6	325	7.25	Lead	FIXED					
			151		MS		0			15.6		4							
un-named	Catalina 22-2 OB FK	15622	255	2006	25.8	135	25.83	21	3.5	Yes	No	21.5	2250	0	OB				
					8		9.67	6.08		25	8	19.33	550	1	None				
			716		ALUMN				119	14.4	300	7.67	Lead	CNTRBRD					
			142		FS					14.4		5							
Jam Jam	Yankee 30-1 SM	90	192	1972	37.5	125	37.5	34.5	2.45	Yes	No	30	8900	0	IB	(mtg 4/28/11, +3 sec/mi for engine modifications)			
					12.75		9.75	4.91		35	12.75	23	4180	1	Fixed_3				
			715		ALUMN				170	19.5	586	9	Lead	FIXED					
			332		MS					22.5		5.1							
Wild-Type	Ericson 32-2	614	186	1975	38	155	13	31.5	4.53	No	Yes	31.58	8800	0	IB	Roller Furler			
					13		13	8.19		39.55	22.23	24	4000	1	Fixed_3				
			707		ALUMN				237	35.38	639	8.67	Lead	FIXED					
			289		MS					20.01	0	4.92							
Summertime Dream	Custom Schumacher 26	18859	186	1979	26.28	150	26.28	29.58	4.33	Yes	No	26.08	3300	0	OB	Boat has previously been called "War"			
					8.07		10.76	7.23		25.67	8	20	1360	1	None				
			705		ALUMN		0	195		14.52	308	9.08	Lead	FIXED					
			187		FS		0			14		5.08							
Don Wan	Santana 28	8191	186	1978	36	155	36	31	3.6	Yes	No	28.25	7500	No	IB				
					12		9.416	6.1		36	12	23	2550	1	Fold				
			704		ALUMN		0	175		21.6	648	9.17	Lead	FIXED					
			280		MS		0			21.6		5							

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications		
		Sail #	DW Rating		I J	Max Headsail		P E	MGU MGM	SL	SPL	Yes/No	ASF		Ttl Disp.	Traps/H. Strps				
						Mast Material		PY	MSA	SSMG	SSA	SLU	ASA		Ballast	moveable blst				
		Disp/WL Ratio			Rig Type			EY		SSF		SLE	Sprit Lngth		Ballast Mat.	Keel Type				
										Fixed or _o										
Happiness	Cal 27-2 OB	3893	201		36 12	95	36 12	30.67 10.25	3.25 6.5	Yes	36 21.6 21.6	12 648	No		0 0	26.58 22.08 9.25 4.25	6700 3100 Lead	0 1 FIXED	OB None	
Youngster	IOD ODR	82	156	1937	29.25 8.33	103	41 10.67	38.83 16.25 0 0	6.12 10.47 374	Yes	30 15 15	8.416 375	No		0	33.42 21.42 6.75 5.333	7100 4100 Lead	No 1 FIXED	NONE None 0	(mtg 1/21/10, switched to Masthead Spinnaker, -12 sec/mi for 40% increase in ISP, -6 sec/mi for oversized spinnaker girths)(138 rating valid for PHRF Races, not valid for IOD Class races. Boat must be in close configuration to sail
Alte Liebe	Albin Ballad 30	1266	183	1978	37.083 11.249	155	37.8	31.916 9.333 0 0	3.33 5.58 171	Yes	36.83 22.2 21.83	12.27 679	No		0	29.916 22.583 9.666 5.09	7276 3417 Lead	No 1 FIXED	IB FOLD 2	The J measurement in all Ballad documents & Sailmaker plans is 12.27 however the actual J= 11.3" (MTG 8/25/94), standard SPL is 12.27 (mtg 3/20/08)
Ross's Dream	Catalina 30	4895	180	1987	41 11.42	150	41	35 11.5	4.63 7.72	Yes	40.45 20.7 20.7	11.5 698	No		0 0	29.92 25 10.83 5.25	10200 4200 Lead	0 1 FIXED	IB Fold 2	
Tortuga	Westsail 32	207	216	1974	31.2 18.4	150		38.3 15.1		No			No		0 0	32 27.6 11 5	19500 7000 Lead	0 1 FIXED	IB FOLD 3	
Bandido	Merit 25	28125	168	1983	28.75 9.66	150	28.75	28 9.75 0 0	4.25 6.69 172	Yes	29 17.39 17.39	9.66 420	No		0	24.5 20.5 8 4	3000 1050 Lead	No 1 FIXED	OB None 3	
Double Agent	Merit 25	8465	168	1981	28.75 9.66	155	28.75	28 9.75 0 0	4.25 6.69 172	Yes	29 17.39 17.39	9.66 420	No		0	24.5 20.5 8 4	3000 1050 Lead	No 1 FIXED	OB None 0	

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
			Built	ISP	I	J	Max Headsail	ISP	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB	
			DW Rating	JSP	Mast Material			E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst		Prop Type	
			Disp/WL Ratio		Rig Type			PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type		# of blades	
						EY		SSF		ASMG	Fixed or _o	Max Draft							
Downtown Uproar	J 24 ODR	2394	168	1981	26.25 9.5	150	26.25	28 9.75	3.7 6.37	Yes	No	24 20 9.2 4.1	3125 965 Lead	0 1 FIXED		OB None 0			
			693 178		ALUMN FS			0 0	163		<input type="checkbox"/>	0							
Irish Blessing	J 24 ODR	2184	168		26.25 9.5	150	26.25	28 9.75	3.7 6.37	Yes	No	24 20 8.92 4	3100 965 Lead	0 1 FIXED		OB None 0			
			693 176		ALUMN FS				163		<input type="checkbox"/>	0							
Shut Up & Drive	J 24 ODR	513	168		26.25 9.5	150	26.25	28 9.75	3.7 6.37	Yes	No	24 20 8.916 4	3100 965 Lead	No 1 FIXED		OB None 0			
			693 176		ALUMN FS			0 0	163		<input type="checkbox"/>	0							
Siento El Viento	C&C 29	38311	174	1977	39.5 12.8	155		33.5 10.1		Yes	No	29.5 23.6 10.5 5.25	7500 2700 Lead	No 1 FIXED		IB Fold 2			
			693 259		ALUMN MS						<input type="checkbox"/>	0							
Moxie	CAL 28-2	28217	183	1988	39.9 11.4	90	39.9 11.4	34.17 10.33	4.28 7.11	Yes	No	28 23 10.8 5.3	7200 Lead	0 1 FIXED		IB FOLD 2			
			691 269		ALUMN MS				219		<input type="checkbox"/>	0							
Lelo Too	Tartan 30	16354	180	1975	39 13	155	39	34 11.416	4.61 7.69	Yes	No	29.92 24.25 10 4.916	8750 3700 Lead	0 1 FIXED		IB FOLD 0			
			687 279		ALUMN MS			0 0	238		<input type="checkbox"/>	0							
Serendipity	CAL 29-1 IB	6601	180	1974	37.833 12.333	155	37.833 12.67	31.666 12.166	4.332 7.573	Yes	No	29.25 24.17 9.25 4.75	8000 3350 Lead	No 1 FIXED		IB FOLD 2			
			687 258		ALUMN MS			0 0	223		<input type="checkbox"/>	0							

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications									
		Sail #	174		J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps		IB or OB								
											DW Rating	Mast Material									SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type
3	212	CARBON CAT	35.2	5.25	Yes	No	30	7660	0	IB																		
Jacqueline	Freedom 30 SD	3	174	1986	28.4			35.2	5.25	Yes	No	30	7660	0		IB												
					9.8			13.9	9			25.42	3150	1		Fixed_2												
					686	CARBON			291			10.8	Lead	FIXED														
					212	CAT						4.5																
Sirena	Ericson 32-2	18319	186	1972	35	110	35	31	4.9	Yes	No	31	8800	0		IB												
					13			13	8.4			24	4000	1		Fixed_2												
					685	ALUMN			239			9.8	Lead	FIXED		2												
					289	MS						5																
Wildcat of Loch Awe	S-2 7.9 FR DB	59838	165	1983	31.83	135	31.83	29.42	4.75	Yes	No	25.92	4250	0		OB												
					9.5			12.33	7.92			21.67	1750	1		None												
					685	ALUMN			216			9	Lead	AGGERBF														
					190	FS						5																
Xtasea	Catalina 30	0	186	1985	41	110	41	35.5	4.63	Yes	No	29.92	10200	0		IB												
					11.5			11.5	7.72			25	4250	1		Fixed_2												
					685	ALUMN			250			10.83	Lead	FIXED		2												
					297	MS						5.25																
Christine Rose	Catalina 30 TM	0	183	1977	43	150	43	37	4.8	Yes	No	29.92	10200	0		IB												
					13.16			12	8			25	4250	1		Fixed_3												
					684	ALUMN			270			10.83	Lead	FIXED		3												
					297	MS						5.25																
Constance	Tartan 34 CB	346	165	1974	41	125	41	35.5	4	No	Yes	20.3	34.3	0		IB	Roller Furler											
					14			10.5	6.9			43.6	25	11200	0	Fold												
					683	ALUMN			224			37.4	10.2	5000	1	2												
					326	MS						22.4	8.3	Lead	CNTRBRD													
Goose	Catalina 30	1210	180	1979	41	155	41	35	4.63	Yes	No	29.92	10200	No		IB												
					11.416			11.5	7.72			25	4200	1		FOLD												
					683	ALUMN		0	246			10.83	Lead	FIXED		2												
					297	MS		0				5.25																

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications										
			Built	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB											
										DW Rating	Mast Material									PY	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type
Max Draft	Ballast Mat.	Keel Type	# of blades																										
Toypedo	Ranger 26-2	67341	189	1980	26.4	150	28	30.5	4	Yes	No	26	3000	0	OB	Fixed Keel, No daggerboard													
					9		9	11	7			20	1140	1	None														
		682			ALUMN				197			8																	
		170			FS							5	Lead	FIXED															
Antares	Islander 30-2	6237	186	1971	38.5	155	38.416	32.5	4.75	Yes	No	30	8600	No	IB														
					12.58			11.58	8.125			24.58	3600	1	FOLD														
		677			ALUMN			0	235			10			2														
		263			MS			0				5	Lead	FIXED															
Sweet Pea	Islander 30-2	195	186	1971	38.5	155	38.42	32.5	4.75	Yes	No	30	8600	0	IB														
					12.58			11.58	8.125			24.58	3500	1	FOLD														
		677			ALUMN			0	235			10			2														
		263			MS			0				5	Lead	FIXED															
Lonesome Dove	Elite 29	9066	165	1984	35.833	130		30.333	2.6	Yes	No	28.67	6160	No	IB														
					11.083			10.333	5.1			24.42	2310	1	Fixed_2														
		676			ALUMN			0	157			10.5			2														
		192			MS			0				5.58	Iron	FIXED															
Lil Angel	Newport 30-2	6884	174	1979	39.5	150	39.5	34	4.26	Yes	No	30	8500	0	IB														
					12.1			10.25	7.07			25	2500	1	FOLD														
		675			ALUMN			0	217			10.5			2														
		247			MS			0				4.75	Lead	FIXED															
Samba Pa Ti	J 22	3	186	1982	24.8	125	24.8	26.1	3.78	Yes	No	22.5	1790	0	OB														
					8.8		8.8	9	6.27			19	700	1	None														
		674			ALUMN				147			8																	
		119			FS							3.8	Lead	FIXED															
Wuvulu	Islander Bahama 30	61	180	1979	40	150	38.416	33.75	4.75	Yes	No	30	8600	No	IB														
					12.75			11.5	8.125			24.58	3500	1	FOLD														
		674			ALUMN			0	243			10			2														
		263			MS			0				5	Lead	FIXED															

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		Ttl Disp. Ballast		Traps/H. moveable blst	IB or OB Prop Type # of blades		
								SL	SPL	SLU	ASA						
								SSMG SSF	SSA	SLE ASMG	Sprit Lngth Fixed or _o					Ballast Mat.	
DW Rating Disp/WL Ratio																	
Finn	Capo 26 IB	18782	162 1985	34.6 10.56 155		35.69 35.69	40.34 18.79	7 12.1	Yes 35.38 13.833	No		26 22 9.25 4.58	4300 1900 Lead	0 1 FIXED	IB Fold		
Ouessant	Farallone Clipper FR	8214	159 1957	35.69 13.87 150		35.69	40.34 18.79	7 12.1	Yes 35.38 13.833	No		37.833 28.25 9.5 5.916	18344 7200 Iron	No 1 FIXED	IB Fixed_2 2		
Vip	Farallone Clipper FR	7	159 1957	36.82 14 155		36.82	40.5 18.5	6.16 10.979	Yes 36.76 14	No		38 28.75 9.5 5.6	19000 7000 Iron	No 1 FIXED	IB Fixed_3 3		
Gygax	Hinckley Pilot 35 TM	4802	192 1975	44.36 13.8 155		44.36 13.8	41.83 15.81	5.5 9.97	Yes 42 13.8	No		35.5 25 9.5 5	13500 4200 Lead	0 1 FIXED	IB Feath		
Carpe Vita	Olson 25	97399	159 1988	32 9.583 130		32	28 10	3.8 6.4	Yes 32 9.583	No		25 21.25 9 4.5	3300 1300 Lead	No 1 FIXED	OB None 0		
Grey Wulff	Olson 25	18517	159 1984	32 9.6 155		32	28 10	3.8 6.4	Yes 31.7 9.6	No		25 21.25 9 4.5	3300 1300 Lead	0 1 FIXED	OB None		
Now and Zen	Newport 30-2	6883	174 1978	39.5 12.125 150			34 10.25	3.25 5.7	Yes	No		30 25 10.5 4.75	8000 2600 Lead	No 1 FIXED	IB Fold 2		

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
		Sail #	DW Rating		I	J	Max Headsail	ISP	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB	
								JSP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type	
		Disp/WL Ratio			Mast Material				PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades	
				Rig Type		EY		SSF		ASM	Fixed or _o	Max Draft							
Shark-On-Bluegrass	Olson 25	18201	159	1984	32	155	32	28	3.8	Yes	No	25	3300	No	OB				
					9.583			10	6.4	32	9.583	21.25	1300	1	None				
					ALUMN			0	166	17.25	459	9	Lead	FIXED	0				
					MS			0		17		4.5							
											<input type="checkbox"/>								
Zeehond	Newport 30-2	707	174	1976	39.5	150	39.5	34	3.6	Yes	No	30	8500	No	IB				
					12.125			10.25	6.33	39.25	12.125	25	2600	1	FOLD				
					ALUMN			0	201	21.78	712	10.5	Lead	FIXED	2				
					MS			0		21.75		4.75							
											<input type="checkbox"/>								
Harry	Newport 30-2	6889	174	1974	39.5	150	39.5	34	4.2	Yes	No	30	8500	No	IB				
					12.125			10.25	7	39.24	12.1	25	2500	1	FOLD				
					ALUMN			0	215	21.78	712	10.5	Lead	FIXED	2				
					SL			0		21.78		4.75							
											<input type="checkbox"/>								
Snafu	CS 30	68588	159	1988	42	125	42	36.416	3.95	NO	Yes	20.04	30	8000	0	IB			
					12.04		12.04	11.416	6.5		44	707	25.51	3440	1	FOLD			
					ALUMN			0	232	40.653	0	10.25	Lead	FIXED	2				
					MS			0		20.04	<input checked="" type="checkbox"/>	5.416							
Capo Gatto	Nonsuch 30	308	174	1985				45	7.9	No	No	30.33	11500	0	IB				
								24	14.3			28.75	4500	1	Fold				
									605			11.1	Lead	FIXED	2				
					ALUMN							5							
					CAT						<input type="checkbox"/>	0							
Neja	Dasher 32	7325	174	1961	38.01	155	38.01	33.22	5.12	Yes	No	31.75	11323	0	IB	500 pounds less lead in keel than the Dasher Easom Boat Works built			
					12.59			14.6	8.86	37.78	12.5	26.75	3600	1	Fold				
					ALUMN				277	21.94	691	8.9	Lead	FIXED					
					MS					21.94		5.75							
											<input type="checkbox"/>	0							
Achates	Newport 30-2	6847	174	1974	39.5	155	39.5	34	3.8	Yes	No	30	8500	No	IB				
					12.5			10.25	6.6	40	12.5	25	3000	1	FOLD				
					ALUMN			0	206	22.5	750	10.67	Lead	FIXED	2				
					MS			0		22.5		5.17							
											<input type="checkbox"/>								

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
			Built	DW Rating	I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	LOA LWL Max Beam Max Draft	Ttl Disp.	Traps/H. Strps		IB or OB Prop Type # of blades		
									Ballast	moveable blst					Ballast Mat.	Keel Type			
																		SSMG	
Red Hawk	Hawkfarm 28 ODR	59024	162	1978	33 11	155	33.25 11.5	36 10.5	4.37 7.26	Yes	No	28 23.5 9.75 5.166	5700 2700 Lead	0 1 FIXED	IB FOLD 2				
			667 200		ALUMN FS		0 0	236			<input type="checkbox"/>	0							
Pearl	Ranger 33 SM	278	165	1977	38 13.9	125	38	31.5 11	4.43 7.39	Yes	No	33.17 26.25 9.583 5.166	10500 4800 Lead	0 1 FIXED	IB Fixed_2 2				
			666 264		ALUMN MS			212			<input type="checkbox"/>	0							
White Bear	Nonsuch 30	431	174	1987				45 24	8.68 15.12	No	No	30.33 28.75 11.9 5	11500 4500 Lead	0 1 FIXED	IB Fold 3				
			666 220		ALUMN CAT			629			<input type="checkbox"/>	0							
Tule Lost	Ericson 911S Olson	28911	132	1988	41.5 12.33	155	41.5	35.5 11.083	4.73 7.69	Yes	No	29.92 25 10.33 5.42	8680 3200 Lead	No 1 FIXED	IB FOLD 0	MUST HAVE YACHT CLUB MEMBERSHIP CARD WITH ENTRY FORM FOR 2006 RACING			
			663 253		ALUMN MS			0 0	247		<input type="checkbox"/>	0							
Plus Sixteen	Ericson 911S Olson	97707	135	1991	41.5 12.25	125	41.5 12.33	35.761 11.811	4.035 7.136	Yes	Yes	20.932 698 0 5.42	8500 3200 LeadSteel	No 1 FIXED	IB FEATH 2				
			662 247		ALUMN MS			0 0	240		<input type="checkbox"/>	0							
Shanti	Ericson 911S Olson	326	132	1989	41.5 12.33	150	41.5 12.33	35.5 11.83	4.73 7.69	Yes	No	29.92 25 10.33 5.42	8700 3200 Lead	0 1 FIXED	IB FOLD 2	CHANGE TO RUDDER NOTED, NCTR			
			662 253		ALUMN MS			0 0	253		<input type="checkbox"/>	0							
Joie De Vivre	C&C 33	18797	159		43 14	110	43	37.25 10.75	4.4 6.33	No	Yes	32.9 26.42 10.54 5.5	10100 3975 Lead	0 1 FIXED	IB FOLD				
			659 249		ALUMN MS			0 0	235		<input checked="" type="checkbox"/>	0							

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.		Traps/H. Strps moveable blst				
								SL	SPL						Ballast			Keel Type
								SSMG SSF	SSA						Ballast Mat.			Keel Type
Kira	Cal 33-2	28999	132	1986	46 13.25 125 46 13.25	46	40.5 4.82 12.75 8.23 0 307 0	8.23	No	Yes	21.86 43.6 697 27.5 39.5 0 19.68	33 6.12	10800 4475 Lead	No 1 FIXED	IB FOLD 2	(Mtg 1/26/12, -3 sec/mi for increased "e" & MSA)		
Luna Sea	Islander 36 ODR	420	144	1980	45 14.48 135 45	45	39.25 5.05 12.75 8.44 0 303 0	8.44	Yes	No	0 0	36.08 28.25 11.17 6.08	18000 5450 Lead	No 1 FIXED	IB Feath 3			
Brandy	Farr 30 1/2 Ton	57257	150	1979	31 9.6 145 31	31	34 4.5 12.9 7.11 17 243 17	7.11	Yes	No	0 0	30.33 23.5 10 5.33	4894 1909 Lead	0 1 FIXED	OB None	(Mtg 4/24/15, -6 sec/mi for increased P)		
Bandicoot	Wyliecat 30 IB	28530	132	2000	0 0 135 29 10	29	39.75 7.87 20.5 13.46 0 488 0	13.46	No	No	18.8 512 0 0	30.5 25 9.5 5.25	5500 3050 Lead	0 1 FIXED	IB FEATH 2	(mtg 5/20/10, -21 sec/mi for added spinnakers)(9/5/12, removed spinnaker, back to standard configuration)		
Crinan II	Wyliecat 30 IB	15	132	2002			39.75 7.79 20.5 13.32 0 485 0	13.32	No	No	0	30.5 25 9.5 5.25	5500 3050 Lead	No 1 FIXED	IB FOLD 2			
Iseult	Wyliecat 30 IB	13	132	2001		0	39.75 7.87 20.8 13.46 491	13.46	No	No	0 0	30.5 25 9.42 9.25	5500 3050 Lead	0 1 FIXED	IB Fold 2			
Warwhoop	Contessa 33	63336	141	1984	37.916 11.17 100 37.93	37.93	39.416 5.31 13.86 9 0 326 0	5.31	Yes	Yes	20.92 682 0 0	33 25.52 11.08 5.8	8375 3700 Lead	No 1 FIXED	IB FOLD 2	(Mtg 1/26/17, -3 sec/mi for oversized asymmetric area)(Mtg 2/23/17, -3 sec/mi for oversized symmetric spinnaker area)		

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
			Built	DW Rating	I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp. Traps/H. Strps		IB or OB Prop Type # of blades			
									SL	SPL	SLU	ASA		Ballast	moveable blst				
																	SSMG	SSA	
SSF	SSA	ASM	Fixed or _o	Max Draft	Keel Type														
Allora	Morris 36	38082	120	2007	38.66 12.75	95	44.3	41.25 15.08	5.1 9.43	No	Yes	21.4 452	36.1 25	8900 3850	0 1	IB Fold			
			652 259		CARBON FS				357			0 <input checked="" type="checkbox"/>	10.1 5.3	Lead FIXED					
Catalyst	Wyliecat 30 IB	28571	132	2004				40 20.67	7.87 13.46	No	No		30.42 25	5800 3000	No 1	IB Feath 2	Must have a YC card before registering for 2005 and clear YC for 2004		
			652 169		CARBON CAT			0 0	493			0 <input type="checkbox"/>	9.42 5.25	Lead FIXED					
Curie	Beneteau 32S5	52868	138	1990	38.39 9.68	150	38.39 9.68	38.88 13.78	5.3 9.01	Yes	No	17.3 519	32.6 27.83	9260 2980	0 1	IB FOLD 2			
			652 195		ALUMN FS				321			0 <input checked="" type="checkbox"/>	10.83 6	Cast Iron FIXED					
Friction Loss	J 30	67425	141	1979	34 11.5	155	34.1 11.5	38 13	4.94 8.45	Yes	No	21.06 666	29.83 25	6500 2100	0 1	IB FOLD 2			
			652 189		ALUMN FS			0 0	295			0 <input type="checkbox"/>	11.17 5.25	Lead FIXED					
Cassiopeia	Islander 36 ODR	6763	144	1971	45 14.48	150	45	39.25 12.75	4.8 8.29	Yes	No		36.08 28.25	13947 5450	No 1	IB FOLD 2	(mtg 2/18/10, - 6 sec/mi for 10% OSP)(8/2/11, boat returned to ODR Configuration)		
			651 281		ALUMN MS				298			0 <input checked="" type="checkbox"/>	11.17 6	Lead FIXED					
Absinthe	Moore 24	102	150	1981	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No		23.75 21.75	2050 1025	No 1	OB None 0			
			650 91		ALUMN FS			0 0	147			0 <input type="checkbox"/>	7.16 4.083	Lead FIXED					
Nancy	Wyliecat 30 OB	28890	126	1995				39.66 19.75	8.71 13.46	No	No		30.5 25	5500 3050	No 1	OB None 0	(-3 sec/mi for square top main)		
			650 160		CARBON CAT			0 0	491			0 <input type="checkbox"/>	9.5 5.25	Lead FIXED					

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
		Sail #	DW Rating		I	J	Max Headsail	ISP	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB	
								JSP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type	
		Disp/WL Ratio			Mast Material				PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades	
					Rig Type	EY		SSF		ASM	Fixed or _o	Max Draft							
Nicole	Orion 35	8210	150	1979	44	150	44	39.5	4.42	Yes	No	34.58	13000	0	IB	Displacement Obtained by actual weight on scale, Rudder is new design and new build.			
					14			10.5	7.319			28.75	4700	1	FOLD				
		650			ALUMN			0	260	43.667	14.125	10.83	Lead	FIXED	2				
		249			MS			0		25.2	917	6							
Andiamo	Catalina 36-2	2168	153	2004	44.75	115		39	3.04	No	Yes	36	14200	0	IB	In-Mast Furling Mainsail, +3 sec/mi			
					14.33			13	6.16		Yes	30.25	6000	1	Fixed_3				
		649			ALUMN				248		43	11.9	Lead	FIXED	3				
		233			MS						37	5.8							
Liquid Asset	Ranger 33	27707	150	1970	41.5	150	41.5	35	4.93	Yes	No	33.17	10500	0	IB				
					13.7			13.75	8.67			26.25	4500	1	Fold				
		649			ALUMN				280	41.5	13.7	9.58	Lead	FIXED					
		264			MS					24.6	851	5.17							
Foxxfyre	Yamaha 33 IK SM	67248	159	1978	42.81	150	42.81	37.4	4.38	Yes	No	33.25	16000	No	IB	PER PHRF MTG 3/16/2000 - Weight Differencer from brochure is significant.			
					13.78			10.6	7.27			26.92	4410	1	FEATH				
		648			ALUMN			0	246	44	13.78	11	Iron	FIXED	2				
		373			MS			0		24.8	901	6.25							
Heart of Gold	Olson 911S	41327	126	1987	41.5	155	41.5	35.5	4.5	Yes	No	29.9	7200	No	IB				
					12.33			11.83	7.7			25	3200	1	FOLD				
		648			ALUMN			0	251	41.1	12.16	10.3	Lead	FIXED	2				
		209			MS			0		22.19	760	5.5							
JouJou	Capo 30	87324	123	1984	41.7	120	41.5	36	4.37	Yes	No	30	7200	0	IB	Roller Furler			
					12.75			11.5	7.47			25	3000	1	Fold				
		648			ALUMN				247	41.5	12	10.33	Lead	FIXED	2				
		209			MS					21.5	740	5.43							
Lenora	Hunter 33-2	60700	153	2004	37.42	115	38.42	36.46	4.83	No	Yes	33.5	10400	0	IB				
					10.83		10.83	15.83	8.33			29.42	3459	1	Fold				
		648			ALUMN				306	39.33	18.5	11.17	Lead	FIXED	3				
		186			FS					35.5	531	5.5							

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications		
			Built	DW Rating	I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		Ttl Disp.		Traps/H.	Strps	IB or OB Prop Type # of blades			
									SL	SPL	SLU	ASA							Ballast	moveable blst
SSF	SSA	ASM	ASF																	
Redux	Olson 911S	28106	126	1987	41.5 12.33 648 209	155	41.5	35.5 11.83 0 0	4.5 7.7 251	Yes	No	41 12.166 21.9 748 21.9	No	0	29.9 25 10.33 5.416	7200 3200 Lead	No 1 FIXED	IB FOLD 2		
Serenity	Islander 36 ODR	82659	144	1973	45 14.48 648 272	135	45	39.25 12.75	3.69 6.88 265	Yes	No	45 27 27	15 1013	0 0	36.08 28.25 11.17 6.083	13500 5450 Lead	0 1 FIXED	IB Feath		
White Cloud	Yamaha 33 IK SM	28688	162	1979	42.8 13.78 648 247	150	42.8	37.42 10.67	4.38 7.27 247	Yes	No	44 24 24	13.78 880	0 0	33.25 26.92 11 6.2	10582 4409 Iron	0 1 FIXED	IB Fixed_2		
White Jacket	Etchells 22 ODR	901	120	1991	27.27 8.22 648 142	90		32.49 11.57 0 0		Yes	No	8.22		0	30.5 22 6.83 4.5	3337 2105 Lead	0 1 FIXED	OB None 0		
Windwalker	Islander 36 ODR	57307	144	1976	45 14.48 648 271	150	45	39.25 12.75 0 0	4.8 8.2 297	Yes	No	45.25 23.3 24.7	15 889	0	36.08 28.25 11.17 6.08	13450 5820 Lead	No 1 FIXED	IB FOLD 2		
Paradigm	J 32	79	126	2002	39.166 11 647 214	150	40.583 11.916	38.42 15.42	5.5 9.58 343	No	Yes	17.83 722 0 0	17.83 722 0 0	32.4 29 11 6	11500 3840 Lead	No 1 FIXED	IB FOLD 2			
Snafu	Moore 24	121	150	1982	26.25 9.75 647 91	150	26.25	25 9.5	3.91 6.5 147	Yes	No	27 17.55 17.55	9.75 395	0 0	23.75 21.75 7.16 4.08	2050 1000 Lead	0 1 FIXED	OB None		

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp.	Traps/H. Strps		IB or OB Prop Type # of blades		
								SL SSMG SSF	SPL SSA	SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o			Ballast	moveable blst			
																		Keel Type
Mirth	Catalina 34 1&2	28634	150	2005	44 13.5	125	38.5 12	4.17 7.33	No	Yes	22.02	35.67	11950	No	IB			
			646		ALUMN MS							29.83	5000	1	FEATH			
			205				265				0	11.75	Lead	FIXED	3			
Ad Lib	Aphrodite 101	8161	144	1979	36.83 11.81	100	32.23	39.33 11.48	4.5 6.1	Yes	No	32.75	6160	No	IB			
			645		ALUMN FS							26.33	3527	1	FOLD			
			153				0	253			0	7.92	Lead	FIXED	2			
Double Down	Custom Schumacher 30	18480	123	1988	41.37 12.16	150	41.5	36.416 11.83	4.5 7.69	Yes	No	29.92	7854	No	IB	Rudder change, old rudder 85lbs new 65 lbs. Old alum/new carbon MTG 10/27/94 Noted- NCTR (MTG 1/9/97 Alum headsail removed and excess wires removed from mast- Noted NCTR)(Mtg 2/21/08, change custom rating from 126 to 122 after		
			645		ALUMN MS							26	3650	1	FOLD			
			203				0	257			0	10.65	Lead	FIXED	2			
Music	Catalina 34 1&2	56583	147	2001	44 13.5	130		38.5 12	3.6 6.8	No	Yes	35.66	11950	0	IB			
			645		ALUMN MS							29.84	5000	1	FOLD			
			204				251				0	11.75	Lead	FIXED	2			
Zara	Beneteau 310	144	135	1993	37.04 10.83	135	37.04 10.82	37.8 12.9	5.2 8.9	No	Yes	31.2	7054	0	IB			
			645		ALUMN FS							27.7	2160	1	Fixed_2			
			151				301				0	10.5	Lead	FIXED				
Coquelicot	Ranger 33	148	153	1975	41.5 13.87	120	43.75 13.87	35 13.75	4.6 8.1	Yes	No	33	10500	No	IB	Double Spreader rig, water supply 41 gallons, below v berth, 26 gallon bladder tank starboard, rudder 9 inches deeper, group 31 batteries, 15 hsp one cyl diesel replaced by 29 hsp Perkins 3 cylendar engine. (NCTR)(MTG 2/21/02)		
			644		ALUMN MS							26.3	4500	1	FOLD			
			262				0	270			0	9.6	Lead	FIXED	2			
Flyer	Peterson 33 (CHITA)	18620	144	1979	42.5 13.9	155	42.5	36.66 9.91	3.66 6.21	Yes	No	32.67	9480	0	IB			
			644		ALUMN MS							26.58	4960	1	FOLD			
			229				213				0	10.5	Lead	FIXED	2			

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications		
		Sail #	DW Rating		I	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No		LOA	Ttl Disp.	Traps/H.		Strps	IB or OB
										E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst			Prop Type
		Disp/WL Ratio			Mast Material					PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type			# of blades
						Rig Type	EY		SSF		ASM	Fixed or _o	Max Draft								
Queimada	Catalina 34 1&2	611	147	1988	44	150	44	38.5	4.2	Yes		No		34.5	11950	0		IB			
					13.5		13.5	12	7.2		42.5	13.5		29.83	5000	1		Fold			
		637			ALUMN						23.35	825		11.75	Lead	FIXED		2			
		205			MS						23		<input type="checkbox"/>	5.58							
Anna Banana	Moore 24	146	150	1984	26.25	150	26.25	25	3.91	Yes		No		23.75	2050	No		OB			
					9.75			9.5	6.5		26.6	9.75		21.75	1025	1		None			
		636			ALUMN						17.55	389		7.16	Lead	FIXED					
		91			FS						17.55		<input type="checkbox"/>	4.08							
Cadenza	Moore 24	18878	150	1977	26.25	150	26.25	25	4.01	Yes		No		23.75	2050	No		OB			
					9.75			9.5	6.54		27	9.75		21.75	1025	1		None			
		636						0	148					7.17	Lead	FIXED		0			
		91			FS			0					<input type="checkbox"/>	4.083							
Crazy Eights	Moore 24	28888	150	1978	26	150	26.3	25	3.91	Yes		No		23.75	2050	0		OB			
					9.8		9.75	9.5	6.5		26.6	9.75		21.75	1000	1		None			
		636			ALUMN						17.55	389		7.16	Lead	FIXED		0			
		91			FS						17.55		<input type="checkbox"/>	4.083							
Hasta Nunca	Moore 24	142	150		26.25	150	26.25	25	3.91	Yes		No		23.75	2050	0		OB			
					9.75			9.5	6.5		26.6	9.75		21.75	1025	1		None			
		636			ALUMN						17.55	389		7.16	Lead	FIXED		0			
		91			FS						17.55		<input type="checkbox"/>	4.08							
Moore Fun	Moore 24	18884	153	1979	26.25	125	26.25	25	3.91	Yes		No		23.75	2050	No		OB			
					9.75			9.5	6.5		27	9.75		21.75	1025	1		None			
		636			ALUMN			0	147		17.55	395		7.16	Lead	FIXED		0			
		91			FS			0			17.55		<input type="checkbox"/>	4.083							
Mooretician	Moore 24	89	150	1981	26.25	150	26.25	25	3.91	Yes		No		23.75	2050	No		OB			
					9.75			9.5	6.5		26.6	9.75		21.75	1025	1		None			
		636			ALUMN			0	147		17.55	389		7.16	Lead	FIXED		0			
		91			FS			0			17.55		<input type="checkbox"/>	4.08							

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications	
		Sail #	DW Rating		I	J	Max Headsail	ISP	JSP	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps		IB or OB
										E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst		Prop Type
		Disp/WL Ratio			Mast Material					PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type		# of blades
							EY		SSF		ASM	Fixed or _o	Max Draft							
Scarlett	Moore 24	86	150	1980	26.25	150	26.25	25	3.89	Yes	No			24	2050	No	OB			
					9.75			9.5	6.45					21.75	1000	1	None			
		636			ALUMN				147			0		7.17	Lead	FIXED				
		<i>91</i>			FS							0		4.08						
Sea Spirit	Catalina 34 1&2	108	147	1986	44	130	44	38.5	4.36	Yes	No			34.5	11950	No	IB			
					13.5		13.5	12	7.54					29.83	5000	1	FOLD			
		636			ALUMN				270			0		11.75	Lead	FIXED	2			
		<i>205</i>			MS							0		5.58						
Slight Disorder	Moore 24	98	150	1981	26.25	150	26.25	25	3.91	Yes	No			23.75	2050	No	OB			
					9.75		9.75	9.5	6.5					21.75	1025	1	None			
		636			ALUMN			0	147			0		7.16	Lead	FIXED	0			
		<i>91</i>			FS			0				0		4.083						
The Jackal	Moore 24	22	150	1977	26.25	150	26.25	25	3.91	Yes	No			23.75	2050	0	OB			
					9.75		9.75	9.5	6.5					21.75	1025	1	None			
		636			ALUMN				147			0		7.16	Lead	FIXED				
		<i>91</i>			FS							0		4.08						
White Trash	Moore 24	78	150	1979	26.25	150	26.25	25	3.91	Yes	No			23.75	2050	0	OB			
					9.75		9.75	9.5	6.5					21.75	1025	1	None			
		636			ALUMN				147			0		7.16	Lead	FIXED	0			
		<i>91</i>			FS							0		4.08						
Color Blind	Moore 24	49	150	1979	26.25	150	26.25	25	3.91	Yes	No			23.75	2050	No	OB			
					9.75		9.75	9.5	6.5					21.75	1025	1	None			
		635			ALUMN			0	147			0		7.16	Lead	FIXED	0			
		<i>91</i>			FS			0				0		4.083						
Firefly	Moore 24	64	150	1980	26.25	150	26.25	25	3.91	Yes	No			23.75	2050	No	OB			
					9.75		9.75	9.5	6.5					21.75	1025	1	None			
		635			ALUMN			0	147			0		7.16	Lead	FIXED	0			
		<i>91</i>			FS			0				0		4.083						

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications								
			Built	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF		LOA	Ttl Disp.	Traps/H. Strps		IB or OB							
										DW Rating	Mast Material		E	MGM			SL			SPL	SLU	ASA	LWL	Ballast	moveable blst	# of blades
ASMG	Fixed or _o	Max Draft																								
Rocket Science	Moore 24	104	150		26.25	155	26.25	25	3.91	Yes		No		23.75	2050	0	OB									
					9.75		9.76	9.5	6.5		27	9.75		21.75	1025	1	None									
			635		ALUMN				147		17.55	395		7.16	Lead	FIXED	3									
			91		FS						17.55		<input type="checkbox"/>	4.08												
Stink Eye	Laser 28 ODR MOD	33562	126		31.73	110	33.2	33.14	5.2	Yes		Yes	19	28.42	4050	No	OB	(Mtg 3/27/14, -3 sec/mi for oversized mainsail girths, -3 sec/mi for OB motor)								
					9.65			12.3	8.3		32.5	11.3		23.62	1500	1	FOLD									
			635		ALUMN			0	252		19.5	528	32	9.48	Lead	FIXED	2									
			140		MS			0			19.5		19	5												
Sweet Tea	Moore 24	105	150	1981	26.25	150	26.25	25	3.91	Yes		No		23.75	2050	0	OB									
					9.75			9.5	6.5		27	9.75		21.75	1025	1	None									
			635		ALUMN				147		17.55	395		7.16	Lead	FIXED										
			91		FS						17.55		<input type="checkbox"/>	4.08												
WooHoo	Moore 24	80	150	1980	26.25	150	26.25	25	3.91	Yes		No		23.75	2050	0	OB									
					9.8			9.5	6.5		27	9.75		21.75	1025	1	None									
			635		ALUMN				147		17.55	395		7.16	Lead	FIXED	0									
			91		FS						17.55		<input type="checkbox"/>	4.083												
Aerie	CS 36	2160	123	1980	49	155	49	42.75	4.33	Yes		No		36.5	15500	0	IB									
					15			12.75	7.58		48.65	15		29.25	6500	1	Fold									
			634		ALUMN				308		25.5	1034		11.5	Lead	FIXED										
			282		MS						25.5		<input type="checkbox"/>	6.25												
Crews Nest	Catalina 34 1&2	1383	147	1997	44	130	44	38.5	3.6	Yes		No		35.67	11950	No	IB									
					13.5		13.5	12	6.8		42	13.5		29.83	5000	1	FEATH									
			634		ALUMN			0	251		24	837		11.75	Lead	FIXED	3									
			205		MS			0			23.5		<input checked="" type="checkbox"/>	5.58												
Kira	Aerodyne 38 SD	38104	45	2003	50.82	105	57.25	51.75	6.25	No		Yes	39.5	37.66	11850	0	IB									
					14.5		20.83	16.5	10.6			65.5	2062	34.21	4150	1	Fold									
			634		ALUMN				506		58.5			13	Lead	FIXED										
			135		FS						40		<input checked="" type="checkbox"/>	6												

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
			Built	DW Rating	I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp.	Traps/H. Strps		IB or OB Prop Type # of blades		
									SL	SPL	SLU	ASA			Ballast	moveable blst			
																		SSMG	
French Kiss	Beneteau 350 Oceanis	28713	144	1989	41.47 12.8	140	41.47	35.7 11.6	4.2 7.3	Yes	No	33.83 29.83 11.17 5.17	10580 3525 Lead	0 1 FIXED	IB FOLD 2	Above deck Roller Furler			
			633 181		ALUMN MS		0 0	242				<input type="checkbox"/>							
Friday Harbor	Beneteau 323 DK	28580	147	2004	42.67 11.06	116		38.9 13.17	5 8.56	No	Yes	32 29.17 10.67 5.92	8448 2258 Iron	No 1 FIXED	IB FOLD 2				
			633 155		ALUMN MS			306				<input checked="" type="checkbox"/>							
Irie	Beneteau 393 Oceanis SD	38200	150		46 14.5	110	46 14.5	40.2 15.1	4.63 8.12	No	Yes	38.12 35.1 13 5.1	21700 5357 Cast Iron	0 1 FIXED	IB Fold 3				
			633 228		ALUMN MS			324				<input type="checkbox"/>							
Joyicity	Custom Davidson 26	20746	156	1975	27 9.1	150	31.15 10	28.75 11.5	5.1 8.1	Yes	No	26.42 22.5 8.25 5.25	3000 1450 Lead	No 1 FIXED	IB FOLD 2	Removed IOR Bump infilled w/Divinacell w/fiberglass skin/faired; Installed Melges rig w/mod for Spinnaker; shortened boom; increased "P" increased "J", Code zero type furler used above deck; Helard on buff side of sail; 10 # pins			
			633 120		CARBON FS			210				<input type="checkbox"/>							
Stratocaster	J 32	16	126	1996	39.2 11	155	40.68	38.5 15.5	5.88 10.07	Yes	Yes	32.5 28.67 11 5.75	10000 3840 Lead	No 1 FIXED	IB FOLD 2				
			633 193		ALUMN FS			355				<input checked="" type="checkbox"/>							
Eliana II	Morgan 38-2	77486	156	1981	46 16.25	110	46 16.25	40.5 14.5	4.69 8.34	Yes	No	38.33 30.5 12 6	17000 6800 Lead	0 1 FIXED	IB Fixed_3 3	(Mtg 1/26/17, -3 sec/mi for oversized symmetric spinnaker area)			
			632 272		ALUMN MS			324				<input type="checkbox"/>							
Blade Runner	Santa Cruz 27	28727	141	1979	32.7 10.9	150	32.7 10.9	28.2 8.7	3.27 5.64	Yes	Yes	27 24.08 8 4.5	3000 1600 Lead	0 1 FIXED	OB None				
			631 98		ALUMN MS			146				<input type="checkbox"/>							

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications									
			Built	J	Max	IS	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB												
																	ISP	E		MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type
DW Rating	Mast Material	SP	SP	SP	SP	SP	SP	SP	SP	SP	SP	SP	SP	SP	SP	SP	SP											
Mega Hurtz	Laser 28 ODR MOD	53470	129	1974	31.1	125	31.73	33.14	4.98	Yes	No	28.41	3950	0	OB	(Mtg 2/27/14, switched to outboard motor, -3 sec/mi)												
					9.65		12.96	8.4			23.62	1500	1	None														
			631		ALUMN			257			9.48	Lead	FIXED	2														
			136		FS						4.98																	
Boudicca	Elan 310	310	129	2010	40.19	106	42.55	39.53	5.28	No	Yes	30.3	10141	0	IB													
					11.74		13.55	8.92			28.58	2292	1	Fold														
			630		ALUMN			323			10.5	Iron	FIXED															
			197		FS						6.23																	
Breakout	Santana 35	18679	114	1982	39	155	39	42	5.51	Yes	No	35	8500	No	IB													
					12.85		14.25	9.26			26.5	3300	1	FOLD														
			630		ALUMN			358			11.92	Lead	FIXED	2														
			208		FS						6.25																	
First Light	Beneteau 35S5	115	126	1991	41.66	98		42.65	5.25	Yes	No	35.42	11460	No	IB													
					11.15		15.09	9.042			29.33	4190	1	Fixed_2														
			630		ALUMN		0	366			11.83	Lead	FIXED	2														
			206		FS		0				6																	
Azure	Catalina 275 Sport	1	156	2013	34.42	106	11.83	31.5	5.33	No	Yes	27.5	5000	0	IB													
					8.99		11.48	8.17			26.57	2040	1	Fixed_2														
			629		ALUMN			233			8.5	Lead	FIXED															
			121		FS						5.2																	
Baleineau	Ericson 34 Olson SM	42147	105	1988	44	155	44	38.8	4.88	Yes	No	34	10600	No	IB													
					13		13	8.25			28	3650	1	FOLD														
			629		ALUMN		0	298			10.83	Lead	FIXED	2														
			219		MS		0				6																	
Galaxsea	Custom Nauticat 43.5	28743	180	1985	51	104	20.6	45	4.3	Yes	Yes	43.6	34000	No	IB	Stay sail measurements foot=1', Luff=34'6", Leach=30'2", LP=132"												
					20		13.6	7.9			37.7	11000	1	FEATH														
			629		ALUMN		32.4	338			12.2	Lead	FIXED	3														
			288		KTCH		8.5				5.9																	

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications		
		Sail #	DW Rating		I	J	Max Headsail	ISP	JSP	P	MGU	Yes/No	Yes/No		ASF	Ttl Disp.			Traps/H. Strps	
										E	MGM	SL	SPL		SLU	ASA			Ballast	moveable blst
		Disp/WL Ratio			Mast Material					PY	MSA	SSMG	SSA		SLE	Sprit Lngth			Ballast Mat.	Keel Type
				Rig Type			EY		SSF		ASM	Fixed or _o								
Skye	Capo 30 MOD	0	114	1984	41.7	120	41.5	36	4.37	Yes	No			33	7500	0	IB	(Mtg 5/25/17, -9 sec/mi for increased LOA from added sugar scoop)		
					12.75		12.75	11.5	7.47					26	3000	1	Feath			
			629		ALUMN				247			0		10.33	Lead	FIXED				
			194		MS							0		5.42						
Ahi	Santana 35	30980	114	1981	39	155	39	42	5.51	Yes	No			35	8500	0	IB	(Mtg 6/27/13, new rudder noted, NCTR)		
					12.85			14.25	9.26					26.5	3300	1	Fold			
			628		ALUMN				358			0		11.92	Lead	FIXED	2			
			208		FS							0		6.25						
Archaeopteryx	Hotfoot 20	101	177	1986	25	105	26.08	27.08	4.05	Yes	No			20	1000	0	OB			
					7		7.67	10.08	6.6					18	400	1	None			
			628		ALUMN				166			0		8.5	Lead	CNTRBRD				
			78		FS							0		5						
Short Bus	Hunter 35 Legend	210	138	1990	42	110		44.08	5.5	No	Yes	24.6		35.58	12600	0	IB			
					12.17			14.25	9.2		49.5	957		29.75	5000	1	Fixed_2			
			628		ALUMN				375		39.8	0		11.75	Lead	FIXED				
			218		MS						26	0		6.5						
Loya	Ericson 34 Olson SM	3246	105	1989	44.5	154	44	38.84	4.69	Yes	Yes	23.8		34	10600	0	IB			
					13.25		13.25	12.9	8.38		44	13.25		28	3650	1	Fold			
			627		ALUMN				296		23.6	864		10.83	Lead	FIXED	2			
			219		MS						23.35		0	6						
Red Sky	Ericson 34 Olson SM	28340	105	1989	44	150	44	38.7	5.1	Yes	Yes	21.98		33.88	10855	No	IB	MTG 12/11/97(RUDDER REPLACED 8" DEEPER ADN 3" NARROWER.)		
					12.95		12.95	12.95	8.5		42	12.95		28	3500	1	FOLD			
			627		ALUMN			0	302		23.4	816		10.8	Lead	FIXED	2			
			225		MS			0			23		0	6.08						
Razzberries	Ericson 34 Olson TM	97479	99	1988	46.77	155	47	40.9	5.1	Yes	No			33.88	10855	No	IB			
					12.95			12.95	8.5		45.7	12.95		28	3500	1	FOLD			
			625		ALUMN			0	320		23.31	888		10.8	Lead	FIXED	2			
			225		MS			0			23.31		0	6.085						

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications		
		Sail #	DW Rating		I	J	Max Headsail	ISP	JSP	P	MGU	Yes/No	Yes/No		ASF	Ttl Disp.			Traps/H. Strps	
										E	MGM	SL	SPL		SLU	ASA			Ballast	moveable blst
		Disp/WL Ratio			Mast Material				PY	MSA	SSMG	SSA	SLE		Sprit Lngth	Max Beam			Ballast Mat.	Keel Type
				Rig Type		EY		SSF		ASM	Fixed or _o									
Wood Eye	Catalina 38	111	123	1981	49.83 15.5	110	49.83 15.5	44 11.5	4.7 7.9	Yes	No	49 27.9 27.9	15.42 1139	0 0	38.17 30.25 11.83 6.75	15900 6850 Lead	0 1 FIXED	IB Fixed_2 2		
Giant Slayer	Santa Cruz 27	59369	141	1979	32.583 10.9	155	32.583 10.9	28.25 8.7	3.7 6.3	Yes	Yes	32.8 19.6 19.6	10.9 536	17.67 372 0 90	27 24 8 4.5	3304 1800 Lead	No 1 FIXED	OB None 0	(Mtg 3/27/14, -3 sec/mi for 10% overized symmetrical spinnaker)	
Rare Bird	Moore 24	67	141		26.58 9.75	100	28.31 11.65	25 9.5	3.91 6.5	Yes	Yes	27 17.55 17.55	11.65 395	17.22 464 0 0	23.75 21.75 7.16 4.083	2050 1025 Lead	0 1 FIXED	OB None	(Mtg 10/27/16, -6 sec/mi for OSP, -6 sec/mi for increased spinnaker area)	
Abba-Zaba	Tartan 10	8112	129	1979	35 12	125	35	40.25 13.75	5.34 8.86	Yes	No	35 21.6 21.6	12 630	0 0	33.16 27 9.25 5.83	6700 3340 Lead	0 1 FIXED	IB FOLD 2	(+3 sec/mi credit for 125% or smaller headsail)	
Azure	CAL 40	72	114	1966	46 15.17	150	46	40 17.5	6.65 11.37	Yes	No	46.5 27.3 27	15.17 1056	0 0	39.3 30.5 11 5.5	15500 6000 Lead	0 1 FIXED	IB FEATH 2		
QE 3	Tartan 10	8049	129	1978	35 12	125	35 0	40.25 13.75	5.34 8.96	Yes	No	35 21.6 21.6	12 630	0 0	33.16 27 9.25 5.83	6700 3340 Lead	0 1 FIXED	IB FOLD 2		
Topgallant	Tartan 10	18608	129	1978	35 11.75	125	35	40.25 13.75	5.34 8.96	Yes	No	35 21.6 20.3	12 622	0 0	33.16 27 9.25 5.83	6700 3340 Lead	No 1 FIXED	IB FOLD 2	(4/25/02 Installed Running Backstay)	

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
			Built	J	Max Headsail	ISP	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	IB or OB	# of blades			
			Rating	J	Max Headsail	JSP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst			Prop Type	
			DW Rating	Mast Material	PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type						
Disp/WL Ratio	Rig Type	EY	SSSF	ASM	Fixed or _o	Max Draft													
Breakaway	Ultimate 20 CM	180	144	2002	26.08 6.97	114	27.58 12.79	27.33 10.17	5.5 7.96	No	Yes	19.167 441	20.83 18	1350 450	No 1	OB Fixed_3			
		622 105			CARBON FS				193	0 0	28.417 17.7	6 0	8.33 5	Lead FIXED		3			
Flight Risk	Catalina 38	87586	117	1983	49.8 15.5	155	49.8	44 11.5	4.18 7.12	Yes	No		38.24 30.45	19489 6850	No 1	IB Fold	Roller Furler		
		622 314			ALUMN MS				294		27.9 27.9	1139	11.12 6.1	Lead FIXED		2			
Green Buffalo	CAL 40	8538	114	1967	46.7 15.2	155	46.7	39.8 17.6	6.65 11.37	Yes	No		39.3 30	15148 6000	0 1	IB FEATH	Schumacher designed rudder - same as original		
		622 255			ALUMN MS			0 0	416		27.3 27.3	1047	10.9 5.8	Lead FIXED		3			
Harp	Catalina 38	18003	117	1983	50.7 15.43	155	50.9 15.43	44 11.5	4.8 7.97	Yes	No		38.17 30.25	19489 6850	No 1	IB FOLD	DEC 93 - 7X19 STND RIG/ W/ROD RIG & SHRTN UPR SPREADERS 2 IN. NO CHNG RTNG (MTG 1/27/94)		
		622 320			ALUMN MS			0 0	316		27.3 27.5	1121	11.83 6.79	Lead FIXED		2			
Nozomi	CAL 40	164	114	1970	46.2 15.2	155	46.2	39.9 17.6	6.6 11.37	Yes	No		39.5 30	15500 6000	0 1	IB FEATH			
		622 261			ALUMN MS				416		27.3 27.3	1051	11 5.6	Lead FIXED		3			
Redhead	Cal 40	7817	114	1964	46 15.17	155	46.36	40 17.5	6.5 11.3	Yes	No		39.5 30	16500 6000	No 1	IB Feath			
		622 278			ALUMN MS			0 0	414		27.3 26.2	1038	10.92 5.75	Lead FIXED		2			
Crazy Rhythm	Santa Cruz 27	18771	144	1978	32.58 10.75	125	32.58	28.166 8.583	3.68 6.06	Yes	No		27 24	3200 1600	No 1	OB None	(Outboard Removed)		
		621 105			ALUMN MS			0 0	153		19.4 19.4	529	8 4.5	Lead FIXED		0			

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications		
		Sail #	DW Rating		I	J	Max Headsail	ISP	JSP	P	MGU	Yes/No	Yes/No		ASF	Ttl Disp.			Traps/H. Strps	
										E	MGM	SL	SPL		SLU	ASA			Ballast	moveable blst
		Disp/WL Ratio			Mast Material					PY	MSA	SSMG	SSA		SLE	Sprit Lngth			Ballast Mat.	Keel Type
				Rig Type			EY		SSF		ASM	Fixed or _o								
Geodesic III	Optima 101	103	141	1985	38.71	125	38.71	38.39	4.9	Yes	Yes	19.6	32.84	8511	0	IB	(Mtg 4/27/17, added 2' retractable bowsprit, -3 sec/mi)			
					12		12	13.45	8.2		37	12	29.25	3968	1	Fixed_2				
					ALUMN				298		21.5	663	11.15	Iron	FIXED					
					FS						21.5		4.76							
Sweet Grapes	Ericson 36 Holland	19	108	1981	47.75	147	47.75	42	3.5	Yes	No		35.58	11600	0	IB				
					14.5			12	7.2			14.5	29	5230	1	FOLD				
					ALUMN				278		25.83	1004	11.83	Lead	FIXED	2				
					MS						24.83		6.25							
Whispering Winds	Lancer 36 MH	87374	141		42	125	41.9	37	4.8	No	Yes	26	36.17	10500	0	IB				
					16			12	7.9		42	932	29	4000	1	Fixed_3				
					ALUMN				269		39	0	11.75	Lead	FIXED					
					MS						28	<input checked="" type="checkbox"/>	6							
Polecat	Wyliecat 30 IB	5	132	1997			29.5	40	7.35	No	No	21.6	30.5	5500	No	IB	(Articulating Sprint and Pole added for asym spinniker, added asymmetrical, -21 sec/mi)(5/22/14, removed Asymmetric, +21 sec/mi)(Mtg 8/25/16, New rudder installed, NCTR)			
							12	20	12.66		32.8	493	25	3050	1	FOLD				
					CARBON			0	468		29.3	8	9.416	Lead	FIXED	2				
					CAT			0			18.4	<input type="checkbox"/>	5.25							
Quila	Santa Cruz 27	18723	141	1976	32.583	155	32.583	28.25	3.68	Yes	No		27	3000	No	OB				
					10.75			8.583	6.1			10.75	24	1500	1	None				
					ALUMN			0	154		19.4	529	8	Lead	FIXED	0				
					MS			0			19.4		4.5							
TAZ!!	Express 27 ODR	8100	132	1981	28.5	125	28.5	28.5	4.23	Yes	No		27.3	2450	0	NONE				
					9			10.42	7.04			9.83	23.8	1100	1	None				
					ALUMN				182		13	332	8.17	Lead	FIXED					
					FS						17.75		4.5							
Gotcha	Santa Cruz 27	47911	141	1975	32.58	150	32.58	28.25	3.68	Yes	No		27	3200	0	OB				
					10.75			8.583	6.06			10.9	24	1600	1	None				
					ALUMN				154		19.6	536	8	Lead	FIXED					
					MS						19.6		4.5							

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:				Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications							
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	SL SPL SSMG SSF	SPL SSA	Yes/No	Yes/No	ASF ASA Sprit Lngth Fixed or _o	Ballast		Traps/H. moveable blst	IB or OB Prop Type # of blades									
																	DW Rating		Mast Material	Rig Type	SSMG	SSA	SLU SLE ASMUG	ASA	Strps
Wings	Columbia 5.5 M ODR	31	177	1965	29.125 8.25	96	30	34 11.416	4.59 7.65	Yes	No	29 24 24	8.25 580	0	32.416 25 6.25 4.33	4400 2800 Lead	No 1 FIXED	NA None 0							
Iniscaw	Martin 32	49143	126	1980	42.5 13.67	145		37.17 12	4.7 8	Yes	No	42.4 22.4 24.4	13.67 806	0	32.8 27 9.6 6.1	8200 4100 Lead	0 1 FIXED	IB FOLD 2	(Mtg 10/2/13, new rudder, NCTR)						
Highlander	Cal 40	4590	117	1968	46.2 15.2	150	46.2	39.5 17.5	6.65 11.37	Yes	No	46.5 27.3 27	15.17 1056	0	39.25 30.25 11 5.58	15000 6000 Lead	0 1 FIXED	IB Fixed_2 2							
Alchimiste	Archambault 27	38973	78	2013	34.25 10.83	100	39.08 15.98	34.78 12.63	4.75 8.16	No	Yes	38.98 21.56 20.41	12.2 693	26.9 872 0 0	27.4 22.7 9.7 5.7	4894 1814 Lead	0 1 FIXED	IB Fold	(Mtg 10/22/15, Custom rating assigned. Includes -9 sec/mi penalty for 22% oversized ASA & +3 sec/mi credit for non-articulating sprit. As sailed: 78)						
Another Girl	Alerion Express 38-2	20	90	2011	42.98 12.99	90		47.5 18.25	9.58 13.45	No	No			0 0	38.3 30.1 10.3 5.92	13000 5000 Lead	0 1 FIXED	IB Feath 2	(mtg 4/28/11, Custom rating of 90 assigned)						
Neverland	Tartan 3700 SD 5.0'	106	114	2006	51.75 15	135	51.75 15	45.25 15	5.7 9.68	No	Yes	53.83 46.8 24.21	25.4 1025 0 0	37 32.5 12.6 5	17780 6200 Lead	0 1 FIXED	IB Fold 2								
Traveler	Express 34	97089	99	1987	44.3 13	150	44.3	38.5 12.83	4.87 8.46	Yes	No	42.7 22.2 21.8	13 787	0	34 28.3 10.5 6	8500 3700 Lead	0 1 FIXED	IB FOLD 2	-6 FOR OVERSIZED SPINNAKER						

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications		
		Sail #	DW Rating		I	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No		LOA	Ttl Disp.	Traps/H.		Strps	IB or OB
										E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst			Prop Type
		Disp/WL Ratio			Mast Material					PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type			# of blades
							EY		SSF		ASM	Fixed or _o	Max Draft								
U Decide	Ultimate 20	155	144	2001	26.08 6.97	114	27.58 12.79	27.33 10.17	5.5 7.96	No	Yes	17.7 433 6 0	20.83 18 8.33 5	1350 450 Lead	0 1 FIXED	OB None 0					
Riff Rider	Cal 40	46	114	1965	46.2 15.1	155	46.2	40 17.5	6.5 11.3	Yes	No	0 0	39.3 30.3 11 5.6	15000 6000 Lead	0 1 FIXED	IB Fold					
UHOO!	Ultimate 20	64	144	1996	22.8 7	100	27.58 13	27.5 10.33	5.3 7.96	No	Yes	19.2 446 6 0	20.8 18 8.166 5	1100 450 Lead	No 1 CENTER	OB None 0					
Marrakesh	Express 34	3	102	1987	44.25 13	125	44.25	38.5 12.83	4.87 8.46	Yes	No	0	34 28.33 10.33 6.11	9245 3800 Lead	No 1 FIXED	IB FOLD 2					
Peabody	Ultimate 20	22	144		25.08 6.97	110	27.58 12.79	27.5 10.25	5.5 7.96	No	Yes	19.2 448 6 0	20.94 18 8.33 5.03	1350 450 Lead	0 1 CNTRBRD	OB None					
Pony Express	Express 34	28234	99	1988	44.25 12.92	155	44.25	38.5 12.83	4.87 8.46	Yes	No	0	34 28.33 10.5 6	7500 3700 Lead	No 1 FIXED	IB FOLD 2					
Windswept Lady	X-362 Classic	50980	96	1998	46.6 12.9	125	46.6 12.9	40.6 14.1	5.05 8.86	Yes	Yes	26.7 878 0 0	35.1 30.4 11.4 6.2	12320 5170 Lead	0 1 FIXED	IB Fold					

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications												
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU ASA Sprit Lngth Fixed or _o	SL SPL SSMG SSA	Yes/No		ASF	Ttl Disp.	Traps/H.		Strps	IB or OB Prop Type # of blades										
								DW Rating	Disp/WL Ratio											4.22	7.03	28.562	9.833	27.25	23.75	8.166	4.5	Ballast	moveable blst
Abigail Morgan	Express 27 ODR	18394	129	1985	28.5	9	150	28.5	28.5	4.22	10.416	7.03	28.562	9.833	No		27.25	23.75	8.166	4.5	2450	No	1	OB	None	0			
			612		ALUMN	FS		0	182				17.75	421	<input type="checkbox"/>	0	8.166	4.5	Lead	FIXED									
			83					0	0				17.4				8.166	4.5	Lead	FIXED									
Elise	Express 27 ODR	101	129	1986	28.5	9	155	28.5	28.5	4.22	10.416	7.03	28.6	9.8	No		27.25	23.75	8.17	4.5	2450	0	1	OB	None	0			
			612		ALUMN	FS			182				17.75	423	<input type="checkbox"/>	0	8.17	4.5	Lead	FIXED									
			83										17.75				8.17	4.5	Lead	FIXED									
Hang 20	Express 27 ODR	48	129	1982	28.5	9	125	28.5	28.5	4.22	10.42	7.03	28.5	9.83	No		27.3	23.8	8.17	4.5	2450	0	1	OB	None	0			
			612		ALUMN	FS			182				17.7	420	<input type="checkbox"/>	0	8.17	4.5	Lead	FIXED									
			83										17.7				8.17	4.5	Lead	FIXED									
Simply Irresistible	Express 27 ODR	18070	129	1983	28.5	9	155	28.5	28.5	4.22	10.416	7.03	28.6	9.8	No		27.25	23.75	8.17	4.5	2450	No	1	OB	None	0			
			612		ALUMN	FS		0	182				17.75	422	<input type="checkbox"/>	0	8.17	4.5	Lead	FIXED									
			83					0	0				17.5				8.17	4.5	Lead	FIXED									
Yeti	Express 27 ODR	38	129	1983	28.5	9	155	28.5	28.5	4.22	10.4	7.03	28.6	9.83	No		27.25	23.75	8.16	4.5	2450	0	1	OB	None	0			
			612		ALUMN	FS			182				17.7	422	<input type="checkbox"/>	0	8.16	4.5	Lead	FIXED									
			83										17.7				8.16	4.5	Lead	FIXED									
Andale	Express 27 ODR	72	129	1985	28.5	9	155	28.5	28.5	4.22	10.42	7.03	29	9.83	No		27.25	23.75	8.17	4.5	2450	0	1	None					
			611		ALUMN	FS			182				17.7	428	<input type="checkbox"/>	0	8.17	4.5	Lead	FIXED									
			83										17.7				8.17	4.5	Lead	FIXED									
Archimedes	Express 27 ODR	18355	129	1985	28.5	9	155	28.5	28.5	4.22	10.416	7.03	29	9.833	No		27.25	23.75	8.17	4.5	2450	No	1	NONE	None	0			
			611		ALUMN	FS		0	182				17.333	420	<input checked="" type="checkbox"/>	0	8.17	4.5	Lead	FIXED									
			83					0	0				17.6				8.17	4.5	Lead	FIXED									

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications					
			Built	DW Rating	J Max	I Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		Ttl Disp.	Traps/H.	Strps		IB or OB				
										SL	SPL	SLU							ASA	Ballast	moveable blst	IB or OB
Disp/WL Ratio	Mast Material	Rig Type	ASF	Fixed or _o																		
Bombora	Express 27 ODR	38047	129		28.5 9	155	28.5	28.5 10.42	4.22 7.03	Yes	No	0	27.25 23.8 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0						
Current Affair	Express 27 ODR	56	129	1983	28.5 9	155	28.5	28.5 10.42	4.22 7.03	Yes	No	0	27.25 23.75 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None						
Dianne	Express 27 ODR	0	129	1981	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	No	0	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0						
El Raton	Express 27 ODR	28050	129	1985	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	No	0	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0						
Ergo	Express 27 ODR	40428	129		28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	No	0	27.25 23.75 8.075 4.5	2450 1100 Lead	0 1 FIXED	OB None 0						
Get Happy!!	Express 27 ODR	1	129	1981	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	No	0	27.25 23.75 8.166 4.5	2450 1100 Lead	No 1 FIXED	OB None 0						
Motorcycle Irene	Express 27 ODR	28137	129	1982	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	No	0	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0						

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications																
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU ASA Sprit Lngth Fixed or _o	SL SPL SSMG SSA	Yes/No		ASF	Ttl Disp.	Traps/H. Strps		IB or OB Prop Type # of blades															
								DW Rating	Disp/WL Ratio										9	155	28.5	4.22	29	9.833	No	34	27.25	23.75	8.166	4.5	2450	No	OB
Peaches	Express 27 ODR	18364	129	1986	28.5	155	28.5	28.5	4.22	Yes	No	27.25	2450	No	OB																		
					9		10.416	7.03	29	9.833		23.75	1100	1	None																		
					611	ALUMN	0	182	17.75	429	<input type="checkbox"/>	8.166	Lead	FIXED	0																		
					83	FS	0		17.75			4.5																					
Salty Hotel	Express 27 ODR	60	129	1983	28.5	155	28.5	28.5	4.22	Yes	No	27.25	2450	0	OB																		
					9		10.416	7.03	29	9.83		23.75	1100	1	None																		
					611	ALUMN		182	17.75	429	<input type="checkbox"/>	8.17	Lead	FIXED	0																		
					83	FS			17.75			4.5																					
Sea Star	CAL 39-2/3	38022	114	1977	50	150	50	44	4.5	Yes	Yes	39	17000	0	IB	Roller Furler																	
					16.7		13.8	8	48	16.7	48	32	7000	1	FEATH																		
					611	ALUMN		337	30	1192	44	12	Lead	FIXED	3																		
					236	MS			29		30	6.7																					
Swamp Donkey	Express 27 ODR	8444	129	1981	28.5	155	28.5	28.5	4.22	Yes	No	27.25	2450	No	OB																		
					9		10.416	7.03	29	9.833		23.75	1100	1	None																		
					611	ALUMN	0	182	17.8	430	<input type="checkbox"/>	8.166	Lead	FIXED	0																		
					83	FS	0		17.8			4.5																					
Take Five	Express 27 ODR	28031	129	1982	28.5	155	28.5	28.5	4.22	Yes	No	27.25	2450	0	OB																		
					9		10.416	7.03	29	9.833		23.75	1100	1	None																		
					611	ALUMN		182	17.75	429	<input type="checkbox"/>	8.17	Lead	FIXED	0																		
					83	FS			17.75			4.5																					
Verve	Express 27 ODR	18283	129	1981	28.5	155	28.5	28.5	4.22	Yes	No	27.25	2450	No	OB																		
					9		10.416	7.03	29	9.833		23.75	1100	1	None																		
					611	ALUMN	0	182	17.5	425	<input type="checkbox"/>	8.17	Lead	FIXED	0																		
					83	FS	0		17.9			4.5																					
Wetsu	Express 27 w/J length pole	70	129	1983	28.5	155	28.5	28.5	4.22	Yes	No	27.25	2450	No	OB	-6 Sec/mi OSP																	
					9		10.42	7.03	29	9.833		23.75	1100	1	None																		
					611	ALUMN	0	182	17.7	427	<input type="checkbox"/>	8.17	Lead	FIXED	0																		
					83	FS	0		17.5			4.5																					

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
		Sail #	DW Rating		I J Max Headsail Mast Material Rig Type	P E PY EY		MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Length Fixed or _o		Ttl Disp. Traps/H. Strps Ballast moveable blst Ballast Mat. Keel Type	IB or OB Prop Type # of blades		
									SL	SPL	SLU	ASA						
																	SSMG	
Wile E Coyote	Express 27 ODR	11	129	1981	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	No	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 3			
Make Me Smile	Express 27 ODR	91	129		28.5 9	155	28.5	28.5 10.42	4.22 7.03	Yes	No	27.25 23.8 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0			
Moonlight	Express 27 ODR	28059	129	1986	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	No	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0			
Tule Fog	Express 27 ODR	18178	129	1984	29 9	155	28.5	29 10	4.22 7.03	Yes	No	27.3 23.8 8.166 4.5	2450 1100 Lead	n 1 FIXED	OB None 0			
Big Air	Open 5.7 ODR	189	138	2006	21.52 7.3	117	21.6 12.3	25.33 10.24	5.7 8.2	No	Yes	18.75 18.7 8.3 5.74	992 405 Lead	0 1 FIXED	OB None			
Shenanigans	Express 27 ODR	67	129	1983	28.5 9	155	28.5	28.5 10.42	4.22 7.03	Yes	No	27.25 23.75 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0			
Althea	Cavalier 39	38101	129	1981	48.5 14.83	120	46 16.13	42 12	4.55 7.79	No	Yes	38.98 29.49 11.22 5.97	13228 7513 Lead	0 1 FIXED	IB Fixed_3	(Mtg 4/28/16, -3 sec/mi for oversized spinnaker pole, -3 sec/mi for oversized spinnaker)		

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
			Built	DW Rating	J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast Mat.		Traps/H. moveable blst Keel Type	IB or OB Prop Type # of blades		
									SL	SPL								
									SSMG SSF	SSA								
Domino	Wilderness 30 MOD	38081	126	1985	36 12.25 608 116	155	36 12.25	31.5 4.11 10.83 6.93	4.11 6.93	Yes	No	36.15 12.25 22.05 655 20.5	27.75	0	5450 2150 Lead	0 1 FIXED	IB Fold	(Mtg 3/28/13, +6 sec/mi for small rig)
Revelry	Catalina 42-1/2	703	105	1999	53 16.416 608 200	125	53 16.416	46.75 5.75 15.416 9.833	5.75 9.833	No	Yes	52.7 47.4 26	27.5 1097 0	41.833 36 13.833 6.83	20500 8300 Lead	No 1 FIXED	IB FEATH 3	ASYM SPIN NOTED NCTR.
Sir Leansalot	Hunter 40	161	105	1986	53.9 17 608 230	125	53.9 17	48 5.2 13.9 9	5.2 9	Yes	No	52.5 17 29.2 1276 29	18.7 0	39.7 32.5 13.5 6.5	17400 6000 Iron	0 1 FIXED	IB Fold 2	
Allons-Y	J 70 ODR	346	114	2014	26.77 7.68 607 93	100	30.15 13.5	26.16 4.71 9.44 6.93	4.71 6.93	No	Yes	35.43 28.87 18.24	18.7 491 5.1 0	22.75 20.47 7.38 4.92	1750 630 Lead	0 1 MVBL	OB None	
Benny	J 70 ODR	897	114	2015	26.77 7.68 607 93	100	30.15 13.5	26.16 4.71 9.44 6.93	4.71 6.93	No	Yes	35.43 28.87 18.24	18.7 491 5.1 0	22.75 20.47 7.38 4.92	1750 630 Lead	0 1 MVBL	OB None	
Penny Pincher	J 70 ODR	215	114	2014	26.77 7.68 607 93	100	30.15 13.5	26.16 4.71 9.44 6.93	4.71 6.93	No	Yes	35.43 28.87 18.24	18.7 491 5.1 0	22.78 20.47 7.38 4.92	1750 630 Lead	0 1 MVBL	OB None	
Prime Number	J 70 ODR	29	114	2012	26.77 7.68 607 93	100	30.15 13.5	26.16 4.71 9.44 6.93	4.71 6.93	No	Yes	35.43 28.87 18.24	18.7 491 5.1 0	22.78 20.47 7.38 4.92	1750 630 Lead	0 1 MVBL	OB None	

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications			
			Built	J	Max Headsail	ISP	P	MGU	Yes/No		SLU	ASF	LOA	Ttl Disp. Traps/H. Strps		IB or OB						
									DW Rating	Mast Material				E	MGM		SL	SPL		Ballast	moveable blst	# of blades
EY	SSF	SLE	Sprit Lngth	Max Beam	Max Draft																	
						Rampage	J 70 ODR	582	114	2014	26.77	100	30.15	26.16	4.71	No	Yes	18.7	22.75	1750	0	OB
					7.68		13.5	9.44	6.93		35.43	491	20.47	630	1	None						
		607			CARBON				164		28.87	5.1	7.38	Lead	MVBL							
		93			FS						18.24	<input checked="" type="checkbox"/>	4.92									
Scilla	J 70 ODR	327	114	2012	26.77	100	30.15	26.16	4.71	No	Yes	18.7	22.78	1750	0	OB						
					7.68		13.5	9.44	6.93		35.43	491	20.47	630	1	None						
		607			CARBON				164		28.87	5.1	7.38	Lead	MVBL							
		93			FS						18.24	<input checked="" type="checkbox"/>	4.92									
Uno	Wyliecat 30 IB	28632	129	1995	35.8		35.8	39.66	9.31	No	Yes	19.68	30.5	5800	0	IB	(mtg 2/21/08, penalty for oversized main -3 sec/mi)(Mtg 5/22/08, -24 for asymmetric spinnaker flown on 12' pole)(1/24/16, not using spinnaker +24 sec/mi)					
					5.5		12	19.75	13.05		37.02	550	25	3000	1	FOLD						
		607			CARBON				493		32.8	0	9.5	Lead	FIXED	2						
		169			CAT						18.7	<input type="checkbox"/>	5.25									
Wingman Racing	J 70 ODR	584	114	2014	26.77	100	30.15	26.16	4.71	No	Yes	18.7	22.75	1750	0	OB						
					7.68		13.5	9.44	6.93		35.43	491	20.47	630	1	None						
		607			CARBON				164		28.87	5.1	7.38	Lead	MVBL							
		93			FS						18.21	<input checked="" type="checkbox"/>	4.95									
Zwei Flying Fish	San Juan 33s	59733	129	1981	34.83	134	34.83	39.16	4.66	Yes	No		33.1	6000	0	IB	(Mtg 5/28/15, +3 sec/mi for small rig)					
					11.48			12.66	8.08			11.833	27.8	3500	1	Fold						
		606			ALUMN				292		19.75	555	7.95	Lead	FIXED							
		127			FS						19.75		5.5									
Boomer	Melges 20	676	111	2009	23.19	110	27.2	24.25	3.83	No	Yes	18.8	20	1105	0	OB						
					7.05		10.95	9.84	7.42		29.78	417	19.4	415	1	None						
		604			CARBON				152		26.25	3.9	7	Lead	FIXED	0						
		69			FS						17.65	<input checked="" type="checkbox"/>	4.5									
Farriage	Catalina 42-1/2	336	102	1992	53	130	53	46.75	5.75	No	Yes	27.08	41.83	20600	0	IB						
					16.42		16.42	16.42	9.83		53	1042	36	8300	1	Feath						
		604			ALUMN				437		47.37	0	13.83	Lead	FIXED	3						
		201			MS						24.37	<input checked="" type="checkbox"/>	6.83									

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications						
			Built	J	Max Headsail	ISP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp. Traps/H. Strps		IB or OB									
									DW Rating	Mast Material				E	MGM		SL	SPL		SLU	ASA	LWL	Ballast	moveable blst	# of blades
EY	SSF	ASM	G	Max Draft																					
					Gavilan	Custom Wylie 39	28439	93	1996	49	122	49	43	5.73	Yes		Yes	24.6	41.5	17900	No	IB	(mtg 4/28/11, change custom rating from 84 to 96 after review of rating appeal)(Mtg 1/26/12, -3 sec/mi for sprit)		
					14.5			15.5	9.75			48.64	14.5	31.75	5920	1	FEATH								
			604		ALUMN			0	390			26.6	1078	11.5	Lead	FIXED	3								
			254		MS			0				26.6		6.77											
Kwazy	Wylie Wabbit ODR W/Trap	26	126	1982	20.416	150	20.5	23	4.02	Yes		No		23.58	975	Yes	NONE								
					6.416			10	6.71			22	8.5	20	440	3	None								
			604		ALUMN			0	141			14	257	5.42	Lead	FIXED	0								
			55		FS			0				14		3.41											
Pork Chop Express	Express 27 ODR MOD	115	126	1986	28.5	130	32.5	28.5	4.2	Yes		Yes	19.55	27.25	2450	0	OB	(Mtg 1/26/17, -3sec/mi for switching to MH configuration. New Rudder, NCTR)							
					9			10.4	7			33.04	425	23.75	1100	1	None								
			604		ALUMN				182			28.84	0	8.17	Lead	FIXED									
			83		MS							15.72	90	4.5											
Problen Child	Melges 20	134	111	2009	23.19	110	27.2	24.25	3.83	No		Yes	18.8	20	1105	0	OB								
					7.05		10.95	9.84	7.42			29.78	417	19.4	415	1	None								
			604		CARBON				152			26.25	3.9	7	Lead	FIXED									
			69		FS							17.65	0	4.5											
Bad Hare Day	Wylie Wabbit ODR W/Trap	35	126	1982	20.75	150	20.5	23.75	4.03	Yes		No		23.75	975	Yes	OB								
					6.5			10	6.72			21.6	8.5	20	440	3	None								
			603		ALUMN			0	145			14	252	5.583	Lead	FIXED	0								
			55		FS			0				14		3.5											
CruzSea Baby	Beneteau First 10R ODR	52878	81	2007	43.2	155	46.41	42.25	5.59	No		Yes	27.5	32.75	9715	0	IB	(Rudder Modifications noted, smaller non-class spinnaker +3 sec/mi)							
					12.07		16.5	14.73	9.57			49.5	1055	28.7	3528	1	Fold								
			603		CARBON				371			41.5	4.43	11	Lead	FIXED	2								
			187		FS							27.9	0	6.55											
Gig	Humboldt 30 IB	18112	108	1983	37.5	149	37.5	41.5	5.13	Yes		No		30	5400	No	IB								
					11.5			13.75	8.83				11.5	26.66	2222	1	FOLD								
			603		ALUMN			0	338			20.7	635	10.5	Lead	FIXED	2								
			130		FS			0				20.2		5.75											

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications					
			Built	DW Rating	J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No		SLU	ASF ASA		Ttl Disp.	Traps/H.	IB or OB						
										Mast Material	SPL								SL	SPL	Ballast	moveable blst	Prop Type
Disp/WL Ratio	PY	MSA	SSMG	SSA	ASF	Fixed or _o																	
Tequila Mockingbird	Express 27 ODR	18353	126		28.5	155	32.5	28.5	4.22	Yes		Yes	18.85	27.25	2450	No	OB	(Mtg 4/23/15, switched to MH configuration, -3 sec/mi for increased spinnaker area)					
					9			10.416	7.03			Yes	450	23.75	1100	1	None						
			603 83		ALUMN FS			0	182			26.25	0	8.17	Lead	FIXED	0						
Ala Moana	Beneteau First 30	104	99	2012	41.66	105	42.16	40.3	6.28	No		Yes	28.82	31.7	8267	0	IB						
					13.78		15.78	14.25	9.38			Yes	1049	27.6	2403	1	Fold						
			602 179		ALUMN FS				356			43.7	2	10.5	Cast Iron	FIXED	2						
Hera	Beneteau Farr First 36.7	28372	81	2002	46.4	150	46.4	45.4	5.92	Yes		No		36	12495	No	IB						
					13.1		13.1	15.6	12.49			No		30.3	3748	1	FOLD						
			602 204		ALUMN FS			0	458				0	11.6	Lead	FIXED	2						
Keala	Wylie Wabbit ODR W/Trap	12	126	1982	20.5	150	20.5	23.75	4.03	Yes		No		23.75	975	Yes	OB	Hiking straps and single trapeze					
					6.5			10	6.72			No		20	440	3	None						
			602 55		ALUMN FS			0	145				0	5.58	Lead	FIXED	0						
Lepus	Wylie Wabbit ODR W/Trap	18	126	1982	20.5	150	20.5	23.75	4.03	Yes		No		23.75	975	1	OB	Hiking Straps & Trapeze per class rules					
					6.5			10	6.72			No		20	440	3	None						
			602 55		ALUMN FS			0	145				0	5.58	Lead	FIXED	0						
Mistral	Beneteau Farr First 36.7	28394	81	2002	46.4	155	46.4	45.4	5.92	Yes		No		35	12495	No	IB						
					13.1		13.1	15.6	12.49			No		30.3	4034	1	FOLD						
			602 204		ALUMN FS			0	458				0	11.6	Iron	FIXED	2						
Mr McGregor	Wylie Wabbit ODR W/Trap	8426	126	1982	20.5	150	20.5	23.75	4.03	Yes		No		23.75	975	1	OB	INCLUDES HIKING STRAPS AND SINGLE TRAPEZE.					
					6.5			10	6.72			No		20	440	3	None						
			602 55		ALUMN FS			0	145				0	5.58	Lead	FIXED	0						

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications							
			Built	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp. Traps/H. Strps		IB or OB									
										DW Rating	Mast Material				E	MGM		SL		SPL	SLU	ASA	LWL	Ballast	moveable blst	# of blades
EY	SSF	ASM	G	Fixed or _o	Max Draft																					
						Pressure Drop	Beneteau Farr First 36.7	52489	78	2006	46.4	155	46.4	45.4	5.92	Yes	No	23.29	36	12495	0	IB	(12/2/16, -3 sec/mi for JSP)			
											13.1		14.35	15.6	12.49		45.8	13.1	46.25	867	30.3	4034	1	Fold		
					602						23.5	897	43.63	0	11.4	Lead	FIXED	2								
					204				458		23.5		23.13	<input type="checkbox"/>	90	7.3										
Tijd	Beneteau First 30	45	102	2011	41.66	105	42.16	40.2	6.24	No	Yes	25.5	31.7	8267	0	IB	(Mtg 8/27/15, -3 sec/mi for OSP, +6 sec/mi for small spinnaker)									
					13.78		15.7	14.25	9.38		45.6	866	27.5	2403	1	Fold										
					602				354		40.5	1	10.5	Cast Iron	FIXED											
					181						23.8	<input type="checkbox"/>	6.25													
Wind Blown Hare	Wylie Wabbit ODR W/Trap	29	126	1982	20.5	150	20.5	23.75	4.03	Yes	No		23.75	975	1	OB										
					6.5			10	6.72			8.5	20	440	3	None										
					602			0	145			254	5.583	Lead	FIXED	0										
					55			0					3.5													
Allegro	Beneteau Farr First 36.7	56657	78	2010	46.42	155	46.42	45.4	5.92	Yes	Yes	23.41	36	12939	0	IB	(Mtg 1/26/16, -3 sec/mi for increased JSP)									
					13.1		14.35	15.6	12.49		45.25	13.1	47.33	834	30.3	3993	1	Fold								
					601				458		23.58	889	43	0	11.4	Lead	FIXED	2								
					211						23.5		21.83	<input type="checkbox"/>	90	7.3										
Ariadne	Beneteau Farr First 36.7	403	84		46.4	125	46.4	46.4	5.92	Yes	No		36	12495	No	IB										
					13.1		13.1	15.6	12.49		45.8	13.1	30.3	4034	1	Fold										
					601			0	468		23.5	897	11.4	Lead	FIXED	2										
					204			0			23.5		7.3													
Lonestar	Beneteau First 10R ODR MOD	40	84	2007	43.2	100	46.41	42.25	5.59	No	Yes	25.5	32.75	9715	0	IB	(Mtg 5/20/10, +3 sec/mi for non-class smaller kite)(Mtg 9/23/10, rudder modifications noted, NCTR)(Mtg 4/26/12, new rudder noted, NCTR)									
					12.07		16.5	14.73	9.57		52.9	1078	28.7	3528	1	FOLD										
					601				371		45.8	4.43	11	Lead	FIXED	2										
					187						26.4	<input checked="" type="checkbox"/>	6.55													
Mulan	Beneteau First 10R ODR	52659	81	2007	43.2	120	46.41	42.25	5.59	No	Yes	25.5	32.75	9715	0	IB										
					12.07		16.5	14.73	9.57		52.59	1075	28.7	3258	1	Fold										
					601				371		45.8	4.43	11	Lead	FIXED	2										
					187						26.4	<input checked="" type="checkbox"/>	6.55													

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
		Sail #	DW Rating		I	J	P	MGU	Yes/No	Yes/No	ASF	Ttl Disp.		Traps/H. Strps			
					Max Headsail	ISP	E	MGM	SL	SPL	SLU	ASA		Ballast	moveable blst		
		Disp/WL Ratio			Mast Material	JSP	PY	MSA	SSMG	SSA	SLE	Sprit Lngth		Ballast Mat.	Keel Type		
						Rig Type		EY		ASM	Fixed or_o						
Serenade	Sabre Spirit	96	2007	45.5	106	51.2	45.5	5.55	Yes	No	23	36.67	10500	0	IB		
		601		12.87		12.87	16.55	9.93		44.92	12.87	28.33	3740	1	Fold		
		210		CARBON				425		23.17	860	10.42	Lead	FIXED			
				FS						22.24		6.58					
White Wabbit	Wylie Wabbit ODR W/Trap	19	126	1982	20.5	110	26.1	23.75	4.03	Yes	No	23.75	975	Yes	OB		
		601		6.6			10	6.72		21.6	8.6	20	440	1	None		
		55		ALUMN			0	145		14	252	5.58	Lead	FIXED	0		
				FS			0			14		3.5					
Starbuck	Custom Black Soo 30	8666	144	1968	30	125	29.5	25	4.9	Yes	No	31	4500	0	OB	(Mtg 1/17/02, added scoop, custom rating changed from 144 to 141)(mtg 1/11/13, Added A-sail, -9 sec/mi, rating changed from 141 to 132)(Mtg 5/13/14, removed A-Sail, +9 sec/mi, change custom rating from 132 to 141, +2 sec/mi for small headsail)	
		600		13		13	11.73	7.5		37.4	565	27.5	1800	1	None		
		98		ALUMN			0	178		32.6	0	6.8	Iron	FIXED	0		
				MS			0			23.2	0	6.4					
Escapade	Sabre 40-2	38011	75	1997	54	110	54	47.5	5.6	Yes	Yes	40.2	19760	0	IB		
		599		15.5		16	17	9.9		51.25	15.5	34	7500	1	FEATH		
		229		ALUMN				449		27.3	1151	13.3	Lead	FIXED	3		
				MS						25.6		7.5					
E-Ticket	Moorings 38 SD	119	117	1990	47.5	155	47.5	41.7	5.69	Yes	No	38.4	13700	0	IB	Shoal Draft (Mtg 10/27/16, -3 sec/mi for oversized spinnaker area)	
		599		13.9		13.9	15	9.45		47.6	13.9	31.33	5400	1	Fold		
		202		ALUMN				369		25.4	995	12.5	Steel	FIXED	2		
				MS						23.8		4.8					
Frisky	Open 5.7 ODR	281	138	2009	21.52	117	27.9	25.33	5.7	No	Yes	18.7	992	0	NONE		
		599		7.3		12.3	10.24	8.2		25.8	338	18.7	405	1	None		
		69		ALUMN				183		20.6	5	8.3	Lead	FIXED			
				FS						17.5	0	5.7					
Iolani	Hughes 48	38048	120	1972	54.3	135	20.2	48.2	5.9	Yes	Yes	48	32000	0	IB		
		599		18.2			19	10.4		40.32	18.2	35.1	14300	1	FEATH		
		336		ALUMN			23	493		32.76	1101	11.1	Lead	FIXED	3		
				YAWL			10			32.76		6					

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
		Sail #	DW Rating		I	J	Max Headsail	ISP	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB	
								JSP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type	
		Disp/WL Ratio			Mast Material				PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades	
				Rig Type		EY		SSF		ASM	Fixed or _o	Max Draft							
Popstar	Catalina 400	331	108	2005	52.5	135	52.5	46.9	4.02	No	Yes	27.9	41.54	20500	0	IB	(Mtg 5/20/10, removed trapeze +18 sec/mi for in-mast furling mainsail, +3 sec/mi for MGM <50% of E)		
					15.5		16.5	17	8.27		52.16	1225	36.5	8300	1	Fold			
											50	0	13.5	Lead	FIXED	3			
											29	<input checked="" type="checkbox"/>	6.92						
Dare Dare	Jeanneau Sun Fast 3200	39	81	2008	41.92	102	43.77	38.67	5.28	Yes	Yes	24.41	33.1	7916	0	IB			
					12.58		13.61	13.68	8.46		44.91	13.58	28	2866	1	Fold			
											24.08	896	11.5	Lead	FIXED	2			
											23.39		6.2						
Tortuga	Pyramid 660 ODR MOD	8375	174	1981	21.82	104	28	25.7	4	Yes	No		21.8	850	2	OB	(Mtg 5/20/10, removed trapeze +18 sec/mi, hiking straps still allowed)(1/24/13, added upper spreaders & stays, NCTR)		
					6.8		7	10.5	6.8		25.9	8	18.1	400	1	None			
											14	299	6.2	Lead	FIXED	2			
											13.3		3.9						
Elan	Beneteau 37	46	114	2012	45.83	105	48	43.5	6.16	No	Yes	26.6	37.8	14359	0	IB			
					15			12.83	8.83		45.94	915	34.08	3901	1	Fold			
											39.17	0	12.83	Iron	FIXED				
											25.6	<input checked="" type="checkbox"/>	6.25						
Carmelita	Catalina 42-1/2	131	105	1990	53	125	53	46.75	4.98	Yes	Yes	27.75	41.83	22000	No	IB			
					16.42			15.5	8.85		49	16.42	36	8300	1	FEATH			
								0	399		29.55	1207	13.83	Lead	FIXED	3			
								0			24.42	<input checked="" type="checkbox"/>	6.66						
Checkered Past	Custom Wyliecat 39	3	102	2002				52	10.2	No	No		38.83	12000	0	IB	Boat has been modified for handicapped sailing		
								26.6	17.4				32	6200	1	FOLD			
													11.5	Lead	FIXED	2			
												<input type="checkbox"/>	6.6						
Hijinks	J 92	90	108	1996	37	97	38.5	37.66	5	No	Yes	26.51	30	5500	0	IB			
					11.5		17	13.22	8.6		45.4	868	26.5	2275	1	Fold			
											40.85	5.5	10	Lead	FIXED	2			
											23.55	<input checked="" type="checkbox"/>	5.9						

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
		Sail #	DW Rating		I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp.	Traps/H. Strps		IB or OB Prop Type # of blades		
									SL	SPL	SLU	ASA			Ballast	moveable blst			
																		SSMG	
SSF	SSA	ASM	Fixed or _o																
Oscar	Santa Cruz 33	57663	117	1978	41 13.583 125	41	35.42 4.25 15 7.166	41	13.68	Yes	No	33 28 10.06 6	7000 3000 Lead	No 1 FIXED	IB FOLD 2				
Puffin	Alden 44	38144	117	1978	54.1 19.5 100		47.08 5.7 14.75 9.6	416		No	Yes	33 1369 0 0	44.17 34.08 12.5 8.75	24500 0 1 CNTRBRD	IB Feath				
TESA	Catalina 42-1/2	642	102	1999	53 16.41 155	53 23	46.75 5.91 15.416 10	430	27.333	Yes	Yes	31 1275 0 0	41.83 36 13.83 6.8	25500 8300 Lead	0 1 FIXED	IB FEATH 3	Added one electric main halyard winch		
Vita E Bella	Catalina 42-1/2	989	99	2007	53 16.5 155	16.5	46.9 5.2 15.6 9.5	415		No	Yes	27.3 1105 3.67 0	41.83 36 13.1 6.8	24400 3765 Lead	0 1 FIXED	IB FOLD 3	(mtg 3/28/13, -3 sec/mi for added sprit)		
Bessie's Girl	Bristol 45.5	30088	114	1980	57 18.83 130	57 18.83	47.25 4.66 15.2 8.56	390	33	Yes	Yes	33 1353 0 0	45.5 37.25 13.2 11	40000 15000 Lead	No 1 CNTRBRD	IB FEATH 3	(mtg 2/18/10, -3 sec/mi for dual spinnakers/ability to use asym on squared back pole)		
Freedom	Worth 40	18230	96	1984	54 16 155	16	47 5.5 14 9.2	397	28.8 28.8	Yes	No	20 828 0 0	40 34.25 12.5 7.25	21000 7800 Lead	0 1 FIXED	IB FOLD 2			
Imagination	Bavaria 40	0	108	2001	47.25 14.58 111	48	44.46 5 15.58 9.21	386		No	Yes	20 828 0 0	40.94 35.93 13.1 6.4	17417 6283 Lead	0 1 FIXED	IB Fold			

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
			Built	ISP	I	J	Max	IS	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB	
			Head	JSP	Head	Head	Head	Head	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type	
			Rating	Rating	Material	Material	Material	Material	PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades	
			Disp/WL Ratio	Rig Type		EY		SSF		ASMG	Fixed or _o	Max Draft							
Lady Jane	Jeanneau 39i Sun Odyssey	7913	93	2008	48.1	122	48.1	46.3	5.42	No	Yes	27.46	38.1	16163	0	IB			
					13.1			14.6	9.28		49.31	1012	35.2	5026	1	Feath			
			594		ALUMN				398		42.81	1	12.9	Cast Iron	FIXED	3			
			168		FS						26.08	<input checked="" type="checkbox"/>	6.7						
Ragtime!	J 92	18	105	1993	37	155	38.5	38	4.7	No	Yes	29.75	30	5500	No	IB	(changes noted 3-11-03, NCTR)(2/14/06 - Spinnaker based on 1019 sq feet/94.67 meters)(Mtg 01/16/14, -3 sec/mi for flying asymmetric off squared back pole)(Mtg 4/24/14, New Rudder noted NCTR, Shortened pole/sprit		
					11.5		17	13.5	8.2	39.98	14.5	46.8	25.8	2275	1	FOLD			
			593		ALUMN			0	293	30.6	1019	38.5	10	Lead	FIXED	2			
			146		FS			0		30.6		28.4	5.9						
Vento	Swan 391	40841	99		53.5	95	53.5	47.25	5.5	Yes	Yes	26	39.9	18900	0	IB			
					16.25		16.25	14	9.2		51.83	16.25	33.1	6800	1	Fold			
			592		ALUMN				399		29.3	1266	12.4	Lead	FIXED				
			237		MS						29.3		7.2						
Double Espresso	Olson 30 OB	18069	99	1982	36	155	35.9	31.5	4.36	Yes	No		30	3600	0	OB			
					11.75		11.75	10.75	7.26		36	11.75	27.5	1800	1	None			
			591		ALUMN				208		21.16	635	9.33	Lead	FIXED				
			79		MS						21.16		5.08						
Ex Indigo	Custom Diva 39	8	87	1987	41.73	125	41.73	46.75	5.72	Yes	No		38.75	9920	No	IB	Back Stay Crane		
					12.8		12.8	14.75	9.6		41.4	12.8	30.83	4575	1	FOLD			
			591		ALUMN			0	413		22.6	780	9.83	Lead	FIXED	2			
			154		FS			0			22.6		5.75						
Dawn's Early Light	J 36	77549	87	1982	44.219	125	44.21	47	5.8	Yes	No		35.95	10570	0	IB			
					14		14	15	9.5		44.25	14	30.5	4600	1	Fold			
			590		ALUMN				418		25.26	923	11.76	Lead	FIXED				
			169		FS						24.12		6.6						
Expression	Express 37 MOD	33985	75	1984	48.75	150	48.75	42	5.3	Yes	No	19	37.1	9500	0	IB	(mtg 1/21/10, +3 sec/mi for modified keel, -3 sec/mi for dual spinnaker/ability to fly asym on squared back pole)(1/19/11, removed asym, only using symmetric spinnaker, +3 sec/mi)		
					14.33			13.75	9		48.16	14.33	30.83	4500	1	Fold			
			590		ALUMN				346		23.2	931	11.5	Lead	FIXED	2			
			147		MS						23.2		6						

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications							
		Sail #	DW Rating		J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps		IB or OB						
											SL	SPL									SLU	ASA	LWL	Ballast	moveable blst	Prop Type
EY		SSF		ASMG	Fixed or_o	Max Draft																				
Javelin	J 100 ODR	4	81	2004	38.5 11.5	95	43 12.7	38 13.5	5.13 8.77	No	Yes	24.34	32.8	6500	No		IB									
		590			CARBON								29	2500	1		FOLD									
		121			FS				306				9.3	Lead	FIXED		2									
											<input type="checkbox"/>		5.8													
Relentless	J 92	93	105	1997	37 11.5	155	38.5 17.5	38 13.5	5.2 8.7	No	Yes	26.4	30	5500	0		IB									
		590			ALUMN								26.5	2275	1		Fold									
		134			FS				306				10	Lead	FIXED		2									
											<input checked="" type="checkbox"/>	0	5.9													
Arcadia	Custom Nash 28.5	3113	123	1969	33 10	120	34 11	32.5 13	4.92 8.41	No	Yes	24.606	28.5	4327	No		IB									
		589			ALUMN								25.5	1200	1		FOLD									
		119			FS				251				9	Lead	FIXED		2	(Weighed Displacement as of 4/4/2009)(mtg 2/28/13, change custom rating from 135 to 123 after review of race results and structural modifications)								
											<input type="checkbox"/>	100	6.5					3								
Relentless	Sydney 32	28732	81	2002	40.6 12.2	110	40.6 13.1	39.7 14.75	5.6 9.59	Yes	No		31.9	6850	No		IB									
		589			ALUMN								28.4	2860	1		FOLD									
		136			FS				349				10.6	Lead	FIXED		2	-3 Sec/mi for OSP								
											<input type="checkbox"/>	0	6.9													
Ada Helen	ace	922	96	2005	53 16.5	155	53 16.5	46.75 15.5		No	Yes	29.7	43.8	24400	No		IB									
		588			ALUMN						18		36	8300	1		FOLD									
		238			MS								13.1	Lead	FIXED		3	(Mtg 3/20/08 -6/sec/mi for OSP)(mtg 6/19/08, new larger a-sail, correct size for J, NCTR)								
											<input type="checkbox"/>	90	6													
Drop Beer	Beneteau Class 10	18277	90	1984	37.8 12.6	150	38.6	39.7 13.9	4 8.7	Yes	No		34.2	7000	0		IB									
		588			ALUMN								29.6	2200	1		FOLD									
		123			FS				308				9.9	Iron	FIXED		0	NEW RUDDER 3/4/95, NCTR (MTG 3/36/95)								
											<input type="checkbox"/>	0	6.8													
Nightmare	Custom Wilderness 30 SX FR OB	305	111	1980	34 11.75	125		34.4 11.5	4.59 7	Yes	No		29.75	4700	No		OB									
		588			FS								27.75	1650	1		None									
		100							233				8.83	Lead	FIXED		0	(-3 sec/mi for change from IB to OB, -6 sec/mi for keel change.)(mtg 2/26/15, -9 sec/mi for oversized spinnaker)								
											<input type="checkbox"/>	0	5.92													

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications	
			Built	J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp.	Traps/H. Strps		IB or OB Prop Type # of blades			
									DW Rating	Mast Material	SL	SPL			SLU	ASA		Ballast		moveable blst
ASF	Fixed or _o	Ballast Mat.	Keel Type																	
Crackers	J 105 ODR w/ 5'BS	581	78	2002	40.6 13.5	100	42.1 19.07	41.5 14.5	5.5 9.4	No	Yes	26.2 859	34.5 29.5	8664 3400	0 1	IB Fold				
		585 153			ALUMN FS				358		39.8 22.3	5 0	11 6.5	Lead	FIXED					
FUGU	Wilderness 30 SX FR IB	67967	120	1980	34.08 11.75	150	34.1 11.8	34.44 11.5	4.37 7.48	Yes	Yes	20.36 603	29.75 27.75	4200 1900	0 1	OB None 0	(Mtg 11/20/08, -6 sec/mi for replacing inboard with outboard engine)			
		585 89			ALUMN FS				236		21.15 21.15	604 0	8.75 5.5	Lead	FIXED					
Jarlen	J 35	28528	72	1990	46.333 14.583	150	46.3	41.416 14	5.43 9.11	Yes	No	0	35.42 30	10500 4400	No 1	IB FOLD 2				
		585 177			ALUMN MS			0 0	347		26 26	997 0	11.67 6.75	Lead	FIXED					
Nantucket Sleighride	J 105 ODR w/ 5'BS	414	78	2001	40.6 13.5	100	42.1 19.07	41.5 14.5	5.5 9.4	No	Yes	25 863	34.5 29.5	7750 3400	0 1	IB Fold 2				
		585 137			ALUMN FS				358		38.7 23.3	5 0	11 6.5	Lead	FIXED					
Russian Roulette	J 105 ODR w/ 5'BS	85	78	1995	40.6 13.5	100	42.1 19.07	41.5 14.5	5.5 9.4	No	Yes	25 854	34.5 29.5	7750 3400	0 1	IB Fold 2				
		585 137			ALUMN FS				358		38.7 23	5.5 0	11 6.5	Lead	FIXED					
Sweet Okole	Custom Farr 36	29000	78	1976	42.049 12.35	155	42.049	44.54 16	5.9 10	Yes	No	0	36 31.33	9696 3750	No 1	IB FOLD 2	(78 MTG 1/28/93) (81 MTG 3/18/93)(Mtg 5/22/08, +3 sec/mi for switching to smaller headsail, +3 sec/mi for removing 250# shoe from keel, change custom rating from 81 to 87)(6/7/10, change headsail to 155% 2 sec/mi change rating			
		585 143			ALUMN FS			0 0	416		22.23 22.23	812 0	11.88 7	Lead	FIXED					
Dragonsong	Olson 30 OB	87014	99	1982	36 11.75	155	35.9 11.67	31.5 10.75	4.364 7.268	Yes	No	0	30 27.5	3600 1800	No 1	OB None 0				
		584 79			ALUMN MS			0 0	208		21.15 21.15	635 0	9.33 5.08	Lead	FIXED					

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
			Built	J	Max Headsail	ISP	P	MGU	Yes/No	Yes/No	ASF	Ttl Disp.	Traps/H. Strps		IB or OB			
			DW Rating	J	Mast Material	JSP	E	MGM	SL	SPL	SLU	ASA	Ballast		moveable blst	Prop Type		
			Disp/WL Ratio	J	Rig Type	JSP	PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Ballast Mat.		Keel Type	# of blades		
								SSA	ASF	ASF								
Javelin	J 105 ODR w/ 5'BS	394	78	2001	40.6	100	42.1	41.5	5.5	No	Yes	25.5	34.5	8697	0	IB		
					13.5		19.07	14.5	9.4		49	957	29.5	3400	1	Fold		
					584				358		38.6	5	11	Lead	FIXED			
					154						26.4	<input checked="" type="checkbox"/>	6.5					
Red Cloud	Farr 36 Mod	99	87	1976	38.3	108	46.3	41	6.4	Yes	No		36	10430	No	IB	(550# ADDED TO KEEL 300# TO FILL MIDDLE WINDOW+250# TO BOTTOM)(Mtg 1/26/12, -3 sec/mi for new mainsail)(mtg 3/29/12, +3 sec/mi after review of rating appeal, as sailed: 87)	
					12.16		12.16	16.75	10.9				31.33	3950	1	Fold		
					584			0	410			0	11.92	Lead	FIXED	2		
					154			0			21.8	<input type="checkbox"/>	6.16					
Warpath	Olson 30 OB	198	99	1982	36	150	35.9	31.5	4.364	Yes	No		30	3600	No	OB		
					11.75		11.67	10.75	7.268				27.5	1800	1	None		
					584			0	208			0	9.33	Lead	FIXED	0		
					79			0				<input type="checkbox"/>	5.08					
Junkyard Dog	J 109 ODR	168	72	2004	46.5	105	49	43.25	5.88	No	Yes	27.75	35.25	10900	No	IB		
					13.3		18.83	15.5	10		56.33	1160	30.5	3900	1	FOLD		
					583			0	398		45.63	5.5	11.5	Lead	FIXED	2		
					175			0			27.2	<input checked="" type="checkbox"/>	7					
La Viajera	J 109 ODR	46480	72	2004	46.5	105	49.6	43.25	5.89	No	Yes	27.75	35.25	10900	0	IB		
					13.3		18.8	15.5	10.07		56.33	1160	30.5	3900	1	Fold		
					583				399		45.63	5.5	11.5	Lead	FIXED	2		
					175						27.2	<input checked="" type="checkbox"/>	7					
Makanani	Ultimate 24 ODR	3	111	2003	28.04	110	30.8	31	6.35	No	Yes	21.3	24.38	2040	0	OB		
					7.82		14.5	11.35	9.18		36	566	21.17	750	1	None		
					583				250		27.8	6.7	8.48	Lead	FIXED			
					98						21.3	<input checked="" type="checkbox"/>	5.52					
Max	Ultimate 24 ODR	2	108	2002	28.04	110	30.8	31	6.81	No	Yes	21.3	24.38	2040	0	OB		
					7.82		14.5	11.35	9.18		35.5	562	21.17	750	1	None		
					583				254		27.8	6.7	8.48	Lead	FIXED			
					98						21.3	<input checked="" type="checkbox"/>	5.52					

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop		Modifications	
			Built	DW Rating	J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Ballast Mat.	Strps moveable blst Keel Type	IB or OB Prop Type # of blades		
										SL	SPL									
										SSMG SSF	SSA									
X TA C	Olson 29	18457	99	1986	34 11	155	36	32.42 11.42	4.59 7.66	Yes	No	34 11.25	20.25 574	20.25	0	29.67 27.5 9.33 5.25	3900 1900 Lead	No 1 FIXED	OB None 0	RUDDER REPLACED W/MORE 30 - CHANGE NOTED NCTR.
For Pete's Sake	Ultimate 24 ODR	28469	111	2003	28.04 7.82	102	30.8 14.5	31 11.5	5.5 8.8	No	Yes	36 30.6 20.9	22.2 587 6.7 0	24.38 21.17 8.48 5.52	2040 750 lead	No 1 FIXED	OB None			
Advantage 3	J 105 ODR w/ 5'BS	84	78	1994	40.6 13.5	100	42.1 19.07	41.5 14.5	5.5 9.4	No	Yes	49 38.6 26.4	25.5 957 5	34.5 29.5 11 6.5	7750 3400 Lead	No 1 FIXED	IB FOLD 2			
Bullet	Express 37	40311	72	1985	48.75 14.33	155	48.75	42 13.75	5.3 8.83	Yes	No	48 25.79 25.79	14.33	1032	0	37.08 30.83 11.57 7.25	11000 4600 Lead	No 1 FIXED	IB FOLD 2	
Dream	Sceptre 41	12	129	1983	53 17.67	90	53	47 13	5.24 8.73	Yes	No	53 29.5 28	17.67 1290	45.17 26.17	28 1038 0 0	41 36 12.67 6.08	21500 8700 Lead	0 1 FIXED	IB Fold	
Elan	Express 37	87700	72	1985	48.75 14.33	155	48.75	42 13.75	5.28 8.83	Yes	No	48 25.79 25.79	14.33	1032	0	37.083 30.833 11.57 7.25	11000 4500 Lead	No 1 FIXED	IB FOLD 2	
Godot	J 105 ODR w/ 5'BS	28905	78	1992	40.6 13.5	95	42.1 19.07	41.5 14.6	5.5 9.4	No	Yes	49.54 38.55 26.8	23.29 958 5	34.5 29.5 11 6.5	7750 3400 Lead	No 1 FIXED	IB FOLD 2			

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications	
			Built	DW Rating	I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp.	Traps/H. Strps		IB or OB Prop Type # of blades		
										Mast Material	SSMG SSF	SPL SSA	SLU SLE ASMG			ASF ASA Sprit Lngth Fixed or _o	Ballast			moveable blst
Disp/WL Ratio	Rig Type																			
Lightwave	J 105 ODR w/ 5'BS	319	78	2000	40.6 13.5	100	42.1 19.07	41.5 14.5	5.5 9.4	No	Yes	22.9 49.4 38.5 26.6	34.5 29.5 11 6.5	7750 3400 Lead	No 1 FIXED	IB FOLD 2				
Mamaluc	J 105 ODR w/ 5'BS	265	78	1999	40.6 13.5	100	42.1 19.07	41.5 14.5	5.5 9.4	No	Yes	25.9 49.42 39.76 25.88	34.5 29.5 11 6.5	7750 3400 Lead	No 1 FIXED	IB FOLD 2				
Punk Dolphin	Custom Wylie 38	18481	72	1985	48 14.33	150	48	43 14	5.58 9.55	Yes	No	14.33 1026	38 31 11.6 6.75	14000 5000 Lead	No 1 FIXED	IB FOLD 2				
Vuja Star	J 105 ODR w/ 5'BS	181	78	1998	40.6 13.5	100	42.1 19.07	41.5 14.5	5.5 9.4	No	Yes	29.5 49.52 39.8 24.8	34.5 29.5 11 6.5	8733 3400 Lead	0 1 FIXED	IB Fold 2				
Hylite	Hylas 49 SM	49	111	2007	57.42 19.5	130	57.42 19.5	51 18.5	4.5 9.17	No	Yes	28.67 60 55.33 24.42	48.83 39.5 14.25 6	35000 14500 Lead	0 1 FIXED	IB Fold	(Mtg 1/26/17, Custom rating of 111 assigned)			
Lindo	J 109	195	69	2005	46.5 13.3	155	49 18.8	43.3 15.5	5.89 10.07	No	Yes	27.75 56.33 45.63 27.2	35.25 30.5 11.5 7	10900 3900 Lead	0 1 FIXED	IB FOLD 2				
Ohana	Beneteau 45F5	38023	63	1991	53.15 15.08	100	55.15 16	55.4 18.58	7.06 12.08	Yes	No	15.08 1187	44.11 36.9 14.1 7.9	26500 8500 Lead	0 1 FIXED	IB FEATH 3	(Mtg 12/1/11, -6 sec/mi for new keel)			

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
			Built	DW Rating	I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU SLE ASMUG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.		Traps/H. moveable blst	IB or OB Prop Type # of blades			
									SSMG	SPL SSA							Ballast Mat.		Keel Type
Mintaka 4	Farr 38	18441	81	1979	43.67 13.67	125	46.2	44.9 17.9	6.8 11.6	Yes	No	38.25 31.17 12 6.33	11850 4100 Lead	No 1 FIXED	IB FOLD 2	(2002-removed dinette stbrd, add bench seat w/55 gal fuel tank, original was 12.5. Rudder replaced 12" longer, 4" narrower. Changes noted mtg 1/17/02, NCTR)(removed short pole, changed spinnakers, 4/12/04) / Mts 1/24/12 new stem			
Wayward Wind	Baltic 38 DP	87258	96	1983	52.25 15.82	155	52.25	46.25 13.75	4.53 8.2	Yes	No	38.08 31.5 12.34 7.25	14330 6512 Lead	0 1 FIXED	IB Fold				
Eclipse	Express 37	18495	72	1985	48.75 14.33	155	48.75	42 13.75	5.28 8.83	Yes	No	37.08 30.83 11.57 7.25	11000 4500 Lead	0 1 FIXED	IB FOLD 2	Rudder modification noted, no change to rating. (Actual weight from yard 11200 - 9500 was design displacement. No mods from standard express 27.) 3/26/01			
Escapade	Express 37	18051	72	1985	48.75 14.33	155	48.75	42 13.75	5.28 8.83	Yes	No	37.08 30.83 11.57 7.25	11000 4500 Lead	No 1 FIXED	IB FOLD 2				
Expeditious	Express 37	18478	72	1986	48.75 14.33	155	48.75	42 13.75	5.28 8.83	Yes	No	37.08 30.83 11.57 7.25	11000 4500 Lead	No 1 FIXED	IB FOLD 2	INSTALED NEW CLASS-APPROVED CARBONFIBER RUDDER - MTG 6-12-2000 NCTR.			
Golden Moon	Express 37	18488	72	1985	48.75 14.33	155	48.75	42 13.75	5.37 8.99	Yes	Yes	37 30.83 11.57 7.25	11000 4500 Lead	No 1 FIXED	IB FOLD 2				
Mudshark	Express 37	28052	72	1986	48.75 14.33	155	48.75	42 13.75	5.28 8.83	Yes	No	37.08 30.83 11.57 7.25	11000 4500 Lead	No 1 FIXED	IB FOLD 2				

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications						
			Built	J	Max Headsail	ISP	P	MGU	Yes/No		SLU	ASA	LWA	Ttl Disp.	Traps/H.	Strps	IB or OB								
									DW Rating	Mast Material								E		MGM	SPL	ASF	Ballast	moveable blst	Prop Type
EY	SSFF	ASMG	Fixed or _o	Max Draft																					
Phat Jack	Express 37	18257	72	1985	48.75 14.33	150	48.75	42	5.25	Yes	No	37.08	11000	0	IB										
								13.75	8.83			30.83	4500	1	FEATH										
			577		ALUMN				343			11.57	Lead	FIXED	2										
			171		MS						<input type="checkbox"/>	7.25													
Rufless	Melges 24	445	84	1999	27.85 7.95	100	31.85	28.9	3.83	No	Yes	24	1783	0	OB										
								12.45	7.09			22	650	1	None										
			577		CARBON				196			8.17	Lead	CNTRBRD	0										
			76		FS							5.25													
Stewball	Express 37	18278	72	1985	48.75 14.33	150	48.75	42	5.28	Yes	No	37.083	11000	0	IB										
								13.75	8.83			30.833	4500	1	FOLD										
			577		ALUMN			0	344			11.57	Lead	FIXED	2										
			171		MS			0			<input type="checkbox"/>	7.25													
Jaybird	J 133 CM	52443	24	2004	57 17.25	100	60.4	54	7	No	Yes	38.08	16900	0	IB										
								18.6	12			30.25	6850	1	Fixed_2										
			574		CARBON				595			11.8	Iron	FIXED											
			278		FS						<input type="checkbox"/>	6.8													
Mirthmaker	A 35	18250	69	2007	44.22 13.45	90	51.06	44.94	5.42	Yes	Yes	34.7	9810	0	IB	(Mtg 5/20/10, custom rating of 60 assigned, would like a copy of ORR Certificate)(mtg 6/15/10, change custom rating from 60 to 63 based on further clarification of boats configuration)(Mtg 10/27/16, change custom rating from 63 to 60 after									
								14.66	8.88			30.47	4367	1	Fold										
			574		CARBON				381			11.6	Lead	FIXED	2										
			158		FS						<input type="checkbox"/>	6.88													
Gratitude	Hylas 46	60373	102	2002	58.4 17.7	135	58.4	50.6	4.6	No	Yes	46.3	27777	0	IB										
								18	9.6			40	12347	1	Feath										
			573		ALUMN				469			13.9	Lead	FIXED	3										
			197		CTR						<input checked="" type="checkbox"/>	6.6													
Willow	Wauquiez 40s Centurion	38300	69	2004	51.5 14.17	110	51.5	49.21	7.3	Yes	Yes	41.17	18960	No	IB	(mtg 3/18/10, -3 sec/mi for oversized a-sail.)(mtg 1/27/11, - 3 sec/mi for added sprit)									
								19.3	12.5			36.4	6085	1	FEATH										
			573		ALUMN				564			12.66	Lead	FIXED	3										
			179		FS						<input checked="" type="checkbox"/>	7.75													

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
			Built	I	J	ISP	P	MGU	Yes/No	Yes/No	ASF	Ttl Disp.	Traps/H. Strps					
			Max Headsail	Max	IS	E	MGM	SL	SPL	SLU	ASA	Ballast	moveable blst					
			ISP	PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type						
			Disp/WL Ratio	Rig Type	JSP	EY	SSFF	ASMG	Fixed or _o	Max Draft								
Jeannette	Custom Frers 40 IOR 1 Tonner	40646	66	1986	47.2 13.7	100	13.7	51.48 18.76	7.13 12.19	Yes	No		39.5 33 12.6 8.1	12900 6000 Lead	0 1 FIXED	IB FOLD 2	(mtg 5/31/07 custom rating changed from 63 to 60 based on performance data)(Mtg 8/27/15, change custom rating back to 63 after review of race results)	
Imagine	Davidson 44 MOD	77220	57	1980	49.92 15.38	125	50.33	58.3 18.33	6.9 12.8	Yes	No		44 38.5 13 7.6	24410 7000 Lead	No 1 FIXED	IB FOLD 3	(Mtg 4/27/17, custom rating of 57 assigned)	
Encore	Sydney 36 CR	3632	57	2006	45.6 14	104		44.36 16.4	6.1 10.6	No	Yes	28.9 1283	36.06 31.04 11.32 7.55	12897 4850 Lead	No 1 FIXED	IB FOLD 2	(Australian IRC Rating 1.052)(Mtg 8/23/12, change custom rating from 54 to 57)	
Hot Socks	Figaro II	27	48	2004	42.75 12.42	104	42.75	42.67 15.42	7 11	Yes	No	0	32.18 32 11.33 6.5	6724 2425 LeadWater	0 1 FIXED	IB Fold		
Salt Peanuts	Custom Dees GP 26	18	78	2008	29.35 8.07	130	36.43 14.32	32.42 12.63	5.58 8.69	No	Yes	20.41 626 6.23 0	25.72 21.22 8 6.04	2340 1100 Lead	0 1 FIXED	OB None 0	(mtg 2/18/10, change custom rating from 75 to 78)(3/28/12, New Rudder Noted)	
Courageous	J 88	77	81	2015	38.67 11.28	104	46 18.05	36.82 12	5.44 8.4	No	Yes	29 1022 5.25 0	29.19 26.84 9.5 6.5	4990 1840 Lead	0 1 FIXED	IB Fold		
Inconceivable	J 88	9	81	2013	38.67 11.28	104	46 18.05	36.82 12	5.44 8.4	No	Yes	29 1022 5.25 0	29.19 26.84 9.5 6.5	4990 1840 Lead	0 1 FIXED	IB Fold		

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications						
		Sail #	DW Rating		I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No		Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB							
										SL	SPL									SLU	ASA	LWL	Ballast	moveable blst	IB or OB
Disp/WL Ratio	Mast Material	Rig Type	EY	SSF	ASM	Fixed or _o	Max Draft	# of blades																	
Juno	J 88	20	81	2014	38.67 11.28	105	46 18.05	36.82 12	5.44 8.4	No	Yes	29	29.19	4990	0	IB									
		561			CARBON						1022	26.84	1840	1	Feath										
		117			FS						5.25 0	9.5 6.5	Lead	FIXED											
M Squared	J 88	75	81		38.67 11.28	104	46 18.05	36.82 12	5.44 8.4	No	Yes	29	29.19	4990	0	IB									
		561			CARBON						1022	26.84	1840	1	Fold										
		117			FS						5.25 0	9.5 6.5	Lead	FIXED											
Ventus	J 88	60	81	2015	38.67 11.28	104	46 18.05	36.82 12	5.44 8.4	No	Yes	29	29.19	4990	0	IB									
		561			CARBON						1022	26.84	1840	1	Fold										
		117			FS						5.25 0	9.5 6.5	Lead	FIXED											
White Shadow	J 88	23	81	2014	38.67 11.28	104	46 18.05	36.82 12	5.44 8.4	No	Yes	29	29.19	4990	0	IB									
		561			CARBON						1022	26.84	1840	1	Fold										
		117			FS						5.25 0	9.5 6.5	Lead	FIXED											
Envolee	Figaro II	0	54	2012	42.75 12.42	104	42.75	42.67 15.42	6.5 10.63	Yes	No		32.18	6724	0	IB	(mtg 4/27/17, water ballast disabled, +6 sec/mi)								
		558			CARBON							32	2425	1	Fold										
		93			FS						0 0	11.33 6.5	LeadWater	FIXED											
Kookaburra	J 120 ALUM	153	48	2001	50.5 14.5	155	52 21.5	46.5 17.8	6.2 10.7	No	Yes	30.3	40	13900	No	IB									
		556			ALUMN						1265	35	6000	1	FOLD										
		147			FS						7	12	Lead	FIXED	2										
Abracadabra	Antrim 27 CM ODR	28927	75	1996	28.69 8.17	116	37.25 15	33.75 14	7.5 10.9	No	Yes	25.1	27.83	2900	No	OB	BOWSPRINT IS ARTICULATING								
		555			CARBON						723	23.75	1050	1	None										
		98			FS						6.83 13	9.25 6	Lead	FIXED	0										

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications			
			Built	J	Max	ISP	P	MGU	Yes/No		SLU	ASF	LOA	Ttl Disp. Traps/H. Strps		IB or OB						
									DW Rating	Mast Material				E	MGM		SL	SPL		Ballast	moveable blst	# of blades
JSP	JSP	SSSF	ASA	Max Draft																		
					Alchera	J 120 Mod	28870	51	2001	50.5	125	52	46.5	6	No	Yes	34	40	13900	No	IB	Modifications for offshore singlehanding: Smaller spinnaker and main, 2 extra winches at helm, 3 additional gel batteries, dodger boss widened and all control lines led to cockpit, radar pole, veltran MHN jib. (Mtg 2/21/09, +3 sec/mi for small)
					14.5		21.55	17.57	10.57		57.96	1407	35	6000	1	FOLD						
			554		CARBON		0	463			49.99	7	12	Lead	FIXED	2						
			147		FS		0				30.6	<input checked="" type="checkbox"/>	7									
Q	Custom Schumacher 40	28901	54	2001	47	105	47	47.5	6.75	Yes	No		40	10166	No	IB						
					14.67			18.35	11.75				31.5	4528	1	FOLD						
			554		CARBON		0	513				0	11	Lead	FIXED	2						
			148		FS		0					<input type="checkbox"/>	7.6									
Xtreme	Hobie 33 ODR	18170	90	1984	33.83	125	36.25	35	4.75	Yes	No		33	4000	No	OB						
					12.4			12.5	8				30.5	1800	1	None						
			553		ALUMN		0	260				0	8	Lead	FIXED	0						
			64		FS		0					<input type="checkbox"/>	5.42									
Vitesse Too	Hobie 33 ODR	87112	90	1983	33.8	125	36.8	35	4.75	Yes	No		33	4000	No	OB	Extended rudder 10", NCTR					
					12.4			12.4	8				30.5	1800	1	None						
			552		ALUMN		0	259				0	8	Lead	FIXED	0						
			64		FS		0					<input type="checkbox"/>	5.5									
Soiree	Beneteau Oceanis 49 SD	38776	87		59.75	135	59.75	51.67	4.7	No	Yes	29.41	49.5	30517	0	IB	Electric Winches (Mtg 10/27/16, +3 sec/mi for In-mast furling mainsail)					
					18.42		18.42	18.33	9.3		55.73	1210	43.67	480	1	Feath						
			551		ALUMN				480		50.72	0	14.75	Iron	FIXED							
			167		FS						26.75	<input checked="" type="checkbox"/>	5.75									
Phantom	J 44	28844	21	1990	60.606	120	60.416	53.53	7.3	Yes	Yes	27	44.75	23838	No	IB						
					17.08			19.41	12.5				38.58	9000	1	Feath						
			550		ALUMN		0	615				0	13.67	Lead	FIXED	3						
			189		MS		0					<input checked="" type="checkbox"/>	8.14									
Turbo Camper	Hobie 33 ODR MOD	87574	84	1984	33.28	155	36.5	35	4.75	No	Yes	23	33	4200		OB	(Mtg 3/29/12, -3 sec/mi for displacement changes)					
					12.4		13.13	12.5	8.1				30.5	1900	1	None						
			550		ALUMN		0	261				0.6	8	Lead	FIXED	0						
			67		FS		0					<input type="checkbox"/>	5.42									

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications							
			Built	DW Rating	I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No		Yes/No	ASF		LOA	Ttl Disp.	Traps/H.	Strps	IB or OB							
										PY	MSA		SL	SPL							SLU	ASA	LWL	Ballast	moveable blst	IB or OB
Disp/WL Ratio	Mast Material	Rig Type	SSSF	ASM	Fixed or _o	Max Draft	Ballast Mat.																			
Wasabi	JPK 1080	38103	63		46.66 14.17	100	51.51 19.09	46.2 15.48	5.84 9.61	No	15.32	Yes		35.43 30.84 11.98 7.22	10692 4740 Steel	0 1 FIXED	IB Fold									
Sweetspot	C&C 121 DK W/5' BS	46921	60	2000	57 15	135	57 20	51 16.386	6.19 10.6	No		Yes	36 1851 5 5	40 35.5 13.8 8	14100 5500 Lead	No 1 FIXED	IB FOLD 2	Deep Keel-bowsprit, (Mtg 4/24/08, rating appeal submitted, change base rating for C&C 121 DK w/ 5' BS, aka C&C 121 XP, to 60)								
Void Star	Santa Cruz 40	59995	45	1982	52 16	135	52 18.67	45.5 14	5.2 8.58	No	50 28.33 28	16 1178	Yes	33.62 1238 0 0	40 36 12 7	12500 5000 Lead	0 1 FIXED	IB FEATH 2	(Mtg 10/22/15, -6 sec/mi for 20% increase in JSP)(4/6/16, +3 sec/mi for non-articulating spinnaker)							
Acey Deucy	J 44	97659	21	1989	60.606 17.08	155	60.416	53.51 19.41 0 0	7.3 12.5 615	Yes	59.8 30.8 30.8	17.085 1535	Yes	27 1379 1 0	44.83 38.58 13.67 8.14	22770 9000 Lead	0 1 FIXED	IB FOLD 2	Electric Winches							
Jet Stream	Custom JS 9000	9045	63	2003	27.08 9.5	87	30.25 15.5	31 8.73	5.6 7	No		Yes	21.8 561 3 0	29.9 27.9 5.7 6.8	2425 1543 Lead	0 1 FIXED	OB None 0	(Mtg 1/22/09, custom rating of 78 assigned)(Mtg 8/19/10, -9 sec/mi for adding 3' sprit, -3 sec/mi for increased spinnaker area, Original rating of 78 contained a 3 sec error, rating should have been 75, change custom rating to 69)								
Ebb Tide	Wauquiez 45s Centurion	60245	57	2003	55.77 17.72	100	55.77 17.72	51.84 19.32	6.51 11.68	Yes	55.59 31.9 30.62	17.72 1466	Yes	32.25 1541 0 0	45.92 40.25 13.67 8.17	23148 8488 Lead	0 1 FIXED	IB Fold 3	(Mtg 5/26/11, Increased "JSP" by 5.67' which equals a 30% increase. - 9 sec/mi per NCPHRF Rules & Guidelines.) (Mtg 3/29/12, JSP now same as J+9 sec/mi, Asymmetrical spinnaker still oversized, -3 sec/mi)							
Jamani	J 120 ALUM	52879	48	2002	50.5 14.5	155	52 21.5	46.5 17.8	6.7 11.5	No		Yes	34 1729 7 0	40 35 12 7	13900 6000 Lead	0 1 FIXED	IB FOLD 2									

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
			Built	ISP	I	J	Max Headsail	ISP	P	MGU	Yes/No	Yes/No	ASF		Ttl Disp.	Traps/H. Strps	IB or OB	
			DW Rating	JSP	Mast Material			E	MGM	SL	SPL	SLU	ASA		Ballast	moveable blst	Prop Type	
			Disp/WL Ratio		Rig Type			PY	MSA	SSMG	SSA	SLE	Sprit Lngth		Ballast Mat.	Keel Type	# of blades	
						EY		SSF		ASMG	Fixed or _o							
Quiver	Custom Nelson Marek 36	28669	45	1999	43.85 12.5	105	51.9 14.57	45.75 16.47	6.56 10.66	Yes	Yes	26.24 1221	35.6 29.32	7725 3255 Lead	No 1 FIXED	IB FOLD 2	(mtg 6/15/10, added lead shoe to keel, -3 sec/mi, change custom rating from 48 to 45)(Mtg 2/29/12, added sprit equal to SPL, NCTR)	
Chance	J 120 ALUM	28484	51	2001	50.5 14.5	100	52 21.5	46.3 17.8	6.7 11.5	No	Yes	34.1 1765	40 35 12 7	13900 6000 Lead	No 1 FIXED	IB FOLD 2		
Twist	J 120 ALUM	28442	48	2000	50.5 14.5	150	52 21.5	46.5 17.8	6.75 11.5	No	Yes	34.1 1764	40 35 12 7	13900 6000 Lead	No 1 FIXED	IB FOLD 2		
Divine Wind	Olson 40	69069	45	1983	50 15.75	150	51.21 15.8	44 14.25	5.5 9.29	Yes	No		40.33 36 11.25 6.5	10500 5500 Lead	0 1 FIXED	IB Feath 2		
Frequent Flyer	Mumm/Farr 30	52	54	1996	38.2 10.9	104	44.9 13.58	40.5 14.6	6.42 10.4	Yes	Yes	25.25 882	30.9 27.6 10.1 6.9	4561 1997 Lead	0 1 FIXED	IB Fold		
Peregrine	J 120 Carbon	25487	45	2001	50.5 14.5	150	52 21.5	46.5 17.8	6.76 11.57	No	Yes	35.1 1776	40 35 12 7	13900 6000 Lead	0 1 FIXED	IB Fold 2		
Saetta	J 120 ALUM	28486	48	1999	50.5 14.5	153	52 21.5	46.5 17.8	6.75 11.5	No	Yes	37.6 1793	40 35 12 7	13900 6000 Lead	No 1 FIXED	IB FOLD 2		

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications			
			Built	DW Rating	I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No		Yes/No	ASF		LOA LWL	Ttl Disp.	Traps/H. Strps			IB or OB Prop Type # of blades		
										PY	MSA		SL	SPL			SLU	ASA			Ballast	moveable blst
Disp/WL Ratio	Mast Material	Rig Type	EY	SSF	ASM	Fixed or _o	Max Draft	Ballast Mat.	Keel Type													
Afterburner	Synergy 1000	1001	45	1999	40.75 12	110	45.75 16.4	42 15.5	6.99 11.03	No	Yes	26 1089	32.83 29.17	4600 1850	0 1	IB Feath						
			538 84		CARBON FS				417			4.3 0	9.75 7	Lead FIXED		2						
Hokulani	J 120 ALUM	43	48	1996	50.42 14.42	155	50.42 21.42	46.42 17.67	6.58 11.42	No	Yes	37.8 1777	40 35	13900 6000	0 1	IB Fold						
			538 147		ALUMN FS				486			0 0	12 7	Lead FIXED								
Nadja Delphine	X-41	0	15	2009	55.9 16.11	106	58.63	53.31 18.04	6.82 11.61	Yes	No		40.52 35.07	14109 6019	0 1	IB Fold	Electronic winches					
			537 149		CARBON FS				570			0 0	11.94 8.2	Lead FIXED								
Skinny Love	11 Metre ODR	92	69	1996	32.53 10.166	95	41	36.08 13.583	5.23 8.82	Yes	No		33.67 26.92	3600 1600	No 1	OB None	MTG 4/9/98. Sail number 90, using sail # 246 for Vallejo 2008					
			536 84		ALUMN FS			0 0	293			0	8.67 5.42	Lead FIXED		0						
Rustler	Esse 850	71	75		32.8 10	105	37.72 16.2	34.4 11.97	6.23 8.85	No	Yes	24.3 779	28 28	3000 1540	0 1	IB Fold	Outboard replaced with inboard saildrive (Mtg 2/28/13, custom rating assigned, as sailed: 75)					
			535 62		ALUMN FS				277			6.05 0	7.25 6.6	Lead FIXED								
Spirit of Freedom	J 124	38006	27	2006	49 14	155	54.7 15.4	48.4 17		Yes	Yes	32.6 1243	40.7 36.2	12600 5000	No 1	IB FOLD	(mtg 4/22/10, -3 sec/mi for OSP, -3 sec/mi for ability to square back pole)					
			535 121		CARBON FS							0 0	11.3 6.9	Lead FIXED		2						
Swift Ness	J 111	101	36	2014	48.37 13.85	105	51.4 20.08	45.17 14.5	6.1 10.1	No	Yes	31.8 1404	36.5 32.7	9300 3500	0 1	IB Fold						
			534 121		CARBON FS				410			6.3 0	10.8 7.2	LeadSteel FIXED								

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications	
		Sail #	DW Rating		I	J	Max Headsail	ISP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps		IB or OB
								JSP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst			Prop Type
		Disp/WL Ratio			Mast Material				PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type			# of blades
						EY		SSF		ASMG	Fixed or _o	Max Draft								
Symmetry	J 111	91	36	2013	48.37 13.85	105	51.4 20.08	45.17 14.45	6.16 10.1	No	Yes	31.1 1399	36.5 32.7	9300 3500	0 1		IB Fold			
		534 121			CARBON FS				410		31.1 <input checked="" type="checkbox"/>	0	7.2	LeadSteel	FIXED					
Bustin Loose	Sydney 38 MH	38044	21	2002	54 14.9	104	52.03 14.77	50.53 18.046	6.85 11.73	Yes	Yes	27.69 1116	38.6 35.3	12250 5140	0 1		IB FOLD			
		533 127			ALUMN FS			0 0	543	30.12 30	1422	48.33 25.49	12.4 8.8	Lead	FIXED		2			
Bad Dog	J 111	103	36	2011	48.37 13.85	105	51.4 20.08	45.7 14.5	6.1 10.1	No	Yes	31.86 1433	36.5 32.7	9300 3500	0 1		IB Fold			
		532 121			CARBON FS				414		31.86 <input checked="" type="checkbox"/>	0	7.2	LeadSteel	FIXED					
Sapphire	Synergy 1000	38008	48	2004	40.8 12	125	45.75 16.4	42 15.5	5.86 10.03	No	Yes	28 1172	32.83 29.17	4400 1850	No 1		IB FOLD	(Mtg 10/22/15, +3 sec/mi for smaller than class mainsail)		
		532 81			CARBON FS				387		46.2 28.8	4.3 0	9.75 7	Lead	FIXED		2			
Anais	Hanse 505	61019	45	2014	64.16 19.16	100	65 20	58.6 20	6.55 11.87	No	Yes	38.52 2151	49 44.4	36000 8300	0 1		IB Feath			
		530 187			ALUMN FS				655		64.11 38.35	1.5 0	15.6 7.7	Lead	FIXED					
Blue	Swan 53-2	61522	30	2012	71.96 19.52	105	73.84 19.53	65.88 21.98	7.64 13.38	No	Yes	38.89 2214	54.07 47.24	54482 22400	0 1		IB Fold	(Mtg 3/23/17, -3 sec/mi for ability to fly a-sail on a squared back pole)		
		530 235			CARBON MS				826	19.43	67.09 36.72	0 90	15.58 12.14	Lead	CNTRBRD					
Six Brothers	Columbia C 30-2	32006	57	2013	36.67 12.67	103	42 17.67	38 14.67	7.77 10.64	No	Yes	31.5 1145	32 27	4500 1900	0 1		IB None			
		529 104			ALUMN FS				374		42.05 29.43	0 0	10.13 7.42	Lead	FIXED					

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
			Built	J	Max	IS	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	IB or OB				
			Rating	Head	Head	JP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst		Prop Type		
			DW Rating	Mast	Material	PY	MSA	SSMG	SSA	SLE	Sprit	Ln	Max Beam	Ballast Mat.	Keel Type		# of blades		
Disp/WL Ratio	Rig Type		EY		SSF		ASM	Fixed	or _o	Max Draft									
Chance	Farr 395	39528	27	2002	51.25 14	105	56.33 20.36	50 18.42	7.54 12.53	No	Yes	33.46 62.6	39.33 34.5	12500 4600	No 1	IB FOLD			
			528 138		CARBON FS		0 0	567			52.49 33.79	6.36 <input checked="" type="checkbox"/>	12.08 7.83	Lead FIXED		2			
Outsider	Azzura 310	1000	57	1996	35.35 11.55	110	43.33 21.57	38.75 13.25	6.68 10.5	No	Yes	30.1 47.01	30.75 27.4	4850 2100	No 1	OB Fixed_3	6 FT ARTIC. RETRAC BOWSPRIT. MTG 3/28/96 (RATED 66) (CHNG NOTED 4/18/96-NO CHNGE RTNG. (2/13/96 FM 66 TO 60.)(MTG 11/13/97 FM 60 TO 57)MTG 2/12/98 FM 57 TO 63 (MTG 4/9/98) Inboard SelfDrive removed and replaced with		
			525 107		CARBON FS		0 0	352			39.7 32.7	6 <input type="checkbox"/>	10 7.2	Lead FIXED		3			
Captain Sluggo	Hobie 33	77870	54	1982	34.7 12.2	105	42.3	38.1 13.5	6 9.6	No	Yes	25.6 44.6	33 30.4	4532 1800	0 1	OB None	(Meeting 4/27/17, Custom rating assigned: 54)		
			524 73		CARBON MS			328			42.4 25.6	0 <input type="checkbox"/>	8 5.4	Lead FIXED					
Albion	J 124	14	27	2007	49 14	145	54.7 19.43	48.4 17	6.4 11	No	Yes	32.74 60.53	40.7 36.2	12600 5000	0 1	IB Fold	(Mtg 2/23/17, -6 sec/mi for asymmetric spinnaker modifications)		
			522 121		CARBON FS			488			51.51 32.74	3.83 <input checked="" type="checkbox"/>	11.33 7	Lead FIXED					
Zsa-Zsa	1D 35	35017	36	1999	42.49 12.52	110	44.78	44.46 18.58	7.55 12	Yes	No		35 31.5	6500 2600	No 1	IB Feath			
			520 95		CARBON FS			498			26.5 26.5	1104 <input type="checkbox"/>	10.75 7.6	lead FIXED		2			
Ardea	Custom Nelson/Marek 50	42616	21	1989	59.92 17.59	100	59.92 17.59	65.19 24.08	9.35 15.98	Yes	Yes	31.6 62.2	49.8 38.55	22145 12627	0 1	IB Fold	(Mtg 8/28/15, custom rating of 21 assigned)		
			519 176		ALUMN FS			946			59.2 31.1 30.4	17.59 1527	14.86 9.32	Lead FIXED					
Dark & Stormy	1D 35	35018	30	1998	42 12.47	110	44.8 17.39	44 19	7.5 12	No	Yes	31.4 51.8	35 31.5	6550 2660	0 1	IB FOLD	Fixed bow sprit, using Asymmetrical spinnaker(mtg 3/20/08, -9 sec/mi for oversized spinnaker, +3 sec mi for not being able to articulate pole, as sailed: 30)		
			518 95		CARBON FS			497			46.62 29.83	4.92 <input checked="" type="checkbox"/>	10.9 7.58	Lead FIXED		2			

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications			
			Built	DW Rating	J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			Ttl Disp.	Traps/H. Strps	IB or OB Prop Type # of blades				
										Mast Material	Rig Type	SL	SPL			SLU			ASA	Ballast	moveable blst
Disp/WL Ratio							SSF	SSA	ASM	Fixed or _o											
Alpha Puppy	1D 35	35024	30	1999	42.49 12.52	110	44.78	44.46 18.58	7.5 12	No	Yes	31.4 1238	35 31.5 10.75 7.6	6500 2600 lead	No 1 FIXED	IB FOLD 2	6/13/11, boat now in same configuration as B-Line. Added 4.9' bowsprit and oversized spinnaker. -9 sec/mi for oversized asymmetric spinnaker, +3 sec/mi for inability to articulate sprit				
CentoMiglia	Flying Tiger 10 Meter ODR	15	54	2006	39.284 12.126	105	45.282 19.134	40.167 14.895	6.463 10.499	No	Yes	27.493 1087 7.008 0	32.68 30.31 9.12 7.61	4376 1918 Lead	No 1 FIXED	OB None 3	(3/7/11, new class rudder installed, NCTR)				
Wild 1	Flying Tiger 10 Meter ODR	41	54	2007	39.284 12.126	105	45.282 19.134	40.167 14.895	6.463 10.499	No	Yes	27.493 1087 7.008 0	32.68 30.31 9.12 7.61	4376 1918 Lead	0 1 FIXED	OB None 3					
Gentoo	Soto 30	1	36	2012	38.25 12.25	102	38.67 19.83	38.67 13.58	5.83 8.83	No	Yes	26.25 968 7.7 0	30 28.75 9.58 6.5	3800 1415 Lead	0 1 FIXED	OB None	(Mtg 9/16, -3 sec/mi for larger mainsail)				
Elusive	Swan 42 Club	4216	12	2007	59.07 16.44	106	62.99 19.05	56.56 19	7.1 12.5	Yes	Yes	34.8 1808 2.6 0	42.59 38.15 12.8 9	17158 6988 Lead	0 1 FIXED	IB Fold 2	(Mtg 2/25/16, +3 sec/mi for decrease in Spinnaker Area, +6 sec/mi for decreased JSP, -3 sec/mi for articulation, -3 sec/mi for switch to larger headsail)				
Freedom	Beneteau 523	38333	54	2006	65.22 20.77	105		59.09 18.53	6.39 11.04	No	Yes	35.519 1854 2 0	53.08 47.92 16 7.5	32800 10935 Iron	No 1 FIXED	IB FOLD 3	Bow Thruster, in-mast furling, above deck jib furler; (Mtg 8/17/06 - +6 s/m for small girth main); electric winches added 1/29/07 (Mtg 3/28/13, +3 sec/mi for 8% decrease in mainsail area)				
Surprise	Custom Schumacher 46	28098	6	1997	57 17	160	63	57 19.75	7.5 12.8	Yes	Yes	37.23 1681 0 90	46 40.63 12.92 7.75	18300 8000 Lead	No 1 FIXED	IB FOLD 2	(MTG 4/9/98)(mtg 2/20/04)				

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications												
			Built	J	Max	IS	P	MGU	SL	SPL	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB													
																				DW Rating	Mast Material	E	MGM	SSMG	SSA	SLU	ASA	LWL	Ballast	moveable blst	IB or OB
ISP	JSP	SSFF	SSA	ASMG	Fixed or _o	Max Draft	Keel Type	# of blades																							
Wet Corvette	Melges 30	103	36	1994	36.85	150	36.85	38	15.49	No	Yes	30	3800	0		IB															
					10.59		18.96					28.6	1750	1		FOLD															
					507		CARBON					9.1	Lead	MVBL		2															
					74		FS					7																			
Wildcard	Santa Cruz 37	37005	27	2009	47.1	107	52.17	47	6.4	No	Yes	37	8662	0		IB	(Mtg 1/26/16, new keel box & rudder noted, NCTR)														
					13.4		19	17	11			34.75	3730	1		FOLD															
					507		CARBON		474			10.64	Lead	FIXED		2															
					94		FS					7.5																			
Trois Amis	Screamer 12 Meter MOD	194	36	1985	44.58	140	44.58	41	5.3	Yes	No	39.37	6000	0		OB	(mtg 3/23/17, custom rating of 36 assigned)														
					15.75			14.2	9.2			32.5	1350	1		None															
					506		ALUMN		345			10.33	Lead	FIXED																	
					79		MS					7.67																			
CaZan	DK 64	61046	-21	2001	61.94	126	70.54	63.55	8.2	Yes	No	46.26	22439	0		IB	(Mtg 5/25/17, custom rating assigned. As Sailed: -21)														
					17.85		19.849	21.95	14.21			40.52	9480	1		Fold															
					504		ALUMN		826			13.45	Lead	FIXED																	
					153		MS					9.84																			
Family Hour, TNG	Henderson 30	46595	48	1997	37	155	42.3	38.2	6.74	Yes	Yes	30.83	3850	0		OB	Kelp Cutter														
					11		17.8	14	10.62			27.75	1750	1		None															
					504		CARBON		356			9.84	Lead	FIXED		0															
					82		FS					7																			
Astra	Farr 40 ODR MH	40079	0	2000	53.2	105	53.12	54.8	7.29	Yes	No	40.75	10917	No		IB															
					15.5			19.4	12.47			35.27	5079	1		FOLD															
					502		CARBON		629			13.22	Lead	FIXED		2															
					113		MS		0			8.53																			
Bright Hour	Farr 40 ODR MH	50092	0	2001	53.15	0	50.04	54.8	8.49	Yes	No	40.7	10902	0		IB															
					15.45		17.06	19.36	13.77			35.3	4960	1		Fold															
					498		CARBON		674			13.2	Lead	FIXED																	
					113		FS					8.53																			

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Keel		Engine/Prop	Modifications											
					I	J	Max Headsail	ISP	P	MGU	Yes/No		Yes/No		ASF	LWL			Ttl Disp.	Traps/H.	Strps	IB or OB							
											E	MGM											SL	SPL	SLU	ASA	Ballast	moveable blst	Prop Type
EY		SSF		ASM	Fixed or _o	Max Beam	Max Draft																						
Twisted	Farr 40 ODR MH	40046	0	1999	53.15	105	50.04	54.8	8.49	Yes	No		40.7	10902	0	IB	(Mtg 12/1/11, interior mods for IRC, smaller mainsail: NCTR)(Mtg 5/24/12, switching to MH ODR configuration)												
					15.45		17.06	19.36	13.77				35.3	4960	1	FOLD													
			498		CARBON				674				13.2	Lead	FIXED	2													
			113		FS						<input type="checkbox"/>	0	8.53																
Tiburon	C&C 30 Mills	11	36	2014	40.8	105	46.74	41.8	7	No	Yes	31.5	30	3995	0	IB													
					11.28		18.6	14.2	10		52.9	1284	28.7	1579	1	Fold													
			495		CARBON				387		46.16	7	9.8	Lead	FIXED														
			77		FS						31	<input checked="" type="checkbox"/>	0	7.5															
Zamazaan	Custom Farr 52	3883	21	1978	70.4	135	70.4	65.2	8.82	Yes	No		52.19	25391	No	IB	RTG W/USYRU AGE ALLOWANCE IOR RTG W/USYRU AGE ALLOWANCE R=44.9 (1987) 18/24 AS PER PHRF MTG 4/20/95. SHORTENED MAST 6.15 FEET FROM TOP, REDUCED MAINSAIL AREA. FROM 24/27 MTG 8/10/05												
					18.51		18.51	23.2	15.08				47.26	9679	1	FOLD													
			492		ALUMN			0	900			0	15.45	Lead	FIXED	2													
			109		MS			0			<input type="checkbox"/>		8.79																
Bodacious +	1D 48	48005	-15	1996	57.7	155	68.3	61.3	9.84	Yes	Yes	30.1	48.3	19743	0	IB	Water ballast system not operational (mtg 8/19/08, custom rating assigned of -30, includes dual spinnakers)(Mtg 3/24/11, new smaller mainsail, smaller symmetrical, change cutom rating from -30 to -24)(Mtg 8/25/11)												
					16.7		16.7	22.5	14.66		67.7	1673	40.2	8818	1	Fold													
			490		CARBON				848		65.7	0	14.2	Lead	FIXED	2													
			138		FS			32.6			30.1	<input checked="" type="checkbox"/>	0	10.1															
Deception	Santa Cruz 50	97263	-6	1987	61.8	155	61.8	55	7.1	Yes	Yes	32.9	50	17500	0	IB	ELPT Keel & OS/Spinnaker; Has a Code 0 headsail aboard - tacked to stem, no sprit (Mtg 5/26/16, -3 sec/mi for oversized mainsail)(Mtg 6/23/16, change rating back to -6)												
					18.3		18.3	18.4	12		62.83	1335	46	8000	1	FOLD													
			482		ALUMN				605		58.47	0	12	Lead	FIXED	2													
			82		MS			34.2			24.8	<input checked="" type="checkbox"/>	0	8															
California Condor	Class 40	94	6	2010	53.9	104	58.6	53.21	11.71	No	Yes	39.7	40	12225	0	IB	Short-Handed Bay Configuration												
					15.65		23.85	18.81	14.38		64.53	1623	39.17	4710	1	Fold													
			481		CARBON				715		55.77	8.2	14.7	Lead	FIXED	2													
			92		FS						30.54	<input checked="" type="checkbox"/>	0	9.84															
Rufless	Melges 32 MOD	174	30	2007	40.86	105	48.3	44.05	6.95	No	Yes	31.3	31.84	4200		OB	(mtg 2/23/17, no longer using the class spinnaker. +3 sec/mi for small asymmetric)												
					10.7		18.7	15.49	11.14		54	1203	28.5	1600	1	None													
			481		CARBON				438		46.2	8	9.83	Lead	FIXED														
			82		FS						28.2	<input checked="" type="checkbox"/>	0	7															

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications				
				DW Rating Disp/WL Ratio	J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU SLE ASMG	SPL SSA		Yes/No	ASF ASA Sprit Lngth Fixed or _o			Ttl Disp. Ballast Mat.	Traps/H. moveable blst Keel Type		
									SL	SPL										SLU	ASA
									SSMG SSF	SSA										SLE	Sprit Lngth Fixed or _o
OAXACA	Santa Cruz 50	8927	-12 1982	61.48 18.88 155	61.22 20.65	54.75 6.08 16.98 10.67	6.08 540	Yes	No	36.5 1889 0 0	50.23 46.67 12 7.91	17374 8000 Lead	0 1 FIXED	IB Fold	(Mtg 5/26/16, -6 sec/mi for oversized ASA)						
Emily Carr	Santa Cruz 50	49211	-6 1981	61 19 150	61	55 6.4 17 11 0 555 0	6.4 11	Yes	No	0	53 46.5 12 8	15000 7500 Lead	No 1 FIXED	IB FOLD 2	3' SUGAR SCOOP ON TRANSOM IF STD 50FT LOA OF BOAT						
Hana Ho	Santa Cruz 50	77007	-12 1980	61.39 18.85 155	61.5 20.73	54.92 6.5 16.98 11.1 0 558 0	6.5 11.1	Yes	Yes	35.9 1847 0 0	52 46 12 7.75	18000 8000 Lead	0 1 FIXED	IB Feath 3	(Mtg 5/26/11, +3 sec/mi for interior changes)(2/24/12, interior changes removed, boat is back to standard weight for a SC 50)(Mtg 5/25/17, New Rudder, NCTR. -3 sec/mi for OSP, -3 sec/mi for oversized spinnaker area)						
Horizon	Santa Cruz 50	18926	-15 1982	61.7 18.43 145	61.7 20.3	55.2 7.15 19 12.05 618	7.15 12.05	No	Yes	36.4 1880 0 90	50.23 46.906 12.02 7.988	18844 8000 Lead	0 1 FIXED	IB FOLD 2	(Mtg 6/16/08, -6 sec/mi for oversized spinnaker, -3 sec/mi for oversized main)						
Kuai	Melges 32 ODR	211	27 2006	40.86 10.7 105	48.3 18.7	44.05 6.95 15.49 11.14 438	6.95 11.14	No	Yes	31.82 1344 8 0	31.84 28.5 9.83 7	4200 1600 Lead	0 1 FIXED	OB None							
Wicked Sister	Farr 36 ODR	3	9 2004	46.78 13.19 110	54.82 21.06	49.93 8.53 18.63 12.96 592	8.53 12.96	No	Yes	36.28 1751 7.36 0	36.1 32.8 11.72 8.5	6745 3076 Lead	0 1 FIXED	IB Fold							
Lucky Duck	Custom Santa Cruz 52	28729	-30 2001	64.14 18.95 155	64.6 22.5	57.5 8.76 21 14.22 745	8.76 14.22	Yes	Yes	40.91 2190 2 90	53 46.25 14 9	22544 8000 Lead	0 1 FIXED	IB Fold 2	(Mtg 8/23/12, Custom Rating Assigned, -21 as sailed)(Mtg 5/23/13, weighed displacement added)(Mtg 3/27/14, New Rudder, -3 sec/mi for OSP, -6 sec/mi for 10%+ increase in spinnaker area. No penalty for keel/displacement)						

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
			Built	DW Rating	I J Max Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp.	Traps/H. Strps		IB or OB Prop Type # of blades		
									SL	SPL	SLU	ASA			Ballast	moveable blst			
																		SSMG	
ASF	Fixed or _o	Max Beam	Keel Type	# of blades															
Tyr	J 125	52125	-12	2000	49 14.8	155	52 23.4	46.5 18	6.79 11.65	No	23.4	Yes	39.3 1831	41 37	8350 4646	0 1	IB Fold		
			471 75		CARBON FS				497			52.49 38.09	0 <input checked="" type="checkbox"/>	10.6 7.9	Lead FIXED	2			
Can't Touch This	J 125	93204	-12	1999	49 15	155	52.1 23	47 18	6.8 11.6	No		Yes	41 1941	41 37	9330 4646	0 1	IB FOLD	(Mtg 2/26/09, -3 sec/mi for oversized main girths)(3/9/09, corrected main girths, removed -3 sec/mi penalty)	
			468 84		CARBON MS				502			52.3 41	8 <input type="checkbox"/>	10.6 7.9	Lead FIXED	2			
Velvet Hammer	Schock 40	51507	-12	2000	42.5 13.6	104	49.5 20.58	44.4 16.8	7.2 11.8	No		Yes	33.92 1459	40 35	7914 1800	No 2	OB None	(mtg 10/21/09, switched to 104% headsail, from 150%, smaller girths on mainsail. Change custom rating from -18 to -12)	
			464 84		CARBON FS			0 0	470			49 31.685	7 <input checked="" type="checkbox"/>	10 8	Lead MOVABL	0			
Danger Zone	Taylor 32	4128	-24	1994	40 10.7	100	19.4	37.1 14.3	9.5 11.6	No		Yes	26.52 829	32 28.9	1962 551	1	OB None		
			443 37		ALUMN MS				395			36.3 24.6	0 <input checked="" type="checkbox"/>	14.8 5.6	Lead CNTRBRD				
Leglus	Ohashi 52	2480	-6	1986	49.26 16.387	149	62 21.92	57.578 21.325	8.103 13.517	No		Yes	34.8 2089	52.5 50.06	15017 5.952	0 1	IB FOLD	(mtg 10/21/09 assigned custom rating of -39)(Mtg 3/24/16, +3 sec/mi for no spinnaker articulation, change custom rating from -36 to -6)	
			439 54		ALUMN FS				724			63.6 38	3.792 <input checked="" type="checkbox"/>	12.6 11.36	Lead FIXED	2			
Buona Sera	Santa Cruz 70	41104	-81	1986	73.15 22.52	155	73.63	65.49 25.39	9.12 15.72	No	25.5	Yes	40.06 2504	68.9 60.4	24905 8960	0 1	IB Fold	(Mtg 8/27/15, New rudder noted, -9 sec/mi for new keel)(Mtg 3/23/17, -6 sec/mi for 13% increase in SPL, -3 sec/mi for increase in spinnaker area, +3 sec/mi for decrease in mainsail area)	
			423 51		CARBON MS				961			68.31 40.95	0 <input type="checkbox"/>	15.1 10.62	Lead FIXED				
Catapult	Santa Cruz 70	41005	-84	1989	73.34 22.19	155	73.74 25.26	66.11 24.67	9.3 15.75	No		Yes	39.1 2348	68 59.7	23847 9000	0 1	IB Fold	(Mtg 5/25/17, Custom rating assigned. As Sailed: -84)	
			417 51		CARBON MS				963			67.9 38.9	0 <input checked="" type="checkbox"/>	15.1 10	Lead FIXED				

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
		Sail #	DW Rating		I	J	P	MGU	Yes/No	Yes/No	LOA	Ttl Disp.	Traps/H.	IB or OB				
					Max Headsail	ISP	E	MGM	SL	SPL	LWL	Ballast	moveable blst	Prop Type				
		Disp/WL Ratio	Mast Material		PY	MSA	SSMG	SSA	SLU	ASA	Max Beam	Ballast Mat.	Keel Type	# of blades				
						ISP JSP												
Invisible Hand	Pac 52	5202	-102	2016	66	101	76	69.23	10.96	No	Yes	44.7	52	15700	0	IB		
					20.5		29.5	22.98	15.76		85.5	2970	50	8360	1	None		
		402			CARBON						71.7	0	14.5	Lead	FIXED			
		57			FS				1017		45.5	<input type="checkbox"/>	90					
Merlin	Custom Lee 68	8955	-87	1977	71.96	146	74.35	66.87	11	No	Yes	48.05	68.6	24363	0	IB	(Mtg 4/27/17, custom rating assigned: -81)(Mtg 5/25/17, -3 sec/mi for larger headsail, -3 sec/mi for increased J. New custom rating: -87 as sailed)	
					22.5		30.4	27.5	18		87.51	3097	64	10484	1	FOLD		
		392			CARBON			0	1109		83.44	0	12.17	Lead	FIXED	2		
		42			MS			0			42.34	<input type="checkbox"/>	90					
Kai Ola	Jeanneau Sun Odyssey 379	0	105	2011	46.67	132	46.67	44.58	5.4	Yes	No		37.17	14771	0	IB	(Mtg 5/25/17, -3 sec/mi for oversized spinnaker)	
					13.58			13.92	9.1	455	13.58		36	3914	1	Fixed_3		
		373			ALUMN				372			0	12.33	Steel	FIXED			
		144			MS					25.5		<input type="checkbox"/>	0					
Adagio	CAL 25-2 OB		216	1979	33	150		28	3.9	No	No		29.25	4500	0	OB		
					11			9.5	6.5				22	2000	1	None		
					ALUMN				165			0	9	Lead	FIXED			
			192		MS							<input type="checkbox"/>	0					
Akialoa	J 35	28435	75	1989	46.33	120	46.3	41.42	5.43	No	No		35.42	10500	No	IB		
					14.58			14	9.11				30	4400	1	FOLD		
					ALUMN			0	347			0	11.67	Lead	FIXED	2		
			177		MS			0				<input type="checkbox"/>						
All Hail	Catalina 34 TM	524	144	1988	46	130	45.9	40.5	4.8	No	No		35.66	12000	0	IB		
					13.5		13.5	12	8				29.84	5000	1	Fold		
					ALUMN				296			0	11.75	Lead	FIXED			
			205		MS							<input type="checkbox"/>	0					
													5.56					
Alpha	Sonar 23	498	174	1990	23	100		27.5	1.23	No	No		23	2100	n	OB		
					8.25			11.17	7.3				19.92	900	1	None		
					ALUMN				156			0	7.8	Lead	FIXED			
			121		MS							<input type="checkbox"/>	0					
													3.92					

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications				
		Sail #	DW Rating		I J Max Headsail Mast Material Rig Type	P E PY EY		MGU MGM MSA	Yes/No		Yes/No		SLU ASA SLU Sprit Lngth Fixed or _o		ASF	Ttl Disp.	Traps/H. Ballast moveable blst		Strps	IB or OB Prop Type # of blades		
									SL	SPL	SLU	ASA									Ballast Mat.	Keel Type
									SSMG SSF	SSA	ASMG	Fixed or _o										
Amandla	Catalina 34 1&2	796	147	1988	46 13.5	130	38.5 12		No	No			35.75 29.8 11.75 5.6	11950 5000 Lead	0 1 FIXED	IB FOLD 3						
Apogee	Islander 36 Freeport	36	162	1978	46.75 16.75	150	42 12.75	5 8.4	No	No			35.9 27.6 12 5.3	17000 7030 Lead	0 1 FIXED	IB Fold						
Aquadisiac	Newport 30-3	38075	174	1985	40 12.5	155	40 10.25	3.8 6.6	No	No			30.5 26.5 10.67 5.17	8500 2600 Lead	0 1 FIXED	IB Fold 2						
Arby	Colgate 26	212	159	2004	27.75 8.25	105	27.75 11.2	4.3 7.3	No	No	28 14.85 14.85	8.25 347	25.7 20 8.5 4.5	2600 1040 Lead	0 1 FIXED	OB Fixed_3 3	Non Spinnaker configuration					
Avalon	Catalina 30	6138	183	1992	41 11.416	120	41 11.5	4.63 7.72	No	No			29.92 25 10.83 5.25	10200 4200 Lead	0 1 FIXED	IB Fold 2						
Blue Passion	tartan 3400	7134	114	2006	46 13.67	95	49.67 13.67	4.58 8.2	No	No			34.42 30.42 11.92 6.5	10800 3500 Lead	0 1 FIXED	IB Fold						
Blue Ribbon	Catalina 27 IB	343	213	1975	34.5 11.25	120	28.7 10.5	3.5 6.3	No	No			26.83 21.75 8.83 4	6850 2650 Lead	0 1 FIXED	IB Fixed_3 3						

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications									
			Built	J	Max	Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps		IB or OB								
											E	MGM									SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type
Disp/WL Ratio	Mast Material	Rig Type	EY	SSF	ASM	G	Fixed or _o	Max Draft																				
Blue Ribbon II	Catalina 270 IB	38087	207	1994	33.58	9.25	135	33.58	28.42	4.67	No	No	27	6400	0		IB											
									11.5	7.61			23.75	2000	1		Fixed_2											
					ALUMN					199			9.83	Lead	FIXED		2											
			217		MS								5															
Blue Zephyr	Jeanneau Sun Odyssey 42 DS		108	2010	51.58	16.25	150		48.82	3.55	No	No	42.42	19676	0		IB	(mtg 4/27/17, +3sec/mi for in-mast furling, +3 sec/mi for MGM < 50% of E)										
									14.6	6.9			38	5628	1		Fixed_3											
					ALUMN					350			13.5	Iron	FIXED													
			163		FS								6.92															
Borealis	Gulf 39 PH	77135	129		50	16.17	128		42	4.83	No	No	38.83	17500			IB											
									13.75	8.58			33.67				Fold											
					ALUMN					334			12	Iron	1													
			208		MS								5	FIXED														
BZ	Sonar 23		174		23	8.25	100		27.5	1.23	No	No	23	2100	No		NONE											
									11.17	7.3			19.92	900	1		None											
					ALUMN					156			7.8	Lead	FIXED													
			121		FS								3.92															
Califia	Islander 36 ODR	67074	144	1978	45	14.48	135	45	39.25	3.69	No	No	36.08	13450	0		IB											
									12.75	6.88			28.25	5450	1		Feath											
					ALUMN					265			11.17	Lead	FIXED		2											
			271		MS								6.08															
Ciao Bella	Beneteau 37	38	117	2009	45.833	15	105		43.5		No	No	37.666	14008	0		IB											
									12.9				34.75	3902	1		FOLD											
					ALUMN								12.833	Iron	FIXED		3											
			152		FS								6.25															
Circlesea	Folkboat	125	252		21.99	6.56	100	10.17	28.71	4.42	No	No	25.08	4640	0		OB											
									11.15	7.33			19.82	2315	1		None											
					WOOD					194			7.26	Iron	FIXED		0											
			271		MS								3.92															

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
		Sail #	DW Rating		I J	Max Headsail		P E	MGU MGM	Yes/No	Yes/No	ASF	Ttl Disp.		Traps/H. Strps	IB or OB		
						Mast Material		PY	MSA	SL	SPL	SLU	ASA		Ballast	moveable blst	Prop Type	
		Disp/WL Ratio				Rig Type		EY		SSMG	SSA	SLE	Sprit Lngth		Ballast Mat.	Keel Type	# of blades	
									Fixed or _o									
Crane Wife	Fuji 32 KTH	0	252	1977	36.25 14.75	148		29.08 11.21	3.8 5.96	No	No			31.5 29 9.83 3.66	13115 4635 Iron	0 1 FIXED	IB Fixed_3	
Daseins Den	Dana 24	#####	246	1987	34 12.25	120		28.25 10.75	3 5.85	No	No			24.16 21.42 8.58 3.83	7400 3100 Lead	0 1 FIXED	IB Fixed_2	
Dulcinea	Catalina 38	88	117	1981	49.83 15.5	130	49.8 15.5	44 11.5	4.37 7.6	No	No			38.17 30.25 11.83 6.75	15900 6850 Lead	0 1 FIXED	IB Fold 2	
Ecco	CAL 39-2/3	115	117	1980	50 16.7	125	50	44 13.75	5 8.5	No	No			39 32.1 12.15 6.7	17000 7000 Lead	0 1 FIXED	IB Feath	
Enchante'	Beneteau 42 IK TM	63222	84	1985	55.43 16.73	155	55.71	49.2 14.6	4.8 8.5	No	No			43.67 36 13.83 7.19	20509 8700 Iron	No 1 FIXED	IB FOLD 2	
Endless Summer	Catalina 42-1/2 WK	688	111	2000	53 16.5	155		46.75 15.5	5.08 9.16	No	No			41.83 36 13.83 4.83	28000 8300 Lead	0 1 FIXED	IB Feath 3	
Firefly	Harbor 20	226	213	2006	25.75 7	90	25.75 7	26 10	3.6 6.25	No	No			20 17.17 7 3.5	1800 900 Lead	0 1 FIXED	OB None	

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications	
		Sail #	DW Rating		I	J	Max Headsail	ISP	JSP	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps		IB or OB
										E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst		Prop Type
		Disp/WL Ratio			Mast Material					PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type		# of blades
						Rig Type	EY		SSF		ASMG	Fixed or _o	Max Draft							
Isle Of Skye	Tartan 33 7/8 RIG	6	159	1979	36.42	100	36.42	41.58	4.6	No	No			33.67	10000	No	IB			
					12.42			14.42	8.1					28.08	4400	1	FEATH			
					ALUMN			0	328			<input type="checkbox"/>	0	10.92	Lead	FIXED	3			
					FS			0						4.42						
		205																		
Itinerant	Hunter 34	1025	150	1986	47.42	105		41	4.02	No	No			34.42	11820	0	IB			
					13.75			11.75	6.87					28.25	5366	1	Fixed_2			
					ALUMN				271			<input type="checkbox"/>	0	11.5	Steel	FIXED				
		238			MS									5.5						
Kabunza	Pearson 36-2	362	132	1986	47.1	110		41	3.65	No	No			36.5	15000	0	IB			
					15.4			14.5	7.3					29.5	5800	1	Fixed_2			
					ALUMN				300			<input type="checkbox"/>	0	12.3	Lead	FIXED	2			
		266			MS									6.5						
Kapai	Islander 36 ODR	438	147	1977	45	125	45	39.25	5.05	No	No			36.08	13450	0	IB			
					14.48			12.75	8.44					28.25	5500	1	FOLD			
					ALUMN			0	303			<input type="checkbox"/>	0	11.17	Lead	FIXED	2			
		271			MS			0						6						
Kiwa	Ericson 32-2	285	183	1973	36	155	36	31.5	4.9	No	No			32	9400	0	IB			
					18			13	8.4					24	4400	1	Fixed_2			
					ALUMN				243			<input type="checkbox"/>	0	9.67	Lead	FIXED	2			
		309			MS									4.91						
Kraken	Knarr ODR	47	198		33.583	125	33.583	31	4.47	No	No			30.333	4360	No	OB			
					6.583			11.166	7.46		6.583			20.333	2866	1	None			
					WOOD			0	211			<input type="checkbox"/>	0	7	Cast Iron	FIXED	0			
		236			FS			0						4.25						
Kynntana	Freedom 38	38086	141	1988	33.34	100	33.34	45.5	6.25	No	No			38.42	14370	0	IB			
					11.5		11.5	16.57	10.7					30.58	6500	1	Fold			
					CARBON				447			<input type="checkbox"/>	0	12.5	Lead	FIXED				
		228			FS									5.6						

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications						
		Sail #	147		J	Max	ISP	P	MGU	Yes/No		Yes/No		LOA	Ttl Disp.	Traps/H.	Strps	IB or OB							
										E	MGM	SL	SPL							SLU	ASA	LWL	Ballast	moveable blst	Prop Type
Disp/WL Ratio	Mast Material	ISP JSP	SSSF	SSA	ASMG	Fixed or _o	Max Draft																		
Lawless	Catalina 36-2	2056	147	2002	44.75 14.42	155	44.9	39 12	4.83 8.05	No	No		36.42 30.33 11.92 5.83	13500 6042 Lead	0 1 FIXED	IB Fixed_3									
Lioness	Bermuda 40	981	174	1962	42.5 15.58	160		36.6 17.2 17.7 8.5		No	No		40.75 28.8 11.75 4.25	20000 5600 Lead	0 1 CNTRBRD	IB Fixed_3 3	(Mtg 5/22/08, +6 secmi for 3-blade fixed prop, no penalty for headsail larger than 155%, no credit for sonar transducer, custom rating of 174 assigned)								
Makani	Nonsuch 30	278	174	1985		0		44.9 23.9	8 14.5 607	No	No		30.33 28.75 11.83 5	11500 4500 Lead	0 1 FIXED	IB Feath									
Maxine	Yankee 30-1 SM	43	186	1971	37.5 12.75	125	37.5 12.75	32.5 9.7	2.4 4.8 158	No	No	20.75 600 0 0	30.13 23 9 5	8700 4130 Lead	0 1 FIXED	IB FOLD 2	+3 sec/mi for MGM less than 50% of E								
Mottley	Catalina 34	8	147	1986	44 13.5	130	44 14	38.5 12 0 0	4.7 8.05 281	No	No		34.5 29.833 11.75 5.583	11950 5000 Lead	No 1 FIXED	IB Fold 2									
Nepenthe	Hawkfarm 28	6122	174	1976	33.3 11	115	33	36 10.5	4.3 7.2 234	No	No		28 23.5 9.75 5.5	5700 2700 Lead	0 1 FIXED	IB Fixed_2 2									
Nessie	Catalina 34 1&2	734	156	1988	44 1.5	100	44 13.48	38.5 12	4.7 7.54 274	No	No		34.5 29.83 11.75 5.58	11950 5000 Lead	0 1 FIXED	IB Fixed_3 3									

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
		Sail #	DW Rating		I	J	Max Headsail	ISP	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB	
								JSP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type	
		Disp/WL Ratio			Mast Material				PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades	
						EY		SSF		ASMG	Fixed or _o	Max Draft							
Sea Breeze	Catalina 320	850	156	2001	43.58	135	43.58	38	5.168	No	No	32.5	11300	0		IB			
					12.33			13.25	8.661			28	4000	1		Fold			
					ALUMN				303		<input type="checkbox"/>	11.75	Lead	FIXED		2			
			234		MS						0	6							
Seaya	Catalina 380	252	120	2000	50.916	135		44.833	5.2	No	No	38.42	19000	No		IB			
					14.667			15.667	10			32.42	6800	1		FEATH			
					ALUMN				405		<input type="checkbox"/>	12.33	Lead	FIXED		3			
			253		MS						0	7.17							
SF	CAL 25-1 OB	1062	225	1969	29.75	120	29.75	25	4.17	No	No	25	4000	0		OB			
					10			11	7			20	1700	1		None			
					ALUMN				163		<input type="checkbox"/>	8	Lead	FIXED					
			227		MS						0	4							
SLOWMO!	Catalina 22-1 OB SK	2482	270	1973	25.93	150		21	3.47	No	No	21.6	2250	0		OB			
					8			9.66	5.96			19.4	550	1		None			
					ALUMN				118		<input type="checkbox"/>	7.8	Iron	MVBL		3			
			140		MS						0	5							
Sobrante	Alerion Express 28 ODR	406	168	2009	30	90	30	33	4.8	No	No	28.25	5700	0		IB			
					9.75		9.75	12.5	7.6			22.83	2200	1		Fold			
					ALUMN				241		<input type="checkbox"/>	8.2	Lead	FIXED		2			
			218		FS						0	4.5							
Sterling	Catalina 34 1&2	1269	153	1994	44	125		38.5	3.6	No	No	35.66	11950	0		IB			
					13.5			12	6.8			29.84	5000	1		Fixed_2			
					ALUMN				251		<input type="checkbox"/>	11.75	Lead	FIXED					
			204		MS						0	5.56							
Strange Magic	Islander Bahama 30	179	180	1981	40	150	40	33.75	4.37	No	No	29.92	8230	0		IB			
					12.75		12.75	11.5	7.47			24.58	3130	1		Fold			
					ALUMN				232		<input type="checkbox"/>	10	Lead	FIXED					
			252		MS						0	5							

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications		
		Sail #	DW Rating		I	J	Max	Headsail	ISP	JSP	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.		Strps	IB or OB
											E	MGM	SL	SPL	SLU	ASA	LWL	Ballast		moveable blst	Prop Type
		Disp/WL Ratio									PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.		Keel Type	# of blades
								EY		SSF		ASM	Fixed or _o	Max Draft							
TASHI	Catalina 30	2010	189	1976	41	110	41	35	4.63	No	No			29.92	10200	0	IB				
					11.5			11.5	7.72					25	4250	1	Fixed_3				
					ALUMN								0	10.83	Lead	FIXED	3				
					MS				246			<input type="checkbox"/>	0	5.25							
													0								
		297											0								
Thea	Folkboat	108	252	1984	21.988	100	10.166	28.707	4.416	No	No			25.079	4640	No	OB				
					6.562			11.154	7.333					19.822	2315	1	None				
					WOOD								0	7.261	Iron	FIXED	0				
					MS				194			<input type="checkbox"/>	0	3.916							
									0				0								
		271							0				0								
USA 76	IACC	76	-78	2002	83.99	100		99.18	14.12	No	No			82.6	52910	No	IB	(mtg 12/5/13, custom rating of -78 assigned)			
					27.17			30.19	20.33					61.6	39683	1	Fold				
					CARBON								0	11.9	Lead	FIXED					
					FS				1892			<input checked="" type="checkbox"/>	0	13.45							
													0								
		103											0								
Wimm	Jeanneau Sun Odyssey 349	38105	141	2016	43.6	112		40.68	4.9	No	No			33.92	11770	0	IB				
					12.37			13.62	8.2					30.84	3483	1	Fold				
					ALUMN								0	11.29	Cast Iron	FIXED					
					MS				318			<input type="checkbox"/>	0	6.86							
													0								
		182											0								
Zenith	Islander 36 NCPHRF	472	147	1978	45	135	45	39.25	5.05	No	No			36.08	13450	No	IB				
					14.48		14.8	12.75	8.44					28.25	5820	1	Fold				
					ALUMN								0	11.166	Lead	FIXED	2				
					MS				303			<input type="checkbox"/>	0	6.083							
									0				0								
		271							0				0								
Zingara	Islander 36 NCPHRF	484	150	1978	45	125	45	39.25	4.8	No	No			36.1	13450	No	IB	Roller Furler			
					14.48		14.8	12.75	8.29					28.25	5820	1	Fold				
					ALUMN								0	11.17	Lead	FIXED	2				
					MS				298			<input type="checkbox"/>	0	6.08							
									0				0								
		271							0				0								