



Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications		
		Sail #	DW Rating		I	J	Max Headsail	ISP	JSP	P	MGU	Yes/No	Yes/No		ASF	Ttl Disp.			Traps/H. Strps	
										E	MGM	SL	SPL		SLU	ASA			Ballast	moveable blst
		Disp/WL Ratio			Mast Material					PY	MSA	SSMG	SSA		SLE	Sprit Lngth			Ballast Mat.	Keel Type
						Rig Type	EY		SSF		ASM	Fixed or _o								
Can O' Whoopass	CAL 20	624	273	1965	22	115	22	23	4	Yes	No			20	2000	0	OB	(mtg 4/24/08, -18 sec/mi for adding single trapeze wire) (10/2/08 - removed trapeze, now racing as a standard cal 20 -18 sec/mi penalty removed)(3/5/09 added single trapeze back, -18 sec/mi)(8/26/09, switching back to standard Cal 20)		
					7.33		7.33	10	6.7					18.1	900	1	None			
			<b>746</b>		ALUMN				140			0		7	Iron	FIXED	2			
			153		FS							0		3.33						
Miss Kate	Catalina 27 IB	4630	210	1980	34.5	125	34.5	28.66	3.99	No	Yes	20.35		26.85	6850	0	IB			
					11.25		11.25	10.5	6.83			515		21.75	2700	1	Fixed_2			
			<b>738</b>		ALUMN				180			0		8.85	Lead	FIXED				
			303		MS							0		4						
Albacore	Santana 22 ODR	18325	237	1976	25.67	125	25.67	21.75	3.95	Yes	No			22	2600	0	OB			
					8.58		8.58	9.83	6.59					18.67	1230	1	None			
			<b>737</b>		ALUMN				131			0		7.83	Iron	FIXED				
			182		MS							0		3.5						
Anapos	Santana 22	5158	237	1966	26	120	26	21.75	3.95	Yes	No			22	2600	No	OB			
					8.5			9.833	6.59			8.583		18.666	1230	1	None			
			<b>737</b>		ALUMN			0	131			0		7.833	Iron	FIXED	0			
			182		MS			0				0		3.5						
Auggie	Santana 22 ODR	476	237	1969	26	125	26	21.75	3.95	Yes	No			22	2600	No	OB			
					8.5			9.833	6.59			8.583		18.666	1230	1	None			
			<b>737</b>		ALUMN			0	131			0		7.833	Cast Iron	FIXED	0			
			182		MS			0				0		3.5						
Byte Size	Santana 22	801	237	2001	26	90	26	21.75	3.95	Yes	No			22	2600	No	OB			
					8.5		8.5	9.833	6.59			8.583		18.67	1230	1	None			
			<b>737</b>		ALUMN			0	131			0		7.83	Iron	FIXED	0			
			182		MS			0				0		3.5						
High and Dry	Santana 22	114	234	1967	26	150	26	21.75	3.95	Yes	No			22	2600	0	OB			
					8.5			9.83	6.59			8.58		18.67	1230	1	None			
			<b>737</b>		ALUMN				131			0		7.83	Cast Iron	FIXED				
			182		MS							0		3.5						

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
			Built	J	Max	IS	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	IB or OB				
			DW Rating	Mast	Head	JSP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type			
			Disp/WL Ratio	Material	sail		PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades			
					Rig Type			SSF	ASA	Max Draft									
Meliki	Santana 22	5194	237	1967	26 8.5	125	26	21.75 9.833	3.95 6.59	Yes	No	22 18.67 7.83 3.5	2600 1230 Iron	No 1 FIXED	OB None 0				
The Belafonte	Santana 22 ODR	5000	237	1970	26 8.5	110	26	21.75 9.833	3.95 6.59	Yes	No	22 18.67 7.833 3.5	2600 1230 Iron	No 1 FIXED	OB None 0				
Zingaro	Santana 22	5050	237	1971	26 8.5	125	26	21.75 9.83	3.95 6.59	Yes	No	22 18.67 7.833 3.5	2600 1260 Iron	0 1 FIXED	OB None 0				
Quiet Thing	Ranger 22	200	216	1978	25.75 8.5	155	25.75	26 7.4	2.8 4.8	Yes	No	22.5 17.5 7.8 4.3	2200 900 Lead	0 1 FIXED	OB None				
Vanga	Alberg 30	30	231	1965	36.75 10.5	100	36	31 14.25	4.49 8.2	Yes	No	30.25 21.67 8.75 4.5	9000 3300 Iron	0 1 FIXED	IB Fixed_3 3	Roller Furler			
Picante	Islander Bahama 28 SM	1	210	1981	33.8 11.75	150	11.75	28 8.2	3.58 5.75	No	Yes	27.9 23 9.8 5.5	7000 3000 Lead	0 1 FIXED	IB Fixed_3 3				
Evenstar	Ranger 23	6404	216	1974	27.54 9.75	155	27.5	24 9.2	3.3 5.4	Yes	No	23.67 20 7.92 3.9	3400 1500 Lead	0 1 FIXED	OB None				

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications	
		Sail #	DW Rating		I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No		SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	LOA LWL Max Beam Max Draft	Ttl Disp.	Traps/H. moveable blst	IB or OB Prop Type # of blades			
										SL	SPL							Ballast Mat.		Keel Type
PY EY	MSA																			
No Name	swift	274	219	1978	25.9 8.5	125	25.9 8.6	26 7.5	3.3 5.5	Yes	No	22.5 17.58 7.83 4.3	2183 900 Lead	0 1 FIXED	OB None	Roller Furler				
Obsession	Harbor 20	299	207	2010	25.75 7	95	26.38 8.16	26 10	3.25 6.05	Yes	No	20 17.2 7 3.5	1800 900 Lead	0 1 FIXED	OB None	(Mth 5/25/17, -6 sec/mi for OSP)				
Dura Mater	CAL 27-2 IB	616	213	1979	36 12	120		30.83 10.25	4.21 7	Yes	No	26.58 22.08 9.25 4.25	6700 3100 Lead	0 1 FIXED	IB Fixed_3 3					
Sparky	Catalina 25 FK	1498	222	1979	29 10.5	145	29 10.5	24.66 9.58	3.68 1.45	Yes	Yes	25 22.16 8 4	4550 1900 Cast Iron	0 1 FIXED	OB None 0					
New Sinsation	Santana 20	28449	222	1978	24.5 8.16	150	24.5	24.5 7	3.16 4.92	Yes	No	20.2 16 8 4	1350 550 Lead	0 1 FIXED	OB None					
Tinker	Wilderness 21	6	225	1977	25 8.67	125	25	25 8	2.83 4.66	Yes	No	20.5 17.8 7.25 4	1870 1070 Lead	No 1 FIXED	OB None	Added roller furler				
un-named	Catalina 22-2 OB FK	15622	255	2006	25.8 8	135	25.83 8	21 9.67	3.5 6.08	Yes	No	21.5 19.33 7.67 5	2250 550 Lead	0 1 CNTRBRD	OB None					

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications	
			Built	ISP	I	J	Max	Head	Sail	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB	
			Rating	JSP	Head	Sail	Sail	Sail	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type		
			DW Rating		Mast	Material	PY	MSA	SSMG	SSA	SLE	Sprit	Lngrh	Max Beam	Ballast Mat.	Keel Type	# of blades			
		Disp/WL Ratio	Rig Type	EY		SSF		ASM	Fixed	or_o	Max Draft									
Jam Jam	Yankee 30-1 SM	90	192	1972	37.5	125	37.5	34.5	2.45	Yes	No	30	8900	0	IB	(mtg 4/28/11, +3 sec/mi for engine modifications)				
					12.75			9.75	4.91			23	4180	1	Fixed_3					
					715	ALUMN			170			9	Lead	FIXED	3					
					332	MS						5.1								
Catch 22	Custom Zenrich 20	22	189	1979	25.5	155	25.5	25.5	3.67	Yes	No	20	1800	0	OB	(Mtg 1/26/12, Custom rating of 189 assigned)				
					8			8.67	5.08			18	400	1	None					
					714	ALUMN			131			7.79	Lead	FIXED						
					140	FS						4								
Wild-Type	Ericson 32-2	614	186	1975	38	155		31.5	4.53	No	Yes	31.58	8800	0	IB	Roller Furler				
					13		13	13	8.19		39.55	24	4000	1	Fixed_3					
					707	ALUMN			237		639	8.67	Lead	FIXED	3					
					289	MS					0	4.92								
Summertime Dream	Custom Schumacher 26	18859	186	1979	26.28	150	26.28	29.58	4.33	Yes	No	26.08	3300	0	OB	Boat has previously been called "War"				
					8.07		8.07	10.76	7.23			20	1360	1	None					
					705	ALUMN		0	195			9.08	Lead	FIXED	0					
					187	FS		0				5.08								
Don Wan	Santana 28	8191	186	1978	36	155	36	31	3.6	Yes	No	28.25	7500	No	IB					
					12		9.416	9.416	6.1			23	2550	1	Fold					
					704	ALUMN		0	175			9.17	Lead	FIXED	2					
					280	MS		0				5								
Happiness	Cal 27-2 OB	3893	201		36	95	36	30.67	3.25	Yes	No	26.58	6700	0	OB					
					12		12	10.25	6.5			22.08	3100	1	None					
					700	ALUMN			180			9.25	Lead	FIXED						
					283	MS						4.25								
Youngster	IOD ODR	82	156	1937	29.25	103	41	38.83	6.12	Yes	No	33.42	7100	No	NONE	(mtg 1/21/10, switched to Masthead Spinnaker, -12 sec/mi for 40% increase in ISP, -6 sec/mi for oversized spinnaker girths)(138 rating valid for PHRF Races, not valid for IOD Class races. Boat must be in class configuration to sail)				
					8.33		10.67	16.25	10.47			21.42	4100	1	None					
					699	ALUMN		0	374			6.75	Lead	FIXED	0					
					328	MS		0				5.333								

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
		Sail #	DW Rating		I	J	Max Headsail	ISP	JSP	P	MGU	Yes/No	Yes/No		ASF	Ttl Disp.			Traps/H. Strps
					Mast Material				E	MGM	SL	SPL	SLU		ASA	Ballast			moveable blst
		Disp/WL Ratio			Rig Type				PY	MSA	SSMG	SSA	SLE		Sprit Lngth	Ballast Mat.			Keel Type
						EY		SSF		ASM	Fixed or _o								
Alte Liebe	Albin Ballad 30	1266	183	1978	37.083 11.249	155	37.8	31.916 9.333	3.33 5.58	Yes	No		29.916 22.583 9.666 5.09	7276 3417 Lead	No 1 FIXED	IB FOLD 2	The J measurement in all Ballad documents & Sailmaker plans is 12.27 however the actual J= 11.3" (MTG 8/25/94), standard SPL is 12.27 (mtg 3/20/08)		
Ross's Dream	Catalina 30	4895	180	1987	41 11.42	150	41	35 11.5	4.63 7.72	Yes	No		29.92 25 10.83 5.25	10200 4200 Lead	0 1 FIXED	IB Fold 2			
Tortuga	West sail 32	207	216	1974	31.2 18.4	150		38.3 15.1		No	No		32 27.6 11 5	19500 7000 Lead	0 1 FIXED	IB FOLD 3			
Bandido	Merit 25	28125	168	1983	28.75 9.66	150	28.75	28 9.75	4.25 6.69	Yes	No		24.5 20.5 8 4	3000 1050 Lead	No 1 FIXED	OB None 3			
Double Agent	Merit 25	8465	168	1981	28.75 9.66	155	28.75	28 9.75	4.25 6.69	Yes	No		24.5 20.5 8 4	3000 1050 Lead	No 1 FIXED	OB None 0			
Downtown Upoar	J 24 ODR	2394	168	1981	26.25 9.5	150	26.25	28 9.75	3.7 6.37	Yes	No		24 20 9.2 4.1	3125 965 Lead	0 1 FIXED	OB None 0			
Irish Blessing	J 24 ODR	2184	168		26.25 9.5	150	26.25	28 9.75	3.7 6.37	Yes	No		24 20 8.92 4	3100 965 Lead	0 1 FIXED	OB None 0			

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
		Sail #	DW Rating		I	J	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	IB or OB			
					Max Headsail	ISP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type		
		Disp/WL Ratio			Mast Material	JSP	PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades		
						Rig Type		EY		ASMG	Fixed or _o	Max Draft						
Shut Up & Drive	J 24 ODR	513	168		26.25	150	26.25	28	3.7	Yes	No	24	3100	No	OB			
					9.5			9.75	6.37			20	965	1	None			
								0	163		0	8.916	Lead	FIXED	0			
								0				4						
Siento El Viento	C&C 29	38311	174	1977	39.5	155		33.5		Yes	No	29.5	7500	No	IB			
					12.8			10.1				23.6	2700	1	Fold			
											0	10.5	Lead	FIXED	2			
												5.25						
Moxie	CAL 28-2	28217	183	1988	39.9	90	39.9	34.17	4.28	Yes	No	28	7200	0	IB			
					11.4		11.4	10.33	7.11			23		1	FOLD			
											0	10.8	Lead	FIXED	2			
											0	5.3						
Lelo Too	Tartan 30	16354	180	1975	39	155	39	34	4.61	Yes	No	29.92	8750	0	IB			
					13			11.416	7.69			24.25	3700	1	FOLD			
								0	238		0	10	Lead	FIXED	0			
								0				4.916						
Serendipity	CAL 29-1 IB	6601	180	1974	37.833	155	37.833	31.666	4.332	Yes	No	29.25	8000	No	IB			
					12.333		12.67	12.166	7.573			24.17	3350	1	FOLD			
								0	223		0	9.25	Lead	FIXED	2			
								0				4.75						
Jacqueline	Freedom 30 SD	3	174	1986	28.4			35.2	5.25	Yes	No	30	7660	0	IB			
					9.8			13.9	9			25.42	3150	1	Fixed_2			
											0	10.8	Lead	FIXED				
											0	4.5						
Friday's Eagle	Catalina 30	18294	180	1981	41	155	41	35	4.63	Yes	No	29.916	10200	No	IB			
					11.416			11.5	7.72			25	4200	1	FOLD			
								0	246		0	10.833	Lead	FIXED	2			
								0				5.25						

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
		Sail #	DW Rating		I	J	Max Headsail	ISP	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB	
								JSP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type	
		Disp/WL Ratio			Mast Material				PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades	
				Rig Type		EY		SSF		ASM	Fixed or _o	Max Draft							
Sirena	Ericson 32-2	18319	186	1972	35	110	35	31	4.9	Yes	No	31	8800	0	IB				
					13			13	8.4			24	4000	1	Fixed_2				
			<b>685</b>		ALUMN				239			9.8	Lead	FIXED	2				
			289		MS						<input type="checkbox"/>	5							
Wildcat of Loch Awe	S-2 7.9 FR DB	59838	165	1983	31.83	135	31.83	29.42	4.75	Yes	No	25.92	4250	0	OB				
					9.5			12.33	7.92			21.67	1750	1	None				
			<b>685</b>		ALUMN				216			9	Lead	AGGERBR					
			190		FS						<input type="checkbox"/>	5							
Xtasea	Catalina 30	0	186	1985	41	110	41	35.5	4.63	Yes	No	29.92	10200	0	IB				
					11.5			11.5	7.72			25	4250	1	Fixed_2				
			<b>685</b>		ALUMN				250			10.83	Lead	FIXED	2				
			297		MS						<input type="checkbox"/>	5.25							
Christine Rose	Catalina 30 TM	0	183	1977	43	150	43	37	4.8	Yes	No	29.92	10200	0	IB				
					13.16		13.16	12	8			25	4250	1	Fixed_3				
			<b>684</b>		ALUMN				270			10.83	Lead	FIXED	3				
			297		MS						<input type="checkbox"/>	5.25							
Constance	Tartan 34 CB	346	165	1974	41	125	41	35.5	4	No	Yes	34.3	11200	0	IB	Roller Furler			
					14			10.5	6.9			25	5000	1	Fold				
			<b>683</b>		ALUMN				224			10.2	Lead	CNTRBRD	2				
			326		MS						<input checked="" type="checkbox"/>	8.3							
Goose	Catalina 30	1210	180	1979	41	155	41	35	4.63	Yes	No	29.92	10200	No	IB				
					11.416			11.5	7.72			25	4200	1	FOLD				
			<b>683</b>		ALUMN			0	246			10.83	Lead	FIXED	2				
			297		MS			0			<input type="checkbox"/>	5.25							
Toypedo	Ranger 26-2	67341	189	1980	26.4	150	28	30.5	4	Yes	No	26	3000	0	OB	Fixed Keel, No daggerboard			
					9		9	11	7			20	1140	1	None				
			<b>682</b>		ALUMN				197			8	Lead	FIXED					
			170		FS						<input type="checkbox"/>	5							



Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications														
			Built	DW Rating	I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU SLE ASMUG	SPL SSA	Yes/No		ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.	Traps/H. Ballast Mat.		Strps moveable blst Keel Type	IB or OB Prop Type # of blades												
									Disp/WL Ratio	38.5 12.58											155	38.416	32.5 11.58	4.75 8.125	38 22.7 22.92	12.416 720	No	0	30 24.58 10 5	8600 3600 Lead	No 1 FIXED	IB FOLD 2
Antares	Islander 30-2	6237	186	1971	38.5 12.58	155	38.416	32.5 11.58	4.75 8.125	Yes	38 22.7 22.92	12.416 720	No	0	30 24.58 10 5	8600 3600 Lead	No 1 FIXED	IB FOLD 2														
Sweet Pea	Islander 30-2	195	186	1971	38.5 12.58	155	38.42	32.5 11.58	4.75 8.125	Yes	38.6 22.5 22.5	12.42 724	No	0	30 24.58 10 5	8600 3500 Lead	0 1 FIXED	IB FOLD 2														
Lonesome Dove	Elite 29	9066	165	1984	35.833 11.083	130		30.333 10.333	2.6 5.1	Yes	33.083 20.083 20.416	10.416 556	No	0	28.67 24.42 10.5 5.58	6160 2310 Iron	No 1 FIXED	IB Fixed_2 2														
Lil Angel	Newport 30-2	6884	174	1979	39.5 12.1	150	39.5	34 10.25	4.26 7.07	Yes	39 21.75 21.75	12.1 707	No	0	30 25 10.5 4.75	8500 2500 Lead	0 1 FIXED	IB FOLD 2														
Samba Pa Ti	J 22	3	186	1982	24.8 8.8	125	24.8 8.8	26.1 9	3.78 6.27	Yes	24 16 16	8.8 320	No	0 0	22.5 19 8 3.8	1790 700 Lead	0 1 FIXED	OB None														
Wuvulu	Islander Bahama 30	61	180	1979	40 12.75	150	38.416	33.75 11.5	4.75 8.125	Yes	38.5 22.44 22.75	12.416 722	No	0	30 24.58 10 5	8600 3500 Lead	No 1 FIXED	IB FOLD 2														
Finn	Capo 26 IB	18782	162	1985	34.6 10.56	155		30 10	4.1 6.8	Yes	35 18.8 18.3	10.5 545	No	0 0	26 22 9.25 4.58	4300 1900 Lead	0 1 FIXED	IB Fold														

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
			Built	DW Rating	J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast		Traps/H. moveable blst	IB or OB Prop Type # of blades			
									SL	SPL							Strps		Keel Type
Ouessant	Farallone Clipper FR	8214	159	1957	35.69 13.87	150	35.69	40.34 18.79	7 12.1	Yes	No	37.833 28.25 9.5 5.916	18344 7200 Iron	No 1 FIXED	IB Fixed_2 2				
Vip	Farallone Clipper FR	7	159	1957	36.82 14	155	36.82	40.5 18.5	6.16 10.979	Yes	No	38 28.75 9.5 5.6	19000 7000 Iron	No 1 FIXED	IB Fixed_3 3				
Gygax	Hinckley Pilot 35 TM	4802	192	1975	44.36 13.8	155	44.36 13.8	41.83 15.81	5.5 9.97	Yes	No	35.5 25 9.5 5	13500 4200 Lead	0 1 FIXED	IB Feath				
Alchemy	Olson 25	18252	159	1984	32 9.583	155	32	28 10	3.8 6.4	Yes	No	25 21.25 9 4.5	3300 1300 Lead	No 1 FIXED	OB None 0				
Carpe Vita	Olson 25	97399	159	1988	32 9.583	130	32	28 10	3.8 6.4	Yes	No	25 21.25 9 4.5	3300 1300 Lead	No 1 FIXED	OB None 0				
Fast Lane	Olson 25	46657	159	1985	32 9.6	155	32	28 10	3.8 6.4	Yes	No	25 21.25 9 4.5	3300 1300 Lead	0 1 FIXED	OB None				
Grey Wulff	Olson 25	18517	159	1984	32 9.6	155	32	28 10	3.8 6.4	Yes	No	25 21.25 9 4.5	3300 1300 Lead	0 1 FIXED	OB None				

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
		Sail #	DW Rating		I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp. Ballast	Traps/H. moveable blst Keel Type	IB or OB Prop Type # of blades			
									SL	SPL	SLU	ASA							
									SSMG	SSA	SLE	Sprit Lngth Fixed or _o							
Now and Zen	Newport 30-2	6883	174	1978	39.5 12.125	150	34 10.25	3.25 5.7	Yes	No	30 25 10.5 4.75	8000 2600 Lead	No 1 FIXED	IB Fold 2					
Shadowfax	Olson 25	91	159	1986	32 9.6	155	28 10	3.8 6.4	Yes	No	25 21.25 9 4.5	3300 1300 Lead	No 1 FIXED	OB None 0					
Shark-On-Bluegrass	Olson 25	18201	159	1984	32 9.583	155	28 10	3.8 6.4	Yes	No	25 21.25 9 4.5	3300 1300 Lead	No 1 FIXED	OB None 0					
Synchronicity	Olson 25	68	159	1985	32 9.583	155	28 10	3.8 6.4	Yes	No	25 21.25 9 4.5	3300 1300 Lead	No 1 FIXED	OB None 0					
Zeehond	Newport 30-2	707	174	1976	39.5 12.125	150	34 10.25	3.6 6.33	Yes	No	30 25 10.5 4.75	8500 2600 Lead	No 1 FIXED	IB FOLD 2					
Make My Day	Olson 25	87742	159	1985	32 9.583	155	28 10	3.96 6.4	Yes	No	25 21.25 9 4.5	3300 1300 Lead	No 1 FIXED	OB None 0	increased purchase in outhaul and backstay added boomkicker				
Harry	Newport 30-2	6889	174	1974	39.5 12.125	150	34 10.25	4.2 7	Yes	No	30 25 10.5 4.75	8500 2500 Lead	No 1 FIXED	IB FOLD 2					



Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications									
			Built	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF		LOA	Ttl Disp.	Traps/H.	Strps		IB or OB								
										DW Rating	Mast Material		E	MGM							SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type
EY	ASF Fixed or _o	Max Draft																										
Some Assembly Required	Holder 20	183	192	1984	22.6	155	22.6	24.04	3.84	Yes	No		20.33	1160	4	OB	(Mtg 8/24/17, added 4 soft hiking straps to seats, NCTR)											
					7.25		13.05	9.33	6.58			18.42	335	1	None													
					666				141			7.83	Lead	MVBL														
					84						<input type="checkbox"/>	3.58																
White Bear	Nonsuch 30	431	174	1987				45	8.68	No	No	30.33	11500	0	IB													
								24	15.12			28.75	4500	1	Fold													
					666				629			11.9	Lead	FIXED	3													
					220						<input type="checkbox"/>	5																
Tule Lost	Ericson 911S Olson	28911	132	1988	41.5	155	41.5	35.5	4.73	Yes	No	29.92	8680	No	IB	MUST HAVE YACHT CLUB MEMBERSHIP CARD WITH ENTRY FORM FOR 2006 RACING												
					12.33			11.083	7.69			25	3200	1	FOLD													
					663			0	247			10.33	Lead	FIXED	0													
					253			0			<input type="checkbox"/>	5.42																
Plus Sixteen	Ericson 911S Olson	97707	135	1991	41.5	125	41.5	35.761	4.035	Yes	Yes	30	8500	No	IB													
					12.25			11.811	7.136		20.932	25	3200	1	FEATH													
					662			0	240		698	10.33	LeadSteel	FIXED	2													
					247			0			0	5.42																
Shanti	Ericson 911S Olson	326	132	1989	41.5	150	41.5	35.5	4.73	Yes	No	29.92	8700	0	IB	CHANGE TO RUDDER NOTED, NCTR												
					12.33			11.83	7.69			25	3200	1	FOLD													
					662			0	253		0	10.33	Lead	FIXED	2													
					253			0			<input type="checkbox"/>	5.42																
The Shadow	Custom Mull 32	18787	150	1974	39.833	125	39.83	35.166	3.45	Yes	No	32.166	10600	No	IB	RMVD Foam Bumps from both sides of hull, Red Beam by approx 7" Replaced Rudder and Skeg Design w/balanced Rudder Depth same, area increased approx 8 sqft. Hull dry rot, Crsnfg Accom, Ref, Head Stars Cyl. Changed MTC 10/6/07												
					13.25			9.75	6.2			26.666	4500	1	FOLD													
					661			0	200		0	10	Lead	FIXED	2													
					254			0			<input type="checkbox"/>	5																
Joie De Vivre	C&C 33	18797	159		43	110	43	37.25	4.4	No	Yes	32.9	10100	0	IB													
					14			10.75	6.33		21.42	26.42	3975	1	FOLD													
					659			0	235		726	10.54	Lead	FIXED														
					249			0			0	5.5																
								0			<input checked="" type="checkbox"/>																	

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications					
			Built	J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No	ASF			Ttl Disp.	Traps/H.	Strps		IB or OB Prop Type # of blades				
									DW Rating	Mast Material		SL	SPL							SLU	ASA	Ballast	moveable blst
Adventure	Catalina 36	38112	147	1985	44.75 14.33	155	39 12	4.17 8.01	No	No			36.33 30.25 11.92 5.83	15000 6000 Lead	0 1 FIXED	IB Fixed_3 3							
			<b>657</b> 246		ALUMN MS			277			<input type="checkbox"/>	0 0											
Cordon Rouge	J 30	68	144	1979	34 11.5	125	34 13	5.1 8.4	Yes	No		0	29.83 25 11.2 5.25	6700 2100 Lead	No 1 FIXED	IB FOLD 3							
			<b>657</b> 195		ALUMN FS			296			<input type="checkbox"/>	0 0											
Ione	J 30	8994	141	1981	34.19 11.041	140	38 13	4.83 8.21	Yes	No			29.83 25 11.2 5.25	6500 2100 Lead	0 1 FIXED	IB FOLD 2							
			<b>657</b> 189		ALUMN FS			290			<input type="checkbox"/>	0											
Kelika	Hunter 33.5	28815	150	1991	39.166 11.666	150	39.166 13.5	5.2 8.9	Yes	No			33.33 26.83 11 4.5	10800 4500 Iron	No 1 FIXED	IB FEATH 2							
			<b>657</b> 254		ALUMN FS			350			<input type="checkbox"/>	0											
Sailor Dog	Catalina 34 1&2	1798	162	2007	44 13.5	110	44 12	13.5 5.9	No	Yes		20.5 723	34.5 29.8 11.7 5.6	11950 5000 Lead	0 1 FIXED	IB Fixed_3 3	In-Mast furling main +3 sec/mi, MGM less than 50% of E +3 sec/mi						
			<b>657</b> 205		ALUMN MS			229			<input type="checkbox"/>	0											
Wind Speed	J 30	39963	141	1980	34.19 11.5	155	34.2 12.5	4.9 8.1	Yes	No			29.83 25 11.18 5.25	6700 2100 Lead	No 1 FIXED	IB FOLD 2	+6 sec/mi for J length pole (mtg 11/16/01)						
			<b>657</b> 195		ALUMN FS			281			<input type="checkbox"/>	0											
Endless Summer	Catalina 36	271	150	1984	44.75 14.33	95	44.75 14.33	4.33 8.01	No	Yes		23.33 850	36.33 30.25 11.92 5.83	13500 6000 Lead	0 1 FIXED	IB Fixed_3 3							
			<b>655</b> 222		ALUMN MS			279			<input checked="" type="checkbox"/>	0											



Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
		Sail #	DW Rating		I	J	Max Headsail	ISP	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB	
								JSP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type	
		Disp/WL Ratio			Mast Material				PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades	
						EY		SSF		ASMG	Fixed or _o	Max Draft							
Iseult	Wyliecat 30 IB	13	132	2001		0		39.75	7.87	No	No		30.5	5500	0	IB			
								20.8	13.46				25	3050	1	Fold			
												9.42	Lead	FIXED	2				
											<input type="checkbox"/>	9.25							
Warwhoop	Contessa 33	63336	141	1984	37.916	100	37.93	39.416	5.31	Yes	Yes	20.92	33	8375	No	IB	(Mtg 1/26/17, -3 sec/mi for oversized asymmetric area)(Mtg 2/23/17, -3 sec/mi for oversized symmetric spinnaker area)		
					11.17			13.86	9		40	682	25.52	3700	1	FOLD			
								0	326	21.5	647	37.5	11.08	Lead	FIXED	2			
								0		21.6		21.17	5.8						
											<input type="checkbox"/>								
Allora	Morris 36	38082	120	2007	38.66	95	44.3	41.25	5.1	No	Yes	21.4	36.1	8900	0	IB			
					12.75			15.08	9.43		39.2	452	25	3850	1	Fold			
											34.3	0	10.1	Lead	FIXED				
											13.1	<input checked="" type="checkbox"/>	5.3						
											<input checked="" type="checkbox"/>	0							
Catalyst	Wyliecat 30 IB	28571	132	2004				40	7.87	No	No		30.42	5800	No	IB	Must have a YC card before registering for 2005 and clear YC for 2004		
								20.67	13.46				25	3000	1	Feath			
								0	493			9.42	Lead	FIXED	2				
								0			<input type="checkbox"/>	5.25							
Curie	Beneteau 32S5	52868	138	1990	38.39	150	38.39	38.88	5.3	Yes	No	17.3	32.6	9260	0	IB			
					9.68		9.68	13.78	9.01		35.75	519	27.83	2980	1	FOLD			
											32.75	0	10.83	Cast Iron	FIXED	2			
											18.4	<input checked="" type="checkbox"/>	6						
											<input checked="" type="checkbox"/>	0							
											<input checked="" type="checkbox"/>	0							
Friction Loss	J 30	67425	141	1979	34	155	34.1	38	4.94	Yes	No	21.06	29.83	6500	0	IB			
					11.5		11.5	13	8.45		37.7	666	25	2100	1	FOLD			
								0	295	22.2	635	34.5	11.17	Lead	FIXED	2			
								0		22		22.4	5.25						
											<input type="checkbox"/>								
Cassiopeia	Islander 36 ODR	6763	144	1971	45	150	45	39.25	4.8	Yes	No		36.08	13947	No	IB	(mtg 2/18/10, - 6 sec/mi for 10% OSP)(8/2/11, boat returned to ODR Configuration)		
					14.48			12.75	8.29		45.34	15	28.25	5450	1	FOLD			
											27	1020	11.17	Lead	FIXED	2			
											27		6						
											<input checked="" type="checkbox"/>	0							
											<input checked="" type="checkbox"/>	0							



Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
			Built	DW Rating	I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp.	Traps/H. Strps		IB or OB Prop Type # of blades	
										SL	SPL	SLU	ASA			Ballast	moveable blst		
SSF	SSA	ASM	Fixed or _o	Ballast Mat.	Keel Type														
Absinthe	Moore 24	102	150	1981	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0				
Nancy	Wyliecat 30 OB	28890	126	1995				39.66 19.75	8.71 13.46	No	No	30.5 25 9.5 5.25	5500 3050 Lead	No 1 FIXED	OB None 0	(-3 sec/mi for square top main)			
Nicole	Orion 35	8210	150	1979	44 14	150	44	39.5 10.5	4.42 7.319	Yes	No	34.58 28.75 10.83 6	13000 4700 Lead	0 1 FIXED	IB FOLD 2	Displacement Obtained by actual weight on scale, Rudder is new design and new build.			
Andiamo	Catalina 36-2	2168	153	2004	44.75 14.33	115		39 13	3.04 6.16	No	Yes	36 30.25 11.9 5.8	14200 6000 Lead	0 1 FIXED	IB Fixed_3 3	In-Mast Furling Mainsail, +3 sec/mi			
Liquid Asset	Ranger 33	27707	150	1970	41.5 13.7	150	41.5 13.67	35 13.75	4.93 8.67	Yes	No	33.17 26.25 9.58 5.17	10500 4500 Lead	0 1 FIXED	IB Fold				
Foxxfyre	Yamaha 33 IK SM	67248	159	1978	42.81 13.78	150	42.81	37.4 10.6	4.38 7.27	Yes	No	33.25 26.92 11 6.25	16000 4410 Iron	No 1 FIXED	IB FEATH 2	PER PHRF MTG 3/16/2000 - Weight Differencer from brochure is significant.			
Heart of Gold	Olson 911S	41327	129	1987	41.5 12.33	125	41.5	35.5 11.83	4.5 7.7	Yes	No	29.9 25 10.3 5.5	7200 3200 Lead	No 1 FIXED	IB FOLD 2				

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications		
			Built	DW Rating	J Max Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps moveable blst	IB or OB Prop Type # of blades			
									SL	SPL	SLU	ASA							Ballast Mat.	Keel Type
JouJou	Capo 30	87324	123	1984	41.7 12.75	120	41.5	36 11.5	4.37 7.47	Yes	No	30 25 10.33 5.43	7200 3000 Lead	0 1 FIXED	IB Fold 2	Roller Furler				
Lenora	Hunter 33-2	60700	153	2004	37.42 10.83	115	38.42 10.83	36.46 15.83	4.83 8.33	No	Yes	33.5 29.42 11.17 5.5	10400 3459 Lead	0 1 FIXED	IB Fold 3					
Redux	Olson 911S	28106	126	1987	41.5 12.33	155	41.5	35.5 11.83	4.5 7.7	Yes	No	29.9 25 10.33 5.416	7200 3200 Lead	No 1 FIXED	IB FOLD 2					
Serenity	Islander 36 ODR	82659	144	1973	45 14.48	135	45	39.25 12.75	3.69 6.88	Yes	No	36.08 28.25 11.17 6.083	13500 5450 Lead	0 1 FIXED	IB Feath					
White Cloud	Yamaha 33 IK SM	28688	162	1979	42.8 13.78	150	42.8	37.42 10.67	4.38 7.27	Yes	No	33.25 26.92 11 6.2	10582 4409 Iron	0 1 FIXED	IB Fixed_2					
White Jacket	Etchells 22 ODR	901	120	1991	27.27 8.22	90		32.49 11.57		Yes	No	30.5 22 6.83 4.5	3337 2105 Lead	0 1 FIXED	OB None 0					
Windwalker	Islander 36 ODR	57307	144	1976	45 14.48	150	45	39.25 12.75	4.8 8.2	Yes	No	36.08 28.25 11.17 6.08	13450 5820 Lead	No 1 FIXED	IB FOLD 2					

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
		Sail #	DW Rating		I	J	Max Headsail	ISP	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB	
								JSP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type	
		Disp/WL Ratio			Mast Material				PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades	
						EY		SSF		ASM	Fixed or _o	Max Draft							
Paradigm	J 32	79	126	2002	39.166 11	150	40.583 11.916	38.42 15.42	5.5 9.58	No	Yes	17.83 722	32.4 29	11500 3840	No 1	IB FOLD			
		<b>647</b> 214			ALUMN FS				343		0 <input checked="" type="checkbox"/>	11 6	Lead	FIXED	2				
Snafu	Moore 24	121	150	1982	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No		23.75 21.75	2050 1000	0 1	OB None			
		<b>647</b> 91			ALUMN FS				147	17.55 17.55	9.75 <input type="checkbox"/>	7.16 4.08	Lead	FIXED					
Mirth	Catalina 34 1&2	28634	150	2005	44 13.5	125		38.5 12	4.17 7.33	No	Yes	22.02 693	35.67 29.83	11950 5000	No 1	IB FEATH			
		<b>646</b> 205			ALUMN MS				265		0 <input checked="" type="checkbox"/>	11.75 5.58	Lead	FIXED	3				
Ad Lib	Aphrodite 101	8161	144	1979	36.83 11.81	100	32.23	39.33 11.48	4.5 6.1	Yes	No		32.75 26.33	6160 3527	No 1	IB FOLD			
		<b>645</b> 153			ALUMN FS			0 0	253	21.3 19.6	622 <input type="checkbox"/>	7.92 5.42	Lead	FIXED	2				
Double Down	Custom Schumacher 30	18480	123	1988	41.37 12.16	150	41.5	36.416 11.83	4.5 7.69	Yes	No		29.92 26	7854 3650	No 1	IB FOLD	Rudder change, old rudder 85lbs new 65 lbs. Old alum/new carbon MTG 10/27/94 Noted- NCTR (MTG 1/9/97 Alum headsail removed and excess wires removed from mast- Noted NCTR)(Mtg 2/21/08, change custom rating from 126 to 123 after		
		<b>645</b> 203			ALUMN MS			0 0	257	21.75 21.35	736 <input type="checkbox"/>	10.65 6.17	Lead	FIXED	2				
Music	Catalina 34 1&2	56583	147	2001	44 13.5	130		38.5 12	3.6 6.8	No	Yes	21.8 762	35.66 29.84	11950 5000	0 1	IB FOLD			
		<b>645</b> 204			ALUMN MS				251		0 <input checked="" type="checkbox"/>	11.75 5.56	Lead	FIXED	2				
Zara	Beneteau 310	144	135	1993	37.04 10.83	135	37.04 10.82	37.8 12.9	5.2 8.9	No	Yes	21.6 528	31.2 27.7	7054 2160	0 1	IB Fixed_2			
		<b>645</b> 151			ALUMN FS				301		0 <input checked="" type="checkbox"/>	10.5 4.3	Lead	FIXED					

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications	
		Sail #	DW Rating		I	J	Max Headsail	ISP	JSP	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps		IB or OB
										E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst		Prop Type
		Disp/WL Ratio			Mast Material					PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type		# of blades
					Rig Type		EY		SSF		ASM	Fixed or _o	Max Draft							
Coquelicot	Ranger 33	148	153	1975	41.5 13.87	120	43.75 13.87	35 13.75	4.6 8.1	Yes		No		33 26.3 9.6 5	10500 4500 Lead	No 1 FIXED	IB FOLD 2	Double Spreader rig, water supply 41 gallons, below v berth, 26 gallon bladder tank starboard, rudder 9 inches deeper, group 31 batteries, 15 hsp one cyl disel replaced by 29 hsp Perkins 3 cylendar engine. (MTCB/MTC 2 21 02)		
Flyer	Peterson 33 (CHITA)	18620	144	1979	42.5 13.9	155	42.5	36.66 9.91	3.66 6.21	Yes		No		32.67 26.58 10.5 6.08	9480 4960 Lead	0 1 FIXED	IB FOLD 2			
Mas!	Moore 24	138	150	1983	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes		Yes	17.6 387 0 90	23.75 21.75 7.16 4.08	2050 1025 Lead	0 1 FIXED	OB None			
Wild Spirit	Wylie 36	0	141	1970	44.67 14.75	100	44.67 14.75	40.75 14	5.3 9.1	No		Yes	23.5 815 0 0	36.5 30 10.9 6	13720 5575 Lead	0 1 FIXED	IB Fixed_2	(Mtg 3/24/16, same hull as "Alert", +3 sec/mi for small "I", +3 sec/mi for no spinnaker articulation)		
Happy Daze	Santana 30-30 GP	87322	120	1984	40.83 11.67	150	40.83	36.17 11.08	5.25 8.5	Yes		No		29.92 25.42 10.25 5.5	6500 2435 Lead	No 1 FIXED	IB FOLD 2			
Rhapsody	J 32	56303	120	2000	39.2 11	155	40.583 13	38.5 15.5	5.12 9.25	No		Yes	22.5 830 2 0	32.4 29 11 6	11500 3840 Lead	0 1 FIXED	IB Fold 3	(Mtg 5/23/13, -3 sec/mi for sprit, -3 sec/mi for oversized spinnaker)		
Bosporus II	Columbia 36	97415	156	1968	42.75 15	150	41.75 15	34.666 14	5.3 9.1	Yes		No		35.75 28.25 10.5 5.42	13000 5000 Lead	No 1 FIXED	IB Fold 2			

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
		Sail #	DW Rating		I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp.	Traps/H. Strps		IB or OB Prop Type # of blades	
										SL	SPL	SLU	ASA			Ballast	moveable blst		
ASF	Fixed or _o	ASF	Fixed or _o	Ballast Mat.	Keel Type														
Oxymoron	Moore 24	28993	150	1981	26.25 9.75	150	26.2	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.25	2050 1025 Lead	0 1 FIXED	OB None 0				
Orca	Moore 24	85	150	1981	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.083	2050 1025 Lead	0 1 FIXED	OB None 0				
Queimada	Catalina 34 1&2	611	147	1988	44 13.5	150	44 13.5	38.5 12	4.2 7.2	Yes	No	34.5 29.83 11.75 5.58	11950 5000 Lead	0 1 FIXED	IB Fold 2				
Anna Banana	Moore 24	146	150	1984	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.08	2050 1025 Lead	No 1 FIXED	OB None				
Cadenza	Moore 24	18878	150	1977	26.25 9.75	150	26.25	25 9.5	4.01 6.54	Yes	No	23.75 21.75 7.17 4.083	2050 1025 Lead	No 1 FIXED	OB None 0				
Crazy Eights	Moore 24	28888	150	1978	26 9.8	150	26.3 9.75	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.083	2050 1000 Lead	0 1 FIXED	OB None 0				
Hasta Nunca	Moore 24	142	150		26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.08	2050 1025 Lead	0 1 FIXED	OB None 0				

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
		Sail #	DW Rating		I	J	Max	ISP	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB	
					Headsail			JSP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type	
		Disp/WL Ratio			Rig Type				PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades	
						EY		SSF		ASM	Fixed or _o	Max Draft							
Moore Fun	Moore 24	18884	153	1979	26.25 9.75	125	26.25	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0				
Mooretician	Moore 24	89	150	1981	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.08	2050 1025 Lead	No 1 FIXED	OB None 0				
Scarlett	Moore 24	86	150	1980	26.25 9.75	150	26.25	25 9.5	3.89 6.45	Yes	No	24 21.75 7.17 4.08	2050 1000 Lead	No 1 FIXED	OB None				
Sea Spirit	Catalina 34 1&2	108	147	1986	44 13.5	130	44 13.5	38.5 12	4.36 7.54	Yes	No	34.5 29.83 11.75 5.58	11950 5000 Lead	No 1 FIXED	IB FOLD 2				
Slight Disorder	Moore 24	98	150	1981	26.25 9.75	150	26.25 9.75	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0				
The Jackal	Moore 24	22	150	1977	26.25 9.75	150	26.25 9.75	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.08	2050 1025 Lead	0 1 FIXED	OB None				
Wet Spot	Moore 24	51	150	1979	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.08	2050 1025 Lead	No 1 FIXED	OB None 0				

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications	
		Sail #	DW Rating		I	J	Max Headsail	ISP	JSP	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps		IB or OB
										E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst		Prop Type
		Disp/WL Ratio			Mast Material					PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type		# of blades
							EY		SSF		ASM	Fixed or _o	Max Draft							
White Trash	Moore 24	78	150	1979	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No			23.75 21.75 7.16 4.08	2050 1025 Lead	0 1 FIXED	OB None 0			
42	Moore 24	42	150	1979	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No			23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0			
Blue Angel	Moore 24	106	150	1982	26.25 9.75	155	26.25	25 9.5	3.91 6.5	Yes	No			23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0			
Color Blind	Moore 24	49	150	1979	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No			23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0			
Fatuity	Moore 24	48	150	1980	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No			23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0			
Firefly	Moore 24	64	150	1980	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No			23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0			
Gruntled	Moore 24	68	150	1980	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No			23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0			

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications		
		Sail #	DW Rating		I	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp.	Traps/H.		Strps	IB or OB
										E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst			Prop Type
		Disp/WL Ratio			Mast Material					PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type			# of blades
							EY		SSF		ASM	Fixed or _o	Max Draft								
Incognito	Moore 24	136	150	1984	26.25	150	26.25	25	3.91	Yes		No		23.75	2050	No		OB			
					9.75			9.5	6.5		27	9.75		21.75	1025	1		None			
								0	147		17.55	395		7.16	Lead	FIXED		0			
								0			17.55		<input type="checkbox"/>	4.08							
JR	Moore 24	76	150	1980	26.25	155	26.25	25	3.91	Yes		No		23.75	2050	No		OB			
					9.75			9.5	6.5		27	9.75		21.75	1025	1		None			
								0	147		17.55	395		7.16	Lead	FIXED		0			
								0			17.55		<input type="checkbox"/>	4.08							
La Dolce Vita	J 32	64	120	2001	39.2	155	40.5	38.5	5.1	No		Yes	19.7	32.4	10000	0		IB			
					11		13	15.5	9.2			43	677	29	3840	1		Feath			
									334			39.5	2.5	11	Lead	FIXED		3			
												19.7	<input checked="" type="checkbox"/>	6							
Low-Down	Santa Cruz 27	8027	141	1979	32.7	140		28.25	3.68	Yes		No		27	3300	0		OB			
					10.9			8.58	6.06		32.15	10.81		24	1500	1		None			
									153		19.45	521		8	Lead	FIXED					
											19.45		<input type="checkbox"/>	4.5							
Moxy	Moore 24	110	150	1982	26.25	150	26.25	25	3.91	Yes		No		23.75	2050	No		OB			
					9.75			9.5	6.5		27	9.75		21.75	1025	1		None			
								0	147		17.55	395		7.16	Lead	FIXED		0			
								0			17.55		<input type="checkbox"/>	4.083							
Paramour	Moore 24	75	150	1980	26.25	150	26.25	25	3.91	Yes		No		23.75	2050	No		OB			
					9.75			9.5	6.5		27	9.75		21.75	1025	1		None			
								0	147		17.55	395		7.16	Lead	FIXED		0			
								0			17.55		<input type="checkbox"/>	4.083							
Rocket Science	Moore 24	104	150		26.25	155	26.25	25	3.91	Yes		No		23.75	2050	0		OB			
					9.75		9.76	9.5	6.5		27	9.75		21.75	1025	1		None			
									147		17.55	395		7.16	Lead	FIXED		3			
											17.55		<input type="checkbox"/>	4.08							



Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications									
			Built	DW Rating	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps		IB or OB								
											E	MGM									SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type
Disp/WL Ratio	Mast Material	Rig Type	EY	SSF	ASM	Fixed or _o	Max Draft																					
Stink Eye	Laser 28 ODR MOD	33562	126		31.73	110	33.2	33.14	5.2	Yes		Yes	19	28.42	4050	No	OB	(Mtg 3/27/14, -3 sec/mi for oversized mainsail girths, -3 sec/mi for OB motor)										
					9.65			12.3	8.3			37	23.62	1500	1	FOLD												
			<b>635</b>		ALUMN			0	252			32	9.48	Lead	FIXED	2												
			140		MS			0				19	5															
Sweet Tea	Moore 24	105	150	1981	26.25	150	26.25	25	3.91	Yes		No	23.75	2050	0	OB												
					9.75			9.5	6.5				21.75	1025	1	None												
			<b>635</b>		ALUMN				147			0	7.16	Lead	FIXED													
			91		FS							0	4.08															
WooHoo	Moore 24	80	150	1980	26.25	150	26.25	25	3.91	Yes		No	23.75	2050	0	OB												
					9.8			9.5	6.5				21.75	1025	1	None												
			<b>635</b>		ALUMN				147			0	7.16	Lead	FIXED	0												
			91		FS							0	4.083															
Aerie	CS 36	2160	123	1980	49	155	49	42.75	4.33	Yes		No	36.5	15500	0	IB												
					15			12.75	7.58				29.25	6500	1	Fold												
			<b>634</b>		ALUMN				308			0	11.5	Lead	FIXED													
			282		MS							0	6.25															
Crews Nest	Catalina 34 1&2	1383	147	1997	44	130	44	38.5	3.6	Yes		No	35.67	11950	No	IB												
					13.5		13.5	12	6.8				29.83	5000	1	FEATH												
			<b>634</b>		ALUMN			0	251			0	11.75	Lead	FIXED	3												
			205		MS			0				0	5.58															
Kira	Aerodyne 38 SD	38104	45	2003	50.82	105	57.25	51.75	6.25	No		Yes	39.5	37.66	11850	0	IB											
					14.5		20.83	16.5	10.6			65.5	34.21	4150	1	Fold												
			<b>634</b>		ALUMN				506			58.5	13	Lead	FIXED													
			135		FS							40	6															
French Kiss	Beneteau 350 Oceanis	28713	144	1989	41.47	140	41.47	35.7	4.2	Yes		No	33.83	10580	0	IB	Above deck Roller Furler											
					12.8			11.6	7.3				29.83	3525	1	FOLD												
			<b>633</b>		ALUMN			0	242			0	11.17	Lead	FIXED	2												
			181		MS			0				0	5.17															

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications			
			Built	DW Rating	J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			Ttl Disp.	Traps/H.			Strps		
										SL	SPL	SLU	ASA							Ballast	moveable blst
SSF	SSA	ASM	Fixed or _o	Max Draft	Keel Type																
Friday Harbor	Beneteau 323 DK	28580	147	2004	42.67 11.06	116	38.9 13.17	5 8.56	No	Yes	19.91	32	8448	No	IB						
			<b>633</b>		ALUMN						661	29.17	2258	1	FOLD						
			155		MS		306				0	10.67	Iron	FIXED	2						
Irie	Beneteau 393 Oceanis SD	38200	150		46 14.5	110	46 14.5	4.63 8.12	No	Yes	24	38.12	21700	0	IB						
			<b>633</b>		ALUMN						755	35.1	5357	1	Fold						
			228		MS		324				0	13	Cast Iron	FIXED	3						
Joyicity	Custom Davidson 26	20746	156	1975	27 9.1	150	31.15 10	5.1 8.1	Yes	No		26.42	3000	No	IB	Removed IOR Bump infilled w/Divinicell w/fiberglass skin/faired; Installed Melges rig w/mod for Spinnaker; shortened boom; increased "P" increased "J", Code zero type furler used above deck; Hiked on luff side of sail; 10 # spin					
			<b>633</b>		CARBON						10	22.5	1450	1	FOLD						
			120		FS		210				467	8.25	Lead	FIXED	2						
Stratocaster	J 32	16	126	1996	39.2 11	155	40.68	5.88 10.07	Yes	Yes	23.95	32.5	10000	No	IB						
			<b>633</b>		ALUMN						831	28.67	3840	1	FOLD						
			193		FS		355				0	11	Lead	FIXED	2						
Eliana II	Morgan 38-2	77486	156	1981	46 16.25	110	46 16.25	4.69 8.34	Yes	No		38.33	17000	0	IB	(Mtg 1/26/17, -3 sec/mi for oversized symmetric spinnaker area)					
			<b>632</b>		ALUMN						16.25	30.5	6800	1	Fixed_3						
			272		MS		324				1198	12	Lead	FIXED	3						
Leda	Lapworth 36	71	150	1965	40.5 13.5	150	40.5 13.5	35.5 17.5	Yes	No		36	13500	No	IB						
			<b>632</b>		ALUMN						13.5	29	4500	1	FOLD						
			252		MS		0				803	9.5	Lead	FIXED	0						
Blade Runner	Santa Cruz 27	28727	141	1979	32.7 10.9	150	32.7 10.9	3.27 5.64	Yes	Yes	19.58	27	3000	0	OB						
			<b>631</b>		ALUMN						533	24.08	1600	1	None						
			98		MS		146				90	8	Lead	FIXED							

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop		Modifications		
			Built	J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.		Traps/H. moveable blst	IB or OB Prop Type # of blades					
									DW Rating	Mast Material							SSMG	SPL SSA		Ballast Mat.	Keel Type
Mega Hurtz	Laser 28 ODR MOD	53470	129	1974	31.1 9.65	125	31.73	33.14 12.96	4.98 8.4	Yes	No	33 20.37 18.92	11.32 552	28.41 23.62 9.48 4.98	3950 1500 Lead	0 1 FIXED	OB None 2	(Mtg 2/27/14, switched to outboard motor, -3 sec/mi)			
Sonrisa	Baba 40	0	147		50 21	100	50 21	46 14.75	5.3 9	No	Yes		30.5 1196	39.83 34.5 12.83 6	29000 12000 Iron	0 1 FIXED	IB Feath				
Boudicca	Elan 310	310	129	2010	40.19 11.74	106	42.55 14.87	39.53 13.55	5.28 8.92	No	Yes		25.91 906	30.3 28.58 10.5 6.23	10141 2292 Iron	0 1 FIXED	IB Fold				
Breakout	Santana 35	18679	114	1982	39 12.85	155	39	42 14.25	5.51 9.26	Yes	No	39 23.13 18.6	12.85 722	35 26.5 11.92 6.25	8500 3300 Lead	No 1 FIXED	IB FOLD 2				
First Light	Beneteau 35S5	115	126	1991	41.66 11.15	98		42.65 15.09	5.25 9.042	Yes	No	42.7 20.5 20.5	11.15 729	35.42 29.33 11.83 6	11460 4190 Lead	No 1 FIXED	IB Fixed_2 2				
Azure	Catalina 275 Sport	1	168	2013	34.42 8.99	106	11.83	31.5 11.48	5.33 8.17	No	Yes		22 665	27.5 26.57 8.5 5.2	5000 2040 Lead	0 1 FIXED	IB Fixed_2				
Baleineau	Ericson 34 Olson SM	42147	105	1988	44 13	155	44 44	38.8 13	4.88 8.25	Yes	No	43.5 23.25 23.25	12.96 843	34 28 10.83 6	10600 3650 Lead	No 1 FIXED	IB FOLD 2				

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
			Built	DW Rating	I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp.	Traps/H. Strps		IB or OB Prop Type # of blades	
										SL	SPL	SLU	ASA			Ballast	moveable blst		
ASF	Fixed or _o	Max Beam	Keel Type																
Galaxsea	Custom Nauticat 43.5	28743	180	1985	51 20	104	20.6	45 13.6	4.3 7.9	Yes	Yes	29.2 1119	43.6 37.7	34000 11000	No 1	IB FEATH	Stay sail measurements foot=1', Luff=34'6", Leach=30'2", LP=132"		
			<b>629</b>		ALUMN		32.4	338			50	4.9	12.2	Lead	FIXED	3			
			288		KTCH		8.5				25.6	<input checked="" type="checkbox"/>	5.9						
Nymph	S&S 30	60602	144	2013	38 9.5	90	43.58	40 14	5.35 8.96	No	Yes	16.7 537	30.5 27.5	6500 2400	0 1	IB Fold			
			<b>629</b>		ALUMN			332			43.2	0	8.25	Lead	FIXED				
			142		FS						37.5	<input checked="" type="checkbox"/>	5.5						
Skye	Capo 30 MOD	0	114	1984	41.7 12.75	120	41.5 12.75	36 11.5	4.37 7.47	Yes	No		33 26	7500 3000	0 1	IB Feath	(Mtg 5/25/17, -9 sec/mi for increased LOA from added sugar scoop)		
			<b>629</b>		ALUMN			247			41.5	12	10.33	Lead	FIXED				
			194		MS						21.5	740	5.42						
Ahi	Santana 35	30980	114	1981	39 12.85	155	39	42 14.25	5.51 9.26	Yes	No		35 26.5	8500 3300	0 1	IB Fold	(Mtg 6/27/13, new rudder noted, NCTR)		
			<b>628</b>		ALUMN			358			39	12.85	11.92	Lead	FIXED	2			
			208		FS						23.13	752	6.25						
Archaeopteryx	Hotfoot 20	101	177	1986	25 7	105	26.08 7.67	27.08 10.08	4.05 6.6	Yes	No		20 18	1000 400	0 1	OB None			
			<b>628</b>		ALUMN			166			26.97	7.67	8.5	Lead	CNTRBRD				
			78		FS						13.86	309	5						
Short Bus	Hunter 35 Legend	210	138	1990	42 12.17	110		44.08 14.25	5.5 9.2	No	Yes	24.6 957	35.58 29.75	12600 5000	0 1	IB Fixed_2			
			<b>628</b>		ALUMN			375			49.5		11.75	Lead	FIXED				
			218		MS						39.8	0	6.5						
Loya	Ericson 34 Olson SM	3246	105	1989	44.5 13.25	154	44 13.25	38.84 12.9	4.69 8.38	Yes	Yes	23.8 886	34 28	10600 3650	0 1	IB Fold			
			<b>627</b>		ALUMN			296			44	13.25	10.83	Lead	FIXED	2			
			219		MS						23.6	864	6						
											23.35								

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:				Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop		Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast		Traps/H. moveable blst	IB or OB Prop Type # of blades			
								SL	SPL	SLU	ASA								
								SSMG SSF	SSA	SLE ASMG	ASA								
Red Sky	Ericson 34 Olson SM	28340	105	1989	44 12.95 150 44 12.95	44 12.95	38.7 5.1 12.95 8.5	5.1 8.5	Yes	Yes	21.98	33.88	10855 3500 Lead	No 1 FIXED	IB FOLD 2	MTG 12/11/97(RUDDER REPLACED 8" DEEPER ADN 3" NARROWER.)			
Razzberries	Ericson 34 Olson TM	97479	99	1988	46.77 12.95 155 47	47	40.9 5.1 12.95 8.5	5.1 8.5	Yes	No	0	33.88	10855 3500 Lead	No 1 FIXED	IB FOLD 2				
Wood Eye	Catalina 38	111	123	1981	49.83 15.5 110 49.83 15.5	49.83 15.5	44 4.7 11.5 7.9	4.7 7.9	Yes	No	0	38.17 30.25 11.83 6.75	15900 6850 Lead	0 1 FIXED	IB Fixed_2 2				
Giant Slayer	Santa Cruz 27	59369	141	1979	32.583 10.9 155 32.583 10.9	32.583 10.9	28.25 3.7 8.7 6.3	3.7 6.3	Yes	Yes	17.67	27	3304 1800 Lead	No 1 FIXED	OB None 0	(Mtg 3/27/14, -3 sec/mi for 10% overized symmetrical spinnaker)			
Rare Bird	Moore 24	67	141	1981	26.58 9.75 100 28.31 11.65	28.31 11.65	25 3.91 9.5 6.5	3.91 6.5	Yes	Yes	17.22	23.75 21.75 7.16 4.083	2050 1025 Lead	0 1 FIXED	OB None	(Mtg 10/27/16, -6 sec/mi for OSP, -6 sec/mi for increased spinnaker area)			
Abba-Zaba	Tartan 10	8112	129	1979	35 12 125 35	35	40.25 5.34 13.75 8.86	5.34 8.86	Yes	No	0	33.16	6700 3340 Lead	0 1 FIXED	IB FOLD 2	(+3 sec/mi credit for 125% or smaller headsail)			
Azure	CAL 40	72	114	1966	46 15.17 150 46	46	40 6.65 17.5 11.37	6.65 11.37	Yes	No	0	39.3 30.5 11 5.5	15500 6000 Lead	0 1 FIXED	IB FEATH 2				

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
			Built	J	I	Max	ISP	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	IB or OB			
			DW Rating	Max	Max	Head	JSP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type		
			Disp/WL Ratio	Head	Head	Sail		PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades		
QE 3	Tartan 10	8049	129	1978	35	125	35	40.25	5.34	Yes	No	33.16	6700	0	IB				
					12		0	13.75	8.96			27	3340	1	FOLD				
		<b>623</b>			ALUMN			0	332			9.25	Lead	FIXED	2				
		155			FS			0			<input type="checkbox"/>	5.83							
Topgallant	Tartan 10	18608	129	1978	35	125	35	40.25	5.34	Yes	No	33.16	6700	No	IB	(4/25/02 Installed Running Backstay)			
					11.75			13.75	8.96			27	3340	1	FOLD				
		<b>623</b>			ALUMN			0	332			9.25	Lead	FIXED	2				
		155			FS			0			<input type="checkbox"/>	5.83							
Breakaway	Ultimate 20 CM	180	144	2002	26.08	114	27.58	27.33	5.5	No	Yes	20.83	1350	No	OB				
					6.97		12.79	10.17	7.96		30.42	18	450	1	Fixed_3				
		<b>622</b>			CARBON				193		28.417	8.33	Lead	FIXED	3				
		105			FS			0			17.7	5							
								0			<input checked="" type="checkbox"/>	0							
Flight Risk	Catalina 38	87586	117	1983	49.8	155	49.8	44	4.18	Yes	No	38.24	19489	No	IB	Roller Furler			
					15.5			11.5	7.12			30.45	6850	1	Fold				
		<b>622</b>			ALUMN				294			11.12	Lead	FIXED	2				
		314			MS			27.9			<input type="checkbox"/>	6.1							
								27.9				0							
Green Buffalo	CAL 40	8538	114	1967	46.7	155	46.7	39.8	6.65	Yes	No	39.3	15148	0	IB	Schumacher designed rudder - same as original			
					15.2			17.6	11.37			30	6000	1	FEATH				
		<b>622</b>			ALUMN			0	416			10.9	Lead	FIXED	3				
		255			MS			0			<input type="checkbox"/>	5.8							
								27.3	1047			0							
								27.3				0							
Harp	Catalina 38	18003	117	1983	50.7	155	50.9	44	4.8	Yes	No	38.17	19489	No	IB	DEC 93 - 7X19 STND RIG/ W/ROD RIG & SHR TN UPR SPREADERS 2 IN. NO CHNG RTNG ( MTG 1/27/94)			
					15.43		15.43	11.5	7.97			30.25	6850	1	FOLD				
		<b>622</b>			ALUMN			0	316			11.83	Lead	FIXED	2				
		320			MS			0			<input type="checkbox"/>	6.79							
								27.5				0							
								27.5				0							
Nozomi	CAL 40	164	114	1970	46.2	155	46.2	39.9	6.6	Yes	No	39.5	15500	0	IB				
					15.2			17.6	11.37			30	6000	1	FEATH				
		<b>622</b>			ALUMN				416			11	Lead	FIXED	3				
		261			MS			27.3			<input type="checkbox"/>	5.6							
								27.3				0							
								27.3				0							

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
		Sail #	DW Rating		I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.		Traps/H. Ballast moveable blst Keel Type			
									SL	SPL								
									SSMG SSF	SSA								
Redhead	Cal 40	7817	114	1964	46 15.17	155	46.36	40 17.5	6.5 11.3	Yes	No	46 27.3 26.2	15.17 1038	39.5 30 10.92 5.75	16500 6000 Lead	No 1 FIXED	IB Feath 2	
Crazy Rhythm	Santa Cruz 27	18771	144	1978	32.58 10.75	125	32.58	28.166 8.583	3.68 6.06	Yes	No	32.74 19.4 19.4	10.75 529	27 24 8 4.5	3200 1600 Lead	No 1 FIXED	OB None 0	(Outboard Removed)
Geodesic III	Optima 101	103	138	1985	38.71 12	145	38.71 12	38.39 13.45	4.9 8.2	Yes	Yes	37 21.5 21.5	12 663	32.84 29.25 11.15 4.76	8511 3968 Iron	0 1 FIXED	IB Fixed_2	(Mtg 4/27/17, added 2' retractable bowsprit, -3 sec/mi)
Sweet Grapes	Ericson 36 Holland	19	108	1981	47.75 14.5	147	47.75	42 12	3.5 7.2	Yes	No	47 25.83 24.83	14.5	35.58 29 11.83 6.25	11600 5230 Lead	0 1 FIXED	IB FOLD 2	
Whispering Winds	Lancer 36 MH	87374	141		42 16	125	41.9	37 12	4.8 7.9	No	Yes	26 42 39 28	932 0 0	36.17 29 11.75 6	10500 4000 Lead	0 1 FIXED	IB Fixed_3	
Polecat	Wyliecat 30 IB	5	132	1997			29.5 12	40 20	7.35 12.66	No	No	21.6 32.8 29.3 18.4	493 8 15	30.5 25 9.416 5.25	5500 3050 Lead	No 1 FIXED	IB FOLD 2	(Articulating Sprit and Pole added for asym spinnaker, added asymmetrical, -21 sec/mi)(5/22/14, removed Asymmetric, +21 sec/mi)(Mtg 8/25/16, New rudder installed, NCTR)
Quila	Santa Cruz 27	18723	141	1976	32.583 10.75	155	32.583	28.25 8.583	3.68 6.1	Yes	No	32.74 19.4 19.4	10.75 529	27 24 8 4.5	3000 1500 Lead	No 1 FIXED	OB None 0	

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications											
			Built	J	Max	Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps		IB or OB										
											DW Rating	Mast Material									E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type
EY						SSF		ASM	G	Fixed or _o	Max Draft																			
TAZ!!	Express 27 ODR	8100	132	1981	28.5	125	28.5	28.5	4.23	Yes	No		27.3	2450	0	NONE														
					9		10.42	7.04				23.8	1100	1	None															
			<b>620</b>		ALUMN			182				8.17	Lead	FIXED																
			83		FS						<input type="checkbox"/>	4.5																		
Gotcha	Santa Cruz 27	47911	141	1975	32.58	150	32.58	28.25	3.68	Yes	No		27	3200	0	OB														
					10.75		8.583	6.06				24	1600	1	None															
			<b>619</b>		ALUMN			154				8	Lead	FIXED																
			105		MS						<input type="checkbox"/>	4.5																		
Wings	Columbia 5.5 M ODR	31	177	1965	29.125	96	30	34	4.59	Yes	No		32.416	4400	No	NA														
					8.25		11.416	7.65				25	2800	1	None															
			<b>619</b>		ALUMN			0	237			6.25	Lead	FIXED		0														
			128		FS			0			<input type="checkbox"/>	4.33																		
Iniscaw	Martin 32	49143	126	1980	42.5	145		37.17	4.7	Yes	No		32.8	8200	0	IB	(Mtg 10/2/13, new rudder, NCTR)													
					13.67			12	8			42.4	4100	1	FOLD															
			<b>618</b>		ALUMN				270			22.4	Lead	FIXED		2														
			189		MS						<input type="checkbox"/>	6.1																		
Highlander	Cal 40	4590	117	1968	46.2	150	46.2	39.5	6.65	Yes	No		39.25	15000	0	IB														
					15.2			17.5	11.37			46.5	6000	1	Fixed_2															
			<b>617</b>		ALUMN				412			27.3	Lead	FIXED		2														
			246		MS						<input type="checkbox"/>	5.58																		
Alchimiste	Archambault 27	38973	78	2013	34.25	100	39.08	34.78	4.75	No	Yes	26.9	27.4	4894	0	IB	(Mtg 10/22/15, Custom rating assigned. Includes -9 sec/mi penalty for 22% oversized ASA & +3 sec/mi credit for non-articulating sprit. As sailed: 78)													
					10.83		15.98	12.63	8.16			43.97	22.7	1814	1	Fold														
			<b>616</b>		ALUMN				261			38.71	9.7	Lead	FIXED															
			190		FS						<input checked="" type="checkbox"/>	0	5.7																	
Another Girl	Alerion Express 38-2	20	90	2011	42.98	90		47.5	9.58	No	No		38.3	13000	0	IB	(mtg 4/28/11, Custom rating of 90 assigned)													
					12.99			18.25	13.45				30.1	5000	1	Feath														
			<b>616</b>		CARBON				583				10.3	Lead	FIXED		2													
			217		MS						<input type="checkbox"/>	5.92																		



Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications	
		Sail #	DW Rating		I	J	Max Headsail	ISP	P	MGU	Yes/No		Yes/No		LOA	Ttl Disp.	Traps/H.	Strps		IB or OB
								JSP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst			Prop Type
		Disp/WL Ratio			Mast Material				PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type			# of blades
						EY		SSF		ASM	Fixed or _o	Max Draft								
Neverland	Tartan 3700 SD 5.0'	106	114	2006	51.75	135	51.75	45.25	5.7	No		Yes	25.4	37	17780	0	IB			
					15		15	15	9.68			53.83	1025	32.5	6200	1	Fold			
					<b>616</b>							46.8	0	12.6	Lead		2			
					235	CARBON						24.21	<input checked="" type="checkbox"/>	5	FIXED					
						MS														
Traveler	Express 34	97089	99	1987	44.3	150	44.3	38.5	4.87	Yes		No		34	8500	0	IB	-6 FOR OVERSIZED SPINNAKER		
					13			12.83	8.46	42.7	13			28.3	3700	1	FOLD			
					<b>616</b>			0	296	22.2	787		0	10.5	Lead	FIXED	2			
					170	ALUMN		0		21.8			<input type="checkbox"/>	6						
					MS			0												
U Decide	Ultimate 20	155	144	2001	26.08	114	27.58	27.33	5.5	No		Yes	17.7	20.83	1350	0	OB			
					6.97		12.79	10.17	7.96			30.42	433	18	450	1	None			
					<b>616</b>							28.42	6	8.33	Lead		0			
					105	ALUMN						17.67	<input checked="" type="checkbox"/>	5	FIXED					
						FS														
Riff Rider	Cal 40	46	114	1965	46.2	155	46.2	40	6.5	Yes		No		39.3	15000	0	IB			
					15.1			17.5	11.3	46.2	15.1			30.3	6000	1	Fold			
					<b>615</b>					27.2	1047		0	11	Lead	FIXED				
					245	ALUMN				27.2			<input type="checkbox"/>	5.6						
						MS														
UHOO!	Ultimate 20	64	144	1996	22.8	100	27.58	27.5	5.3	No		Yes	19.2	20.8	1100	No	OB			
					7		13	10.33	7.96			31.3	446	18	450	1	None			
					<b>614</b>			0	194			28.4	6	8.166	Lead		0			
					86	ALUMN		0				17.6	<input checked="" type="checkbox"/>	5	CENTER					
						FS														
Marrakesh	Express 34	3	102	1987	44.25	125	44.25	38.5	4.87	Yes		No		34	9245	No	IB			
					13			12.83	8.46	44	13			28.33	3800	1	FOLD			
					<b>613</b>			0	296	23.4	858		0	10.33	Lead	FIXED	2			
					185	ALUMN		0		23.4			<input type="checkbox"/>	6.11						
						MS														
Peabody	Ultimate 20	22	144		25.08	110	27.58	27.5	5.5	No		Yes	19.2	20.94	1350	0	OB			
					6.97		12.79	10.25	7.96			31.3	448	18	450	1	None			
					<b>613</b>							28.4	6	8.33	Lead					
					105	FS			195			17.7	<input checked="" type="checkbox"/>	5.03	CNTRBRD					

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications			
			Built	J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.		Traps/H. Strps	IB or OB Prop Type # of blades					
									DW Rating	Mast Material							SL		SPL	Ballast	moveable blst
Pony Express	Express 34	28234	99	1988	44.25 12.92	155	44.25	38.5 12.83	4.87 8.46	Yes	No	34 28.33 10.5 6	7500 3700 Lead	No 1 FIXED	IB FOLD 2						
			<b>613</b> 150		ALUMN MS			0 0	296			<input type="checkbox"/>									
Windswept Lady	X-362 Classic	50980	96	1998	46.6 12.9	125	46.6 12.9	40.6 14.1	5.05 8.86	Yes	Yes	26.7 30.4 11.4 6.2	12320 5170 Lead	0 1 FIXED	IB Fold						
			<b>613</b> 199		ALUMN MS				333			<input type="checkbox"/>									
Abigail Morgan	Express 27 ODR	18394	129	1985	28.5 9	150	28.5	28.5 10.416	4.22 7.03	Yes	No	27.25 23.75 8.166 4.5	2450 1100 Lead	No 1 FIXED	OB None 0						
			<b>612</b> 83		ALUMN FS			0 0	182			<input type="checkbox"/>									
Elise	Express 27 ODR	101	129	1986	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	No	27.25 23.75 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0						
			<b>612</b> 83		ALUMN FS				182			<input type="checkbox"/>	0 0								
Hang 20	Express 27 ODR	48	129	1982	28.5 9	125	28.5	28.5 10.42	4.22 7.03	Yes	No	27.3 23.8 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0						
			<b>612</b> 83		ALUMN FS				182			<input type="checkbox"/>	0 0								
Simply Irresistible	Express 27 ODR	18070	129	1983	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	No	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0						
			<b>612</b> 83		ALUMN FS			0 0	182			<input type="checkbox"/>									
Yeti	Express 27 ODR	38	129	1983	28.5 9	155	28.5	28.5 10.4	4.22 7.03	Yes	No	27.25 23.75 8.16 4.5	2450 1100 Lead	0 1 FIXED	OB None						
			<b>612</b> 83		ALUMN FS				182			<input type="checkbox"/>	0 0								

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
		Sail #	DW Rating		I J	Max Headsail		P E	MGU MGM	Yes/No	Yes/No	ASF	Ttl Disp.		Traps/H. Strps			
						Mast Material		PY	MSA	SL	SPL	SLU	ASA		Ballast	moveable blst		
		Disp/WL Ratio				Rig Type		EY		SSMG	SSA	SLE	Sprit Lngth		Ballast Mat.	Keel Type		
										Fixed or _o								
Andale	Express 27 ODR	72	129	1985	28.5 9	155	28.5	28.5 10.42	4.22 7.03	Yes	No		27.25 23.75 8.17 4.5	2450 1100 Lead	0 1 FIXED	None		
Archimedes	Express 27 ODR	18355	129	1985	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	No		27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	NONE None 0		
Bombora	Express 27 ODR	38047	129		28.5 9	155	28.5	28.5 10.42	4.22 7.03	Yes	No		27.25 23.8 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0		
Current Affair	Express 27 ODR	56	129	1983	28.5 9	155	28.5	28.5 10.42	4.22 7.03	Yes	No		27.25 23.75 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None		
Dianne	Express 27 ODR	0	129	1981	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	No		27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0		
El Raton	Express 27 ODR	28050	129	1985	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	No		27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0		
Ergo	Express 27 ODR	40428	129		28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	No		27.25 23.75 8.075 4.5	2450 1100 Lead	0 1 FIXED	OB None 0		

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications			
		Sail #	DW Rating		I J Max Headsail Mast Material Rig Type	P E PY EY		MGU MGM MSA	Yes/No		Yes/No		SLU ASA Sprit Lngth Fixed or _o		SL SPL SSMG SSA	ASF ASA Sprit Lngth Fixed or _o			Ttl Disp.	Traps/H. Strps Ballast moveable blst Ballast Mat.	Keel Type
									SL	SPL	SLU	ASA									
									SSMG	SSA	SLE	ASMG									
Get Happy!!	Express 27 ODR	1	129	1981	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	No	27.25 23.75 8.166 4.5	2450 1100 Lead	No 1 FIXED	OB None 0						
Levitation II	Express 27 ODR	77	129	1984	28.5 9	150	28.5	28.5 10.416	4.22 7.03	Yes	No	27.25 23.75 8.166 4.5	2450 1100 Lead	No 1 FIXED	OB None 0						
Motorcycle Irene	Express 27 ODR	28137	129	1982	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	No	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0						
Peaches	Express 27 ODR	18364	129	1986	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	No	27.25 23.75 8.166 4.5	2450 1100 Lead	No 1 FIXED	OB None 0						
Salty Hotel	Express 27 ODR	60	129	1983	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	No	27.25 23.75 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0						
Sea Star	CAL 39-2/3	38022	114	1977	50 16.7	150	50	44 13.8	4.5 8	Yes	Yes	39 32 12 6.7	17000 7000 Lead	0 1 FIXED	IB FEATH 3	Roller Furler					
Swamp Donkey	Express 27 ODR	8444	129	1981	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	No	27.25 23.75 8.166 4.5	2450 1100 Lead	No 1 FIXED	OB None 0						

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
				I J Max Headsail Mast Material Rig Type	P E PY EY		MGU MGM MSA	Yes/No		Yes/No		Ttl Disp. Ballast		Traps/H. moveable blst				
								SL	SPL	SLU	ASA				Ballast Mat.			Keel Type
Take Five	Express 27 ODR	28031	129	1982	28.5 9	155	28.5	28.5	4.22	Yes	No	27.25 23.75 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0			
			<b>611</b> 83	ALUMN FS	10.416	7.03	182	29	9.833	17.75	429	<input type="checkbox"/>	0					
Verve	Express 27 ODR	18283	129	1981	28.5 9	155	28.5	28.5	4.22	Yes	No	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0			
			<b>611</b> 83	ALUMN FS	10.416	7.03	182	0	182	17.5	425	<input type="checkbox"/>	0					
Wetsu	Express 27 w/J length pole	70	129	1983	28.5 9	155	28.5	28.5	4.22	Yes	No	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0	-6 Sec/mi OSP		
			<b>611</b> 83	ALUMN FS	10.42	7.03	182	0	182	17.7	427	<input type="checkbox"/>	0					
Wile E Coyote	Express 27 ODR	11	129	1981	28.5 9	155	28.5	28.5	4.22	Yes	No	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 3			
			<b>611</b> 83	ALUMN FS	10.416	7.03	182	0	182	17.7	428	<input type="checkbox"/>	0					
Make Me Smile	Express 27 ODR	91	129		28.5 9	155	28.5	28.5	4.22	Yes	No	27.25 23.8 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0			
			<b>610</b> 83	ALUMN FS	10.42	7.03	182	28.5	9.83	17.7	420	<input type="checkbox"/>	0					
Moonlight	Express 27 ODR	28059	129	1986	28.5 9	155	28.5	28.5	4.22	Yes	No	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0			
			<b>610</b> 83	ALUMN FS	10.416	7.03	182	0	182	16.5	404	<input type="checkbox"/>	0					
Sir Leansalot	Hunter 40	161	108	1986	53.9 17	125	53.9 17	48 13.9	5.2 9	Yes	No	39.7 32.5 13.5 6.5	17400 6000 Iron	0 1 FIXED	IB Fixed_2 2			
			<b>610</b> 230	ALUMN MS	52.5	17	29.2	0	396	29	1276	<input type="checkbox"/>	0					

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.		Traps/H. moveable blst	IB or OB Prop Type # of blades			
								SL	SPL							Ballast		Keel Type
								SSMG SSF	SSA							Ballast Mat.		Keel Type
Tule Fog	Express 27 ODR	18178	129	1984	29 9	155	28.5	29 10	4.22 7.03	Yes	29 17.7 17.7	9.83 428	No	27.3 23.8 8.166 4.5	2450 1100 Lead	n 1 FIXED	OB None 0	
Big Air	Open 5.7 ODR	189	138	2006	21.52 7.3	117	21.6 12.3	25.33 10.24	5.7 8.2	No	25.82 20.64 17.9	5.7 345 5 0	Yes	17.6 18.75 18.7 8.3 5.74	992 405 Lead	0 1 FIXED	OB None	
Shenanigans	Express 27 ODR	67	129	1983	28.5 9	155	28.5	28.5 10.42	4.22 7.03	Yes	29 16 16	9.83 387	No	27.25 23.75 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0	
Althea	Cavalier 39	38101	129	1981	48.5 14.83	120	46 16.13	42 12	4.55 7.79	No	48.75 42.41 26.82	28.23 1029 0 90	Yes	38.98 29.49 11.22 5.97	13228 7513 Lead	0 1 FIXED	IB Fixed_3	(Mtg 4/28/16, -3 sec/mi for oversized spinnaker pole, -3 sec/mi for oversized spinnaker)
Domino	Wilderness 30 MOD	38081	126	1985	36 12.25	155	36 12.25	31.5 10.83	4.11 6.93	Yes	36.15 22.05 20.5	12.25 655	No	30 27.75 8.8 5.5	5450 2150 Lead	0 1 FIXED	IB Fold	(Mtg 3/28/13, +6 sec/mi for small rig)
Pork Chop Express	Express 27 ODR	115	129	1986	28.5 9	130	32.5	28.5 10.4	4.2 7	Yes	28.58 16.44 14.11	9.8 380	No	19.55 23.75 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None	(Mtg 1/26/17, -3sec/mi for switching to MH configuration. New Rudder, NCTR)(08/11/17, switching back to OD config)
Revelry	Catalina 42-1/2	703	105	1999	53 16.416	125	53 16.416	46.75 15.416	5.75 9.833	No	47.4 26	425	Yes	27.5 36 13.833 6.83	20500 8300 Lead	No 1 FIXED	IB FEATH 3	ASYM SPIN NOTED NCTR.

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications		
		Sail #	DW Rating		I	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp.	Traps/H.		Strps	IB or OB
										E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst			Prop Type
		Disp/WL Ratio					Mast Material			PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type			# of blades
							EY		SSF		ASMG	Fixed or _o	Max Draft								
Allons-Y	J 70 ODR	346	114	2014	26.77 7.68	100	30.15 13.5	26.16 9.44	4.71 6.93	No	Yes	18.7 491	22.75	1750	0	OB					
		<b>607</b> 93			CARBON FS				164		35.43 28.87 18.24	5.1 0	20.47 7.38 4.92	630 Lead	1 MVBL	None					
Benny	J 70 ODR	897	114	2015	26.77 7.68	100	30.15 13.5	26.16 9.44	4.71 6.93	No	Yes	18.7 491	22.75	1750	0	OB					
		<b>607</b> 93			CARBON FS				164		35.43 28.87 18.24	5.1 0	20.47 7.38 4.92	630 Lead	1 MVBL	None					
Penny Pincher	J 70 ODR	215	114	2014	26.77 7.68	100	30.15 13.5	26.16 9.44	4.71 6.93	No	Yes	18.7 491	22.78	1750	0	OB					
		<b>607</b> 93			CARBON FS				164		35.43 28.87 18.24	5.1 0	20.47 7.38 4.92	630 Lead	1 MVBL	None					
Prime Number	J 70 ODR	29	114	2012	26.77 7.68	100	30.15 13.5	26.16 9.44	4.71 6.93	No	Yes	18.7 491	22.78	1750	0	OB					
		<b>607</b> 93			CARBON FS				164		35.43 28.87 18.24	5.1 0	20.47 7.38 4.92	630 Lead	1 MVBL	None					
Rampage	J 70 ODR	582	114	2014	26.77 7.68	100	30.15 13.5	26.16 9.44	4.71 6.93	No	Yes	18.7 491	22.75	1750	0	OB					
		<b>607</b> 93			CARBON FS				164		35.43 28.87 18.24	5.1 0	20.47 7.38 4.92	630 Lead	1 MVBL	None					
Scilla	J 70 ODR	327	114	2012	26.77 7.68	100	30.15 13.5	26.16 9.44	4.71 6.93	No	Yes	18.7 491	22.78	1750	0	OB					
		<b>607</b> 93			CARBON FS				164		35.43 28.87 18.24	5.1 0	20.47 7.38 4.92	630 Lead	1 MVBL	None					
Uno	Wyliecat 30 IB	28632	129	1995	35.8 5.5		35.8 12	39.66 19.75	9.31 13.05	No	Yes	19.68 550	30.5	5800	0	IB	(mtg 2/21/08, penalty for oversized main -3 sec/mi)(Mtg 5/22/08, -24 for asymmetric spinnaker flown on 12' pole)(1/24/16, not using spinnaker +24 sec/mi)				
		<b>607</b>			CARBON				493		37.02 32.8	0	25	3000	1	FOLD					
		169			CAT						18.7	90	9.5 5.25	Lead	FIXED	2					

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications										
			Built	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB											
										DW Rating	Mast Material									E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type
EY	SSF	ASM	G	Fixed or _o	Max Draft																								
Wingman Racing	J 70 ODR	584	114	2014	26.77 7.68	100	30.15 13.5	26.16 9.44	4.71 6.93	No	Yes	18.7 35.43 28.87 18.21	22.75 20.47 7.38 4.95	1750 630 Lead	0 1 MVBL	OB None													
Zwei Flying Fish	San Juan 33s	59733	129	1981	34.83 11.48	134	34.83	39.16 12.66	4.66 8.08	Yes	No	11.833 19.75 19.75	33.1 27.8 7.95 5.5	6000 3500 Lead	0 1 FIXED	IB Fold	(Mtg 5/28/15, +3 sec/mi for small rig)												
Boomer	Melges 20	676	111	2009	23.19 7.05	110	27.2 10.95	24.25 9.84	3.83 7.42	No	Yes	18.8 29.78 26.25 17.65	20 19.4 7 4.5	1105 415 Lead	0 1 FIXED	OB None 0													
Farriage	Catalina 42-1/2	336	102	1992	53 16.42	130	53 16.42	46.75 16.42	5.75 9.83	No	Yes	27.08 53 47.37 24.37	41.83 36 13.83 6.83	20600 8300 Lead	0 1 FIXED	IB Feath 3													
Gavilan	Custom Wylie 39	28439	93	1996	49 14.5	122	49	43 15.5 0 0	5.73 9.75 390	Yes	Yes	24.6 783 1.17	41.5 31.75 11.5 6.77	17900 5920 Lead	No 1 FIXED	IB FEATH 3	(mtg 4/28/11, change custom rating from 84 to 96 after review of rating appeal)(Mtg 1/26/12, -3 sec/mi for sprit)												
Kwazy	Wylie Wabbit ODR W/Trap	26	126	1982	20.416 6.416	150	20.5	23 10 0 0	4.02 6.71 141	Yes	No	8.5 257	23.58 20 5.42 3.41	975 440 Lead	Yes 3 FIXED	NONE None 0													
Proben Child	Melges 20	134	111	2009	23.19 7.05	110	27.2 10.95	24.25 9.84	3.83 7.42	No	Yes	18.8 29.78 26.25 17.65	20 19.4 7 4.5	1105 415 Lead	0 1 FIXED	OB None													





Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
		Sail #	DW Rating		I	J	Max	ISP	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB	
					Headsail	Mast	Material	JSP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type	
		Disp/WL Ratio			Rig Type			PEY	MSA	SSMG	SSA	SLE	Sprit	Lngrh	Max Beam	Ballast Mat.	Keel Type	# of blades	
Lepus	Wylie Wabbit ODR W/Trap	18	126	1982	20.5	150	20.5	23.75	4.03	Yes	No		23.75	975	1	OB	Hiking Straps & Trapeze per class rules		
					6.5			10	6.72	22	8.5	20	440	3	None				
			<b>602</b>		ALUMN			0	145	13.9	254	5.58	Lead	FIXED	0				
			55		FS			0		13.7		3.5							
Mistral	Beneteau Farr First 36.7	28394	81	2002	46.4	155	46.4	45.4	5.92	Yes	No		35	12495	No	IB			
					13.1			15.6	12.49	45.8	13.1	30.3	4034	1	FOLD				
			<b>602</b>		ALUMN			0	458	23.47	885	11.6	Iron	FIXED	2				
			204		FS			0		22.07		7.2							
Mr McGregor	Wylie Wabbit ODR W/Trap	8426	126	1982	20.5	150	20.5	23.75	4.03	Yes	No		23.75	975	1	OB	INCLUDES HIKING STRAPS AND SINGLE TRAPEZE.		
					6.5			10	6.72	22	8.5	20	440	3	None				
			<b>602</b>		ALUMN			0	145	13.9	254	5.58	Lead	FIXED	0				
			55		FS			0		13.7		3.5							
Pressure Drop	Beneteau Farr First 36.7	52489	78	2006	46.4	155	46.4	45.4	5.92	Yes	No	23.29	36	12495	0	IB	(12/2/16, -3 sec/mi for JSP)		
					13.1			15.6	12.49	45.8	13.1	46.25	30.3	4034	1	Fold			
			<b>602</b>		ALUMN				458	23.5	897	43.63	11.4	Lead	FIXED	2			
			204		FS			23.5		23.13		23.13	7.3						
Tijd	Beneteau First 30	45	102	2011	41.66	105	42.16	40.2	6.24	No	Yes	25.5	31.7	8267	0	IB	(Mtg 8/27/15, -3 sec/mi for OSP, +6 sec/mi for small spinnaker)		
					13.78			14.25	9.38		15	45.6	27.5	2403	1	Fold			
			<b>602</b>		ALUMN				354			40.5	10.5	Cast Iron	FIXED				
			181		FS					23.8		23.8	6.25						
Wind Blown Hare	Wylie Wabbit ODR W/Trap	29	126	1982	20.5	150	20.5	23.75	4.03	Yes	No		23.75	975	1	OB			
					6.5			10	6.72	22	8.5	20	440	3	None				
			<b>602</b>		ALUMN			0	145	13.9	254	5.583	Lead	FIXED	0				
			55		FS			0		13.7		3.5							
Allegro	Beneteau Farr First 36.7	56657	78	2010	46.42	155	46.42	45.4	5.92	Yes	Yes	23.41	36	12939	0	IB	(Mtg 1/26/16, -3 sec/mi for increased JSP)		
					13.1			15.6	12.49	45.25	13.1	47.33	30.3	3993	1	Fold			
			<b>601</b>		ALUMN				458	23.58	889	43	11.4	Lead	FIXED	2			
			211		FS			23.5		23.5		21.83	7.3						

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications								
			Built	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF		LOA	Ttl Disp.	Traps/H. Strps		IB or OB							
										DW Rating	Mast Material		PY	MGM			SL	SPL			SLU	ASA	LWL	Ballast	moveable blst	# of blades
Max Draft	Ballast Mat.	Keel Type																								
			Ariadne	Beneteau Farr First 36.7	403	84		46.4	125	46.4	46.4	5.92	Yes		No		36	12495	No	IB						
								13.1		13.1	15.6	12.49		45.8	13.1		30.3	4034	1	Fold						
					601	ALUMN		0	468		23.5	897		11.4	Lead	FIXED	2									
					204	FS		0			23.5		<input type="checkbox"/>	0	7.3											
Lonestar	Beneteau First 10R ODR MOD	40	84	2007	43.2	100	46.41	42.25	5.59	No		Yes	25.5	32.75	9715	0	IB	(Mtg 5/20/10, +3 sec/mi for non-class smaller kite)(Mtg 9/23/10, rudder modifications noted, NCTR)(Mtg 4/26/12, new rudder noted, NCTR)								
					12.07		16.5	14.73	9.57			52.9	1078	28.7	3528	1	FOLD									
					601	CARBON			371			45.8	4.43	11	Lead	FIXED	2									
					187	FS						26.4	<input checked="" type="checkbox"/>	0	6.55											
Mulan	Beneteau First 10R ODR	52659	84	2007	43.2	100	46.41	42.25	5.59	No		Yes	25.5	32.75	9715	0	IB	(mtg 9/23/10, +3 sec/mi for non-class smaller kite)								
					12.07		16.5	14.73	9.57			52.9	1078	28.7	3258	1	Fold									
					601	CARBON			371			45.8	4.43	11	Lead	FIXED	2									
					187	FS						26.4	<input checked="" type="checkbox"/>	0	6.55											
Serenade	Sabre Spirit		96	2007	45.5	106	51.2	45.5	5.55	Yes		No	23	36.67	10500	0	IB									
					12.87		12.87	16.55	9.93			53.6	976	28.33	3740	1	Fold									
					601	CARBON			425			45.2	0	10.42	Lead	FIXED										
					210	FS						23.9	<input checked="" type="checkbox"/>	0	6.58											
White Wabbit	Wylie Wabbit ODR W/Trap	19	126	1982	20.5	110	26.1	23.75	4.03	Yes		No		23.75	975	Yes	OB									
					6.6			10	6.72			21.6	8.6	20	440	1	None									
					601	ALUMN		0	145			14		5.58	Lead	FIXED	0									
					55	FS		0				14		3.5												
Yellow Brick Road	Jeanneau Sun Odyssey 40	33300	96	1999	50	125	50	43.25	5.7	No		Yes	25.59	40	16094	0	IB									
					13.75		13.8	15.67	9.89			52.33	1095	33.33	5291	1	FEATH									
					601	ALUMN		0	396			45.37	0	12.92	Iron	FIXED	3									
					198	MS		0				27.23	<input checked="" type="checkbox"/>	0	6.33											
Starbuck	Custom Black Soo 30	8666	144	1968	30	125	29.5	25	4.9	Yes		No	20.4	31	4500	0	OB	(Mtg 1/17/02, added scoop, custom rating changed from 144 to 141)(mtg 1/11/13, Added A-sail, -9 sec/mi, rating changed from 141 to 132)(Mtg 5/13/14, removed A-Sail, +9 sec/mi, change custom rating from 132 to 141, +3 sec/mi for small headsail)								
					13		13	11.73	7.5			37.4	565	27.5	1800	1	None									
					600	ALUMN		0	178			32.6	0	6.8	Iron	FIXED	0									
					98	MS		0				19.1	<input type="checkbox"/>	0	6.4											

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
			Built	DW Rating	I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps	IB or OB Prop Type # of blades		
									SL	SPL	SLU	ASA				Ballast			moveable blst
Disp/WL Ratio																			
Escapade	Sabre 40-2	38011	75	1997	54 15.5	110	54 16	47.5 17	5.6 9.9	Yes	Yes	23.5 1001	40.2 34 13.3 7.5	19760 7500 Lead	0 1 FIXED	IB FEATH 3			
E-Ticket	Moorings 38 SD	119	117	1990	47.5 13.9	155	47.5 13.9	41.7 15	5.69 9.45	Yes	No	0 0	38.4 31.33 12.5 4.8	13700 5400 Steel	0 1 FIXED	IB Fold 2	Shoal Draft (Mtg 10/27/16, -3 sec/mi for oversized spinnaker area)		
Frisky	Open 5.7 ODR	281	138	2009	21.52 7.3	117	27.9 12.3	25.33 10.24	5.7 8.2	No	Yes	17.5 338 5 0	18.7 18.7 8.3 5.7	992 405 Lead	0 1 FIXED	NONE None			
Iolani	Hughes 48	38048	120	1972	54.3 18.2	135	20.2	48.2 19	5.9 10.4	Yes	Yes	32.76 1400	48 35.1 11.1 6	32000 14300 Lead	0 1 FIXED	IB FEATH 3			
Popstar	Catalina 400	331	108	2005	52.5 15.5	135	52.5 16.5	46.9 17	4.02 8.27	No	Yes	27.9 1225 0 0	41.54 36.5 13.5 6.92	20500 8300 Lead	0 1 FIXED	IB Fold 3	(+3 sec/mi for in-mast furling mainsail, +3 sec/mi for MGM <50% of E)		
Dare Dare	Jeanneau Sun Fast 3200	39	81	2008	41.92 12.58	102	43.77 13.61	38.67 13.68	5.28 8.46	Yes	Yes	24.41 887 1 0	33.1 28 11.5 6.2	7916 2866 Lead	0 1 FIXED	IB Fold 2			
Tortuga	Pyramid 660 ODR MOD	8375	174	1981	21.82 6.8	104	28 7	25.7 10.5	4 6.8	Yes	No	0 0	21.8 18.1 6.2 3.9	850 400 Lead	2 1 FIXED	OB None 2	(Mtg 5/20/10, removed trapeze +18 sec/mi, hiking straps still allowed)(1/24/13, added upper spreaders & stays, NCTR)		

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications										
			Built	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF		Ttl Disp.	Traps/H.	Strps		IB or OB									
										DW Rating	Mast Material									E	MGM	SL	SPL	SLU	ASA	Ballast	moveable blst	Prop Type
Disp/WL Ratio	Rig Type	EY		ASM	G	Fixed or _o																						
Elan	Beneteau 37	46	114	2012	45.83 15	105	48	43.5 12.83	6.16 8.83	No	Yes	26.6 915	37.8 34.08 12.83 6.25	14359 3901 Iron	0 1 FIXED	IB Fold												
Lilith	Custom Wyliecat 39	7	102	1992				50.75 26.5 0 0	10.45 17.5 811	No	No	0	38.83 32 11.83 6.67	12000 6200 Lead	No 1 FIXED	IB FOLD 2	HULL DESIGN IS VERY SIMILAR TO WYLIECAT 30.NO JIB, NO SPINNAKER, NO SPANKER,NO REACHER, NO VANG,NO TWECKER,NO STAYS ETC., AS SAILED RATING 102 PER MTG 6/15/02											
Carmelita	Catalina 42-1/2	131	105	1990	53 16.42	125	53	46.75 15.5 0 0	4.98 8.85 399	Yes	Yes	27.75 1131 0	41.83 36 13.83 6.66	22000 8300 Lead	No 1 FIXED	IB FEATH 3												
Checkedred Past	Custom Wyliecat 39	3	102	2002				52 26.6	10.2 17.4 826	No	No	0 0	38.83 32 11.5 6.6	12000 6200 Lead	0 1 FIXED	IB FOLD 2	Boat has been modified for handicapped sailing											
Hijinks	J 92	90	108	1996	37 11.5	97	38.5 17	37.66 13.22	5 8.6 297	No	Yes	26.51 868 5.5 0	30 26.5 10 5.9	5500 2275 Lead	0 1 FIXED	IB Fold 2												
Oscar	Santa Cruz 33	57663	117	1978	41 13.583	125	41	35.42 15	4.25 7.166 269	Yes	No	0	33 28 10.06 6	7000 3000 Lead	No 1 FIXED	IB FOLD 2												
Oxomoxo	Swan 391	39118	90	1983	53.5 16.3	135	54 16.3	47.3 14	4.92 8.5 379	Yes	Yes	31 1374 0 0	39.92 33.08 12.42 7.2	20315 6800 Lead	0 1 FIXED	IB Fold	(Mtg 10/26/17, -3 sec/mi for oversized asymmetrical, -3 sec/mi for oversized SPL)											

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications				
			Built	J	Max Headsail	ISP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp. Traps/H. Strps		IB or OB							
									E	MGM				SL	SPL		SLU	ASA		LWL	Ballast	moveable blst	Prop Type
Disp/WL Ratio	Mast Material	Rig Type	EY	SSSF	ASMG	Fixed or _o	Max Draft	# of blades															
Puffin	Alden 44	38144	117	1978	54.1 19.5	100	53 23	47.08 14.75	5.7 9.6	No	Yes	33 1369	44.17 34.08	24500	0 1	IB Feath							
			<b>595</b> 281		ALUMN CTR				416			49 32	0 <input type="checkbox"/>	12.5 8.75	Lead	CNTRBRD							
TESA	Catalina 42-1/2	642	102	1999	53 16.41	155	53 23	46.75 15.416	5.91 10	Yes	Yes	31 1275	41.83 36	25500	0 1	IB FEATH	Added one electric main halyard winch						
			<b>595</b> 248		ALUMN MS			0 0	430			28 27.333	1134 32	44.2 32	0 <input checked="" type="checkbox"/>	13.83 6.8	Lead	FIXED	3				
Vita E Bella	Catalina 42-1/2	989	99	2007	53 16.5	155	16.5	46.9 15.6	5.2 9.5	No	Yes	27.3 1105	41.83 36	24400	0 1	IB FOLD	(mtg 3/28/13, -3 sec/mi for added sprit)						
			<b>595</b> 238		ALUMN MS				415			50.4 25	3.67 <input checked="" type="checkbox"/>	0 0	13.1 6.8	Lead	FIXED	3					
Bessie's Girl	Bristol 45.5	30088	114	1980	57 18.83	130	57 18.83	47.25 15.2	4.66 8.56	Yes	Yes	33 1353	45.5 37.25	40000	No 1	IB FEATH	(mtg 2/18/10, -3 sec/mi for dual spinnakers/ability to use asym on squared back pole)						
			<b>594</b> 352		ALUMN KTCH			30.25 8.25	390			51.5 29.5	0 <input checked="" type="checkbox"/>	0 0	13.2 11	Lead	CNTRBRD	3					
Freedom	Worth 40	18230	96	1984	54 16	155	16	47 14	5.5 9.2	Yes	No		40 34.25	21000	0 1	IB FOLD							
			<b>594</b> 238		ALUMN MS			0 0	397			28.8 28.8	1248 <input type="checkbox"/>	0 7.25	7800	1 FIXED		2					
Imagination	Bavaria 40	0	108	2001	47.25 14.58	111	48	44.46 15.58	5 9.21	No	Yes	20 828	40.94 35.93	17417	0 1	IB Fold							
			<b>594</b> 171		ALUMN FS				386			26.2 26.2	1026 22	44 22	0 <input checked="" type="checkbox"/>	13.1 6.4	Lead	FIXED					
Lady Jane	Jeanneau 39i Sun Odyssey	7913	93	2008	48.1 13.1	122	48.1	46.3 14.6	5.42 9.28	No	Yes	27.46 1012	38.1 35.2	16163	0 1	IB Feath							
			<b>594</b> 168		ALUMN FS				398			42.81 26.08	1 <input checked="" type="checkbox"/>	0 0	12.9 6.7	5026 Cast Iron	1 FIXED		3				

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
		Sail #	DW Rating		J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp. Traps/H. Strps		IB or OB Prop Type # of blades		
										SL	SPL	SLU	ASA		Ballast	moveable blst			
																		SSMG	
Disp/WL Ratio	Mast Material	Rig Type	SSSF	SSA	ASMG	Fixed or _o													
Ragtime!	J 92	18	105	1993	37 11.5	155	38.5 17	38 13.5	4.7 8.2	No	Yes	29.75 1019	30 25.8 10 5.9	5500 2275 Lead	No 1 FIXED	IB FOLD 2	(changes noted 3-11-03, NCTR)(2/14/06 - Spinnaker based on 1019 sq feet/94.67 meters)(Mtg 01/16/14, -3 sec/mi for flying asymmetric off squared back pole)(Mtg 4/24/14, New Rudder noted NCTR - Shortened pole/sprit		
Vento	Swan 391	40841	99		53.5 16.25	95	53.5 16.25	47.25 14	5.5 9.2	Yes	Yes	26 1014	39.9 33.1 12.4 7.2	18900 6800 Lead	0 1 FIXED	IB Fold			
Double Espresso	Olson 30 OB	18069	99	1982	36 11.75	155	35.9 11.75	31.5 10.75	4.36 7.26	Yes	No		30 27.5 9.33 5.08	3600 1800 Lead	0 1 FIXED	OB None			
Ex Indigo	Custom Diva 39	8	87	1987	41.73 12.8	125	41.73 12.8	46.75 14.75	5.72 9.6	Yes	No		38.75 30.83 9.83 5.75	9920 4575 Lead	No 1 FIXED	IB FOLD 2	Back Stay Crane		
Dawn's Early Light	J 36	77549	87	1982	44.219 14	125	44.21 14	47 15	5.8 9.5	Yes	No		35.95 30.5 11.76 6.6	10570 4600 Lead	0 1 FIXED	IB Fold			
Expression	Express 37 MOD	33985	75	1984	48.75 14.33	150	48.75	42 13.75	5.3 9	Yes	No	19 705	37.1 30.83 11.5 6	9500 4500 Lead	0 1 FIXED	IB Fold 2	(mtg 1/21/10, +3 sec/mi for modified keel, -3 sec/mi for dual spinnaker/ability to fly asym on squared back pole)(1/19/11, removed asym, only using symmetric spinnaker, +3 sec/mi)		
Javelin	J 100 ODR	4	81	2004	38.5 11.5	95	43 12.7	38 13.5	5.13 8.77	No	Yes	24.34 899	32.8 29 9.3 5.8	6500 2500 Lead	No 1 FIXED	IB FOLD 2			

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications									
		Sail #	DW Rating		J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps		IB or OB								
											E	MGM									SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type
Disp/WL Ratio	Mast Material	Rig Type	EY	SSF	ASM	Fixed or _o	Max Draft																					
Relentless	J 92	93	105	1997	37 11.5	155	38.5 17.5	38 13.5	5.2 8.7	No	Yes	26.4 915	30 26.5	5500 2275	0 1		IB Fold											
		<b>590</b> 134			ALUMN FS				306		40.6 25.4	5.5 <input checked="" type="checkbox"/> 0	10 5.9	Lead	FIXED	2												
Arcadia	Custom Nash 28.5	3113	123	1969	33 10	120	34 11	32.5 13	4.92 8.41	No	Yes	24.606 756	28.5 25.5	4327 1200	No 1		IB FOLD	(Weighed Displacement as of 4/4/2009)(mtg 2/28/13, change custom rating from 135 to 123 after review of race results and structural modifications) 3										
		<b>589</b> 119			ALUMN FS			0 0	251		34.908 24.606	4 <input type="checkbox"/> 100	9 6.5	Lead	FIXED	2												
Relentless	Sydney 32	28732	81	2002	40.6 12.2	110	40.6 13.1	39.7 14.75	5.6 9.59	Yes	No		31.9 28.4	6850 2860	No 1		IB FOLD	-3 Sec/mi for OSP										
		<b>589</b> 136			ALUMN FS			0 0	349		40.29 23.4 23.4	13.1 786	10.6 6.9	Lead	FIXED	2												
Ada Helen	ace	922	96	2005	53 16.5	155	53 16.5	46.75 15.5		No	Yes	29.7 1303	43.8 36	24400 8300	No 1		IB FOLD	(Mtg 3/20/08 -6/sec/mi for OSP)(mtg 6/19/08, new larger a-sail, correct size for J, NCTR)										
		<b>588</b> 238			ALUMN MS						18	54.76 50.5 29.7	13.1 6	Lead	FIXED	3												
Drop Beer	Beneteau Class 10	18277	90	1984	37.8 12.6	150	38.6	39.7 13.9	4 8.7	Yes	No		34.2 29.6	7000 2200	0 1		IB FOLD	NEW RUDDER 3/4/95, NCTR (MTG 3/36/95)										
		<b>588</b> 123			ALUMN FS			0 0	308		36.11 22.1 22.1	12.6 665	9.9 6.8	Iron	FIXED	0												
Nightmare	Custom Wilderness 30 SX FR OB	305	111	1980	34 11.75	125		34.4 11.5	4.59 7	Yes	No		29.75 27.75	4700 1650	No 1		OB None	(-3 sec/mi for change from IB to OB, -6 sec/mi for keel change.)(mtg 2/26/15, -9 sec/mi for oversized spinnaker)										
		<b>588</b> 100			FS			0 0	233		38.75 23.25 23.25	11.75 751	8.83 5.92	Lead	FIXED	0												
Princess	Sabre 40-2	28876	75	1996	53.5 15.5	110	53.5 20.5	47.8 17	6.27 10.7	No	Yes	26.75 1205	40.17 35.25	19500 7000	No 1		IB FOLD	base rtg changed frm 69 to 72 MTG 4/8/03.										
		<b>588</b> 202			ALUMN MS			0 0	476		46.65 27.88	5 <input type="checkbox"/>	13.25 6.25	Lead	FIXED	2												



Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications	
		Sail #	DW Rating		I	J	Max Headsail	ISP	JSP	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps		IB or OB
										E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst		Prop Type
		Disp/WL Ratio			Mast Material					PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type		# of blades
						Rig Type	EY		SSF		ASM	Fixed or _o	Max Draft							
Joker	J 35	400	75	1986	46.4	125	46.4	41.5	5.43	Yes	No			35.42	10500	0	IB			
					14.7			14	9.11					30	4400	1	FOLD			
					587		ALUMN	0	348			0		11.8	Lead	FIXED	2			
					177		MS	0				<input type="checkbox"/>		6.75						
Mojo	J 35	18935	72	1983	46.4	150	46.3	41.75	5.21	Yes	No			35.42	10500	No	IB			
					14.7			14.98	8.77					30	4400	1	Feath			
					587		ALUMN		353			0		11.8	Lead	FIXED	2			
					177		MS	26.25	1006			<input type="checkbox"/>		6.9						
					26.25															
Raven	C&C 115	38108	69	2004	52.17	106	52.17	49.33	6.2	No	Yes	24.7		37.75	11800	0	IB			
					14.5			16.33	8.6		53.3	962		33	4200	1	Fold			
					587		CARBON		447		47.3	0		11.92	Lead	FIXED	2			
					149		FS				22.5	<input checked="" type="checkbox"/>	0	6.67						
Windtrip Infinity	J 92s	35	96	2006	40.68	107	44.08	38.88	5.42	No	Yes	23.25		30	5610	0	IB			
					11.48			13.95	9		48.67	878		26.7	2317	1	Fold			
					587		ALUMN		324		39.67	5.17		10	Lead	FIXED				
					134		FS				24	<input checked="" type="checkbox"/>	0	6.24						
Raven	Benteau First 35	38073	75	2001	47.24	108	51.48	45.93	5.98	Yes	No			36.32	12125	0	IB			
					13.12			14.75	10.23		51.31	14.73		30.6	3681	1	Fold			
					586		ALUMN		419		26.25	1116		12.76	Iron	FIXED				
					192		FS				25.46		<input type="checkbox"/>	7.25						
Sleeper	Olson 30 OB	59608	99	1980	36.25	150	36.26	30.33	4.33	Yes	No			30	3600	0	OB			
					11.65			10.75	7.15		35.5	11.75		27.5	1800	1	None			
					586		ALUMN		199		21.1	618		9.25	Lead	FIXED	0			
					79		MS				20		<input type="checkbox"/>	5.1						
Akula	J 105 ODR w/ 5'BS	16	78	1992	40.6	100	42.1	41.5	5.5	No	Yes	25		34.5	7750	No	IB			
					13.5		19.07	14.6	9.4		48.9	854		29.5	3400	1	FOLD			
					585		ALUMN	0	359		38.7	5		11	Lead	FIXED	2			
					137		FS	0			23	<input checked="" type="checkbox"/>		6.5						

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications				
			Built	DW Rating	I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No		Yes/No	ASF		LOA LWL	Ttl Disp.	Traps/H. Strps			IB or OB Prop Type # of blades			
										Mast Material	PY		MSA	SL			SPL	SLU			ASA	Ballast	moveable blst
Disp/WL Ratio	FS	EY	SSF	ASM	Fixed or _o	Max Draft	Ballast Mat.	Keel Type															
Crackers	J 105 ODR w/ 5'BS	581	78	2002	40.6 13.5	100	42.1 19.07	41.5 14.5	5.5 9.4	No	Yes	26.2 859	34.5 29.5	8664 3400	0 1	IB Fold							
		<b>585</b> 153			ALUMN FS				358			5 0	11 6.5	Lead	FIXED								
FUGU	Wilderness 30 SX FR IB	67967	120	1980	34.08 11.75	150	34.1 11.8	34.44 11.5	4.37 7.48	Yes	Yes	20.36 603	29.75 27.75	4200 1900	0 1	OB None 0	(Mtg 11/20/08, -6 sec/mi for replacing inboard with outboard engine)						
		<b>585</b> 89			ALUMN FS				236			0 0	8.75 5.5	Lead	FIXED								
Jarlen	J 35	28528	72	1990	46.333 14.583	150	46.3	41.416 14	5.43 9.11	Yes	No		35.42 30	10500 4400	No 1	IB FOLD 2							
		<b>585</b> 177			ALUMN MS			0 0	347			0	11.67 6.75	Lead	FIXED								
Nantucket Sleighride	J 105 ODR w/ 5'BS	414	78	2001	40.6 13.5	100	42.1 19.07	41.5 14.5	5.5 9.4	No	Yes	25 863	34.5 29.5	7750 3400	0 1	IB Fold 2							
		<b>585</b> 137			ALUMN FS				358			5 0	11 6.5	Lead	FIXED								
Russian Roulette	J 105 ODR w/ 5'BS	85	78	1995	40.6 13.5	100	42.1 19.07	41.5 14.5	5.5 9.4	No	Yes	25 854	34.5 29.5	7750 3400	0 1	IB Fold 2							
		<b>585</b> 137			ALUMN FS				358			5.5 0	11 6.5	Lead	FIXED								
Sweet Okole	Custom Farr 36	29000	78	1976	42.049 12.35	155	42.049	44.54 16	5.9 10	Yes	No		36 31.33	9696 3750	No 1	IB FOLD 2	(78 MTG 1/28/93) (81 MTG 3/18/93)(Mtg 5/22/08, +3 sec/mi for switching to smaller headsail, +3 sec/mi for removing 250# shoe from keel, change custom rating from 81 to 87)(6/7/10, change headsail to 155% 2 sec/mi change rating						
		<b>585</b> 143			ALUMN FS			0 0	416			0	11.88 7	Lead	FIXED								
Dragonsong	Olson 30 OB	87014	99	1982	36 11.75	155	35.9 11.67	31.5 10.75	4.364 7.268	Yes	No		30 27.5	3600 1800	No 1	OB None 0							
		<b>584</b> 79			ALUMN MS			0 0	208			0	9.33 5.08	Lead	FIXED								

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop		Modifications			
			Built	J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps	IB or OB Prop Type # of blades					
									DW Rating	Mast Material	SL	SPL						SLU		ASA	Ballast	moveable blst
Hot Betty	Olson 30 OB	67537	99	1979	36 11.75	155	35.9 11.67	31.5 10.75	4.364 7.268	Yes	36	11.75	Yes	21 630	30 27.5	3600 1800	No 1	OB None 0				
			<b>584</b> 79		ALUMN MS		0 0	208		21.16 21.16	635	36.2 21.1	0 <input checked="" type="checkbox"/>	9.33 5.08	Lead	FIXED						
Javelin	J 105 ODR w/ 5'BS	394	78	2001	40.6 13.5	100	42.1 19.07	41.5 14.5	5.5 9.4	No	40.6 13.5	100	Yes	25.5 957	34.5 29.5	8697 3400	0 1	IB Fold				
			<b>584</b> 154		ALUMN FS			358					5 0 <input checked="" type="checkbox"/>	11 6.5	Lead	FIXED						
Kai Ola	Jeanneau Sun Odyssey 379	0	105	2011	46.67 13.58	132	46.67	44.58 13.92	5.4 9.1	Yes	46.67 13.58	132	No	0 0	37.17 36 12.33 6.33	14771 3914 Steel	0 1 FIXED	IB Fixed_3	(Mtg 5/25/17, -3 sec/mi for oversized spinnaker)			
			<b>584</b> 144		ALUMN MS			372					<input type="checkbox"/>									
Red Cloud	Farr 36 Mod	99	87	1976	38.3 12.16	108	46.3 12.16	41 16.75	6.4 10.9	Yes	38.3 12.16	108	No	0	36 31.33 11.92 6.16	10430 3950 Lead	No 1 FIXED	IB Fold 2	(550# ADDED TO KEEL 300# TO FILL MIDDLE WINDOW+250# TO BOTTOM)(Mtg 1/26/12, -3 sec/mi for new mainsail)(mtg 3/29/12, +3 sec/mi after review of rating appeal, as sailed: 87)			
			<b>584</b> 154		ALUMN FS			410					<input type="checkbox"/>									
Warpath	Olson 30 OB	198	99	1982	36 11.75	150	35.9 11.67	31.5 10.75	4.364 7.268	Yes	36 11.75	150	No	0	30 27.5 9.33 5.08	3600 1800 Lead	No 1 FIXED	OB None 0				
			<b>584</b> 79		MS			208					<input type="checkbox"/>									
Junkyard Dog	J 109 ODR	168	72	2004	46.5 13.3	105	49 18.83	43.25 15.5	5.88 10	No	46.5 13.3	105	Yes	27.75 1160	35.25 30.5	10900 3900	No 1	IB FOLD				
			<b>583</b> 175		ALUMN FS			398					5.5 0 <input checked="" type="checkbox"/>	11.5 7	Lead	FIXED	2					
La Viajera	J 109 ODR	46480	72	2004	46.5 13.3	105	49.6 18.8	43.25 15.5	5.89 10.07	No	46.5 13.3	105	Yes	27.75 1160	35.25 30.5	10900 3900	0 1	IB Fold				
			<b>583</b> 175		ALUMN FS			399					5.5 0 <input checked="" type="checkbox"/>	11.5 7	Lead	FIXED	2					

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications			
		Sail #	DW Rating		I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No		Yes/No	ASF		LOA LWL	Ttl Disp.	Traps/H. Strps			IB or OB Prop Type # of blades		
										PY	MSA		SL	SPL			SLU	ASA			Ballast	moveable blst
Disp/WL Ratio	Mast Material	Rig Type	EY	SSF	ASM	G	Fixed or _o	Max Draft	Ballast Mat.	Keel Type												
Makanani	Ultimate 24 ODR	3	111	2003	28.04 7.82	110	30.8 14.5	31 11.35	6.35 9.18	No	Yes	21.3 36 27.8 21.3	24.38 21.17 8.48 5.52	2040 750 Lead	0 1 FIXED	OB None						
Max	Ultimate 24 ODR	2	108	2002	28.04 7.82	110	30.8 14.5	31 11.35	6.81 9.18	No	Yes	21.3 35.5 27.8 21.3	24.38 21.17 8.48 5.52	2040 750 Lead	0 1 FIXED	OB None						
Quantum	Beneteau 405 TM	0	90	1986	52.17 14.83	155	52.17	46.26 15.09	4.76 8.74	Yes	No	14.8 1142	40.42 35.5 12.75 7.19	18518 7694 Iron	0 1 FIXED	IB Fold						
X TA C	Olson 29	18457	99	1986	34 11	155	36	32.42 11.42	4.59 7.66	Yes	No	11.25 574	29.67 27.5 9.33 5.25	3900 1900 Lead	No 1 FIXED	OB None 0	RUDDER REPLACED W/MORE 30 - CHANGE NOTED NCTR.					
For Pete's Sake	Ultimate 24 ODR	28469	111	2003	28.04 7.82	102	30.8 14.5	31 11.5	5.5 8.8	No	Yes	22.2 36 30.6 20.9	24.38 21.17 8.48 5.52	2040 750 lead	No 1 FIXED	OB None						
Tupelo Honey	Elan 40	28908	69	2004	48.89 14.21	105	50.05 14.21	48.82 17.23	5.58 10.09	Yes	No	14.15 1045	39.04 34.07 12.55 7.87	17600 5621 LeadSteel	No 1 FIXED	IB FOLD 2						
Advantage 3	J 105 ODR w/ 5'BS	84	78	1994	40.6 13.5	100	42.1 19.07	41.5 14.5	5.5 9.4	No	Yes	25.5 49 38.6 26.4	34.5 29.5 11 6.5	7750 3400 Lead	No 1 FIXED	IB FOLD 2						

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
			Built	ISP	I	J	Max Headsail	ISP	P	MGU	Yes/No	Yes/No	ASF		Ttl Disp.	Traps/H. Strps	IB or OB	
			DW Rating	JSP	Mast Material			E	MGM	SL	SPL	SLU	ASA		Ballast	moveable blst	Prop Type	
			Disp/WL Ratio		Rig Type			PY	MSA	SSMG	SSA	SLE	Sprit Lngth		Ballast Mat.	Keel Type	# of blades	
								SSF		ASMG	Fixed or _o							
Bullet	Express 37	40311	72	1985	48.75 14.33	155	48.75	42	5.3	Yes	No	37.08	11000	No	IB			
								13.75	8.83	48	14.33	30.83	4600	1	FOLD			
								0	344	25.79	1032	11.57	Lead	FIXED	2			
								0		25.79		7.25						
											<input type="checkbox"/>							
Dream	Sceptre 41	12	129	1983	53 17.67	90	53	47	5.24	Yes	No	41	21500	0	IB			
								13	8.73	53	17.67	36	8700	1	Fold			
										29.5	1290	12.67	Lead	FIXED				
										28		6.08						
											<input checked="" type="checkbox"/>							
Elan	Express 37	87700	72	1985	48.75 14.33	155	48.75	42	5.28	Yes	No	37.083	11000	No	IB			
								13.75	8.83	48	14.33	30.833	4500	1	FOLD			
								0	344	25.79	1032	11.57	Lead	FIXED	2			
								0		25.79		7.25						
											<input type="checkbox"/>							
Godot	J 105 ODR w/ 5'BS	28905	78	1992	40.6 13.5	95	42.1 19.07	41.5	5.5	No	Yes	34.5	7750	No	IB			
								14.6	9.4	49.54	958	29.5	3400	1	FOLD			
								0	359	38.55	5	11	Lead	FIXED	2			
								0		26.8	<input checked="" type="checkbox"/>	6.5						
Lightwave	J 105 ODR w/ 5'BS	319	78	2000	40.6 13.5	100	42.1 19.07	41.5	5.5	No	Yes	34.5	7750	No	IB			
								14.5	9.4	49.4	947	29.5	3400	1	FOLD			
								0	358	38.5	5	11	Lead	FIXED	2			
								0		26.6	<input checked="" type="checkbox"/>	6.5						
Mamaluc	J 105 ODR w/ 5'BS	265	78	1999	40.6 13.5	100	42.1 19.07	41.5	5.5	No	Yes	34.5	7750	No	IB			
								14.5	9.4	49.42	962	29.5	3400	1	FOLD			
								0	358	39.76	5	11	Lead	FIXED	2			
								0		25.88	<input checked="" type="checkbox"/>	6.5						
Punk Dolphin	Custom Wylie 38	18481	72	1985	48 14.33	150	48	43	5.58	Yes	No	38	14000	No	IB			
								14	9.55	48	14.33	31	5000	1	FOLD			
								0	369	25.8	1026	11.6	Lead	FIXED	2			
								0		25		6.75						
											<input type="checkbox"/>							

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications	
		Sail #	DW Rating		I	J	Max Headsail	ISP	JSP	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps		IB or OB
										E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst		Prop Type
		Disp/WL Ratio			Mast Material					PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type		# of blades
							EY		SSF		ASM	Fixed or _o	Max Draft							
Savoir Faire	Beneteau 42 IK	28735	90	1984	52.82	145	52.82	46.59	5.4	Yes	No			42.92	20900	No	IB	PER MTG 8/14/97		
					16.73			14.6	9.35			53	16.73	36	7920	1	FEATH			
			<b>581</b>		ALUMN			0	401			30.183	1355	12.75	Iron	FIXED	2			
			204		MS			0						7.25						
Vuja Star	J 105 ODR w/ 5'BS	181	78	1998	40.6	100	42.1	41.5	5.5	No	Yes	29.5		34.5	8733	0	IB			
					13.5		19.07	14.5	9.4		Yes	958		29.5	3400	1	Fold			
			<b>581</b>		ALUMN				358		39.8	5.5		11	Lead	FIXED	2			
			155		FS						24.8	<input checked="" type="checkbox"/>	0	6.5						
Hylite	Hylas 49 SM	49	111	2007	57.42	130	57.42	51	4.5	No	Yes	28.67		48.83	35000	0	IB	(Mtg 1/26/17, Custom rating of 111 assigned)		
					19.5		19.5	18.5	9.17		60	1214		39.5	14500	1	Fold			
			<b>580</b>		ALUMN				470		55.33	0		14.25	Lead	FIXED				
			258		CTR						24.42	<input checked="" type="checkbox"/>	0	6						
Lindo	J 109	195	69	2005	46.5	155	49	43.3	5.89	No	Yes	27.75		35.25	10900	0	IB			
					13.3		18.8	15.5	10.07		56.33	1160		30.5	3900	1	FOLD			
			<b>580</b>		ALUMN				400		45.63	5.5		11.5	Lead	FIXED	2			
			175		FS						27.2	<input checked="" type="checkbox"/>	0	7						
Ohana	Beneteau 45F5	38023	63	1991	53.15	100	55.15	55.4	7.06	Yes	No			44.11	26500	0	IB	(Mtg 12/1/11, -6 sec/mi for new keel)		
					15.08		16	18.58	12.08					36.9	8500	1	FEATH			
			<b>580</b>		ALUMN				613		52.49	15.08		14.1	Lead	FIXED	3			
			240		FS						27.14	1187		7.9						
											27.14		<input type="checkbox"/>	0						
Sea Ghost	Beneteau 42 IK	68222	90	1984	52.82	155	52.82	46.5	5.4	Yes	No			42.92	20900	0	IB	DOUBLE HEADRAIL, HYDRALIC BACKSTAY PER MTG 8/14/97		
					16.73			14.6	9.35					36.25	7920	1	FOLD			
			<b>580</b>		ALUMN			0	400			30.1	1352	12.75	Iron	FIXED	2			
			199		MS			0				32.6		7.25						
Tiki Blue	Beneteau 423	38423	105	2005	48.65	125	48.65	43.44	5.49	Yes	No			41.67	20224	No	IB			
					16.52		16.52	14.83	9.6					38.58	5569	1	FOLD			
			<b>580</b>		ALUMN				381			29.7	1199	12.92	Iron	FIXED	3			
			160		MS							28.69		6.92						
												<input checked="" type="checkbox"/>	0							

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications		
		Sail #	DW Rating		I	J	Max Headsail	ISP	JSP	P	MGU	Yes/No	Yes/No		ASF	Ttl Disp.			Traps/H. Strps	
										E	MGM	SL	SPL		SLU	ASA			Ballast	moveable blst
		Disp/WL Ratio			Mast Material					PY	MSA	SSMG	SSA		SLE	Sprit Lngth			Ballast Mat.	Keel Type
				Rig Type			EY		SSF		ASM	Fixed or _o								
Nina	Olson 29	27	99	1987	34	155	36	32.5	4.5	Yes	No			29.67	3700	0	OB			
					11			11.5	7.27			34	11.25	27.5	1950	1	None			
					ALUMN			0	222			20.25	574	9.33	Lead	FIXED	0			
					FS			0				<input type="checkbox"/>		5.58						
Pegasus - Motion X	J 100 ODR MOD	1197	69	2005	38	95	43	38	5.32	No	Yes	23.3		32.8	7250	No	IB	(Mtg 2/26/09, -3 sec/mi for adding sprit)(mtg 1/21/10, additional -3 sec/mi for lengthening sprit to 4.13')(Mtg 1/27/11, -6 sec/mi for increased "e")(Mtg 1/26/11, shortened J, boat rigged for sheeted ceiling NCTBY1/22/17		
					12.7		15.63	15.3	9.32			47.8	861	29	2500	1	FOLD			
					CARBON				332			39.1	4.13	9.3	Lead	FIXED	2			
					FS							23.9	<input checked="" type="checkbox"/>	5.8						
Roxanne	Tartan 4100 SD TM	322	90		57	135	57	50.1	6.8	No	Yes	27		41.3	20400	0	IB			
					15		15	18	11.5			58.9	1285	35.9	8000	1	Feath			
					ALUMN				533			53	0	13.6	Lead	FIXED				
					MS							27.7	<input checked="" type="checkbox"/>	5.4						
Timber Wolf	Farr 38-1 C&B Marine	67519	75	1980	43.91	155	47.9	44.83	6.7	Yes	No			38.32	12000	0	IB	(REDUCED MGM, ADDED 6" TO RUDDER LENGTH -NOTED NCTR-2/15/01)(-3 sec/mi for oversized spinnaker)		
					13.36			17.91	11.6			48	14.67	30.9	4100	1	FOLD			
					ALUMN			0	476			26.4	1056	11.97	Lead	FIXED	2			
					FS			0				26.4		6.39						
Insolent Minx	Melges 24	725	84	2008	27.85	100	31.85	28.75	3.83	No	Yes	20.67		24	1750	0	OB			
					7.98		12	12.42	7.09			38	577	22	650	1	None			
					CARBON				195			32.9	0	8.2	Lead	CNTRBRD				
					FS							19.23	<input checked="" type="checkbox"/>	5.25						
Mintaka 4	Farr 38	18441	81	1979	43.67	125	46.2	44.9	6.8	Yes	No			38.25	11850	No	IB	(2002-removed dinette stbrd, add bench seat w/55 gal fuel tank, original was 12.5. Rudder replaced 12" longer, 4" narrower. Changes noted mtg 1/17/02, NCTR)(removed short pole, changed spinnakers, 1/12/04)(Mtg 1/24/12, new stem		
					13.67			17.9	11.6			44.13	14.5	31.17	4100	1	FOLD			
					ALUMN			0	478			26.07	948	12	Lead	FIXED	2			
					FS			0				24.6		6.33						
Wayward Wind	Baltic 38 DP	87258	96	1983	52.25	155	52.25	46.25	4.53	Yes	No			38.08	14330	0	IB			
					15.82			13.75	8.2			53.21	15.8	31.5	6512	1	Fold			
					ALUMN				357			28.4	1525	12.34	Lead	FIXED				
					MS							58.4		7.25						

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications			
				DW Rating	J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.			Traps/H. Strps moveable blst		
									SL	SPL	SLU	ASA							Ballast Mat.	Keel Type
									SSMG SSF	SSA	SLE ASMG	Fixed or _o								
Eclipse	Express 37	18495	72	1985	48.75 14.33	155	48.75	42	5.28	Yes	No	37.08 30.83 11.57 7.25	11000 4500 Lead	0 1 FIXED	IB FOLD 2	Rudder modification noted, no change to rating. (Actual weight from yard 11200 - 9500 was design displacement. No mods from standard express 27.) 3/26/01				
		<b>577</b> 171		MS							<input type="checkbox"/>									
Escapade	Express 37	18051	72	1985	48.75 14.33	155	48.75	42	5.28	Yes	No	37.08 30.83 11.57 7.25	11000 4500 Lead	No 1 FIXED	IB FOLD 2					
		<b>577</b> 171		ALUMN MS							<input type="checkbox"/>									
Expeditious	Express 37	18478	72	1986	48.75 14.33	155	48.75	42	5.28	Yes	No	37.08 30.83 11.57 7.25	11000 4500 Lead	No 1 FIXED	IB FOLD 2	INSTALED NEW CLASS-APPROVED CARBONFIBER RUDDER - MTG 6-12-2000 NCTR.				
		<b>577</b> 171		ALUMN MS							<input type="checkbox"/>									
Golden Moon	Express 37	18488	72	1985	48.75 14.33	155	48.75	42	5.37	Yes	Yes	37 30.83 11.57 7.25	11000 4500 Lead	No 1 FIXED	IB FOLD 2					
		<b>577</b> 171		ALUMN MS							29.5 1034 0 90									
Mudshark	Express 37	28052	72	1986	48.75 14.33	155	48.75	42	5.28	Yes	No	37.08 30.83 11.57 7.25	11000 4500 Lead	No 1 FIXED	IB FOLD 2					
		<b>577</b> 171		MS							<input type="checkbox"/>									
Phat Jack	Express 37	18257	72	1985	48.75 14.33	150	48.75	42	5.25	Yes	No	37.08 30.83 11.57 7.25	11000 4500 Lead	0 1 FIXED	IB FEATH 2					
		<b>577</b> 171		ALUMN MS							<input type="checkbox"/>									
Rufless	Melges 24	445	84	1999	27.85 7.95	100	31.85 12	28.9 12.45	3.83 7.09	No	Yes	24 22 8.17 5.25	1783 650 Lead	0 1 CNTRBRD	OB None 0					
		<b>577</b> 76		CARBON FS					196		20.67 577 0 0									



Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
		Sail #	DW Rating		I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	LOA LWL Max Beam Max Draft	Ttl Disp.	Traps/H. Strps		IB or OB Prop Type # of blades		
									Ballast	moveable blst					Ballast Mat.	Keel Type			
																		SSMG	
Stewball	Express 37	18278	72	1985	48.75 14.33	150	48.75	42 13.75	5.28 8.83	Yes	No	37.083 30.833 11.57 7.25	11000 4500 Lead	0 1 FIXED	IB FOLD 2				
Jaybird	J 133 CM	52443	24	2004	57 17.25	100	60.4 24	54 18.6	7 12	No	Yes	38.08 30.25 11.8 6.8	16900 6850 Iron	0 1 FIXED	IB Fixed_2				
Mirthmaker	A 35	18250	69	2007	44.22 13.45	90	51.06	44.94 14.66	5.42 8.88	Yes	Yes	34.7 30.47 11.6 6.88	9810 4367 Lead	0 1 FIXED	IB Fold 2	(Mtg 5/20/10, custom rating of 60 assigned, would like a copy of ORR Certificate)(mtg 6/15/10, change custom rating from 60 to 63 based on further clarification of boats configuration)(Mtg 10/27/16, change custom rating from 63 to 60 after			
Gratitude	Hylas 46	60373	102	2002	58.4 17.7	135	58.4 17.7	50.6 18	4.6 9.6	No	Yes	46.3 40 13.9 6.6	27777 12347 Lead	0 1 FIXED	IB Feath 3				
Willow	Wauquiez 40s Centurion	38300	69	2004	51.5 14.17	110	51.5	49.21 19.3	7.3 12.5	Yes	Yes	41.17 36.4 12.66 7.75	18960 6085 Lead	No 1 FIXED	IB FEATH 3	(mtg 3/18/10, -3 sec/mi for oversized a-sail.)(mtg 1/27/11, - 3 sec/mi for added sprit)			
Dr Feelgood	Olson 29	24	99	1986	34 11	155	36	32.5 11.5	4.36 7.48	Yes	No	29.67 27.5 9.33 5.58	3600 1950 Lead	0 1 FIXED	OB None				
Trex	Sunsail F40 ODR (Beneteau F40)	1007	54	2012	52.69 15.09	105	56.54 17.06	51.15 17.65	6.53 11.42	No	Yes	40.15 35 12.76 8.04	17437 6609 Lead	0 1 FIXED	IB Fold 2				

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications		
			Built	J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.		Traps/H. Strps	IB or OB Prop Type # of blades				
									DW Rating	Mast Material					SL		SPL		Ballast	moveable blst
Vera Cruz	Sunsail F40 ODR	1003	54	2012	52.69 15.09	105	56.54 17.06	51.15 17.65	6.53 11.42	No	Yes	30.32 1200	40.15 35	17437 6609	0 1	IB Fold				
			<b>571</b> 185		ALUMN FS				534			1.98 0	12.76 8.04	Lead FIXED		2				
Basic Instinct	Custom Elliott 10.50	8123	72	1993	41 12.5	125	45.6 13.9	44.2 17.5	8.5 12	No	Yes	29.4 1192	34.42 31.83	10220 3000	No 1	IB FOLD	(mtg 3/19/09, changed to smaller headsail, +3 sec/mi, & larger mainsail, -6 sec/mi, change rating from 66 to 63)(Mtg 10/21/09, new smaller headsail, still with large headboard. Change mainsail penalty from 6 sec/mi to 2 sec/mi)			
			<b>570</b> 144		ALUMN FS			0 0	497		1198	0	12.08 7	Lead FIXED		2				
Flight Risk	Thompson 650	650	102	2000	26.67 8.86	100	28.25 14.86	28.29 10.4	5.7 8	No	Yes	20.58 586	22.3 19.8	1692 660	Yes 3	OB None	(mtg 1/21/10, weighed displacement of 1692lbs updated, NCTR)(Mtg 3/18/10, change custom rating from 108 to 99)(Mtg 8/18/10, submitted appeal, rating changed from 99 to 102)			
			<b>570</b> 99		CARBON FS				204			7.87	8.16 5.9	Lead FIXED						
Argo	Beneteau 40.7 First Farr	46933	54	1999	51.61 14.47	105	51.61 14.47	48.85 17.72	6.72 11.51	Yes	No		39.33 34.83	15211 5950	0 1	IB Feath				
			<b>569</b> 164		ALUMN FS				515			0 0	12.33 7.75	Lead FIXED		2				
Everlong	Beneteau 40.7 First Farr	51705	54	2002	51.61 14.47	104	51.61 14.47	48.85 17.72	6.73 11.51	Yes	Yes		39.33 34.83	15211 5950	0 1	IB FOLD				
			<b>569</b> 164		ALUMN MS			0 0	515			0	12.33 7.75	Lead FIXED		2				
Imagine	Davidson 44 MOD	77220	57	1980	49.92 15.38	125	50.33	58.3 18.33	6.9 12.8	Yes	No		44 38.5	24410 7000	No 1	IB FOLD	(Mtg 4/27/17, custom rating of 57 assigned)			
			<b>568</b> 194		ALUMN FS			0 0	652			0	13 7.6	Lead FIXED		3				
Encore	Sydney 36 CR	3632	57	2006	45.6 14	104		44.36 16.4	6.1 10.6	No	Yes	28.9 1283	36.06 31.04	12897 4850	No 1	IB FOLD	(Australian IRC Rating 1.052)(Mtg 8/23/12, change custom rating from 54 to 57)			
			<b>565</b> 196		ALUMN FS				431			1.4 90	11.32 7.55	Lead FIXED		2				

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
		Sail #	DW Rating		I	J	Max	IS	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	IB or OB		
					Headsail	Material	JSP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type		
		Disp/WL Ratio	Rig Type		PY	MSA	SSMG	SSA	SLE	Sprit	Lngrh	Max Beam	Ballast Mat.	Keel Type	# of blades				
		EY	SSF	ASM	G	Fixed	or	_o	Max Draft										
Hot Socks	Figaro II	27	48	2004	42.75	104	42.75	42.67	7	Yes	No	0	32.18	6724	0	IB			
					12.42			15.42	11				32	2425	1	Fold			
					564	CARBON			422			0	11.33	LeadWater	FIXED				
					93	FS					<input type="checkbox"/>	0	6.5						
Jeannette	Custom Frers 40 IOR 1 Tonner	40646	63	1986	47.2	100	13.7	51.48	7.13	Yes	No		39.5	11918	0	IB	(mtg 5/31/07 custom rating changed from 63 to 60 based on performance data)(Mtg 8/27/15, change custom rating back to 63 after review of race results)		
					13.7			18.76	12.19				33	6000	1	FOLD			
					562	ALUMN			575			0	12.6	Lead	FIXED	2			
					151	FS					<input type="checkbox"/>	0	8.1						
Salt Peanuts	Custom Dees GP 26	18	78	2008	29.35	130	36.43	32.42	5.58	No	Yes	20.41	25.72	2340	0	OB	(mtg 2/18/10, change custom rating from 75 to 78)(3/28/12, New Rudder Noted)		
					8.07		14.32	12.63	8.69		43.5	626	21.22	1100	1	None			
					562	CARBON			258		31.76	6.23	8	Lead	FIXED	0			
					111	FS					19.85	<input checked="" type="checkbox"/>	0						
Benny	J 88	79169	81	2014	38.67	100	46	36.82	5.44	No	Yes	29	29.19	4990	0	IB			
					11.28		18.05	12	8.4		47.83	1022	26.84	1840	1	Fold			
					561	CARBON			282		40.84	5.25	8.5	Lead	FIXED				
					117	FS					27.32	<input checked="" type="checkbox"/>	0						
Courageous	J 88	77	81	2015	38.67	104	46	36.82	5.44	No	Yes	29	29.19	4990	0	IB			
					11.28		18.05	12	8.4		47.83	1022	26.84	1840	1	Fold			
					561	CARBON			282		40.84	5.25	9.5	Lead	FIXED				
					117	FS					27.32	<input checked="" type="checkbox"/>	0						
Inconceivable	J 88	9	81	2013	38.67	104	46	36.82	5.44	No	Yes	29	29.19	4990	0	IB			
					11.28		18.05	12	8.4		47.83	1022	26.84	1840	1	Fold			
					561	CARBON			282		40.84	5.25	9.5	Lead	FIXED				
					117	FS					27.32	<input checked="" type="checkbox"/>	0						
Juno	J 88	20	81	2014	38.67	105	46	36.82	5.44	No	Yes	29	29.19	4990	0	IB			
					11.28		18.05	12	8.4		47.83	1022	26.84	1840	1	Feath			
					561	CARBON			282		40.84	5.25	9.5	Lead	FIXED				
					117	FS					27.32	<input checked="" type="checkbox"/>	0						



Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications					
			Built	J	Max	ISP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp. Traps/H. Strps		IB or OB								
									JSP	E				MGM	SL		SPL	SLU		ASA	LWL	Ballast	moveable blst	# of blades
Disp/WL Ratio	Mast Material	Rig Type	EY	SSFF	ASMG	Fixed or _o	Max Draft																	
Alchera	J 120 Mod	28870	51	2001	50.5	125	52	46.5	6	No	Yes	34	40	13900	No	IB	Modifications for offshore singlehanding: Smaller spinnaker and main, 2 extra winches at helm, 3 additional gel batteries, dodger boss widened and all control lines led to cockpit, radar pole, veltran MHN jib. (Mtg 2/21/09, +3 sec/mi for small)							
					14.5		21.55	17.57	10.57		57.96	1407	35	6000	1	FOLD								
			<b>554</b>		CARBON		0	463			49.99	7	12	Lead	FIXED	2								
			147		FS		0				30.6	<input checked="" type="checkbox"/>	7											
Q	Custom Schumacher 40	28901	54	2001	47	105	47	47.5	6.75	Yes	No		40	10166	No	IB								
					14.67			18.35	11.75				31.5	4528	1	FOLD								
			<b>554</b>		CARBON		0	513				0	11	Lead	FIXED	2								
			148		FS		0					<input type="checkbox"/>	7.6											
Xtreme	Hobie 33 ODR	18170	90	1984	33.83	125	36.25	35	4.75	Yes	No		33	4000	No	OB								
					12.4			12.5	8				30.5	1800	1	None								
			<b>553</b>		ALUMN		0	260				0	8	Lead	FIXED	0								
			64		FS		0					<input type="checkbox"/>	5.42											
Vitesse Too	Hobie 33 ODR	87112	90	1983	33.8	125	36.8	35	4.75	Yes	No		33	4000	No	OB	Extended rudder 10", NCTR							
					12.4			12.4	8				30.5	1800	1	None								
			<b>552</b>		ALUMN		0	259				0	8	Lead	FIXED	0								
			64		FS		0					<input type="checkbox"/>	5.5											
Soiree	Beneteau Oceanis 49 SD	38776	87		59.75	135	59.75	51.67	4.7	No	Yes	29.41	49.5	30517	0	IB	Electric Winches (Mtg 10/27/16, +3 sec/mi for In-mast furling mainsail)							
					18.42		18.42	18.33	9.3		55.73	1210	43.67	480	1	Feath								
			<b>551</b>		ALUMN				480		50.72	0	14.75	Iron	FIXED									
			167		FS						26.75	<input checked="" type="checkbox"/>	5.75											
Phantom	J 44	28844	21	1990	60.606	120	60.416	53.53	7.3	Yes	Yes	27	44.75	23838	No	IB								
					17.08			19.41	12.5				38.58	9000	1	Feath								
			<b>550</b>		ALUMN		0	615			59.65	17.08	13.67	Lead	FIXED	3								
			189		MS		0				30.7	1526	8.14											
Turbo Camper	Hobie 33 ODR MOD	87574	84	1984	33.28	155	36.5	35	4.75	No	Yes	23	33	4200		OB	(Mtg 3/29/12, -3 sec/mi for displacement changes)							
					12.4		13.13	12.5	8.1				30.5	1900	1	None								
			<b>550</b>		ALUMN		0	261			37	13.13	8	Lead	FIXED	0								
			67		FS		0				23.6	728	5.42											
								23.6			23	<input type="checkbox"/>	90											

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications			
			Built	DW Rating	I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No		Yes/No	ASF		LOA	Ttl Disp.	Traps/H. Strps		IB or OB	Prop Type		
										SL	SPL		SLU	ASA			LWL	Ballast			moveable blst	# of blades
PY	MSA	SSSF	SSA	SLE	Fixed or _o	Max Draft																
Wasabi	JPK 1080	38103	63		46.66 14.17	100	51.51 19.09	46.2 15.48	5.84 9.61	No	15.32	Yes		35.43 30.84 11.98 7.22	10692 4740 Steel	0 1 FIXED	IB Fold					
			<b>550</b> 166		CARBON FS				419				<input type="checkbox"/>	0 90								
Sweetspot	C&C 121 DK W/5' BS	46921	60	2000	57 15	135	57 20	51 16.386	6.19 10.6	No		Yes	36 63.8 55.6 37.5	1851 5	40 35.5 13.8 8	14100 5500 Lead	No 1 FIXED	IB FOLD 2	Deep Keel-bowsprit, (Mtg 4/24/08, rating appeal submitted, change base rating for C&C 121 DK w/ 5' BS, aka C&C 121 XP, to 60)			
Void Star	Santa Cruz 40	59995	45	1982	52 16	135	52 18.67	45.5 14	5.2 8.58	No	50 28.33 28	16	1178	48.32 27.13	33.62 1238 0 0	40 36 12 7	12500 5000 Lead	0 1 FIXED	IB FEATH 2	(Mtg 10/22/15, -6 sec/mi for 20% increase in JSP)(4/6/16, +3 sec/mi for non-articulating spinnaker)		
Acey Deucy	J 44	97659	21	1989	60.606 17.08	155	60.416	53.51 19.41 0 0	7.3 12.5 615	Yes	59.8 30.8 30.8	17.085 1535	Yes	27 1379 1 0	44.83 38.58 13.67 8.14	22770 9000 Lead	0 1 FIXED	IB FOLD 2	Electric Winches			
Ebb Tide	Wauquiez 45s Centurion	60245	57	2003	55.77 17.72	100	55.77 17.72	51.84 19.32	6.51 11.68	Yes	55.59 31.9 30.62	17.72 1466	Yes	32.25 1541 0	45.92 40.25 13.67 8.17	23148 8488 Lead	0 1 FIXED	IB Fold 3	(Mtg 5/26/11, Increased "JSP" by 5.67' which equals a 30% increase. - 9 sec/mi per NCPHRF Rules & Guidelines.)(Mtg 3/29/12, JSP now same as J+9 sec/mi, Asymmetrical spinnaker still oversized, -3 sec/mi)			
Jamani	J 120 ALUM	52879	48	2002	50.5 14.5	155	52 21.5	46.5 17.8	6.7 11.5	No		Yes	34 64 50 37	1729 7 0	40 35 12 7	13900 6000 Lead	0 1 FIXED	IB FOLD 2				
Quiver	Custom Nelson Marek 36	28669	45	1999	43.85 12.5	105	51.9 14.57	45.75 16.47	6.56 10.66	Yes	50.39 26.21 26.21	14.57 1101	Yes	26.24 1221 1.5	35.6 29.32 10.3 7.6	7725 3255 Lead	No 1 FIXED	IB FOLD 2	(mtg 6/15/10, added lead shoe to keel, -3 sec/mi, change custom rating from 48 to 45)(Mtg 2/29/12, added sprit equal to SPL, NCTR)			

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications							
			Built	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF		LOA	Ttl Disp.	Traps/H. Strps		IB or OB							
										DW Rating	Mast Material		E	MGM			SL	SPL			SLU	ASA	LWL	Ballast	moveable blst	Prop Type
Disp/WL Ratio	Rig Type	EY	SSF	ASM	Fixed or _o	Max Draft																				
Chance	J 120 ALUM	28484	51	2001	50.5 14.5	100	52 21.5	46.3 17.8	6.7 11.5	No	Yes	34.1 1765	40 35	13900 6000	No 1	IB FOLD										
			<b>541</b> 147		ALUMN FS		0 0	489			50.6 37.65	7 <input type="checkbox"/>	12 7	Lead	FIXED	2										
Twist	J 120 ALUM	28442	48	2000	50.5 14.5	150	52 21.5	46.5 17.8	6.75 11.5	No	Yes	34.1 1764	40 35	13900 6000	No 1	IB FOLD										
			<b>541</b> 147		ALUMN FS		0 0	492			50.6 37.65	7 <input checked="" type="checkbox"/>	12 7	Lead	FIXED	2										
Divine Wind	Olson 40	69069	45	1983	50 15.75	150	51.21 15.8	44 14.25	5.5 9.29	Yes	No		40.33 36	10500 5500	0 1	IB Feath										
			<b>540</b> 102		ALUMN MS			376			50.17 28.35 28.35	15.75 1185	11.25 6.5	Lead	FIXED	2										
Frequent Flyer	Mumm/Farr 30	52	54	1996	38.2 10.9	104	44.9 13.58	40.5 14.6	6.42 10.4	Yes	Yes	25.25 882	30.9 27.6	4561 1997	0 1	IB Fold										
			<b>540</b> 99		CARBON FS			377			25.25 24.67	934	10.1 6.9	Lead	FIXED											
Jet Stream	Custom JS 9000	9045	60	2003	27.08 9.5	87	30.25 15.5	30.84 10.171	6.07 8.17	No	Yes	21.8 561	29.9 27.9	2425 1543	0 1	OB None	(Mtg 1/22/09, custom rating of 78 assigned)(Mtg 8/19/10, -9 sec/mi for adding 3' sprit, -3 sec/mi for increased spinnaker area, Original rating of 78 contained a 3 sec error, rating should have been 75, change custom rating to 62/7/07/17. New									
			<b>540</b> 51		CARBON FS			226			35.8 30.1 20.1	3 <input checked="" type="checkbox"/>	5.7 6.8	Lead	FIXED	0										
Peregrine	J 120 Carbon	25487	45	2001	50.5 14.5	150	52 21.5	46.5 17.8	6.76 11.57	No	Yes	35.1 1776	40 35	13900 6000	0 1	IB Fold										
			<b>540</b> 147		CARBON FS			493			52.5 36.96	7 <input checked="" type="checkbox"/>	12 7	Lead	FIXED	2										
Saetta	J 120 ALUM	28486	48	1999	50.5 14.5	153	52 21.5	46.5 17.8	6.75 11.5	No	Yes	37.6 1793	40 35	13900 6000	No 1	IB FOLD										
			<b>540</b> 147		ALUMN FS			0 0	492		51.8 36.42	7 <input checked="" type="checkbox"/>	12 7	Lead	FIXED	2										

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications			
		Sail #	DW Rating		I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No		Yes/No	ASF		LOA LWL	Ttl Disp.	Traps/H. Strps			IB or OB Prop Type # of blades		
										PY	MSA		SL	SPL			SLU	ASA			Ballast	moveable blst
Disp/WL Ratio	Mast Material	Rig Type	EY	SSF	ASM	Fixed or _o	Max Draft	Ballast Mat.	Keel Type													
Afterburner	Synergy 1000	1001	45	1999	40.75 12	110	45.75 16.4	42 15.5	6.99 11.03	No	Yes	26 1089	32.83 29.17	4600 1850	0 1	IB Feath						
			<b>538</b> 84		CARBON FS				417			4.3 0	9.75 7	Lead FIXED		2						
Hokulani	J 120 ALUM	43	48	1996	50.42 14.42	155	50.42 21.42	46.42 17.67	6.58 11.42	No	Yes	37.8 1777	40 35	13900 6000	0 1	IB Fold						
			<b>538</b> 147		ALUMN FS				486			0 0	12 7	Lead FIXED								
Nadja Delphine	X-41	0	15	2009	55.9 16.11	106	58.63	53.31 18.04	6.82 11.61	Yes	No		40.52 35.07	14109 6019	0 1	IB Fold	Electronic winches					
			<b>537</b> 149		CARBON FS				570			0 0	11.94 8.2	Lead FIXED								
Skinny Love	11 Metre ODR	92	69	1996	32.53 10.166	95	41	36.08 13.583	5.23 8.82	Yes	No		33.67 26.92	3600 1600	No 1	OB None	MTG 4/9/98. Sail number 90, using sail # 246 for Vallejo 2008					
			<b>536</b> 84		ALUMN FS			0 0	293			0	8.67 5.42	Lead FIXED		0						
Rustler	Esse 850	71	75		32.8 10	105	37.72 16.2	34.4 11.97	6.23 8.85	No	Yes	24.3 779	28 28	3000 1540	0 1	IB Fold	Outboard replaced with inboard saildrive (Mtg 2/28/13, custom rating assigned, as sailed: 75)					
			<b>535</b> 62		ALUMN FS				277			6.05 0	7.25 6.6	Lead FIXED								
Spirit of Freedom	J 124	38006	27	2006	49 14	155	54.7 15.4	48.4 17		Yes	Yes	32.6 1243	40.7 36.2	12600 5000	No 1	IB FOLD	(mtg 4/22/10, -3 sec/mi for OSP, -3 sec/mi for ability to square back pole)					
			<b>535</b> 121		CARBON FS							0 0	11.3 6.9	Lead FIXED		2						
Swift Ness	J 111	101	36	2014	48.37 13.85	105	51.4 20.08	45.17 14.5	6.1 10.1	No	Yes	31.8 1404	36.5 32.7	9300 3500	0 1	IB Fold						
			<b>534</b> 121		CARBON FS				410			6.3 0	10.8 7.2	LeadSteel FIXED								



Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
		Sail #	DW Rating		I	J	Max	ISP	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB	
					Headsail	Material	JSP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst		Prop Type	
		Disp/WL Ratio			Rig Type		PY	MSA	SSMG	SSA	SLE	Sprit	Lngrh	Max Beam	Ballast Mat.	Keel Type	# of blades		
				EY		SSF		ASM	Fixed	_o	Max Draft								
Symmetry	J 111	91	36	2013	48.37 13.85	105	51.4 20.08	45.17 14.45	6.16 10.1	No	Yes	31.1 1399	36.5 32.7	9300 3500	0 1		IB Fold		
		<b>534</b> 121			CARBON FS				410		48.88 31.1	6.3 <input checked="" type="checkbox"/> 0	10.8 7.2	LeadSteel	FIXED				
Bustin Loose	Sydney 38 MH	38044	21	2002	54 14.9	104	52.03 14.77	50.53 18.046	6.85 11.73	Yes	Yes	27.69 1116	38.6 35.3	12250 5140	0 1		IB FOLD		
		<b>533</b> 127			ALUMN FS			0 0	543	30.12 30	1422	48.33 25.49	0 <input checked="" type="checkbox"/>	12.4 8.8	Lead	FIXED	2		
Bad Dog	J 111	103	36	2011	48.37 13.85	105	51.4 20.08	45.7 14.5	6.1 10.1	No	Yes	31.86 1433	36.5 32.7	9300 3500	0 1		IB Fold		
		<b>532</b> 121			CARBON FS				414		48.88 31.86	6.3 <input checked="" type="checkbox"/> 0	10.8 7.2	LeadSteel	FIXED				
Sapphire	Synergy 1000	38008	48	2004	40.8 12	125	45.75 16.4	42 15.5	5.86 10.03	No	Yes	28 1172	32.83 29.17	4400 1850	No 1		IB FOLD	(Mtg 10/22/15, +3 sec/mi for smaller than class mainsail)	
		<b>532</b> 81			CARBON FS				387		46.2 28.8	4.3 <input type="checkbox"/> 0	9.75 7	Lead	FIXED	2			
Anais	Hanse 505	61019	45	2014	64.16 19.16	100	65 20	58.6 20	6.55 11.87	No	Yes	38.52 2151	49 44.4	36000 8300	0 1		IB Feath		
		<b>530</b> 187			ALUMN FS				655		64.11 38.35	1.5 <input checked="" type="checkbox"/> 0	15.6 7.7	Lead	FIXED				
Blue	Swan 53-2	61522	30	2012	71.96 19.52	105	73.84 19.53	65.88 21.98	7.64 13.38	No	Yes	38.89 2214	54.07 47.24	54482 22400	0 1		IB Fold	(Mtg 3/23/17, -3 sec/mi for ability to fly a-sail on a squared back pole)	
		<b>530</b> 235			CARBON MS				826	19.43	67.09 36.72	0 <input type="checkbox"/> 90	15.58 12.14	Lead	CNTRBRD				
Six Brothers	Columbia C 30-2	32006	57	2013	36.67 12.67	103	42 17.67	38 14.67	7.77 10.64	No	Yes	31.5 1145	32 27	4500 1900	0 1		IB None		
		<b>529</b> 104			ALUMN FS				374		42.05 29.43	0 <input checked="" type="checkbox"/> 0	10.13 7.42	Lead	FIXED				

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications						
			Built	J	Max	ISP	P	MGU	Yes/No		Yes/No		LOA	LWL	Ttl Disp.	Traps/H.	IB or OB	Prop Type	Modifications						
									JSP	E	MGM	SL								SPL	SLU	ASA	Ballast	moveable blst	# of blades
Disp/WL Ratio	Mast Material	SSSF	SSA	SLE	Fixed or_o	Max Draft	Ballast Mat.	Keel Type	# of blades																
Chance	Farr 395	39528	27	2002	51.25 14	105	56.33 20.36	50 18.42	7.54 12.53	No	Yes	33.46 62.6	39.33 34.5	12500 4600	No 1	IB FOLD									
		<b>528</b> 138			CARBON FS		0 0	567			52.49 33.79	6.36 <input checked="" type="checkbox"/>	12.08 7.83	Lead	FIXED	2									
Outsider	Azzura 310	1000	57	1996	35.35 11.55	110	43.33 21.57	38.75 13.25	6.68 10.5	No	Yes	30.1 47.01	30.75 27.4	4850 2100	No 1	OB Fixed_3		6 FT ARTIC. RETRAC BOWSPRIT. MTG 3/28/96 (RATED 66) (CHNG NOTED 4/18/96-NO CHNGE RTNG. (2/13/96 FM 66 TO 60.)( MTG 11/13/97 FM 60 TO 57)MTG 2/12/98 FM 57 TO 63 (MTG 4/9/98) Inboard SailDrive removed and replaced with							
		<b>525</b> 107			CARBON FS		0 0	352			39.7 32.7	6 <input type="checkbox"/>	10 7.2	Lead	FIXED	3									
Captain Sluggo	Hobie 33	77870	54	1982	34.7 12.2	105	42.3	38.1 13.5	6 9.6	No	Yes	25.6 44.6	33 30.4	4532 1800	0 1	OB None		(Meeting 4/27/17, Custom rating assigned: 54)							
		<b>524</b> 73			CARBON MS			328			42.4 25.6	0 <input type="checkbox"/>	8 5.4	Lead	FIXED										
Ragtime	J 90 MOD	50090	54	1998	35.6 10.5	125	43.1 18	38.85 14.5	5.51 9.42	No	Yes	26.25 47	30 27	3400 1595	No 1	OB FOLD		(Mtg 4/28/11, -3 sec/mi for increased "P", + 3 sec/mi for smaller asymmetrical)(Mtg 1/26/12, removed saildrive, added OB, -3 sec/mi)(1/24/13, new rudder noted, NCTR)(Mtg 10/26/17, +3 sec/mi for smaller mainsail, +2 sec/mi for							
		<b>524</b> 79			CARBON FR		0 0	336			40.1 22.95	7.5 <input checked="" type="checkbox"/>	8.5 6.5	Lead	FIXED	2									
Albion	J 124	14	27	2007	49 14	145	54.7 19.43	48.4 17	6.4 11	No	Yes	32.74 60.53	40.7 36.2	12600 5000	0 1	IB Fold		(Mtg 2/23/17, -6 sec/mi for asymmetric spinnaker modifications)							
		<b>522</b> 121			CARBON FS			488			51.51 32.74	3.83 <input checked="" type="checkbox"/>	11.33 7	Lead	FIXED										
CentoMiglia	Flying Tiger 10 Meter	15	57	2006	39.284 12.126	105	45.282 19.134	40.167 14.895	5.25 9.12	No	Yes	27.493 51.541	32.68 30.31	4376 1918	No 1	OB None		(3/7/11, new class rudder installed, NCTR)(Mtg 8/24/17, +3 sec/mi for small girth mainsail)							
		<b>521</b> 71			CARBON FS			344			42.651 27.76	7.008 <input checked="" type="checkbox"/>	9.12 7.61	Lead	FIXED	3									
Zsa-Zsa	1D 35	35017	36	1999	42.49 12.52	110	44.78	44.46 18.58	7.55 12	Yes	No		35 31.5	6500 2600	No 1	IB Feath									
		<b>520</b> 95			CARBON FS			0 0	498		26.5 26.5	1104 <input type="checkbox"/>	10.75 7.6	lead	FIXED	2									

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications		
			Built	J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps	IB or OB Prop Type # of blades			
									DW Rating	Mast Material	SL SPL SSMG SSF	SPL SSA				SLU SLE ASMG			Ballast	moveable blst
Ardea	Custom Nelson/Marek 50	42616	21	1989	59.92 17.59	100	59.92 17.59	65.19 24.08	9.35 15.98	Yes	Yes	31.6 1526 0 90	49.8 38.55 14.86 9.32	22145 12627 Lead	0 1 FIXED	IB Fold	(Mtg 8/28/15, custom rating of 21 assigned)			
Dark & Stormy	1D 35	35018	30	1998	42 12.47	110	44.8 17.39	44 19	7.5 12	No	Yes	31.4 1236 4.92 0	35 31.5 10.9 7.58	6550 2660 Lead	0 1 FIXED	IB FOLD 2	Fixed bow sprit, using Asymmetrical spinnaker(mtg 3/20/08, -9 sec/mi for oversized spinnaker, +3 sec mi for not being able to articulate pole, as sailed: 30)			
Alpha Puppy	1D 35	35024	30	1999	42.49 12.52	110	44.78	44.46 18.58	7.5 12	No	Yes	31.4 1238 4.9 0	35 31.5 10.75 7.6	6500 2600 lead	No 1 FIXED	IB FOLD 2	6/13/11, boat now in same configuration as B-Line. Added 4.9' bowsprit and oversized spinnaker. -9 sec/mi for oversized asymmetric spinnaker, +3 sec/mi for inability to articulate sprit			
Wild 1	Flying Tiger 10 Meter ODR	41	54	2007	39.284 12.126	105	45.282 19.134	40.167 14.895	6.463 10.499	No	Yes	27.493 1087 7.008 0	32.68 30.31 9.12 7.61	4376 1918 Lead	0 1 FIXED	OB None 3				
Gentoo	Soto 30	1	36	2012	38.25 12.25	102	38.67 19.83	38.67 13.58	5.83 8.83	No	Yes	26.25 968 7.7 0	30 28.75 9.58 6.5	3800 1415 Lead	0 1 FIXED	OB None	(Mtg 9/16, -3 sec/mi for larger mainsail)			
Divine Wind	Flying Tiger 10 Meter ODR	30	54	2007	39.28 12.12	105	45.28 19.134	40.16 14.89	6.463 10.5	No	Yes	27.49 1087 7 0	32.65 30.31 9.15 7.62	4900 1918 Lead	0 1 FIXED	OB None 0				
Elusive	Swan 42 Club	4216	9	2007	59.07 16.44	106	62.99 19.05	56.56 19	7.1 12.5	Yes	Yes	34.8 1808 2.6 0	42.59 38.15 12.8 9	17158 6988 Lead	0 1 FIXED	IB Fold 2	(Mtg 2/25/16, +3 sec/mi for decrease in Spinnaker Area, +6 sec/mi for decreased JSP, -3 sec/mi for articulation, -3 sec/mi for switch to larger headsail)(06/09/17, switching back to stock configuration)			

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop		Modifications
			Built	J	Max Headsail	ISP	P	MGU	Yes/No	Yes/No	ASF	Ttl Disp.	Traps/H. Strps		IB or OB				
			DW Rating	Mast Material	E	MGM	SL	SPL	SLU	ASA	Ballast	moveable blst	Prop Type						
			Disp/WL Ratio	Rig Type	PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Ballast Mat.	Keel Type	# of blades						
Freedom	Beneteau 523	38333	54	2006	65.22 20.77	105		59.09 18.53	6.39 11.04	No	Yes	35.519 1854 2 0	53.08 47.92 16 7.5	32800 10935 Iron	No 1 FIXED	IB FOLD 3	Bow Thruster, in-mast furling, above deck jib furler; (Mtg 8/17/06 - +6 s/m for small girth main); electric winches added 1/29/07 (Mtg 3/28/13, +3 secmi for 8% decrease in mainsail area)		
Surprise	Custom Schumacher 46	28098	6	1997	57 17	160	63	57 19.75	7.5 12.8	Yes	Yes	37.23 1681 0 90	46 40.63 12.92 7.75	18300 8000 Lead	No 1 FIXED	IB FOLD 2	(MTG 4/9/98)(mtg 2/20/04)		
Wet Corvette	Melges 30	103	36	1994	36.85 10.59	150		38 15.49		No	Yes	8.4 90	30 28.6 9.1 7	3800 1750 Lead	0 1 MVBL	IB FOLD 2			
Wildcard	Santa Cruz 37	37005	27	2009	47.1 13.4	107		47 17	6.4 11	No	Yes	33.3 1534 5.6 0	37 34.75 10.64 7.5	8662 3730 Lead	0 1 FIXED	IB FOLD 2	(Mtg 1/26/16, new keel box & rudder noted, NCTR)		
Trois Amis	Screamer 12 Meter MOD	194	36	1985	44.58 15.75	140	44.58	41 14.2	5.3 9.2	Yes	No	0 0	39.37 32.5 10.33 7.67	6000 1350 Lead	0 1 FIXED	OB None	(mtg 3/23/17, custom rating of 36 assigned)		
CaZan	DK 46	61046	-21	2001	61.94 17.85	126	70.54 19.849	63.55 21.95	8.2 14.21	Yes	No	33.56 1822 0 0	46.26 40.52 13.45 9.84	22439 9480 Lead	0 1 FIXED	IB Fold	(Mtg 5/25/17, custom rating assigned. As Sailed: -21)		
Family Hour, TNG	Henderson 30	46595	48	1997	37 11	155	42.3 17.8	38.2 14	6.74 10.62	Yes	Yes	31.9 1223 6.2 15	30.83 27.75 9.84 7	3850 1750 Lead	0 1 FIXED	OB None 0	Kelp Cutter		

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications										
			Built	DW Rating	J	Max	Head	ISP	P	MGU	Yes/No		SLU		ASA	Ttl Disp.	Traps/H.		Strps	IB or OB								
											Mast Material	JSP									E	MGM	SL	SPL	ASF	Ballast	moveable blst	Prop Type
Disp/WL Ratio																												
Astra	Farr 40 ODR MH	40079	0	2000	53.2	105	53.12	54.8	7.29	Yes	No		40.75	10917	No	IB												
					15.5			19.4	12.47			60.69	35.27	5079	1	FOLD												
		<b>502</b>			CARBON			0	629			34.39	13.22	Lead	FIXED	2												
		<i>113</i>			MS			0			<input type="checkbox"/>	34.44	8.53															
Angel	J 130 DK AM	46079	15	1993	57	155	58.5	52.5	7.03	No	Yes	39.5	42.6	15500	0	IB												
					16.5		23.5	18.5	12.02		73	2195	38.17	6450	1	Feath												
		<b>498</b>			ALUMN				578		59.05	7	12.67	Lead	FIXED													
		<i>127</i>			FS						40	<input checked="" type="checkbox"/>	8.5															
Bright Hour	Farr 40 ODR MH	50092	0	2001	53.15	0	50.04	54.8	8.49	Yes	No		40.7	10902	0	IB												
					15.45		17.06	19.36	13.77			60.69	35.3	4960	1	Fold												
		<b>498</b>			CARBON				674			34.39	13.2	Lead	FIXED													
		<i>113</i>			FS						<input checked="" type="checkbox"/>	34.44	8.53															
Twisted	Farr 40 ODR MH	40046	0	1999	53.15	105	50.04	54.8	8.49	Yes	No		40.7	10902	0	IB	(Mtg 12/1/11, interior mods for IRC, smaller mainsail: NCTR)(Mtg 5/24/12, switching to MH ODR configuration)											
					15.45		17.06	19.36	13.77			60.69	35.3	4960	1	FOLD												
		<b>498</b>			CARBON				674			34.39	13.2	Lead	FIXED	2												
		<i>113</i>			FS						<input type="checkbox"/>	34.44	8.53															
Don't Panic	C&C 30 Mills	30026	36	2016	40.8	105	46.74	41.7	7	No	Yes	31.5	30	3995	0	IB												
					11.28		18.6	14.2	10		52.9	1283	28.7	1579	1	Fold												
		<b>495</b>			CARBON				386		46.1	7	9.8	Lead	FIXED													
		<i>77</i>			FS						31	<input checked="" type="checkbox"/>	7.5															
Tiburon	C&C 30 Mills	11	36	2014	40.8	105	46.74	41.8	7	No	Yes	31.5	30	3995	0	IB												
					11.28		18.6	14.2	10		52.9	1284	28.7	1579	1	Fold												
		<b>495</b>			CARBON				387		46.16	7	9.8	Lead	FIXED													
		<i>77</i>			FS						31	<input checked="" type="checkbox"/>	7.5															
Zamazaan	Custom Farr 52	3883	21	1978	70.4	135	70.4	65.2	8.82	Yes	No		52.19	25391	No	IB	RTG W/USYRU AGE ALLOWANCE IOR RTG W/USYRU AGE ALLOWANCE R=44.9 (1987) 18/24 AS PER PHRF MTG 4/20/95. SHORTENED MAST 6.15 FEET FROM TOP, REDUCED MAINSAIL AREA FROM 24/27 MTC 8/10/95											
					18.51		18.51	23.2	15.08			69.78	47.26	9679	1	FOLD												
		<b>492</b>			ALUMN			0	900			39.44	15.45	Lead	FIXED	2												
		<i>109</i>			MS			0			<input type="checkbox"/>	39.44	8.79															

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
		Sail #	DW Rating		I	J	Max Headsail	ISP	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB	
								JSP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type	
		Disp/WL Ratio			Mast Material			PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades		
Bodacious +	1D 48	48005	-15	1996	57.7	155	68.3	61.3	9.84	Yes	Yes	30.1	48.3	19743	0	IB	Water ballast system not operational (mtg 8/19/08, custom rating assigned of -30, includes dual spinnakers)(Mtg 3/24/11, new smaller mainsail, smaller symmetrical, change custom rating from -30 to -24)(Mtg 8/19/11)		
					16.7		16.7	22.5	14.66		66.7	16.7	40.2	8818	1	Fold			
											33.1	1834	14.2	Lead	FIXED	2			
											32.6		10.1						
Lotus	Vismara 50	0	-39	2008	65.5	106	72.01	65.62	7.32	No	Yes	35.6	50.2	24912	0	IB	(Mtg 8/24/17, Custom rating assigned: -39)		
					17.95		23	20.34	13.67		75	1926	46.42	9259	1	Fold			
											64.6	0	14.1	Lead	CNTRBRD				
											32.5	0	9.84						
Deception	Santa Cruz 50	97263	-6	1987	61.8	155	61.8	55	7.1	Yes	Yes	32.9	50	17500	0	IB	ELPT Keel & OS/Spinnaker; Has a Code 0 headsail aboard - tacked to stem, no sprit (Mtg 5/26/16, -3 sec/mi for oversized mainsail)(Mtg 6/23/16, change rating back to -6)		
					18.3		18.3	18.4	12		61.7	18.3	46	8000	1	FOLD			
											34.2	1758	12	Lead	FIXED	2			
											34.2		8						
California Condor	Class 40	94	6	2010	53.9	104	58.6	53.21	11.71	No	Yes	39.7	40	12225	0	IB	Short-Handed Bay Configuration		
					15.65		23.85	18.81	14.38		64.53	1623	39.17	4710	1	Fold			
											55.77	8.2	14.7	Lead	FIXED	2			
											30.54	0	9.84						
Rufless	Melges 32 MOD	174	30	2007	40.86	105	48.3	44.05	6.95	No	Yes	31.3	31.84	4200		OB	(mtg 2/23/17, no longer using the class spinnaker. +3 sec/mi for small asymmetric)		
					10.7		18.7	15.49	11.14		54	1203	28.5	1600	1	None			
											46.2	8	9.83	Lead	FIXED				
											28.2	0	7						
OAXACA	Santa Cruz 50	8927	-12	1982	61.48	155	61.22	54.75	6.08	Yes	No	36.5	50.23	17374	0	IB	(Mtg 5/26/16, -6 sec/mi for oversized ASA)		
					18.88		20.65	16.98	10.67		61.2	20.65	46.67	8000	1	Fold			
											36.6	1867	12	Lead	FIXED				
											36.6		7.91						
Emily Carr	Santa Cruz 50	49211	-6	1981	61	150	61	55	6.4	Yes	No		53	15000	No	IB	3' SUGAR SCOOP ON TRANSOM IF STD 50FT LOA OF BOAT		
					19			17	11		61	18.92	46.5	7500	1	FOLD			
								0	555		34	1718	12	Lead	FIXED	2			
								0			33		8						

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications							
			Built	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF		LOA	Ttl Disp.	Traps/H. Strps		IB or OB							
										DW Rating	Mast Material		E	MGM			SL	SPL			SLU	ASA	LWL	Ballast	moveable blst	Prop Type
EY	SSF	ASM	G	Fixed or _o	Max Draft																					
						Hana Ho	Santa Cruz 50	77007	-12	1980	61.39	155	61.5	54.92	6.5	Yes	Yes	35.9	52	18000	0	IB	(Mtg 5/26/11, +3 sec/mi for interior changes)(2/24/12, interior changes removed, boat is back to standard weight for a SC 50)(Mtg 5/25/17, New Rudder, NCTR. -3 sec/mi for OSP, -3 sec/mi for oversized spinnaker area)			
			<b>478</b>		18.85		20.73	16.98	11.1		60.9	20.73	46	8000	1	Feath										
			<b>84</b>		ALUMN			0	558		33.75	1713	12	Lead	FIXED	3										
					MS			0			33.75		7.75													
Horizon	Santa Cruz 50	18926	-15	1982	61.7	145	61.7	55.2	7.15	No	Yes	36.4	50.23	18844	0	IB	(Mtg 6/16/08, -6 sec/mi for oversized spinnaker, -3 sec/mi for oversized main)									
			<b>475</b>		18.43		20.3	19	12.05		66	1880	46.906	8000	1	FOLD										
			<b>83</b>		ALUMN				618		59.6	0	12.02	Lead	FIXED	2										
					MS						35.8	<input type="checkbox"/>	7.988													
Kuai	Melges 32 ODR	211	27	2006	40.86	105	48.3	44.05	6.95	No	Yes	31.82	31.84	4200	0	OB										
			<b>475</b>		10.7		18.7	15.49	11.14		55.75	1344	28.5	1600	1	None										
			<b>82</b>		CARBON				438		46.9	8	9.83	Lead	FIXED											
					FS						31.31	<input checked="" type="checkbox"/>	7													
Racer X	Farr 36 ODR	6	9	2006	46.78	110	54.82	49.93	8.53	No	Yes	36.279	36.1	6744	No	IB										
			<b>473</b>		13.19		21.06	18.63	12.965		61.384	1751	32.8	3078	1	FOLD										
			<b>87</b>		CARBON				592		55.052	7.35	11.72	Lead	FIXED	2										
					FS						36.049	<input checked="" type="checkbox"/>	8.5													
Wicked Sister	Farr 36 ODR	3	9	2004	46.78	110	54.82	49.93	8.53	No	Yes	36.28	36.1	6745	0	IB										
			<b>473</b>		13.19		21.06	18.63	12.96		61.38	1751	32.8	3076	1	Fold										
			<b>87</b>		CARBON				592		55.05	7.36	11.72	Lead	FIXED											
					FS						36.05	<input checked="" type="checkbox"/>	8.5													
Lucky Duck	Custom Santa Cruz 52	28729	-30	2001	64.14	155	64.6	57.5	8.76	Yes	Yes	40.91	53	22544	0	IB	(Mtg 8/23/12, Custom Rating Assigned, -21 as sailed)(Mtg 5/23/13, weighed displacement added)(Mtg 3/27/14, New Rudder, -3 sec/mi for OSP, -6 sec/mi for 10%+ increase in spinnaker area. No penalty for keel/displacement									
			<b>471</b>		18.95		22.5	21	14.22		67.29	22.5	46.25	8000	1	Fold										
			<b>104</b>		CARBON				745		40.55	2254	14	Lead	FIXED	2										
					MS						38.74		9													
Tyr	J 125	52125	-12	2000	49	155	52	46.5	6.79	No	Yes	39.3	41	8350	0	IB										
			<b>471</b>		14.8		23.4	18	11.65		62.17	23.4	37	4646	1	Fold										
			<b>75</b>		CARBON				497		52.49	0	10.6	Lead	FIXED	2										
					FS						38.09	<input checked="" type="checkbox"/>	7.9													

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull	Displacement/Keel		Engine/Prop	Modifications
			Max Headsail		ISP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB		
			J		JSP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type			
			Mast Material			PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades			
			Disp/WL Ratio		Rig Type	EY		SSFF	ASMG	Fixed or _o	Max Draft							
Can't Touch This	J 125	93204	-12	1999	49 15	155	52.1 23	47 18	6.8 11.6	No		Yes 61.3 52.3 41	41 37 10.6 7.9	9330 4646 Lead	0 1 FIXED	IB FOLD 2	(Mtg 2/26/09, -3 sec/mi for oversized main girths)(3/9/09, corrected main girths, removed -3 sec/mi penalty)(Mtg 8/24/17, -6 sec/mi for oversized LP, -3 sec/mi for oversized genoa luff)(10/23/17, switching back to standard LP)	
Velvet Hammer	Schock 40	51507	-12	2000	42.5 13.6	104	49.5 20.58	44.4 16.8 0 0	7.2 11.8 470	No		Yes 60 49 31.685	33.92 1459 7 0	40 35 10 8	7914 1800 Lead	No 2 MOVABL	OB None 0	(mtg 10/21/09, switched to 104% headsail, from 150%, smaller girths on mainsail. Change custom rating from -18 to -12)
Danger Zone	Taylor 32	4128	-24	1994	40 10.7	100	19.4	37.1 14.3	9.5 11.6 395	No		Yes 43.35 36.3 24.6	26.52 829 0 0	32 28.9 14.8 5.6	1962 551 Lead	1 CNTRBRD	OB None	
Leglus	Ohashi 52	2480	-6	1986	49.26 16.387	149	62 21.92	57.578 21.325	8.103 13.517	No		Yes 70.6 63.6 38	34.8 2089 3.792 0	52.5 50.06 12.6 11.36	15017 5.952 Lead	0 1 FIXED	IB FOLD 2	(mtg 10/21/09 assigned custom rating of -39)(Mtg 3/24/16, +3 sec/mi for no spinnaker articulation, change custom rating from -36 to -6)
Buona Sera	Santa Cruz 70	41104	-81	1986	73.15 22.52	155	73.63	65.49 25.39	9.12 15.72	No		Yes 79.07 68.31 40.95	40.06 2504 0 45	68.9 60.4 15.1 10.62	24905 8960 Lead	0 1 FIXED	IB Fold	(Mtg 8/27/15, New rudder noted, -9 sec/mi for new keel)(Mtg 3/23/17, -6 sec/mi for 13% increase in SPL, -3 sec/mi for increase in spinnaker area, +3 sec/mi for decrease in mainsail area)
Catapult	Santa Cruz 70	41005	-84	1989	73.34 22.19	155	73.74 25.26	66.11 24.67	9.3 15.75	No		Yes 76.8 67.9 38.9	39.1 2348 0 0	68 59.7 15.1 10	23847 9000 Lead	0 1 FIXED	IB Fold	(Mtg 5/25/17, Custom rating assigned. As Sailed: -84)
Zephyrus	Riechel/Pugh Turbo 77	69011	-99	1997	85.37 35	128	94.94 35	87.34 30.5	11.5 19.2	No	35	Yes 103.41 88.35 56.66	56.1 4518 0 0	77.67 65.2 14.78 14.12	31939 12300 Lead	0 1 FIXED	IB FOLD 2	(mtg 8/27/09, -6 sec/mi for new oversized jib. Changed custom rating from -126 to -132)(Mtg 4/26/12, New pintop mainsail, change custom rating from -132 to 129)(Mtg 8/23/12, change custom rating from -126 to -99 after review)



Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
		Sail #	DW Rating		I	J	P	MGU	Yes/No	Yes/No	LOA	Ttl Disp.	Traps/H.	IB or OB				
					Max	Head	E	MGM	SL	SPL	LWL	Ballast	moveable blst	Prop Type				
		Disp/WL Ratio			sail		PY	MSA	SSMG	SSA	Max Beam	Ballast Mat.	Keel Type	# of blades				
				JSP				Max Draft										
Invisible Hand	Pac 52	5202	-102	2016	66	101	76	69.23	10.96	No	Yes	44.7	52	15700	0	IB		
					20.5		29.5	22.98	15.76		29.5	85.5	50	8360	1	None		
		<b>402</b>			CARBON							71.7	14.5	Lead	FIXED			
		57			FS							45.5	11.8					
												<input type="checkbox"/>	90					
Merlin	Custom Lee 68	8955	-87	1977	71.96	146	74.35	66.87	11	No	Yes	48.05	68.6	24363	0	IB	(Mtg 4/27/17, custom rating assigned: -81)(Mtg 5/25/17, -3 sec/mi for larger headsail, -3 sec/mi for increased J. New custom rating: -87 as sailed)	
					22.5		30.4	27.5	18		30.4	87.51	64	10484	1	FOLD		
		<b>392</b>			CARBON			0	1109			83.44	12.17	Lead	FIXED	2		
		42			MS			0				42.34	10.65					
												<input type="checkbox"/>	90					
Adagio	CAL 25-2 OB			216	1979	33		28	3.9	No	No		29.25	4500	0	OB		
						11	150	9.5	6.5				22	2000	1	None		
					ALUMN							0	9	Lead	FIXED			
		192			MS							<input type="checkbox"/>	0					
													4.5					
Akialoa	J 35	28435	75	1989	46.33	120	46.3	41.42	5.43	No	No		35.42	10500	No	IB		
					14.58			14	9.11				30	4400	1	FOLD		
					ALUMN			0	347			0	11.67	Lead	FIXED	2		
		177			MS			0				<input type="checkbox"/>	6.75					
All Hail	Catalina 34 TM	524	144	1988	46	130	45.9	40.5	4.8	No	No		35.66	12000	0	IB		
					13.5		13.5	12	8				29.84	5000	1	Fold		
					ALUMN				296			0	11.75	Lead	FIXED			
		205			MS							<input type="checkbox"/>	5.56					
Alpha	Sonar 23	498	174	1990	23	100		27.5	1.23	No	No		23	2100	n	OB		
					8.25			11.17	7.3				19.92	900	1	None		
					ALUMN				156			0	7.8	Lead	FIXED			
		121			MS							<input type="checkbox"/>	3.92					
Amandla	Catalina 34 1&2	796	147	1988	46	130		38.5		No	No		35.75	11950	0	IB		
					13.5			12					29.8	5000	1	FOLD		
					ALUMN							0	11.75	Lead	FIXED	3		
		205			MS							<input type="checkbox"/>	5.6					

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications	
		Sail #	DW Rating		I	J	Max	Headsail	ISP	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps		IB or OB
									JSP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst		Prop Type
		Disp/WL Ratio			Mast Material				PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades		
					Rig Type	EY		SSF		ASMG	Fixed or _o	Max Draft								
Apogee	Islander 36 Freeport	36	162	1978	46.75 16.75	150		42	5	No	No			35.9 27.6 12 5.3	17000 7030 Lead	0 1 FIXED	IB Fold			
Aquadisiac	Newport 30-3	38075	174	1985	40 12.5	155	40	34	3.8	No	No			30.5 26.5 10.67 5.17	8500 2600 Lead	0 1 FIXED	IB Fold 2			
Arby	Colgate 26	212	159	2004	27.75 8.25	105	27.75	29.75	4.3	No	No			25.7 20 8.5 4.5	2600 1040 Lead	0 1 FIXED	OB Fixed_3 3	Non Spinnaker configuration		
Avalon	Catalina 30	6138	183	1992	41 11.416	120	41	35	4.63	No	No			29.92 25 10.83 5.25	10200 4200 Lead	0 1 FIXED	IB Fold 2			
Blue Passion	tartan 3400	7134	114	2006	46 13.67	95	49.67 13.67	43	4.58	No	No			34.42 30.42 11.92 6.5	10800 3500 Lead	0 1 FIXED	IB Fold			
Blue Ribbon	Catalina 27 IB	343	213	1975	34.5 11.25	120		28.7	3.5	No	No			26.83 21.75 8.83 4	6850 2650 Lead	0 1 FIXED	IB Fixed_3 3			
Blue Ribbon II	Catalina 270 IB	38087	207	1994	33.58 9.25	135	33.58	28.42	4.67	No	No			27 23.75 9.83 5	6400 2000 Lead	0 1 FIXED	IB Fixed_2 2			

Boat Name	Boat Model (Type)	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
		Sail #	Built	I	J	Max Headsail	ISP	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB	
		DW Rating		Mast	Material	JSP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst		Prop Type	
		Disp/WL Ratio		Rig Type		PY	MSA	SSMG	SSA	SLE	Sprit	Lngrh	Max Beam	Ballast Mat.	Keel Type		# of blades	
Blue Zephyr	Jeanneau Sun Odyssey 42 DS	108	2010	51.58		150		48.82	3.55	No	No		42.42	19676	0	IB	(mtg 4/27/17, +3sec/mi for in-mast furling, +3 sec/mi for MGM < 50% of E)	
				16.25				14.6	6.9			38	5628	1	Fixed_3			
		163		ALUMN							0	13.5	Iron	FIXED				
Borealis	Gulf 39 PH	77135	129	50		128		42	4.83	No	No		38.83	17500		IB		
				16.17				13.75	8.58			33.67			1	Fold		
		208		ALUMN							0	12	Iron	FIXED				
				MS							0	5						
BZ	Sonar 23	174		23		100		27.5	1.23	No	No		23	2100	No	NONE		
				8.25				11.17	7.3			19.92	900	1	None			
		121		ALUMN							0	7.8	Lead	FIXED				
				FS							0	3.92						
Califia	Islander 36 ODR	67074	144	45		135	45	39.25	3.69	No	No		36.08	13450	0	IB		
				14.48				12.75	6.88			28.25	5450	1	Feath			
		271		ALUMN							0	11.17	Lead	FIXED	2			
				MS							0	6.08						
Ciao Bella	Beneteau 37	38	117	45.833		105		43.5		No	No		37.666	14008	0	IB		
				15				12.9				34.75	3902	1	FOLD			
		152		ALUMN							0	12.833	Iron	FIXED	3			
				FS							0	6.25						
Circlesea	Folkboat	125	252	21.99		100	10.17	28.71	4.42	No	No		25.08	4640	0	OB		
				6.56				11.15	7.33			19.82	2315	1	None			
		271		WOOD							0	7.26	Iron	FIXED	0			
				MS							0	3.92						
Crane Wife	Fuji 32 KTH	0	252	36.25		148		29.08	3.8	No	No		31.5	13115	0	IB		
				14.75				11.21	5.96			29	4635	1	Fixed_3			
		244		ALUMN				18.25	177			9.83	Iron	FIXED				
				KTCH				8			0	3.66						

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
				J Max Headsail Mast Material Rig Type	P E PY EY		MGU MGM MSA	Yes/No		Yes/No		Ttl Disp. Ballast		Traps/H. moveable blst	IB or OB Prop Type # of blades			
								SL	SPL	SLU	ASA					Ballast Mat.		Keel Type
Daseins Den	Dana 24	#####	246	1987	34 12.25 ALUMN CTR	120	28.25 10.75	3 5.85 160	No	No	<input type="checkbox"/>	0 0	24.16 21.42 8.58 3.83	7400 3100 Lead	0 1 FIXED	IB Fixed_2		
Dulcinea	Catalina 38	88	117	1981	49.83 15.5 ALUMN MS	130	49.8 15.5	44 11.5 304	4.37 7.6	No	No	<input type="checkbox"/>	0 0	38.17 30.25 11.83 6.75	15900 6850 Lead	0 1 FIXED	IB Fold 2	
Ecco	CAL 39-2/3	115	117	1980	50 16.7 ALUMN MS	125	50	44 13.75 351	5 8.5	No	No	<input type="checkbox"/>	0 0	39 32.1 12.15 6.7	17000 7000 Lead	0 1 FIXED	IB Feath	
Enchante'	Beneteau 42 IK TM	63222	84	1985	55.43 16.73 ALUMN MS	155	55.71	49.2 14.6 0 0	4.8 8.5 400	No	No	<input type="checkbox"/>	0	43.67 36 13.83 7.19	20509 8700 Iron	No 1 FIXED	IB FOLD 2	
Endless Summer	Catalina 42-1/2 WK	688	111	2000	53 16.5 ALUMN MS	155		46.75 15.5 405	5.08 9.16	No	No	<input type="checkbox"/>	0 0	41.83 36 13.83 4.83	28000 8300 Lead	0 1 FIXED	IB Feath 3	
Ferweh	Morgan 462	0	150	1979	50.75 18.75 ALUMN KTCH	110		43.25 13 26.5 9	5.15 8.65 341	No	No	<input type="checkbox"/>	0 0	46.5 39.25 13.5 5.25	30000 8400 Lead	0 1 FIXED	IB Fixed_3	
Firefly	Harbor 20	226	213	2006	25.75 7 ALUMN FS	90	25.75 7	26 10 151	3.6 6.25	No	No	<input type="checkbox"/>	0 0	20 17.17 7 3.5	1800 900 Lead	0 1 FIXED	OB None	

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications	
		Sail #	DW Rating		I	J	Max Headsail	ISP	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps		IB or OB
								JSP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst		Prop Type
		Disp/WL Ratio			Mast Material				PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type		# of blades
						EY		SSF		ASMG	Fixed or _o	Max Draft							
Ga	Knarr ODR	123	198		33.583	125	33.583	31	4.47	No	No		30.333	4630	No	OB			
					6.583			11.166	7.46				20.333	2866	1	None			
					WOOD			0	211		<input type="checkbox"/>	0	7	Lead	FIXED	0			
					FS			0					4.25						
		250																	
Ganesh	Sabre 36-2	28862	111	1996	48.5	155		41.6	5.66	No	No		36.17	13800	No	IB	Adjustable back stays		
					13.46			14.83	9.63				30.42	5520	1	FOLD			
					ALUMN			0	368		<input checked="" type="checkbox"/>	0	12	Lead	FIXED	2			
		223			MS			0					6.5						
Grunion	Catalina 425	11	87	2017	55.75	125	17.34	52	5.04	No	No		41.67	17500	0	IB	(Mtg 1/26/17, need to submit spinnaker measurements when available)		
					15.67			18	9.58				39.08	7000	1	Fold			
					ALUMN				490		<input checked="" type="checkbox"/>	0	13.67	Lead	FIXED				
		133			MS								6.67						
Hangover	Islander 36 ODR	367	147	1976	45	135	45	39.25	5.05	No	No		36.8	13450	0	IB			
					14.48			12.75	8.44				28.25	5820	1	Fixed_2			
					ALUMN				303		<input type="checkbox"/>	0	11.17	Lead	FIXED				
		271			MS								6.08						
Harizon	Dufour 310	122	159	2016	40.35	95		38.25	5.54	No	No		31.72	10802	0	IB			
					10.82			14.57	9.47				28.54	2932	1	Fold			
					ALUMN				332		<input type="checkbox"/>	0	10.88	Iron	FIXED				
		211			FS								6.23						
Imagine	Ericson 32-3	716	159	1987	42	135		36.4	4.18	No	No		32.5	9800	0	IB			
					13.8			11.8	7.28				25.83	4200	1	Fixed_2			
					ALUMN				248		<input type="checkbox"/>	0	10.83	Lead	FIXED	2			
		258			MS								6						
Invictus	Hunter 41 DS	38093	129	2007	51.6	110		50.8	6	No	No		40.4	19400	0	IB	(Mtg 4/25/13, +3 sec/mi for in-mast furling main)		
					13			19.6	10.11				35.6	6506	1	Fixed_3			
					ALUMN				524		<input type="checkbox"/>	0	13.3	Lead	FIXED	3			
		195			FS								6.6						

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
		Sail #	DW Rating		I	J	Max Headsail	ISP	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	IB or OB		
								JSP	E	MGM	SL	SPL	SLU	LWL	Ballast	moveable blst	Prop Type		
		Disp/WL Ratio			Mast Material			PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades		
				Rig Type		EY			ASM	Fixed or _o	Max Draft								
Isle Of Skye	Tartan 33 7/8 RIG	6	159	1979	36.42	100	36.42	41.58	4.6	No	No	33.67	10000	No	IB				
					12.42			14.42	8.1			28.08	4400	1	FEATH				
					ALUMN			0	328		<input type="checkbox"/>	10.92	Lead	FIXED	3				
		205			FS			0				4.42							
Itinerant	Hunter 34	1025	150	1986	47.42	105		41	4.02	No	No	34.42	11820	0	IB				
					13.75			11.75	6.87			28.25	5366	1	Fixed_2				
					ALUMN				271		<input type="checkbox"/>	11.5	Steel	FIXED					
		238			MS							5.5							
Kabunza	Pearson 36-2	362	132	1986	47.1	110		41	3.65	No	No	36.5	15000	0	IB				
					15.4			14.5	7.3			29.5	5800	1	Fixed_2				
					ALUMN				300		<input type="checkbox"/>	12.3	Lead	FIXED	2				
		266			MS							6.5							
Kapai	Islander 36 ODR	438	147	1977	45	125	45	39.25	5.05	No	No	36.08	13450	0	IB				
					14.48			12.75	8.44			28.25	5500	1	FOLD				
					ALUMN			0	303		<input type="checkbox"/>	11.17	Lead	FIXED	2				
		271			MS			0				6							
Kiwa	Ericson 32-2	285	183	1973	36	155	36	31.5	4.9	No	No	32	9400	0	IB				
					18			13	8.4			24	4400	1	Fixed_2				
					ALUMN				243		<input type="checkbox"/>	9.67	Lead	FIXED	2				
		309			MS							4.91							
Kraken	Knarr ODR	47	198		33.583	125	33.583	31	4.47	No	No	30.333	4360	No	OB				
					6.583			11.166	7.46		6.583	20.333	2866	1	None				
					WOOD			0	211		<input type="checkbox"/>	7	Cast Iron	FIXED	0				
		236			FS			0				4.25							
Kynntana	Freedom 38	38086	141	1988	33.34	100	33.34	45.5	6.25	No	No	38.42	14370	0	IB				
					11.5		11.5	16.57	10.7			30.58	6500	1	Fold				
					CARBON				447		<input type="checkbox"/>	12.5	Lead	FIXED					
		228			FS							5.6							



Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
		Sail #	DW Rating		I	J	Max Headsail	ISP	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB	
								JSP	E	MGM	SL	SPL	SLU	LWL	Ballast	moveable blst		Prop Type	
		Disp/WL Ratio			Mast Material				PY	MSA	SSMG	SSA	SLE	Max Beam	Ballast Mat.	Keel Type		# of blades	
						EY		SSF		ASMG	Max Draft								
Nessie	Catalina 34 1&2	734	156	1988	44	100	44	38.5	4.7	No	No	34.5	11950	0		IB			
					1.5		13.48	12	7.54			29.83	5000	1		Fixed_3			
					ALUMN						11.75	Lead	FIXED		3				
		205			MS						5.58								
Oshun	Catalina 27 OB	1216	201	1974	34	95		28.67	4.24	No	No	26.83	6850	0		OB			
					11.25			10.5	7.08			21.75	2750	1		None			
					ALUMN						8.83	Lead	FIXED						
		303			MS						4								
Passat	North Star 500	57313	240	1973	33	140		27.5	3.5	No	No	24.98	4298	0		IB			
					10.25			8.75	6.1			20.23	1710	1		Fixed_3			
					ALUMN						9	Lead	FIXED						
		236			MS						5								
Popcorn	Nonsuch 33	77	162	1997				50.33	7.2	No	No	33.33	15350	No		IB			
								24.33	13.6			31.42	6050	1		FOLD			
					ALUMN			0	657			12.42	Lead	FIXED		2			
		225			CAT			0			5.25								
Post Time	Catalina 42-1/2	362	102	1993	53	135	53	46.75	5	No	No	41.83	24000	0		IB	In-Boom Furling Mast, Electric Halyard Winch		
					16.42		16.42	15.5	9			36	8300	1		Feath			
					ALUMN						13.83	Lead	FIXED		3				
		234			MS				401		6								
Prime Number	Tartan 4100 SD	38107	96	2004	57	106	57	47.75	5.64	No	No	41.25	20400	0		IB			
					15		15	17.22	10.08			35.75	8000	1		Fold			
					CARBON						13.5	Lead	FIXED						
		203			MS				458		5.33								
Sacagawea	Catalina 34 1&2	375	156	1987	44	95	44	38.5	4.7	No	No	34.5	11950	0		IB			
					13.5		13.48	11.75	7.54			29.83	5000	1		Fixed_3			
					ALUMN						11.75	Lead	FIXED		3				
		205			MS				272		5.6								



Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications									
			Built	J	Max	Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No		LOA	Ttl Disp.	Traps/H.	Strps		IB or OB								
											DW Rating	Mast Material	E	MGM							SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type
Disp/WL Ratio	Rig Type	EY	SSF	ASM	G	Fixed or _o	Max Draft																					
Sail La Vie	Beneteau 411	28597	105	1999	46.67 16.25	140		41.5 14.83	4.872 8.77	No	No		41.67 36.09 13 5.58	17196 5500 Steel	No 1 FIXED		IB FEATH 3											
Scraft	Hunter 36	38096	156	2005	44.83 13.17	125		44.92 16	6 10.3	No	No		35.5 30.58 12 5.42	13900 5023 Lead	0 1 FIXED		IB Fixed_3	Roller Furler, In-mast Furling Mainsail										
Sea Breeze	Catalina 320	850	156	2001	43.58 12.33	135	43.58	38 13.25	5.168 8.661	No	No		32.5 28 11.75 6	11300 4000 Lead	0 1 FIXED		IB Fold 2											
Seaya	Catalina 380	252	120	2000	50.916 14.667	135		44.833 15.667	5.2 10	No	No		38.42 32.42 12.33 7.17	19000 6800 Lead	No 1 FIXED		IB FEATH 3											
SF	CAL 25-1 OB	1062	225	1969	29.75 10	120	29.75	25 11	4.17 7	No	No		25 20 8 4	4000 1700 Lead	0 1 FIXED		OB None											
SLOWMO!	Catalina 22-1 OB SK	2482	270	1973	25.93 8	150		21 9.66	3.47 5.96	No	No		21.6 19.4 7.8 5	2250 550 Iron	0 1 MVBL		OB None 3											
Sobrante	Alerion Express 28 ODR	406	168	2009	30 9.75	90	30 9.75	33 12.5	4.8 7.6	No	No		28.25 22.83 8.2 4.5	5700 2200 Lead	0 1 FIXED		IB Fold 2											



Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
		Sail #	DW Rating		I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp.	Traps/H. Strps		IB or OB Prop Type # of blades	
										SL	SPL	SLU	ASA			Ballast	moveable blst		
ASF	Fixed or _o	Max Beam	Keel Type																
Water Witch	P-Class Cutter	3	90	1928	65.59 23.7	120	23.7	59.41 26	7.67 14.57	No	No			56 39 11.5 8	48000 15000 Cast Iron	0 1 FIXED	IB Feath	(Mtg 10/26/17, custom rating assigned of 90)	
Wimm	Jeanneau Sun Odyssey 349	38105	141	2016	43.6 12.37	112		40.68 13.62	4.9 8.2	No	No			33.92 30.84 11.29 6.86	11770 3483 Cast Iron	0 1 FIXED	IB Fold		
Zenith	Islander 36 NCPHRF	472	147	1978	45 14.48	135	45 14.8	39.25 12.75	5.05 8.44	No	No			36.08 28.25 11.166 6.083	13450 5820 Lead	No 1 FIXED	IB Fold 2		
Zingara	Islander 36 NCPHRF	484	150	1978	45 14.48	125	45 14.8	39.25 12.75	4.8 8.29	No	No			36.1 28.25 11.17 6.08	13450 5820 Lead	No 1 FIXED	IB Fold 2	Roller Furler	