

NCPHRF - CURRENT FLEET ROSTER

This Roster represents the information on file for boats with a current NCPHRF certificate. If the boat you are looking for is not listed, their certificate is either not current or not yet updated to the list. You can contact the YRA office to verify a boat not found on this list at info@yra.org or via phone at 415.771.9500. This list is updated monthly.

As of: 2/8/2012

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Kee		Engine/Prop	Modifications
			Built	DW Rating	I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No	SL SPL SSMG SSF	Yes/No	ASF ASA Sprit Lngth Fixed or _o	LOA LWL Max Beam Max Draft	Ttl Disp. Ballast Mat.	Traps/H. Strps moveable blst Keel Type	IB or OB Prop Type # of blades		
Coyote	Cal 20	61	273	1962	22 7.53	105	22 11.53	23 9.5	3.5 6 128	Yes 22 13.2 13.2	7.33 242	No 26 23 16.2	15.5 328 4 0	20 18 7 3.33	2130 900 Iron	0 1 FIXED	OB None	(mtg 5/20/10, -9 sec/mi for sprit)(1/24/12, dropped asymmetrical, using symmetrical only. +9 sec/mi)	
Darwind	Pearson 28 Triton FR	107	237	1961	30.3 9.8	130	30.3 9.8	33 13	5 8.4 256	Yes 28.3 18 18	10 425	No <input type="checkbox"/>	0 0	28.5 20.5 8.25 4.5	8000 3019 Lead	0 1 FIXED	OB Fixed_3 0	(Mtg 5/26/11, OSP, -3 sec/mi)(Mtg 8/25/11, +6 sec/mi for offshore modifications)	
Rascall II	Pearson 28 Triton FR	150	231	1960	30.3 10	155	30.3	32 14.2	4.72 8.04 251	Yes 30 18 18	10 450	No <input type="checkbox"/>	0 0	28.6 21.6 8.33 4	8000 3000 Lead	0 1 FIXED	OB Fixed_2 2		
Risque'	Coronado 25	14678	228	1969	31.333 8.916	155	31.333	27.75 11.916	4.48 6.64 187	Yes 30.68 15.96 15.58	8.85 406	No <input type="checkbox"/>	0	25 20 8 3.666	5060 2150 Lead	0 1 FIXED	OB None 0	(Adjustable Backstay - forward lowers; Internal Halyards; Main has full length top batton and long battens for rest. Modifications noted no change to rating mtg 8-13-02)	
Auggie	Santana 22	476	234	1969	26 8.5	150	26	21.75 9.833	3.95 6.59 131	Yes 26 15.44 15.44	8.583 335	No <input type="checkbox"/>	0	22 18.666 7.833 3.5	2600 1230 Cast Iron	No 1 FIXED	OB None 0		
Miss Kate	Catalina 27 IB	4630	210	1980	34.5 11.25	125	34.5 11.25	28.66 10.5	3.99 6.83 180	No 34.35 31.85 18.25	20.35 515 0 0	Yes <input checked="" type="checkbox"/>		26.85 21.75 8.85 4	6850 2700 Lead	0 1 FIXED	IB Fixed_2		

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Kee		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail		P E PY EY	MGU MGM MSA	Yes/No SL SPL SSMG SSF	SLU ASA SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast		Traps/H. moveable blst Keel Type			
Blue Mist	Pearson 33 Vanguard	335	228 1965	37.5 12.25	150		32.5 14.75	4.42 8	Yes	36.33 12.25	No		32.5 22.35 9.25 4.5	12600 4250 Lead	0 1 FIXED	IB Fixed_3	
			207	ALUMN MS				256		21.33 650		<input type="checkbox"/>	0 0				
Catch 22	Custom Zenrich 20	22	189 1979	25.5 8	155	25.5	25.5 8.67	3.67 5.08	Yes	25.5 8	No		20 18 7.79 4	1800 400 Lead	0 1 FIXED	OB None	(Mtg 1/26/12, Custom rating of 189 assigned)
			201	ALUMN FS				131		14.3 303		<input type="checkbox"/>	0 0				
Mull's Magic	Ranger 26-1 SM	28152	201 1972	31 11.33	110	31	25.5 10	4.05 6.75	Yes	31.41 10.5	No		26.25 21.75 8.67 4.33	5800 2050 Iron	No 1 FIXED	OB None 0	
			201	ALUMN MS			0 0	157		20.4 534		<input type="checkbox"/>	0				
Patience	Ranger 23 TM	37987	210 1974	30 9.7	155	30	25.75 9.17	3.83 6.35	Yes	29.95 9.7	Yes	17.38 417	23 20 7.917 3.75	3400 1500 Lead	No 1 FIXED	OB None 0	
			201	ALUMN MS			0 0	147		17.46 436		<input checked="" type="checkbox"/>	0				
Star Ranger	Ranger 26-1 SM	5843	201 1970	31 11.333	110	31	25.5 10	4.05 6.75	Yes	31 11	No		26.25 21.75 8.67 4.33	5800 2050 Iron	No 1 FIXED	OB None 0	
			201	ALUMN MS			0 0	157		20.5 532		<input type="checkbox"/>	0				
Sea Witch	Yankee 30-1 SM	8855	186 1971	37.5 12.75	125	37.5	32.5 9.83	2.45 4.91	Yes	35 12.75	No		30 23 9 5	8700 4180 Lead	No 1 FIXED	IB FOLD 2	mtg 2/10/04 - short "E" = +3 sec/mi.
			195	ALUMN MS			0 0	161		19.5 585		<input type="checkbox"/>	0				
Stark Terror	IOD ODR	75	156 195	29.25 8.33	100	30	38.83 16.25	6.12 10.47	Yes	30 8.416	No		33.42 21.42 6.75 5.333	7100 4100 Lead	No 1 FIXED	OB None 0	
			195	WOOD MS			0 0	374		15 375		<input type="checkbox"/>	0				

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
		Sail #	DW Rating		I J Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No	SL SPL SSMG SSF	Yes/No	ASF ASA Sprit Lngth Fixed or _o	LOA LWL Max Beam Max Draft	Ttl Disp. Ballast Mat.	Traps/H. Strps moveable blst Keel Type	IB or OB Prop Type # of blades			
Dragonfly	Rhodes 19 OSP	702	258	1967	19.5 6.5	100	19.5 6.5	24 9.7	3.9 6.5	Yes	20 15.8 15.8	6.75 263	No		19.24 17.9 7 3.3	1325 415 Lead	0 1 FIXED	OB None	
Zora	CAL 27-2 IB	0	204	1976	36 12	133	36	30.83 10.25	4.21 7	Yes	36 21.6 21.6	12 648	No		26.58 22.08 9.33 4.25	6700 3100 Lead	0 1 FIXED	IB Feath	
Summertime Dream	Custom Schumacher 26	18859	186	1979	26.28 8.07	150	26.28 8.07	29.58 10.76	4.33 7.23	Yes	25.67 14.52 14	8 308	No		26.08 20 9.08 5.08	3300 1360 Lead	0 1 FIXED	OB None 0	Boat has previously been called "War"
Windrose	C&C 25 OB	283	216	1973	31.5 11.6	150	31.5	26.5 9.4	2.4 4.6	Yes	32.1 17.8 14.5	11.6 458	No		25.1 20.6 8.8 3.8	4100 1888 Lead	0 1 FIXED	OB None 0	
Horizon	Islander 28 SM	6375	204	1975	34.333 11.75	146	34.333	29.917 8.417	3.042 5.25	Yes	33.5 20.75 20.75	11.67 579	No		27.92 23.08 9.87 5	7000 3000 Lead	No 1 FIXED	IB FOLD 2	
Imagine	Merit 22 CB	224	219	1984	28 8.25	155	28	23 9.6	3.9 6.5	Yes	28 14.85 14.5	8.25 345	No		22 18 8 4.2	2000 600 Lead	0 1 CNTRBRD	OB None	Repairs and reinforced keel trunk and hull at trunk/hull junction. Repairs lowered keel ~2 inches and increased draft ~2 inches from "stock" Merit 22 (Mtg 8/19/10, NCTR for Keel modifications/repairs)
Flight	J 24 ODR	1036	168	1979	26.25 9.5	150	26.25	28 9.75	3.7 6.37	Yes	26.5 17 16.8	9.5 375	No		24 20 8.92 4	3100 965 Lead	No 1 FIXED	OB None 0	

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Kee		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SPL SSMG SSF	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast		Traps/H. moveable blst Keel Type			
Impulse	Catalina 30	38279	180 1976	41 11.416	155	41	35 11.5	4.63 7.72	Yes 40	11.5	No	29.92 25	10200 4200	No 1	IB FOLD		
			180	ALUMN MS			0 0	246	20 20	667	<input type="checkbox"/>	10.83 5.25	Lead	FIXED	2		
Sagitta	Islander 28 SM	6332	198 1976	34.75 11.75	150	34.75	29 10.75	3.16 5.333	Yes 36.65	11.75	Yes 36	27.92 23.08	7000 3000	No 1	IB FOLD	-3 SEC/MI FOR INCREASED "E" (mtg 3/15/07: -3 sec/m for dual spinnakers, ok to square pole to 90 deg)	
			180	ALUMN MS			0 0	161	21 21	641	33 16	9.87 5	Lead	FIXED	2		
Siento El Viento	C&C 29	38311	174 1977	39.5 12.8	155		33.5 10.1		Yes 39	12.8	No	29.5 23.6	7500 2700	No 1	IB Fold		
			180	ALUMN MS					22 22	715	<input type="checkbox"/>	10.5 5.25	Lead	FIXED	2		
Sunda	Custom Seaborn 35	17024	195 1941	39 12.42	125	39	36.67 16	6 10.27	Yes 38.25	11.8	No	35 25	13900 5100	No 1	IB Fixed_2	NEW SAIL PLAN 1/99	
			180	ALUMN MS			0 0	347			<input type="checkbox"/>	8.5 5.5	Lead	FIXED	2		
Bewitched	Merit 25	8177	168 1979	28.75 9.66	155	28.75	28 9.75	4.025 6.69	Yes 29	9.66	No	24.5 20.5	3000 1050	No 1	OB None		
			177	ALUMN FS			0 0	169	17.39 17.39	420	<input type="checkbox"/>	8 4	Lead	FIXED	0		
Chesapeake	Merit 25	18245	168 1984	28.75 9.66	155	28.75	28 9.75	4.25 6.69	Yes 29	9.66	No	24.5 20.5	3000 1050	No 1	OB None		
			177	ALUMN FS			0 0	172	17 16.75	410	<input type="checkbox"/>	8 4	Lead	FIXED	0		
Hatikvah	CAL 29-1 IB	6609	186 1974	37 12.33	150	37	31.67 12.25		Yes 37.05	12.33	No	29.34 24	8000 3350	0 1	IB Fixed_3		
			177	ALUMN MS					22.19 22.19	685	<input type="checkbox"/>	9.3 4.5	Lead	FIXED	3		

Boat Name	Boat Model (Type)	Rating	Sail #	Built	Foretriangle		Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Keel		Engine/Prop	Modifications
					I	J	P	MGU	Yes/No	Yes/No	ASF	Ttl Disp.		Traps/H. Strps	IB or OB		
		DW Rating			Max Headsail	ISP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type	
					Mast Material	JSP	PY	MSA	SSMG	SSA	SLE	Sprit Length	Max Beam	Ballast Mat.	Keel Type	# of blades	
					Rig Type		EY		SSF		ASMG	Fixed or _o	Max Draft				
Razzmatazz	Santana 525	8248	189		26.5 8.75	150	26.75	29	4.1	Yes	No		24.58	2400	0	OB	
		177			ALUMN FS			10	6.5			0	18.5	950	1	None	
									176	15.75	345	<input type="checkbox"/>	9.33	Lead	FIXED		
										15.1		0	4.25				
Egret	Tartan 30	445	186	1977	39	125	39	34.583	4.61	Yes	No		29.92	8750	No	IB	
		174			13			11.5	7.7			0	24.25	3700	1	Fixed_2	
					ALUMN MS			0	243	16	588	<input type="checkbox"/>	10	Lead	FIXED	2	
								0		22			4.92				
Serena	Cal 29-1 IB	6624	180	1970	37	155	37	31.666	4.332	Yes	No		29	8000	No	IB	Mast shortened 10", cut off at the base. Noted-NCTR-5/13/i03 - Base I is 37.
		174			12.333			12.166	7.573			0	24.17	3350	1	FOLD	
					ALUMN MS			0	223	22.19	684	<input checked="" type="checkbox"/>	9.25	Lead	FIXED	2	
								0		22.19		0	4.5				
Synergizer	Ericson 28-2	28091	183	1988	36	150	12	35.5	4.5	Yes	No		28	7500	No	IB	
		174			12			11	7.481			0	23.33	3200	1	FOLD	
					ALUMN FS			0	241	36	12	<input type="checkbox"/>	10	Lead	FIXED	2	
								0		21.5	645		5.5				
Harrier	Custom Still 30	77564	162	1981	33.46	155	33.46	37.07	5.1	Yes	No		30.75	8580	No	IB	VESSEL IS A CRUISING VERSION OF A 1/2 TON IOR DESIGN (FULL INTERIOR, TEAK DECK, EXTENDED TRUNK CABIN, 4 BATTERIES, ETC.), WEIGHT CHANGE NOTED, NO CHANGE TO RATING 12/07/05
		171			10.33			13.12	8.5			0	24.5	2530	1	FEATH	
					ALUMN FS			0	291	18.54	510	<input type="checkbox"/>	10.5	Lead	FIXED	2	
								0		18.5			6				
Sirena	Ericson 32-2	18319	186	1972	35	110	35	31	4.9	Yes	No		31	8800	0	IB	
		171			13			13	8.4			0	24	4000	1	Fixed_2	
					ALUMN MS				239	23.1	705	<input type="checkbox"/>	9.8	Lead	FIXED	2	
										21.9		0	5				
Stargazer	Catalina 310	255	183	2003	42.9	110	11.9	37.3	3.3	No	Yes	21.11	31	10300	0	IB	In-Mast Furling Main- + 3 sec/mi, MGM < 50% of E- +3 sec/mi
		171			11.9			13	6.6			635	26.6	4000	1	Fixed_3	
					ALUMN MS				246			0	11.6	Lead	FIXED	3	
												0	6.3				
												<input checked="" type="checkbox"/>					

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Kee		Engine/Prop	Modifications
					I J	Max Headsail	ISP JSP	P E	MGU MGM	SL	SPL	Yes/No	Yes/No		ASF	Max Beam		
		DW Rating			Mast Material			PY	MSA	SSMG	SSA	SLU	ASA	LWL	Ballast	moveable blst	Prop Type	
					Rig Type			EY		SSF		SLE	Sprit Length	Max Draft	Ballast Mat.	Keel Type	# of blades	
Emerald	Yankee 30-2	37894	177	1971	40.5 12.75	125	40.5	34.92 11	4.18 7.15	Yes	40	12.7	No	30 23	8700 4170	No 1	IB FOLD	
			168		ALUMN MS			0 0	229	22 20.5	723		0	9 5	Lead	FIXED	2	
Pocket Rocket	Custom Mull 22	8422	174	1981	27 8	150	27	29 10	4.22 7.03	Yes	25	8	No	22 20.041	2194 1000	0 1	OB None	RACING DECK, STANDARD INTERIOR/ NO WEIGHT DEFFERENCE FROM STANDARD BOAT (ROCKET 22)(Mtg 10/18/07 - Using Merit 25 Spinnaker & Pole - 15 sec/mi penalty, change custom rating to 150/244/08 west back to
			168		ALUMN FS			0 0	182	14 13.3	289		0	9.5 5	Lead	FIXED	3	
Foxxfyre	Yamaha 33 IK SM	67248	159	1978	42.81 13.78	150	42.81	37.4 10.6	4.38 7.27	Yes	44	13.78	No	33.25 26.92	16000 4410	No 1	IB FEATH	PER PHRF MTG 3/16/2000 - Weight Differencer from brochure is significant.
			162		ALUMN MS			0 0	246	24.8 23.7	901		0	11 6.25	Iron	FIXED	2	
Sweet Pea	Islander 30-2	195	186	1971	38.5 12.6	155	38.5	32.5 12.5	4.75 8.13	Yes	38.6	12.6	No	30 24.58	8600 3500	0 1	IB FOLD	
			162		ALUMN MS			0 0	242	22.5 22.5	724		0	10 5	Lead	FIXED	2	
Wuvulu	Islander Bahama 30	61	180	1979	40 12.75	150	38.416	33.75 11.5	4.75 8.125	Yes	38.5	12.416	No	30 24.58	8600 3500	No 1	IB FOLD	
			159		ALUMN MS			0 0	243	22.44 22.75	722		0	10 5	Lead	FIXED	2	
American Standard	Olson 25	18517	159	1984	32 9.6	155	32	28 10	3.8 6.4	Yes	31.7	9.6	No	25 21.25	3300 1300	0 1	OB None	
			156		ALUMN MS				166	17.28 17.28	456		0 0	9 4.5	Lead	FIXED		
Balein	Olson 25	74	159	1985	32 9.583	155	32	28 10	3.8 6.4	Yes	31.7	9.583	No	25 21.25	3300 1300	No 1	OB None	
			156		ALUMN MS			0 0	166	17.28 17.28	456		0	9 4.5	Lead	FIXED	0	

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Kee		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SPL SSMG SSF	SLU ASA SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast		Traps/H. moveable blst Keel Type			
Now and Zen	Newport 30-2	6883	174 1978	39.5 12.125	150		34 10.25	3.25 5.7	Yes		No	30 25 10.5 4.75	8000 2600 Lead	No 1 FIXED	IB Fold 2		
			156	ALUMN MS			0 0	190			<input type="checkbox"/>	0					
Samba	Olson 25	28047	159 1985	32 9.583	155	32	28 10	3.8 6.4	Yes	32	9.583	25 21.25 9 4.5	3300 1300 Lead	No 1 FIXED	OB None 0		
			156	ALUMN MS			0 0	166		17.25 17.25	460						
Shark-On-Bluegrass	Olson 25	18201	159 1984	32 9.583	155	32	28 10	3.8 6.4	Yes	32	9.583	25 21.25 9 4.5	3300 1300 Lead	No 1 FIXED	OB None 0		
			156	ALUMN MS			0 0	166		17.25 17	459						
Top Cat	Nonsuch 30	308	177 1985				45 24	7.9 14.3	No			30.33 28.75 11.1 5	11500 4500 Lead	0 1 FIXED	IB Fixed_2 2		
			156	ALUMN CAT				605				<input type="checkbox"/>	0 0				
Warhawk	Hawkfarm 28	57846	168 1975	33 11	155	33 11	36 10.416	4.37 7.25	Yes	33	11	28 23.5 9.75 5.5	5700 2700 Lead	No 1 FIXED	IB FOLD 2	SPINNAKER & POLS HAVE BEEN REDUCED TO "J", SMALLER THAN CLASS	
			156	FS			0 0	235		19.8 19.8	545						
Eyrie	Hawkfarm 28 ODR	6100	165 1976	33 11	125	33.25 11.5	36 10.5	4.37 7.26	Yes	33	11.5	28 23.5 9.75 5.17	5700 2700 Lead	No 1 FIXED	IB FOLD 2	Rudder changes noted NCTR mtg 4/20/04)	
			153	ALUMN FS			0 0	236		20 19.4	547						
Ergo	Ericson 35-2 SM	97050	156 1970	40 14	150	40 14	32.67 13	4.45 7.45	Yes	41.1	14	34.67 25.83 10.04 4.49	11600 5000 Lead	No 1 FIXED	IB FOLD 2	(new rudder noted mgt 6-8-04; NCTR).	
			147	ALUMN MS			0 0	237		25.2 25.2	863						
										Yes	19.6 673 0	<input checked="" type="checkbox"/>					

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Kee		Engine/Prop IB or OB Prop Type # of blades	Modifications	
				I J	Max Headsail		P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst Keel Type			
Jackal	Ranger 33	67733	156 1978	41.5 13.87	155		35 13.8	3.5 7	Yes	41 23.5 23	13.67 800	No		33 26.3 9.6 5	10500 4500 Lead	No 1 FIXED	IB Fixed_3 3	
Southernaire	Catalina 309 WK	129	189 2007	42.75 12	155	44.5 12.5	38.75 13.75	3.44 6.88	No			Yes	22.5 802 0 0	32.75 26.5 11.5 4.33	10200 4400 Lead	0 1 FIXED	IB Fixed_3 3	(mtg 5/20/10, -3 sec/mi for in-mast furling mainsail, -3 sec/mi for MGM < 50% of E)
Ione	J 30	8994	141 1981	34.19 11.041	140		38 13	4.83 8.21	Yes	34.5 20 21	11.04 581	No		29.83 25 11.2 5.25	6500 2100 Lead	0 1 FIXED	IB FOLD 2	
Kelika	Hunter 33.5	28815	150 1991	39.166 11.666	150	39.116	43.166 13.5 0 0	5.2 8.9 350	Yes	39 21.15 21.15	11.75 687	No		33.33 26.83 11 4.5	10800 4500 Iron	No 1 FIXED	IB FEATH 2	
Kira	Cal 33-2	28999	132 1986	46 13.25	125	46 13.25	40.5 12.75 0 0	4.82 8.23 307	No			Yes	21.86 697 0	33 27.5 11.33 6.12	10800 4475 Lead	No 1 FIXED	IB FOLD 2	(Mtg 1/26/12, -3 sec/mi for increased "e" & MSA)
Prime Mover	J 30	18675	141 1980	34.19 11.5	155		38 13	4.83 8.21	Yes	34 20.33 20.5	11.5 577	No		29.83 25 11.18 5.25	6700 2100 Lead	0 1 FIXED	IB FOLD 2	W/J BASED POLE AND SPINNAKER SHORTENED.
Crinan II	Wyliecat 30 IB	15	132 2002				39.75 20.5 0 0	7.79 13.32 485	No			No		30.5 25 9.5 5.25	5500 3050 Lead	No 1 FIXED	IB FOLD 2	

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SPL SSMG SSF	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast		Traps/H. moveable blst Keel Type			
Dazzler	Wyliecat 30 IB	28259	132 1997				40 20.7	7.87 13.46	No	No		30.5 25 9.5 5.25	5700 3050 Lead	0 1 FIXED	IB FOLD 2	INSTALLED IB ENGINE JAN 99	
			138		CARBON CT		0 0	493			<input type="checkbox"/>	0					
Gypsy Lady	CAL 34-1	7507	177 1969	39 13.75	125	39 13.75	33.5 14	4.75 8.25	Yes	No		33.3 26 10 5	10000 3750 Lead	No 1 FIXED	IB FOLD 2		
			138		ALUMN MS		0 0	264			<input type="checkbox"/>	0					
Interlude	Catalina 36 TM	1664	144 1998	46.75 14.33	135	46.75	41 13	4.8 8.25	No	Yes	24 791	36.333 30.25 11.916 5.833	14100 6042 Lead	No 1 FIXED	IB Fixed_3 3		
			138		ALUMN MS		0 0	313			<input checked="" type="checkbox"/>	0					
Uno	Wyliecat 30 IB	28632	129 1995	35.8 5.5		35.8 12	39.66 19.75	9.31 13.05	No	No	19.68 550	30.5 25 9.5 5.25	5800 3000 Lead	0 1 FIXED	IB FOLD 2	(mtg 2/21/08, penalty for oversized main -3 sec/mi)(Mtg 5/22/08, -24 for asymmetric spinnaker flown on 12' pole)(6/11/08, removed asymmetric spinnaker +24 sec/mi)	
			138		CARBON CAT			493		12	<input type="checkbox"/>	90					
Whirlwind	Wyliecat 30 IB	38068	132 2009		0		39.75 20.56	7.87 13.46	No	No		30.56 25 9.42 5.25	5500 3050 Lead	0 1 FIXED	IB Fold 2		
			138		CARBON CAT			489			<input type="checkbox"/>	0					
Alcyone	BENETEAU OCEANIS 350	990	144 1990	41.47 12.8	130	41.47 12.8	35.7 11.4	3.1 6.2	No	Yes	23.5 605	33.8 29.1 11.3 4.17	10582 3968 Iron	0 1 FIXED	IB Feath 3		
			135		ALUMN MS			214			<input checked="" type="checkbox"/>	0					
Blue Pearl	Hunter 41	38083	123 2005	51.5 13.5	105	52 13.5	50.667 19.5	6.81 11.61	No	Yes	23.4 972	40.33 35.5 13.25 6.5	19400 6506 Lead	No 1 FIXED	IB FOLD 2	(mtg 3/15/07: + 3 sec/m for in-mast furling main, +3 sec/m for MGM less than 50% of E, - 3 sec/m for oversized pole, - 3 sec/m for tacking spinnaker off centerline)(5/24/07: cut pole back to J length, remove -3 sec/mi penalty)	
			135		ALUMN FS		0 0	560		13.5	<input type="checkbox"/>	90					

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Kee		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst Keel Type		
Imi Loa	Catalina 34 1&2	582	150 1988	44 13.5	120	44 14	38.5 12	4.7 8.05	No	Yes	23.09 761	34.5 29.83 11.75 5.58	11950 5000 Lead	No 1 FIXED	IB FEATH 3		
Juanita	Custom Phoenix 38	28272	156 1972	44.33 14.58	147		37.33 12.46	4.9 8.2	Yes	No		37.17 31 11.83 5.42	21000 8500 Iron	No 1 FIXED	IB Fixed_3 3		
Life is Good	Wyliecat 30 OB	38349	129 2007		0		40 21	7.67 13.46	No	No		30.5 25 9.5 5.25	5500 3050 Lead	0 1 FIXED	OB None 3		
Nanaimo	Nonsuch 30 Ultra	0	168 368		0		45 24	9.12 15.6	No	No		30.5 29.8 11.8 5	11500 4500 Lead	0 1 FIXED	IB Feath 3	1' added to LWL due to swimstep (mtg 4/22/10, -6 sec/mi for LWL modification)	
Cloud 9	Cascade 36	89	162 1989	45.1 14.7	130	45.1 14.7	37.75 14.5	3.68 7.27	No	Yes	24.33 748	38.5 30.5 10 6.6	16500 4600 Iron	0 1 FIXED	IB Fixed_3 3		
Wahoo	Capo 30	87304	120 1983	41.7 12.75	150	41.5	36 11.5	4.37 7.47	Yes	No		30 25 10.3 5.43	7200 3000 Lead	0 1 FIXED	IB None 2		
Windhover	Pearson 10M	47126	147 1974	44 14.2	150		38.5 11	3.833 6.666	Yes	No		33.05 28.33 11 5.93	12441 5445 Lead	No 1 FIXED	IB FOLD 2	above deck roller furling jib	

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Kee		Engine/Prop	Modifications
					I J	Max Headsail	ISP JSP	P E	MGU MGM	SL	SPL	Yes/No	Yes/No		ASF	Max Beam		
		DW Rating			Mast Material			PY	MSA	SSMG	SSA	SLU	ASA	LWL	Ballast	moveable blst	Prop Type	
					Rig Type			EY		SSF		SLE	Sprit Length	Max Draft	Ballast Mat.	Keel Type	# of blades	
Ad Lib	Aphrodite 101	8161	144	1979	36.83 11.81	100	32.23	39.33 11.48	4.5 6.1	Yes		No		32.75 26.33	6160 3527	No 1	IB FOLD	
		129			ALUMN FS			0 0	253	21.3 19.6	622		0 <input type="checkbox"/>	7.92 5.42	Lead	FIXED	2	
Audacious	J 29 7/8 OB	18917	123	1984	35 11.416	150	35	38.666 13	4.94 8.45	Yes		No		29.5 25	6000 2100	0 1	OB None	
		129			ALUMN FS			0 0	300	20.17 19.8	586		0 <input type="checkbox"/>	11.08 5.67	Lead	FIXED	0	
Firebolt	Laser 28	18228	144	1984	31.1 9.65	125	31.73	33.14 12.96	4 8.125	Yes		No		28.41 23.62	3950 1500	0 1	IB FOLD	
		129			ALUMN FS			0 0	243	20.25 20	530		0 <input type="checkbox"/>	9.48 4.98	Lead	FIXED	2	
Jet Lag	Catalina 34 1&2	1130	138	1991	44 13.67	155	44 15.67	38.5 13.75	5.1 8.8	Yes		Yes	23	34.6 29.1	11950 5000	0 1	IB FOLD	Added 2' bowsprit for asymmetrical sail. Will use spin ple on asym sail to pull back tack approx 40 degrees (Mtg 4/28/09, -3 sec/mi ability to fly A-sail on squared back pole, -3 sec/mi for sprit)(Mtg 8/27/09, -3 sec/mi for increased mainsail area)
		129			ALUMN MS				312	42 23.5	13.5 837	42.2 38.3	718 2 40	11.9 5.6	Lead	FIXED	2	
Plus Sixteen	Ericson 911S Olson	97707	129	1991	42 12.25	150	42 12.5	35.761 11.811	4.035 7.136	Yes		Yes	20.932	30 25	8500 3200	No 1	IB FEATH	(Mtg 4/13/06 -3 Sec for Dual Spinnakers. Due to dual spinnakers, pole can be pulled back when using assymetrical spinnaker.)
		129			ALUMN MS			0 0	240	22.605 22.605	819	35.761 21.702	12.25 <input checked="" type="checkbox"/>	10.33 5.42	LeadSteel	FIXED	2	
Stormrider	Aphrodite 101	8010	144	1978	36.833 11.81	124	36.833	39.333 11.48	4.67 7.77	Yes		No		32.75 26.33	6160 3527	0 1	IB FOLD	
		129			ALUMN FS			0 0	278	19.66 19.66	590		0 <input type="checkbox"/>	7.92 5.42	Lead	FIXED	2	
Banditos	Moore 24	118	150	1982	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes		No		23.75 21.75	2050 1025	0 1	OB None	
		123			ALUMN FS				147	17.55 17.55	389		0 <input type="checkbox"/>	7.16 4.083	Lead	FIXED	0	

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Kee		Engine/Prop	Modifications
			Built	DW Rating	I J Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No	SL SPL SSMG SSF	Yes/No	ASF ASA Sprit Lngth Fixed or _o	LOA LWL Max Beam Max Draft	Ttl Disp. Ballast Mat.	Traps/H. Strps moveable blst Keel Type	IB or OB Prop Type # of blades			
Sunshine	Moore 24	54	150	1980	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	27 9.75	No		23.75 21.75 7.16 4.08	2050 1025 Lead	No 1 FIXED	OB None 0		
			123		ALUMN FS			0 0	147		17.55 395		<input type="checkbox"/>	0					
Galaxsea	Custom Nauticat 43.5	28743	180	1985	51 20	104	20.6	45 13.6	4.3 7.9	No		Yes	29.2 1119	43.6 37.7 12.2 5.9	34000 11000 Lead	No 1 FIXED	IB FEATH 3	Stay sail measurements foot=1', Luff=34'6", Leach=30'2", LP=132"	
			120		ALUMN KTCH			32.4 8.5	338			50 25.6	<input checked="" type="checkbox"/>	4.9					
Lucky Duck	Wylie 34	18709	123	1979	38.6 11.3	125	38.6 11.3	41 14.3	5.5 9.3	Yes	38 12	Yes	21.36 567	33.75 25.75 10.83 6	8026 3100 Lead	0 1 FIXED	IB FOLD 2		
			120		ALUMN FS			0 0	351		21.6 683		<input checked="" type="checkbox"/>	0					
Petite Sirah	Islander 36 ODR	6799	144	1979	45 14.48	150	45	39.25 12.75	5.05 8.44	Yes	45.25 15	No	0	36.08 28.25 11.17 6.08	13450 5820 Lead	0 1 FIXED	IB Fold		
			120		ALUMN MS				303		27 1003		<input type="checkbox"/>	0 0					
Coast Starlight Ltd	Morgan 38-2	8238	156	1978	46 16.25	125	46	40.5 14.5	5.66 9.83	Yes	46 16.25	No		38.33 30.5 12 6	19000 7500 Lead	No 1 FIXED	IB Fixed_2 2		
			117		ALUMN MS			0 0	358		28.5 1085		<input type="checkbox"/>	0					
Cookie Jar	Moore 24	98	153	1981	26.25 9.75	125	26.25 9.75	25 9.5	3.91 6.5	Yes	30.6 9.8	No		23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0		
			117		ALUMN FS			0 0	147		17.5 446		<input type="checkbox"/>	0					
French Kiss	Beneteau 350 Oceanis	28713	144	1989	41.47 12.8	140	41.47	35.7 11.6	4.2 7.3	Yes	39.5 12.52	No		33.83 29.83 11.17 5.17	10580 3525 Lead	0 1 FIXED	IB FOLD 2	Above deck Roller Furler	
			117		ALUMN MS			0 0	242		22.5 741		<input type="checkbox"/>	0					

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle		Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Keel		Engine/Prop	Modifications
					I J Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No	SL SPL SSMG SSF	Yes/No	ASF ASA Sprit Lngth Fixed or _o		LWL	Ttl Disp. Ballast Mat.		
Friday Harbor	Beneteau 323 DK	28580	147	2004	42.67 11.06	116	38.9 13.17	5 8.56	No	Yes	19.91 661	32 29.17	8448 2258	No 1	IB FOLD		
			117		ALUMN MS		306			41.34 17.9	0 <input checked="" type="checkbox"/>	10.67 5.92	Iron	FIXED	2		
Ahi	Santana 35	30980	114	1981	39 12.85	155	39	42 14.25	5.51 9.26	Yes	No	35 26.5	8500 3300	0 1	IB Fold		
			114		ALUMN FS		358	23.13 23.13	752		<input type="checkbox"/>	11.92 6.25	Lead	FIXED	2		
Antipodiste	Farr 30 1/2 Ton	18845	156	1978	30.14 9.61	155	30.14	31.95 12.92	5 8.45	Yes	No	30.1 25.63	4500 1850	No 1	NONE None	Inboard motor removed as well as shaft/strut and prop.	
			114		ALUMN FS		0 0	248	433		<input type="checkbox"/>	9.9 5.48	Lead	FIXED			
Breakout	Santana 35	18679	114	1982	39 12.85	155	39	42 14.25	5.51 9.26	Yes	No	35 26.5	8500 3300	No 1	IB FOLD		
			114		ALUMN FS		358	23.13 18.6	722		<input type="checkbox"/>	11.92 6.25	Lead	FIXED	2		
Spirit-Of-Elvis	Santana 35	67630	114	1979	39 12.85	155	39	42 14.25	5.51 9.26	Yes	No	35.1 26.5	8500 3300	No 1	IB FOLD		
			114		ALUMN FS		358	0 0	740		<input type="checkbox"/>	11.92 6.25	Lead	FIXED	2		
Moonshadow	Custom Wylie 31	8675	138	1973	41.5 12.75	150	40.25	37 12.42	4.66 8	Yes	No	30.8 26.42	7200 3500	0 1	IB FOLD	(mtg 9/23/10, -3 sec/mi for increased I & P, due to new mast. Change custom rating from 141 to 138)	
			111		Alumn MS		273	0 0	762		<input type="checkbox"/>	10.8 5.42	Lead	FIXED	0		
Razzberries	Ericson 34 Olson TM	97479	99	1988	46.77 12.95	155	47	40.9 12.95	5.1 8.5	Yes	No	33.88 28	10855 3500	No 1	IB FOLD		
			111		ALUMN MS		320	0 0	888		<input type="checkbox"/>	10.8 6.085	Lead	FIXED	2		

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
			Built	DW Rating	I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SPL SSMG SSF	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast		Traps/H. moveable blst Keel Type			
Slider	Beneteau 323 DK	41	147	2006	42.6666 11.083	116		38.91 13.166	4.19 7.6	No	Yes	18.9 611	32.83 31.08 10.75 5.91	9235 2258 Iron	No 1 FIXED	IB Fold 2		
Abba-Zaba	Tartan 10	8112	126	1979	35 12	155	35	40.25 13.75	5.34 8.86	Yes	No		33.1 27 9.25 5.83	6700 3340 Lead	0 1 FIXED	IB FOLD 2	Roller Furler	
B Mer	B 25 ODR	48	135	1995	28 8.5	155	28 9.5	28 11	4.37 7.31	Yes	No		25 21.25 8.33 5	2000 800 Lead	No 1 CNTRBD	OB None 0		
Breakaway	Ultimate 20 CM	180	144	2002	26.08 6.97	114	27.58 12.79	27.33 10.17	5.5 7.96	No	Yes	19.167 441	20.83 18 8.33 5	1350 450 Lead	No 1 FIXED	OB Fixed_3 3		
Harp	Catalina 38	18003	117	1983	50.7 15.43	155	50.9 15.43	44 11.5	4.8 7.97	Yes	No		38.17 30.25 11.83 6.79	19489 6850 Lead	No 1 FIXED	IB FOLD 2	DEC 93 - 7X19 STND RIG/ W/ROD RIG & SHRTN UPR SPREADERS 2 IN. NO CHNG RTNG (MTG 1/27/94)	
Lazy Lightning	Tartan 10	860	126	1979	35 12	150	35	40.25 13.75	5.34 8.96	Yes	No		33.16 27 9.25 8.833	6700 3340 Lead	No 1 FIXED	IB FOLD 2		
Timmy	Elliott 6.5	3574	117	1996	23.11 8.2	100	22.63 13.5	25.48 12.36	5.31 8.66	Yes	Yes	17 420	21.05 19.6 7.94 4	1550 495 Lead	0 1 FIXED	OB None 0	(Mtg 1/27/11, custom rating of 111 assigned, includes 100% headsail)(Mtg 1/26/12, rating appealed, custom rating changed from 111 to 117)	

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Kee		Engine/Prop	Modifications
			Built	DW Rating	I	J	Max Headsail	ISP	JSP	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	
								E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst			
								PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type			
								EY		SSF		ASM	Fixed or _o	Max Draft					
Tortuga	Pyramid 660 ODR MOD	8375	174	1981	21.82	104	22.96	25.7	4	Yes		No		21.8	850	2	OB	(Mtg 5/20/10, removed trapeze +18 sec/mi, hiking straps still allowed)	
			108		6.8			10.5	6.8	20.9	8		0	18.1	400	1	None		
					ALUMN				161	12	207		0	6.2	Lead	FIXED	2		
					FS					11.5			0	3.9					
Bandicoot	Wyliecat 30 IB	28530	111	2000	0		29	39.75	7.87	No		Yes	18.8	30.5	5500	0	IB	(mtg 5/20/10, -21 sec/mi for added spinnakers)	
			105		0		10	20.5	13.46	29	10	31.5	512	25	3050	1	FEATH		
					CARBON			0	488	17.75	429	25	0	9.5	Lead	FIXED	2		
					CATBOAT			0		17.75		22.5	90	5.25					
Boracic	Open 5.7 ODR	186	138	2006	21.52	117	21.6	25.33	5.34	No		Yes	17.6	18.7	1020	0	OB		
			105		7.3		12.3	10.24	7.12			25.8	345	18.7	396	1	None		
					ALUMN				171			20.6	5	8.3	Lead	FIXED	2		
					FS							17.9	0	5.7					
Dora	Catalina Morgan 381 MOD	41	132	1994	50.5	150	50.5	42.17	5.8	No		Yes	28	38.42	19000	0	IB	Roller Furler	
			105		14.67		14.67	15.67	10.1			48	971	32.82	6800	1	Feath		
					ALUMN				390			46	0	12.33	Lead	FIXED			
					MS							24	0	7					
Krissy	Ericson 35-3	195	132	1984	46	125	46	39	3.79	Yes		Yes		35.5	13000	Yes	IB		
			105		15.83		15.83	12	5.8	45.6	15.8			28.83	5200	3	Fixed_2		
					ALUMN			0	243	22.5	846		0	11.33	Lead	FIXED	2		
					MS			0		21.3				6.17					
Sea Star	CAL 39-2/3	38022	117	1977	50	100	50	44	4.5	No		Yes	34	39	17000	0	IB	Roller Furler	
			105		16.7			13.8	8			48	1181	32	7000	1	FEATH		
					ALUMN				337			44	0	12	Lead	FIXED	3		
					MS							30	0	6.7					
Azure	CAL 40	72	114	1966	46	150	46	40	4.4	Yes		No		39.5	15500	No	IB		
			102		15.17			17.5	8.8	46.5	15.17			30.5	6000	1	FEATH		
					ALUMN			0	353	27.3	1056		0	11	Lead	FIXED	2		
					MS			0		27				5.5					

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle				Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Kee		Engine/Prop IB or OB Prop Type # of blades	Modifications	
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SPL SSMG SSF	SLU ASA SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast	Traps/H. moveable blst Keel Type						
Green Buffalo	CAL 40	8538	114	1967	46.7 15.2	155	46.7	39.8 17.6	6.65 11.37	Yes	46.01 27.3 27.3	15.2 1047	No		39.2 30 10.9 5.8	17500 6000 Lead	0 1 FIXED	IB FEATH 3	Schumacher designed rudder - same as original
Henry Hannah	CAL 40	59	114	1967	46 15.17	150	46	40 17.5	6.5 10.7	Yes	45 27 25.4	15.16 1001	No		39.33 30.33 11 5.58	15500 6000 Lead	0 1 FIXED	IB FEATH 2	
Mirage	Santa Cruz 27	8027	144	1979	32.7 10.9	125		28.25 8.58	3.68 6.06	Yes	32.15 19.15 15.55	10.81 494	No		27 24 8 4.5	3300 1500 Lead	0 1 FIXED	OB None	
Nalu	Jeanneau Sun Odyssey 35	38019	123	2002	43.5 13.25	130	16.25	38.33 12.66	4.31 7.71	No			Yes	22.9 844 3 0	35.25 31.92 11.42 6	11464 3285 Lead	0 1 FIXED	IB Fixed_3 3	(mtg 1/21/10, -3 sec/mi for sprit)
Shaman	CAL 40	5166	114	1966	46 15.17	155	46	40 17.5	6.07 10.7	Yes	45.7 27.1 26.4	15.1 1027	No		39.5 30.3 11 5.5	15500 6000 Lead	No 1 FIXED	IB FEATH 2	
Solar Wind	Martin 32	49143	126	1980	42.5 13.67	145		37.17 12	4.7 8	Yes	42.4 22.4 24.4	13.67 806	No		32.8 27 9.6 6.1	8200 4100 Lead	0 1 FIXED	IB FOLD 2	
Temerity	Olson 34	28134	99	1986	44.8 13.25	155	44.8 13.25	38.84 12.9	5 8.4	Yes	44 23.6 20	13.25 839	No		34 28 10.83 6	9540 3600 Lead	1 FIXED	IB FOLD 2	

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Kee		Engine/Prop	Modifications
					I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No	Yes/No	ASF	Ttl Disp.		Traps/H. Strps	IB or OB		
		DW Rating			Mast Material		PY EY	MSA	SL SSMG SSF	SPL SSA	SLU SLE ASMG	ASA Sprit Lngth Fixed or _o	LWL	Ballast	moveable blst	Prop Type		
					Rig Type								Max Beam	Ballast Mat.	Keel Type	# of blades		
Vitesse	Santa Cruz 27	18711	141	1977	32.583 10.75	150	32.583	28.25 8.583	3.38 6.3	Yes	No		27 24 8 4.5	3300 1500 Lead	No 1 FIXED	OB None 0		
			102		ALUMN MS		0 0	153	19.333 18.249	519		0 <input type="checkbox"/>						
Yellow Jack	Santa Cruz 27	57313	141	1976	32.583 10.75	155	32.583	28.25 8.583	3.68 5.9	Yes	No		27 24 8 4.5	3300 1500 Lead	0 1 FIXED	0 None 0		
			102		ALUMN MS			152	18.3 18.1	488		0 <input type="checkbox"/>						
Crazy Rhythm	Santa Cruz 27	18771	141	1978	32.58 10.75	150	32.58	28.166 8.583	3.68 6.06	Yes	No		27 24 8 4.5	3200 1600 Lead	No 1 FIXED	OB None 0		
			99		ALUMN MS		0 0	153	19.4 19.4	529		0 <input type="checkbox"/>						
Pain Killer	J 80 ODR MOD	369	114	2001	30 9.415	139	33.25 15.666	30 12.416	4.7 8.1	No	Yes	25.16 698 6.25	26.3 22 8.3 4.9	2900 1400 Lead	0 1 FIXED	OB Fixed_2 2		
			99		ALUMN MS		0 0	222			31.996 23.156	<input checked="" type="checkbox"/>						
Quila	Santa Cruz 27	18723	141	1976	32.583 10.75	155	32.583	28.25 8.583	3.68 6.1	Yes	No		27 24 8 4.5	3000 1500 Lead	No 1 FIXED	OB None 0		
			99		ALUMN MS		0 0	154	19.4 19.4	529		0 <input type="checkbox"/>						
Brainwaves	J 35C	43533	90	1990	46.2 13.2	155		40.8 15.5	5.87 10.07	Yes	No		35.2 30 11.1 6.4	11800 4300 Lead	0 1 FIXED	IB FOLD 2	(mtg 2/18/10, interior changes for Pacific Cup, NCTR)	
			96		ALUMN MS			377				0 <input type="checkbox"/>						
Encore	Custom Wylie Gemini 30	8592	126	1976	33.33 11.75	125	33.5	39 14	5.3 9.1	Yes	No		30.95 26.5 9.25 6.25	6000 3000 Lead	No 1 FIXED	IB FOLD 2	MAST IS APPROX 3' SHORTER THAN STOCK GEMINI; Change rating from 135 to 126 PHRF Mtg 3/16/06;	
			96		ALUMN FS			0 0	325	665		0 <input type="checkbox"/>						

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Kee		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail		P E PY EY	MGU MGM MSA	Yes/No SL SPL SSMG SSF	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast		Traps/H. moveable blst Keel Type			
Mirage	Express 27 ODR	8477	129 1981	28.5 9	155	28.5	28.5 4.22 10.416 7.03	4.22 7.03	Yes 28.8 9.833	No		27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0		
			96	ALUMN FS		0 0	182		17.5 422	<input type="checkbox"/>	0						
Take Five	Express 27 ODR	28031	129 1982	28.5 9	155	28.5	28.5 4.22 10.416 7.03	4.22 7.03	Yes 29 9.833	No		27.25 23.75 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0		
			96	ALUMN FS			182		17.75 429	<input type="checkbox"/>	0						
Verve	Express 27 ODR	18283	129 1981	28.5 9	155	28.5	28.5 4.22 10.416 7.03	4.22 7.03	Yes 29 9.833	No		27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0		
			96	ALUMN FS		0 0	182		17.5 425	<input type="checkbox"/>	0						
Witchy Woman	Express 27 ODR	116	129 1986	28.5 9	150	28.5	28.5 4.22 10.416 7.03	4.22 7.03	Yes 29 9.833	No		27.25 23.75 8.166 4.5	2450 1100 Lead	No 1 FIXED	OB None 0		
			96	ALUMN FS		0 0	182		17.75 429	<input type="checkbox"/>	0						
MinFlicka	Hanse 370	38028	102 2008	49.3 13.7	150		47.3 6 16.1 10	5.2 9	No	Yes	24.5 1024	36.11 33 12.4 6.5	16500 5045 Lead	0 1 FIXED	IB FOLD 2	Roller Furler	
			93	ALUMN FS			445		45.8 0.75 25.6	<input checked="" type="checkbox"/>	0						
Red Sky	Beneteau Farr First 36.7	52316	81 2005	46.41 13.1	155	46.4 13.1	45.4 5.92 15.6 12.5	5.92 12.5	Yes	Yes	21.3 854	35 30.3 11.4 7.2	12495 4034 Lead	0 1 FIXED	IB Fold		
			93	ALUMN FS			458		23.5 899	<input checked="" type="checkbox"/>	0						
Sir Leansalot	Hunter 40	161	105 1986	53.9 17	125	53.9 17	48 5.2 13.9 9	5.2 9	Yes	No		39.7 32.5 13.5 6.5	17400 6000 Iron	0 1 FIXED	IB Fold 2		
			93	ALUMN MS		0 0	396		52.5 17	<input type="checkbox"/>	0						

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Keel		Engine/Prop	Modifications
					I	J	Max Headsail	ISP	PE	MGU	SL	SPL	Yes/No		Yes/No	ASF		
		DW Rating			Mast Material		JSP	PY	MGM	SSMG	SSA	SLU	ASA	Max Beam	Ballast	moveable blst	Prop Type	
					Rig Type			EY	MSA	SSF		SLE	Sprit Length	Max Draft	Ballast Mat.	Keel Type	# of blades	
Carmelita	Catalina 42-1/2	131	105	1990	53 16.42 ALUMN MS	125	53	46.75 15.5 0 0	4.98 8.85 399	Yes	49 16.42 23.2 29.8	Yes	27.75 1131 0 <input checked="" type="checkbox"/>	41.83 36 13.83 6.66	22000 8300 Lead	No 1 FIXED	IB FEATH 3	
Gavilan	Custom Wylie 39	28439	93	1996	49 14.5 ALUMN MS	122	49	43 15.5 0 0	5.73 9.75 390	Yes	48.64 14.5 26.6 26.6	Yes	24.6 783 1.17 <input checked="" type="checkbox"/>	41.5 31.75 11.5 6.77	17900 5920 Lead	No 1 FIXED	IB FEATH 3	(mtg 4/28/11, change custom rating from 84 to 96 after review of rating appeal)(Mtg 1/26/12, -3 sec/mi for sprit)
Mirage	Custom Black Soo 30	8500	141	1968	30 10 ALUMN MS	155	34	30 12 0 0	4.4 7.6 211	Yes	33.67 10 18 17.5	No	0 <input type="checkbox"/>	31.1 28 6.2 6.6	4600 1900 Iron	No 1 FIXED	OB None 0	Moved location of keel and sail area. Weight did not change. Changed to custom boat rating of 138(1/18.96)MTG 1/9/97 -6 SEC/MI. for masthead spinnaker)(mtg 1/17/02 changed from 138 to 144)(headail change to 150)
Westerly	Custom Perry 39	11	135	1979	55 15.75 ALUMN MS	125	55 15.75	48.83 14.5 0 0	4.83 8.66 399	Yes	54.35 15.75 28.35 28.35	No	0 <input type="checkbox"/>	38.71 32.83 11.83 6	21300 8400 Lead	No 1 FIXED	IB Feath 3	DESIGNED AS A 50/50 MOTORSAILER, HAS BEEN RE-RIGED AS A 70/30 NOWK HAS 1500 FT WRKING SAIL (OFF WIND) CAN CARY MIZZEN SS AT 250. STOCK HULL #1 W/ORIG RIG
CruzSea Baby	Beneteau First 10R ODR	52878	84	2007	43.2 12.07 CARBON FS	105	46.41 16.5	42.25 14.73	5.59 9.57 371	No		Yes	27.5 1055 4.43 0 <input checked="" type="checkbox"/>	32.75 28.7 11 6.55	9715 3528 Lead	0 1 FIXED	IB Fold 2	(Rudder Modifications noted, smaller non-class spinnaker +3 sec/mi)
Flying Baby	J 100 ODR	138	81	2007	38.48 11.48 CARBON FS	100	42.98 11.48	38 13.48	5.11 8.76 305	No		Yes	21.65 723 0 0 <input checked="" type="checkbox"/>	32.8 29 9.3 5.8	6500 2500 Lead	0 1 FIXED	IB FOLD 2	
Furrari	Wylie Wabbit ODR W/Trap	47	126	1983	20.5 6.5 ALUMN FS	150	20.5	23.75 10 0 0	4.03 6.72 145	Yes	22 8.5 13.9 254 13.7	No	0 <input type="checkbox"/>	23.75 20 5.583 3.5	975 440 Lead	1 3 FIXED	OB None 0	INCLUDES HIKING STRAPS AND SINGLE TRAPEZE.

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Keel		Engine/Prop	Modifications
					I	J	Max Headsail	ISP	ISJ	P	MGU	Yes/No	Yes/No		ASF	Ttl Disp.		
		DW Rating			Mast Material			E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type	
					Rig Type			PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades	
								EY		SSF		ASM	Fixed or _o	Max Draft				
Lanikai	C&C 44 w/ctrbd	25091	75	1986	56.2 16.11	135	56.2 16.11	48.23 14.73	5.28 9.58	No		Yes	30.47 1343	44.2 35.3	26033 13483	No 1	IB FOLD	Due to shortened rig rating changed from 69 to 75 6-14-05. Keel modification did not affect rating.
			87		ALUMN MS			0 0	419			51.4 28.96	0 <input checked="" type="checkbox"/>	13.3 8.6	Lead	CNTRBRD	3	
Mon Desir	Jeanneau 35 Sun Fast	28779	114	2004	45.75 13.2	155		42.083 13.083	5.19 8.67	Yes		No		35.25 31.92	12203 3219	No 1	IB FOLD	
			87		ALUMN MS				334			24.48 23.95	924 <input type="checkbox"/>	11.42 7	Iron	FIXED	2	
Mr McGregor	Wylie Wabbit ODR W/Trap	8426	126	1982	20.5 6.5	150	20.5	23.75 10	4.03 6.72	Yes		No		23.75 20	975 440	1 3	OB None	INCLUDES HIKING STRAPS AND SINGLE TRAPEZE.
			87		ALUMN FS			0 0	145			13.9 13.7	254 <input type="checkbox"/>	5.58 3.5	Lead	FIXED	0	
No Ka Oi	Gibsea 42	28668	123	2000	46.5 16.57	150	46.5 18.5	42.1 16.6	3.65 7.73	No	18.5	Yes	33 1264	42 35.8	24000	0 1	IB FEATH	In-mast furling main with no battens (Mtg. 3/15/07 +3 sec/mi for in-mast furling main, +3 sec/mi for MGM less than 50% of E)(Mtg 4/24/08, -3 sec/mi for ability to square back a-sail on pole)(Mtg 6/19/08, -3 sec/mi for chopping to mainsail with
			87		ALUMN MS				336			45.3 31.4	0 <input type="checkbox"/>	13.11 6	Iron	FIXED	3	
Rum Tum Tugger	Beneteau First 10R ODR MOD	39	84	2007	43.2 12.07	105	46.41 16.5	42.25 14.73	5.59 9.57	No		Yes	25.5 1075	32.75 28.7	9715 3528	0 1	IB FOLD	(mtg 9/23/10, +3 sec/mi for non-class smaller kite)
			87		CARBON FS				371			45.8 26.4	4.43 <input checked="" type="checkbox"/>	11 6.55	Lead	FIXED	2	
Split Water	Beneteau First 10R ODR MOD	40	84	2007	43.2 12.07	105	46.41 16.5	42.25 14.73	5.59 9.57	No		Yes	25.5 1078	32.75 28.7	9715 3528	0 1	IB FOLD	(Mtg 5/20/10, +3 sec/mi for non-class smaller kite)(Mtg 9/23/10, rudder modifications noted, NCTR)
			87		CARBON FS				371			45.8 26.4	4.43 <input checked="" type="checkbox"/>	11 6.55	Lead	FIXED	2	
Escapade	Sabre 40-2	38011	75	1997	54 15.5	110	54 16	47.5 17	5.6 9.9	Yes		Yes	23.5 1001	40.2 34	19760 7500	0 1	IB FEATH	
			84		ALUMN MS				449			47 24	0 <input checked="" type="checkbox"/>	13.3 7.5	Lead	FIXED	3	

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J Max Headsail Mast Material Rig Type	ISP JSP		P E PY EY	MGU MGM MSA	Yes/No SL SPL SSMG SSF	SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast Ballast Mat.	Traps/H. moveable blst Keel Type		
Gig	Humboldt 30 IB	18112	108 1983	37.5 11.5	149	37.5	41.5 13.75	4.84 12.67	Yes	37	11.5	No	30 26.66 10.5 5.75	5400 2222 Lead	No 1 FIXED	IB FOLD 2	
Iolani	Hughes 48	38048	120 1972	54.3 18.2	135	20.2	48.2 19	5.9 10.4	Yes	40.32	18.2	Yes	32.76 1400 11.1 6	32000 14300 Lead	0 1 FIXED	IB FEATH 3	
Tahitienne	Hinckley 42 SW	42015	105 1983	55 17.5	145	55 20.7	47.25 15.25	5.85 9.9	No	Yes	34.45 1548	Yes	42 31.25 12.5 8	24000 8500 Lead	0 1 CNTRBRC	IB FEATH 3	(In-mast furling, electric primary winches)(Mtg 1/26/12, -3 sec/mi for articulating sprit)
Checkedred Past	Custom Wyliecat 39	3	102 2002				52 26.6	10.2 17.4	No	No	0 0	No	38.83 32 11.5 6.6	12000 6200 Lead	0 1 FIXED	IB FOLD 2	Boat has been modified for handicapped sailing
Lilith	Custom Wyliecat 39	7	102 1992				50.75 26.5	10.45 17.5	No	No	0 0	No	38.83 32 11.83 6.67	12000 6200 Lead	No 1 FIXED	IB FOLD 2	HULL DESIGN IS VERY SIMILAR TO WYLIECAT 30.NO JIB, NO SPINNAKER, NO SPANKER,NO REACHER, NO VANG,NO TWEEKER,NO STAYS ETC., AS SAILED RATING 102 PER MTG 6/12/02
Mintaka 4	Farr 38	18441	84 1979	43.67 13.45	155	44.5	44.9 17.9	6.8 11.6	Yes	44.13	14.5	No	38.25 31.17 12 6.33	11850 4100 Lead	No 1 FIXED	IB FOLD 2	(base=84)(2002-removed dinette stbrd, add bench seat w/55 gal fuel tank, original was 12.5. Rudder replaced 12" longer, 4" narrower. Changes noted mtg 1/17/02, NCTR)(removed short pole, changed spinnakers 1/12/04)
Avion	Bianca 414	30345	84 1980	50.14 15.61	150	50.14	51.17 17.3	6.64 11.37	Yes	50	15.61	No	41.27 32.81 9.58 7.61	19953 8624 Lead	No 1 FIXED	IB Fixed_2 2	(MTG 4/8/99 1360 LBS SHAVED OFF SIDES OF KEEL, 925 LBS ADDED TO BOTTOM OF KEEL - 3 FOR KEEL MODS)(New Rudder, NCTR, 2/15/01)

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Keel		Engine/Prop	Modifications
			Built	DW Rating	I J	Max Headsail	ISP JSP	P E	MGU MGM	SL	SPL	Yes/No	Yes/No		ASF	LWL		
					Mast Material			PY	MSA	SSMG	SSA	SLU	ASA	Max Beam	Ballast	moveable blst	Prop Type	
					Rig Type			EY		SSF		SLE	Sprit Length	Max Draft	Ballast Mat.	Keel Type	# of blades	
Sandpiper	LaFitte 44	52	120	1985	56 19.5	135	56 19.5	51.25 16.35	4.6 8.6	Yes		No		44.33 35.5 12.8 6.33	28000 11000 Lead	0 1 FIXED	IB Feath	
			75		ALUMN CTR				437				0 0					
Tiki J	J 42 SD	33	81	1999	50.5 14.7	150	52 14.6	46.5 18	5.64 10.27	Yes		No	24.1 949 14.6	42 35.1 12.2 5.5	21275 7000 Lead	0 1 FIXED	IB FEATH 3	
			75		CARBON FS				458			44.5 23.1	23.1					
Akula	J 105 ODR w/ 5'BS	16	78	1992	40.6 13.5	100	42.1 19.07	41.5 14.6	5.5 9.4	No		Yes	25 854 5	34.5 29.5 11 6.5	7750 3400 Lead	No 1 FIXED	IB FOLD 2	
			72		ALUMN FS			0 0	359				23					
Escapade	Express 37	18051	72	1985	48.75 14.33	155	48.75	42 13.75	5.28 8.83	Yes		No		37.08 30.83 11.57 7.25	11000 4500 Lead	No 1 FIXED	IB FOLD 2	
			72		ALUMN MS			0 0	344				0					
Golden Moon	Express 37	18488	72	1985	48.75 14.33	155	48.75	42 13.75	5.37 8.99	Yes		No		37 30.83 11.57 7.25	11000 4500 Lead	No 1 FIXED	IB FOLD 2	
			72		ALUMN MS			0 0	347				0					
Jarlen	J 35	28528	72	1990	46.333 14.583	150	46.3	41.416 14	5.43 9.11	Yes		No		35.42 30 11.67 6.75	10500 4400 Lead	No 1 FIXED	IB FOLD 2	
			72		ALUMN MS			0 0	347				0					
Moonshine	J 105 ODR w/ 5'BS	405	78	2001	40.6 13.5	100	42.1 18.5	41.5 14.5	5.5 9.4	No		Yes	26.2 859 5	34.5 29.5 11 6.5	7750 3400 Lead	No 1 FIXED	IB FOLD 2	
			72		ALUMN FS			0 0	358				22.3					

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst Keel Type		
Mudshark	Express 37	28052	72 1986	48.75 14.33	155	48.75	42 13.75 0 0	5.28 8.83 344	Yes 48	14.33	No	37.08 30.83 11.57 7.25	11000 4500 Lead	No 1 FIXED	IB FOLD 2		
Nirvana	J 105 ODR w/ 5'BS	342	78 2000	40.6 13.5	100	42.1 19.07	41.5 14.5 0 0	5.5 9.4 358	No		Yes 48.9 38.7 23	25 854 5	34.5 29.5 11 6.5	7750 3400 Lead	No 1 FIXED	IB FOLD 2	
One Eyes Jack	Express 37	18334	72 1986	48.75 14.33	150	48.75	42 13.75 0 0	5.28 8.83 344	Yes 48 25.7 25.7	14.33 1028	No	37.3 30.8 11.57 7.3	11000 4500 Lead	0 1 FIXED	IB FOLD 2		
Racer X	J 105 ODR w/ 5'BS	375	78 1996	40.6 13.5	100	42.1 19.07	41.5 14.5 0 0	5.5 9.4 358	No		Yes 48.9 38.7 23	25 854 5	34.5 29.5 11 6.5	7750 3400 Lead	No 1 FIXED	IB FOLD 2	
Raven	Benteau First 35	38073	75 2001	47.24 13.12	108	51.48	45.93 14.75	5.98 10.23	Yes 51.31 26.25 25.46	14.73 1116	No	36.32 30.6 12.76 7.25	12125 3681 Iron	0 1 FIXED	IB Fold		
Red Cloud	Farr 36 Mod	99	84 1976	38.3 12.16	108	46.3 12.16	41 16.75 0 0	6.4 10.9 410	Yes 45.4 21.8 21.8	12.16 825	No	36 32 11.92 6.16	10430 3950 Lead	No 1 FIXED	IB Fold 2	(550# ADDED TO KEEL 300# TO FILL MIDDLE WINDOW+250# TO BOTTOM)(Mtg 1/26/12, -3 sec/mi for new mainsail)	
TEAM OPEN SAILING	Mini Transat 6.5 Type Zero	806	105 2010	29.5 8.4	141	32 15.98	30 11.1	6.85 8.3 236	No		Yes 37.2 33.4 24.9	24.9 732 7.6 10	21.3 21.3 9.8 5.3	2215 948 LeadIron	0 1 FIXED	OB None	(Mtg 4/25/11, custom rating of 105 assigned)

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle				Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast		Traps/H. moveable blst Keel Type			
Daisy Cutter	Mini Transat 6.5 Type Zero	530	102 2004	31.7 8.75	135	31.8 16.55	30.5 10.8	7.83 9.5	No	Yes	30.1 772	21.3 21.3	2350 950	0 1	OB None 3	Production Aluminum mast, boom & sprit replaced with Carbon Fiber (mtg 1/21/10, custom rating of 102 assigned)		
			69	CARBON FS				260			7.8 35	9.8 5.25	Lead FIXED					
Dragonsong	Olson 30 OB	87014	99 1982	36 11.75	155	35.9 11.67	31.5 10.75	4.364 7.268	Yes	No	11.75	30 27.5	3600 1800	No 1	OB None 0			
			69	ALUMN MS			0 0	208			0	9.33 5.08	Lead FIXED					
Energy	J 105 ODR w/ 5'BS	46060	78 1996	40.6 13.5	100	42.1 19.07	41.5 14.5	5.5 9.4	No	Yes	26 926	34.5 29.5	7750 3400	No 1	IB FOLD 2			
			69	ALUMN FS			0 0	358			5 24.6	11 6.5	Lead FIXED					
For Pete's Sake	Ultimate 24 ODR	28469	111 2003	28.04 7.82	102	30.8 14.5	31 11.5	5.5 8.8	No	Yes	22.2 587	24.38 21.17	2040 750	No 1	OB None			
			69	CARBON FS			0 0	238			6.7 0	8.48 5.52	lead FIXED					
Hellion	Olson 30 OB	28775	99 1981	36 11.75	155	35.9 11.67	31.5 10.75	4.36 7.27	Yes	No	11.75	30 27.5	3600 1800	0 1	OB None	Roller Furler		
			69	ALUMN MS				208			0 0	9.33 5.08	Lead FIXED					
Maggie	C&C 37/40R	43728	72 1990	53.5 16	150		47.25 15.5	6 10	Yes	No		39.5 31.75	16000 6300	0 1	IB Feath 3			
			69	ALUMN MS				437			0 0	12.5 7.4	Lead FIXED					
Max	Ultimate 24 ODR	2	108 2002	28.04 7.82	110	30.8 14.5	31 11.35	6.81 9.18	No	Yes	21.3 562	24.38 21.17	2040 750	0 1	OB None			
			69	CARBON FS				254			6.7 0	8.48 5.52	Lead FIXED					

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Kee		Engine/Prop	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SPL SSMG SSF	SLU ASA SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast		Traps/H. moveable blst	IB or OB Prop Type # of blades		
Think Fast	Olson 30 OB	28708	99 1980	36 11.75	150	35.9 11.67	31.5 10.75	4.364 7.268	Yes 36 21 19.8	11.75 623	No <input type="checkbox"/>	30 27.5 9.33 5.08	3600 1800 Lead	0 1 FIXED	OB None 0		
Tupelo Honey	Elan 40	28908	69 2004	48.89 14.21	105	50.05 14.21	48.82 17.23	5.58 10.09	Yes 49.43 25.57 24.6	14.15 1045	No <input type="checkbox"/>	39.04 34.07 12.55 7.87	17600 5621 LeadSteel	No 1 FIXED	IB FOLD 2		
Vuja De	Ultimate 24 ODR	28978	111 2003	28.04 7.82	110	30.8 14.5	31 11.35	6.35 9.5	No 0 0	22.2 591 6.7 0	Yes 36 30.8 21 <input checked="" type="checkbox"/>	24.38 21.17 8.5 5.5	2080 750 Iron	No 1 CNTRBRD	OB None		
Weatherly	Olson 30 OB	18225	99 1982	36 11.75	155	35.9 11.67	31.5 10.75	4.364 7.268	Yes 35.8 21.1 20.5	11.75 626	No <input type="checkbox"/>	30 27.5 9.33 5.08	3600 1800 Lead	0 1 FIXED	OB None 0		
Coyote	Beneteau 42 IK TM	28776	84 1985	55.43 16.73	155	55.71	49.2 14.6	4.8 8.5	Yes 55 30.11 30.11	16.73 1380	No <input type="checkbox"/>	44.58 36 13.2 7.25	23560 9500 Iron	No 1 FIXED	IB FOLD 2	(mtg 5/21/09, added 15" scoop to transom, NCTR)	
Joyride	J 109 ODR	47	72 2003	46.5 13.3	105	49 18.8	43.25 15.5	5.89 10.07	No 0 0	27.75 1160 5.5 0	Yes 56.33 45.63 27.2 <input checked="" type="checkbox"/>	35.25 30.5 11.5 7	10900 3900 Lead	No 1 FIXED	IB FOLD 2		
Made Easy	Beneteau 42 IK TM	53202	84 1984	55.43 16.73	145	55.43 16.73	49.2 14.6	5.5 9.5	Yes 55 30.1 30.1	16.73 1380	No <input type="checkbox"/>	42.8 36.25 13.17 7.25	22857 8700 Iron	No 1 FIXED	IB FEATH 3	(8/27/10, boat weight, displacement is 22857 not 18600)	

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Kee		Engine/Prop	Modifications
			Built	DW Rating	I J Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No	SL SPL SSMG SSF	Yes/No	ASF ASA	SLU SLE ASMG		Sprit Lngth Fixed or _o	LWL		
Nina	Olson 29	27	99	1987	34 11	155	36	32.5 11.5	4.5 7.27	Yes	34	11.25	No	29.67 27.5	3700 1950	0 1	OB None	
			66		ALUMN FS			0 0	222		20.25 20.25	574	<input type="checkbox"/>	9.33 5.58	Lead	FIXED	0	
Pegasus - Motion X	J 100 ODR MOD	678	69	2005	38 12.7	95	43 15.63	38 15.3	5.32 9.32	No			Yes	32.8 29	7250 2500	No 1	IB FOLD	(Mtg 2/26/09, -3 sec/mi for adding sprit)(mtg 1/21/10, additional -3 sec/mi for lengthening sprit to 4.13')(Mtg 1/27/11, -6 sec/mi for increased "e")(Mtg 1/26/11, shortened J, boat rigged for shortened ceiling, NCTR)
			66		CARBON FS				332				23.9	9.3 5.8	Lead	FIXED	2	
Sea Room	J 105 ODR w/ 5'BS	520	78		40.6 13.5	100	42.1 19.07	42 15	5.5 9.4	No			Yes	34.5 29.5	7750 3400	0 1	IB FOLD	Needs YC membership to race in YRA races
			66		ALUMN FS			0 0	368				25.6	11 6.5	Lead	FIXED	2	
Bodacious	Custom Farr 40 1/T	41001	66	1985	47.274 13.818	155	47.3	50.909 18.346	6.92 11.84	Yes	46.76	13.8	No	40 31.46	17036 6620	No 1	IB FEATH	FARR 40 DESIGN #158 (MTG 5/14/98 - -3 SEC/MI FOR FILLING IN STERN CREASE); All displacement in IRC measured Trim (totally empty); Measurement changes noted, NCTR PHRF Mtg 2/16/09.
			63		ALUMN FS			0 0	554		24.86 24.86	969	<input type="checkbox"/>	13.11 7.5	Lead	FIXED	2	
E T	Antrim 27 CM ODR	19	75	1999	28.69 8.17	116	37.25 15	33.75 14	7.5 10.9	No			Yes	27.83 23.75	3450 1050	No 1	OB None	(Mtg 1/26/12, weighed displacement updated, NCTR)
			63		CARBON FS			0 0	327				20.1	9.25 6	Lead	FIXED	0	
Willow	Wauquiez 40s Centurion	38300	69	2004	51.5 14.17	110	51.5	49.21 19.3	7.3 12.5	Yes	50.73	14.17	Yes	41.17 36.4	18960 6085	No 1	IB FEATH	(mtg 3/18/10, -3 sec/mi for oversized a-sail.)(mtg 1/27/11, - 3 sec/mi for added sprit)
			57		ALUMN FS				564		25.54 25.54	1080	46.75 27.66	12.66 7.75	Lead	FIXED	3	
Don't Stop	Beneteau 40.7 First Farr	51705	54	2002	51.61 14.47	104	51.61 14.47	48.85 17.72	6.73 11.51	Yes	50.92	14.47	Yes	39.33 34.83	15211 5950	0 1	IB FOLD	
			54		ALUMN MS			0 0	515		26 26	1103	<input type="checkbox"/>	12.33 7.75	Lead	FIXED	2	

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Keel		Engine/Prop	Modifications	
					I	J	Max Headsail	ISP	PE	MGU	SL	SPL	Yes/No		Yes/No	ASF			Ballast
		DW Rating			Mast Material		JSP	PY	MGM	SSMG	SSA	SLU	ASA	LWL	Ballast Mat.	moveable blst	Prop Type		
					Rig Type			EY	MSA	SSF		SLE	Sprit Length	Max Beam	Keel Type		# of blades		
												ASMG	Fixed or _o	Max Draft					
Basic Instinct	Custom Elliott 10.50	8123	69	1993	41 12.5	125	45.6	44.2 17.5	8.5 12	Yes	48	13.9	No	26.5 801	34.42 31.83	10220 3000	No 1	IB FOLD	(mtg 3/19/09, changed to smaller headsail, +3 sec/mi, & larger mainsail, -6 sec/mi, change rating from 66 to 63)(Mtg 10/21/09, new smaller headsail, still with large headboard. Change mainsail results from 6 sec/mi to 3 sec/mi)
			48		ALUMN FS			0 0	497	29.75	30 1198	41	0	12.08	Lead	FIXED	2		
Encore	Sydney 36 CR	3632	54	2006	45.6 14	104		44.36 16.4	6.1 10.6	No			Yes	30 1297	36.06 31.04	11244 4850	No 1	IB FOLD	Autralian IRC Rating 1.052
			48		ALUMN FS				431				3	11.32	Lead	FIXED	2		
Espresso	Hobie 33 ODR	77981	90	1982	33.28 12.4	125	36.28	35 12.5	4.75 8	Yes	36	12.4	No		33 30.5	4000 1800	No 1	OB None	Standard rig, with longer elliptical rudder. Boat is an ODR boat with a short spinnaker pole, but Spinnaker is standard ODR size.
			42		ALUMN FS			0 0	260	21.4	23.4 690		0	8	Lead	FIXED	0		
Por Favor	Hobie 33 ODR MOD	51946	81	1982	33.8 12.4	135	36.5 13.125	34.1 12.33	4.83 8.25	Yes	36.5	13.125	Yes	21.97 698	33 30.5	4000 1800	0 1	OB None	Double Spreader Ballanger Mast (Mtg 2/18/10, Modified ODR, -6 sec/mi for oversized spinnaker)
			42		ALUMN FS				255	22.65 23.25	693	34.6	0	8	Lead	FIXED	0		
Shoofly	Custom Barnett Offshore 41	87978	54	1986	53 14.75	98	17.4	47 15.75	4.87 8.93	No			Yes	28 1260	41.5 35	14000 6955	0 1	IB FOLD	(Mtg 1/26/12, Custom rating of 54 assigned)
			42		ALUMN CTR			0 0	403				2.7	11	Lead	FIXED	0		
Skiff Sailing Association	11 Metre ODR	246	69	1996	32.53 10.166	95	41	36.08 13.583	5.23 8.82	Yes	41	10.166	No		33.67 26.92	3600 1600	No 1	OB None	MTG 4/9/98. Sail number 90, using sail # 246 for Vallejo 2008
			42		ALUMN FS			0 0	293	18.3 18.2	625		0	8.67	Lead	FIXED	0		
Aero	Hobie 33 ODR	77646	84	1981	33.83 12.375	152	36.47	34.71 12.35	4.69 8.1	Yes	36.83	13	Yes	22.8 675	33 30.5	5250 1800	0 1	OB None	(mtg 5/22/08, -3sec/mi for ability to use asymmetric on squared back pole)
			39		ALUMN FS				257	22.83	713	32.91	0	8	Lead	FIXED	0		
												23.3	90	5.5					

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J Max Headsail Mast Material Rig Type	ISP JSP		P E PY EY	MGU MGM MSA	Yes/No SL SPL SSMG SSF	SLU ASA SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast Ballast Mat.		Traps/H. moveable blst Keel Type			
Vitesse Too	Hobie 33 ODR	87112	90 1983	33.8 12.4	125	36.8	35 12.4	4.75 8	Yes	No		33 30.5 8 5.5	4000 1800 Lead	No 1 FIXED	OB None 0	Extended rudder 10", NCTR	
			39	ALUMN FS			0 0	259			<input type="checkbox"/>						
Agave Azul	Catalina 470	127	93 2011	58.23 17	110	58.23 17	50.5 20	6.5 11.5	No	Yes	29.07 1285	47.9 42 14 7.8	27270 9020 Lead	0 1 FIXED	IB Fold		
			36	ALUMN MS				558			<input type="checkbox"/>						
Akyla	Hobie 33 ODR MOD	163	78 1985	33.6 12.4	150	36.5 16.2	35.3 12.5	4.75 8	No	Yes	25.7 830	33 30.5 8 5.5	4260 1800 Lead	0 1 FIXED	OB None	(mtg 8/19/10, -3 sec/mi for sprit, -12 sec/mi for 20% oversized asymmetrical spinnaker)	
			33	ALUMN MS				262			<input checked="" type="checkbox"/>						
Tiger Beetle	Custom N/M 45	77985	42 1983	59.1 17.5	155	59.1	52.1 16	5.8 10.1	Yes	No		45 37.7 13.4 7.9	21000 10000 Lead	No 1 FIXED	IB FOLD 2	PIPE BERTH INTERIOR, 1400 LBS LEAD SET IN BILGE ABOVE KEEL REINSTALLED. (MTG 4/9/98) RTG CHANGED FM 45 TO 42 W/NOTED CHANGES TO BALLAST, INTERIOR AND LWL. MTG 2/16/2000	
			33	ALUMN MS				487			<input type="checkbox"/>						
Void Star	Santa Cruz 40	59995	48 1982	52 16	142	52	45.5 14	5.2 8.58	Yes	No		40 36 12 7	12500 5000 Lead	0 1 FIXED	IB FEATH 2		
			33	ALUMN MS				370			<input type="checkbox"/>						
Jet Stream	Custom JS 9000	9045	63 2003	27.08 9.5	82	30.25 15.5	31 8.73	5.6 7	No	Yes	21.8 561	29.9 27.9 5.7 6.8	2425 1543 Lead	0 1 FIXED	OB None 0	(Mtg 1/22/09, custom rating of 78 assigned)(Mtg 8/19/10, -9 sec/mi for adding 3' sprit, -3 sec/mi for increased spinnaker area. Original rating of 78 contained a 3 sec error, rating should have been 75, change custom rating to 62)	
			30	CARBON FS				199			<input checked="" type="checkbox"/>						
Twist	J 120 ALUM	28442	48 2000	50.5 14.5	150	52 21.5	46.5 17.8	6.75 11.5	No	Yes	34.1 1764	40 35 12 7	13900 6000 Lead	No 1 FIXED	IB FOLD 2		
			30	ALUMN FS				492			<input checked="" type="checkbox"/>						

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Kee		Engine/Prop	Modifications
					I J Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No	SL SPL SSMG SSF	Yes/No	ASF ASA Sprit Lngth Fixed or _o	Max Beam		LWL	Ttl Disp.		
Clipper	Olson 40	18912	48	1983	50 15.75	125	50 15.8	44 14.25	5.5 9.29	Yes	49.5 15.75	No		40.33 36 11.25 6.5	10350 5500 Lead	No 1 FIXED	IB FOLD 2	MRG 4/9/98
			27		ALUMN MS		0 0	376			28.35 1169	<input type="checkbox"/>	0					
Spellbound	Olson 40	18983	45	1983	51.21 15.75	155	51.21	44.21 14.3	5.5 9.2	Yes	49.8 15.75	No		40.33 36 11.33 6.5	10350 5500 Lead	0 1 FIXED	IB FOLD 2	MTG 4/9/98
			27		ALUMN MS		0 0	377			28.35 1177	<input type="checkbox"/>	0					
Easom Riggin/Eight Ball	Mumm/Farr 30	57	54	1996	38.3 10.89	104	44.9 13.5	40.52 14.56	6.42 10.4	Yes	44.7 13.58	Yes	24.6 921	30.9 27.5 10.16 6.89	4500 2060 Lead	0 1 FIXED	IB Fold 2	
			24		CARBON FS			376			25.1 922	<input type="checkbox"/>	90					
Frequent Flyer	Mumm/Farr 30	52	54	1996	38.2 10.9	104	44.9 13.58	40.5 14.6	6.42 10.4	Yes	44.58 13.58	Yes	25.25 882	30.9 27.6 10.1 6.9	4561 1997 Lead	0 1 FIXED	IB Fold	
			24		CARBON FS			377			25.25 934	<input checked="" type="checkbox"/>	0					
Outsider	Azzura 310	1000	57	1996	35.35 11.55	110	43.33 21.57	38.75 13.25	6.68 10.5	No	47.01 1163	Yes	30.1 6	30.75 27.4 10 7.2	4850 2100 Lead	No 1 FIXED	OB Fixed_3 3	6 FT ARTIC, RETRAC BOWSPRIT. MTG 3/28/96 (RATED 66) (CHNG NOTED 4/18/96-NO CHNGE RTNG. (2/13/96 FM 66 TO 60.)(MTG 11/13/97 FM 60 TO 57)/MTG 2/12/98 FM 57 TO 63 (MTG 4/9/98) Inboard Sail Drive
			21		CARBON FS			352			39.7 32.7	<input type="checkbox"/>						
MAD MEN	J 111	17	36	2011	48.37 13.84	105	54.41 20.08	45.17 14.5	5.18 10.1	No	59.05 1404	Yes	31.79 8	36.5 32.7 10.8 7.2	9300 3500 LeadSteel	0 1 FIXED	IB Fold 2	
			15		CARBON FS			396			46.91 31.79	<input checked="" type="checkbox"/>	0					
Recidivist	Custom Schumacher 39	3510	21	1996	48.34 14.03	100	56.78	50.91 18.49	7 12.02	Yes	55.67 15.42	No		39.81 33.7 12.12 8.24	12853 5500 Lead	No 1 FIXED	IB FOLD 2	ALUMINUM MAST REPLACED W/CARBON. MTG 4/9/98-CHANGED FROM 24 TO 27 PER MTG 8/24/2000 (Mtg 5/22/08, -9 sec/mi for oversized luffs, +3 sec/mi for smaller headsail)(mtg 6/19/08, added Sweet Back Spreaders
			15		CARBON FS			560			27.76 1288	<input type="checkbox"/>	0					

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Keel		Engine/Prop	Modifications
					I J Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No	SL SPL SSMG SSF	Yes/No	ASF ASA Sprit Lngth Fixed or _o	LWL		Ttl Disp. Ballast Mat.	Traps/H. Strps moveable blst Keel Type		
Sapphire	Synergy 1000	38008	45	2004	40.8 12	125	45.75 16.4	42 15.5	6.99 11.08	No	Yes	28 1172	32.83 29.17	4400 1850	No 1	IB FOLD		
			15		CARBON FS				417			4.3 0	9.75 7	Lead FIXED		2		
Zsa-Zsa	1D 35	35017	36	1999	42.49 12.52	110	44.78	44.46 18.58	7.55 12	Yes	No		35 31.5	6500 2600	No 1	IB Feath		
			9		CARBON FS			0 0	498			0	10.75 7.6	lead FIXED		2		
Astra	Farr 40 ODR FR	40079	9	2000	53.2 15.5	105	53.12	54.8 19.4	7.29 12.47	Yes	No		40.75 35.27	10917 5079	No 1	IB FOLD		
			6		CARBON FS			0 0	629			0	13.22 8.53	Lead FIXED		2		
RAM	J 130 CM SD	29	24	1995	57 16.5	120	58.5 23.5	52.5 18.5	7 12	No	Yes	37.9 1993	42.58 38.17	18000 6750	No 1	IB FOLD		
			6		CARBON FS			0 0	578			7 37.9	12.67 7	Lead FIXED		2		
Tiburon	Santa Cruz 37	38042	27	2008	47 13.5	105	52.17 19	47 17	6.46 11.05	No	Yes	33.3 1541	37 34.75	9882 3730	0 1	IB FOLD		
			6		CARBON MS				476			5.5 0	10.64 7.5	Lead FIXED		2		
Buzz Off	Henderson 30	111	48	1997	37.9 11	125	42.3 18.8	38.3 14.3	5.45 9.25	No	Yes	32 1044	30.83 27.75	3850 1750	0 1	OB None		
			3		CARBON FS				326			7.71 15	9.8 7	Lead FIXED		0		
Ragtime	J 90 MOD	50090	48	1998	35.6 10.5	125	43.1 18	38.85 14.5	5.91 9.74	No	Yes	27.9 983	30 27	3400 1595	No 1	OB FOLD	(Mtg 4/28/11, Switched to larger Mainsail & smaller Asymmetrical, - 3 sec/mi for oversized main girths, -3 sec/mi for increased "P", + 3 sec/mi for smaller asymmetrical)(Mtg 1/26/12, removed saidrive, added OB 2 sec/mi)	
			3		CARBON FR			0 0	345			7.5 0	8.5 6.5	Lead FIXED		2		

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
					I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or_o		Ttl Disp. Ballast	Traps/H. moveable blst		
Magic Cloud	Swan 48 FRERS CR MH	28481	18 -15	2001	65.45 56.59	125	64.96 21.49	57.91 19.03	7.23 12.4	No	Yes	23 1212 1.666	48.65 41.01 14.17 7.9	34400 12100 Lead	No 1 FIXED	IB FEATH 2		
Bodacious +	1D 48	48005	-12 -21	1996	57.7 16.7	155	68.3 16.7	61.3 22.5	9.84 14.66	Yes	Yes	30.1 1673 0 0	48.3 40.2 14.2 10.1	19743 8818 Lead	0 1 FIXED	IB Fold 2	Water ballast system not operational (mtg 8/19/08, custom rating assigned of -30, includes dual spinnakers)(Mtg 3/24/11, new smaller mainsail, smaller symmetrical, change custom rating from -30 to -24)(Mtg 8/25/11	
DoubleTrouble	J 125	93204	-12 -30	1999	49 15	155	23	47 18	6.8 11.6	No	Yes	41 1941 8 0	41 37 10.6 7.9	9330 4646 Lead	0 1 FIXED	IB FOLD 2	(Mtg 2/26/09, -3 sec/mi for oversized main girths)(3/9/09, corrected main girths, removed -3 sec/mi penalty)	
Deception	Santa Cruz 50	97263	-9 -33	1987	61.8 18.3	155	61.8 18.3	55 18.4	7.1 12	Yes	Yes	32.9 1335 0 0	50 46 12 8	17500 8000 Lead	0 1 FIXED	IB FOLD 2	ELPT Keel & OS/Spinnaker; Has a Code 0 headsail aboard - tacked to stem, no sprit (Mtg 3/19/09, -3 sec/mi for dual spinnakers)	
Medusa	Custom Santa Cruz 52 TM	69910	-33 -36	1993	67.08 18.9	155	67.29 21.67	60.47 20.82	7.25 14.63	No	Yes	38.71 2147 0 90	53 46.5 14 9	24265 9100 Lead	0 1 FIXED	IB Feath 3	(Mtg 1/26/12, -6 sec/mi for OSP, -6 sec/mi for oversized asymmetrical, -3 sec/mi for oversized mainsail girths, custom rating of -33 assigned)	
California Condor	Class 40	94	3 -51	2010	58.6 15.65	104	58.6 23.85	53.21 18.81	12.93 15.55	No	Yes	44.88 2054 6 0	40 39.17 14.7 9.84	12142 4710 Lead	0 4 fixd&water	IB Fold 2	(mtg 4/22/10, custom rating of -9 assigned)(Mtg 1/27/11, water ballast disabled. Change custom rating from -9 to 0[zero], DW Rating changes from -60 to -45)(Mtg 5/26/11, enabling water ballast. Custom rating reverts back to 0/	
Truth	Open 50	101	-123 -147	2003	73.4 23.88	131	75.13 35.17	73.16 24.7	14.17 18.56	No	Yes	48.56 3233 9.84 0	50 50 15.09 13.5	13972 5972 LeadWater	0 4 MVBL	IB FOLD 2	6612 lb in water ballast (Mtg 4/24/08 custom rating assigned of -114)(Mtg 5/22/08, taller rig & deeper keel added, change custom rating from -114 to -144)(Mtg 1/26/12, change custom rating from -144 to -123 after review of rating appeal)	

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
		Sail #	DW Rating		I J Max Headsail Mast Material Rig Type	P E PY EY		MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast		Traps/H. moveable blst	Strps Keel Type	IB or OB Prop Type # of blades	
Amandla	Catalina 34 1&2	796	147	1988	46 13.5 ALUMN MS	130		38.5 12		No	No		35.75 29.8 11.75 5.6	11950 5000 Lead	0 1 FIXED	IB FOLD 3		
Arabella	ALERION EXPRESS 28 ODR	200	168	2002	30 9.75 ALUMN FS	90		33 12.5 0 0	4.085 7.6 233	No	No		28.2 22.8 8.2 4.5	5700 2200 Lead	No 1 FIXED	IB FOLD 2		
Beverlee	Pacific Seacraft 31	126	201	2006	38.7 14.6 ALUMN CTR	100		32.5 12.58	4.89 8.2 245	No	No		31.83 24.17 9.83 4.92	11000 4400 Lead	0 1 FIXED	IB Fixed_3 3		
Blueberry	Nonsuch 22	48	246	1987				34 19.25	7.3 12.5 389	No	No		22 20.5 8.5 3.66	4600 1800 Lead	0 1 FIXED	OB None 2	Mark Ellis designed, Mars Metal built 450 lb split bulb torpedo bolted and faired into bottom 4 inches of keel so as not to increase draft, but to add stability in case of knock down. Original lead was 1800 lb. Total lead now 2250 lbs	
Bon Chance	Hunter 30-1	28938	189	1989	36.83 9.75 ALUMN FS	105		40.58 12.5	4.81 8 302	No	No		30.06 25.83 11 4.25	9500 3800 Cast Iron	0 1 FIXED	IB Fixed_3 3		
Califia	Islander 36 ODR	67074	144	1978	45 14.48 ALUMN MS	135	45	39.25 12.75	3.69 6.88 265	No	No		36.08 28.25 11.17 6.08	13450 5450 Lead	0 1 FIXED	IB Feath 2		
Cape Farewell	Westsail 32	38408	225	1975	42.25 20 ALUMN CTR	110		38.25 14.25 0 0	4.06 8.12 293	No	No		32 27.5 11 5	19500 7000 Lead	0 1 FIXED	IB Fixed_3 3		

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Kee		Engine/Prop IB or OB Prop Type # of blades	Modifications
		Sail #	DW Rating		I J Max Headsail Mast Material Rig Type	P E PY EY		MGU MGM MSA	Yes/No SL SPL SSMG SSF	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast	Traps/H. moveable blst Keel Type					
Curlew	Bird ODR	2	168	1922	20.25 9.5 WOOD MS	155	20.25	31.5 20.25 0 0	7 12.5 366	No 22 17 16.5	9.5 310	No <input type="checkbox"/>	0	30.08 24.25 7.67 5.25	8900 3620 Lead	0 1 FIXED	OB None 0	
Dream	ALERION EXPRESS 28 ODR	222	168	2003	30 9.75 ALUMN FS	90		33 12.5 0 0	4.58 7.9 242	No		No <input type="checkbox"/>	0	28.25 22.83 8.17 4.5	5700 2200 Lead	No 1 FIXED	IB FOLD 2	
Endless Summer	Catalina 42-1/2 WK	688	111	2000	53 16.5 ALUMN MS	155		46.75 15.5	5.08 9.16 405	No		No <input type="checkbox"/>	0 0	41.83 36 13.83 4.83	28000 8300 Lead	0 1 FIXED	IB Feath 3	
Ganesha	Sabre 36-2	28862	111	1996	48.5 13.46 ALUMN MS	155		41.6 14.83 0 0	5.66 9.63 368	No		No <input checked="" type="checkbox"/>	0 0	36.17 30.42 12 6.5	13800 5520 Lead	No 1 FIXED	IB FOLD 2	Adjustable back stays
Hot Ice	C&C 110	38110	90	2004	51 14 CARBON MS	98	51	45 15.5 0 0	5.8 9.9 412	No		No <input type="checkbox"/>	0	36.36 31.5 12 6.5	10900 4200 Lead	No 1 FIXED	IB FOLD 2	carbon mast noted (standard on C & C 110) NCTR PHRF Mtg 3/16/06;
Huttetu	Knarr ODR	100	198	1960	33.583 6.583 WOOD FS	125	33.583	31 11.166 0 0	4.47 7.46 211	No		No <input type="checkbox"/>	0	30.333 20.333 7 4.25	4630 2866 Cast Iron	No 1 FIXED	OB None 0	
Iliohale	Hanse 341/342	60128	141	2004	46 12.2 ALUMN FS	125		42 15	5.58 9.37 369	No		No <input type="checkbox"/>	0 0	34 29.2 11.2 5.9	11353 3395 Iron	0 1 FIXED	IB FOLD 2	

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle		ISP JSP	Main:		Symmetric Spin.	Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Kee		Engine/Prop	Modifications
		Sail #	DW Rating		I J Max Headsail Mast Material Rig Type	P E PY EY		MGU MGM MSA	Yes/No SL SSMG SSF	SPL SSA	Yes/No SLU SLE ASMUG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst Keel Type	IB or OB Prop Type # of blades	
Imagine	Ericson 32-3	716	159	1987	42 13.8	135		36.4 11.8	4.18 7.28	No	No		32.5 25.83 10.83 6	9800 4200 Lead	0 1 FIXED	IB Fixed_2 2	
Isle Of Skye	Tartan 33 7/8 RIG	6	159	1979	36.42 12.42	100	36.42	41.58 14.42	4.6 8.1	No	No		33.67 28.08 10.92 4.42	10000 4400 Lead	No 1 FIXED	IB FEATH 3	
Kabunza	Pearson 36-2	362	132	1986	47.1 15.4	110		41 14.5	3.65 7.3	No	No		36.5 29.5 12.3 6.5	15000 5800 Lead	0 1 FIXED	IB Fixed_2 2	
Kapai	Islander 36 ODR	438	144	1977	45 14.48	135	45	39.25 12.75	5.05 8.44	No	No		36.08 28.25 11.17 6	13450 5500 Lead	0 1 FIXED	IB FOLD 2	
Kiwa	Ericson 32-2	285	183	1973	36 18	155	36	31.5 13	4.9 8.4	No	No		32 24 9.67 4.91	9400 4400 Lead	0 1 FIXED	IB Fixed_2 2	
Krissy 2	Passport 40	97552	141	1987	50.6 15.6	125	50.6 15.6	45.9 16	6 10.3	No	No		39.4 33.42 12.67 5.75	22771 8600 Steel	0 1 FIXED	IB Fixed_3	
Mephisto Cat	Pearson 26 Commander	155	261	1964	31.5 9.5	100		26 11.5	3.3 5.75	No	No		25.7 18.5 8 3.7	5200 2800 Lead	0 1 FIXED	OB None 3	

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle		Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Kee		Engine/Prop	Modifications	
		Sail #	DW Rating		I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMUG	ASF ASA Sprit Lngth Fixed or _o	LOA LWL Max Beam Max Draft	Ttl Disp. Ballast	Traps/H. moveable blst	Strps Keel Type		IB or OB Prop Type # of blades
Meritime	C&C 30	276	180	1976	39 13.5	120	ALUMN MS	34 11.5	3.8 7	222	No	No	<input type="checkbox"/>	0	30 24.75 10 5	7900 3650 Lead	0 1 FIXED	IB Fixed_2 2	
Nemesis	Pearson 26 Commander	151	261	1964	31.5 9.5	100	ALUMN MS	26 11.5	3.3 5.75	154	No	No	<input type="checkbox"/>	0 0	25.7 18.5 8 3.7	5200 2500 Lead	0 1 FIXED	OB None	
Orion	Islander 36 ODR	211	144	1974	45 14.48	135	ALUMN MS	39.25 12.75	5.05 8.44	303	No	No	<input type="checkbox"/>	0 0	36.08 28.25 11.17 6.08	13450 5450 Lead	0 1 FIXED	IB None	
Rosalita	CAL 29-1 IB	373	186	1972	38 12	125	ALUMN MS	32 12	4.332 7.537	224	No	No	<input type="checkbox"/>	0 0	29 24.2 9.25 4.75	8000 3350 Lead	0 1 FIXED	IB Fixed_2 2	Roller Furler
Sans Souci	Beneteau Oceanis 321	28591	168	2000	42 12.33	140	ALUMN MS	35.25 13.58	2.97 6.19	229	No	No	<input type="checkbox"/>	0	32.58 29.42 11.25 4.25	9700 3274 Lead	No 2 FIXED	IB Fold 3	Roller Furling Main
Seaya	Catalina 380	252	120	2000	50.916 14.667	135	ALUMN MS	44.833 15.667	5.2 10	405	No	No	<input type="checkbox"/>	0	38.42 32.42 12.33 7.17	19000 6800 Lead	No 1 FIXED	IB FEATH 3	
Simcha	Beneteau 361 Oceanis	0	147	2002	45.21 13.94	140	ALUMN MS	38.39 14.44	3.93 7.68	289	No	No	<input type="checkbox"/>	0 0	36.5 31.1 12.6 5	12790 4156 Cast Iron	0 1 FIXED	IB Fixed_3 3	(+3 sec/mi for in-mast mainsail furler)

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Kee		Engine/Prop	Modifications
		Sail #	DW Rating		I	J	Max Headsail	ISP	JSP	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H. Strps	IB or OB	
								E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type		
								PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades		
								EY		SSF		ASM	Fixed or _o	Max Draft					
Simple	Nonsuch 22	261	246	1986				33.5	6.84	No		No		22	5000	0	OB		
								18	11.7					20.5	1800	1	None		
					ALUMN			0	359				0	8.5	Lead	FIXED	0		
					CAT			0				<input type="checkbox"/>		3.7					
Sirius	Catalina 34 1&2	38730	153	2005	44		44	38.5	2.965	No		No		35.67	11950	0	IB	In-mast furling main, no battens- +3 sec/mi, +3 sec/mi for MGM < 50% of E; Roller Furler	
					13.5	135	48	12	5.896					29.8	5000	1	FEATH		
					ALUMN			0	231				0	11.75	Lead	FIXED	3		
					MS			0				<input type="checkbox"/>		5.58					
SLOWMO!	Catalina 22-1 OB SK	2482	270	1973	25.93			21	3.47	No		No		21.6	2250	0	OB		
					8	150		9.66	5.96					19.4	550	1	None		
					ALUMN				118				0	7.8	Iron	MVBL	3		
					MS							<input type="checkbox"/>	0	5					
Spindrift	Cal 39-2/3 TM	67799	117	1980	54.33			47.51	4.91	No		No		39	17000	0	IB	(Mtg Dec '10, +3 sec/mi for small headsail, E & P Must be black-banded.)	
					16.7	110		13.06	8.36					32.1	7000	1	Feath		
					ALUMN				367				0	12	Lead	FIXED	3		
					MS							<input type="checkbox"/>	0	6.8					
Spindrifter	Tartan 30	77658	180	1971	39		39	34	3.833	No		No		29.92	8750	0	IB		
					13	155	13	11.416	6.833					24.25	3700	1	FEATH		
					ALUMN			0	219				0	10	Lead	FIXED	2		
					MS			0				<input type="checkbox"/>		4.92					
Surf	X-332-Sport	38415	120	2003	43.22			42	5.643	No		No		33.8	9038	No	IB		
					11.68	120		14.5	9.711					28.9	3086	1	FOLD		
					ALUMN				369				0	10.8	LeadIron	FIXED	2		
					FS							<input type="checkbox"/>		7.1					
The Irish Rogue	Islander 36 NCPHRF	553	156	1979	45		45	39.25	5.05	No		No	0	36.08	13450	0	IB		
					14.48	125	14.48	12.75	8.44					28.25	5820	1	Fixed_3		
					ALUMN				303				0	11.17	Lead	FIXED	3		
					MS							<input type="checkbox"/>	0	6.08					

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Kee		Engine/Prop	Modifications
			Built	DW Rating	I	J	Max Headsail	ISP	JSP	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H. Strps	IB or OB	
					Mast Material			E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type		
					Rig Type			PY	MSA	SSMG	SSA	SLE	Sprit Length	Max Beam	Ballast Mat.	Keel Type	# of blades		
								EY		SSF		ASMG	Fixed or _o	Max Draft					
The Other Woman	Hunter 41	41	126	2007	51.6 13 ALUMN FS	110		50.8 19.6	6 10.11		No	No		40.4 35.6 13.3 6.6	19400 6506 Lead	0 1 FIXED	IB Fixed_2 2	+ 3 sec/mi for in-mast furling mainsail	
Wayward Whale	Ericson 38	75	120	1982	50 16.25 ALUMN MS	105		43.25 14	5.46 9.16		No	No		37.8 30.6 12 6.6	14900 6300 Lead	0 1 FIXED	IB Fixed_2 2		
Zingara	Islander 36 NCPHRF	484	150	1978	45 14.48 ALUMN MS	125	45 14.8	39.25 12.75 0 0	4.8 8.29 298		No	No		36.1 28.25 11.17 6.08	13450 5820 Lead	No 1 FIXED	IB Fold 2	Roller Furler	
Zingaro	Santana 22	5050	237	1971	26 8.5 ALUMN MS	125	26	21.75 9.83	3.95 6.59 131		No	No		22 18.67 7.833 3.5	2600 1260 Iron	0 1 FIXED	OB None 0		