

# NCPHRF - CURRENT FLEET ROSTER

This Roster represents the information on file for boats with a current NCPHRF certificate. If the boat you are looking for is not listed, their certificate is either not current or not yet updated to the list. You can contact the YRA office to verify a boat not found on this list at info@yra.org or via phone at 415.771.9500. This list is updated monthly.

As of: 2/23/2010

Boat Name	Boat Model (Type)	Sail #	Rating Built DW Rating	Foretriangle			Main:			Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast		Traps/H. moveable blst Keel Type			
007	J 105 ODR w/ 5'BS	112	<b>75</b> 1995	40.6 13.5	155	42.1 19.07	41.5 14.5	5.5 9.4	No	Yes	24.6	34.5	7750	No	IB	(mtg 2/18/10, -3 sec/mi for headsail larger than 100%)		
			<b>66</b>	ALUMN FS			0 0	358		49.5 39.8 26	957 5	29.5 11 6.5	3400 Lead	1 FIXED	FOLD 2			
Abigail Morgan	Express 27 ODR	18394	<b>129</b> 1985	28.5 9	150	28.5	28.5 10.416	4.22 7.03	Yes	No		27.25 23.75 8.166 4.5	2450 1100 Lead	No 1 FIXED	OB None 0			
			<b>96</b>	ALUMN FS			0 0	182		17.75 17.4	421							
Ad Lib	Aphrodite 101	8161	<b>144</b> 1979	36.83 11.81	100	32.23	39.33 11.48	4.5 6.1	Yes	No		32.75 26.33 7.92 5.42	6160 3527 Lead	No 1 FIXED	IB FOLD 2			
			<b>129</b>	ALUMN FS			0 0	253		21.3 19.6	622							
Ada Helen	Catalina 42-1/2	922	<b>96</b> 2005	53 16.5	155	53 16.5	46.75 15.5		No	Yes	29.7	43.8	20500	No	IB	(Mtg 3/20/08 -6/sec/mi for OSP)(mtg 6/19/08, new larger a-sail, correct size for J, NCTR)		
			<b>69</b>	ALUMN MS						54.76 50.5 29.7	1303 0 90	36 13.1 6	8300 Lead	1 FIXED	FOLD 3			
Akela	Riechel/Pugh Turbo 77	69011	<b>-132</b> 1997	85.37 35	128	94.94 35	87.34 30.51	12.83 19.78	No	Yes	59.15	77.67	31939	0	IB	(mtg 8/27/09, -6 sec/mi for new oversized jib. Changed custom rating from -126 to -132)		
			<b>-174</b>	CARBON FS				1619		103.41 88.35 58.96	4714 35	65.2 14.78 14.12	12300 Lead	1 FIXED	FOLD 2			
Akula	J 105 ODR w/ 5'BS	16	<b>78</b> 1992	40.6 13.5	100	42.1 19.07	41.5 14.6	5.5 9.4	No	Yes	25	34.5	7750	No	IB			
			<b>72</b>	ALUMN FS			0 0	359		48.9 38.7 23	854 5	29.5 11 6.5	3400 Lead	1 FIXED	FOLD 2			

Boat Name	Boat Model (Type)	Sail #	Rating DW Rating	Built	Foretriangle		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Kee		Engine/Prop IB or OB Prop Type # of blades	Modifications
					I J	Max Headsail		P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASM	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst Keel Type		
Alcyone	BENETEAU OCEANIS 350	0	<b>144</b>	1990	41.47 12.8	130		35.7 11.4	3.1 6.2	No		No		33.8 29.1 11.3 4.17	10582 3968 Iron	0 1 FIXED	IB Feath 3	
Antipodiste	Farr 30 1/2 Ton	18845	<b>156</b>  <b>114</b>	1978	30.14 9.61	155	30.14	31.95 12.92	5 8.45	Yes	30.05	9.61	No	30.1 25.63 9.9 5.479	4500 1850 Lead	No 1 FIXED	NONE None	Inboard motor removed as well as shaft/strut and prop.
Arabella	ALERION EXPRESS 28 ODR	200	<b>168</b>	2002	30 9.75	90		33 12.5	4.085 7.6	No		No		28.2 22.8 8.2 4.5	5700 2200 Lead	No 1 FIXED	IB FOLD 2	
Arcadia	Custom Nash 28.5	3113	<b>135</b>  <b>75</b>	1969	33 10	120	34 11	32.5 13	4.92 8.41	No		Yes	24.606 38.8 34.908 24.606	28.5 25.5 9 6.5	4327 1200 Lead	No 1 FIXED	IB FOLD 2	(Weighed Displacement as of 4/4/2009)
Arowana	Custom Diva 39	8	<b>87</b>  <b>75</b>	1987	41.73 12.8	125	41.73 12.8	46.75 14.75	5.72 9.6	Yes	41.4	12.8	No	38.75 30.83 9.83 5.75	9920 4575 Lead	No 1 FIXED	IB FOLD 2	Back Stay Crane
Audacious	J 29 7/8 OB	18917	<b>117</b>  <b>129</b>	1984	35 11.416	150	35	38.666 13	4.94 8.45	Yes	35	11.5	No	29.5 25 11.083 5.667	6000 2100 Lead	0 1 FIXED	OB None 0	
Back Bay	CAL 39-2/3	8939	<b>117</b>	1979	50 16.7	110		44 13.8	4.5 8	No		No		39 32.1 12 6.8	17000 7000 Lead	0 1 FIXED	IB FEATH 3	

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SPL SSMG SSF	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast		Traps/H. moveable blst Keel Type			
Bandicoot	Wyliecat 30 IB	28530	<b>132</b> 2000				39.75 20.5	7.87 13.46	No	No		30.5 25 9.5 5.25	5500 3050 Lead	0 1 FIXED	IB FEATH 2		
			<b>138</b>		CARBON CATBOAT		0 0	488			<input type="checkbox"/>						
Bandido	Merit 25	28125	<b>168</b> 1983	28.75 9.66	150	28.75	28 9.75	4.25 6.69	Yes 29	No 9.66		24.5 20.5 8 4	3000 1050 Lead	No 1 FIXED	OB None 3		
			<b>177</b>	ALUMN FS			0 0	172	17.39 17.39		<input type="checkbox"/>						
Banditos	Moore 24	118	<b>150</b> 1982	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes 26.6	No 9.75		23.75 21.75 7.16 4.083	2050 1025 Lead	0 1 FIXED	OB None 0		
			<b>123</b>	ALUMN FS				147	17.55 17.55		<input type="checkbox"/>	0 0					
Basic Instinct	Custom Elliott 10.50	8123	<b>69</b> 1993	41 12.5	125	45.6	44.2 17.5	8.5 12	Yes 48	No 13.9	26.5 801	34.42 31.83 12.08 7	10220 3000 Lead	No 1 FIXED	IB FOLD 2	(mtg 3/19/09, changed to smaller headsail, +3 sec/mi, & larger mainsail, -6 sec/mi, change rating from 66 to 63)(Mtg 10/21/09, new smaller headsail, still with large headboard. Change mainsail spool from 6 sec/mi to 3 sec/mi)	
			<b>48</b>	ALUMN FS			0 0	497	29.75	41 21	<input type="checkbox"/>						
Bequia	Beneteau 411	28757	<b>108</b> 1999	47.74 16.31	125	47.67	41.54 14.83	4.87 8.77	Yes 48	No 16.25		40.5 36.09 13 5.58	17196 5500 Steel	No 1 FIXED	IB FOLD 2		
			<b>75</b>	ALUMN MS			0 0	345	29.36 29.36		<input type="checkbox"/>						
Bessie's Girl	Bristol 45.5	30088	<b>114</b> 1980	57 18.83	130	57 18.83	47.25 15.2	4.66 8.56	Yes 56	Yes 18.83	33 1353	45.5 37.25 13.2 11	40000 15000 Lead	No 1 CNTRBRD	IB FEATH 3	(mtg 2/18/10, -3 sec/mi for dual spinnakers/ability to use asym on squared back pole)	
			<b>78</b>	ALUMN KTCH			30.25 8.25	390	33 33	51.5 29.5	<input checked="" type="checkbox"/>	0 0					
Bewitched	Merit 25	8177	<b>168</b> 1979	28.75 9.66	155	28.75	28 9.75	4.025 6.69	Yes 29	No 9.66		24.5 20.5 8 4	3000 1050 Lead	No 1 FIXED	OB None 0		
			<b>177</b>	ALUMN FS			0 0	169	17.39 17.39		<input type="checkbox"/>						

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Kee		Engine/Prop IB or OB Prop Type # of blades	Modifications	
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst Keel Type			
Black Knight	Olson 30 OB	18123	99 1981	36 11.75	150	35.9	31.5 10.75	4.364 7.268	Yes	36 21 21	11.75 630	No	0 0	30 27.5 9.333 5.083	3600 1800 Lead	0 1 FIXED	OB None	
Black Sheep	Beneteau 25	88	132 1997	29.833 8.5	105	31.5	30.833 11.917	4.5 7.5	No	31.167 18.5 17.75	8.5 477	Yes	17 413	24.58 22.17 8.5 5.17	2755 1124 Cast Iron	No 1 FIXED	OB None 0	
Bliss	Pearson 385	38055	180 1984	43.25 16.5	130	43.25 18.3	35.58 14.5	4.8 8.6	No	46 42.7 23.2	865 1.8 0	Yes	24.2 1.8 0	38.25 30 11.6 5.5	20575 9675 Lead	0 1 FIXED	IB Fixed_3 3	
Blister	Moore 24	119	150 1983	26.25 9.75	155	26.25	25 9.5	3.91 6.5	Yes	27 17.55 17.55	9.75 395	No	0 0	23.75 21.75 7.16 4.083	2050 1025 Lead	0 1 FIXED	OB None 0	
Blown Away	Capri 22 WK	317	210 1988	25 8.16	155	25 8.16	25.75 9.75	3.54 6.2	Yes	25.1 14.7 14.5	8 307	No	0 0	22 20 8 2.5	2250 700 Lead	0 1 FIXED	OB None 3	Main luff 3' short for cockpit headroom
Blue Chip	Kiwi 24	18811	204 1974	31.52 10	145	31.5	27 9 0 0	3.8 6.29 153	Yes	31 17.5 17	10 450	No	0	24 20.5 9.67 4.23	4300 2250 Iron	0 1 FIXED	IB Fold 2	
Blue Moon	International Folkboat OB	175	231 1969	26 8.3	120	26 8.3	28.8 11.2	4.44 7.43	No	0 0	196	No	0 0	25.19 19 7.5 4	5000 2750 Iron	0 1 FIXED	OB None 0	

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Kee		Engine/Prop	Modifications
					I J	Max Headsail	ISP JSP	P E	MGU MGM	SL	SPL	Yes/No	Yes/No		ASF	LWL		
			DW Rating		Mast Material			PY	MSA	SSMG	SSA	SLU	ASA	Max Beam	Ballast	moveable blst	Prop Type	
					Rig Type			EY		SSF		ASMG	Sprit Length	Max Draft	Ballast Mat.	Keel Type	# of blades	
Blue Pearl	Hunter 41	38083	<b>123</b>	2005	51.5 13.5	105	52 13.5	50.667 19.5	6.81 11.61		No	Yes	23.4 972	40.33 35.5	19400 6506	No 1	IB FOLD	(mtg 3/15/07: + 3 sec/m for in-mast furling main, +3 sec/m for MGM less than 50% of E, - 3 sec/m for oversized pole, - 3 sec/m for tacking spinnaker off centerline)(5/24/07: cut pole back to J length, remove -3 sec/m result)
			<b>48</b>		ALUMN FS			0 0	560			47.7 23.4	13.5 <input type="checkbox"/> 90	13.25 6.5	Lead	FIXED	2	
Blueberry	Nonsuch 22	48	<b>246</b>	1987				34 19.25	7.3 12.5		No	No		22 20.5	4600 1800	0 1	OB None	Mark Ellis designed, Mars Metal built 450 lb split bulb torpedo bolted and faired into bottom 4 inches of keel so as not to increase draft, but to add stability in case of knock down. Original lead was 1800 lb. Total lead now 2250 lbs.
					ALUMN CAT				389				0 0	8.5 3.66	Lead	FIXED	2	
Bodacious	Custom Farr 40 1/T	41001	<b>66</b>	1985	47.274 13.818	155	47.3	50.909 18.346	6.92 11.84		Yes	No		40 31.46	17036 6620	No 1	IB FEATH	FARR 40 DESIGN #158 (MTG 5/14/98 - -3 SEC/MI FOR FILLING IN STERN CREASE); All displacement in IRC measured Trim (totally empty); Measurement changes noted, NCTR PHRF Mtg 2/16/06.
			<b>63</b>		ALUMN FS			0 0	554				<input type="checkbox"/>	13.11 7.5	Lead	FIXED	2	
Boondoggle	Ranger Fun 23 ODR	28613	<b>177</b>	1983	25.26 8.66	148	25.36 8.66	27.89 10.5	3.8 6.59		Yes		0	23.29 17.88	1875 750	0 1	OB None	Swing Keel, locked in down position by wirm drive. Class rules prohibit lifting keel while racing
			<b>162</b>		ALUMN FS				171				0 0	8.04 5.25	Cast Iron	CNTRBRC		
Boracic	Open 5.7 ODR	56477	<b>138</b>	2006	21.52 7.3	117	21.6 12.3	25.33 10.24	5.34 7.12		No	Yes	17.6 345	18.7 18.7	1020 396	0 1	OB None	
			<b>105</b>		ALUMN FS				171			20.6 17.9	5 0	8.3 5.7	Lead	FIXED	2	
Bosporus II	Columbia 36	97415	<b>159</b>	1968	42.75 15	150	41.75 15	34.666 14	5.3 9.1		Yes	No		35.75 28.25	13000 5000	No 1	IB Fixed_2	
			<b>126</b>		ALUMN MS			0 0	289					10.5 5.416	Lead	FIXED	2	
Brainwaves	J 35C	43533	<b>90</b>	1990	46.2 13.2	155		40.8 15.5	5.87 10.07		Yes	No		35.2 30	11800 4300	0 1	IB FOLD	(mtg 2/18/10, interior changes for Pacific Cup, NCTR)
			<b>96</b>		ALUMN MS				377				0 0	11.1 6.4	Lead	FIXED	2	

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Kee		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail		P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASM	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst Keel Type		
Bravo	Pretorien 35	130	<b>132</b> 1983	48.75 14.75	150		42.5 12 0 0		Yes	14.75 1071	No		35.083 30.25 11.5 6	14326 6720 Lead	No 1 FIXED	IB FOLD 2	
Breakout	Santana 35	18679	<b>114</b> 1982	39 12.85	155	39	42 14.25	5.51 9.26	Yes	12.85	No		35 26.5 11.916 6.25	8500 3300 Lead	No 1 FIXED	IB FOLD 2	
Brick House	Moore 24	91	<b>150</b> 1981	26.25 9.75	150	26.25	25 9.5 0 0	3.91 6.5 147	Yes	9.75 389	No		23.75 21.75 7.14 4.84	2050 1025 Lead	No 1 FIXED	OB None 0	
Buddy	Hunter 216	38032	<b>204</b> 2007	21.9 7.3	94	22.8 10	24.6 10.4	4.5 7.3 162	No		Yes	16.4 271 3 0	21.5 18.7 7.9 3.5	1535 500 Lead	0 2 MVBL	OB None 3	(Mtg 8/19/08, custom rating assigned of 204)
C# Minor	Hunter 33-2	113	<b>156</b> 2004	37.5 10.83	110	37.5 10.83	36.6 13.83	6.65 10.6	No		No	0 0	33.08 29.42 11.5 5.5	11016 3459 Lead	0 1 FIXED	IB Fixed_2 2	
CAL	Moore 24	136	<b>150</b> 1984	26.25 9.75	150	26.2	25 9.5 0 0	3.91 6.5 147	Yes	9.75 395	No		23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0	
Cal Maritime	1D 48	48005	<b>-30</b> 1996	57.7 16.7	155	68.3 20	61.3 22.5	12.73 22.7	Yes	20	Yes	36 2078 0 0	48.3 40.2 14.2 10.1	19743 8818 Lead	0 1 FIXED	IB FEATH 2	Water ballast system not operational (mtg 8/19/08, custom rating assigned of -30, includes dual spinnakers)

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SPL SSMG SSF	SLU ASA SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast		Traps/H. moveable blst Keel Type			
California Girl	CAL 40 Mod	6853	<b>108</b> 1967	48.42 15.25	155	48.42	44 15 0 0	5.7 9.7 393	Yes 48.75 27.45 26.35	15.2 1106	No <input type="checkbox"/>	39.33 30.33 11 5.583	15602 6000 Lead	No 1 FIXED	IB FEATH 2	Mastheight increased, Boom Shortened - 3 sec/mi for rig change MTG 2/17/2000 - Replaced quadrilateral rudder with ellipsoidal of same area- Change to rudder noted, NCTR 6-15-2000) Upon review of rig date and administrative	
Cape Farewell	Westsail 32	38408	<b>225</b> 1975	42.25 20	110		38.25 14.25 0 0	4.06 8.12 293	No <input type="checkbox"/>	No	32 27.5 11 5	19500 7000 Lead	0 1 FIXED	IB Fixed_3 3			
Carmelita	Catalina 42-1/2	131	<b>102</b> 1990	53 16.42	125	53	46.75 15.5 0 0	4.98 8.85 399	Yes 49 23.2 29.8	16.42 1001	Yes 57 51.25 24.42	27.75 1131	41.83 36 13.83 6.66	22000 8300 Lead	No 1 FIXED	IB FEATH 3	
Carpe Ventum	Hallberg-Rassy 34 Frers	28778	<b>141</b> 2000	43.31 12.66	100	43.33	40.91 12.93 0 0	4.48 7.9 303	Yes 42.25 22.67 22.58	12.21 798	No <input type="checkbox"/>	33.73 30.84 11.22 6.07	11684 4630 Lead	0 1 FIXED	IB FOLD 3		
Cascade	Antrim 27 CM ODR	13	<b>75</b> 1998	28.69 8.17	116	37.25 15	33.75 14 0 0	7.5 10.9 327	No	Yes 44.2 38 20.1	23 708 6.83 13	27.833 23.75 9.25 6	2900 1050 Lead	No 1 FIXED	OB None 0		
Cassiopeia	Islander 36	6763	<b>141</b> 1971	45 14.48	150	45	39.25 12.75 298 28	4.8 8.29	Yes 34 28.6 28	15.9 807	No <input checked="" type="checkbox"/>	36.08 28.25 11.17 6	13450 5800 Lead	No 1 FIXED	IB FOLD 2	(mtg 2/18/10, - 6 sec/mi for 10% OSP)	
Cats Paw	Ranger 33 SM	234	<b>159</b> 1976	38 13.87	135		31.5 11 212	4.43 7.39	No	No	<input type="checkbox"/>	33 26.3 9.3 5.2	10300 4800 Lead	0 1 FIXED	IB FOLD 2	Roller Furler	

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Kee		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMUG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst Keel Type		
Chablis IV-2	Cal 25-2 IB	255	<b>225</b> 1979	33 11.16	125	33 11.16	27.8 9.58	3.98 6.6	No	No		25.16 22 9 4.5	5800 2000 Lead	No 1 FIXED	IB FOLD 2	Boom Raised 10" Main slightly short on the hoist. WGT Record/SFBW AT Haulout. NO Allow for MOD 12/07/95/ (MGT 10/24/96) CHNG TO 228 FOR IB. Jib is tacked on furler Drum 8" above deck. (rating see spin fleet 221)	
Chai	Ericson 28 +	28565	<b>183</b> <b>162</b> 1983	35.75 12.83	155		31.83 11.17	3.6 6.5	Yes 35.9 21.9 21.7	12.8 654		28.6 24.2 10.6 5	7500 3000 Lead	No 1 FIXED	IB FOLD 2	"P" on sisterships is 34.75' as shown on sailplan-actual is 31.83' - apprx 3 feet shorter than standard rig.	
Cirrus	Standfast 40	12711	<b>105</b> <b>90</b> 1973	56.073 17.28	125	56	48.4 13.88	3.38 8.28	Yes 55.7 30.55 30.5	17.25 1418		40.02 33.12 13.15 7.39	22113 8800 Lead	No 1 FIXED	IB FOLD 2		
Claire de Lune	Moore 24	80	<b>150</b> <b>123</b> 1980	26.25 9.8	150	26.25	25 9.5	3.91 6.5	Yes 27 17.55 17.55	9.75 395		23.75 21.75 7.16 4.083	2050 1025 Lead	0 1 FIXED	OB None 0		
Coast Starlight Ltd	Morgan 38-2	8238	<b>156</b> <b>117</b> 1978	46 16.25	125	46	40.5 14.5	5.66 9.83	Yes 46 28.5 27.5	16.25 1085		38.333 30.5 12 6	19000 7500 Lead	No 1 FIXED	IB Fixed_2 2		
Concordia	Custom Cape North 43	302806	<b>108</b> 1978	52.8 18.3	130		46.3 14	5.5 9.2	No	No		43 35.33 14 7	25000 12000 Lead	0 1 FIXED	IB Fixed_3 3	(mtg 1/22/09, custom rating of 108 assigned, includes +6 sec/mi for 3 blade fixed prop)	
Coyote	Beneteau 42 IK TM	28776	<b>84</b> <b>81</b> 1985	55.43 16.73	155	55.71	49.2 14.6	4.8 8.5	Yes 55 30.11 30.11	16.73 1380		42.91 33.9 13.2 7.25	23560 9500 Iron	No 1 FIXED	IB FOLD 2	(mtg 5/21/09, added 15" scoop to transom, NCTR)	

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Kee		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst Keel Type		
Crazy Diamond	J 109 ODR	129	72 2004	47 13	105	49 18.8	43 16	5.8 10	No	Yes	27.8 1160	35.3 30.5 11.5 7	10900 3900 Lead	0 1 FIXED	IB FOLD 2		
			66	ALUMN FS				400			5.5 0						
Crazy Eights	Moore 24	28888	150 1978	26 9.8	150	26.3 9.75	25 9.5	3.91 6.5	Yes	No		23.75 21.75 7.16 4.083	2050 1000 Lead	0 1 FIXED	OB None 0		
			123	ALUMN FS				147									
Crazy Rhythm	Santa Cruz 27	18771	141 1978	32.583 10.75	150	32.583	28.166 8.583	3.68 6.06	Yes	No		27 24 8 4.5	3000 1500 Lead	No 1 FIXED	OB None 0		
			99	ALUMN MS			0 0	153									
Crinan II	Wyliecat 30 IB	15	132 2002				39.75 20.5	7.79 13.32	No	No		30.5 25 9.5 5.25	5500 3050 Lead	No 1 FIXED	IB FOLD 2		
			138	ALUMN CATBOAT			0 0	485									
Culebra	Ericson 34 Olson TM	28622	99 1990	46.166 13.08	135	46.166	40.79 12.75	5.07 8.42	Yes	No		34 28 10.83 6	10800 3400 Lead	No 1 FIXED	IB FOLD 2		
			111	CARBON MS			0 0	315			0						
Daisy Cutter	Mini Transat 6.5 Type Zero	530	102 2004	31.7 8.75	135	31.8 16.55	30.5 10.8	7.83 9.5	No	Yes	30.1 772	21.3 21.3 9.8 5.25	2350 950 Lead	0 1 FIXED	OB None 3	Production Aluminum mast, boom & sprit replaced with Carbon Fiber (mtg 1/21/10, custom rating of 102 assigned)	
			69	CARBON FS				260			7.8 35						
Dark & Stormy	1D 35	35018	21 1998	42 12.47	110	44.8 17.39	44 19	9.606 13.688	No	Yes	31.4 1236	35 31.5 10.75 7.58	6550 2660 Lead	0 1 FIXED	IB FOLD 2	Fixed bow sprit, using Asymmetrical spinnaker(mtg 3/20/08, -9 sec/mi for oversized spinnaker, +3 sec mi for not being able to articulate pole, as sailed: 30)(Mtg 8/20/09, -9 sec/mi for squre-top mainsail)	
			3	CARBON FS				552			4.92 0						

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst Keel Type		
Dayenu	J 120 ALUM	28904	<b>48</b> 1999	50.5 14.5	155	52 21.5	46.5 17.8	6.75 11.5	No	Yes	34 1729	40 35 12 7	12900 6000 Lead	0 1 FIXED	IB FOLD 2		
			<b>30</b>	ALUMN FS			0 0	492			<input checked="" type="checkbox"/>						
Dazzler	Wyliecat 30 IB	28259	<b>132</b> 1997				40 20.7	7.87 13.46	No	No		30.5 25 9.5 5.25	5700 3050 Lead	0 1 FIXED	IB FOLD 2	INSTALLED IB ENGINE JAN 99	
			<b>138</b>	CARBON CT			0 0	493			<input type="checkbox"/>						
Deception	Santa Cruz 50	97263	<b>-9</b> 1987	61.8 18.3	155	61.8 18.3	55 18.4	7.1 12 605	Yes	Yes	32.9 1335	50 46 12 8	17500 8000 Lead	0 1 FIXED	IB FOLD 2	ELPT Keel & OS/Spinnaker; Has a Code 0 headsail aboard - tacked to stem, no sprit (Mtg 3/19/09, -3 sec/mi for dual spinnakers)	
			<b>-33</b>	ALUMN MS							<input checked="" type="checkbox"/>						
Delicate Balance	Custom Andrews 56	87868	<b>-36</b> 1992	66.3 19.2	155	66	58.8 22	8 14 757	Yes	Yes	39.6 2158	56 48 14.3 9	23000 10500 Lead	No 1 FIXED	IB FEATH 2	Eolle F. Headstay; +3 sec/mi for 125% or less headsail. (PHRF Comm mtg 2/14/06 change rating from -24 to -21)(8/28/06 - changed headsail back to 155, change rating from -21 to -24)(Mtg 5/22/08, -9 sec/mi for oversized pole 22' 2")	
			<b>-45</b>	ALUMN MS							<input type="checkbox"/>						
Delphinus	Mason 33	6	<b>180</b> 1985	43.9 14.5	155	44.7 14.5	38.5 14	4.5 8.1 298	No	No	0 0	33.75 25.4 10.9 5.1	14020 5320 Iron	0 1 FIXED	IB Fixed_3 3	HYDROVANE RUDDER permanently installed in water underway for safety - it is the backup steering device, and cannot be removed/replaced underway unless by dinghy or swimming. Cutter rig is removable forestay	
				ALUMN CTR							<input type="checkbox"/>						
Downtown Uproar	J 24 ODR	2394	<b>168</b> 1981	26.25 9.5	150	26.25	28 9.75	3.7 6.37	Yes	No		24 20 9.2 4.1	3125 965 Lead	0 1 FIXED	OB None 0		
			<b>180</b>	ALUMN FS			0 0	163			<input type="checkbox"/>						
Dream Catcher	Catalina 25 FK	5570	<b>222</b> 1987	31 10.5	155		27.6 9.58	3.8 6.6 163	No	No	0 0	25 22.16 8 4	4550 1900 Lead	0 1 FIXED	OB None	Catalina C-25 Balanced Rudder	
				ALUMN MS							<input type="checkbox"/>						

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Kee		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst Keel Type		
Dura Mater	Cal 20	819	<b>273</b> 1966	22 7.3	110	22 7.3	23 9.83	3.67 6.5	No	No		20 18.08 7 3.33	1950 900 Iron	0 1 FIXED	OB None 3		
Eight Ball	Moore 24	85	<b>150</b> 1981	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes 26	No		23.75 21.75 7.16 4.083	2050 1025 Lead	0 1 FIXED	OB None 0		
Emerald	Yankee 30-2	37894	<b>177</b> 1971	40.5 12.75	125	40.5	34.92 11	4.18 7.15	Yes 40	No		30 23 9 5	8700 4170 Lead	No 1 FIXED	IB FOLD 2		
Encore	Custom Wylie Gemini 30	8592	<b>126</b> 1976	33.33 11.75	125	33.5	39 14	5.3 9.1	Yes 34.1	No		30.95 26.5 9.25 6.25	6000 3000 Lead	No 1 FIXED	IB FOLD 2	MAST IS APPROX 3' SHORTER THAN STOCK GEMINI; Change rating from 135 to 126 PHRF Mtg 3/16/06;	
Encore	Sydney 36 CR	3632	<b>54</b> 2006	45.6 14	104		44.36 16.4	6.1 10.6	No	Yes 56.4	30 1297	36.06 31.04 11.32 7.55	11244 4850 Lead	No 1 FIXED	IB FOLD 2	Australian IRC Rating 1.052	
Endeavor2012	Star ODR	8268	<b>156</b> 2005	22.25 7.31	100		29.2 14.6	4.3 7.2	No	No		22.2 15.5 5.7 3.3	1479 875 Lead	2 1 FIXED	NONE None		
Ergo	Ericson 35-2 SM	97050	<b>153</b> 1970	40 14	150	40 14	32.67 13	4.45 7.45	Yes 41.1	No 42	19.6 673	34.67 25.83 10.04 4.49	11600 5000 Lead	No 1 FIXED	IB FOLD 2	(new rudder noted mgt 6-8-04; NCTR).(mtg 3/20/08 -3 sec/mi for dual spinnakers)	

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Keel		Engine/Prop	Modifications
					I J Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No	SL SPL SSMG SSF	Yes/No	ASF ASA Sprit Lngth Fixed or _o	Max Beam		LWL	Ttl Disp. Ballast Mat.		
Escapade	Express 37	18051	72 75	1985	48.75 14.33	155	48.75	42 13.75	5.28 8.83	Yes 48	14.33	No	37.08 30.83	11000 4500	No 1	IB FOLD		
					ALUMN MS			0 0	344	25.58 25.42	1022	<input type="checkbox"/>	11.57 7.25	Lead FIXED		2		
Espresso	Hobie 33 ODR	77981	90 42	1982	33.28 12.4	125	36.28	35 12.5	4.75 8	Yes 36	12.4	No	33 30.5	4000 1800	No 1	OB None	Ballenger double spreader rig, also has a longer elliptical rudder. Boat is an ODR boat with a short spinnaker pole, but Spinnaker is standard ODR size.	
					ALUMN FS			0 0	260	23.4 21.4	690	<input type="checkbox"/>	8 5.416	Lead FIXED	0			
Estrella	Moody 42	38056	141 108	2001	50 13.92	125	50 13.92	43.5 14.25	3.25 6.75	No		Yes 47.5 42.8 25	26 948 0	42.17 34.83 13.25 6.08	26000 6927 Lead	0 1 FIXED	IB Feath 3	(mtg 2/18/10, + 3 sec/mi for in-mast furling mainsail, +3 sec/mi for MGM less than 50% OF E)
Even Keel	Catalina 320	769	159	2000	43.7 12.4	110		38 13.3	5.16 8.66	No		No	0	32.6 28 11.9 6.3	11300 4000 Lead	No 1 FIXED	IB FOLD 3	
					ALUMN MS			0 0	303			<input type="checkbox"/>	0 0					
Expeditious	Express 37	18478	72 75	1986	48.75 14.33	155	48.75	42 13.75	5.28 8.83	Yes 48	14.33	No	37.083 30.833	11000 4500	No 1	IB FOLD	INSTALED NEW CLASS-APPROVED CARBONFIBER RUDDER - MTG 6-12-2000 NCTR.	
					ALUMN MS			0 0	344	25.5 25.4	1019	<input type="checkbox"/>	11.57 7.25	Lead FIXED	2			
Expression	Express 37 MOD	33985	75 75	1984	48.75 14.33	90	48.75	42 13.75	5.3 9	Yes 48.16	14.33	Yes 48 45 18	19 705 0 90	37.1 30.83 11.5 6	9500 4500 Lead	0 1 FIXED	IB Fold 2	(mtg 1/21/10, +3 sec/mi for modified keel, -3 sec/mi for dual spinnaker/ability to fly asym on squared back pole)
					ALUMN MS				346	23.2 23.2	931	<input type="checkbox"/>						
Eyrie	Hawkfarm 28 ODR	6100	165 153	1976	33 11	125	33.25 11.5	36 10.5	4.37 7.26	Yes 33	11.5	No	28 23.5 9.75 5.166	5700 2700 Lead	No 1 FIXED	IB FOLD 2	Rudder changes noted NCTR mtg 4/20/04)	
					ALUMN FS			0 0	236	20 19.4	547	<input type="checkbox"/>						

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Keel		Engine/Prop	Modifications
					I	J	Max Headsail	ISP	JSP	P	MGU	Yes/No	Yes/No		ASF	Ttl Disp.		
		DW Rating			Mast Material		EY	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type		
					Rig Type			MSA	SSMG	SSA	SLE	Sprit Length	Max Beam	Ballast Mat.	Keel Type	# of blades		
											Fixed or		Max Draft					
Fatuity	Moore 24	48	150	1980	26.25 9.75	150	26.25	25 3.91	9.5 6.5	27 9.75	Yes	No	23.75 21.75	2050 1025	No 1	OB None		
			123		ALUMN FS			0 147	17.55 395			<input type="checkbox"/>	7.16 4.083	Lead FIXED		0		
Firebolt	Laser 28	18228	141	1984	31.1 9.65	155	31.73	33.14 4	12.96 8.125	31.5 9.65	Yes	No	28.41 23.62	3950 1500	0 1	IB FOLD		
			129		ALUMN FS			0 243	20.25 530			<input type="checkbox"/>	9.48 4.98	Lead FIXED		2		
Flame	Santana 22	619	234	1972	26 8.5	150	26	21.75 3.9	9.8 6.5	26 8.5	Yes	No	22 18.67	2600 1230	0 1	OB None		
			222		ALUMN MS				15.3 332			<input type="checkbox"/>	7.85 3.5	Cast Iron FIXED		0		
Flashpoint	Melges 24	208	84	1995	31 8	100	31 11.5	28 3.83	13 7.09		No	Yes	24 22	1783 660	0 1	OB None		
			63		CARBON FS			0 194				<input checked="" type="checkbox"/>	5.25	Lead FIXED		0		
Flight Risk	Thompson 650	650	108	2000	26.67 8.86	100	28.25 14.86	28.29 5.7	10.4 8		No	Yes	22.3 19.8	1692 660	Yes 3	OB None	(mtg 1/21/10, weighed displacement of 1692lbs updated, NCTR)	
			60		CARBON FS				204			<input checked="" type="checkbox"/>	5.9	Lead FIXED				
Flying Ace	Mini Transat 6.5	305	87	2000	36.67 9.17	245	36.67 20.17	34.08 7.57	11.17 9.49		No	Yes	21.33 21.33	2434 770	0 2	OB None	Class legal mini transat 6.50, Canting Keel and water ballast combined maximum static heel is 10 deg (mtg 2/21/08, -6 sec/mi for square top mainsail (+ 11 sq ft) Additional modifications noted: Increased I, ISP, P, E, MGU &	
			30		CARBON FS				290			<input type="checkbox"/>	6.5	Lead MVBL		0		
Flying Baby	J 100 ODR	138	81	2007	38.48 11.48	100	42.98 11.48	38 5.11	13.48 8.76		No	Yes	32.8 29	6500 2500	0 1	IB FOLD		
			78		CARBON FS				305			<input checked="" type="checkbox"/>	5.8	Lead FIXED		2		

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Kee		Engine/Prop	Modifications
					I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No	Yes/No	ASF	Ttl Disp.		Traps/H. Strps	IB or OB		
		DW Rating			Mast Material		PY	MSA	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type		
					Rig Type		EY		SSMG	SSA	SLE	Sprit Length	Max Beam	Ballast Mat.	Keel Type	# of blades		
									SSF		ASMG	Fixed or _o	Max Draft					
Fractious	Quest 30 MOD	50530	<b>78</b>	1995	41 10.7	131	43.5 16.99	39 14	7.02 10.83	No	Yes	27.59 1083	32.05 27.86	7201 1600	0 1	IB Feath	Added a transom scoop and modified from tandem rudders to a single spade rudder. Boat is equipped with water ballast but will not be used. (mtg 1/21/10, custom rating of 78 assigned)	
			<b>63</b>		CARBON FS						6.5 0	11.29 7.38	Lead	FIXED	2			
French Kiss	Beneteau 350 Oceanis	28713	<b>144</b>	1989	41.47 12.8	140	41.47	35.7 11.6	4.2 7.3	Yes	No		33.83 29.83	10580 3525	0 1	IB FOLD	Above deck Roller Furler	
			<b>117</b>		ALUMN MS			0 0	242			<input type="checkbox"/>	11.17 5.17	Lead	FIXED	2		
Freya	Catalina 34 1&2	1476	<b>147</b>	2000	44 13.5	130	44 13.5	38.5 12	4.7 8.05	No	Yes	22.5 727	34.5 29.83	11950 5000	No 1	IB FOLD		
			<b>123</b>		ALUMN MS			0 0	281		21.8	<input checked="" type="checkbox"/>	11.75 5.58	Lead	FIXED	3		
Friction Loss	J 30	67425	<b>141</b>	1979	34 11.5	155	34.1 12.5	38 13	4.94 8.45	Yes	No	21.06 666	29.83 25	6500 2100	0 1	IB FOLD		
			<b>135</b>		ALUMN FS			0 0	295	34.4 22.2	12.5 635	37.7 34.5	11.17 5.25	Lead	FIXED	2		
Friday Harbor	Beneteau 323 DK	28580	<b>147</b>	2004	42.67 11.06	116		38.9 13.17	5 8.56	No	Yes	19.91 661	32 29.166	8448 2258	No 1	IB FOLD		
			<b>108</b>		ALUMN MS				306		41.34 17.9	0 0	10.666 5.916	Iron	FIXED	2		
Froglips	J 24 ODR	2392	<b>168</b>	1981	26.25 9.5	150	26.25	28 9.75	3.7 6.37	Yes	No		24 20	3100 965	No 1	OB None		
			<b>180</b>		ALUMN FS			0 0	163	26.5 17.13	9.5 378		8.92 4	Lead	FIXED	0		
Frolic	Open 5.7 ODR	208	<b>138</b>	2007	22 7.3	117	27.9 12.3	25 10	5.7 8.2	No	Yes	18.7 338	18.7 18.7	992 405	0 1	OB None		
			<b>84</b>		ALUMN FS				179			5 0	8.3 5.7	Lead	FIXED			

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Kee		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst Keel Type		
Galaxsea	Custom Nauticat 43.5	28743	<b>180</b> 1985	51 20	104	20.6	45 13.6 32.4 8.5	4.3 7.9 338	No	Yes	29.2 1119 4.9	43.6 37.7 12.2 5.9	34000 11000 Lead	No 1 FIXED	IB FEATH 3	Stay sail measurements foot=1', Luff=34'6", Leach=30'2", LP=132"	
Ganesha	Sabre 36-2	28862	<b>111</b> 1996	48.5 13.46	155		41.6 14.83 0 0	5.66 9.63 368	No	No	0 0	36.166 30.416 12 6.5	13800 5520 Lead	No 1 FIXED	IB FOLD 2	Adjustable back stays	
Gavilan	Custom Wylie 39	28439	<b>84</b> 1996	49 14.5	122	49	43 15.5 0 0	5.73 9.75 390	Yes	No		41.5 31.75 11.5 6.77	17900 5920 Lead	No 1 FIXED	IB FEATH 3		
Get Happy!!	Express 27 ODR	1	<b>129</b> 1981	28.5 9	155	28.5	28.5 10.416 0 0	4.22 7.03 182	Yes	No		27.25 23.75 8.166 4.5	2450 1100 Lead	No 1 FIXED	OB None 0		
Giant Slayer	Santa Cruz 27	59369	<b>141</b> 1979	32.583 10.75	150	32.583	28.2 8.7 0 0	3.7 6.3 157	Yes	No		27 24 8 4.5	3300 1500 Lead	No 1 FIXED	OB None 0		
Golden Moon	Express 37	18488	<b>72</b> 1985	48.75 14.33	155	48.75	42 13.75 0 0	5.37 8.99 347	Yes	No		37 30.833 11.57 7.25	11000 4500 Lead	No 1 FIXED	IB FOLD 2		
Grace	Sprinta Sport 23	3054	<b>195</b> 1982	25.3 8.2	100		27.3 9.5	5.9 7 183	No	Yes	17 258 0 0	23 19 7.833 4.25	2424 1213 Lead	0 1 FIXED	OB None 3	(mtg 2/18/10, -6 sec/mi for square- top mainsail)	

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Kee		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst Keel Type		
Grace Kellie	Catalina 320 WK	917	<b>168</b> 2002	43 12	100		38 13	5.09 8.53	No	No		34.2 28 11.8 4.4	11700 4400 Lead	0 1 FIXED	IB Feath 3		
Grace O'Malley	Ranger 23	11	<b>216</b> 1971	27.5 9.7	155	27.5	24 9.2	3.4 5.9	No	No		23 20 7.7 3.56	3400 1500 Lead	0 1 FIXED	OB None 0		
Great White	Express 27 ODR	48	<b>129</b> 1982	28.5 9	125	28.5	28.5 10.42	4.22 7.03	Yes	No		27.3 23.8 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0		
Green Buffalo	CAL 40	8538	<b>114</b> 1967	46.7 15.2	155	46.7	39.8 17.6	6.65 11.37	Yes	No		39.2 29.9 10.9 5.8	17500 6000 Lead	0 1 FIXED	IB FEATH 3	Schumacher designed rudder - same as original	
Gruntled	Moore 24	68	<b>150</b> 1980	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No		23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0		
Hapa Girl	Multihull - Contour 34	38053	<b>30</b>		0						0			1	IB FOLD 2		
Harp	Catalina 38	18003	<b>117</b> 1983	50.7 15.43	155	50.9 15.43	44 11.5	4.8 7.97	Yes	No		38.17 30.25 11.833 6.79	19489 6850 Lead	No 1 FIXED	IB FOLD 2	DEC 93 - 7X19 STND RIG/ W/ROD RIG & SHR TN UPR SPREADERS 2 IN. NO CHNG RTNG ( MTG 1/27/94)	

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst Keel Type			
Harrier	Custom Still 30	77564	<b>162</b> 1981	33.46 10.33	155	33.46	37.07 13.12	5.1 8.5	Yes	33 18.54 18.5	10.33 510	No	30.75 24.5 10.5 6	8580 2530 Lead	No 1 FIXED	IB FEATH 2	VESSEL IS A CRUISING VERSION OF A 1/2 TON IOR DESIGN (FULL INTERIOR, TEAK DECK, EXTENDED TRUNK CABIN, 4 BATTERIES, ETC.), WEIGHT CHANGE NOTED, NO CHANGE TO RATING 12/07/05	
			<b>171</b>	ALUMN FS			0 0	291				<input type="checkbox"/>						
Head Rush	Antrim 27 CM ODR	21	<b>75</b> 2000	29 8.2	116	37.3 15	34 14	7.5 10.9	No			Yes 42.65 38 20.1	20.1	27.8 23.8 9.25 6	0 1 FIXED	OB None 0		
			<b>45</b>	CARBON FS				329				<input type="checkbox"/>						
High Heel	Tartan 10	38052	<b>126</b> 1979	35 12	150	35	40.25 13.75	5.34 8.96	Yes	35 21.6 21.6	12 630	No	33.16 27 9.25 5.83	6700 3340 Lead	0 1 FIXED	IB FOLD 2		
			<b>108</b>	ALUMN FS				332				<input type="checkbox"/>	0 0					
Hollanass	Santana 35	18651	<b>117</b> 1982	39 12.85	150	39	42 14.25	5.51 9.26	Yes	39 23.13 18.6	12.85 722	No	35 26.5 11.916 6.25	8500 3300 Lead	No 1 FIXED	IB Fixed_2 2		
			<b>117</b>	ALUMN FS			0 0	358				<input type="checkbox"/>						
Holua	Santa Cruz 70	97656	<b>-84</b> 1989	73.2 21.55	0	73.59 26	66.37 26.21	9.9 16.8	No			Yes 80.16 70.6 43	44.21 2716 0 0	68 59.9 15.07 10.27	25096 9150 Lead	0 1 FIXED	IB FEATH 2	(mtg 6/19/08, custom rating of -84 assigned)(mtg 2/18/10, new rudder, NCTR)
			<b>-102</b>	CARBON MS				1028				<input checked="" type="checkbox"/>						
Honey's Money	Olson 25	18198	<b>159</b> 1984	32 9.583	155	32	28 10	3.86 6.4	Yes	31.7 17.3 17	9.586 455	No	25 21.25 9 4.5	3300 1300 Lead	No 1 FIXED	OB None 0		
			<b>156</b>	ALUMN MS			0 0	167				<input type="checkbox"/>						
Horizon	Islander 28 SM	6375	<b>204</b> 1975	34.333 11.75	146	34.333	29.917 8.417	3.042 5.25	Yes	33.5 20.75 20.75	11.67 579	No	27.92 23.08 9.87 5	7000 3000 Lead	No 1 FIXED	IB FOLD 2		
			<b>186</b>	ALUMN MS			0 0	147				<input type="checkbox"/>						

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Keel		Engine/Prop	Modifications
					I J Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No	SL SPL SSMG SSF	Yes/No	ASF ASA Sprit Length Fixed or _o	LWL		Ttl Disp. Ballast Mat.	Traps/H. Strps moveable blst Keel Type		
Hot Ice	C&C 110	38110	84	2004	51 14	98	51	45 15.5	5.8 9.9	No	No		36.36 31.5 12 6.5	10900 4200 Lead	No 1 FIXED	IB FOLD 2	carbon mast noted (standard on C & C 110) NCTR PHRF Mtg 3/16/06;	
Ilex	Viper 640 ODR	24	96	1996	21.67 8.3	100	23 14.3	25.6 10	4.66 7.01	No	Yes	17.95 410 6 0	21.08 19.08 8.17 4.5	749 271 Lead	3 3 MVBL	OB None		
Iliohale	Hanse 341/342	60128	141	2004	46 12.2	125		42 15	5.58 9.37	No	No	0 0	34 29.2 11.2 5.9	11353 3395 Iron	0 1 FIXED	IB FOLD 2		
Impulse	Santana 20	38611	222	1980	24.5 8.16	150	24.5	24.5 7	3.16 4.92	Yes	No		20.2 16 8 4	1350 550 Lead	0 1 FIXED	OB None 0		
Iolani	Hughes 48	38048	117	1972	54.3 18.2	135	20.2	48.2 19	5.9 10.4	No	Yes	32.76 1400 2 0	48 35.1 11.1 6	32000 14300 Lead	0 1 FIXED	IB FEATH 3	(mtg 2/26/09, switched from symmetric to asymmetric spinnaker, added 2' sprit. Change custom rating from 120 to 117)	
Irish Lady	Catalina 42-1/2	692	96	2000	53 16.42	135	53 19.02	46.75 15.42	5.93 10.07	No	Yes	34.2 1471 2 90	41.83 36 13.83 6	20500 8300 Lead	No 1 FIXED	IB FEATH 3	(Mtg 4/28/09, using Asymmetrical Spinnaker flown off bowsprit instead of Symmetric -3 sec/mi)(6/2/09, flying A-sail on squared back spinnaker pole, -3 sec/mi)	
Jack	Wylie Wabbit ODR W/Trap	19	126	1982	20.5 6.6	110	26.1	23.75 10	4.03 6.72	Yes	No		23.75 20 5.583 3.5	975 440 Lead	Yes 3 FIXED	OB None 0	INCLUDES HIKING STRAPS AND SINGLE TRAPEZE. (Mtg 8/17/06 - 12 sec/m for new spinnaker)(removed oversized spinnaker)	

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle		Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Kee		Engine/Prop	Modifications	
					I J Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No	Yes/No	ASF	Ttl Disp.		Traps/H. Strps	IB or OB			
		DW Rating			Mast Material			SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type			
					Rig Type			SSMG	SSA	SLE	Sprit Length	Max Beam	Ballast Mat.	Keel Type	# of blades			
								SSF		ASMG	Fixed or _o	Max Draft						
Jakatan	Jespersen 40	0	<b>120</b>	2007	37.75 15.3 CARBON KTCH	110		25.75 12.06 30.75 17.42	10.08 12.18 270	No	No		40.5 37.5 13.08 5.5	32000 12600 Lead	0 1 FIXED	IB FEATH 3	(mtg 4/24/08 custom rating assigned of 120)	
Jamani	J 120 ALUM	0	<b>48</b>  <b>30</b>	2002	50.5 14.5 ALUMN FS	155	52 21.5	46.5 17.8	6.7 11.5 491	No	Yes 64 50 37	34 1729 7 0	40 35 12 7	13900 6000 Lead	0 1 FIXED	IB FOLD 2		
Jet Lag	Catalina 34 1&2	1130	<b>138</b>  <b>129</b>	1991	44 13.67 ALUMN MS	155	44 15.67	38.5 13.75	5.1 8.8 312	Yes 42 24 23.5	13.5 837	No 42.2 38.3 21	23 718 2 0	34.6 29.1 11.9 5.6	11950 5000 Lead	0 1 FIXED	IB FOLD 2	Added 2' bowsprit for asymmetrical sail. Will use spin ple on asym sail to pull back tack approx 40 degrees (Mtg 4/28/09, -3 sec/mi for dual spinnakers/ability to fly A-sail on squared back pole, -3 sec/mi for
Jimrit	Cal 25-1 OB	0	<b>225</b>	1972	29.75 10 ALUMN MS	125	29.75	25 11	4.3 7.2 166	No	No		24 20 8 4	4500 2200 Lead	1 FIXED	OB None		
Jose Cuervo	J 105 ODR w/ 5'BS	42	<b>78</b>  <b>69</b>	1992	40.6 13.5 ALUMN FS	100	42.1 19.07	41.5 14.5 0 0	5.5 9.4 358	No	Yes 49.5 39.8 22.9	26.2 877 5 0	34.5 29.5 11 6.5	7750 3400 Lead	No 1 FIXED	IB FOLD 0		
Joyride	J 109 ODR	47	<b>72</b>  <b>66</b>	2003	46.5 13.3 ALUMN FS	105	49 18.8	43.25 15.5 0 0	5.89 10.07 399	No	Yes 56.33 45.63 27.2	27.75 1160 5.5 0	35.25 30.5 11.5 7	10900 3900 Lead	No 1 FIXED	IB FOLD 2		
Kelly Shawn	Santana 22	38000	<b>234</b>  <b>222</b>	1967	26 8.5 ALUMN MS	155	26	21.75 9.833 0 0	3.95 6.59 131	Yes 26 15.44 15.44	8.583 335	No	22 18.666 7.833 3.5	2600 1230 Iron	No 1 FIXED	OB None 0		

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.			Hull		Displacement/Keel		Engine/Prop	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	LOA LWL Max Beam Max Draft	Ttl Disp. Ballast	Traps/H. moveable blst Keel Type	IB or OB Prop Type # of blades			
Kind of Blue	Hanse 370	11	<b>102</b> 2006	49.3 13.7	95	52.5 16.6	47.3 16.11	6 10	No	Yes	23.6 901	36.11 33	15873 5045	No 1	IB FOLD	(mtg 4/28/09, -3 sec/mi for articulating bowsprit)			
			<b>87</b>	ALUMN FS				445			1 30	12.4 6.5	Lead FIXED	2					
Kitsune	Jeanneau 41 Sun Legend CB	976	<b>87</b> 1986	52.5 15.1	150	52.5 16.6	45 13.75	4.75 8.33	No	Yes	27 1016	40.83 32.75	16266 6989	No 1	IB FOLD				
			<b>72</b>	ALUMN MS			0 0	353			1.5	12.92 7.17	Iron CNTRBRD	2					
Kiwa	Ericson 32-2	285	<b>183</b> 1973	36 18	155	36	31.5 13	4.9 8.4	No	No		32 24	9400 4400	0 1	IB Fixed_2				
				ALUMN MS				243			0 0	9.67 4.91	Lead FIXED	2					
Kokua III	Bristol 40	0	<b>177</b> 1978	43.4 14.6	120		38.25 14.83	4.96 8.95	No	No		40 27.6	17600 6500	0 1	IB Fixed_3				
				ALUMN MS				321			0 0	10.9 5.4	Lead FIXED	3					
Kuai	Sabre 386 DK	385	<b>90</b> 2007	51.83 15	140	15	45.33 16.5	5.64 9.96	Yes	No	27.23 1147	38.6 32.5	16950 6400	0 1	IB FEATH				
			<b>93</b>	ALUMN MS				425			0 90	12.66 6.83	Lead FIXED	3					
Kwazy	Wylie Wabbit ODR W/Trap	26	<b>126</b> 1982	20.416 6.416	150	20.5	23 10	4.02 6.71	Yes	No		23.58 20	975 440	Yes 3	NONE None				
			<b>87</b>	ALUMN FS			0 0	141				5.42 3.41	Lead FIXED	0					
Lanikai	C&C 44 w/ctrbd	25091	<b>75</b> 1986	56.2 16.11	135	56.2	48.23 14.73	5.28 9.58	No	Yes	30.47 1343	44.2 35.3	26033 13483	No 1	IB FOLD	Due to shortened rig rating changed from 69 to 75 6-14-05. Keel modification did not affect rating.			
			<b>81</b>	ALUMN MS			0 0	419				13.3 8.6	Lead CNTRBRD	3					

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Keel		Engine/Prop	Modifications		
					I J	Max Headsail	ISP JSP	P E	MGU MGM	SL SPL	SSMG SSA	SSSF	Yes/No		Yes/No	ASF			ASA	Ttl Disp.
		DW Rating			Mast Material			PY	MSA			SLU	Sprits	Lngth	Max Beam	Ballast Mat.	moveable blst	Keel Type	Prop Type	# of blades
Lapras	Catalina 250 WK	794	<b>225</b>	2004	29 9	110	29 9	24.5 11	3.58 6.5	No	No			25 21.25 8.5 3.42	4200 1050 Lead	0 1 FIXED	OB None 0			
Layla	Ultimate 20	92	<b>144</b>  <b>99</b>		26.08 6.97	110	27.58 12.97	27.33 10.17	5.5 7.96	No	Yes		19.2 451 6 0	20.83 18 8.33 5	1350 450 Lead	0 1 FIXED	OB None 0			
Lazy Lightning	Tartan 10	860	<b>126</b>  <b>108</b>	1979	35 12	150	35	40.25 13.75	5.34 8.96	Yes	No			33.16 27 9.25 8.833	6700 3340 Lead	No 1 FIXED	IB FOLD 2			
Lean Times	Islander 36 ODR	621	<b>144</b>  <b>123</b>	1982	45 14.48	135	45	39.25 12.75	5.05 8.44	Yes	No			36.083 28.25 11.166 6.083	13450 5820 Lead	No 1 FIXED	IB Fixed_2 2			
Legs	Moore 24	29	<b>150</b>  <b>123</b>	1978	26.25 9.75	155	26.25	25 9.5	3.91 6.5	Yes	No			23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0			
Libra	Express 27 ODR	113	<b>129</b>  <b>96</b>	1986	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	No			27.25 23.75 8.166 4.5	2450 1100 Lead	0 1 FIXED	OB None 0			
Life is Good	Wyliecat 30 OB	38349	<b>129</b>  <b>135</b>	2007		0		40 21	7.67 13.46	No	No			30.5 25 9.5 5.25	5500 3050 Lead	0 1 FIXED	OB None 3			

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Kee		Engine/Prop	Modifications	
					I J Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No	SL SPL SSMG SSF	Yes/No	ASF ASA Sprit Lngth Fixed or _o	Max Beam		Ttl Disp. Traps/H. Strps	IB or OB Prop Type # of blades			
Light'n Up	Express 27 ODR	3	<b>129</b>	1981	28.5 9	150	28.5	28.5 10.416	4.22 7.03	Yes	29 17.75 17.75	9.833 429	No	27.25 23.75 8.166 4.5	2450 1100 Lead	No 1 FIXED	OB None 0		
			<b>96</b>		ALUMN FS		0 0	182					<input type="checkbox"/>						
Lightspeed	Custom Wylie 39	52839	<b>72</b>	1985	48 14.5	150	48 14.5	43 15	5.75 9.7	Yes	48.2 25.7 25.7	14.5 1032	No	39.25 31.67 11.42 6.75	12000 4000 Lead	0 1 FIXED	IB Fixed_2 2	(Mtg 1/17/08 +3sec/mi for fixed prop, as sailed 72)	
			<b>57</b>		ALUMN MS			384					<input checked="" type="checkbox"/>	0 0					
Lightwave	J 105 ODR w/ 5'BS	319	<b>78</b>	2000	40.6 13.5	100	42.1 19.07	41.5 14.5	5.5 9.4	No			Yes	22.9 49.4 38.5 26.6	947 5	34.5 29.5 11 6.5	7750 3400 Lead	No 1 FIXED	IB FOLD 2
			<b>66</b>		ALUMN FS			0 0	358				<input checked="" type="checkbox"/>						
Lilith	Custom Wyliecat 39	7	<b>102</b>	1992				50.75 26.5	10.45 17.5	No			No	38.83 32 11.83 6.67	12000 6200 Lead	No 1 FIXED	IB FOLD 2	HULL DESIGN IS VERY SIMILAR TO WYLIECAT 30.NO JIB, NO SPINNAKER, NO SPANKER,NO REACHER, NO VANG,NO TWEEKER,NO STAYS ETC., AS SAILED RATING 102 PER MTG 5/5/02	
			<b>108</b>		CARBON CAT			0 0	811				<input type="checkbox"/>						
Lively	Olson 30 IB	8488	<b>108</b>	1982	36 11.75	95	35.9 11.67	31.5 10.75	4.364 7.268	Yes	34 21 20.5	11.75 592	No	30 27.5 9.333 5.083	3600 1800 Lead	No 1 FIXED	IB FEATH 3		
			<b>75</b>		ALUMN MS			0 0	208				<input type="checkbox"/>						
Lucky Duck	Wylie 34	18709	<b>120</b>	1979	38.6 11.3	150	38.6 11.3	41 14.3	5.5 9.3	Yes	38 21.6 21.4	12 683	No	33.75 25.75 10.83 6	8026 3100 Lead	0 1 FIXED	IB FOLD 2		
			<b>120</b>		ALUMN FS			0 0	351				<input type="checkbox"/>						
Luna Sea	Islander 36 ODR	420	<b>144</b>	1980	45 14.48	150	45	39.25 12.75	5.05 8.44	No			No	36.083 28.25 11.166 6.083	13450 5450 Lead	No 1 FIXED	IB FOLD 2		
					ALUMN MS			0 0	303				<input type="checkbox"/>						

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Kee		Engine/Prop	Modifications
					I J	Max Headsail	ISP JSP	P E	MGU MGM	SL	SPL	Yes/No	Yes/No		ASF	Max Beam		
			DW Rating		Mast Material		PY	MSA	SSMG	SSA	SLU	ASA	LWL	Ballast	moveable blst	Prop Type		
					Rig Type		EY		SSF		ASMG	Sprit Length	Max Draft	Ballast Mat.	Keel Type	# of blades		
Macondo	Beneteau 47.7 First Farr	52304	39	2000	56.59 17.2	155	56.59 17.25	52.03 20.5	7.8 13.35	No	Yes	27.16 1400	47.6 41.3	25353 8377	No 1	IB FEATH	oversized spinnaker = -3 sec/mi - Asymmetrical spinnaker flown on spinnaker pole = -3 (mtg 4/11/05)	
			30		ALUMN FS		0 0	636			54.4 30.4	0.83 <input type="checkbox"/> 90	14.75 7.6	Lead	FIXED	3		
Maggie	C&C 37/40R	43728	72	1990	53.5 16	150		47.25 15.5	6 10	Yes	No		39.5 31.75	16000 6300	0 1	IB Feath		
			69		ALUMN MS			437			28.75 27.75	1267 <input type="checkbox"/> 0	12.5 7.4	Lead	FIXED	3		
Magic Bus	Express 27 ODR	41	129	1982	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	No		27.25 23.75	2450 1100	No 1	OB None		
			96		ALUMN FS		0 0	182			17.5 17.9	425 <input type="checkbox"/>	8.166 4.5	Lead	FIXED	0		
Main Obsession	Catalina 400	300	105	2005	52.8 15.6	110		47 17	6.4 11	No	No		40.6 36.6	19700 7200	0 1	IB Fold		
					ALUMN MS			474			<input type="checkbox"/> 0 0	13.6 6.9	Lead	FIXED	3			
Marrakesh	Express 34	3	99	1987	44.25 13	155	44.25	38.5 12.83	4.87 8.46	Yes	No		34 28.33	9245 3800	No 1	IB FOLD		
			99		ALUMN MS		0 0	296			23.4 23.4	858 <input type="checkbox"/>	10.33 6.109	Lead	FIXED	2		
Max	Ultimate 24 ODR	2	111	2002	28.04 7.82	110	30.8 14.5	31 11.5	5.5 8.5	No	Yes	21.3 562	24.38 21.17	2040 750	0 1	OB None		
			72		CARBON FS			235			27.8 21.3	6.7 <input checked="" type="checkbox"/> 0	8.48 5.52	Lead	FIXED			
Maxine	Yankee 30-1 SM	43	183	1971	37.5 12.75	125	37.5 12.75	33.17 9.8	2.5 5	No	No	20.75 600	30.13 23	8700 4130	No 1	IB FOLD		
					ALUMN MS			166			31 21.5	0 <input checked="" type="checkbox"/> 0	9 5	Lead	FIXED	2		

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Keel		Engine/Prop	Modifications
					I	J	Max Headsail	P	MGU	Yes/No	Yes/No	ASF	Ttl Disp.		Traps/H. Strps	IB or OB		
		DW Rating			Mast Material	ISP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type		
					Rig Type	JSP	PY	MSA	SSMG	SSA	SLE	Sprit Length	Max Beam	Ballast Mat.	Keel Type	# of blades		
							EY		SSF		ASM	Fixed or _o	Max Draft					
Mega Hurtz	Laser 28 ODR MOD	53470	<b>132</b>	1974	31.1 9.65	125	31.73	33.14 12.96	4.98 8.4	Yes	No		28.41 23.62	3950 1500	0 1	IB FOLD		
			<b>120</b>		ALUMN FS				257	20.37 18.92	11.32 552	0 0	9.48 4.98	Lead FIXED		2		
Meritime	C&C 30	276	<b>180</b>	1976	39 13.5	120		34 11.5	3.8 7	No	No		30 24.75	7900 3650	0 1	IB Fixed_2		
					ALUMN MS				222				10 5	Lead FIXED		2		
Mesmerize	C&C 35-3	18133	<b>117</b>	1983	46.25 13.6	150	46.25 13.6	40.5 12.71	4.5 8.26	Yes	No		34.65 28	10825 4500	No 1	IB FEATH		
			<b>120</b>		ALUMN MS			0 0	303	24.48 24.48	928		11.16 6.42	Lead FIXED		3		
Mintaka 4	Farr 38	18441	<b>84</b>	1979	43.67 13.45	155	44.5	44.9 17.9	6.8 11.6	Yes	No		38.25 31.17	11850 4100	No 1	IB FOLD	(base=84)(2002-removed dinette stbrd, add bench seat w/55 gal fuel tank, original was 12.5. Rudder replaced 12" longer, 4" narrower. Changes noted mtg 1/17/02, NCTR)(removed short pole, changed spinnaker 1/12/04)	
			<b>69</b>		ALUMN FS			0 0	478	26.07 24.6	948		12 6.33	Lead FIXED		2		
Mirage	Custom Black Soo 30	8500	<b>141</b>	1968	30 10	155	34	30 12	4.4 7.6	Yes	No		31.1 28	4600 1900	No 1	OB None	Moved location of keel and sail area. Weight did not change. Changed to custom boat rating of 138(1/18.96)MTG 1/9/97 -6 SEC/MI. for masthead spinnaker)(mtg 1/17/02 changed from 138 to 144)5/5/02 change to 150 - 2	
			<b>90</b>		ALUMN MS			0 0	211	18 17.5	502		6.2 6.6	Iron FIXED		0		
Mon Desir	Jeanneau 35 Sun Fast	28779	<b>114</b>	2004	45.75 13.2	155		42.083 13.083	5.19 8.67	Yes	No		35.249 31.916	12203 3219	No 1	IB FOLD		
			<b>87</b>		ALUMN MS				334	24.48 23.95	924		11.416 7	Iron FIXED		2		
Moonshadow	Custom Wylie 31	8675	<b>141</b>	1973	40.25 12.75	150	40.25	35 12.42	4.66 8	Yes	No		30.8 26.42	7200 3500	0 1	IB FOLD		
			<b>114</b>		Alumn MS			0 0	258	23.2 21.5	762		10.8 5.42	Lead FIXED		0		

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Kee		Engine/Prop	Modifications
					I J	Max Headsail	ISP JSP	P E	MGU MGM	SL SPL	Yes/No	Yes/No	ASF		Max Beam	Ttl Disp.		
		DW Rating			Mast Material		PY	MSA	SSMG	SSA	SLU	ASA	LWL	Ballast	moveable blst	Prop Type		
					Rig Type		EY		SSF		SLE	Sprit Length	Max Draft	Ballast Mat.	Keel Type	# of blades		
Moonshine	Custom DP 26	8398	138	1980	26.25 9	125	26.25	27.25 11	4.18 7.15	Yes	No		26 24	2600 800	No 1	OB None	(Mtg 1/21/10, appealed rating, rating changed from 132 to 138)(Mtg 2/18/10, changed from masthead to fractional/smaller symmetric spinnaker +6/sec/mi, change custom rating from 138 to 141)	
			111		CARBON FIB MS		0 0	179	17.55 17.55			<input type="checkbox"/>	8.25 4.833	Lead	FIXED	0		
Mooretician	Moore 24	89	150	1981	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No		23.75 21.75	2050 1025	No 1	OB None		
			123		ALUMN FS		0 0	147	17.55 17.55			<input type="checkbox"/>	7.16 4.083	Lead	FIXED	0		
Moorigami	Moore 24	77	150	1981	26.25 9.75	155	26.25	25 9.5	3.91 6.5	Yes	No		23.75 21.75	2050 1025	0 1	OB None		
			123		ALUMN FS		0 0	147	17.55 17.55			<input type="checkbox"/>	7.16 4.083	Lead	FIXED	0		
Mouette	Tripp 30	15	225	1960	32.74 10.61	135		28.07 14	5 9	Yes	No		30.333 20	9000 2900	No 1	IB Fixed_2		
			246		WOOD MS			230				<input type="checkbox"/>	8.5 4.5	Lead	FIXED	2		
Mr Bone	International Tempest ODR	316	141	1974	23.1 7.7	97	23.1	25 11.1	4.69 7.74	Yes	No		22 19.3	1010 500	1 3	OB None		
			93		ALUMN FS			174				<input type="checkbox"/>	6.5 3.6	Lead	FIXED			
Mr Mc Gregor	Wylie Wabbit ODR W/Trap	8426	126	1982	20.5 6.5	150	20.5	23.75 10	4.03 6.72	Yes	No		23.75 20	975 440	1 3	OB None	INCLUDES HIKING STRAPS AND SINGLE TRAPEZE.	
			87		ALUMN FS			145				<input type="checkbox"/>	5.583 3.5	Lead	FIXED	0		
Mudshark	Express 37	28052	72	1986	48.75 14.33	155	48.75	42 13.75	5.28 8.83	Yes	No		37.083 30.833	11000 4500	No 1	IB FOLD		
			75		MS			344				<input type="checkbox"/>	11.57 7.25	Lead	FIXED	2		

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle		Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Kee		Engine/Prop	Modifications
					I J Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No	SL SPL SSMG SSF	Yes/No	ASF ASA Sprit Lngth Fixed or _o		Max Beam	Ttl Disp. Traps/H. Strps		
		DW Rating			Mast Material							LWL	Ballast	moveable blst	Prop Type		
					Rig Type							Max Draft	Ballast Mat.	Keel Type	# of blades		
Music	Catalina 34 1&2	56583	150	2001	44 13.5 ALUMN MS	120		38.5 12	3.6 6.8 251	No	No		35.66 29.84 11.75 5.56	11950 5000 Lead	0 1 FIXED	IB FOLD 2	
Na Na	Saga 43	28861	81  30	1997	58.17 18 ALUMN MS	125	58.17 18	51 16.5 0 0	6.29 10.75 502	Yes	No		43.3 38.11 12 6.3	20000 7800 Lead	No 1 FIXED	IB FEATH 3	
Nalu	Jeanneau Sun Odyssey 35	38019	126  99	2002	43.5 13.25 ALUMN MS	105	16.25	38.33 12.66	4.31 7.71 276	No	Yes	22.9 844 3 0	35.25 31.92 11.42 6	11464 3285 Lead	0 1 FIXED	IB Fixed_3 3	(mtg 1/21/10, -3 sec/mi for sprit)
Nancy	Wyliecat 30 OB	28890	129  135	1995	CARBON CT			40 20.7 0 0	7.87 13.46 493	No	No		30.5 25 9.5 5.25	5500 3050 Lead	No 1 FIXED	OB None 0	
Never Again II	IOD ODR	75	156  195		29.25 8.33 WOOD MS	100	30	38.83 16.25 0 0	6.12 10.47 374	Yes	No		33.42 21.42 6.75 5.333	7100 4100 Lead	No 1 FIXED	OB None 0	
Nirvana	J 105 ODR w/ 5'BS	342	78  72	2000	40.6 13.5 ALUMN FS	100	42.1 19.07	41.5 14.5 0 0	5.5 9.4 358	No	Yes	25 854 5 0	34.5 29.5 11 6.5	7750 3400 Lead	No 1 FIXED	IB FOLD 2	
No Ka Oi	Gibsea 42	28668	123  87	2000	46.5 16.57 ALUMN MS	150	46.5 18.5	42.1 16.6	3.65 7.73 336	No	Yes	33 1264 0 90	42 35.8 13.11 6	24000  Iron	0 1 FIXED	IB FEATH 3	In-mast furling main with no battens (Mtg. 3/15/07 +3 sec/mi for in-mast furling main, +3 sec/mi for MGM less than 50% of E)(Mtg 4/24/08, -3 sec/mi for ability to square back a-sail on pole)(Mtg 6/19/08, -3 sec/mi for channing to mainsail with

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Kee		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail Mast Material Rig Type		P E PY EY	MGU MGM MSA	Yes/No SL SPL SSMG SSF	SLU ASA SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast		Traps/H. moveable blst Keel Type			
Now and Zen	Newport 30-2	6883	174 1978	39.5 12.125	150	46.2	34 10.25	3.25 5.7	Yes	No		30 25 10.5 4.75	8000 2600 Lead	No 1 FIXED	IB Fold 2		
			156	ALUMN MS		0 0	190				<input type="checkbox"/>						
Nozomi	CAL 40	164	114 1970	46.2 15.2	155	46.2	39.9 17.6	6.6 11.37	Yes	No		39.6 30.4 11 5.6	15500 600 Lead	0 1 FIXED	IB FEATH 3		
			99	ALUMN MS			416				<input type="checkbox"/>	0 0					
Numa Boa	Moore 24	106	150 1982	26.25 9.75	155	26.25	25 9.5	3.91 6.5	Yes	No		23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0		
			123	ALUMN FS			0 0	147			<input type="checkbox"/>						
Ohana	Beneteau 45F5	38023	60 1991	53.15 15.08	150	55.15 16	55.4 18.58	7.06 12.08	Yes	No		44.11 36.9 14.1 7.9	26500 8500 Lead	0 1 FIXED	IB FEATH 3		
			66	ALUMN FS			613				<input type="checkbox"/>	0 0					
On Belay	J 24 ODR	1036	168 1979	26.25 9.5	150	26.25	28 9.75	3.7 6.37	Yes	No		24 20 8.916 4	3100 965 Lead	No 1 FIXED	OB None 0		
			180	ALUMN FS			0 0	163			<input type="checkbox"/>						
Opal	Freedom 25	0	192 1985	0 9.25	0	32.8 9.4	29.25 12	7.75 9.96	Yes	Yes		25.8 20 8.7 4.6	3800 1025 Lead	0 1 FIXED	OB None	(mtg 1/21/10, custom rating of 192 assigned)	
			171	CARBON CAT			262				<input type="checkbox"/>	0 0					
Otra Vez	Hunter 450 Passage	28309	108 1996	55.42 16.92	110	55.42 21	49.38 17.81	6.39 10.93	No	Yes	30.5 1311	44.25 38.65 14 5.5	29000 9500 Lead	No 1 FIXED	IB FEATH 3		
			63	ALUMN MS			0 0	507			<input type="checkbox"/>						

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Keel		Engine/Prop	Modifications
					I J	Max Headsail	ISP JSP	P E	MGU MGM	SL	SPL	Yes/No	Yes/No		ASF	Max Beam		
		DW Rating			Mast Material		PY	MSA	SSMG	SSA	SLU	ASA	LWL	Ballast	moveable blst	Prop Type		
					Rig Type		EY		SSF		ASMG	Sprit Length	Max Draft	Ballast Mat.	Keel Type	# of blades		
Outlaw	Moore 24	100	<b>150</b>	1981	26.25 9.75	155	26.25	25 9.5	3.91 6.5	Yes	No		23.75 21.75 7.16 4.083	2050 1025 Lead	0 1 FIXED	OB None 0		
			<b>123</b>		ALUMN FS		0 0	147	17.55 17.55	9.75 395		<input type="checkbox"/>						
Paddy Wagon	Moore 24	122	<b>150</b>	1989	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No		23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0		
			<b>123</b>		ALUMN FS		0 0	147	17.5 17.5	9.75 394		<input type="checkbox"/>						
Parachute Woman	J 92	43979	<b>105</b>	1993	37 11.5	155	38.5 17	38 14	5.3 8.9	No	Yes	26 876	30 26.5 10 5.9	5500 2275 Lead	0 1 FIXED	IB FOLD 2		
			<b>81</b>		ALUMN FS			314			41 24	5.5 0						
Paradigm	J 32	79	<b>126</b>	2002	39.166 11	150	40.583 11.916	38.42 15.42	5.5 9.58	No	Yes	17.83 722	32.4 29 11 6	11500 3840 Lead	No 1 FIXED	IB FOLD 2		
			<b>129</b>		ALUMN FS			343			42.09 39.25 22.17	0 0						
Peaches	Express 27 ODR	18364	<b>129</b>	1986	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	No		27.25 23.75 8.166 4.5	2450 1100 Lead	No 1 FIXED	OB None 0		
			<b>96</b>		ALUMN FS			182			29 17.75 17.75	9.833 429						
Pegasus	J 35	28390	<b>72</b>	1993	46.333 14.583	155	46.3	41.416 14	5.43 9.11	Yes	No		35.416 30 11.666 6.75	10500 4400 Lead	No 1 FIXED	IB FOLD 2		
			<b>75</b>		ALUMN MS			347			46 26.3 25.4	14.583 1001						
Pegasus	J 100 ODR MOD	26	<b>75</b>	2005	38 11.5	100	43 15.63	38 13.5	5.13 8.775	No	Yes	23.3 861	32.8 29 9.3 5.8	6500 2500 Lead	No 1 FIXED	IB FOLD 2	(Mtg 2/26/09, -3 sec/mi for adding sprit)(mtg 1/21/10, additional -3 sec/mi for lengthening sprit to 4.13')	
			<b>69</b>		CARBON FS			306			47.8 39.1 23.9	4.13						

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
			Built	DW Rating	I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No	SL SPL SSMG SSF	SPL SSA	Yes/No	ASF ASA Sprit Lngth Fixed or _o	LOA LWL Max Beam Max Draft	Ttl Disp. Ballast	Traps/H. moveable blst	IB or OB Prop Type # of blades	
Pegasus OP50	Open 50	50	<b>-144</b>	2003	61.45 23.88	102	75.13 35.17	73.16 23.88	14.17 18.56	No	Yes	48.56 3233	50 50 15.09 13.5	13972 5972 LeadWater	0 4 MVBL	IB FOLD 2	6612 lb in water ballast (Mtg 4/24/08 custom rating assigned of -114)(Mtg 5/22/08, taller rig & deeper keel added, change custom rating from -114 to -144)		
Penguin	Moore 24	134	<b>150</b>	1984	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No	9.75 0 0	23.75 21.75 7.16 4.083	2000 1025 Lead	0 1 FIXED	OB None 3			
Perseverance	Catalina 36 TM	28706	<b>141</b>	2000	46.75 14.33	125	46.75	41 13	4.2 7.5	No	Yes	24.36 915	36.333 30.25 11.916 5.833	13500 6042 Lead	No 1 FIXED	IB FEATH 3			
Petard	Farr 36 Mod	59284	<b>96</b>	1976	38.31 12.21	155	38.5	41.49 16.32	6 10.2	Yes	No	12.21 686	36.24 28.6 12.05 6.27	9880 3400 Lead	No 1 FIXED	IB FOLD 2	(Mtg 12/11/97, I AND P SHOWN ARE NOT STANDARD)(Mtg 5/22/08, change custom rating from 93 to 96)		
Phantom	Beneteau 373	28918	<b>132</b>	2005	44.72 13.91	140		40.63 14.3	5.333 10.66	No	Yes	23 846 0.5 0	36.92 32.83 12.33 6.25	14042 3873 Iron	No 1 FIXED	IB FEATH 3	Adjustable Backstay		
Plus Sixteen	Ericson 911S Olson	97707	<b>129</b>	1991	42 12.25	150	42 12.5	35.761 11.811	4.035 7.136	Yes	Yes	20.932 698 12.25	30 25 10.33 5.417	8500 3200 LeadSteel	No 1 FIXED	IB FEATH 2	(Mtg 4/13/06 -3 Sec for Dual Spinnakers. Due to dual spinnakers, pole can be pulled back when using assymetrical spinnaker.)		
Pocket Rocket	Custom Mull 22	8422	<b>174</b>	1981	27 8	150	27 8	29 10	4.22 7.03	Yes	No	8 289	22 20.041 9.5 5	2194 1000 Lead	0 1 FIXED	OB None 3	RACING DECK, STANDARD INTERIOR/ NO WEIGHT DEFFERENCE FROM STANDARD BOAT (ROCKET 22). (Mtg 10/18/07 - Using Merit 25 Spinnaker & Pole -15 sec/mi penalty, change custom rating to 150/2/1/08 went		

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Keel		Engine/Prop	Modifications	
					I J Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No	SL SPL SSMG SSF	Yes/No	ASF ASA Sprit Lngth Fixed or _o	LWL		Ttl Disp. Ballast Mat.	Traps/H. Strps moveable blst Keel Type			IB or OB Prop Type # of blades
Por Favor	Hobie 33 ODR MOD	51946	<b>78</b> <b>33</b>	1982	33.8 12.4	135	35.83 13.13	35 12.5	4.83 8.25	Yes	38.4 23.5 23.5	13.13 752	Yes	20.8 501 0 0	33 30.5 8 5.5	4000 1800 Lead	0 1 FIXED	OB None 0	Double Spreader Ballanger Mast (Mtg 2/18/10, Modified ODR, has dual spinnakers & oversized spinnaker, -3 sec/mi for dual spinnakers, -6 sec/mi for oversized spinnaker)
Prankster	Olson 30 OB	77225	<b>99</b> <b>69</b>	1980	36 11.75	155	36 11.67	31.5 10.75 0 0	4.21 7.17 205	Yes	35.75 21.085 20.333	11.666 624	No	19 462 90	30 27.5 9.333 5.083	3600 1800 Lead	No 1 FIXED	OB None 0	
Puff	BEAR	59	<b>252</b> <b>264</b>		21 8.67	95	21	27.42 13	4.94 8.45 213	Yes	21 18 18	8.67 315	No	0 0	23 18.1 6.75 3.5	4400 2100 Iron	0 1 FIXED	OB None 0	
Punk Dolphin	Custom Wylie 38	18481	<b>72</b> <b>66</b>	1985	48 14.33	150	48	43 14 0 0	5.58 9.55 369	Yes	48 25.8 25	14.33 1026	No		38 31 11.6 6.75	14000 5000 Lead	No 1 FIXED	IB FOLD 2	
QE 3	Tartan 10	8049	<b>126</b> <b>108</b>	1978	35 12	155	35 0	40.25 13.75 0 0	5.34 8.96 332	Yes	35 21.6 21.6	12 630	No		33.166 27 9.25 5.833	6700 3340 Lead	0 1 FIXED	IB FOLD 2	
Quintessence	Olson 40	77941	<b>48</b> <b>27</b>	1982	50 15.75	125		44 14.25 0 0	5 9 364	Yes	49.75 28 28	15.75 1161	No		40.333 36 11.25 6.5	11250 5500 Lead	No 1 FIXED	IB FOLD 2	MTG 4/9/98
Quiver	Custom Nelson Marek 36	28669	<b>48</b> <b>27</b>	1999	43.85 13.25	105	51 14.57	45.75 16.47	7.41 11.52 479	Yes	50.39 26.21 26.21	14.57 1101	No		35.6 29.32 10.3 7.6	7300 2830 Lead	No 1 FIXED	IB FOLD 2	

Boat Name	Boat Model (Type)	Sail #	Rating Built DW Rating	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Kee		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst Keel Type		
Ragtime	Custom Spencer 65	7960	<b>-48</b> 1964 <b>-81</b>	69.06 22.45 CARBON MS	105	70.36 26.94	63 22.23	9.3 14.9	861	No	Yes 77 67.9 41.8	45.8 2572 0 0	64.74 52 11.83 10.83	24204 9000 Lead	0 1 FIXED	IB FEATH 2	(mtg 8/27/09, custom rating of -48 assigned)
Raindrop	Cascade 36 MOD	29274	<b>132</b> 1971 <b>93</b>	45.08 16.16 ALUMN MS	125	45.08	39.19 15	5.7 9.75	350	Yes	No 45.12 29.08 28.25	16.16 1087	37 29 10 6	13000 4550 Cast Iron	0 1 FIXED	IB FOLD 2	Rudder Modifications Noted, NCTR (Mtg 3/20/08 boat is modified to carry bow sprit)
RAM	J 130 CM SD	29	<b>24</b> 1995 <b>3</b>	57 6.5 CARBON FS	120	58.5 23.5	52.5 18.5	7 12	578	No	Yes 69.2 57 37.9	37.9 1993 7	42.583 38.166 12.666 7	16000 6750 Lead	No 1 FIXED	IB FOLD 2	
Rancho Deluxe	Swan 45 ODR MOD	52445	<b>-15</b> 2003 <b>-6</b>	61.75 17.78 CARBON FS	150	61.82 17.79	61.22 21.85	9.17 14.93	829	Yes	Yes 66.7 34.77 34.45	50.2 1815 0 90	45.37 40.72 12.8 9.22	22725 9230 Lead	0 1 FIXED	IB FOLD 2	
Rascal	Custom Wilderness 30 SX	28175	<b>105</b> 1991 <b>84</b>	36 11 ALUMN MS	155	36	32 11.5	4.37 7.47	220	Yes	No 35.76 19.8 19.8	11 590	30 26.5 8.75 6	4200 1650 Lead	0 1 FIXED	OB None 0	SML RIG&HVR KEELSPCL EDWILD30 SME RIG&LBS/STOCK WILD 30/-10/1/92 CHGED 105 MTG 9/7/93 +300LBS RMVD KEEL NO/CHG MTG 12/09/93 RDR CNG 11/27/95 LBS CNG-NO CNG 12/7/95 KEEL 2" FIB BLST
Razzberries	Ericson 34 Olson TM	97479	<b>99</b> 1988 <b>111</b>	46.77 12.95 ALUMN MS	155	47	40.9 12.95	5.1 8.5	320	Yes	No 45.7 23.31 23.31	12.95 888	33.88 28 10.8 6.085	10855 3500 Lead	No 1 FIXED	IB FOLD 2	
Recidivist	Custom Schumacher 39	3510	<b>21</b> 1996 <b>33</b>	48.337 14.025 CARFIR FS	100	48.337	50.908 18.491	7 12.02	560	Yes	No 47.9 25.17 24.2	14.025 997	39.813 33.7 12.119 8.242	12853 5500 Lead	No 1 FIXED	IB FOLD 2	ALUMINUM MAST REPLACED W/CARBON. MTG 4/9/98-CHANGED FROM 24 TO 27 PER MTG 8/24/2000 (Mtg 5/22/08, -9 sec/mi for oversized luffs, +3 sec/mi for smaller headsail)(mtg 6/19/08, added Sweet Back Spreaders

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SPL SSMG SSF	SLU ASA SLE ASMG	ASF Sprit Lngth Fixed or _o	Ttl Disp. Ballast		Traps/H. moveable blst Keel Type			
Relentless	Sydney 32	28732	<b>81</b> 2002	40.6 12.2	110	40.6 13.1	39.7 14.75	5.6 9.59	Yes	40.29 23.4 23.4	13.1 786	No	31.9 28.4 10.6 6.9	6850 2860 Lead	No 1 FIXED	IB FOLD 2	-3 Sec/mi for OSP
Relentless	J 92	93	<b>105</b> 1997	37 11.5	155	38.5 17.5	38 13.5	5.2 8.7	No	45.2 40.6 25.4	26.4 915 5.5 0	Yes	30 26.5 10 5.9	5500 2275 Lead	0 1 FIXED	IB Fold 2	
Rhum Boogie	Quest 33 CM IB	33007	<b>75</b> 2004	41 10.7	150	41 17	39 15	7.044 10.985	No	46.42 27.868	27.6 1140 6.3 0	Yes	32.6 29.4 11.4 6.9	6000 1940 Lead	0 1 FIXED	IB FOLD 2	Rating is without Water Ballast
Risque'	Coronado 25	14678	<b>228</b> 1969	31.333 8.916	155	31.333	27.75 11.916	4.48 6.64	Yes	15.96 15.58	8.85 406	No	25 20 8 3.666	5060 2150 Lead	0 1 FIXED	OB None 0	(Adjustible Backstay - forward lowers; Internal Halyards; Main has full length top batton and long battens for rest. Modifications noted no change to rating mtg 8-13-02)
Robin	C&C 35-3	28064	<b>117</b> 1984	46.25 13.583	155		40.5 12.416	4.796 8.2	No	0 0	303	No	34.65 28 11.17 6.42	10825 4500 Lead	No 1 FIXED	IB FEATH 3	
Sail A Vie	Ericson 35-2	184	<b>150</b> 1971	43.14 14	125	43.14	36.75 13	5.09 8.53	Yes	25 23.99	889	No	34.67 25.83 10.04 4.92	11600 5000 Lead	No 1 FIXED	IB FOLD 2	(Replaced Rudder, Noted NCTR mtg 3-11-03)(3/15/07 -3 sec/mi for increased P)
Sailfish	Merit 25	28887	<b>168</b> 1984	28.75 9.66	150	28.75	28 9.75	4.03 6.69	Yes	17.39 17	416	No	24.5 20.5 8 4	3000 1050 Lead	No 1 FIXED	OB None 0	

Boat Name	Boat Model (Type)	Sail #	Rating Built DW Rating	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Kee		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SPL SSMG SSF	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast		Traps/H. moveable blst Keel Type			
Sailor Dog	Catalina 34 1&2	1798	<b>162</b> 2007	44 13.5	110	44 13.5	38.5 2.8 12 5.9	2.8 5.9	No	No	0 0	34.5 29.8 11.7 5.6	11950 5000 Lead	0 1 FIXED	IB Fixed_3 3	In-Mast furling main +3 sec/mi, MGM less than 50% of E +3 sec/mi	
Sans Souci	Beneteau Oceanis 321	28591	<b>174</b> 2000	42 12.33	140		35.25 2.97 13.58 6.19	6.19	No	No		32.58 29.42 11.25 4.25	9700 3274 Lead	No 2 FIXED	IB Fixed_3 3	Roller Furling Main	
Sapphire	Cal 27-2 IB	3814	<b>213</b> 1975	36 12	120	36	30.833 4.21 10.25 7	4.21 7	No	No	36 12 21.5 643	26.58 22.08 9.33 4.25	6700 3100 Lead	0 1 FIXED	IB Fixed_3 3		
Sapphire	Synergy 1000	38008	<b>45</b> 2004 <b>15</b>	40.8 12	125	45.75 16.4	42 6.99 15.5 11.08	11.08	No	Yes	28 1172 4.3 0	32.83 29.17 9.75 7	4400 1850 Lead	No 1 FIXED	IB FOLD 2		
Sassy	MacGregor 26 WB	38265	<b>222</b> 1988 <b>171</b>	22.6 9.75	146	22.6 9.75	25.17 3.92 10.25 6.58	6.58	Yes	No	9.75 406	25.83 23.5 7.92 6.33	2850 1200 Water	No 1 CNTRBRD	OB None	(Masthead Spinnaker; -12 sec penalty for increased ISP due to masthead spinnaker PHRF Mtg 3/16/06)(1/29/07- changed spinnaker hoist back to standard configuration, ISP now same as I)	
Scaramoucite V	PJ 49	0	<b>72</b> 1971 <b>51</b>	57 20	128	20	52 6.3 16.9 10.8	10.8	No	Yes	33 1335 0 0	49.25 39.16 11.91 8	32500 14300 Lead	0 1 FIXED	IB Feath 3	(mtg 1/21/10, custom rating of 72 assigned)	
Scarlett	Moore 24	86	<b>150</b> 1980 <b>123</b>	26.25 9.75	150	26.25	25 3.89 9.5 6.45	6.45	Yes	No	0 0	24 21.75 7.17 4.08	2050 1000 Lead	No 1 FIXED	OB None		

Boat Name	Boat Model (Type)	Sail #	Rating DW Rating	Built	Foretriangle		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Kee		Engine/Prop IB or OB Prop Type # of blades	Modifications
					I J	Max Headsail		P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst Keel Type		
Sea Pearl	Moore 24	28993	<b>150</b>	1981	26.25 9.75	150	26.2	25 9.5 0 0	3.91 6.5 147	Yes 26.6 17.55 17.55	9.75 389	No		23.75 21.75 7.16 4.25	2000 1050 Lead	0 1 FIXED	OB None 0	
Sea Reine	BENETEAU OCEANIS 350	38045	<b>147</b>	1988	41.48 12.8	91	41.48 12.8	35.8 11.48	4.5 7.7 250	No		Yes 41.23 37.87 20.95	20.46 687 0 0	33.75 29.83 11.25 4.16	10582 3968 Steel	0 1 FIXED	IB FOLD 3	
Sea Spirit	Catalina 34 1&2	108	<b>147</b>	1986	44 13.5	130	44 13.5	38.5 12	4.36 7.54 270	Yes 42 24 23.5	13.5 837	No		34.5 29.833 11.75 5.583	11950 5000 Lead	No 1 FIXED	IB FOLD 2	
Sea Star	CAL 39-2/3	38022	<b>117</b>	1977	50 16.7	100	50	44 13.8	4.5 8 337	No		Yes 48 44 30	34 1181 0 0	39 32 12 6.7	17000 7000 Lead	0 1 FIXED	IB FEATH 3	Roller Furler
Seaya	Catalina 380	252	<b>120</b>	2000	50.916 14.667	135		44.833 15.667	5.2 10 405	No		No		38.416 32.416 12.333 7.167	19000 6800 Lead	No 1 FIXED	IB FEATH 3	
Second Chance	Crealock 37	353	<b>180</b>	1999	44 15.75	120	44 15.75	38.17 14.25	4.25 8.1 295	No		Yes 45.75 42.61 22.33	22 820 0	36.92 27.75 10.83 5.5	16000 6200 Lead	No 1 FIXED	IB Fixed_2 2	
Second Verse	Cascade 36	89	<b>162</b>	1989	45.1 14.7	130	45.1 14.7	37.75 14.5	3.68 7.27 276	No		Yes 44.08 41.42 20.17	24.33 748 0	38.5 30.5 10 6.6	16500 4600 Iron	0 1 FIXED	IB Fixed_3 3	

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle		Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Keel		Engine/Prop	Modifications
					I J	Max Headsail	ISP	P E	MGU	Yes/No	Yes/No	ASF		Ttl Disp.	Traps/H. Strps		
		DW Rating			Mast Material	JSP	PY	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type	
					Rig Type		EY	MSA	SSMG	SSA	SLE	Sprit Length	Max Beam	Ballast Mat.	Keel Type	# of blades	
									SSF		ASMG	Fixed or _o	Max Draft				
Seebar	Pearson 22 Electra	18117	270	1960	26.5 8.71	155		23.65 3.77	9.91 6.44	26	8.71		22.5 16.75 7 3	3000 1000 Lead	No 1 FIXED	OB None 0	MOD FWARD SHROUD TO ALLOW SLACK FOR CLOSER SHEETING OF # 2 JIB.
			273		ALUMN MS		0 0	140				<input type="checkbox"/>					
Seeker	Tatoosh 51 KTH	28782	117	1982	61 17.25	150	61 19.3	54.5 5.5	18.3 9.9	60.5 17.3	61	29.4 1256	51.07 42.01 15.05 6.06	52000 14000 Cast Iron	0 1 FIXED	IB FEATH 3	-3 sec/mi for dual spinnakers.
			60		ALUMN KTCH		32 12.5	531	31.15 30.8	1567	56.7 24.67	2					
											<input checked="" type="checkbox"/>						
Shaman	CAL 40	5166	114	1966	46 15.17	155	46	40 6.07	17.5 10.7	45.7 15.1			39.5 30.3 11 5.5	15500 6000 Lead	No 1 FIXED	IB FEATH 2	
			102		ALUMN MS		0 0	400	27.1 26.4	1027							
Shameless	Custom Schumacher 30	18480	123	1988	41.37 12.16	150	41.5	36.416 4.5	11.83 7.69	40.75 12.08			29.92 26 10.65 6.166	7854 3650 Lead	No 1 FIXED	IB FOLD 2	Rudder change, old rudder 85lbs new 65 lbs. Old alum/new carbon MTG 10/27/94 Noted- NCTR (MTG 1/9/97 Alum headsail removed and excess wires removed from mast- Noted NCTR)(Mtg 2/21/08, change custom rigging from 126 to 123 after
			129		ALUMN MS		0 0	257	21.75 21.35	736							
Shenanigans	Express 27 ODR	67	129	1983	28.5 9	155	28.5	28.5 4.22	10.42 7.03	29 9.83			27.25 23.75 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0	
			96		ALUMN FS		0 0	182	16 16	387							
Siento El Viento	C&C 29	38311	177	1977	39.5 12.8	155		33.5 10.1		39 12.8			29.5 23.6 10.5 5.25	7500 2700 Lead	No 1 FIXED	IB Fixed_2 2	
			180		ALUMN MS				22 22	715							
Sierra II	Sabre 36-2	28362	114	1998	48.5 13.46	110	48.5	41.6 5.66	14.83 9.63	47.8 13.46		22.7 671	36.166 30.416 12 6.5	13800 5520 Lead	No 1 FIXED	IB FOLD 2	(mtg 2/21/08, -3 sec/mi for dual spinnakers, +3 sec/mi for small headsail)(1/20/09, remove asymmetric spinnaker, only flying Symmetric)
			105		ALUMN MS		0 0	368	24.2 24.2	964	43 16.5	0 0					

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Kee		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst Keel Type		
Sir Leansalot	Hunter 40	161	<b>108</b> 1986	53.9 17	105	53.9 17	48 13.9 0 0	5.2 9 396	Yes 52.5 29.2 29	17 1276	No	<input type="checkbox"/>	39.7 32.5 13.5 6.5	17400 6000 Iron	0 1 FIXED	IB Fixed_2 2	
Sirius	C&C 37	28127	<b>111</b> 1985	51 15.42	125	50.9 15.5	45.17 12.17 0 0	3.75 7	No	Yes 48.75 45.8 21.6	24.58 874 0	<input checked="" type="checkbox"/>	36.75 28.7 11.6 6.6	14300 6000 Lead	No 1 FIXED	IB FOLD 3	
Sizzle	Spirit 28	38025	<b>195</b> 1979	37 11.8	135		31.3 9.3	3.9 6.5 183	No	No	0 0	<input type="checkbox"/>	30 28 10 4.7	6900 2900 Lead	0 1 FIXED	IB Fixed_2 2	
Slider	Beneteau 323 DK	41	<b>150</b> 2006	42.6666 11.083	116		38.91 13.166	4.19 7.6 283	No	Yes 41.8 37.1 18.5	18.9 611 0 0	<input checked="" type="checkbox"/>	32.83 31.083 10.75 5.91	9235 2258 Lead	No 1 FIXED	IB Fixed_2 2	
Slip Away	O'Day 27 IB	445	<b>201</b> 1978	35 11.66	150		29.5 9.25 0 0	3.65 5.92 164	Yes	No	11.67 529	<input type="checkbox"/>	27 22.75 9 4	6950 2230 Lead	No 1 FIXED	IB FOLD 2	Roller Furler
SLOWMO!	Catalina 22-1 OB SK	2482	<b>270</b> 1973	25.93 8	150		21 9.66	3.47 5.96 118	No	No	0 0	<input type="checkbox"/>	21.6 19.4 7.8 5	2250 550 Iron	0 1 MVBL	OB None 3	
S'Moore	Moore 24	150	<b>150</b> 1985	26.25 9.75	155	26.25	25 9.5 0 0	3.91 6.5 147	Yes	No	9.75 380	<input type="checkbox"/>	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0	

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst Keel Type		
Sobrante	Catalina 320	850	<b>156</b> 2001	43.58 12.33	135	43.58	38 13.25 0 0	5.168 8.661 303	No	Yes	22.19 726	32.5 28 11.75 6	11300 4000 Lead	No 1 FIXED	IB FOLD 2		
Sparrowhawk	Moore 24	65	<b>150</b> 1980	26.25 9.75	150	26.25	25 9.5 0 0	3.91 6.5 147	Yes	No	9.75	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0		
Spellbound	Olson 40	18983	<b>45</b> 1983	51.21 15.75	155	51.21	44.21 14.3 0 0	5.5 9.2 377	Yes	No	15.75	40.333 36 11.33 6.5	10350 5500 Lead	0 1 FIXED	IB FOLD 2	MTG 4/9/98	
Spirit-Of-Elvis	Santana 35	67630	<b>114</b> 1979	39 12.85	155	39	42 14.25 0 0	5.51 9.26 358	Yes	No	12.85	35.1 26.5 11.916 6.25	8500 3300 Lead	No 1 FIXED	IB FOLD 2		
Split Water	Beneteau First 10R ODR	40	<b>81</b> 2007	43.2 12.07	105	46.41 16.5	42.25 14.73	5.59 9.57 371	No	Yes	29.7 1200 4.43 0	32.75 28.7 11 6.55	9715 3528 Lead	0 1 FIXED	IB FOLD 2		
Star Kissed	Santana 22	154	<b>237</b> 1971	26 8.5	110	26	21.75 9.83	3.95 6.59 131	Yes	No	8.5	22 18.67 7.83 3.5	2600 1300 Lead	0 1 FIXED	OB None		
Stargazer	Catalina 310	255	<b>183</b> 2003	42.9 11.9	110		37.3 13	3.3 6.6 246	No	Yes	21.11 635 0 0	31 26.6 11.6 6.3	10300 4000 Lead	0 1 FIXED	IB Fixed_3 3	In-Mast Furling Main- + 3 sec/mi, MGM < 50% of E- +3 sec/mi	

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Keel		Engine/Prop	Modifications
					I	J	Max Headsail	ISP	ISJ	P	MGU	Yes/No	Yes/No		ASF	Ttl Disp.		
		DW Rating			Mast Material		E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type		
					Rig Type		PY	MSA	SSMG	SSA	SLE	Sprit Length	Max Beam	Ballast Mat.	Keel Type	# of blades		
							EY		SSF		ASMG	Fixed or _o	Max Draft					
Stewball	Express 37	18278	72	1985	48.75 14.33	150	48.75	42	5.28	Yes	No		37.083	11000	0	IB		
			75		ALUMN MS		13.75	8.83	48	14.33			30.833	4500	1	FOLD		
							0	344	25.7	1020		<input type="checkbox"/>	11.57	Lead	FIXED	2		
							0		24.76				7.25					
Stormrider	Aphrodite 101	8010	144	1978	36.833 11.81	124	36.833	39.333	4.67	Yes	No		32.75	6160	0	IB		
			129		ALUMN FS		11.48	7.77	36	11.81			26.333	3527	1	FOLD		
							0	278	19.66	590		<input type="checkbox"/>	7.916	Lead	FIXED	2		
							0		19.66				5.416					
Stretch	Hobie 33 ODR	87065	87	1982	33.83 12.37	125	36.5	35	4.75	Yes	No		33	4000	0	OB	-3 SEC/MI FOR KEEL MODIFICATION 8/87	
			33		ALUMN FS		12.5	8	37	13.6			30.5	1800	1	None		
							0	260	24.5	750		<input type="checkbox"/>	8	Lead	FIXED	0		
							0		23.6				6.4					
Summer Moon	Synergy 1000	1001	45	2000	40.8 12	110	45.75 16.4	42	6.99	No	Yes	26	32.83	4600	0	IB	Add approx 1 and 1/2 inches to trailing edge of keel during faring., Larger sail drive added	
			15		CARBON FS		15.5	11.08			51	1106	29.17	1850	1	FOLD		
								417			45.2	4.3	9.75	Lead	FIXED	2		
											28	<input checked="" type="checkbox"/>	7					
Summer Wind	O'Day 27 IB DK	8072	198	1977	35 11.67	155	35	29.5	3.65	Yes	Yes		27	7150	No	IB	200 # SHOE ON BOTTOM OF KEEL - A FACTORY OPTION	
			195		ALUMN MS		9.25	5.92	35.05	11.67			22.75	2430	1	FOLD		
							0	164	21	614		<input type="checkbox"/>	9	Lead	FIXED	2		
							0		21.066				4.5					
Sunshine	Moore 24	54	150	1980	26.25 9.75	150	26.25	25	3.91	Yes	No		23.75	2050	No	OB		
			123		ALUMN FS		9.5	6.5	27	9.75			21.75	1025	1	None		
							0	147	17.55	395		<input type="checkbox"/>	7.16	Lead	FIXED	0		
							0		17.55				4.083					
Svenska	Peterson 34	18686	123	1977	45.5 14.5	125	46.5 14.5	41.5	4.1	No	No		34	10800	No	IB		
					ALUMN MS		11	7.1					28.25	5000	1	FOLD		
							0	271				<input type="checkbox"/>	11.166	Lead	FIXED	3		
							0						6.25					

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Keel		Engine/Prop	Modifications
					I J	Max Headsail		P E	MGU MGM	Yes/No	Yes/No	ASF	Ttl Disp.		Traps/H. Strps	IB or OB		
		DW Rating			Mast Material		PY EY	MSA	SL SSMG SSF	SPL SSA	SLU SLE ASMG	ASA Sprit Length	LWL	Ballast	moveable blst	Keel Type	Prop Type	# of blades
Swamp Donkey	Express 27 ODR	8444	<b>129</b>	1981	28.5 9	155	28.5	28.5 4.22 10.416 7.03	29	9.833	No		27.25 23.75 8.166 4.5	2450 1100 Lead	No 1 FIXED	OB None 0		
			<b>96</b>		ALUMN FS		0 182 0	17.8 430 17.8			<input type="checkbox"/>							
Sweet Grapes	Ericson 36 Holland	19	<b>108</b>	1981	47.75 14.5	147	47.75	42 3.5 12 7.2	47	14.5	No		35.583 29 11.833 6.25	11600 5230 Lead	0 1 FIXED	IB FOLD 2		
			<b>108</b>		ALUMN MS			278	25.83 1004 24.83		<input type="checkbox"/>	0 0						
Sweet Okole	Custom Farr 36	29000	<b>87</b>	1976	42.049 12.35	125		44.54 10 16 5.9	43.82	12.35	No		36 31.33 11.88 6	9188 3750 Lead	No 1 FIXED	IB FOLD 2	(78 MTG 1/28/93) (81 MTG 3/18/93)(Mtg 5/22/08, +3 sec/mi for switching to smaller headsail, +3 sec/mi for removing 250# shoe from keel, change custom rating from 81 to 87)	
			<b>69</b>		ALUMN FS		0 416 0	22.23 812 22.23			<input type="checkbox"/>							
Sweet Pea	Islander 30-2	195	<b>186</b>	1971	38.5 12.6	155	38.5	32.5 4.75 12.5 8.13	38.6	12.6	No		30 24.58 10 5	8600 3500 Lead	0 1 FIXED	IB FOLD 2		
			<b>162</b>		ALUMN MS		0 242 0	22.5 724 22.5			<input type="checkbox"/>							
Sweetspot	C&C 121 DK W/5' BS	46921	<b>60</b>	2000	57 15	135	57	51 6.19 16.386 10.6	No		Yes	36 1851	40 35.5 13.8 8	14100 5500 Lead	No 1 FIXED	IB FOLD 2	Deep Keel-bowsprit, (Mtg 4/24/08, rating appeal submitted, change base rating for C&C 121 DK w/ 5' BS, aka C&C 121 XP, to 60)	
			<b>36</b>		ALUMN MS		0 496 0		63.8 5 55.6 5 37.5		<input checked="" type="checkbox"/>							
Synergizer	Ericson 28-2	28091	<b>183</b>	1988	36 12	150	12	35.5 4.5 11 7.481	36	12	No		28 23.33 10 5.5	7500 3200 Lead	No 1 FIXED	IB FOLD 2		
			<b>174</b>		ALUMN FS		0 241 0	21.5 645 21.5			<input type="checkbox"/>							
Take Five	Express 27 ODR	28031	<b>129</b>	1982	28.5 9	155	28.5	28.5 4.22 10.416 7.03	29	9.833	No		27.25 23.75 8.166 4.5	2450 1100 Lead	0 1 FIXED	OB None 0		
			<b>96</b>		ALUMN FS			182	17.75 429 17.75		<input type="checkbox"/>	0 0						

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Kee		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail		P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst Keel Type		
Takeoff	Laser 28	33685	<b>135</b> 1985	31.1 9.65	155	31.73	33.14 12.96	4.98 8.4	Yes 31.78 10.61	No		28.42 23.62 9.48 5	4550 1500 Lead	No 1 FIXED	IB FOLD 2	(Rudder noted, NCTR - 1-13-03)(MTG 4/26/07 -6 sec/mi for OSP)	
			<b>126</b>	ALUMN FS			0 0	257	19.1 19.1		<input type="checkbox"/>						
Taz	Moore 24	107	<b>150</b> 1981	26.25 9.75	150	25.5	25 9.5	3.91 6.5	Yes 27 9.75	No		23.75 21.75 7.17 4.08	2050 1025 Lead	No 1 FIXED	OB None 0		
			<b>123</b>	ALUMN FS				147	17.5 17.5		<input type="checkbox"/>						
TAZ!!	Express 27 ODR	8100	<b>129</b> 1981	28.5 9	155	28.5	28.5 10.42	4.23 7.04	Yes 28.58 9.83	No		27.3 23.8 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None		
			<b>105</b>	ALUMN FS				182	17.75		<input type="checkbox"/>						
Temerity	Olson 34	28134	<b>99</b> 1986	44.8 13.25	155	44.8 13.25	38.84 12.9	5 8.4	Yes 44 13.25	No		34 28 10.83 6	9540 3600 Lead	1 FIXED	IB FOLD 2		
			<b>102</b>	ALUMN MS			0 0	300	23.6 20		<input type="checkbox"/>						
Tenacity	Express 27 ODR	18409	<b>129</b> 1981	28.5 9	150	28.5	28.5 10.416	4.22 7.03	Yes 29 9.833	No		27.25 23.75 8.166 4.5	2450 1100 Lead	No 1 FIXED	OB None 0		
			<b>96</b>	ALUMN FS			0 0	182	17.5 17.5		<input type="checkbox"/>						
TESA	Catalina 42-1/2	642	<b>99</b> 1999	53 16.41	150	53 23	46.75 15.416	5.91 10	Yes 48.833 16	Yes	31 1275	41.833 36 13.833 6	20500 8300 Lead	0 1 FIXED	IB FEATH 3	Added one electric main halyard winch (mtg 2/26/09, -3 sec/mi for dual spinnakers)	
			<b>78</b>	ALUMN MS			0 0	430	28 27.333	44.2 32	<input checked="" type="checkbox"/>						
Think Fast	Olson 30 OB	28708	<b>99</b> 1980	36 11.75	150	35.9 11.67	31.5 10.75	4.364 7.268	Yes 36 11.75	No		30 27.5 9.333 5.083	3600 1800 Lead	0 1 FIXED	OB None 0		
			<b>69</b>	ALUMN MS			0 0	208	21 19.8		<input type="checkbox"/>						

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Keel		Engine/Prop	Modifications
					I J	Max Headsail	ISP JSP	P E	MGU MGM	SL SPL	Yes/No	Yes/No	ASF		Max Beam	Ttl Disp.		
			DW Rating		Mast Material		PY EY	MSA	SSMG	SSA	SLU	ASA	LWL	Ballast	moveable blst	Prop Type		
					Rig Type				SSF		ASMG	Sprit Length	Max Draft	Ballast Mat.	Keel Type	# of blades		
Thumper	Express 27 ODR	77629	129	1983	28.5 9	155	28.5	28.5	4.22	10.416	7.03	29	9.83	27.3	23.8	OB		
			96		ALUMN FS				182			17.5	423	8.16	0	None		
												<input type="checkbox"/>	0	4.5	Lead	FIXED	2	
Tiburon	Santa Cruz 37	38042	27	2008	47 13.5	105	52.17	19	47	6.46	17	11.05	37	8662	0	IB	(mtg 2/26/09, established base rating of 18 for Santa Cruz 37)	
			0		CARBON MS				476			60.93	1394	34.75	3730	1		FOLD
												50.99	5.5	10.64	Lead	FIXED	2	
												29.66	<input checked="" type="checkbox"/>	0	7.5			
Tiger Beetle	Custom N/M 45	77985	42	1983	59.1 17.5	155	59.1	52.1	5.8	16	10.1	58.5	17.5	45	21000	No	IB	PIPE BERTH INTERIOR, 1400 LBS LEAD SET IN BILGE ABOVE KEEL REINSTALLED. (MTG 4/9/98) RTG CHANGED FM 45 TO 42 W/NOTED CHANGES TO BALLAST, INTERIOR AND LWL. MTG 2/16/2000
			33		ALUMN MS				0	487	0	1512	37.7	10000	1	FOLD		
									0			31.1	13.4	Lead	FIXED	2		
													<input type="checkbox"/>	7.9				
Tiki Blue	Beneteau 423	38423	102	2005	48.65 16.52	140	48.65	16.52	43.44	5.49	14.83	9.6	41.67	19797	No	IB		
			66		ALUMN MS				48.76	16.5	29.7	1199	38.58	5569	1	FOLD		
									28.69			0	12.92	Iron	FIXED	3		
												<input checked="" type="checkbox"/>	0	6.92				
Tiki J	J 42 SD	33	78	1999	50.5 14.7	150	52	14.6	46.5	5.64	18	10.27	42	19700	0	IB	(mtg 5/21/09, - 3 sec/mi for dual spinnakers)	
			39		CARBON FS				15.65	14.69	26.47	345	35.1	7000	1	FEATH		
									26.47		23.1	<input type="checkbox"/>	14.6	Lead	FIXED	3		
													12.2					
													5.5					
Timber Wolf	Farr 38-1 C&B Marine	67519	84	1980	43.91 13.36	155	47.9	44.83	6.7	17.91	11.6	48	14.67	38.32	12000	0	IB	(REDUCED MGM, ADDED 6" TO RUDDER LENGTH -NOTED NCTR-2/15/01)
			66		ALUMN FS				44.83	6.7	0	476	30.9	4100	1	FOLD		
									0			26.4	11.97	Lead	FIXED	2		
													26.4					
													<input type="checkbox"/>	6.39				
Tinker	Wilderness 21	6	225	1977	25 8.67	125	25	25	2.83	8	4.66	25	8.67	20.5	1870	No	OB	Added roller furler
			204		ALUMN MS				8	4.66	0	113	17.8	1070	1	None		
									0			15.6	7.25	Lead	FIXED			
													15.6	4				

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SPL SSMG SSF	SLU ASA SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast		Traps/H. moveable blst Keel Type			
Tivoli	Beneteau 42S7 First DK SM	46612	72 1994	50.89 14.27	125	50.89	47.41 17.22	6.12 10.54	Yes	50.21 14.27	Yes	42.6 35.9 13.6 7.7	18220 6283 lead	No 1 FIXED	IB FOLD 2		
Top Cat	Nonsuch 30	308	177 1985				45 24	7.9 14.3	No		No	30.33 28.75 11.1 5	11500 4500 Lead	0 1 FIXED	IB Fixed_2 2		
Topgallant	Tartan 10	18608	129 1978	35 11.75	125	35	40.25 13.75	5.34 8.96	Yes	35 12	No	33 27.18 9.25 5.833	6700 3340 Lead	No 1 FIXED	IB FOLD 2	(4/25/02 Installed Running Backstay)	
Toypedo	Ranger 26-2	67341	189 1980	26.4 9	150	28 9	30.5 11	4 7	Yes	26.5 9	No	26 20 8 5	3000 1140 Lead	0 1 FIXED	OB None	Fixed Keel, No daggerboard	
Tranya	Moore 24	83	150 1981	26.25 9.75	155	26.25	25 9.5	3.91 6.5	Yes	27 9.75	No	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0		
Trunk Monkey	Farr 30	63	45 1997	38 11	125	44.9 13.6	41 15	6.43 10.4	Yes	45 13.58	Yes	26.24 965 10.1 6.9	4500 2060 Lead	0 1 FIXED	IB FOLD 2	(mtg 1/21/10, -3 sec/mi for switching to non-class 125% headsail, -3 sec/mi for dual spinnakers/ability to fly asym off squared back pole, -3 sec/mi for oversized spinnakers)	
Tule Fog	Express 27 ODR	18178	132 1984	29 9	125	28.5	29 10	4.22 7.03	Yes	29 9.83	No	27.3 23.8 8.166 4.5	2450 1100 Lead	n 1 FIXED	OB None 0		

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst Keel Type		
Twist	J 120 ALUM	28442	48 2000	50.5 14.5	150	52 21.5	46.5 17.8	6.75 11.5	No	Yes	34.1 1764	40 35 12 7	13900 6000 Lead	No 1 FIXED	IB FOLD 2		
Two Scoops	Express 34	28234	99 1988	44.25 12.92	155	44.25	38.5 12.83	4.87 8.46	Yes	No		34 28.33 10.33 6.109	8000 3700 Lead	No 1 FIXED	IB FOLD 2		
Twoirrational	Moore 24	147	150 1984	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No		23.75 21.75 7.167 4.083	2050 1025 Lead	0 1 FIXED	OB None 0		
Uno	Wyliecat 30 IB	28632	129 1995	35.8 5.5		35.8 12	39.66 19.75	9.31 13.05	No	No	19.68 550	30.5 25 9.5 5.25	5800 3000 Lead	0 1 FIXED	IB FOLD 2	(mtg 2/21/08, penalty for oversized main -3 sec/mi)(Mtg 5/22/08, -24 for asymmetric spinnaker flown on 12' pole)(6/11/08, removed asymmetric spinnaker +24 sec/mi)	
US 101	Moore 24	101	150 1981	26.25 9.75	150	26.2	25 9.5	3.91 6.5	Yes	No		23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0		
USA 102	Melges 20	102	111 2008	23.19 7.05	110	27.2 10.95	24.25 9.84	3.83 7.42	No	Yes	18.8 417	20 19.4 7 4.5	1102 415 Lead	0 1 FIXED	OB None 0		
USA 574	Mini Transat 6.5	574	81 2006	36.5 7.8	106	40.4 18.8	33.33 12.15	7.6 9.8	No	Yes	28 819	21 21 9 6	1874 772 Lead	0 2 MVBL	NONE None 0	(mtg 1/21/10, Custom rating of 81 assigned)	

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Kee		Engine/Prop	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SPL SSMG SSF	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast		Traps/H. moveable blst Keel Type	IB or OB Prop Type # of blades		
Valis	Crealock 44	16	<b>126</b> 2002	58.88 19.33	120	58.2 19.5	51.75 16	5.618 9.943	Yes	58.87 34.79 34.79	19.33 1707	No	44.08 33.58 12.67 5.25	28145 11000 Lead	No 1 FIXED	IB FEATH 3	
Vayu	Allied Seawind II	28	<b>222</b> 1976	38.8 14	130	38.8 14	33.8 12	3.5 5.5	No	18.5 9.1	204	No	32 25.5 10.4 4.5	14900 5800 Lead	0 1 FIXED	IB Fixed_3 3	(Mtg 1/21/10, Custom rating of 222 assigned)
Verve	Express 27 ODR	18283	<b>129</b> 1981	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	29 17.5 17.9	9.833 425	No	27.25 23.75 8.166 4.5	2450 1100 Lead	No 1 FIXED	OB None 0	
Victoria	Amel Sharki 39	38051	<b>195</b> 1980	41 14	120		37 13	5 8.5	No	23 8	288	No	39 32 12 6	21384 7060 Lead	0 1 FIXED	IB Fixed_3 3	
Vip	Farallone Clipper FR	7	<b>159</b> 1957	36.82 14	155	36.82	40.5 18.5	6.16 10.979	Yes	36.76 25.195 24.86	14 770	No	38 28.75 9.5 5.6	19000 7000 Iron	No 1 FIXED	IB Fixed_3 3	
Vitesse Too	Hobie 33 ODR	87112	<b>90</b> 1983	33.8 12.4	125	36.8	35 12.4	4.75 8	Yes	36.2 23.4 21.4	13.25 694	No	33 30.5 8 5.5	4000 1800 Lead	No 1 FIXED	OB None 0	Extended rudder 10", NCTR
Voyager	Beneteau 345	38345	<b>129</b> 1986	44.22 12.89	150		38.71 12.63	3.25 7.12	Yes	44.42 23.2 23.2	12.89 859	No	34.5 29.2 11.5 6.3	12651 4409 Iron	No 1 FIXED	IB FOLD 2	

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Keel		Engine/Prop	Modifications
					I	J	Max Headsail	ISP	PE	MGU	SL	SPL	Yes/No		Yes/No	ASF		
		DW Rating			Mast Material		JSP	PY	MGM	SSMG	SSA	SLU	ASA	LWL	Ballast	moveable blst	Prop Type	
					Rig Type			EY	MSA	SSF		SLE	Sprit Length	Max Beam	Ballast Mat.	Keel Type	# of blades	
												ASMG	Fixed or _o	Max Draft				
Wasaaabi	J 80 ODR	384	<b>117</b>	2001	31.5 9.5	100	33 15.5	30 12.5	4.83 8.1		No	Yes	25 661	26.3 22	2900 1400	0 1	OB None	
			<b>96</b>						224			32.25 21.6	6.25 <input checked="" type="checkbox"/>	8.3 4.9	Lead	FIXED	3	
Wayward Whale	Ericson 38	75	<b>120</b>	1982	50 16.25	105		43.25 14	5.46 9.16		No	No		37.8 30.6	14900 6300	0 1	IB Fixed_2	
					ALUMN MS				364				0 0	12 6.6	Lead	FIXED	2	
Wet Fun	Yamaha 26	18301	<b>195</b>	1984	30.5 8.69	155	30.5	32.17 11.83	3.92 7.08	Yes	No			26.17 21	4349 1435	0 1	IB Fixed_2	
			<b>192</b>		ALUMN FS			0 0	214			15.65 15.65		9.17 5.08	Iron	FIXED	2	
Wetsu	Express 27 w/J length pole	70	<b>129</b>	1983	28.5 9	155	28.5	28.5 10.42	4.22 7.03	Yes	No			27.25 23.75	2450 1100	No 1	OB None	-6 Sec/mi OSP
			<b>96</b>		ALUMN FS			0 0	182			17.7 17.5		8.17 4.5	Lead	FIXED	0	
Whistler	Ohlson 38	54389	<b>141</b>	1972	44.79 14.44	155	44.79	39.38 12.96	4 7.166	Yes	No			37.5 26.25	14900 6000	0 1	IB Feath	
			<b>138</b>		ALUMN MS				276			26 24	0 0	10.21 5.58	Lead	FIXED	3	
Wilson	Beneteau Farr First 36.7	38054	<b>81</b>	2005	46.4 13.1	155	46.4 13.1	45.4 15.6	5.92 12.49	Yes	No			36 30.3	12495 4034	0 1	IB Fold	
			<b>87</b>		ALUMN FS				458			23.5 23.5	0 0	11.4 7.2	Lead	FIXED	2	
Windflower	Santana 30	83	<b>180</b>	1978	39.25 12.416	155	39.25	33.92 9.83	4.15 6.86	Yes	No			29.916 25	8000 3800	No 1	IB FOLD	
			<b>150</b>		ALUMN MS			0 0	209			21 20		10 5.583	Lead	FIXED	3	

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Kee		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SPL SSMG SSF	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast		Traps/H. moveable blst Keel Type			
Windsome Wench	Newport 30-3	6858	<b>174</b> 1986	40 12.5	150	39.5	34.3 10.3 0 0	3.8 6.6 209	Yes 39 21.78 21.75	12.125 708	No <input type="checkbox"/>	30.6 26.5 10.5 5.1	8500 2600 Lead	0 1 FIXED	IB FOLD 2		
Windstar	Worth 40	18337	<b>96</b>	54 16	125		48 14 0 0	5.5 9.2 405	No		No <input type="checkbox"/>	40 31.75 12.5 7.25	18000 7800 Lead	0 1 FIXED	IB FOLD 2		
Wintersmoon	Knarr ODR	116	<b>198</b>	33.583 6.583	125	33.583	31 11.166 0 0	4.47 7.46 211	No	6.583	No <input type="checkbox"/>	30.333 20.333 7 4.25	4630 2866 Cast Iron	No 1 FIXED	OB None 0		
Witchy Woman	Express 27 ODR	116	<b>129</b> <b>96</b>	28.5 9	150	28.5	28.5 10.416 0 0	4.22 7.03 182	Yes 29 17.75 17.75	9.833 429	No <input type="checkbox"/>	27.25 23.75 8.166 4.5	2450 1100 Lead	No 1 FIXED	OB None 0		
Yellow Dragon	Hobie 33 ODR	87377	<b>87</b> <b>45</b>	33.83 12.38	125	36.288	35 12.5 0 0	4.91 8.22 264	Yes 34 22.3 21.4	12.38 627	No <input type="checkbox"/>	33 30.5 8 5.5	4200 1800 Lead	0 1 FIXED	OB None 0	Oversized Main = -3 Sec/Mi. (mgt 11/12/02) (Ballenger double spreader mast, sail drive added, replaced rudder)	
Yellowfin	J 105 ODR w/ 5'BS	357	<b>78</b> <b>72</b>	40.6 13.5	100	42.1 19.07	41.5 14.5 0 0	5.5 9.4 358	No	Yes 48.88 38.71 23.26	19.5 821 5 <input type="checkbox"/>	34.5 29.5 11 6.5	7750 3400 Lead	No 1 FIXED	IB FOLD 2		
Youngster	IOD ODR	82	<b>138</b> <b>159</b>	29.25 8.33	103	41 10.67	38.83 16.25 0 0	6.12 10.47 374	Yes 41 19 18	10.67 642	No <input type="checkbox"/>	33.42 21.42 6.75 5.333	7100 4100 Lead	No 1 FIXED	NONE None 0	(mtg 1/21/10, switched to Masthead Spinnaker, -12 sec/mi for 40% increase in ISP, -6 sec/mi for oversized spinnaker girths)	

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Kee		Engine/Prop IB or OB Prop Type # of blades	Modifications	
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst Keel Type			
Yucca	Custom DitTMar 50	8526	<b>90</b> 1937	41.36 14.06	150	54.25	50.04 20.12	7.916 13.25	Yes	54 27.6 25.6	14.06 1224	No	<input type="checkbox"/>	49.09 32 7.94 7.03	23750 11000 Lead	No 1 FIXED	IB FOLD 2	Oversized Spinnaker noted at original rating
Zamazaan	Custom Farr 52	3883	<b>21</b> 1978	61.881 18.51	135	61.881 18.51	65.2 23.2	8.82 15.08	Yes	69.78 39.44 39.44	21.9 2293	No	<input type="checkbox"/>	52.19 47.26 15.45 8.79	24226 8279 Lead	No 1 FIXED	IB FOLD 2	RTG W/USYRU AGE ALLOWANCE IOR RTG W/USYRU AGE ALLOWANCE R=44.9 (1987) 18/24 AS PER PHRF MTG 4/20/95. SHORTENED MAST 6.15 FEET FROM TOP, REDUCED MAINSAIL AREA FROM 24/27 MTC 8/10/95
Zingara	Islander 36	484	<b>153</b> 1978	45 14.48	120	45 14.8	39.25 12.75	4.8 8.29	No			No	<input type="checkbox"/>	36.1 28.25 11.17 6.08	13450 5820 Lead	No 1 FIXED	IB Fixed_2 2	
Zsa-Zsa	1D 35	35017	<b>36</b> 1999	42.49 12.52	110	44.78	44.46 18.58	7.55 12	Yes	50 26.5 26.5	14.76 1104	No	<input type="checkbox"/>	35 31.5 10.75 7.6	6500 2600 lead	No 1 FIXED	IB FOLD 2	