

NCPHRF - CURRENT FLEET ROSTER

This Roster represents the information on file for boats with a current NCPHRF certificate. If the boat you are looking for is not listed, their certificate is either not current or not yet updated to the list. You can contact the YRA office to verify a boat not found on this list at info@yra.org or via phone at 415.771.9500. This list is updated monthly.

As of: 4/27/2017

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Keel		Engine/Prop IB or OB	Prop Type	Modifications
				I J	Max Headsail	ISP JSP	P E	MGU MGM	SL SSMG	SPL SSA	SLU SLE	ASF ASA		ASG Fixed or _o	LWL			
		DW Rating		Mast Material			PY	MSA	SSG	SSA	SLE	Spr	Lnth	Max Beam	Ballast Mat.	Keel Type	# of blades	
		Disp/WL Ratio		Rig Type			EY		SSF		ASM	Fixed		Max Draft				
Abba-Zaba	Tartan 10	8112	1979	35 12	125	35	40.25 13.75	5.34 8.86	Yes		No			33.16 27	6700 3340	0 1	IB FOLD	(+3 sec/mi credit for 125% or smaller headsail)
		623		ALUMN			0	331	21.6	630		0	9.25	Lead	FIXED	2		
		155		FS			0		21.6		<input type="checkbox"/>		5.83					
Abigail Morgan	Express 27 ODR	18394	1985	28.5 9	150	28.5	28.5 10.416	4.22 7.03	Yes		No			27.25 23.75	2450 1100	No 1	OB None	
		612		ALUMN			0	182	17.75	421		0	8.166	Lead	FIXED	0		
		83		FS			0		17.4		<input type="checkbox"/>		4.5					
Abracadabra	Antrim 27 CM ODR	28927	1996	28.69 8.17	116	37.25 15	33.75 14	7.5 10.9	No		Yes			27.83 23.75	2900 1050	No 1	OB None	BOWSPRINT IS ARTICULATING
		555		CARBON			0	327			25.1		9.25	Lead	FIXED	0		
		98		FS			0				723	6.83	6					
Absinthe	Moore 24	102	1981	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes		No			23.75 21.75	2050 1025	No 1	OB None	
		650		ALUMN			0	147	17.55	395		0	7.16	Lead	FIXED	0		
		91		FS			0		17.55		<input type="checkbox"/>		4.083					
Acey Deucy	J 44	97659	1989	60.606 17.08	155	60.416	53.51 19.41	7.3 12.5	Yes		Yes			44.83 38.58	22770 9000	0 1	IB FOLD	Electric Winches
		547		ALUMN			0	615	59.8	1535	27	1379	13.67	Lead	FIXED	2		
		180		MS			0		30.8		<input checked="" type="checkbox"/>	1	8.14					
Achates	Newport 30-2	6847	1974	39.5 12.5	155	39.5	34 10.25	3.8 6.6	Yes		No			30 25	8500 3000	No 1	IB FOLD	
		667		ALUMN			0	206	40	750		0	10.67	Lead	FIXED	2		
		247		MS			0		22.5		<input type="checkbox"/>		5.17					

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
		Sail #	DW Rating		I J Max Headsail Mast Material Rig Type	P E PY EY		MGU MGM MSA	Yes/No		Yes/No		SLU ASA Sprit Lngth Fixed or _o		Ballast Ballast Mat.	Traps/H. moveable blst Keel Type		
									SL	SPL	SLU	ASA						
									SSMG SSF	SSA	SLE ASMG	ASA						
Ad Lib	Aphrodite 101	8161	144	1979	36.83 11.81 100	32.23	39.33 11.48 0 0	4.5 6.1 253	Yes	No	35.6 21.3 19.6	11.9 622	0	32.75 26.33 7.92 5.42	6160 3527 Lead	No 1 FIXED	IB FOLD 2	
Ada Helen	ace	922	96	2005	53 16.5 155	53 16.5	46.75 15.5		No	Yes		29.7 1303	43.8 36 13.1 6	24400 8300 Lead	No 1 FIXED	IB FOLD 3	(Mtg 3/20/08 -6/sec/mi for OSP)(mtg 6/19/08, new larger a-sail, correct size for J, NCTR)	
Adagio	CAL 25-2 OB		216	1979	33 11 150		28 9.5	3.9 6.5 165	No	No		0 0	29.25 22 9 4.5	4500 2000 Lead	0 1 FIXED	OB None		
Advantage 3	J 105 ODR w/ 5'BS	84	78	1994	40.6 13.5 100	42.1 19.07	41.5 14.5 0 0	5.5 9.4 358	No	Yes		25.5 957 5	34.5 29.5 11 6.5	7750 3400 Lead	No 1 FIXED	IB FOLD 2		
Aerie	CS 36	2160	123	1980	49 15 155	49	42.75 12.75	4.33 7.58 308	Yes	No	48.65 25.5 25.5	15 1034	0 0	36.5 29.25 11.5 6.25	15500 6500 Lead	0 1 FIXED	IB Fold	
Afterburner	Synergy 1000	1001	45	1999	40.75 12 110	45.75 16.4	42 15.5	6.99 11.03 417	No	Yes		26 1089 4.3 0	32.83 29.17 9.75 7	4600 1850 Lead	0 1 FIXED	IB Feath 2		
Ahi	Santana 35	30980	114	1981	39 12.85 155	39	42 14.25	5.51 9.26 358	Yes	No	39 23.13 23.13	12.85 752	0 0	35 26.5 11.92 6.25	8500 3300 Lead	0 1 FIXED	IB Fold 2	(Mtg 6/27/13, new rudder noted, NCTR)

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications			
				I J Max Headsail Mast Material Rig Type	ISP JSP		P E PY EY	MGU MGM MSA	Yes/No		Yes/No			SLU ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast	Traps/H. moveable blst		IB or OB Prop Type # of blades		
									SL	SPL	SLU	ASA							Ballast Mat.	Keel Type
									SSMG SSF	SSA	SLE ASMG	Fixed or _o								
Akialoa	J 35	28435	75	1989	46.33 14.58	120	46.3	41.42 5.43 14 9.11	0	No	No	35.42 30 11.67 6.75	10500 4400 Lead	No 1 FIXED	IB FOLD 2					
Akula	J 105 ODR w/ 5'BS	16	78	1992	40.6 13.5	100	42.1 19.07	41.5 5.5 14.6 9.4	0	No	Yes	25 854 5 23	34.5 29.5 11 6.5	7750 3400 Lead	No 1 FIXED	IB FOLD 2				
Ala Moana	Beneteau First 30	104	99	2012	41.66 13.78	105	42.16 15.78	40.3 6.28 14.25 9.38	0	No	Yes	28.82 1049 2 0	31.7 27.6 10.5 6.25	8267 2403 Cast Iron	0 1 FIXED	IB Fold 2				
Albacore	Santana 22 ODR	18325	237	1976	25.67 8.58	125	25.67 8.58	21.75 3.95 9.83 6.59	26 15.44 15.44	Yes	No	8.58 335 0 0	22 18.67 7.83 3.5	2600 1230 Iron	0 1 FIXED	OB None				
Albion	J 124	14	27	2007	49 14	145	54.7 19.43	48.4 6.4 17 11	0	No	Yes	32.74 1528 3.83 0	40.7 36.2 11.33 7	12600 5000 Lead	0 1 FIXED	IB Fold	(Mtg 2/23/17, -6 sec/mi for asymmetric spinnaker modifications)			
Alchera	J 120 Mod	28870	51	2001	50.5 14.5	125	52 21.55	46.5 6 17.57 10.57	0 463 0	No	Yes	34 1407 7 0	40 35 12 7	13900 6000 Lead	No 1 FIXED	IB FOLD 2	Modifications for offshore singlehanded: Smaller spinnaker and main, 2 extra winches at helm, 3 additional gel batteries, dodger boss widened and all control lines led to cockpit, radar pole, veltran MHN jib. (Mtg 2/24/09, +2 sec/mi for small)			
Alchimiste	Archambault 27	38973	78	2013	34.25 10.83	100	39.08 15.98	34.78 4.75 12.63 8.16	38.98 12.2 21.56 693 20.41	No	Yes	26.9 872 0 0	27.4 22.7 9.7 5.7	4894 1814 Lead	0 1 FIXED	IB Fold	(Mtg 10/22/15, Custom rating assigned. Includes -9 sec/mi penalty for 22% oversized ASA & +3 sec/mi credit for non-articulating sprit. As sailed: 78)			

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
		Sail #	DW Rating		J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp.	Traps/H. Strps		IB or OB Prop Type # of blades	
										SL	SPL	SLU	ASA			Ballast	moveable blst		
ASF	Fixed or _o	Max Beam	Keel Type																
All Hail	Catalina 34 TM	524	144	1988	46 13.5	130	45.9 13.5	40.5 12	4.8 8	No	No	35.66 29.84 11.75 5.56	12000 5000 Lead	0 1 FIXED	IB Fold				
Allons-Y	J 70 ODR	346	114 607	2014	26.77 7.68	100	30.15 13.5	26.16 9.44	4.71 6.93	No	Yes	22.75 20.47 7.38 4.92	1750 630 Lead	0 1 MVBL	OB None				
Alpha	Sonar 23	498	174	1990	23 8.25	100		27.5 11.17	1.23 7.3	No	No	23 19.92 7.8 3.92	2100 900 Lead	n 1 FIXED	OB None				
Alte Liebe	Albin Ballad 30	1266	183 698	1978	37.083 11.249	155	37.8	31.916 9.333 0 0	3.33 5.58 171	Yes	No	29.916 22.583 9.666 5.09	7276 3417 Lead	No 1 FIXED	IB FOLD 2	The J measurement in all Ballad documents & Sailmaker plans is 12.27 however the actual J= 11.3" (MTG 8/25/94), standard SPL is 12.27 (mtg 3/20/08)			
Amandla	Catalina 34 1&2	796	147	1988	46 13.5	130		38.5 12		No	No	35.75 29.8 11.75 5.6	11950 5000 Lead	0 1 FIXED	IB FOLD 3				
Anapos	Santana 22	5158	237 737	1966	26 8.5	120	26	21.75 9.833 0 0	3.95 6.59 131	Yes	No	22 18.666 7.833 3.5	2600 1230 Iron	No 1 FIXED	OB None 0				
Andale	Express 27 ODR	72	129 611	1985	28.5 9	155	28.5	28.5 10.42	4.22 7.03	Yes	No	27.25 23.75 8.17 4.5	2450 1100 Lead	0 1 FIXED	None				

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
				I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		SLU ASA SLE ASMG		ASF Sprit Lngth Fixed or _o	Ttl Disp. Ballast			Traps/H. moveable blst
								SL	SPL	SLU	ASA							
								SSMG SSF	SSA	SLE	Sprit Lngth Fixed or _o							
Ballast Mat.	Keel Type	# of blades																
Andiamo	Catalina 36-2	2168	2004	44.75 14.33 ALUMN MS	115	39 13	3.04 6.16 248	No	Yes	29 833 0 0	36 30.25 11.9 5.8	14200 6000 Lead	0 1 FIXED	IB Fixed_3 3	In-Mast Furling Mainsail, +3 sec/mi			
Another Girl	Alerion Express 38-2	20	2011	42.98 12.99 CARBON MS	90	47.5 18.25	9.58 13.45 583	No	No	0 0	38.3 30.1 10.3 5.92	13000 5000 Lead	0 1 FIXED	IB Feath 2	(mtg 4/28/11, Custom rating of 90 assigned)			
Antares	Islander 30-2	6237	1971	38.5 12.58 ALUMN MS	155	32.5 11.58 0 0	4.75 8.125 235	Yes	No	0	30 24.58 10 5	8600 3600 Lead	No 1 FIXED	IB FOLD 2				
Apogee	Islander 36 Freeport	36	1978	46.75 16.75 ALUMN MS	150	42 12.75	5 8.4 323	No	No	0 0	35.9 27.6 12 5.3	17000 7030 Lead	0 1 FIXED	IB Fold				
Aquadisiac	Newport 30-3	38075	1985	40 12.5 ALUMN MS	155	34 10.25	3.8 6.6 206	No	No	0 0	30.5 26.5 10.67 5.17	8500 2600 Lead	0 1 FIXED	IB Fold 2				
Arby	Colgate 26	212	2004	27.75 8.25 ALUMN FS	105	29.75 11.2	4.3 7.3 200	No	No	0 0	25.7 20 8.5 4.5	2600 1040 Lead	0 1 FIXED	OB Fixed_3 3	Non Spinnaker configuration			
Arcadia	Custom Nash 28.5	3113	1969	33 10 ALUMN FS	120	34 13 0 0	4.92 8.41 251	No	Yes	24.606 756 4 100	28.5 25.5 9 6.5	4327 1200 Lead	No 1 FIXED	IB FOLD 2	(Weighed Displacement as of 4/4/2009)(mtg 2/28/13, change custom rating from 135 to 123 after review of race results and structural modifications) 3			

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications													
			Built	J	Max Headsail	ISP	JSP	P	MGU	SL	SPL	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps		IB or OB												
																					DW Rating	Mast Material	PY	MGM	SSMG	SSA	SLU	ASA	LWL	Ballast	moveable blst	Prop Type
EY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Max Draft	Ballast Mat.	Keel Type	# of blades																						
Archaeopteryx	Hotfoot 20	101	177	1986	25	105	26.08	27.08	4.05	Yes	No		20	1000	0		OB															
			628		7		7.67	10.08	6.6				18	400	1		None															
			78		ALUMN				166			0	8.5	Lead	CNTRBRD																	
					FS						<input type="checkbox"/>	0	5																			
Archimedes	Express 27 ODR	18355	129	1985	28.5	155	28.5	28.5	4.22	Yes	No		27.25	2450	No		NONE															
			611		9			10.416	7.03				23.75	1100	1		None															
			83		ALUMN			0	182			0	8.17	Lead	FIXED		0															
					FS			0			<input checked="" type="checkbox"/>		4.5																			
Ardea	Custom Nelson/Marek 50	42616	21	1989	59.92	100	59.92	65.19	9.35	Yes	Yes	31.6	49.8	22145	0		IB	(Mtg 8/28/15, custom rating of 21 assigned)														
			519		17.59		17.59	24.08	15.98		62.2	1526	38.55	12627	1		Fold															
			176		ALUMN				946		55.8	0	14.86	Lead	FIXED																	
					FS						30.9	<input type="checkbox"/>	90	9.32																		
Argo	Beneteau 40.7 First Farr	46933	54	1999	51.61	105	51.61	48.85	6.72	Yes	No		39.33	15211	0		IB															
			569		14.47		14.47	17.72	11.51				34.83	5950	1		Feath															
			164		ALUMN				515			0	12.33	Lead	FIXED		2															
					FS						<input type="checkbox"/>	0	7.75																			
Ariadne	Beneteau Farr First 36.7	403	84		46.4	125	46.4	46.4	5.92	Yes	No		36	12495	No		IB															
			601		13.1		13.1	15.6	12.49				30.3	4034	1		Fold															
			204		ALUMN			0	468			0	11.4	Lead	FIXED		2															
					FS			0			<input type="checkbox"/>	0	7.3																			
Astra	Farr 40 ODR MH	40079	0	2000	53.2	105	53.12	54.8	7.29	Yes	No		40.75	10917	No		IB															
			502		15.5			19.4	12.47				35.27	5079	1		FOLD															
			113		CARBON			0	629			0	13.22	Lead	FIXED		2															
					MS			0			<input type="checkbox"/>		8.53																			
Auggie	Santana 22 ODR	476	237	1969	26	125	26	21.75	3.95	Yes	No		22	2600	No		OB															
			737		8.5			9.833	6.59				18.666	1230	1		None															
			182		ALUMN			0	131			0	7.833	Cast Iron	FIXED		0															
					MS			0			<input type="checkbox"/>		3.5																			

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications		
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps moveable blst	IB or OB Prop Type # of blades			
								SL	SPL	SLU	ASA							Ballast Mat.	Keel Type
								SSMG SSF	SSA	SLE ASMG	Fixed or _o								
Avalon	Catalina 30	6138	183	1992	41 11.416 ALUMN MS	41	35 11.5 0 0	4.63 7.72 246	No	No	29.92 25 10.83 5.25	10200 4200 Lead	0 1 FIXED	IB Fold 2					
Azure	Catalina 275 Sport	1	156	2013	34.42 8.99 ALUMN FS	106	11.83	31.5 11.48 233	5.33 8.17	No	Yes	22 665 0 0	27.5 26.57 8.5 5.2	5000 2040 Lead	0 1 FIXED	IB Fixed_2			
Azure	CAL 40	72	114	1966	46 15.17 ALUMN MS	150	46	40 17.5 0 0	6.65 11.37 417	Yes	No	46.5 27.3 27	15.17 1056	0 0	39.3 30.5 11 5.5	15500 6000 Lead	0 1 FIXED	IB FEATH 2	
Bad Dog	J 111	103	36	2011	48.37 13.85 CARBON FS	105	51.4 20.08	45.7 14.5 414	6.1 10.1	No	Yes	31.86 1433 6.3 0	36.5 32.7 10.8 7.2	9300 3500 LeadSteel	0 1 FIXED	IB Fold			
Bad Hare Day	Wylie Wabbit ODR W/Trap	35	126	1982	20.75 6.5 ALUMN FS	150	20.5	23.75 10 0 0	4.03 6.72 145	Yes	No	21.6 14 14	8.5 252	0	23.75 20 5.583 3.5	975 440 Lead	Yes 3 FIXED	OB None 0	
Baleineau	Ericson 34 Olson SM	42147	105	1988	44 13 ALUMN MS	155	44 44	38.8 13 0 0	4.88 8.25 298	Yes	No	43.5 23.25 23.25	12.96 843	0	34 28 10.83 6	10600 3650 Lead	No 1 FIXED	IB FOLD 2	
Bandicoot	Wyliecat 30 IB	28530	132	2000	0 0 CARBON CATBOAT		29 10	39.75 20.5 0 0	7.87 13.46 488	No	No	18.8 512 0 0	30.5 25 9.5 5.25	5500 3050 Lead	0 1 FIXED	IB FEATH 2	(mtg 5/20/10, -21 sec/mi for added spinnakers)(9/5/12, removed spinnaker, back to standard configuration)		

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications					
		Sail #	DW Rating		I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No		Yes/No	ASF		LOA LWL	Ttl Disp.	Traps/H. Strps			IB or OB Prop Type # of blades				
										Mast Material	PY EY		MSA	SL SSMG SSF			SPL SSA	SLU SLE ASMG			ASA Sprit Lngth Fixed or _o	Max Beam Max Draft	Ballast Ballast Mat.	moveable blst Keel Type
Blue Passion	tartan 3400	7134	114	2006	46 13.67	95	49.67 13.67	43 14.5	4.58 8.2	No	No		34.42 30.42 11.92 6.5	10800 3500 Lead	0 1 FIXED	IB Fold								
Blue Zephyr	Jeanneau Sun Odyssey 42 DS		108	2010	51.58 16.25	150		48.82 14.6	3.55 6.9	No	No		42.42 38 13.5 6.92	19676 5628 Iron	0 1 FIXED	IB Fixed_3	(mtg 4/27/17, +3sec/mi for in-mast furling, +3 sec/mi for MGM < 50% of E)							
Bodacious +	1D 48	48005	-15 490	1996	57.7 16.7	155	68.3 16.7	61.3 22.5	9.84 14.66	Yes	Yes	30.1 1673	48.3 40.2 14.2 10.1	19743 8818 Lead	0 1 FIXED	IB Fold 2	Water ballast system not operational (mtg 8/19/08, custom rating assigned of -30, includes dual spinnakers)(Mtg 3/24/11, new smaller mainsail, smaller symmetrical, change cutom rating from 30 to 24VMTg 8/25/11							
Bombora	Express 27 ODR	38047	129 611		28.5 9	155	28.5	28.5 10.42	4.22 7.03	Yes	No	0	27.25 23.8 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0								
Boomer	Melges 20	676	111 604	2009	23.19 7.05	110	27.2 10.95	24.25 9.84	3.83 7.42	No	Yes	18.8 417 3.9 0	20 19.4 7 4.5	1105 415 Lead	0 1 FIXED	OB None 0								
Borealis	Gulf 39 PH	77135	129		50 16.17	128		42 13.75	4.83 8.58	No	No		38.83 33.67 12 5	17500 Iron	1 FIXED	IB Fold								
Bosporus II	Columbia 36	97415	156 639	1968	42.75 15	150	41.75 15	34.666 14	5.3 9.1	Yes	No		35.75 28.25 10.5 5.42	13000 5000 Lead	No 1 FIXED	IB Fold 2								

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications		
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		Ttl Disp.		Traps/H. Strps Ballast moveable blst Ballast Mat. Keel Type					
								SL	SPL	SLU	ASA								
								SSMG SSF	SSA	SLE ASMG	Sprit Lngth Fixed or _o								
Boudicca	Elan 310	310	2010	40.19 11.74 ALUMN FS	106	42.55 14.87	39.53 13.55	5.28 8.92	323	No	Yes	25.91 906 3 0	30.3 28.58 10.5 6.23	10141 2292 Iron	0 1 FIXED	IB Fold			
Brandy	Farr 30 1/2 Ton	57257	1979	31 9.6 ALUMN FS	145	31	34 12.9	4.5 7.11	243	Yes	No	31.4 17 17	9.8 445	0 0	30.33 23.5 10 5.33	4894 1909 Lead	0 1 FIXED	OB None	(Mtg 4/24/15, -6 sec/mi for increased P)
Breakaway	Ultimate 20 CM	180	2002	26.08 6.97 CARBON FS	114	27.58 12.79	27.33 10.17	5.5 7.96	193	No	Yes	19.167 441 6 0	20.83 18 8.33 5	1350 450 Lead	No 1 FIXED	OB Fixed_3 3			
Breakout	Santana 35	18679	1982	39 12.85 ALUMN FS	155	39	42 14.25	5.51 9.26	358	Yes	No	39 23.13 18.6	12.85 722	0	35 26.5 11.92 6.25	8500 3300 Lead	No 1 FIXED	IB FOLD 2	
Bullet	Express 37	40311	1985	48.75 14.33 ALUMN MS	155	48.75	42 13.75 0 0	5.3 8.83	344	Yes	No	48 25.79 25.79	14.33 1032	0	37.08 30.83 11.57 7.25	11000 4600 Lead	No 1 FIXED	IB FOLD 2	
Buona Sera	Santa Cruz 70	41104	1986	73.15 22.52 CARBON MS	155	73.63	65.49 25.39	9.12 15.72	961	No	Yes	40.06 2504 0 45	68.9 60.4 15.1 10.62	24905 8960 Lead	0 1 FIXED	IB Fold	(Mtg 8/27/15, New rudder noted, -9 sec/mi for new keel)(Mtg 3/23/17, -6 sec/mi for 13% increase in SPL, -3 sec/mi for increase in spinnaker area, +3 sec/mi for decrease in mainsail area)		
Byte Size	Santana 22	801	2001	26 8.5 ALUMN MS	90	26 8.5	21.75 9.833 0 0	3.95 6.59	131	Yes	No	26 15.44 15.44	8.583 335	0	22 18.67 7.83 3.5	2600 1230 Iron	No 1 FIXED	OB None 0	

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications		
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		Ttl Disp.		Traps/H. Strps	IB or OB				
								SL	SPL	SLU	ASA							Ballast	moveable blst
								SSMG SSF	SSA	SLE ASMG	Sprit Lngth Fixed or _o								
DW Rating Disp/WL Ratio																			
BZ	Sonar 23			23 8.25 ALUMN FS	100	27.5 11.17	1.23 7.3 156	No	No			23 19.92 7.8 3.92	2100 900 Lead	No 1 FIXED	NONE None				
Cadenza	Moore 24	18878	1977	26.25 9.75 FS	150	25 9.5 0 0	4.01 6.54 148	Yes 27	No			23.75 21.75 7.17 4.083	2050 1025 Lead	No 1 FIXED	OB None 0				
Califia	Islander 36 ODR	67074	1978	45 14.48 ALUMN MS	135	39.25 12.75	3.69 6.88 265	No	No			36.08 28.25 11.17 6.08	13450 5450 Lead	0 1 FIXED	IB Feath 2				
California Condor	Class 40	94	2010	53.9 15.65 CARBON FS	104	53.21 18.81	11.71 14.38 715	No	Yes	44.88 2054 8.2 0		40 39.17 14.7 9.84	12225 4710 Lead	0 1 FIXED	IB Fold 2	Full Crew Configuration			
Can O' Whoopass	CAL 20	624	1965	22 7.33 ALUMN FS	115	23 10 13.2 13.2	4 6.7 140	Yes 22	No	7.33 242		20 18.1 7 3.33	2000 900 Iron	0 1 FIXED	OB None 2	(mtg 4/24/08, -18 sec/mi for adding single trapeze wire) (10/2/08 - removed trapeze, now racing as a standard cal 20 -18 sec/mi penalty removed)(3/5/09 added single trapeze back, -18 sec/mi)(8/26/09, switching back to standard Cal 20)			
Can't Touch This	J 125	93204	1999	49 15 CARBON MS	155	47 18	6.8 11.6 502	No	Yes	41 1941 8 0		41 37 10.6 7.9	9330 4646 Lead	0 1 FIXED	IB FOLD 2	(Mtg 2/26/09, -3 sec/mi for oversized main girths)(3/9/09, corrected main girths, removed -3 sec/mi penalty)			
Capo Gatto	Nonsuch 30	308	1985	ALUMN CAT		45 24	7.9 14.3 605	No	No			30.33 28.75 11.1 5	11500 4500 Lead	0 1 FIXED	IB Fold 2				

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
				DW Rating Disp/WL Ratio	J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp. Ballast Mat.	Traps/H. moveable blst Keel Type	IB or OB Prop Type # of blades		
									SL	SPL	SLU	ASA						
									SSMG SSF	SSA	SLE ASMG	Sprit Lngth Fixed or _o						
Captain Sluggo	Hobie 33	77870	54	1982	34.7 12.2 105	42.3	38.1 6 13.5 9.6	328	No	14.32	Yes	25.6 928 0 90	33 30.4 8 5.4	4532 1800 Lead	0 1 FIXED	OB None		(Meeting 4/27/17, Custom rating assigned: 54)
Carmelita	Catalina 42-1/2	131	105	1990	53 16.42 125	53	46.75 4.98 15.5 8.85	399	Yes	16.42	Yes	27.75 1131 0	41.83 36 13.83 6.66	22000 8300 Lead	No 1 FIXED	IB FEATH 3		
Carpe Vita	Olson 25	97399	159	1988	32 9.583 130	32	28 3.8 10 6.4	166	Yes	9.583	No	0	25 21.25 9 4.5	3300 1300 Lead	No 1 FIXED	OB None 0		
Cassiopeia	Islander 36 ODR	6763	144	1971	45 14.48 150	45	39.25 4.8 12.75 8.29	298	Yes	15	No	0	36.08 28.25 11.17 6	13947 5450 Lead	No 1 FIXED	IB FOLD 2	(mtg 2/18/10, - 6 sec/mi for 10% OSP)(8/2/11, boat returned to ODR Configuration)	
Catalyst	Wyliecat 30 IB	28571	132	2004			40 7.87 20.67 13.46	493	No		No	0	30.42 25 9.42 5.25	5800 3000 Lead	No 1 FIXED	IB Feath 2	Must have a YC card before registering for 2005 and clear YC for 2004	
Checkered Past	Custom Wyliecat 39	3	102	2002			52 10.2 26.6 17.4	826	No		No	0 0	38.83 32 11.5 6.6	12000 6200 Lead	0 1 FIXED	IB FOLD 2	Boat has been modified for handicapped sailing	
Christine Rose	Catalina 30 TM	0	183	1977	43 13.16 150	43 13.16	37 4.8 12 8	270	Yes	13.16	No	0 0	29.92 25 10.83 5.25	10200 4250 Lead	0 1 FIXED	IB Fixed_3 3		

Boat Name	Boat Model (Type)	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications						
		Sail #	Built	I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No		Yes/No	ASF		LOA LWL	Ttl Disp.	Traps/H. Strps			IB or OB Prop Type # of blades					
									DW Rating	Mast Material		PY	MSA			SL SPL	SSMG SSA			SLU SLE	ASA Sprit Lngth	Max Beam Max Draft	Ballast	moveable blst Keel Type
Circlesea	Folkboat	125	252		21.99 6.56	100	10.17	28.71 11.15	4.42 7.33	No	No		25.08 19.82 7.26 3.92	4640 2315 Iron	0 1 FIXED	OB None 0								
Color Blind	Moore 24	49	150 635 91	1979	26.25 9.75	150	26.25	25 9.5 0 0	3.91 6.5 147	Yes 27 17.55 17.55	No 9.75 395		23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0								
Constance	Tartan 34 CB	346	165 683 326	1974	41 14	125	41	35.5 10.5	4 6.9 224	No 41 24.5 24.3	Yes 14 836	20.3 742 0 0	34.3 25 10.2 8.3	11200 5000 Lead	0 1 CNTRBRD	IB Fold 2	Roller Furler							
Coquelicot	Ranger 33	148	153 644 262	1975	41.5 13.87	120	43.75 13.87	35 13.75 0 0	4.6 8.1 270	Yes 45.51	13.87	No 0 0	33 26.3 9.6 5	10500 4500 Lead	No 1 FIXED	IB FOLD 2	Double Spreader rig, water supply 41 gallons, below v berth, 26 gallon bladder tank starboard, rudder 9 inches deeper, group 31 batteries, 15 hsp one cyl diesel replaced by 29 hsp Perkins 3 cylendar engine. (NOT) (MTC 2 21 02)							
Cordon Rouge	J 30	68	144 657 195	1979	34 11.5	125	34	38 13	5.1 8.4 296	Yes 34 19.5 20	11.5 555	No 0 0	29.83 25 11.2 5.25	6700 2100 Lead	No 1 FIXED	IB FOLD 3								
Courageous	J 88	77	81 561 117	2015	38.67 11.28	104	46 18.05	36.82 12	5.44 8.4 282	No 47.83 40.84 27.32	29 1022 5.25 0		29.19 26.84 9.5 6.5	4990 1840 Lead	0 1 FIXED	IB Fold								
Crane Wife	Fuji 32 KTH	0	252	1977	36.25 14.75	148		29.08 11.21 18.25 8	3.8 5.96 177	No	No	0 0	31.5 29 9.83 3.66	13115 4635 Iron	0 1 FIXED	IB Fixed_3								

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications			
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU ASA Sprit Lngth Fixed or _o	SL SPL SSMG SSA	SPL SSA		SLU ASA Sprit Lngth Fixed or _o	Ballast Ballast Mat.			Traps/H. moveable blst Keel Type		
								SL	SPL										SLU	ASA
Crazy Eights	Moore 24	28888	1978	26 9.8 150	26.3 9.75	25 9.5	3.91 6.5 147	Yes	No	23.75 21.75 7.16 4.083	2050 1000 Lead	0 1 FIXED	OB None 0							
Crews Nest	Catalina 34 1&2	1383	1997	44 13.5 130	44 13.5	38.5 12	3.6 6.8 251	Yes	No	35.67 29.83 11.75 5.58	11950 5000 Lead	No 1 FIXED	IB FEATH 3							
Crinan II	Wyliecat 30 IB	15	2002			39.75 20.5	7.79 13.32 485	No	No	30.5 25 9.5 5.25	5500 3050 Lead	No 1 FIXED	IB FOLD 2							
CruzSea Baby	Beneteau First 10R ODR	52878	2007	43.2 12.07 155	46.41 16.5	42.25 14.73	5.59 9.57 371	No	Yes	32.75 28.7 11 6.55	9715 3528 Lead	0 1 FIXED	IB Fold 2	(Rudder Modifications noted, smaller non-class spinnaker +3 sec/mi)						
Curie	Beneteau 32S5	52868	1990	38.39 9.68 150	38.39 9.68	38.88 13.78	5.3 9.01 321	Yes	No	32.6 27.83 10.83 6	9260 2980 Cast Iron	0 1 FIXED	IB FOLD 2							
Current Affair	Express 27 ODR	56	1983	28.5 9 155	28.5	28.5 10.42	4.22 7.03 182	Yes	No	27.25 23.75 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None							
Danger Zone	Taylor 32	4128	1994	40 10.7 100	19.4	37.1 14.3	9.5 11.6 395	No	Yes	32 28.9 14.8 5.6	1962 551 Lead	1 CNTRBRD	OB None							

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications		
		Sail #	DW Rating		I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.			Traps/H. Strps	
									SL	SPL	SLU	ASA						Ballast	moveable blst
Dare Dare	Jeanneau Sun Fast 3200	39	81	2008	41.92 12.58	102	43.77 13.61	38.67 5.28 13.68 8.46	Yes	Yes	24.41	33.1	7916	0	IB				
			598		ALUMN						887	28	2866	1	Fold				
			164		FS		311				1 0	11.5 6.2	Lead	FIXED	2				
Dark & Stormy	1D 35	35018	30	1998	42 12.47	110	44.8 17.39	44 7.5 19 12	No	Yes	31.4	35	6550	0	IB	Fixed bow sprit, using Asymmetrical spinnaker(mtg 3/20/08, -9 sec/mi for oversized spinnaker, +3 sec mi for not being able to articulate pole, as sailed: 30)			
			518		CARBON						1236	31.5	2660	1	FOLD				
			95		FS		497				4.92 0	10.9 7.58	Lead	FIXED	2				
Daseins Den	Dana 24	324558	246	1987	34 12.25	120		28.25 3 10.75 5.85	No	No		24.16	7400	0	IB				
					ALUMN						0	21.42	3100	1	Fixed_2				
			342		CTR		160				0 0	8.58 3.83	Lead	FIXED					
Dawn's Early Light	J 36	77549	87	1982	44.219 14	97	44.21 14	47 5.8 15 9.5	Yes	No		35.95	10570	0	IB				
			590		ALUMN						0	30.5	4600	1	Fold				
			169		FS		418				0 0	11.76 6.6	Lead	FIXED					
Deception	Santa Cruz 50	97263	-6	1987	61.8 18.3	155	61.8 18.3	55 7.1 18.4 12	Yes	Yes	32.9	50	17500	0	IB	ELPT Keel & OS/Spinnaker; Has a Code 0 headsail aboard - tacked to stem, no sprit (Mtg 5/26/16, -3 sec/mi for oversized mainsail)(Mtg 6/23/16, change rating back to -6)			
			482		ALUMN						1335	46	8000	1	FOLD				
			82		MS		605				0 0	12 8	Lead	FIXED	2				
Dianne	Express 27 ODR	0	129	1981	28.5 9	155	28.5	28.5 4.22 10.416 7.03	Yes	No		27.25	2450	No	OB				
			611		ALUMN						0	23.75	1100	1	None				
			83		FS		0 182 0				0	8.17 4.5	Lead	FIXED	0				
Divine Wind	Olson 40	69069	45	1983	50 15.75	150	51.21 15.8	44 5.5 14.25 9.29	Yes	No		40.33	10500	0	IB				
			540		ALUMN						0	36	5500	1	Feath				
			102		MS		376				0 0	11.25 6.5	Lead	FIXED	2				

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications			
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU ASA Sprit Lngth Fixed or _o	SL SPL SSMG SSA	ASF		Ballast	Traps/H. moveable blst			Strps Keel Type		
								DW Rating	Disp/WL Ratio										Yes	No
Domino	Wilderness 30 MOD	38081	1985	36 12.25 ALUMN MS	36 12.25	31.5 4.11 10.83 6.93	4.11 6.93	Yes 22.05 20.5	No 12.25 655	0 0	30 27.75 8.8 5.5	5450 2150 Lead	0 1 FIXED	IB Fold	(Mtg 3/28/13, +6 sec/mi for small rig)					
Double Agent	Merit 25	8465	1981	28.75 9.66 ALUMN FS	155 28.75	28 9.75 0 0	4.25 6.69 172	Yes 29 17.39 17.39	No 9.66 420	0 0	24.5 20.5 8 4	3000 1050 Lead	No 1 FIXED	OB None 0						
Double Down	Custom Schumacher 30	18480	1988	41.37 12.16 ALUMN MS	150 41.5	36.416 11.83 0 0	4.5 7.69 257	Yes 40.75 21.75 21.35	No 12.08 736	0	29.92 26 10.65 6.17	7854 3650 Lead	No 1 FIXED	IB FOLD 2	Rudder change, old rudder 85lbs new 65 lbs. Old alum/new carbon MTG 10/27/94 Noted- NCTR (MTG 1/9/97 Alum headsail removed and excess wires removed from mast- Noted NCTR)(Mtg 2/21/08, change custom rating from 126 to 122 after					
Double Espresso	Olson 30 OB	18069	1982	36 11.75 ALUMN MS	155 35.9 11.75	31.5 10.75 10.75	4.36 7.26 208	Yes 36 21.16 21.16	No 11.75 635	0 0	30 27.5 9.33 5.08	3600 1800 Lead	0 1 FIXED	OB None						
Dr Feelgood	Olson 29	24	1986	34 11 ALUMN FS	155 36	32.5 11.5 11.5	4.36 7.48 223	Yes 36 21.15 21.15	No 11.75 635	0 0	29.67 27.5 9.33 5.58	3600 1950 Lead	0 1 FIXED	OB None						
Dragonsong	Olson 30 OB	87014	1982	36 11.75 ALUMN MS	155 35.9 11.67	31.5 10.75 10.75	4.364 7.268 208	Yes 36 21.15 21.15	No 11.75 635	0	30 27.5 9.33 5.08	3600 1800 Lead	No 1 FIXED	OB None 0						
Drop Beer	Beneteau Class 10	18277	1984	37.8 12.6 ALUMN FS	150 38.6	39.7 13.9 0 0	4 8.7 308	Yes 36.11 22.1 22.1	No 12.6 665	0	34.2 29.6 9.9 6.8	7000 2200 Iron	0 1 FIXED	IB FOLD 0	NEW RUDDER 3/4/95, NCTR (MTG 3/36/95)					

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications				
		Sail #	DW Rating		I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No		Yes/No		LOA	LWL	Ttl Disp.	Traps/H. Strps		IB or OB	Prop Type			
										PY	MSA	SL	SPL				SLU	ASA			Ballast	moveable blst	# of blades
Disp/WL Ratio	Mast Material	Rig Type	EY	SSF	ASM	Fixed or _o	Max Draft	Ballast Mat.	Keel Type														
Dulcinea	Catalina 38	88	117	1981	49.83 15.5	130	49.8 15.5	44 11.5	4.37 7.6	No	No	38.17 30.25 11.83 6.75	15900 6850 Lead	0 1 FIXED	IB Fold 2								
Dura Mater	CAL 27-2 IB	616	213	1979	36 12	120		30.83 10.25	4.21 7	Yes	No	26.58 22.08 9.25 4.25	6700 3100 Lead	0 1 FIXED	IB Fixed_3 3								
Ebb Tide	Wauquiez 45s Centurion	60245	57	2003	55.77 17.72	100	55.77 17.72	51.84 19.32	6.51 11.68	Yes	Yes	32.25 45.92 40.25 13.67 8.17	23148 8488 Lead	0 1 FIXED	IB Fold 3	(Mtg 5/26/11, Increased "JSP" by 5.67" which equals a 30% increase. - 9 sec/mi per NCPHRF Rules & Guidelines.)(Mtg 3/29/12, JSP now same as J+9 sec/mi, Asymmetrical spinnaker still oversized, -3 sec/mi)							
Ecco	CAL 39-2/3	115	117	1980	50 16.7	125	50	44 13.75	5 8.5	No	No	39 32.1 12.15 6.7	17000 7000 Lead	0 1 FIXED	IB Feath								
Eclipse	Express 37	18495	72	1985	48.75 14.33	155	48.75	42 13.75 0 0	5.28 8.83 344	Yes	No	37.08 30.83 11.57 7.25	11000 4500 Lead	0 1 FIXED	IB FOLD 2	Rudder modification noted, no change to rating. (Actual weight from yard 11200 - 9500 was design displacement. No mods from standard express 27.) 3/26/01							
El Raton	Express 27 ODR	28050	129	1985	28.5 9	155	28.5	28.5 10.416 0 0	4.22 7.03 182	Yes	No	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0								
Elan	Beneteau 37	46	114	2012	45.83 15	105	48	43.5 12.83	6.16 8.83	No	Yes	37.8 34.08 12.83 6.25	14359 3901 Iron	0 1 FIXED	IB Fold								

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications					
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU ASA Sprit Lngth Fixed or _o	SL SPL SSMG SSA	Yes/No		ASF	Ttl Disp. Ballast			Traps/H. moveable blst				
								SL	SPL										SLU	ASA	Max Beam	Keel Type
Elan	Express 37	87700	1985	48.75 14.33 ALUMN MS	155	48.75	42 13.75 0 0	5.28 8.83 344	Yes	No	48 14.33 25.79 1032	37.083 30.833 11.57 7.25	11000 4500 Lead	No 1 FIXED	IB FOLD 2							
Eliana II	Morgan 38-2	77486	1981	46 16.25 ALUMN MS	110	46 16.25	40.5 14.5	4.69 8.34 324	Yes	No	47.8 30.1 30	38.33 30.5 12 6	17000 6800 Lead	0 1 FIXED	IB Fixed_3 3	(Mtg 1/26/17, -3 sec/mi for oversized symmetric spinnaker area)						
Elise	Express 27 ODR	101	1986	28.5 9 ALUMN FS	155	28.5	28.5 10.416	4.22 7.03 182	Yes	No	28.6 17.75 17.75	27.25 23.75 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0							
Elusive	Swan 42 Club	4216	2007	59.07 16.44 CARBON FS	106	62.99 19.05	56.56 19	7.1 12.5 641	Yes	Yes	62 34 33.7	42.59 38.15 12.8 9	17158 6988 Lead	0 1 FIXED	IB Fold 2	(Mtg 2/25/16, +3 sec/mi for decrease in Spinnaker Area, +6 sec/mi for decreased JSP, -3 sec/mi for articulation, -3 sec/mi for switch to larger headsail)(04/05/17, Switching back to stock configuration. As called: 0)						
Emily Carr	Santa Cruz 50	49211	1981	61 19 ALUMN MS	150	61	55 17 0 0	6.4 11 555	Yes	No	61 34 33	53 46.5 12 8	15000 7500 Lead	No 1 FIXED	IB FOLD 2	3' SUGAR SCOOP ON TRANSOM IF STD 50FT LOA OF BOAT						
Enchante'	Beneteau 42 IK TM	63222	1985	55.43 16.73 ALUMN MS	155	55.71	49.2 14.6 0 0	4.8 8.5 400	No	No	49.2 14.6 0 0	43.67 36 13.83 7.19	20509 8700 Iron	No 1 FIXED	IB FOLD 2							
Encore	Sydney 36 CR	3632	2006	45.6 14 ALUMN FS	104		44.36 16.4	6.1 10.6 431	No	Yes	49.9 28.6 27.2	36.06 31.04 11.32 7.55	12897 4850 Lead	No 1 FIXED	IB FOLD 2	(Australian IRC Rating 1.052)(Mtg 8/23/12, change custom rating from 54 to 57)						

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications			
				DW Rating Disp/WL Ratio	I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast	Traps/H. moveable blst		IB or OB Prop Type # of blades		
									SL SPL SSMG SSF	SPL SSA	SLU SLE ASMG	SLU SLE ASMG							Ballast Mat.	Keel Type
Endless Summer	Catalina 36	271	150	1984	44.75 14.33	95	44.75 14.33	39 12	4.33 8.01	No	Yes	23.33 850 0 0	36.33 30.25 11.92 5.83	13500 6000 Lead	0 1 FIXED	IB Fixed_3 3				
Endless Summer	Catalina 42-1/2 WK	688	111	2000	53 16.5	155		46.75 15.5	5.08 9.16	No	No	0 0	41.83 36 13.83 4.83	28000 8300 Lead	0 1 FIXED	IB Feath 3				
Envolee	Figaro II	0	54	2012	42.75 12.42	104	42.75	42.67 15.42	6.5 10.63	Yes	No	0 0 0	32.18 32 11.33 6.5	6724 2425 LeadWater	0 1 FIXED	IB Fold	(mtg 4/27/17, water ballast disabled, +6 sec/mi)			
Ergo	Express 27 ODR	40428	129		28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	No	0 0 0	27.25 23.75 8.075 4.5	2450 1100 Lead	0 1 FIXED	OB None 0				
Escapade	Express 37	18051	72	1985	48.75 14.33	155	48.75	42 13.75	5.28 8.83	Yes	No	0 0	37.08 30.83 11.57 7.25	11000 4500 Lead	No 1 FIXED	IB FOLD 2				
Escapade	Sabre 40-2	38011	75	1997	54 15.5	110	54 16	47.5 17	5.6 9.9	Yes	Yes	23.5 1001 0 0	40.2 34 13.3 7.5	19760 7500 Lead	0 1 FIXED	IB FEATH 3				
E-Ticket	Moorings 38 SD	119	117	1990	47.5 13.9	155	47.5 13.9	41.7 15	5.69 9.45	Yes	No	0 0	38.4 31.33 12.5 4.8	13700 5400 Steel	0 1 FIXED	IB Fold 2	Shoal Draft (Mtg 10/27/16, -3 sec/mi for oversized spinnaker area)			

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		SLU ASA Sprit Lngth Fixed or _o		Ballast moveable blst	Traps/H. Strps		
								SL	SPL	SLU	ASA						
								SSMG SSF	SSA	SLE ASMG	Fixed or _o						
Evenstar	Ranger 23	6404	216	1974	27.54 9.75	155	27.5 9.7	24 9.2	3.3 5.4	Yes	No	23.67 20 7.92 3.9	3400 1500 Lead	0 1 FIXED	OB None		
Everlong	Beneteau 40.7 First Farr	51705	54	2002	51.61 14.47	104	51.61 14.47	48.85 17.72	6.73 11.51	Yes	Yes	39.33 34.83 12.33 7.75	15211 5950 Lead	0 1 FIXED	IB FOLD 2		
Expeditious	Express 37	18478	72	1986	48.75 14.33	155	48.75	42 13.75	5.28 8.83	Yes	No	37.08 30.83 11.57 7.25	11000 4500 Lead	No 1 FIXED	IB FOLD 2	INSTALED NEW CLASS- APPROVED CARBONFIBER RUDDER - MTG 6-12-2000 NCTR.	
Expression	Express 37 MOD	33985	75	1984	48.75 14.33	150	48.75	42 13.75	5.3 9	Yes	No	37.1 30.83 11.5 6	9500 4500 Lead	0 1 FIXED	IB Fold 2	(mtg 1/21/10, +3 sec/mi for modified keel, -3 sec/mi for dual spinnaker/ability to fly asym on squared back pole)(1/19/11, removed asym, only using symmetric spinnaker, +3 sec/mi)	
Family Hour, TNG	Henderson 30	46595	48	1997	37 11	155	42.3 17.8	38.2 14	6.74 10.62	Yes	Yes	30.83 27.75 9.84 7	3850 1750 Lead	0 1 FIXED	OB None 0	Kelp Cutter	
Farriage	Catalina 42-1/2	336	102	1992	53 16.42	130	53 16.42	46.75 16.42	5.75 9.83	No	Yes	41.83 36 13.83 6.83	20600 8300 Lead	0 1 FIXED	IB Feath 3		
Finn	Capo 26 IB	18782	162	1985	34.6 10.56	155		30 10	4.1 6.8	Yes	No	26 22 9.25 4.58	4300 1900 Lead	0 1 FIXED	IB Fold		

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications						
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU ASA Sprit Length Fixed or _o	SL SPL SSMG SSA	Yes/No		ASF	Ttl Disp.			Traps/H. Strps Ballast moveable blst Ballast Mat.	Keel Type				
								SSMG	SSA											SLU	ASA	SL	SPL
Firefly	Moore 24	64	1980	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0									
		635 91		ALUMN FS			0 0	147			<input type="checkbox"/>	0											
Firefly	Harbor 20	226	2006	25.75 7	90	25.75 7	26 10	3.6 6.25	No	No	20 17.17 7 3.5	1800 900 Lead	0 1 FIXED	OB None									
				ALUMN FS				151			<input type="checkbox"/>	0 0											
First Light	Beneteau 35S5	115	1991	41.66 11.15	98		42.65 15.09	5.25 9.042	Yes	No	35.42 29.33 11.83 6	11460 4190 Lead	No 1 FIXED	IB Fixed_2 2									
				ALUMN FS			0 0	366			<input type="checkbox"/>	0											
Flight Risk	Catalina 38	87586	1983	49.8 15.5	155	49.8	44 11.5	4.18 7.12	Yes	No	38.24 30.45 11.12 6.1	19489 6850 Lead	No 1 FIXED	IB Fold 2	Roller Furler								
				ALUMN MS				294			<input type="checkbox"/>	0 0											
Flight Risk	Thompson 650	650	2000	26.67 8.86	100	28.25 14.86	28.29 10.4	5.7 8	No	Yes	22.3 19.8 8.16 5.9	1692 660 Lead	Yes 3 FIXED	OB None	(mtg 1/21/10, weighed displacement of 1692lbs updated, NCTR)(Mtg 3/18/10, change custom rating from 108 to 99)(Mtg 8/18/10, submitted appeal, rating changed from 99 to 102)								
				CARBON FS				204			<input checked="" type="checkbox"/>	7.87											
Flyer	Peterson 33 (CHITA)	18620	1979	42.5 13.9	155	42.5	36.66 9.91	3.66 6.21	Yes	No	32.67 26.58 10.5 6.08	9480 4960 Lead	0 1 FIXED	IB FOLD 2									
				ALUMN MS				213			<input type="checkbox"/>	0 0											
For Pete's Sake	Ultimate 24 ODR	28469	2003	28.04 7.82	102	30.8 14.5	31 11.5	5.5 8.8	No	Yes	24.38 21.17 8.48 5.52	2040 750 lead	No 1 FIXED	OB None									
				CARBON FS			0 0	238			<input checked="" type="checkbox"/>	0											

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications		
				I J Max Headsail Mast Material Rig Type	P E PY EY		MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps moveable blst				
								SL	SPL	SLU	ASA								
								SSMG SSF	SSA	SLE ASMGB	Fixed or _o							Ballast Mat.	Keel Type
Foxxfyre	Yamaha 33 IK SM	67248	1978	42.81 13.78 ALUMN MS	150	42.81	37.4 10.6 0 0	4.38 7.27 246	Yes	No	44 24.8 23.7	13.78 901	<input type="checkbox"/>	0	33.25 26.92 11 6.25	16000 4410 Iron	No 1 FIXED	IB FEATH 2	PER PHRF MTG 3/16/2000 - Weight Differencer from brochure is significant.
Freedom	Worth 40	18230	1984	54 16 ALUMN MS	155	16	47 14 0 0	5.5 9.2 397	Yes	No	52 28.8 28.8	16 1248	<input type="checkbox"/>	0	40 34.25 12.5 7.25	21000 7800 Lead	0 1 FIXED	IB FOLD 2	
Freedom	Beneteau 523	38333	2006	65.22 20.77 ALUMN FS	105		59.09 18.53	6.39 11.04 620	No	Yes	35.519 1854 2 0	53.08 47.92 16 7.5	<input type="checkbox"/>	0	32800 10935 Iron	No 1 FIXED	IB FOLD 3	Bow Thruster, in-mast furling, above deck jib furler; (Mtg 8/17/06 - +6 s/m for small girth main); electric winches added 1/29/07 (Mtg 3/28/13, +3 secmi for 8% decrease in mainsail area)	
French Kiss	Beneteau 350 Oceanis	28713	1989	41.47 12.8 ALUMN MS	140	41.47	35.7 11.6 0 0	4.2 7.3 242	Yes	No	39.5 22.5 22.5	12.52 741	<input type="checkbox"/>	0	33.83 29.83 11.17 5.17	10580 3525 Lead	0 1 FIXED	IB FOLD 2	Above deck Roller Furler
Frequent Flyer	Mumm/Farr 30	52	1996	38.2 10.9 CARBON FS	104	44.9 13.58	40.5 14.6	6.42 10.4 377	Yes	Yes	25.25 882 0 0	30.9 27.6 10.1 6.9	<input checked="" type="checkbox"/>	0	4561 1997 Lead	0 1 FIXED	IB Fold		
Friction Loss	J 30	67425	1979	34 11.5 ALUMN FS	155	34.1 11.5	38 13 0 0	4.94 8.45 295	Yes	No	34.4 22.2 22	11.5 635	<input type="checkbox"/>	0	29.83 25 11.17 5.25	6500 2100 Lead	0 1 FIXED	IB FOLD 2	
Friday Harbor	Beneteau 323 DK	28580	2004	42.67 11.06 ALUMN MS	116		38.9 13.17	5 8.56 306	No	Yes	19.91 661 0 0	32 29.17 10.67 5.92	<input checked="" type="checkbox"/>	0	8448 2258 Iron	No 1 FIXED	IB FOLD 2		

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications							
		Sail #	DW Rating		I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No		Yes/No		LOA	LWL	Ttl Disp.	Traps/H.	Strps		IB or OB						
										PY	MSA	SL	SPL								SLU	ASA	Max Beam	Ballast	moveable blst	IB or OB
Disp/WL Ratio			Mast Material		Rig Type																					
Frisky	Open 5.7 ODR	281	138	2009	21.52	117	27.9	25.33	5.7	No	Yes	17.5	18.7	992	0	NONE										
			599		7.3		12.3	10.24	8.2		25.8	338	18.7	405	1	None										
			69		ALUMN				183		20.6	5	8.3	Lead	FIXED											
					FS						17.5	<input checked="" type="checkbox"/>	0	5.7												
FROLIC	Islander 36 TM	47462	141	1974	47	155	47	40.75	4.8	Yes	No		36.08	13450	0	IB										
			655		14.5		14.5	12.6	8.25				28.25	5450	1	Feath										
			271		ALUMN				307			0	11.17	Iron	FIXED	3										
					MS			24.6			<input type="checkbox"/>	0	6.08													
FUGU	Wilderness 30 SX FR IB	67967	120	1980	34.08	150	34.1	34.44	4.37	Yes	Yes	20.36	29.75	4200	0	OB	(Mtg 11/20/08, -6 sec/mi for replacing inboard with outboard engine)									
			585		11.75		11.8	11.5	7.48				27.75	1900	1	None										
			89		ALUMN				236		37.61	603	8.75	Lead	FIXED	0										
					FS			21.15	604		33.38	0	5.5													
								21.15			20.39	<input checked="" type="checkbox"/>	0													
Ga	Knarr ODR	123	198		33.583	125	33.583	31	4.47	No	No		30.333	4630	No	OB										
					6.583			11.166	7.46				20.333	2866	1	None										
					WOOD			0	211			0	7	Lead	FIXED	0										
			250		FS			0			<input type="checkbox"/>		4.25													
Galaxsea	Custom Nauticat 43.5	28743	180	1985	51	104	20.6	45	4.3	Yes	Yes	29.2	43.6	34000	No	IB	Stay sail measurements foot=1', Luff=34'6", Leach=30'2", LP=132"									
			629		20		20.6	13.6	7.9				37.7	11000	1	FEATH										
			288		ALUMN			32.4	338		50.98	20	12.2	Lead	FIXED	3										
					KTCH			8.5			33.43	1439	5.9													
											25.6	<input checked="" type="checkbox"/>														
Gavilan	Custom Wylie 39	28439	93	1996	49	122	49	43	5.73	Yes	Yes	24.6	41.5	17900	No	IB	(mtg 4/28/11, change custom rating from 84 to 96 after review of rating appeal)(Mtg 1/26/12, -3 sec/mi for sprit)									
			604		14.5		49	15.5	9.75				31.75	5920	1	FEATH										
			254		ALUMN			0	390		48.64	14.5	11.5	Lead	FIXED	3										
					MS			0			26.6	1078	6.77													
								26.6			18.47	<input checked="" type="checkbox"/>														
Geodesic III	Optima 101	103	141	1985	38.71	125	38.71	38.39	4.9	Yes	Yes	19.6	32.84	8511	0	IB	(Mtg 4/27/17, added 2' retractable bowsprit, -3 sec/mi)									
			621		12		12	13.45	8.2				29.25	3968	1	Fixed_2										
			155		ALUMN				298		37	12	11.15	Iron	FIXED											
					FS						21.5	663	4.76													
											21.5															

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications									
				DW Rating Disp/WL Ratio	J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	SL SPL SSMG SSF	SPL SSA	Yes/No	Yes/No		ASF ASA Sprit Lngth Fixed or _o	Ballast Ballast Mat.	Traps/H. moveable blst Keel Type		IB or OB Prop Type # of blades								
																			28.5 10.416 0 0	4.22 7.03 182	Yes	No	27.25 23.75 8.166 4.5	2450 1100 Lead	No 1 FIXED	OB None 0
37.5 11.5	149	37.5	41.5 13.75 0 0	5.13 8.83 338	Yes	No	30 26.66 10.5 5.75	5400 2222 Lead	No 1 FIXED	IB FOLD 2																
Get Happy!!	Express 27 ODR	1	1981	28.5 9	155	28.5	28.5 10.416 0 0	4.22 7.03 182	Yes	No	27.25 23.75 8.166 4.5	2450 1100 Lead	No 1 FIXED	OB None 0												
Giant Slayer	Santa Cruz 27	59369	1979	32.583 10.9	155	32.583 10.9	28.25 8.7 0 0	3.7 6.3 157	Yes	Yes	17.67 372 0 90	27 24 8 4.5	3304 1800 Lead	No 1 FIXED	OB None 0	(Mtg 3/27/14, -3 sec/mi for 10% overized symmetrical spinnaker)										
Gig	Humboldt 30 IB	18112	1983	37.5 11.5	149	37.5	41.5 13.75 0 0	5.13 8.83 338	Yes	No	0	30 26.66 10.5 5.75	5400 2222 Lead	No 1 FIXED	IB FOLD 2											
Godot	J 105 ODR w/ 5'BS	28905	1992	40.6 13.5	95	42.1 19.07	41.5 14.6 0 0	5.5 9.4 359	No	Yes	23.29 958 5 0	34.5 29.5 11 6.5	7750 3400 Lead	No 1 FIXED	IB FOLD 2											
Golden Moon	Express 37	18488	1985	48.75 14.33	155	48.75	42 13.75 0 0	5.37 8.99 347	Yes	Yes	29.5 1034 0 90	37 30.83 11.57 7.25	11000 4500 Lead	No 1 FIXED	IB FOLD 2											
Gotcha	Santa Cruz 27	47911	1975	32.58 10.75	150	32.58	28.25 8.583 0 0	3.68 6.06 154	Yes	No	0 0	27 24 8 4.5	3200 1600 Lead	0 1 FIXED	OB None											
Gratitude	Hylas 46	60373	2002	58.4 17.7	135	58.4 17.7	50.6 18 0 0	4.6 9.6 469	No	Yes	25.5 1309 0 0	46.3 40 13.9 6.6	27777 12347 Lead	0 1 FIXED	IB Feath 3											

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst	IB or OB Prop Type # of blades	
								SL	SPL	SLU	ASA						
								SSMG SSF	SSA	SLE	ASMG						
Hangover	Islander 36 ODR	367	1976	45 14.48 ALUMN MS	45	39.25 12.75	5.05 8.44	303	No	No	<input type="checkbox"/>	0 0	36.8 28.25 11.17 6.08	13450 5820 Lead	0 1 FIXED	IB Fixed_2	
Happiness	Cal 27-2 OB	3893		36 12 ALUMN MS	36 12	30.67 10.25	3.25 6.5	180	Yes	No	<input type="checkbox"/>	0 0	26.58 22.08 9.25 4.25	6700 3100 Lead	0 1 FIXED	OB None	
Happy Daze	Santana 30-30 GP	87322	1984	40.83 11.67 ALUMN MS	40.83	36.17 11.08 0 0	5.25 8.5 267		Yes	No	<input type="checkbox"/>	0	29.92 25.42 10.25 5.5	6500 2435 Lead	No 1 FIXED	IB FOLD 2	
Harizon	Dufour 310	122	2016	40.35 10.82 ALUMN FS	95	38.25 14.57	5.54 9.47	332	No	No	<input type="checkbox"/>	0 0	31.72 28.54 10.88 6.23	10802 2932 Iron	0 1 FIXED	IB Fold	
Harp	Catalina 38	18003	1983	50.7 15.43 ALUMN MS	50.9 15.43	44 11.5 0 0	4.8 7.97 316		Yes	No	<input type="checkbox"/>	0	38.17 30.25 11.83 6.79	19489 6850 Lead	No 1 FIXED	IB FOLD 2	DEC 93 - 7X19 STND RIG/ W/ROD RIG & SHR TN UPR SPREADERS 2 IN. NO CHNG RTNG (MTG 1/27/94)
Hasta Nunca	Moore 24	142		26.25 9.75 ALUMN FS	150	25 9.5	3.91 6.5	147	Yes	No	<input type="checkbox"/>	0 0	23.75 21.75 7.16 4.08	2050 1025 Lead	0 1 FIXED	OB None 0	
Heart of Gold	Olson 911S	41327	1987	41.5 12.33 ALUMN MS	41.5	35.5 11.83 0 0	4.5 7.7 251		Yes	No	<input type="checkbox"/>	0	29.9 25 10.3 5.5	7200 3200 Lead	No 1 FIXED	IB FOLD 2	

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps moveable blst	IB or OB Prop Type # of blades	
								SL	SPL	SLU	ASA						
								SSMG SSF	SSA	SLE	ASMG						
Hera	Beneteau Farr First 36.7	28372	81 602 204	2002	46.4 13.1 ALUMN FS	150	46.4 13.1	45.4 15.6 0 0	5.92 12.49 458	Yes	No	36 30.3 11.6 7.2	12495 3748 Lead	No 1 FIXED	IB FOLD 2		
High and Dry	Santana 22	114	234 737 182	1967	26 8.5 ALUMN MS	150	26	21.75 9.83	3.95 6.59 131	Yes	No	22 18.67 7.83 3.5	2600 1230 Cast Iron	0 1 FIXED	OB None		
Highlander	Cal 40	4590	117 617 246	1968	46.2 15.2 ALUMN MS	150	46.2	39.5 17.5	6.65 11.37 412	Yes	No	39.25 30.25 11 5.58	15000 6000 Lead	0 1 FIXED	IB Fixed_2 2		
Hijinks	J 92	90	108 595 134	1996	37 11.5 ALUMN FS	97	38.5 17	37.66 13.22	5 8.6 297	No	Yes	30 26.5 10 5.9	5500 2275 Lead	0 1 FIXED	IB Fold 2		
Hokulani	J 120 ALUM	43	48 538 147	1996	50.42 14.42 ALUMN FS	155	50.42 21.42	46.42 17.67	6.58 11.42 486	No	Yes	40 35 12 7	13900 6000 Lead	0 1 FIXED	IB Fold		
Hot Socks	Figaro II	27	48 564 93	2004	42.75 12.42 CARBON FS	104	42.75	42.67 15.42	7 11 422	Yes	No	32.18 32 11.33 6.5	6724 2425 LeadWater	0 1 FIXED	IB Fold		
Hylite	Hylas 49 SM	49	111 580 258	2007	57.42 19.5 ALUMN CTR	130	57.42 19.5	51 18.5	4.5 9.17 470	No	Yes	48.83 39.5 14.25 6	35000 14500 Lead	0 1 FIXED	IB Fold	(Mtg 1/26/17, Custom rating of 111 assigned)	

Boat Name	Boat Model (Type)	Rating		I J Max Headsail Mast Material Rig Type	ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications				
		Sail #	Built			P E PY EY	MGU MGM MSA	Yes/No		Yes/No			SLU ASA Sprit Lngth Fixed or _o	Ballast moveable blst	IB or OB Prop Type # of blades					
								DW Rating	ISP JSP	SL	SPL						SLU	ASA	Ballast Mat.	Keel Type
Imagination	Bavaria 40	0	2001	47.25 14.58 ALUMN FS	48	44.46 15.58	5 9.21 386	No	Yes	20 828 0 0	40.94 35.93 13.1 6.4	17417 6283 Lead	0 1 FIXED	IB Fold						
Imagine	Ericson 32-3	716	1987	42 13.8 ALUMN MS		36.4 11.8	4.18 7.28 248	No	No	0 0	32.5 25.83 10.83 6	9800 4200 Lead	0 1 FIXED	IB Fixed_2 2						
Imagine	Davidson 44 MOD	77220	1980	49.92 15.38 ALUMN FS	50.33	58.3 18.33 0 0	6.9 12.8 652	Yes	No	15.1 1132 0	44 38.5 13 7.6	24410 7000 Lead	No 1 FIXED	IB FOLD 3	(Mtg 4/27/17, custom rating of 57 assigned)					
Incognito	Moore 24	136	1984	26.25 9.75 ALUMN FS	26.25	25 9.5 0 0	3.91 6.5 147	Yes	No	9.75 395	23.75 21.75 7.16 4.08	2050 1025 Lead	No 1 FIXED	OB None 0						
Inconceivable	J 88	9	2013	38.67 11.28 CARBON FS	46 18.05	36.82 12	5.44 8.4 282	No	Yes	29 1022 5.25 0	29.19 26.84 9.5 6.5	4990 1840 Lead	0 1 FIXED	IB Fold						
Iniscaw	Martin 32	49143	1980	42.5 13.67 ALUMN MS	145	37.17 12	4.7 8 270	Yes	No	13.67 806	32.8 27 9.6 6.1	8200 4100 Lead	0 1 FIXED	IB FOLD 2	(Mtg 10/2/13, new rudder, NCTR)					
Insolent Minx	Melges 24	725	2008	27.85 7.98 CARBON FS	100	28.75 12.42	3.83 7.09 195	No	Yes	20.67 577 0 0	24 22 8.2 5.25	1750 650 Lead	0 1 CNTRBRD	OB None						

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications			
		Sail #	DW Rating		I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			SLU ASA Sprit Lngth Fixed or _o	Ttl Disp.	Traps/H. Strps moveable blst		IB or OB Prop Type # of blades		
									SL	SPL	SLU	ASA							Ballast Mat.	Keel Type
Iseult	Wyliecat 30 IB	13	132	2001		0	39.75	7.87	No	No			30.5	5500	0	IB				
			653			CARBON CAT	20.8	13.46					25	3050	1	Fold				
			160					491			<input type="checkbox"/>	0 0	9.42	Lead	FIXED	2				
Isle Of Skye	Tartan 33 7/8 RIG	6	159	1979	36.42	100	36.42	41.58	4.6	No	No		33.67	10000	No	IB				
					12.42			14.42	8.1				28.08	4400	1	FEATH				
					ALUMN FS			0	328			<input type="checkbox"/>	10.92	Lead	FIXED	3				
			205				0	0					4.42							
Itinerant	Hunter 34	1025	150	1986	47.42	105		41	4.02	No	No		34.42	11820	0	IB				
					13.75			11.75	6.87				28.25	5366	1	Fixed_2				
					ALUMN MS				271			<input type="checkbox"/>	11.5	Steel	FIXED					
			238										5.5							
Jacqueline	Freedom 30 SD	3	174	1986	28.4			35.2	5.25	Yes	No		30	7660	0	IB				
			686		9.8			13.9	9				25.42	3150	1	Fixed_2				
					CARBON CAT				291			<input type="checkbox"/>	10.8	Lead	FIXED					
			212										4.5							
Jam Jam	Yankee 30-1 SM	90	192	1972	37.5	125	37.5	34.5	2.45	Yes	No		30	8900	0	IB	(mtg 4/28/11, +3 sec/mi for engine modifications)			
			715		12.75			9.75	4.91				23	4180	1	Fixed_3				
					ALUMN MS				170			<input type="checkbox"/>	9	Lead	FIXED	3				
			332										5.1							
Jamani	J 120 ALUM	52879	48	2002	50.5	155	52	46.5	6.7	No	Yes	34	40	13900	0	IB				
			542		14.5		21.5	17.8	11.5			64	35	6000	1	FOLD				
					ALUMN FS				491			50	12	Lead	FIXED	2				
			147									<input checked="" type="checkbox"/>	7							
													7							
Jaybird	J 133 CM	52443	24	2004	57	100	60.4	54	7	No	Yes		38.08	16900	0	IB				
			574		17.25		24	18.6	12				30.25	6850	1	Fixed_2				
					CARBON FS				595			<input type="checkbox"/>	11.8	Iron	FIXED					
			278										6.8							

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications								
		Sail #	DW Rating		I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No		Yes/No		LOA	LWL	Ttl Disp.	Traps/H.		Strps	IB or OB						
										PY	MSA	SL	SPL								SLU	ASA	Max Beam	Ballast	moveable blst	# of blades
Disp/WL Ratio	Mast Material	Rig Type	MS	SSA	SSA	SSA	SSA	SSA	SSA	SSA	SSA	SSA	SSA	SSA	SSA	SSA	SSA									
Kabunza	Pearson 36-2	362	132	1986	47.1 15.4	110	41 14.5	3.65 7.3	No	No		36.5 29.5 12.3 6.5	15000 5800 Lead	0 1 FIXED	IB Fixed_2 2											
Kapai	Islander 36 ODR	438	147	1977	45 14.48	125	39.25 12.75	5.05 8.44	No	No		36.08 28.25 11.17 6	13450 5500 Lead	0 1 FIXED	IB FOLD 2											
Keala	Wylie Wabbit ODR W/Trap	12	126 602 55	1982	20.5 6.5	150	23.75 10 0 0	4.03 6.72 145	Yes	No		23.75 20 5.58 3.5	975 440 Lead	Yes 3 FIXED	OB None 0	Hiking straps and single trapeze										
Kelika	Hunter 33.5	28815	150 657 254	1991	39.166 11.666	150	43.166 13.5 0 0	5.2 8.9 350	Yes	No		33.33 26.83 11 4.5	10800 4500 Iron	No 1 FIXED	IB FEATH 2											
Kira	Cal 33-2	28999	132 655 236	1986	46 13.25	125	40.5 12.75 0 0	4.82 8.23 307	No	Yes		21.86 43.6 39.5 19.68	33 27.5 11.33 6.12	10800 4475 Lead	No 1 FIXED	IB FOLD 2	(Mtg 1/26/12, -3 sec/mi for increased "e" & MSA)									
Kira	Aerodyne 38 SD	38104	45 634 135	2003	50.82 14.5	105	51.75 16.5	6.25 10.6 506	No	Yes		39.5 65.5 58.5 40	37.66 34.21 13 6	11850 4150 Lead	0 1 FIXED	IB Fold										
Kiwa	Ericson 32-2	285	183	1973	36 18	155	31.5 13	4.9 8.4 243	No	No		32 24 9.67 4.91	9400 4400 Lead	0 1 FIXED	IB Fixed_2 2											

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications						
		Sail #	DW Rating		I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No		Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB							
										SSMG	SPL									SLU	ASA	LWL	Ballast	moveable blst	IB or OB
Disp/WL Ratio	Mast Material	Rig Type	SSSF	SSA	ASM	Fixed or _o	Max Draft																		
Kookaburra	J 120 ALUM	153	48	2001	50.5	155	52	46.5	6.2	No	Yes	30.3	40	13900	No	IB									
			556		14.5		21.5	17.8	10.7		60.8	1265	35	6000	1	FOLD									
			147		ALUMN			0	471		50.6	7	12	Lead	FIXED	2									
					FS			0			26.5	<input checked="" type="checkbox"/>	7												
Kwazy	Wylie Wabbit ODR W/Trap	26	126	1982	20.416	150	20.5	23	4.02	Yes	No		23.58	975	Yes	NONE									
			604		6.416			10	6.71			8.5	20	440	3	None									
			55		ALUMN			0	141		14	257	5.42	Lead	FIXED	0									
					FS			0			14		3.41												
Kynntana	Freedom 38	38086	141	1988	33.34	100	33.34	45.5	6.25	No	No		38.42	14370	0	IB									
					11.5		11.5	16.57	10.7				30.58	6500	1	Fold									
					CARBON				447			0	12.5	Lead	FIXED										
			228		FS							<input type="checkbox"/>	5.6												
La Dolce Vita	J 32	64	120	2001	39.2	155	40.5	38.5	5.1	No	Yes	19.7	32.4	10000	0	IB	(Mtg 8/22/13, -6 sec/mi for sprit)								
			635		11		13	15.5	9.2		43	677	29	3840	1	Feath									
			186		ALUMN				334		39.5	2.5	11	Lead	FIXED	3									
					FS						19.7	<input checked="" type="checkbox"/>	6												
La Viajera	J 109 ODR	46480	72	2004	46.5	105	49.6	43.25	5.89	No	Yes	27.75	35.25	10900	0	IB									
			583		13.3		18.8	15.5	10.07		56.33	1160	30.5	3900	1	Fold									
			175		ALUMN				399		45.63	5.5	11.5	Lead	FIXED	2									
					FS						27.2	<input checked="" type="checkbox"/>	7												
Lady Jane	Jeanneau 39i Sun Odyssey	7913	93	2008	48.1	122	48.1	46.3	5.42	No	Yes	27.46	38.1	16163	0	IB									
			594		13.1			14.6	9.28		49.31	1012	35.2	5026	1	Feath									
			168		ALUMN				398		42.81	1	12.9	Cast Iron	FIXED	3									
					FS						26.08	<input checked="" type="checkbox"/>	6.7												
Lawless	Catalina 36-2	2056	147	2002	44.75	155	44.9	39	4.83	No	No		36.42	13500	0	IB									
					14.42			12	8.05				30.33	6042	1	Fixed_3									
					ALUMN				286			0	11.92	Lead	FIXED										
			220		MS							<input type="checkbox"/>	5.83												

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		SLU ASA Sprit Lngth Fixed or _o		Ballast moveable blst	IB or OB Prop Type # of blades		
								SL	SPL	SLU	ASA						
								SSMG SSF	SSA	SLE ASM	SA						
Disp/WL Ratio									Ballast Mat.	Keel Type							
Lelo Too	Tartan 30	16354	180	1975	39 13	155	39	34 4.61 11.416 7.69	4.61 7.69	Yes	No	29.92 24.25 10 4.916	8750 3700 Lead	0 1 FIXED	IB FOLD 0		
Lenora	Hunter 33-2	60700	153	2004	37.42 10.83	115	38.42 10.83	36.46 4.83 15.83 8.33	4.83 8.33	No	Yes	33.5 29.42 11.17 5.5	10400 3459 Lead	0 1 FIXED	IB Fold 3		
Lepus	Wylie Wabbit ODR W/Trap	18	126	1982	20.5 6.5	150	20.5	23.75 4.03 10 6.72	4.03 6.72	Yes	No	23.75 20 5.58 3.5	975 440 Lead	1 3 FIXED	OB None 0	Hiking Straps & Trapeze per class rules	
Lightwave	J 105 ODR w/ 5'BS	319	78	2000	40.6 13.5	100	42.1 19.07	41.5 5.5 14.5 9.4	5.5 9.4	No	Yes	34.5 29.5 11 6.5	7750 3400 Lead	No 1 FIXED	IB FOLD 2		
Lil Angel	Newport 30-2	6884	174	1979	39.5 12.1	150	39.5	34 4.26 10.25 7.07	4.26 7.07	Yes	No	30 25 10.5 4.75	8500 2500 Lead	0 1 FIXED	IB FOLD 2		
Lindo	J 109	195	69	2005	46.5 13.3	155	49 18.8	43.3 5.89 15.5 10.07	5.89 10.07	No	Yes	35.25 30.5 11.5 7	10900 3900 Lead	0 1 FIXED	IB FOLD 2		
Lioness	Bermuda 40	981	174	1962	42.5 15.58	160		36.6 17.2 17.7 8.5		No	No	40.75 28.8 11.75 4.25	20000 5600 Lead	0 1 CNTRBRD	IB Fixed_3 3	(Mtg 5/22/08, +6 secmi for 3-blade fixed prop, no penalty for headsail larger than 155%, no credit for sonar transducer, custom rating of 174 assigned)	

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
				J Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp. Traps/H. Strps		IB or OB Prop Type # of blades			
								SL SPL SSMG SSF	SPL SSA	SLU ASA SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ballast	moveable blst Keel Type				
																Ballast Mat.	Keel Type	
Disp/WL Ratio	Mast Material Rig Type	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type									
Liquid Asset	Ranger 33	27707	150	1970	41.5 13.7	150	41.5 13.67	35 4.93 13.75 8.67	280	Yes	No	33.17 26.25 9.58 5.17	10500 4500 Lead	0 1 FIXED	IB Fold			
Lonesome Dove	Elite 29	9066	165	1984	35.833 11.083	130	30.333 2.6 10.333 5.1	0 157	0	Yes	No	28.67 24.42 10.5 5.58	6160 2310 Iron	No 1 FIXED	IB Fixed_2 2			
Lonestar	Beneteau First 10R ODR MOD	40	84	2007	43.2 12.07	100	46.41 16.5	42.25 5.59 14.73 9.57	371	No	Yes	25.5 1078 11 6.55	9715 3528 Lead	0 1 FIXED	IB FOLD 2	(Mtg 5/20/10, +3 sec/mi for non-class smaller kite)(Mtg 9/23/10, rudder modifications noted, NCTR)(Mtg 4/26/12, new rudder noted, NCTR)		
Low-Down	Santa Cruz 27	8027	141	1979	32.7 10.9	140	28.25 3.68 8.58 6.06	153	Yes	No	27 24 8 4.5	3300 1500 Lead	0 1 FIXED	OB None				
Loya	Ericson 34 Olson SM	3246	105	1989	44.5 13.25	154	44 13.25	38.84 4.69 12.9 8.38	296	Yes	Yes	23.8 886 0 0	10600 3650 Lead	0 1 FIXED	IB Fold 2			
Lucky Duck	Custom Santa Cruz 52	28729	-30	2001	64.14 18.95	155	64.6 22.5	57.5 8.76 21 14.22	745	Yes	Yes	40.91 2190 2 90	22544 8000 Lead	0 1 FIXED	IB Fold 2	(Mtg 8/23/12, Custom Rating Assigned, -21 as sailed)(Mtg 5/23/13, weighed displacement added)(Mtg 3/27/14, New Rudder, -3 sec/mi for OSP, -6 sec/mi for 10%+ increase in spinnaker area. No penalty for keel/displacement		
Luna Sea	Islander 36 ODR	420	144	1980	45 14.48	135	45	39.25 5.05 12.75 8.44	303	Yes	No	36.08 28.25 11.17 6.08	18000 5450 Lead	No 1 FIXED	IB Feath 3			

Boat Name	Boat Model (Type)	Rating		I J Max Headsail Mast Material Rig Type	ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications				
		Sail #	Built			P E PY EY	MGU MGM MSA	Yes/No		Yes/No			SLU ASA SLE Sprit Lngth Fixed or _o	ASF	Ttl Disp.		Traps/H. Strps	IB or OB Prop Type # of blades		
								DW Rating	Disp/WL Ratio	SSMG SSF	SPL SSA								Ballast	moveable blst
Makanani	Ultimate 24 ODR	3	111	2003	28.04 7.82	110	30.8 14.5	31 11.35	6.35 9.18	No	Yes	21.3 566 6.7 0	24.38 21.17 8.48 5.52	2040 750 Lead	0 1 FIXED	OB None				
Makani	Nonsuch 30	278	174	1985		0		44.9 23.9	8 14.5	No	No	0 0	30.33 28.75 11.83 5	11500 4500 Lead	0 1 FIXED	IB Feath				
Make Me Smile	Express 27 ODR	91	129		28.5 9	155	28.5	28.5 10.42	4.22 7.03	Yes	No	9.83 420	27.25 23.8 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0				
Mamaluc	J 105 ODR w/ 5'BS	265	78	1999	40.6 13.5	100	42.1 19.07	41.5 14.5	5.5 9.4	No	Yes	25.9 962 5	34.5 29.5 11 6.5	7750 3400 Lead	No 1 FIXED	IB FOLD 2				
Marrakesh	Express 34	3	102	1987	44.25 13	125	44.25	38.5 12.83	4.87 8.46	Yes	No	13 858	34 28.33 10.33 6.11	9245 3800 Lead	No 1 FIXED	IB FOLD 2				
Mas!	Moore 24	138	150	1983	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	Yes	17.6 387 0 90	23.75 21.75 7.16 4.08	2050 1025 Lead	0 1 FIXED	OB None				
Max	Ultimate 24 ODR	2	108	2002	28.04 7.82	110	30.8 14.5	31 11.35	6.81 9.18	No	Yes	21.3 562 6.7 0	24.38 21.17 8.48 5.52	2040 750 Lead	0 1 FIXED	OB None				

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications		
				DW Rating Disp/WL Ratio	I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.			Traps/H. Strps Ballast Ballast Mat.	moveable blst Keel Type
									SL	SPL	SLU	ASA							
									SSMG SSF	SSA	SLE ASMG	Fixed or _o							
Mega Hurtz	Laser 28 ODR MOD	53470	1974	31.1 9.65 ALUMN FS	125	31.73	33.14 12.96	4.98 8.4 257	Yes 33 20.37 18.92	No 11.32 552	0 0	28.41 23.62 9.48 4.98	3950 1500 Lead	0 1 FIXED	OB None 2	(Mtg 2/27/14, switched to outboard motor, -3 sec/mi)			
Meliki	Santana 22	5194	1967	26 8.5 ALUMN MS	125	26	21.75 9.833	3.95 6.59 131	Yes 26 15.44 15.44	No 8.583 335	0	22 18.67 7.83 3.5	2600 1230 Iron	No 1 FIXED	OB None 0				
Merlin	Custom Lee 68	8955	1977	71.96 21 CARBON MS	103	74.35	66.87 27.5	11 18 1109	No 30.4	Yes 87.51 83.44 42.34	48.05 3097 0 90	68.6 64 12.17 10.65	24363 10484 Lead	0 1 FIXED	IB FOLD 2	(Mtg 4/27/17, custom rating assigned: -81)			
Mintaka 4	Farr 38	18441	1979	43.67 13.67 ALUMN FS	125	46.2	44.9 17.9	6.8 11.6 478	Yes 44.13 26.07 24.6	No 14.5 948	0	38.25 31.17 12 6.33	11850 4100 Lead	No 1 FIXED	IB FOLD 2	(2002-removed dinette stbrd, add bench seat w/55 gal fuel tank, original was 12.5. Rudder replaced 12" longer, 4" narrower. Changes noted mtg 1/17/02, NCTR)(removed short pole, changed spinnakers, 11/2/04) (Mtg 1/24/12, new stem)			
Mirth	Catalina 34 1&2	28634	2005	44 13.5 ALUMN MS	125		38.5 12	4.17 7.33 265	No	Yes 42.23 38.63 20.21	22.02 693 0 0	35.67 29.83 11.75 5.58	11950 5000 Lead	No 1 FIXED	IB FEATH 3				
Mirthmaker	A 35	18250	2007	44.22 13.45 CARBON FS	90	51.06	44.94 14.66	5.42 8.88 381	Yes 50.32 25.38 25.38	Yes 14.1 1064	24.2 996 1.5	34.7 30.47 11.6 6.88	9810 4367 Lead	0 1 FIXED	IB Fold 2	(Mtg 5/20/10, custom rating of 60 assigned, would like a copy of ORR Certificate)(mtg 6/15/10, change custom rating from 60 to 63 based on further clarification of boats configuration)(Mtg 10/27/16, change custom rating from 63 to 60 after			
Miss Kate	Catalina 27 IB	4630	1980	34.5 11.25 ALUMN MS	125	34.5 11.25	28.66 10.5	3.99 6.83 180	No	Yes 34.35 31.85 18.25	20.35 515 0 0	26.85 21.75 8.85 4	6850 2700 Lead	0 1 FIXED	IB Fixed_2				

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		Ttl Disp. Ballast		Traps/H. moveable blst	IB or OB Prop Type # of blades		
								SL	SPL	SLU	ASA						
								SSMG SSF	SSA	SLE ASMG	Sprit Lngth Fixed or _o					Ballast Mat.	
DW Rating Disp/WL Ratio																	
Moonlight	Express 27 ODR	28059	1986	28.5 9 155	28.5	28.5	28.5 10.416 0 0	4.22 7.03 182	Yes	29 9.833	No	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0		
Moore Fun	Moore 24	18884	1979	26.25 9.75 125	26.25	25	25 9.5 0 0	3.91 6.5 147	Yes	27 9.75	No	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0		
Mooretician	Moore 24	89	1981	26.25 9.75 150	26.25	25	25 9.5 0 0	3.91 6.5 147	Yes	26.6 9.75	No	23.75 21.75 7.16 4.08	2050 1025 Lead	No 1 FIXED	OB None 0		
Motorcycle Irene	Express 27 ODR	28137	1982	28.5 9 155	28.5	28.5	28.5 10.416 0 0	4.22 7.03 182	Yes	29 9.833	No	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0		
Mottley	Catalina 34	8	1986	44 13.5 130	44	44	38.5 12 0 0	4.7 8.05 281	No		No	34.5 29.833 11.75 5.583	11950 5000 Lead	No 1 FIXED	IB Fold 2		
Moxie	CAL 28-2	28217	1988	39.9 11.4 90	39.9	39.9	34.17 10.33 219	4.28 7.11	Yes	39.26 11.4	No	28 23 10.8 5.3	7200 Lead	0 1 FIXED	IB FOLD 2		
Moxy	Moore 24	110	1982	26.25 9.75 150	26.25	25	25 9.5 0 0	3.91 6.5 147	Yes	27 9.75	No	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0		

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
				DW Rating Disp/WL Ratio	J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			SLU ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast			Traps/H. moveable blst
									SL	SPL	SLU	ASA						
									SSMG SSF	SSA	SLE ASMG	ASA						
Mr McGregor	Wylie Wabbit ODR W/Trap	8426	1982	20.5 6.5 150	20.5	23.75 10 4.03 6.72	4.03 6.72	Yes	No	22 8.5 13.9 254	23.75 20 5.58 3.5	975 440 Lead	1 3 FIXED	OB None 0	INCLUDES HIKING STRAPS AND SINGLE TRAPEZE.			
Mudshark	Express 37	28052	1986	48.75 14.33 155	48.75	42 13.75 5.28 8.83	5.28 8.83	Yes	No	48 14.33	37.08 30.83 11.57 7.25	11000 4500 Lead	No 1 FIXED	IB FOLD 2				
Mulan	Beneteau First 10R ODR	52659	2007	43.2 12.07 120	46.41 16.5	42.25 14.73 5.59 9.57	5.59 9.57	No	Yes	25.5 1075 4.43 0	32.75 28.7 11 6.55	9715 3258 Lead	0 1 FIXED	IB Fold 2				
Music	Catalina 34 1&2	56583	2001	44 13.5 130		38.5 12 3.6 6.8	3.6 6.8	No	Yes	21.8 762 0 0	35.66 29.84 11.75 5.56	11950 5000 Lead	0 1 FIXED	IB FOLD 2				
Nadja Delphine	X-41	0	2009	55.9 16.11 106	58.63	53.31 18.04 6.82 11.61	6.82 11.61	Yes	No	58.63 17.06 28.61 1390 27.79	40.52 35.07 11.94 8.2	14109 6019 Lead	0 1 FIXED	IB Fold	Electronic winches			
Nancy	Wyliecat 30 OB	28890	1995			39.66 19.75 8.71 13.46	8.71 13.46	No	No		30.5 25 9.5 5.25	5500 3050 Lead	No 1 FIXED	OB None 0	(-3 sec/mi for square top main)			
Nantucket Sleighride	J 105 ODR w/ 5'BS	414	2001	40.6 13.5 100	42.1 19.07	41.5 14.5 5.5 9.4	5.5 9.4	No	Yes	25 863 5 0	34.5 29.5 11 6.5	7750 3400 Lead	0 1 FIXED	IB Fold 2				

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications		
				DW Rating Disp/WL Ratio	I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast Mat.		Traps/H. moveable blst Keel Type	IB or OB Prop Type # of blades
									SL	SPL	SLU	ASA							
									SSMG SSF	SSA	SLE	Spr							
Neja	Dasher 32	7325	1961	38.01 12.59 668 269	155	38.01	33.22 14.6	5.12 8.86	Yes	No	37.78 21.94 21.94	12.5 691	31.75 26.75 8.9 5.75	11323 3600 Lead	0 1 FIXED	IB Fold	500 pounds less lead in keel than the Dasher Easom Boat Works built		
Nemesis	Pearson 26 Commander	151	1964	31.5 9.5 774 373	155		26 11.5	3.3 5.75	Yes	Yes	31.2 17.1 16.4	9.5 441	21.06 444 0 0	25.7 18.5 8 3.7	5200 2500 Lead	0 1 FIXED	OB None		
Nepenthe	Hawkfarm 28	6122	1976	33.3 11 200	115	33	36 10.5	4.3 7.2	No	No			28 23.5 9.75 5.5	5700 2700 Lead	0 1 FIXED	IB Fixed_2 2			
Nessie	Catalina 34 1&2	734	1988	44 1.5 205	100	44 13.48	38.5 12	4.7 7.54	No	No			34.5 29.83 11.75 5.58	11950 5000 Lead	0 1 FIXED	IB Fixed_3 3			
Neverland	Tartan 3700 SD 5.0'	106	2006	51.75 15 616 235	135	51.75 15	45.25 15	5.7 9.68	No	Yes	53.83 46.8 24.21	25.4 1025 0 0	37 32.5 12.6 5	17780 6200 Lead	0 1 FIXED	IB Fold 2			
New Sinsation	Santana 20	28449	1978	24.5 8.16 719 150	150	24.5	24.5 7	3.16 4.92	Yes	No	23.75 13.67 13.67	8.16 271	20.2 16 8 4	1350 550 Lead	0 1 FIXED	OB None			
Nicole	Orion 35	8210	1979	44 14 650 249	150	44	39.5 10.5 0 0	4.42 7.319	Yes	No	43.667 25.2 25.2	14.125 917	34.58 28.75 10.83 6	13000 4700 Lead	0 1 FIXED	IB FOLD 2	Displacement Obtained by actual weight on scale, Rudder is new design and new build.		

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
				I J Max Headsail Mast Material Rig Type	P E PY EY		MGU MGM MSA	Yes/No		SLU ASA Sprit Lngth Fixed or _o	Max Beam Max Draft	Ttl Disp. Ballast Mat.		Traps/H. moveable blst Keel Type				
								SL	SPL						Yes			No
								SSMG SSF	SSA						SLU			ASA
Nightmare	Custom Wilderness 30 SX FR OB	305	1980	34 11.75 125	34.4 11.5 0 0	4.59 7 233	Yes	No	29.75 27.75 8.83 5.92	4700 1650 Lead	No 1 FIXED	OB None 0	(-3 sec/mi for change from IB to OB, -6 sec/mi for keel change.)(mtg 2/26/15, -9 sec/mi for oversized spinnaker)					
Nina	Olson 29	27	1987	34 11 155	32.5 11.5 0 0	4.5 7.27 222	Yes	No	29.67 27.5 9.33 5.58	3700 1950 Lead	0 1 FIXED	OB None 0						
Now and Zen	Newport 30-2	6883	1978	39.5 12.125 150	34 10.25 0 0	3.25 5.7 190	Yes	No	30 25 10.5 4.75	8000 2600 Lead	No 1 FIXED	IB Fold 2						
Nozomi	CAL 40	164	1970	46.2 15.2 155	39.9 17.6 0 0	6.6 11.37 416	Yes	No	39.5 30 11 5.6	15500 6000 Lead	0 1 FIXED	IB FEATH 3						
Nutmeg	Islander 36 ODR	87245		45 14.48 150	39.25 12.75 0 0	5.05 8.44 303	No	No	36.083 28.25 11.166 6.083	13450 5450 Lead	No 1 FIXED	IB FOLD 0						
OAXACA	Santa Cruz 50	8927	1982	61.48 18.88 155	54.75 16.98 0 0	6.08 10.67 540	Yes	No	50.23 46.67 12 7.91	17374 8000 Lead	0 1 FIXED	IB Fold	(Mtg 5/26/16, -6 sec/mi for oversized ASA)					
Ohana	Beneteau 45F5	38023	1991	53.15 15.08 100	55.4 18.58 0 0	7.06 12.08 613	Yes	No	44.11 36.9 14.1 7.9	26500 8500 Lead	0 1 FIXED	IB FEATH 3	(Mtg 12/1/11, -6 sec/mi for new keel)					

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications	
		Sail #	DW Rating		I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp.	Traps/H. Strps			IB or OB Prop Type # of blades
										SL	SPL	SLU	ASA			Ballast	moveable blst		
Disp/WL Ratio	Mast Material	Rig Type	SSG	SSA	SLE	Sprit Lngth	Fixed or _o												
Orca	Moore 24	85	150	1981	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.083	2050 1025 Lead	0 1 FIXED	OB None 0				
Oscar	Santa Cruz 33	57663	117	1978	41 13.583	125	41	35.42 15	4.25 7.166	Yes	No	33 28 10.06 6	7000 3000 Lead	No 1 FIXED	IB FOLD 2				
Oshun	Catalina 27 OB	1216	201	1974	34 11.25	95		28.67 10.5	4.24 7.08	No	No	26.83 21.75 8.83 4	6850 2750 Lead	0 1 FIXED	OB None				
Ouessant	Farallone Clipper FR	8214	159	1957	35.69 13.87	150	35.69	40.34 18.79	7 12.1	Yes	No	37.833 28.25 9.5 5.916	18344 7200 Iron	No 1 FIXED	IB Fixed_2 2				
Outsider	Azzura 310	1000	57	1996	35.35 11.55	110	43.33 21.57	38.75 13.25	6.68 10.5	No	Yes	30.1 1163 6 7.2	4850 2100 Lead	No 1 FIXED	OB Fixed_3 3	6 FT ARTIC, RETRAC BOWSPRIT. MTG 3/28/96 (RATED 66) (CHNG NOTED 4/18/96-NO CHNGE RTNG. (2/13/96 FM 66 TO 60.)(MTG 11/13/97 FM 60 TO 57)MTG 2/12/98 FM 57 TO 63 (MTG 4/9/98) Inboard SailDrive removed and replaced with			
Oxymoron	Moore 24	28993	150	1981	26.25 9.75	150	26.2	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.25	2050 1025 Lead	0 1 FIXED	OB None 0				
Paradigm	J 32	79	126	2002	39.166 11	150	40.583 11.916	38.42 15.42	5.5 9.58	No	Yes	17.83 722 0 0	32.4 29 11 6	11500 3840 Lead	No 1 FIXED	IB FOLD 2			

Boat Name	Boat Model (Type)	Rating		I J Mast Material Rig Type	ISP		Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications					
		Sail #	Built		J Max Headsail	JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.			Traps/H. Strps				
									DW Rating	ISP	SL	SPL							SLU	ASA	Ballast	moveable blst
Disp/WL Ratio	ISP	SSMG	SSA	SLE	ASMG	Keel Type	# of blades															
Paramour	Moore 24	75	1980	26.25 9.75 150	26.25	25 9.5 0 0	3.91 6.5 147	Yes	No	27 9.75 17.55 395	0	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0							
Peabody	Ultimate 20	22		25.08 6.97 110	27.58 12.79	27.5 10.25	5.5 7.96 195	No	Yes	19.2 31.3 28.4 17.7	0 448 6 0	20.94 18 8.33 5.03	1350 450 Lead	0 1 CNTRBRD	OB None							
Peaches	Express 27 ODR	18364	1986	28.5 9 155	28.5	28.5 10.416 0 0	4.22 7.03 182	Yes	No	29 9.833 17.75 429	0	27.25 23.75 8.166 4.5	2450 1100 Lead	No 1 FIXED	OB None 0							
Pearl	Ranger 33 SM	278	1977	38 13.9 125	38	31.5 11	4.43 7.39 212	Yes	No	38.36 13.67 24.61 780 23.62	0 0	33.17 26.25 9.583 5.166	10500 4800 Lead	0 1 FIXED	IB Fixed_2 2							
Pegasus - Motion X	J 100 ODR MOD	1197	2005	38 12.7 95	43 15.63	38 15.3	5.32 9.32 332	No	Yes	23.3 47.8 39.1 23.9	23.3 861 4.13	32.8 29 9.3 5.8	7250 2500 Lead	No 1 FIXED	IB FOLD 2	(Mtg 2/26/09, -3 sec/mi for adding sprit)(mtg 1/21/10, additional -3 sec/mi for lengthening sprit to 4.13')(Mtg 1/27/11, -6 sec/mi for increased "e")(Mtg 1/26/11, shortened J, boat rigged for overhauled sailing. NCTBY4/22/17						
Penny Pincher	J 70 ODR	215	2014	26.77 7.68 100	30.15 13.5	26.16 9.44	4.71 6.93 164	No	Yes	18.7 35.43 28.87 18.24	18.7 491 5.1 0	22.78 20.47 7.38 4.92	1750 630 Lead	0 1 MVBL	OB None							
Peregrine	J 120 Carbon	25487	2001	50.5 14.5 150	52	46.5 17.8	6.76 11.57 493	No	Yes	35.1 64 52.5 36.96	35.1 1776 7 0	40 35 12 7	13900 6000 Lead	0 1 FIXED	IB Fold 2							

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications								
		Sail #	DW Rating		I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No		Yes/No		LOA	LWL	Ttl Disp.	Traps/H.	Strps	IB or OB							
										PY	MSA	SL	SPL								SLU	ASA	Max Beam	Ballast	moveable blst	IB or OB
Disp/WL Ratio		Mast Material		Rig Type																						
Phantom	J 44	28844	21	1990	60.606 17.08	120	60.416	53.53 19.41	7.3 12.5	Yes	Yes	27 1379	44.75 38.58	23838 9000	No 1		IB Feath									
			550		ALUMN MS			0 0	615			30.7 30.7	1526	55.9 27.8	0 <input checked="" type="checkbox"/>	8.14	Lead FIXED	3								
Phat Jack	Express 37	18257	72	1985	48.75 14.33	150	48.75	42 13.75	5.25 8.83	Yes	No		37.08 30.83	11000 4500	0 1		IB FEATH									
			577		ALUMN MS				343			25.7 25.7	1028		<input type="checkbox"/>	0	7.25	Lead FIXED	2							
Picante	Islander Bahama 28 SM	1	210	1981	33.8 11.75	150	11.75	28 8.2	3.58 5.75	No	Yes	20 478	27.9 23	7000 3000	0 1		IB Fixed_3									
			726		ALUMN MS				146			29.4 18	0 <input checked="" type="checkbox"/>	0 0	9.8 5.5	Lead FIXED	3									
Plus Sixteen	Ericson 911S Olson	97707	135	1991	41.5 12.25	125	41.5 12.33	35.761 11.811	4.035 7.136	Yes	Yes	20.932 698	30 25	8500 3200	No 1		IB FEATH									
			662		ALUMN MS			0 0	240			43.5 22.605 22.605	12.25 819	41.995 35.761 21.702	0 <input type="checkbox"/>	10.33 5.42	LeadSteel FIXED	2								
Polecat	Wyliecat 30 IB	5	132	1997			29.5 12	40 20	7.35 12.66	No	No	21.6 493	30.5 25	5500 3050	No 1		IB FOLD	(Articulating Sprint and Pole added for asym spinnaker, added asymmetrical, -21 sec/mi)(5/22/14, removed Asymmetric, +21 sec/mi)(Mtg 8/25/16, New rudder installed, NCTR)								
			620		CARBON CAT			0 0	468			29.3 18.4	8 <input type="checkbox"/>	15	9.416 5.25	Lead FIXED	2									
Pony Express	Express 34	28234	99	1988	44.25 12.92	155	44.25	38.5 12.83	4.87 8.46	Yes	No		34 28.33	7500 3700	No 1		IB FOLD									
			613		ALUMN MS			0 0	296			44 23.4 23.4	12.89 858		0 <input type="checkbox"/>	10.5 6	Lead FIXED	2								
Popstar	Catalina 400	331	108	2005	52.5 15.5	135	52.5 16.5	46.9 17	4.02 8.27	No	Yes	27.9 1225	41.54 36.5	20500 8300	0 1		IB Fold	(+3 sec/mi for in-mast furling mainsail, +3 sec/mi for MGM <50% of E)								
			599		ALUMN MS				393			50 29	0 <input checked="" type="checkbox"/>	0	13.5 6.92	Lead FIXED	3									

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps moveable blst		
								SL	SPL	SLU	ASA						
								SSMG SSF	SSA	SLE	ASM						
Pork Chop Express	Express 27 ODR MOD	115	1986	28.5 9 130	32.5	28.5 10.4	4.2 7 182	Yes	Yes	19.55 425 0 90	27.25 23.75 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None	(Mtg 1/26/17, -3sec/mi for switching to MH configuration. New Rudder, NCTR)(3/22/17, back to OD configuration, +3 sec/mi)		
Post Time	Catalina 42-1/2	362	1993	53 16.42 135	53 16.42	46.75 15.5	5 9 401	No	No	0 0	41.83 36 13.83 6	24000 8300 Lead	0 1 FIXED	IB Feath 3	In-Boom Furling Mast, Electric Halyard Winch		
Pressure Drop	Beneteau Farr First 36.7	52489	2006	46.4 13.1 155	46.4 14.35	45.4 15.6	5.92 12.49 458	Yes	No	23.29 867 0 90	36 30.3 11.4 7.3	12495 4034 Lead	0 1 FIXED	IB Fold 2	(12/2/16, -3 sec/mi for JSP)		
Prime Number	J 70 ODR	29	2012	26.77 7.68 100	30.15 13.5	26.16 9.44	4.71 6.93 164	No	Yes	18.7 491 5.1 0	22.78 20.47 7.38 4.92	1750 630 Lead	0 1 MVBL	OB None			
Princess	Sabre 40-2	28876	1996	53.5 15.5 110	53.5 20.5	47.8 17 0 0	6.27 10.7 476	No	Yes	26.75 1205 5 0	40.17 35.25 13.25 6.25	19500 7000 Lead	No 1 FIXED	IB FOLD 2	base rtg changed frm 69 to 72 MTG 4/8/03.		
Puffin	Alden 44	38144	1978	54.1 19.5 100		47.08 14.75	5.7 9.6 416	No	Yes	33 1369 0 0	44.17 34.08 12.5 8.75	24500 Lead	0 1 CNTRBRD	IB Feath			
Punk Dolphin	Custom Wylie 38	18481	1985	48 14.33 150	48	43 14 0 0	5.58 9.55 369	Yes	No	0 0	38 31 11.6 6.75	14000 5000 Lead	No 1 FIXED	IB FOLD 2			

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications				
			Built	DW Rating	I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No		Yes/No	ASF		LOA LWL	Ttl Disp.	Traps/H. Strps			IB or OB Prop Type # of blades			
										Mast Material	PY		MSA	SL			SPL	SLU			ASA	Ballast	moveable blst
Disp/WL Ratio	FS	EY	SSF	ASM	Fixed or _o	Max Draft	Ballast Mat.	Keel Type															
Q	Custom Schumacher 40	28901	54	2001	47	105	47	47.5	6.75	Yes	No		40	10166	No	IB							
			554		14.67			18.35	11.75			46.8	31.5	4528	1	FOLD							
			148		CARBON		0	513				26.41	11	Lead	FIXED	2							
					FS		0					26.41	7.6										
Queimada	Catalina 34 1&2	611	147	1988	44	150	44	38.5	4.2	Yes	No		34.5	11950	0	IB							
			637		13.5			12	7.2			42.5	29.83	5000	1	Fold							
			205		ALUMN				263			23.35	11.75	Lead	FIXED	2							
					MS							23	5.58										
Quiet Thing	Ranger 22	200	216	1978	25.75	155	25.75	26	2.8	Yes	No		22.5	2200	0	OB							
			732		8.5			7.4	4.8			25.4	17.5	900	1	None							
			187		ALUMN				115			14.7	7.8	Lead	FIXED								
					FS							14.7	4.3										
Quila	Santa Cruz 27	18723	141	1976	32.583	155	32.583	28.25	3.68	Yes	No		27	3000	No	OB							
			620		10.75			8.583	6.1			32.74	24	1500	1	None							
			99		ALUMN		0	154				19.4	8	Lead	FIXED	0							
					MS		0					19.4	4.5										
Quiver	Custom Nelson Marek 36	28669	45	1999	43.85	105	51.9	45.75	6.56	Yes	Yes	26.24	35.6	7725	No	IB	(mtg 6/15/10, added lead shoe to keel, -3 sec/mi, change custom rating from 48 to 45)(Mtg 2/29/12, added sprit equal to SPL, NCTR)						
			542		12.5		14.57	16.47	10.66		57.4	1221	29.32	3255	1	FOLD							
			139		CARBON				453		47.57	1.5	10.3	Lead	FIXED	2							
					FS						28.34	<input checked="" type="checkbox"/>	7.6										
Ragtime!	J 92	18	105	1993	37	155	38.5	38	4.7	No	Yes	29.75	30	5500	No	IB	(changes noted 3-11-03, NCTR)(2/14/06 - Spinnaker based on 1019 sq feet/94.67 meters)(Mtg 01/16/14, -3 sec/mi for flying asymmetric off squared back pole)(Mtg 4/24/14, New Rudder noted NCTR, Shortened pole/sprit)						
			593		11.5		17	13.5	8.2		46.8	1019	25.8	2275	1	FOLD							
			146		ALUMN			0	293		38.5	5.5	10	Lead	FIXED	2							
					FS			0			28.4	<input checked="" type="checkbox"/>	5.9										
Rampage	J 70 ODR	582	114	2014	26.77	100	30.15	26.16	4.71	No	Yes	18.7	22.75	1750	0	OB							
			607		7.68		13.5	9.44	6.93		35.43	491	20.47	630	1	None							
			93		CARBON				164		28.87	5.1	7.38	Lead	MVBL								
					FS						18.24	<input checked="" type="checkbox"/>	4.92										

Boat Name	Boat Model (Type)	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications					
		Sail #	Built	I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No		Yes/No		LOA LWL	Ttl Disp.	Traps/H. Strps		IB or OB Prop Type # of blades						
									DW Rating	Mast Material	PY	MSA			SL	SPL			SLU	ASA	Max Beam	Ballast	moveable blst
ASF	Fixed or _o	Ballast Mat.	Keel Type																				
Rare Bird	Moore 24	67	141	26.58	100	28.31	25	3.91	Yes		Yes	17.22	23.75	2050	0	OB	(Mtg 10/27/16, -6 sec/mi for OSP, -6 sec/mi for increased spinnaker area)						
			624	9.75		11.65	9.5	6.5		27	11.65	32.18	21.75	1025	1	None							
				ALUMN						17.55	395	28.27	7.16	Lead	FIXED								
			91	FS						17.55		18.74	4.083										
Raven	Benteau First 35	38073	75	47.24	108	51.48	45.93	5.98	Yes		No		36.32	12125	0	IB							
			586	13.12			14.75	10.23		51.31	14.73		30.6	3681	1	Fold							
				ALUMN						26.25	1116		12.76	Iron	FIXED								
			192	FS						25.46			7.25										
Red Cloud	Farr 36 Mod	99	87	38.3	108	46.3	41	6.4	Yes		No		36	10430	No	IB	(550# ADDED TO KEEL 300# TO FILL MIDDLE WINDOW+250# TO BOTTOM)(Mtg 1/26/12, -3 sec/mi for new mainsail)(mtg 3/29/12, +3 sec/mi after review of rating appeal, as sailed: 87)						
			584	12.16		12.16	16.75	10.9		45.4	12.16		31.33	3950	1	Fold							
				ALUMN			0	410		21.8	825		11.92	Lead	FIXED	2							
			154	FS			0			21.8			6.16										
Red Hawk	Hawkfarm 28 ODR	59024	162	33	155	33.25	36	4.37	Yes		No		28	5700	0	IB							
			667	11		11.5	10.5	7.26		33	11.5		23.5	2700	1	FOLD							
				ALUMN			0	236		20.7	569		9.75	Lead	FIXED	2							
			200	FS			0			20.7			5.166										
Red Sky	Ericson 34 Olson SM	28340	105	44	150	44	38.7	5.1	Yes		Yes	21.98	33.88	10855	No	IB	MTG 12/11/97(RUDDER REPLACED 8" DEEPER ADN 3" NARROWER.)						
			627	12.95		12.95	12.95	8.5		42	12.95	41.5	28	3500	1	FOLD							
				ALUMN			0	302		23.4	816	33.77	10.8	Lead	FIXED	2							
			225	MS			0			23		17.91	6.08										
Redhead	Cal 40	7817	114	46	155	46.36	40	6.5	Yes		No		39.5	16500	No	IB							
			622	15.17			17.5	11.3		46	15.17		30	6000	1	Feath							
				ALUMN			0	414		27.3	1038		10.92	Lead	FIXED	2							
			278	MS			0			26.2			5.75										
Redux	Olson 911S	28106	126	41.5	155	41.5	35.5	4.5	Yes		No		29.9	7200	No	IB							
			648	12.33			11.83	7.7		41	12.166		25	3200	1	FOLD							
				ALUMN			0	251		21.9	748		10.33	Lead	FIXED	2							
			209	MS			0			21.9			5.416										

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
				DW Rating Disp/WL Ratio	I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast	Traps/H. moveable blst		IB or OB Prop Type # of blades
									SL	SPL	SLU	ASA						
									SSMG SSF	SSA	SLE	ASMG						
Relentless	Sydney 32	28732	2002	40.6 12.2 110 40.6 13.1	53 16.416 125 16.416	39.7 5.6 14.75 9.59 40.29 13.1 23.4 786 23.4	38 5.2 13.5 8.7	No	Yes	26.4 915 5.5 0	31.9 28.4 10.6 6.9	6850 2860 Lead	No 1 FIXED	IB FOLD 2	-3 Sec/mi for OSP			
Relentless	J 92	93	1997	37 11.5 155 38.5 17.5	53 16.416 125 16.416	38 5.2 13.5 8.7 306	No	Yes	26.4 915 5.5 0	30 26.5 10 5.9	5500 2275 Lead	0 1 FIXED	IB Fold 2					
Revelry	Catalina 42-1/2	703	1999	53 16.416 125 53 16.416	39.2 11 155 40.583 13	46.75 5.75 15.416 9.833 0 425 0	No	Yes	27.5 1097 0 0	41.833 36 13.833 6.83	20500 8300 Lead	No 1 FIXED	IB FEATH 3	ASYM SPIN NOTED NCTR.				
Rhapsody	J 32	56303	2000	39.2 11 155 40.583 13	46.2 15.1 155 46.2	38.5 5.12 15.5 9.25 335	No	Yes	22.5 830 2 0	32.4 29 11 6	11500 3840 Lead	0 1 FIXED	IB Fold 3	(Mtg 5/23/13, -3 sec/mi for sprit, -3 sec/mi for oversized spinnaker)				
Riff Rider	Cal 40	46	1965	46.2 15.1 155 46.2	26.25 9.75 155 26.25 9.76	40 6.5 17.5 11.3 414	Yes	No	0 0	39.3 30.3 11 5.6	15000 6000 Lead	0 1 FIXED	IB Fold					
Rocket Science	Moore 24	104		26.25 9.75 155 26.25 9.76	41 11.42 150 41	25 3.91 9.5 6.5 17.55 395 17.55	Yes	No	0 0	23.75 21.75 7.16 4.08	2050 1025 Lead	0 1 FIXED	OB None 3					
Ross's Dream	Catalina 30	4895	1987	41 11.42 150 41	35 4.63 11.5 7.72 246	35 4.63 11.5 7.72 246	Yes	No	0 0	29.92 25 10.83 5.25	10200 4200 Lead	0 1 FIXED	IB Fold 2					

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU ASA SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.		Traps/H. Strps moveable blst				
								SL	SPL						Ballast			Keel Type
								SSMG SSF	SSA						Ballast Mat.			Keel Type
Sail La Vie	Beneteau 411	28597	105	1999	46.67 16.25 ALUMN MS	140	41.5 14.83 0 0	4.872 8.77 344	No	No	41.67 36.09 13 5.58	17196 5500 Steel	No 1 FIXED	IB FEATH 3				
Sailor Dog	Catalina 34 1&2	1798	162 657 205	2007	44 13.5 ALUMN MS	110	44 13.5	38.5 12 229	2.8 5.9	No	Yes 40.5 38 22.5	20.5 723 0 0	34.5 29.8 11.7 5.6	11950 5000 Lead	0 1 FIXED	IB Fixed_3 3	In-Mast furling main +3 sec/mi, MGM less than 50% of E +3 sec/mi	
Salt Peanuts	Custom Dees GP 26	18	78 562 111	2008	29.35 8.07 CARBON FS	130	36.43 14.32	32.42 12.63 258	5.58 8.69	No	Yes 43.5 31.76 19.85	20.41 626 6.23 0	25.72 21.22 8 6.04	2340 1100 Lead	0 1 FIXED	OB None 0	(mtg 2/18/10, change custom rating from 75 to 78)(3/28/12, New Rudder Noted)	
Salty Hotel	Express 27 ODR	60	129 611 83	1983	28.5 9 ALUMN FS	155	28.5	28.5 10.416 182	4.22 7.03	Yes 29 17.75 17.75	9.83 429	No 0 0	27.25 23.75 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0		
Samba Pa Ti	J 22	3	186 674 119	1982	24.8 8.8 ALUMN FS	125	24.8 8.8	26.1 9 147	3.78 6.27	Yes 24 16 16	8.8 320	No 0 0	22.5 19 8 3.8	1790 700 Lead	0 1 FIXED	OB None		
Sapphire	Synergy 1000	38008	48 532 81	2004	40.8 12 CARBON FS	125	45.75 16.4	42 15.5 387	5.86 10.03	No	Yes 52 46.2 28.8	28 1172 4.3 0	32.83 29.17 9.75 7	4400 1850 Lead	No 1 FIXED	IB FOLD 2	(Mtg 10/22/15, +3 sec/mi for smaller than class mainsail)	
Scarlett	Moore 24	86	150 636 91	1980	26.25 9.75 ALUMN FS	150	26.25	25 9.5 147	3.89 6.45	Yes 26.5 17.5 17.5	9.75 386	No 0 0	24 21.75 7.17 4.08	2050 1000 Lead	No 1 FIXED	OB None		

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst		
								SL	SPL	SLU	ASA						
								SSMG SSF	SSA	SLE ASMG	Fixed or _o						
Serendipity	CAL 29-1 IB	6601	180	1974	37.833 12.333 ALUMN MS	155	37.833 12.67	31.666 4.332 12.166 7.573 0 223 0	4.332	Yes	No	29.25 24.17 9.25 4.75	8000 3350 Lead	No 1 FIXED	IB FOLD 2		
Serenity	Islander 36 ODR	82659	144	1973	45 14.48 ALUMN MS	135	45	39.25 3.69 12.75 6.88 265	3.69	Yes	No	36.08 28.25 11.17 6.083	13500 5450 Lead	0 1 FIXED	IB Feath		
SF	CAL 25-1 OB	1062	225	1969	29.75 10 ALUMN MS	120	29.75	25 4.17 11 7 163	4.17	No	No	25 20 8 4	4000 1700 Lead	0 1 FIXED	OB None		
Shanti	Ericson 911S Olson	326	132	1989	41.5 12.33 ALUMN MS	150	41.5 12.33	35.5 4.73 11.83 7.69 0 253 0	4.73	Yes	No	29.92 25 10.33 5.42	8700 3200 Lead	0 1 FIXED	IB FOLD 2	CHANGE TO RUDDER NOTED, NCTR	
Shenanigans	Express 27 ODR	67	129	1983	28.5 9 ALUMN FS	155	28.5	28.5 4.22 10.42 7.03 0 182 0	4.22	Yes	No	27.25 23.75 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0		
Short Bus	Hunter 35 Legend	210	138	1990	42 12.17 ALUMN MS	110		44.08 5.5 14.25 9.2 375	5.5	No	Yes	24.6 957 0 0	35.58 29.75 11.75 6.5	12600 5000 Lead	0 1 FIXED	IB Fixed_2	
Shut Up & Drive	J 24 ODR	513	168		26.25 9.5 ALUMN FS	150	26.25	28 3.7 9.75 6.37 0 163 0	3.7	Yes	No	24 20 8.916 4	3100 965 Lead	No 1 FIXED	OB None 0		

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst	IB or OB Prop Type # of blades	
								SL	SPL	SLU	ASA						
								SSMG SSF	SSA	SLE ASM	SA						
Siento El Viento	C&C 29	38311	1977	39.5 12.8 ALUMN MS	155	33.5 10.1		Yes	No		29.5 23.6 10.5 5.25	7500 2700 Lead	No 1 FIXED	IB Fold 2			
Simply Irresistible	Express 27 ODR	18070	1983	28.5 9 ALUMN FS	155	28.5 10.416 0 0	4.22 7.03 182	Yes	No		27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0			
Sir Leansalot	Hunter 40	161	1986	53.9 17 ALUMN MS	125	53.9 17 13.9 0 0	5.2 9 396	Yes	No		39.7 32.5 13.5 6.5	17400 6000 Iron	0 1 FIXED	IB Fold 2			
Sirena	Ericson 32-2	18319	1972	35 13 ALUMN MS	110	35 13 239	4.9 8.4 239	Yes	No		31 24 9.8 5	8800 4000 Lead	0 1 FIXED	IB Fixed_2 2			
Six Brothers	Columbia C 30-2	32006	2013	36.67 12.67 ALUMN FS	103	42 17.67 14.67 374	7.77 10.64	No	Yes	31.5 1145 0 0	32 27 10.13 7.42	4500 1900 Lead	0 1 FIXED	IB None			
Skinny Love	11 Metre ODR	92	1996	32.53 10.166 ALUMN FS	95	41 13.583 0 0	5.23 8.82 293	Yes	No		33.67 26.92 8.67 5.42	3600 1600 Lead	No 1 FIXED	OB None 0	MTG 4/9/98. Sail number 90, using sail # 246 for Vallejo 2008		
Slight Disorder	Moore 24	98	1981	26.25 9.75 ALUMN FS	150	26.25 9.75 0 0	3.91 6.5 147	Yes	No		23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0			

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps Ballast moveable blst Ballast Mat. Keel Type		
								SL	SPL	SLU	ASA						
								SSMG SSF	SSA	SLE	ASMG						
SLOWMO!	Catalina 22-1 OB SK	2482	270	1973	25.93 8 ALUMN MS	150	21 9.66	3.47 5.96	118	No	No	21.6 19.4 7.8 5	2250 550 Iron	0 1 MVBL	OB None 3		
Snafu	Moore 24	121	150	1982	26.25 9.75 ALUMN FS	150	26.25 9.5	3.91 6.5	147	Yes	No	23.75 21.75 7.16 4.08	2050 1000 Lead	0 1 FIXED	OB None		
Sobrante	Alerion Express 28 ODR	406	168	2009	30 9.75 ALUMN FS	90	30 9.75	12.5 7.6	241	No	No	28.25 22.83 8.2 4.5	5700 2200 Lead	0 1 FIXED	IB Fold 2		
Soiree	Beneteau Oceanis 49 SD	38776	87		59.75 18.42 ALUMN FS	135	59.75 18.42	51.67 4.7 18.33 9.3 480		No	Yes	29.41 55.73 1210 50.72 0 26.75	0 1 FIXED	30517 480 Iron	IB Feath	Electric Winches (Mtg 10/27/16, +3 sec/mi for In-mast furling mainsail)	
Sparky	Catalina 25 FK	1498	222	1979	29 10.5 ALUMN MS	145	29 10.5	24.66 3.68 9.58 1.45 102		Yes	Yes	17.9 369 22.16 8 4	4550 1900 Cast Iron	0 1 FIXED	OB None 0		
Spirit of Freedom	J 124	38006	27	2006	49 14 CARBON FS	155	54.7 15.4	48.4 17		Yes	Yes	32.6 1243 55.1 1244 51.9 0 26.7	0 1 FIXED	12600 5000 Lead	No 1 FIXED	IB FOLD 2	(mtg 4/22/10, -3 sec/mi for OSP, -3 sec/mi for ability to square back pole)
Starbuck	Custom Black Soo 30	8666	144	1968	30 13 ALUMN MS	125	29.5 13	25 4.9 11.73 7.5 0 178 0		Yes	No	20.4 565 27.5 6.8 6.4	4500 1800 Iron	0 1 FIXED	OB None 0	(Mtg 1/17/02, added scoop, custom rating changed from 144 to 141)(mtg 1/11/13, Added A-sail, -9 sec/mi, rating changed from 141 to 132)(Mtg 5/13/14, removed A-Sail, +9 sec/mi, change custom rating from 132 to 141, +2 sec/mi for small headsail)	

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications			
				I J	Max Headsail		P E PY EY	MGU MGM MSA	Yes/No		Yes/No			Ttl Disp.	Traps/H.			Strps		
									SL	SPL	SLU	ASA							Ballast	moveable blst
SSF	SSA	ASM	Fixed or _o																	
Sterling	Catalina 34 1&2	1269	1994	44 13.5	125	38.5 12	3.6 6.8	No	No			35.66 29.84 11.75 5.56	11950 5000 Lead	0 1 FIXED	IB Fixed_2					
Stewball	Express 37	18278	1985	48.75 14.33	150	48 13.75 0 0	5.28 8.83 344	Yes	No	48 25.7 24.76	14.33 1020	37.083 30.833 11.57 7.25	11000 4500 Lead	0 1 FIXED	IB FOLD 2					
Stink Eye	Laser 28 ODR MOD	33562		31.73 9.65	110	33.14 12.3 0 0	5.2 8.3 252	Yes	Yes	32.5 19.5 19.5	11.3 528	19 546 0.92 5	28.42 23.62 9.48 5	4050 1500 Lead	No 1 FIXED	OB FOLD 2	(Mtg 3/27/14, -3 sec/mi for oversized mainsail girths, -3 sec/mi for OB motor)			
Strange Magic	Islander Bahama 30	179	1981	40 12.75	150	33.75 11.5	4.37 7.47	No	No			29.92 24.58 10 5	8230 3130 Lead	0 1 FIXED	IB Fold					
Stratocaster	J 32	16	1996	39.2 11	155	38.5 15.5 0 0	5.88 10.07 355	Yes	Yes	39 20.4 19.75	11 659	23.95 831 0 23.95	32.5 28.67 11 5.75	10000 3840 Lead	No 1 FIXED	IB FOLD 2				
Summertime Dream	Custom Schumacher 26	18859	1979	26.28 8.07	150	29.58 10.76 0 0	4.33 7.23 195	Yes	No	25.67 14.52 14	8 308		26.08 20 9.08 5.08	3300 1360 Lead	0 1 FIXED	OB None 0	Boat has previously been called "War"			
Surprise	Custom Schumacher 46	28098	1997	57 17	160	57 19.75 0 0	7.5 12.8 670	Yes	Yes	62.4 33.6 33.6	18.7 1747	37.23 1681 0 90	46 40.63 12.92 7.75	18300 8000 Lead	No 1 FIXED	IB FOLD 2	(MTG 4/9/98)(mtg 2/20/04)			

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps Ballast moveable blst Ballast Mat. Keel Type		
								SL	SPL	SLU	ASA						
								SSMG SSF	SSA	SLE ASMG	Fixed or _o						
Swamp Donkey	Express 27 ODR	8444	129	1981	28.5 9 155	28.5	28.5 10.416 0 0	4.22 7.03 182	Yes	No	27.25 23.75 8.166 4.5	2450 1100 Lead	No 1 FIXED	OB None 0			
Sweet Grapes	Ericson 36 Holland	19	108	1981	47.75 14.5 147	47.75	42 12	3.5 7.2 278	Yes	No	35.58 29 11.83 6.25	11600 5230 Lead	0 1 FIXED	IB FOLD 2			
Sweet Okole	Custom Farr 36	29000	78	1976	42.049 12.35 155	42.049	44.54 16 0 0	5.9 10 416	Yes	No	36 31.33 11.88 7	9696 3750 Lead	No 1 FIXED	IB FOLD 2	(78 MTG 1/28/93) (81 MTG 3/18/93)(Mtg 5/22/08, +3 sec/mi for switching to smaller headsail, +3 sec/mi for removing 250# shoe from keel, change custom rating from 81 to 87)(6/7/10, change headsail to 155% 2 sec/mi change rating		
Sweet Pea	Islander 30-2	195	186	1971	38.5 12.58 155	38.42	32.5 11.58 0 0	4.75 8.125 235	Yes	No	30 24.58 10 5	8600 3500 Lead	0 1 FIXED	IB FOLD 2			
Sweet Tea	Moore 24	105	150	1981	26.25 9.75 150	26.25	25 9.5	3.91 6.5 147	Yes	No	23.75 21.75 7.16 4.08	2050 1025 Lead	0 1 FIXED	OB None			
Sweetspot	C&C 121 DK W/5' BS	46921	60	2000	57 15 135	57 20	51 16.386 0 0	6.19 10.6 496	No	Yes	40 35.5 13.8 8	14100 5500 Lead	No 1 FIXED	IB FOLD 2	Deep Keel-bowsprit, (Mtg 4/24/08, rating appeal submitted, change base rating for C&C 121 DK w/ 5' BS, aka C&C 121 XP, to 60)		
Swift Ness	J 111	101	36	2014	48.37 13.85 105	51.4 20.08	45.17 14.5	6.1 10.1 410	No	Yes	36.5 32.7 10.8 7.2	9300 3500 LeadSteel	0 1 FIXED	IB Fold			

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications																
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps moveable blst																		
								SL	SPL	SLU	ASA																						
								SSMG SSF	SSA	SLE	ASMG							Ballast Mat.	Keel Type														
Take Five	Express 27 ODR	28031	129	1982	28.5 9	155	28.5	28.5	4.22	10.416	7.03	29	9.833	17.75	429	182	17.75	No	<input type="checkbox"/>	0	0	27.25	23.75	8.17	4.5	2450	0	1100	1	Lead	FIXED	OB None 0	
TASHI	Catalina 30	2010	189	1976	41 11.5	110	41	35	4.63	11.5	7.72				246			No	<input type="checkbox"/>	0	0	29.92	25	10.83	5.25	10200	0	4250	1	Lead	FIXED	IB Fixed_3 3	
TAZ!!	Express 27 ODR	8100	132	1981	28.5 9	125	28.5	28.5	4.23	10.42	7.04	28.58	9.83	13	332	182	17.75		<input type="checkbox"/>	0		27.3	23.8	8.17	4.5	2450	0	1100	1	Lead	FIXED	NONE None	
Tequila Mockingbird	Express 27 ODR	18353	126		28.5 9	155	32.5	28.5	4.22	10.416	7.03	30.5	9.833	18.25	460	17.5	17.5	18.85	450	0	90	27.25	23.75	8.17	4.5	2450	No	1100	1	Lead	FIXED	OB None 0	(Mtg 4/23/15, switched to MH configuration, -3 sec/mi for increased spinnaker area)
TESA	Catalina 42-1/2	642	102	1999	53 16.41	155	53	46.75	5.91	15.416	10	48.833	16	28	1134	27.333		31	1275	0		41.83	36	13.83	6.8	25500	0	8300	1	Lead	FIXED	IB FEATH 3	Added one electric main halyard winch
The Belafonte	Santana 22 ODR	5000	237	1970	26 8.5	110	26	21.75	3.95	9.833	6.59	26	8.583	15.44	335	15.44			0			22	18.67	7.833	3.5	2600	No	1230	1	Iron	FIXED	OB None 0	
The Jackal	Moore 24	22	150	1977	26.25 9.75	150	26.25	25	3.91	9.5	6.5	26.6	9.75	17.55	389	17.55			0	0		23.75	21.75	7.16	4.08	2050	0	1025	1	Lead	FIXED	OB None	

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications			
		Sail #	DW Rating		I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No		Yes/No	ASF		LOA LWL	Ttl Disp.	Traps/H. Strps		IB or OB Prop Type # of blades		
										SSMG	SPL SSA		SLU SLA	ASA			Max Beam			Ballast	moveable blst
Disp/WL Ratio	Mast Material	PY EY	MSA	SSFG	SSA	SLE	Fixed or _o	Max Draft	Ballast Mat.	Keel Type											
The Mighty Windsong	International Folkboat OB	567	228	1969	26	155	26	28.8	4.44	Yes	No		25.75	5000	0	OB					
			817		8.3	155	8.3	11.2	7.34				19.75	2750	1	None					
			295		ALUMN				195			0	7.5	Iron	FIXED						
					MS						<input type="checkbox"/>	0	4								
Tiburon	C&C 30 Mills	11	36	2014	40.8	105	46.74	41.8	7	No	Yes	31.5	30	3995	0	IB					
			495		11.28	105	18.6	14.2	10		52.9	1284	28.7	1579	1	Fold					
			77		CARBON				387		46.16	7	9.8	Lead	FIXED						
					FS						31	<input checked="" type="checkbox"/>	0								
Tijd	Beneteau First 30	45	102	2011	41.66	105	42.16	40.2	6.24	No	Yes	25.5	31.7	8267	0	IB	(Mtg 8/27/15, -3 sec/mi for OSP, +6 sec/mi for small spinnaker)				
			602		13.78	105	15.7	14.25	9.38		45.6	866	27.5	2403	1	Fold					
			181		ALUMN				354		40.5	1	10.5	Cast Iron	FIXED						
					FS						23.8	<input type="checkbox"/>	90								
Tiki Blue	Beneteau 423	38423	105	2005	48.65	125	48.65	43.44	5.49	Yes	No		41.67	20224	No	IB					
			580		16.52	125	16.52	14.83	9.6				38.58	5569	1	FOLD					
			160		ALUMN				381			0	12.92	Iron	FIXED	3					
					MS						<input checked="" type="checkbox"/>	0	6.92								
Timber Wolf	Farr 38-1 C&B Marine	67519	75	1980	43.91	155	47.9	44.83	6.7	Yes	No		38.32	12000	0	IB	(REDUCED MGM, ADDED 6" TO RUDDER LENGTH -NOTED NCTR-2/15/01)(-3 sec/mi for oversized spinnaker)				
			579		13.36	155		17.91	11.6				30.9	4100	1	FOLD					
			185		ALUMN			0	476			0	11.97	Lead	FIXED	2					
					FS			0			<input type="checkbox"/>		6.39								
Tinker	Wilderness 21	6	225	1977	25	125	25	25	2.83	Yes	No		20.5	1870	No	OB	Added roller furler				
			718		8.67	125		8	4.66				17.8	1070	1	None					
			151		ALUMN			0	113			0	7.25	Lead	FIXED						
					MS			0			<input type="checkbox"/>		4								
Topgallant	Tartan 10	18608	129	1978	35	125	35	40.25	5.34	Yes	No		33.16	6700	No	IB	(4/25/02 Installed Running Backstay)				
			623		11.75	125		13.75	8.96				27	3340	1	FOLD					
			155		ALUMN			0	332			0	9.25	Lead	FIXED	2					
					FS			0			<input type="checkbox"/>		5.83								

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications		
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps moveable blst				
								SL	SPL	SLU	ASA							Ballast Mat.	Keel Type
								SSMG SSF	SSA	SLE ASMG	ASA								
Tortuga	Westsail 32	207	1974	31.2 18.4 ALUMN CTR	150	38.3 15.1		No	No			32 27.6 11 5	19500 7000 Lead	0 1 FIXED	IB FOLD 3				
Tortuga	Pyramid 660 ODR MOD	8375	1981	21.82 6.8 ALUMN FS	104	28 7	25.7 4 10.5 6.8 161	Yes	No			21.8 18.1 6.2 3.9	850 400 Lead	2 1 FIXED	OB None 2	(Mtg 5/20/10, removed trapeze +18 sec/mi, hiking straps still allowed)(1/24/13, added upper spreaders & stays, NCTR)			
Toypedo	Ranger 26-2	67341	1980	26.4 9 ALUMN FS	150	28 9	30.5 4 11 7 197	Yes	No			26 20 8 5	3000 1140 Lead	0 1 FIXED	OB None	Fixed Keel, No daggerboard			
Traveler	Express 34	97089	1987	44.3 13 ALUMN MS	150	44.3	38.5 4.87 12.83 8.46 0 296 0	Yes	No			34 28.3 10.5 6	8500 3700 Lead	0 1 FIXED	IB FOLD 2	-6 FOR OVERSIZED SPINNAKER			
Trois Amis	Screamer 12 Meter MOD	194	1985	44.58 15.75 ALUMN MS	140	44.58	41 5.3 14.2 9.2 345	Yes	No			39.37 32.5 10.33 7.67	6000 1350 Lead	0 1 FIXED	OB None	(mtg 3/23/17, custom rating of 36 assigned)			
Tule Fog	Express 27 ODR	18178	1984	29 9 ALUMN FS	155	28.5	29 4.22 10 7.03 182	Yes	No			27.3 23.8 8.166 4.5	2450 1100 Lead	n 1 FIXED	OB None 0				
Tule Lost	Ericson 911S Olson	28911	1988	41.5 12.33 ALUMN MS	155	41.5	35.5 4.73 11.083 7.69 0 247 0	Yes	No			29.92 25 10.33 5.42	8680 3200 Lead	No 1 FIXED	IB FOLD 0	MUST HAVE YACHT CLUB MEMBERSHIP CARD WITH ENTRY FORM FOR 2006 RACING			

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications		
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps moveable blst				
								SL	SPL	SLU	ASA							Ballast Mat.	Keel Type
								SSMG SSF	SSA	SLE ASMG	Fixed or _o								
Turbo Camper	Hobie 33 ODR MOD	87574	1984	33.28 12.4 ALUMN FS	155	36.5 13.13	35 12.5 0 0	4.75 8.1 261	No	37 23.6 23.6	13.13 728	Yes 39 34.2 23	23 702 0.6 90	33 30.5 8 5.42	4200 1900 Lead	1 FIXED	OB None 0	(Mtg 3/29/12, -3 sec/mi for displacement changes)	
Twist	J 120 ALUM	28442	2000	50.5 14.5 ALUMN FS	150	52 21.5	46.5 17.8 0 0	6.75 11.5 492	No			Yes 64 50.6 37.65	34.1 1764 7 0	40 35 12 7	13900 6000 Lead	No 1 FIXED	IB FOLD 2		
Twisted	Farr 40 ODR MH	40046	1999	53.15 15.45 CARBON FS	105	50.04 17.06	54.8 19.36	8.49 13.77	Yes	60.69 34.39 34.44	17.06 1740	No	0 0	40.7 35.3 13.2 8.53	10902 4960 Lead	0 1 FIXED	IB FOLD 2	(Mtg 12/1/11, interior mods for IRC, smaller mainsail: NCTR)(Mtg 5/24/12, switching to MH ODR configuration)	
Tyr	J 125	52125	2000	49 14.8 CARBON FS	155	52 23.4	46.5 18	6.79 11.65	No		23.4	Yes 62.17 52.49 38.09	39.3 1831 0 0	41 37 10.6 7.9	8350 4646 Lead	0 1 FIXED	IB Fold 2		
U Decide	Ultimate 20	155	2001	26.08 6.97 ALUMN FS	114	27.58 12.79	27.33 10.17	5.5 7.96	No			Yes 30.42 28.42 17.67	17.7 433 6 0	20.83 18 8.33 5	1350 450 Lead	0 1 FIXED	OB None 0		
UHOO!	Ultimate 20	64	1996	22.8 7 ALUMN FS	100	27.58 13	27.5 10.33	5.3 7.96	No			Yes 31.3 28.4 17.6	19.2 446 6	20.8 18 8.166 5	1100 450 Lead	No 1 CENTER	OB None 0		
Uno	Wyliecat 30 IB	28632	1995	35.8 5.5 CARBON CAT		35.8 12	39.66 19.75	9.31 13.05	No		12	Yes 37.02 32.8 18.7	19.68 550 0 90	30.5 25 9.5 5.25	5800 3000 Lead	0 1 FIXED	IB FOLD 2	(mtg 2/21/08, penalty for oversized main -3 sec/mi)(Mtg 5/22/08, -24 for asymmetric spinnaker flown on 12' pole)(1/24/16, not using spinnaker +24 sec/mi)	

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
		Sail #	DW Rating		I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.	Traps/H. Strps		IB or OB Prop Type # of blades
									SSMG SSF	SPL SSA	SLU SLE ASMG	Ballast				moveable blst		
USA 76	IACC	76	-78	2002	83.99 27.17	100	49.5 20.58	99.18 14.12 30.19 20.33	No	No	0 0	82.6 61.6 11.9 13.45	52910 39683 Lead	No 1 FIXED	IB Fold	(mtg 12/5/13, custom rating of -78 assigned)		
Velvet Hammer	Schock 40	51507	-12	2000	42.5 13.6	104	49.5 20.58	44.4 7.2 16.8 11.8	No	Yes	33.92 1459 7 0	40 35 10 8	7914 1800 Lead	No 2 MOVABL	OB None 0	(mtg 10/21/09, switched to 104% headsail, from 150%, smaller girths on mainsail. Change custom rating from -18 to -12)		
Vento	Swan 391	40841	99		53.5 16.25	95	53.5 16.25	47.25 5.5 14 9.2	Yes	Yes	26 1014 0 0	39.9 33.1 12.4 7.2	18900 6800 Lead	0 1 FIXED	IB Fold			
Ventus	J 88	60	81	2015	38.67 11.28	104	46 18.05	36.82 5.44 12 8.4	No	Yes	29 1022 5.25 0	29.19 26.84 9.5 6.5	4990 1840 Lead	0 1 FIXED	IB Fold			
Vera Cruz	Sunsail F40 ODR	1003	42	2012	52.69 15.09	105	56.54 17.06	51.15 6.53 17.65 11.42	No	Yes	30.32 1200 1.98 0	40.15 35 12.76 8.04	17437 6609 Lead	0 1 FIXED	IB Fold 2			
Verve	Express 27 ODR	18283	129	1981	28.5 9	155	28.5	28.5 4.22 10.416 7.03	Yes	No	0 0	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0			
Vip	Farallone Clipper FR	7	159	1957	36.82 14	155	36.82	40.5 6.16 18.5 10.979	Yes	No	0 0	38 28.75 9.5 5.6	19000 7000 Iron	No 1 FIXED	IB Fixed_3 3			

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications				
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No	ASF	Ttl Disp.		Traps/H.	Strps						
								SL	SPL									SLU	ASA	Ballast	moveable blst
								SSMG	SSA									SLE	Sprit Lngth Fixed or _o		
Vita E Bella	Catalina 42-1/2	989	2007	53 16.5 ALUMN MS	155 16.5	46.9 5.2 15.6 9.5	5.2 415	No	Yes	27.3 53.8 1105 36	41.83 36	24400 3765 Lead	0 1 FIXED	IB FOLD 3	(mtg 3/28/13, -3 sec/mi for added sprit)						
Vitesse Too	Hobie 33 ODR	87112	1983	33.8 12.4 ALUMN FS	125 36.8	35 4.75 12.4 8	4.75 8	Yes	No	13.25 36.2 13.25	33 30.5 8 5.5	4000 1800 Lead	No 1 FIXED	OB None 0	Extended rudder 10", NCTR						
Void Star	Santa Cruz 40	59995	1982	52 16 ALUMN MS	135 52 18.67	45.5 5.2 14 8.58	5.2 370	No	Yes	16 56.2 1238 48.32 0 27.13	40 36 12 7	12500 5000 Lead	0 1 FIXED	IB FEATH 2	(Mtg 10/22/15, -6 sec/mi for 20% increase in JSP)(4/6/16, +3 sec/mi for non-articulating spinnaker)						
Vuja Star	J 105 ODR w/ 5'BS	181	1998	40.6 13.5 ALUMN FS	100 42.1 19.07	41.5 5.5 14.5 9.4	5.5 358	No	Yes	29.5 49.52 958 39.8 5.5 24.8	34.5 29.5 11 6.5	8733 3400 Lead	0 1 FIXED	IB Fold 2							
Warpath	Olson 30 OB	198	1982	36 11.75 MS	150 35.9 11.67	31.5 4.364 10.75 7.268	4.364 7.268	Yes	No	11.75	30 27.5 9.33 5.08	3600 1800 Lead	No 1 FIXED	OB None 0							
Warwhoop	Contessa 33	63336	1984	37.916 11.17 ALUMN FS	100 37.93	39.416 5.31 13.86 9	5.31 9	Yes	Yes	11.17 36.1 11.17	33 25.52 11.08 5.8	8375 3700 Lead	No 1 FIXED	IB FOLD 2	(Mtg 1/26/17, -3 sec/mi for oversized asymmetric area)(Mtg 2/23/17, -3 sec/mi for oversized symmetric spinnaker area)						
Wet Corvette	Melges 30	103	1994	36.85 10.59 CARBON FS	150 36.85 18.96	38 15.49		No	Yes	8.4 90	30 28.6 9.1 7	3800 1750 Lead	0 1 MVBL	IB FOLD 2							

Boat Name	Boat Model (Type)	Rating		I J Max Headsail Mast Material Rig Type	ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications			
		Sail #	Built			P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast			Traps/H. moveable blst		
								SL SPL SSMG SSF	SPL SSA SSA	SLU SLE ASMG	ASA Sprit Lngth Fixed or _o							Ballast Mat.	Keel Type
Wetsu	Express 27 w/J length pole	70	1983	28.5 9 155	28.5	28.5 10.42 0 0	4.22 7.03 182	Yes	No	29 9.833 17.7 427 17.5	No	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0	-6 Sec/mi OSP			
White Bear	Nonsuch 30	431	1987	ALUMN CAT		45 24	8.68 15.12 629	No	No			30.33 28.75 11.9 5	11500 4500 Lead	0 1 FIXED	IB Fold 3				
White Cloud	Yamaha 33 IK SM	28688	1979	42.8 13.78 150	42.8	37.42 10.67	4.38 7.27 247	Yes	No	44 24 24	13.78 880	33.25 26.92 11 6.2	10582 4409 Iron	0 1 FIXED	IB Fixed_2				
White Jacket	Etchells 22 ODR	901	1991	27.27 8.22 90		32.49 11.57 0 0		Yes	No	8.22		30.5 22 6.83 4.5	3337 2105 Lead	0 1 FIXED	OB None 0				
White Shadow	J 88	23	2014	38.67 11.28 104	46 18.05	36.82 12	5.44 8.4 282	No	Yes	29 47.83 40.84 27.32	1022 5.25 0	29.19 26.84 9.5 6.5	4990 1840 Lead	0 1 FIXED	IB Fold				
White Trash	Moore 24	78	1979	26.25 9.75 150	26.25	25 9.5	3.91 6.5 147	Yes	No	26.6 17.55 17.55	9.75 389	23.75 21.75 7.16 4.08	2050 1025 Lead	0 1 FIXED	OB None 0				
White Wabbit	Wylie Wabbit ODR W/Trap	19	1982	20.5 6.6 110	26.1	23.75 10 0 0	4.03 6.72 145	Yes	No	21.6 14 14	8.6 252	23.75 20 5.58 3.5	975 440 Lead	Yes 1 FIXED	OB None 0				

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications							
		Sail #	DW Rating		I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No		Yes/No		LOA LWL	Ttl Disp.	Traps/H.	Strps		IB or OB						
										PY	MSA	SL	SPL							SLU	ASA	Max Beam	Ballast	moveable blst	Prop Type
Disp/WL Ratio	Mast Material	Rig Type	SSMG	SSA	SLE	Sprit Lngth	Max Draft	Ballast Mat.	Keel Type	# of blades															
Wicked Sister	Farr 36 ODR	3	9	2004	46.78 13.19	110	54.82 21.06	49.93 18.63	8.53 12.96	No	Yes	36.28 1751	36.1 32.8	6745 3076	0 1	IB Fold									
			473		CARBON						55.05	7.36	11.72	Lead	FIXED										
			87		FS						36.05	<input checked="" type="checkbox"/>	0												
Wild 1	Flying Tiger 10 Meter ODR	41	54	2007	39.284 12.126	105	45.282 19.134	40.167 14.895	6.463 10.499	No	Yes	27.493 1087	32.68 30.31	4376 1918	0 1	OB None									
			517		CARBON						42.651	7.008	9.12	Lead	FIXED										
			71		FS						27.76	<input checked="" type="checkbox"/>	0												
Wild Spirit	Wylie 36	0	141	1970	44.67 14.75	100	44.67 14.75	40.75 14	5.3 9.1	No	Yes	23.5 815	36.5 30	13720 5575	0 1	IB Fixed_2	(Mtg 3/24/16, same hull as "Alert", +3 sec/mi for small "I", +3 sec/mi for no spinnaker articulation)								
			642		ALUMN						39.66	0	10.9	Lead	FIXED										
			231		CTR						23	<input checked="" type="checkbox"/>	0												
Wildcard	Santa Cruz 37	37005	27	2009	47.1 13.4	107	52.17 19	47 17	6.4 11	No	Yes	33.3 1534	37 34.75	8662 3730	0 1	IB FOLD	(Mtg 1/26/16, new keel box & rudder noted, NCTR)								
			507		CARBON						50.85	5.6	10.64	Lead	FIXED										
			94		FS						33.3	<input checked="" type="checkbox"/>	0												
Wildcat of Loch Awe	S-2 7.9 FR DB	59838	165	1983	31.83 9.5	135	31.83	29.42 12.33	4.75 7.92	Yes	No		25.92 21.67	4250 1750	0 1	OB None									
			685		ALUMN						17.08	432	9	Lead	AGGERBR										
			190		FS						17.08		0												
Wild-Type	Ericson 32-2	614	186	1975	38 13	155	13	31.5 13	4.53 8.19	No	Yes	22.23 639	31.58 24	8800 4000	0 1	IB Fixed_3	Roller Furler								
			707		ALUMN						35.38	0	8.67	Lead	FIXED										
			289		MS						20.01	<input checked="" type="checkbox"/>	0												
Willow	Wauquiez 40s Centurion	38300	69	2004	51.5 14.17	110	51.5	49.21 19.3	7.3 12.5	Yes	Yes	28.54 1155	41.17 36.4	18960 6085	No 1	IB FEATH	(mtg 3/18/10, -3 sec/mi for oversized a-sail.)(mtg 1/27/11, - 3 sec/mi for added sprit)								
			573		ALUMN						25.54	1080	46.75	Lead	FIXED										
			179		FS						25.54		2.4												
											27.66	<input checked="" type="checkbox"/>													

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst		
								SL	SPL	SLU	ASA						
								SSMG SSF	SSA	SLE	ASMG						
Wimm	Jeanneau Sun Odyssey 349	38105	141	2016	43.6 12.37 ALUMN MS	112	40.68 13.62	4.9 8.2 318	No	No		33.92 30.84 11.29 6.86	11770 3483 Cast Iron	0 1 FIXED	IB Fold		
Wind Blown Hare	Wylie Wabbit ODR W/Trap	29	126	1982	20.5 6.5 ALUMN FS	150	23.75 10 0 0	4.03 6.72 145	Yes	No		23.75 20 5.583 3.5	975 440 Lead	1 3 FIXED	OB None 0		
Wind Speed	J 30	39963	141	1980	34.19 11.5 ALUMN FS	155	37.5 12.5 0 0	4.9 8.1 281	Yes	No		29.83 25 11.18 5.25	6700 2100 Lead	No 1 FIXED	IB FOLD 2	+6 sec/mi for J length pole (mtg 11/16/01)	
Windswept Lady	X-362 Classic	50980	96	1998	46.6 12.9 ALUMN MS	125	40.6 14.1	5.05 8.86 333	Yes	Yes	26.7 878	35.1 30.4 11.4 6.2	12320 5170 Lead	0 1 FIXED	IB Fold		
Windtrip Infinity	J 92s	35	96	2006	40.68 11.48 ALUMN FS	107	44.08 16.67 13.95	5.42 9 324	No	Yes	23.25 878 5.17 0	30 26.7 10 6.24	5610 2317 Lead	0 1 FIXED	IB Fold		
Windwalker	Islander 36 ODR	57307	144	1976	45 14.48 ALUMN MS	150	39.25 12.75 0 0	4.8 8.2 297	Yes	No		36.08 28.25 11.17 6.08	13450 5820 Lead	No 1 FIXED	IB FOLD 2		
Wingman Racing	J 70 ODR	584	114	2014	26.77 7.68 CARBON FS	100	30.15 13.5 9.44	4.71 6.93 164	No	Yes	18.7 491 5.1 0	22.75 20.47 7.38 4.95	1750 630 Lead	0 1 MVBL	OB None		

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications			
		Sail #	DW Rating		I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.	Traps/H. Strps moveable blst		IB or OB Prop Type # of blades		
									SL	SPL	SLU	ASA							Ballast Mat.	Keel Type
Wings	Columbia 5.5 M ODR	31	177	1965	29.125 8.25	96	30	34 11.416	4.59 7.65	Yes	No	29 24 24	8.25 580	<input type="checkbox"/>	0	32.416 25 6.25 4.33	4400 2800 Lead	No 1 FIXED	NA None 0	
Wood Eye	Catalina 38	111	123	1981	49.83 15.5	110	49.83 15.5	44 11.5	4.7 7.9	Yes	No	49 27.9 27.9	15.42 1139	<input type="checkbox"/>	0	38.17 30.25 11.83 6.75	15900 6850 Lead	0 1 FIXED	IB Fixed_2 2	
WooHoo	Moore 24	80	150	1980	26.25 9.8	150	26.25	25 9.5	3.91 6.5	Yes	No	27 17.55 17.55	9.75 395	<input type="checkbox"/>	0	23.75 21.75 7.16 4.083	2050 1025 Lead	0 1 FIXED	OB None 0	
Wuvulu	Islander Bahama 30	61	180	1979	40 12.75	150	38.416	33.75 11.5	4.75 8.125	Yes	No	38.5 22.44 22.75	12.416 722	<input type="checkbox"/>	0	30 24.58 10 5	8600 3500 Lead	No 1 FIXED	IB FOLD 2	
X TA C	Olson 29	18457	99	1986	34 11	155	36	32.42 11.42	4.59 7.66	Yes	No	34 20.25 20.25	11.25 574	<input type="checkbox"/>	0	29.67 27.5 9.33 5.25	3900 1900 Lead	No 1 FIXED	OB None 0	RUDDER REPLACED W/MORE 30 - CHANGE NOTED NCTR.
Xtasea	Catalina 30	0	186	1985	41 11.5	110	41	35.5 11.5	4.63 7.72	Yes	No	40.45 20.7 20.7	11.5 698	<input type="checkbox"/>	0	29.92 25 10.83 5.25	10200 4250 Lead	0 1 FIXED	IB Fixed_2 2	
Xtreme	Hobie 33 ODR	18170	90	1984	33.83 12.4	125	36.25	35 12.5	4.75 8	Yes	No	36 23.4 21.4	13.125 690	<input type="checkbox"/>	0	33 30.5 8 5.42	4000 1800 Lead	No 1 FIXED	OB None 0	

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications			
		Sail #	DW Rating		I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.			Traps/H. Strps moveable blst		
									SL	SPL	SLU	ASA							Ballast Mat.	Keel Type
Yeti	Express 27 ODR	38	129	1983	28.5 9	155	28.5	28.5 10.4	4.22 7.03	Yes	No	27.25 23.75 8.16 4.5	2450 1100 Lead	0 1 FIXED	OB None					
Youngster	IOD ODR	82	156	1937	29.25 8.33	103	41 10.67	38.83 16.25	6.12 10.47	Yes	No	33.42 21.42 6.75 5.333	7100 4100 Lead	No 1 FIXED	NONE None 0	(mtg 1/21/10, switched to Masthead Spinnaker, -12 sec/mi for 40% increase in ISP, -6 sec/mi for oversized spinnaker girths)(138 rating valid for PHRF Races, not valid for IOD Class races. Boat must be in class configuration to sail				
Zamazaan	Custom Farr 52	3883	21	1978	70.4 18.51	135	70.4 18.51	65.2 23.2	8.82 15.08	Yes	No	52.19 47.26 15.45 8.79	25391 9679 Lead	No 1 FIXED	IB FOLD 2	RTG W/USYRU AGE ALLOWANCE IOR RTG W/USYRU AGE ALLOWANCE R=44.9 (1987) 18/24 AS PER PHRF MTG 4/20/95. SHORTENED MAST 6.15 FEET FROM TOP, REDUCED MAINSAIL AREA FROM 24/27 MTG 8/10/95				
Zara	Beneteau 310	144	135	1993	37.04 10.83	135	37.04 10.82	37.8 12.9	5.2 8.9	No	Yes	31.2 27.7 10.5 4.3	7054 2160 Lead	0 1 FIXED	IB Fixed_2					
Zeehond	Newport 30-2	707	174	1976	39.5 12.125	150	39.5	34 10.25	3.6 6.33	Yes	No	30 25 10.5 4.75	8500 2600 Lead	No 1 FIXED	IB FOLD 2					
Zenith	Islander 36 NCPHRF	472	147	1978	45 14.48	135	45 14.8	39.25 12.75	5.05 8.44	No	No	36.08 28.25 11.166 6.083	13450 5820 Lead	No 1 FIXED	IB Fold 2					
Zingara	Islander 36 NCPHRF	484	150	1978	45 14.48	125	45 14.8	39.25 12.75	4.8 8.29	No	No	36.1 28.25 11.17 6.08	13450 5820 Lead	No 1 FIXED	IB Fold 2	Roller Furler				

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail		P E PY EY	MGU MGM MSA	Yes/No SL SPL SSMG SSF	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.		Traps/H. Strps moveable blst Ballast Mat. Keel Type			
Zingaro	Santana 22	5050	1971	26	125	26	21.75	3.95	Yes	No		22	2600	0	OB		
		737		8.5			9.83	6.59				18.67	1260	1	None		
		182		ALUMN MS				131			<input type="checkbox"/>	7.833	Iron	FIXED	0		
Zsa-Zsa	1D 35	35017	1999	42.49	110	44.78	44.46	7.55	Yes	No		35	6500	No	IB		
		520		12.52			18.58	12				31.5	2600	1	Feath		
		95		CARBON FS			0	498			<input type="checkbox"/>	10.75	lead	FIXED	2		
Zwei Flying Fish	San Juan 33s	59733	1981	34.83	134	34.83	39.16	4.66	Yes	No		33.1	6000	0	IB	(Mtg 5/28/15, +3 sec/mi for small rig)	
		606		11.48			12.66	8.08				27.8	3500	1	Fold		
		127		ALUMN FS				292			<input type="checkbox"/>	7.95	Lead	FIXED			
							19.75					5.5					