

NCPHRF - CURRENT FLEET ROSTER

This Roster represents the information on file for boats with a current NCPHRF certificate. If the boat you are looking for is not listed, their certificate is either not current or not yet updated to the list. You can contact the YRA office to verify a boat not found on this list at info@yra.org or via phone at 415.771.9500. This list is updated monthly.

As of: 7/13/2017

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Keel		Engine/Prop IB or OB	Modifications
				I J	Max Headsail	ISP JSP	P E	MGU MGM	SL SPL	SSMG SSA	SLU ASA	ASF		Yes/No	Yes/No		
		DW Rating		Mast Material			PY	MSA	SSMG	SSA	SLE	Sprit Length	Max Beam	Ballast	moveable blst	# of blades	
		Disp/WL Ratio		Rig Type			EY		SSF		ASMG	Fixed or _o	Max Draft	Ballast Mat.	Keel Type		
Abba-Zaba	Tartan 10	8112	1979	35	125	35	40.25	5.34	Yes	No			33.16	6700	0	IB	(+3 sec/mi credit for 125% or smaller headsail)
		623		ALUMN			13.75	8.86					27	3340	1	FOLD	
		155		FS			0	331					9.25	Lead	FIXED	2	
							0				<input type="checkbox"/>		5.83				
Abigail Morgan	Express 27 ODR	18394	1985	28.5	150	28.5	28.5	4.22	Yes	No			27.25	2450	No	OB	
		612		ALUMN			10.416	7.03					23.75	1100	1	None	
		83		FS			0	182					8.166	Lead	FIXED	0	
							0				<input type="checkbox"/>		4.5				
Abacadabra	Antrim 27 CM ODR	28927	1996	28.69	116	37.25	33.75	7.5	No	Yes	25.1		27.83	2900	No	OB	BOWSPRINT IS ARTICULATING
		555		CARBON			14	10.9					23.75	1050	1	None	
		98		FS			0	327					9.25	Lead	FIXED	0	
							0				<input type="checkbox"/>		6				
Absinthe	Moore 24	102	1981	26.25	150	26.25	25	3.91	Yes	No			23.75	2050	No	OB	
		650		ALUMN			9.5	6.5					21.75	1025	1	None	
		91		FS			0	147					7.16	Lead	FIXED	0	
							0				<input type="checkbox"/>		4.083				
Acey Deucy	J 44	97659	1989	60.606	155	60.416	53.51	7.3	Yes	Yes	27		44.83	22770	0	IB	Electric Winches
		547		ALUMN			19.41	12.5					38.58	9000	1	FOLD	
		180		MS			0	615					13.67	Lead	FIXED	2	
							0				<input checked="" type="checkbox"/>		8.14				
Achates	Newport 30-2	6847	1974	39.5	155	39.5	34	3.8	Yes	No			30	8500	No	IB	
		667		ALUMN			10.25	6.6					25	3000	1	FOLD	
		247		MS			0	206					10.67	Lead	FIXED	2	
							0				<input type="checkbox"/>		5.17				

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps moveable blst	IB or OB Prop Type # of blades	
								SL	SPL	SLU	ASA						
								SSMG SSF	SSA	SLE	ASMG						
Ad Lib	Aphrodite 101	8161	1979	36.83 11.81 100	32.23	39.33 11.48 0 0	4.5 6.1 253	Yes	No	32.75 26.33 7.92 5.42	6160 3527 Lead	No 1 FIXED	IB FOLD 2				
Ada Helen	ace	922	2005	53 16.5 155	53 16.5	46.75 15.5		No	Yes	43.8 36 13.1 6	24400 8300 Lead	No 1 FIXED	IB FOLD 3	(Mtg 3/20/08 -6/sec/mi for OSP)(mtg 6/19/08, new larger a-sail, correct size for J, NCTR)			
Adagio	CAL 25-2 OB	216	1979	33 11 150		28 9.5	3.9 6.5 165	No	No	29.25 22 9 4.5	4500 2000 Lead	0 1 FIXED	OB None				
Advantage 3	J 105 ODR w/ 5'BS	84	1994	40.6 13.5 100	42.1 19.07	41.5 14.5 0 0	5.5 9.4 358	No	Yes	34.5 29.5 11 6.5	7750 3400 Lead	No 1 FIXED	IB FOLD 2				
Aerie	CS 36	2160	1980	49 15 155	49	42.75 12.75	4.33 7.58 308	Yes	No	36.5 29.25 11.5 6.25	15500 6500 Lead	0 1 FIXED	IB Fold				
Afterburner	Synergy 1000	1001	1999	40.75 12 110	45.75 16.4	42 15.5	6.99 11.03 417	No	Yes	32.83 29.17 9.75 7	4600 1850 Lead	0 1 FIXED	IB Feath 2				
Ahi	Santana 35	30980	1981	39 12.85 155	39	42 14.25	5.51 9.26 358	Yes	No	35 26.5 11.92 6.25	8500 3300 Lead	0 1 FIXED	IB Fold 2	(Mtg 6/27/13, new rudder noted, NCTR)			

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J Max Headsail Mast Material Rig Type	ISP JSP		P E PY EY	MGU MGM MSA	Yes/No		Yes/No			Ttl Disp.	Traps/H. Strps Ballast moveable blst Ballast Mat. Keel Type		
									SL	SPL	SLU	ASA					
									SSMG SSF	SSA	SLE ASMG	Sprit Lngth Fixed or _o					
Akialoa	J 35	28435	75	1989	46.33 14.58 ALUMN MS	120	46.3	41.42 5.43 14 9.11 0 347 0	No	No	35.42 30 11.67 6.75	10500 4400 Lead	No 1 FIXED	IB FOLD 2			
Akula	J 105 ODR w/ 5'BS	16	78	1992	40.6 13.5 ALUMN FS	100	42.1 19.07	41.5 5.5 14.6 9.4 0 359 0	No	Yes	25 854 5 23	34.5 29.5 11 6.5	7750 3400 Lead	No 1 FIXED	IB FOLD 2		
Ala Moana	Beneteau First 30	104	99	2012	41.66 13.78 ALUMN FS	105	42.16 15.78	40.3 6.28 14.25 9.38 356	No	Yes	28.82 1049 2 0	31.7 27.6 10.5 6.25	8267 2403 Cast Iron	0 1 FIXED	IB Fold 2		
Albacore	Santana 22 ODR	18325	237	1976	25.67 8.58 ALUMN MS	125	25.67 8.58	21.75 3.95 9.83 6.59 131	Yes	No	8.58 335	22 18.67 7.83 3.5	2600 1230 Iron	0 1 FIXED	OB None		
Albion	J 124	14	27	2007	49 14 CARBON FS	145	54.7 19.43	48.4 6.4 17 11 488	No	Yes	32.74 1528 3.83 0	40.7 36.2 11.33 7	12600 5000 Lead	0 1 FIXED	IB Fold	(Mtg 2/23/17, -6 sec/mi for asymmetric spinnaker modifications)	
Alchemy	Olson 25	18252	159	1984	32 9.583 ALUMN MS	155	32	28 3.8 10 6.4 0 166 0	Yes	No	9.583 459	25 21.25 9 4.5	3300 1300 Lead	No 1 FIXED	OB None 0		
Alchera	J 120 Mod	28870	51	2001	50.5 14.5 CARBON FS	125	52 21.55	46.5 6 17.57 10.57 0 463 0	No	Yes	34 1407 7	40 35 12 7	13900 6000 Lead	No 1 FIXED	IB FOLD 2	Modifications for offshore singlehanding: Smaller spinnaker and main, 2 extra winches at helm, 3 additional gel batteries, dodger boss widened and all control lines led to cockpit, radar pole, veltran MHN jib. (Mtg 2/21/08, -12 sec/mi for small)	

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps moveable blst			
								SL	SPL	SLU	ASA							
								SSMG SSF	SSA	SLE ASMG	Fixed or _o							
Ballast Mat.	Keel Type																	
Alchimiste	Archambault 27	38973	78	2013	34.25 10.83 ALUMN FS	100	39.08 15.98	34.78 12.63	4.75 8.16	261	No	Yes	26.9 872 0 0	27.4 22.7 9.7 5.7	4894 1814 Lead	0 1 FIXED	IB Fold	(Mtg 10/22/15, Custom rating assigned. Includes -9 sec/mi penalty for 22% oversized ASA & +3 sec/mi credit for non-articulating sprit. As sailed: 78)
All Hail	Catalina 34 TM	524	144	1988	46 13.5 ALUMN MS	130	45.9 13.5	40.5 12	4.8 8	296	No	No	0 0	35.66 29.84 11.75 5.56	12000 5000 Lead	0 1 FIXED	IB Fold	
Allegro	Beneteau Farr First 36.7	56657	78	2010	46.42 13.1 ALUMN FS	155	46.42 14.35	45.4 15.6	5.92 12.49	458	Yes	Yes	23.41 834 0 90	36 30.3 11.4 7.3	12939 3993 Lead	0 1 FIXED	IB Fold 2	(Mtg 1/26/16, -3 sec/mi for increased JSP)
Allons-Y	J 70 ODR	346	114	2014	26.77 7.68 CARBON FS	100	30.15 13.5	26.16 9.44	4.71 6.93	164	No	Yes	18.7 491 5.1 0	22.75 20.47 7.38 4.92	1750 630 Lead	0 1 MVBL	OB None	
Allora	Morris 36	38082	120	2007	38.66 12.75 CARBON FS	95	44.3	41.25 15.08	5.1 9.43	357	No	Yes	21.4 452 0 0	36.1 25 10.1 5.3	8900 3850 Lead	0 1 FIXED	IB Fold	
Alpha	Sonar 23	498	174	1990	23 8.25 ALUMN MS	100		27.5 11.17	1.23 7.3	156	No	No	0 0	23 19.92 7.8 3.92	2100 900 Lead	n 1 FIXED	OB None	
Alpha Puppy	1D 35	35024	30	1999	42.49 12.52 CARBON FS	110	44.78	44.46 18.58	7.5 12	497	No	Yes	31.4 1238 4.9 0	35 31.5 10.75 7.6	6500 2600 lead	No 1 FIXED	IB FOLD 2	6/13/11, boat now in same configuration as B-Line. Added 4.9' bowsprit and oversized spinnaker. -9 sec/mi for oversized asymmetric spinnaker, +3 sec/mi for inability to articulate sprit

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications			
				J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No	ASF		Ttl Disp.	Traps/H. Strps					
									SL	SPL		SLU						ASA	Ballast	moveable blst
SSF	SSA	ASM	Fixed or _o	Max Beam	Keel Type															
Alte Liebe	Albin Ballad 30	1266	1978	37.083 11.249	155	37.8	31.916 9.333 0 0	3.33 5.58 171	Yes	No	29.916 22.583 9.666 5.09	7276 3417 Lead	No 1 FIXED	IB FOLD 2	The J measurement in all Ballad documents & Sailmaker plans is 12.27 however the actual J= 11.3" (MTG 8/25/94), standard SPL is 12.27 (mtg 3/20/08)					
Althea	Cavalier 39	38101	1981	48.5 14.83	120	46 16.13	42 12	4.55 7.79 301	No	Yes	38.98 29.49 11.22 5.97	13228 7513 Lead	0 1 FIXED	IB Fixed_3	(Mtg 4/28/16, -3 sec/mi for oversized spinnaker pole, -3 sec/mi for oversized spinnaker)					
Amandla	Catalina 34 1&2	796	1988	46 13.5	130		38.5 12		No	No	35.75 29.8 11.75 5.6	11950 5000 Lead	0 1 FIXED	IB FOLD 3						
Anais	Hanse 505	61019	2014	64.16 19.16	100	65 20	58.6 20	6.55 11.87 655	No	Yes	49 44.4 15.6 7.7	36000 8300 Lead	0 1 FIXED	IB Feath						
Anapos	Santana 22	5158	1966	26 8.5	120	26	21.75 9.833 0 0	3.95 6.59 131	Yes	No	22 18.666 7.833 3.5	2600 1230 Iron	No 1 FIXED	OB None 0						
Andale	Express 27 ODR	72	1985	28.5 9	155	28.5	28.5 10.42	4.22 7.03 182	Yes	No	27.25 23.75 8.17 4.5	2450 1100 Lead	0 1 FIXED	None						
Andiamo	Catalina 36-2	2168	2004	44.75 14.33	115		39 13	3.04 6.16 248	No	Yes	36 30.25 11.9 5.8	14200 6000 Lead	0 1 FIXED	IB Fixed_3 3	In-Mast Furling Mainsail, +3 sec/mi					

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
		Sail #	DW Rating		I J Max Headsail Mast Material Rig Type	P E PY EY		MGU MGM MSA	Yes/No		Yes/No		SLU ASA Sprit Lngth Fixed or _o		Ballast Ballast Mat.	Traps/H. moveable blst Keel Type		
									SL	SPL	SLU	ASA						
									SSMG SSF	SSA	SLE	ASMG						
Anna Banana	Moore 24	146	150 636 91	1984	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.08	2050 1025 Lead	No 1 FIXED	OB None			
Another Girl	Alerion Express 38-2	20	90 616 217	2011	42.98 12.99	90		47.5 18.25	9.58 13.45	No	No	38.3 30.1 10.3 5.92	13000 5000 Lead	0 1 FIXED	IB Feath 2	(mtg 4/28/11, Custom rating of 90 assigned)		
Antares	Islander 30-2	6237	186 677 263	1971	38.5 12.58	155	38.416	32.5 11.58 0 0	4.75 8.125 235	Yes	No	30 24.58 10 5	8600 3600 Lead	No 1 FIXED	IB FOLD 2			
Apogee	Islander 36 Freeport	36	162 368	1978	46.75 16.75	150		42 12.75	5 8.4	No	No	35.9 27.6 12 5.3	17000 7030 Lead	0 1 FIXED	IB Fold			
Aquadisiac	Newport 30-3	38075	174 208	1985	40 12.5	155	40	34 10.25	3.8 6.6	No	No	30.5 26.5 10.67 5.17	8500 2600 Lead	0 1 FIXED	IB Fold 2			
Arby	Colgate 26	212	159 148	2004	27.75 8.25	105	27.75	29.75 11.2	4.3 7.3	No	No	25.7 20 8.5 4.5	2600 1040 Lead	0 1 FIXED	OB Fixed_3 3	Non Spinnaker configuration		
Arcadia	Custom Nash 28.5	3113	123 589 119	1969	33 10	120	34 11	32.5 13 0 0	4.92 8.41 251	No	Yes	24.606 38.8 34.908 24.606	28.5 25.5 9 6.5	4327 1200 Lead	No 1 FIXED	IB FOLD 2	(Weighed Displacement as of 4/4/2009)(mtg 2/28/13, change custom rating from 135 to 123 after review of race results and structural modifications) 3	

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		Ttl Disp. Ballast		Traps/H. moveable blst	IB or OB Prop Type # of blades		
								SL	SPL	SLU	ASA						
								SSMG SSF	SSA	SLE	Sprit Lngth Fixed or _o					Ballast Mat.	
Disp/WL Ratio																	
Archaeopteryx	Hotfoot 20	101	177	1986	25 7	105	26.08 7.67	27.08 10.08	4.05 6.6	Yes	No	20 18 8.5 5	1000 400 Lead	0 1 CNTRBRD	OB None		
Archimedes	Express 27 ODR	18355	129	1985	28.5 9	155	28.5 7.67	28.5 10.416	4.22 7.03	Yes	No	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	NONE None 0		
Ardea	Custom Nelson/Marek 50	42616	21	1989	59.92 17.59	100	59.92 17.59	65.19 24.08	9.35 15.98	Yes	Yes	49.8 38.55 14.86 9.32	22145 12627 Lead	0 1 FIXED	IB Fold	(Mtg 8/28/15, custom rating of 21 assigned)	
Argo	Beneteau 40.7 First Farr	46933	54	1999	51.61 14.47	105	51.61 14.47	48.85 17.72	6.72 11.51	Yes	No	39.33 34.83 12.33 7.75	15211 5950 Lead	0 1 FIXED	IB Feath 2		
Ariadne	Beneteau Farr First 36.7	403	84		46.4 13.1	125	46.4 13.1	46.4 15.6	5.92 12.49	Yes	No	36 30.3 11.4 7.3	12495 4034 Lead	No 1 FIXED	IB Fold 2		
Astra	Farr 40 ODR MH	40079	0	2000	53.2 15.5	105	53.12	54.8 19.4	7.29 12.47	Yes	No	40.75 35.27 13.22 8.53	10917 5079 Lead	No 1 FIXED	IB FOLD 2		
Auggie	Santana 22 ODR	476	237	1969	26 8.5	125	26	21.75 9.833	3.95 6.59	Yes	No	22 18.666 7.833 3.5	2600 1230 Cast Iron	No 1 FIXED	OB None 0		

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
		Sail #	DW Rating		I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No		Yes/No		LOA LWL	Ttl Disp.	Traps/H. Strps		IB or OB Prop Type # of blades	
										SSMG	SPL SSA	SLU SLE	ASF ASA			Ballast	moveable blst		
Disp/WL Ratio	Mast Material	PY EY	MSA	SSMG SSF	SSA	SLE ASMG	Sprit Lngth Fixed or _o	Max Beam Max Draft	Ballast Mat.	Keel Type									
Avalon	Catalina 30	6138	183	1992	41 11.416	120	41	35 11.5	4.63 7.72	No	No	29.92 25	10200 4200	0 1		IB Fold 2			
					ALUMN MS		0 0	246			<input type="checkbox"/>	10.83 5.25	Lead FIXED						
Azure	Catalina 275 Sport	1	156	2013	34.42 8.99	106	11.83	31.5 11.48	5.33 8.17	No	Yes	27.5 26.57	5000 2040	0 1		IB Fixed_2			
					ALUMN FS			233			22 <input type="checkbox"/>	22 5.2	Lead FIXED						
Azure	CAL 40	72	114	1966	46 15.17	150	46	40 17.5	6.65 11.37	Yes	No	39.3 30.5	15500 6000	0 1		IB FEATH 2			
					ALUMN MS		0 0	417		27.3 27	1056	11 5.5	Lead FIXED						
Bad Dog	J 111	103	36	2011	48.37 13.85	105	51.4 20.08	45.7 14.5	6.1 10.1	No	Yes	36.5 32.7	9300 3500	0 1		IB Fold			
					CARBON FS			414			31.86	31.86 6.3 0	LeadSteel FIXED						
Bad Hare Day	Wylie Wabbit ODR W/Trap	35	126	1982	20.75 6.5	150	20.5	23.75 10	4.03 6.72	Yes	No	23.75 20	975 440	Yes 3		OB None 0			
					ALUMN FS		0 0	145		21.6 14	8.5 252	5.583 3.5	Lead FIXED						
Baleineau	Ericson 34 Olson SM	42147	105	1988	44 13	155	44	38.8 13	4.88 8.25	Yes	No	34 28	10600 3650	No 1		IB FOLD 2			
					ALUMN MS		0 0	298		43.5 23.25 23.25	12.96 843	10.83 6	Lead FIXED						
Bandicoot	Wyliecat 30 IB	28530	132	2000	0 0		29 10	39.75 20.5	7.87 13.46	No	No	30.5 25	5500 3050	0 1		IB FEATH 2	(mtg 5/20/10, -21 sec/mi for added spinnakers)(9/5/12, removed spinnaker, back to standard configuration)		
					CARBON CATBOAT		0 0	488		29 17.75 17.75	10 429	9.5 5.25	Lead FIXED						

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications											
				DW Rating Disp/WL Ratio	I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU ASA Sprit Lngth Fixed or _o	SL SPL SSMG SSA		SLU ASA Sprit Lngth Fixed or _o	Max Beam Max Draft			Ttl Disp. Ballast Mat.	Traps/H. moveable blst Keel Type									
									41 12.5	45.6 13.9										44.2 17.5	8.5 12	No	Yes	29.4	34.42	10220	No	IB
Bandido	Merit 25	28125	1983	28.75 9.66	150	28.75	28 9.75	4.25 6.69	Yes	No	24.5 20.5	3000 1050	No	OB None														
		693		ALUMN FS			0 0	172			8 4	Lead FIXED		3														
Basic Instinct	Custom Elliott 10.50	8123	1993	41 12.5	125	45.6 13.9	44.2 17.5	8.5 12	No	Yes	29.4	34.42	10220	No	IB	(mtg 3/19/09, changed to smaller headsail, +3 sec/mi, & larger mainsail, -6 sec/mi, change rating from 66 to 63)(Mtg 10/21/09, new smaller headsail, still with large headboard. Change mainsail penalty from 6 sec/mi to 3 sec/mi)												
		570		ALUMN FS			0 0	497			1192	31.83	3000	1	FOLD													
		144					30 29.75	1198		45.82 29.4	0 <input checked="" type="checkbox"/>	12.08	Lead	FIXED	2													
												7																
Benny	J 70 ODR	897	2015	26.77 7.68	100	30.15 13.5	26.16 9.44	4.71 6.93	No	Yes	18.7	22.75	1750	0	OB													
		607		CARBON FS				164			491	20.47	630	1	None													
		93								28.87	5.1	7.38	Lead	MVBL														
										18.24	<input checked="" type="checkbox"/>	4.92																
Bessie's Girl	Bristol 45.5	30088	1980	57 18.83	130	57 18.83	47.25 15.2	4.66 8.56	Yes	Yes	33	45.5	40000	No	IB	(mtg 2/18/10, -3 sec/mi for dual spinnakers/ability to use asym on squared back pole)												
		594		ALUMN KTCH			30.25 8.25	390		56	1353	37.25	15000	1	FEATH													
		352								33	0	13.2	Lead	CNTRBRD	3													
										29.5	<input checked="" type="checkbox"/>	11																
Big Air	Open 5.7 ODR	189	2006	21.52 7.3	117	21.6 12.3	25.33 10.24	5.7 8.2	No	Yes	17.6	18.75	992	0	OB													
		609		ALUMN FS				183			345	18.7	405	1	None													
		69								25.82	5	8.3	Lead	FIXED														
										20.64	<input checked="" type="checkbox"/>	5.74																
Blade Runner	Santa Cruz 27	28727	1979	32.7 10.9	150	32.7 10.9	28.2 8.7	3.27 5.64	Yes	Yes	19.58	27	3000	0	OB													
		631		ALUMN MS				146			533	24.08	1600	1	None													
		98								32.74	0	8	Lead	FIXED														
										19.6	<input type="checkbox"/>	4.5																
Blue	Swan 53-2	61522	2012	71.96 19.52	105	73.84 19.53	65.88 21.98	7.64 13.38	No	Yes	38.89	54.07	54482	0	IB	(Mtg 3/23/17, -3 sec/mi for ability to fly a-sail on a squared back pole)												
		530		CARBON MS				826			2214	47.24	22400	1	Fold													
		235								75.95	0	15.58	Lead	CNTRBRD														
										67.09	<input type="checkbox"/>	12.14																

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications					
		Sail #	DW Rating		I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No		Yes/No		LOA LWL	Ttl Disp.	Traps/H.	Strps	IB or OB						
										PY	MSA	SL	SPL							SLU	ASA	Ballast	moveable blst	IB or OB
Disp/WL Ratio	Mast Material	Rig Type	SSSF	SSA	ASMG	Fixed or _o	Max Draft	Ballast Mat.	Keel Type	# of blades														
Blue Passion	tartan 3400	7134	114	2006	46 13.67	95	49.67 13.67	43 14.5	4.58 8.2	No	No	34.42 30.42 11.92 6.5	10800 3500 Lead	0 1 FIXED	IB Fold									
Blue Ribbon	Catalina 27 IB	343	213	1975	34.5 11.25	120		28.7 10.5	3.5 6.3	No	No	26.83 21.75 8.83 4	6850 2650 Lead	0 1 FIXED	IB Fixed_3 3									
Blue Ribbon II	Catalina 270 IB	38087	207	1994	33.58 9.25	135	33.58	28.42 11.5	4.67 7.61	No	No	27 23.75 9.83 5	6400 2000 Lead	0 1 FIXED	IB Fixed_2 2									
Blue Zephyr	Jeanneau Sun Odyssey 42 DS		108	2010	51.58 16.25	150		48.82 14.6	3.55 6.9	No	No	42.42 38 13.5 6.92	19676 5628 Iron	0 1 FIXED	IB Fixed_3	(mtg 4/27/17, +3sec/mi for in-mast furling, +3 sec/mi for MGM < 50% of E)								
Bodacious +	1D 48	48005	-15 490 138	1996	57.7 16.7	155	68.3 16.7	61.3 22.5	9.84 14.66	Yes	Yes	30.1 1673 0 0	48.3 40.2 14.2 10.1	19743 8818 Lead	0 1 FIXED	IB Fold 2	Water ballast system not operational (mtg 8/19/08, custom rating assigned of -30, includes dual spinnakers)(Mtg 3/24/11, new smaller mainsail, smaller symmetrical, change custom rating from 30 to 24VMTg 8/25/11)							
Bombora	Express 27 ODR	38047	129 611 83		28.5 9	155	28.5	28.5 10.42	4.22 7.03	Yes	No	0 0 0	27.25 23.8 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0								
Boomer	Melges 20	676	111 604 69	2009	23.19 7.05	110	27.2 10.95	24.25 9.84	3.83 7.42	No	Yes	18.8 417 3.9 0	20 19.4 7 4.5	1105 415 Lead	0 1 FIXED	OB None 0								

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications		
				I J Max Headsail Mast Material Rig Type	P E PY EY		MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps moveable blst				
								SL SPL SSMG SSF	SPL SSA	SLU SLE ASMG	ASA Sprit Lngth Fixed or _o							Ballast Mat.	Keel Type
Borealis	Gulf 39 PH	77135	129	50 16.17 ALUMN MS	128	42 13.75	4.83 8.58	334	No	No	0 0	38.83 33.67 12 5	17500	1 FIXED	IB Fold				
Bosporus II	Columbia 36	97415	156 639 262	1968 42.75 15 ALUMN MS	150	41.75 15	34.666 5.3 14 9.1 0 289 0	894	Yes	No	0	35.75 28.25 10.5 5.42	13000 5000 Lead	No 1 FIXED	IB Fold 2				
Boudicca	Elan 310	310	129 630 197	2010 40.19 11.74 ALUMN FS	106	42.55 14.87	39.53 5.28 13.55 8.92 323		No	Yes	25.91 906 3 0	30.3 28.58 10.5 6.23	10141 2292 Iron	0 1 FIXED	IB Fold				
Brandy	Farr 30 1/2 Ton	57257	150 654 171	1979 31 9.6 ALUMN FS	145	31	34 4.5 12.9 7.11 243		Yes	No	0 0	30.33 23.5 10 5.33	4894 1909 Lead	0 1 FIXED	OB None	(Mtg 4/24/15, -6 sec/mi for increased P)			
Breakaway	Ultimate 20 CM	180	144 622 105	2002 26.08 6.97 CARBON FS	114	27.58 12.79	27.33 5.5 10.17 7.96 193		No	Yes	19.167 441 6 0	20.83 18 8.33 5	1350 450 Lead	No 1 FIXED	OB Fixed_3 3				
Breakout	Santana 35	18679	114 630 208	1982 39 12.85 ALUMN FS	155	39	42 5.51 14.25 9.26 358		Yes	No	0	35 26.5 11.92 6.25	8500 3300 Lead	No 1 FIXED	IB FOLD 2				
Bright Hour	Farr 40 ODR MH	50092	0 498 113	2001 53.15 15.45 CARBON FS	0	50.04 17.06	54.8 8.49 19.36 13.77 674		Yes	No	0 0	40.7 35.3 13.2 8.53	10902 4960 Lead	0 1 FIXED	IB Fold				

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications				
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU ASA Sprit Length Fixed or _o	SL SPL SSMG SSA	Yes/No		ASF	Ttl Disp.			Traps/H. Strps Ballast moveable blst Ballast Mat. Keel Type			
								DW Rating	Disp/WL Ratio										SSMG SSA	SPL SSA	SLU ASA Sprit Length Fixed or _o
Bullet	Express 37	40311	72	1985	48.75 14.33 ALUMN MS	155	48.75	42 13.75 0 0	5.3 8.83 344	Yes	No	48 14.33 25.79 1032	Yes	No	37.08 30.83 11.57 7.25	11000 4600 Lead	No 1 FIXED	IB FOLD 2			
Buona Sera	Santa Cruz 70	41104	-81	1986	73.15 22.52 CARBON MS	155	73.63	65.49 25.39	9.12 15.72 961	No	Yes	25.5	40.06 2504	68.9 60.4 15.1 10.62	24905 8960 Lead	0 1 FIXED	IB Fold	(Mtg 8/27/15, New rudder noted, -9 sec/mi for new keel)(Mtg 3/23/17, -6 sec/mi for 13% increase in SPL, -3 sec/mi for increase in spinnaker area, +3 sec/mi for decrease in mainsail area)			
Bustin Loose	Sydney 38 MH	38044	21	2002	54 14.9 ALUMN FS	104	52.03 14.77	50.53 18.046 0 0	6.85 11.73 543	Yes	Yes	15.9	27.69 1116	38.6 35.3 12.4 8.8	12250 5140 Lead	0 1 FIXED	IB FOLD 2				
Byte Size	Santana 22	801	237	2001	26 8.5 ALUMN MS	90	26 8.5	21.75 9.833 0 0	3.95 6.59 131	Yes	No	8.583	0	22 18.67 7.83 3.5	2600 1230 Iron	No 1 FIXED	OB None 0				
BZ	Sonar 23		174		23 8.25 ALUMN FS	100		27.5 11.17	1.23 7.3 156	No	No		0 0	23 19.92 7.8 3.92	2100 900 Lead	No 1 FIXED	NONE None				
Cadenza	Moore 24	18878	150	1977	26.25 9.75 FS	150	26.25	25 9.5 0 0	4.01 6.54 148	Yes	No	9.75	0	23.75 21.75 7.17 4.083	2050 1025 Lead	No 1 FIXED	OB None 0				
Califia	Islander 36 ODR	67074	144	1978	45 14.48 ALUMN MS	135	45	39.25 12.75	3.69 6.88 265	No	No		0 0	36.08 28.25 11.17 6.08	13450 5450 Lead	0 1 FIXED	IB Feath 2				

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications									
		Sail #	DW Rating		J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF	LOA	LWL	Ttl Disp.	Traps/H.		Strps	IB or OB							
											E	MGM										SL	SPL	SLU	ASA	Ballast	moveable blst	Prop Type
Disp/WL Ratio	Mast Material	Rig Type	EY	SSF	ASM	G	Fixed or _o	Max Draft	Ballast Mat.																			
California Condor	Class 40	94	6	2010	53.9	104	58.6	53.21	11.71	No	Yes	39.7	40					IB	Short-Handed Bay Configuration									
			481		15.65		23.85	18.81	14.38		64.53	1623	39.17					Fold										
					CARBON						55.77	8.2	14.7					2										
			92		FS						30.54	<input checked="" type="checkbox"/>	0	9.84	Lead	FIXED												
Can O' Whoopass	CAL 20	624	273	1965	22	115	22	23	4	Yes	No		20					OB	(mtg 4/24/08, -18 sec/mi for adding single trapeze wire) (10/2/08 - removed trapeze, now racing as a standard cal 20 -18 sec/mi penalty removed)(3/5/09 added single trapeze back, -18 sec/mi)(8/26/09, switching back to standard Cal 20)									
			746		7.33		7.33	10	6.7				18.1					None										
					ALUMN							0	7					2										
			153		FS						13.2	<input type="checkbox"/>	0	3.33	Iron	FIXED												
Can't Touch This	J 125	93204	-12	1999	49	155	52.1	47	6.8	No	Yes	41	41					IB	(Mtg 2/26/09, -3 sec/mi for oversized main girths)(3/9/09, corrected main girths, removed -3 sec/mi penalty)									
			468		15		23	18	11.6		61.3	1941	37					FOLD										
					CARBON						52.3	8	10.6					2										
			84		MS						41	<input type="checkbox"/>	0	7.9	Lead	FIXED												
Capo Gatto	Nonsuch 30	308	174	1985				45	7.9	No	No		30.33					IB										
			668					24	14.3				28.75					Fold										
					ALUMN							0	11.1					2										
			220		CAT							<input type="checkbox"/>	0	5	Lead	FIXED												
Captain Sluggo	Hobie 33	77870	54	1982	34.7	105	42.3	38.1	6	No	Yes	25.6	33					OB	(Meeting 4/27/17, Custom rating assigned: 54)									
			524		12.2			13.5	9.6				30.4					None										
					CARBON						44.6	928	8															
			73		MS						42.4	0	5.4															
											25.6	<input type="checkbox"/>	90		Lead	FIXED												
Carmelita	Catalina 42-1/2	131	105	1990	53	125	53	46.75	4.98	Yes	Yes	27.75	41.83					IB										
			595		16.42			15.5	8.85				36					FEATH										
					ALUMN			0	399		49	16.42	13.83					3										
			214		MS			0			29.55	1207	6.66															
								0			29.55	<input checked="" type="checkbox"/>			Lead	FIXED												
Carpe Vita	Olson 25	97399	159	1988	32	130	32	28	3.8	Yes	No		25					OB										
			671		9.583			10	6.4				21.25					None										
					ALUMN			0	166		32	9.583	9					0										
			156		MS			0			17.25	459	4.5															
								0			17	<input type="checkbox"/>			Lead	FIXED												

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications		
				J Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		SLU ASA SLE ASMG		ASF Sprit Lngth Fixed or _o	Ttl Disp.			Traps/H. Strps Ballast moveable blst Ballast Mat. Keel Type	
								SL	SPL	SLU	ASA								
								SSMG SSF	SSA	SLE	Spr								
Cassiopeia	Islander 36 ODR	6763	1971	45 14.48 ALUMN MS	150	45	39.25 12.75	4.8 8.29	Yes	No	45.34 27 27	15 1020	No	0	36.08 28.25 11.17 6	13947 5450 Lead	No 1 FIXED	IB FOLD 2	(mtg 2/18/10, - 6 sec/mi for 10% OSP)(8/2/11, boat returned to ODR Configuration)
Catalyst	Wyliecat 30 IB	28571	2004	CARBON CAT			40 20.67 0 0	7.87 13.46 493	No	No			0		30.42 25 9.42 5.25	5800 3000 Lead	No 1 FIXED	IB Feath 2	Must have a YC card before registering for 2005 and clear YC for 2004
Catapult	Santa Cruz 70	41005	1989	73.34 22.19 CARBON MS	155	73.74 25.26	66.11 24.67	9.3 15.75 963	No	Yes	39.1 2348 0	0	39.1 2348 0	0	68 59.7 15.1 10	23847 9000 Lead	0 1 FIXED	IB Fold	(Mtg 5/25/17, Custom rating assigned. As Sailed: -84)
CaZan	DK 46	61046	2001	61.94 17.85 ALUMN MS	126	70.54 19.849	63.55 21.95	8.2 14.21 826	Yes	No	69.23 35.42 32.81	19.85 2013	33.56 1822 0	0	46.26 40.52 13.45 9.84	22439 9480 Lead	0 1 FIXED	IB Fold	(Mtg 5/25/17, custom rating assigned. As Sailed: -21)
CentoMiglia	Flying Tiger 10 Meter ODR	15	2006	39.284 12.126 CARBON FS	105	45.282 19.134	40.167 14.895	6.463 10.499 378	No	Yes	27.493 1087 7.008 0	0	27.493 1087 7.008 0	0	32.68 30.31 9.12 7.61	4376 1918 Lead	No 1 FIXED	OB None 3	(3/7/11, new class rudder installed, NCTR)
Chance	J 120 ALUM	28484	2001	50.5 14.5 ALUMN FS	100	52 21.5	46.3 17.8	6.7 11.5 489	No	Yes	34.1 1765 7	0	34.1 1765 7	0	40 35 12 7	13900 6000 Lead	No 1 FIXED	IB FOLD 2	
Chance	Farr 395	39528	2002	51.25 14 CARBON FS	105	56.33 20.36	50 18.42	7.54 12.53 567	No	Yes	33.46 1617 6.36	0	33.46 1617 6.36	0	39.33 34.5 12.08 7.83	12500 4600 Lead	No 1 FIXED	IB FOLD 2	

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
		Sail #	DW Rating		I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps	IB or OB Prop Type # of blades		
									SL	SPL	SLU	ASA				Ballast			moveable blst
Checkedred Past	Custom Wyliecat 39	3	102	2002				52	10.2	No	No			38.83	12000	0	IB	Boat has been modified for handicapped sailing	
			595				26.6	17.4					32	6200	1	FOLD			
			166		CARBON CAT			826				<input type="checkbox"/>	0	11.5	Lead	FIXED	2		
													6.6						
Christine Rose	Catalina 30 TM	0	183	1977	43	150	43	37	4.8	Yes	No			29.92	10200	0	IB		
			684		13.16		13.16	12	8	43.08	13.16			25	4250	1	Fixed_3		
			297		ALUMN MS				270	23.6	847		<input type="checkbox"/>	10.83	Lead	FIXED	3		
										23.6				5.25					
Ciao Bella	Beneteau 37	38	117	2009	45.833	105		43.5		No	No			37.666	14008	0	IB		
					15			12.9						34.75	3902	1	FOLD		
					ALUMN FS							<input type="checkbox"/>	0	12.833	Iron	FIXED	3		
			152										0	6.25					
Circlesea	Folkboat	125	252		21.99	100	10.17	28.71	4.42	No	No			25.08	4640	0	OB		
					6.56			11.15	7.33					19.82	2315	1	None		
					WOOD MS				194			<input type="checkbox"/>	0	7.26	Iron	FIXED	0		
			271										0	3.92					
Color Blind	Moore 24	49	150	1979	26.25	150	26.25	25	3.91	Yes	No			23.75	2050	No	OB		
			635		9.75			9.5	6.5	27	9.75			21.75	1025	1	None		
			91		ALUMN FS			0	147	17.55	395		<input type="checkbox"/>	7.16	Lead	FIXED	0		
								0		17.55				4.083					
Constance	Tartan 34 CB	346	165	1974	41	125	41	35.5	4	No	Yes	20.3		34.3	11200	0	IB	Roller Furler	
			683		14			10.5	6.9	41	14	43.6	742	25	5000	1	Fold		
			326		ALUMN MS				224	24.5	836	37.4	0	10.2	Lead	CNTRBRD	2		
								24.3		22.4		<input checked="" type="checkbox"/>	0	8.3					
Coquelicot	Ranger 33	148	153	1975	41.5	120	43.75	35	4.6	Yes	No			33	10500	No	IB	Double Spreader rig, water supply 41 gallons, below v berth, 26 gallon bladder tank starboard, rudder 9 inches deeper, group 31 batteries, 15 hsp one cyl disel replaced by 29 hsp Perkins 3 cylendar engine. (NOTE) (MTC 2 21 02)	
			644		13.87		13.87	13.75	8.1	45.51	13.87			26.3	4500	1	FOLD		
			262		ALUMN MS			0	270			<input type="checkbox"/>	0	9.6	Lead	FIXED	2		
								0						5					

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
				DW Rating Disp/WL Ratio	Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast	Traps/H. moveable blst		IB or OB Prop Type # of blades
									SL	SPL	SLU	ASA						
									SSMG SSF	SSA	SLE ASMG	SA						
Crinan II	Wyliecat 30 IB	15	2002	132			39.75 20.5 0 0	7.79 13.32 485	No	No		30.5 25 9.5 5.25	5500 3050 Lead	No 1 FIXED	IB FOLD 2			
CruzSea Baby	Beneteau First 10R ODR	52878	2007	81 603 187	43.2 12.07 CARBON FS	155	46.41 16.5	42.25 14.73 371	5.59 9.57	No	Yes	27.5 1055 4.43 0	32.75 28.7 11 6.55	9715 3528 Lead	0 1 FIXED	IB Fold 2	(Rudder Modifications noted, smaller non-class spinnaker +3 sec/mi)	
Curie	Beneteau 32S5	52868	1990	138 652 195	38.39 9.68 ALUMN FS	150	38.39 9.68	38.88 13.78 321	5.3 9.01	Yes	No	17.3 519 0 0	32.6 27.83 10.83 6	9260 2980 Cast Iron	0 1 FIXED	IB FOLD 2		
Current Affair	Express 27 ODR	56	1983	129 611 83	28.5 9 ALUMN FS	155	28.5	28.5 10.42 182	4.22 7.03	Yes	No	0 0 0	27.25 23.75 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None		
Danger Zone	Taylor 32	4128	1994	-24 443 37	40 10.7 ALUMN MS	100	19.4	37.1 14.3 395	9.5 11.6	No	Yes	26.52 829 0 0	32 28.9 14.8 5.6	1962 551 Lead	1 CNTRBRD	OB None		
Dare Dare	Jeanneau Sun Fast 3200	39	2008	81 598 164	41.92 12.58 ALUMN FS	102	43.77 13.61	38.67 13.68 311	5.28 8.46	Yes	Yes	24.41 887 1 0	33.1 28 11.5 6.2	7916 2866 Lead	0 1 FIXED	IB Fold 2		
Dark & Stormy	1D 35	35018	1998	30 518 95	42 12.47 CARBON FS	110	44.8 17.39	44 19 497	7.5 12	No	Yes	31.4 1236 4.92 0	35 31.5 10.9 7.58	6550 2660 Lead	0 1 FIXED	IB FOLD 2	Fixed bow sprit, using Asymmetrical spinnaker(mtg 3/20/08, -9 sec/mi for oversized spinnaker, +3 sec mi for not being able to articulate pole, as sailed: 30)	

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp. Traps/H. Strps		IB or OB Prop Type # of blades			
								SL	SPL	SLU	ASA		Ballast	moveable blst				
								SSMG SSF	SSA	SLE	Sprit Lngth Fixed or _o					Ballast Mat.	Keel Type	
Daseins Den	Dana 24	324558	246	1987	34 12.25 ALUMN CTR	120	28.25 10.75	3 5.85 160	No	No	24.16 21.42 8.58 3.83	7400 3100 Lead	0 1 FIXED	IB Fixed_2				
Dawn's Early Light	J 36	77549	87 590	1982	44.219 14 ALUMN FS	125	44.21 14	47 15 418	5.8 9.5	Yes 44.25 25.26 24.12	14 923	No	35.95 30.5 11.76 6.6	10570 4600 Lead	0 1 FIXED	IB Fold		
Deception	Santa Cruz 50	97263	-6 482	1987	61.8 18.3 ALUMN MS	155	61.8 18.3	55 18.4 605	7.1 12	Yes 61.7 34.2 34.2	18.3 1758	Yes 62.83 58.47 24.8	32.9 1335 0 0	50 46 12 8	17500 8000 Lead	0 1 FIXED	IB FOLD 2	ELPT Keel & OS/Spinnaker; Has a Code 0 headsail aboard - tacked to stem, no sprit (Mtg 5/26/16, -3 sec/mi for oversized mainsail)(Mtg 6/23/16, change rating back to -6)
Dianne	Express 27 ODR	0	129 611	1981	28.5 9 ALUMN FS	155	28.5 10.416 0 0	4.22 7.03 182	Yes 29 17.75 17.75	9.833 429	No	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0			
Divine Wind	Flying Tiger 10 Meter ODR	30	54 514	2007	39.28 12.12 CARBON FS	105	45.28 19.134	40.16 14.89	6.463 10.5	No	378	Yes 51.54 42.65 27.76	27.49 1087 7 0	32.65 30.31 9.15 7.62	4900 1918 Lead	0 1 FIXED	OB None 0	
Divine Wind	Olson 40	69069	45 540	1983	50 15.75 ALUMN MS	150	51.21 15.8	44 14.25	5.5 9.29	Yes 50.17 28.35 28.35	15.75 1185	No	40.33 36 11.25 6.5	10500 5500 Lead	0 1 FIXED	IB Feath 2		
Domino	Wilderness 30 MOD	38081	126 608	1985	36 12.25 ALUMN MS	155	36 12.25	31.5 10.83	4.11 6.93	Yes 36.15 22.05 20.5	12.25 655	No	30 27.75 8.8 5.5	5450 2150 Lead	0 1 FIXED	IB Fold	(Mtg 3/28/13, +6 sec/mi for small rig)	

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications										
		Sail #	DW Rating		J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF	LOA	LWL	Ttl Disp.	Traps/H.	Strps	IB or OB								
											E	MGM										SL	SPL	SLU	ASA	Ballast	moveable blst	IB or OB
Disp/WL Ratio	Mast Material	Rig Type	EY	SSF	ASMG	Fixed or _o	Max Draft	Ballast Mat.	Keel Type	# of blades																		
Dream	Sceptre 41	12	129	1983	53	90	53	47	5.24	Yes	No	28	41	21500	0		IB											
			581		17.67			13	8.73		53	17.67	36	8700	1		Fold											
			209		ALUMN				374		29.5	1290	12.67	Lead	FIXED													
					MS						28		6.08															
Drop Beer	Beneteau Class 10	18277	90	1984	37.8	150	38.6	39.7	4	Yes	No		34.2	7000	0		IB	NEW RUDDER 3/4/95, NCTR (MTG 3/36/95)										
			588		12.6			13.9	8.7				29.6	2200	1		FOLD											
			123		ALUMN			0	308			0	9.9	Iron	FIXED		0											
					FS			0			22.1		6.8															
Dulcinea	Catalina 38	88	117	1981	49.83	130	49.8	44	4.37	No	No		38.17	15900	0		IB											
					15.5		15.5	11.5	7.6				30.25	6850	1		Fold											
					ALUMN				304			0	11.83	Lead	FIXED		2											
			261		MS							0	6.75															
Dura Mater	CAL 27-2 IB	616	213	1979	36	120		30.83	4.21	Yes	No		26.58	6700	0		IB											
			721		12			10.25	7				22.08	3100	1		Fixed_3											
			283		ALUMN				195			0	9.25	Lead	FIXED		3											
					MS							0	4.25															
Ebb Tide	Wauquiez 45s Centurion	60245	57	2003	55.77	100	55.77	51.84	6.51	Yes	Yes	32.25	45.92	23148	0		IB	(Mtg 5/26/11, Increased "JSP" by 5.67' which equals a 30% increase. - 9 sec/mi per NCPHRF Rules & Guidelines.)(Mtg 3/29/12, JSP now same as J+9 sec/mi, Asymmetrical spinnaker still oversized, -3 sec/mi)										
			542		17.72		17.72	19.32	11.68		58.86	1541	40.25	8488	1		Fold											
			161		ALUMN				567		52.39	0	13.67	Lead	FIXED		3											
					FS						33.49	<input checked="" type="checkbox"/>	8.17															
Ecco	CAL 39-2/3	115	117	1980	50	125	50	44	5	No	No		39	17000	0		IB											
					16.7			13.75	8.5				32.1	7000	1		Feath											
					ALUMN				351			0	12.15	Lead	FIXED													
			234		MS							0	6.7															
Eclipse	Express 37	18495	72	1985	48.75	155	48.75	42	5.28	Yes	No		37.08	11000	0		IB	Rudder modification noted, no change to rating. (Actual weight from yard 11200 - 9500 was design displacement. No mods from standard express 27.) 3/26/01										
			577		14.33			13.75	8.83				30.83	4500	1		FOLD											
			171		MS			0	344		25.79	1032	11.57	Lead	FIXED		2											
								0			25.79		7.25															

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J Max Headsail Mast Material Rig Type	P E PY EY		MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst		
								SL	SPL	SLU	ASA						
								SSMG SSF	SSA	SLE ASMG	Fixed or _o						
El Raton	Express 27 ODR	28050	129	1985	28.5 9 155	28.5	28.5 10.416 0 0	4.22 7.03 182	Yes	No	29 9.833 17.75 429 17.75	0	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0	
Elan	Beneteau 37	46	114	2012	45.83 15 105	48	43.5 12.83	6.16 8.83 359	No	Yes	26.6 915 0 0	37.8 34.08 12.83 6.25	14359 3901 Iron	0 1 FIXED	IB Fold		
Elan	Express 37	87700	72	1985	48.75 14.33 155	48.75	42 13.75 0 0	5.28 8.83 344	Yes	No	48 14.33 25.79 1032 25.79	0	37.083 30.833 11.57 7.25	11000 4500 Lead	No 1 FIXED	IB FOLD 2	
Eliana II	Morgan 38-2	77486	156	1981	46 16.25 110	46 16.25	40.5 14.5	4.69 8.34 324	Yes	No	47.8 16.25 30.1 1198 30	0 0	38.33 30.5 12 6	17000 6800 Lead	0 1 FIXED	IB Fixed_3 3	(Mtg 1/26/17, -3 sec/mi for oversized symmetric spinnaker area)
Elise	Express 27 ODR	101	129	1986	28.5 9 155	28.5	28.5 10.416 0 0	4.22 7.03 182	Yes	No	28.6 9.8 17.75 423 17.75	0 0	27.25 23.75 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0	
Elusive	Swan 42 Club	4216	9	2007	59.07 16.44 106	62.99 19.05	56.56 19	7.1 12.5 641	Yes	Yes	34.8 1808 2.6 0	42.59 38.15 12.8 9	17158 6988 Lead	0 1 FIXED	IB Fold 2	(Mtg 2/25/16, +3 sec/mi for decrease in Spinnaker Area, +6 sec/mi for decreased JSP, -3 sec/mi for articulation, -3 sec/mi for switch to larger headsail)(06/09/17, switching back to stock configuration)	
Emily Carr	Santa Cruz 50	49211	-6	1981	61 19 150	61	55 17 0 0	6.4 11 555	Yes	No	61 18.92 34 1718 33	0	53 46.5 12 8	15000 7500 Lead	No 1 FIXED	IB FOLD 2	3' SUGAR SCOOP ON TRANSOM IF STD 50FT LOA OF BOAT

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications										
			Built	J	Max Headsail	ISP JSP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB	# of blades											
									DW Rating	Mast Material										E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type
Disp/WL Ratio	Rig Type	EY	SSF	ASM	Fixed or _o	Max Draft																							
Enchante'	Beneteau 42 IK TM	63222	84	1985	55.43 16.73	155	55.71	49.2 14.6	4.8 8.5	No	No	43.67 36 13.83 7.19	20509 8700 Iron	No 1 FIXED	IB FOLD 2														
Encore	Sydney 36 CR	3632	57 565 196	2006	45.6 14	104		44.36 16.4	6.1 10.6	No	Yes	36.06 31.04 11.32 7.55	12897 4850 Lead	No 1 FIXED	IB FOLD 2	(Australian IRC Rating 1.052)(Mtg 8/23/12, change custom rating from 54 to 57)													
Endless Summer	Catalina 36	271	150 655 222	1984	44.75 14.33	95	44.75 14.33	39 12	4.33 8.01	No	Yes	36.33 30.25 11.92 5.83	13500 6000 Lead	0 1 FIXED	IB Fixed_3 3														
Endless Summer	Catalina 42-1/2 WK	688	111	2000	53 16.5	155		46.75 15.5	5.08 9.16	No	No	41.83 36 13.83 4.83	28000 8300 Lead	0 1 FIXED	IB Feath 3														
Envolee	Figaro II	0	54 558 93	2012	42.75 12.42	104	42.75	42.67 15.42	6.5 10.63	Yes	No	32.18 32 11.33 6.5	6724 2425 LeadWater	0 1 FIXED	IB Fold	(mtg 4/27/17, water ballast disabled, +6 sec/mi)													
Ergo	Express 27 ODR	40428	129 611 83		28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	No	27.25 23.75 8.075 4.5	2450 1100 Lead	0 1 FIXED	OB None 0														
Escapade	Express 37	18051	72 577 171	1985	48.75 14.33	155	48.75	42 13.75	5.28 8.83	Yes	No	37.08 30.83 11.57 7.25	11000 4500 Lead	No 1 FIXED	IB FOLD 2														

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
				DW Rating Disp/WL Ratio	I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast	Traps/H. moveable blst		IB or OB Prop Type # of blades
									SL	SPL	SLU	ASA						
									SSMG SSF	SSA	SLE ASMG	ASA						
Escapade	Sabre 40-2	38011	1997	54 15.5 ALUMN MS	110	54 16	47.5 17	5.6 9.9	Yes	51.25 27.3 25.6	15.5 1151	Yes	23.5 1001 0 0	40.2 34 13.3 7.5	19760 7500 Lead	0 1 FIXED	IB FEATH 3	
E-Ticket	Moorings 38 SD	119	1990	47.5 13.9 ALUMN MS	155	47.5 13.9	41.7 15	5.69 9.45	Yes	47.6 25.4 23.8	13.9 995	No	0 0 0	38.4 31.33 12.5 4.8	13700 5400 Steel	0 1 FIXED	IB Fold 2	Shoal Draft (Mtg 10/27/16, -3 sec/mi for oversized spinnaker area)
Evenstar	Ranger 23	6404	1974	27.54 9.75 ALUMN MS	155	27.5 9.7	24 9.2	3.3 5.4	Yes	27.7 17.46 17.46	9.7 403	No	0 0 0	23.67 20 7.92 3.9	3400 1500 Lead	0 1 FIXED	OB None	
Everlong	Beneteau 40.7 First Farr	51705	2002	51.61 14.47 ALUMN MS	104	51.61 14.47	48.85 17.72 0 0	6.73 11.51 515	Yes	50.92 26 26	14.47 1103	Yes	0 0	39.33 34.83 12.33 7.75	15211 5950 Lead	0 1 FIXED	IB FOLD 2	
Ex Indigo	Custom Diva 39	8	1987	41.73 12.8 ALUMN FS	125	41.73 12.8	46.75 14.75 0 0	5.72 9.6 413	Yes	41.4 22.6 22.6	12.8 780	No	0 0	38.75 30.83 9.83 5.75	9920 4575 Lead	No 1 FIXED	IB FOLD 2	Back Stay Crane
Expeditious	Express 37	18478	1986	48.75 14.33 ALUMN MS	155	48.75	42 13.75 0 0	5.28 8.83 344	Yes	48 25.5 25.4	14.33 1019	No	0 0	37.08 30.83 11.57 7.25	11000 4500 Lead	No 1 FIXED	IB FOLD 2	INSTALED NEW CLASS-APPROVED CARBONFIBER RUDDER - MTG 6-12-2000 NCTR.
Expression	Express 37 MOD	33985	1984	48.75 14.33 ALUMN MS	150	48.75	42 13.75	5.3 9 346	Yes	48.16 23.2 23.2	14.33 931	No	19 705 0 90	37.1 30.83 11.5 6	9500 4500 Lead	0 1 FIXED	IB Fold 2	(mtg 1/21/10, +3 sec/mi for modified keel, -3 sec/mi for dual spinnaker/ability to fly asym on squared back pole)(1/19/11, removed asym, only using symmetric spinnaker, +3 sec/mi)

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
				DW Rating Disp/WL Ratio	J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast Mat.	Traps/H. moveable blst Keel Type		IB or OB Prop Type # of blades
									SL	SPL	SLU	ASA						
									SSMG SSF	SSA	SLE ASMG	Fixed or _o						
Family Hour, TNG	Henderson 30	46595	1997	37 11 155	42.3 17.8	38.2 14	6.74 10.62	Yes	Yes	31.9 1223 6.2 15	30.83 27.75 9.84 7	3850 1750 Lead	0 1 FIXED	OB None 0	Kelp Cutter			
Fariage	Catalina 42-1/2	336	1992	53 16.42 130	53 16.42	46.75 16.42	5.75 9.83	No	Yes	27.08 1042 0 0	41.83 36 13.83 6.83	20600 8300 Lead	0 1 FIXED	IB Feath 3				
Fast Lane	Olson 25	46657	1985	32 9.6 155	32	28 10	3.8 6.4 166	Yes	No	9.6 459 0 0	25 21.25 9 4.5	3300 1300 Lead	0 1 FIXED	OB None				
Fatuity	Moore 24	48	1980	26.25 9.75 150	26.25	25 9.5 0 0	3.91 6.5 147	Yes	No	9.75 395 0 0	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0				
Finn	Capo 26 IB	18782	1985	34.6 10.56 155		30 10	4.1 6.8 185	Yes	No	10.5 545 0 0	26 22 9.25 4.58	4300 1900 Lead	0 1 FIXED	IB Fold				
Firefly	Moore 24	64	1980	26.25 9.75 150	26.25	25 9.5 0 0	3.91 6.5 147	Yes	No	9.75 395 0 0	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0				
Firefly	Harbor 20	226	2006	25.75 7 90	25.75 7	26 10	3.6 6.25 151	No	No	0 0	20 17.17 7 3.5	1800 900 Lead	0 1 FIXED	OB None				

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		Ttl Disp. Ballast		Traps/H. moveable blst				
								SL	SPL	SLU	ASA				Ballast Mat.			Keel Type
								SSMG SSF	SSA	SLE ASMG	Sprit Lngth Fixed or _o							
First Light	Beneteau 35S5	115	1991	41.66 11.15 ALUMN FS	98	42.65 15.09 0 0	5.25 9.042 366	Yes	No	20.5 729	0	35.42 29.33 11.83 6	11460 4190 Lead	No 1 FIXED	IB Fixed_2 2			
Flight Risk	Catalina 38	87586	1983	49.8 15.5 ALUMN MS	155	44 11.5	4.18 7.12 294	Yes	No	49 27.9 27.9	15.5 1139	38.24 30.45 11.12 6.1	19489 6850 Lead	No 1 FIXED	IB Fold 2	Roller Furler		
Flight Risk	Thompson 650	650	2000	26.67 8.86 CARBON FS	100	28.29 10.4	5.7 8 204	No	Yes	20.58 586 7.87	0	22.3 19.8 8.16 5.9	1692 660 Lead	Yes 3 FIXED	OB None	(mtg 1/21/10, weighed displacement of 1692lbs updated, NCTR)(Mtg 3/18/10, change custom rating from 108 to 99)(Mtg 8/18/10, submitted appeal, rating changed from 99 to 102)		
Flyer	Peterson 33 (CHITA)	18620	1979	42.5 13.9 ALUMN MS	155	36.66 9.91	3.66 6.21 213	Yes	No	41.91 24.83 24.67	13.75 866	32.67 26.58 10.5 6.08	9480 4960 Lead	0 1 FIXED	IB FOLD 2			
For Pete's Sake	Ultimate 24 ODR	28469	2003	28.04 7.82 CARBON FS	102	31 11.5 0 0	5.5 8.8 238	No	Yes	22.2 587 6.7 0	0	24.38 21.17 8.48 5.52	2040 750 lead	No 1 FIXED	OB None			
Foxxfyre	Yamaha 33 IK SM	67248	1978	42.81 13.78 ALUMN MS	150	37.4 10.6 0 0	4.38 7.27 246	Yes	No	44 24.8 23.7	13.78 901	33.25 26.92 11 6.25	16000 4410 Iron	No 1 FIXED	IB FEATH 2	PER PHRF MTG 3/16/2000 - Weight Differencer from brochure is significant.		
Freedom	Worth 40	18230	1984	54 16 ALUMN MS	155	47 14 0 0	5.5 9.2 397	Yes	No	52 28.8 28.8	16 1248	40 34.25 12.5 7.25	21000 7800 Lead	0 1 FIXED	IB FOLD 2			

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications								
				J Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No	ASF ASA Sprit Lngth Fixed or _o	SLU SLA SLE ASMG		SPL SSA SSA SSA	Ballast			Traps/H. moveable blst							
								Mast Material	Rig Type										SL	SPL	SLU	ASA	Max Beam	Ballast Mat.	Keel Type
Freedom	Beneteau 523	38333	2006	65.22 20.77	105	41.47	41.47	59.09 18.53	6.39 11.04	No	Yes	35.519 1854 2 0	53.08 47.92 16 7.5	32800 10935 Iron	No 1 FIXED	IB FOLD 3	Bow Thruster, in-mast furling, above deck jib furler; (Mtg 8/17/06 - +6 s/m for small girth main); electric winches added 1/29/07 (Mtg 3/28/13, +3 secmi for 8% decrease in mainsail area)								
French Kiss	Beneteau 350 Oceanis	28713	1989	41.47 12.8	140	41.47	41.47	35.7 11.6	4.2 7.3	Yes	No	0 0	33.83 29.83 11.17 5.17	10580 3525 Lead	0 1 FIXED	IB FOLD 2	Above deck Roller Furler								
Frequent Flyer	Mumm/Farr 30	52	1996	38.2 10.9	104	44.9	44.9	40.5 14.6	6.42 10.4	Yes	Yes	25.25 882 0 0	30.9 27.6 10.1 6.9	4561 1997 Lead	0 1 FIXED	IB Fold									
Friction Loss	J 30	67425	1979	34 11.5	155	34.1	34.1	38 13	4.94 8.45	Yes	No	21.06 666 0	29.83 25 11.17 5.25	6500 2100 Lead	0 1 FIXED	IB FOLD 2									
Friday Harbor	Beneteau 323 DK	28580	2004	42.67 11.06	116	42.67	42.67	38.9 13.17	5 8.56	No	Yes	19.91 661 0 0	32 29.17 10.67 5.92	8448 2258 Iron	No 1 FIXED	IB FOLD 2									
Frisky	Open 5.7 ODR	281	2009	21.52 7.3	117	27.9	27.9	25.33 10.24	5.7 8.2	No	Yes	17.5 338 5 0	18.7 18.7 8.3 5.7	992 405 Lead	0 1 FIXED	NONE None									
FROLIC	Islander 36 TM	47462	1974	47 14.5	155	47	47	40.75 12.6	4.8 8.25	Yes	No	0 0 0	36.08 28.25 11.17 6.08	13450 5450 Iron	0 1 FIXED	IB Feath 3									

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications								
			Built	DW Rating	I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No		Yes/No		LOA	LWL	Ttl Disp.	Traps/H.	Strps		IB or OB							
										Mast Material	PY	MSA	SL								SPL	SLU	ASA	ASF	Ballast	moveable blst	IB or OB
Disp/WL Ratio										Fixed or _o	Max Draft	Ballast Mat.	Keel Type	# of blades													
FUGU	Wilderness 30 SX FR IB	67967	120	1980	34.08	150	34.1	34.44	4.37	Yes	Yes	20.36	29.75	4200	0		OB	(Mtg 11/20/08, -6 sec/mi for replacing inboard with outboard engine)									
			585		11.75		11.8	11.5	7.48		34.28	11.75	27.75	1900	1		None										
					ALUMN				236		21.15	604	8.75	Lead	FIXED		0										
			89		FS						21.15		5.5														
Ga	Knarr ODR	123	198		33.583	125	33.583	31	4.47	No	No		30.333	4630	No		OB										
					6.583			11.166	7.46				20.333	2866	1		None										
					WOOD			0	211			0	7	Lead	FIXED		0										
			250		FS			0					4.25														
Galaxsea	Custom Nauticat 43.5	28743	180	1985	51	104	20.6	45	4.3	Yes	Yes	29.2	43.6	34000	No		IB	Stay sail measurements foot=1', Luff=34'6", Leach=30'2", LP=132"									
			629		20			13.6	7.9		50.98	20	37.7	11000	1		FEATH										
					ALUMN			32.4	338		33.43	1439	12.2	Lead	FIXED		3										
			288		KTCH			8.5			25.6		5.9														
Ganesha	Sabre 36-2	28862	111	1996	48.5	155		41.6	5.66	No	No		36.17	13800	No		IB	Adjustable back stays									
					13.46			14.83	9.63				30.42	5520	1		FOLD										
					ALUMN			0	368			0	12	Lead	FIXED		2										
			223		MS			0				0	6.5														
Gavilan	Custom Wylie 39	28439	93	1996	49	122	49	43	5.73	Yes	Yes	24.6	41.5	17900	No		IB	(mtg 4/28/11, change custom rating from 84 to 96 after review of rating appeal)(Mtg 1/26/12, -3 sec/mi for sprit)									
			604		14.5			15.5	9.75		48.64	14.5	31.75	5920	1		FEATH										
					ALUMN			0	390		26.6	1078	11.5	Lead	FIXED		3										
			254		MS			0			26.6		6.77														
Gentoo	Soto 30	1	36	2012	38.25	102	38.67	38.67	5.83	No	Yes	26.25	30	3800	0		OB	(Mtg 9/16, -3 sec/mi for larger mainsail)									
					12.25		19.83	13.58	8.83		49.83		28.75	1415	1		None										
			516		CARBON				322		40		9.58	Lead	FIXED												
			73		MS						25.75		6.5														
Geodesic III	Optima 101	103	141	1985	38.71	125	38.71	38.39	4.9	Yes	Yes	19.6	32.84	8511	0		IB	(Mtg 4/27/17, added 2' retractable bowsprit, -3 sec/mi)									
					12		12	13.45	8.2		37	12	29.25	3968	1		Fixed_2										
			621		ALUMN				298		21.5	663	11.15	Iron	FIXED												
			155		FS						21.5		4.76														

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
				DW Rating Disp/WL Ratio	J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast	Traps/H. moveable blst		IB or OB Prop Type # of blades
									SL	SPL	SLU	ASA						
									SSMG SSF	SSA	SLE	ASMG						
Get Happy!!	Express 27 ODR	1	129	1981	28.5 9 155	28.5	28.5 10.416 0 0	4.22 7.03 182	Yes	No	27.25 23.75 8.166 4.5	2450 1100 Lead	No 1 FIXED	OB None 0				
Giant Slayer	Santa Cruz 27	59369	141	1979	32.583 10.9 155	32.583 10.9	28.25 8.7 0 0	3.7 6.3 157	Yes	Yes	17.67 372 0 90	27 24 8 4.5	3304 1800 Lead	No 1 FIXED	OB None 0	(Mtg 3/27/14, -3 sec/mi for 10% overized symmetrical spinnaker)		
Gig	Humboldt 30 IB	18112	108	1983	37.5 11.5 149	37.5	41.5 13.75 0 0	5.13 8.83 338	Yes	No	30 26.66 10.5 5.75	5400 2222 Lead	No 1 FIXED	IB FOLD 2				
Godot	J 105 ODR w/ 5'BS	28905	78	1992	40.6 13.5 95	42.1 19.07	41.5 14.6 0 0	5.5 9.4 359	No	Yes	23.29 958 5 0	34.5 29.5 11 6.5	7750 3400 Lead	No 1 FIXED	IB FOLD 2			
Golden Moon	Express 37	18488	72	1985	48.75 14.33 155	48.75	42 13.75 0 0	5.37 8.99 347	Yes	Yes	29.5 1034 0 90	37 30.83 11.57 7.25	11000 4500 Lead	No 1 FIXED	IB FOLD 2			
Goose	Catalina 30	1210	180	1979	41 11.416 155	41	35 11.5 0 0	4.63 7.72 246	Yes	No	29.92 25 10.83 5.25	10200 4200 Lead	No 1 FIXED	IB FOLD 2				
Gotcha	Santa Cruz 27	47911	141	1975	32.58 10.75 150	32.58	28.25 8.583 0 0	3.68 6.06 154	Yes	No	27 24 8 4.5	3200 1600 Lead	0 1 FIXED	OB None				

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
				DW Rating Disp/WL Ratio	J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast	Traps/H. moveable blst		IB or OB Prop Type # of blades
									SL	SPL	SLU	ASA						
									SSMG SSF	SSA	SLE ASMG	Fixed or _o						
Gratitude	Hylas 46	60373	2002	58.4 17.7 135	58.4 17.7	50.6 4.6 18 9.6	4.6 9.6	No	Yes	25.5 1309	46.3 40 13.9 6.6	27777 0 12347 1 Lead FIXED	IB Feath 3					
Green Buffalo	CAL 40	8538	1967	46.7 15.2 155	46.7	39.8 6.65 17.6 11.37	6.65 11.37	Yes	No	0	39.3 30 10.9 5.8	15148 0 6000 1 Lead FIXED	IB FEATH 3	Schumacher designed rudder - same as original				
Green Dragon	Cal 20	4188	1965	22 7.33 125	22	23 3.84 9.84 6.5	3.84 6.5	Yes	No	0	20 18.08 7 3.33	1950 0 900 1 Steel FIXED	OB None 0					
Grey Wulff	Olson 25	18517	1984	32 9.6 155	32	28 3.8 10 6.4	3.8 6.4	Yes	No	0	25 21.25 9 4.5	3300 0 1300 1 Lead FIXED	OB None					
Grunion	Catalina 425	11	2017	55.75 15.67 125	17.34	52 5.04 18 9.58	5.04 9.58	No	No	0	41.67 39.08 13.67 6.67	17500 0 7000 1 Lead FIXED	IB Fold	(Mtg 1/26/17, need to submit spinnaker measurements when available)				
Gruntled	Moore 24	68	1980	26.25 9.75 150	26.25	25 3.91 9.5 6.5	3.91 6.5	Yes	No	0	23.75 21.75 7.16 4.083	2050 No 1025 1 Lead FIXED	OB None 0					
Gygax	Hinckley Pilot 35 TM	4802	1975	44.36 13.8 155	44.36 13.8	41.83 5.5 15.81 9.97	5.5 9.97	Yes	No	0	35.5 25 9.5 5	13500 0 4200 1 Lead FIXED	IB Feath					

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
		Sail #	DW Rating		I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps moveable blst		
									SL	SPL	SLU	ASA						
									SSMG SSF	SSA	SLE ASMG	ASA						
Ballast Mat.	Keel Type																	
Hana Ho	Santa Cruz 50	77007	-12 478 84	1980	61.39 18.85 ALUMN MS	155	61.5 20.73	54.92 16.98 0 0	6.5 11.1 558	Yes	Yes	35.9 1847 0 0	52 46 12 7.75	18000 8000 Lead	0 1 FIXED	IB Feath 3	(Mtg 5/26/11, +3 sec/mi for interior changes)(2/24/12, interior changes removed, boat is back to standard weight for a SC 50)(Mtg 5/25/17, New Rudder, NCTR. -3 sec/mi for OSP, -3 sec/mi for oversized spritaker area)	
Hang 20	Express 27 ODR	48	129 612 83	1982	28.5 9 ALUMN FS	125	28.5 10.42	4.22 7.03 182	Yes	No	0 0	27.3 23.8 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0			
Hangover	Islander 36 ODR	367	147 271	1976	45 14.48 ALUMN MS	135	45 12.75	5.05 8.44 303	No	No	0 0	36.8 28.25 11.17 6.08	13450 5820 Lead	0 1 FIXED	IB Fixed_2			
Happiness	Cal 27-2 OB	3893	201 700 283		36 12 ALUMN MS	95	36 10.25	3.25 6.5 180	Yes	No	0 0	26.58 22.08 9.25 4.25	6700 3100 Lead	0 1 FIXED	OB None			
Happy Daze	Santana 30-30 GP	87322	120 641 180	1984	40.83 11.67 ALUMN MS	150	40.83 11.08	5.25 8.5 267	Yes	No	0	29.92 25.42 10.25 5.5	6500 2435 Lead	No 1 FIXED	IB FOLD 2			
Harizon	Dufour 310	122	159 211	2016	40.35 10.82 ALUMN FS	95	40.35 14.57	5.54 9.47 332	No	No	0 0	31.72 28.54 10.88 6.23	10802 2932 Iron	0 1 FIXED	IB Fold			
Harp	Catalina 38	18003	117 622 320	1983	50.7 15.43 ALUMN MS	155	50.9 15.43	4.8 7.97 316	Yes	No	0	38.17 30.25 11.83 6.79	19489 6850 Lead	No 1 FIXED	IB FOLD 2	DEC 93 - 7X19 STND RIG/ W/ROD RIG & SHR TN UPR SPREADERS 2 IN. NO CHNG RTNG (MTG 1/27/94)		

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
				J Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp. Traps/H. Strps		IB or OB Prop Type # of blades			
								SL SPL SSMG SSF	SPL SSA SSA	SLU SLU SLE ASM	ASF ASA Sprit Lngth Fixed or _o		Ballast	moveable blst Keel Type				
																Ballast Mat.	Keel Type	
Disp/WL Ratio	Mast Material Rig Type	Disp/WL Ratio	Disp/WL Ratio	Disp/WL Ratio	Disp/WL Ratio	Disp/WL Ratio	Disp/WL Ratio	Disp/WL Ratio	Disp/WL Ratio	Disp/WL Ratio	Disp/WL Ratio	Disp/WL Ratio						
Harry	Newport 30-2	6889	174	1974	39.5 12.125 ALUMN SL	150	39.5	34 10.25 0 0	4.2 7 215	Yes	No	30 25 10.5 4.75	8500 2500 Lead	No 1 FIXED	IB FOLD 2			
Hasta Nunca	Moore 24	142	150	26.25 9.75 ALUMN FS	150	26.25	25 9.5	3.91 6.5 147	Yes	No	23.75 21.75 7.16 4.08	2050 1025 Lead	0 1 FIXED	OB None 0				
Heart of Gold	Olson 911S	41327	126	1987	41.5 12.33 ALUMN MS	155	41.5	35.5 11.83 0 0	4.5 7.7 251	Yes	No	29.9 25 10.3 5.5	7200 3200 Lead	No 1 FIXED	IB FOLD 2			
Hera	Beneteau Farr First 36.7	28372	81	2002	46.4 13.1 ALUMN FS	150	46.4	45.4 15.6 0 0	5.92 12.49 458	Yes	No	36 30.3 11.6 7.2	12495 3748 Lead	No 1 FIXED	IB FOLD 2			
High and Dry	Santana 22	114	234	1967	26 8.5 ALUMN MS	150	26	21.75 9.83	3.95 6.59 131	Yes	No	22 18.67 7.83 3.5	2600 1230 Cast Iron	0 1 FIXED	OB None			
Highlander	Cal 40	4590	117	1968	46.2 15.2 ALUMN MS	150	46.2	39.5 17.5	6.65 11.37 412	Yes	No	39.25 30.25 11 5.58	15000 6000 Lead	0 1 FIXED	IB Fixed_2 2			
Hijinks	J 92	90	108	1996	37 11.5 ALUMN FS	97	38.5	37.66 13.22	5 8.6 297	No	Yes	30 26.5 10 5.9	5500 2275 Lead	0 1 FIXED	IB Fold 2			

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications					
		Sail #	DW Rating		I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No		Yes/No	ASF		LOA LWL	Ttl Disp.	Traps/H. Strps		IB or OB Prop Type # of blades				
										PY	MSA		SL	SPL			SLU			ASA	Max Beam	Ballast	moveable blst
Disp/WL Ratio	Mast Material	Rig Type	EY	SSF	ASM	Fixed or _o	Max Draft	Ballast Mat.	Keel Type														
Hokulani	J 120 ALUM	43	48	1996	50.42	155	50.42	46.42	6.58	No	Yes	37.8	40	13900	0	IB							
			538		14.42		21.42	17.67	11.42		62.5	1777	35	6000	1	Fold							
			147		ALUMN				486		51.5	0	12	Lead	FIXED								
					FS						37.3	<input checked="" type="checkbox"/>	7										
Horizon	Santa Cruz 50	18926	-15	1982	61.7	145	61.7	55.2	7.15	No	Yes	36.4	50.23	18844	0	IB	(Mtg 6/16/08, -6 sec/mi for oversized spinnaker, -3 sec/mi for oversized main)						
			475		18.43		20.3	19	12.05		66	1880	46.906	8000	1	FOLD							
			83		ALUMN				618		59.6	0	12.02	Lead	FIXED	2							
					MS						35.8	<input type="checkbox"/>	7.988										
Hot Betty	Olson 30 OB	67537	99	1979	36	155	35.9	31.5	4.364	Yes	Yes	21	30	3600	No	OB							
			584		11.75		11.67	10.75	7.268		36	11.75	27.5	1800	1	None							
			79		ALUMN			0	208		21.16	635	9.33	Lead	FIXED	0							
					MS			0			21.16	<input checked="" type="checkbox"/>	5.08										
Hot Socks	Figaro II	27	48	2004	42.75	104	42.75	42.67	7	Yes	No	0	32.18	6724	0	IB							
			564		12.42			15.42	11		41	13.5	32	2425	1	Fold							
			93		CARBON				422		20.1	689	11.33	LeadWater	FIXED								
					FS			20.5			20.5	<input type="checkbox"/>	6.5										
Hylite	Hylas 49 SM	49	111	2007	57.42	130	57.42	51	4.5	No	Yes	28.67	48.83	35000	0	IB	(Mtg 1/26/17, Custom rating of 111 assigned)						
			580		19.5		19.5	18.5	9.17		60	1214	39.5	14500	1	Fold							
			258		ALUMN				470		55.33	0	14.25	Lead	FIXED								
					CTR						24.42	<input checked="" type="checkbox"/>	6										
Imagination	Bavaria 40	0	108	2001	47.25	111	48	44.46	5	No	Yes	20	40.94	17417	0	IB							
			594		14.58			15.58	9.21		48	828	35.93	6283	1	Fold							
			171		ALUMN				386		44	0	13.1	Lead	FIXED								
					FS						22	<input checked="" type="checkbox"/>	6.4										
Imagine	Ericson 32-3	716	159	1987	42	135		36.4	4.18	No	No		32.5	9800	0	IB							
					13.8			11.8	7.28				25.83	4200	1	Fixed_2							
					ALUMN				248			0	10.83	Lead	FIXED	2							
			258		MS						<input type="checkbox"/>	0	6										

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications		
				J Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps moveable blst				
								SL	SPL	SLU	ASA							Ballast Mat.	Keel Type
								SSMG SSF	SSA	SLE ASMG	ASA								
Invisible Hand	Pac 52	5202	-102	2016	66 20.5 101	76 29.5	69.23 10.96 22.98 15.76	10.96 15.76	No	Yes	44.7 2970	52 50 14.5 11.8	15700 8360 Lead	0 1 FIXED	IB None				
			402		CARBON FS														
			57				1017				90								
Iolani	Hughes 48	38048	120	1972	54.3 18.2 135	20.2	48.2 5.9 19 10.4 23 493 10	5.9 10.4 493	Yes	Yes	32.76 1400	48 35.1 11.1 6	32000 14300 Lead	0 1 FIXED	IB FEATH 3				
			599		ALUMN YAWL						0								
			336								0								
Ione	J 30	8994	141	1981	34.19 11.041 140		38 4.83 13 8.21 0 290 0	4.83 8.21 290	Yes	No	0	29.83 25 11.2 5.25	6500 2100 Lead	0 1 FIXED	IB FOLD 2				
			657		ALUMN FS						0								
			189								0								
Irie	Beneteau 393 Oceanis SD	38200	150		46 14.5 110	46 14.5	40.2 4.63 15.1 8.12 324	4.63 8.12	No	Yes	24 755	38.12 35.1 13 5.1	21700 5357 Cast Iron	0 1 FIXED	IB Fold 3				
			633		ALUMN MS						0								
			228								0								
Irish Blessing	J 24 ODR	2184	168		26.25 9.5 150	26.25	28 3.7 9.75 6.37 163	3.7 6.37	Yes	No	0	24 20 8.92 4	3100 965 Lead	0 1 FIXED	OB None 0				
			693		ALUMN FS						0								
			176								0								
Iseult	Wyliecat 30 IB	13	132	2001		0	39.75 7.87 20.8 13.46 491	7.87 13.46	No	No	0	30.5 25 9.42 9.25	5500 3050 Lead	0 1 FIXED	IB Fold 2				
			653		CARBON CAT						0								
			160								0								
Isle Of Skye	Tartan 33 7/8 RIG	6	159	1979	36.42 12.42 100	36.42	41.58 4.6 14.42 8.1 0 328 0	4.6 8.1	No	No	0	33.67 28.08 10.92 4.42	10000 4400 Lead	No 1 FIXED	IB FEATH 3				
			205		ALUMN FS						0								

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		Ttl Disp. Ballast		Traps/H. moveable blst				
								SL	SPL	SLU	ASA				Ballast Mat.			Keel Type
								SSMG SSF	SSA	SLE ASM	Sprit Lngth Fixed or _o							
Itinerant	Hunter 34	1025	150	1986	47.42 13.75 ALUMN MS	105	41 11.75	4.02 6.87	271	No	No	34.42 28.25 11.5 5.5	11820 5366 Steel	0 1 FIXED	IB Fixed_2			
Jacqueline	Freedom 30 SD	3	174	1986	28.4 9.8 CARBON CAT		35.2 13.9	5.25 9	291	Yes	No	30 25.42 10.8 4.5	7660 3150 Lead	0 1 FIXED	IB Fixed_2			
Jam Jam	Yankee 30-1 SM	90	192	1972	37.5 12.75 ALUMN MS	125	34.5 9.75	2.45 4.91	170	Yes	No	30 23 9 5.1	8900 4180 Lead	0 1 FIXED	IB Fixed_3 3	(mtg 4/28/11, +3 sec/mi for engine modifications)		
Jamani	J 120 ALUM	52879	48	2002	50.5 14.5 ALUMN FS	155	52 21.5	46.5 17.8	6.7 11.5 491	No	Yes	34 64 50 37	1729 7 0	40 35 12 7	13900 6000 Lead	0 1 FIXED	IB FOLD 2	
Jarlen	J 35	28528	72	1990	46.333 14.583 ALUMN MS	150	46.3	41.416 14	5.43 9.11	Yes	No	35.42 30 11.67 6.75	10500 4400 Lead	No 1 FIXED	IB FOLD 2			
Javelin	J 105 ODR w/ 5'BS	394	78	2001	40.6 13.5 ALUMN FS	100	42.1 19.07	41.5 14.5	5.5 9.4 358	No	Yes	25.5 49 38.6 26.4	957 5 0	34.5 29.5 11 6.5	8697 3400 Lead	0 1 FIXED	IB Fold	
Javelin	J 100 ODR	4	81	2004	38.5 11.5 CARBON FS	95	43 12.7	38 13.5	5.13 8.77	No	Yes	24.34 49.93 38.71 24.34	899 0	32.8 29 9.3 5.8	6500 2500 Lead	No 1 FIXED	IB FOLD 2	

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:		ISP		Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications					
		Sail #	DW Rating		J	Max Headsail	JSP	P	MGU	Yes/No		SLU	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB							
										E	MGM								SL		SPL	LWL	Ballast	moveable blst	Prop Type
Disp/WL Ratio	Mast Material	Rig Type	EY	SSF	ASMG	Fixed or _o	Max Draft																		
JR	Moore 24	76	150	1980	26.25 9.75	155	26.25	25 9.5	3.91 6.5	Yes	No	23.75 21.75	2050 1025	No 1		OB None									
			635		ALUMN			0	147			7.16	Lead	FIXED	0										
			91		FS			0				4.08													
Junkyard Dog	J 109 ODR	168	72	2004	46.5 13.3	105	49 18.83	43.25 15.5	5.88 10	No	Yes	35.25 30.5	10900 3900	No 1		IB FOLD									
			583		ALUMN			0	398			11.5	Lead	FIXED	2										
			175		FS			0				7													
Juno	J 88	20	81	2014	38.67 11.28	105	46 18.05	36.82 12	5.44 8.4	No	Yes	29.19 26.84	4990 1840	0 1		IB Feath									
			561		CARBON				282			9.5	Lead	FIXED											
			117		FS							6.5													
Kabunza	Pearson 36-2	362	132	1986	47.1 15.4	110		41 14.5	3.65 7.3	No	No	36.5 29.5	15000 5800	0 1		IB Fixed_2									
					ALUMN				300			12.3	Lead	FIXED	2										
			266		MS							6.5													
Kai Ola	Jeanneau Sun Odyssey 379	0	105	2011	46.67 13.58	132	46.67	44.58 13.92	5.4 9.1	Yes	No	37.17 36	14771 3914	0 1		IB Fixed_3	(Mtg 5/25/17, -3 sec/mi for oversized spinnaker)								
			584		ALUMN				372			12.33	Steel	FIXED											
			144		MS							6.33													
Kapai	Islander 36 ODR	438	147	1977	45 14.48	125	45	39.25 12.75	5.05 8.44	No	No	36.08 28.25	13450 5500	0 1		IB FOLD									
					ALUMN			0	303			11.17	Lead	FIXED	2										
			271		MS			0				6													
Keala	Wylie Wabbit ODR W/Trap	12	126	1982	20.5 6.5	150	20.5	23.75 10	4.03 6.72	Yes	No	23.75 20	975 440	Yes 3		OB None	Hiking straps and single trapeze								
			602		ALUMN			0	145			5.58	Lead	FIXED	0										
			55		FS			0				3.5													

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications			
				ISP JSP	I J	Max Headsail	P E PY EY	MGU MGM MSA	Yes/No		SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Ballast Mat.	Strps moveable blst Keel Type		IB or OB Prop Type # of blades		
									ISP JSP	SL SSMG SSF									SPL SSA	Ballast
Kelika	Hunter 33.5	28815	1991	39.166 11.666 ALUMN FS	150	39.116	43.166 13.5 0 0	5.2 8.9 350	Yes	No	39 11.75 21.15 21.15	0	<input type="checkbox"/>	33.33 26.83 11 4.5	10800 4500 Iron	No 1 FIXED	IB FEATH 2			
Kira	Cal 33-2	28999	1986	46 13.25 ALUMN MS	125	46 13.25	40.5 12.75 0 0	4.82 8.23 307	No	Yes	21.86 697 0 19.68	0	<input type="checkbox"/>	33 27.5 11.33 6.12	10800 4475 Lead	No 1 FIXED	IB FOLD 2	(Mtg 1/26/12, -3 sec/mi for increased "e" & MSA)		
Kira	Aerodyne 38 SD	38104	2003	50.82 14.5 ALUMN FS	105	57.25 20.83	51.75 16.5	6.25 10.6 506	No	Yes	39.5 2062 58.5 40	0 0	<input checked="" type="checkbox"/>	37.66 34.21 13 6	11850 4150 Lead	0 1 FIXED	IB Fold			
Kiwa	Ericson 32-2	285	1973	36 18 ALUMN MS	155	36	31.5 13	4.9 8.4 243	No	No	0 0	0 0	<input type="checkbox"/>	32 24 9.67 4.91	9400 4400 Lead	0 1 FIXED	IB Fixed_2 2			
Kookaburra	J 120 ALUM	153	2001	50.5 14.5 ALUMN FS	155	52 21.5	46.5 17.8 0 0	6.2 10.7 471	No	Yes	30.3 1265 7 26.5	0	<input checked="" type="checkbox"/>	40 35 12 7	13900 6000 Lead	No 1 FIXED	IB FOLD 2			
Kraken	Knarr ODR	47		33.583 6.583 WOOD FS	125	33.583	31 11.166 0 0	4.47 7.46 211	No	No	6.583	0	<input type="checkbox"/>	30.333 20.333 7 4.25	4360 2866 Cast Iron	No 1 FIXED	OB None 0			
Kuai	Melges 32 ODR	211	2006	40.86 10.7 CARBON FS	105	48.3 18.7	44.05 15.49	6.95 11.14 438	No	Yes	31.82 1344 8 0	0	<input checked="" type="checkbox"/>	31.84 28.5 9.83 7	4200 1600 Lead	0 1 FIXED	OB None			

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications			
		Sail #	DW Rating		I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.	Traps/H. Strps		IB or OB Prop Type # of blades		
									SL	SPL	SLU	ASA				Ballast			moveable blst	
																				SSMG
Kwazy	Wylie Wabbit ODR W/Trap	26	126	1982	20.416 6.416 ALUMN FS	150	20.5	23 10 0 0	4.02 6.71 141	Yes	No	22 14 14	8.5 257	<input type="checkbox"/>	0	23.58 20 5.42 3.41	975 440 Lead	Yes 3 FIXED	NONE None 0	
Kynntana	Freedom 38	38086	141	1988	33.34 11.5 CARBON FS	100	33.34 11.5	45.5 16.57	6.25 10.7 447	No	No			<input type="checkbox"/>	0 0	38.42 30.58 12.5 5.6	14370 6500 Lead	0 1 FIXED	IB Fold	
La Dolce Vita	J 32	64	120	2001	39.2 11 ALUMN FS	155	40.5 13	38.5 15.5	5.1 9.2 334	No	Yes	43 39.5 19.7	19.7 677 2.5 0	<input checked="" type="checkbox"/>	0	32.4 29 11 6	10000 3840 Lead	0 1 FIXED	IB Feath 3	(Mtg 8/22/13, -6 sec/mi for sprit)
La Viajera	J 109 ODR	46480	72	2004	46.5 13.3 ALUMN FS	105	49.6 18.8	43.25 15.5	5.89 10.07 399	No	Yes	56.33 45.63 27.2	27.75 1160 5.5 0	<input checked="" type="checkbox"/>	0	35.25 30.5 11.5 7	10900 3900 Lead	0 1 FIXED	IB Fold 2	
Lady Jane	Jeanneau 39i Sun Odyssey	7913	93	2008	48.1 13.1 ALUMN FS	122	48.1	46.3 14.6	5.42 9.28 398	No	Yes	49.31 42.81 26.08	27.46 1012 1 0	<input checked="" type="checkbox"/>	0	38.1 35.2 12.9 6.7	16163 5026 Cast Iron	0 1 FIXED	IB Feath 3	
Lawless	Catalina 36-2	2056	147	2002	44.75 14.42 ALUMN MS	155	44.9	39 12	4.83 8.05 286	No	No		0 0	<input type="checkbox"/>	0 0	36.42 30.33 11.92 5.83	13500 6042 Lead	0 1 FIXED	IB Fixed_3	
Leda	Lapworth 36	71	150	1965	40.5 13.5 ALUMN MS	150	40.5 13.5	35.5 17.5 0 0		Yes	No	40.5 23.8 23.8	13.5 803	<input type="checkbox"/>	0	36 29 9.5 5.43	13500 4500 Lead	No 1 FIXED	IB FOLD 0	

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications					
		Sail #	DW Rating		I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No		Yes/No	ASF		LOA LWL	Ttl Disp.	Traps/H. Strps			IB or OB Prop Type # of blades				
										Mast Material	PY		MSA	SL SSMG SSF			SPL SSA	SLU SLE ASMG			ASA Sprit Lngth Fixed or _o	Max Beam Max Draft	Ballast	moveable blst Keel Type
Leglus	Ohashi 52	2480	-6	1986	49.26	149	62	57.578	8.103	No	Yes	34.8	52.5	15017	0	IB	(mtg 10/21/09 assigned custom rating of -39)(Mtg 3/24/16, +3 sec/mi for no spinnaker articulation, change custom rating from -36 to -6)							
			439		16.387		21.92	21.325	13.517		70.6	50.06	5.952	1	FOLD									
			54		ALUMN				724		63.6	12.6	Lead	FIXED	2									
					FS						38.188	11.36												
Lelo Too	Tartan 30	16354	180	1975	39	155	39	34	4.61	Yes	No		29.92	8750	0	IB								
			687		13			11.416	7.69			24.25	3700	1	FOLD									
			279		ALUMN			0	238		21.666	10	Lead	FIXED	0									
					MS			0			10.833	4.916												
Lenora	Hunter 33-2	60700	153	2004	37.42	115	38.42	36.46	4.83	No	Yes	18.5	33.5	10400	0	IB								
			648		10.83		10.83	15.83	8.33		39.33	531	29.42	3459	1	Fold								
			186		ALUMN				306		35.5	0	11.17	Lead	FIXED	3								
					FS						16.67	0	5.5											
Lepus	Wylie Wabbit ODR W/Trap	18	126	1982	20.5	150	20.5	23.75	4.03	Yes	No		23.75	975	1	OB	Hiking Straps & Trapeze per class rules							
			602		6.5			10	6.72			20	440	3	None									
			55		ALUMN			0	145		13.9	254	5.58	Lead	FIXED	0								
					FS			0			13.7		3.5											
Levitation II	Express 27 ODR	77	129	1984	28.5	150	28.5	28.5	4.22	Yes	No		27.25	2450	No	OB								
			611		9			10.416	7.03			9.833	23.75	1100	1	None								
			83		ALUMN			0	182		17.5	423	8.166	Lead	FIXED	0								
					FS			0			17.5		4.5											
Lightwave	J 105 ODR w/ 5'BS	319	78	2000	40.6	100	42.1	41.5	5.5	No	Yes	22.9	34.5	7750	No	IB								
			581		13.5		19.07	14.5	9.4		49.4	947	29.5	3400	1	FOLD								
			137		ALUMN			0	358		38.5	5	11	Lead	FIXED	2								
					FS			0			26.6		6.5											
Lil Angel	Newport 30-2	6884	174	1979	39.5	150	39.5	34	4.26	Yes	No		30	8500	0	IB								
			675		12.1			10.25	7.07			12.1	25	2500	1	FOLD								
			247		ALUMN			0	217		21.75	707	10.5	Lead	FIXED	2								
					MS			0			21.75		4.75											

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications							
		Sail #	DW Rating		I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No		Yes/No		LOA	LWL	Ttl Disp.	Traps/H.	Strps	IB or OB	Prop Type	Modifications					
										PY	MSA	SL	SPL									SLU	ASA	Ballast	moveable blst	# of blades
Disp/WL Ratio	Mast Material	Rig Type	SSSF	SSA	ASMG	Fixed or _o	Max Draft	Ballast Mat.	Keel Type	# of blades																
Lilith	Custom Wyliecat 39	7	102	1992				50.75	10.45	No	No		38.83	12000	No		IB	HULL DESIGN IS VERY SIMILAR TO WYLIECAT 30.NO JIB, NO SPINNAKER, NO SPANKER,NO REACHER, NO VANG,NO TWEEKER,NO STAYS ETC., AS SAILED RATING 102 PER MTG 6/12/02								
			596		CARBON		26.5	17.5				32	6200	1		FOLD										
			166		CAT		0	811			<input type="checkbox"/>	11.83	Lead	FIXED		2										
							0					6.67														
Lindo	J 109	195	69	2005	46.5		49	43.3	5.89	No	Yes	27.75	35.25	10900	0		IB									
			580		13.3	155	18.8	15.5	10.07		Yes	1160	30.5	3900	1		FOLD									
			175		ALUMN				400		45.63	5.5	11.5	Lead	FIXED	2										
					FS						27.2	<input checked="" type="checkbox"/>	7													
Lioness	Bermuda 40	981	174	1962	42.5			36.6		No	No		40.75	20000	0		IB	(Mtg 5/22/08, +6 secmi for 3-blade fixed prop, no penalty for headsail larger than 155%, no credit for sonar transducer, custom rating of 174 assigned)								
					15.58	160		17.2					28.8	5600	1		Fixed_3									
					ALUMN			17.7				0	11.75	Lead	CNTRBRD	3										
			381		YAWL			8.5			<input type="checkbox"/>	0	4.25													
Liquid Asset	Ranger 33	27707	150	1970	41.5		41.5	35	4.93	Yes	No		33.17	10500	0		IB									
			649		13.7	150	13.67	13.75	8.67				26.25	4500	1		Fold									
			264		ALUMN				280			0	9.58	Lead	FIXED											
					MS						<input type="checkbox"/>	0	5.17													
Lonesome Dove	Elite 29	9066	165	1984	35.833			30.333	2.6	Yes	No		28.67	6160	No		IB									
			676		11.083	130		10.333	5.1				24.42	2310	1		Fixed_2									
			192		ALUMN			0	157			0	10.5	Iron	FIXED	2										
					MS			0			<input type="checkbox"/>		5.58													
Lonestar	Beneteau First 10R ODR MOD	40	84	2007	43.2		46.41	42.25	5.59	No	Yes	25.5	32.75	9715	0		IB	(Mtg 5/20/10, +3 sec/mi for non-class smaller kite)(Mtg 9/23/10, rudder modifications noted, NCTR)(Mtg 4/26/12, new rudder noted, NCTR)								
			601		12.07	100	16.5	14.73	9.57		Yes	1078	28.7	3528	1		FOLD									
			187		CARBON				371		45.8	4.43	11	Lead	FIXED	2										
					FS						26.4	<input checked="" type="checkbox"/>	6.55													
Low-Down	Santa Cruz 27	8027	141	1979	32.7			28.25	3.68	Yes	No		27	3300	0		OB									
			635		10.9	140		8.58	6.06				24	1500	1		None									
					ALUMN				153			0	8	Lead	FIXED											
			109		MS						<input type="checkbox"/>	0	4.5													

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications					
				I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No		Yes/No	ASF		SLU ASA	SL SPL			SLE Sprit Lngth ASMG Fixed or _o	Ttl Disp.	Traps/H. Strps		
									PY MSA	SSMG SSA											Ballast	moveable blst
Disp/WL Ratio	Mast Material	Rig Type	PEY	MSA	SSMG	SSA	SLU	SLE	ASMG	Fixed or _o	Ballast Mat.	Keel Type										
Loya	Ericson 34 Olson SM	3246	1989	44.5 13.25	154	44 13.25	38.84 12.9	4.69 8.38	Yes	Yes	23.8	34	10600	0	IB							
		627		ALUMN								28	3650	1	Fold							
		219		MS				296				10.83	Lead	FIXED	2							
Lucky Duck	Custom Santa Cruz 52	28729	2001	64.14 18.95	155	64.6 22.5	57.5 21	8.76 14.22	Yes	Yes	40.91	53	22544	0	IB	(Mtg 8/23/12, Custom Rating Assigned, -21 as sailed)(Mtg 5/23/13, weighed displacement added)(Mtg 3/27/14, New Rudder, -3 sec/mi for OSP, -6 sec/mi for 10%+ increase in spinnaker area. No penalty for keel/displacement						
		471		CARBON								46.25	8000	1	Fold							
		104		MS				745				14	Lead	FIXED	2							
				38.74								9										
Lucky Mud	Pearson 323	110	1978	41 13.81	100		36 10.75	3 5.2	No	No		32.3	12800	0	IB							
				ALUMN								27.5	4500	1	Fixed_3							
				MS				197				10	Lead	FIXED								
												4.5										
Luna Sea	Islander 36 ODR	420	1980	45 14.48	135	45	39.25 12.75	5.05 8.44	Yes	No		36.08	18000	No	IB							
		655		ALUMN								28.25	5450	1	Feath							
		363		MS			0 0	303				11.17	Lead	FIXED	3							
												6.08										
M Squared	J 88	75		38.67 11.28	104	46 18.05	36.82 12	5.44 8.4	No	Yes	29	29.19	4990	0	IB							
		561		CARBON								26.84	1840	1	Fold							
		117		FS				282				9.5	Lead	FIXED								
												6.5										
Makanani	Ultimate 24 ODR	3	2003	28.04 7.82	110	30.8 14.5	31 11.35	6.35 9.18	No	Yes	21.3	24.38	2040	0	OB							
		583		CARBON								21.17	750	1	None							
		98		FS				250				8.48	Lead	FIXED								
												5.52										
Makani	Nonsuch 30	278	1985		0		44.9 23.9	8 14.5	No	No		30.33	11500	0	IB							
				ALUMN								28.75	4500	1	Feath							
				CAT				607				11.83	Lead	FIXED								
												5										

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst			IB or OB Prop Type # of blades
								SL	SPL	SLU	ASA							
								SSMG SSF	SSA	SLE ASMG	Fixed or _o							
Make Me Smile	Express 27 ODR	91	129	28.5 9 155	28.5	28.5 10.42 7.03	4.22 7.03	28.5 17.7 17.7	4.22 7.03 182	Yes	No	27.25 23.8 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0			
Mamaluc	J 105 ODR w/ 5'BS	265	78	1999 40.6 13.5 100	42.1 19.07	41.5 14.5 0 0	5.5 9.4 358		No	Yes	25.9 962 5 5	34.5 29.5 11 6.5	7750 3400 Lead	No 1 FIXED	IB FOLD 2			
Marrakesh	Express 34	3	102	1987 44.25 13 125	44.25	38.5 12.83 0 0	4.87 8.46 296		Yes	No		34 28.33 10.33 6.11	9245 3800 Lead	No 1 FIXED	IB FOLD 2			
Mas!	Moore 24	138	150	1983 26.25 9.75 150	26.25	25 9.5	3.91 6.5		Yes	Yes	17.6 387 0 90	23.75 21.75 7.16 4.08	2050 1025 Lead	0 1 FIXED	OB None			
Max	Ultimate 24 ODR	2	108	2002 28.04 7.82 110	30.8 14.5	31 11.35	6.81 9.18		No	Yes	21.3 562 6.7 0	24.38 21.17 8.48 5.52	2040 750 Lead	0 1 FIXED	OB None			
Maxine	Yankee 30-1 SM	43	186	1971 37.5 12.75 125	37.5 12.75	32.5 9.7	2.4 4.8		No	No	20.75 600 0 0	30.13 23 9 5	8700 4130 Lead	0 1 FIXED	IB FOLD 2	+3 sec/mi for MGM less than 50% of E		
Mega Hurtz	Laser 28 ODR MOD	53470	129	1974 31.1 9.65 125	31.73	33.14 12.96	4.98 8.4		Yes	No		28.41 23.62 9.48 4.98	3950 1500 Lead	0 1 FIXED	OB None 2	(Mtg 2/27/14, switched to outboard motor, -3 sec/mi)		

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst		
								SL	SPL	SLU	ASA						
								SSMG SSF	SSA	SLE ASMG	Fixed or _o						
Meliki	Santana 22	5194	237	1967	26 8.5 125	26	21.75 9.833 0 0	3.95 6.59 131	Yes	No	22 18.67 7.83 3.5	2600 1230 Iron	No 1 FIXED	OB None 0			
Merlin	Custom Lee 68	8955	-87	1977	71.96 22.5 146	74.35 30.4	66.87 27.5 0 0	11 18 1109	No	Yes	68.6 64 12.17 10.65	24363 10484 Lead	0 1 FIXED	IB FOLD 2	(Mtg 4/27/17, custom rating assigned: -81)(Mtg 5/25/17, -3 sec/mi for larger headsail, -3 sec/mi for increased J. New custom rating: -87 as sailed)		
Mintaka 4	Farr 38	18441	81	1979	43.67 13.67 125	46.2	44.9 17.9 0 0	6.8 11.6 478	Yes	No	38.25 31.17 12 6.33	11850 4100 Lead	No 1 FIXED	IB FOLD 2	(2002-removed dinette stbrd, add bench seat w/55 gal fuel tank, original was 12.5. Rudder replaced 12" longer, 4" narrower. Changes noted mtg 1/17/02, NCTR)(removed short pole, changed spinnakers, 1/12/04)(Mtg 1/24/12, new stem)		
Mirth	Catalina 34 1&2	28634	150	2005	44 13.5 125		38.5 12	4.17 7.33 265	No	Yes	35.67 29.83 11.75 5.58	11950 5000 Lead	No 1 FIXED	IB FEATH 3			
Mirthmaker	A 35	18250	69	2007	44.22 13.45 90	51.06	44.94 14.66 25.38 25.38	5.42 8.88 381	Yes	Yes	34.7 30.47 11.6 6.88	9810 4367 Lead	0 1 FIXED	IB Fold 2	(Mtg 5/20/10, custom rating of 60 assigned, would like a copy of ORR Certificate)(mtg 6/15/10, change custom rating from 60 to 63 based on further clarification of boats configuration)(Mtg 10/27/16, change custom rating from 63 to 60 after		
Miss Kate	Catalina 27 IB	4630	210	1980	34.5 11.25 125	34.5 11.25	28.66 10.5	3.99 6.83 180	No	Yes	26.85 21.75 8.85 4	6850 2700 Lead	0 1 FIXED	IB Fixed_2			
Mistral	Beneteau Farr First 36.7	28394	81	2002	46.4 13.1 155	46.4 13.1	45.4 15.6 0 0	5.92 12.49 458	Yes	No	35 30.3 11.6 7.2	12495 4034 Iron	No 1 FIXED	IB FOLD 2			

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps moveable blst	IB or OB Prop Type # of blades		
								SL SPL SSMG SSF	SPL SSA	SLU SLE ASMG	Ballast Mat.							Keel Type
Disp/WL Ratio																		
Mojo	J 35	18935	72	1983	46.4 14.7	150	46.3 14.7	41.75 5.21 14.98 8.77	5.21 8.77	Yes	No	35.42 30 11.8 6.9	10500 4400 Lead	No 1 FIXED	IB Feath 2			
Moonlight	Express 27 ODR	28059	129	1986	28.5 9	155	28.5	28.5 10.416 0 0	4.22 7.03	Yes	No	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0			
Moore Fun	Moore 24	18884	153	1979	26.25 9.75	125	26.25	25 9.5 0 0	3.91 6.5 147	Yes	No	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0			
Mooretician	Moore 24	89	150	1981	26.25 9.75	150	26.25	25 9.5 0 0	3.91 6.5 147	Yes	No	23.75 21.75 7.16 4.08	2050 1025 Lead	No 1 FIXED	OB None 0			
Motorcycle Irene	Express 27 ODR	28137	129	1982	28.5 9	155	28.5	28.5 10.416 0 0	4.22 7.03	Yes	No	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0			
Mottley	Catalina 34	8	147	1986	44 13.5	130	44 14	38.5 12 0 0	4.7 8.05	No	No	34.5 29.833 11.75 5.583	11950 5000 Lead	No 1 FIXED	IB Fold 2			
Moxie	CAL 28-2	28217	183	1988	39.9 11.4	90	39.9 11.4	34.17 4.28 10.33 7.11	4.28 7.11	Yes	No	28 23 10.8 5.3	7200 Lead	0 1 FIXED	IB FOLD 2			

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications				
				DW Rating Disp/WL Ratio	I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	SL SPL SSMG SSF	SPL SSA	Yes/No	Yes/No		ASF ASA Sprit Lngth Fixed or _o	Ballast	Traps/H. moveable blst		IB or OB Prop Type # of blades			
																			Ttl Disp.	Keel Type	Strps
Moxy	Moore 24	110	150	1982	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0						
Mr McGregor	Wylie Wabbit ODR W/Trap	8426	126	1982	20.5 6.5	150	20.5	23.75 10	4.03 6.72	Yes	No	23.75 20 5.58 3.5	975 440 Lead	1 3 FIXED	OB None 0	INCLUDES HIKING STRAPS AND SINGLE TRAPEZE.					
Mudshark	Express 37	28052	72	1986	48.75 14.33	155	48.75	42 13.75	5.28 8.83	Yes	No	37.08 30.83 11.57 7.25	11000 4500 Lead	No 1 FIXED	IB FOLD 2						
Mulan	Beneteau First 10R ODR	52659	81	2007	43.2 12.07	120	46.41 16.5	42.25 14.73	5.59 9.57	No	Yes	32.75 28.7 11 6.55	9715 3258 Lead	0 1 FIXED	IB Fold 2						
Music	Catalina 34 1&2	56583	147	2001	44 13.5	130		38.5 12	3.6 6.8	No	Yes	35.66 29.84 11.75 5.56	11950 5000 Lead	0 1 FIXED	IB FOLD 2						
Nadja Delphine	X-41	0	15	2009	55.9 16.11	106	58.63	53.31 18.04	6.82 11.61	Yes	No	40.52 35.07 11.94 8.2	14109 6019 Lead	0 1 FIXED	IB Fold	Electronic winches					
Nancy	Wyliecat 30 OB	28890	126	1995				39.66 19.75	8.71 13.46	No	No	30.5 25 9.5 5.25	5500 3050 Lead	No 1 FIXED	OB None 0	(-3 sec/mi for square top main)					

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications									
		Sail #	DW Rating		I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No		Yes/No	ASF	LOA	LWL	Ttl Disp.	Traps/H.		Strps	IB or OB							
										PY	MSA										SL	SPL	SLU	ASA	Ballast	moveable blst	IB or OB
Disp/WL Ratio	Mast Material	Rig Type	SSFF	ASMG	Fixed or _o	Max Draft	Ballast Mat.	Keel Type	# of blades																		
Nantucket Sleighride	J 105 ODR w/ 5'BS	414	78	2001	40.6	100	42.1	41.5	5.5	No	Yes	25	34.5	7750	0		IB										
			585		13.5		19.07	14.5	9.4		48.9	863	29.5	3400	1		Fold										
			137		ALUMN				358		38.7	5	11	Lead	FIXED		2										
					FS						23.3	<input checked="" type="checkbox"/>	0	6.5													
Neja	Dasher 32	7325	174	1961	38.01	155	38.01	33.22	5.12	Yes	No		31.75	11323	0		IB	500 pounds less lead in keel than the Dasher Easom Boat Works built									
			668		12.59			14.6	8.86				26.75	3600	1		Fold										
			269		ALUMN				277		21.94	691	8.9	Lead	FIXED												
					MS			21.94				<input type="checkbox"/>	0	5.75													
Nemesis	Pearson 26 Commander	151	258	1964	31.5	155		26	3.3	Yes	Yes	21.06	25.7	5200	0		OB										
			774		9.5			11.5	5.75		33	444	18.5	2500	1		None										
			373		ALUMN				154		29.19	0	8	Lead	FIXED												
					MS			16.4			16.17	<input checked="" type="checkbox"/>	0	3.7													
Nepenthe	Hawkfarm 28	6122	174	1976	33.3	115	33	36	4.3	No	No		28	5700	0		IB										
					11			10.5	7.2				23.5	2700	1		Fixed_2										
			200		ALUMN				234			<input type="checkbox"/>	0	9.75	Lead	FIXED	2										
					FS							<input type="checkbox"/>	0	5.5													
Nessie	Catalina 34 1&2	734	156	1988	44	100	44	38.5	4.7	No	No		34.5	11950	0		IB										
					1.5		13.48	12	7.54				29.83	5000	1		Fixed_3										
			205		ALUMN				274			<input type="checkbox"/>	0	11.75	Lead	FIXED	3										
					MS							<input type="checkbox"/>	0	5.58													
Neverland	Tartan 3700 SD 5.0'	106	114	2006	51.75	135	51.75	45.25	5.7	No	Yes	25.4	37	17780	0		IB										
					15		15	15	9.68		53.83	1025	32.5	6200	1		Fold										
			616		CARBON				404		46.8	0	12.6	Lead	FIXED		2										
			235		MS						24.21	<input checked="" type="checkbox"/>	0	5													
New Sinsation	Santana 20	28449	222	1978	24.5	150	24.5	24.5	3.16	Yes	No		20.2	1350	0		OB										
					8.16			7	4.92				16	550	1		None										
			719		ALUMN				110		13.67	271	8	Lead	FIXED												
			150		FS						13.67		<input type="checkbox"/>	0	4												

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications		
		Sail #	DW Rating		I J Max Headsail Mast Material Rig Type	P E PY EY		MGU MGM MSA	Yes/No		Yes/No		SLU SLE ASMG		ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.			Traps/H. Ballast Mat.	Strps moveable blst Keel Type
									SL	SPL	SLU	ASA								
									SSMG SSF	SSA	SLE	Spr								
Nicole	Orion 35	8210	150	1979	44 14 150	44	39.5 10.5 4.42	4.42 7.319	Yes	No	43.667 14.125	0	34.58 28.75 10.83 6	13000 4700 Lead	0 1 FIXED	IB FOLD 2	Displacement Obtained by actual weight on scale, Rudder is new design and new build.			
Nightmare	Custom Wilderness 30 SX FR OB	305	111	1980	34 11.75 125		34.4 11.5 4.59	4.59 7	Yes	No	38.75 11.75	0	29.75 27.75 8.83 5.92	4700 1650 Lead	No 1 FIXED	OB None 0	(-3 sec/mi for change from IB to OB, -6 sec/mi for keel change.)(mtg 2/26/15, -9 sec/mi for oversized spinnaker)			
Nina	Olson 29	27	99	1987	34 11 155	36	32.5 11.5 4.5	4.5 7.27	Yes	No	34 11.25	0	29.67 27.5 9.33 5.58	3700 1950 Lead	0 1 FIXED	OB None 0				
No Name	swift	274	219	1978	25.9 8.5 125		26 7.5 3.3	3.3 5.5	Yes	No	25.9 8.3	0	22.5 17.58 7.83 4.3	2183 900 Lead	0 1 FIXED	OB None	Roller Furler			
Now and Zen	Newport 30-2	6883	174	1978	39.5 12.125 150		34 10.25 3.25	3.25 5.7	Yes	No		0	30 25 10.5 4.75	8000 2600 Lead	No 1 FIXED	IB Fold 2				
Nozomi	CAL 40	164	114	1970	46.2 15.2 155		39.9 17.6 6.6	6.6 11.37	Yes	No	46.2 15.2	0	39.5 30 11 5.6	15500 6000 Lead	0 1 FIXED	IB FEATH 3				
Nutmeg	Islander 36 ODR	87245	144		45 14.48 150	45	39.25 12.75 5.05	5.05 8.44	No	No		0	36.083 28.25 11.166 6.083	13450 5450 Lead	No 1 FIXED	IB FOLD 0				

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications						
		Sail #	DW Rating		I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No		Yes/No		LOA	LWL	Ttl Disp.	Traps/H.		Strps	IB or OB				
										SL	SPL	SLU	ASA								Max Beam	Ballast	moveable blst	# of blades
PY	MSA	SSG	SSA	SLU	ASA	Max Draft	Ballast Mat.	Keel Type	Prop Type															
OAXACA	Santa Cruz 50	8927	-12	1982	61.48	155	61.22	54.75	6.08	Yes	No	36.5	50.23	17374	0		IB	(Mtg 5/26/16, -6 sec/mi for oversized ASA)						
			480		18.88		20.65	16.98	10.67		65.5	46.67	8000	1		Fold								
			78		ALUMN				540		59.5	12	Lead	FIXED										
					FS						36.2	7.91												
Obsession	Harbor 20	299	207	2010	25.75	95	26.38	26	3.25	Yes	No		20	1800	0		OB	(Mth 5/25/17, -6 sec/mi for OSP)						
			722		7		8.16	10	6.05			17.2	900	1		None								
			161		ALUMN				147		13.7	7	Lead	FIXED										
					FS						13.6	3.5												
Ohana	Beneteau 45F5	38023	63	1991	53.15	100	55.15	55.4	7.06	Yes	No		44.11	26500	0		IB	(Mtg 12/1/11, -6 sec/mi for new keel)						
			580		15.08		16	18.58	12.08			36.9	8500	1		FEATH								
			240		ALUMN				613		27.14	14.1	Lead	FIXED		3								
					FS						27.14	7.9												
Orca	Moore 24	85	150	1981	26.25	150	26.25	25	3.91	Yes	No		23.75	2050	0		OB							
			638		9.75			9.5	6.5			21.75	1025	1		None								
			91		ALUMN			0	147		17.55	7.16	Lead	FIXED		0								
					FS			0			17.55	4.083												
Oscar	Santa Cruz 33	57663	117	1978	41	125	41	35.42	4.25	Yes	No		33	7000	No		IB							
			595		13.583			15	7.166			28	3000	1		FOLD								
			145		ALUMN				269		24.6	10.06	Lead	FIXED		2								
					MS						24.6	6												
Oshun	Catalina 27 OB	1216	201	1974	34	95		28.67	4.24	No	No		26.83	6850	0		OB							
					11.25			10.5	7.08			21.75	2750	1		None								
			303		ALUMN				185			8.83	Lead	FIXED										
					MS							4												
Ouessant	Farallone Clipper FR	8214	159	1957	35.69	150	35.69	40.34	7	Yes	No		37.833	18344	No		IB							
			673		13.87			18.79	12.1			28.25	7200	1		Fixed_2								
			370		WOOD			0	448		24.41	9.5	Iron	FIXED		2								
					FS			0			23.58	5.916												

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications						
		Sail #	DW Rating		I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No		Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB							
										SL	SPL									SLU	ASA	LWL	Ballast	moveable blst	Prop Type
Disp/WL Ratio	Mast Material	Rig Type	EY	SSSF	ASMG	Fixed or _o	Max Draft																		
Outsider	Azzura 310	1000	57	1996	35.35 11.55	110	43.33 21.57	38.75 13.25	6.68 10.5	No	Yes	30.1 1163	30.75 27.4	4850 2100	No 1	OB Fixed_3	6 FT ARTIC, RETRAC BOWSPRIT. MTG 3/28/96 (RATED 66) (CHNG NOTED 4/18/96-NO CHNGE RTNG. (2/13/96 FM 66 TO 60.)(MTG 11/13/97 FM 60 TO 57)MTG 2/12/98 FM 57 TO 63 (MTG 4/9/98) Inboard SailDrive removed and replaced with								
			525		CARBON		0	352			6	10	Lead	FIXED	3										
			107		FS		0				<input type="checkbox"/>	7.2													
							0																		
Oxymoron	Moore 24	28993	150	1981	26.25 9.75	150	26.2	25 9.5	3.91 6.5	Yes	No		23.75 21.75	2050 1025	0 1	OB None									
			639		ALUMN		0	147			0	7.16	Lead	FIXED	0										
			91		FS		0				<input type="checkbox"/>	4.25													
Paradigm	J 32	79	126	2002	39.166 11	150	40.583 11.916	38.42 15.42	5.5 9.58	No	Yes	17.83 722	32.4 29	11500 3840	No 1	IB FOLD									
			647		ALUMN			343			0	11	Lead	FIXED	2										
			214		FS						<input checked="" type="checkbox"/>	6													
Paramour	Moore 24	75	150	1980	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No		23.75 21.75	2050 1025	No 1	OB None									
			635		ALUMN		0	147			0	7.16	Lead	FIXED	0										
			91		FS		0				<input type="checkbox"/>	4.083													
Passat	North Star 500	57313	240	1973	33 10.25	140		27.5 8.75	3.5 6.1	No	No		24.98 20.23	4298 1710	0 1	IB Fixed_3									
					ALUMN			149			0	9	Lead	FIXED											
					MS						<input type="checkbox"/>	5													
Peabody	Ultimate 20	22	144		25.08 6.97	110	27.58 12.79	27.5 10.25	5.5 7.96	No	Yes	19.2 448	20.94 18	1350 450	0 1	OB None									
			613		FS			195			6	8.33	Lead	CNTRBRD											
			105								<input checked="" type="checkbox"/>	5.03													
Peaches	Express 27 ODR	18364	129	1986	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	No		27.25 23.75	2450 1100	No 1	OB None									
			611		ALUMN		0	182			0	8.166	Lead	FIXED	0										
			83		FS		0				<input type="checkbox"/>	4.5													

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications					
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU ASA Sprit Lngth Fixed or _o	SL SPL SSMG SSA	SLU ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst							
								38	4.43									Yes	No	33.17	0	IB
264	MS	212	23.62	780	0	0	9.583	Lead	FIXED	2												
Pearl	Ranger 33 SM	278	1977	38 13.9 ALUMN MS	38	31.5 11	4.43 7.39	4.43 7.39	Yes	No	33.17 26.25 9.583 5.166	10500 4800 Lead	0 1 FIXED	IB Fixed_2 2								
Pegasus - Motion X	J 100 ODR MOD	1197	2005	38 12.7 CARBON FS	43 15.63	38 15.3	5.32 9.32 332	5.32 9.32	No	Yes	32.8 29 9.3 5.8	7250 2500 Lead	No 1 FIXED	IB FOLD 2	(Mtg 2/26/09, -3 sec/mi for adding sprit)(mtg 1/21/10, additional -3 sec/mi for lengthening sprit to 4.13')(Mtg 1/27/11, -6 sec/mi for increased "e")(Mtg 1/26/11, shortened J, boat rigged for sheathed ceiling. NCTBY4/22/17							
Penny Pincher	J 70 ODR	215	2014	26.77 7.68 CARBON FS	30.15 13.5	26.16 9.44	4.71 6.93 164	4.71 6.93	No	Yes	22.78 20.47 7.38 4.92	1750 630 Lead	0 1 MVBL	OB None								
Peregrine	J 120 Carbon	25487	2001	50.5 14.5 CARBON FS	52	46.5 17.8	6.76 11.57 493	6.76 11.57	No	Yes	40 35 12 7	13900 6000 Lead	0 1 FIXED	IB Fold 2								
Phantom	J 44	28844	1990	60.606 17.08 ALUMN MS	60.416	53.53 19.41 0 0	7.3 12.5 615	7.3 12.5	Yes	Yes	44.75 38.58 13.67 8.14	23838 9000 Lead	No 1 FIXED	IB Feath 3								
Phat Jack	Express 37	18257	1985	48.75 14.33 ALUMN MS	150	48 13.75	8.83 8.83 343	8.83 8.83	Yes	No	37.08 30.83 11.57 7.25	11000 4500 Lead	0 1 FIXED	IB FEATH 2								
Picante	Islander Bahama 28 SM	1	1981	33.8 11.75 ALUMN MS	150	28 8.2	3.58 5.75 146	3.58 5.75	No	Yes	27.9 23 9.8 5.5	7000 3000 Lead	0 1 FIXED	IB Fixed_3 3								

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications		
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps moveable blst				
								SL	SPL	SLU	ASA							Ballast Mat.	Keel Type
								SSMG SSF	SSA	SLE ASMG	ASA								
Plus Sixteen	Ericson 911S Olson	97707	135 1991	41.5 12.25 125 41.5 12.33	35.761 4.035 11.811 7.136	0 240	0 0	Yes	Yes	20.932 698 0	30 25 10.33 5.42	8500 3200 LeadSteel	No 1 FIXED	IB FEATH 2					
Polecat	Wyliecat 30 IB	5	132 1997	29.5 12 CARBON CAT	40 7.35 20 12.66 0 468 0	0	0	No	No	21.6 493 8 15	30.5 25 9.416 5.25	5500 3050 Lead	No 1 FIXED	IB FOLD 2	(Articulating Sprint and Pole added for asym spinniker, added asymmetrical, -21 sec/mi)(5/22/14, removed Asymmetric, +21 sec/mi)(Mtg 8/25/16, New rudder installed, NCTR)				
Pony Express	Express 34	28234	99 1988	44.25 12.92 155 44.25	38.5 4.87 12.83 8.46	0 296 0	0	Yes	No	0	34 28.33 10.5 6	7500 3700 Lead	No 1 FIXED	IB FOLD 2					
Popstar	Catalina 400	331	108 2005	52.5 15.5 135 52.5 16.5	46.9 4.02 17 8.27 393	0	0	No	Yes	27.9 1225 0 0	41.54 36.5 13.5 6.92	20500 8300 Lead	0 1 FIXED	IB Fold 3	(+3 sec/mi for in-mast furling mainsail, +3 sec/mi for MGM <50% of E)				
Pork Chop Express	Express 27 ODR MOD	115	126 1986	28.5 9 130 32.5	28.5 4.2 10.4 7 182	0	0	Yes	Yes	19.55 425 0 90	27.25 23.75 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None	(Mtg 1/26/17, -3sec/mi for switching to MH configuration. New Rudder, NCTR)				
Post Time	Catalina 42-1/2	362	102 1993	53 16.42 135 53 16.42	46.75 5 15.5 9 401	0	0	No	No	0 0	41.83 36 13.83 6	24000 8300 Lead	0 1 FIXED	IB Feath 3	In-Boom Furling Mast, Electric Halyard Winch				
Pressure Drop	Beneteau Farr First 36.7	52489	78 2006	46.4 13.1 155 46.4 14.35	45.4 5.92 15.6 12.49 458	0	0	Yes	No	23.29 867 0 90	36 30.3 11.4 7.3	12495 4034 Lead	0 1 FIXED	IB Fold 2	(12/2/16, -3 sec/mi for JSP)				

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
		Sail #	DW Rating		I J Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp.	Traps/H. Strps		IB or OB Prop Type # of blades	
									SSMG SSF	SPL SSA	SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o			Ballast	moveable blst		
Disp/WL Ratio	Mast Material	Rig Type																
Prime Number	J 70 ODR	29	114	2012	26.77 7.68	100	30.15 13.5	26.16 9.44	4.71 6.93	No	Yes	18.7 491 5.1 0	22.78 20.47 7.38 4.92	1750 630 Lead	0 1 MVBL	OB None		
Princess	Sabre 40-2	28876	75	1996	53.5 15.5	110	53.5 20.5	47.8 17	6.27 10.7	No	Yes	26.75 1205 5 0	40.17 35.25 13.25 6.25	19500 7000 Lead	No 1 FIXED	IB FOLD 2	base rtg changed frm 69 to 72 MTG 4/8/03.	
Problen Child	Melges 20	134	111	2009	23.19 7.05	110	27.2 10.95	24.25 9.84	3.83 7.42	No	Yes	18.8 417 3.9 0	20 19.4 7 4.5	1105 415 Lead	0 1 FIXED	OB None		
Puffin	Alden 44	38144	117	1978	54.1 19.5	100		47.08 14.75	5.7 9.6	No	Yes	33 1369 0 0	44.17 34.08 12.5 8.75	24500 Lead	0 1 CNTRBRD	IB Feath		
Punk Dolphin	Custom Wylie 38	18481	72	1985	48 14.33	150	48	43 14	5.58 9.55	Yes	No	14.33 1026 0	38 31 11.6 6.75	14000 5000 Lead	No 1 FIXED	IB FOLD 2		
Q	Custom Schumacher 40	28901	54	2001	47 14.67	105	47	47.5 18.35	6.75 11.75	Yes	No	14.67 1030 0	40 31.5 11 7.6	10166 4528 Lead	No 1 FIXED	IB FOLD 2		
QE 3	Tartan 10	8049	129	1978	35 12	125	35 0	40.25 13.75	5.34 8.96	Yes	No	12 630 0	33.16 27 9.25 5.83	6700 3340 Lead	0 1 FIXED	IB FOLD 2		

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications		
		Sail #	DW Rating		I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No		Yes/No	ASF		LOA LWL	Ttl Disp.	Traps/H. Strps		IB or OB Prop Type # of blades	
										SL	SPL		SLU	ASA			Ballast			moveable blst
Disp/WL Ratio	Mast Material	Rig Type	PY EY	MSA	SSF	ASM	Fixed or _o	Max Beam	Max Draft											
Queimada	Catalina 34 1&2	611	147	1988	44 13.5	150	44 13.5	38.5 4.2 12 7.2	4.2 7.2	Yes	No		34.5 29.83 11.75 5.58	11950 5000 Lead	0 1 FIXED	IB Fold 2				
Quiet Thing	Ranger 22	200	216	1978	25.75 8.5	155	25.75	26 7.4	2.8 4.8	Yes	No		22.5 17.5 7.8 4.3	2200 900 Lead	0 1 FIXED	OB None				
Quila	Santa Cruz 27	18723	141	1976	32.583 10.75	155	32.583	28.25 8.583	3.68 6.1	Yes	No		27 24 8 4.5	3000 1500 Lead	No 1 FIXED	OB None 0				
Quiver	Custom Nelson Marek 36	28669	45	1999	43.85 12.5	105	51.9 14.57	45.75 16.47	6.56 10.66	Yes	Yes	26.24 1221	35.6 29.32 10.3 7.6	7725 3255 Lead	No 1 FIXED	IB FOLD 2	(mtg 6/15/10, added lead shoe to keel, -3 sec/mi, change custom rating from 48 to 45)(Mtg 2/29/12, added sprit equal to SPL, NCTR)			
Ragtime!	J 92	18	105	1993	37 11.5	155	38.5 17	38 13.5	4.7 8.2	No	Yes	29.75 1019	30 25.8 10 5.9	5500 2275 Lead	No 1 FIXED	IB FOLD 2	(changes noted 3-11-03, NCTR)(2/14/06 - Spinnaker based on 1019 sq feet/94.67 meters)(Mtg 01/16/14, -3 sec/mi for flying asymmetric off squared back pole)(Mtg 4/24/14, New Rudder noted, NCTR - Shortened pole/sprit)			
Rampage	J 70 ODR	582	114	2014	26.77 7.68	100	30.15 13.5	26.16 9.44	4.71 6.93	No	Yes	18.7 491	22.75 20.47 7.38 4.92	1750 630 Lead	0 1 MVBL	OB None				
Rare Bird	Moore 24	67	141		26.58 9.75	100	28.31 11.65	25 9.5	3.91 6.5	Yes	Yes	17.22 464	23.75 21.75 7.16 4.083	2050 1025 Lead	0 1 FIXED	OB None	(Mtg 10/27/16, -6 sec/mi for OSP, -6 sec/mi for increased spinnaker area)			

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
				DW Rating Disp/WL Ratio	I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			SLU ASA Sprit Lngth Fixed or _o	Ballast Ballast Mat.	Traps/H. moveable blst Keel Type		IB or OB Prop Type # of blades
									SL	SPL	SLU	ASA						
									SSMG SSF	SSA	SLE ASMG	Fixed or _o						
Redux	Olson 911S	28106	1987	41.5 12.33 648 209	155	41.5	35.5 11.83 0 0	4.5 7.7 251	Yes 41 21.9 21.9	No 12.166 748	<input type="checkbox"/>	29.9 25 10.33 5.416	7200 3200 Lead	No 1 FIXED	IB FOLD 2			
Relentless	Sydney 32	28732	2002	40.6 12.2 589 136	110	40.6 13.1	39.7 14.75 0 0	5.6 9.59 349	Yes 40.29 23.4 23.4	No 13.1 786	<input type="checkbox"/>	31.9 28.4 10.6 6.9	6850 2860 Lead	No 1 FIXED	IB FOLD 2	-3 Sec/mi for OSP		
Relentless	J 92	93	1997	37 11.5 590 134	155	38.5 17.5	38 13.5	5.2 8.7 306	No	Yes 26.4 45.2 40.6 25.4	<input checked="" type="checkbox"/>	30 26.5 10 5.9	5500 2275 Lead	0 1 FIXED	IB Fold 2			
Revelry	Catalina 42-1/2	703	1999	53 16.416 608 200	125	53 16.416	46.75 15.416 0 0	5.75 9.833 425	No	Yes 27.5 52.7 47.4 26	<input type="checkbox"/>	41.833 36 13.833 6.83	20500 8300 Lead	No 1 FIXED	IB FEATH 3	ASYM SPIN NOTED NCTR.		
Rhapsody	J 32	56303	2000	39.2 11 640 214	155	40.583 13	38.5 15.5	5.12 9.25 335	No	Yes 22.5 46.25 41.55 22.75	<input checked="" type="checkbox"/>	32.4 29 11 6	11500 3840 Lead	0 1 FIXED	IB Fold 3	(Mtg 5/23/13, -3 sec/mi for sprit, -3 sec/mi for oversized spinnaker)		
Riff Rider	Cal 40	46	1965	46.2 15.1 615 245	155	46.2	40 17.5	6.5 11.3 414	Yes	No 46.2 27.2 27.2	<input type="checkbox"/>	39.3 30.3 11 5.6	15000 6000 Lead	0 1 FIXED	IB Fold			
Rocket Science	Moore 24	104		26.25 9.75 635 91	155	26.25 9.76	25 9.5	3.91 6.5 147	Yes	No 27 17.55 17.55	<input type="checkbox"/>	23.75 21.75 7.16 4.08	2050 1025 Lead	0 1 FIXED	OB None 3			

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications			
		Sail #	DW Rating		I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No		Yes/No	ASF		LOA LWL	Ttl Disp.	Traps/H. Strps		IB or OB Prop Type # of blades		
										SSMG	SPL SSA		SLU SLE	ASA Sprit Lngth			Max Beam			Ballast	moveable blst
Disp/WL Ratio	Mast Material	PY EY	MSA	SL	SSA	SLE	Sprit Lngth	Max Beam	Ballast	Keel Type	# of blades										
Ross's Dream	Catalina 30	4895	180	1987	41 11.42	150	41	35 11.5	4.63 7.72	Yes	No	40.45 20.7 20.7	11.5 698	29.92 25 10.83 5.25	10200 4200 Lead	0 1 FIXED	IB Fold 2				
Roxanne	Tartan 4100 SD TM	322	90		57 15	135	57 15	50.1 18	6.8 11.5	No	Yes	58.9 53 27.7	27 1285 0 0	41.3 35.9 13.6 5.4	20400 8000 Lead	0 1 FIXED	IB Feath				
Rufless	Melges 32 MOD	174	30	2007	40.86 10.7	105	48.3 18.7	44.05 15.49	6.95 11.14	No	Yes	46.2 28.2	31.3 1203 8 0	31.84 28.5 9.83 7	4200 1600 Lead	1 FIXED	OB None	(mtg 2/23/17, no longer using the class spinnaker. +3 sec/mi for small asymmetric)			
Rufless	Melges 24	445	84	1999	27.85 7.95	100	31.85 12	28.9 12.45	3.83 7.09	No	Yes	32.9 19.23	20.67 577 0 0	24 22 8.17 5.25	1783 650 Lead	0 1 CNTRBRD	OB None 0				
Russian Roulette	J 105 ODR w/ 5'BS	85	78	1995	40.6 13.5	100	42.1 19.07	41.5 14.5	5.5 9.4	No	Yes	38.7 23	25 854 5.5 0	34.5 29.5 11 6.5	7750 3400 Lead	0 1 FIXED	IB Fold 2				
Rustler	Esse 850	71	75		32.8 10	105	37.72 16.2	34.4 11.97	6.23 8.85	No	Yes	36.9 23	24.3 779 6.05 0	28 28 7.25 6.6	3000 1540 Lead	0 1 FIXED	IB Fold	Outboard replaced with inboard saildrive (Mtg 2/28/13, custom rating assigned, as sailed: 75)			
Sacagawea	Catalina 34 1&2	375	156	1987	44 13.5	95	44 13.48	38.5 11.75	4.7 7.54	No	No		0 0	34.5 29.83 11.75 5.6	11950 5000 Lead	0 1 FIXED	IB Fixed_3 3				

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications		
				J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No	ASF		Ballast Ballast Mat.	Traps/H. moveable blst Keel Type	IB or OB Prop Type # of blades			
									SL	SPL								SLU	ASA
Disp/WL Ratio	Mast Material	Rig Type																	
Saetta	J 120 ALUM	28486	1999	50.5 14.5	153	52 21.5	46.5 17.8	6.75 11.5	No	Yes	37.6 1793	40 35 12 7	13900 6000 Lead	No 1 FIXED	IB FOLD 2				
Sail La Vie	Beneteau 411	28597	1999	46.67 16.25	140		41.5 14.83	4.872 8.77	No	No	0	41.67 36.09 13 5.58	17196 5500 Steel	No 1 FIXED	IB FEATH 3				
Sailor Dog	Catalina 34 1&2	1798	2007	44 13.5	110	44 13.5	38.5 12	2.8 5.9	No	Yes	20.5 723	34.5 29.8 11.7 5.6	11950 5000 Lead	0 1 FIXED	IB Fixed_3 3	In-Mast furling main +3 sec/mi, MGM less than 50% of E +3 sec/mi			
Salt Peanuts	Custom Dees GP 26	18	2008	29.35 8.07	130	36.43 14.32	32.42 12.63	5.58 8.69	No	Yes	20.41 626	25.72 21.22 8 6.04	2340 1100 Lead	0 1 FIXED	OB None 0	(mtg 2/18/10, change custom rating from 75 to 78)(3/28/12, New Rudder Noted)			
Salty Hotel	Express 27 ODR	60	1983	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	No	9.83	27.25 23.75 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0				
Samba Pa Ti	J 22	3	1982	24.8 8.8	125	24.8 8.8	26.1 9	3.78 6.27	Yes	No	8.8	22.5 19 8 3.8	1790 700 Lead	0 1 FIXED	OB None				
Sapphire	Synergy 1000	38008	2004	40.8 12	125	45.75 16.4	42 15.5	5.86 10.03	No	Yes	28 1172	32.83 29.17 9.75 7	4400 1850 Lead	No 1 FIXED	IB FOLD 2	(Mtg 10/22/15, +3 sec/mi for smaller than class mainsail)			

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications	
		Sail #	DW Rating		I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp.	Traps/H. Strps			IB or OB Prop Type # of blades
										SL	SPL	SLU	ASA			Ballast	moveable blst		
ASF	Fixed or _o	ASF	Fixed or _o	Ballast Mat.	Keel Type														
Savoir Faire	Beneteau 42 IK	28735	90	1984	52.82 16.73	145	52.82	46.59 14.6	5.4 9.35	Yes	No	42.92 36 12.75 7.25	20900 7920 Iron	No 1 FIXED	IB FEATH 2	PER MTG 8/14/97			
			581		ALUMN MS		0 0	401											
			204								<input type="checkbox"/>	0							
Scarlett	Moore 24	86	150	1980	26.25 9.75	150	26.25	25 9.5	3.89 6.45	Yes	No	24 21.75 7.17 4.08	2050 1000 Lead	No 1 FIXED	OB None				
			636		ALUMN FS			147											
			91								<input type="checkbox"/>	0							
Scilla	J 70 ODR	327	114	2012	26.77 7.68	100	30.15 13.5	26.16 9.44	4.71 6.93	No	Yes	22.78 20.47 7.38 4.92	1750 630 Lead	0 1 MVBL	OB None				
			607		CARBON FS			164											
			93								<input checked="" type="checkbox"/>	0							
Scraft	Hunter 36	38096	156	2005	44.83 13.17	125		44.92 16	6 10.3	No	No	35.5 30.58 12 5.42	13900 5023 Lead	0 1 FIXED	IB Fixed_3	Roller Furler, In-mast Furling Mainsail			
			221		ALUMN MS			426											
											<input type="checkbox"/>	0							
Sea Breeze	Catalina 320	850	156	2001	43.58 12.33	135	43.58	38 13.25	5.168 8.661	No	No	32.5 28 11.75 6	11300 4000 Lead	0 1 FIXED	IB Fold 2				
			234		ALUMN MS			303											
											<input type="checkbox"/>	0							
Sea Ghost	Beneteau 42 IK	68222	90	1984	52.82 16.73	155	52.82	46.5 14.6	5.4 9.35	Yes	No	42.92 36.25 12.75 7.25	20900 7920 Iron	0 1 FIXED	IB FOLD 2	DOUBLE HEADRAIL, HYDRALIC BACKSTAY PER MTG 8/14/97			
			580		ALUMN MS			0 0	400										
			199								<input type="checkbox"/>	0							
Sea Spirit	Catalina 34 1&2	108	147	1986	44 13.5	130	44 13.5	38.5 12	4.36 7.54	Yes	No	34.5 29.83 11.75 5.58	11950 5000 Lead	No 1 FIXED	IB FOLD 2				
			636		ALUMN MS			270											
			205								<input type="checkbox"/>	0							

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		Ttl Disp.		Traps/H. Strps Ballast moveable blst Ballast Mat. Keel Type			
								SL	SPL	SLU	ASA						
								SSMG SSF	SSA	SLE ASMG	Sprit Lngth Fixed or _o						
Sea Star	CAL 39-2/3	38022	1977	50 16.7 ALUMN MS	150	50	44 13.8	4.5 8	337	Yes 48 30 29	Yes 16.7 1192	34 1181 0 0	39 32 12 6.7	17000 7000 Lead	0 1 FIXED	IB FEATH 3	Roller Furler
Seaya	Catalina 380	252	2000	50.916 14.667 ALUMN MS	135		44.833 15.667	5.2 10 405		No No	0 0	38.42 32.42 12.33 7.17	19000 6800 Lead	No 1 FIXED	IB FEATH 3		
Serenade	Sabre Spirit		2007	45.5 12.87 CARBON FS	106	51.2 12.87	45.5 16.55	5.55 9.93 425	Yes 44.92 23.17 22.24	12.87 860	No 53.6 45.2 23.9	23 976 0 0	36.67 28.33 10.42 6.58	10500 3740 Lead	0 1 FIXED	IB Fold	
Serendipity	CAL 29-1 IB	6601	1974	37.833 12.333 ALUMN MS	155	37.833 12.67	31.666 12.166 0 0	4.332 7.573 223	Yes 37 22 22	12.16 678	No 0 0	29.25 24.17 9.25 4.75	8000 3350 Lead	No 1 FIXED	IB FOLD 2		
Serenity	Islander 36 ODR	82659	1973	45 14.48 ALUMN MS	135	45	39.25 12.75	3.69 6.88 265	Yes 45 27 27	15 1013	No 0 0	36.08 28.25 11.17 6.083	13500 5450 Lead	0 1 FIXED	IB Feath		
SF	CAL 25-1 OB	1062	1969	29.75 10 ALUMN MS	120	29.75	25 11	4.17 7 163	No		No 0 0	25 20 8 4	4000 1700 Lead	0 1 FIXED	OB None		
Shadowfax	Olson 25	91	1986	32 9.6 ALUMN MS	155	32	28 10 0 0	3.8 6.4 166	Yes 31.7 17.25 17.25	9.583 456	No 0 0	25 21.25 9 4.5	3300 1300 Lead	No 1 FIXED	OB None 0		

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst		
								SL	SPL	SLU	ASA						
								SSMG SSF	SSA	SLE ASMG	ASA						
Shanti	Ericson 911S Olson	326	1989	41.5 12.33 150 41.5 12.33	662 253	ALUMN MS	35.5 4.73 11.83 7.69 0 253 0	28.5 4.22 10.42 7.03 0 182 0	Yes	No	29.92 25 10.33 5.42	8700 3200 Lead	0 1 FIXED	IB FOLD 2	CHANGE TO RUDDER NOTED, NCTR		
Shark-On- Bluegrass	Olson 25	18201	1984	32 9.583 155 32	671 156	ALUMN MS	28 3.8 10 6.4 0 166 0	28.5 4.22 10.42 7.03 0 182 0	Yes	No	25 21.25 9 4.5	3300 1300 Lead	No 1 FIXED	OB None 0			
Shenanigans	Express 27 ODR	67	1983	28.5 9 155 28.5	609 83	ALUMN FS	28.5 4.22 10.42 7.03 0 182 0	Yes	No	27.25 23.75 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0				
Short Bus	Hunter 35 Legend	210	1990	42 12.17 110	628 218	ALUMN MS	44.08 5.5 14.25 9.2 375	No	Yes	35.58 29.75 11.75 6.5	12600 5000 Lead	0 1 FIXED	IB Fixed_2				
Shut Up & Drive	J 24 ODR	513		26.25 9.5 150 26.25	693 176	ALUMN FS	28 3.7 9.75 6.37 0 163 0	Yes	No	24 20 8.916 4	3100 965 Lead	No 1 FIXED	OB None 0				
Siento El Viento	C&C 29	38311	1977	39.5 12.8 155	693 259	ALUMN MS	33.5 4.22 10.1	Yes	No	29.5 23.6 10.5 5.25	7500 2700 Lead	No 1 FIXED	IB Fold 2				
Simply Irresistible	Express 27 ODR	18070	1983	28.5 9 155 28.5	612 83	ALUMN FS	28.5 4.22 10.416 7.03 0 182 0	Yes	No	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0				

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
				DW Rating Disp/WL Ratio	J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			SLU ASA Sprit Lngth Fixed or _o	Ballast Ballast Mat.	Traps/H. moveable blst Keel Type		IB or OB Prop Type # of blades
									SL	SPL	SLU	ASA						
									SSMG SSF	SSA	SLE ASMG	Fixed or _o						
Sir Leansalot	Hunter 40	161	108	1986	53.9 17	125	53.9 17	48 13.9	5.2 9	Yes	No	39.7 32.5 13.5 6.5	17400 6000 Iron	0 1 FIXED	IB Fixed_2 2			
Sirena	Ericson 32-2	18319	186	1972	35 13	110	35	31 13	4.9 8.4	Yes	No	31 24 9.8 5	8800 4000 Lead	0 1 FIXED	IB Fixed_2 2			
Six Brothers	Columbia C 30-2	32006	57	2013	36.67 12.67	103	42 17.67	38 14.67	7.77 10.64	No	Yes	32 27 10.13 7.42	4500 1900 Lead	0 1 FIXED	IB None			
Skinny Love	11 Metre ODR	92	69	1996	32.53 10.166	95	41	36.08 13.583	5.23 8.82	Yes	No	33.67 26.92 8.67 5.42	3600 1600 Lead	No 1 FIXED	OB None 0	MTG 4/9/98. Sail number 90, using sail # 246 for Vallejo 2008		
Skye	Capo 30 MOD	0	114	1984	41.7 12.75	120	41.5 12.75	36 11.5	4.37 7.47	Yes	No	33 26 10.33 5.42	7500 3000 Lead	0 1 FIXED	IB Feath	(Mtg 5/25/17, -9 sec/mi for increased LOA from added sugar scoop)		
Slight Disorder	Moore 24	98	150	1981	26.25 9.75	150	26.25 9.75	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0			
SLOWMO!	Catalina 22-1 OB SK	2482	270	1973	25.93 8	150		21 9.66	3.47 5.96	No	No	21.6 19.4 7.8 5	2250 550 Iron	0 1 MVBL	OB None 3			

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications						
		Sail #	DW Rating		I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No		Yes/No	ASF		LOA LWL	Ttl Disp.	Traps/H.		Strps	IB or OB				
										SL	SPL		SLU	ASA							Max Beam	Ballast	moveable blst	# of blades
Disp/WL Ratio	Mast Material	PY	MSA	SSG	SSA	SLE	Fixed or _o	Max Draft	Ballast Mat.	Keel Type	# of blades													
Snafu	Moore 24	121	150	1982	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No	27 17.55 17.55	9.75 395	23.75 21.75 7.16 4.08	2050 1000 Lead	0 1 FIXED	OB None							
Snafu	CS 30	68588	159	1988	42 12.04	125	42 12.04	36.416 11.416	3.95 6.5	NO	Yes	44 40.653 20.04	20.04 707 0	30 25.51 10.25 5.416	8000 3440 Lead	0 1 FIXED	IB FOLD 2							
Sobrante	Alerion Express 28 ODR	406	168	2009	30 9.75	90	30 9.75	33 12.5	4.8 7.6	No	No		0 0	28.25 22.83 8.2 4.5	5700 2200 Lead	0 1 FIXED	IB Fold 2							
Soiree	Beneteau Oceanis 49 SD	38776	87		59.75 18.42	135	59.75 18.42	51.67 18.33	4.7 9.3	No	Yes	55.73 50.72 26.75	29.41 1210 0 0	49.5 43.67 14.75 5.75	30517 480 Iron	0 1 FIXED	IB Feath	Electric Winches (Mtg 10/27/16, +3 sec/mi for In-mast furling mainsail)						
Sonrisa	Baba 40	0	147		50 21	100	50 21	46 14.75	5.3 9	No	Yes	52 46 29	30.5 1196 0 0	39.83 34.5 12.83 6	29000 12000 Iron	0 1 FIXED	IB Feath							
Sparky	Catalina 25 FK	1498	222	1979	29 10.5	145	29 10.5	24.66 9.58	3.68 1.45	Yes	Yes	28.66 16.5 16.41	10.5 394	17.9 369 0 0	25 22.16 8 4	4550 1900 Cast Iron	0 1 FIXED	OB None 0						
Spirit	Alerion Express 28 ODR	275	168		30 9.75	90	30 9.75	33 12.5	4.8 7.6	No	No		0 0	28.25 22.83 8.2 4.5	5700 2200 Lead	0 1 FIXED	IB Fold 2							

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
				J Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp. Traps/H. Strps		IB or OB Prop Type # of blades			
								SL SPL SSMG SSF	SPL SSA	SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ballast	moveable blst				
																	Ballast Mat.	Keel Type
Disp/WL Ratio	Mast Material Rig Type	SSMG SSF	SSA	SLE	Sprit Lngth Fixed or _o	Ballast Mat.	Keel Type											
Spirit of Freedom	J 124	38006	2006	49 14	155	54.7 15.4	48.4 17		Yes	Yes	32.6 1243 0 0	40.7 36.2 11.3 6.9	12600 5000 Lead	No 1 FIXED	IB FOLD 2	(mtg 4/22/10, -3 sec/mi for OSP, -3 sec/mi for ability to square back pole)		
Starbuck	Custom Black Soo 30	8666	1968	30 13	125	29.5 13	25 4.9 11.73 7.5 0 178 0	Yes	No	20.4 565 0 0	31 27.5 6.8 6.4	4500 1800 Iron	0 1 FIXED	OB None 0	(Mtg 1/17/02, added scoop, custom rating changed from 144 to 141)(mtg 1/11/13, Added A-sail, -9 sec/mi, rating changed from 141 to 132)(Mtg 5/13/14, removed A-Sail, +9 sec/mi, change custom rating from 132 to 141, +2 sec/mi for small headsail)			
Sterling	Catalina 34 1&2	1269	1994	44 13.5	125		38.5 3.6 12 6.8 251	No	No		35.66 29.84 11.75 5.56	11950 5000 Lead	0 1 FIXED	IB Fixed_2				
Stewball	Express 37	18278	1985	48.75 14.33	150	48.75	42 5.28 13.75 8.83 0 344 0	Yes	No		37.083 30.833 11.57 7.25	11000 4500 Lead	0 1 FIXED	IB FOLD 2				
Stink Eye	Laser 28 ODR MOD	33562		31.73 9.65	110	33.2	33.14 5.2 12.3 8.3 0 252 0	Yes	Yes	19 546 0.92	28.42 23.62 9.48 5	4050 1500 Lead	No 1 FIXED	OB FOLD 2	(Mtg 3/27/14, -3 sec/mi for oversized mainsail girths, -3 sec/mi for OB motor)			
Strange Magic	Islander Bahama 30	179	1981	40 12.75	150	40 12.75	33.75 4.37 11.5 7.47 232	No	No		29.92 24.58 10 5	8230 3130 Lead	0 1 FIXED	IB Fold				
Stratocaster	J 32	16	1996	39.2 11	155	40.68	38.5 5.88 15.5 10.07 0 355 0	Yes	Yes	23.95 831 0	32.5 28.67 11 5.75	10000 3840 Lead	No 1 FIXED	IB FOLD 2				

Boat Name	Boat Model (Type)		Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications										
			Sail #	Built	I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No		Yes/No	ASF		LOA LWL	Ttl Disp.	Traps/H.	Strps		IB or OB									
										DW Rating	Mast Material		PY	MSA							SL SPL	SSMG SSA	SLU SLE	ASA Sprit Lngth	Max Beam	Ballast	moveable blst	Keel Type	Prop Type
Summertime Dream	Custom Schumacher 26	18859	1979	26.28	150	26.28	29.58	4.33	Yes	No			26.08	3300	0		OB	Boat has previously been called "War"											
				8.07		8.07	10.76	7.23			8		20	1360	1		None												
				ALUMN FS			0 0	195			14.52 14	308	9.08 5.08	Lead	FIXED		0												
Surprise	Custom Schumacher 46	28098	1997	57	160	63	57	7.5	Yes	Yes	37.23		46	18300	No		IB	(MTG 4/9/98)(mtg 2/20/04)											
				17			19.75	12.8			18.7		40.63	8000	1		FOLD												
				CARBON FS			0 0	670			33.6 33.6	1747	12.92 7.75	Lead	FIXED		2												
Swamp Donkey	Express 27 ODR	8444	1981	28.5	155	28.5	28.5	4.22	Yes	No			27.25	2450	No		OB												
				9			10.416	7.03			9.833		23.75	1100	1		None												
				ALUMN FS			0 0	182			17.8 17.8	430	8.166 4.5	Lead	FIXED		0												
Sweet Grapes	Ericson 36 Holland	19	1981	47.75	147	47.75	42	3.5	Yes	No			35.58	11600	0		IB												
				14.5			12	7.2			14.5		29	5230	1		FOLD												
				ALUMN MS				278			25.83 24.83	1004	11.83 6.25	Lead	FIXED		2												
Sweet Okole	Custom Farr 36	29000	1976	42.049	155	42.049	44.54	5.9	Yes	No			36	9696	No		IB	(78 MTG 1/28/93) (81 MTG 3/18/93)(Mtg 5/22/08, +3 sec/mi for switching to smaller headsail, +3 sec/mi for removing 250# shoe from keel, change custom rating from 81 to 87)(6/7/10, change headsail to 155# - 2 sec/mi change rating)											
				12.35			16	10			12.35		31.33	3750	1		FOLD												
				ALUMN FS			0 0	416			22.23 22.23	812	11.88 7	Lead	FIXED		2												
Sweet Pea	Islander 30-2	195	1971	38.5	155	38.42	32.5	4.75	Yes	No			30	8600	0		IB												
				12.58			11.58	8.125			12.42		24.58	3500	1		FOLD												
				ALUMN MS			0 0	235			22.5 22.5	724	10 5	Lead	FIXED		2												
Sweet Tea	Moore 24	105	1981	26.25	150	26.25	25	3.91	Yes	No			23.75	2050	0		OB												
				9.75			9.5	6.5			9.75		21.75	1025	1		None												
				ALUMN FS				147			17.55 17.55	395	7.16 4.08	Lead	FIXED														

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				J Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps Ballast moveable blst Ballast Mat. Keel Type		
								SL	SPL	SLU	ASA						
								SSMG SSF	SSA	SLE ASMG	ASA						
Sweetspot	C&C 121 DK W/5' BS	46921	2000	57 15	135	57 20	51 16.386	6.19 10.6	No	Yes	36 1851	40 35.5	14100 5500	No 1	IB FOLD	Deep Keel-bowsprit, (Mtg 4/24/08, rating appeal submitted, change base rating for C&C 121 DK w/ 5' BS, aka C&C 121 XP, to 60)	
										5	13.8	Lead	FIXED	2			
				ALUMN MS			0 0	496		<input checked="" type="checkbox"/>		8					
Swift Ness	J 111	101	2014	48.37 13.85	105	51.4 20.08	45.17 14.5	6.1 10.1	No	Yes	31.8 1404	36.5 32.7	9300 3500	0 1	IB Fold		
											6.3	10.8	LeadSteel	FIXED			
				CARBON FS				410		<input checked="" type="checkbox"/>	0	7.2					
Symmetry	J 111	91	2013	48.37 13.85	105	51.4 20.08	45.17 14.45	6.16 10.1	No	Yes	31.1 1399	36.5 32.7	9300 3500	0 1	IB Fold		
											6.3	10.8	LeadSteel	FIXED			
				CARBON FS				410		<input checked="" type="checkbox"/>	0	7.2					
Synchronicity	Olson 25	68	1985	32 9.583	155	32 9.6	28 10	3.8 6.4	Yes	No		25 21.25	3300 1300	No 1	OB None		
											0	9	Lead	FIXED	0		
				ALUMN MS			0 0	166			<input type="checkbox"/>	4.5					
Take Five	Express 27 ODR	28031	1982	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	No		27.25 23.75	2450 1100	0 1	OB None		
											0	8.17	Lead	FIXED	0		
				ALUMN FS				182			<input type="checkbox"/>	4.5					
TASHI	Catalina 30	2010	1976	41 11.5	110	41	35 11.5	4.63 7.72	No	No		29.92 25	10200 4250	0 1	IB Fixed_3		
											0	10.83	Lead	FIXED	3		
				ALUMN MS				246			<input type="checkbox"/>	5.25					
TAZ!!	Express 27 ODR	8100	1981	28.5 9	125	28.5	28.5 10.42	4.23 7.04	Yes	No		27.3 23.8	2450 1100	0 1	NONE None		
											0	8.17	Lead	FIXED			
				ALUMN FS				182			<input type="checkbox"/>	4.5					

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
				DW Rating Disp/WL Ratio	J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp. Ballast	Traps/H. Strps moveable blst Keel Type		IB or OB Prop Type # of blades	
									SL	SPL	SLU	ASA			Ballast Mat.	Keel Type		
									SSMG SSF	SSA	SLE ASMG	Sprit Lngth Fixed or _o						
Tequila Mockingbird	Express 27 ODR	18353		28.5 9 155	32.5	28.5 10.416 0 0	4.22 7.03 182	Yes	Yes	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0	(Mtg 4/23/15, switched to MH configuration, -3 sec/mi for increased spinnaker area)				
TESA	Catalina 42-1/2	642	1999	53 16.41 155	53 23	46.75 15.416 0 0	5.91 10 430	Yes	Yes	41.83 36 13.83 6.8	25500 8300 Lead	0 1 FIXED	IB FEATH 3	Added one electric main halyard winch				
The Belafonte	Santana 22 ODR	5000	1970	26 8.5 110	26	21.75 9.833 0 0	3.95 6.59 131	Yes	No	22 18.67 7.833 3.5	2600 1230 Iron	No 1 FIXED	OB None 0					
The Jackal	Moore 24	22	1977	26.25 9.75 150	26.25 9.75	25 9.5	3.91 6.5 147	Yes	No	23.75 21.75 7.16 4.08	2050 1025 Lead	0 1 FIXED	OB None					
The Mighty Windsong	International Folkboat OB	567	1969	26 8.3 155	26 8.3	28.8 11.2 195	4.44 7.34	Yes	No	25.75 19.75 7.5 4	5000 2750 Iron	0 1 FIXED	OB None					
The Shadow	Custom Mull 32	18787	1974	39.833 13.25 125	39.83	35.166 9.75 0 0	3.45 6.2 200	Yes	No	32.166 26.666 10 5	10600 4500 Lead	No 1 FIXED	IB FOLD 2	RMVD Foam Bumps from both sides of hull, Red Beam by approx 7" Replaced Rudder and Skeg Design w/balanced Rudder Depth same, area increased approx 8 sqft. Hull dry rot, Crsnfg Accom, Ref, Head Stars Cnv. Changed MTC 10/6/07				
Thea	Folkboat	108	1984	21.988 6.562 100	10.166	28.707 11.154 0 0	4.416 7.333 194	No	No	25.079 19.822 7.261 3.916	4640 2315 Iron	No 1 FIXED	OB None 0					

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications						
		Sail #	DW Rating		I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No		Yes/No	ASF		LOA LWL	Ttl Disp.	Traps/H. Strps		IB or OB Prop Type # of blades					
										Mast Material	PY EY		MSA	SL SSMG SSF			SPL SSA	SLU SLE ASMG			ASA Sprit Lngth Fixed or _o	Max Beam Max Draft	Ballast	moveable blst Keel Type
Tiburon	C&C 30 Mills	11	36	2014	40.8	105	46.74	41.8	7	No	Yes	31.5	30	3995	0	IB								
			495		11.28		18.6	14.2	10		52.9	1284	28.7	1579	1	Fold								
			77		CARBON FS				387		46.16	7	9.8	Lead	FIXED									
											31	<input checked="" type="checkbox"/>	0	7.5										
Tijd	Beneteau First 30	45	102	2011	41.66	105	42.16	40.2	6.24	No	Yes	25.5	31.7	8267	0	IB	(Mtg 8/27/15, -3 sec/mi for OSP, +6 sec/mi for small spinnaker)							
			602		13.78		15.7	14.25	9.38		45.6	866	27.5	2403	1	Fold								
			181		ALUMN FS				354		40.5	1	10.5	Cast Iron	FIXED									
											23.8	<input type="checkbox"/>	90	6.25										
Tiki Blue	Beneteau 423	38423	105	2005	48.65	125	48.65	43.44	5.49	Yes	No		41.67	20224	No	IB								
			580		16.52		16.52	14.83	9.6			16.5	38.58	5569	1	FOLD								
			160		ALUMN MS				381		29.7	1199	12.92	Iron	FIXED	3								
											28.69	<input checked="" type="checkbox"/>	0	6.92										
Timber Wolf	Farr 38-1 C&B Marine	67519	75	1980	43.91	155	47.9	44.83	6.7	Yes	No		38.32	12000	0	IB	(REDUCED MGM, ADDED 6" TO RUDDER LENGTH -NOTED NCTR-2/15/01)(-3 sec/mi for oversized spinnaker)							
			579		13.36			17.91	11.6			14.67	30.9	4100	1	FOLD								
			185		ALUMN FS			0	476		26.4	1056	11.97	Lead	FIXED	2								
								0			26.4	<input type="checkbox"/>	0	6.39										
Tinker	Wilderness 21	6	225	1977	25	125	25	25	2.83	Yes	No		20.5	1870	No	OB	Added roller furler							
			718		8.67			8	4.66			8.67	17.8	1070	1	None								
			151		ALUMN MS			0	113		15.6	325	7.25	Lead	FIXED									
								0			15.6	<input type="checkbox"/>	0	4										
Topgallant	Tartan 10	18608	129	1978	35	125	35	40.25	5.34	Yes	No		33.16	6700	No	IB	(4/25/02 Installed Running Backstay)							
			623		11.75			13.75	8.96			12	27	3340	1	FOLD								
			155		ALUMN FS			0	332		21.6	622	9.25	Lead	FIXED	2								
								0			20.3	<input type="checkbox"/>	0	5.83										
Tortuga	Westsail 32	207	216	1974	31.2	150		38.3		No	No		32	19500	0	IB								
			694		18.4			15.1					27.6	7000	1	FOLD								
			422		ALUMN CTR								11	Lead	FIXED	3								
												<input type="checkbox"/>	0	5										

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.		Traps/H. Strps moveable blst				
								SL	SPL						Ballast			Keel Type
								SSMG SSF	SSA						Ballast Mat.			Keel Type
Tortuga	Pyramid 660 ODR MOD	8375	1981	21.82 6.8 104	28 7	25.7 10.5	4 6.8 161	Yes 8 299	No	21.8 18.1 6.2 3.9	850 400 Lead	2 1 FIXED	OB None 2	(Mtg 5/20/10, removed trapeze +18 sec/mi, hiking straps still allowed)(1/24/13, added upper spreaders & stays, NCTR)				
Toypedo	Ranger 26-2	67341	1980	26.4 9 150	28 9	30.5 11	4 7 197	Yes 9 358	No	26 20 8 5	3000 1140 Lead	0 1 FIXED	OB None	Fixed Keel, No daggerboard				
Traveler	Express 34	97089	1987	44.3 13 150	44.3	38.5 12.83	4.87 8.46	Yes 13 787	No	34 28.3 10.5 6	8500 3700 Lead	0 1 FIXED	IB FOLD 2	-6 FOR OVERSIZED SPINNAKER				
Trois Amis	Screamer 12 Meter MOD	194	1985	44.58 15.75 140	44.58	41 14.2	5.3 9.2 345	Yes 17 1116	No	39.37 32.5 10.33 7.67	6000 1350 Lead	0 1 FIXED	OB None	(mtg 3/23/17, custom rating of 36 assigned)				
Tule Fog	Express 27 ODR	18178	1984	29 9 155	28.5	29 10	4.22 7.03 182	Yes 9.83 428	No	27.3 23.8 8.166 4.5	2450 1100 Lead	n 1 FIXED	OB None 0					
Tule Lost	Ericson 911S Olson	28911	1988	41.5 12.33 155	41.5	35.5 11.083	4.73 7.69	Yes 12.33 767	No	29.92 25 10.33 5.42	8680 3200 Lead	No 1 FIXED	IB FOLD 0	MUST HAVE YACHT CLUB MEMBERSHIP CARD WITH ENTRY FORM FOR 2006 RACING				
Turbo Camper	Hobie 33 ODR MOD	87574	1984	33.28 12.4 155	36.5 13.13	35 12.5	4.75 8.1 261	No 13.13 728	Yes 23 702	33 30.5 8 5.42	4200 1900 Lead	1 FIXED	OB None 0	(Mtg 3/29/12, -3 sec/mi for displacement changes)				

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications			
				DW Rating Disp/WL Ratio	I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			SLU SLE ASMG	ASF			Ttl Disp. Ballast	Traps/H. moveable blst	IB or OB Prop Type # of blades
									SL	SPL	SLU	ASA			Sprit Lngth Fixed or _o					
									SSMG	SSA	SSA	SSA								
Twist	J 120 ALUM	28442	48	2000	50.5 14.5	150	52 21.5	46.5 6.75 17.8 11.5	0	492	No	Yes	34.1 1764	40 35 12 7	13900 6000 Lead	No 1 FIXED	IB FOLD 2			
Twisted	Farr 40 ODR MH	40046	0	1999	53.15 15.45	105	50.04 17.06	54.8 8.49 19.36 13.77	60.69	17.06	Yes	No	0	40.7 35.3 13.2 8.53	10902 4960 Lead	0 1 FIXED	IB FOLD 2	(Mtg 12/1/11, interior mods for IRC, smaller mainsail: NCTR)(Mtg 5/24/12, switching to MH ODR configuration)		
Tyr	J 125	52125	-12	2000	49 14.8	155	52 23.4	46.5 6.79 18 11.65	0	497	No	Yes	39.3 1831	41 37 10.6 7.9	8350 4646 Lead	0 1 FIXED	IB Fold 2			
U Decide	Ultimate 20	155	144	2001	26.08 6.97	114	27.58 12.79	27.33 5.5 10.17 7.96	0	193	No	Yes	17.7 433	20.83 18 8.33 5	1350 450 Lead	0 1 FIXED	OB None 0			
UHOO!	Ultimate 20	64	144	1996	22.8 7	100	27.58 13	27.5 5.3 10.33 7.96	0	194	No	Yes	19.2 446	20.8 18 8.166 5	1100 450 Lead	No 1 CENTER	OB None 0			
un-named	Catalina 22-2 OB FK	15622	255	2006	25.8 8	135	25.83 8	21 3.5 9.67 6.08	25	8	Yes	No	0	21.5 19.33 7.67 5	2250 550 Lead	0 1 CNTRBRD	OB None			
Uno	Wyliecat 30 IB	28632	129	1995	35.8 5.5		35.8 12	39.66 9.31 19.75 13.05	0	493	No	Yes	19.68 550	30.5 25 9.5 5.25	5800 3000 Lead	0 1 FIXED	IB FOLD 2	(mtg 2/21/08, penalty for oversized main -3 sec/mi)(Mtg 5/22/08, -24 for asymmetric spinnaker flown on 12' pole)(1/24/16, not using spinnaker +24 sec/mi)		

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications							
		Sail #	DW Rating		I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No		Yes/No		LOA LWL	Ttl Disp.	Traps/H.	Strps		IB or OB						
										PY	MSA	SL	SPL							SLU	ASA	Max Beam	Ballast	moveable blst	IB or OB
Disp/WL Ratio		Mast Material		Rig Type																					
USA 76	IACC	76	-78	2002	83.99 27.17	100		99.18 30.19	14.12 20.33	No	No	82.6 61.6 11.9 13.45	52910 39683 Lead	No 1 FIXED		IB Fold	(mtg 12/5/13, custom rating of -78 assigned)								
Vanga	Alberg 30	30	231 732 402	1965	36.75 10.5	100	36	31 14.25	4.49 8.2	Yes	No	30.25 21.67 8.75 4.5	9000 3300 Iron	0 1 FIXED		IB Fixed_3 3	Roller Furler								
Velvet Hammer	Schock 40	51507	-12 464 84	2000	42.5 13.6	104	49.5 20.58	44.4 16.8	7.2 11.8	No	Yes	40 35 10 8	7914 1800 Lead	No 2 MOVABL		OB None 0	(mtg 10/21/09, switched to 104% headsail, from 150%, smaller girths on mainsail. Change custom rating from -18 to -12)								
Vento	Swan 391	40841	99 592 237		53.5 16.25	95	53.5 16.25	47.25 14	5.5 9.2	Yes	Yes	39.9 33.1 12.4 7.2	18900 6800 Lead	0 1 FIXED		IB Fold									
Ventus	J 88	60	81 561 117	2015	38.67 11.28	104	46 18.05	36.82 12	5.44 8.4	No	Yes	29.19 26.84 9.5 6.5	4990 1840 Lead	0 1 FIXED		IB Fold									
Vera Cruz	Sunsail F40 ODR	1003	42 571 185	2012	52.69 15.09	105	56.54 17.06	51.15 17.65	6.53 11.42	No	Yes	40.15 35 12.76 8.04	17437 6609 Lead	0 1 FIXED		IB Fold 2									
Verve	Express 27 ODR	18283	129 611 83	1981	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	No	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED		OB None 0									

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications			
				J	Max Headsail	ISP JSP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp. Traps/H. Strps		IB or OB Prop Type					
									E	MGM				SL	SPL		SLU		ASA	Ballast	moveable blst
														SSMG	SSA		SLE		Sprit Lngth		
Y	MSA	ASF	Fixed or _o	Max Draft	Ballast Mat.	Keel Type	# of blades														
Vip	Farallone Clipper FR	7	1957	36.82	155	36.82	40.5	6.16	Yes	No	38	19000	No	IB							
				14			18.5	10.979			28.75	7000	1	Fixed_3							
				WOOD			0	420			9.5	Iron	FIXED	3							
				FS			0				5.6										
Vita E Bella	Catalina 42-1/2	989	2007	53	155	16.5	46.9	5.2	No	Yes	27.3	24400	0	IB	(mtg 3/28/13, -3 sec/mi for added sprit)						
				16.5			15.6	9.5		Yes	1105	3765	1	FOLD							
				ALUMN				415		50.4	3.67	Lead	FIXED	3							
				MS						25	0										
Vitesse Too	Hobie 33 ODR	87112	1983	33.8	125	36.8	35	4.75	Yes	No	33	4000	No	OB	Extended rudder 10", NCTR						
				12.4			12.4	8			30.5	1800	1	None							
				ALUMN			0	259			8	Lead	FIXED	0							
				FS			0				5.5										
Void Star	Santa Cruz 40	59995	1982	52	135	52	45.5	5.2	No	Yes	33.62	12500	0	IB	(Mtg 10/22/15, -6 sec/mi for 20% increase in JSP)(4/6/16, +3 sec/mi for non-articulating spinnaker)						
				16		18.67	14	8.58		Yes	1238	5000	1	FEATH							
				ALUMN				370		56.2	0	Lead	FIXED	2							
				MS						48.32	0										
										27.13	0										
Vuja Star	J 105 ODR w/ 5'BS	181	1998	40.6	100	42.1	41.5	5.5	No	Yes	29.5	8733	0	IB							
				13.5		19.07	14.5	9.4		Yes	958	3400	1	Fold							
				ALUMN				358		49.52	5.5	Lead	FIXED	2							
				FS						39.8	0										
										24.8	0										
Warpath	Olson 30 OB	198	1982	36	150	35.9	31.5	4.364	Yes	No	30	3600	No	OB							
				11.75		11.67	10.75	7.268			27.5	1800	1	None							
							0	208			9.33	Lead	FIXED	0							
				MS			0				5.08										
Warwhoop	Contessa 33	63336	1984	37.916	100	37.93	39.416	5.31	Yes	Yes	20.92	8375	No	IB	(Mtg 1/26/17, -3 sec/mi for oversized asymmetric area)(Mtg 2/23/17, -3 sec/mi for oversized symmetric spinnaker area)						
				11.17			13.86	9		Yes	682	3700	1	FOLD							
				ALUMN			0	326		40	0	Lead	FIXED	2							
				FS			0			37.5	0										
							0			21.17	0										

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
				DW Rating Disp/WL Ratio	I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast	Traps/H. moveable blst		IB or OB Prop Type # of blades
									SL	SPL	SLU	ASA						
									SSMG SSF	SSA	SLE ASM	SA						
Wasabi	JPK 1080	38103		46.66 14.17 CARBON FS	100	51.51 19.09	46.2 15.48	5.84 9.61 419	No 15.32	Yes		35.43 30.84 11.98 7.22	10692 4740 Steel	0 1 FIXED	IB Fold			
Wayward Wind	Baltic 38 DP	87258	1983	52.25 15.82 ALUMN MS	155	52.25	46.25 13.75	4.53 8.2 357	Yes 53.21 28.4 58.4	No		38.08 31.5 12.34 7.25	14330 6512 Lead	0 1 FIXED	IB Fold			
Wet Corvette	Melges 30	103	1994	36.85 10.59 CARBON FS	150	36.85 18.96	38 15.49		No	Yes		30 28.6 9.1 7	3800 1750 Lead	0 1 MVBL	IB FOLD 2			
Wet Spot	Moore 24	51	1979	26.25 9.75 FS	150	26.25	25 9.5 0 0	3.91 6.5 147	Yes 26.6 17.55 17.55	No		23.75 21.75 7.16 4.08	2050 1025 Lead	No 1 FIXED	OB None 0			
Wetsu	Express 27 w/J length pole	70	1983	28.5 9 ALUMN FS	155	28.5	28.5 10.42 0 0	4.22 7.03 182	Yes 29 17.7 17.5	No		27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0	-6 Sec/mi OSP		
Whispering Winds	Lancer 36 MH	87374		42 16 ALUMN MS	125	41.9	37 12	4.8 7.9 269	No	Yes	26 932 0 0	36.17 29 11.75 6	10500 4000 Lead	0 1 FIXED	IB Fixed_3			
White Bear	Nonsuch 30	431	1987				45 24	8.68 15.12 629	No	No		30.33 28.75 11.9 5	11500 4500 Lead	0 1 FIXED	IB Fold 3			

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps moveable blst	IB or OB Prop Type # of blades		
								SL	SPL	SLU	ASA							
								SSMG SSF	SSA	SLE	ASMG							
White Cloud	Yamaha 33 IK SM	28688	162 648 247	1979	42.8 13.78 ALUMN MS	150	42.8	37.42 10.67	4.38 7.27	247	Yes 44 24 24	No 13.78 880	0 0	33.25 26.92 11 6.2	10582 4409 Iron	0 1 FIXED	IB Fixed_2	
White Jacket	Etchells 22 ODR	901	120 648 142	1991	27.27 8.22 ALUMN FS	90		32.49 11.57 0 0			Yes 8.22	No	0	30.5 22 6.83 4.5	3337 2105 Lead	0 1 FIXED	OB None 0	
White Shadow	J 88	23	81 561 117	2014	38.67 11.28 CARBON FS	104	46 18.05	36.82 12	5.44 8.4 282		No	Yes 47.83 40.84 27.32	29 1022 5.25 0	29.19 26.84 9.5 6.5	4990 1840 Lead	0 1 FIXED	IB Fold	
White Trash	Moore 24	78	150 636 91	1979	26.25 9.75 ALUMN FS	150	26.25	25 9.5	3.91 6.5 147		Yes 26.6 17.55 17.55	9.75 389	0	23.75 21.75 7.16 4.08	2050 1025 Lead	0 1 FIXED	OB None 0	
White Wabbit	Wylie Wabbit ODR W/Trap	19	126 601 55	1982	20.5 6.6 ALUMN FS	110	26.1	23.75 10 0 0	4.03 6.72 145		Yes 21.6 14 14	8.6 252	0	23.75 20 5.58 3.5	975 440 Lead	Yes 1 FIXED	OB None 0	
Wicked Sister	Farr 36 ODR	3	9 473 87	2004	46.78 13.19 CARBON FS	110	54.82 21.06	49.93 18.63	8.53 12.96 592		No	Yes 61.38 55.05 36.05	36.28 1751 7.36 0	36.1 32.8 11.72 8.5	6745 3076 Lead	0 1 FIXED	IB Fold	
Wild 1	Flying Tiger 10 Meter ODR	41	54 517 71	2007	39.284 12.126 CARBON FS	105	45.282 19.134	40.167 14.895	6.463 10.499 378		No	Yes 51.541 42.651 27.76	27.493 1087 7.008 0	32.68 30.31 9.12 7.61	4376 1918 Lead	0 1 FIXED	OB None 3	

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications					
		Sail #	DW Rating		I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No		Yes/No	ASF		LOA LWL	Ttl Disp.	Traps/H. Strps		IB or OB Prop Type # of blades				
										PY	MSA		SL	SPL			SLU			ASA	Max Beam	Ballast	moveable blst
Disp/WL Ratio	Mast Material	SSSF	SSA	ASMG	Fixed or _o	Max Draft																	
Wild Spirit	Wylie 36	0	141	1970	44.67 14.75	100	44.67 14.75	40.75 14	5.3 9.1	No	Yes	23.5 815	36.5 30	13720 5575	0 1	IB Fixed_2	(Mtg 3/24/16, same hull as "Alert", +3 sec/mi for small "I", +3 sec/mi for no spinnaker articulation)						
			642		ALUMN						39.66	0	10.9	Lead	FIXED								
			231		CTR						23	<input checked="" type="checkbox"/>	0	6									
Wildcard	Santa Cruz 37	37005	27	2009	47.1 13.4	107	52.17 19	47 17	6.4 11	No	Yes	33.3 1534	37 34.75	8662 3730	0 1	IB FOLD	(Mtg 1/26/16, new keel box & rudder noted, NCTR)						
			507		CARBON						50.85	5.6	10.64	Lead	FIXED	2							
			94		FS						33.3	<input checked="" type="checkbox"/>	0	7.5									
Wildcat of Loch Awe	S-2 7.9 FR DB	59838	165	1983	31.83 9.5	135	31.83	29.42 12.33	4.75 7.92	Yes	No		25.92 21.67	4250 1750	0 1	OB None							
			685		ALUMN						17.08	432	9	Lead	AGGERBF								
			190		FS						17.08	<input type="checkbox"/>	0	5									
Wild-Type	Ericson 32-2	614	186	1975	38 13	155	13	31.5 13	4.53 8.19	No	Yes	22.23 639	31.58 24	8800 4000	0 1	IB Fixed_3	Roller Furler						
			707		ALUMN						35.38	0	8.67	Lead	FIXED	3							
			289		MS						20.01	<input checked="" type="checkbox"/>	0	4.92									
Wile E Coyote	Express 27 ODR	11	129	1981	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	No		27.25 23.75	2450 1100	No 1	OB None							
			611		ALUMN						17.7	428	8.17	Lead	FIXED	3							
			83		FS						17.7	<input type="checkbox"/>	0	4.5									
Willow	Wauquiez 40s Centurion	38300	69	2004	51.5 14.17	110	51.5	49.21 19.3	7.3 12.5	Yes	Yes	28.54 1155	41.17 36.4	18960 6085	No 1	IB FEATH	(mtg 3/18/10, -3 sec/mi for oversized a-sail.)(mtg 1/27/11, - 3 sec/mi for added sprit)						
			573		ALUMN						25.54	1080	12.66	Lead	FIXED	3							
			179		FS						25.54	<input checked="" type="checkbox"/>	0	7.75									
Wimm	Jeanneau Sun Odyssey 349	38105	141	2016	43.6 12.37	112		40.68 13.62	4.9 8.2	No	No		33.92 30.84	11770 3483	0 1	IB Fold							
					ALUMN							318	11.29	Cast Iron	FIXED								
			182		MS							<input type="checkbox"/>	0	6.86									

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		Ttl Disp. Ballast		Traps/H. moveable blst				
								SL	SPL	SLU	ASA				Ballast Mat.			Keel Type
								SSMG SSF	SSA	SLE ASMG	Sprit Lngth Fixed or _o							
Wind Blown Hare	Wylie Wabbit ODR W/Trap	29	1982	20.5 6.5 ALUMN FS	20.5	23.75 10 0 0	4.03 6.72 145	Yes	No	23.75 20 5.583 3.5	975 440 Lead	1 3 FIXED	OB None 0					
Wind Speed	J 30	39963	1980	34.19 11.5 ALUMN FS	34.2	37.5 12.5 0 0	4.9 8.1 281	Yes	No	29.83 25 11.18 5.25	6700 2100 Lead	No 1 FIXED	IB FOLD 2	+6 sec/mi for J length pole (mtg 11/16/01)				
Windswept Lady	X-362 Classic	50980	1998	46.6 12.9 ALUMN MS	46.6 12.9	40.6 14.1	5.05 8.86 333	Yes	Yes	35.1 30.4 11.4 6.2	12320 5170 Lead	0 1 FIXED	IB Fold					
Windtrip Infinity	J 92s	35	2006	40.68 11.48 ALUMN FS	44.08 16.67	38.88 13.95	5.42 9 324	No	Yes	30 26.7 10 6.24	5610 2317 Lead	0 1 FIXED	IB Fold					
Windwalker	Islander 36 ODR	57307	1976	45 14.48 ALUMN MS	45	39.25 12.75 0 0	4.8 8.2 297	Yes	No	36.08 28.25 11.17 6.08	13450 5820 Lead	No 1 FIXED	IB FOLD 2					
Wingman Racing	J 70 ODR	584	2014	26.77 7.68 CARBON FS	30.15 13.5	26.16 9.44	4.71 6.93 164	No	Yes	22.75 20.47 7.38 4.95	1750 630 Lead	0 1 MVBL	OB None					
Wings	Columbia 5.5 M ODR	31	1965	29.125 8.25 ALUMN FS	30	34 11.416 0 0	4.59 7.65 237	Yes	No	32.416 25 6.25 4.33	4400 2800 Lead	No 1 FIXED	NA None 0					

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications		
		Sail #	DW Rating		I J Max Headsail Mast Material Rig Type	P E PY EY		MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps moveable blst				
									SL	SPL	SLU	ASA							Ballast Mat.	Keel Type
									SSMG SSF	SSA	SLE	ASMG								
Wood Eye	Catalina 38	111	123	1981	49.83 15.5	110	49.83 15.5	44 11.5	4.7 7.9	Yes	No	38.17 30.25 11.83 6.75	15900 6850 Lead	0 1 FIXED	IB Fixed_2 2					
			625 261		ALUMN MS				313			<input type="checkbox"/>	0 0							
WooHoo	Moore 24	80	150	1980	26.25 9.8	150	26.25	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.083	2050 1025 Lead	0 1 FIXED	OB None 0					
			635 91		ALUMN FS				147			<input type="checkbox"/>	0 0							
Wuvulu	Islander Bahama 30	61	180	1979	40 12.75	150	38.416	33.75 11.5	4.75 8.125	Yes	No	30 24.58 10 5	8600 3500 Lead	No 1 FIXED	IB FOLD 2					
			674 263		ALUMN MS			0 0	243			<input type="checkbox"/>	0							
X TA C	Olson 29	18457	99	1986	34 11	155	36	32.42 11.42	4.59 7.66	Yes	No	29.67 27.5 9.33 5.25	3900 1900 Lead	No 1 FIXED	OB None 0	RUDDER REPLACED W/MORE 30 - CHANGE NOTED NCTR.				
			583 85		ALUMN MS			0 0	226			<input type="checkbox"/>	0							
Xtasea	Catalina 30	0	186	1985	41 11.5	110	41	35.5 11.5	4.63 7.72	Yes	No	29.92 25 10.83 5.25	10200 4250 Lead	0 1 FIXED	IB Fixed_2 2					
			685 297		ALUMN MS				250			<input type="checkbox"/>	0 0							
Xtreme	Hobie 33 ODR	18170	90	1984	33.83 12.4	125	36.25	35 12.5	4.75 8	Yes	No	33 30.5 8 5.42	4000 1800 Lead	No 1 FIXED	OB None 0					
			553 64		ALUMN FS			0 0	260			<input type="checkbox"/>	0							
Yellow Brick Road	Jeanneau Sun Odyssey 40	33300	90	1999	50 13.75	125	50 13.8	43.25 15.67	5.7 9.89	No	Yes	40 33.33 12.92 6.33	16094 5291 Iron	0 1 FIXED	IB FEATH 3					
			601 198		ALUMN MS			0 0	396				<input checked="" type="checkbox"/>	0						

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications			
		Sail #	DW Rating		I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.			Traps/H. Strps moveable blst		
									SL	SPL	SLU	ASA							Ballast Mat.	Keel Type
Yeti	Express 27 ODR	38	129	1983	28.5 9	155	28.5	28.5 10.4	4.22 7.03	Yes	No	27.25 23.75 8.16 4.5	2450 1100 Lead	0 1 FIXED	OB None					
Youngster	IOD ODR	82	156	1937	29.25 8.33	103	41 10.67	38.83 16.25	6.12 10.47	Yes	No	33.42 21.42 6.75 5.333	7100 4100 Lead	No 1 FIXED	NONE None 0	(mtg 1/21/10, switched to Masthead Spinnaker, -12 sec/mi for 40% increase in ISP, -6 sec/mi for oversized spinnaker girths)(138 rating valid for PHRF Races, not valid for IOD Class races. Boat must be in class configuration to sail				
Zamazaan	Custom Farr 52	3883	21	1978	70.4 18.51	135	70.4 18.51	65.2 23.2	8.82 15.08	Yes	No	52.19 47.26 15.45 8.79	25391 9679 Lead	No 1 FIXED	IB FOLD 2	RTG W/USYRU AGE ALLOWANCE IOR RTG W/USYRU AGE ALLOWANCE R=44.9 (1987) 18/24 AS PER PHRF MTG 4/20/95. SHORTENED MAST 6.15 FEET FROM TOP, REDUCED MAINSAIL AREA FROM 24/27 MTG 8/10/95				
Zara	Beneteau 310	144	135	1993	37.04 10.83	135	37.04 10.82	37.8 12.9	5.2 8.9	No	Yes	31.2 27.7 10.5 4.3	7054 2160 Lead	0 1 FIXED	IB Fixed_2					
Zeehond	Newport 30-2	707	174	1976	39.5 12.125	150	39.5	34 10.25	3.6 6.33	Yes	No	30 25 10.5 4.75	8500 2600 Lead	No 1 FIXED	IB FOLD 2					
Zenith	Islander 36 NCPHRF	472	147	1978	45 14.48	135	45 14.8	39.25 12.75	5.05 8.44	No	No	36.08 28.25 11.166 6.083	13450 5820 Lead	No 1 FIXED	IB Fold 2					
Zephyrus	Riechel/Pugh Turbo 77	69011	-99	1997	85.37 35	128	94.94 35	87.34 30.5	11.5 19.2	No	Yes	77.67 65.2 14.78 14.12	31939 12300 Lead	0 1 FIXED	IB FOLD 2	(mtg 8/27/09, -6 sec/mi for new oversized jib. Changed custom rating from -126 to -132)(Mtg 4/26/12, New pintop mainsail, change custom rating from -132 to 129)(Mtg 8/23/12, change custom rating from 129 to 99 after review				

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
				DW Rating Disp/WL Ratio	J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast Mat.	Traps/H. moveable blst Keel Type		IB or OB Prop Type # of blades
									SL	SPL	SLU	ASA						
									SSMG SSF	SSA	SLE ASMG	ASA						
Zingara	Islander 36 NCPHRF	484	150 1978	45 14.48 125 45 14.8	39.25 4.8 12.75 8.29 0 298 0	21.75 3.95 9.83 6.59	No	No	0	36.1 28.25 11.17 6.08	13450 5820 Lead	No 1 FIXED	IB Fold 2	Roller Furler				
Zingaro	Santana 22	5050	237 737 182 1971	26 8.5 125 26	21.75 3.95 9.83 6.59 15.44 335 15.44	Yes	No	0	22 18.67 7.833 3.5	2600 1260 Iron	0 1 FIXED	OB None 0						
Zsa-Zsa	1D 35	35017	36 520 95 1999	42.49 12.52 110 44.78	44.46 7.55 18.58 12 0 498 0	Yes	No	0	35 31.5 10.75 7.6	6500 2600 lead	No 1 FIXED	IB Feath 2						
Zwei Flying Fish	San Juan 33s	59733	129 606 127 1981	34.83 11.48 134 34.83	39.16 4.66 12.66 8.08 292	Yes	No	0	33.1 27.8 7.95 5.5	6000 3500 Lead	0 1 FIXED	IB Fold	(Mtg 5/28/15, +3 sec/mi for small rig)					