

NCPHRF - CURRENT FLEET ROSTER

This Roster represents the information on file for boats with a current NCPHRF certificate. If the boat you are looking for is not listed, their certificate is either not current or not yet updated to the list. You can contact the YRA office to verify a boat not found on this list at info@yra.org or via phone at 415.771.9500. This list is updated monthly.

As of: 1/26/2010

Boat Name	Boat Model (Type)	Sail #	Rating Built DW Rating	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Kee		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst Keel Type		
Abigail Morgan	Express 27 ODR	18394	129 1985	28.5 9	150	28.5	28.5 10.416	4.22 7.03	Yes 28.562	9.833	No	27.25 23.75 8.166 4.5	2450 1100 Lead	No 1 FIXED	OB None 0		
			96	ALUMN FS			0 0	182	17.75 17.4	421	<input type="checkbox"/>						
Ada Helen	Catalina 42-1/2	922	96 69 2005	53 16.5	155	53 16.5	46.75 15.5		No 18	Yes 54.76 50.5 29.7	29.7 1303 0 90	43.8 36 13.1 6	20500 8300 Lead	No 1 FIXED	IB FOLD 3	(Mtg 3/20/08 -6/sec/mi for OSP)(mtg 6/19/08, new larger a-sail, correct size for J, NCTR)	
Akela	Riechel/Pugh Turbo 77	69011	-132 -174 1997	85.37 35	128	94.94 35	87.34 30.51	12.83 19.78	No 35	Yes 103.41 88.35 58.96	59.15 4714 35	77.67 65.2 14.78 14.12	31939 12300 Lead	0 1 FIXED	IB FOLD 2	(mtg 8/27/09, -6 sec/mi for new oversized jib. Changed custom rating from -126 to -132)	
Akula	J 105 ODR w/ 5'BS	16	78 72 1992	40.6 13.5	100	42.1 19.07	41.5 14.6	5.5 9.4	No	Yes 48.9 38.7 23	25 854 5	34.5 29.5 11 6.5	7750 3400 Lead	No 1 FIXED	IB FOLD 2		
Alcyone	BENETEAU OCEANIS 350	0	144 1990	41.47 12.8	130		35.7 11.4	3.1 6.2	No	No		33.8 29.1 11.3 4.17	10582 3968 Iron	0 1 FIXED	IB Feath 3		
Antipodiste	Farr 30 1/2 Ton	18845	156 114 1978	30.14 9.61	155	30.14	31.95 12.92	5 8.45	Yes	No		30.1 25.63 9.9 5.479	4500 1850 Lead	No 1 FIXED	NONE None	Inboard motor removed as well as shaft/strut and prop.	
				ALUMN FS			0 0	248	17.29 17.29	433	<input type="checkbox"/>						

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Kee		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail		P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst Keel Type		
Arabella	ALERION EXPRESS 28 ODR	200	168 2002	30 9.75	90		33 12.5	4.085 7.6	No		No		28.2 22.8 8.2 4.5	5700 2200 Lead	No 1 FIXED	IB FOLD 2	
Arcadia	Custom Nash 28.5	3113	135 1969	33 10	120	34 11	32.5 13	4.92 8.41	No		Yes 38.8 34.908 24.606	24.606 756 4 100	28.5 25.5 9 6.5	4327 1200 Lead	No 1 FIXED	IB FOLD 2	(Weighed Displacement as of 4/4/2009)
Arowana	Custom Diva 39	8	87 1987	41.73 12.8	125	41.73 12.8	46.75 14.75	5.72 9.6	Yes		No		38.75 30.83 9.83 5.75	9920 4575 Lead	No 1 FIXED	IB FOLD 2	Back Stay Crane
Audacious	J 29 7/8 OB	18917	117 1984	35 11.416	150	35	38.666 13	4.94 8.45	Yes		No		29.5 25 11.083 5.667	6000 2100 Lead	0 1 FIXED	OB None 0	
Back Bay	CAL 39-2/3	8939	117 1979	50 16.7	110		44 13.8	4.5 8	No		No		39 32.1 12 6.8	17000 7000 Lead	0 1 FIXED	IB FEATH 3	
Bandicoot	Wyliecat 30 IB	28530	132 2000				39.75 20.5	7.87 13.46	No		No		30.5 25 9.5 5.25	5500 3050 Lead	0 1 FIXED	IB FEATH 2	
Bandido	Merit 25	28125	168 1983	28.75 9.66	150	28.75	28 9.75	4.25 6.69	Yes		No		24.5 20.5 8 4	3000 1050 Lead	No 1 FIXED	OB None 3	

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Kee		Engine/Prop IB or OB Prop Type # of blades	Modifications	
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SPL SSMG SSF	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast		Traps/H. moveable blst Keel Type				
Banditos	Moore 24	118	150 1982	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	26.6 17.55 17.55	9.75 389	No	0 0	23.75 21.75 7.16 4.083	2050 1025 Lead	0 1 FIXED	OB None 0	
Basic Instinct	Custom Elliott 10.50	8123	69 1993	41 12.5	125	45.6	44.2 17.5 0 0	8.5 12 497	Yes	48 30 29.75	13.9 1198	No	26.5 801	34.42 31.83 12.08 7	10220 3000 Lead	No 1 FIXED	IB FOLD 2	(mtg 3/19/09, changed to smaller headsail, +3 sec/mi, & larger mainsail, -6 sec/mi, change rating from 66 to 63)(Mtg 10/21/09, new smaller headsail, still with large headboard. Change mainsail penalty from 6 sec/mi to 2 sec/mi)
Black Knight	Olson 30 OB	18123	99 1981	36 11.75	150	35.9	31.5 10.75	4.364 7.268	Yes	36 21 21	11.75 630	No	0 0	30 27.5 9.333 5.083	3600 1800 Lead	0 1 FIXED	OB None	
Bliss	Pearson 385	38055	180 1984	43.25 16.5	130	43.25 18.3	35.58 14.5	4.8 8.6 289	No	46 42.7 23.2	24.2 865 1.8 0	Yes	0	38.25 30 11.6 5.5	20575 9675 Lead	0 1 FIXED	IB Fixed_3 3	
Blister	Moore 24	119	150 1983	26.25 9.75	155	26.25	25 9.5	3.91 6.5	Yes	27 17.55 17.55	9.75 395	No	0 0	23.75 21.75 7.16 4.083	2050 1025 Lead	0 1 FIXED	OB None 0	
Blown Away	Capri 22 WK	317	210 1988	25 8.16	155	25 8.16	25.75 9.75	3.54 6.2	Yes	25.1 14.7 14.5	8 307	No	0 0	22 20 8 2.5	2250 700 Lead	0 1 FIXED	OB None 3	Main luff 3' short for cockpit headroom
Blue Chip	Kiwi 24	18811	204 1974	31.52 10	145	31.5	27 9 0 0	3.8 6.29 153	Yes	31 17.5 17	10 450	No	0	24 20.5 9.67 4.23	4300 2250 Iron	0 1 FIXED	IB Fold 2	

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst Keel Type		
Blue Moon	International Folkboat OB	175	231 1969	26 8.3	120	26 8.3	28.8 11.2	4.44 7.43	No	No		25.19 19 7.5 4	5000 2750 Iron	0 1 FIXED	OB None 0		
Blue Pearl	Hunter 41	38083	123 48 2005	51.5 13.5	105	52 13.5	50.667 19.5 0 0	6.81 11.61 560	No	Yes	23.4 972 13.5 90	40.33 35.5 13.25 6.5	19400 6506 Lead	No 1 FIXED	IB FOLD 2	(mtg 3/15/07: + 3 sec/m for in-mast furling main, +3 sec/m for MGM less than 50% of E, - 3 sec/m for oversized pole, - 3 sec/m for tacking spinnaker off centerline)(5/24/07: cut pole back to J length, remove -3 sec/m penalty)	
Blueberry	Nonsuch 22	48	246 1987				34 19.25	7.3 12.5 389	No	No		22 20.5 8.5 3.66	4600 1800 Lead	0 1 FIXED	OB None 2	Mark Ellis designed, Mars Metal built 450 lb split bulb torpedo bolted and faired into bottom 4 inches of keel so as not to increase draft, but to add stability in case of knock down. Original lead was 1800 lb. Total lead now 2250 lbs.	
Bodacious	Custom Farr 40 1/T	41001	66 63 1985	47.274 13.818	155	47.3	50.909 18.346 0 0	6.92 11.84 554	Yes	No		40 31.46 13.11 7.5	17036 6620 Lead	No 1 FIXED	IB FEATH 2	FARR 40 DESIGN #158 (MTG 5/14/98 - -3 SEC/MI FOR FILLING IN STERN CREASE); All displacement in IRC measured Trim (totally empty); Measurement changes noted, NCTR PHRF Mtg 2/15/06.	
Boondoggle	Ranger Fun 23 ODR	28613	177 162 1983	25.26 8.66	148	25.36 8.66	27.89 10.5	3.8 6.59 171	Yes		0	23.29 17.88 8.04 5.25	1875 750 Cast Iron	0 1 CNTRBRD	OB None	Swing Keel, locked in down position by wirm drive. Class rules prohibit lifting keel while racing	
Boracic	Open 5.7 ODR	56477	138 105 2006	21.52 7.3	117	21.6 12.3	25.33 10.24	5.34 7.12 171	No	Yes	17.6 345 5 0	18.7 18.7 8.3 5.7	1020 396 Lead	0 1 FIXED	OB None 2		
Bosporus II	Columbia 36	97415	159 126 1968	42.75 15	150	41.75 15	34.666 14 0 0	5.3 9.1 289	Yes	No		35.75 28.25 10.5 5.416	13000 5000 Lead	No 1 FIXED	IB Fixed_2 2		

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail		P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMUG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst Keel Type		
Bravo	Pretorien 35	130	132 1983	48.75 14.75	150		42.5 12 0 0		Yes 48.39 26.55 26.55	14.75 1071	No <input type="checkbox"/>	35.083 30.25 11.5 6	14326 6720 Lead	No 1 FIXED	IB FOLD 2		
Breakout	Santana 35	18679	114 1982	39 12.85	155	39	42 14.25	5.51 9.26	Yes 39 23.13 18.6	12.85 722	No <input type="checkbox"/>	35 26.5 11.916 6.25	8500 3300 Lead	No 1 FIXED	IB FOLD 2		
Brick House	Moore 24	91	150 1981	26.25 9.75	150	26.25	25 9.5 0 0	3.91 6.5 147	Yes 26.6 17.55 17.55	9.75 389	No <input type="checkbox"/>	23.75 21.75 7.14 4.84	2050 1025 Lead	No 1 FIXED	OB None 0		
Buddy	Hunter 216	38032	204 2007	21.9 7.3	94	22.8 10	24.6 10.4	4.5 7.3 162	No		Yes 24.8 20.1 14	16.4 271 3 0	21.5 18.7 7.9 3.5	1535 500 Lead	0 2 MVBL	OB None 3	(Mtg 8/19/08, custom rating assigned of 204)
CAL	Moore 24	136	150 1984	26.25 9.75	150	26.2	25 9.5 0 0	3.91 6.5 147	Yes 27 17.55 17.55	9.75 395	No <input type="checkbox"/>	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0		
Cal Maritime	1D 48	48005	-30 1996	57.7 16.7	155	68.3 20	61.3 22.5	12.73 22.7	Yes 78.3 36 36	20 2349	Yes 72.8 65.7 36	36 2078 0 0	48.3 40.2 14.2 10.1	19743 8818 Lead	0 1 FIXED	IB FEATH 2	Water ballast system not operational (mtg 8/19/08, custom rating assigned of -30, includes dual spinnakers)
Cape Farewell	Westsail 32	38408	225 1975	42.25 20	110		38.25 14.25 0 0	4.06 8.12 293	No		No <input type="checkbox"/>	32 27.5 11 5	19500 7000 Lead	0 1 FIXED	IB Fixed_3 3		

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst Keel Type		
Carmelita	Catalina 42-1/2	131	102 1990	53 16.42	125	53	46.75 15.5	4.98 8.85	Yes 49	16.42	Yes 57	27.75 1131	41.83 36	22000 8300	No 1	IB FEATH 3	
			87	ALUMN MS			0 0	399	23.2 29.8	1001	51.25 24.416	<input checked="" type="checkbox"/>	13.83 6.66	Lead	FIXED		
Cascade	Antrim 27 CM ODR	13	75 1998	28.69 8.17	116	37.25 15	33.75 14	7.5 10.9	No 14	10.9	Yes 44.2	23 708	27.833 23.75	2900 1050	No 1	OB None 0	
			45	CARBON FS			0 0	327			38 20.1	<input type="checkbox"/>	9.25 6	Lead	FIXED		
Cats Paw	Ranger 33 SM	234	159 1976	13.87 38	135		31.5 11	4.43 7.39	Yes 11	7.39	No 11		33 26.3	10300 4800	0 1	IB FOLD 2	Roller Furler
			234	ALUMN MS				212				<input type="checkbox"/>	9.3 5.2	Lead	FIXED		
Chai	Ericson 28 +	28565	183 1983	35.75 12.833	155		31.833 11.17	3.6 6.5	Yes 35.9	12.8	No 21.9		28.6 24.2	7500 3000	No 1	IB FOLD 2	"P" on sisterships is 34.75' as shown on sailplan-actual is 31.83' - apprx 3 feet shorter than standard rig.
			162	ALUMN FS			0 0	197	21.7	654		<input type="checkbox"/>	10.6 5	Lead	FIXED		
Claire de Lune	Moore 24	80	150 1980	26.25 9.8	150	26.25	25 9.5	3.91 6.5	Yes 27	9.75	No 17.55		23.75 21.75	2050 1025	0 1	OB None 0	
			123	ALUMN FS				147	17.55	395		<input type="checkbox"/>	7.16 4.083	Lead	FIXED		
Concordia	Custom Cape North 43	302806	108 1978	52.8 18.3	130		46.3 14	5.5 9.2	No 14	9.2	No 14		43 35.33	25000 12000	0 1	IB Fixed_3 3	(mtg 1/22/09, custom rating of 108 assigned, includes +6 sec/mi for 3 blade fixed prop)
				ALUMN CTR				391				<input type="checkbox"/>	14 7	Lead	FIXED		
Coyote	Beneteau 42 IK TM	28776	84 1985	55.43 16.73	155	55.71	49.2 14.6	4.8 8.5	Yes 55	16.73	No 30.11		42.91 33.9	23560 9500	No 1	IB FOLD 2	(mtg 5/21/09, added 15" scoop to transom, NCTR)
			81	MS			0 0	400	30.11	1380		<input type="checkbox"/>	13.2 7.25	Iron	FIXED		

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Kee		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMUG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst Keel Type		
Delphinus	Mason 33	6	180	1985	43.9 14.5	155	44.7 14.5	38.5 14	4.5 8.1	No	No	33.75 25.4 10.9 5.1	14020 5320 Iron	0 1 FIXED	IB Fixed_3 3	HYDROVANE RUDDER permanently installed in water underway for safety - it is the backup steering device, and cannot be removed/replaced underway unless by dinghy or swimming. Cutter rig is removable forestay.	
Downtown Uproar	J 24 ODR	2394	168 180	1981	26.25 9.5	150	26.25	28 9.75 0 0	3.7 6.37 163	Yes 26.5 17 16.8	9.5 375	24 20 9.2 4.1	3125 965 Lead	0 1 FIXED	OB None 0		
Dream Catcher	Catalina 25 FK	5570	222	1987	31 10.5	155		27.6 9.58	3.8 6.6 163	No	No	25 22.16 8 4	4550 1900 Lead	0 1 FIXED	OB None	Catalina C-25 Balanced Rudder	
Eight Ball	Moore 24	85	150 123	1981	26.25 9.75	150	26.25	25 9.5 0 0	3.91 6.5 147	Yes 26 17.55 17.55	9.75 380	23.75 21.75 7.16 4.083	2050 1025 Lead	0 1 FIXED	OB None 0		
Emerald	Yankee 30-2	37894	177 168	1971	40.5 12.75	125	40.5	34.92 11 0 0	4.18 7.15 229	Yes 40 22 20.5	12.7 723	30 23 9 5	8700 4170 Lead	No 1 FIXED	IB FOLD 2		
Encore	Custom Wylie Gemini 30	8592	126 96	1976	33.33 11.75	125	33.5	39 14 0 0	5.3 9.1 325	Yes 34.1 23.4 23.4	13 665	30.95 26.5 9.25 6.25	6000 3000 Lead	No 1 FIXED	IB FOLD 2	MAST IS APPROX 3' SHORTER THAN STOCK GEMINI; Change rating from 135 to 126 PHRF Mtg 3/16/06;	
Encore	Sydney 36 CR	3632	54 48	2006	45.6 14	104		44.36 16.4	6.1 10.6 431	No	Yes 56.4 50.8 28.8	30 1297 3 3	36.06 31.04 11.32 7.55	11244 4850 Lead	No 1 FIXED	IB FOLD 2	Australian IRC Rating 1.052

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Keel		Engine/Prop	Modifications	
					I	J	Max Headsail	ISP	PE	MGU	SL	SPL	Yes/No		ASF	Ttl Disp.			Traps/H. Strps
		DW Rating			Mast Material		JSP	PY	MSA	SSMG	SSA	SLU	ASA	LWL	Ballast	moveable blst	Prop Type		
					Rig Type			EY		SSF		SLE	Sprit Length	Max Beam	Ballast Mat.	Keel Type	# of blades		
												ASMG	Fixed or _o	Max Draft					
Ergo	Ericson 35-2 SM	97050	153	1970	40 14	150	40 14	32.67 13	4.45 7.45	Yes	41.1	14	No	19.6 673	34.67 25.83	11600 5000	No 1	IB FOLD	(new rudder noted mgt 6-8-04; NCTR).(mtg 3/20/08 -3 sec/mi for dual spinnakers)
			147		ALUMN MS			0 0	237		25.2 25.2	863	39 20.03	<input checked="" type="checkbox"/>	10.04 4.49	Lead FIXED	2		
Expression	Express 37 MOD	33985	75	1984	48.75 14.33	90	48.75	42 13.75	5.3 9	Yes	48.16	14.33	Yes	19 705	37.1 30.83	9500 4500	0 1	IB Fold	(mtg 1/21/10, +3 sec/mi for modified keel, -3 sec/mi for dual spinnaker/ability to fly asym on squared back pole)
			75		ALUMN MS				346		23.2 23.2	931	45 18	0 <input type="checkbox"/>	11.5 6	Lead FIXED	2		
Eyrie	Hawkfarm 28 ODR	6100	165	1976	33 11	125	33.25 11.5	36 10.5	4.37 7.26	Yes	33	11.5	No		28 23.5	5700 2700	No 1	IB FOLD	Rudder changes noted NCTR mtg 4/20/04)
			153		ALUMN FS			0 0	236		19.4	547		<input type="checkbox"/>	9.75 5.166	Lead FIXED	2		
Fatuity	Moore 24	48	150	1980	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	27	9.75	No		23.75 21.75	2050 1025	No 1	OB None	
			123		ALUMN FS			0 0	147		17.55 17.55	395		<input type="checkbox"/>	7.16 4.083	Lead FIXED	0		
Firebolt	Laser 28	18228	141	1984	31.1 9.65	155	31.73	33.14 12.96	4 8.125	Yes	31.5	9.65	No		28.41 23.62	3950 1500	0 1	IB FOLD	
			129		ALUMN FS			0 0	243		20.25 20	530		<input type="checkbox"/>	9.48 4.98	Lead FIXED	2		
Flight Risk	Thompson 650	650	108	2000	26.67 8.86	100	28.25 14.86	28.29 10.4	5.7 8	No			Yes	20.58 586	22.3 19.8	1692 660	Yes 3	OB None	(mtg 1/21/10, weighed displacement of 1692lbs updated, NCTR)
			60		CARBON FS				204				33.6 19.5	7.87 <input checked="" type="checkbox"/>	8.16 5.9	Lead FIXED			
Flying Ace	Mini Transat 6.5	305	87	2000	36.67 9.17	245	36.67 20.17	34.08 11.17	7.57 9.49	No			Yes	25.42 762	21.33 21.33	2434 770	0 2	OB None	Class legal mini transat 6.50, Canting Keel and water ballast combined maximum static heel is 10 deg (mtg 2/21/08, -6 sec/mi for square top mainsail (+ 11 sq ft)
			30		CARBON FS				290				36.5 23.58	11 <input type="checkbox"/>	9.83 6.5	Lead MVBL	0	Additional modifications noted: Increased I, ISP, PE, MGU &	

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Kee		Engine/Prop	Modifications
					I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No	Yes/No	ASF	Ttl Disp.		Traps/H. Strps	IB or OB		
		DW Rating			Mast Material		PY	MSA	SL SSMG	SPL SSA	SLU SLE	ASA Sprit Lngth	LWL	Ballast	moveable blst	Prop Type		
					Rig Type		EY		SSF		ASM	Fixed or _o	Max Beam	Ballast Mat.	Keel Type	# of blades		
Flying Baby	J 100 ODR	138	81	2007	38.48 11.48	100	42.98 11.48	38 13.48	5.11 8.76	No	Yes	21.65 723	32.8 29	6500 2500	0 1	IB FOLD		
			78		CARBON FS				305		38.55 20.98	0 <input checked="" type="checkbox"/>	9.3 5.8	Lead	FIXED	2		
Fractious	Quest 30 MOD	50530	78	1995	41 10.7	131	43.5 16.99	39 14	7.02 10.83	No	Yes	27.59 1083	32.05 27.86	7201 1600	0 1	IB Feath	Added a transom scoop and modified from tandem rudders to a single spade rudder. Boat is equipped with water ballast but will not be used. (mtg 1/21/10, custom rating of 78 assigned)	
			63		CARBON FS				370		43.73 27.26	6.5 <input checked="" type="checkbox"/>	11.29 7.38	Lead	FIXED	2		
Freya	Catalina 34 1&2	1476	147	2000	44 13.5	130	44 13.5	38.5 12	4.7 8.05	No	Yes	22.5 727	34.5 29.83	11950 5000	No 1	IB FOLD		
			123		ALUMN MS			0 0	281		38 21.8	<input checked="" type="checkbox"/>	11.75 5.58	Lead	FIXED	3		
Friday Harbor	Beneteau 323 DK	28580	147	2004	42.67 11.06	116		38.9 13.17	5 8.56	No	Yes	19.91 661	32 29.166	8448 2258	No 1	IB FOLD		
			108		ALUMN MS				306		41.34 17.9	0 <input checked="" type="checkbox"/>	10.666 5.916	Iron	FIXED	2		
Froglips	J 24 ODR	2392	168	1981	26.25 9.5	150	26.25	28 9.75	3.7 6.37	Yes	No		24 20	3100 965	No 1	OB None		
			180		ALUMN FS			0 0	163		17.13 17.03	<input type="checkbox"/>	8.92 4	Lead	FIXED	0		
Frolic	Open 5.7 ODR	208	138	2007	22 7.3	117	27.9 12.3	25 10	5.7 8.2	No	Yes	18.7 338	18.7 8.3	992 405	0 1	OB None		
			84		ALUMN FS				179		20.6 17.2	5 <input checked="" type="checkbox"/>	5.7	Lead	FIXED			
Galaxsea	Custom Nauticat 43.5	28743	180	1985	51 20	104	20.6	45 13.6	4.3 7.9	No	Yes	29.2 1119	43.6 37.7	34000 11000	No 1	IB FEATH	Stay sail measurements foot=1', Luff=34'6", Leach=30'2", LP=132"	
			81		ALUMN KTCH			32.4 8.5	338		50 25.6	4.9 <input checked="" type="checkbox"/>	12.2 5.9	Lead	FIXED	3		

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SPL SSMG SSF	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast		Traps/H. moveable blst Keel Type			
Ganesha	Sabre 36-2	28862	111	1996	48.5 13.46	155		41.6 14.83	5.66 9.63	No	No	36.166 30.416 12 6.5	13800 5520 Lead	No 1 FIXED	IB FOLD 2	Adjustable back stays	
Gavilan	Custom Wylie 39	28439	84 45	1996	49 14.5	122	49	43 15.5 0 0	5.73 9.75 390	Yes 48.64 26.6 26.6	14.5 1078	41.5 31.75 11.5 6.77	17900 5920 Lead	No 1 FIXED	IB FEATH 3		
Get Happy!!	Express 27 ODR	1	129 96	1981	28.5 9	155	28.5	28.5 10.416 0 0	4.22 7.03 182	Yes 29 17.7 17.7	9.833 428	27.25 23.75 8.166 4.5	2450 1100 Lead	No 1 FIXED	OB None 0		
Giant Slayer	Santa Cruz 27	59369	141 99	1979	32.583 10.75	150	32.583	28.2 8.7 0 0	3.7 6.3 157	Yes 32.8 19.6 19.4	10.9 535	27 24 8 4.5	3300 1500 Lead	No 1 FIXED	OB None 0		
Golden Moon	Express 37	18488	72 75	1985	48.75 14.33	155	48.75	42 13.75 0 0	5.37 8.99 347	Yes 48.27 25.79 25.79	14.33 1037	37 30.833 11.57 7.25	11000 4500 Lead	No 1 FIXED	IB FOLD 2		
Grace O'Malley	Ranger 23	11	216	1971	27.5 9.7	155	27.5	24 9.2	3.4 5.9 131	No	No	23 20 7.7 3.56	3400 1500 Lead	0 1 FIXED	OB None 0		
Green Buffalo	CAL 40	8538	114 102	1967	46.7 15.2	155	46.7	39.8 17.6 0 0	6.65 11.37 416	Yes 46.01 27.3 27.3	15.2 1047	39.2 29.9 10.9 5.8	17500 6000 Lead	0 1 FIXED	IB FEATH 3	Schumacher designed rudder - same as original	

Boat Name	Boat Model (Type)	Sail #	Rating DW Rating	Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Kee		Engine/Prop IB or OB Prop Type # of blades	Modifications
					I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SPL SSMG SSF	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast		Traps/H. moveable blst Keel Type			
Gruntled	Moore 24	68	150	1980	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	27 17.5 17.5	9.75 394	No	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0	
Hapa Girl	Multihull - Contour 34	38053	30			0							0 0			1	IB FOLD 2	
Harp	Catalina 38	18003	117 108	1983	50.7 15.43	155	50.9 15.43	44 11.5	4.8 7.97	Yes	49.2 27.3 27.5	15.42 1121	No	38.17 30.25 11.833 6.79	19489 6850 Lead	No 1 FIXED	IB FOLD 2	DEC 93 - 7X19 STND RIG/ W/ROD RIG & SHRTN UPR SPREADERS 2 IN. NO CHNG RTNG (MTG 1/27/94)
Harrier	Custom Still 30	77564	162 171	1981	33.46 10.33	155	33.46	37.07 13.12	5.1 8.5	Yes	33 18.54 18.5	10.33 510	No	30.75 24.5 10.5 6	8580 2530 Lead	No 1 FIXED	IB FEATH 2	VESSEL IS A CRUISING VERSION OF A 1/2 TON IOR DESIGN (FULL INTERIOR, TEAK DECK, EXTENDED TRUNK CABIN, 4 BATTERIES, ETC.), WEIGHT CHANGE NOTED, NO CHANGE TO RATING 12/07/05
High Heel	Tartan 10	38052	126 108	1979	35 12	150	35	40.25 13.75	5.34 8.96	Yes	35 21.6 21.6	12 630	No	33.16 27 9.25 5.83	6700 3340 Lead	0 1 FIXED	IB FOLD 2	
Hollanass	Santana 35	18651	117 117	1982	39 12.85	150	39	42 14.25	5.51 9.26	Yes	39 23.13 18.6	12.85 722	No	35 26.5 11.916 6.25	8500 3300 Lead	No 1 FIXED	IB Fixed_2 2	
Honey's Money	Olson 25	18198	159 156	1984	32 9.583	155	32	28 10	3.86 6.4	Yes	31.7 17.3 17	9.586 455	No	25 21.25 9 4.5	3300 1300 Lead	No 1 FIXED	OB None 0	

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Kee		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SPL SSMG SSF	SLU ASA SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.		Traps/H. Strps Ballast moveable blst Ballast Mat. Keel Type			
Horizon	Islander 28 SM	6375	204 1975	34.333 11.75	146	34.333	29.917 8.417	3.042 5.25	Yes 33.5	11.67	No	27.92 23.08 9.87 5	7000 3000 Lead	No 1 FIXED	IB FOLD 2		
			186	ALUMN MS			0 0	147	20.75 20.75	579	<input type="checkbox"/>						
Hot Ice	C&C 110	38110	84 2004	51 14	98	51	45 15.5	5.8 9.9	No 33.5	11.67	No	36.36 31.5 12 6.5	10900 4200 Lead	No 1 FIXED	IB FOLD 2	carbon mast noted (standard on C & C 110) NCTR PHRF Mtg 3/16/06;	
				CARBON MS			0 0	412			<input type="checkbox"/>						
Ilex	Viper 640 ODR	24	96 1996	21.67 8.3	100	23 14.3	25.6 10	4.66 7.01	No 31.9	17.95 410	Yes 24 17.51	21.08 19.08 8.17 4.5	749 271 Lead	3 3 MVBL	OB None		
			24	ALUMN FS				165			<input checked="" type="checkbox"/>						
Iliohale	Hanse 341/342	60128	141 2004	46 12.2	125		42 15	5.58 9.37	No 33.5		No	34 29.2 11.2 5.9	11353 3395 Iron	0 1 FIXED	IB FOLD 2		
				ALUMN FS				369			<input type="checkbox"/>						
Impulse	Santana 20	38611	222 1980	24.5 8.16	150	24.5	24.5 7	3.16 4.92	Yes 23.75	8.21	No	20.2 16 8 4	1350 550 Lead	0 1 FIXED	OB None 0		
			204	ALUMN FS			0 0	110		271	<input type="checkbox"/>						
Iolani	Hughes 48	38048	117 1972	54.3 18.2	135	20.2	48.2 19	5.9 10.4	No 40.32	18.2	Yes 54	32.76 35.1 11.1 6	32000 14300 Lead	0 1 FIXED	IB FEATH 3	(mtg 2/26/09, switched from symmetric to asymmetric spinnaker, added 2' sprit. Change custom rating from 120 to 117)	
			81	ALUMN YAWL			23 10	493		1101	48.6 32.76						
											<input checked="" type="checkbox"/>						
Jack	Wylie Wabbit ODR W/Trap	19	129 1982	20.5 6.6	110	26.1	23.75 10	4.03 6.72	Yes 21.6	8.6	No	23.75 20 5.583 3.5	975 440 Lead	Yes 3 FIXED	OB None 0	INCLUDES HIKING STRAPS AND SINGLE TRAPEZE. (Mtg 8/17/06 - 12 sec/m for new spinnaker)(removed oversized spinnaker)	
			75	ALUMN FS			0 0	145		252	<input type="checkbox"/>						

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Kee		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst Keel Type		
Jakatan	Jespersen 40	0	120 2007	37.75 15.3	110		25.75 12.06	10.08 12.18	No	No		40.5 37.5 13.08 5.5	32000 12600 Lead	0 1 FIXED	IB FEATH 3	(mtg 4/24/08 custom rating assigned of 120)	
Jet Lag	Catalina 34 1&2	1130	138 1991 129	44 13.67	155	44 15.67	38.5 13.75	5.1 8.8	Yes 42	No 13.5	23 718	34.6 29.1 11.9 5.6	11950 5000 Lead	0 1 FIXED	IB FOLD 2	Added 2' bowsprit for asymmetrical sail. Will use spin ple on asym sail to pull back tack approx 40 degrees (Mtg 4/28/09, -3 sec/mi for dual spinnakers/ability to fly A-sail on squared back pole, -3 sec/mi for	
Jimrit	Cal 25-1 OB	0	225 1972	29.75 10	125	29.75	25 11	4.3 7.2	No	No		24 20 8 4	4500 2200 Lead	1 FIXED	OB None		
Jose Cuervo	J 105 ODR w/ 5'BS	42	78 1992 69	40.6 13.5	100	42.1 19.07	41.5 14.5	5.5 9.4	No	Yes	26.2 877	34.5 29.5 11 6.5	7750 3400 Lead	No 1 FIXED	IB FOLD 0		
Joyride	J 109 ODR	47	72 2003 66	46.5 13.3	105	49 18.8	43.25 15.5	5.89 10.07	No	Yes	27.75 1160	35.25 30.5 11.5 7	10900 3900 Lead	No 1 FIXED	IB FOLD 2		
Kelly Shawn	Santana 22	38000	234 1967 222	26 8.5	155	26	21.75 9.833	3.95 6.59	Yes 26	No 8.583		22 18.666 7.833 3.5	2600 1230 Iron	No 1 FIXED	OB None 0		
Kind of Blue	Hanse 370	11	102 2006 87	49.3 13.7	95		47.3 16.11	6 10	No	Yes	23.6 901	36.11 33 12.4 6.5	15873 5045 Lead	No 1 FIXED	IB FOLD 2	(mtg 4/28/09, -3 sec/mi for articulating bowsprit)	

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Kee		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst Keel Type		
Kitsune	Jeanneau 41 Sun Legend CB	976	87 1986	52.5 15.1	150	52.5 16.6	45 13.75	4.75 8.33	No	Yes	27 1016 1.5	40.83 32.75 12.92 7.17	16266 6989 Iron	No 1 CNTRBRD	IB FOLD 2		
Kiwa	Ericson 32-2	285	183 1973	36 18	155	36	31.5 13	4.9 8.4	No	No	0 0	32 24 9.67 4.91	9400 4400 Lead	0 1 FIXED	IB Fixed_2 2		
Kokua III	Bristol 40	0	177 1978	43.4 14.6	120		38.25 14.83	4.96 8.95	No	No	0 0	40 27.6 10.9 5.4	17600 6500 Lead	0 1 FIXED	IB Fixed_3 3		
Kuai	Sabre 386 DK	385	90 2007	51.83 15	140	15	45.33 16.5	5.64 9.96	Yes	No	27.23 1147 0 90	38.6 32.5 12.66 6.83	16950 6400 Lead	0 1 FIXED	IB FEATH 3		
Kwazy	Wylie Wabbit ODR W/Trap	26	126 1982	20.416 6.416	150	20.5	23 10	4.02 6.71	Yes	No	8.5 257	23.58 20 5.42 3.41	975 440 Lead	Yes 3 FIXED	NONE None 0		
Lapras	Catalina 250 WK	794	225 2004	29 9	110	29 9	24.5 11	3.58 6.5	No	No	0 0	25 21.25 8.5 3.42	4200 1050 Lead	0 1 FIXED	OB None 0		
Layla	Ultimate 20	92	144 1999	26.08 6.97	110	27.58 12.97	27.33 10.17	5.5 7.96	No	Yes	19.2 451 6 0	20.83 18 8.33 5	1350 450 Lead	0 1 FIXED	OB None 0		

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Kee		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail		P E PY EY	MGU MGM MSA	Yes/No SL SPL SSMG SSF	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast		Traps/H. moveable blst Keel Type			
Lazy Lightning	Tartan 10	860	126 1979	35	150	35	40.25 13.75	5.34 8.96	Yes	No		33.16 27 9.25 8.833	6700 3340 Lead	No 1 FIXED	IB FOLD 2		
			108	ALUMN FS			0 0	332			<input type="checkbox"/>						
Lean Times	Islander 36 ODR	621	144 1982	45	135	45	39.25 12.75	5.05 8.44	Yes	No		36.083 28.25 11.166 6.083	13450 5820 Lead	No 1 FIXED	IB Fixed_2 2		
			123	ALUMN MS			0 0	303			<input type="checkbox"/>						
Legs	Moore 24	29	150 1978	26.25	155	26.25	25 9.5	3.91 6.5	Yes	No		23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0		
			123	ALUMN FS			0 0	147			<input type="checkbox"/>						
Life is Good	Wyliecat 30 OB	38349	129 2007		0		40 21	7.67 13.46	No	No		30.5 25 9.5 5.25	5500 3050 Lead	0 1 FIXED	OB None 3		
				CARBON CAT				493			<input type="checkbox"/>	0 0					
Light'n Up	Express 27 ODR	3	129 1981	28.5	150	28.5	28.5 10.416	4.22 7.03	Yes	No		27.25 23.75 8.166 4.5	2450 1100 Lead	No 1 FIXED	OB None 0		
			96	ALUMN FS			0 0	182			<input type="checkbox"/>						
Lightspeed	Custom Wylie 39	52839	72 1985	48	150	48	43 15	5.75 9.7	Yes	No		39.25 31.67 11.42 6.75	12000 4000 Lead	0 1 FIXED	IB Fixed_2 2	(Mtg 1/17/08 +3sec/mi for fixed prop, as sailed 72)	
			57	ALUMN MS				384			<input checked="" type="checkbox"/>	0 0					
Lightwave	J 105 ODR w/ 5'BS	319	78 2000	40.6	100	42.1	41.5 14.5	5.5 9.4	No	Yes		34.5 29.5 11 6.5	7750 3400 Lead	No 1 FIXED	IB FOLD 2		
			66	ALUMN FS			0 0	358			<input checked="" type="checkbox"/>						

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Kee		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst Keel Type		
Lively	Olson 30 IB	8488	108 1982	36 11.75	95	35.9 11.67	31.5 10.75	4.364 7.268	Yes 34	11.75	No	30 27.5 9.333 5.083	3600 1800 Lead	No 1 FIXED	IB FEATH 3		
			63	ALUMN MS			0 0	208	21 20.5	592	<input type="checkbox"/>						
Lucky Duck	Wylie 34	18709	120 1979	38.6 11.3	150	38.6 11.3	41 14.3	5.5 9.3	Yes 38	12	No	33.75 25.75 10.83 6	8026 3100 Lead	0 1 FIXED	IB FOLD 2		
			120	ALUMN FS			0 0	351	21.6 21.4	683	<input type="checkbox"/>						
Luna Sea	Islander 36 ODR	420	144 1980	45 14.48	150	45	39.25 12.75	5.05 8.44	No		No	36.083 28.25 11.166 6.083	13450 5450 Lead	No 1 FIXED	IB FOLD 2		
				ALUMN MS			0 0	303			<input type="checkbox"/>						
Magic Bus	Express 27 ODR	41	129 1982	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes 29	9.833	No	27.25 23.75 8.166 4.5	2450 1100 Lead	No 1 FIXED	OB None 0		
			96	ALUMN FS			0 0	182	17.5 17.9	425	<input type="checkbox"/>						
Main Obsession	Catalina 400	300	105 2005	52.8 15.6	110		47 17	6.4 11	No		No	40.6 36.6 13.6 6.9	19700 7200 Lead	0 1 FIXED	IB Fold 3		
				ALUMN MS				474			<input type="checkbox"/>	0 0					
Marrakesh	Express 34	3	99 1987	44.25 13	155	44.25	38.5 12.83	4.87 8.46	Yes 44	13	No	34 28.33 10.33 6.109	9245 3800 Lead	No 1 FIXED	IB FOLD 2		
			99	ALUMN MS			0 0	296	23.4 23.4	858	<input type="checkbox"/>						
Max	Ultimate 24 ODR	2	99 2002	28.04 7.82	110	30.8 14.5	31 11.5	5.5 8.5	No		Yes	24.38 21.17 8.48 5.52	2040 750 Lead	0 1 FIXED	OB None		
			75	CARBON FS				235			21.3 35.5 27.8 21.3	21.3	6.7 562 0	<input checked="" type="checkbox"/>			

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Kee		Engine/Prop	Modifications
					I J	Max Headsail	ISP JSP	P E	MGU MGM	SL SPL	SSMG SSA	SLU ASA	ASF		Max Beam	Ttl Disp.		
			DW Rating		Mast Material		PY EY	MSA	SSMG	SSA	SLU	ASA	LWL	Ballast	moveable blst	Prop Type		
					Rig Type				SSF		ASMG	Sprit Lngth	Max Draft	Ballast Mat.	Keel Type	# of blades		
Mooretician	Moore 24	89	150	1981	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No		23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0		
			123		ALUMN FS		0 0	147	17.55 17.55	9.75 389		<input type="checkbox"/>						
Moorigami	Moore 24	77	150	1981	26.25 9.75	155	26.25	25 9.5	3.91 6.5	Yes	No		23.75 21.75 7.16 4.083	2050 1025 Lead	0 1 FIXED	OB None 0		
			123		ALUMN FS		0 0	147	17.55 17.55	9.75 395		<input type="checkbox"/>						
Mouette	Tripp 30	15	225	1960	32.74 10.61	135		28.07 14	5 9	Yes	No		30.333 20 8.5 4.5	9000 2900 Lead	No 1 FIXED	IB Fixed_2 2		
			246		WOOD MS			230	507			<input type="checkbox"/>						
Mr Bone	International Tempest ODR	316	141	1974	23.1 7.7	97	23.1	25 11.1	4.69 7.74	Yes	No		22 19.3 6.5 3.6	1010 500 Lead	1 3 FIXED	OB None		
			93		ALUMN FS			174	255			<input type="checkbox"/>	0 0					
Mr Mc Gregor	Wylie Wabbit ODR W/Trap	8426	126	1982	20.5 6.5	150	20.5	23.75 10	4.03 6.72	Yes	No		23.75 20 5.583 3.5	975 440 Lead	1 3 FIXED	OB None 0	INCLUDES HIKING STRAPS AND SINGLE TRAPEZE.	
			87		ALUMN FS			145	254			<input type="checkbox"/>						
Mudshark	Express 37	28052	72	1986	48.75 14.33	155	48.75	42 13.75	5.28 8.83	Yes	No		37.083 30.833 11.57 7.25	11000 4500 Lead	No 1 FIXED	IB FOLD 2		
			75		MS			0 0	344			<input type="checkbox"/>						
Music	Catalina 34 1&2	56583	150	2001	44 13.5	120		38.5 12	3.6 6.8	No	No		35.66 29.84 11.75 5.56	11950 5000 Lead	0 1 FIXED	IB FOLD 2		
					ALUMN MS			251				<input type="checkbox"/>	0 0					

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Kee		Engine/Prop	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst Keel Type	IB or OB Prop Type # of blades	
Nalu	Jeanneau Sun Odyssey 35	38019	126 2002	43.5 13.25	105	16.25	38.33 12.66	4.31 7.71	No	Yes	22.9 844 3 0	35.25 31.92 11.42 6	11464 3285 Lead	0 1 FIXED	IB Fixed_3 3	(mtg 1/21/10, -3 sec/mi for sprit)	
Nancy	Wyliecat 30 OB	28890	129 1995				40 20.7 0 0	7.87 13.46 493	No	No		30.5 25 9.5 5.25	5500 3050 Lead	No 1 FIXED	OB None 0		
Never Again II	IOD ODR	75	156 195	29.25 8.33	100	30	38.83 16.25 0 0	6.12 10.47 374	Yes	No	8.416 375	33.42 21.42 6.75 5.333	7100 4100 Lead	No 1 FIXED	OB None 0		
No Ka Oi	Gibsea 42	28668	123 87	46.5 16.57	150	46.5 18.5	42.1 16.6	3.65 7.73 336	No	Yes	33 1264 0 90	42 35.8 13.11 6	24000 Iron	0 1 FIXED	IB FEATH 3	In-mast furling main with no battens (Mtg. 3/15/07 +3 sec/mi for in-mast furling main, +3 sec/mi for MGM less than 50% of E)(Mtg 4/24/08, -3 sec/mi for ability to square back a-sail on pole)(Mtg 6/19/08, -3 sec/mi for chopping to mainsail with	
Now and Zen	Newport 30-2	6883	174 156	39.5 12.125	150		34 10.25 0 0	3.25 5.7 190	Yes	No		30 25 10.5 4.75	8000 2600 Lead	No 1 FIXED	IB Fold 2		
Numa Boa	Moore 24	106	150 123	26.25 9.75	155	26.25	25 9.5 0 0	3.91 6.5 147	Yes	No	9.75 395	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0		
On Belay	J 24 ODR	1036	168 180	26.25 9.5	150	26.25	28 9.75 0 0	3.7 6.37 163	Yes	No	9.5 375	24 20 8.916 4	3100 965 Lead	No 1 FIXED	OB None 0		

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst Keel Type		
Opal	Freedom 25	0	192	1985	0 9.25	0	32.8 9.4	29.25 12	7.75 9.96	Yes	Yes	25.8 20 8.7 4.6	3800 1025 Lead	0 1 FIXED	OB None	(mtg 1/21/10, custom rating of 192 assigned)	
Otra Vez	Hunter 450 Passage	28309	108	1996	55.42 16.92	110	55.42 21	49.38 17.81	6.39 10.93	No	Yes	44.25 38.65 14 5.5	29000 9500 Lead	No 1 FIXED	IB FEATH 3		
Outlaw	Moore 24	100	150	1981	26.25 9.75	155	26.25	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.083	2050 1025 Lead	0 1 FIXED	OB None 0		
Paddy Wagon	Moore 24	122	150	1989	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0		
Parachute Woman	J 92	43979	105	1993	37 11.5	155	38.5 17	38 14	5.3 8.9	No	Yes	30 26.5 10 5.9	5500 2275 Lead	0 1 FIXED	IB FOLD 2		
Paradigm	J 32	79	126	2002	39.166 11	150	40.583 11.916	38.42 15.42	5.5 9.58	No	Yes	32.4 29 11 6	11500 3840 Lead	No 1 FIXED	IB FOLD 2		
Peaches	Express 27 ODR	18364	129	1986	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	No	27.25 23.75 8.166 4.5	2450 1100 Lead	No 1 FIXED	OB None 0		

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Kee		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SPL SSMG SSF	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.		Traps/H. Strps Ballast moveable blst Ballast Mat. Keel Type			
Pegasus	J 35	28390	72 1993	46.333 14.583	155	46.3	41.416 14	5.43 9.11	Yes	46	14.583	No	35.416 30 11.666 6.75	10500 4400 Lead	No 1 FIXED	IB FOLD 2	
Pegasus	J 100 ODR MOD	26	75 2005	38 11.5	100	43 15.63	38 13.5	5.13 8.775	No	47.8 39.1 23.9	23.3 861 4.13	Yes	32.8 29 9.3 5.8	6500 2500 Lead	No 1 FIXED	IB FOLD 2	(Mtg 2/26/09, -3 sec/mi for adding sprit)(mtg 1/21/10, additional -3 sec/mi for lengthening sprit to 4.13')
Penguin	Moore 24	134	150 1984	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	27 17.55 17.55	9.75 395	No	23.75 21.75 7.16 4.083	2000 1025 Lead	0 1 FIXED	OB None 3	
Perseverance	Catalina 36 TM	28706	141 2000	46.75 14.33	125	46.75	41 13	4.2 7.5	No	46.75 25.79 25.79	14.33 1005	Yes	36.333 30.25 11.916 5.833	13500 6042 Lead	No 1 FIXED	IB FEATH 3	
Phantom	Beneteau 373	28918	132 2005	44.72 13.91	140		40.63 14.3	5.333 10.66	No	44.75 40.33 24.085	23 846 0.5 0	Yes	36.92 32.83 12.33 6.25	14042 3873 Iron	No 1 FIXED	IB FEATH 3	Adjustable Backstay
Plus Sixteen	Ericson 911S Olson	97707	129 1991	42 12.25	150	42 12.5	35.761 11.811	4.035 7.136	Yes	43.5 22.605 22.605	12.25 819	Yes	30 25 10.33 5.417	8500 3200 LeadSteel	No 1 FIXED	IB FEATH 2	(Mtg 4/13/06 -3 Sec for Dual Spinnakers. Due to dual spinnakers, pole can be pulled back when using assymetrical spinnaker.)
Prankster	Olson 30 OB	77225	99 1980	36 11.75	155	36 11.67	31.5 10.75	4.21 7.17	Yes	35.75 21.085 20.333	11.666 624	No	30 27.5 9.333 5.083	3600 1800 Lead	No 1 FIXED	OB None 0	

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Kee		Engine/Prop	Modifications
					I J	Max Headsail	ISP JSP	P E	MGU MGM	SL	SPL	Yes/No	Yes/No		ASF	LWL		
			DW Rating		Mast Material			PY	MSA	SSMG	SSA	SLU	ASA	Max Beam	Ballast	moveable blst	Prop Type	
					Rig Type			EY		SSF		SLE	Sprit Length	Max Draft	Ballast Mat.	Keel Type	# of blades	
Punk Dolphin	Custom Wylie 38	18481	72	1985	48 14.33	150	48	43 14	5.58 9.55	Yes	48	14.33	No	38 31	14000 5000	No 1	IB FOLD	
			66		ALUMN MS			0 0	369	25.8 25	1026		<input type="checkbox"/>	11.6 6.75	Lead FIXED		2	
QE 3	Tartan 10	8049	126	1978	35 12	155	35 0	40.25 13.75	5.34 8.96	Yes	35	12	No	33.166 27	6700 3340	0 1	IB FOLD	
			108		ALUMN FS			0 0	332	21.6 21.6	630		<input type="checkbox"/>	9.25 5.833	Lead FIXED		2	
Quintessence	Olson 40	77941	48	1982	50 15.75	125		44 14.25	5 9	Yes	49.75	15.75	No	40.333 36	11250 5500	No 1	IB FOLD	MTG 4/9/98
			27		ALUMN MS			0 0	364	28 28	1161		<input type="checkbox"/>	11.25 6.5	Lead FIXED		2	
RAM	J 130 CM SD	29	24	1995	57 6.5	120	58.5 23.5	52.5 18.5	7 12	No			Yes	42.583 38.166	16000 6750	No 1	IB FOLD	
			3		CARBON FS			0 0	578				37.9 69.2 57 37.9	7 1993 7	Lead FIXED		2	
Rancho Deluxe	Swan 45 ODR MOD	52445	-15	2003	61.75 17.78	150	61.82 17.79	61.22 21.85	9.17 14.93	Yes	66.7	19.5	Yes	45.37 40.72	22725 9230	0 1	IB FOLD	
			-6		CARBON FS				829	34.77 34.45	1929		50.2 63.98 56.96 32.48	1815 0 90	Lead FIXED		2	
Rascal	Custom Wilderness 30 SX	28175	105	1991	36 11	155	36	32 11.5	4.37 7.47	Yes	35.76	11	No	30 26.5	4200 1650	0 1	OB None	SML RIG&HVR KEELSPCL EDWILD30 SME RIG&LBS/STOCK WILD 30/-10/1/92 CHGED 105 MTG 9/7/93 +300LBS RMVD KEEL NO/CHG MTG 12/09/93 RDR CNG 11/27/95 LBS CNG-NO CNG 12/7/95 KEEL 2" EPP BLST
			84		ALUMN MS			0 0	220	19.8 19.8	590		<input type="checkbox"/>	8.75 6	Lead FIXED		0	
Razzberries	Ericson 34 Olson TM	97479	99	1988	46.77 12.95	155	47	40.9 12.95	5.1 8.5	Yes	45.7	12.95	No	33.88 28	10855 3500	No 1	IB FOLD	
			117		ALUMN MS			0 0	320	23.31 23.31	888		<input type="checkbox"/>	10.8 6.085	Lead FIXED		2	

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst Keel Type		
Recidivist	Custom Schumacher 39	3510	21 1996	48.337 14.025	100	48.337	50.908 18.491	7 12.02	Yes	47.9	14.025	No	39.813 33.7 12.119 8.242	12853 5500 Lead	No 1 FIXED	IB FOLD 2	ALUMINUM MAST REPLACED W/CARBON. MTG 4/9/98- CHANGED FROM 24 TO 27 PER MTG 8/24/2000 (Mtg 5/22/08, -9 sec/mi for oversized luffs, +3 sec/mi for smaller headsail)(mtg 6/19/08, added Sweet Back Spreaders
Relentless	J 92	93	105 1997	37 11.5	155	38.5 17.5	38 13.5	5.2 8.7	No	45.2	915	Yes	26.4 26.5 10 5.9	5500 2275 Lead	0 1 FIXED	IB Fold 2	
Rhum Boogie	Quest 33 CM IB	33007	75 2004	41 10.7	150	41 17	39 15	7.044 10.985	No	51.905	1140	Yes	27.6 29.4 11.4 6.9	6000 1940 Lead	0 1 FIXED	IB FOLD 2	Rating is without Water Ballast
Risque'	Coronado 25	14678	228 1969	31.333 8.916	155	31.333	27.75 11.916	4.48 6.64	Yes	30.68	8.85	No	25 20 8 3.666	5060 2150 Lead	0 1 FIXED	OB None 0	(Adjustible Backstay - forward lowers; Internal Halyards; Main has full length top batton and long battens for rest. Modifications noted no change to rating mtg 8-13-02)
Robin	C&C 35-3	28064	117 1984	46.25 13.583	155		40.5 12.416	4.796 8.2	No			No	34.65 28 11.17 6.42	10825 4500 Lead	No 1 FIXED	IB FEATH 3	
Sail A Vie	Ericson 35-2	184	150 1971	43.14 14	125	43.14	36.75 13	5.09 8.53	Yes	43	14	No	34.67 25.83 10.04 4.92	11600 5000 Lead	No 1 FIXED	IB FOLD 2	(Replaced Rudder, Noted NCTR mtg 3-11-03)(3/15/07 -3 sec/mi for increased P)
Sailfish	Merit 25	28887	168 1984	28.75 9.66	150	28.75	28 9.75	4.03 6.69	Yes	28.82	9.75	No	24.5 20.5 8 4	3000 1050 Lead	No 1 FIXED	OB None 0	

Boat Name	Boat Model (Type)	Sail #	Rating Built DW Rating	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SPL SSMG SSF	Yes/No SLU ASA SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast		Traps/H. moveable blst Keel Type			
Sans Souci	Beneteau Oceanis 321	28591	174 2000	42 12.33 ALUMN MS	140	22.6 9.75	22.6 9.75	35.25 2.97 13.58 6.19 229	No	No	<input type="checkbox"/>	32.58 29.42 11.25 4.25	9700 3274 Lead	No 2 FIXED	IB Fixed_3 3	Roller Furling Main	
Sassy	MacGregor 26 WB	38265	222 1988 138	22.6 9.75 ALUMN FS	146	22.6 9.75	22.6 9.75	25.17 3.92 10.25 6.58 154	Yes 28.25 9.75 17.16 406 17.5	No	<input type="checkbox"/>	25.83 23.5 7.916 6.33	2850 1200 Water	No 1 CNTRBRD	OB None	(Masthead Spinnaker; -12 sec penalty for increased ISP due to masthead spinnaker PHRF Mtg 3/16/06)(1/29/07- changed spinnaker hoist back to standard configuration, ISP now same as I)	
Scaramoucite V	PJ 49	0	72 1971 51	57 20 ALUMN MS	128	20	20	52 6.3 16.9 10.8 518	No	Yes 57 48.5 29.7	33 1335 0 0 <input checked="" type="checkbox"/>	49.25 39.16 11.91 8	32500 14300 Lead	0 1 FIXED	IB Feath 3	(mtg 1/21/10, custom rating of 72 assigned)	
Scarlett	Moore 24	86	150 1980 123	26.25 9.75 ALUMN FS	150	26.25	26.25	25 3.89 9.5 6.45 147	Yes 26.5 9.75 17.5 386 17.5	No	<input type="checkbox"/>	24 21.75 7.17 4.08	2050 1000 Lead	No 1 FIXED	OB None		
Sea Pearl	Moore 24	28993	150 1981 123	26.25 9.75 ALUMN FS	150	26.2	26.2	25 3.91 9.5 6.5 0 147 0	Yes 26.6 9.75 17.55 389 17.55	No	<input type="checkbox"/>	23.75 21.75 7.16 4.25	2000 1050 Lead	0 1 FIXED	OB None 0		
Sea Spirit	Catalina 34 1&2	108	147 1986 126	44 13.5 ALUMN MS	130	44 13.5	44 13.5	38.5 4.36 12 7.54 270	Yes 42 13.5 24 837 23.5	No	<input type="checkbox"/>	34.5 29.833 11.75 5.583	11950 5000 Lead	No 1 FIXED	IB FOLD 2		
Sea Star	CAL 39-2/3	38022	117 1977 93	50 16.7 ALUMN MS	100	50	50	44 4.5 13.8 8 337	No	Yes 48 44 30	34 1181 0 0 <input checked="" type="checkbox"/>	39 32 12 6.7	17000 7000 Lead	0 1 FIXED	IB FEATH 3	Roller Furler	

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Kee		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst Keel Type		
Seaya	Catalina 380	252	120 2000	50.916 14.667	135	44.833 15.667	5.2 10		No	No		38.416 32.416 12.333 7.167	19000 6800 Lead	No 1 FIXED	IB FEATH 3		
Second Chance	Crealock 37	353	180 1999	44 15.75	120	44 15.75	38.17 4.25 14.25 8.1		No	Yes	22 820	36.92 27.75 10.83 5.5	16000 6200 Lead	No 1 FIXED	IB Fixed_2 2		
Second Verse	Cascade 36	89	162 1989	45.1 14.7	130	45.1 14.7	37.75 3.68 14.5 7.27		No	Yes	24.33 748	38.5 30.5 10 6.6	16500 4600 Iron	0 1 FIXED	IB Fixed_3 3		
Seebar	Pearson 22 Electra	18117	270 1960	26.5 8.71	155		23.65 3.77 9.91 6.44		Yes		8.71	22.5 16.75 7 3	3000 1000 Lead	No 1 FIXED	OB None 0	MOD FWARD SHROUD TO ALLOW SLACK FOR CLOSER SHEETING OF # 2 JIB.	
Siento El Viento	C&C 29	38311	177 1977	39.5 12.8	155		33.5 10.1		Yes		12.8	29.5 23.6 10.5 5.25	7500 2700 Lead	No 1 FIXED	IB Fixed_2 2		
Sierra II	Sabre 36-2	28362	114 1998	48.5 13.46	110	48.5	41.6 5.66 14.83 9.63		Yes	No	22.7 671	36.166 30.416 12 6.5	13800 5520 Lead	No 1 FIXED	IB FOLD 2	(mtg 2/21/08, -3 sec/mi for dual spinnakers, +3 sec/mi for small headsail)(1/20/09, remove asymmetric spinnaker, only flying Symmetric)	
Sir Leansalot	Hunter 40	161	108 1986	53.9 17	105	53.9 17	48 5.2 13.9 9		Yes	No		39.7 32.5 13.5 6.5	17400 6000 Iron	0 1 FIXED	IB Fixed_2 2		

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst Keel Type		
Sirius	C&C 37	28127	111 1985	51 15.42	125	50.9 15.5	45.17 12.17	3.75 7	No	Yes	24.58 874	36.75 28.7 11.6 6.6	14300 6000 Lead	No 1 FIXED	IB FOLD 3		
Sizzle	Spirit 28	38025	195 1979	37 11.8	135		31.3 9.3	3.9 6.5 183	No	No	0 0	30 28 10 4.7	6900 2900 Lead	0 1 FIXED	IB Fixed_2 2		
Slider	Beneteau 323 DK	41	150 2006	42.6666 11.083	116		38.91 13.166	4.19 7.6 283	No	Yes	18.9 611 0 0	32.83 31.083 10.75 5.91	9235 2258 Lead	No 1 FIXED	IB Fixed_2 2		
Slip Away	O'Day 27 IB	445	201 1978	35 11.66	150		29.5 9.25	3.65 5.92 164	Yes	No		27 22.75 9 4	6950 2230 Lead	No 1 FIXED	IB FOLD 2	Roller Furler	
SLOWMO!	Catalina 22-1 OB SK	2482	270 1973	25.93 8	150		21 9.66	3.47 5.96 118	No	No	0 0	21.6 19.4 7.8 5	2250 550 Iron	0 1 MVBL	OB None 3		
Sobrante	Catalina 320	850	156 2001	43.58 12.33	135	43.58	38 13.25	5.168 8.661 303	No	Yes	22.19 726	32.5 28 11.75 6	11300 4000 Lead	No 1 FIXED	IB FOLD 2		
Sparrowhawk	Moore 24	65	150 1980	26.25 9.75	150	26.25	25 9.5	3.91 6.5 147	Yes	No		23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0		

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst Keel Type		
Spirit-Of-Elvis	Santana 35	67630	114 1979	39 12.85	155	39	42 14.25	5.51 9.26	Yes	39 12.85	No	35.1 26.5 11.916 6.25	8500 3300 Lead	No 1 FIXED	IB FOLD 2		
Split Water	Beneteau First 10R ODR	40	81 2007	43.2 12.07	105	46.41 16.5	42.25 14.73	5.59 9.57	No	52.59 47.33 28.6	Yes 29.7 1200 4.43 0	32.75 28.7 11 6.55	9715 3528 Lead	0 1 FIXED	IB FOLD 2		
Star Kissed	Santana 22	154	237 1971	26 8.5	110	26	21.75 9.83	3.95 6.59	Yes	26 15.3 15.3	No	22 18.67 7.83 3.5	2600 1300 Lead	0 1 FIXED	OB None		
Stargazer	Catalina 310	255	183 2003	42.9 11.9	110		37.3 13	3.3 6.6	No	43.8 38.1 18	Yes 21.11 635 0 0	31 26.6 11.6 6.3	10300 4000 Lead	0 1 FIXED	IB Fixed_3 3	In-Mast Furling Main- + 3 sec/mi, MGM < 50% of E- +3 sec/mi	
Stewball	Express 37	18278	72 1985	48.75 14.33	150	48.75	42 13.75	5.28 8.83	Yes	48 25.7 24.76	No	37.083 30.833 11.57 7.25	11000 4500 Lead	0 1 FIXED	IB FOLD 2		
Stormrider	Aphrodite 101	8010	144 1978	36.833 11.81	124	36.833	39.333 11.48	4.67 7.77	Yes	36 19.66 19.66	No	32.75 26.333 7.916 5.416	6160 3527 Lead	0 1 FIXED	IB FOLD 2		
Stretch	Hobie 33 ODR	87065	81 1982	33.83 12.37	125	36.5	35 12.5	4.75 8	Yes	37 24.5 23.6	No	33 30.5 8 6.4	4000 1800 Lead	0 1 FIXED	OB None 0	-3 SEC/MI FOR KEEL MODIFICATION 8/87	

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Keel		Engine/Prop	Modifications
					I J	Max Headsail	ISP JSP	P E	MGU MGM	SL	SPL	Yes/No	Yes/No		ASF	Max Beam		
			DW Rating		Mast Material		PY	MSA	SSMG	SSA	SLU	ASA	LWL	Ballast	moveable blst	Prop Type		
					Rig Type		EY		SSF		SLE	Sprit Lngth	Max Draft	Ballast Mat.	Keel Type	# of blades		
Summer Wind	O'Day 27 IB DK	8072	198	1977	35 11.67 155	35	29.5 9.25 0 0	3.65 5.92 164	Yes	35.05 21 21.066	11.67 614	Yes		27 22.75 9 4.5	7150 2430 Lead	No 1 FIXED	IB FOLD 2	200 # SHOE ON BOTTOM OF KEEL - A FACTORY OPTION
Sunshine	Moore 24	54	150	1980	26.25 9.75 150	26.25	25 9.5 0 0	3.91 6.5 147	Yes	27 17.55 17.55	9.75 395	No		23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0	
Svenska	Peterson 34	18686	123	1977	45.5 14.5 125	46.5 14.5	41.5 11 0 0	4.1 7.1 271	No			No		34 28.25 11.166 6.25	10800 5000 Lead	No 1 FIXED	IB FOLD 3	
Sweet Grapes	Ericson 36 Holland	19	108	1981	47.75 14.5 147	47.75	42 12 0 0	3.5 7.2 278	Yes	47 25.83 24.83	14.5 1004	No	0 0	35.583 29 11.833 6.25	11600 5230 Lead	0 1 FIXED	IB FOLD 2	
Sweetspot	C&C 121 DK W/5' BS	46921	60	2000	57 15 135	57 20	51 16.386 0 0	6.19 10.6 496	No			Yes	36 1851 5 5	40 35.5 13.8 8	14100 5500 Lead	No 1 FIXED	IB FOLD 2	Deep Keel-bowsprit, (Mtg 4/24/08, rating appeal submitted, change base rating for C&C 121 DK w/ 5' BS, aka C&C 121 XP, to 60)
Synergizer	Ericson 28-2	28091	183	1988	36 12 150	12 13.416	35.5 11 0 0	4.5 7.481 241	Yes	36 21.5 21.5	12 645	No		28 23.33 10 5.5	7500 3200 Lead	No 1 FIXED	IB FOLD 2	
Take Five	Express 27 ODR	28031	129	1982	28.5 9 155	28.5	28.5 10.416 0 0	4.22 7.03 182	Yes	29 17.75 17.75	9.833 429	No	0 0	27.25 23.75 8.166 4.5	2450 1100 Lead	0 1 FIXED	OB None 0	

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Keel		Engine/Prop	Modifications
					I J Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No	SL SPL SSMG SSF	SLU ASA SLE ASMG	ASF Sprit Lngth Fixed or _o	LWL		Ttl Disp. Ballast Mat.	Traps/H. moveable blst Keel Type		
Taz	Moore 24	107	150	1981	26.25 9.75	150	25.5	25 9.5	3.91 6.5	Yes	27 17.5 17.5	9.75 394	No	23.75 21.75 7.17 4.08	2050 1025 Lead	No 1 FIXED	OB None 0	
TAZ!!	Express 27 ODR	8100	129	1981	28.5 9	155	28.5	28.5 10.42	4.23 7.04	Yes	28.58 13 17.75	9.83 332	No	27.3 23.8 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None	
Temerity	Olson 34	28134	99	1986	44.8 13.25	155	44.8 13.25	38.84 12.9	5 8.4	Yes	44 23.6 20	13.25 839	No	34 30.43 10.83 6	9540 3600 Lead	0 1 FIXED	IB FOLD 2	
Tenacity	Express 27 ODR	18409	129	1981	28.5 9	150	28.5	28.5 10.416	4.22 7.03	Yes	29 17.5 17.5	9.833 423	No	27.25 23.75 8.166 4.5	2450 1100 Lead	No 1 FIXED	OB None 0	
Think Fast	Olson 30 OB	28708	99	1980	36 11.75	150	35.9 11.67	31.5 10.75	4.364 7.268	Yes	36 21 19.8	11.75 623	No	30 27.5 9.333 5.083	3600 1800 Lead	0 1 FIXED	OB None 0	
Thumper	Express 27 ODR	77629	129	1983	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	29 17.5 17.5	9.83 423	No	27.3 23.8 8.16 4.5	2450 1100 Lead	0 1 FIXED	OB None 2	
Tiburon	Santa Cruz 37	38042	27 0	2008	47 13.5	105	52.17 19	47 17	6.46 11.05	No	60.93 50.99 29.66	30.81 1394 5.5 0	Yes	37 34.75 10.64 7.5	8662 3730 Lead	0 1 FIXED	IB FOLD 2	(mtg 2/26/09, established base rating of 18 for Santa Cruz 37)

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Keel		Engine/Prop	Modifications
					I J	Max Headsail	ISP JSP	P E	MGU MGM	SL SPL	SSMG SSA	SLU ASA	ASF		Max Beam	Ttl Disp.		
			DW Rating		Mast Material		PY EY	MSA	SSMG	SSA	SLU	ASA	LWL	Ballast	moveable blst	Prop Type		
					Rig Type				SSF	SSA	SLU	Sprit Length	Max Draft	Ballast Mat.	Keel Type	# of blades		
Tiger Beetle	Custom N/M 45	77985	42	1983	59.1 17.5	155	59.1	52.1 5.8	16 10.1	58.5 17.5	31 1512		45 37.7 13.4 7.9	21000 10000 Lead	No 1 FIXED	IB FOLD 2	PIPE BERTH INTERIOR, 1400 LBS LEAD SET IN BILGE ABOVE KEEL REINSTALLED. (MTG 4/9/98) RTG CHANGED FM 45 TO 42 W/NOTED CHANGES TO BALLAST, INTERIOR AND LWL. MTG 2/15/2000	
Tiki J	J 42 SD	33	78	1999	50.5 14.7	150	52 14.6	46.5 5.64	18 10.27	15.65 14.69	26.47 345	24.1 949 14.6	42 35.1 12.2 5.5	19700 7000 Lead	0 1 FIXED	IB FEATH 3	(mtg 5/21/09, - 3 sec/mi for dual spinnakers)	
Timber Wolf	Farr 38-1 C&B Marine	67519	84	1980	43.91 13.36	155	47.9	44.83 6.7	17.91 11.6	48 14.67	26.4 1056		38.32 30.9 11.97 6.39	12000 4100 Lead	0 1 FIXED	IB FOLD 2	(REDUCED MGM, ADDED 6" TO RUDDER LENGTH -NOTED NCTR-2/15/01)	
Tinker	Wilderness 21	6	225	1977	25 8.67	125	25	25 2.83	8 4.66	25 8.67	15.6 325		20.5 17.8 7.25 4	1870 1070 Lead	No 1 FIXED	OB None	Added roller furler	
Tivoli	Beneteau 42S7 First DK SM	46612	72	1994	50.89 14.27	125	50.89	47.41 6.12	17.22 10.54	50.21 14.27	25.6 1066		42.6 35.9 13.6 7.7	18220 6283 lead	No 1 FIXED	IB FOLD 2		
Top Cat	Nonsuch 30	308	177	1985				45 7.9	24 14.3				30.33 28.75 11.1 5	11500 4500 Lead	0 1 FIXED	IB Fixed_2 2		
Topgallant	Tartan 10	18608	129	1978	35 11.75	125	35	40.25 5.34	13.75 8.96	35 12	21.6 622		33 27.18 9.25 5.833	6700 3340 Lead	No 1 FIXED	IB FOLD 2	(4/25/02 Installed Running Backstay)	

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Keel		Engine/Prop	Modifications	
					I	J	Max Headsail	ISP	PE	MGU	SL	SPL	Yes/No		Yes/No	ASF			Ttl Disp.
		DW Rating			Mast Material		JSP	PY	MSA	SSMG	SSA	SLU	ASA	LWL	Ballast	moveable blst	Prop Type		
					Rig Type			EY		SSF		SLE	Sprit Length	Max Beam	Ballast Mat.	Keel Type	# of blades		
													Fixed or _o	Max Draft					
Toypedo	Ranger 26-2	67341	189	1980	26.4 9	150	28 9	30.5 11	4 7	Yes	26.5 16.2 16.2	9 358	No	0 0	26 20 8 5	3000 1140 Lead	0 1 FIXED	OB None	Fixed Keel, No daggerboard
Tranya	Moore 24	83	150	1981	26.25 9.75	155	26.25	25 9.5 0 0	3.91 6.5 147	Yes	27 17.55 17.55	9.75 395	No		23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0	
Trunk Monkey	Farr 30	63	45	1997	38 11	125	44.9 13.6	41 15	6.43 10.4	Yes	45 24.44 24.44	13.58 917	Yes	26.24 965 0 0	30.9 27.6 10.1 6.9	4500 2060 Lead	0 1 FIXED	IB FOLD 2	(mtg 1/21/10, -3 sec/mi for switching to non-class 125% headsail, -3 sec/mi for dual spinnakers/ability to fly asym off squared back pole, -3 sec/mi for oversized spinnakers)
Twist	J 120 ALUM	28442	48	2000	50.5 14.5	150	52 21.5	46.5 17.8 0 0	6.75 11.5 492	No	64 50.6 37.65	34.1 1764 7 0	Yes	34.1 1764 7 0	40 35 12 7	13900 6000 Lead	No 1 FIXED	IB FOLD 2	
Two Scoops	Express 34	28234	99	1988	44.25 12.92	155	44.25	38.5 12.83 0 0	4.87 8.46 296	Yes	44 23.4 23.4	12.89 858	No		34 28.33 10.33 6.109	8000 3700 Lead	No 1 FIXED	IB FOLD 2	
Twoirrational	Moore 24	147	150	1984	26.25 9.75	150	26.25	25 9.5 0 0	3.91 6.5 147	Yes	26.6 17.55 17.55	9.75 389	No		23.75 21.75 7.167 4.083	2050 1025 Lead	0 1 FIXED	OB None 0	
Uno	Wyliecat 30 IB	28632	129	1995	35.8 5.5		35.8 12	39.66 19.75	9.31 13.05	No	12		No	19.68 550	30.5 25 9.5 5.25	5800 3000 Lead	0 1 FIXED	IB FOLD 2	(Mtg 10/18/07 -12 sec/mi for new oversized main)(mtg 2/21/08, change penalty for oversized main to -3 sec/mi)(Mtg 5/22/08, -24 for new smaller asymmetric spinnaker flown on 12' pole)(6/11/08, removed asymmetric spinnaker +24 sec/mi)

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Kee		Engine/Prop	Modifications
					I J	Max Headsail	ISP JSP	P E	MGU MGM	SL	SPL	Yes/No	Yes/No		ASF	Max Beam		
		DW Rating			Mast Material		PY EY	MSA	SSMG	SSA	SLU	ASA	LWL	Ballast	moveable blst	Prop Type		
					Rig Type				SSF		ASMG	Sprit Lngth	Max Draft	Ballast Mat.	Keel Type	# of blades		
USA 102	Melges 20	102	111	2008	23.19 7.05	110	27.2 10.95	24.25 9.84	3.83 7.42	No	Yes	18.8 417	20 19.4	1102 415	0 1	OB None		
			90		CARBON FS				152		26.25 17.65	3.9 <input checked="" type="checkbox"/> 0	7 4.5	Lead	FIXED	0		
USA 574	Mini Transat 6.5	574	81	2006	36.5 7.8	106	40.4 18.8	33.33 12.15	7.6 9.8	No	Yes	28 819	21 21	1874 772	0 2	NONE None	(mtg 1/21/10, Custom rating of 81 assigned)	
			24		CARBON FS				296		37 24.9	11 <input type="checkbox"/> 30	9 6	Lead	MVBL	0		
Valis	Crealock 44	16	126	2002	58.88 19.33	120	58.2 19.5	51.75 16	5.618 9.943	Yes	No		44.08 33.58	28145 11000	No 1	IB FEATH		
			81		ALUMN CTR				478		34.79 34.79	1707 0	12.67 5.25	Lead	FIXED	3		
Vayu	Allied Seawind II	28	222	1976	38.8 14	130	38.8 14	33.8 12	3.5 5.5	No	No		32 25.5	14900 5800	0 1	IB Fixed_3	(Mtg 1/21/10, Custom rating of 222 assigned)	
					ALUMN KTCH			18.5 9.1	204		<input type="checkbox"/>	0 0	10.4 4.5	Lead	FIXED	3		
Verve	Express 27 ODR	18283	129	1981	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	No		27.25 23.75	2450 1100	No 1	OB None		
			96		ALUMN FS			0 0	182		17.5 17.9	425	8.166 4.5	Lead	FIXED	0		
Victoria	Amel Sharki 39	38051	195	1980	41 14	120		37 13	5 8.5	No	No		39 32	21384 7060	0 1	IB Fixed_3		
					ALUMN KTCH			23 8	288		<input type="checkbox"/>	0 0	12 6	Lead	FIXED	3		
Vip	Farallone Clipper FR	7	159	1957	36.82 14	155	36.82	40.5 18.5	6.16 10.979	Yes	No		38 28.75	19000 7000	No 1	IB Fixed_3		
			159		WOOD FS			0 0	420		25.195 24.86	770	9.5 5.6	Iron	FIXED	3		

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail		P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst Keel Type		
Vitesse Too	Hobie 33 ODR	87112	84 1983	33.8 12.4	125	36.8	35 12.4	4.75 8	Yes	36.2 23.4 21.4	13.25 694	No	33 30.5 8 5.5	4000 1800 Lead	No 1 FIXED	OB None 0	Extended rudder 10", NCTR
Voyager	Beneteau 345	38345	129 1986	44.22 12.89	150		38.71 12.63	3.25 7.12	Yes	44.42 23.2 23.2	12.89 859	No	34.5 29.2 11.5 6.3	12651 4409 Iron	No 1 FIXED	IB FOLD 2	
Wayward Whale	Ericson 38	75	120 1982	50 16.25	105		43.25 14	5.46 9.16	No			No	37.8 30.6 12 6.6	14900 6300 Lead	0 1 FIXED	IB Fixed_2 2	
Wetsu	Express 27 w/J length pole	70	129 1983	28.5 9	155	28.5	28.5 10.42	4.22 7.03	Yes	29 17.7 17.5	9.833 427	No	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0	-6 Sec/mi OSP
Whistler	Ohlson 38	54389	141 1972	44.79 14.44	155	44.79	39.38 12.96	4 7.166	Yes	44 26 24	14.33 939	No	37.5 26.25 10.21 5.58	14900 6000 Lead	0 1 FIXED	IB Feath 3	
Wilson	Beneteau Farr First 36.7	38054	81 2005	46.4 13.1	155	46.4 13.1	45.4 15.6	5.92 12.49	Yes	45.8 23.5 23.5	13.1 897	No	36 30.3 11.4 7.2	12495 4034 Lead	0 1 FIXED	IB Fold 2	
Windflower	Santana 30	83	180 1978	39.25 12.416	155	39.25	33.92 9.83	4.15 6.86	Yes	38 21 20	12.6 659	No	29.916 25 10 5.583	8000 3800 Lead	No 1 FIXED	IB FOLD 3	

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Kee		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail		P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASM	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. Strps moveable blst Keel Type		
Windsome Wench	Newport 30-3	6858	174 1986	40 12.5	150	39.5	34.3 10.3	3.8 6.6	Yes 39	12.125	No		30.6 26.5 10.5 5.1	8500 2600 Lead	0 1 FIXED	IB FOLD 2	
			144	ALUMN MS			0 0	209	21.78 17.75	708		<input type="checkbox"/>					
Windstar	Worth 40	18337	96	54 16	125		48 14	5.5 9.2	No		No		40 31.75 12.5 7.25	18000 7800 Lead	0 1 FIXED	IB FOLD 2	
				ALUMN MS			0 0	405				<input type="checkbox"/>					
Witchy Woman	Express 27 ODR	116	129 1986	28.5 9	150	28.5	28.5 10.416	4.22 7.03	Yes	29	9.833	No	27.25 23.75 8.166 4.5	2450 1100 Lead	No 1 FIXED	OB None 0	
			96	ALUMN FS			0 0	182	17.75 17.75	429		<input type="checkbox"/>					
Yellow Dragon	Hobie 33 ODR	87377	81 1984	33.83 12.38	125	36.288	35 12.5	4.91 8.22	Yes	34	12.38	No	33 30.5 8 5.5	4200 1800 Lead	0 1 FIXED	OB None 0	Oversized Main = -3 Sec/Mi. (mgt 11/12/02) (Ballenger double spreader mast, sail drive added, replaced rudder)
			45	ALUMN FS			0 0	264	22.3 21.4	627		<input type="checkbox"/>					
Yellowfin	J 105 ODR w/ 5'BS	357	78 2000	40.6 13.5	100	42.1 19.07	41.5 14.5	5.5 9.4	No	Yes	19.5		34.5 29.5 11 6.5	7750 3400 Lead	No 1 FIXED	IB FOLD 2	
			72	ALUMN FS			0 0	358	48.88 38.71 23.26	821	5	<input type="checkbox"/>					