

NCPHRF - CURRENT FLEET ROSTER

This Roster represents the information on file for boats with a current NCPHRF certificate. If the boat you are looking for is not listed, their certificate is either not current or not yet updated to the list. You can contact the YRA office to verify a boat not found on this list at info@yra.org or via phone at 415.771.9500. This list is updated monthly.

As of: 1/27/2012

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle			Main:			Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Kee		Engine/Prop	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No	SPL SSA SSF	SLU SLE ASM	ASF ASA Sprit Lngth Fixed or _o	LOA LWL Max Beam Max Draft	Ttl Disp.	Traps/H. Strps Ballast Ballast Mat.	moveable blst Keel Type	IB or OB Prop Type # of blades		
Abba-Zaba	Tartan 10	8112	126 1979	35 12	155	35	40.25 13.75 0 0	5.34 8.86 331	Yes	12 630	No	0 <input type="checkbox"/>	33.1 27 9.25 5.83	6700 3340 Lead	0 1 FIXED	IB FOLD 2	Roller Furler		
Ad Lib	Aphrodite 101	8161	144 1979	36.83 11.81	100	32.23	39.33 11.48 0 0	4.5 6.1 253	Yes	11.9 622	No	0 <input type="checkbox"/>	32.75 26.33 7.92 5.42	6160 3527 Lead	No 1 FIXED	IB FOLD 2			
Agave Azul	Catalina 470	127	93 2011	58.23 17	110	58.23 17	50.5 20	6.5 11.5 558	No		Yes	29.07 1285 0 0 <input checked="" type="checkbox"/>	47.9 42 14 7.8	27270 9020 Lead	0 1 FIXED	IB Fold			
Ahi	Santana 35	30980	114 1981	39 12.85	155	39	42 14.25	5.51 9.26	Yes	12.85	No	0 0 <input type="checkbox"/>	35 26.5 11.92 6.25	8500 3300 Lead	0 1 FIXED	IB Fold 2			
Akula	J 105 ODR w/ 5'BS	16	78 1992	40.6 13.5	100	42.1 19.07	41.5 14.6 0 0	5.5 9.4 359	No		Yes	25 854 5 0 <input checked="" type="checkbox"/>	34.5 29.5 11 6.5	7750 3400 Lead	No 1 FIXED	IB FOLD 2			
Akyla	Hobie 33 ODR MOD	163	78 1985	33.6 12.4	150	36.5 16.2	35.3 12.5	4.75 8 262	No	13.12	Yes	25.7 830 3.8 0 <input checked="" type="checkbox"/>	33 30.5 8 5.5	4260 1800 Lead	0 1 FIXED	OB None	(mtg 8/19/10, -3 sec/mi for sprit, -12 sec/mi for 20% oversized asymmetrical spinnaker)		

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Kee		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASM	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst Keel Type		
Alcyone	BENETEAU OCEANIS 350	990	144 1990	41.47 12.8	130	41.47 12.8	35.7 11.4	3.1 6.2	No	Yes	23.5 605	33.8 29.1 11.3 4.17	10582 3968 Iron	0 1 FIXED	IB Feath 3		
			135	ALUMN MS				214			0 0						
Amandla	Catalina 34 1&2	796	147 1988	46 13.5	130		38.5 12		No	No	0	35.75 29.8 11.75 5.6	11950 5000 Lead	0 1 FIXED	IB FOLD 3		
American Standard	Olson 25	18517	159 1984	32 9.6	155	32	28 10	3.8 6.4	Yes	No	0	25 21.25 9 4.5	3300 1300 Lead	0 1 FIXED	OB None		
			156	ALUMN MS				166			0 0						
Antipodiste	Farr 30 1/2 Ton	18845	156 1978	30.14 9.61	155	30.14	31.95 12.92	5 8.45	Yes	No	0	30.1 25.63 9.9 5.48	4500 1850 Lead	No 1 FIXED	NONE None	Inboard motor removed as well as shaft/strut and prop.	
			114	ALUMN FS			0 0	248			0						
Arcadia	Custom Nash 28.5	3113	135 1969	33 10	120	34 11	32.5 13	4.92 8.41	No	Yes	24.606 756	28.5 25.5 9 6.5	4327 1200 Lead	No 1 FIXED	IB FOLD 2	(Weighed Displacement as of 4/4/2009)	
			75	ALUMN FS			0 0	251			4 100						
Arowana	Custom Diva 39	8	87 1987	41.73 12.8	125	41.73 12.8	46.75 14.75	5.72 9.6	Yes	No	0	38.75 30.83 9.83 5.75	9920 4575 Lead	No 1 FIXED	IB FOLD 2	Back Stay Crane	
			75	ALUMN FS			0 0	413			0						
Astra	Farr 40 ODR FR	40079	9 2000	53.2 15.5	105	53.12	54.8 19.4	7.29 12.47	Yes	No	0	40.75 35.27 13.22 8.53	10917 5079 Lead	No 1 FIXED	IB FOLD 2		
			6	CARBON FS			0 0	629			0						

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Keel		Engine/Prop	Modifications
					I J Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No	SL SPL SSMG SSF	Yes/No	ASF ASA Sprit Lngth Fixed or _o	LWL		Ttl Disp. Ballast Mat.	Traps/H. Strps moveable blst Keel Type		
Audacious	J 29 7/8 OB	18917	123	1984	35 11.416	150	35	38.666 4.94	9.94 8.45	Yes	35 11.5	No	29.5 25 11.08	6000 2100 Lead	0 1 FIXED	OB None 0		
			129		ALUMN FS		0 0	300			20.17 586	<input type="checkbox"/>	0	5.67				
Auggie	Santana 22	476	234	1969	26 8.5	150	26	21.75 9.833	3.95 6.59	Yes	26 8.583	No	22 18.666 7.833	2600 1230 Cast Iron	No 1 FIXED	OB None 0		
			222		ALUMN MS		0 0	131			15.44 335	<input type="checkbox"/>	0	3.5				
Avion	Bianca 414	30345	84	1980	50.14 15.61	150	50.14	51.17 17.3	6.64 11.37	Yes	50 15.61	No	41.27 32.81 9.58 7.61	19953 8624 Lead	No 1 FIXED	IB Fixed_2 2	(MTG 4/8/99 1360 LBS SHAVED OFF SIDES OF KEEL, 925 LBS ADDED TO BOTTOM OF KEEL - 3 FOR KEEL MODS)(New Rudder, NCTR, 2/15/01)	
			78		ALUMN MS		0 0	531			28.1 1171	<input checked="" type="checkbox"/>	0					
Azure	CAL 40	72	114	1966	46 15.17	150	46	40 17.5	4.4 8.8	Yes	46.5 15.17	No	39.5 30.5 11 5.5	15500 6000 Lead	No 1 FIXED	IB FEATH 2		
			102		ALUMN MS		0 0	353			27.3 1056	<input type="checkbox"/>	0					
B Mer	B 25 ODR	48	135	1995	28 8.5	155	28	28 11	4.37 7.31	Yes	28 9.5	No	25 21.25 8.33 5	2000 800 Lead	No 1 CNTRBD	OB None 0		
			108		ALUMN FS		0 0	187				<input type="checkbox"/>	0					
Balein	Olson 25	74	159	1985	32 9.583	155	32	28 10	3.8 6.4	Yes	31.7 9.583	No	25 21.25 9 4.5	3300 1300 Lead	No 1 FIXED	OB None 0		
			156		ALUMN MS		0 0	166			17.28 456	<input type="checkbox"/>	0					
Bandicoot	Wyliecat 30 IB	28530	111	2000	0 0		29	39.75 20.5	7.87 13.46	No	29 10	Yes	30.5 25 9.5 5.25	5500 3050 Lead	0 1 FIXED	IB FEATH 2	(mtg 5/20/10, -21 sec/mi for added spinnakers)	
			105		CARBON CATBOAT		0 0	488			17.75 429	<input type="checkbox"/>	90					

Boat Name	Boat Model (Type)	Sail #	Rating DW Rating	Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
					I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst Keel Type			
Banditos	Moore 24	118	150	1982	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	26.6 17.55 17.55	9.75 389	No	0 0	23.75 21.75 7.16 4.083	2050 1025 Lead	0 1 FIXED	OB None 0	
Basic Instinct	Custom Elliott 10.50	8123	69 48	1993	41 12.5	125	45.6	44.2 17.5 0 0	8.5 12 497	Yes	48 30 29.75	13.9 1198	No	26.5 801 0	34.42 31.83 12.08 7	10220 3000 Lead	No 1 FIXED	IB FOLD 2	(mtg 3/19/09, changed to smaller headsail, +3 sec/mi, & larger mainsail, -6 sec/mi, change rating from 66 to 63)(Mtg 10/21/09, new smaller headsail, still with large headboard. Change mainsail penalty from 6 sec/mi to 2 sec/mi)
Beverlee	Pacific Seacraft 31	126	201	2006	38.7 14.6	100		32.5 12.58	4.89 8.2	No			No	0 0	31.83 24.17 9.83 4.92	11000 4400 Lead	0 1 FIXED	IB Fixed_3 3	
Bewitched	Merit 25	8177	168 177	1979	28.75 9.66	155	28.75	28 9.75 0 0	4.025 6.69 169	Yes	29 17.39 17.39	9.66 420	No	0	24.5 20.5 8 4	3000 1050 Lead	No 1 FIXED	OB None 0	
Blue Mist	Pearson 33 Vanguard	335	228 207	1965	37.5 12.25	150		32.5 14.75	4.42 8	Yes	36.33 21.33 22	12.25 650	No	0 0	32.5 22.35 9.25 4.5	12600 4250 Lead	0 1 FIXED	IB Fixed_3	
Blueberry	Nonsuch 22	48	246	1987				34 19.25	7.3 12.5	No			No	0 0	22 20.5 8.5 3.66	4600 1800 Lead	0 1 FIXED	OB None 2	Mark Ellis designed, Mars Metal built 450 lb split bulb torpedo bolted and faired into bottom 4 inches of keel so as not to increase draft, but to add stability in case of knock down. Original lead was 1800 lb. Total lead now 2250 lbs.
Bodacious	Custom Farr 40 1/T	41001	66 63	1985	47.274 13.818	155	47.3	50.909 18.346 0 0	6.92 11.84 554	Yes	46.76 24.86 24.86	13.8 969	No	0	40 31.46 13.11 7.5	17036 6620 Lead	No 1 FIXED	IB FEATH 2	FARR 40 DESIGN #158 (MTG 5/14/98 - -3 SEC/MI FOR FILLING IN STERN CREASE); All displacement in IRC measured Trim (totally empty); Measurement changes noted, NCTR PHRF Mtg 2/16/08.

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Kee		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SPL SSMG SSF	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast		Traps/H. moveable blst Keel Type			
Bodacious +	1D 48	48005	-12 1996	57.7 16.7	155	68.3 16.7	61.3 22.5	9.84 14.66	Yes	Yes	30.1 1673	48.3 40.2 14.2 10.1	19743 8818 Lead	0 1 FIXED	IB Fold 2	Water ballast system not operational (mtg 8/19/08, custom rating assigned of -30, includes dual spinnakers)(Mtg 3/24/11, new smaller mainsail, smaller symmetrical, change custom rating from -20 to -24)(Mtg 8/25/11)	
Bon Chance	Hunter 30-1	28938	189 1989	36.83 9.75	105		40.58 12.5	4.81 8 302	No	No	0 0	30.06 25.83 11 4.25	9500 3800 Cast Iron	0 1 FIXED	IB Fixed_3 3		
Boracic	Open 5.7 ODR	186	138 105 2006	21.52 7.3	117	21.6 12.3	25.33 10.24	5.34 7.12 171	No	Yes	17.6 345 5 0	18.7 18.7 8.3 5.7	1020 396 Lead	0 1 FIXED	OB None 2		
Brainwaves	J 35C	43533	90 96 1990	46.2 13.2	155		40.8 15.5	5.87 10.07 377	Yes	No	0 0	35.2 30 11.1 6.4	11800 4300 Lead	0 1 FIXED	IB FOLD 2	(mtg 2/18/10, interior changes for Pacific Cup, NCTR)	
Breakaway	Ultimate 20 CM	180	144 108 2002	26.08 6.97	114	27.58 12.79	27.33 10.17	5.5 7.96 193	No	Yes	19.167 441 6 0	20.83 18 8.33 5	1350 450 Lead	No 1 FIXED	OB Fixed_3 3		
Breakout	Santana 35	18679	114 114 1982	39 12.85	155	39	42 14.25	5.51 9.26 358	Yes	No	0	35 26.5 11.92 6.25	8500 3300 Lead	No 1 FIXED	IB FOLD 2		
Brick House	Moore 24	91	150 123 1981	26.25 9.75	150	26.25	25 9.5	3.91 6.5 147	Yes	No	0	23.75 21.75 7.14 4.84	2050 1025 Lead	No 1 FIXED	OB None 0		

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Kee		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SPL SSMG SSF	SLU ASA SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast		Traps/H. moveable blst Keel Type			
Chesapeake	Merit 25	18245	168 1984	28.75 9.66	155	28.75	28 9.75 0 0	4.25 6.69 172	Yes 29 17 16.75	9.66 410	No <input type="checkbox"/>	24.5 20.5 8 4	3000 1050 Lead	No 1 FIXED	OB None 0		
Claire de Lune	Moore 24	80	150 1980	26.25 9.8	150	26.25	25 9.5	3.91 6.5 147	Yes 27 17.55 17.55	9.75 395	No <input type="checkbox"/>	23.75 21.75 7.16 4.083	2050 1025 Lead	0 1 FIXED	OB None 0		
Cloud 9	Cascade 36	89	162 1989	45.1 14.7	130	45.1 14.7	37.75 14.5	3.68 7.27 276	No	44.08 41.42 20.17	Yes 24.33 748 0 <input checked="" type="checkbox"/>	38.5 30.5 10 6.6	16500 4600 Iron	0 1 FIXED	IB Fixed_3 3		
Coast Starlight Ltd	Morgan 38-2	8238	156 1978	46 16.25	125	46	40.5 14.5 0 0	5.66 9.83 358	Yes 46 28.5 27.5	16.25 1085	No <input type="checkbox"/>	38.33 30.5 12 6	19000 7500 Lead	No 1 FIXED	IB Fixed_2 2		
Compromise	Elite 37	160276	96 1984	48.5 14.75	155	48.5 14.75	42 13.25 0 0	5.23 8.74 336	Yes 48.1 26.5 26.5	14.75 1062	Yes 32.2 1127 0 <input checked="" type="checkbox"/>	37.08 31.58 12.08 5.91	12787 5291 Iron	No 1 FIXED	IB FEATH 3	(Mtg 8/13/02, -6 sec/mi for oversized asymmetric)	
Cookie Jar	Moore 24	98	153 1981	26.25 9.75	125	26.25 9.75	25 9.5 0 0	3.91 6.5 147	Yes 30.6 17.5 17.5	9.8 446	No <input type="checkbox"/>	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0		
Coyote	Cal 20	61	273 1962	22 7.53	105	22 11.53	23 9.5	3.5 6 128	Yes 22 13.2 13.2	7.33 242	No 15.5 328 4 0 <input checked="" type="checkbox"/>	20 18 7 3.33	2130 900 Iron	0 1 FIXED	OB None	(mtg 5/20/10, -9 sec/mi for sprit)(1/24/12, dropped asymmetrical, using symmetrical only. +9 sec/mi)	

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst Keel Type			
Coyote	Beneteau 42 IK TM	28776	84 66	1985	55.43 16.73	155	55.71	49.2 14.6 0 0	4.8 8.5 400	Yes 55 30.11 30.11	16.73 1380	No	0 <input type="checkbox"/>	44.58 36 13.2 7.25	23560 9500 Iron	No 1 FIXED	IB FOLD 2	(mtg 5/21/09, added 15" scoop to transom, NCTR)
Crazy Rhythm	Santa Cruz 27	18771	141 99	1978	32.58 10.75	150	32.58	28.166 8.583 0 0	3.68 6.06 153	Yes 32.74 19.4 19.4	10.75 529	No	0 <input type="checkbox"/>	27 24 8 4.5	3200 1600 Lead	No 1 FIXED	OB None 0	
Crinan II	Wyliecat 30 IB	15	132 138	2002				39.75 20.5 0 0	7.79 13.32 485	No		No	0 <input type="checkbox"/>	30.5 25 9.5 5.25	5500 3050 Lead	No 1 FIXED	IB FOLD 2	
CruzSea Baby	Beneteau First 10R ODR	52878	84 87	2007	43.2 12.07	105	46.41 16.5	42.25 14.73	5.59 9.57 371	No		Yes 49.5 41.5 27.9	27.5 1055 4.43 <input checked="" type="checkbox"/> 0	32.75 28.7 11 6.55	9715 3528 Lead	0 1 FIXED	IB Fold 2	(Rudder Modifications noted, smaller non-class spinnaker +3 sec/mi)
Curlew	Bird ODR	2	168	1922	20.25 9.5	155	20.25	31.5 20.25 0 0	7 12.5 366	No		No	0 <input type="checkbox"/>	30.08 24.25 7.67 5.25	8900 3620 Lead	0 1 FIXED	OB None 0	
Daisy Cutter	Mini Transat 6.5 Type Zero	530	102 69	2004	31.7 8.75	135	31.8 16.55	30.5 10.8	7.83 9.5 260	No		Yes 36.5 30.8 26.9	30.1 772 7.8 <input type="checkbox"/> 35	21.3 21.3 9.8 5.25	2350 950 Lead	0 1 FIXED	OB None 3	Production Aluminum mast, boom & sprit replaced with Carbon Fiber (mtg 1/21/10, custom rating of 102 assigned)
Dare Dare	Jeanneau Sun Fast 3200	39	75 75	2008	41.92 12.58	112	45.94 13.61	38.67 13.92	5.28 9.06 321	Yes		Yes 43.24 40.06 18.41	24.48 681 1 <input checked="" type="checkbox"/> 0	33.1 28 11.5 6.2	7496 2866 Lead	0 1 FIXED	IB Fold 2	

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Kee		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SPL SSMG SSF	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast		Traps/H. moveable blst Keel Type			
Darwind	Pearson 28 Triton FR	107	237 1961	30.3 9.8	130	30.3 9.8	33 13	5 8.4	Yes 28.3	10	No	28.5 20.5 8.25 4.5	8000 3019 Lead	0 1 FIXED	OB Fixed_3 0	(Mtg 5/26/11, OSP, -3 sec/mi)(Mtg 8/25/11, +6 sec/mi for offshore modifications)	
Dazzler	Wyliecat 30 IB	28259	132 1997				40 20.7	7.87 13.46	No		No	30.5 25 9.5 5.25	5700 3050 Lead	0 1 FIXED	IB FOLD 2	INSTALLED IB ENGINE JAN 99	
Deception	Santa Cruz 50	97263	-9 1987	61.8 18.3	155	61.8 18.3	55 18.4	7.1 12	Yes 61.7	18.3	Yes 62.83	50 46 12 8	17500 8000 Lead	0 1 FIXED	IB FOLD 2	ELPT Keel & OS/Spinnaker; Has a Code 0 headsail aboard - tacked to stem, no sprit (Mtg 3/19/09, -3 sec/mi for dual spinnakers)	
Dora	Catalina Morgan 381 MOD	41	132 1994	50.5 14.67	150	50.5 14.67	42.17 15.67	5.8 10.1	No		Yes 28 48 46 24	38.42 32.82 12.33 7	19000 6800 Lead	0 1 FIXED	IB Feath	Roller Furler	
DoubleTrouble	J 125	93204	-12 1999	49 15	155	23	47 18	6.8 11.6	No		Yes 41 61.3 52.3 41	41 37 10.6 7.9	9330 4646 Lead	0 1 FIXED	IB FOLD 2	(Mtg 2/26/09, -3 sec/mi for oversized main girths)(3/9/09, corrected main girths, removed -3 sec/mi penalty)	
Dragonfly	Rhodes 19 OSP	702	258 1967	19.5 6.5	100	19.5 6.5	24 9.7	3.9 6.5	Yes 20	6.75	No	19.24 17.9 7 3.3	1325 415 Lead	0 1 FIXED	OB None		
Dragonsong	Olson 30 OB	87014	99 1982	36 11.75	155	35.9 11.67	31.5 10.75	4.364 7.268	Yes 36	11.75	No	30 27.5 9.33 5.08	3600 1800 Lead	No 1 FIXED	OB None 0		

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Kee		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail		P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst Keel Type		
Dream	ALERION EXPRESS 28 ODR	222	168 2003	30 9.75	90		33 12.5	4.58 7.9	No	No			28.25 22.83 8.17 4.5	5700 2200 Lead	No 1 FIXED	IB FOLD 2	
E T	Antrim 27 CM ODR	19	75 1999	28.69 8.17	116	37.25 15	33.75 14	7.5 10.9	No	Yes	25.1 709		27.83 23.75 9.25 6	3450 1050 Lead	No 1 FIXED	OB None 0	(Mtg 1/26/12, weighed displacement updated, NCTR)
Easom Riggin/Eight Ball	Mumm/Farr 30	57	54 1996	38.3 10.89	104	44.9 13.5	40.52 14.56	6.42 10.4	Yes	Yes	24.6 921		30.9 27.5 10.16 6.89	4500 2060 Lead	0 1 FIXED	IB Fold 2	
Emerald	Yankee 30-2	37894	177 1971	40.5 12.75	125	40.5	34.92 11	4.18 7.15	Yes	No			30 23 9 5	8700 4170 Lead	No 1 FIXED	IB FOLD 2	
Encore	Custom Wylie Gemini 30	8592	126 1976	33.33 11.75	125	33.5	39 14	5.3 9.1	Yes	No			30.95 26.5 9.25 6.25	6000 3000 Lead	No 1 FIXED	IB FOLD 2	MAST IS APPROX 3' SHORTER THAN STOCK GEMINI; Change rating from 135 to 126 PHRF Mtg 3/16/06;
Encore	Sydney 36 CR	3632	54 2006	45.6 14	104		44.36 16.4	6.1 10.6	No	Yes	30 1297		36.06 31.04 11.32 7.55	11244 4850 Lead	No 1 FIXED	IB FOLD 2	Autralian IRC Rating 1.052
Endless Summer	Catalina 42-1/2 WK	688	111 2000	53 16.5	155		46.75 15.5	5.08 9.16	No	No			41.83 36 13.83 4.83	28000 8300 Lead	0 1 FIXED	IB Feath 3	

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Kee		Engine/Prop	Modifications
					I	J	Max Headsail	P	MGU	Yes/No	Yes/No	ASF	Ttl Disp.		Traps/H. Strps	IB or OB		
		DW Rating			Mast Material	ISP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type		
					Rig Type	JSP	PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades		
							EY		SSF		ASM	Fixed or _o	Max Draft					
Ergo	Ericson 35-2 SM	97050	156	1970	40 14	150	40 14	32.67 4.45	4.45	Yes	Yes	19.6	34.67	11600	No	IB	(new rudder noted mgt 6-8-04; NCTR).	
			147		ALUMN		13	7.45	41.1	14	42	673	25.83	5000	1	FOLD		
					MS		0	237	25.2	863	39	0	10.04	Lead	FIXED	2		
Escapade	Express 37	18051	72	1985	48.75 14.33	155	48.75	42	5.28	Yes	No		37.08	11000	No	IB		
			72		ALUMN		13.75	8.83	48	14.33		0	30.83	4500	1	FOLD		
					MS		0	344	25.58	1022			11.57	Lead	FIXED	2		
Escapade	Sabre 40-2	38011	75	1997	54 15.5	110	54 16	47.5	5.6	Yes	Yes	23.5	40.2	19760	0	IB		
			84		ALUMN		17	9.9	51.25	15.5	53.5	1001	34	7500	1	FEATH		
					MS			449	27.3	1151	47	0	13.3	Lead	FIXED	3		
Espresso	Hobie 33 ODR	77981	90	1982	33.28 12.4	125	36.28	35	4.75	Yes	No		33	4000	No	OB	Standard rig, with longer elliptical rudder. Boat is an ODR boat with a short spinnaker pole, but Spinnaker is standard ODR size.	
			42		ALUMN		12.5	8	36	12.4		0	30.5	1800	1	None		
					FS		0	260	23.4	690			8	Lead	FIXED	0		
Eyrie	Hawkfarm 28 ODR	6100	165	1976	33 11	125	33.25 11.5	36	4.37	Yes	No		28	5700	No	IB	Rudder changes noted NCTR mtg 4/20/04)	
			153		ALUMN		10.5	7.26	33	11.5		0	23.5	2700	1	FOLD		
					FS		0	236	20	547			9.75	Lead	FIXED	2		
Fatuity	Moore 24	48	150	1980	26.25 9.75	150	26.25	25	3.91	Yes	No		23.75	2050	No	OB		
			123		ALUMN		9.5	6.5	27	9.75		0	21.75	1025	1	None		
					FS		0	147	17.55	395			7.16	Lead	FIXED	0		
Firebolt	Laser 28	18228	144	1984	31.1 9.65	125	31.73	33.14	4	Yes	No		28.41	3950	0	IB		
			129		ALUMN		12.96	8.125	31.5	9.65		0	23.62	1500	1	FOLD		
					FS		0	243	20.25	530			9.48	Lead	FIXED	2		

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Kee		Engine/Prop	Modifications
					I	J	Max Headsail	ISP	ISJ	P	MGU	Yes/No	Yes/No		ASF	Ttl Disp.		
		DW Rating			Mast Material			E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type	
					Rig Type			PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades	
								EY		SSF		ASM	Fixed or _o	Max Draft				
Flying Baby	J 100 ODR	138	81	2007	38.48 11.48	100	42.98 11.48	38 13.48	5.11 8.76	No		Yes	21.65 723	32.8 29	6500 2500	0 1	IB FOLD	
			87		CARBON FS				305			38.55 20.98	0 <input checked="" type="checkbox"/>	9.3 5.8	Lead	FIXED	2	
For Pete's Sake	Ultimate 24 ODR	28469	111	2003	28.04 7.82	102	30.8 14.5	31 11.5	5.5 8.8	No		Yes	22.2 587	24.38 21.17	2040 750	No 1	OB None	
			69		CARBON FS			0 0	238			30.6 20.9	6.7 <input checked="" type="checkbox"/>	8.48 5.52	lead	FIXED		
Foxxfyre	Yamaha 33 IK SM	67248	159	1978	42.81 13.78	150	42.81	37.4 10.6	4.38 7.27	Yes		No		33.25 26.92	16000 4410	No 1	IB FEATH	PER PHRF MTG 3/16/2000 - Weight Differencer from brochure is significant.
			162		ALUMN MS			0 0	246	44 24.8	13.78 901		0 <input type="checkbox"/>	11 6.25	Iron	FIXED	2	
French Kiss	Beneteau 350 Oceanis	28713	144	1989	41.47 12.8	140	41.47	35.7 11.6	4.2 7.3	Yes		No		33.83 29.83	10580 3525	0 1	IB FOLD	Above deck Roller Furler
			117		ALUMN MS			0 0	242	22.5 22.5	741		0 <input type="checkbox"/>	11.17 5.17	Lead	FIXED	2	
Frequent Flyer	Mumm/Farr 30	52	54	1996	38.2 10.9	104	44.9 13.58	40.5 14.6	6.42 10.4	Yes		Yes	25.25 882	30.9 27.6	4561 1997	0 1	IB Fold	
			24		CARBON FS				377	44.58 25.25 24.67	13.58 934	46.92 41.33 23.67	0 <input checked="" type="checkbox"/>	10.1 6.9	Lead	FIXED		
Friday Harbor	Beneteau 323 DK	28580	147	2004	42.67 11.06	116		38.9 13.17	5 8.56	No		Yes	19.91 661	32 29.17	8448 2258	No 1	IB FOLD	
			117		ALUMN MS				306			41.34 17.9	0 <input checked="" type="checkbox"/>	10.67 5.92	Iron	FIXED	2	
Furrari	Wylie Wabbit ODR W/Trap	47	126	1983	20.5 6.5	150	20.5	23.75 10	4.03 6.72	Yes		No		23.75 20	975 440	1 3	OB None	INCLUDES HIKING STRAPS AND SINGLE TRAPEZE.
			87		ALUMN FS			0 0	145	22 13.9 13.7	8.5 254		0 <input type="checkbox"/>	5.583 3.5	Lead	FIXED	0	

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	LOA LWL Max Beam Max Draft	Ttl Disp. Ballast	Traps/H. moveable blst	Strps Keel Type	IB or OB Prop Type # of blades	
Galaxsea	Custom Nauticat 43.5	28743	180 1985	51 20	104	20.6	45 13.6 32.4 8.5	4.3 7.9 338	No	Yes	29.2 1119 4.9	43.6 37.7 12.2 5.9	34000 11000 Lead	No 1 FIXED	IB FEATH 3	Stay sail measurements foot=1', Luff=34'6", Leach=30'2", LP=132"		
Ganesha	Sabre 36-2	28862	111 1996	48.5 13.46	155		41.6 14.83 0 0	5.66 9.63 368	No	No	0 0	36.17 30.42 12 6.5	13800 5520 Lead	No 1 FIXED	IB FOLD 2	Adjustable back stays		
Gavilan	Custom Wylie 39	28439	93 90 1996	49 14.5	122	49	43 15.5 0 0	5.73 9.75 390	Yes	Yes	24.6 783 1.17	41.5 31.75 11.5 6.77	17900 5920 Lead	No 1 FIXED	IB FEATH 3	(mtg 4/28/11, change custom rating from 84 to 96 after review of rating appeal)(Mtg 1/26/12, -3 sec/mi for sprit)		
Gig	Humboldt 30 IB	18112	108 84 1983	37.5 11.5	149	37.5	41.5 13.75 0 0	4.84 12.67 387	Yes	No	0	30 26.66 10.5 5.75	5400 2222 Lead	No 1 FIXED	IB FOLD 2			
Golden Moon	Express 37	18488	72 72 1985	48.75 14.33	155	48.75	42 13.75 0 0	5.37 8.99 347	Yes	No	0	37 30.83 11.57 7.25	11000 4500 Lead	No 1 FIXED	IB FOLD 2			
Green Buffalo	CAL 40	8538	114 102 1967	46.7 15.2	155	46.7	39.8 17.6 0 0	6.65 11.37 416	Yes	No	0	39.2 30 10.9 5.8	17500 6000 Lead	0 1 FIXED	IB FEATH 3	Schumacher designed rudder - same as original		
Gypsy Lady	CAL 34-1	7507	177 138 1969	39 13.75	125	39 13.75	33.5 14 0 0	4.75 8.25 264	Yes	No	0	33.3 26 10 5	10000 3750 Lead	No 1 FIXED	IB FOLD 2			

Boat Name	Boat Model (Type)	Sail #	Rating DW Rating	Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Kee		Engine/Prop IB or OB Prop Type # of blades	Modifications
					I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SPL SSMG SSF	SLU ASA SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast		Traps/H. moveable blst Keel Type			
Harp	Catalina 38	18003	117 108	1983	50.7 15.43	155	50.9 15.43	44 11.5 0 0	4.8 7.97 316	Yes 49.2 27.3 27.5	15.42 1121	No <input type="checkbox"/>	38.17 30.25 11.83 6.79	19489 6850 Lead	No 1 FIXED	IB FOLD 2	DEC 93 - 7X19 STND RIG/ W/ROD RIG & SHR TN UPR SPREADERS 2 IN. NO CHNG RTNG (MTG 1/27/94)	
Hatikvah	CAL 29-1 IB	6609	186 177	1974	37 12.33	150	37	31.67 12.25		Yes 37.05 22.19 22.19	12.33 685	No <input type="checkbox"/>	29.34 24 9.3 4.5	8000 3350 Lead	0 1 FIXED	IB Fixed_3 3		
Hellion	Olson 30 OB	28775	99 69	1981	36 11.75	155	35.9 11.67	31.5 10.75	4.36 7.27 208	Yes 36 21.1 21.1	11.75 633	No <input type="checkbox"/>	30 27.5 9.33 5.08	3600 1800 Lead	0 1 FIXED	OB None	Roller Furler	
Henry Hannah	CAL 40	59	114 102	1967	46 15.17	150	46	40 17.5	6.5 10.7 406	Yes 45 27 25.4	15.16 1001	No <input type="checkbox"/>	39.33 30.33 11 5.58	15500 6000 Lead	0 1 FIXED	IB FEATH 2		
Hot Ice	C&C 110	38110	90	2004	51 14	98	51	45 15.5 0 0	5.8 9.9 412	No		No <input type="checkbox"/>	36.36 31.5 12 6.5	10900 4200 Lead	No 1 FIXED	IB FOLD 2	carbon mast noted (standard on C & C 110) NCTR PHRF Mtg 3/16/06;	
Huttetu	Knarr ODR	100	198	1960	33.583 6.583	125	33.583	31 11.166 0 0	4.47 7.46 211	No		No <input type="checkbox"/>	30.333 20.333 7 4.25	4630 2866 Cast Iron	No 1 FIXED	OB None 0		
Iliohale	Hanse 341/342	60128	141	2004	46 12.2	125		42 15	5.58 9.37 369	No		No <input type="checkbox"/>	34 29.2 11.2 5.9	11353 3395 Iron	0 1 FIXED	IB FOLD 2		

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Keel		Engine/Prop	Modifications
					I	J	Max Headsail	ISP	PE	MGU	SL	SPL	Yes/No		Yes/No	ASF		
		DW Rating			Mast Material		PY	MGM	SSMG	SSA	SLU	ASA	LWL	Ballast	moveable blst	Prop Type		
					Rig Type		EY	MSA	SSF		SLE	Sprit Length	Max Beam	Ballast Mat.	Keel Type	# of blades		
											Fixed or	_o	Max Draft					
Imagine	Merit 22 CB	224	219	1984	28 8.25	155	28	23 9.6	3.9 6.5	Yes	28	8.25	22 18	2000	0	OB	Repairs and reinforced keel trunk and hull at trunk/hull junction. Repairs lowered keel ~2 inches and increased draft ~2 inches from "stock" Merit 22 (Mtg 8/19/10, NCTR for Keel modifications/repairs)	
			186		ALUMN MS			136		14.85 14.5	345	0 0	8 4.2	Lead	CNTRBRD	None		
Imagine	Ericson 32-3	716	159	1987	42 13.8	135		36.4 11.8	4.18 7.28	No			32.5 25.83	9800	0	IB		
					ALUMN MS			248				0 0	10.83 6	4200	1	Fixed_2		
Imi Loa	Catalina 34 1&2	582	150	1988	44 13.5	120	44 14	38.5 12	4.7 8.05	No	Yes	23.09	34.5	11950	No	IB		
			135		ALUMN MS			0 0	281		45.41 40.72 20.75	761 0	29.83 11.75 5.58	5000	1	FEATH	3	
Impulse	Catalina 30	38279	180	1976	41 11.416	155	41	35 11.5	4.63 7.72	Yes	40	11.5	29.92	10200	No	IB		
			180		ALUMN MS			0 0	246		20 20	667	10.83 5.25	4200	1	FOLD	2	
Iolani	Hughes 48	38048	120	1972	54.3 18.2	135	20.2	48.2 19	5.9 10.4	Yes	Yes	32.76	48	32000	0	IB		
			84		ALUMN YAWL			23 10	493		40.32 32.76 32.76	18.2 1101	35.1 11.1 6	14300	1	FEATH	3	
Ione	J 30	8994	141	1981	34.19 11.041	140		38 13	4.83 8.21	Yes	No		29.83	6500	0	IB		
			141		ALUMN FS			0 0	290		34.5 20 21	11.04 581	11.2 5.25	2100	1	FOLD	2	
Isle Of Skye	Tartan 33 7/8 RIG	6	159	1979	36.42 12.42	100	36.42	41.58 14.42	4.6 8.1	No	No		33.67	10000	No	IB		
					ALUMN FS			0 0	328			0	10.92 4.42	4400	1	FEATH	3	

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle		Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Kee		Engine/Prop	Modifications	
					I J Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No	SL SPL SSMG SSF	Yes/No	ASF ASA Sprit Length Fixed or _o		LWL	Ttl Disp. Ballast Mat.			Traps/H. Strps moveable blst Keel Type
Jackal	Ranger 33	67733	156	1978	41.5 13.87	155	35 13.8	3.5 7	Yes	41 23.5 23	13.67 800	No	33 26.3 9.6 5	10500 4500 Lead	No 1 FIXED	IB Fixed_3 3		
			147		ALUMN MS			245				<input type="checkbox"/>	0 0					
Jarlen	J 35	28528	72	1990	46.333 14.583	150	41.416 14	5.43 9.11	Yes	46 26 26	14.583 997	No	35.42 30 11.67 6.75	10500 4400 Lead	No 1 FIXED	IB FOLD 2		
			72		ALUMN MS			0 347 0				<input type="checkbox"/>	0					
Jet Lag	Catalina 34 1&2	1130	138	1991	44 13.67	155	38.5 13.75	5.1 8.8	Yes	42 24 23.5	13.5 837	Yes	23 718	34.6 29.1 11.9 5.6	11950 5000 Lead	0 1 FIXED	IB FOLD 2	Added 2' bowsprit for asymmetrical sail. Will use spin ple on asym sail to pull back tack approx 40 degrees (Mtg 4/28/09, -3 sec/mi ability to fly A-sail on squared back pole, -3 sec/mi for sprit)(Mtg 8/27/09, -3 sec/mi for increased mainsail area)
			129		ALUMN MS			312				<input type="checkbox"/>	40					
Jet Stream	Custom JS 9000	9045	63	2003	27.08 9.5	82	30.25 8.73	5.6 7	No			Yes	21.8 561	29.9 27.9 5.7 6.8	2425 1543 Lead	0 1 FIXED	OB None 0	(Mtg 1/22/09, custom rating of 78 assigned)(Mtg 8/19/10, -9 sec/mi for adding 3' sprit, -3 sec/mi for increased spinnaker area, Original rating of 78 contained a 3 sec error, rating should have been 75, change custom rating to 75)
			30		CARBON FS			199				<input checked="" type="checkbox"/>	0					
Joyride	J 109 ODR	47	69	2003	46.5 13.3	155	43.25 15.5	5.89 10.07	No			Yes	27.75 1160	35.25 30.5 11.5 7	10900 3900 Lead	No 1 FIXED	IB FOLD 2	-3 sec/mi for 155% headsail
			66		ALUMN FS			0 399 0				<input checked="" type="checkbox"/>	0					
Juanita	Custom Phoenix 38	28272	156	1972	44.33 14.58	147	37.33 12.46	4.9 8.2	Yes	39.4 26.2 26.2	13.66 860	No	37.17 31 11.83 5.42	21000 8500 Iron	No 1 FIXED	IB Fixed_3 3		
			135		ALUMN MS			0 281 0				<input type="checkbox"/>	0					
Kabunza	Pearson 36-2	362	132	1986	47.1 15.4	110	41 14.5	3.65 7.3	No			No	36.5 29.5 12.3 6.5	15000 5800 Lead	0 1 FIXED	IB Fixed_2 2		
					ALUMN MS			300				<input type="checkbox"/>	0 0					

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Kee		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst Keel Type		
Kapai	Islander 36 ODR	438	144	1977	45 14.48 ALUMN MS	135	45	39.25 12.75 0 0	5.05 8.44 303	No	No	36.08 28.25 11.17 6	13450 5500 Lead	0 1 FIXED	IB FOLD 2		
Kelika	Hunter 33.5	28815	150	1991	39.166 11.666 ALUMN FS	150	39.116	43.166 13.5 0 0	5.2 8.9 350	Yes 39 21.15 21.15	No	33.33 26.83 11 4.5	10800 4500 Iron	No 1 FIXED	IB FEATH 2		
Kira	Cal 33-2	28999	132	1986	46 13.25 ALUMN MS	125	46 13.25	40.5 12.75 0 0	4.82 8.23 307	No	Yes 43.6 39.5 19.68	21.86 697 0	33 27.5 11.33 6.12	10800 4475 Lead	No 1 FIXED	IB FOLD 2	(Mtg 1/26/12, -3 sec/mi for increased "e" & MSA)
Kiwa	Ericson 32-2	285	183	1973	36 18 ALUMN MS	155	36	31.5 13	4.9 8.4 243	No	No	32 24 9.67 4.91	9400 4400 Lead	0 1 FIXED	IB Fixed_2 2		
Krissy	Ericson 35-3	195	132	1984	46 15.83 ALUMN MS	125	46 15.83	39 12 0 0	3.79 5.8 243	Yes 45.6 22.5 21.3	Yes	35.5 28.83 11.33 6.17	13000 5200 Lead	Yes 3 FIXED	IB Fixed_2 2		
Krissy 2	Passport 40	97552	141	1987	50.6 15.6 ALUMN MS	125	50.6 15.6	45.9 16	6 10.3 435	No	No	39.4 33.42 12.67 5.75	22771 8600 Steel	0 1 FIXED	IB Fixed_3		
Lazy Lightning	Tartan 10	860	126	1979	35 12 ALUMN FS	150	35	40.25 13.75 0 0	5.34 8.96 332	Yes 35.15 21.6 21.6	No	33.16 27 9.25 8.833	6700 3340 Lead	No 1 FIXED	IB FOLD 2		

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Keel		Engine/Prop	Modifications
					I	J	Max Headsail	P	MGU	Yes/No	Yes/No	ASF	Ttl Disp.		Traps/H. Strps	IB or OB		
		DW Rating			Mast Material	ISP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type		
					Rig Type	JSP	PY	MSA	SSMG	SSA	SLE	Sprit Length	Max Beam	Ballast Mat.	Keel Type	# of blades		
							EY		SSF		ASM	Fixed or _o	Max Draft					
Life is Good	Wyliecat 30 OB	38349	129	2007			40	7.67		No	No		30.5	5500	0	OB		
			135		CARBON CAT		21	13.46				0	25	3050	1	None		
								493				0	9.5	Lead	FIXED	3		
												0	5.25					
Lilith	Custom Wyliecat 39	7	102	1992			50.75	10.45		No	No		38.83	12000	No	IB	HULL DESIGN IS VERY SIMILAR TO WYLIECAT 30.NO JIB, NO SPINNAKER, NO SPANKER,NO REACHER, NO VANG,NO TWECKER,NO STAYS ETC., AS SAILED RATING 102 PER MTG 8/15/02	
			81		CARBON CAT		26.5	17.5				0	32	6200	1	FOLD		
							0	811				0	11.83	Lead	FIXED	2		
							0						6.67					
Lucky Duck	Wylie 34	18709	123	1979	38.6	125	38.6	5.5		Yes	Yes	21.36	33.75	8026	0	IB		
			120		11.3		14.3	9.3	38	12	38.38	567	25.75	3100	1	FOLD		
					ALUMN FS		0	351	21.6	683	34.51	0	10.83	Lead	FIXED	2		
							0		21.4		18.01	<input checked="" type="checkbox"/>	6					
Luna Sea	Islander 36 ODR	420	144	1980	45	135	39.25	5.05		Yes	No		36.08	18000	No	IB		
			123		14.48		12.75	8.44	45	15			28.25	5450	1	Feath		
					ALUMN MS		0	303	27	1013		0	11.17	Lead	FIXED	3		
							0		27			<input type="checkbox"/>	6.08					
MAD MEN	J 111	17	36	2011	48.37	105	45.17	5.18		No	Yes	31.79	36.5	9300	0	IB		
			15		13.84		14.5	10.1			59.05	1404	32.7	3500	1	Fold		
					CARBON FS			396			46.91	8	10.8	LeadSteel	FIXED	2		
							31.79				<input checked="" type="checkbox"/>	0	7.2					
Made Easy	Beneteau 42 IK TM	53202	84	1984	55.43	145	49.2	5.5		Yes	No		42.8	22857	No	IB	(8/27/10, boat weight, displacement is 22857 not 18600)	
			66		16.73		14.6	9.5	55	16.73			36.25	8700	1	FEATH		
					ALUMN MS		0	428	30.1	1380		0	13.17	Iron	FIXED	3		
							0		30.1			<input type="checkbox"/>	7.25					
Maggie	C&C 37/40R	43728	72	1990	53.5	150	47.25	6		Yes	No		39.5	16000	0	IB		
			69		16		15.5	10	53.25	15.5			31.75	6300	1	Feath		
					ALUMN MS			437	28.75	1267		0	12.5	Lead	FIXED	3		
									27.75			<input type="checkbox"/>	7.4					

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Kee		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	SL SPL SSMG SSF	SPL SSA	Yes/No	Yes/No		ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.		
Magic Cloud	Swan 48 FRERS CR MH	28481	18 2001	65.45 56.59	125	64.96 21.49	57.91 19.03	7.23 12.4	No	Yes	23 1212 1.666	48.65 41.01 14.17 7.9	34400 12100 Lead	No 1 FIXED	IB FEATH 2		
Max	Ultimate 24 ODR	2	108 2002	28.04 7.82	110	30.8 14.5	31 11.35	6.81 9.18	No	Yes	21.3 562 6.7 0	24.38 21.17 8.48 5.52	2040 750 Lead	0 1 FIXED	OB None		
Medusa	Custom Santa Cruz 52 TM	69910	-33 1993	67.08 18.9	155	67.29 21.67	60.47 20.82	7.25 14.63	No	Yes	38.71 2147 0 90	53 46.5 14 9	24265 9100 Lead	0 1 FIXED	IB Feath 3	(Mtg 1/26/12, -6 sec/mi for OSP, -6 sec/mi for oversized asymmetrical, -3 sec/mi for oversized mainsail girths, custom rating of -33 assigned)	
Mephisto Cat	Pearson 26 Commander	155	261 1964	31.5 9.5	100		26 11.5	3.3 5.75	No	No	0 0	25.7 18.5 8 3.7	5200 2800 Lead	0 1 FIXED	OB None 3		
Mercedes	Moore 24	55	150 1980	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No	27 17.55 17.55	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0		
Meritime	C&C 30	276	180 1976	39 13.5	120		34 11.5	3.8 7	No	No	0	30 24.75 10 5	7900 3650 Lead	0 1 FIXED	IB Fixed_2 2		
MinFlicka	Hanse 370	38028	102 2008	49.3 13.7	150		47.3 16.1	6 10	No	Yes	24.5 1024 0.75 0	36.11 33 12.4 6.5	16500 5045 Lead	0 1 FIXED	IB FOLD 2	Roller Furler	

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Keel		Engine/Prop	Modifications
					I	J	Max Headsail	ISP	PE	MGU	SL	SPL	Yes/No		ASF	Ttl Disp.		
		DW Rating			Mast Material		JSP	PY	MGM	SSMG	SSA	SLU	ASA	LWL	Ballast	moveable blst	Prop Type	
					Rig Type			EY	MSA	SSF		SLE	Sprit Length	Max Beam	Ballast Mat.	Keel Type	# of blades	
													Fixed or _o	Max Draft				
Mintaka 4	Farr 38	18441	84	1979	43.67 13.45	155	44.5	44.9 17.9	6.8 11.6	Yes		No		38.25 31.17	11850 4100	No 1	IB FOLD	(base=84)(2002-removed dinette stbrd, add bench seat w/55 gal fuel tank, original was 12.5. Rudder replaced 12" longer, 4" narrower. Changes noted mtg 1/17/02, NCTR)(removed short pole, changed spinnaker 1/13/04)
			81		ALUMN FS			0 0	478	26.07 24.6	948		0 <input type="checkbox"/>	12 6.33	Lead	FIXED	2	
Mirage	Santa Cruz 27	8027	144	1979	32.7 10.9	125		28.25 8.58	3.68 6.06	Yes		No		27 24	3300 1500	0 1	OB None	
			102		ALUMN MS				153	19.15 15.55	494		0 0 <input type="checkbox"/>	8 4.5	Lead	FIXED		
Mirage	Express 27 ODR	8477	129	1981	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes		No		27.25 23.75	2450 1100	No 1	OB None	
			96		ALUMN FS			0 0	182	17.5 17.9	422		0 <input type="checkbox"/>	8.17 4.5	Lead	FIXED	0	
Mirage	Custom Black Soo 30	8500	141	1968	30 10	155	34	30 12	4.4 7.6	Yes		No		31.1 28	4600 1900	No 1	OB None	Moved location of keel and sail area. Weight did not change. Changed to custom boat rating of 138(1/18.96)MTG 1/9/97 -6 SEC/MI. for masthead spinnaker)(mtg 1/17/02 changed from 138 to 144)(headsail change to 150 -2
			90		ALUMN MS			0 0	211	17.5	502		0 <input type="checkbox"/>	6.2 6.6	Iron	FIXED	0	
Miss Kate	Catalina 27 IB	4630	210	1980	34.5 11.25	125	34.5 11.25	28.66 10.5	3.99 6.83	No		Yes	20.35 515	26.85 21.75	6850 2700	0 1	IB Fixed_2	
			222		ALUMN MS				180			31.85 18.25	0 0 <input checked="" type="checkbox"/>	8.85 4	Lead	FIXED		
Moonshadow	Custom Wylie 31	8675	138	1973	41.5 12.75	150	40.25	37 12.42	4.66 8	Yes		No		30.8 26.42	7200 3500	0 1	IB FOLD	(mtg 9/23/10, -3 sec/mi for increased I & P, due to new mast. Change custom rating from 141 to 138)
			111		Alumn MS			0 0	273	23.2 21.5	762		0 <input type="checkbox"/>	10.8 5.42	Lead	FIXED	0	
Moonshine	J 105 ODR w/ 5'BS	405	78	2001	40.6 13.5	100	42.1 18.5	41.5 14.5	5.5 9.4	No		Yes	26.2 859	34.5 29.5	7750 3400	No 1	IB FOLD	
			72		ALUMN FS			0 0	358			39.8 22.3	5 0 <input checked="" type="checkbox"/>	11 6.5	Lead	FIXED	2	

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Kee		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast Ballast Mat.		Traps/H. moveable blst Keel Type			
Mooretician	Moore 24	89	150 1981	26.25 9.75 150	26.25	25 9.5 0 0	3.91 6.5 147	Yes 26.6 17.55 17.55	9.75 389	No	0 <input type="checkbox"/>	23.75 21.75 7.16 4.08	2050 1025 Lead	No 1 FIXED	OB None 0		
Mr McGregor	Wylie Wabbit ODR W/Trap	8426	126 1982	20.5 6.5 150	20.5	23.75 10 0 0	4.03 6.72 145	Yes 22 13.9 13.7	8.5 254	No	0 <input type="checkbox"/>	23.75 20 5.58 3.5	975 440 Lead	1 3 FIXED	OB None 0	INCLUDES HIKING STRAPS AND SINGLE TRAPEZE.	
Mudshark	Express 37	28052	72 1986	48.75 14.33 155	48.75	42 13.75 0 0	5.28 8.83 344	Yes 48	14.33	No	0 <input type="checkbox"/>	37.08 30.83 11.57 7.25	11000 4500 Lead	No 1 FIXED	IB FOLD 2		
Mull's Magic	Ranger 26-1 SM	28152	201 1972	31 11.33 110	31	25.5 10 0 0	4.05 6.75 157	Yes 31.41 20.4 20.5	10.5 534	No	0 <input type="checkbox"/>	26.25 21.75 8.67 4.33	5800 2050 Iron	No 1 FIXED	OB None 0		
Nalu	Jeanneau Sun Odyssey 35	38019	123 2002	43.5 13.25 130	16.25	38.33 12.66	4.31 7.71 276	No	Yes 47.9 42.5 22.3	22.9 844 3 0	<input checked="" type="checkbox"/>	35.25 31.92 11.42 6	11464 3285 Lead	0 1 FIXED	IB Fixed_3 3	(mtg 1/21/10, -3 sec/mi for sprit)	
Nanaimo	Nonsuch 30 Ultra	0	168 368	0	0	45 24	9.12 15.6 643	No	No	0 0 <input type="checkbox"/>	0 0	30.5 29.8 11.8 5	11500 4500 Lead	0 1 FIXED	IB Feath 3	1' added to LWL due to swimstep (mtg 4/22/10, -6 sec/mi for LWL modification)	
Nemesis	Pearson 26 Commander	151	261 1964	31.5 9.5 100	100	26 11.5	3.3 5.75 154	No	No	0 0 <input type="checkbox"/>	0 0	25.7 18.5 8 3.7	5200 2500 Lead	0 1 FIXED	OB None		

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Kee		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SPL SSMG SSF	SLU ASA SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast		Traps/H. moveable blst Keel Type			
Nicole	Orion 35	8210	150 1979	44 14	150	44	39.5 10.5	4.42 7.32	Yes 43.667	14.125	No	34.58 28.75 10.83 6	13000 4700 Lead	0 1 FIXED	IB FOLD 2	Displacement Obtained by actual weight on scale, Rudder is new design and new build.	
			123	ALUMN MS			0 0	260	25.2 25.2	917	<input type="checkbox"/>	0					
Nina	Olson 29	27	99 1987	34 11	155	36	32.5 11.5	4.5 7.27	Yes 34	11.25	No	29.67 27.5 9.33 5.58	3700 1950 Lead	0 1 FIXED	OB None 0		
			66	ALUMN FS			0 0	222	20.25 20.25	574	<input type="checkbox"/>	0					
Nirvana	J 105 ODR w/ 5'BS	342	78 2000	40.6 13.5	100	42.1 19.07	41.5 14.5	5.5 9.4	No		Yes 48.9 38.7 23	25 854 5	34.5 29.5 11 6.5	7750 3400 Lead	No 1 FIXED	IB FOLD 2	
			72	ALUMN FS			0 0	358			<input type="checkbox"/>						
No Ka Oi	Gibsea 42	28668	123 2000	46.5 16.57	150	46.5 18.5	42.1 16.6	3.65 7.73	No	18.5	Yes 50.3 45.3 31.4	33 1264 0 90	42 35.8 13.11 6	24000 Iron	0 1 FIXED	IB FEATH 3	In-mast furling main with no battens (Mtg. 3/15/07 +3 sec/mi for in-mast furling main, +3 sec/mi for MGM less than 50% of E)(Mtg 4/24/08, -3 sec/mi for ability to square back a-sail on pole)(Mtg 6/19/08, -3 sec/mi for chopping to mainsail with
			87	ALUMN MS				336			<input type="checkbox"/>						
Now and Zen	Newport 30-2	6883	174 1978	39.5 12.125	150		34 10.25	3.25 5.7	Yes		No	30 25 10.5 4.75	8000 2600 Lead	No 1 FIXED	IB Fold 2		
			156	ALUMN MS			0 0	190			<input type="checkbox"/>	0					
On Belay	J 24 ODR	1036	168 1979	26.25 9.5	150	26.25	28 9.75	3.7 6.37	Yes	9.5	No	24 20 8.92 4	3100 965 Lead	No 1 FIXED	OB None 0		
			180	ALUMN FS			0 0	163	26.5 17 16.8	375	<input type="checkbox"/>	0					
One Eyes Jack	Express 37	18334	72 1986	48.75 14.33	150	48.75	42 13.75	5.28 8.83	Yes		No	37.3 30.8 11.57 7.3	11000 4500 Lead	0 1 FIXED	IB FOLD 2		
			72	ALUMN MS			0 0	344	48 25.7 25.7	1028	<input type="checkbox"/>	0					

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Keel		Engine/Prop	Modifications
					I J Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No	SL SPL SSMG SSF	Yes/No	ASF ASA Sprit Lngth Fixed or _o	Max Beam		Ttl Disp. Traps/H. Strps	IB or OB Prop Type		
Orion	Islander 36 ODR	211	144	1974	45 14.48 ALUMN MS	135	45	39.25 12.75	5.05 8.44	No	No	0 <input type="checkbox"/>	36.08 28.25 11.17 6.08	13450 5450 Lead	0 1 FIXED	IB None		
Outsider	Azzura 310	1000	57 21	1996	35.35 11.55 CARBON FS	110	43.33 21.57	38.75 13.25 0 0	6.68 10.5 352	No	Yes 47.01 39.7 32.7	30.1 1163 6 <input type="checkbox"/>	30.75 27.4 10 7.2	4850 2100 Lead	No 1 FIXED	OB Fixed_3 3	6 FT ARTIC. RETRAC BOWSPRIT. MTG 3/28/96 (RATED 66) (CHNG NOTED 4/18/96-NO CHNGE RTNG. (2/13/96 FM 66 TO 60.)(MTG 11/13/97 FM 60 TO 57)MTG 2/12/98 FM 57 TO 63 (MTG 4/9/99) Inboard Sail Drive	
Pain Killer	J 80 ODR MOD	369	114 99	2001	30 9.415 ALUMN MS	139	33.25 15.666	30 12.416 0 0	4.7 8.1 222	No	Yes 39.162 31.996 23.156	25.16 698 6.25 <input checked="" type="checkbox"/>	26.3 22 8.3 4.9	2900 1400 Lead	0 1 FIXED	OB Fixed_2 2		
Patience	Ranger 23 TM	37987	210 201	1974	30 9.7 ALUMN MS	155	30	25.75 9.17 0 0	3.83 6.35 147	Yes	Yes 29.95 17.46 17.46	17.38 417 0 <input checked="" type="checkbox"/>	23 20 7.917 3.75	3400 1500 Lead	No 1 FIXED	OB None 0		
Pegasus	J 35	28390	72 75	1993	46.333 14.583 ALUMN MS	155	46.3	41.416 14 0 0	5.43 9.11 347	Yes	No	0 14.583 1001 <input type="checkbox"/>	35.42 30 11.67 6.75	10500 4400 Lead	0 1 FIXED	IB FOLD 2		
Pegasus - Motion X	J 100 ODR MOD	678	69 66	2005	38 12.7 CARBON FS	95	43 15.63	38 15.3	5.32 9.32 332	No	Yes 47.8 39.1 23.9	23.3 861 4.13 <input checked="" type="checkbox"/>	32.8 29 9.3 5.8	7250 2500 Lead	No 1 FIXED	IB FOLD 2	(Mtg 2/26/09, -3 sec/mi for adding sprit)(mtg 1/21/10, additional -3 sec/mi for lengthening sprit to 4.13')(Mtg 1/27/11, -6 sec/mi for increased "e")(Mtg 1/26/11, shortened J, boat rigged for short-handed sailing. NCTP)	
Petite Sirah	Islander 36 ODR	6799	144 120	1979	45 14.48 ALUMN MS	150	45	39.25 12.75	5.05 8.44	Yes	No	0 15 1003 <input type="checkbox"/>	36.08 28.25 11.17 6.08	13450 5820 Lead	0 1 FIXED	IB Fold		

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Kee		Engine/Prop	Modifications
					I J	Max Headsail	ISP JSP	P E	MGU MGM	SL	SPL	Yes/No	ASF		Max Beam	Ttl Disp.		
		DW Rating			Mast Material		PY	MSA	SSMG	SSA	SLU	ASA	LWL	Ballast	moveable blst	Prop Type		
					Rig Type		EY		SSF		SLE	Sprit Length	Max Draft	Ballast Mat.	Keel Type	# of blades		
Plus Sixteen	Ericson 911S Olson	97707	129	1991	42 12.25	150	42 12.5	35.761 4.035	11.811 7.136	Yes	Yes	20.932	30	8500	No	IB	(Mtg 4/13/06 -3 Sec for Dual Spinnakers. Due to dual spinnakers, pole can be pulled back when using assymetrical spinnaker.)	
			129		ALUMN MS		0 0	240	22.605 22.605	12.25	41.995 35.761	698 12.25	25 10.33	3200 LeadSteel	1 FIXED	FEATH 2		
Pocket Rocket	Custom Mull 22	8422	174	1981	27 8	150	27 8	29 4.22	10 7.03	Yes	No		22	2194	0	OB	RACING DECK, STANDARD INTERIOR/ NO WEIGHT DEFERENCE FROM STANDARD BOAT (ROCKET 22)(Mtg 10/18/07 - Using Merit 25 Spinnaker & Pole - 15 sec/mi penalty, change custom rigging to 150/244/08, went back to	
			168		ALUMN FS		0 0	182	14 13.3		0 <input type="checkbox"/>	0	20.041 9.5 5	1000 Lead	1 FIXED	None 3		
Prime Mover	J 30	18675	141	1980	34.19 11.5	155		38 4.83	13 8.21	Yes	No		29.83	6700	0	IB	W/J BASED POLE AND SPINNAKER SHORTENED.	
			141		ALUMN FS		0 0	290	20.33 20.5		0 <input type="checkbox"/>	0	25 11.18 5.25	2100 Lead	1 FIXED	FOLD 2		
Quila	Santa Cruz 27	18723	141	1976	32.583 10.75	155	32.583	28.25 3.68	8.583 6.1	Yes	No		27	3000	No	OB		
			99		ALUMN MS		0 0	154	19.4 19.4		0 <input type="checkbox"/>	0	24 8 4.5	1500 Lead	1 FIXED	None 0		
Racer X	J 105 ODR w/ 5'BS	375	78	1996	40.6 13.5	100	42.1 19.07	41.5 5.5	14.5 9.4	No	Yes	25	34.5	7750	No	IB		
			72		ALUMN FS		0 0	358			48.9 38.7 23	854 5	29.5 11 6.5	3400 Lead	1 FIXED	FOLD 2		
Ragtime	J 90 M0D	50090	48	1998	35.6 10.5	125	43.1 18	38.85 5.91	14.5 9.74	No	Yes	27.9	30	3400	No	OB	(Mtg 4/28/11, Switched to larger Mainsail & smaller Asymmetrical, - 3 sec/mi for oversized main girths, -3 sec/mi for increased "P", + 3 sec/mi for smaller asymmetrical)(Mtg 1/26/12, removed saildrive, added OB - 2 sec/mi)	
			3		CARBON FR		0 0	345			48.4 40.5 26.2	983 7.5 0	27 8.5 6.5	1595 Lead	1 FIXED	FOLD 2		
RAM	J 130 CM SD	29	24	1995	57 16.5	120	58.5 23.5	52.5 7	18.5 12	No	Yes	37.9	42.58	18000	No	IB		
			6		CARBON FS		0 0	578			69.2 57 37.9	1993 7	38.17 12.67 7	6750 Lead	1 FIXED	FOLD 2		

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SPL SSMG SSF	SLU ASA SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.		Traps/H. Strps Ballast moveable blst Ballast Mat. Keel Type			
Rascal II	Pearson 28 Triton FR	150	231 1960	30.3 10	155	30.3	32 14.2	4.72 8.04	Yes 30 10	No 18 450	<input type="checkbox"/>	0 0	28.6 21.6 8.33 4	8000 3000 Lead	0 1 FIXED	OB Fixed_2 2	
			234	ALUMN FS				251									
Raven	Benteau First 35	38073	75 2001	47.24 13.12	108	51.48	45.93 14.75	5.98 10.23	Yes 51.31 14.73	No 26.25 1116	<input type="checkbox"/>	0 0	36.32 30.6 12.76 7.25	12125 3681 Iron	0 1 FIXED	IB Fold	
			72	ALUMN FS				419									
Razzberries	Ericson 34 Olson TM	97479	99 1988	46.77 12.95	155	47	40.9 12.95	5.1 8.5	Yes 45.7 12.95	No 23.31 888	<input type="checkbox"/>	0	33.88 28 10.8 6.085	10855 3500 Lead	No 1 FIXED	IB FOLD 2	
			111	ALUMN MS				320									
Red Cloud	Farr 36 Mod	99	84 1976	38.3 12.16	108	46.3 12.16	41 16.75	6.4 10.9	Yes 45.4 12.16	No 21.8 825	<input type="checkbox"/>	0	36 32 11.92 6.16	10430 3950 Lead	No 1 FIXED	IB Fold 2	(550# ADDED TO KEEL 300# TO FILL MIDDLE WINDOW+250# TO BOTTOM)(Mtg 1/26/12, -3 sec/mi for new mainsail)
			72	ALUMN FS				410									
Red Sky	Beneteau Farr First 36.7	52316	81 2005	46.41 13.1	155	46.4 13.1	45.4 15.6	5.92 12.5	Yes 45.9 13.1	Yes 47.6 854	21.3 0	35 30.3 11.4 7.2	12495 4034 Lead	0 1 FIXED	IB Fold		
			93	ALUMN FS				458			<input checked="" type="checkbox"/>	0					
Relentless	Jeanneau Sun Fast 3200	60171	75 2009	41.92 12.58	112	45.94 13.61	38.67 13.92	5.28 9.06	Yes 44.91 13.58	Yes 43.24 681	24.48 0	33.1 28 11.5 6.2	7496 2866 Lead	0 1 FIXED	IB Fold 2		
			75	ALUMN FS				321			<input checked="" type="checkbox"/>	0					
Relentless	J 92	93	105 1997	37 11.5	155	38.5 17.5	38 13.5	5.2 8.7	No 45.2 915	Yes 40.6 5.5	26.4 0	30 26.5 10 5.9	5500 2275 Lead	0 1 FIXED	IB Fold 2		
			78	ALUMN FS				306			<input checked="" type="checkbox"/>	0					

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SPL SSMG SSF	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast		Traps/H. moveable blst Keel Type			
Risque'	Coronado 25	14678	228 1969	31.333 8.916	155	31.333	27.75 11.916	4.48 6.64	Yes 30.68	8.85	No 15.96	25 20 8 3.666	5060 2150 Lead	0 1 FIXED	OB None 0	(Adjustable Backstay - forward lowers; Internal Halyards; Main has full length top batton and long battens for rest. Modifications noted no change to rating mtg 8-13-02)	
Rum Tum Tugger	Beneteau First 10R ODR MOD	39	84 2007	43.2 12.07	105	46.41 16.5	42.25 14.73	5.59 9.57	No	25.5 1075	Yes 52.59 45.8 26.4	32.75 28.7 11 6.55	9715 3528 Lead	0 1 FIXED	IB FOLD 2	(mtg 9/23/10, +3 sec/mi for non-class smaller kite)	
Sagitta	Islander 28 SM	6332	198 1976	34.75 11.75	150	34.75	29 10.75	3.16 5.333	Yes 36.65	11.75	Yes 36 33 16	19 477 0 0	27.92 23.08 9.87 5	7000 3000 Lead	No 1 FIXED	IB FOLD 2	-3 SEC/MI FOR INCREASED "E" (mtg 3/15/07: -3 sec/m for dual spinnakers, ok to square pole to 90 deg)
Samba	Olson 25	28047	159 1985	32 9.583	155	32	28 10	3.8 6.4	Yes 32	9.583	No 17.25 17.25	25 21.25 9 4.5	3300 1300 Lead	No 1 FIXED	OB None 0		
Sandpiper	LaFitte 44	52	120 1985	56 19.5	135	56 19.5	51.25 16.35	4.6 8.6	Yes 53.6	19.5	No 33.7 32.2	44.33 35.5 12.8 6.33	28000 11000 Lead	0 1 FIXED	IB Feath		
Sans Souci	Beneteau Oceanis 321	28591	168 2000	42 12.33	140		35.25 13.58	2.97 6.19	No		No 0	32.58 29.42 11.25 4.25	9700 3274 Lead	No 2 FIXED	IB Fold 3	Roller Furling Main	
Sapphire	Synergy 1000	38008	45 2004	40.8 12	125	45.75 16.4	42 15.5	6.99 11.08	No	28 1172	Yes 52 46.2 28.8	32.83 29.17 9.75 7	4400 1850 Lead	No 1 FIXED	IB FOLD 2		

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Kee		Engine/Prop	Modifications
					I J	Max Headsail	ISP JSP	P E	MGU MGM	SL	SPL	Yes/No	Yes/No		ASF	LWL		
		DW Rating			Mast Material		PY EY	MSA	SSMG	SSA	SLU	ASA	Max Beam	Ballast	moveable blst	Prop Type		
					Rig Type				SSF		SLE	Sprit Length	Max Draft	Ballast Mat.	Keel Type	# of blades		
Sea Star	CAL 39-2/3	38022	117	1977	50 16.7	100	50	44 4.5	13.8 8	No	Yes	34 1181	39 32	17000 7000	0 1	IB FEATH	Roller Furler	
			105		ALUMN MS			337			44 30	0 <input checked="" type="checkbox"/>	12 6.7	Lead	FIXED	3		
Sea Witch	Yankee 30-1 SM	8855	186	1971	37.5 12.75	125	37.5	32.5 2.45	9.83 4.91	Yes	No		30 23	8700 4180	No 1	IB FOLD	mtg 2/10/04 - short "E" = +3 sec/mi.	
			195		ALUMN MS			0 161	19.5 22.25			0 <input type="checkbox"/>	9 5	Lead	FIXED	2		
Seaya	Catalina 380	252	120	2000	50.916 14.667	135		44.833 5.2	15.667 10	No	No		38.42 32.42	19000 6800	No 1	IB FEATH		
					ALUMN MS			405				0 <input type="checkbox"/>	12.33 7.17	Lead	FIXED	3		
Serena	Cal 29-1 IB	6624	180	1970	37 12.333	155	37	31.666 4.332	12.166 7.573	Yes	No		29 24.17	8000 3350	No 1	IB FOLD	Mast shortened 10", cut off at the base. Noted-NCTR-5/13/03 - Base I is 37.	
			174		ALUMN MS			0 223	22.19 22.19			0 <input checked="" type="checkbox"/>	9.25 4.5	Lead	FIXED	2		
Shaman	CAL 40	5166	114	1966	46 15.17	155	46	40 6.07	17.5 10.7	Yes	No		39.5 30.3	15500 6000	No 1	IB FEATH		
			102		ALUMN MS			0 400	27.1 26.4			0 <input type="checkbox"/>	11 5.5	Lead	FIXED	2		
Shark-On-Bluegrass	Olson 25	18201	159	1984	32 9.583	155	32	28 3.8	10 6.4	Yes	No		25 21.25	3300 1300	No 1	OB None		
			156		ALUMN MS			0 166	17.25 17			0 <input type="checkbox"/>	9 4.5	Lead	FIXED	0		
Shoofly	Custom Barnett Offshore 41	87978	54	1986	53 14.75	98	17.4	47 4.87	15.75 8.93	No	Yes	28 1260	41.5 35	14000 6955	0 1	IB FOLD	(Mtg 1/26/12, Custom rating of 54 assigned)	
			42		ALUMN CTR			0 403			48 29	2.7 <input checked="" type="checkbox"/>	11 7.6	Lead	FIXED	0		

Boat Name	Boat Model (Type)	Sail #	Rating DW Rating	Built	Foretriangle		Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Kee		Engine/Prop IB or OB Prop Type # of blades	Modifications
					I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst Keel Type		
SLOWMO!	Catalina 22-1 OB SK	2482	270	1973	25.93 8 ALUMN MS	150	21 9.66	3.47 5.96 118	No	No			21.6 19.4 7.8 5	2250 550 Iron	0 1 MVBL	OB None 3	
Solar Wind	Martin 32	49143	126 102	1980	42.5 13.67 ALUMN MS	145	37.17 12	4.7 8 270	Yes 42.4 22.4 24.4	13.67 806	No		32.8 27 9.6 6.1	8200 4100 Lead	0 1 FIXED	IB FOLD 2	
Southernaire	Catalina 309 WK	129	189 147	2007	42.75 12 ALUMN FS	155	44.5 12.5	38.75 13.75 268	No	Yes 44.05 40 23	22.5 802 0 0		32.75 26.5 11.5 4.33	10200 4400 Lead	0 1 FIXED	IB Fixed_3 3	(mtg 5/20/10, -3 sec/mi for in-mast furling mainsail, -3 sec/mi for MGM < 50% of E)
Spellbound	Olson 40	18983	45 27	1983	51.21 15.75 ALUMN MS	155	51.21	44.21 14.3 0 0	Yes 49.8 28.35 28.35	15.75 1177	No		40.33 36 11.33 6.5	10350 5500 Lead	0 1 FIXED	IB FOLD 2	MTG 4/9/98
Spindrift	Cal 39-2/3 TM	67799	117	1980	54.33 16.7 ALUMN MS	110		47.51 13.06 367	No	No			39 32.1 12 6.8	17000 7000 Lead	0 1 FIXED	IB Feath 3	(Mtg Dec '10, +3 sec/mi for small headsail, E & P Must be black-banded.)
Spindrifter	Tartan 30	77658	180	1971	39 13 ALUMN MS	155	39 13	34 11.416 0 0	No	3.833 6.833	No		29.92 24.25 10 4.92	8750 3700 Lead	0 1 FIXED	IB FEATH 2	
Spirit-Of-Elvis	Santana 35	67630	114 114	1979	39 12.85 ALUMN FS	155	39	42 14.25 0 0	Yes 39 23 21.83	12.85 740	No		35.1 26.5 11.92 6.25	8500 3300 Lead	No 1 FIXED	IB FOLD 2	

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Kee		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail		P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. Strps moveable blst Keel Type		
Surf	X-332-Sport	38415	120 2003	43.22 11.68	120		42 14.5	5.643 9.711	No		No		33.8 28.9 10.8 7.1	9038 3086 LeadIron	No 1 FIXED	IB FOLD 2	
Sweet Pea	Islander 30-2	195	186 1971	38.5 12.6	155	38.5	32.5 12.5	4.75 8.13	Yes 38.6	12.6	No		30 24.58 10 5	8600 3500 Lead	0 1 FIXED	IB FOLD 2	
Synergizer	Ericson 28-2	28091	183 1988	36 12	150	12 13.416	35.5 11	4.5 7.481	Yes 36	12	No		28 23.33 10 5.5	7500 3200 Lead	No 1 FIXED	IB FOLD 2	
Tahitienne	Hinckley 42 SW	42015	105 1983	55 17.5	145	55 20.7	47.25 15.25	5.85 9.9	No		Yes 59.55 50.85 33.46	34.45 1548 3.2 80	42 31.25 12.5 8	24000 8500 Lead	0 1 CNTRBRC	IB FEATH 3	(In-mast furling, electric primary winches)(Mtg 1/26/12, -3 sec/mi for articulating sprit)
Take Five	Express 27 ODR	28031	129 1982	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes 29	9.833	No		27.25 23.75 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0	
TEAM OPEN SAILING	Mini Transat 6.5 Type Zero	806	105 2010	29.5 8.4	141	32 15.98	30 11.1	6.85 8.3	No		Yes 37.2 33.4 24.9	24.9 732 7.6 10	21.3 21.3 9.8 5.3	2215 948 LeadIron	0 1 FIXED	OB None	(Mtg 4/25/11, custom rating of 105 assigned)
Temerity	Olson 34	28134	99 1986	44.8 13.25	155	44.8 13.25	38.84 12.9	5 8.4	Yes 44	13.25	No		34 28 10.83 6	9540 3600 Lead	1 FIXED	IB FOLD 2	

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Kee		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASM	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst Keel Type		
The Irish Rogue	Islander 36 NCPHRF	553	156 1979	45 14.48	125	45 14.48	39.25 12.75	5.05 8.44	No	No	0	36.08 28.25 11.17 6.08	13450 5820 Lead	0 1 FIXED	IB Fixed_3 3		
The Other Woman	Hunter 41	41	126 2007	51.6 13	110		50.8 19.6	6 10.11	No	No	0	40.4 35.6 13.3 6.6	19400 6506 Lead	0 1 FIXED	IB Fixed_2 2	+ 3 sec/mi for in-mast furling mainsail	
Tiburon	Santa Cruz 37	38042	27 6 2008	47 13.5	105	52.17 19	47 17	6.46 11.05	No	Yes	33.3 1541 5.5 0	37 34.75 10.64 7.5	9882 3730 Lead	0 1 FIXED	IB FOLD 2		
Tiger Beetle	Custom N/M 45	77985	42 33 1983	59.1 17.5	155	59.1	52.1 16 0 0	5.8 10.1 487	Yes	No	0	45 37.7 13.4 7.9	21000 10000 Lead	No 1 FIXED	IB FOLD 2	PIPE BERTH INTERIOR, 1400 LBS LEAD SET IN BILGE ABOVE KEEL REINSTALLED. (MTG 4/9/98) RTG CHANGED FM 45 TO 42 W/NOTED CHANGES TO BALLAST, INTERIOR AND LWL. MTG 2/16/2000	
Tiki J	J 42 SD	33	81 75 1999	50.5 14.7	150	52 14.6	46.5 18	5.64 10.27	Yes	No	24.1 949 14.6 0	42 35.1 12.2 5.5	21275 7000 Lead	0 1 FIXED	IB FEATH 3		
Timmy	Elliott 6.5	3574	117 108 1996	23.11 8.2	100	22.63 13.5	25.48 12.36	5.31 8.66	Yes	Yes	17 420 5 0	21.05 19.6 7.94 4	1550 495 Lead	0 1 FIXED	OB None 0	(Mtg 1/27/11, custom rating of 111 assigned, includes 100% headsail)(Mtg 1/26/12, rating appealed, custom rating changed from 111 to 117)	
Top Cat	Nonsuch 30	308	177 156 1985				45 24	7.9 14.3	No	No	0 0	30.33 28.75 11.1 5	11500 4500 Lead	0 1 FIXED	IB Fixed_2 2		

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SPL SSMG SSF	SLU ASA SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast		Traps/H. moveable blst Keel Type			
Tortuga	Pyramid 660 ODR MOD	8375	174 1981	21.82 6.8	104	22.96	25.7 10.5	4 6.8	Yes	No	21.8 18.1 6.2 3.9	850 400 Lead	2 1 FIXED	OB None 2	(Mtg 5/20/10, removed trapeze +18 sec/mi, hiking straps still allowed)		
Truth	Open 50	101	-123 2003	73.4 23.88	131	75.13 35.17	73.16 24.7	14.17 18.56	No	Yes	50 50 15.09 13.5	13972 5972 LeadWater	0 4 MVBL	IB FOLD 2	6612 lb in water ballast (Mtg 4/24/08 custom rating assigned of -114)(Mtg 5/22/08, taller rig & deeper keel added, change custom rating from -114 to -144)(Mtg 1/26/12, change custom rating from -144 to -123 after review of rating appeal)		
Tupelo Honey	Elan 40	28908	69 2004	48.89 14.21	105	50.05 14.21	48.82 17.23	5.58 10.09	Yes	No	39.04 34.07 12.55 7.87	17600 5621 LeadSteel	No 1 FIXED	IB FOLD 2			
Twist	J 120 ALUM	28442	48 2000	50.5 14.5	150	52 21.5	46.5 17.8	6.75 11.5	No	Yes	40 35 12 7	13900 6000 Lead	No 1 FIXED	IB FOLD 2			
Uno	Wyliecat 30 IB	28632	129 1995	35.8 5.5		35.8 12	39.66 19.75	9.31 13.05	No	No	30.5 25 9.5 5.25	5800 3000 Lead	0 1 FIXED	IB FOLD 2	(mtg 2/21/08, penalty for oversized main -3 sec/mi)(Mtg 5/22/08, -24 for asymmetric spinnaker flown on 12' pole)(6/11/08, removed asymmetric spinnaker +24 sec/mi)		
Verve	Express 27 ODR	18283	129 1981	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	No	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0			
Vitesse	Santa Cruz 27	18711	141 1977	32.583 10.75	150	32.583	28.25 8.583	3.38 6.3	Yes	No	27 24 8 4.5	3300 1500 Lead	No 1 FIXED	OB None 0			

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Kee		Engine/Prop	Modifications
					I	J	Max Headsail	ISP	PE	MGU	SL	SPL	Yes/No		ASF	Ttl Disp.		
		DW Rating			Mast Material		JSP	PY	MSA	SSMG	SSA	SLU	ASA	LWL	Ballast	moveable blst	Prop Type	
					Rig Type			EY		SSF		SLE	Sprit Length	Max Beam	Ballast Mat.	Keel Type	# of blades	
												Fixed or _o	Max Draft					
Vitesse Too	Hobie 33 ODR	87112	90	1983	33.8 12.4	125	36.8	35 12.4	4.75 8	Yes		No		33 30.5	4000 1800	No 1	OB None	Extended rudder 10", NCTR
			39		ALUMN FS			0 0	259		23.4 21.4	694	<input type="checkbox"/>	8 5.5	Lead FIXED		0	
Void Star	Santa Cruz 40	59995	48	1982	52 16	142	52	45.5 14	5.2 8.58	Yes		No		40 36	12500 5000	0 1	IB FEATH	
			33		ALUMN MS				370		28.33 28	1178	<input type="checkbox"/>	12 7	Lead FIXED		2	
Vuja De	Ultimate 24 ODR	28978	111	2003	28.04 7.82	110	30.8 14.5	31 11.35	6.35 9.5	No		Yes	22.2 591	24.38 21.17	2080 750	No 1	OB None	
			69		CARBON FS			0 0	253			30.8 21	6.7 <input checked="" type="checkbox"/>	8.5 5.5	Iron CNTRBRD			
Wahoo	Capo 30	87304	120	1983	41.7 12.75	150	41.5	36 11.5	4.37 7.47	Yes		No		30 25	7200 3000	0 1	IB None	
			132		ALUMN MS				247		41.5 21.5	12 740	<input type="checkbox"/>	10.3 5.43	Lead FIXED		2	
Warhawk	Hawkfarm 28	57846	168	1975	33 11	155	33 11	36 10.416	4.37 7.25	Yes		No		28 23.5	5700 2700	No 1	IB FOLD	SPINNAKER & POLS HAVE BEEN REDUCED TO "J", SMALLER THAN CLASS
			156		FS			0 0	235		33 19.8 19.8	11 545	<input type="checkbox"/>	9.75 5.5	Lead FIXED		2	
Wayward Whale	Ericson 38	75	120	1982	50 16.25	105		43.25 14	5.46 9.16	No		No		37.8 30.6	14900 6300	0 1	IB Fixed_2	
					ALUMN MS				364				<input type="checkbox"/>	12 6.6	Lead FIXED		2	
Weatherly	Olson 30 OB	18225	99	1982	36 11.75	155	35.9 11.67	31.5 10.75	4.364 7.268	Yes		No		30 27.5	3600 1800	0 1	OB None	
			69		ALUMN MS			0 0	208		35.8 21.1 20.5	11.75 626	<input type="checkbox"/>	9.33 5.08	Lead FIXED		0	

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Keel		Engine/Prop	Modifications
					I J	Max Headsail	ISP JSP	P E	MGU MGM	SL SPL	SSMG SSA	SLU ASA	ASF		Yes/No	Yes/No		
			DW Rating		Mast Material			PY EY	MSA	SSMG	SSA	SLU	ASA	LWL	Ballast	moveable blst	Prop Type	
					Rig Type					SSFF		ASMG	Sprit Length	Max Draft	Ballast Mat.	Keel Type	# of blades	
Westerly	Custom Perry 39	11	135	1979	55 15.75	125	55 15.75	48.83 14.5	4.83 8.66	Yes		No		38.71 32.83 11.83 6	21300 8400 Lead	No 1 FIXED	IB Feath 3	DESIGNED AS A 50/50 MOTORSAILER, HAS BEEN RE-RIGED AS A 70/30 NOWK HAS 1500 FT WRKING SAIL (OFF WIND) CAN CARY MIZZEN SS AT 250. STOCK HULL #1 W/ORIG RIG
Whirlwind	Wyliecat 30 IB	38068	132	2009		0		39.75 20.56	7.87 13.46	No		No		30.56 25 9.42 5.25	5500 3050 Lead	0 1 FIXED	IB Fold 2	
Willow	Wauquiez 40s Centurion	38300	69	2004	51.5 14.17	110	51.5	49.21 19.3	7.3 12.5	Yes		Yes	28.54 1155 2.4	41.17 36.4 12.66 7.75	18960 6085 Lead	No 1 FIXED	IB FEATH 3	(mtg 3/18/10, -3 sec/mi for oversized a-sail.)(mtg 1/27/11, - 3 sec/mi for added sprit)
Windhover	Pearson 10M	47126	147	1974	44 14.2	150		38.5 11	3.833 6.666	Yes		No		33.05 28.33 11 5.93	12441 5445 Lead	No 1 FIXED	IB FOLD 2	above deck roller furling jib
Windrose	C&C 25 OB	283	216	1973	31.5 11.6	150	31.5	26.5 9.4	2.4 4.6	Yes		No		25.1 20.6 8.8 3.8	4100 1888 Lead	0 1 FIXED	OB None 0	
Witchy Woman	Express 27 ODR	116	129	1986	28.5 9	150	28.5	28.5 10.416	4.22 7.03	Yes		No		27.25 23.75 8.166 4.5	2450 1100 Lead	No 1 FIXED	OB None 0	
Wuvulu	Islander Bahama 30	61	180	1979	40 12.75	150	38.416	33.75 11.5	4.75 8.125	Yes		No		30 24.58 10 5	8600 3500 Lead	No 1 FIXED	IB FOLD 2	

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Kee		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail		P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst Keel Type		
Yellow Jack	Santa Cruz 27	57313	141 1976	32.583 10.75	155	32.583	28.25 8.583	3.68 5.9	Yes	32.1 18.3 18.1	10.8 488	No	27 24 8 4.5	3300 1500 Lead	0 1 FIXED	0 None 0	
Zingara	Islander 36 NCPHRF	484	150 1978	45 14.48	125	45 14.8	39.25 12.75	4.8 8.29	No			No	36.1 28.25 11.17 6.08	13450 5820 Lead	No 1 FIXED	IB Fold 2	Roller Furler
Zingaro	Santana 22	5050	237 1971	26 8.5	125	26	21.75 9.83	3.95 6.59	No	26 15.44 15.44	8.58 335	No	22 18.67 7.833 3.5	2600 1260 Iron	0 1 FIXED	OB None 0	
Zora	CAL 27-2 IB	0	204 1976	36 12	133	36	30.83 10.25	4.21 7	Yes	36 21.6 21.6	12 648	No	26.58 22.08 9.33 4.25	6700 3100 Lead	0 1 FIXED	IB Feath	
Zsa-Zsa	1D 35	35017	36 1999	42.49 12.52	110	44.78	44.46 18.58	7.55 12	Yes	50 26.5 26.5	14.76 1104	No	35 31.5 10.75 7.6	6500 2600 lead	No 1 FIXED	IB Feath 2	