

NCPHRF - CURRENT FLEET ROSTER

This Roster represents the information on file for boats with a current NCPHRF certificate. If the boat you are looking for is not listed, their certificate is either not current or not yet updated to the list. You can contact the YRA office to verify a boat not found on this list at info@yra.org or via phone at 415.771.9500. This list is updated monthly.

As of: 5/25/2017

Boat Name	Boat Model (Type)	Rating Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Keel		Engine/Prop IB or OB	Prop Type	Modifications
				I J	Max Headsail	ISP JSP	P E	MGU MGM	SL SSMG	SPL SSA	SLU SLE	ASF ASA		ASG Sprit Length	LWL			
			Disp/WL Ratio	Mast Material	Rig Type	PY EY	MSA	SSG	SSA	SLU SLE	ASF ASA	ASG Sprit Length	Max Beam	Max Draft	Ballast Mat.	Keel Type	# of blades	
Abba-Zaba	Tartan 10	8112	129	1979	35 12	125	35	40.25 13.75	5.34 8.86	Yes	No		33.16 27	6700 3340	0 1	IB FOLD	2	(+3 sec/mi credit for 125% or smaller headsail)
			623		ALUMN			21.6	630		0	<input type="checkbox"/>	9.25	Lead	FIXED			
			155		FS		0	21.6					5.83					
Abigail Morgan	Express 27 ODR	18394	129	1985	28.5 9	150	28.5	28.5 10.416	4.22 7.03	Yes	No		27.25 23.75	2450 1100	No 1	OB None	0	
			612		ALUMN			17.75	421		0	<input type="checkbox"/>	8.166	Lead	FIXED			
			83		FS		0	17.4					4.5					
Abacadabra	Antrim 27 CM ODR	28927	75	1996	28.69 8.17	116	37.25 15	33.75 14	7.5 10.9	No	Yes	25.1	27.83 23.75	2900 1050	No 1	OB None	0	BOWSPRINT IS ARTICULATING
			555		CARBON			0	327		38	<input type="checkbox"/>	9.25	Lead	FIXED			
			98		FS		0	20.1			6.83	13	6					
Absinthe	Moore 24	102	150	1981	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No		23.75 21.75	2050 1025	No 1	OB None	0	
			650		ALUMN			0	147		17.55	395	7.16	Lead	FIXED			
			91		FS		0	17.55			0	<input type="checkbox"/>	4.083					
Acey Deucy	J 44	97659	21	1989	60.606 17.08	155	60.416	53.51 19.41	7.3 12.5	Yes	Yes	27	44.83 38.58	22770 9000	0 1	IB FOLD	2	Electric Winches
			547		ALUMN			0	615		59.8	17.085	13.67	Lead	FIXED			
			180		MS		0	30.8			30.8		8.14					
Achates	Newport 30-2	6847	174	1974	39.5 12.5	155	39.5	34 10.25	3.8 6.6	Yes	No		30 25	8500 3000	No 1	IB FOLD	2	
			667		ALUMN			0	206		40	12.5	10.67	Lead	FIXED			
			247		MS		0	22.5			22.5		5.17					

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications		
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H.	Strps		IB or OB Prop Type # of blades	
								SL	SPL	SLU	ASA								
								SSMG SSF	SSA	SLE	ASMG								
Ad Lib	Aphrodite 101	8161	1979	36.83 11.81 ALUMN FS	100	32.23	39.33 11.48 0 0	4.5 6.1 253	Yes	No	35.6 21.3 19.6	11.9 622	0	<input type="checkbox"/>	32.75 26.33 7.92 5.42	6160 3527 Lead	No 1 FIXED	IB FOLD 2	
Ada Helen	ace	922	2005	53 16.5 ALUMN MS	155	53 16.5	46.75 15.5		No	Yes		29.7 1303	43.8 36 13.1 6	24400 8300 Lead	No 1 FIXED	IB FOLD 3	(Mtg 3/20/08 -6/sec/mi for OSP)(mtg 6/19/08, new larger a-sail, correct size for J, NCTR)		
Adagio	CAL 25-2 OB		1979	33 11 ALUMN MS	150		28 9.5	3.9 6.5 165	No	No		0 0	29.25 22 9 4.5	4500 2000 Lead	0 1 FIXED	OB None			
Advantage 3	J 105 ODR w/ 5'BS	84	1994	40.6 13.5 ALUMN FS	100	42.1 19.07	41.5 14.5 0 0	5.5 9.4 358	No	Yes		25.5 957 5	34.5 29.5 11 6.5	7750 3400 Lead	No 1 FIXED	IB FOLD 2			
Aerie	CS 36	2160	1980	49 15 ALUMN MS	155	49	42.75 12.75	4.33 7.58 308	Yes	No	48.65 25.5 25.5	15 1034	0 0	<input type="checkbox"/>	36.5 29.25 11.5 6.25	15500 6500 Lead	0 1 FIXED	IB Fold	
Afterburner	Synergy 1000	1001	1999	40.75 12 CARBON FS	110	45.75 16.4	42 15.5	6.99 11.03 417	No	Yes		26 1089 4.3 0	32.83 29.17 9.75 7	4600 1850 Lead	0 1 FIXED	IB Feath 2			
Ahi	Santana 35	30980	1981	39 12.85 ALUMN FS	155	39	42 14.25	5.51 9.26 358	Yes	No	39 23.13 23.13	12.85 752	0 0	<input type="checkbox"/>	35 26.5 11.92 6.25	8500 3300 Lead	0 1 FIXED	IB Fold 2	(Mtg 6/27/13, new rudder noted, NCTR)

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications		
				J Max Headsail Mast Material Rig Type	ISP JSP		P E PY EY	MGU MGM MSA	Yes/No		Yes/No			Ttl Disp. Ballast	Traps/H. moveable blst	IB or OB Prop Type # of blades			
									SL	SPL	SLU	ASA						Ballast Mat.	Keel Type
Akialoa	J 35	28435	75	1989	46.33 14.58	120	46.3	41.42 5.43 14 9.11	0	No	No	35.42 30 11.67 6.75	10500 4400 Lead	No 1 FIXED	IB FOLD 2				
Akula	J 105 ODR w/ 5'BS	16	78	1992	40.6 13.5	100	42.1 19.07	41.5 5.5 14.6 9.4	0	No	Yes	25 854 5 23	34.5 29.5 11 6.5	7750 3400 Lead	No 1 FIXED	IB FOLD 2			
Ala Moana	Beneteau First 30	104	99	2012	41.66 13.78	105	42.16 15.78	40.3 6.28 14.25 9.38	0	No	Yes	28.82 1049 2 0	31.7 27.6 10.5 6.25	8267 2403 Cast Iron	0 1 FIXED	IB Fold 2			
Albacore	Santana 22 ODR	18325	237	1976	25.67 8.58	125	25.67 8.58	21.75 3.95 9.83 6.59	26	Yes	No	8.58 335	22 18.67 7.83 3.5	2600 1230 Iron	0 1 FIXED	OB None			
Albion	J 124	14	27	2007	49 14	145	54.7 19.43	48.4 6.4 17 11	0	No	Yes	32.74 1528 3.83 0	40.7 36.2 11.33 7	12600 5000 Lead	0 1 FIXED	IB Fold	(Mtg 2/23/17, -6 sec/mi for asymmetric spinnaker modifications)		
Alchera	J 120 Mod	28870	51	2001	50.5 14.5	125	52 21.55	46.5 6 17.57 10.57	0	No	Yes	34 1407 7 30.6	40 35 12 7	13900 6000 Lead	No 1 FIXED	IB FOLD 2	Modifications for offshore singlehanded: Smaller spinnaker and main, 2 extra winches at helm, 3 additional gel batteries, dodger boss widened and all control lines led to cockpit, radar pole, veltran MHN jib. (Mtg 2/24/09, +2 sec/mi for small)		
Alchimiste	Archambault 27	38973	78	2013	34.25 10.83	100	39.08 15.98	34.78 4.75 12.63 8.16	38.98	No	Yes	26.9 872 0 0	27.4 22.7 9.7 5.7	4894 1814 Lead	0 1 FIXED	IB Fold	(Mtg 10/22/15, Custom rating assigned. Includes -9 sec/mi penalty for 22% oversized ASA & +3 sec/mi credit for non-articulating sprit. As sailed: 78)		

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
				J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.			Traps/H. Strps Ballast moveable blst Ballast Mat. Keel Type
									SL	SPL	SLU	ASA						
									SSMG SSF	SSA	SLE ASMG	SA						
All Hail	Catalina 34 TM	524	144	1988	46 13.5	130	45.9 13.5	40.5 12	4.8 8	No	No	35.66 29.84 11.75 5.56	12000 5000 Lead	0 1 FIXED	IB Fold			
Allegro	Beneteau Farr First 36.7	56657	78 601 211	2010	46.42 13.1	155	46.42 14.35	45.4 15.6	5.92 12.49	Yes	Yes	23.41 834 11.4 7.3	12939 3993 Lead	0 1 FIXED	IB Fold 2	(Mtg 1/26/16, -3 sec/mi for increased JSP)		
Allons-Y	J 70 ODR	346	114 607 93	2014	26.77 7.68	100	30.15 13.5	26.16 9.44	4.71 6.93	No	Yes	18.7 491 5.1 0	22.75 20.47 7.38 4.92	1750 630 Lead	0 1 MVBL	OB None		
Allora	Morris 36	38082	120 652 259	2007	38.66 12.75	95	44.3	41.25 15.08	5.1 9.43	No	Yes	21.4 452 0 0	36.1 25 10.1 5.3	8900 3850 Lead	0 1 FIXED	IB Fold		
Alpha	Sonar 23	498	174	1990	23 8.25	100		27.5 11.17	1.23 7.3	No	No	23 19.92 7.8 3.92	2100 900 Lead	n 1 FIXED	OB None			
Alpha Puppy	1D 35	35024	30 517 95	1999	42.49 12.52	110	44.78	44.46 18.58 0 0	7.5 12 497	No	Yes	31.4 1238 4.9 0	35 31.5 10.75 7.6	6500 2600 lead	No 1 FIXED	IB FOLD 2	6/13/11, boat now in same configuration as B-Line. Added 4.9' bowsprit and oversized spinnaker. -9 sec/mi for oversized asymmetric spinnaker, +3 sec/mi for inability to articulate sprit	
Alte Liebe	Albin Ballad 30	1266	183 698 287	1978	37.083 11.249	155	37.8	31.916 9.333 0 0	3.33 5.58 171	Yes	No	29.916 22.583 9.666 5.09	7276 3417 Lead	No 1 FIXED	IB FOLD 2	The J measurement in all Ballad documents & Sailmaker plans is 12.27 however the actual J= 11.3" (MTG 8/25/94), standard SPL is 12.27 (mtg 3/20/08)		

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J Max Headsail Mast Material Rig Type	P E PY EY		MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst		
								SL	SPL	SLU	ASA						
								SSMG SSF	SSA	SLE ASMUG	ASA						
Another Girl	Alerion Express 38-2	20	90	2011	42.98 12.99 90	38.416	47.5 18.25	9.58 13.45	No	No			38.3 30.1 10.3 5.92	13000 5000 Lead	0 1 FIXED	IB Feath 2	(mtg 4/28/11, Custom rating of 90 assigned)
Antares	Islander 30-2	6237	186	1971	38.5 12.58 155	38.416	32.5 11.58	4.75 8.125	Yes	No			30 24.58 10 5	8600 3600 Lead	No 1 FIXED	IB FOLD 2	
Apogee	Islander 36 Freeport	36	162	1978	46.75 16.75 150		42 12.75	5 8.4	No	No			35.9 27.6 12 5.3	17000 7030 Lead	0 1 FIXED	IB Fold	
Aquadisiac	Newport 30-3	38075	174	1985	40 12.5 155	40	34 10.25	3.8 6.6	No	No			30.5 26.5 10.67 5.17	8500 2600 Lead	0 1 FIXED	IB Fold 2	
Arby	Colgate 26	212	159	2004	27.75 8.25 105	27.75	29.75 11.2	4.3 7.3	No	No			25.7 20 8.5 4.5	2600 1040 Lead	0 1 FIXED	OB Fixed_3 3	Non Spinnaker configuration
Arcadia	Custom Nash 28.5	3113	123	1969	33 10 120	34 11	32.5 13	4.92 8.41	No	Yes	24.606		28.5 25.5 9 6.5	4327 1200 Lead	No 1 FIXED	IB FOLD 2	(Weighed Displacement as of 4/4/2009)(mtg 2/28/13, change custom rating from 135 to 123 after review of race results and structural modifications) 3
Archaeopteryx	Hotfoot 20	101	177	1986	25 7 105	26.08 7.67	27.08 10.08	4.05 6.6	Yes	No			20 18 8.5 5	1000 400 Lead	0 1 CNTRBRD	OB None	
			616		CARBON MS			583			0 0						
			677		ALUMN MS		0 0	235			0						
			162		ALUMN MS			323			0 0						
			174		ALUMN MS			206			0 0						

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications		
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU ASA Sprit Lngth Fixed or _o	SL SPL SSMG SSA	SLE ASA Sprit Lngth Fixed or _o		Ballast Ballast Mat.	Traps/H. moveable blst Keel Type				
								SL	SPL									SLU	ASA
Archimedes	Express 27 ODR	18355	1985	28.5 9 155	28.5	28.5 10.416 0 0	4.22 7.03 182	Yes	29 9.833 17.333 17.6	No	0	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	NONE None 0				
Ardea	Custom Nelson/Marek 50	42616	1989	59.92 17.59 100	59.92 17.59	65.19 24.08	9.35 15.98 946	Yes	59.2 17.59 31.1 1527 30.4	Yes	31.6 1526 0 90	49.8 38.55 14.86 9.32	22145 12627 Lead	0 1 FIXED	IB Fold	(Mtg 8/28/15, custom rating of 21 assigned)			
Argo	Beneteau 40.7 First Farr	46933	1999	51.61 14.47 105	51.61 14.47	48.85 17.72	6.72 11.51 515	Yes	50.9 14.47 26 1094 25	No	0 0	39.33 34.83 12.33 7.75	15211 5950 Lead	0 1 FIXED	IB Feath 2				
Ariadne	Beneteau Farr First 36.7	403		46.4 13.1 125	46.4 13.1	46.4 15.6 0 0	5.92 12.49 468	Yes	45.8 13.1 23.5 897 23.5	No	0 0	36 30.3 11.4 7.3	12495 4034 Lead	No 1 FIXED	IB Fold 2				
Astra	Farr 40 ODR MH	40079	2000	53.2 15.5 105	53.12	54.8 19.4 0 0	7.29 12.47 629	Yes	60.69 17.06 34.39 1740 34.44	No	0	40.75 35.27 13.22 8.53	10917 5079 Lead	No 1 FIXED	IB FOLD 2				
Auggie	Santana 22 ODR	476	1969	26 8.5 125	26	21.75 9.833 0 0	3.95 6.59 131	Yes	26 8.583 15.44 335 15.44	No	0	22 18.666 7.833 3.5	2600 1230 Cast Iron	No 1 FIXED	OB None 0				
Avalon	Catalina 30	6138	1992	41 11.416 120	41	35 11.5 0 0	4.63 7.72 246	No	No	No	0	29.92 25 10.83 5.25	10200 4200 Lead	0 1 FIXED	IB Fold 2				

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications							
		Sail #	DW Rating		I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No		Yes/No		LOA	LWL	Ttl Disp.	Traps/H.	Strps		IB or OB						
										PY	MSA	SL	SPL								SLU	ASA	Max Beam	Ballast	moveable blst	IB or OB
Mast Material			Rig Type																							
Azure	Catalina 275 Sport	1	156	2013	34.42	106	11.83	31.5	5.33	No	Yes	22	27.5	5000	0		IB									
			629		8.99			11.48	8.17		37.5	665	26.57	2040	1		Fixed_2									
			121		ALUMN				233		35	0	8.5	Lead	FIXED											
					FS						22	<input type="checkbox"/>	5.2													
Azure	CAL 40	72	114	1966	46	150	46	40	6.65	Yes	No		39.3	15500	0		IB									
			623		15.17			17.5	11.37				30.5	6000	1		FEATH									
			248		ALUMN			0	417			0	11	Lead	FIXED		2									
					MS			0			27	<input type="checkbox"/>	5.5													
Bad Dog	J 111	103	36	2011	48.37	105	51.4	45.7	6.1	No	Yes	31.86	36.5	9300	0		IB									
			532		13.85		20.08	14.5	10.1		59.05	1433	32.7	3500	1		Fold									
			121		CARBON				414		48.88	6.3	10.8	LeadSteel	FIXED											
					FS						31.86	<input checked="" type="checkbox"/>	7.2													
Bad Hare Day	Wylie Wabbit ODR W/Trap	35	126	1982	20.75	150	20.5	23.75	4.03	Yes	No		23.75	975	Yes		OB									
			603		6.5			10	6.72				20	440	3		None									
			55		ALUMN			0	145			0	5.583	Lead	FIXED		0									
					FS			0			14	<input type="checkbox"/>	3.5													
Baleineau	Ericson 34 Olson SM	42147	105	1988	44	155	44	38.8	4.88	Yes	No		34	10600	No		IB									
			629		13		44	13	8.25				28	3650	1		FOLD									
			219		ALUMN			0	298			0	10.83	Lead	FIXED		2									
					MS			0			23.25	<input type="checkbox"/>	6													
Bandicoot	Wyliecat 30 IB	28530	132	2000	0		29	39.75	7.87	No	No	18.8	30.5	5500	0		IB									
			653		0		10	20.5	13.46			512	25	3050	1		FEATH									
			160		CARBON			0	488			0	9.5	Lead	FIXED		2	(mtg 5/20/10, -21 sec/mi for added spinnakers)(9/5/12, removed spinnaker, back to standard configuration)								
					CATBOAT			0			17.75	<input checked="" type="checkbox"/>	5.25													
								17.75			17.75															
Bandido	Merit 25	28125	168	1983	28.75	150	28.75	28	4.25	Yes	No		24.5	3000	No		OB									
			693		9.66			9.75	6.69				20.5	1050	1		None									
			158		ALUMN			0	172			0	8	Lead	FIXED		3									
					FS			0			17.39	<input type="checkbox"/>	4													
								0			17.39															

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications				
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU ASA Sprit Lngth Fixed or _o	SL SPL SSMG SSA SSF	SLU ASA Sprit Lngth Fixed or _o		Max Beam Max Draft	Ttl Disp.			Traps/H. Strps Ballast moveable blst Ballast Mat. Keel Type			
								DW Rating	Disp/WL Ratio										1198	1198	1198
Basic Instinct	Custom Elliott 10.50	8123	1993	41 12.5 ALUMN FS	45.6 13.9	44.2 8.5 17.5 12 0 497 0	8.5 12	No	Yes	29.4 1192	34.42 31.83 12.08 7	10220 3000 Lead	No 1 FIXED	IB FOLD 2	(mtg 3/19/09, changed to smaller headsail, +3 sec/mi, & larger mainsail, -6 sec/mi, change rating from 66 to 63)(Mtg 10/21/09, new smaller headsail, still with large headboard. Change mainsail rating from 6 sec/mi to 3 sec/mi)						
Benny	J 70 ODR	897	2015	26.77 7.68 CARBON FS	100 13.5	26.16 4.71 9.44 6.93 164	4.71 6.93	No	Yes	18.7 491 5.1 0	22.75 20.47 7.38 4.92	1750 630 Lead	0 1 MVBL	OB None							
Bessie's Girl	Bristol 45.5	30088	1980	57 18.83 ALUMN KTCH	130 18.83	47.25 4.66 15.2 8.56 30.25 390 8.25	4.66 8.56	Yes	Yes	33 1353 0 0	45.5 37.25 13.2 11	40000 15000 Lead	No 1 CNTRBRD	IB FEATH 3	(mtg 2/18/10, -3 sec/mi for dual spinnakers/ability to use asym on squared back pole)						
Big Air	Open 5.7 ODR	189	2006	21.52 7.3 ALUMN FS	117 12.3	25.33 5.7 10.24 8.2 183	5.7 8.2	No	Yes	17.6 345 5 0	18.75 18.7 8.3 5.74	992 405 Lead	0 1 FIXED	OB None							
Blade Runner	Santa Cruz 27	28727	1979	32.7 10.9 ALUMN MS	150 10.9	28.2 3.27 8.7 5.64 146	3.27 5.64	Yes	Yes	19.58 533 0 90	27 24.08 8 4.5	3000 1600 Lead	0 1 FIXED	OB None							
Blue	Swan 53-2	61522	2012	71.96 19.52 CARBON MS	105 19.53	65.88 7.64 21.98 13.38 826	7.64 13.38	No	Yes	38.89 2214 0 90	54.07 47.24 15.58 12.14	54482 22400 Lead	0 1 CNTRBRD	IB Fold	(Mtg 3/23/17, -3 sec/mi for ability to fly a-sail on a squared back pole)						
Blue Passion	tartan 3400	7134	2006	46 13.67 CARBON FS	95 13.67	43 4.58 14.5 8.2 341	4.58 8.2	No	No	0 0	34.42 30.42 11.92 6.5	10800 3500 Lead	0 1 FIXED	IB Fold							

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications						
		Sail #	DW Rating		I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No		Yes/No	ASF		LOA LWL	Ttl Disp.	Traps/H. Strps		IB or OB Prop Type # of blades					
										Mast Material	PY EY		MSA	SSMG SSF			SPL SSA			SLU SLE	ASA Sprit Lngth	Max Beam Max Draft	Ballast Ballast Mat.	moveable blst Keel Type
Blue Ribbon	Catalina 27 IB	343	213	1975	34.5 11.25	120		28.7 10.5	3.5 6.3	No	No		26.83 21.75 8.83 4	6850 2650 Lead	0 1 FIXED	IB Fixed_3 3								
Blue Ribbon II	Catalina 270 IB	38087	207	1994	33.58 9.25	135	33.58	28.42 11.5	4.67 7.61	No	No		27 23.75 9.83 5	6400 2000 Lead	0 1 FIXED	IB Fixed_2 2								
Blue Zephyr	Jeanneau Sun Odyssey 42 DS		108	2010	51.58 16.25	150		48.82 14.6	3.55 6.9	No	No		42.42 38 13.5 6.92	19676 5628 Iron	0 1 FIXED	IB Fixed_3	(mtg 4/27/17, +3sec/mi for in-mast furling, +3 sec/mi for MGM < 50% of E)							
Bodacious +	1D 48	48005	-15 490	1996	57.7 16.7	155	68.3 16.7	61.3 22.5	9.84 14.66	Yes	Yes	30.1 1673	48.3 40.2 14.2 10.1	19743 8818 Lead	0 1 FIXED	IB Fold 2	Water ballast system not operational (mtg 8/19/08, custom rating assigned of -30, includes dual spinnakers)(Mtg 3/24/11, new smaller mainsail, smaller symmetrical, change cutom rating from 30 to 24)(Mtg 8/25/11)							
Bombora	Express 27 ODR	38047	129 611		28.5 9	155	28.5	28.5 10.42	4.22 7.03	Yes	No	0	27.25 23.8 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0								
Boomer	Melges 20	676	111 604	2009	23.19 7.05	110	27.2 10.95	24.25 9.84	3.83 7.42	No	Yes	18.8 417 3.9 0	20 19.4 7 4.5	1105 415 Lead	0 1 FIXED	OB None 0								
Borealis	Gulf 39 PH	77135	129		50 16.17	128		42 13.75	4.83 8.58	No	No		38.83 33.67 12 5	17500 Iron	1 FIXED	IB Fold								

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst		
								SL	SPL	SLU	ASA						
								SSMG SSF	SSA	SLE ASM	SA						
Bosporus II	Columbia 36	97415	1968	42.75 15 ALUMN MS	41.75 15	34.666 14 0 0	5.3 9.1 289	Yes	No	41.5 25.8 26	15 894	0	35.75 28.25 10.5 5.42	13000 5000 Lead	No 1 FIXED	IB Fold 2	
Boudicca	Elan 310	310	2010	40.19 11.74 ALUMN FS	42.55 14.87	39.53 13.55	5.28 8.92 323	No	Yes	25.91 46.59 42.02 24.18	906 3 0	30.3 28.58 10.5 6.23	10141 2292 Iron	0 1 FIXED	IB Fold		
Brandy	Farr 30 1/2 Ton	57257	1979	31 9.6 ALUMN FS	31	34 12.9	4.5 7.11 243	Yes	No	31.4 17 17	9.8 445	0 0	30.33 23.5 10 5.33	4894 1909 Lead	0 1 FIXED	OB None	(Mtg 4/24/15, -6 sec/mi for increased P)
Breakaway	Ultimate 20 CM	180	2002	26.08 6.97 CARBON FS	27.58 12.79	27.33 10.17	5.5 7.96 193	No	Yes	19.167 30.42 28.417 17.7	441 6 0	20.83 18 8.33 5	1350 450 Lead	No 1 FIXED	OB Fixed_3 3		
Breakout	Santana 35	18679	1982	39 12.85 ALUMN FS	39	42 14.25	5.51 9.26 358	Yes	No	39 23.13 18.6	12.85 722	0	35 26.5 11.92 6.25	8500 3300 Lead	No 1 FIXED	IB FOLD 2	
Bright Hour	Farr 40 ODR MH	50092	2001	53.15 15.45 CARBON FS	50.04 17.06	54.8 19.36	8.49 13.77 674	Yes	No	60.69 34.39 34.44	17.06 1740	0 0	40.7 35.3 13.2 8.53	10902 4960 Lead	0 1 FIXED	IB Fold	
Bullet	Express 37	40311	1985	48.75 14.33 ALUMN MS	48.75	42 13.75 0 0	5.3 8.83 344	Yes	No	48 25.79 25.79	14.33 1032	0	37.08 30.83 11.57 7.25	11000 4600 Lead	No 1 FIXED	IB FOLD 2	

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications	
		Sail #	DW Rating		I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No		Yes/No		LOA	LWL	Ttl Disp.	Traps/H. Strps			IB or OB Prop Type # of blades
										SL	SPL	SLU	ASA				Ballast	moveable blst		
EY	MSA	ASF	Fixed or _o	Max Beam	Max Draft															
Buona Sera	Santa Cruz 70	41104	-81 423 51	1986	73.15 22.52	155	73.63	65.49 25.39	9.12 15.72	No	25.5	Yes	40.06 2504 0 45	68.9 60.4 15.1 10.62	24905 8960 Lead	0 1 FIXED	IB Fold	(Mtg 8/27/15, New rudder noted, -9 sec/mi for new keel)(Mtg 3/23/17, -6 sec/mi for 13% increase in SPL, -3 sec/mi for increase in spinnaker area, +3 sec/mi for decrease in mainsail area)		
Bustin Loose	Sydney 38 MH	38044	21 533 127	2002	54 14.9	104	52.03 14.77	50.53 18.046	6.85 11.73	Yes	15.9	Yes	27.69 1116 0	38.6 35.3 12.4 8.8	12250 5140 Lead	0 1 FIXED	IB FOLD 2			
Byte Size	Santana 22	801	237 737 182	2001	26 8.5	90	26 8.5	21.75 9.833	3.95 6.59	Yes	8.583	No	0	22 18.67 7.83 3.5	2600 1230 Iron	No 1 FIXED	OB None 0			
BZ	Sonar 23		174		23 8.25	100		27.5 11.17	1.23 7.3	No		No	0 0	23 19.92 7.8 3.92	2100 900 Lead	No 1 FIXED	NONE None			
Cadenza	Moore 24	18878	150 636 91	1977	26.25 9.75	150	26.25	25 9.5	4.01 6.54	Yes	27	No	0	23.75 21.75 7.17 4.083	2050 1025 Lead	No 1 FIXED	OB None 0			
Califia	Islander 36 ODR	67074	144	1978	45 14.48	135	45	39.25 12.75	3.69 6.88	No		No	0 0	36.08 28.25 11.17 6.08	13450 5450 Lead	0 1 FIXED	IB Feath 2			
California Condor	Class 40	94	6 481 92	2010	53.9 15.65	104	58.6 23.85	53.21 18.81	11.71 14.38	No		Yes	39.7 1623 8.2 0	40 39.17 14.7 9.84	12225 4710 Lead	0 1 FIXED	IB Fold 2	Short-Handed Bay Configuration		

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
				J Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp.	Traps/H. Strps		IB or OB Prop Type # of blades		
								SL	SPL	SLU	ASA			Ballast	moveable blst			
																		SSMG
SSF	SSA	ASM	Fixed or _o															
Can O' Whoopass	CAL 20	624	1965	22	22	23	4	Yes	No	20	2000	0	OB	(mtg 4/24/08, -18 sec/mi for adding single trapeze wire) (10/2/08 - removed trapeze, now racing as a standard cal 20 -18 sec/mi penalty removed)(3/5/09 added single trapeze back, -18 sec/mi)(8/26/09, switching back to standard Cal 20)				
				7.33	7.33	10	6.7	22	7.33	18.1	900	1	None					
				ALUMN	140	13.2	242	7	Iron	FIXED	2							
Can't Touch This	J 125	93204	1999	49	52.1	47	6.8	No	Yes	41	9330	0	IB	(Mtg 2/26/09, -3 sec/mi for oversized main girths)(3/9/09, corrected main girths, removed -3 sec/mi penalty)				
				15	23	18	11.6	61.3	1941	37	4646	1	FOLD					
				CARBON	502	52.3	8	10.6	Lead	FIXED	2							
Capo Gatto	Nonsuch 30	308	1985			45	7.9	No	No	30.33	11500	0	IB					
						24	14.3			28.75	4500	1	Fold					
				ALUMN			605	11.1	Lead	FIXED	2							
Captain Sluggo	Hobie 33	77870	1982	34.7	42.3	38.1	6	No	Yes	25.6	4532	0	OB	(Meeting 4/27/17, Custom rating assigned: 54)				
				12.2	105	13.5	9.6	14.32	44.6	928	30.4	1800	1		None			
				CARBON	328	42.4	0	8	Lead	FIXED								
Carmelita	Catalina 42-1/2	131	1990	53	53	46.75	4.98	Yes	Yes	27.75	22000	No	IB					
				16.42	125	15.5	8.85	49	16.42	57	1131	36	8300		1	FEATH		
				ALUMN		0	399	29.55	1207	51.25	0	13.83	Lead		FIXED	3		
Carpe Vita	Olson 25	97399	1988	32	32	28	3.8	Yes	No		3300	No	OB					
				9.583	130	10	6.4	32	9.583		21.25	1300	1		None			
				ALUMN	166	0	17.25	459		9	Lead	FIXED	0					
Cassiopeia	Islander 36 ODR	6763	1971	45	45	39.25	4.8	Yes	No		36.08	No	IB	(mtg 2/18/10, - 6 sec/mi for 10% OSP)(8/2/11, boat returned to ODR Configuration)				
				14.48	150	12.75	8.29	45.34	15		28.25	5450	1		FOLD			
				ALUMN	298	27	1020		11.17	Lead	FIXED	2						
				281		27			<input checked="" type="checkbox"/>	0	6							

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications			
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		SLU ASA SLE ASMG		ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.	Traps/H. Strps		IB or OB Prop Type # of blades		
								SSMG SSF	SPL SSA	SL	SPL					Ballast			moveable blst	
																				Ballast Mat.
Catalyst	Wyliecat 30 IB	28571	132	2004			40	7.87	No	No		30.42	5800	No	IB	Must have a YC card before registering for 2005 and clear YC for 2004				
			652		CARBON		20.67	13.46				25	3000	1	Feath					
			169		CAT		0	493			<input type="checkbox"/>	9.42	Lead	FIXED	2					
							0					5.25								
Catapult	Santa Cruz 70	41005	-84	1989	73.34	155	73.74	25.26	66.11	9.3	No	Yes	39.1	68	23847	0	IB	(Mtg 5/25/17, Custom rating assigned. As Sailed: -84)		
			417		22.19		24.67	15.75				76.8	2348	59.7	9000	1	Fold			
			51		CARBON			963				67.9	0	15.1	Lead	FIXED				
					MS							38.9	<input checked="" type="checkbox"/>	0	10					
CaZan	DK 64	61046	-21	2001	61.94	126	70.54	19.849	63.55	8.2	Yes	No	33.56	46.26	22439	0	IB	(Mtg 5/25/17, custom rating assigned. As Sailed: -21)		
			504		17.85		21.95	14.21				69.23	19.85	69.23	1822	40.52	9480		1	Fold
			153		ALUMN			826				35.42	2013	63.33	0	13.45	Lead		FIXED	
					MS							32.81		32.84	<input checked="" type="checkbox"/>	0	9.84			
CentoMiglia	Flying Tiger 10 Meter ODR	15	54	2006	39.284	105	45.282	19.134	40.167	6.463	No	Yes	27.493	32.68	4376	No	OB	(3/7/11, new class rudder installed, NCTR)		
			517		12.126		14.895	10.499				51.541	1087	30.31	1918	1	None			
			71		CARBON			378				42.651	7.008	9.12	Lead	FIXED	3			
					FS							27.76	<input checked="" type="checkbox"/>	0	7.61					
Chance	J 120 ALUM	28484	51	2001	50.5	100	52	21.5	46.3	6.7	No	Yes	34.1	40	13900	No	IB			
			541		14.5		17.8	11.5				64.1	1765	35	6000	1	FOLD			
			147		ALUMN			489				50.6	7	12	Lead	FIXED	2			
					FS							37.65	<input type="checkbox"/>		7					
Chance	Farr 395	39528	27	2002	51.25	105	56.33	20.36	50	7.54	No	Yes	33.46	39.33	12500	No	IB			
			528		14		18.42	12.53				62.6	1617	34.5	4600	1	FOLD			
			138		CARBON			567				52.49	6.36	12.08	Lead	FIXED	2			
					FS							33.79	<input checked="" type="checkbox"/>		7.83					
Checkedred Past	Custom Wyliecat 39	3	102	2002			52	10.2	52	10.2	No	No		38.83	12000	0	IB	Boat has been modified for handicapped sailing		
			595				26.6	17.4						32	6200	1	FOLD			
			166		CARBON			826						11.5	Lead	FIXED	2			
					CAT									6.6						

Boat Name	Boat Model (Type)	Rating		I J	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications		
		Sail #	Built		Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp.	Traps/H. Strps		IB or OB Prop Type # of blades			
									DW Rating	Mast Material	SL	SPL			SLU	ASA			Ballast	moveable blst
Christine Rose	Catalina 30 TM	0	183	1977	43 13.16	150	43 13.16	37 12	4.8 8	Yes	No	29.92 25 10.83 5.25	10200 4250 Lead	0 1 FIXED	IB Fixed_3 3					
Ciao Bella	Beneteau 37	38	117	2009	45.833 15	105	ALUMN FS	43.5 12.9		No	No	37.666 34.75 12.833 6.25	14008 3902 Iron	0 1 FIXED	IB FOLD 3					
Circlesea	Folkboat	125	252		21.99 6.56	100	10.17	28.71 11.15	4.42 7.33	No	No	25.08 19.82 7.26 3.92	4640 2315 Iron	0 1 FIXED	OB None 0					
Color Blind	Moore 24	49	150	1979	26.25 9.75	150	26.25	25 9.5 0 0	3.91 6.5 147	Yes	No	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0					
Constance	Tartan 34 CB	346	165	1974	41 14	125	41	35.5 10.5	4 6.9	No	Yes	34.3 25 10.2 8.3	11200 5000 Lead	0 1 CNTRBRD	IB Fold 2	Roller Furler				
Coquelicot	Ranger 33	148	153	1975	41.5 13.87	120	43.75 13.87	35 13.75 0 0	4.6 8.1 270	Yes	No	33 26.3 9.6 5	10500 4500 Lead	No 1 FIXED	IB FOLD 2	Double Spreader rig, water supply 41 gallons, below v berth, 26 gallon bladder tank starboard, rudder 9 inches deeper, group 31 batteries, 15 hsp one cyl disel replaced by 29 hsp Perkins 3 cylendar engine. (NOTE) (MTC 2 21 02)				
Cordon Rouge	J 30	68	144	1979	34 11.5	125	34	38 13	5.1 8.4	Yes	No	29.83 25 11.2 5.25	6700 2100 Lead	No 1 FIXED	IB FOLD 3					

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications		
		Sail #	DW Rating		I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp.	Traps/H. Strps		IB or OB Prop Type # of blades			
										Mast Material	Rig Type	SL	SPL			SLU	ASA			Ballast	moveable blst
Disp/WL Ratio							SSF	SSA	ASM	Fixed or _o											
Courageous	J 88	77	81	2015	38.67 11.28	104	46 18.05	36.82 12	5.44 8.4	No	Yes	29 1022	29.19 26.84	4990 1840	0 1	IB Fold					
			561		CARBON				282		40.84	5.25	9.5	Lead	FIXED						
			117		FS						27.32	<input checked="" type="checkbox"/>	0								
Crackers	J 105 ODR w/ 5'BS	581	78	2002	40.6 13.5	100	42.1 19.07	41.5 14.5	5.5 9.4	No	Yes	26.2 859	34.5 29.5	8664 3400	0 1	IB Fold					
			585		ALUMN				358		39.8	5	11	Lead	FIXED						
			153		FS						22.3	<input checked="" type="checkbox"/>	0								
Crane Wife	Fuji 32 KTH	0	252	1977	36.25 14.75	148		29.08 11.21	3.8 5.96	No	No		31.5 29	13115 4635	0 1	IB Fixed_3					
			244		ALUMN KTCH			18.25 8	177			<input type="checkbox"/>	0 0	9.83 3.66	Iron FIXED						
Crazy Eights	Moore 24	28888	150	1978	26 9.8	150	26.3 9.75	25 9.5	3.91 6.5	Yes	No		23.75 21.75	2050 1000	0 1	OB None					
			636		ALUMN				147		17.55	389	7.16	Lead	FIXED	0					
			91		FS						17.55		4.083								
Crazy Rhythm	Santa Cruz 27	18771	144	1978	32.58 10.75	125	32.58	28.166 8.583	3.68 6.06	Yes	No		27 24	3200 1600	No 1	OB None	(Outboard Removed)				
			621		ALUMN			0	153		19.4	529	8	Lead	FIXED	0					
			105		MS			0			19.4		4.5								
Crews Nest	Catalina 34 1&2	1383	147	1997	44 13.5	130	44 13.5	38.5 12	3.6 6.8	Yes	No		35.67 29.83	11950 5000	No 1	IB FEATH					
			634		ALUMN			0	251		24	837	11.75	Lead	FIXED	3					
			205		MS			0			23.5		5.58								
Crinan II	Wyliecat 30 IB	15	132	2002				39.75 20.5	7.79 13.32	No	No		30.5 25	5500 3050	No 1	IB FOLD					
			653		ALUMN			0	485				9.5	Lead	FIXED	2					
			160		CATBOAT			0					5.25								

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications				
			Built	J	Max Headsail	ISP JSP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp. Traps/H. Strps		IB or OB							
									E	MGM				SL	SPL		SLU	ASA		LWL	Ballast	moveable blst	# of blades
Disp/WL Ratio	Mast Material	Rig Type	EY	SSF	ASMG	Fixed or_o	Max Draft																
CruzSea Baby	Beneteau First 10R ODR	52878	81	2007	43.2	155	46.41	42.25	5.59	No	Yes	27.5	32.75	9715	0	IB	(Rudder Modifications noted, smaller non-class spinnaker +3 sec/mi)						
			603		12.07		16.5	14.73	9.57		49.5	1055	28.7	3528	1	Fold							
					CARBON				371		41.5	4.43	11	Lead	FIXED	2							
			187		FS						27.9	<input checked="" type="checkbox"/>	0										
Curie	Beneteau 32S5	52868	138	1990	38.39	150	38.39	38.88	5.3	Yes	No	17.3	32.6	9260	0	IB							
			652		9.68		9.68	13.78	9.01		39.98	9.6	27.83	2980	1	FOLD							
					ALUMN				321		17.3	576	10.83	Cast Iron	FIXED	2							
			195		FS						17.3		6										
Current Affair	Express 27 ODR	56	129	1983	28.5	155	28.5	28.5	4.22	Yes	No		27.25	2450	0	OB							
			611		9			10.42	7.03		29	9.83	23.75	1100	1	None							
					ALUMN				182		17.75	429	8.17	Lead	FIXED								
			83		FS						17.75		4.5										
Danger Zone	Taylor 32	4128	-24	1994	40	100	19.4	37.1	9.5	No	Yes	26.52	32	1962		OB							
			443		10.7			14.3	11.6		43.35	829	28.9	551	1	None							
					ALUMN				395		36.3	0	14.8	Lead	CNTRBRD								
			37		MS						24.6	<input checked="" type="checkbox"/>	0										
Dare Dare	Jeanneau Sun Fast 3200	39	81	2008	41.92	102	43.77	38.67	5.28	Yes	Yes	24.41	33.1	7916	0	IB							
			598		12.58		13.61	13.68	8.46		44.91	13.58	28	2866	1	Fold							
					ALUMN				311		24.08	896	11.5	Lead	FIXED	2							
			164		FS						23.39		6.2										
Dark & Stormy	1D 35	35018	30	1998	42	110	44.8	44	7.5	No	Yes	31.4	35	6550	0	IB	Fixed bow sprit, using Asymmetrical spinnaker(mtg 3/20/08, -9 sec/mi for oversized spinnaker, +3 sec mi for not being able to articulate pole, as sailed: 30)						
			518		12.47		17.39	19	12		51.8	1236	31.5	2660	1	FOLD							
					CARBON				497		46.62	4.92	10.9	Lead	FIXED	2							
			95		FS						29.83	<input checked="" type="checkbox"/>	0										
Daseins Den	Dana 24	324558	246	1987	34	120		28.25	3	No	No		24.16	7400	0	IB							
					12.25			10.75	5.85				21.42	3100	1	Fixed_2							
					ALUMN				160				8.58	Lead	FIXED								
			342		CTR								3.83										

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
		Sail #	DW Rating		I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps Ballast moveable blst Ballast Mat. Keel Type		
									SL	SPL	SLU	ASA						
									SSMG SSF	SSA	SLE	ASMG						
Dawn's Early Light	J 36	77549	87	1982	44.219 14	125	44.21 14	47 15	5.8 9.5	Yes	No	44.25 25.26 24.12	14 923	35.95 30.5 11.76 6.6	0 1 FIXED	IB Fold		
Deception	Santa Cruz 50	97263	-6	1987	61.8 18.3	155	61.8 18.3	55 18.4	7.1 12	Yes	Yes	61.7 34.2 34.2	18.3 1758	50 46 12 8	32.9 1335 0 0	0 1 FIXED	IB FOLD 2	ELPT Keel & OS/Spinnaker; Has a Code 0 headsail aboard - tacked to stem, no sprit (Mtg 5/26/16, -3 sec/mi for oversized mainsail)(Mtg 6/23/16, change rating back to -6)
Dianne	Express 27 ODR	0	129	1981	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	No	29 17.75 17.75	9.833 429	27.25 23.75 8.17 4.5	No 1 FIXED	OB None 0		
Divine Wind	Olson 40	69069	45	1983	50 15.75	150	51.21 15.8	44 14.25	5.5 9.29	Yes	No	50.17 28.35 28.35	15.75 1185	40.33 36 11.25 6.5	0 1 FIXED	IB Feath 2		
Domino	Wilderness 30 MOD	38081	126	1985	36 12.25	155	36 12.25	31.5 10.83	4.11 6.93	Yes	No	36.15 22.05 20.5	12.25 655	30 27.75 8.8 5.5	0 1 FIXED	IB Fold	(Mtg 3/28/13, +6 sec/mi for small rig)	
Don Wan	Santana 28	8191	186	1978	36 12	155	36	31 9.416	3.6 6.1	Yes	No	36 21.6 21.6	12 648	28.25 23 9.17 5	No 1 FIXED	IB Fold 2		
Double Agent	Merit 25	8465	168	1981	28.75 9.66	155	28.75	28 9.75	4.25 6.69	Yes	No	29 17.39 17.39	9.66 420	24.5 20.5 8 4	No 1 FIXED	OB None 0		

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications									
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU ASA Sprit Lngth Fixed or _o	SL SPL SSMG SSA	SLU ASA Sprit Lngth Fixed or _o		Ballast	Traps/H. moveable blst			Strps Keel Type								
								Disp/WL Ratio	203										41.5	4.5	Yes	No	29.92	7854	No	IB
Double Down	Custom Schumacher 30	18480	1988	41.37 12.16 ALUMN MS	41.5	36.416 11.83 0 0	4.5 7.69 257	Yes	40.75 12.08	No	29.92 26 10.65 6.17	7854 3650 Lead	No 1 FIXED	IB FOLD 2	Rudder change, old rudder 85lbs new 65 lbs. Old alum/new carbon MTG 10/27/94 Noted- NCTR (MTG 1/9/97 Alum headsail removed and excess wires removed from mast- Noted NCTR)(Mtg 2/21/08, change custom rating from 126 to 123 after											
Double Espresso	Olson 30 OB	18069	1982	36 11.75 ALUMN MS	35.9 11.75	31.5 10.75	4.36 7.26 208	Yes	36 11.75	No	30 27.5 9.33 5.08	3600 1800 Lead	0 1 FIXED	OB None												
Downtown Upoar	J 24 ODR	2394	1981	26.25 9.5 ALUMN FS	26.25	28 9.75 0 0	3.7 6.37 163	Yes	26.5 9.5	No	24 20 9.2 4.1	3125 965 Lead	0 1 FIXED	OB None 0												
Dr Feelgood	Olson 29	24	1986	34 11 ALUMN FS	36	32.5 11.5	4.36 7.48 223	Yes	36 11.75	No	29.67 27.5 9.33 5.58	3600 1950 Lead	0 1 FIXED	OB None												
Dragonsong	Olson 30 OB	87014	1982	36 11.75 ALUMN MS	35.9 11.67	31.5 10.75 0 0	4.364 7.268 208	Yes	36 11.75	No	30 27.5 9.33 5.08	3600 1800 Lead	No 1 FIXED	OB None 0												
Dream	Sceptre 41	12	1983	53 17.67 ALUMN MS	90	47 13	5.24 8.73 374	Yes	53 17.67	No	41 36 12.67 6.08	21500 8700 Lead	0 1 FIXED	IB Fold												
Drop Beer	Beneteau Class 10	18277	1984	37.8 12.6 ALUMN FS	150	39.7 13.9 0 0	4 8.7 308	Yes	36.11 12.6	No	34.2 29.6 9.9 6.8	7000 2200 Iron	0 1 FIXED	IB FOLD 0	NEW RUDDER 3/4/95, NCTR (MTG 3/36/95)											

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications					
		Sail #	DW Rating		I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No		Yes/No	ASF		LOA LWL	Ttl Disp.	Traps/H. Strps		IB or OB Prop Type # of blades					
										Mast Material	PY EY		MSA	SL SSMG SSF			SPL SSA	SLU SLE ASMG			ASA Sprit Lngth Fixed or _o	Max Beam Max Draft	Ballast	moveable blst Keel Type
Dulcinea	Catalina 38	88	117	1981	49.83 15.5	130	49.8 15.5	44 11.5	4.37 7.6	No	No		38.17 30.25 11.83 6.75	15900 6850 Lead	0 1 FIXED	IB Fold 2								
Dura Mater	CAL 27-2 IB	616	213	1979	36 12	120		30.83 10.25	4.21 7	Yes	No		26.58 22.08 9.25 4.25	6700 3100 Lead	0 1 FIXED	IB Fixed_3 3								
Ebb Tide	Wauquiez 45s Centurion	60245	57	2003	55.77 17.72	100	55.77 17.72	51.84 19.32	6.51 11.68	Yes	Yes	32.25 1541	45.92 40.25 13.67 8.17	23148 8488 Lead	0 1 FIXED	IB Fold 3	(Mtg 5/26/11, Increased "JSP" by 5.67" which equals a 30% increase. - 9 sec/mi per NCPHRF Rules & Guidelines.)(Mtg 3/29/12, JSP now same as J+9 sec/mi, Asymmetrical spinnaker still oversized, -3 sec/mi)							
Ecco	CAL 39-2/3	115	117	1980	50 16.7	125	50	44 13.75	5 8.5	No	No		39 32.1 12.15 6.7	17000 7000 Lead	0 1 FIXED	IB Feath								
Eclipse	Express 37	18495	72	1985	48.75 14.33	155	48.75	42 13.75	5.28 8.83	Yes	No		37.08 30.83 11.57 7.25	11000 4500 Lead	0 1 FIXED	IB FOLD 2	Rudder modification noted, no change to rating. (Actural weight from yard 11200 - 9500 was design displacement. No mods from standard express 27.) 3/26/01							
El Raton	Express 27 ODR	28050	129	1985	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	No		27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0								
Elan	Beneteau 37	46	114	2012	45.83 15	105	48	43.5 12.83	6.16 8.83	No	Yes	26.6 915	37.8 34.08 12.83 6.25	14359 3901 Iron	0 1 FIXED	IB Fold								

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications			
		Sail #	DW Rating		I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No		Yes/No	ASF		LOA LWL	Ttl Disp.	Traps/H. Strps		IB or OB Prop Type # of blades		
										SL	SPL		SLU	ASA			Max Beam			Ballast	moveable blst
Disp/WL Ratio	Mast Material	PY EY	MSA	SSSF	SSA	ASMG	Fixed or _o	Max Draft	Ballast Mat.	Keel Type											
Evenstar	Ranger 23	6404	216	1974	27.54 9.75	155	27.5 9.7	24 9.2	3.3 5.4	Yes	No		23.67 20 7.92 3.9	3400 1500 Lead	0 1 FIXED	OB None					
Everlong	Beneteau 40.7 First Farr	51705	54 569	2002	51.61 14.47	104	51.61 14.47	48.85 17.72	6.73 11.51	Yes	Yes		39.33 34.83 12.33 7.75	15211 5950 Lead	0 1 FIXED	IB FOLD 2					
Ex Indigo	Custom Diva 39	8	87 591	1987	41.73 12.8	125	41.73 12.8	46.75 14.75	5.72 9.6	Yes	No		38.75 30.83 9.83 5.75	9920 4575 Lead	No 1 FIXED	IB FOLD 2	Back Stay Crane				
Expeditious	Express 37	18478	72 577	1986	48.75 14.33	155	48.75	42 13.75	5.28 8.83	Yes	No		37.08 30.83 11.57 7.25	11000 4500 Lead	No 1 FIXED	IB FOLD 2	INSTALED NEW CLASS-APPROVED CARBONFIBER RUDDER - MTG 6-12-2000 NCTR.				
Expression	Express 37 MOD	33985	75 590	1984	48.75 14.33	150	48.75	42 13.75	5.3 9	Yes	No	19 705	37.1 30.83 11.5 6	9500 4500 Lead	0 1 FIXED	IB Fold 2	(mtg 1/21/10, +3 sec/mi for modified keel, -3 sec/mi for dual spinnaker/ability to fly asym on squared back pole)(1/19/11, removed asym, only using symmetric spinnaker, +3 sec/mi)				
Family Hour, TNG	Henderson 30	46595	48 504	1997	37 11	155	42.3 17.8	38.2 14	6.74 10.62	Yes	Yes	31.9 1223	30.83 27.75 9.84 7	3850 1750 Lead	0 1 FIXED	OB None 0	Kelp Cutter				
Farriage	Catalina 42-1/2	336	102 604	1992	53 16.42	130	53 16.42	46.75 16.42	5.75 9.83	No	Yes	27.08 1042	41.83 36 13.83 6.83	20600 8300 Lead	0 1 FIXED	IB Feath 3					

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU SLE ASMUG	ASF ASA Sprit Length Fixed or _o	Ttl Disp. Ballast		Traps/H. moveable blst				
								SL	SPL						Yes			No
								SSMG SSF	SSA									
Finn	Capo 26 IB	18782	1985	34.6 10.56 ALUMN MS	155	26.25	30 10 185	4.1 6.8 185	Yes	No	35 18.8 18.3	10.5 545	0 0	26 22 9.25 4.58	4300 1900 Lead	0 1 FIXED	IB Fold	
Firefly	Moore 24	64	1980	26.25 9.75 ALUMN FS	150	26.25	25 9.5 0 0	3.91 6.5 147	Yes	No	27 17.55 17.55	9.75 395	0 0	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0	
Firefly	Harbor 20	226	2006	25.75 7 ALUMN FS	90	25.75 7	26 10	3.6 6.25 151	No	No			0 0	20 17.17 7 3.5	1800 900 Lead	0 1 FIXED	OB None	
First Light	Beneteau 35S5	115	1991	41.66 11.15 ALUMN FS	98		42.65 15.09 0 0	5.25 9.042 366	Yes	No	42.7 20.5 20.5	11.15 729	0	35.42 29.33 11.83 6	11460 4190 Lead	No 1 FIXED	IB Fixed_2 2	
Flight Risk	Catalina 38	87586	1983	49.8 15.5 ALUMN MS	155	49.8	44 11.5	4.18 7.12 294	Yes	No	49 27.9 27.9	15.5 1139	0 0	38.24 30.45 11.12 6.1	19489 6850 Lead	No 1 FIXED	IB Fold 2	Roller Furler
Flight Risk	Thompson 650	650	2000	26.67 8.86 CARBON FS	100	28.25 14.86	28.29 10.4	5.7 8 204	No	Yes	20.58 586 7.87	19.5	<input checked="" type="checkbox"/>	22.3 19.8 8.16 5.9	1692 660 Lead	Yes 3 FIXED	OB None	(mtg 1/21/10, weighed displacement of 1692lbs updated, NCTR)(Mtg 3/18/10, change custom rating from 108 to 99)(Mtg 8/18/10, submitted appeal, rating changed from 99 to 102)
Flyer	Peterson 33 (CHITA)	18620	1979	42.5 13.9 ALUMN MS	155	42.5	36.66 9.91	3.66 6.21 213	Yes	No	41.91 24.83 24.67	13.75 866	0 0	32.67 26.58 10.5 6.08	9480 4960 Lead	0 1 FIXED	IB FOLD 2	

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications					
				J	Max Headsail	ISP JSP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp. Traps/H. Strps		IB or OB							
									E	MGM				SL	SPL		SLU		ASA	LWL	Ballast	moveable blst	# of blades
Disp/WL Ratio	Mast Material	Rig Type	EY	SSSF	ASMG	Fixed or _o	Max Draft																
								For Pete's Sake	Ultimate 24 ODR	28469	111	2003	28.04	102	30.8	31	5.5	No	Yes	22.2	24.38	2040	No
			582		7.82		14.5	11.5	8.8		36	587	21.17	750	1	None							
			98		CARBON			0	238		30.6	6.7	8.48	lead	FIXED								
					FS			0			20.9	<input checked="" type="checkbox"/>	5.52										
Foxxfyre	Yamaha 33 IK SM	67248	159	1978	42.81	150	42.81	37.4	4.38	Yes	No		33.25	16000	No	IB	PER PHRF MTG 3/16/2000 - Weight Differencer from brochure is significant.						
			648		13.78			10.6	7.27		44	13.78	26.92	4410	1	FEATH							
			373		ALUMN			0	246		24.8	901	11	Iron	FIXED	2							
					MS			0			23.7	<input type="checkbox"/>	6.25										
Freedom	Worth 40	18230	96	1984	54	155		47	5.5	Yes	No		40	21000	0	IB							
			594		16		16	14	9.2		52	16	34.25	7800	1	FOLD							
			238		ALUMN			0	397		28.8	1248	12.5	Lead	FIXED	2							
					MS			0			28.8	<input type="checkbox"/>	7.25										
Freedom	Beneteau 523	38333	54	2006	65.22	105		59.09	6.39	No	Yes	35.519	53.08	32800	No	IB	Bow Thruster, in-mast furling, above deck jib furler; (Mtg 8/17/06 - +6 s/m for small girth main); electric winches added 1/29/07 (Mtg 3/28/13, +3 secmi for 8% decrease in mainsail area)						
			512		20.77			18.53	11.04		66.974	1854	47.92	10935	1	FOLD							
			135		ALUMN				620		58.269	2	16	Iron	FIXED	3							
					FS						35.519	<input type="checkbox"/>	7.5										
French Kiss	Beneteau 350 Oceanis	28713	144	1989	41.47	140	41.47	35.7	4.2	Yes	No		33.83	10580	0	IB	Above deck Roller Furler						
			633		12.8			11.6	7.3		39.5	12.52	29.83	3525	1	FOLD							
			181		ALUMN			0	242		22.5	741	11.17	Lead	FIXED	2							
					MS			0			22.5	<input type="checkbox"/>	5.17										
Frequent Flyer	Mumm/Farr 30	52	54	1996	38.2	104	44.9	40.5	6.42	Yes	Yes	25.25	30.9	4561	0	IB							
			540		10.9		13.58	14.6	10.4		46.92	882	27.6	1997	1	Fold							
			99		CARBON				377		25.25	934	10.1	Lead	FIXED								
					FS						24.67	<input checked="" type="checkbox"/>	6.9										
Friction Loss	J 30	67425	141	1979	34	155	34.1	38	4.94	Yes	No	21.06	29.83	6500	0	IB							
			652		11.5		11.5	13	8.45		37.7	666	25	2100	1	FOLD							
			189		ALUMN			0	295		22.2	635	11.17	Lead	FIXED	2							
					FS			0			22	<input type="checkbox"/>	5.25										

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications		
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps moveable blst	IB or OB Prop Type # of blades			
								SL	SPL	SLU	ASA							Ballast Mat.	Keel Type
								SSMG SSF	SSA	SLE ASMG	Fixed or _o								
Friday Harbor	Beneteau 323 DK	28580	147	2004	42.67 11.06	116	38.9 13.17	5 8.56	No	Yes	19.91 661	32 29.17 10.67 5.92	8448 2258 Iron	No 1 FIXED	IB FOLD 2				
			633 155		ALUMN MS		306			41.34 17.9	0 <input checked="" type="checkbox"/>								
Frisky	Open 5.7 ODR	281	138	2009	21.52 7.3	117	27.9 12.3	25.33 10.24	5.7 8.2	No	Yes	17.5 338 5 0	18.7 18.7 8.3 5.7	992 405 Lead	0 1 FIXED	NONE None			
			599 69		ALUMN FS		183			20.6 17.5	5 <input checked="" type="checkbox"/>								
FROLIC	Islander 36 TM	47462	141	1974	47 14.5	155	47 14.5	40.75 12.6	4.8 8.25	Yes	No	36.08 28.25 11.17 6.08	13450 5450 Iron	0 1 FIXED	IB Feath 3				
			655 271		ALUMN MS		307	25.8 24.6	990		0 <input type="checkbox"/>								
FUGU	Wilderness 30 SX FR IB	67967	120	1980	34.08 11.75	150	34.1 11.8	34.44 11.5	4.37 7.48	Yes	Yes	20.36 603 0 0	29.75 27.75 8.75 5.5	4200 1900 Lead	0 1 FIXED	OB None 0	(Mtg 11/20/08, -6 sec/mi for replacing inboard with outboard engine)		
			585 89		ALUMN FS		236	21.15 21.15	604		0 <input checked="" type="checkbox"/>								
Ga	Knarr ODR	123	198		33.583 6.583	125	33.583	31 11.166	4.47 7.46	No	No	30.333 20.333 7 4.25	4630 2866 Lead	No 1 FIXED	OB None 0				
					WOOD FS		211	0 0	211		0 <input type="checkbox"/>								
Galaxsea	Custom Nauticat 43.5	28743	180	1985	51 20	104	20.6	45 13.6	4.3 7.9	Yes	Yes	29.2 1119 4.9 0	43.6 37.7 12.2 5.9	34000 11000 Lead	No 1 FIXED	IB FEATH 3	Stay sail measurements foot=1', Luff=34'6", Leach=30'2", LP=132"		
			629 288		ALUMN KTCH		338	32.4 8.5	338		50 25.6	0 <input checked="" type="checkbox"/>							
Ganesha	Sabre 36-2	28862	111	1996	48.5 13.46	155		41.6 14.83	5.66 9.63	No	No	36.17 30.42 12 6.5	13800 5520 Lead	No 1 FIXED	IB FOLD 2	Adjustable back stays			
					ALUMN MS		368	0 0	368		0 <input checked="" type="checkbox"/>								

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications											
				DW Rating Disp/WL Ratio	I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	SL SPL SSMG SSF	SPL SSA	Yes/No	Yes/No		ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast			Traps/H. moveable blst	Strps Keel Type									
																				38.71 12 ALUMN FS	38.71 12	38.39 4.9 13.45 8.2 298	Yes	Yes	19.6 586	32.84 29.25 11.15 4.76	8511 0 3968 1 Iron FIXED	IB Fixed_2
38.25 12.25 CARBON MS	38.67 19.83	38.67 5.83 13.58 8.83 322	No	Yes	26.25 968 7.7 0	30 28.75 9.58 6.5	3800 0 1415 1 Lead FIXED	OB None																				
Gavilan	Custom Wylie 39	28439	1996	49 14.5 ALUMN MS	122	49	43 5.73 15.5 9.75 0 390 0	5.73 9.75	Yes	Yes	24.6 783 1.17	41.5 31.75 11.5 6.77	17900 No 5920 1 Lead FIXED	IB FEATH 3	(mtg 4/28/11, change custom rating from 84 to 96 after review of rating appeal)(Mtg 1/26/12, -3 sec/mi for sprit)													
Gentoo	Soto 30	1	2012	38.25 12.25 CARBON MS	102	38.67 19.83	38.67 5.83 13.58 8.83 322	5.83 8.83	No	Yes	26.25 968 7.7 0	30 28.75 9.58 6.5	3800 0 1415 1 Lead FIXED	OB None	(Mtg 9/16, -3 sec/mi for larger mainsail)													
Geodesic III	Optima 101	103	1985	38.71 12 ALUMN FS	125	38.71 12	38.39 4.9 13.45 8.2 298	4.9 8.2	Yes	Yes	19.6 586 2 0	32.84 29.25 11.15 4.76	8511 0 3968 1 Iron FIXED	IB Fixed_2	(Mtg 4/27/17, added 2' retractable bowsprit, -3 sec/mi)													
Get Happy!!	Express 27 ODR	1	1981	28.5 9 ALUMN FS	155	28.5	28.5 4.22 10.416 7.03 0 182 0	4.22 7.03	Yes	No	0 0	27.25 23.75 8.166 4.5	2450 No 1100 1 Lead FIXED	OB None 0														
Giant Slayer	Santa Cruz 27	59369	1979	32.583 10.9 ALUMN MS	155	32.583 10.9	28.25 3.7 8.7 6.3 0 157 0	3.7 6.3	Yes	Yes	17.67 372 0 90	27 24 8 4.5	3304 No 1800 1 Lead FIXED	OB None 0	(Mtg 3/27/14, -3 sec/mi for 10% overized symmetrical spinnaker)													
Gig	Humboldt 30 IB	18112	1983	37.5 11.5 ALUMN FS	149	37.5	41.5 5.13 13.75 8.83 0 338 0	5.13 8.83	Yes	No	0 0	30 26.66 10.5 5.75	5400 No 2222 1 Lead FIXED	IB FOLD 2														
Godot	J 105 ODR w/ 5'BS	28905	1992	40.6 13.5 ALUMN FS	95	42.1 19.07	41.5 5.5 14.6 9.4 0 359 0	5.5 9.4	No	Yes	23.29 958 5	34.5 29.5 11 6.5	7750 No 3400 1 Lead FIXED	IB FOLD 2														

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications		
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps moveable blst				
								SL	SPL	SLU	ASA							Ballast Mat.	Keel Type
								SSMG SSF	SSA	SLE ASMG	ASA								
Golden Moon	Express 37	18488	1985	48.75 14.33 ALUMN MS	155	48.75	42 13.75 0 0	5.37 8.99 347	Yes	Yes	29.5 1034 0 90	37 30.83 11.57 7.25	11000 4500 Lead	No 1 FIXED	IB FOLD 2				
Goose	Catalina 30	1210	1979	41 11.416 ALUMN MS	155	41	35 11.5 0 0	4.63 7.72 246	Yes	No	0 0	29.92 25 10.83 5.25	10200 4200 Lead	No 1 FIXED	IB FOLD 2				
Gotcha	Santa Cruz 27	47911	1975	32.58 10.75 ALUMN MS	150	32.58	28.25 8.583 19.6 19.6	3.68 6.06 154	Yes	No	0 0	27 24 8 4.5	3200 1600 Lead	0 1 FIXED	OB None				
Gratitude	Hylas 46	60373	2002	58.4 17.7 ALUMN CTR	135	58.4 17.7	50.6 18 469	4.6 9.6	No	Yes	25.5 1309 0 0	46.3 40 13.9 6.6	27777 12347 Lead	0 1 FIXED	IB Feath 3				
Green Buffalo	CAL 40	8538	1967	46.7 15.2 ALUMN MS	155	46.7	39.8 17.6 0 0	6.65 11.37 416	Yes	No	0	39.3 30 10.9 5.8	15148 6000 Lead	0 1 FIXED	IB FEATH 3	Schumacher designed rudder - same as original			
Green Dragon	Cal 20	4188	1965	22 7.33 ALUMN FS	125	22	23 9.84 0 0	3.84 6.5 137	Yes	No	0	20 18.08 7 3.33	1950 900 Steel	0 1 FIXED	OB None 0				
Grey Wulff	Olson 25	18517	1984	32 9.6 ALUMN MS	155	32	28 10 166	3.8 6.4	Yes	No	0 0	25 21.25 9 4.5	3300 1300 Lead	0 1 FIXED	OB None				

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
		Sail #	DW Rating		I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps			IB or OB Prop Type # of blades
									SL	SPL	SLU	ASA				Ballast	moveable blst		
SSF	SSA	SLE	ASM	Fixed or _o	Ballast Mat.	Keel Type													
Grunion	Catalina 425	11	87	2017	55.75 15.67	125	17.34	52 18	5.04 9.58	No	No		41.67 39.08 13.67 6.67	17500 7000 Lead	0 1 FIXED	IB Fold	(Mtg 1/26/17, need to submit spinnaker measurements when available)		
Gruntled	Moore 24	68	150 635 91	1980	26.25 9.75	150	26.25	25 9.5 0 0	3.91 6.5 147	Yes	No		23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0			
Gygax	Hinckley Pilot 35 TM	4802	192 672 393	1975	44.36 13.8	155	44.36 13.8	41.83 15.81	5.5 9.97	Yes	No		35.5 25 9.5 5	13500 4200 Lead	0 1 FIXED	IB Feath			
Hana Ho	Santa Cruz 50	77007	-12 478 84	1980	61.39 18.85	155	61.5 20.73	54.92 16.98 0 0	6.5 11.1 558	Yes	Yes	35.9 1847 0	52 46 12 7.75	18000 8000 Lead	0 1 FIXED	IB Feath 3	(Mtg 5/26/11, +3 sec/mi for interior changes)(2/24/12, interior changes removed, boat is back to standard weight for a SC 50)(Mtg 5/25/17, New Rudder, NCTR. -3 sec/mi for OSP, -3 sec/mi for oversized spinnaker area)		
Hang 20	Express 27 ODR	48	129 612 83	1982	28.5 9	125	28.5	28.5 10.42	4.22 7.03	Yes	No		27.3 23.8 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0			
Hangover	Islander 36 ODR	367	147	1976	45 14.48	135	45	39.25 12.75	5.05 8.44	No	No		36.8 28.25 11.17 6.08	13450 5820 Lead	0 1 FIXED	IB Fixed_2			
Happiness	Cal 27-2 OB	3893	201 700 283		36 12	95	36 12	30.67 10.25	3.25 6.5	Yes	No		26.58 22.08 9.25 4.25	6700 3100 Lead	0 1 FIXED	OB None			

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		Ttl Disp. Ballast		Traps/H. moveable blst				
								SL	SPL	SLU	ASA				Ballast Mat.			Keel Type
								SSMG SSF	SSA	SLE ASMG	Sprit Lngth Fixed or _o							
Happy Daze	Santana 30-30 GP	87322	1984	40.83 11.67 ALUMN MS	40.83	36.17 11.08 0 0	5.25 8.5 267	Yes	No	29.92 25.42 10.25 5.5	6500 2435 Lead	No 1 FIXED	IB FOLD 2					
		122	2016	40.35 10.82 ALUMN FS	95	38.25 14.57	5.54 9.47 332	No	No	31.72 28.54 10.88 6.23	10802 2932 Iron	0 1 FIXED	IB Fold					
Harp	Catalina 38	18003	1983	50.7 15.43 ALUMN MS	155	50.9 15.43	44 11.5 0 0	4.8 7.97 316	Yes	No	38.17 30.25 11.83 6.79	19489 6850 Lead	No 1 FIXED	IB FOLD 2	DEC 93 - 7X19 STND RIG/ W/ROD RIG & SHR TN UPR SPREADERS 2 IN. NO CHNG RTNG (MTG 1/27/94)			
Harry	Newport 30-2	6889	1974	39.5 12.125 ALUMN SL	150	39.5	34 10.25 0 0	4.2 7 215	Yes	No	30 25 10.5 4.75	8500 2500 Lead	No 1 FIXED	IB FOLD 2				
Hasta Nunca	Moore 24	142		26.25 9.75 ALUMN FS	150	26.25	25 9.5	3.91 6.5 147	Yes	No	23.75 21.75 7.16 4.08	2050 1025 Lead	0 1 FIXED	OB None 0				
Heart of Gold	Olson 911S	41327	1987	41.5 12.33 ALUMN MS	155	41.5	35.5 11.83 0 0	4.5 7.7 251	Yes	No	29.9 25 10.3 5.5	7200 3200 Lead	No 1 FIXED	IB FOLD 2				
Hera	Beneteau Farr First 36.7	28372	2002	46.4 13.1 ALUMN FS	150	46.4 13.1	45.4 15.6 0 0	5.92 12.49 458	Yes	No	36 30.3 11.6 7.2	12495 3748 Lead	No 1 FIXED	IB FOLD 2				

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
		Sail #	DW Rating		I J Max Headsail Mast Material Rig Type	P E PY EY		MGU MGM MSA	Yes/No		Yes/No		SLU ASA Sprit Lngth Fixed or _o		Ballast Ballast Mat.	Traps/H. moveable blst Keel Type		
									SL	SPL	SLU	ASA						
									SSMG SSF	SSA	SLE ASMG	Fixed or _o						
High and Dry	Santana 22	114	234 737 182	1967	26 8.5 ALUMN MS	150	26	21.75 9.83	3.95 6.59	131	Yes	No	22 18.67 7.83 3.5	2600 1230 Cast Iron	0 1 FIXED	OB None		
Highlander	Cal 40	4590	117 617 246	1968	46.2 15.2 ALUMN MS	150	46.2	39.5 17.5	6.65 11.37	412	Yes	No	39.25 30.25 11 5.58	15000 6000 Lead	0 1 FIXED	IB Fixed_2 2		
Hijinks	J 92	90	108 595 134	1996	37 11.5 ALUMN FS	97	38.5 17	37.66 13.22	5 8.6	297	No	Yes	26.51 868 5.5 0	30 26.5 10 5.9	5500 2275 Lead	0 1 FIXED	IB Fold 2	
Hokulani	J 120 ALUM	43	48 538 147	1996	50.42 14.42 ALUMN FS	155	50.42 21.42	46.42 17.67	6.58 11.42	486	No	Yes	37.8 1777 0 0	40 35 12 7	13900 6000 Lead	0 1 FIXED	IB Fold	
Horizon	Santa Cruz 50	18926	-15 475 83	1982	61.7 18.43 ALUMN MS	145	61.7 20.3	55.2 19	7.15 12.05	618	No	Yes	36.4 1880 0 90	50.23 46.906 12.02 7.988	18844 8000 Lead	0 1 FIXED	IB FOLD 2	(Mtg 6/16/08, -6 sec/mi for oversized spinnaker, -3 sec/mi for oversized main)
Hot Socks	Figaro II	27	48 564 93	2004	42.75 12.42 CARBON FS	104	42.75	42.67 15.42	7 11	422	Yes	No	0 0 0 0	32.18 32 11.33 6.5	6724 2425 LeadWater	0 1 FIXED	IB Fold	
Hylite	Hylas 49 SM	49	111 580 258	2007	57.42 19.5 ALUMN CTR	130	57.42 19.5	51 18.5	4.5 9.17	470	No	Yes	28.67 1214 0 0	48.83 39.5 14.25 6	35000 14500 Lead	0 1 FIXED	IB Fold	(Mtg 1/26/17, Custom rating of 111 assigned)

Boat Name	Boat Model (Type)	Rating		I J Max Headsail Mast Material Rig Type	ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications				
		Sail #	Built			P E PY EY	MGU MGM MSA	Yes/No		Yes/No			SLU ASA Sprit Lngth Fixed or _o	Ballast moveable blst	IB or OB Prop Type # of blades					
								DW Rating	Disp/WL Ratio	SL SPL SSMG SSF	SSA						SLU SLE ASMG	ASA	Ballast Mat.	Keel Type
716	159	1987	42 13.8 ALUMN MS	135	36.4 11.8	4.18 7.28 248	No	No	0 0	32.5 25.83 10.83 6	9800 4200 Lead	0 1 FIXED	IB Fixed_2 2							
Imagination	Bavaria 40	0	108	2001	47.25 14.58 ALUMN FS	111	48	44.46 15.58	5 9.21 386	No	Yes	20 828 0 0	40.94 35.93 13.1 6.4	17417 6283 Lead	0 1 FIXED	IB Fold				
Imagine	Ericson 32-3	716	159	1987	42 13.8 ALUMN MS	135		36.4 11.8	4.18 7.28 248	No	No	0 0	32.5 25.83 10.83 6	9800 4200 Lead	0 1 FIXED	IB Fixed_2 2				
Imagine	Davidson 44 MOD	77220	57	1980	49.92 15.38 ALUMN FS	125	50.33	58.3 18.33 0 0	6.9 12.8 652	Yes	No	0	44 38.5 13 7.6	24410 7000 Lead	No 1 FIXED	IB FOLD 3	(Mtg 4/27/17, custom rating of 57 assigned)			
Incognito	Moore 24	136	150	1984	26.25 9.75 ALUMN FS	150	26.25	25 9.5 0 0	3.91 6.5 147	Yes	No	0	23.75 21.75 7.16 4.08	2050 1025 Lead	No 1 FIXED	OB None 0				
Inconceivable	J 88	9	81	2013	38.67 11.28 CARBON FS	104	46 18.05	36.82 12	5.44 8.4 282	No	Yes	29 1022 5.25 0	29.19 26.84 9.5 6.5	4990 1840 Lead	0 1 FIXED	IB Fold				
Iniscaw	Martin 32	49143	126	1980	42.5 13.67 ALUMN MS	145		37.17 12	4.7 8 270	Yes	No	0	32.8 27 9.6 6.1	8200 4100 Lead	0 1 FIXED	IB FOLD 2	(Mtg 10/2/13, new rudder, NCTR)			
Insolent Minx	Melges 24	725	84	2008	27.85 7.98 CARBON FS	100	31.85 12	28.75 12.42	3.83 7.09 195	No	Yes	20.67 577 0 0	24 22 8.2 5.25	1750 650 Lead	0 1 CNTRBRD	OB None				

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications			
		Sail #	DW Rating		I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			SLU ASA Sprit Lngth Fixed or _o	Ttl Disp.	Traps/H. Strps moveable blst		IB or OB Prop Type # of blades		
									SL	SPL	SLU	ASA							Ballast Mat.	Keel Type
Iseult	Wyliecat 30 IB	13	132	2001		0	39.75	7.87	No	No			30.5	5500	0	IB				
			653			CARBON CAT	20.8	13.46					25	3050	1	Fold				
			160					491			<input type="checkbox"/>	0 0	9.42	Lead	FIXED	2				
Isle Of Skye	Tartan 33 7/8 RIG	6	159	1979	36.42	100	36.42	41.58	4.6	No	No		33.67	10000	No	IB				
					12.42			14.42	8.1				28.08	4400	1	FEATH				
					ALUMN FS			0	328			<input type="checkbox"/>	10.92	Lead	FIXED	3				
			205					0	0				4.42							
Itinerant	Hunter 34	1025	150	1986	47.42	105		41	4.02	No	No		34.42	11820	0	IB				
					13.75			11.75	6.87				28.25	5366	1	Fixed_2				
					ALUMN MS				271			<input type="checkbox"/>	11.5	Steel	FIXED					
			238										5.5							
Jacqueline	Freedom 30 SD	3	174	1986	28.4			35.2	5.25	Yes	No		30	7660	0	IB				
			686		9.8			13.9	9				25.42	3150	1	Fixed_2				
					CARBON CAT				291			<input type="checkbox"/>	10.8	Lead	FIXED					
			212										4.5							
Jam Jam	Yankee 30-1 SM	90	192	1972	37.5	125	37.5	34.5	2.45	Yes	No		30	8900	0	IB	(mtg 4/28/11, +3 sec/mi for engine modifications)			
			715		12.75			9.75	4.91				23	4180	1	Fixed_3				
					ALUMN MS				170			<input type="checkbox"/>	9	Lead	FIXED	3				
			332										5.1							
Jamani	J 120 ALUM	52879	48	2002	50.5	155	52	46.5	6.7	No	Yes	34	40	13900	0	IB				
			542		14.5		21.5	17.8	11.5			64	35	6000	1	FOLD				
					ALUMN FS				491			50	12	Lead	FIXED	2				
			147									<input checked="" type="checkbox"/>	7							
													7							
Jarlen	J 35	28528	72	1990	46.333	150	46.3	41.416	5.43	Yes	No		35.42	10500	No	IB				
					14.583			14	9.11				30	4400	1	FOLD				
			585		ALUMN MS			0	347				11.67	Lead	FIXED	2				
			177					0				<input type="checkbox"/>	6.75							

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
				J Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp. Traps/H. Strps		IB or OB Prop Type # of blades			
								SL	SPL	SLU	ASA		Ballast	moveable blst				
																	SSMG	SSA
SSF	SSA	ASM	Fixed or _o															
Javelin	J 105 ODR w/ 5'BS	394	78	2001	40.6 13.5	100	42.1 19.07	41.5 14.5	5.5 9.4	No	Yes	25.5 957	34.5 29.5 11 6.5	8697 3400 Lead	0 1 FIXED	IB Fold		
			584		ALUMN FS				358									
			154								<input checked="" type="checkbox"/>	0						
Javelin	J 100 ODR	4	81	2004	38.5 11.5	95	43 12.7	38 13.5	5.13 8.77	No	Yes	24.34 899	32.8 29 9.3 5.8	6500 2500 Lead	No 1 FIXED	IB FOLD 2		
			590		CARBON FS				306									
			121								<input type="checkbox"/>	0						
Jaybird	J 133 CM	52443	24	2004	57 17.25	100	60.4 24	54 18.6	7 12	No	Yes		38.08 30.25 11.8 6.8	16900 6850 Iron	0 1 FIXED	IB Fixed_2		
			574		CARBON FS				595									
			278								<input type="checkbox"/>	0 0						
Jeannette	Custom Frers 40 IOR 1 Tonner	40646	66	1986	47.2 13.7	100	13.7	51.48 18.76	7.13 12.19	Yes	No		39.5 33 12.6 8.1	12900 6000 Lead	0 1 FIXED	IB FOLD 2	(mtg 5/31/07 custom rating changed from 63 to 60 based on performance data)(Mtg 8/27/15, change custom rating back to 63 after review of race results)	
			569		ALUMN FS				575									
			163								<input type="checkbox"/>	0 0						
Jet Stream	Custom JS 9000	9045	63	2003	27.08 9.5	87	30.25 15.5	31 8.73	5.6 7	No	Yes	21.8 561	29.9 27.9 5.7 6.8	2425 1543 Lead	0 1 FIXED	OB None 0	(Mtg 1/22/09, custom rating of 78 assigned)(Mtg 8/19/10, -9 sec/mi for adding 3' sprit, -3 sec/mi for increased spinnaker area, Original rating of 78 contained a 3 sec error, rating should have been 75, change custom rating to 63)	
			544		CARBON FS				199									
			51								<input checked="" type="checkbox"/>	0						
Joie De Vivre	C&C 33	18797	159		43 14	110	43	37.25 10.75	4.4 6.33	No	Yes	21.42 726	32.9 26.42 10.54 5.5	10100 3975 Lead	0 1 FIXED	IB FOLD		
			659		ALUMN MS			0 0	235									
			249								<input checked="" type="checkbox"/>	0						
Joker	J 35	400	75	1986	46.4 14.7	125	46.4	41.5 14	5.43 9.11	Yes	No		35.42 30 11.8 6.75	10500 4400 Lead	0 1 FIXED	IB FOLD 2		
			587		ALUMN MS			0 0	348									
			177								<input type="checkbox"/>	0						

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
				J Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		Ttl Disp.		Traps/H. Strps				
								SL	SPL	SLU	ASA				Ballast			moveable blst
Disp/WL Ratio	Mast Material	Rig Type	247	21	ASF	Fixed or _o	5.43	Lead	FIXED									
JouJou	Capo 30	87324	1984	41.7 12.75 ALUMN MS	120	41.5	36 11.5	4.37 7.47	Yes	No	25 10.33 5.43	30 25 10.33 5.43	7200 3000 Lead	0 1 FIXED	IB Fold 2	Roller Furler		
Joyicity	Custom Davidson 26	20746	1975	27 9.1 CARBON FS	150	31.15 10	28.75 11.5 0 0	5.1 8.1 210	Yes	No	10 467	26.42 22.5 8.25 5.25	3000 1450 Lead	No 1 FIXED	IB FOLD 2	Removed IOR Bump infilled w/Divinacell w/fiberglass skin/faired; Installed Melges rig w/mod for Spinnaker; shortened boom; increased "P" increased "J", Code zero type furler used above deck; Handed on buff side of coil 10 # spin		
JR	Moore 24	76	1980	26.25 9.75 ALUMN FS	155	26.25	25 9.5 0 0	3.91 6.5 147	Yes	No	9.75 395	23.75 21.75 7.16 4.08	2050 1025 Lead	No 1 FIXED	OB None 0			
Junkyard Dog	J 109 ODR	168	2004	46.5 13.3 ALUMN FS	105	49 18.83	43.25 15.5 0 0	5.88 10 398	No	Yes	27.75 1160 5.5 0	35.25 30.5 11.5 7	10900 3900 Lead	No 1 FIXED	IB FOLD 2			
Juno	J 88	20	2014	38.67 11.28 CARBON FS	105	46 18.05	36.82 12	5.44 8.4 282	No	Yes	29 1022 5.25 0	29.19 26.84 9.5 6.5	4990 1840 Lead	0 1 FIXED	IB Feath			
Kabunza	Pearson 36-2	362	1986	47.1 15.4 ALUMN MS	110		41 14.5	3.65 7.3 300	No	No	0 0	36.5 29.5 12.3 6.5	15000 5800 Lead	0 1 FIXED	IB Fixed_2 2			
Kai Ola	Jeanneau Sun Odyssey 379	0	2011	46.67 13.58 ALUMN MS	132	46.67	44.58 13.92	5.4 9.1 372	Yes	No	13.58 9820	37.17 36 12.33 6.33	14771 3914 Steel	0 1 FIXED	IB Fixed_3	(Mtg 5/25/17, -3 sec/mi for oversized spinnaker)		

Boat Name	Boat Model (Type)	Rating		I J	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications			
		Sail #	Built		Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp. Ballast	Traps/H. moveable blst	IB or OB Prop Type # of blades					
									DW Rating	Mast Material	SL	SPL					SLU		ASA	SL	SPL
Disp/WL Ratio	Rig Type	SSMG	SSA	SLE	Sprit Lngth	ASF	Fixed or _o														
Kraken	Knarr ODR	47	198		33.583 6.583	125	33.583	31 11.166	4.47 7.46	No		No		30.333 20.333	4360 2866	No 1	OB None 0				
					WOOD FS			0 0	211			<input type="checkbox"/>	0	7 4.25	Cast Iron	FIXED					
Kuai	Melges 32 ODR	211	27	2006	40.86 10.7	105	48.3 18.7	44.05 15.49	6.95 11.14	No		Yes		31.84 28.5	4200 1600	0 1	OB None				
					CARBON FS				438			46.9 31.31	8 <input checked="" type="checkbox"/>	1344 0	9.83 7	Lead FIXED					
Kwazy	Wylie Wabbit ODR W/Trap	26	126	1982	20.416 6.416	150	20.5	23 10	4.02 6.71	Yes		No		23.58 20	975 440	Yes 3	NONE None 0				
					ALUMN FS			0 0	141	22 14 14	8.5 257		0 <input type="checkbox"/>	5.42 3.41	Lead FIXED						
Kynntana	Freedom 38	38086	141	1988	33.34 11.5	100	33.34 11.5	45.5 16.57	6.25 10.7	No		No		38.42 30.58	14370 6500	0 1	IB Fold				
					CARBON FS				447				0 <input type="checkbox"/>	12.5 5.6	Lead FIXED						
La Dolce Vita	J 32	64	120	2001	39.2 11	155	40.5 13	38.5 15.5	5.1 9.2	No		Yes		32.4 29	10000 3840	0 1	IB Feath 3	(Mtg 8/22/13, -6 sec/mi for sprit)			
					ALUMN FS				334			19.7 43 39.5 19.7	2.5 <input checked="" type="checkbox"/>	0	11 6	Lead FIXED					
La Viajera	J 109 ODR	46480	72	2004	46.5 13.3	105	49.6 18.8	43.25 15.5	5.89 10.07	No		Yes		35.25 30.5	10900 3900	0 1	IB Fold 2				
					ALUMN FS				399			27.75 56.33 45.63 27.2	5.5 <input checked="" type="checkbox"/>	0	11.5 7	Lead FIXED					
Lady Jane	Jeanneau 39i Sun Odyssey	7913	93	2008	48.1 13.1	122	48.1	46.3 14.6	5.42 9.28	No		Yes		38.1 35.2	16163 5026	0 1	IB Feath 3				
					ALUMN FS				398			27.46 49.31 42.81 26.08	1 <input checked="" type="checkbox"/>	0	12.9 6.7	Cast Iron FIXED					

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:		ISP		Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
		Sail #	DW Rating		I J	Max Headsail	Mast Material	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp.	Traps/H. Strps		IB or OB Prop Type # of blades		
										SSMG SSF	SPL SSA	SLU SLE ASMG	ASA Sprit Lngth Fixed or _o			Ballast	moveable blst			
																				Ballast Mat.
Disp/WL Ratio	Rig Type	SSMG SSF	SPL SSA	SLU SLE ASMG	ASA Sprit Lngth Fixed or _o	Ballast Mat.	Keel Type													
Lawless	Catalina 36-2	2056	147	2002	44.75 14.42	155	44.9	39 12	4.83 8.05	No	No	36.42 30.33 11.92 5.83	13500 6042 Lead	0 1 FIXED	IB Fixed_3					
Leglus	Ohashi 52	2480	-6 439 54	1986	49.26 16.387	149	62 21.92	57.578 21.325	8.103 13.517	No	Yes	52.5 50.06 12.6 11.36	15017 5.952 Lead	0 1 FIXED	IB FOLD 2	(mtg 10/21/09 assigned custom rating of -39)(Mtg 3/24/16, +3 sec/mi for no spinnaker articulation, change custom rating from -36 to -6)				
Lelo Too	Tartan 30	16354	180 687 279	1975	39 13	155	39	34 11.416	4.61 7.69	Yes	No	29.92 24.25 10 4.916	8750 3700 Lead	0 1 FIXED	IB FOLD 0					
Lenora	Hunter 33-2	60700	153 648 186	2004	37.42 10.83	115	38.42 10.83	36.46 15.83	4.83 8.33	No	Yes	33.5 29.42 11.17 5.5	10400 3459 Lead	0 1 FIXED	IB Fold 3					
Lepus	Wylie Wabbit ODR W/Trap	18	126 602 55	1982	20.5 6.5	150	20.5	23.75 10	4.03 6.72	Yes	No	23.75 20 5.58 3.5	975 440 Lead	1 3 FIXED	OB None 0	Hiking Straps & Trapeze per class rules				
Lightwave	J 105 ODR w/ 5'BS	319	78 581 137	2000	40.6 13.5	100	42.1 19.07	41.5 14.5	5.5 9.4	No	Yes	34.5 29.5 11 6.5	7750 3400 Lead	No 1 FIXED	IB FOLD 2					
Lil Angel	Newport 30-2	6884	174 675 247	1979	39.5 12.1	150	39.5	34 10.25	4.26 7.07	Yes	No	30 25 10.5 4.75	8500 2500 Lead	0 1 FIXED	IB FOLD 2					

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications								
				J Max Headsail	ISP JSP	P MGU MGM PY MSA EY	Mast Material	SL SPL SSMG SSF	SPL SSA	Yes/No	Yes/No	ASF ASA SLU Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps	IB or OB Prop Type # of blades									
																		DW Rating	Rig Type	SSMG SSF	SSA	SLU SLE ASMG	ASA Sprit Lngth Fixed or _o	Ballast	moveable blst
Lindo	J 109	195	2005	46.5 13.3	155	49 18.8	43.3 15.5	5.89 10.07	No	Yes	27.75 1160	35.25 30.5	10900 3900	0 1	IB FOLD										
		580		ALUMN FS				400		45.63 27.2	5.5 0	11.5 7	Lead	FIXED	2										
Lioness	Bermuda 40	981	1962	42.5 15.58	160		36.6 17.2		No	No		40.75 28.8	20000 5600	0 1	IB Fixed_3	(Mtg 5/22/08, +6 secmi for 3-blade fixed prop, no penalty for headsail larger than 155%, no credit for sonar transducer, custom rating of 174 assigned)									
		381		ALUMN YAWL			17.7 8.5				0 0	11.75 4.25	Lead	CNTRBRD	3										
Liquid Asset	Ranger 33	27707	1970	41.5 13.7	150	41.5 13.67	35 13.75	4.93 8.67	Yes	No		33.17 26.25	10500 4500	0 1	IB Fold										
		649		ALUMN MS				280			0 0	9.58 5.17	Lead	FIXED											
Lonesome Dove	Elite 29	9066	1984	35.833 11.083	130		30.333 10.333	2.6 5.1	Yes	No		28.67 24.42	6160 2310	No 1	IB Fixed_2										
		676		ALUMN MS			0 0	157			0	10.5 5.58	Iron	FIXED	2										
Lonestar	Beneteau First 10R ODR MOD	40	2007	43.2 12.07	100	46.41 16.5	42.25 14.73	5.59 9.57	No	Yes	25.5 1078	32.75 28.7	9715 3528	0 1	IB FOLD	(Mtg 5/20/10, +3 sec/mi for non-class smaller kite)(Mtg 9/23/10, rudder modifications noted, NCTR)(Mtg 4/26/12, new rudder noted, NCTR)									
		601		CARBON FS				371		45.8 26.4	4.43 0	11 6.55	Lead	FIXED	2										
Low-Down	Santa Cruz 27	8027	1979	32.7 10.9	140		28.25 8.58	3.68 6.06	Yes	No		27 24	3300 1500	0 1	OB None										
		635		ALUMN MS				153			0 0	8 4.5	Lead	FIXED											
Loya	Ericson 34 Olson SM	3246	1989	44.5 13.25	154	44 13.25	38.84 12.9	4.69 8.38	Yes	Yes	23.8 886	34 28	10600 3650	0 1	IB Fold										
		627		ALUMN MS				296		23.6 23.35	864	10.83 6	Lead	FIXED	2										

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications			
		Sail #	DW Rating		I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No		Yes/No	ASF		LOA LWL	Ttl Disp.	Traps/H. Strps		IB or OB Prop Type # of blades		
										SL	SPL		SLU	ASA			Max Beam	Ballast			moveable blst
Disp/WL Ratio	Mast Material	PY	MSA	SSMG	SSA	SLE	Fixed or _o	Max Draft	Ballast Mat.	Keel Type											
Lucky Duck	Custom Santa Cruz 52	28729	-30 471 104	2001	64.14 18.95	155	64.6 22.5	57.5 21	8.76 14.22	Yes	Yes	40.91 2190	53 46.25 14 9	22544 8000 Lead	0 1 FIXED	IB Fold 2	(Mtg 8/23/12, Custom Rating Assigned, -21 as sailed)(Mtg 5/23/13, weighed displacement added)(Mtg 3/27/14, New Rudder, -3 sec/mi for OSP, -6 sec/mi for 10%+ increase in spinnaker area. No penalty for keel/displacement)				
Luna Sea	Islander 36 ODR	420	144 655 363	1980	45 14.48	135	45	39.25 12.75	5.05 8.44	Yes	No	0	36.08 28.25 11.17 6.08	18000 5450 Lead	No 1 FIXED	IB Feath 3					
M Squared	J 88	75	81 561 117		38.67 11.28	104	46 18.05	36.82 12	5.44 8.4	No	Yes	29 1022 5.25 0	29.19 26.84 9.5 6.5	4990 1840 Lead	0 1 FIXED	IB Fold					
Makanani	Ultimate 24 ODR	3	111 583 98	2003	28.04 7.82	110	30.8 14.5	31 11.35	6.35 9.18	No	Yes	21.3 566 6.7 0	24.38 21.17 8.48 5.52	2040 750 Lead	0 1 FIXED	OB None					
Makani	Nonsuch 30	278	174 220	1985		0		44.9 23.9	8 14.5	No	No	0 0	30.33 28.75 11.83 5	11500 4500 Lead	0 1 FIXED	IB Feath					
Make Me Smile	Express 27 ODR	91	129 610 83		28.5 9	155	28.5	4.22 7.03	10.42	Yes	No	0	27.25 23.8 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0					
Mamaluc	J 105 ODR w/ 5'BS	265	78 581 137	1999	40.6 13.5	100	42.1 19.07	41.5 14.5	5.5 9.4	No	Yes	25.9 962 5	34.5 29.5 11 6.5	7750 3400 Lead	No 1 FIXED	IB FOLD 2					

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications											
		Sail #	DW Rating		J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF	LOA	LWL	Ttl Disp.		Traps/H.	Strps	IB or OB								
											E	MGM										SL	SPL	SLU	ASA	Max Beam	Ballast	moveable blst	IB or OB
EY		SSF		ASM	Fixed or _o																								
Marrakesh	Express 34	3	102	1987	44.25 13	125	44.25	38.5 12.83	4.87 8.46	Yes	No	34 28.33 10.33 6.11	9245 3800 Lead	No 1 FIXED	IB FOLD 2														
Mas!	Moore 24	138	150	1983	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	Yes	23.75 21.75 7.16 4.08	2050 1025 Lead	0 1 FIXED	OB None														
Max	Ultimate 24 ODR	2	108	2002	28.04 7.82	110	30.8 14.5	31 11.35	6.81 9.18	No	Yes	24.38 21.17 8.48 5.52	2040 750 Lead	0 1 FIXED	OB None														
Maxine	Yankee 30-1 SM	43	186	1971	37.5 12.75	125	37.5 12.75	32.5 9.7	2.4 4.8	No	No	30.13 23 9 5	8700 4130 Lead	0 1 FIXED	IB FOLD 2	+3 sec/mi for MGM less than 50% of E													
Mega Hurtz	Laser 28 ODR MOD	53470	129	1974	31.1 9.65	125	31.73	33.14 12.96	4.98 8.4	Yes	No	28.41 23.62 9.48 4.98	3950 1500 Lead	0 1 FIXED	OB None 2	(Mtg 2/27/14, switched to outboard motor, -3 sec/mi)													
Meliki	Santana 22	5194	237	1967	26 8.5	125	26	21.75 9.833	3.95 6.59	Yes	No	22 18.67 7.83 3.5	2600 1230 Iron	No 1 FIXED	OB None 0														
Merlin	Custom Lee 68	8955	-87	1977	71.96 22.5	146	74.35 30.4	66.87 27.5	11 18	No	Yes	68.6 64 12.17 10.65	24363 10484 Lead	0 1 FIXED	IB FOLD 2	(Mtg 4/27/17, custom rating assigned: -81)(Mtg 5/25/17, -3 sec/mi for larger headsail, -3 sec/mi for increased J. New custom rating: -87 as sailed)													

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications		
				DW Rating Disp/WL Ratio	I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast			Traps/H. moveable blst	Strps Keel Type
									SL	SPL	SLU	ASA							
									SSMG SSF	SSA	SLE ASMG	Fixed or _o							
Mintaka 4	Farr 38	18441	81	1979	43.67 13.67	125	46.2	44.9 17.9	6.8 11.6	Yes	No	38.25 31.17 12 6.33	11850 4100 Lead	No 1 FIXED	IB FOLD 2	(2002-removed dinette stbrd, add bench seat w/55 gal fuel tank, original was 12.5. Rudder replaced 12" longer, 4" narrower. Changes noted mtg 1/17/02, NCTR)(removed short pole, changed spinnakers, 4/2/04) (Mtg 1/24/12, new stem			
Mirth	Catalina 34 1&2	28634	150	2005	44 13.5	125		38.5 12	4.17 7.33	No	Yes	35.67 29.83 11.75 5.58	11950 5000 Lead	No 1 FIXED	IB FEATH 3				
Mirthmaker	A 35	18250	69	2007	44.22 13.45	90	51.06	44.94 14.66	5.42 8.88	Yes	Yes	34.7 30.47 11.6 6.88	9810 4367 Lead	0 1 FIXED	IB Fold 2	(Mtg 5/20/10, custom rating of 60 assigned, would like a copy of ORR Certificate)(mtg 6/15/10, change custom rating from 60 to 63 based on further clarification of boats configuration)(Mtg 10/27/16, change custom rating from 62 to 60 after			
Miss Kate	Catalina 27 IB	4630	210	1980	34.5 11.25	125	34.5 11.25	28.66 10.5	3.99 6.83	No	Yes	26.85 21.75 8.85 4	6850 2700 Lead	0 1 FIXED	IB Fixed_2				
Mistral	Beneteau Farr First 36.7	28394	81	2002	46.4 13.1	155	46.4 13.1	45.4 15.6	5.92 12.49	Yes	No	35 30.3 11.6 7.2	12495 4034 Iron	No 1 FIXED	IB FOLD 2				
Mojo	J 35	18935	72	1983	46.4 14.7	150	46.3 14.7	41.75 14.98	5.21 8.77	Yes	No	35.42 30 11.8 6.9	10500 4400 Lead	No 1 FIXED	IB Feath 2				
Moonlight	Express 27 ODR	28059	129	1986	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	No	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0				

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		Ttl Disp. Ballast		Traps/H. moveable blst				
								SL	SPL	SLU	ASA				Ballast Mat.			Keel Type
								SSMG SSF	SSA	SLE ASMG	Sprit Lngth Fixed or _o							
Moore Fun	Moore 24	18884	1979	26.25 9.75 ALUMN FS	26.25	25 9.5 0 0	3.91 6.5 147	Yes 27 17.55 17.55	No 9.75 395	<input type="checkbox"/>	0	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0			
Mooretician	Moore 24	89	1981	26.25 9.75 ALUMN FS	26.25	25 9.5 0 0	3.91 6.5 147	Yes 26.6 17.55 17.55	No 9.75 389	<input type="checkbox"/>	0	23.75 21.75 7.16 4.08	2050 1025 Lead	No 1 FIXED	OB None 0			
Motorcycle Irene	Express 27 ODR	28137	1982	28.5 9 ALUMN FS	28.5	28.5 10.416 0 0	4.22 7.03 182	Yes 29 17.7 17.7	No 9.833 428	<input type="checkbox"/>	0	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0			
Mottley	Catalina 34	8	1986	44 13.5 ALUMN MS	44 14	38.5 12 0 0	4.7 8.05 281	No	No	<input type="checkbox"/>	0	34.5 29.833 11.75 5.583	11950 5000 Lead	No 1 FIXED	IB Fold 2			
Moxie	CAL 28-2	28217	1988	39.9 11.4 ALUMN MS	39.9 11.4	34.17 10.33 219	4.28 7.11	Yes 39.26 20.39 20.39	No 11.4 667	<input type="checkbox"/>	0 0	28 23 10.8 5.3	7200 Lead	0 1 FIXED	IB FOLD 2			
Moxy	Moore 24	110	1982	26.25 9.75 ALUMN FS	26.25	25 9.5 0 0	3.91 6.5 147	Yes 27 17.55 17.55	No 9.75 395	<input type="checkbox"/>	0	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0			
Mr McGregor	Wylie Wabbit ODR W/Trap	8426	1982	20.5 6.5 ALUMN FS	20.5	23.75 10 0 0	4.03 6.72 145	Yes 22 13.9 13.7	No 8.5 254	<input type="checkbox"/>	0	23.75 20 5.58 3.5	975 440 Lead	1 3 FIXED	OB None 0	INCLUDES HIKING STRAPS AND SINGLE TRAPEZE.		

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
				J Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp. Traps/H. Strps		IB or OB Prop Type # of blades			
								SL SPL SSMG SSF	SPL SSA SSA	SLU SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ballast	moveable blst Keel Type				
																Ballast Mat.	Keel Type	
Disp/WL Ratio	Mast Material Rig Type	Mast	Material	Material	Material	Material	Material	Material	Material	Material	Material							
Mudshark	Express 37	28052	1986	48.75 14.33	155	48.75	42 13.75 0 0	5.28 8.83 344	Yes 48	No 14.33	37.08 30.83 11.57 7.25	11000 4500 Lead	No 1 FIXED	IB FOLD 2				
Mulan	Beneteau First 10R ODR	52659	2007	43.2 12.07	120	46.41 16.5	42.25 14.73	5.59 9.57 371	No	Yes 52.59 45.8 26.4	25.5 1075 4.43 0	32.75 28.7 11 6.55	9715 3258 Lead	0 1 FIXED	IB Fold 2			
Music	Catalina 34 1&2	56583	2001	44 13.5	130		38.5 12	3.6 6.8 251	No	Yes 45 39.2 21.7	21.8 762 0 0	35.66 29.84 11.75 5.56	11950 5000 Lead	0 1 FIXED	IB FOLD 2			
Nadja Delphine	X-41	0	2009	55.9 16.11	106	58.63	53.31 18.04	6.82 11.61 570	Yes	No 58.63 28.61 27.79	0 0 0	40.52 35.07 11.94 8.2	14109 6019 Lead	0 1 FIXED	IB Fold	Electronic winches		
Nancy	Wyliecat 30 OB	28890	1995				39.66 19.75 0 0	8.71 13.46 491	No	No	0	30.5 25 9.5 5.25	5500 3050 Lead	No 1 FIXED	OB None 0	(-3 sec/mi for square top main)		
Nantucket Sleighride	J 105 ODR w/ 5'BS	414	2001	40.6 13.5	100	42.1 19.07	41.5 14.5	5.5 9.4 358	No	Yes 48.9 38.7 23.3	25 863 5 0	34.5 29.5 11 6.5	7750 3400 Lead	0 1 FIXED	IB Fold 2			
Neja	Dasher 32	7325	1961	38.01 12.59	155	38.01	33.22 14.6	5.12 8.86 277	Yes	No 37.78 21.94 21.94	0 0 0	31.75 26.75 8.9 5.75	11323 3600 Lead	0 1 FIXED	IB Fold	500 pounds less lead in keel than the Dasher Easom Boat Works built		

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications						
		Sail #	DW Rating		I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No		Yes/No		LOA	LWL	Ttl Disp.	Traps/H.		Strps	IB or OB				
										SL	SPL	SLU	ASA								Max Beam	Ballast	moveable blst	IB or OB
Disp/WL Ratio	Mast Material	PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades													
Nemesis	Pearson 26 Commander	151	258	1964	31.5	155	33	26	3.3	Yes		21.06	25.7	5200	0		OB							
			774		9.5			11.5	5.75		9.5	444	18.5	2500	1		None							
			373		ALUMN				154		441	0	8	Lead	FIXED									
			373		MS						0	3.7	3.7	Lead	FIXED									
Nepenthe	Hawkfarm 28	6122	174	1976	33.3	115	33	36	4.3	No			28	5700	0		IB							
			174		11			10.5	7.2				23.5	2700	1		Fixed_2							
			200		ALUMN				234			0	9.75	Lead	FIXED		2							
			200		FS							0	5.5	Lead	FIXED									
Nessie	Catalina 34 1&2	734	156	1988	44	100	44	38.5	4.7	No			34.5	11950	0		IB							
			156		1.5		13.48	12	7.54				29.83	5000	1		Fixed_3							
			205		ALUMN				274			0	11.75	Lead	FIXED		3							
			205		MS							0	5.58	Lead	FIXED									
Neverland	Tartan 3700 SD 5.0'	106	114	2006	51.75	135	51.75	45.25	5.7	No		25.4	37	17780	0		IB							
			616		15		15	15	9.68			1025	32.5	6200	1		Fold							
			235		CARBON				404			0	12.6	Lead	FIXED		2							
			235		MS							0	5	Lead	FIXED									
New Sinsation	Santana 20	28449	222	1978	24.5	150	24.5	24.5	3.16	Yes			20.2	1350	0		OB							
			719		8.16			7	4.92				16	550	1		None							
			150		ALUMN				110			0	8	Lead	FIXED									
			150		FS							0	4	Lead	FIXED									
Nicole	Orion 35	8210	150	1979	44	150	44	39.5	4.42	Yes			34.58	13000	0		IB	Displacement Obtained by actual weight on scale, Rudder is new design and new build.						
			650		14			10.5	7.319				28.75	4700	1		FOLD							
			249		ALUMN			0	260			0	10.83	Lead	FIXED		2							
			249		MS			0				0	6	Lead	FIXED									
Nightmare	Custom Wilderness 30 SX FR OB	305	111	1980	34	125		34.4	4.59	Yes			29.75	4700	No		OB	(-3 sec/mi for change from IB to OB, -6 sec/mi for keel change.)(mtg 2/26/15, -9 sec/mi for oversized spinnaker)						
			588		11.75			11.5	7				27.75	1650	1		None							
			100		FS			0	233			0	8.83	Lead	FIXED		0							
			100					0				0	5.92	Lead	FIXED									

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
		Sail #	DW Rating		I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.			Traps/H. Ballast moveable blst Ballast Mat. Keel Type
									SL	SPL	SLU	ASA						
									SSMG SSF	SSA	SLE	ASMG						
Orca	Moore 24	85	150 638 91	1981	26.25 9.75	150	26.25	25 9.5 0 0	3.91 6.5 147	Yes	No	26 9.75 17.55 380 17.55	23.75 21.75 7.16 4.083	2050 1025 Lead	0 1 FIXED	OB None 0		
Oscar	Santa Cruz 33	57663	117 595 145	1978	41 13.583	125	41	35.42 15	4.25 7.166 269	Yes	No	41 13.68 24.6 841 24.6	33 28 10.06 6	7000 3000 Lead	No 1 FIXED	IB FOLD 2		
Oshun	Catalina 27 OB	1216	201 303	1974	34 11.25	95		28.67 10.5	4.24 7.08 185	No	No		26.83 21.75 8.83 4	6850 2750 Lead	0 1 FIXED	OB None		
Ouessant	Farallone Clipper FR	8214	159 673 370	1957	35.69 13.87	150	35.69	40.34 18.79 0 0	7 12.1 448	Yes	No	35.38 13.833 24.41 715 23.58	37.833 28.25 9.5 5.916	18344 7200 Iron	No 1 FIXED	IB Fixed_2 2		
Outsider	Azzura 310	1000	57 525 107	1996	35.35 11.55	110	43.33 21.57	38.75 13.25 0 0	6.68 10.5 352	No	Yes	30.1 1163 6 32.7	30.75 27.4 10 7.2	4850 2100 Lead	No 1 FIXED	OB Fixed_3 3	6 FT ARTIC, RETRAC BOWSPRIT. MTG 3/28/96 (RATED 66) (CHNG NOTED 4/18/96-NO CHNGE RTNG. (2/13/96 FM 66 TO 60.)(MTG 11/13/97 FM 60 TO 57)MTG 2/12/98 FM 57 TO 63 (MTG 4/9/98) Inboard Seal Drive removed and replaced with	
Oxymoron	Moore 24	28993	150 639 91	1981	26.25 9.75	150	26.2	25 9.5 0 0	3.91 6.5 147	Yes	No	26.6 9.75 17.55 389 17.55	23.75 21.75 7.16 4.25	2050 1025 Lead	0 1 FIXED	OB None 0		
Paradigm	J 32	79	126 647 214	2002	39.166 11	150	40.583 11.916	38.42 15.42	5.5 9.58 343	No	Yes	17.83 722 0 0	32.4 29 11 6	11500 3840 Lead	No 1 FIXED	IB FOLD 2		

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		Ttl Disp. Ballast		Traps/H. moveable blst	IB or OB Prop Type # of blades		
								SL	SPL	SLU	ASA						
								SSMG SSF	SSA	SLE ASMG	Sprit Lngth Fixed or _o					Ballast Mat.	
DW Rating Disp/WL Ratio																	
Paramour	Moore 24	75	1980	26.25 9.75 ALUMN FS	150	26.25	25 9.5 0 0	3.91 6.5 147	Yes	No	27 9.75 17.55 395	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0		
Passat	North Star 500	57313	1973	33 10.25 ALUMN MS	140		27.5 8.75	3.5 6.1 149	No	No		24.98 20.23 9 5	4298 1710 Lead	0 1 FIXED	IB Fixed_3		
Peabody	Ultimate 20	22		25.08 6.97 FS	110	27.58 12.79	27.5 10.25	5.5 7.96 195	No	Yes	19.2 448 6 0	20.94 18 8.33 5.03	1350 450 Lead	0 1 CNTRBRD	OB None		
Peaches	Express 27 ODR	18364	1986	28.5 9 ALUMN FS	155	28.5	28.5 10.416 0 0	4.22 7.03 182	Yes	No	29 9.833 17.75 429	27.25 23.75 8.166 4.5	2450 1100 Lead	No 1 FIXED	OB None 0		
Pearl	Ranger 33 SM	278	1977	38 13.9 ALUMN MS	125	38	31.5 11	4.43 7.39 212	Yes	No	38.36 13.67 24.61 780	33.17 26.25 9.583 5.166	10500 4800 Lead	0 1 FIXED	IB Fixed_2 2		
Pegasus - Motion X	J 100 ODR MOD	1197	2005	38 12.7 CARBON FS	95	43 15.63	38 15.3	5.32 9.32 332	No	Yes	23.3 861 4.13 0	32.8 29 9.3 5.8	7250 2500 Lead	No 1 FIXED	IB FOLD 2	(Mtg 2/26/09, -3 sec/mi for adding sprit)(mtg 1/21/10, additional -3 sec/mi for lengthening sprit to 4.13')(Mtg 1/27/11, -6 sec/mi for increased "e")(Mtg 1/26/11, shortened J, boat rigged for short-headed sailing. NCTBY4/22/17	
Penny Pincher	J 70 ODR	215	2014	26.77 7.68 CARBON FS	100	30.15 13.5	26.16 9.44	4.71 6.93 164	No	Yes	18.7 491 5.1 0	22.78 20.47 7.38 4.92	1750 630 Lead	0 1 MVBL	OB None		

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:				Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications		
				DW Rating Disp/WL Ratio	Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ballast Ballast Mat.	Traps/H. moveable blst Keel Type	IB or OB Prop Type # of blades			
									Max Headsail	IS	SL	SPL							SLU	ASA
									J	ISP	SSMG	SSA							SLE	ASMG
Peregrine	J 120 Carbon	25487	2001	45	50.5 14.5 CARBON FS	150	52	46.5 17.8	6.76 11.57	493	No	Yes	35.1 1776 7	40 35 12 7	13900 6000 Lead	0 1 FIXED	IB Fold 2			
Phantom	J 44	28844	1990	21	60.606 17.08 ALUMN MS	120	60.416	53.53 19.41 0 0	7.3 12.5 615		Yes	Yes	27 1379 0	44.75 38.58 13.67 8.14	23838 9000 Lead	No 1 FIXED	IB Feath 3			
Phat Jack	Express 37	18257	1985	72	48.75 14.33 ALUMN MS	150	48.75	42 13.75	5.25 8.83 343		Yes	No	0 0	37.08 30.83 11.57 7.25	11000 4500 Lead	0 1 FIXED	IB FEATH 2			
Picante	Islander Bahama 28 SM	1	1981	210	33.8 11.75 ALUMN MS	150	11.75	28 8.2	3.58 5.75 146		No	Yes	20 478 0 0	27.9 23 9.8 5.5	7000 3000 Lead	0 1 FIXED	IB Fixed_3 3			
Plus Sixteen	Ericson 911S Olson	97707	1991	135	41.5 12.25 ALUMN MS	125	41.5 12.33	35.761 11.811 0 0	4.035 7.136 240		Yes	Yes	20.932 698 0	30 25 10.33 5.42	8500 3200 LeadSteel	No 1 FIXED	IB FEATH 2			
Polecat	Wyliecat 30 IB	5	1997	132	CARBON CAT		29.5 12	40 20 0 0	7.35 12.66 468		No	No	21.6 493 8 15	30.5 25 9.416 5.25	5500 3050 Lead	No 1 FIXED	IB FOLD 2	(Articulating Sprit and Pole added for asym spinniker, added asymmetrical, -21 sec/mi)(5/22/14, removed Asymmetric, +21 sec/mi)(Mtg 8/25/16, New rudder installed, NCTR)		
Pony Express	Express 34	28234	1988	99	44.25 12.92 ALUMN MS	155	44.25	38.5 12.83 0 0	4.87 8.46 296		Yes	No	0	34 28.33 10.5 6	7500 3700 Lead	No 1 FIXED	IB FOLD 2			

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications			
				DW Rating Disp/WL Ratio	I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No	ASF		Max Beam Max Draft	Ttl Disp. Ballast Mat.			Traps/H. moveable blst Keel Type		
									SL	SPL									SLU	ASA
									SSMG SSF	SSA									SLE ASMG	Sprit Lngth Fixed or _o
Popstar	Catalina 400	331	108 2005	52.5 15.5	135	52.5 16.5	46.9 17	4.02 8.27	No	Yes	27.9 1225	41.54 36.5 13.5 6.92	20500 8300 Lead			0 1 FIXED	IB Fold 3		(+3 sec/mi for in-mast furling mainsail, +3 sec/mi for MGM <50% of E)	
Pork Chop Express	Express 27 ODR MOD	115	126 1986	28.5 9	130	32.5	28.5 10.4	4.2 7	Yes	Yes	19.55 425	27.25 23.75 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None	(Mtg 1/26/17, -3sec/mi for switching to MH configuration. New Rudder, NCTR)				
Post Time	Catalina 42-1/2	362	102 1993	53 16.42	135	53 16.42	46.75 15.5	5 9	No	No	23.29 867	41.83 36 13.83 6	24000 8300 Lead	0 1 FIXED	IB Feath 3	In-Boom Furling Mast, Electric Halyard Winch				
Pressure Drop	Beneteau Farr First 36.7	52489	78 2006	46.4 13.1	155	46.4 14.35	45.4 15.6	5.92 12.49	Yes	No	23.29 867	36 30.3 11.4 7.3	12495 4034 Lead	0 1 FIXED	IB Fold 2	(12/2/16, -3 sec/mi for JSP)				
Prime Number	J 70 ODR	29	114 2012	26.77 7.68	100	30.15 13.5	26.16 9.44	4.71 6.93	No	Yes	18.7 491	22.78 20.47 7.38 4.92	1750 630 Lead	0 1 MVBL	OB None					
Princess	Sabre 40-2	28876	75 1996	53.5 15.5	110	53.5 20.5	47.8 17	6.27 10.7	No	Yes	26.75 1205	40.17 35.25 13.25 6.25	19500 7000 Lead	No 1 FIXED	IB FOLD 2	base rtg changed frm 69 to 72 MTG 4/8/03.				
Proben Child	Melges 20	134	111 2009	23.19 7.05	110	27.2 10.95	24.25 9.84	3.83 7.42	No	Yes	18.8 417	20 19.4 7 4.5	1105 415 Lead	0 1 FIXED	OB None					

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications		
				J Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps moveable blst	IB or OB Prop Type # of blades			
								SL	SPL	SLU	ASA							Ballast Mat.	Keel Type
								SSMG SSF	SSA	SLE ASMG	ASA								
Puffin	Alden 44	38144	1978	54.1 19.5	100	47.08 14.75	5.7 9.6	No	Yes	33 1369	44.17 34.08	24500	0 1	IB Feath					
		595 281		ALUMN CTR			416			0 0	12.5 8.75	Lead	CNTRBRD						
Punk Dolphin	Custom Wylie 38	18481	1985	48 14.33	150	43 14	5.58 9.55	Yes	No		38 31	14000 5000	No 1	IB FOLD					
		581 214		ALUMN MS		0 0	369	25.8 25	14.33 1026	0	11.6 6.75	Lead	FIXED	2					
Q	Custom Schumacher 40	28901	2001	47 14.67	105	47.5 18.35	6.75 11.75	Yes	No		40 31.5	10166 4528	No 1	IB FOLD					
		54 554 148		CARBON FS		0 0	513	26.41 26.41	14.67 1030	0	11 7.6	Lead	FIXED	2					
QE 3	Tartan 10	8049	1978	35 12	125	40.25 13.75	5.34 8.96	Yes	No		33.16 27	6700 3340	0 1	IB FOLD					
		623 155		ALUMN FS		0 0	332	21.6 21.6	630	0	9.25 5.83	Lead	FIXED	2					
Queimada	Catalina 34 1&2	611	1988	44 13.5	150	38.5 12	4.2 7.2	Yes	No		34.5 29.83	11950 5000	0 1	IB Fold					
		637 205		ALUMN MS			263	23.35 23	825	0 0	11.75 5.58	Lead	FIXED	2					
Quiet Thing	Ranger 22	200	1978	25.75 8.5	155	26 7.4	2.8 4.8	Yes	No		22.5 17.5	2200 900	0 1	OB None					
		732 187		ALUMN FS			115	14.7 14.7	311	0 0	7.8 4.3	Lead	FIXED						
Quila	Santa Cruz 27	18723	1976	32.583 10.75	155	28.25 8.583	3.68 6.1	Yes	No		27 24	3000 1500	No 1	OB None					
		620 99		ALUMN MS		0 0	154	19.4 19.4	529	0	8 4.5	Lead	FIXED	0					

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
		Sail #	DW Rating		I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps Ballast moveable blst Keel Type		
									SL	SPL	SLU	ASA						
Disp/WL Ratio																		
Quiver	Custom Nelson Marek 36	28669	45	1999	43.85 12.5 CARBON FS	105	51.9 14.57	45.75 16.47	6.56 10.66	453	Yes	Yes	26.24 1221 1.5 <input checked="" type="checkbox"/>	35.6 29.32 10.3 7.6	7725 3255 Lead	No 1 FIXED	IB FOLD 2	(mtg 6/15/10, added lead shoe to keel, -3 sec/mi, change custom rating from 48 to 45)(Mtg 2/29/12, added sprit equal to SPL, NCTR)
Ragtime!	J 92	18	105	1993	37 11.5 ALUMN FS	155	38.5 17	38 13.5 0 0	4.7 8.2 293		No	Yes	29.75 1019 5.5 <input checked="" type="checkbox"/>	30 25.8 10 5.9	5500 2275 Lead	No 1 FIXED	IB FOLD 2	(changes noted 3-11-03, NCTR)(2/14/06 - Spinnaker based on 1019 sq feet/94.67 meters)(Mtg 01/16/14, -3 sec/mi for flying asymmetric off squared back pole)(Mtg 4/24/14, New Rudder noted, NCTR, Shortened pole/sprit
Rampage	J 70 ODR	582	114	2014	26.77 7.68 CARBON FS	100	30.15 13.5	26.16 9.44	4.71 6.93	164	No	Yes	18.7 491 5.1 0 <input checked="" type="checkbox"/>	22.75 20.47 7.38 4.92	1750 630 Lead	0 1 MVBL	OB None	
Rare Bird	Moore 24	67	141		26.58 9.75 ALUMN FS	100	28.31 11.65	25 9.5	3.91 6.5	147	Yes	Yes	17.22 464 0 0 <input checked="" type="checkbox"/>	23.75 21.75 7.16 4.083	2050 1025 Lead	0 1 FIXED	OB None	(Mtg 10/27/16, -6 sec/mi for OSP, -6 sec/mi for increased spinnaker area)
Raven	Benteau First 35	38073	75	2001	47.24 13.12 ALUMN FS	108	51.48	45.93 14.75	5.98 10.23	419	Yes	No	0 0 0 <input type="checkbox"/>	36.32 30.6 12.76 7.25	12125 3681 Iron	0 1 FIXED	IB Fold	
Raven	C&C 115	38108	69	2004	52.17 14.5 CARBON FS	106	52.17 14.5	49.33 16.33	6.2 8.6	447	No	Yes	24.7 962 0 0 <input checked="" type="checkbox"/>	37.75 33 11.92 6.67	11800 4200 Lead	0 1 FIXED	IB Fold 2	
Razzberries	Ericson 34 Olson TM	97479	99	1988	46.77 12.95 ALUMN MS	155	47	40.9 12.95	5.1 8.5	320	Yes	No	0 0 0 <input type="checkbox"/>	33.88 28 10.8 6.085	10855 3500 Lead	No 1 FIXED	IB FOLD 2	

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications					
				J Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU ASA Sprit Lngth Fixed or _o	SL SPL SSMG SSA	Yes/No		ASF	Ttl Disp.			Traps/H. Strps				
								Mast Material	ISP JSP										SL SPL SSMG SSA	SLU ASA Sprit Lngth Fixed or _o	Ballast	moveable blst
Red Cloud	Farr 36 Mod	99	1976	38.3 12.16	108	46.3 12.16	41 16.75	6.4 10.9	Yes	No	36 31.33 11.92 6.16	10430 3950 Lead	No 1 FIXED	IB Fold 2	(550# ADDED TO KEEL 300# TO FILL MIDDLE WINDOW+250# TO BOTTOM)(Mtg 1/26/12, -3 sec/mi for new mainsail)(mtg 3/29/12, +3 sec/mi after review of rating appeal, as sailed: 87)							
Red Hawk	Hawkfarm 28 ODR	59024	1978	33 11	155	33.25 11.5	36 10.5	4.37 7.26	Yes	No	28 23.5 9.75 5.166	5700 2700 Lead	0 1 FIXED	IB FOLD 2								
Red Sky	Ericson 34 Olson SM	28340	1989	44 12.95	150	44 12.95	38.7 12.95	5.1 8.5	Yes	Yes	33.88 28 10.8 6.08	10855 3500 Lead	No 1 FIXED	IB FOLD 2	MTG 12/11/97(RUDDER REPLACED 8" DEEPER ADN 3" NARROWER.)							
Redhead	Cal 40	7817	1964	46 15.17	155	46.36	40 17.5	6.5 11.3	Yes	No	39.5 30 10.92 5.75	16500 6000 Lead	No 1 FIXED	IB Feath 2								
Redux	Olson 911S	28106	1987	41.5 12.33	155	41.5	35.5 11.83	4.5 7.7	Yes	No	29.9 25 10.33 5.416	7200 3200 Lead	No 1 FIXED	IB FOLD 2								
Relentless	Sydney 32	28732	2002	40.6 12.2	110	40.6 13.1	39.7 14.75	5.6 9.59	Yes	No	31.9 28.4 10.6 6.9	6850 2860 Lead	No 1 FIXED	IB FOLD 2	-3 Sec/mi for OSP							
Relentless	J 92	93	1997	37 11.5	155	38.5 17.5	38 13.5	5.2 8.7	No	Yes	30 26.5 10 5.9	5500 2275 Lead	0 1 FIXED	IB Fold 2								

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications				
		Sail #	DW Rating		I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No		Yes/No	ASF		LOA LWL	Ttl Disp.	Traps/H. Strps			IB or OB Prop Type # of blades			
										PY	MSA		SL	SPL			SLU	ASA			Max Beam	Ballast	moveable blst
Disp/WL Ratio	Mast Material	Rig Type	EY	SSF	ASM	Fixed or _o																	
Revelry	Catalina 42-1/2	703	105	1999	53 16.416	125	53 16.416	46.75 15.416	5.75 9.833	No	Yes	27.5 1097	41.833 36	20500 8300	No 1	IB FEATH	ASYM SPIN NOTED NCTR.						
			608		ALUMN		0	425			0	13.833	Lead	FIXED	3								
		200			MS		0				<input type="checkbox"/>	6.83											
Rhapsody	J 32	56303	120	2000	39.2 11	155	40.583 13	38.5 15.5	5.12 9.25	No	Yes	22.5 830	32.4 29	11500 3840	0 1	IB Fold	(Mtg 5/23/13, -3 sec/mi for sprit, -3 sec/mi for oversized spinnaker)						
			640		ALUMN			335			2	11	Lead	FIXED	3								
		214			FS						<input checked="" type="checkbox"/>	6											
Riff Rider	Cal 40	46	114	1965	46.2 15.1	155	46.2	40 17.5	6.5 11.3	Yes	No		39.3 30.3	15000 6000	0 1	IB Fold							
			615		ALUMN			414			0	11	Lead	FIXED									
		245			MS						<input type="checkbox"/>	5.6											
Rocket Science	Moore 24	104	150		26.25 9.75	155	26.25 9.76	25 9.5	3.91 6.5	Yes	No		23.75 21.75	2050 1025	0 1	OB None							
			635		ALUMN			147			0	7.16	Lead	FIXED	3								
		91			FS						<input type="checkbox"/>	4.08											
Ross's Dream	Catalina 30	4895	180	1987	41 11.42	150	41	35 11.5	4.63 7.72	Yes	No		29.92 25	10200 4200	0 1	IB Fold							
			696		ALUMN			246			0	10.83	Lead	FIXED	2								
		297			MS						<input type="checkbox"/>	5.25											
Roxanne	Tartan 4100 SD TM	322	90		57 15	135	57 15	50.1 18	6.8 11.5	No	Yes	27 1285	41.3 35.9	20400 8000	0 1	IB Feath							
			579		ALUMN			533			0	13.6	Lead	FIXED									
		200			MS						<input checked="" type="checkbox"/>	5.4											
Rufless	Melges 32 MOD	174	30	2007	40.86 10.7	105	48.3 18.7	44.05 15.49	6.95 11.14	No	Yes	31.3 1203	31.84 28.5	4200 1600		OB None	(mtg 2/23/17, no longer using the class spinnaker. +3 sec/mi for small asymmetric)						
			481		CARBON			438			8	9.83	Lead	FIXED									
		82			FS						<input checked="" type="checkbox"/>	7											

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications				
		Sail #	DW Rating		I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No		Yes/No	ASF		LOA LWL	Ttl Disp.	Traps/H. Strps			IB or OB Prop Type # of blades			
										PY	MSA		SL	SPL			SLU	ASA			Max Beam	Ballast	moveable blst
Disp/WL Ratio	Mast Material	Rig Type	SSMG	SSA	SLE	Sprit Lngth	ASMG	Fixed or _o	Max Draft	Ballast Mat.	Keel Type												
Rufless	Melges 24	445	84	1999	27.85	100	31.85	28.9	3.83	No	Yes	20.67	24	1783	0	OB							
			577		7.95		12	12.45	7.09		38	577	22	650	1	None							
			76		CARBON FS				196		32.9	0	8.17	Lead	CNTRBRD	0							
											19.23	<input checked="" type="checkbox"/>	0	5.25									
Russian Roulette	J 105 ODR w/ 5'BS	85	78	1995	40.6	100	42.1	41.5	5.5	No	Yes	25	34.5	7750	0	IB							
			585		13.5		19.07	14.5	9.4		48.9	854	29.5	3400	1	Fold							
			137		ALUMN FS				358		38.7	5.5	11	Lead	FIXED	2							
											23	<input checked="" type="checkbox"/>	0	6.5									
Rustler	Esse 850	71	75		32.8	105	37.72	34.4	6.23	No	Yes	24.3	28	3000	0	IB	Outboard replaced with inboard saildrive (Mtg 2/28/13, custom rating assigned, as sailed: 75)						
			535		10		16.2	11.97	8.85		43.5	779	28	1540	1	Fold							
			62		ALUMN FS				277		36.9	6.05	7.25	Lead	FIXED								
											23	<input checked="" type="checkbox"/>	0	6.6									
Sacagawea	Catalina 34 1&2	375	156	1987	44	95	44	38.5	4.7	No	No		34.5	11950	0	IB							
					13.5		13.48	11.75	7.54				29.83	5000	1	Fixed_3							
			205		ALUMN MS				272			<input type="checkbox"/>	0	Lead	FIXED	3							
													5.6										
Saetta	J 120 ALUM	28486	48	1999	50.5	153	52	46.5	6.75	No	Yes	37.6	40	13900	No	IB							
			540		14.5		21.5	17.8	11.5		65.61	1793	35	6000	1	FOLD							
			147		ALUMN FS			0	492		51.8	7	12	Lead	FIXED	2							
								0			36.42	<input checked="" type="checkbox"/>	0	7									
Sail La Vie	Beneteau 411	28597	105	1999	46.67	140		41.5	4.872	No	No		41.67	17196	No	IB							
					16.25			14.83	8.77				36.09	5500	1	FEATH							
					ALUMN MS			0	344			<input type="checkbox"/>	0	Steel	FIXED	3							
			166					0					5.58										
Sailor Dog	Catalina 34 1&2	1798	162	2007	44	110	44	38.5	2.8	No	Yes	20.5	34.5	11950	0	IB	In-Mast furling main +3 sec/mi, MGM less than 50% of E +3 sec/mi						
			657		13.5		13.5	12	5.9		40.5	723	29.8	5000	1	Fixed_3							
			205		ALUMN MS				229		38	0	11.7	Lead	FIXED	3							
											22.5	<input type="checkbox"/>	0	5.6									

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications			
		Sail #	DW Rating		I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.			Traps/H. Strps Ballast Ballast Mat.	moveable blst Keel Type	
									SL	SPL	SLU	ASA								
									SSMG SSF	SSA	SLE ASMG	Fixed or _o								
Salt Peanuts	Custom Dees GP 26	18	78 562 111	2008	29.35 8.07	130	36.43 14.32	32.42 12.63	5.58 8.69	258	No	Yes	20.41 43.5 626 31.76 19.85	6.23 0	25.72 21.22 8 6.04	2340 1100 Lead	0 1 FIXED	OB None 0	(mtg 2/18/10, change custom rating from 75 to 78)(3/28/12, New Rudder Noted)	
Salty Hotel	Express 27 ODR	60	129 611 83	1983	28.5 9	155	28.5	28.5 10.416	4.22 7.03	182	Yes	No	29 17.75 17.75	9.83 429	0 0	27.25 23.75 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0	
Samba Pa Ti	J 22	3	186 674 119	1982	24.8 8.8	125	24.8 8.8	26.1 9	3.78 6.27	147	Yes	No	24 16 16	8.8 320	0 0	22.5 19 8 3.8	1790 700 Lead	0 1 FIXED	OB None	
Sapphire	Synergy 1000	38008	48 532 81	2004	40.8 12	125	45.75 16.4	42 15.5	5.86 10.03	387	No	Yes	28 52 46.2 28.8	1172 4.3 0	32.83 29.17 9.75 7	4400 1850 Lead	No 1 FIXED	IB FOLD 2	(Mtg 10/22/15, +3 sec/mi for smaller than class mainsail)	
Scarlett	Moore 24	86	150 636 91	1980	26.25 9.75	150	26.25	25 9.5	3.89 6.45	147	Yes	No	26.5 17.5 17.5	9.75 386	0 0	24 21.75 7.17 4.08	2050 1000 Lead	No 1 FIXED	OB None	
Scilla	J 70 ODR	327	114 607 93	2012	26.77 7.68	100	30.15 13.5	26.16 9.44	4.71 6.93	164	No	Yes	18.7 35.43 28.87 18.24	491 5.1 0	22.78 20.47 7.38 4.92	1750 630 Lead	0 1 MVBL	OB None		
Scraft	Hunter 36	38096	156 221	2005	44.83 13.17	125		44.92 16	6 10.3	426	No	No	0 0		35.5 30.58 12 5.42	13900 5023 Lead	0 1 FIXED	IB Fixed_3	Roller Furler, In-mast Furling Mainsail	

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
		Sail #	DW Rating		I J Max Headsail Mast Material Rig Type	P E PY EY		MGU MGM MSA	Yes/No		Yes/No		SLU ASA Sprit Lngth Fixed or _o		Ballast Ballast Mat.	Traps/H. moveable blst Keel Type		
									SL	SPL	SLU	ASA						
									SSMG SSF	SSA	SLE ASMG	SA						
Sea Breeze	Catalina 320	850	156	2001	43.58 12.33 135	43.58	38 13.25	5.168 8.661	No	No			32.5 28 11.75 6	11300 4000 Lead	0 1 FIXED	IB Fold 2		
Sea Ghost	Beneteau 42 IK	68222	90 580 199	1984	52.82 16.73 155	52.82	46.5 14.6 0 0	5.4 9.35 400	Yes	No			42.92 36.25 12.75 7.25	20900 7920 Iron	0 1 FIXED	IB FOLD 2	DOUBLE HEADRAIL, HYDRALIC BACKSTAY PER MTG 8/14/97	
Sea Spirit	Catalina 34 1&2	108	147 636 205	1986	44 13.5 130	44 13.5	38.5 12	4.36 7.54 270	Yes	No			34.5 29.83 11.75 5.58	11950 5000 Lead	No 1 FIXED	IB FOLD 2		
Sea Star	CAL 39-2/3	38022	114 611 236	1977	50 16.7 150	50	44 13.8	4.5 8 337	Yes	Yes			39 32 12 6.7	17000 7000 Lead	0 1 FIXED	IB FEATH 3	Roller Furler	
Seaya	Catalina 380	252	120	2000	50.916 14.667 135		44.833 15.667	5.2 10 405	No	No			38.42 32.42 12.33 7.17	19000 6800 Lead	No 1 FIXED	IB FEATH 3		
Serenade	Sabre Spirit		96 601 210	2007	45.5 12.87 106	51.2 12.87	45.5 16.55	5.55 9.93 425	Yes	No			36.67 28.33 10.42 6.58	10500 3740 Lead	0 1 FIXED	IB Fold		
Serendipity	CAL 29-1 IB	6601	180 687 258	1974	37.833 12.333 155	37.833 12.67	31.666 12.166 0 0	4.332 7.573 223	Yes	No			29.25 24.17 9.25 4.75	8000 3350 Lead	No 1 FIXED	IB FOLD 2		

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications		
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps moveable blst				
								SL	SPL	SLU	ASA							Ballast Mat.	Keel Type
								SSMG SSF	SSA	SLE ASMG	Fixed or _o								
Serenity	Islander 36 ODR	82659	1973	45 14.48 ALUMN MS	45	39.25 12.75	3.69 6.88	265	Yes	No	0	36.08 28.25 11.17 6.083	13500 5450 Lead	0 1 FIXED	IB Feath				
SF	CAL 25-1 OB	1062	1969	29.75 10 ALUMN MS	29.75	25 11	4.17 7 163		No	No	0	25 20 8 4	4000 1700 Lead	0 1 FIXED	OB None				
Shanti	Ericson 911S Olson	326	1989	41.5 12.33 ALUMN MS	41.5 12.33	35.5 11.83 0 0	4.73 7.69 253		Yes	No	0	29.92 25 10.33 5.42	8700 3200 Lead	0 1 FIXED	IB FOLD 2	CHANGE TO RUDDER NOTED, NCTR			
Shark-On- Bluegrass	Olson 25	18201	1984	32 9.583 ALUMN MS	155	28 10 0 0	3.8 6.4 166		Yes	No	0	25 21.25 9 4.5	3300 1300 Lead	No 1 FIXED	OB None 0				
Shenanigans	Express 27 ODR	67	1983	28.5 9 ALUMN FS	155	28.5 10.42 0 0	4.22 7.03 182		Yes	No	0	27.25 23.75 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0				
Short Bus	Hunter 35 Legend	210	1990	42 12.17 ALUMN MS	110	44.08 14.25	5.5 9.2 375		No	Yes	24.6 957 0 0	35.58 29.75 11.75 6.5	12600 5000 Lead	0 1 FIXED	IB Fixed_2				
Shut Up & Drive	J 24 ODR	513		26.25 9.5 ALUMN FS	150	26.25 9.75 0 0	3.7 6.37 163		Yes	No	0	24 20 8.916 4	3100 965 Lead	No 1 FIXED	OB None 0				

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst	IB or OB Prop Type # of blades	
								SL	SPL	SLU	ASA						
								SSMG SSF	SSA	SLE	ASMG						
Slight Disorder	Moore 24	98	150	1981	26.25 9.75	150	26.25 9.75	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0		
SLOWMO!	Catalina 22-1 OB SK	2482	270	1973	25.93 8	150		21 9.66	3.47 5.96	No	No	21.6 19.4 7.8 5	2250 550 Iron	0 1 MVBL	OB None 3		
Snafu	Moore 24	121	150	1982	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.08	2050 1000 Lead	0 1 FIXED	OB None		
Snafu	CS 30	68588	159	1988	42 12.04	125	42 12.04	36.416 11.416	3.95 6.5	NO	Yes	30 25.51 10.25 5.416	8000 3440 Lead	0 1 FIXED	IB FOLD 2		
Sobrante	Alerion Express 28 ODR	406	168	2009	30 9.75	90	30 9.75	33 12.5	4.8 7.6	No	No	28.25 22.83 8.2 4.5	5700 2200 Lead	0 1 FIXED	IB Fold 2		
Soiree	Beneteau Oceanis 49 SD	38776	87		59.75 18.42	135	59.75 18.42	51.67 18.33	4.7 9.3	No	Yes	49.5 43.67 14.75 5.75	30517 480 Iron	0 1 FIXED	IB Feath	Electric Winches (Mtg 10/27/16, +3 sec/mi for In-mast furling mainsail)	
Sparky	Catalina 25 FK	1498	222	1979	29 10.5	145	29 10.5	24.66 9.58	3.68 1.45	Yes	Yes	25 22.16 8 4	4550 1900 Cast Iron	0 1 FIXED	OB None 0		

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
				DW Rating Disp/WL Ratio	J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp. Ballast	Traps/H. moveable blst	IB or OB Prop Type # of blades		
									SL	SPL	SLU	ASA						
									SSMG SSF	SSA	SLE ASMG	Sprit Lngth Fixed or _o						
Ballast Mat.	Keel Type																	
Spirit of Freedom	J 124	38006	2006	49 14	155	54.7 15.4	48.4 17		Yes	Yes	32.6 1243	40.7 36.2 11.3 6.9	12600 5000 Lead	No 1 FIXED	IB FOLD 2	(mtg 4/22/10, -3 sec/mi for OSP, -3 sec/mi for ability to square back pole)		
Starbuck	Custom Black Soo 30	8666	1968	30 13	125	29.5 13	25 11.73 0 0	4.9 7.5 178	Yes	No	20.4 565 0 0	31 27.5 6.8 6.4	4500 1800 Iron	0 1 FIXED	OB None 0	(Mtg 1/17/02, added scoop, custom rating changed from 144 to 141)(mtg 1/11/13, Added A-sail, -9 sec/mi, rating changed from 141 to 132)(Mtg 5/13/14, removed A-Sail, +9 sec/mi, change custom rating from 132 to 141, +2 sec/mi for small headsail)		
Sterling	Catalina 34 1&2	1269	1994	44 13.5	125		38.5 12	3.6 6.8 251	No	No	0 0	35.66 29.84 11.75 5.56	11950 5000 Lead	0 1 FIXED	IB Fixed_2			
Stewball	Express 37	18278	1985	48.75 14.33	150	48.75	42 13.75 0 0	5.28 8.83 344	Yes	No	0	37.083 30.833 11.57 7.25	11000 4500 Lead	0 1 FIXED	IB FOLD 2			
Stink Eye	Laser 28 ODR MOD	33562		31.73 9.65	110	33.2	33.14 12.3 0 0	5.2 8.3 252	Yes	Yes	19 546 0.92	28.42 23.62 9.48 5	4050 1500 Lead	No 1 FIXED	OB FOLD 2	(Mtg 3/27/14, -3 sec/mi for oversized mainsail girths, -3 sec/mi for OB motor)		
Strange Magic	Islander Bahama 30	179	1981	40 12.75	150	40 12.75	33.75 11.5	4.37 7.47 232	No	No	0 0	29.92 24.58 10 5	8230 3130 Lead	0 1 FIXED	IB Fold			
Stratocaster	J 32	16	1996	39.2 11	155	40.68	38.5 15.5 0 0	5.88 10.07 355	Yes	Yes	23.95 831 0	32.5 28.67 11 5.75	10000 3840 Lead	No 1 FIXED	IB FOLD 2			

Boat Name	Boat Model (Type)		Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications										
			Sail #	Built	I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No		Yes/No	ASF		LOA LWL	Ttl Disp.	Traps/H.	Strps		IB or OB									
										DW Rating	Mast Material		PY	MSA							SL SPL	SSMG SSA	SLU SLE	ASA Sprit Lngth	Max Beam	Ballast	moveable blst	Keel Type	Prop Type
Summertime Dream	Custom Schumacher 26	18859	1979	26.28	150	26.28	29.58	4.33	Yes	No			26.08	3300	0		OB	Boat has previously been called "War"											
				8.07		8.07	10.76	7.23			8		20	1360	1		None												
				ALUMN FS			0 0	195			14.52 308	0	9.08	Lead	FIXED		0												
Surprise	Custom Schumacher 46	28098	1997	57	160	63	57	7.5	Yes	Yes	37.23		46	18300	No		IB	(MTG 4/9/98)(mtg 2/20/04)											
				17			19.75	12.8			18.7		40.63	8000	1		FOLD												
				CARBON FS			0 0	670			33.6 1747	0	12.92	Lead	FIXED		2												
Swamp Donkey	Express 27 ODR	8444	1981	28.5	155	28.5	28.5	4.22	Yes	No			27.25	2450	No		OB												
				9			10.416	7.03			9.833		23.75	1100	1		None												
				ALUMN FS			0 0	182			17.8 430	0	8.166	Lead	FIXED		0												
Sweet Grapes	Ericson 36 Holland	19	1981	47.75	147	47.75	42	3.5	Yes	No			35.58	11600	0		IB												
				14.5			12	7.2			14.5		29	5230	1		FOLD												
				ALUMN MS				278			25.83 1004	0	11.83	Lead	FIXED		2												
Sweet Okole	Custom Farr 36	29000	1976	42.049	155	42.049	44.54	5.9	Yes	No			36	9696	No		IB	(78 MTG 1/28/93) (81 MTG 3/18/93)(Mtg 5/22/08, +3 sec/mi for switching to smaller headsail, +3 sec/mi for removing 250# shoe from keel, change custom rating from 81 to 87)(6/7/10, change headsail to 155# - 2 sec/mi change rating)											
				12.35			16	10			12.35		31.33	3750	1		FOLD												
				ALUMN FS			0 0	416			22.23 812	0	11.88	Lead	FIXED		2												
Sweet Pea	Islander 30-2	195	1971	38.5	155	38.42	32.5	4.75	Yes	No			30	8600	0		IB												
				12.58			11.58	8.125			12.42		24.58	3500	1		FOLD												
				ALUMN MS			0 0	235			22.5 724	0	10	Lead	FIXED		2												
Sweet Tea	Moore 24	105	1981	26.25	150	26.25	25	3.91	Yes	No			23.75	2050	0		OB												
				9.75			9.5	6.5			9.75		21.75	1025	1		None												
				ALUMN FS				147			17.55 395	0	7.16	Lead	FIXED		0												

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications		
				J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No	ASF		Ballast Ballast Mat.	Traps/H. moveable blst Keel Type				
									SL	SPL								SLU	ASA
Sweetspot	C&C 121 DK W/5' BS	46921	2000	57	135	57	51	6.19	No	Yes	36	40	14100			No	IB	Deep Keel-bowsprit, (Mtg 4/24/08, rating appeal submitted, change base rating for C&C 121 DK w/ 5' BS, aka C&C 121 XP, to 60)	
				15		20	16.386	10.6		63.8	1851	35.5	5500	1	FOLD				
				ALUMN			0	496		55.6	5	13.8	Lead	FIXED	2				
				MS			0			37.5	<input checked="" type="checkbox"/>	8							
Swift Ness	J 111	101	2014	48.37	105	51.4	45.17	6.1	No	Yes	31.8	36.5	9300	0	IB				
				13.85		20.08	14.5	10.1		59.05	1404	32.7	3500	1	Fold				
				CARBON				410		46.88	6.3	10.8	LeadSteel	FIXED					
				FS						31.8	<input checked="" type="checkbox"/>	7.2							
Symmetry	J 111	91	2013	48.37	105	51.4	45.17	6.16	No	Yes	31.1	36.5	9300	0	IB				
				13.85		20.08	14.45	10.1		59.05	1399	32.7	3500	1	Fold				
				CARBON				410		48.88	6.3	10.8	LeadSteel	FIXED					
				FS						31.1	<input checked="" type="checkbox"/>	7.2							
Take Five	Express 27 ODR	28031	1982	28.5	155	28.5	28.5	4.22	Yes	No		27.25	2450	0	OB				
				9			10.416	7.03	29	9.833		23.75	1100	1	None				
				ALUMN				182	17.75	429		8.17	Lead	FIXED	0				
				FS					17.75		<input type="checkbox"/>	4.5							
TASHI	Catalina 30	2010	1976	41	110	41	35	4.63	No	No		29.92	10200	0	IB				
				11.5			11.5	7.72				25	4250	1	Fixed_3				
				ALUMN				246				10.83	Lead	FIXED	3				
				MS							<input type="checkbox"/>	5.25							
TAZ!!	Express 27 ODR	8100	1981	28.5	125	28.5	28.5	4.23	Yes	No		27.3	2450	0	NONE				
				9			10.42	7.04	28.58	9.83		23.8	1100	1	None				
				ALUMN				182	13	332		8.17	Lead	FIXED					
				FS					17.75		<input type="checkbox"/>	4.5							
Tequila Mockingbird	Express 27 ODR	18353		28.5	155	32.5	28.5	4.22	Yes	Yes	18.85	27.25	2450	No	OB	(Mtg 4/23/15, switched to MH configuration, -3 sec/mi for increased spinnaker area)			
				9			10.416	7.03	30.5	9.833	33.85	23.75	1100	1	None				
				ALUMN			0	182	18.25	460	26.25	8.17	Lead	FIXED	0				
				FS			0		17.5		<input type="checkbox"/>	4.5							

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications		
		Sail #	DW Rating		I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No		Yes/No	ASF		LOA LWL	Ttl Disp.	Traps/H. Strps			IB or OB Prop Type # of blades	
										SL	SPL		SLU	ASA			Max Beam	Ballast			moveable blst
Disp/WL Ratio	Mast Material	Rig Type	PY EY	MSA	SSG	SSA	SLE	Fixed or _o	Max Draft	Ballast Mat.	Keel Type										
TESA	Catalina 42-1/2	642	102	1999	53 16.41	155	53 23	46.75 15.416	5.91 10	Yes	48.833	16	Yes	31 1275	41.83 36	25500 8300	0 1	IB FEATH	Added one electric main halyard winch		
			595		ALUMN		0	430			28	1134	44.2	0	13.83	Lead	FIXED	3			
			248		MS		0				27.333		32	<input checked="" type="checkbox"/>	6.8						
The Belafonte	Santana 22 ODR	5000	237	1970	26 8.5	110	26	21.75 9.833	3.95 6.59	Yes	26	8.583	No		22 18.67	2600 1230	No 1	OB None			
			737		ALUMN		0	131			15.44	335		0	7.833	Iron	FIXED	0			
			182		MS		0				15.44			<input type="checkbox"/>	3.5						
The Jackal	Moore 24	22	150	1977	26.25 9.75	150	26.25 9.75	25 9.5	3.91 6.5	Yes	26.6	9.75	No		23.75 21.75	2050 1025	0 1	OB None			
			636		ALUMN			147			17.55	389		0	7.16	Lead	FIXED				
			91		FS						17.55			<input type="checkbox"/>	4.08						
The Mighty Windsong	International Folkboat OB	567	228	1969	26 8.3	155	26 8.3	28.8 11.2	4.44 7.34	Yes	27.13	8.36	No		25.75 19.75	5000 2750	0 1	OB None			
			817		ALUMN			195			14.89	292		0	7.5	Iron	FIXED				
			295		MS						4.92			<input type="checkbox"/>	4						
Thea	Folkboat	108	252	1984	21.988 6.562	100	10.166	28.707 11.154	4.416 7.333	No			No		25.079 19.822	4640 2315	No 1	OB None			
					WOOD		0	194						0	7.261	Iron	FIXED	0			
			271		MS		0							<input type="checkbox"/>	3.916						
Tiburon	C&C 30 Mills	11	36	2014	40.8 11.28	105	46.74 18.6	41.8 14.2	7 10	No			Yes	31.5 1284	30 28.7	3995 1579	0 1	IB Fold			
			495		CARBON			387						7	9.8	Lead	FIXED				
			77		FS									<input checked="" type="checkbox"/>	7.5						
Tijd	Beneteau First 30	45	102	2011	41.66 13.78	105	42.16 15.7	40.2 14.25	6.24 9.38	No			Yes	25.5 866	31.7 27.5	8267 2403	0 1	IB Fold	(Mtg 8/27/15, -3 sec/mi for OSP, +6 sec/mi for small spinnaker)		
			602		ALUMN			354						1	10.5	Cast Iron	FIXED				
			181		FS									<input type="checkbox"/>	90						

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
				DW Rating Disp/WL Ratio	I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast Mat.			Traps/H. moveable blst Keel Type
									SL	SPL	SLU	ASA						
									SSMG SSF	SSA	SLE	ASMG						
Tiki Blue	Beneteau 423	38423	2005	48.65 16.52 580 160	125	48.65 16.52	43.44 14.83	5.49 9.6 381	Yes 48.76 29.7 28.69	No 16.5 1199	<input checked="" type="checkbox"/> 0 0	41.67 38.58 12.92 6.92	20224 5569 Iron	No 1 FIXED	IB FOLD 3			
Timber Wolf	Farr 38-1 C&B Marine	67519	1980	43.91 13.36 579 185	155	47.9	44.83 17.91 0 0	6.7 11.6 476	Yes 48 26.4 26.4	No 14.67 1056	<input type="checkbox"/> 0	38.32 30.9 11.97 6.39	12000 4100 Lead	0 1 FIXED	IB FOLD 2	(REDUCED MGM, ADDED 6" TO RUDDER LENGTH -NOTED NCTR- 2/15/01)(-3 sec/mi for oversized spinnaker)		
Tinker	Wilderness 21	6	1977	25 8.67 718 151	125	25	25 8 0 0	2.83 4.66 113	Yes 25 15.6 15.6	No 8.67 325	<input type="checkbox"/> 0	20.5 17.8 7.25 4	1870 1070 Lead	No 1 FIXED	OB None	Added roller furler		
Topgallant	Tartan 10	18608	1978	35 11.75 623 155	125	35	40.25 13.75 0 0	5.34 8.96 332	Yes 35 21.6 20.3	No 12 622	<input type="checkbox"/> 0	33.16 27 9.25 5.83	6700 3340 Lead	No 1 FIXED	IB FOLD 2	(4/25/02 Installed Running Backstay)		
Tortuga	Westsail 32	207	1974	31.2 18.4 694 422	150		38.3 15.1		No	No	<input type="checkbox"/> 0 0	32 27.6 11 5	19500 7000 Lead	0 1 FIXED	IB FOLD 3			
Tortuga	Pyramid 660 ODR MOD	8375	1981	21.82 6.8 598 65	104	28 7	25.7 10.5	4 6.8 161	Yes 25.9 14 13.3	No 8 299	<input type="checkbox"/> 0 0	21.8 18.1 6.2 3.9	850 400 Lead	2 1 FIXED	OB None 2	(Mtg 5/20/10, removed trapeze +18 sec/mi, hiking straps still allowed)(1/24/13, added upper spreaders & stays, NCTR)		
Toypedo	Ranger 26-2	67341	1980	26.4 9 682 170	150	28 9	30.5 11	4 7 197	Yes 26.5 16.2 16.2	No 9 358	<input type="checkbox"/> 0 0	26 20 8 5	3000 1140 Lead	0 1 FIXED	OB None	Fixed Keel, No daggerboard		

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU ASA Sprit Lngth Fixed or _o	SL SPL SSMG SSF	SSA		Ballast	Traps/H. moveable blst			Strps Keel Type
								Yes	No									
Traveler	Express 34	97089	1987	44.3 13 ALUMN MS	150	44.3	38.5 12.83 0 0	4.87 8.46 296	Yes	No	42.7 13 22.2 787	34 28.3 10.5 6	8500 3700 Lead	0 1 FIXED	IB FOLD 2	-6 FOR OVERSIZED SPINNAKER		
Trois Amis	Screamer 12 Meter MOD	194	1985	44.58 15.75 ALUMN MS	140	44.58	41 14.2	5.3 9.2 345	Yes	No	45.02 17 29.75 1116 29.75	39.37 32.5 10.33 7.67	6000 1350 Lead	0 1 FIXED	OB None	(mtg 3/23/17, custom rating of 36 assigned)		
Tule Fog	Express 27 ODR	18178	1984	29 9 ALUMN FS	155	28.5	29 10	4.22 7.03 182	Yes	No	29 9.83 17.7 428 17.7	27.3 23.8 8.166 4.5	2450 1100 Lead	n 1 FIXED	OB None 0			
Tule Lost	Ericson 911S Olson	28911	1988	41.5 12.33 ALUMN MS	155	41.5	35.5 11.083 0 0	4.73 7.69 247	Yes	No	42 12.33 21.9 767 21.9	29.92 25 10.33 5.42	8680 3200 Lead	No 1 FIXED	IB FOLD 0	MUST HAVE YACHT CLUB MEMBERSHIP CARD WITH ENTRY FORM FOR 2006 RACING		
Turbo Camper	Hobie 33 ODR MOD	87574	1984	33.28 12.4 ALUMN FS	155	36.5 13.13	35 12.5 0 0	4.75 8.1 261	No	Yes	37 13.13 23.6 728 23.6	33 30.5 8 5.42	4200 1900 Lead	1 FIXED	OB None 0	(Mtg 3/29/12, -3 sec/mi for displacement changes)		
Twist	J 120 ALUM	28442	2000	50.5 14.5 ALUMN FS	150	52 21.5	46.5 17.8 0 0	6.75 11.5 492	No	Yes	34.1 1764 7 0 37.65	40 35 12 7	13900 6000 Lead	No 1 FIXED	IB FOLD 2			
Twisted	Farr 40 ODR MH	40046	1999	53.15 15.45 CARBON FS	105	50.04 17.06	54.8 19.36	8.49 13.77 674	Yes	No	60.69 17.06 34.39 1740 34.44	40.7 35.3 13.2 8.53	10902 4960 Lead	0 1 FIXED	IB FOLD 2	(Mtg 12/1/11, interior mods for IRC, smaller mainsail: NCTR)(Mtg 5/24/12, switching to MH ODR configuration)		

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps Ballast moveable blst Ballast Mat. Keel Type		
								SL	SPL	SLU	ASA						
								SSMG SSF	SSA	SLE	ASMG						
Tyr	J 125	52125	-12	2000	49 14.8	155	52 23.4	46.5 6.79 18 11.65	6.79 11.65	No	23.4	Yes	39.3 1831	41 37 10.6 7.9	8350 0 4646 1 Lead FIXED	IB Fold 2	
U Decide	Ultimate 20	155	144	2001	26.08 6.97	114	27.58 12.79	27.33 5.5 10.17 7.96	7.96	No		Yes	17.7 433	20.83 18 8.33 5	1350 0 450 1 Lead FIXED	OB None 0	
UHOO!	Ultimate 20	64	144	1996	22.8 7	100	27.58 13	27.5 5.3 10.33 7.96	7.96	No		Yes	19.2 446	20.8 18 8.166 5	1100 No 450 1 Lead CENTER	OB None 0	
un-named	Catalina 22-2 OB FK	15622	255	2006	25.8 8	135	25.83 8	21 3.5 9.67 6.08	6.08	Yes	8	No	0	21.5 19.33 7.67 5	2250 0 550 1 Lead CNTRBRD	OB None	
Uno	Wyliecat 30 IB	28632	129	1995	35.8 5.5		35.8 12	39.66 9.31 19.75 13.05	13.05	No	12	Yes	19.68 550	30.5 25 9.5 5.25	5800 0 3000 1 Lead FIXED	IB FOLD 2	(mtg 2/21/08, penalty for oversized main -3 sec/mi)(Mtg 5/22/08, -24 for asymmetric spinnaker flown on 12' pole)(1/24/16, not using spinnaker +24 sec/mi)
USA 76	IACC	76	-78	2002	83.99 27.17	100		99.18 14.12 30.19 20.33	20.33	No		No	0	82.6 61.6 11.9 13.45	52910 No 39683 1 Lead FIXED	IB Fold	(mtg 12/5/13, custom rating of -78 assigned)
Vanga	Alberg 30	30	231	1965	36.75 10.5	100	36	31 4.49 14.25 8.2	8.2	Yes	10.5	No	0	30.25 21.67 8.75 4.5	9000 0 3300 1 Iron FIXED	IB Fixed_3 3	Roller Furler

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
		Sail #	DW Rating		I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp.	Traps/H. Strps		IB or OB Prop Type # of blades	
										SL	SPL	SLU	ASA			Ballast	moveable blst		
ASF	Fixed or _o	Max Beam	Keel Type																
Velvet Hammer	Schock 40	51507	-12	2000	42.5	104	49.5	44.4	7.2	No	Yes	33.92	40	7914	No	OB	(mtg 10/21/09, switched to 104% headsail, from 150%, smaller girths on mainsail. Change custom rating from -18 to -12)		
			464		13.6		20.58	16.8	11.8		60	1459	35	1800	2	None			
			84		CARBON			0	470		49	7	10	Lead	MOVABL	0			
					FS			0			31.685	<input checked="" type="checkbox"/>	0						
Vento	Swan 391	40841	99		53.5	95	53.5	47.25	5.5	Yes	Yes	26	39.9	18900	0	IB			
			592		16.25		16.25	14	9.2		51.83	16.25	33.1	6800	1	Fold			
			237		ALUMN				399		29.3	1266	12.4	Lead	FIXED				
					MS			29.3			23.67	<input checked="" type="checkbox"/>	0						
Ventus	J 88	60	81	2015	38.67	104	46	36.82	5.44	No	Yes	29	29.19	4990	0	IB			
			561		11.28		18.05	12	8.4		47.83	1022	26.84	1840	1	Fold			
			117		CARBON				282		40.84	5.25	9.5	Lead	FIXED				
					FS						27.32	<input checked="" type="checkbox"/>	0						
Vera Cruz	Sunsail F40 ODR	1003	42	2012	52.69	105	56.54	51.15	6.53	No	Yes	30.32	40.15	17437	0	IB			
			571		15.09		17.06	17.65	11.42		58.07	1200	35	6609	1	Fold			
			185		ALUMN				534		49.5	1.98	12.76	Lead	FIXED	2			
					FS						25.9	<input checked="" type="checkbox"/>	0						
Verve	Express 27 ODR	18283	129	1981	28.5	155	28.5	28.5	4.22	Yes	No		27.25	2450	No	OB			
			611		9			10.416	7.03		29	9.833	23.75	1100	1	None			
			83		ALUMN			0	182		17.5	425	8.17	Lead	FIXED	0			
					FS			0			17.9		4.5						
Vip	Farallone Clipper FR	7	159	1957	36.82	155	36.82	40.5	6.16	Yes	No		38	19000	No	IB			
			673		14			18.5	10.979		36.76	14	28.75	7000	1	Fixed_3			
			363		WOOD			0	420		25.195	770	9.5	Iron	FIXED	3			
					FS			0			24.86		5.6						
Vita E Bella	Catalina 42-1/2	989	99	2007	53	155	16.5	46.9	5.2	No	Yes	27.3	41.83	24400	0	IB	(mtg 3/28/13, -3 sec/mi for added sprit)		
			595		16.5		16.5	15.6	9.5		53.8	1105	36	3765	1	FOLD			
			238		ALUMN				415		50.4	3.67	13.1	Lead	FIXED	3			
					MS						25	<input checked="" type="checkbox"/>	0						

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications												
				DW Rating Disp/WL Ratio	I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	SL SPL SSMG SSF	SPL SSA	Yes/No	Yes/No		ASF ASA Sprit Lngth Fixed or _o	Ballast Ballast Mat.	Traps/H. moveable blst Keel Type		IB or OB Prop Type # of blades											
																			33.8 12.4	125	36.8	35 12.4	4.75 8	Yes	No	33 30.5	4000 1800	No 1	OB None
52 16	135	52 18.67	45.5 14	5.2 8.58	No	Yes	33.62 1238	40 36	12500 5000	0 1	IB FEATH																		
												Vitesse Too	Hobie 33 ODR	87112	1983	33.8 12.4	125	36.8	35 12.4	4.75 8	Yes	No	33 30.5	4000 1800	No 1	OB None	Extended rudder 10", NCTR		
Void Star	Santa Cruz 40	59995	1982	52 16	135	52 18.67	45.5 14	5.2 8.58	No	Yes	33.62 1238	40 36	12500 5000	0 1	IB FEATH	(Mtg 10/22/15, -6 sec/mi for 20% increase in JSP)(4/6/16, +3 sec/mi for non-articulating spinnaker)													
Vuja Star	J 105 ODR w/ 5'BS	181	1998	40.6 13.5	100	42.1 19.07	41.5 14.5	5.5 9.4	No	Yes	29.5 958	34.5 29.5	8733 3400	0 1	IB Fold														
Warpath	Olson 30 OB	198	1982	36 11.75	150	35.9 11.67	31.5 10.75	4.364 7.268	Yes	No	0	30 27.5	3600 1800	No 1	OB None														
Warwhoop	Contessa 33	63336	1984	37.916 11.17	100	37.93	39.416 13.86	5.31 9	Yes	Yes	20.92 682	33 25.52	8375 3700	No 1	IB FOLD	(Mtg 1/26/17, -3 sec/mi for oversized asymmetric area)(Mtg 2/23/17, -3 sec/mi for oversized symmetric spinnaker area)													
Wasabi	JPK 1080	38103		46.66 14.17	100	51.51 19.09	46.2 15.48	5.84 9.61	No	Yes	0 90	35.43 30.84	10692 4740	0 1	IB Fold														
Wayward Wind	Baltic 38 DP	87258	1983	52.25 15.82	155	52.25	46.25 13.75	4.53 8.2	Yes	No	0 0	38.08 31.5	14330 6512	0 1	IB Fold														
				552 64	ALUMN FS	0 0	259				<input type="checkbox"/>	8 5.5	Lead FIXED	0															
				52 16	135	52 18.67	45.5 14	5.2 8.58	No	Yes	33.62 1238	40 36	12500 5000	0 1	IB FEATH	(Mtg 10/22/15, -6 sec/mi for 20% increase in JSP)(4/6/16, +3 sec/mi for non-articulating spinnaker)													
				40.6 13.5	100	42.1 19.07	41.5 14.5	5.5 9.4	No	Yes	29.5 958	34.5 29.5	8733 3400	0 1	IB Fold														
				36 11.75	150	35.9 11.67	31.5 10.75	4.364 7.268	Yes	No	0	30 27.5	3600 1800	No 1	OB None														
				37.916 11.17	100	37.93	39.416 13.86	5.31 9	Yes	Yes	20.92 682	33 25.52	8375 3700	No 1	IB FOLD	(Mtg 1/26/17, -3 sec/mi for oversized asymmetric area)(Mtg 2/23/17, -3 sec/mi for oversized symmetric spinnaker area)													
				46.66 14.17	100	51.51 19.09	46.2 15.48	5.84 9.61	No	Yes	0 90	35.43 30.84	10692 4740	0 1	IB Fold														
				52.25 15.82	155	52.25	46.25 13.75	4.53 8.2	Yes	No	0 0	38.08 31.5	14330 6512	0 1	IB Fold														

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications		
				J Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		Ttl Disp.		Traps/H.	Strps	IB or OB Prop Type # of blades			
								SL	SPL	SLU	ASA							Ballast	moveable blst
SSF	SSA	ASM	Fixed or _o																
Wet Corvette	Melges 30	103	1994	36.85 10.59 74	150	36.85 18.96	38 15.49		No	Yes	8.4 90	30 28.6 9.1 7	3800 1750 Lead	0 1 MVBL	IB FOLD 2				
Wetsu	Express 27 w/J length pole	70	1983	28.5 9 83	155	28.5	28.5 10.42 0 0	4.22 7.03 182	Yes	No	9.833 427	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0	-6 Sec/mi OSP			
Whispering Winds	Lancer 36 MH	87374		42 16 196	125	41.9	37 12	4.8 7.9 269	No	Yes	26 932 0 0	36.17 29 11.75 6	10500 4000 Lead	0 1 FIXED	IB Fixed_3				
White Bear	Nonsuch 30	431	1987	666 220			45 24	8.68 15.12 629	No	No	0 0	30.33 28.75 11.9 5	11500 4500 Lead	0 1 FIXED	IB Fold 3				
White Cloud	Yamaha 33 IK SM	28688	1979	42.8 13.78 247	150	42.8	37.42 10.67	4.38 7.27 247	Yes	No	13.78 880	33.25 26.92 11 6.2	10582 4409 Iron	0 1 FIXED	IB Fixed_2				
White Jacket	Etchells 22 ODR	901	1991	27.27 8.22 142	90		32.49 11.57 0 0		Yes	No	8.22	30.5 22 6.83 4.5	3337 2105 Lead	0 1 FIXED	OB None 0				
White Shadow	J 88	23	2014	38.67 11.28 117	104	46 18.05	36.82 12	5.44 8.4 282	No	Yes	29 1022 5.25 0	29.19 26.84 9.5 6.5	4990 1840 Lead	0 1 FIXED	IB Fold				

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications						
		Sail #	DW Rating		I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No		Yes/No	ASF		LOA LWL	Ttl Disp.	Traps/H.		Strps	IB or OB				
										SSMG	SPL		SLU	ASA							Max Beam	Ballast	moveable blst	# of blades
Disp/WL Ratio	Mast Material	PY	MSA	SSMG	SSA	SLE	ASMG	Fixed or _o	Max Draft	Ballast Mat.	Keel Type	# of blades												
White Trash	Moore 24	78	150	1979	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.08	2050 1025 Lead	0 1 FIXED		OB None 0								
White Wabbit	Wylie Wabbit ODR W/Trap	19	126	1982	20.5 6.6	110	26.1	23.75 10	4.03 6.72	Yes	No	23.75 20 5.58 3.5	975 440 Lead	Yes 1 FIXED		OB None 0								
Wicked Sister	Farr 36 ODR	3	9	2004	46.78 13.19	110	54.82 21.06	49.93 18.63	8.53 12.96	No	Yes	36.28 61.38 55.05 36.05	7.36 0	36.1 32.8 11.72 8.5	6745 3076 Lead	0 1 FIXED	IB Fold							
Wild 1	Flying Tiger 10 Meter ODR	41	54	2007	39.284 12.126	105	45.282 19.134	40.167 14.895	6.463 10.499	No	Yes	27.493 51.541 42.651 27.76	1087 7.008 0	32.68 30.31 9.12 7.61	4376 1918 Lead	0 1 FIXED	OB None 3							
Wild Spirit	Wylie 36	0	141	1970	44.67 14.75	100	44.67 14.75	40.75 14	5.3 9.1	No	Yes	23.5 45 39.66 23	815 0 0	36.5 30 10.9 6	13720 5575 Lead	0 1 FIXED	IB Fixed_2	(Mtg 3/24/16, same hull as "Alert", +3 sec/mi for small "I", +3 sec/mi for no spinnaker articulation)						
Wildcard	Santa Cruz 37	37005	27	2009	47.1 13.4	107	52.17 19	47 17	6.4 11	No	Yes	33.3 59.7 50.85 33.3	1534 5.6 0	37 34.75 10.64 7.5	8662 3730 Lead	0 1 FIXED	IB FOLD 2	(Mtg 1/26/16, new keel box & rudder noted, NCTR)						
Wildcat of Loch Awe	S-2 7.9 FR DB	59838	165	1983	31.83 9.5	135	31.83	29.42 12.33	4.75 7.92	Yes	No	25.92 21.67 9 5	4250 1750 Lead	0 1 AGGERBF	OB None									

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications		
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps moveable blst				
								SL	SPL	SLU	ASA							Ballast Mat.	Keel Type
								SSMG SSF	SSA	SLE ASMG	ASA								
Wild-Type	Ericson 32-2	614	1975	38 13 155 13	13	31.5 4.53 13 8.19	4.53 237	No	Yes	22.23 639 0 0	31.58 24 8.67 4.92	8800 4000 Lead	0 1 FIXED	IB Fixed_3 3	Roller Furler				
Wile E Coyote	Express 27 ODR	11	1981	28.5 9 155	28.5	28.5 4.22 10.416 7.03 0 182 0	4.22 7.03	Yes	No	9.833 428 0	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 3					
Willow	Wauquiez 40s Centurion	38300	2004	51.5 14.17 110	51.5	49.21 7.3 19.3 12.5 564	7.3 12.5	Yes	Yes	28.54 1155 2.4	41.17 36.4 12.66 7.75	18960 6085 Lead	No 1 FIXED	IB FEATH 3	(mtg 3/18/10, -3 sec/mi for oversized a-sail.)(mtg 1/27/11, - 3 sec/mi for added sprit)				
Wimm	Jeanneau Sun Odyssey 349	38105	2016	43.6 12.37 112		40.68 4.9 13.62 8.2 318	4.9 8.2	No	No	0 0	33.92 30.84 11.29 6.86	11770 3483 Cast Iron	0 1 FIXED	IB Fold					
Wind Blown Hare	Wylie Wabbit ODR W/Trap	29	1982	20.5 6.5 150	20.5	23.75 4.03 10 6.72 0 145 0	4.03 6.72	Yes	No	8.5 254 0	23.75 20 5.583 3.5	975 440 Lead	1 3 FIXED	OB None 0					
Wind Speed	J 30	39963	1980	34.19 11.5 155	34.2	37.5 4.9 12.5 8.1 0 281 0	4.9 8.1	Yes	No	0	29.83 25 11.18 5.25	6700 2100 Lead	No 1 FIXED	IB FOLD 2	+6 sec/mi for J length pole (mtg 11/16/01)				
Windswept Lady	X-362 Classic	50980	1998	46.6 12.9 125	46.6 12.9	40.6 5.05 14.1 8.86 333	5.05 8.86	Yes	Yes	26.7 878 0	35.1 30.4 11.4 6.2	12320 5170 Lead	0 1 FIXED	IB Fold					

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications	
		Sail #	DW Rating		I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp.	Traps/H. Strps			IB or OB Prop Type # of blades
										SL	SPL	SLU	ASA			Ballast	moveable blst		
ASF	Fixed or _o	Max Beam	Keel Type																
Windtrip Infinity	J 92s	35	96	2006	40.68 11.48	107	44.08 16.67	38.88 5.42 13.95 9	No	Yes	23.25	30	5610	0	IB				
			587		ALUMN					48.67	878	26.7	2317	1	Fold				
			134		FS		324			39.67	5.17	10	Lead	FIXED					
										24	<input checked="" type="checkbox"/>	0	6.24						
Windwalker	Islander 36 ODR	57307	144	1976	45 14.48	150	45	39.25 4.8 12.75 8.2	Yes	No		36.08	13450	No	IB				
			648		ALUMN			0		45.25	15	28.25	5820	1	FOLD				
			271		MS		0	297		23.3	889	11.17	Lead	FIXED	2				
							0	0		24.7		6.08							
Wingman Racing	J 70 ODR	584	114	2014	26.77 7.68	100	30.15 13.5	26.16 4.71 9.44 6.93	No	Yes	18.7	22.75	1750	0	OB				
			607		CARBON					35.43	491	20.47	630	1	None				
			93		FS		164			28.87	5.1	7.38	Lead	MVBL					
										18.21	<input checked="" type="checkbox"/>	0	4.95						
Wings	Columbia 5.5 M ODR	31	177	1965	29.125 8.25	96	30	34 4.59 11.416 7.65	Yes	No		32.416	4400	No	NA				
			619		ALUMN			0		29	8.25	25	2800	1	None				
			128		FS		0	237		24	580	6.25	Lead	FIXED	0				
							0	0		24		4.33							
Wood Eye	Catalina 38	111	123	1981	49.83 15.5	110	49.83 15.5	44 4.7 11.5 7.9	Yes	No		38.17	15900	0	IB				
			625		ALUMN					49	15.42	30.25	6850	1	Fixed_2				
			261		MS		313			27.9	1139	11.83	Lead	FIXED	2				
										27.9		6.75							
WooHoo	Moore 24	80	150	1980	26.25 9.8	150	26.25	25 3.91 9.5 6.5	Yes	No		23.75	2050	0	OB				
			635		ALUMN					27	9.75	21.75	1025	1	None				
			91		FS		147			17.55	395	7.16	Lead	FIXED	0				
										17.55		4.083							
Wuvulu	Islander Bahama 30	61	180	1979	40 12.75	150	38.416	33.75 4.75 11.5 8.125	Yes	No		30	8600	No	IB				
			674		ALUMN			0		38.5	12.416	24.58	3500	1	FOLD				
			263		MS		0	243		22.44	722	10	Lead	FIXED	2				
							0	0		22.75		5							

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp. Ballast	Traps/H. moveable blst	IB or OB Prop Type # of blades			
								SL	SPL	SLU	ASA							
								SSMG SSF	SSA	SLE ASMG	Sprit Lngth Fixed or _o							
Ballast Mat.	Keel Type																	
X TA C	Olson 29	18457	1986	34 11 155	36	32.42 11.42 0 0	4.59 7.66 226	Yes	No	29.67 27.5 9.33 5.25	3900 1900 Lead	No 1 FIXED	OB None 0	RUDDER REPLACED W/MORE 30 - CHANGE NOTED NCTR.				
Xtasea	Catalina 30	0	1985	41 11.5 110	41	35.5 11.5	4.63 7.72 250	Yes	No	29.92 25 10.83 5.25	10200 4250 Lead	0 1 FIXED	IB Fixed_2 2					
Xtreme	Hobie 33 ODR	18170	1984	33.83 12.4 125	36.25	35 12.5 0 0	4.75 8 260	Yes	No	33 30.5 8 5.42	4000 1800 Lead	No 1 FIXED	OB None 0					
Yeti	Express 27 ODR	38	1983	28.5 9 155	28.5	28.5 10.4	4.22 7.03 182	Yes	No	27.25 23.75 8.16 4.5	2450 1100 Lead	0 1 FIXED	OB None					
Youngster	IOD ODR	82	1937	29.25 8.33 103	41 10.67	38.83 16.25 0 0	6.12 10.47 374	Yes	No	33.42 21.42 6.75 5.333	7100 4100 Lead	No 1 FIXED	NONE None 0	(mtg 1/21/10, switched to Masthead Spinnaker, -12 sec/mi for 40% increase in ISP, -6 sec/mi for oversized spinnaker girths)(138 rating valid for PHRF Races, not valid for IOD Class races. Boat must be in class configuration to sail				
Zamazaan	Custom Farr 52	3883	1978	70.4 18.51 135	70.4 18.51	65.2 23.2 0 0	8.82 15.08 900	Yes	No	52.19 47.26 15.45 8.79	25391 9679 Lead	No 1 FIXED	IB FOLD 2	RTG W/USYRU AGE ALLOWANCE IOR RTG W/USYRU AGE ALLOWANCE R=44.9 (1987) 18/24 AS PER PHRF MTG 4/20/95. SHORTENED MAST 6.15 FEET FROM TOP, REDUCED MAINSAIL AREA FROM 24/97 MTG 8/10/95				
Zara	Beneteau 310	144	1993	37.04 10.83 135	37.04 10.82	37.8 12.9	5.2 8.9 301	No	Yes	31.2 27.7 10.5 4.3	7054 2160 Lead	0 1 FIXED	IB Fixed_2					

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications		
				I J	Max Headsail		P E PY EY	MGU MGM MSA	Yes/No		Yes/No			Ttl Disp.	Traps/H. Strps				
									SL	SPL	SLU	ASA						Ballast	moveable blst
Disp/WL Ratio	Mast Material	Rig Type	SSG	SSA	ASF	Fixed or _o	Max Draft	Keel Type	# of blades										
Zeehond	Newport 30-2	707	1976	39.5	150	39.5	34	3.6	Yes	No		30	8500	No	IB				
		174		12.125			10.25	6.33				25	2600	1	FOLD				
		671		ALUMN			0	201			0	10.5	Lead	FIXED	2				
		247		MS			0					4.75							
Zenith	Islander 36 NCPHRF	472	1978	45	135	45	39.25	5.05	No	No		36.08	13450	No	IB				
		147		14.48			12.75	8.44				28.25	5820	1	Fold				
		271		ALUMN			0	303			0	11.166	Lead	FIXED	2				
		271		MS			0					6.083							
Zingara	Islander 36 NCPHRF	484	1978	45	125	45	39.25	4.8	No	No		36.1	13450	No	IB	Roller Furler			
		150		14.48			12.75	8.29				28.25	5820	1	Fold				
		271		ALUMN			0	298			0	11.17	Lead	FIXED	2				
		271		MS			0					6.08							
Zingaro	Santana 22	5050	1971	26	125	26	21.75	3.95	Yes	No		22	2600	0	OB				
		237		8.5			9.83	6.59				18.67	1260	1	None				
		737		ALUMN				131			0	7.833	Iron	FIXED	0				
		182		MS							0	3.5							
Zsa-Zsa	1D 35	35017	1999	42.49	110	44.78	44.46	7.55	Yes	No		35	6500	No	IB				
		36		12.52			18.58	12				31.5	2600	1	Feath				
		520		CARBON			0	498			0	10.75	lead	FIXED	2				
		95		FS			0					7.6							
Zwei Flying Fish	San Juan 33s	59733	1981	34.83	134	34.83	39.16	4.66	Yes	No		33.1	6000	0	IB	(Mtg 5/28/15, +3 sec/mi for small rig)			
		129		11.48			12.66	8.08				27.8	3500	1	Fold				
		606		ALUMN				292			0	7.95	Lead	FIXED					
		127		FS							0	5.5							