

# NCPHRF - CURRENT FLEET ROSTER

This Roster represents the information on file for boats with a current NCPHRF certificate. If the boat you are looking for is not listed, their certificate is either not current or not yet updated to the list. You can contact the YRA office to verify a boat not found on this list at info@yra.org or via phone at 415.771.9500. This list is updated monthly.

As of: 11/30/2017

Boat Name	Boat Model (Type)	Rating	Sail #	Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Keel		Engine/Prop	Modifications		
					I J	Max Headsail	ISP JSP	P E	MGU MGM	PY EY	MSA	SSMG SSF		SPL SSA	SLU SLE			ASF ASA	Sprits Length
													LWL	Ballast Mat.	Keel Type				
42	Moore 24	42	150	1979	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No		23.75 21.75	2050 1025	No 1	OB None			
			635		ALUMN			0	147			0	7.16	Lead	FIXED	0			
			91		FS			0					4.083						
Abba-Zaba	Tartan 10	8112	129	1979	35 12	125	35	40.25 13.75	5.34 8.86	Yes	No		33.16 27	6700 3340	0 1	IB FOLD	(+3 sec/mi credit for 125% or smaller headsail)		
			623		ALUMN			0	331			0	9.25	Lead	FIXED	2			
			155		FS			0					5.83						
Abigail Morgan	Express 27 ODR	18394	129	1985	28.5 9	150	28.5	28.5 10.416	4.22 7.03	Yes	No		27.25 23.75	2450 1100	No 1	OB None			
			612		ALUMN			0	182			0	8.166	Lead	FIXED	0			
			83		FS			0					4.5						
Abacadabra	Antrim 27 CM ODR	28927	75	1996	28.69 8.17	116	37.25 15	33.75 14	7.5 10.9	No	Yes	25.1	27.83 23.75	2900 1050	No 1	OB None	BOWSPRINT IS ARTICULATING		
			555		CARBON			0	327			38	9.25	Lead	FIXED	0			
			98		FS			0				20.1	6						
Absinthe	Moore 24	102	150	1981	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No		23.75 21.75	2050 1025	No 1	OB None			
			650		ALUMN			0	147			0	7.16	Lead	FIXED	0			
			91		FS			0					4.083						
Acey Deucy	J 44	97659	21	1989	60.606 17.08	155	60.416	53.51 19.41	7.3 12.5	Yes	Yes	27	44.83 38.58	22770 9000	0 1	IB FOLD	Electric Winches		
			547		ALUMN			0	615			63.8	13.67	Lead	FIXED	2			
			180		MS			0				27.8	8.14						

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		Ttl Disp. Ballast		Traps/H. moveable blst	IB or OB Prop Type # of blades			
								SL	SPL	SLU	ASA							
								SSMG SSF	SSA	SLE	Sprit Lngth Fixed or _o					Ballast Mat.		Keel Type
Disp/WL Ratio																		
Achates	Newport 30-2	6847	1974	39.5 12.5 ALUMN MS	155	39.5	34 10.25 0 0	3.8 6.6 206	Yes	No	40 22.5 22.5	12.5 750	0	30 25 10.67 5.17	8500 3000 Lead	No 1 FIXED	IB FOLD 2	
Ad Lib	Aphrodite 101	8161	1979	36.83 11.81 ALUMN FS	100	32.23	39.33 11.48 0 0	4.5 6.1 253	Yes	No	35.6 21.3 19.6	11.9 622	0	32.75 26.33 7.92 5.42	6160 3527 Lead	No 1 FIXED	IB FOLD 2	
Ada Helen	ace	922	2005	53 16.5 ALUMN MS	155	53 16.5	46.75 15.5		No	Yes	29.7 54.76 50.5 29.7	1303 0 90	43.8 36 13.1 6	24400 8300 Lead	No 1 FIXED	IB FOLD 3	(Mtg 3/20/08 -6/sec/mi for OSP)(mtg 6/19/08, new larger a-sail, correct size for J, NCTR)	
Adagio	CAL 25-2 OB		1979	33 11 ALUMN MS	150		28 9.5	3.9 6.5 165	No	No		0 0	29.25 22 9 4.5	4500 2000 Lead	0 1 FIXED	OB None		
Advantage 3	J 105 ODR w/ 5'BS	84	1994	40.6 13.5 ALUMN FS	100	42.1 19.07	41.5 14.5 0 0	5.5 9.4 358	No	Yes	25.5 49 38.6 26.4	957 5	34.5 29.5 11 6.5	7750 3400 Lead	No 1 FIXED	IB FOLD 2		
Adventure	Catalina 36	38112	1985	44.75 14.33 ALUMN MS	155		39 12	4.17 8.01 277	No	No		0 0	36.33 30.25 11.92 5.83	15000 6000 Lead	0 1 FIXED	IB Fixed_3 3		
Aerie	CS 36	2160	1980	49 15 ALUMN MS	155	49	42.75 12.75	4.33 7.58 308	Yes	No	48.65 25.5 25.5	15 1034	0 0	36.5 29.25 11.5 6.25	15500 6500 Lead	0 1 FIXED	IB Fold	

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU ASA SLE ASMG	ASF Sprit Lngth Fixed or _o	Ttl Disp. Ballast		Traps/H. moveable blst				
								SL	SPL						Ballast Mat.			Keel Type
								SSMG SSF	SSA									
Afterburner	Synergy 1000	1001	45	1999	40.75 12 110 45.75 16.4	42 6.99 15.5 11.03	42 6.99 15.5 11.03		No	Yes	26 1089 4.3 0	32.83 29.17 9.75 7	4600 1850 Lead	0 1 FIXED	IB Feath 2			
Ahi	Santana 35	30980	114	1981	39 12.85 155 39	42 5.51 14.25 9.26	42 5.51 14.25 9.26	Yes	No	0 0	35 26.5 11.92 6.25	8500 3300 Lead	0 1 FIXED	IB Fold 2	(Mtg 6/27/13, new rudder noted, NCTR)			
Akialoa	J 35	28435	75	1989	46.33 14.58 120 46.3	41.42 5.43 14 9.11	41.42 5.43 14 9.11		No	0	35.42 30 11.67 6.75	10500 4400 Lead	No 1 FIXED	IB FOLD 2				
Akula	J 105 ODR w/ 5'BS	16	78	1992	40.6 13.5 100 42.1 19.07	41.5 5.5 14.6 9.4	41.5 5.5 14.6 9.4		No	Yes	25 854 5	34.5 29.5 11 6.5	7750 3400 Lead	No 1 FIXED	IB FOLD 2			
Ala Moana	Beneteau First 30	104	99	2012	41.66 13.78 105 42.16 15.78	40.3 6.28 14.25 9.38	40.3 6.28 14.25 9.38		No	Yes	28.82 1049 2 0	31.7 27.6 10.5 6.25	8267 2403 Cast Iron	0 1 FIXED	IB Fold 2			
Albacore	Santana 22 ODR	18325	237	1976	25.67 8.58 125 25.67 8.58	21.75 3.95 9.83 6.59	21.75 3.95 9.83 6.59	Yes	No	0 335	22 18.67 7.83 3.5	2600 1230 Iron	0 1 FIXED	OB None				
Albion	J 124	14	27	2007	49 14 145 54.7 19.43	48.4 6.4 17 11	48.4 6.4 17 11		No	Yes	32.74 1528 3.83 0	40.7 36.2 11.33 7	12600 5000 Lead	0 1 FIXED	IB Fold	(Mtg 2/23/17, -6 sec/mi for asymmetric spinnaker modifications)		

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
				DW Rating Disp/WL Ratio	J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp. Traps/H. Strps		IB or OB Prop Type # of blades		
									SL	SPL	SLU	ASA		Ballast	moveable blst			
									SSMG SSF	SSA	SLE	Sprit Lngth Fixed or _o					Ballast Mat.	
Alchemy	Olson 25	18252	1984	32 9.583 ALUMN MS	155	32	28 10 0 0	3.8 6.4 166	Yes	32 17.25 17	9.583 459	No	0 <input type="checkbox"/>	25 21.25 9 4.5	3300 1300 Lead	No 1 FIXED	OB None 0	
Alchera	J 120 Mod	28870	2001	50.5 14.5 CARBON FS	125	52 21.55	46.5 17.57 0 0	6 10.57 463	No	Yes	34 1407 7	34 1407 7	40 35 12 7	13900 6000 Lead	No 1 FIXED	IB FOLD 2	Modifications for offshore singlehanding: Smaller spinnaker and main, 2 extra winches at helm, 3 additional gel batteries, dodger boss widened and all control lines led to cockpit, radar pole, veltran MHN jib. (Mtg 2/24/09, +2 sec/mi for small)	
Alchimiste	Archambault 27	38973	2013	34.25 10.83 ALUMN FS	100	39.08 15.98	34.78 12.63	4.75 8.16 261	No	Yes	26.9 872 0 0	26.9 872 0 0	27.4 22.7 9.7 5.7	4894 1814 Lead	0 1 FIXED	IB Fold	(Mtg 10/22/15, Custom rating assigned. Includes -9 sec/mi penalty for 22% oversized ASA & +3 sec/mi credit for non-articulating sprit. As sailed: 78)	
All Hail	Catalina 34 TM	524	1988	46 13.5 ALUMN MS	130	45.9 13.5	40.5 12	4.8 8 296	No	No	0 0	0 0	35.66 29.84 11.75 5.56	12000 5000 Lead	0 1 FIXED	IB Fold		
Allegro	Beneteau Farr First 36.7	56657	2010	46.42 13.1 ALUMN FS	155	46.42 14.35	45.4 15.6	5.92 12.49 458	Yes	Yes	23.41 834 0 90	23.41 834 0 90	36 30.3 11.4 7.3	12939 3993 Lead	0 1 FIXED	IB Fold 2	(Mtg 1/26/16, -3 sec/mi for increased JSP)	
Allons-Y	J 70 ODR	346	2014	26.77 7.68 CARBON FS	100	30.15 13.5	26.16 9.44	4.71 6.93 164	No	Yes	18.7 491 5.1 0	18.7 491 5.1 0	22.75 20.47 7.38 4.92	1750 630 Lead	0 1 MVBL	OB None		
Allora	Morris 36	38082	2007	38.66 12.75 CARBON FS	95	44.3	41.25 15.08	5.1 9.43 357	No	Yes	21.4 452 0 0	21.4 452 0 0	36.1 25 10.1 5.3	8900 3850 Lead	0 1 FIXED	IB Fold		

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications			
				I J	Max Headsail		P E PY EY	MGU MGM MSA	Yes/No		Yes/No			Ttl Disp.	Traps/H.			Strps		
									SL	SPL	SLU	ASA							Ballast	moveable blst
Disp/WL Ratio	Mast Material	Rig Type			ASF	Fixed or _o														
Alpha	Sonar 23	498	174	1990	23 8.25	100	27.5 11.17	1.23 7.3	No	No		23 19.92 7.8 3.92	2100 900 Lead	n 1 FIXED	OB None					
Alpha Puppy	1D 35	35024	30	1999	42.49 12.52	110	44.46 18.58	7.5 12	No	Yes	31.4 1238	35 31.5 10.75 7.6	6500 2600 lead	No 1 FIXED	IB FOLD 2	6/13/11, boat now in same configuration as B-Line. Added 4.9 bowsprit and oversized spinnaker. -9 sec/mi for oversized asymmetric spinnaker, +3 sec/mi for inability to articulate sprit				
Alte Liebe	Albin Ballad 30	1266	183	1978	37.083 11.249	155	31.916 9.333	3.33 5.58	Yes	No		29.916 22.583 9.666 5.09	7276 3417 Lead	No 1 FIXED	IB FOLD 2	The J measurement in all Ballad documents & Sailmaker plans is 12.27 however the actual J= 11.3" (MTG 8/25/94), standard SPL is 12.27 (mtg 3/20/08)				
Althea	Cavalier 39	38101	129	1981	48.5 14.83	120	42 12	4.55 7.79	No	Yes	28.23 1029	38.98 29.49 11.22 5.97	13228 7513 Lead	0 1 FIXED	IB Fixed_3	(Mtg 4/28/16, -3 sec/mi for oversized spinnaker pole, -3 sec/mi for oversized spinnaker)				
Amandla	Catalina 34 1&2	796	147	1988	46 13.5	130	38.5 12		No	No		35.75 29.8 11.75 5.6	11950 5000 Lead	0 1 FIXED	IB FOLD 3					
Anais	Hanse 505	61019	45	2014	64.16 19.16	100	58.6 20	6.55 11.87	No	Yes	38.52 2151	49 44.4 15.6 7.7	36000 8300 Lead	0 1 FIXED	IB Feath					
Anapos	Santana 22	5158	237	1966	26 8.5	120	21.75 9.833	3.95 6.59	Yes	No		22 18.666 7.833 3.5	2600 1230 Iron	No 1 FIXED	OB None 0					

Boat Name	Boat Model (Type)	Rating		I J Max Headsail Mast Material Rig Type	ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
		Sail #	Built			P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ballast Ballast Mat.			Traps/H. moveable blst Keel Type
								SL SPL SSMG SSF	SPL SSA	SLU SLE ASMG	SLU SPL SSMG SSF						
Andale	Express 27 ODR	72	1985	28.5 9 155	28.5	28.5 10.42 7.03	4.22 7.03	Yes	No			27.25 23.75 8.17 4.5	2450 1100 Lead	0 1 FIXED	None		
		<b>611</b> 83		ALUMN FS		182				0 0							
Andiamo	Catalina 36-2	2168	2004	44.75 14.33 115		39 13	3.04 6.16	No	Yes	29 833		36 30.25 11.9 5.8	14200 6000 Lead	0 1 FIXED	IB Fixed_3 3	In-Mast Furling Mainsail, +3 sec/mi	
		<b>649</b> 233		ALUMN MS		248				0 0							
Angel	J 130 DK AM	46079	1993	57 16.5 155	58.5 23.5	52.5 18.5	7.03 12.02	No	Yes	39.5 2195		42.6 38.17 12.67 8.5	15500 6450 Lead	0 1 FIXED	IB Feath		
		<b>498</b> 127		ALUMN FS		578				7 0							
Anna Banana	Moore 24	146	1984	26.25 9.75 150	26.25	25 9.5	3.91 6.5	Yes	No			23.75 21.75 7.16 4.08	2050 1025 Lead	No 1 FIXED	OB None		
		<b>636</b> 91		ALUMN FS		147				0 0							
Another Girl	Alerion Express 38-2	20	2011	42.98 12.99 90		47.5 18.25	9.58 13.45	No	No			38.3 30.1 10.3 5.92	13000 5000 Lead	0 1 FIXED	IB Feath 2	(mtg 4/28/11, Custom rating of 90 assigned)	
		<b>90</b> 616 217		CARBON MS		583				0 0							
Antares	Islander 30-2	6237	1971	38.5 12.58 155	38.416	32.5 11.58	4.75 8.125	Yes	No			30 24.58 10 5	8600 3600 Lead	No 1 FIXED	IB FOLD 2		
		<b>186</b> 677 263		ALUMN MS		0 0	235			0							
Apogee	Islander 36 Freeport	36	1978	46.75 16.75 150		42 12.75	5 8.4	No	No			35.9 27.6 12 5.3	17000 7030 Lead	0 1 FIXED	IB Fold		
		<b>162</b> 368		ALUMN MS		323				0 0							

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps moveable blst	IB or OB Prop Type # of blades		
								SL SPL SSMG SSF	SPL SSA	SLU SLE ASMG	Ballast Mat.							Keel Type
Aquadisiac	Newport 30-3	38075	174	1985	40 12.5 ALUMN MS	155	40	34 10.25	3.8 6.6	206	No	No	30.5 26.5 10.67 5.17	8500 2600 Lead	0 1 FIXED	IB Fold 2		
Arby	Colgate 26	212	159	2004	27.75 8.25 ALUMN FS	105	27.75	29.75 11.2	4.3 7.3	200	No	No	25.7 20 8.5 4.5	2600 1040 Lead	0 1 FIXED	OB Fixed_3 3	Non Spinnaker configuration	
Arcadia	Custom Nash 28.5	3113	123	1969	33 10 ALUMN FS	120	34 11	32.5 13 0 0	4.92 8.41 251	0	No	Yes 38.8 34.908 24.606	24.606 756 4 100	28.5 25.5 9 6.5	4327 1200 Lead	No 1 FIXED	IB FOLD 2	(Weighed Displacement as of 4/4/2009)(mtg 2/28/13, change custom rating from 135 to 123 after review of race results and structural modifications) 3
Archaeopteryx	Hotfoot 20	101	177	1986	25 7 ALUMN FS	105	26.08 7.67	27.08 10.08	4.05 6.6 166	0	Yes	No	20 18 8.5 5	1000 400 Lead	0 1 CNTRBRD	OB None		
Archimedes	Express 27 ODR	18355	129	1985	28.5 9 ALUMN FS	155	28.5	28.5 10.416 0 0	4.22 7.03 182	0	Yes	No	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	NONE None 0		
Ardea	Custom Nelson/Marek 50	42616	21	1989	59.92 17.59 ALUMN FS	100	59.92 17.59	65.19 24.08	9.35 15.98 946	0	Yes	Yes	31.6 1526 0 90	49.8 38.55 14.86 9.32	22145 12627 Lead	0 1 FIXED	IB Fold	(Mtg 8/28/15, custom rating of 21 assigned)
Argo	Beneteau 40.7 First Farr	46933	54	1999	51.61 14.47 ALUMN FS	105	51.61 14.47	48.85 17.72	6.72 11.51 515	0	Yes	No	39.33 34.83 12.33 7.75	15211 5950 Lead	0 1 FIXED	IB Feath 2		

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications						
			Built	DW Rating	I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No		Yes/No	ASF		LOA LWL	Ttl Disp.	Traps/H.		Strps	IB or OB				
										SSMG	SPL		SLU	ASA							Max Beam	Ballast	moveable blst	# of blades
Disp/WL Ratio	Mast Material	Rig Type	PY	MSA	SSSF	SSA	SLE	ASMG	Fixed or _o	Max Draft	Ballast Mat.	Keel Type												
Ariadne	Beneteau Farr First 36.7	403	<b>84</b> <b>601</b> 204	2000	46.4 13.1 ALUMN FS	125	46.4 13.1	46.4 15.6 0 0	5.92 12.49 468	Yes	45.8 23.5 23.5	13.1 897	No	0 0	36 30.3 11.4 7.3	12495 4034 Lead	No 1 FIXED	IB Fold 2						
Astra	Farr 40 ODR MH	40079	<b>0</b> <b>502</b> 113	2000	53.2 15.5 CARBON MS	105	53.12	54.8 19.4 0 0	7.29 12.47 629	Yes	60.69 34.39 34.44	17.06 1740	No	0	40.75 35.27 13.22 8.53	10917 5079 Lead	No 1 FIXED	IB FOLD 2						
Auggie	Santana 22 ODR	476	<b>237</b> <b>737</b> 182	1969	26 8.5 ALUMN MS	125	26	21.75 9.833 0 0	3.95 6.59 131	Yes	26 15.44 15.44	8.583 335	No	0	22 18.666 7.833 3.5	2600 1230 Cast Iron	No 1 FIXED	OB None 0						
Avalon	Catalina 30	6138	<b>183</b> <b>297</b>	1992	41 11.416 ALUMN MS	120	41	35 11.5 0 0	4.63 7.72 246	No	No	0	No	0	29.92 25 10.83 5.25	10200 4200 Lead	0 1 FIXED	IB Fold 2						
Azure	Catalina 275 Sport	1	<b>168</b> <b>629</b> 121	2013	34.42 8.99 ALUMN FS	106	11.83	31.5 11.48	5.33 8.17 233	No	Yes	22 665 0 0	27.5 26.57 8.5 5.2	5000 2040 Lead	0 1 FIXED	IB Fixed_2								
Azure	CAL 40	72	<b>114</b> <b>623</b> 248	1966	46 15.17 ALUMN MS	150	46	40 17.5 0 0	6.65 11.37 417	Yes	46.5 27.3 27	15.17 1056	No	0	39.3 30.5 11 5.5	15500 6000 Lead	0 1 FIXED	IB FEATH 2						
Bad Dog	J 111	103	<b>36</b> <b>532</b> 121	2011	48.37 13.85 CARBON FS	105	51.4 20.08	45.7 14.5	6.1 10.1 414	No	Yes	31.86 1433 6.3 0	36.5 32.7 10.8 7.2	9300 3500 LeadSteel	0 1 FIXED	IB Fold								



Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications			
		Sail #	DW Rating		I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No		Yes/No	ASF		LOA LWL	Ttl Disp.	Traps/H. Strps		IB or OB Prop Type # of blades		
										SSMG	SPL		SLU	ASA			Max Beam			Ballast	moveable blst
Disp/WL Ratio	Mast Material	PY EY	MSA	SSSF	SSA	ASMG	Fixed or _o	Max Draft	Ballast Mat.	Keel Type											
Bad Hare Day	Wylie Wabbit ODR W/Trap	35	126	1982	20.75 6.5	150	20.5	23.75 10	4.03 6.72	Yes	No	23.75 20	975 440	Yes 3	OB None						
			603		ALUMN			0	145			5.583	Lead	FIXED	0						
			55		FS			0			<input type="checkbox"/>	3.5									
Baleineau	Ericson 34 Olson SM	42147	105	1988	44 13	155	44	38.8 13	4.88 8.25	Yes	No	34 28	10600 3650	No 1	IB FOLD						
			629		ALUMN			0	298			10.83	Lead	FIXED	2						
			219		MS			0			<input type="checkbox"/>	6									
Bandicoot	Wyliecat 30 IB	28530	132	2000	0 0		29	39.75 20.5	7.87 13.46	No	No	30.5 25	5500 3050	0 1	IB FEATH		(mtg 5/20/10, -21 sec/mi for added spinnakers)(9/5/12, removed spinnaker, back to standard configuration)				
			653		CARBON			0	488			9.5	Lead	FIXED	2						
			160		CATBOAT			0			<input checked="" type="checkbox"/>	5.25									
Bandido	Merit 25	28125	168	1983	28.75 9.66	150	28.75	28 9.75	4.25 6.69	Yes	No	24.5 20.5	3000 1050	No 1	OB None						
			693		ALUMN			0	172			8	Lead	FIXED	3						
			158		FS			0			<input type="checkbox"/>	4									
Basic Instinct	Custom Elliott 10.50	8123	72	1993	41 12.5	125	45.6	44.2 17.5	8.5 12	No	Yes	34.42 31.83	10220 3000	No 1	IB FOLD		(mtg 3/19/09, changed to smaller headsail, +3 sec/mi, & larger mainsail, -6 sec/mi, change rating from 66 to 63)(Mtg 10/21/09, new smaller headsail, still with large headboard. Change mainsail result from 6 sec/mi to 2 sec/mi)				
			570		ALUMN			0	497			12.08	Lead	FIXED	2						
			144		FS			0			<input checked="" type="checkbox"/>	7									
Benny	J 70 ODR	897	114	2015	26.77 7.68	100	30.15	26.16 9.44	4.71 6.93	No	Yes	22.75 20.47	1750 630	0 1	OB None						
			607		CARBON				164			7.38	Lead	MVBL							
			93		FS						<input checked="" type="checkbox"/>	4.92									
Benny	J 88	79169	81	2014	38.67 11.28	100	46	36.82 12	5.44 8.4	No	Yes	29.19 26.84	4990 1840	0 1	IB Fold						
			561		CARBON				282			8.5	Lead	FIXED							
			117		FS						<input checked="" type="checkbox"/>	6.5									

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU ASA Sprit Lngth Fixed or _o	SL SPL SSMG SSA	ASF		Ttl Disp.	Traps/H. Strps Ballast moveable blst Ballast Mat. Keel Type		
								Yes	No								
								SL	SPL								
Bessie's Girl	Bristol 45.5	30088	1980	57 18.83 130 18.83 ALUMN KTCH	57 18.83	47.25 4.66 15.2 8.56 30.25 390 8.25	4.66 8.56 390	Yes	Yes	33 1353 0 0	45.5 37.25 13.2 11	40000 15000 Lead	No 1 CNTRBRD	IB FEATH 3	(mtg 2/18/10, -3 sec/mi for dual spinnakers/ability to use asym on squared back pole)		
Big Air	Open 5.7 ODR	189	2006	21.52 7.3 117 21.6 12.3 ALUMN FS	21.6 12.3	25.33 5.7 10.24 8.2 183	5.7 8.2 183	No	Yes	17.6 345 5 0	18.75 18.7 8.3 5.74	992 405 Lead	0 1 FIXED	OB None			
Blade Runner	Santa Cruz 27	28727	1979	32.7 10.9 150 32.7 10.9 ALUMN MS	32.7 10.9	28.2 3.27 8.7 5.64 146	3.27 5.64 146	Yes	Yes	19.58 533 0 90	27 24.08 8 4.5	3000 1600 Lead	0 1 FIXED	OB None			
Blue	Swan 53-2	61522	2012	71.96 19.52 105 73.84 19.53 CARBON MS	73.84 19.53	65.88 7.64 21.98 13.38 826	7.64 13.38 826	No	Yes	38.89 2214 0 90	54.07 47.24 15.58 12.14	54482 22400 Lead	0 1 CNTRBRD	IB Fold	(Mtg 3/23/17, -3 sec/mi for ability to fly a-sail on a squared back pole)		
Blue Angel	Moore 24	106	1982	26.25 9.75 155 26.25 9.75 ALUMN FS	26.25 9.75	25 3.91 9.5 6.5 0 147 0	3.91 6.5 147	Yes	No	0 0	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0			
Blue Passion	tartan 3400	7134	2006	46 13.67 95 49.67 13.67 CARBON FS	49.67 13.67	43 4.58 14.5 8.2 341	4.58 8.2 341	No	No	0 0	34.42 30.42 11.92 6.5	10800 3500 Lead	0 1 FIXED	IB Fold			
Blue Ribbon	Catalina 27 IB	343	1975	34.5 11.25 120 34.5 11.25 ALUMN MS	34.5 11.25	28.7 3.5 10.5 6.3 170	3.5 6.3 170	No	No	0 0	26.83 21.75 8.83 4	6850 2650 Lead	0 1 FIXED	IB Fixed_3 3			

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications		
				J Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps moveable blst				
								SL	SPL	SLU	ASA							Ballast Mat.	Keel Type
								SSMG SSF	SSA	SLE ASMG	ASA								
Blue Ribbon II	Catalina 270 IB	38087	207	1994	33.58 9.25	135	33.58	28.42 4.67 11.5 7.61	4.67 7.61	No	No	27 23.75 9.83 5	6400 2000 Lead	0 1 FIXED	IB Fixed_2 2				
Blue Zephyr	Jeanneau Sun Odyssey 42 DS		108	2010	51.58 16.25	150		48.82 14.6	3.55 6.9	No	No	42.42 38 13.5 6.92	19676 5628 Iron	0 1 FIXED	IB Fixed_3	(mtg 4/27/17, +3sec/mi for in-mast furling, +3 sec/mi for MGM < 50% of E)			
Bodacious +	1D 48	48005	-15 490 138	1996	57.7 16.7	155	68.3 16.7	61.3 22.5 848	9.84 14.66 848	Yes	Yes	30.1 1673 0 0	19743 8818 Lead	0 1 FIXED	IB Fold 2	Water ballast system not operational (mtg 8/19/08, custom rating assigned of -30, includes dual spinnakers)(Mtg 3/24/11, new smaller mainsail, smaller symmetrical, change cutom rating from 30 to 24VMTg 8/25/11)			
Bombora	Express 27 ODR	38047	129 611 83		28.5 9	155	28.5	28.5 10.42 17.7 17.7	4.22 7.03 182	Yes	No	0 0 0	27.25 23.8 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0			
Boogie Woogie	Ranger 33 MOD	8262	153 654 264	1976	41.5 13.87	150	41.5	35 11 0 0	4.43 7.39 236	Yes	No	0 0	33.17 26.25 9.58 5.17	10500 4800 Lead	No 1 FIXED	IB FOLD 2	(Mtg 8/24/17, +3 sec/mi for short "E")		
Boomer	Melges 20	676	111 604 69	2009	23.19 7.05	110	27.2 10.95	24.25 9.84	3.83 7.42 152	No	Yes	18.8 417 3.9 0	20 19.4 7 4.5	1105 415 Lead	0 1 FIXED	OB None 0			
Borealis	Gulf 39 PH	77135	129		50 16.17	128		42 13.75	4.83 8.58 334	No	No	0 0	38.83 33.67 12 5	17500 Iron	1 FIXED	IB Fold			

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications			
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU SLE ASMUG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.		Traps/H. Strps moveable blst						
								SL	SPL						Yes			No	Ballast Mat.	Keel Type
								SSMG SSF	SSA						SLU			ASA		
Bosporus II	Columbia 36	97415	1968	42.75 15 ALUMN MS	41.75 15	34.666 14 0 0	5.3 9.1 289	Yes	No	41.5 25.8 26	15 894	0 <input type="checkbox"/>	35.75 28.25 10.5 5.42	13000 5000 Lead	No 1 FIXED	IB Fold 2				
Boudicca	Elan 310	310	2010	40.19 11.74 ALUMN FS	42.55 14.87	39.53 13.55	5.28 8.92 323	No	Yes	25.91 46.59 42.02 24.18	906 3 0	<input checked="" type="checkbox"/>	30.3 28.58 10.5 6.23	10141 2292 Iron	0 1 FIXED	IB Fold				
Brandy	Farr 30 1/2 Ton	57257	1979	31 9.6 ALUMN FS	31	34 12.9	4.5 7.11 243	Yes	No	31.4 17 17	9.8 445	0 0 <input type="checkbox"/>	30.33 23.5 10 5.33	4894 1909 Lead	0 1 FIXED	OB None	(Mtg 4/24/15, -6 sec/mi for increased P)			
Breakaway	Ultimate 20 CM	180	2002	26.08 6.97 CARBON FS	27.58 12.79	27.33 10.17	5.5 7.96 193	No	Yes	19.167 30.42 28.417 17.7	441 6 0	<input checked="" type="checkbox"/>	20.83 18 8.33 5	1350 450 Lead	No 1 FIXED	OB Fixed_3 3				
Breakout	Santana 35	18679	1982	39 12.85 ALUMN FS	39	42 14.25	5.51 9.26 358	Yes	No	39 23.13 18.6	12.85 722	0 <input type="checkbox"/>	35 26.5 11.92 6.25	8500 3300 Lead	No 1 FIXED	IB FOLD 2				
Bright Hour	Farr 40 ODR MH	50092	2001	53.15 15.45 CARBON FS	50.04 17.06	54.8 19.36	8.49 13.77 674	Yes	No	60.69 34.39 34.44	17.06 1740	0 0 <input checked="" type="checkbox"/>	40.7 35.3 13.2 8.53	10902 4960 Lead	0 1 FIXED	IB Fold				
Bullet	Express 37	40311	1985	48.75 14.33 ALUMN MS	48.75	42 13.75 0 0	5.3 8.83 344	Yes	No	48 25.79 25.79	14.33 1032	0 <input type="checkbox"/>	37.08 30.83 11.57 7.25	11000 4600 Lead	No 1 FIXED	IB FOLD 2				

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications							
		Sail #	DW Rating		I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No		Yes/No		LOA	LWL	Ttl Disp.	Traps/H.	Strps		IB or OB						
										PY	MSA	SL	SPL								SLU	ASA	Max Beam	Ballast	moveable blst	IB or OB
Mast Material			Rig Type																							
Buona Sera	Santa Cruz 70	41104	<b>-81</b> <b>423</b> 51	1986	73.15 22.52	155	73.63	65.49 25.39	9.12 15.72	No	25.5	Yes	40.06 2504 0 45	68.9 60.4 15.1 10.62	24905 8960 Lead	0 1 FIXED	IB Fold	(Mtg 8/27/15, New rudder noted, -9 sec/mi for new keel)(Mtg 3/23/17, -6 sec/mi for 13% increase in SPL, -3 sec/mi for increase in spinnaker area, +3 sec/mi for decrease in mainsail area)								
Bustin Loose	Sydney 38 MH	38044	<b>21</b> <b>533</b> 127	2002	54 14.9	104	52.03 14.77	50.53 18.046	6.85 11.73	Yes	15.9	Yes	27.69 1116 0	38.6 35.3 12.4 8.8	12250 5140 Lead	0 1 FIXED	IB FOLD 2									
Byte Size	Santana 22	801	<b>237</b> <b>737</b> 182	2001	26 8.5	90	26 8.5	21.75 9.833	3.95 6.59	Yes	8.583	No	0	22 18.67 7.83 3.5	2600 1230 Iron	No 1 FIXED	OB None 0									
BZ	Sonar 23		<b>174</b>		23 8.25	100		27.5 11.17	1.23 7.3	No		No	0 0	23 19.92 7.8 3.92	2100 900 Lead	No 1 FIXED	NONE None									
Cadenza	Moore 24	18878	<b>150</b> <b>636</b> 91	1977	26.25 9.75	150	26.25	25 9.5	4.01 6.54	Yes	27	No	0	23.75 21.75 7.17 4.083	2050 1025 Lead	No 1 FIXED	OB None 0									
Califia	Islander 36 ODR	67074	<b>144</b>	1978	45 14.48	135	45	39.25 12.75	3.69 6.88	No		No	0 0	36.08 28.25 11.17 6.08	13450 5450 Lead	0 1 FIXED	IB Feath 2									
California Condor	Class 40	94	<b>6</b> <b>481</b> 92	2010	53.9 15.65	104	58.6 23.85	53.21 18.81	11.71 14.38	No		Yes	39.7 1623 8.2 0	40 39.17 14.7 9.84	12225 4710 Lead	0 1 FIXED	IB Fold 2	Short-Handed Bay Configuration								

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications			
		Sail #	DW Rating		I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.			Traps/H. Ballast moveable blst Ballast Mat. Keel Type		
									SL	SPL	SLU	ASA								
									SSMG SSF	SSA	SLE ASMG	SA								
Can O' Whoopass	CAL 20	624	<b>273</b> <b>746</b> 153	1965	22 7.33 ALUMN FS	115	22 7.33	23 10	4 6.7	Yes	No	22 13.2 13.2	7.33	242	0	20 18.1 7 3.33	2000 900 Iron	0 1 FIXED	OB None 2	(mtg 4/24/08, -18 sec/mi for adding single trapeze wire) (10/2/08 - removed trapeze, now racing as a standard cal 20 -18 sec/mi penalty removed)(3/5/09 added single trapeze back, -18 sec/mi)(8/26/09, switching back to standard Cal 20)
Can't Touch This	J 125	93204	<b>-12</b> <b>468</b> 84	1999	49 15 CARBON MS	155	52.1 23	47 18	6.8 11.6	No	Yes	41 61.3 52.3 41	1941 8	0	41 37 10.6 7.9	9330 4646 Lead	0 1 FIXED	IB FOLD 2	(Mtg 2/26/09, -3 sec/mi for oversized main girths)(3/9/09, corrected main girths, removed -3 sec/mi penalty)(Mtg 8/24/17, -6 sec/mi for oversized LP, -3 sec/mi for oversized genoa luff)(10/23/17, switching back to standard LP, -6	
Capo Gatto	Nonsuch 30	308	<b>174</b> <b>668</b> 220	1985	ALUMN CAT			45 24	7.9 14.3 605	No	No		0 0	30.33 28.75 11.1 5	11500 4500 Lead	0 1 FIXED	IB Fold 2			
Captain Sluggo	Hobie 33	77870	<b>54</b> <b>524</b> 73	1982	34.7 12.2 CARBON MS	105	42.3	38.1 13.5	6 9.6 328	No	Yes	25.6 44.6 42.4 25.6	928 0	90	33 30.4 8 5.4	4532 1800 Lead	0 1 FIXED	OB None	(Meeting 4/27/17, Custom rating assigned: 54)	
Carmelita	Catalina 42-1/2	131	<b>105</b> <b>595</b> 214	1990	53 16.42 ALUMN MS	125	53	46.75 15.5 0 0	4.98 8.85 399	Yes	Yes	27.75 57 51.25 24.42	1131 0	<input checked="" type="checkbox"/>	41.83 36 13.83 6.66	22000 8300 Lead	No 1 FIXED	IB FEATH 3		
Carpe Vita	Olson 25	97399	<b>159</b> <b>671</b> 156	1988	32 9.583 ALUMN MS	130	32	28 10 0 0	3.8 6.4 166	Yes	No	32 17.25 17	9.583 459	0	25 21.25 9 4.5	3300 1300 Lead	No 1 FIXED	OB None 0		
Cassiopeia	Islander 36 ODR	6763	<b>144</b> <b>651</b> 281	1971	45 14.48 ALUMN MS	150	45	39.25 12.75	4.8 8.29 298	Yes	No	45.34 27 27	15 1020	0	36.08 28.25 11.17 6	13947 5450 Lead	No 1 FIXED	IB FOLD 2	(mtg 2/18/10, - 6 sec/mi for 10% OSP)(8/2/11, boat returned to ODR Configuration)	

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications			
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No	ASF	Ttl Disp.		Traps/H. Strps	IB or OB					
								SL	SPL	SLU	ASA							Ballast	moveable blst	
								SSMG SSF	SSA	SLE	Sprit Lngth Fixed or _o									Ballast Mat.
Catalyst	Wyliecat 30 IB	28571	132	2004			40	7.87	No	No		30.42	5800	No	IB	Must have a YC card before registering for 2005 and clear YC for 2004				
			652				20.67	13.46				25	3000	1	Feath					
					CARBON		0	493			<input type="checkbox"/>	9.42	Lead	FIXED	2					
			169		CAT		0					5.25								
Catapult	Santa Cruz 70	41005	-84	1989	73.34	155	73.74	25.26	66.11	9.3	No	Yes	39.1	68	23847	0	IB	(Mtg 5/25/17, Custom rating assigned. As Sailed: -84)		
			417		22.19		24.67	15.75				76.8	2348	59.7	9000	1	Fold			
					CARBON			963				67.9	0	15.1	Lead	FIXED				
			51		MS							38.9	<input checked="" type="checkbox"/>	0	10					
Catch 22	Custom Zenrich 20	22	189	1979	25.5	155	25.5		25.5	3.67	Yes	No		20	1800	0	OB	(Mtg 1/26/12, Custom rating of 189 assigned)		
			714		8		8.67	5.08				25.5	8	18	400	1	None			
					ALUMN			131				14.3	303	7.79	Lead	FIXED				
			140		FS							14		4						
CaZan	DK 46	61046	-21	2001	61.94	126	70.54	19.849	63.55	8.2	Yes	No	33.56	46.26	22439	0	IB	(Mtg 5/25/17, custom rating assigned. As Sailed: -21)		
			504		17.85		21.95	14.21				69.23	19.85	69.23	1822	40.52	9480		1	Fold
					ALUMN			826				35.42	2013	63.33	0	13.45	Lead		FIXED	
			153		MS							32.81		32.84	<input checked="" type="checkbox"/>	0	9.84			
CentoMiglia	Flying Tiger 10 Meter	15	57	2006	39.284	105	45.282	19.134	40.167	5.25	No	Yes	27.493	32.68	4376	No	OB	(3/7/11, new class rudder installed, NCTR)(Mtg 8/24/17, +3 sec/mi for small girth mainsail)		
			521		12.126		14.895	9.12				51.541	1087	30.31	1918	1	None			
					CARBON			344				42.651	7.008	9.12	Lead	FIXED	3			
			71		FS							27.76	<input checked="" type="checkbox"/>	0	7.61					
Chance	J 120 ALUM	28484	51	2001	50.5	100	52	21.5	46.3	6.7	No	Yes	34.1	40	13900	No	IB			
			541		14.5		17.8	11.5				64.1	1765	35	6000	1	FOLD			
					ALUMN			489				50.6	7	12	Lead	FIXED	2			
			147		FS							37.65	<input type="checkbox"/>		7					
Chance	Farr 395	39528	27	2002	51.25	105	56.33	20.36	50	7.54	No	Yes	33.46	39.33	12500	No	IB			
			528		14		18.42	12.53				62.6	1617	34.5	4600	1	FOLD			
					CARBON			567				52.49	6.36	12.08	Lead	FIXED	2			
			138		FS							33.79	<input checked="" type="checkbox"/>		7.83					

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications			
		Sail #	DW Rating		I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.	Traps/H. Strps moveable blst		IB or OB Prop Type # of blades		
									SL	SPL	SLU	ASA							Ballast Mat.	Keel Type
Checkedred Past	Custom Wyliecat 39	3	102	2002			52	10.2	No	No			38.83	12000	0	IB	Boat has been modified for handicapped sailing			
			595				26.6	17.4					32	6200	1	FOLD				
			166		CARBON CAT			826			<input type="checkbox"/>	0 0	11.5	Lead	FIXED	2				
													6.6							
Christine Rose	Catalina 30 TM	0	183	1977	43	150	43	13.16	Yes	No			29.92	10200	0	IB				
			684		13.16		12	8	43.08	13.16			25	4250	1	Fixed_3				
			297		ALUMN MS			270	23.6	847	<input type="checkbox"/>	0 0	10.83	Lead	FIXED	3				
									23.6				5.25							
Ciao Bella	Beneteau 37	38	117	2009	45.833	105			No	No			37.666	14008	0	IB				
					15		43.5						34.75	3902	1	FOLD				
					ALUMN FS		12.9				<input type="checkbox"/>	0 0	12.833	Iron	FIXED	3				
			152										6.25							
Circlesea	Folkboat	125	252		21.99	100	10.17		No	No			25.08	4640	0	OB				
					6.56		28.71	4.42					19.82	2315	1	None				
					WOOD MS		11.15	7.33			<input type="checkbox"/>	0 0	7.26	Iron	FIXED	0				
			271					194					3.92							
Color Blind	Moore 24	49	150	1979	26.25	150	26.25		Yes	No			23.75	2050	No	OB				
			635		9.75		25	3.91	27	9.75			21.75	1025	1	None				
			91		ALUMN FS		9.5	6.5	17.55	395	<input type="checkbox"/>	0	7.16	Lead	FIXED	0				
							0	147	17.55				4.083							
Constance	Tartan 34 CB	346	165	1974	41	125	41		No	Yes	20.3		34.3	11200	0	IB	Roller Furler			
			683		14		35.5	4	41	14	43.6	742	25	5000	1	Fold				
			326		ALUMN MS		10.5	6.9	24.5	836	37.4	0	10.2	Lead	CNTRBRD	2				
								224	24.3		22.4	<input checked="" type="checkbox"/>	8.3							
Coquelicot	Ranger 33	148	153	1975	41.5	120	43.75		Yes	No			33	10500	No	IB	Double Spreader rig, water supply 41 gallons, below v berth, 26 gallon bladder tank starboard, rudder 9 inches deeper, group 31 batteries, 15 hsp one cyl disel replaced by 29 hsp Perkins 3 cylendar engine. (NOTE) (MTC 2 21 02)			
			644		13.87		13.75	8.1	45.51	13.87			26.3	4500	1	FOLD				
			262		ALUMN MS		0	270			<input type="checkbox"/>	0	9.6	Lead	FIXED	2				
							0						5							



Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications						
		Sail #	DW Rating		I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No		Yes/No	ASF		LOA LWL	Ttl Disp.	Traps/H. Strps		IB or OB Prop Type # of blades					
										Mast Material	PY EY		MSA	SL SSMG SSF			SPL SSA			SLU SLE ASMG	ASA Sprit Lngth Fixed or _o	Max Beam Max Draft	Ballast	moveable blst Keel Type
Cordon Rouge	J 30	68	144	1979	34	125	34	38	5.1	Yes	No	0	29.83	6700	No	IB								
			657		11.5			13	8.4			11.5	25	2100	1	FOLD								
			195		ALUMN FS				296			555	11.2	Lead	FIXED	3								
										<input type="checkbox"/>		0	5.25											
Courageous	J 88	77	81	2015	38.67	104	46	36.82	5.44	No	Yes	29	29.19	4990	0	IB								
			561		11.28		18.05	12	8.4			1022	26.84	1840	1	Fold								
			117		CARBON FS				282			5.25	9.5	Lead	FIXED									
												0	6.5											
											<input checked="" type="checkbox"/>	0												
Crackers	J 105 ODR w/ 5'BS	581	78	2002	40.6	100	42.1	41.5	5.5	No	Yes	26.2	34.5	8664	0	IB								
			585		13.5		19.07	14.5	9.4			859	29.5	3400	1	Fold								
			153		ALUMN FS				358			5	11	Lead	FIXED									
												0	6.5											
											<input checked="" type="checkbox"/>	0												
Crane Wife	Fuji 32 KTH	0	252	1977	36.25	148		29.08	3.8	No	No		31.5	13115	0	IB								
					14.75			11.21	5.96				29	4635	1	Fixed_3								
					ALUMN KTCH			18.25	177			0	9.83	Iron	FIXED									
			244					8				0	3.66											
											<input type="checkbox"/>	0												
Crazy Eights	Moore 24	28888	150	1978	26	150	26.3	25	3.91	Yes	No		23.75	2050	0	OB								
			636		9.8		9.75	9.5	6.5				21.75	1000	1	None								
			91		ALUMN FS				147			0	7.16	Lead	FIXED	0								
													4.083											
											<input type="checkbox"/>													
Crazy Rhythm	Santa Cruz 27	18771	144	1978	32.58	125	32.58	28.166	3.68	Yes	No		27	3200	No	OB	(Outboard Removed)							
			621		10.75			8.583	6.06				24	1600	1	None								
			105		ALUMN MS			0	153			0	8	Lead	FIXED	0								
								0					4.5											
											<input type="checkbox"/>													
Crews Nest	Catalina 34 1&2	1383	147	1997	44	130	44	38.5	3.6	Yes	No		35.67	11950	No	IB								
			634		13.5		13.5	12	6.8				29.83	5000	1	FEATH								
			205		ALUMN MS			0	251			0	11.75	Lead	FIXED	3								
								0					5.58											
											<input checked="" type="checkbox"/>													

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications			
				DW Rating Disp/WL Ratio	Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.	Traps/H. Strps moveable blst		IB or OB Prop Type # of blades		
									SL	SPL	SLU	ASA							Ballast Mat.	Keel Type
									SSMG SSF	SSA	SLE ASMG	0								
Crinan II	Wyliecat 30 IB	15	2002				39.75 20.5 0 0	7.79 13.32 485	No	No		30.5 25 9.5 5.25	5500 3050 Lead	No 1 FIXED	IB FOLD 2					
CruzSea Baby	Beneteau First 10R ODR	52878	2007	43.2 12.07	155	46.41 16.5	42.25 14.73	5.59 9.57 371	No	Yes	27.5 1055 4.43 0	32.75 28.7 11 6.55	9715 3528 Lead	0 1 FIXED	IB Fold 2	(Rudder Modifications noted, smaller non-class spinnaker +3 sec/mi)				
Curie	Beneteau 32S5	52868	1990	38.39 9.68	150	38.39 9.68	38.88 13.78	5.3 9.01 321	Yes	No	17.3 519 0 0	32.6 27.83 10.83 6	9260 2980 Cast Iron	0 1 FIXED	IB FOLD 2					
Current Affair	Express 27 ODR	56	1983	28.5 9	155	28.5	28.5 10.42	4.22 7.03 182	Yes	No		27.25 23.75 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None					
Danger Zone	Taylor 32	4128	1994	40 10.7	100	19.4	37.1 14.3	9.5 11.6 395	No	Yes	26.52 829 0 0	32 28.9 14.8 5.6	1962 551 Lead	1 CNTRBRD	OB None					
Dare Dare	Jeanneau Sun Fast 3200	39	2008	41.92 12.58	102	43.77 13.61	38.67 13.68	5.28 8.46 311	Yes	Yes	24.41 887 1 0	33.1 28 11.5 6.2	7916 2866 Lead	0 1 FIXED	IB Fold 2					
Dark & Stormy	1D 35	35018	1998	42 12.47	110	44.8 17.39	44 19	7.5 12 497	No	Yes	31.4 1236 4.92 0	35 31.5 10.9 7.58	6550 2660 Lead	0 1 FIXED	IB FOLD 2	Fixed bow sprit, using Asymmetrical spinnaker(mtg 3/20/08, -9 sec/mi for oversized spinnaker, +3 sec mi for not being able to articulate pole, as sailed: 30)				



Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications								
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU ASA Sprit Lngth Fixed or _o	SL SPL SSMG SSA	SLU ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst			Strps Keel Type							
								Disp/WL Ratio	28										4.25	Yes	No	24.5	3000	No	OB
31	3.6	Yes	No	28.25	7500	No	IB																		
Don Wan	Santana 28	8191	1978	36 12 155	36	31 9.416 6.1	3.6 6.1	Yes	No	28.25 23 9.17 5	7500 2550 Lead	No 1 FIXED	IB Fold 2												
Don't Panic	C&C 30 Mills	30026	2016	40.8 11.28 105	46.74 18.6	41.7 14.2	7 10 386	No	Yes	30 28.7 9.8 7.5	3995 1579 Lead	0 1 FIXED	IB Fold												
Double Agent	Merit 25	8465	1981	28.75 9.66 155	28.75	28 9.75	4.25 6.69	Yes	No	24.5 20.5 8 4	3000 1050 Lead	No 1 FIXED	OB None 0												
Double Down	Custom Schumacher 30	18480	1988	41.37 12.16 150	41.5	36.416 11.83	4.5 7.69	Yes	No	29.92 26 10.65 6.17	7854 3650 Lead	No 1 FIXED	IB FOLD 2	Rudder change, old rudder 85lbs new 65 lbs. Old alum/new carbon MTG 10/27/94 Noted- NCTR (MTG 1/9/97 Alum headsail removed and excess wires removed from mast- Noted NCTR)(Mtg 2/21/08, change custom rating from 126 to 123 after											
Double Espresso	Olson 30 OB	18069	1982	36 11.75 155	35.9 11.75	31.5 10.75	4.36 7.26 208	Yes	No	30 27.5 9.33 5.08	3600 1800 Lead	0 1 FIXED	OB None												
Downtown Upoar	J 24 ODR	2394	1981	26.25 9.5 150	26.25	28 9.75	3.7 6.37	Yes	No	24 20 9.2 4.1	3125 965 Lead	0 1 FIXED	OB None 0												
Dr Feelgood	Olson 29	24	1986	34 11 155	36	32.5 11.5	4.36 7.48 223	Yes	No	29.67 27.5 9.33 5.58	3600 1950 Lead	0 1 FIXED	OB None												

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst		
								SL	SPL	SLU	ASA						
								SSMG SSF	SSA	SLE ASMUG	ASA						
Dragonsong	Olson 30 OB	87014	1982	36 11.75 ALUMN MS	155	35.9 11.67	31.5 4.364 10.75 7.268 0 208 0	Yes	No	30 27.5 9.33 5.08	3600 1800 Lead	No 1 FIXED	OB None 0				
Dream	Sceptre 41	12	1983	53 17.67 ALUMN MS	90	53	47 5.24 13 8.73 374	Yes	No	41 36 12.67 6.08	21500 8700 Lead	0 1 FIXED	IB Fold				
Drop Beer	Beneteau Class 10	18277	1984	37.8 12.6 ALUMN FS	150	38.6	39.7 4 13.9 8.7 0 308 0	Yes	No	34.2 29.6 9.9 6.8	7000 2200 Iron	0 1 FIXED	IB FOLD 0	NEW RUDDER 3/4/95, NCTR (MTG 3/36/95)			
Dulcinea	Catalina 38	88	1981	49.83 15.5 ALUMN MS	130	49.8 15.5	44 4.37 11.5 7.6 304	No	No	38.17 30.25 11.83 6.75	15900 6850 Lead	0 1 FIXED	IB Fold 2				
Dura Mater	CAL 27-2 IB	616	1979	36 12 ALUMN MS	120		30.83 4.21 10.25 7 195	Yes	No	26.58 22.08 9.25 4.25	6700 3100 Lead	0 1 FIXED	IB Fixed_3 3				
Ebb Tide	Wauquiez 45s Centurion	60245	2003	55.77 17.72 ALUMN FS	100	55.77 17.72	51.84 6.51 19.32 11.68 567	Yes	Yes	45.92 40.25 13.67 8.17	23148 8488 Lead	0 1 FIXED	IB Fold 3	(Mtg 5/26/11, Increased "JSP" by 5.67' which equals a 30% increase. - 9 sec/mi per NCPHRF Rules & Guidelines.)(Mtg 3/29/12, JSP now same as J+9 sec/mi, Asymmetrical spinnaker still oversized, -3 sec/mi)			
Ecco	CAL 39-2/3	115	1980	50 16.7 ALUMN MS	125	50	44 5 13.75 8.5 351	No	No	39 32.1 12.15 6.7	17000 7000 Lead	0 1 FIXED	IB Feath				

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp. Traps/H. Strps		IB or OB Prop Type # of blades			
								SL	SPL	SLU	ASA		Ballast	moveable blst				
								SSMG SSF	SSA	SLE	Sprit Lngth Fixed or _o					Ballast Mat.	Keel Type	
Eclipse	Express 37	18495	72	1985	48.75 14.33	155	48.75	42 13.75 0 0	5.28 8.83 344	Yes	No	37.08 30.83 11.57 7.25	11000 4500 Lead	0 1 FIXED	IB FOLD 2	Rudder modification noted, no change to rating. (Actual weight from yard 11200 - 9500 was design displacement. No mods from standard express 27.) 3/26/01		
El Raton	Express 27 ODR	28050	129	1985	28.5 9	155	28.5	28.5 10.416 0 0	4.22 7.03 182	Yes	No	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0			
Elan	Beneteau 37	46	114	2012	45.83 15	105	48	43.5 12.83	6.16 8.83 359	No	Yes	37.8 34.08 12.83 6.25	14359 3901 Iron	0 1 FIXED	IB Fold			
Elan	Express 37	87700	72	1985	48.75 14.33	155	48.75	42 13.75 0 0	5.28 8.83 344	Yes	No	37.083 30.833 11.57 7.25	11000 4500 Lead	No 1 FIXED	IB FOLD 2			
Eliana II	Morgan 38-2	77486	156	1981	46 16.25	110	46	40.5 14.5	4.69 8.34 324	Yes	No	38.33 30.5 12 6	17000 6800 Lead	0 1 FIXED	IB Fixed_3 3	(Mtg 1/26/17, +3 sec/mi for oversized symmetric spinnaker area)		
Elise	Express 27 ODR	101	129	1986	28.5 9	155	28.5	28.5 10.416 0 0	4.22 7.03 182	Yes	No	27.25 23.75 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0			
Elusive	Swan 42 Club	4216	9	2007	59.07 16.44	106	62.99 19.05	56.56 19	7.1 12.5 641	Yes	Yes	42.59 38.15 12.8 9	17158 6988 Lead	0 1 FIXED	IB Fold 2	(Mtg 2/25/16, +3 sec/mi for decrease in Spinnaker Area, +6 sec/mi for decreased JSP, -3 sec/mi for articulation, -3 sec/mi for switch to larger headsail)(06/09/17, switching back to stock configuration)		

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications			
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU ASA Sprit Lngth Fixed or _o	SL SPL SSMG SSA	ASF		Ballast	Traps/H. Strps moveable blst Keel Type					
								SL	SPL									SLU	ASA	Max Beam
Emily Carr	Santa Cruz 50	49211	-6	1981	61	150	61	55	6.4	Yes	No	53	15000	No	IB	3' SUGAR SCOOP ON TRANSOM IF STD 50FT LOA OF BOAT				
			478		19			17	11			46.5	7500	1	FOLD					
			68		ALUMN			0	555		<input type="checkbox"/>	12	Lead	FIXED	2					
					MS			0				8								
Enchante'	Beneteau 42 IK TM	63222	84	1985	55.43	155	55.71	49.2	4.8	No	No	43.67	20509	No	IB					
					16.73			14.6	8.5			36	8700	1	FOLD					
					ALUMN			0	400		<input type="checkbox"/>	13.83	Iron	FIXED	2					
			200		MS			0				7.19								
Encore	Sydney 36 CR	3632	57	2006	45.6	104		44.36	6.1	No	Yes	28.9	12897	No	IB	(Australian IRC Rating 1.052)(Mtg 8/23/12, change custom rating from 54 to 57)				
			565		14			16.4	10.6		55.7	1283	4850	1	FOLD					
			196		ALUMN				431		48	1.4	Lead	FIXED	2					
					FS			27.2			29.9	<input type="checkbox"/>	90							
Endless Summer	Catalina 36	271	150	1984	44.75	95	44.75	39	4.33	No	Yes	23.33	13500	0	IB					
			655		14.33		14.33	12	8.01		43.75	850	6000	1	Fixed_3					
			222		ALUMN				279		38.08	0	Lead	FIXED	3					
					MS						25.33	<input checked="" type="checkbox"/>	0							
Endless Summer	Catalina 42-1/2 WK	688	111	2000	53	155		46.75	5.08	No	No	41.83	28000	0	IB					
					16.5			15.5	9.16			36	8300	1	Feath					
					ALUMN				405			13.83	Lead	FIXED	3					
			273		MS						<input type="checkbox"/>	0								
Envolee	Figaro II	0	54	2012	42.75	104	42.75	42.67	6.5	Yes	No	32.18	6724	0	IB	(mtg 4/27/17, water ballast disabled, +6 sec/mi)				
			558		12.42			15.42	10.63			32	2425	1	Fold					
			93		CARBON				410			11.33	LeadWater	FIXED						
					FS			23.62	865		<input type="checkbox"/>	0								
Ergo	Express 27 ODR	40428	129		28.5	155	28.5	28.5	4.22	Yes	No	27.25	2450	0	OB					
			611		9			10.416	7.03			23.75	1100	1	None					
			83		ALUMN				182			8.075	Lead	FIXED	0					
					FS						<input type="checkbox"/>	0								

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
				J Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp. Traps/H. Strps		IB or OB Prop Type # of blades			
								SL SPL SSMG SSF	SPL SSA	SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ballast	moveable blst Keel Type				
																Ballast Mat.	Keel Type	
Disp/WL Ratio	Mast Material Rig Type	Mast	Material	SSMG	SSA	SLE	Sprit Lngth	Ballast Mat.	Keel Type									
Escapade	Express 37	18051	1985	48.75 14.33 ALUMN MS	155	48.75	42 13.75 0 0	5.28 8.83 344	Yes 48 25.58 25.42	14.33 1022	No <input type="checkbox"/>	37.08 30.83 11.57 7.25	11000 4500 Lead	No 1 FIXED	IB FOLD 2			
Escapade	Sabre 40-2	38011	1997	54 15.5 ALUMN MS	110	54 16	47.5 17	5.6 9.9 449	Yes 51.25 27.3 25.6	15.5 1151	Yes 53.5 47 24	23.5 1001 0 0	40.2 34 13.3 7.5	19760 7500 Lead	0 1 FIXED	IB FEATH 3		
E-Ticket	Moorings 38 SD	119	1990	47.5 13.9 ALUMN MS	155	47.5 13.9	41.7 15	5.69 9.45 369	Yes 47.6 25.4 23.8	13.9 995	No <input type="checkbox"/>	38.4 31.33 12.5 4.8	13700 5400 Steel	0 1 FIXED	IB Fold 2	Shoal Draft (Mtg 10/27/16, -3 sec/mi for oversized spinnaker area)		
Evenstar	Ranger 23	6404	1974	27.54 9.75 ALUMN MS	155	27.5 9.7	24 9.2	3.3 5.4 126	Yes 27.7 17.46 17.46	9.7 403	No <input checked="" type="checkbox"/>	23.67 20 7.92 3.9	3400 1500 Lead	0 1 FIXED	OB None			
Everlong	Beneteau 40.7 First Farr	51705	2002	51.61 14.47 ALUMN MS	104	51.61 14.47	48.85 17.72 0 0	6.73 11.51 515	Yes 50.92 26 26	14.47 1103	Yes <input type="checkbox"/>	39.33 34.83 12.33 7.75	15211 5950 Lead	0 1 FIXED	IB FOLD 2			
Ex Indigo	Custom Diva 39	8	1987	41.73 12.8 ALUMN FS	125	41.73 12.8	46.75 14.75 0 0	5.72 9.6 413	Yes 41.4 22.6 22.6	12.8 780	No <input type="checkbox"/>	38.75 30.83 9.83 5.75	9920 4575 Lead	No 1 FIXED	IB FOLD 2	Back Stay Crane		
Expeditious	Express 37	18478	1986	48.75 14.33 ALUMN MS	155	48.75	42 13.75 0 0	5.28 8.83 344	Yes 48 25.5 25.4	14.33 1019	No <input type="checkbox"/>	37.08 30.83 11.57 7.25	11000 4500 Lead	No 1 FIXED	IB FOLD 2	INSTALED NEW CLASS-APPROVED CARBONFIBER RUDDER - MTG 6-12-2000 NCTR.		



Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications		
				J Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps moveable blst				
								SL	SPL	SLU	ASA							Ballast Mat.	Keel Type
								SSMG SSF	SSA	SLE ASM	ASA								
Expression	Express 37 MOD	33985	1984	48.75 14.33 ALUMN MS	150	48.75	42 13.75	5.3 9 346	Yes 48.16 23.2 23.2	No 14.33 931	19 705 0 90	37.1 30.83 11.5 6	9500 4500 Lead	0 1 FIXED	IB Fold 2	(mtg 1/21/10, +3 sec/mi for modified keel, -3 sec/mi for dual spinnaker/ability to fly asym on squared back pole)(1/19/11, removed asym, only using symmetric spinnaker, +3 sec/mi)			
Family Hour, TNG	Henderson 30	46595	1997	37 11 CARBON FS	155	42.3 17.8	38.2 14	6.74 10.62 356	Yes 41.5 19.8 19.8	11 49.99 41.99 31.9	31.9 1223 6.2 15	30.83 27.75 9.84 7	3850 1750 Lead	0 1 FIXED	OB None 0	Kelp Cutter			
Farriage	Catalina 42-1/2	336	1992	53 16.42 ALUMN MS	130	53 16.42	46.75 16.42	5.75 9.83 437	No 53 47.37 24.37	Yes 27.08 1042 0 0	27.08 1042 0 0	41.83 36 13.83 6.83	20600 8300 Lead	0 1 FIXED	IB Feath 3				
Fast Lane	Olson 25	46657	1985	32 9.6 ALUMN MS	155	32	28 10	3.8 6.4 166	Yes 32 17.25 17	9.6 459	No 0 0	25 21.25 9 4.5	3300 1300 Lead	0 1 FIXED	OB None				
Fatuity	Moore 24	48	1980	26.25 9.75 ALUMN FS	150	26.25	25 9.5 0 0	3.91 6.5 147	Yes 27 17.55 17.55	9.75 395	No 0 0	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0				
Ferweh	Morgan 462	0	1979	50.75 18.75 ALUMN KTCH	110		43.25 13 26.5 9	5.15 8.65 341	No No	No 0 0	46.5 39.25 13.5 5.25	30000 8400 Lead	0 1 FIXED	IB Fixed_3					
Finn	Capo 26 IB	18782	1985	34.6 10.56 ALUMN MS	155		30 10	4.1 6.8 185	Yes 35 18.8 18.3	10.5 545	No 0 0	26 22 9.25 4.58	4300 1900 Lead	0 1 FIXED	IB Fold				

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU ASA Sprit Length Fixed or _o	SL SPL SSMG SSA	SLE ASA Sprit Length Fixed or _o		Max Beam Max Draft	Ttl Disp. Ballast Mat.			Traps/H. moveable blst Keel Type
								Yes	No									
Firefly	Moore 24	64	1980	26.25 9.75 ALUMN FS	26.25	25 9.5 0 0	3.91 6.5 147	Yes	No	27 9.75 17.55 395	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0				
Firefly	Harbor 20	226	2006	25.75 7 ALUMN FS	90	25.75 7	26 10 151	3.6 6.25	No	No	0 0	20 17.17 7 3.5	1800 900 Lead	0 1 FIXED	OB None			
First Light	Beneteau 35S5	115	1991	41.66 11.15 ALUMN FS	98	42.65 15.09 0 0	5.25 9.042 366	Yes	No	42.7 11.15 20.5 729	35.42 29.33 11.83 6	11460 4190 Lead	No 1 FIXED	IB Fixed_2 2				
Flight Risk	Catalina 38	87586	1983	49.8 15.5 ALUMN MS	155	49.8	44 11.5 294	4.18 7.12	Yes	No	49 15.5 27.9 1139	38.24 30.45 11.12 6.1	19489 6850 Lead	No 1 FIXED	IB Fold 2	Roller Furler		
Flight Risk	Thompson 650	650	2000	26.67 8.86 CARBON FS	100	28.25 14.86	28.29 10.4 204	5.7 8	No	Yes	20.58 586 7.87	22.3 19.8 8.16 5.9	1692 660 Lead	Yes 3 FIXED	OB None	(mtg 1/21/10, weighed displacement of 1692lbs updated, NCTR)(Mtg 3/18/10, change custom rating from 108 to 99)(Mtg 8/18/10, submitted appeal, rating changed from 99 to 102)		
Flyer	Peterson 33 (CHITA)	18620	1979	42.5 13.9 ALUMN MS	155	42.5	36.66 9.91 213	3.66 6.21	Yes	No	41.91 13.75 24.83 866	32.67 26.58 10.5 6.08	9480 4960 Lead	0 1 FIXED	IB FOLD 2			
For Pete's Sake	Ultimate 24 ODR	28469	2003	28.04 7.82 CARBON FS	102	30.8 14.5	31 11.5 0 0	5.5 8.8 238	No	Yes	22.2 587 6.7 0	24.38 21.17 8.48 5.52	2040 750 lead	No 1 FIXED	OB None			

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps moveable blst			
								SL	SPL	SLU	ASA							
								SSMG SSF	SSA	SLE ASMG	ASA							
Foxxfyre	Yamaha 33 IK SM	67248	1978	42.81 13.78 ALUMN MS	42.81	37.4 10.6 0 0	4.38 7.27 246	Yes	No	44 24.8 23.7	13.78 901	0	33.25 26.92 11 6.25	16000 4410 Iron	No 1 FIXED	IB FEATH 2	PER PHRF MTG 3/16/2000 - Weight Differencer from brochure is significant.	
Freedom	Worth 40	18230	1984	54 16 ALUMN MS	155	16	47 14 0 0	5.5 9.2 397	Yes	No	52 28.8 28.8	16 1248	0	40 34.25 12.5 7.25	21000 7800 Lead	0 1 FIXED	IB FOLD 2	
Freedom	Beneteau 523	38333	2006	65.22 20.77 ALUMN FS	105		59.09 18.53	6.39 11.04 620	No	Yes	35.519 1854 2 0	53.08 47.92 16 7.5	32800 10935 Iron	No 1 FIXED	IB FOLD 3	Bow Thruster, in-mast furling, above deck jib furler; (Mtg 8/17/06 - +6 s/m for small girth main); electric winches added 1/29/07 (Mtg 3/28/13, +3 secmi for 8% decrease in mainsail area)		
French Kiss	Beneteau 350 Oceanis	28713	1989	41.47 12.8 ALUMN MS	140		35.7 11.6 0 0	4.2 7.3 242	Yes	No	39.5 22.5 22.5	12.52 741	0	33.83 29.83 11.17 5.17	10580 3525 Lead	0 1 FIXED	IB FOLD 2	Above deck Roller Furler
Frequent Flyer	Mumm/Farr 30	52	1996	38.2 10.9 CARBON FS	104		40.5 14.6	6.42 10.4 377	Yes	Yes	25.25 882 0 0	30.9 27.6 10.1 6.9	4561 1997 Lead	0 1 FIXED	IB Fold			
Friction Loss	J 30	67425	1979	34 11.5 ALUMN FS	155		38 13 0 0	4.94 8.45 295	Yes	No	34.4 22.2 22	11.5 635	0	29.83 25 11.17 5.25	6500 2100 Lead	0 1 FIXED	IB FOLD 2	
Friday Harbor	Beneteau 323 DK	28580	2004	42.67 11.06 ALUMN MS	116		38.9 13.17	5 8.56 306	No	Yes	19.91 661 0 0	32 29.17 10.67 5.92	8448 2258 Iron	No 1 FIXED	IB FOLD 2			

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications						
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU ASA Sprit Lngth Fixed or _o	SL SPL SSMG SSA	SPL SSA		SLU ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast Mat.			Traps/H. moveable blst Keel Type					
								DW Rating	Mast Material										ISP JSP	MGU MGM MSA	Yes/No	SL SPL SSMG SSA	SLU ASA Sprit Lngth Fixed or _o
Friday's Eagle	Catalina 30	18294	1981	41 11.416 ALUMN MS	41	35 11.5 0 0	4.63 7.72 246	Yes	40 20 20	11.5 667	No	29.916 25 10.833 5.25	10200 4200 Lead	No 1 FIXED	IB FOLD 2								
Frisky	Open 5.7 ODR	281	2009	21.52 7.3 ALUMN FS	117	25.33 10.24	5.7 8.2 183	No		17.5 338 5 0	Yes 25.8 20.6 17.5	18.7 18.7 8.3 5.7	992 405 Lead	0 1 FIXED	NONE None								
FROLIC	Islander 36 TM	47462	1974	47 14.5 ALUMN MS	155	40.75 12.6	4.8 8.25 307	Yes	46.5 25.8 24.6	14.5 990	No	36.08 28.25 11.17 6.08	13450 5450 Iron	0 1 FIXED	IB Feath 3								
FUGU	Wilderness 30 SX FR IB	67967	1980	34.08 11.75 ALUMN FS	150	34.44 11.5	4.37 7.48 236	Yes	34.28 21.15 21.15	11.75 604	Yes 37.61 33.38 20.39	20.36 603 0 0	29.75 27.75 8.75 5.5	4200 1900 Lead	0 1 FIXED	OB None 0	(Mtg 11/20/08, -6 sec/mi for replacing inboard with outboard engine)						
Ga	Knarr ODR	123		33.583 6.583 WOOD FS	125	31 11.166 0 0	4.47 7.46 211	No			No	30.333 20.333 7 4.25	4630 2866 Lead	No 1 FIXED	OB None 0								
Galaxsea	Custom Nauticat 43.5	28743	1985	51 20 ALUMN KTCH	104	45 13.6 32.4 8.5	4.3 7.9 338	Yes	50.98 33.43 35.6	20 1439	Yes 52 50 25.6	29.2 1119 4.9	43.6 37.7 12.2 5.9	34000 11000 Lead	No 1 FIXED	IB FEATH 3	Stay sail measurements foot=1', Luff=34'6", Leach=30'2", LP=132"						
Ganesha	Sabre 36-2	28862	1996	48.5 13.46 ALUMN MS	155	41.6 14.83 0 0	5.66 9.63 368	No			No	36.17 30.42 12 6.5	13800 5520 Lead	No 1 FIXED	IB FOLD 2	Adjustable back stays							

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
				DW Rating Disp/WL Ratio	J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp. Ballast	Traps/H. Strps moveable blst Keel Type		IB or OB Prop Type # of blades	
									SL	SPL	SLU	ASA			Ballast Mat.	Keel Type		
									SSMG SSF	SSA	SLE ASMG	Sprit Lngth Fixed or _o						
Gavilan	Custom Wylie 39	28439	1996	49 14.5 ALUMN MS	122	49	43 15.5 0 0	5.73 9.75 390	Yes	Yes	24.6 783 1.17	41.5 31.75 11.5 6.77	17900 5920 Lead	No 1 FIXED	IB FEATH 3	(mtg 4/28/11, change custom rating from 84 to 96 after review of rating appeal)(Mtg 1/26/12, -3 sec/mi for sprit)		
Gentoo	Soto 30	1	2012	38.25 12.25 CARBON MS	102	38.67 19.83	38.67 13.58	5.83 8.83 322	No	Yes	26.25 968 7.7 0	30 28.75 9.58 6.5	3800 1415 Lead	0 1 FIXED	OB None	(Mtg 9/16, -3 sec/mi for larger mainsail)		
Geodesic III	Optima 101	103	1985	38.71 12 ALUMN FS	145	38.71 12	38.39 13.45	4.9 8.2 298	Yes	Yes	19.6 586 2 0	32.84 29.25 11.15 4.76	8511 3968 Iron	0 1 FIXED	IB Fixed_2	(Mtg 4/27/17, added 2' retractable bowsprit, -3 sec/mi)		
Get Happy!!	Express 27 ODR	1	1981	28.5 9 ALUMN FS	155	28.5	28.5 10.416	4.22 7.03 182	Yes	No	0	27.25 23.75 8.166 4.5	2450 1100 Lead	No 1 FIXED	OB None 0			
Giant Slayer	Santa Cruz 27	59369	1979	32.583 10.9 ALUMN MS	155	32.583 10.9	28.25 8.7 0 0	3.7 6.3 157	Yes	Yes	17.67 372 0 90	27 24 8 4.5	3304 1800 Lead	No 1 FIXED	OB None 0	(Mtg 3/27/14, -3 sec/mi for 10% overized symmetrical spinnaker)		
Gig	Humboldt 30 IB	18112	1983	37.5 11.5 ALUMN FS	149	37.5	41.5 13.75 0 0	5.13 8.83 338	Yes	No	0	30 26.66 10.5 5.75	5400 2222 Lead	No 1 FIXED	IB FOLD 2			
Godot	J 105 ODR w/ 5'BS	28905	1992	40.6 13.5 ALUMN FS	95	42.1 19.07	41.5 14.6 0 0	5.5 9.4 359	No	Yes	23.29 958 5	34.5 29.5 11 6.5	7750 3400 Lead	No 1 FIXED	IB FOLD 2			

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
				DW Rating Disp/WL Ratio	J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast Mat.	Traps/H. moveable blst Keel Type		IB or OB Prop Type # of blades
									SL	SPL	SLU	ASA						
									SSMG SSF	SSA	SLE ASMG	ASA						
Golden Moon	Express 37	18488	1985	48.75 14.33 ALUMN MS	155	48.75	42 13.75 0 0	5.37 8.99 347	Yes	Yes	29.5 1034 0 90	37 30.83 11.57 7.25	11000 4500 Lead	No 1 FIXED	IB FOLD 2			
Goose	Catalina 30	1210	1979	41 11.416 ALUMN MS	155	41	35 11.5 0 0	4.63 7.72 246	Yes	No	0 0	29.92 25 10.83 5.25	10200 4200 Lead	No 1 FIXED	IB FOLD 2			
Gotcha	Santa Cruz 27	47911	1975	32.58 10.75 ALUMN MS	150	32.58	28.25 8.583 19.6 19.6	3.68 6.06 154	Yes	No	0 0	27 24 8 4.5	3200 1600 Lead	0 1 FIXED	OB None			
Gratitude	Hylas 46	60373	2002	58.4 17.7 ALUMN CTR	135	58.4 17.7	50.6 18 469	4.6 9.6 469	No	Yes	25.5 1309 0 0	46.3 40 13.9 6.6	27777 12347 Lead	0 1 FIXED	IB Feath 3			
Green Buffalo	CAL 40	8538	1967	46.7 15.2 ALUMN MS	155	46.7	39.8 17.6 0 0	6.65 11.37 416	Yes	No	0	39.3 30 10.9 5.8	15148 6000 Lead	0 1 FIXED	IB FEATH 3	Schumacher designed rudder - same as original		
Green Dragon	Cal 20	4188	1965	22 7.33 ALUMN FS	125	22	23 9.84 0 0	3.84 6.5 137	Yes	No	0	20 18.08 7 3.33	1950 900 Steel	0 1 FIXED	OB None 0			
Grey Wulff	Olson 25	18517	1984	32 9.6 ALUMN MS	155	32	28 10 166	3.8 6.4 166	Yes	No	0 0	25 21.25 9 4.5	3300 1300 Lead	0 1 FIXED	OB None			

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications					
		Sail #	DW Rating		I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No		Yes/No	ASF		LOA LWL	Ttl Disp.	Traps/H. Strps			IB or OB Prop Type # of blades				
										Mast Material	PY EY		MSA	SL SSMG SSF			SPL SSA	SLU SLE ASMG			ASA Sprit Lngth Fixed or _o	Max Beam Max Draft	Ballast	moveable blst Keel Type
Grunion	Catalina 425	11	87	2017	55.75 15.67	125	17.34	52 18	5.04 9.58	No	No		41.67 39.08 13.67 6.67	17500 7000 Lead	0 1 FIXED	IB Fold	(Mtg 1/26/17, need to submit spinnaker measurements when available)							
Gruntled	Moore 24	68	150 635 91	1980	26.25 9.75	150	26.25	25 9.5 0 0	3.91 6.5 147	Yes	No		23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0								
Gygax	Hinckley Pilot 35 TM	4802	192 672 393	1975	44.36 13.8	155	44.36 13.8	41.83 15.81	5.5 9.97	Yes	No		35.5 25 9.5 5	13500 4200 Lead	0 1 FIXED	IB Feath								
Hana Ho	Santa Cruz 50	77007	-12 478 84	1980	61.39 18.85	155	61.5 20.73	54.92 16.98 0 0	6.5 11.1 558	Yes	Yes	35.9 1847 0	52 46 12 7.75	18000 8000 Lead	0 1 FIXED	IB Feath 3	(Mtg 5/26/11, +3 sec/mi for interior changes)(2/24/12, interior changes removed, boat is back to standard weight for a SC 50)(Mtg 5/25/17, New Rudder, NCTR. -3 sec/mi for OSP, -3 sec/mi for oversized spinnaker area)							
Hang 20	Express 27 ODR	48	129 612 83	1982	28.5 9	125	28.5	28.5 10.42	4.22 7.03	Yes	No		27.3 23.8 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0								
Hangover	Islander 36 ODR	367	147	1976	45 14.48	135	45	39.25 12.75	5.05 8.44	No	No		36.8 28.25 11.17 6.08	13450 5820 Lead	0 1 FIXED	IB Fixed_2								
Happiness	Cal 27-2 OB	3893	201 700 283		36 12	95	36 12	30.67 10.25	3.25 6.5	Yes	No		26.58 22.08 9.25 4.25	6700 3100 Lead	0 1 FIXED	OB None								

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		Ttl Disp. Ballast		Traps/H. moveable blst				
								SL	SPL	SLU	ASA				Ballast Mat.			Keel Type
								SSMG SSF	SSA	SLE ASMG	Sprit Lngth Fixed or _o							
Happy Daze	Santana 30-30 GP	87322	1984	40.83 11.67 ALUMN MS	40.83	36.17 11.08 0 0	5.25 8.5 267	Yes	No	29.92 25.42 10.25 5.5	6500 2435 Lead	No 1 FIXED	IB FOLD 2					
		122	2016	40.35 10.82 ALUMN FS	95	38.25 14.57	5.54 9.47 332	No	No	31.72 28.54 10.88 6.23	10802 2932 Iron	0 1 FIXED	IB Fold					
Harp	Catalina 38	18003	1983	50.7 15.43 ALUMN MS	155	50.9 15.43	44 11.5 0 0	4.8 7.97 316	Yes	No	38.17 30.25 11.83 6.79	19489 6850 Lead	No 1 FIXED	IB FOLD 2	DEC 93 - 7X19 STND RIG/ W/ROD RIG & SHR TN UPR SPREADERS 2 IN. NO CHNG RTNG ( MTG 1/27/94)			
Harry	Newport 30-2	6889	1974	39.5 12.125 ALUMN SL	150	39.5	34 10.25 0 0	4.2 7 215	Yes	No	30 25 10.5 4.75	8500 2500 Lead	No 1 FIXED	IB FOLD 2				
Hasta Nunca	Moore 24	142		26.25 9.75 ALUMN FS	150	26.25	25 9.5	3.91 6.5 147	Yes	No	23.75 21.75 7.16 4.08	2050 1025 Lead	0 1 FIXED	OB None 0				
Heart of Gold	Olson 911S	41327	1987	41.5 12.33 ALUMN MS	125	41.5	35.5 11.83 0 0	4.5 7.7 251	Yes	No	29.9 25 10.3 5.5	7200 3200 Lead	No 1 FIXED	IB FOLD 2				
Hera	Beneteau Farr First 36.7	28372	2002	46.4 13.1 ALUMN FS	150	46.4 13.1	45.4 15.6 0 0	5.92 12.49 458	Yes	No	36 30.3 11.6 7.2	12495 3748 Lead	No 1 FIXED	IB FOLD 2				



Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
		Sail #	DW Rating		I J Max Headsail Mast Material Rig Type	P E PY EY		MGU MGM MSA	Yes/No		Yes/No		SLU SLE ASMG		ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast Mat.			Traps/H. moveable blst Keel Type
									SL	SPL	SLU	ASA							
									SSMG SSF	SSA	SSA	SSA							
High and Dry	Santana 22	114	<b>234</b> <b>737</b> 182	1967	26 8.5 ALUMN MS	150	26	21.75 9.83	3.95 6.59	Yes 26 15.44 15.44	8.58 335	No	0 0	22 18.67 7.83 3.5	2600 1230 Cast Iron	0 1 FIXED	OB None		
Highlander	Cal 40	4590	<b>117</b> <b>617</b> 246	1968	46.2 15.2 ALUMN MS	150	46.2	39.5 17.5	6.65 11.37	Yes 46.5 27.3 27	15.17 1056	No	0 0	39.25 30.25 11 5.58	15000 6000 Lead	0 1 FIXED	IB Fixed_2 2		
Hijinks	J 92	90	<b>108</b> <b>595</b> 134	1996	37 11.5 ALUMN FS	97	38.5 17	37.66 13.22	5 8.6	No	26.51 868	Yes 45.4 40.85 23.55	5.5 0	30 26.5 10 5.9	5500 2275 Lead	0 1 FIXED	IB Fold 2		
Hokulani	J 120 ALUM	43	<b>48</b> <b>538</b> 147	1996	50.42 14.42 ALUMN FS	155	50.42 21.42	46.42 17.67	6.58 11.42	No	37.8 1777	Yes 62.5 51.5 37.3	0 0	40 35 12 7	13900 6000 Lead	0 1 FIXED	IB Fold		
Horizon	Santa Cruz 50	18926	<b>-15</b> <b>475</b> 83	1982	61.7 18.43 ALUMN MS	145	61.7 20.3	55.2 19	7.15 12.05	No	36.4 1880	Yes 66 59.6 35.8	0 90	50.23 46.906 12.02 7.988	18844 8000 Lead	0 1 FIXED	IB FOLD 2	(Mtg 6/16/08, -6 sec/mi for oversized spinnaker, -3 sec/mi for oversized main)	
Hot Betty	Olson 30 OB	67537	<b>99</b> <b>584</b> 79	1979	36 11.75 ALUMN MS	155	35.9 11.67	31.5 10.75 0 0	4.364 7.268 208	Yes 36 21.16 21.16	11.75 635	Yes 35.5 36.2 21.1	21 630 0	30 27.5 9.33 5.08	3600 1800 Lead	No 1 FIXED	OB None 0		
Hot Socks	Figaro II	27	<b>48</b> <b>564</b> 93	2004	42.75 12.42 CARBON FS	104	42.75	42.67 15.42	7 11	Yes 41 20.1 20.5	13.5 689	No	0 0	32.18 32 11.33 6.5	6724 2425 LeadWater	0 1 FIXED	IB Fold		

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications											
		Sail #	DW Rating		J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF	LOA	LWL	Ttl Disp.		Traps/H.	Strps	IB or OB								
											E	MGM										SL	SPL	SLU	ASA	Max Beam	Ballast	moveable blst	IB or OB
EY		SSF		ASM	Fixed or _o																								
Hylite	Hylas 49 SM	49	111	2007	57.42	130	57.42	51	4.5	No	Yes	28.67	48.83		35000	0	IB	(Mtg 1/26/17, Custom rating of 111 assigned)											
			580		19.5		19.5	18.5	9.17		60	1214	39.5	14500	1	Fold													
			258		ALUMN				470		55.33	0	14.25	Lead	FIXED														
					CTR						24.42	<input checked="" type="checkbox"/>	0	6															
Imagination	Bavaria 40	0	108	2001	47.25	111	48	44.46	5	No	Yes	20	40.94	17417	0	IB													
			594		14.58			15.58	9.21		48	828	35.93	6283	1	Fold													
			171		ALUMN				386		26.2	1026	44	0	13.1														
					FS						26.2		22	<input checked="" type="checkbox"/>	0	6.4		Lead	FIXED										
Imagine	Ericson 32-3	716	159	1987	42	135		36.4	4.18	No	No		32.5	9800	0	IB													
					13.8			11.8	7.28				25.83	4200	1	Fixed_2													
			258		ALUMN				248			0	10.83	Lead	FIXED	2													
					MS							<input type="checkbox"/>	0	6															
Imagine	Davidson 44 MOD	77220	57	1980	49.92	125	50.33	58.3	6.9	Yes	No		44	24410	No	IB	(Mtg 4/27/17, custom rating of 57 assigned)												
			568		15.38			18.33	12.8				38.5	7000	1	FOLD													
			194		ALUMN			0	652			0	13	Lead	FIXED	3													
					FS			0				<input type="checkbox"/>		7.6															
Incognito	Moore 24	136	150	1984	26.25	150	26.25	25	3.91	Yes	No		23.75	2050	No	OB													
			635		9.75			9.5	6.5				21.75	1025	1	None													
			91		ALUMN			0	147			0	7.16	Lead	FIXED	0													
					FS			0				<input type="checkbox"/>		4.08															
Inconceivable	J 88	9	81	2013	38.67	104	46	36.82	5.44	No	Yes	29	29.19	4990	0	IB													
			561		11.28		18.05	12	8.4				26.84	1840	1	Fold													
			117		CARBON				282			5.25	9.5	Lead	FIXED														
					FS							<input checked="" type="checkbox"/>	0	6.5															
Iniscaw	Martin 32	49143	126	1980	42.5	145		37.17	4.7	Yes	No		32.8	8200	0	IB	(Mtg 10/2/13, new rudder, NCTR)												
			618		13.67			12	8				27	4100	1	FOLD													
			189		ALUMN				270			0	9.6	Lead	FIXED	2													
					MS							<input type="checkbox"/>		6.1															

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications			
		Sail #	DW Rating		I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No		Yes/No	ASF		LOA LWL	Ttl Disp.	Traps/H. Strps			IB or OB Prop Type # of blades		
										PY	MSA		SL SSMG SSF	SPL SSA			SLU SLE ASMG	ASA Sprit Lngth Fixed or _o			Ballast	moveable blst Keel Type
Insolent Minx	Melges 24	725	84	2008	27.85 7.98	100	31.85 12	28.75 12.42	3.83 7.09	No	Yes	20.67 577	24 22	1750 650	0 1	OB None						
			578		CARBON FS				195		32.9 19.23	0 <input checked="" type="checkbox"/>	8.2 5.25	Lead	CNTRBRD							
			75																			
Invictus	Hunter 41 DS	38093	129	2007	51.6 13	110		50.8 19.6	6 10.11	No	No		40.4 35.6	19400 6506	0 1	IB Fixed_3 3	(Mtg 4/25/13, +3 sec/mi for in-mast furling main)					
					ALUMN FS				524			0 <input type="checkbox"/>	13.3 6.6	Lead	FIXED							
			195																			
Invisible Hand	Pac 52	5202	-102	2016	66 20.5	101	76 29.5	69.23 22.98	10.96 15.76	No	Yes	44.7 2970	52 50	15700 8360	0 1	IB None						
			402		CARBON FS				1017		29.5	85.5 71.7 45.5	14.5 11.8	Lead	FIXED							
			57									0 <input type="checkbox"/>	90									
Iolani	Hughes 48	38048	120	1972	54.3 18.2	135	20.2	48.2 19	5.9 10.4	Yes	Yes	32.76 1400	48 35.1	32000 14300	0 1	IB FEATH 3						
			599		ALUMN YAWL				493			54 48.6 32.76	11.1 6	Lead	FIXED							
			336						10			0 <input checked="" type="checkbox"/>	0									
Ione	J 30	8994	141	1981	34.19 11.041	140		38 13	4.83 8.21	Yes	No		29.83 25	6500 2100	0 1	IB FOLD 2						
			657		ALUMN FS				290				11.2 5.25	Lead	FIXED							
			189						0			0 <input type="checkbox"/>										
Irie	Beneteau 393 Oceanis SD	38200	150		46 14.5	110	46 14.5	40.2 15.1	4.63 8.12	No	Yes	24 755	38.12 35.1	21700 5357	0 1	IB Fold 3						
			633		ALUMN MS				324			39.5 20.8	13 5.1	Cast Iron	FIXED							
			228									0 <input type="checkbox"/>	0									
Irish Blessing	J 24 ODR	2184	168		26.25 9.5	150	26.25	28 9.75	3.7 6.37	Yes	No		24 20	3100 965	0 1	OB None 0						
			693		ALUMN FS				163				8.92 4	Lead	FIXED							
			176									0 <input type="checkbox"/>	0									

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications	
		Sail #	DW Rating		J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp.	Traps/H. Strps			IB or OB Prop Type # of blades
										SL	SPL	SLU	ASA			Ballast	moveable blst		
ASF	Fixed or _o	Ballast Mat.	Keel Type																
Iseult	Wyliecat 30 IB	13	<b>132</b> <b>653</b> 160	2001	0		39.75 20.8	7.87 13.46	491	No	No	30.5 25 9.42 9.25	5500 3050 Lead	0 1 FIXED	IB Fold 2				
Isle Of Skye	Tartan 33 7/8 RIG	6	<b>159</b>	1979	36.42 12.42 100	36.42	41.58 14.42	4.6 8.1	0 328	No	No	33.67 28.08 10.92 4.42	10000 4400 Lead	No 1 FIXED	IB FEATH 3				
Itinerant	Hunter 34	1025	<b>150</b>	1986	47.42 13.75 105		41 11.75	4.02 6.87	271	No	No	34.42 28.25 11.5 5.5	11820 5366 Steel	0 1 FIXED	IB Fixed_2				
Jacqueline	Freedom 30 SD	3	<b>174</b> <b>686</b> 212	1986	28.4 9.8		35.2 13.9	5.25 9	291	Yes	No	30 25.42 10.8 4.5	7660 3150 Lead	0 1 FIXED	IB Fixed_2				
Jam Jam	Yankee 30-1 SM	90	<b>192</b> <b>715</b> 332	1972	37.5 12.75 125	37.5	34.5 9.75	2.45 4.91	170	Yes	No	30 23 9 5.1	8900 4180 Lead	0 1 FIXED	IB Fixed_3 3	(mtg 4/28/11, +3 sec/mi for engine modifications)			
Jamani	J 120 ALUM	52879	<b>48</b> <b>542</b> 147	2002	50.5 14.5 155	52 21.5	46.5 17.8	6.7 11.5	491	No	Yes	34 1729 7 0	40 35 12 7	13900 6000 Lead	0 1 FIXED	IB FOLD 2			
Jarlen	J 35	28528	<b>72</b> <b>585</b> 177	1990	46.333 14.583 150	46.3	41.416 14	5.43 9.11	347	Yes	No	35.42 30 11.67 6.75	10500 4400 Lead	No 1 FIXED	IB FOLD 2				

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications										
			Built	J	Max	Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF	LOA	LWL	Ttl Disp.	Traps/H.	Strps	IB or OB									
											PY	MGM										SL	SPL	SLU	ASA	Ballast	moveable blst	IB or OB	Prop Type
Disp/WL Ratio	Mast Material	Rig Type	EY	MSA	SSF	SSA	SLE	Sprit Lngth	Max Draft	Ballast Mat.	Keel Type	# of blades																	
Javelin	J 105 ODR w/ 5'BS	394	78	2001	40.6	100	42.1	41.5	5.5	No	Yes	25.5	34.5		8697	0		IB											
			584		13.5		19.07	14.5	9.4		49	957	29.5		3400	1		Fold											
			154		ALUMN				358		38.6	5	11		Lead	FIXED													
					FS						26.4	<input checked="" type="checkbox"/>	0	6.5															
Javelin	J 100 ODR	4	81	2004	38.5	95	43	38	5.13	No	Yes	24.34	32.8		6500	No		IB											
			590		11.5		12.7	13.5	8.77		49.93	899	29		2500	1		FOLD											
			121		CARBON				306		38.71	0	9.3		Lead	FIXED		2											
					FS						24.34	<input type="checkbox"/>	5.8																
Jaybird	J 133 CM	52443	24	2004	57	100	60.4	54	7	No	Yes		38.08		16900	0		IB											
			574		17.25		24	18.6	12				30.25		6850	1		Fixed_2											
			278		CARBON				595			0	11.8		Iron	FIXED													
					FS						<input type="checkbox"/>	0	6.8																
Jeannette	Custom Frers 40 IOR 1 Tonner	40646	63	1986	47.2	100	13.7	51.48	7.13	Yes	No		39.5		11918	0		IB	(mtg 5/31/07 custom rating changed from 63 to 60 based on performance data)(Mtg 8/27/15, change custom rating back to 63 after review of race results)										
			562		13.7			18.76	12.19				33		6000	1		FOLD											
			151		ALUMN				575			0	12.6		Lead	FIXED		2											
					FS			24.66	959		<input type="checkbox"/>	0	8.1																
Jet Stream	Custom JS 9000	9045	60	2003	27.08	87	30.25	30.84	6.07	No	Yes	21.8	29.9		2425	0		OB	(Mtg 1/22/09, custom rating of 78 assigned)(Mtg 8/19/10, -9 sec/mi for adding 3' sprit, -3 sec/mi for increased spinnaker area, Original rating of 78 contained a 3 sec error, rating should have been 75, change custom rating to 62/7/07/17. New										
			540		9.5		15.5	10.171	8.17				27.9		1543	1		None											
			51		CARBON				226			3	5.7		Lead	FIXED		0											
					FS						20.1	<input checked="" type="checkbox"/>	0	6.8															
Joie De Vivre	C&C 33	18797	159		43	110	43	37.25	4.4	No	Yes	21.42	32.9		10100	0		IB											
			659		14			10.75	6.33				26.42		3975	1		FOLD											
			249		ALUMN			0	235			0	10.54		Lead	FIXED													
					MS			0				<input checked="" type="checkbox"/>	5.5																
Joker	J 35	400	75	1986	46.4	125	46.4	41.5	5.43	Yes	No		35.42		10500	0		IB											
			587		14.7			14	9.11				30		4400	1		FOLD											
			177		ALUMN			0	348			0	11.8		Lead	FIXED		2											
					MS			0				<input type="checkbox"/>	6.75																



Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst	IB or OB Prop Type # of blades	
								SL	SPL	SLU	ASA						
								SSMG SSF	SSA	SLE	ASMG						
Kapai	Islander 36 ODR	438	1977	45 14.48 ALUMN MS	45	39.25 12.75 0 0	5.05 8.44 303	No	No			36.08 28.25 11.17 6	13450 5500 Lead	0 1 FIXED	IB FOLD 2		
Keala	Wylie Wabbit ODR W/Trap	12	1982	20.5 6.5 ALUMN FS	150	23.75 10 0 0	4.03 6.72 145	Yes	No			23.75 20 5.58 3.5	975 440 Lead	Yes 3 FIXED	OB None 0	Hiking straps and single trapeze	
Kelika	Hunter 33.5	28815	1991	39.166 11.666 ALUMN FS	150	39.116 43.166 13.5 0 0	5.2 8.9 350	Yes	No			33.33 26.83 11 4.5	10800 4500 Iron	No 1 FIXED	IB FEATH 2		
Kira	Cal 33-2	28999	1986	46 13.25 ALUMN MS	125	46 13.25 0 0	4.82 8.23 307	No	Yes			21.86 697 0 19.68	33 27.5 11.33 6.12	10800 4475 Lead	No 1 FIXED	IB FOLD 2	(Mtg 1/26/12, -3 sec/mi for increased "e" & MSA)
Kira	Aerodyne 38 SD	38104	2003	50.82 14.5 ALUMN FS	105	57.25 20.83 51.75 16.5	6.25 10.6 506	No	Yes			39.5 2062 0	37.66 34.21 13 6	11850 4150 Lead	0 1 FIXED	IB Fold	
Kiwa	Ericson 32-2	285	1973	36 18 ALUMN MS	155	36 13 0 0	4.9 8.4 243	No	No			0 0	32 24 9.67 4.91	9400 4400 Lead	0 1 FIXED	IB Fixed_2 2	
Kookaburra	J 120 ALUM	153	2001	50.5 14.5 ALUMN FS	155	52 21.5 46.5 17.8 0 0	6.2 10.7 471	No	Yes			30.3 1265 7	40 35 12 7	13900 6000 Lead	No 1 FIXED	IB FOLD 2	

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications		
		Sail #	DW Rating		I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No		Yes/No	ASF		LOA LWL	Ttl Disp.	Traps/H. Strps		IB or OB Prop Type # of blades	
										SSMG	SPL		SLU	ASA			Ballast			moveable blst
Disp/WL Ratio	Mast Material	PY EY	MSA	SSA	SLA	Fixed or _o	Max Draft	Ballast Mat.	Keel Type											
Kraken	Knarr ODR	47	198		33.583 6.583 WOOD FS	125	33.583	31 11.166 0 0	4.47 7.46 211	No	6.583	No	0	30.333 20.333 7 4.25	4360 2866 Cast Iron	No 1 FIXED	OB None 0			
Kuai	Melges 32 ODR	211	27	2006	40.86 10.7 CARBON FS	105	48.3 18.7	44.05 15.49	6.95 11.14 438	No		Yes	31.82 1344 8 0	31.84 28.5 9.83 7	4200 1600 Lead	0 1 FIXED	OB None			
Kwazy	Wylie Wabbit ODR W/Trap	26	126	1982	20.416 6.416 ALUMN FS	150	20.5	23 10 0 0	4.02 6.71 141	Yes	8.5 257	No	0	23.58 20 5.42 3.41	975 440 Lead	Yes 3 FIXED	NONE None 0			
Kynntana	Freedom 38	38086	141	1988	33.34 11.5 CARBON FS	100	33.34 11.5	45.5 16.57	6.25 10.7 447	No		No	0 0	38.42 30.58 12.5 5.6	14370 6500 Lead	0 1 FIXED	IB Fold			
La Dolce Vita	J 32	64	120	2001	39.2 11 ALUMN FS	155	40.5 13	38.5 15.5	5.1 9.2 334	No		Yes	19.7 677 2.5 0	32.4 29 11 6	10000 3840 Lead	0 1 FIXED	IB Feath 3	(Mtg 8/22/13, -6 sec/mi for sprit)		
La Viajera	J 109 ODR	46480	72	2004	46.5 13.3 ALUMN FS	105	49.6 18.8	43.25 15.5	5.89 10.07 399	No		Yes	27.75 1160 5.5 0	35.25 30.5 11.5 7	10900 3900 Lead	0 1 FIXED	IB Fold 2			
Lady Jane	Jeanneau 39i Sun Odyssey	7913	93	2008	48.1 13.1 ALUMN FS	122	48.1	46.3 14.6	5.42 9.28 398	No		Yes	27.46 1012 1 0	38.1 35.2 12.9 6.7	16163 5026 Cast Iron	0 1 FIXED	IB Feath 3			



Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		Ttl Disp. Ballast		Traps/H. moveable blst				
								SL	SPL	SLU	ASA				Keel Type			
								SSMG SSF	SSA	SLE ASMG	Sprit Lngth Fixed or _o							Ballast Mat.
Lawless	Catalina 36-2	2056	147	2002	44.75 14.42 ALUMN MS	155	44.9	39 12	4.83 8.05	286	No	No	36.42 30.33 11.92 5.83	13500 6042 Lead	0 1 FIXED	IB Fixed_3		
Leda	Lapworth 36	71	150	1965	40.5 13.5 ALUMN MS	150	40.5 13.5	35.5 17.5 0 0			Yes	No	36 29 9.5 5.43	13500 4500 Lead	No 1 FIXED	IB FOLD 0		
Leglus	Ohashi 52	2480	-6	1986	49.26 16.387 ALUMN FS	149	62 21.92	57.578 8.103 21.325 13.517	8.103 13.517	724	No	Yes	34.8 2089 3.792 0	52.5 50.06 12.6 11.36	15017 5.952 Lead	0 1 FIXED	IB FOLD 2	(mtg 10/21/09 assigned custom rating of -39)(Mtg 3/24/16, +3 sec/mi for no spinnaker articulation, change custom rating from -36 to -6)
Lelo Too	Tartan 30	16354	180	1975	39 13 ALUMN MS	155	39	34 11.416 0 0	4.61 7.69 238		Yes	No	29.92 24.25 10 4.916	8750 3700 Lead	0 1 FIXED	IB FOLD 0		
Lenora	Hunter 33-2	60700	153	2004	37.42 10.83 ALUMN FS	115	38.42 10.83	36.46 15.83	4.83 8.33	306	No	Yes	18.5 531 0 0	33.5 29.42 11.17 5.5	10400 3459 Lead	0 1 FIXED	IB Fold 3	
Lepus	Wylie Wabbit ODR W/Trap	18	126	1982	20.5 6.5 ALUMN FS	150	20.5	23.75 10 0 0	4.03 6.72 145		Yes	No	23.75 20 5.58 3.5	975 440 Lead	1 3 FIXED	OB None 0	Hiking Straps & Trapeze per class rules	
Levitation II	Express 27 ODR	77	129	1984	28.5 9 ALUMN FS	150	28.5	28.5 10.416 0 0	4.22 7.03 182		Yes	No	27.25 23.75 8.166 4.5	2450 1100 Lead	No 1 FIXED	OB None 0		

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications					
				J Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No	ASF ASA Sprit Lngth Fixed or _o	SLU SLE ASMG		SPL SSA SSF	Ballast			Traps/H. moveable blst				
								SL	SPL										SLU	ASA	Max Beam	Keel Type
DW Rating	Mast Material	Rig Type	Disp/WL Ratio																			
Lightwave	J 105 ODR w/ 5'BS	319	2000	40.6 13.5 100	42.1 19.07	41.5 5.5 14.5 9.4 0 358 0	5.5 9.4	No	Yes	22.9 49.4 38.5 26.6	34.5 29.5 11 6.5	7750 3400 Lead	No 1 FIXED	IB FOLD 2								
Lil Angel	Newport 30-2	6884	1979	39.5 12.1 150	39.5	34 10.25 0 0	4.26 7.07 217	Yes 39 21.75 21.75	No	0	30 25 10.5 4.75	8500 2500 Lead	0 1 FIXED	IB FOLD 2								
Lilith	Custom Wyliecat 39	7	1992			50.75 26.5 0 0	10.45 17.5 811	No	No	0	38.83 32 11.83 6.67	12000 6200 Lead	No 1 FIXED	IB FOLD 2	HULL DESIGN IS VERY SIMILAR TO WYLIECAT 30.NO JIB, NO SPINNAKER, NO SPANKER,NO REACHER, NO VANG,NO TWEEKER,NO STAYS ETC., AS SAILED RATING 102 PER MTG 5/15/02							
Lindo	J 109	195	2005	46.5 13.3 155	49 18.8	43.3 15.5 400	5.89 10.07	No	Yes	27.75 56.33 45.63 27.2	35.25 30.5 11.5 7	10900 3900 Lead	0 1 FIXED	IB FOLD 2								
Lioness	Bermuda 40	981	1962	42.5 15.58 160		36.6 17.2 17.7 8.5		No	No	0 0	40.75 28.8 11.75 4.25	20000 5600 Lead	0 1 CNTRBRD	IB Fixed_3 3	(Mtg 5/22/08, +6 secmi for 3-blade fixed prop, no penalty for headsail larger than 155%, no credit for sonar transducer, custom rating of 174 assigned)							
Liquid Asset	Ranger 33	27707	1970	41.5 13.7 150	41.5 13.67	35 13.75 280	4.93 8.67	Yes 41.5 24.6 24.6	No	0 0	33.17 26.25 9.58 5.17	10500 4500 Lead	0 1 FIXED	IB Fold								
Lonesome Dove	Elite 29	9066	1984	35.833 11.083 130		30.333 10.333 0 0	2.6 5.1 157	Yes 33.083 20.083 20.416	No	0	28.67 24.42 10.5 5.58	6160 2310 Iron	No 1 FIXED	IB Fixed_2 2								

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications			
		Sail #	DW Rating		I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No		Yes/No		LOA LWL	Ttl Disp.	Traps/H. Strps			IB or OB Prop Type # of blades		
										PY	MSA	SL	SPL			SLU	ASA			Ballast	moveable blst
Disp/WL Ratio	Mast Material	Max Beam	SSA	SLE	Sprit Lngth	Max Beam	Keel Type	Max Draft	Ballast Mat.	Keel Type	# of blades										
Lonestar	Beneteau First 10R ODR MOD	40	<b>84</b> <b>601</b> 187	2007	43.2 12.07	100	46.41 16.5	42.25 14.73	5.59 9.57	No	Yes	25.5 1078 4.43 0	32.75 28.7 11 6.55	9715 3528 Lead	0 1 FIXED	IB FOLD 2	(Mtg 5/20/10, +3 sec/mi for non-class smaller kite)(Mtg 9/23/10, rudder modifications noted, NCTR)(Mtg 4/26/12, new rudder noted, NCTR)				
Lotus	Vismara 50	0	<b>-39</b> <b>485</b> 113	2008	65.5 17.95	106	72.01 23	65.62 20.34	7.32 13.67	No	Yes	35.6 1926 0 0	50.2 46.42 14.1 9.84	24912 9259 Lead	0 1 CNTRBRD	IB Fold	(Mtg 8/24/17, Custom rating assigned: -39)				
Low-Down	Santa Cruz 27	8027	<b>141</b> <b>635</b> 109	1979	32.7 10.9	140		28.25 8.58	3.68 6.06	Yes	No		27 24 8 4.5	3300 1500 Lead	0 1 FIXED	OB None					
Loya	Ericson 34 Olson SM	3246	<b>105</b> <b>627</b> 219	1989	44.5 13.25	154	44 13.25	38.84 12.9	4.69 8.38	Yes	Yes	23.8 886 0 0	34 28 10.83 6	10600 3650 Lead	0 1 FIXED	IB Fold 2					
Lucky Duck	Custom Santa Cruz 52	28729	<b>-30</b> <b>471</b> 104	2001	64.14 18.95	155	64.6 22.5	57.5 21	8.76 14.22	Yes	Yes	40.91 2190 2 90	53 46.25 14 9	22544 8000 Lead	0 1 FIXED	IB Fold 2	(Mtg 8/23/12, Custom Rating Assigned, -21 as sailed)(Mtg 5/23/13, weighed displacement added)(Mtg 3/27/14, New Rudder, -3 sec/mi for OSP, -6 sec/mi for 10%+ increase in spinnaker area. No results for keel/displacement)				
Lucky Mud	Pearson 323	110	<b>189</b> <b>280</b>	1978	41 13.81	100		36 10.75	3 5.2	No	No	0 0	32.3 27.5 10 4.5	12800 4500 Lead	0 1 FIXED	IB Fixed_3					
Luna Sea	Islander 36 ODR	420	<b>144</b> <b>655</b> 363	1980	45 14.48	135	45	39.25 12.75	5.05 8.44	Yes	No	0	36.08 28.25 11.17 6.08	18000 5450 Lead	No 1 FIXED	IB Feath 3					

Boat Name	Boat Model (Type)	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications						
		Sail #	Built	I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No		Yes/No	ASF		LOA LWL	Ttl Disp.	Traps/H. Strps		IB or OB Prop Type # of blades						
									DW Rating	Mast Material		PY	MSA			SL SSMG SSF	SPL SSA			SLU SLE ASMG	ASA Sprit Lngth Fixed or _o	Max Beam Max Draft	Ballast	moveable blst Keel Type
M Squared	J 88	75	81		38.67 11.28 104	46 18.05	36.82 12	5.44 8.4	No	Yes	29 1022	29.19 26.84	4990 1840	0 1		IB Fold								
			561		CARBON FS		282			40.84 27.32	5.25 0	9.5 6.5	Lead	FIXED										
Makanani	Ultimate 24 ODR	3	111	2003	28.04 7.82 110	30.8 14.5	31 11.35	6.35 9.18	No	Yes	21.3 566	24.38 21.17	2040 750	0 1		OB None								
			583		CARBON FS		250			27.8 21.3	6.7 0	8.48 5.52	Lead	FIXED										
Makani	Nonsuch 30	278	174	1985			44.9 23.9	8 14.5	No	No		30.33 28.75	11500 4500	0 1		IB Feath								
					0			607			0 0	11.83 5	Lead	FIXED										
Make Me Smile	Express 27 ODR	91	129		28.5 9 155	28.5	28.5 10.42	4.22 7.03	Yes	No		27.25 23.8	2450 1100	0 1		OB None 0								
			610		ALUMN FS		182			17.7 17.7	420	8.17 4.5	Lead	FIXED										
Make My Day	Olson 25	87742	159	1985	32 9.583 155	32	28 10	3.96 6.4	Yes	No		25 21.25	3300 1300	No 1		OB None 0	increased purchase in outhaul and backstay added boomkicker							
			670		ALUMN MS		0 0	168		32 17	9.583 460	9 4.5	Lead	FIXED										
Mamaluc	J 105 ODR w/ 5'BS	265	78	1999	40.6 13.5 100	42.1 19.07	41.5 14.5	5.5 9.4	No	Yes	25.9 962	34.5 29.5	7750 3400	No 1		IB FOLD								
			581		ALUMN FS		0 0	358		39.76 25.88	5	11 6.5	Lead	FIXED		2								
Marrakesh	Express 34	3	102	1987	44.25 13 125	44.25	38.5 12.83	4.87 8.46	Yes	No		34 28.33	9245 3800	No 1		IB FOLD								
			613		ALUMN MS		0 0	296		44 23.4 23.4	13 858	10.33 6.11	Lead	FIXED		2								



Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications	
				DW Rating Disp/WL Ratio	Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp. Ballast	Traps/H. moveable blst	IB or OB Prop Type # of blades			
									Max	Headsail	SL	SPL					SLU		ASA
									125	125	SSMG	SSA					SLE		Sprit Lngth Fixed or _o
Mirth	Catalina 34 1&2	28634	2005	44 13.5	125	38.5 12	4.17 7.33	No	Yes	22.02 693	35.67 29.83 11.75 5.58	11950 5000 Lead	No 1 FIXED	IB FEATH 3					
Mirthmaker	A 35	18250	2007	44.22 13.45	90	44.94 14.66	5.42 8.88	Yes	Yes	24.2 996 1.5	34.7 30.47 11.6 6.88	9810 4367 Lead	0 1 FIXED	IB Fold 2	(Mtg 5/20/10, custom rating of 60 assigned, would like a copy of ORR Certificate)(mtg 6/15/10, change custom rating from 60 to 63 based on further clarification of boats configuration)(Mtg 10/27/16, change custom rating from 63 to 60 after				
Miss Kate	Catalina 27 IB	4630	1980	34.5 11.25	125	28.66 10.5	3.99 6.83	No	Yes	20.35 515 0	26.85 21.75 8.85 4	6850 2700 Lead	0 1 FIXED	IB Fixed_2					
Mistral	Beneteau Farr First 36.7	28394	2002	46.4 13.1	155	45.4 15.6 0 0	5.92 12.49 458	Yes	No	13.1 885 0	35 30.3 11.6 7.2	12495 4034 Iron	No 1 FIXED	IB FOLD 2					
Mojo	J 35	18935	1983	46.4 14.7	150	41.75 14.98	5.21 8.77	Yes	No	14.7 1006 0	35.42 30 11.8 6.9	10500 4400 Lead	No 1 FIXED	IB Feath 2					
Moonlight	Express 27 ODR	28059	1986	28.5 9	155	28.5 10.416 0 0	4.22 7.03 182	Yes	No	9.833 404 0	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0					
Moore Fun	Moore 24	18884	1979	26.25 9.75	125	25 9.5 0 0	3.91 6.5 147	Yes	No	9.75 395 0	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0					



Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications							
			Built	DW Rating	I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No		Yes/No		LOA LWL	Ttl Disp.	Traps/H.	Strps	IB or OB								
										Mast Material	PY	MSA	SL SSMG							SPL SSA	SLU SLE	ASA Sprit Lngth	Max Beam	Ballast	moveable blst	# of blades
Disp/WL Ratio																										
Mulan	Beneteau First 10R ODR	52659	<b>84</b>	2007	43.2	100	46.41	42.25	5.59	No	Yes	25.5	32.75	9715	0	IB	(mtg 9/23/10, +3 sec/mi for non-class smaller kite)									
			<b>601</b>		12.07		16.5	14.73	9.57		52.9	28.7	3258	1	Fold											
					CARBON				371		45.8	11	Lead	FIXED	2											
			<b>187</b>		FS						26.4	6.55														
Music	Catalina 34 1&2	56583	<b>147</b>	2001	44	130		38.5	3.6	No	Yes	21.8	35.66	11950	0	IB										
			<b>645</b>		13.5			12	6.8		45	29.84	5000	1	FOLD											
					ALUMN				251		39.2	11.75	Lead	FIXED	2											
			<b>204</b>		MS						21.7	5.56														
Nadja Delphine	X-41	0	<b>15</b>	2009	55.9	106	58.63	53.31	6.82	Yes	No		40.52	14109	0	IB	Electronic winches									
			<b>537</b>		16.11			18.04	11.61			35.07	6019	1	Fold											
					CARBON				570		28.61	11.94	Lead	FIXED												
			<b>149</b>		FS						27.79	8.2														
Nancy	Wyliecat 30 OB	28890	<b>126</b>	1995				39.66	8.71	No	No		30.5	5500	No	OB	(-3 sec/mi for square top main)									
			<b>650</b>					19.75	13.46			25	3050	1	None											
					CARBON			0	491			9.5	Lead	FIXED	0											
			<b>160</b>		CAT			0				5.25														
Nantucket Sleighride	J 105 ODR w/ 5'BS	414	<b>78</b>	2001	40.6	100	42.1	41.5	5.5	No	Yes	25	34.5	7750	0	IB										
			<b>585</b>		13.5		19.07	14.5	9.4		48.9	29.5	3400	1	Fold											
					ALUMN				358		38.7	11	Lead	FIXED	2											
			<b>137</b>		FS						23.3	6.5														
Neja	Dasher 32	7325	<b>174</b>	1961	38.01	155	38.01	33.22	5.12	Yes	No		31.75	11323	0	IB	500 pounds less lead in keel than the Dasher Easom Boat Works built									
			<b>668</b>		12.59			14.6	8.86			26.75	3600	1	Fold											
					ALUMN				277		21.94	8.9	Lead	FIXED												
			<b>269</b>		MS						21.94	5.75														
Nemesis	Pearson 26 Commander	151	<b>258</b>	1964	31.5	155		26	3.3	Yes	Yes	21.06	25.7	5200	0	OB										
			<b>774</b>		9.5			11.5	5.75			18.5	2500	1	None											
					ALUMN				154		31.2	8	Lead	FIXED												
			<b>373</b>		MS						17.1	3.7														
											16.4															



Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		Ttl Disp. Ballast		Traps/H. moveable blst				
								SL	SPL	SLU	ASA				Ballast Mat.			Keel Type
								SSMG SSF	SSA	SLE ASMG	Sprit Lngth Fixed or _o							
Nepenthe	Hawkfarm 28	6122	174	1976	33.3 11	115	33	36 4.3 10.5	4.3 7.2	No	No	28 23.5 9.75 5.5	5700 2700 Lead	0 1 FIXED	IB Fixed_2 2			
Nessie	Catalina 34 1&2	734	156	1988	44 1.5	100	44 13.48	38.5 12	4.7 7.54	No	No	34.5 29.83 11.75 5.58	11950 5000 Lead	0 1 FIXED	IB Fixed_3 3			
Neverland	Tartan 3700 SD 5.0'	106	114	2006	51.75 15	135	51.75 15	45.25 15	5.7 9.68	No	Yes 53.83 46.8 24.21	25.4 1025 0 0	37 32.5 12.6 5	17780 6200 Lead	0 1 FIXED	IB Fold 2		
New Sinsation	Santana 20	28449	222	1978	24.5 8.16	150	24.5	24.5 7	3.16 4.92	Yes	No	20.2 16 8 4	1350 550 Lead	0 1 FIXED	OB None			
Nicole	Orion 35	8210	150	1979	44 14	150	44	39.5 10.5 0 0	4.42 7.319 260	Yes	No	34.58 28.75 10.83 6	13000 4700 Lead	0 1 FIXED	IB FOLD 2	Displacement Obtained by actual weight on scale, Rudder is new design and new build.		
Nightmare	Custom Wilderness 30 SX FR OB	305	111	1980	34 11.75	125		34.4 11.5 0 0	4.59 7	Yes	No	29.75 27.75 8.83 5.92	4700 1650 Lead	No 1 FIXED	OB None 0	(-3 sec/mi for change from IB to OB, -6 sec/mi for keel change.)(mtg 2/26/15, -9 sec/mi for oversized spinnaker)		
Nina	Olson 29	27	99	1987	34 11	155	36	32.5 11.5 0 0	4.5 7.27	Yes	No	29.67 27.5 9.33 5.58	3700 1950 Lead	0 1 FIXED	OB None 0			

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU ASA Sprit Lngth Fixed or _o	SL SPL SSMG SSA	SLE ASMG		ASF	Ballast Ballast Mat.			Traps/H. moveable blst Keel Type
								Yes	No									
No Name	swift	274	1978	25.9 8.5 125	25.9 8.6	26 7.5	3.3 5.5	Yes	No	22.5 17.58 7.83 4.3	2183 900 Lead	0 1 FIXED	OB None	Roller Furler				
		<b>724</b> 183		ALUMN FS														
Now and Zen	Newport 30-2	6883	1978	39.5 12.125 150		34 10.25	3.25 5.7	Yes	No	30 25 10.5 4.75	8000 2600 Lead	No 1 FIXED	IB Fold 2					
		<b>671</b> 233		ALUMN MS		0 0	190											
Nozomi	CAL 40	164	1970	46.2 15.2 155	46.2	39.9 17.6	6.6 11.37	Yes	No	39.5 30 11 5.6	15500 6000 Lead	0 1 FIXED	IB FEATH 3					
		<b>622</b> 261		ALUMN MS			416											
Nutmeg	Islander 36 ODR	87245		45 14.48 150	45	39.25 12.75	5.05 8.44	No	No	36.083 28.25 11.166 6.083	13450 5450 Lead	No 1 FIXED	IB FOLD 0					
		<b>144</b> <b>669</b> 271		ALUMN MS		0 0	303											
Nymph	S&S 30	60602	2013	38 9.5 90	43.58	40 14	5.35 8.96	No	Yes	30.5 27.5 8.25 5.5	6500 2400 Lead	0 1 FIXED	IB Fold					
		<b>144</b> <b>629</b> 142		ALUMN FS			332											
OAXACA	Santa Cruz 50	8927	1982	61.48 18.88 155	61.22 20.65	54.75 16.98	6.08 10.67	Yes	No	50.23 46.67 12 7.91	17374 8000 Lead	0 1 FIXED	IB Fold	(Mtg 5/26/16, -6 sec/mi for oversized ASA)				
		<b>-12</b> <b>480</b> 78		ALUMN FS			540											
Obsession	Harbor 20	299	2010	25.75 7 95	26.38 8.16	26 10	3.25 6.05	Yes	No	20 17.2 7 3.5	1800 900 Lead	0 1 FIXED	OB None	(Mth 5/25/17, -6 sec/mi for OSP)				
		<b>207</b> <b>722</b> 161		ALUMN FS			147											

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
				J	Max Headsail	ISP JSP	P	MGU MGM	Yes/No		SLU	ASF ASA	LOA	Ttl Disp. Traps/H. Strps		IB or OB Prop Type # of blades		
									SL	SPL				Ballast	moveable blst			
																	SSMG	
Y	MSA	SSG	SSA	SLE	Sprit Lngth	Max Beam	Max Draft											
Ohana	Beneteau 45F5	38023	1991	63	53.15	100	55.15	55.4	7.06	Yes	No	44.11	26500	0	IB	(Mtg 12/1/11, -6 sec/mi for new keel)		
				580	15.08		16	18.58	12.08	52.49	15.08	36.9	8500	1	FEATH			
				240	ALUMN FS				613	27.14	1187	14.1	Lead	FIXED	3			
Orca	Moore 24	85	1981	150	26.25	150	26.25	25	3.91	Yes	No	23.75	2050	0	OB			
				638	9.75			9.5	6.5	26	9.75	21.75	1025	1	None			
				91	ALUMN FS			0	147	17.55	380	7.16	Lead	FIXED	0			
Oscar	Santa Cruz 33	57663	1978	117	41	125	41	35.42	4.25	Yes	No	33	7000	No	IB			
				595	13.583			15	7.166	41	13.68	28	3000	1	FOLD			
				145	ALUMN MS				269	24.6	841	10.06	Lead	FIXED	2			
Oshun	Catalina 27 OB	1216	1974	201	34	95		28.67	4.24	No	No	26.83	6850	0	OB			
					11.25			10.5	7.08			21.75	2750	1	None			
				303	ALUMN MS				185			8.83	Lead	FIXED				
Ouessant	Farallone Clipper FR	8214	1957	159	35.69	150	35.69	40.34	7	Yes	No	37.833	18344	No	IB			
				673	13.87			18.79	12.1	35.38	13.833	28.25	7200	1	Fixed_2			
				370	WOOD FS			0	448	24.41	715	9.5	Iron	FIXED	2			
Outsider	Azzura 310	1000	1996	57	35.35	110	43.33	38.75	6.68	No	Yes	30.1	4850	No	OB	6 FT ARTIC. RETRAC BOWSPRIT. MTG 3/28/96 (RATED 66) (CHNG NOTED 4/18/96-NO CHNGE RTNG. (2/13/96 FM 66 TO 60.)( MTG 11/13/97 FM 60 TO 57)MTG 2/12/98 FM 57 TO 63 (MTG 4/9/98) Inboard Self Drive removed and replaced with		
				525	11.55		21.57	13.25	10.5			47.01	1163	27.4	2100		1	Fixed_3
				107	CARBON FS			0	352			39.7	6	10	Lead		FIXED	3
Oxomoxo	Swan 391	39118	1983	90	53.5	135	54	47.3	4.92	Yes	Yes	31	39.92	0	IB	(Mtg 10/26/17, -3 sec/mi for oversized asymmetrical, -3 sec/mi for oversized SPL)		
				595	16.3		16.3	14	8.5	53.25	16.5	56	1374	33.08	20315		0	Fold
				255	ALUMN MS				379	29.1	1278	49	0	12.42	6800		1	
								27.6		31.5	0	7.2	Lead	FIXED				

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
				DW Rating Disp/WL Ratio	I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast	Traps/H. moveable blst		IB or OB Prop Type # of blades
									SL	SPL	SLU	ASA						
									SSMG SSF	SSA	SLE	ASMG						
Oxymoron	Moore 24	28993	1981	26.25 9.75 150	26.2	25 9.5 0 0	3.91 6.5 147	Yes	No	23.75 21.75 7.16 4.25	2050 1025 Lead	0 1 FIXED	OB None 0					
Paradigm	J 32	79	2002	39.166 11 150	40.583 11.916	38.42 15.42	5.5 9.58 343	No	Yes	32.4 29 11 6	11500 3840 Lead	No 1 FIXED	IB FOLD 2					
Paramour	Moore 24	75	1980	26.25 9.75 150	26.25	25 9.5 0 0	3.91 6.5 147	Yes	No	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0					
Passat	North Star 500	57313	1973	33 10.25 140		27.5 8.75	3.5 6.1 149	No	No	24.98 20.23 9 5	4298 1710 Lead	0 1 FIXED	IB Fixed_3					
Peabody	Ultimate 20	22		25.08 6.97 110	27.58 12.79	27.5 10.25	5.5 7.96 195	No	Yes	20.94 18 8.33 5.03	1350 450 Lead	0 1 CNTRBRD	OB None					
Peaches	Express 27 ODR	18364	1986	28.5 9 155	28.5	28.5 10.416	4.22 7.03	Yes	No	27.25 23.75 8.166 4.5	2450 1100 Lead	No 1 FIXED	OB None 0					
Pearl	Ranger 33 SM	278	1977	38 13.9 125	38	31.5 11	4.43 7.39 212	Yes	No	33.17 26.25 9.583 5.166	10500 4800 Lead	0 1 FIXED	IB Fixed_2 2					

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications					
		Sail #	DW Rating		I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No		Yes/No		LOA	Ttl Disp.	Traps/H. Strps		IB or OB						
										Mast Material	PY	MSA	SL			SPL	SLU			ASA	LWL	Ballast	moveable blst	# of blades
Disp/WL Ratio																								
Pegasus - Motion X	J 100 ODR MOD	1197	<b>69</b>	2005	38	95	43	38	5.32	No	Yes	23.3	32.8	7250	No	IB	(Mtg 2/26/09, -3 sec/mi for adding sprit)(mtg 1/21/10, additional -3 sec/mi for lengthening sprit to 4.13')(Mtg 1/27/11, -6 sec/mi for increased "e")(Mtg 1/26/11, shortened J, boat rigged for shortened sailing. NCTBY4/22/17							
			<b>579</b>			15.63	15.3	9.32			47.8	29	2500	1	FOLD									
			135		CARBON FS			332			39.1	9.3	9.3	Lead	FIXED	2								
											23.9	<input checked="" type="checkbox"/>	5.8											
Penny Pincher	J 70 ODR	215	<b>114</b>	2014	26.77	100	30.15	26.16	4.71	No	Yes	18.7	22.78	1750	0	OB								
			<b>607</b>		7.68		13.5	9.44	6.93			35.43	20.47	630	1	None								
			93		CARBON FS			164			28.87	5.1	7.38	Lead	MVBL									
											18.24	<input checked="" type="checkbox"/>	4.92											
Peregrine	J 120 Carbon	25487	<b>45</b>	2001	50.5	150	52	46.5	6.76	No	Yes	35.1	40	13900	0	IB								
			<b>540</b>		14.5			17.8	11.57			64	35	6000	1	Fold								
			147		CARBON FS			493			52.5	7	12	Lead	FIXED	2								
											36.96	<input checked="" type="checkbox"/>	7											
Phantom	J 44	28844	<b>21</b>	1990	60.606	120	60.416	53.53	7.3	Yes	Yes	27	44.75	23838	No	IB								
			<b>550</b>		17.08			19.41	12.5			63.8	38.58	9000	1	Feath								
			189		ALUMN MS			0	615			55.9	13.67	Lead	FIXED	3								
								0			30.7	<input checked="" type="checkbox"/>	8.14											
Phat Jack	Express 37	18257	<b>72</b>	1985	48.75	150	48.75	42	5.25	Yes	No		37.08	11000	0	IB								
			<b>577</b>		14.33			13.75	8.83			48	30.83	4500	1	FEATH								
			171		ALUMN MS				343			25.7	11.57	Lead	FIXED	2								
												25.7	7.25											
Picante	Islander Bahama 28 SM	1	<b>210</b>	1981	33.8	150	11.75	28	3.58	No	Yes	20	27.9	7000	0	IB								
			<b>726</b>		11.75		11.75	8.2	5.75			33	23	3000	1	Fixed_3								
			262		ALUMN MS				146			29.4	9.8	Lead	FIXED	3								
												18	5.5											
Plus Sixteen	Ericson 911S Olson	97707	<b>135</b>	1991	41.5	125	41.5	35.761	4.035	Yes	Yes	20.932	30	8500	No	IB								
			<b>662</b>		12.25		12.33	11.811	7.136			41.995	25	3200	1	FEATH								
			247		ALUMN MS			0	240			35.761	10.33	LeadSteel	FIXED	2								
								0				21.702	5.42											

Boat Name	Boat Model (Type)	Rating		I J Max Headsail Mast Material Rig Type	ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications					
		Sail #	Built			P E PY EY	MGU MGM MSA	Yes/No		Yes/No	ASF		SLU ASA SLU Sprit Lngth Fixed or _o	Ballast moveable blst			Traps/H. Strps				
								DW Rating	Disp/WL Ratio									SSMG SSF	SPL SSA	SL	SPL
Polecat	Wyliecat 30 IB	5	1997		29.5	40	7.35	No	No	21.6	30.5	5500	No	IB	(Articulating Sprint and Pole added for asym spinnaker, added asymmetrical, -21 sec/mi)(5/22/14, removed Asymmetric, +21 sec/mi)(Mtg 8/25/16, New rudder installed, NCTR)						
		620		CARBON	12	20	12.66			493	25	3050	1	FOLD							
		160		CAT		0	468			8	9.416	Lead	FIXED	2							
						0				15	5.25										
Pony Express	Express 34	28234	1988	44.25 12.92 155	44.25	38.5	4.87	Yes	No		34	7500	No	IB							
		613		ALUMN		12.83	8.46	44	12.89		28.33	3700	1	FOLD							
		150		MS		0	296	23.4	858	0	10.5	Lead	FIXED	2							
						0		23.4			6										
Popcorn	Nonsuch 33	77	1997			50.33	7.2	No	No		33.33	15350	No	IB							
						24.33	13.6				31.42	6050	1	FOLD							
				ALUMN		0	657			0	12.42	Lead	FIXED	2							
		225		CAT		0					5.25										
Popstar	Catalina 400	331	2005	52.5 15.5 135	52.5 16.5	46.9	4.02	No	Yes	27.9	41.54	20500	0	IB	(+3 sec/mi for in-mast furling mainsail, +3 sec/mi for MGM <50% of E)						
		599		ALUMN		17	8.27			1225	36.5	8300	1	Fold							
		192		MS			393			0	13.5	Lead	FIXED	3							
										0	6.92										
Pork Chop Express	Express 27 ODR	115	1986	28.5 9 130	32.5	28.5	4.2	Yes	No	19.55	27.25	2450	0	OB	(Mtg 1/26/17, -3sec/mi for switching to MH configuration. New Rudder, NCTR)(08/11/17, switching back to OD config)						
		608		ALUMN		10.4	7	28.58	9.8	425	23.75	1100	1	None							
		83		MS			182	16.44	380	0	8.17	Lead	FIXED								
								14.11		90	4.5										
Post Time	Catalina 42-1/2	362	1993	53 16.42 135	53 16.42	46.75	5	No	No		41.83	24000	0	IB	In-Boom Furling Mast, Electric Halyard Winch						
				ALUMN		15.5	9				36	8300	1	Feath							
				MS			401			0	13.83	Lead	FIXED	3							
		234								0	6										
Pressure Drop	Beneteau Farr First 36.7	52489	2006	46.4 13.1 155	46.4 14.35	45.4	5.92	Yes	No	23.29	36	12495	0	IB	(12/2/16, -3 sec/mi for JSP)						
		602		ALUMN		15.6	12.49	45.8	13.1	867	30.3	4034	1	Fold							
				FS			458	23.5	897	0	11.4	Lead	FIXED	2							
		204						23.5		90	7.3										

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications		
				J Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No	ASF	Ttl Disp.		Traps/H. Strps	IB or OB				
								SL	SPL	SLU	ASA							Ballast	moveable blst
								SSMG SSF	SSA	SLE	Sprit Lngth Fixed or _o								
DW Rating	Mast Material	ISP JSP	MGU MGM MSA	SL	SPL	SLU	ASA	Max Beam	Ballast Mat.	Keel Type									
Disp/WL Ratio	Rig Type																		
Prime Number	J 70 ODR	29	114	2012	26.77 7.68	100	30.15 13.5	26.16 9.44	4.71 6.93	No	Yes	18.7 491 5.1 0	22.78 20.47 7.38 4.92	1750 630 Lead	0 1 MVBL	OB None			
Prime Number	Tartan 4100 SD	38107	96	2004	57 15	106	57 15	47.75 17.22	5.64 10.08	No	No	0 0	41.25 35.75 13.5 5.33	20400 8000 Lead	0 1 FIXED	IB Fold			
Princess	Sabre 40-2	28876	75	1996	53.5 15.5	110	53.5 20.5	47.8 17	6.27 10.7	No	Yes	26.75 1205 5	40.17 35.25 13.25 6.25	19500 7000 Lead	No 1 FIXED	IB FOLD 2	base rtg changed frm 69 to 72 MTG 4/8/03.		
Problen Child	Melges 20	134	111	2009	23.19 7.05	110	27.2 10.95	24.25 9.84	3.83 7.42	No	Yes	18.8 417 3.9 0	20 19.4 7 4.5	1105 415 Lead	0 1 FIXED	OB None			
Puffin	Alden 44	38144	117	1978	54.1 19.5	100		47.08 14.75	5.7 9.6	No	Yes	33 1369 0 0	44.17 34.08 12.5 8.75	24500 Lead	0 1 CNTRBRD	IB Feath			
Punk Dolphin	Custom Wylie 38	18481	72	1985	48 14.33	150	48	43 14	5.58 9.55	Yes	No	0	38 31 11.6 6.75	14000 5000 Lead	No 1 FIXED	IB FOLD 2			
Q	Custom Schumacher 40	28901	54	2001	47 14.67	105	47	47.5 18.35	6.75 11.75	Yes	No	0	40 31.5 11 7.6	10166 4528 Lead	No 1 FIXED	IB FOLD 2			

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications			
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU ASA Sprit Lngth Fixed or _o	SL SPL SSMG SSA	SLE ASMG		ASF ASA	Ttl Disp. Ballast			Traps/H. moveable blst		
								Yes	No										Ballast Mat.	Keel Type
Disp/WL Ratio	DW Rating	DW Rating	DW Rating																	
QE 3	Tartan 10	8049	1978	35 12 ALUMN FS	35 0	40.25 5.34 13.75 8.96 0 332 0	Yes	No	33.16 27 9.25 5.83	6700 3340 Lead	0 1 FIXED	IB FOLD 2								
Quantum	Beneteau 405 TM	0	1986	52.17 14.83 ALUMN MS	52.17	46.26 4.76 15.09 8.74 385	Yes	No	40.42 35.5 12.75 7.19	18518 7694 Iron	0 1 FIXED	IB Fold								
Queimada	Catalina 34 1&2	611	1988	44 13.5 ALUMN MS	44 13.5	38.5 4.2 12 7.2 263	Yes	No	34.5 29.83 11.75 5.58	11950 5000 Lead	0 1 FIXED	IB Fold 2								
Quiet Thing	Ranger 22	200	1978	25.75 8.5 ALUMN FS	25.75	26 2.8 7.4 4.8 115	Yes	No	22.5 17.5 7.8 4.3	2200 900 Lead	0 1 FIXED	OB None								
Quila	Santa Cruz 27	18723	1976	32.583 10.75 ALUMN MS	32.583	28.25 3.68 8.583 6.1 0 154 0	Yes	No	27 24 8 4.5	3000 1500 Lead	No 1 FIXED	OB None 0								
Quiver	Custom Nelson Marek 36	28669	1999	43.85 12.5 CARBON FS	105	51.9 14.57	45.75 6.56 16.47 10.66 453	Yes	Yes	26.24 29.32 10.3 7.6	7725 3255 Lead	No 1 FIXED	IB FOLD 2	(mtg 6/15/10, added lead shoe to keel, -3 sec/mi, change custom rating from 48 to 45)(Mtg 2/29/12, added sprit equal to SPL, NCTR)						
Racer X	Farr 36 ODR	6	2006	46.78 13.19 CARBON FS	110	54.82 21.06	49.93 8.53 18.63 12.965 592	No	Yes	36.279 36.1 32.8 11.72 8.5	6744 3078 Lead	No 1 FIXED	IB FOLD 2							



Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications					
		Sail #	DW Rating		I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No		Yes/No	ASF		LOA LWL	Ttl Disp.	Traps/H. Strps		IB or OB Prop Type # of blades					
										Mast Material	PY		MSA	SL			SPL	SLU			ASA	Max Beam	Ballast	moveable blst
Disp/WL Ratio	FR	EY	SSF	ASMG	Fixed or _o																			
Ragtime	J 90 MOD	50090	54	1998	35.6	125	43.1	38.85	5.51	No	Yes	26.25	30	3400	No	OB	(Mtg 4/28/11, -3 sec/mi for increased "P", + 3 sec/mi for smaller asymmetrical)(Mtg 1/26/12, removed saildrive, added OB, -3 sec/mi)(1/24/13, new rudder noted, NCTR)(Mtg 10/26/17, +3 sec/mi for smaller mainsail, +2 sec/mi for							
			524		10.5		18	14.5	9.42		47	857	27	1595	1	FOLD								
			79		CARBON		0	0	336		40.1	7.5	8.5	Lead	FIXED	2								
					FR		0	0			22.95	<input checked="" type="checkbox"/>	0	6.5										
Ragtime!	J 92	18	105	1993	37	155	38.5	38	4.7	No	Yes	29.75	30	5500	No	IB	(changes noted 3-11-03, NCTR)(2/14/06 - Spinnaker based on 1019 sq feet/94.67 meters)(Mtg 01/16/14, -3 sec/mi for flying asymmetric off squared back pole)(Mtg 4/24/14, New Rudder noted, NCTR, Shortened pole/sprit							
			593		11.5		17	13.5	8.2		39.98	14.5	25.8	2275	1	FOLD								
			146		ALUMN		0	0	293		30.6	1019	10	Lead	FIXED	2								
					FS		0	0			30.6		5.9											
Rampage	J 70 ODR	582	114	2014	26.77	100	30.15	26.16	4.71	No	Yes	18.7	22.75	1750	0	OB								
			607		7.68		13.5	9.44	6.93		35.43	491	20.47	630	1	None								
			93		CARBON				164		28.87	5.1	7.38	Lead	MVBL									
					FS						18.24	<input checked="" type="checkbox"/>	0	4.92										
Rare Bird	Moore 24	67	141		26.58	100	28.31	25	3.91	Yes	Yes	17.22	23.75	2050	0	OB	(Mtg 10/27/16, -6 sec/mi for OSP, -6 sec/mi for increased spinnaker area)							
			624		9.75		11.65	9.5	6.5		27	11.65	21.75	1025	1	None								
			91		ALUMN				147		17.55	395	7.16	Lead	FIXED									
					FS						17.55		4.083											
Raven	Benteau First 35	38073	75	2001	47.24	108	51.48	45.93	5.98	Yes	No		36.32	12125	0	IB								
			586		13.12			14.75	10.23		51.31	14.73	30.6	3681	1	Fold								
			192		ALUMN				419		26.25	1116	12.76	Iron	FIXED									
					FS						25.46		7.25											
											<input type="checkbox"/>	0												
Raven	C&C 115	38108	69	2004	52.17	106	52.17	49.33	6.2	No	Yes	24.7	37.75	11800	0	IB								
			587		14.5		14.5	16.33	8.6		53.3	962	33	4200	1	Fold								
			149		CARBON				447		47.3	0	11.92	Lead	FIXED	2								
					FS						22.5	<input checked="" type="checkbox"/>	0	6.67										
Razzberries	Ericson 34 Olson TM	97479	99	1988	46.77	155	47	40.9	5.1	Yes	No		33.88	10855	No	IB								
			625		12.95			12.95	8.5		45.7	12.95	28	3500	1	FOLD								
			225		ALUMN			0	320		23.31	888	10.8	Lead	FIXED	2								
					MS			0			23.31		6.085											
											<input type="checkbox"/>	0												

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications					
				J Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU ASA Sprit Lngth Fixed or _o	SL SPL SSMG SSA	Yes/No		ASF	Ttl Disp.			Traps/H. Strps				
								Mast Material	ISP JSP										SL SPL SSMG SSA	SLU ASA Sprit Lngth Fixed or _o	Ballast	moveable blst
Red Cloud	Farr 36 Mod	99	1976	38.3 12.16	108	46.3 12.16	41 6.4 16.75 10.9	6.4 10.9	Yes	No	36 31.33 11.92 6.16	10430 3950 Lead	No 1 FIXED	IB Fold 2	(550# ADDED TO KEEL 300# TO FILL MIDDLE WINDOW+250# TO BOTTOM)(Mtg 1/26/12, -3 sec/mi for new mainsail)(mtg 3/29/12, +3 sec/mi after review of rating appeal, as sailed: 87)							
Red Hawk	Hawkfarm 28 ODR	59024	1978	33 11	155	33.25 11.5	36 4.37 10.5 7.26	4.37 7.26	Yes	No	28 23.5 9.75 5.166	5700 2700 Lead	0 1 FIXED	IB FOLD 2								
Red Sky	Ericson 34 Olson SM	28340	1989	44 12.95	150	44 12.95	38.7 5.1 12.95 8.5	5.1 8.5	Yes	Yes	21.98 587	10855 3500 Lead	No 1 FIXED	IB FOLD 2	MTG 12/11/97(RUDDER REPLACED 8" DEEPER ADN 3" NARROWER.)							
Redhead	Cal 40	7817	1964	46 15.17	155	46.36	40 6.5 17.5 11.3	6.5 11.3	Yes	No	39.5 30 10.92 5.75	16500 6000 Lead	No 1 FIXED	IB Feath 2								
Redux	Olson 911S	28106	1987	41.5 12.33	155	41.5	35.5 4.5 11.83 7.7	4.5 7.7	Yes	No	29.9 25 10.33 5.416	7200 3200 Lead	No 1 FIXED	IB FOLD 2								
Relentless	Sydney 32	28732	2002	40.6 12.2	110	40.6 13.1	39.7 5.6 14.75 9.59	5.6 9.59	Yes	No	31.9 28.4 10.6 6.9	6850 2860 Lead	No 1 FIXED	IB FOLD 2	-3 Sec/mi for OSP							
Relentless	J 92	93	1997	37 11.5	155	38.5 17.5	38 5.2 13.5 8.7	5.2 8.7	No	Yes	26.4 915 5.5 0	5500 2275 Lead	0 1 FIXED	IB Fold 2								



Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications		
		Sail #	DW Rating		I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No		Yes/No		LOA LWL	Ttl Disp.	Traps/H. Strps		IB or OB Prop Type # of blades			
										PY	MSA	SL	SPL			SLU	ASA			Ballast	moveable blst
Disp/WL Ratio	Mast Material	Rig Type	SSSF	SSA	ASMG	Fixed or _o	Max Draft	Ballast Mat.	Keel Type												
Rufless	Melges 24	445	<b>84</b>	1999	27.85 7.95	100	31.85 12	28.9 12.45	3.83 7.09	No	Yes	20.67	24	1783	0	OB					
			<b>577</b>		CARBON						38	577	22	650	1	None					
			76		FS				196		32.9	0	8.17	Lead	CNTRBRD	0					
											<input checked="" type="checkbox"/>	0	5.25								
Russian Roulette	J 105 ODR w/ 5'BS	85	<b>78</b>	1995	40.6 13.5	100	42.1 19.07	41.5 14.5	5.5 9.4	No	Yes	25	34.5	7750	0	IB					
			<b>585</b>		ALUMN						48.9	854	29.5	3400	1	Fold					
			137		FS				358		38.7	5.5	11	Lead	FIXED	2					
											23	<input checked="" type="checkbox"/>	0	6.5							
Rustler	Esse 850	71	<b>75</b>		32.8 10	105	37.72 16.2	34.4 11.97	6.23 8.85	No	Yes	24.3	28	3000	0	IB	Outboard replaced with inboard saildrive (Mtg 2/28/13, custom rating assigned, as sailed: 75)				
			<b>535</b>		ALUMN						43.5	779	28	1540	1	Fold					
			62		FS				277		36.9	6.05	7.25	Lead	FIXED						
											23	<input checked="" type="checkbox"/>	0	6.6							
Sacagawea	Catalina 34 1&2	375	<b>156</b>	1987	44 13.5	95	44 13.48	38.5 11.75	4.7 7.54	No	No		34.5	11950	0	IB					
					ALUMN							0	29.83	5000	1	Fixed_3					
			205		MS				272		<input type="checkbox"/>	0	11.75	Lead	FIXED	3					
												0	5.6								
Saetta	J 120 ALUM	28486	<b>48</b>	1999	50.5 14.5	153	52 21.5	46.5 17.8	6.75 11.5	No	Yes	37.6	40	13900	No	IB					
			<b>540</b>		ALUMN						65.61	1793	35	6000	1	FOLD					
			147		FS			0	492		51.8	7	12	Lead	FIXED	2					
								0			36.42	<input checked="" type="checkbox"/>	0	7							
Sail La Vie	Beneteau 411	28597	<b>105</b>	1999	46.67 16.25	140		41.5 14.83	4.872 8.77	No	No		41.67	17196	No	IB					
					ALUMN							0	36.09	5500	1	FEATH					
			166		MS			0	344		<input type="checkbox"/>		13	Steel	FIXED	3					
								0					5.58								
Sailor Dog	Catalina 34 1&2	1798	<b>162</b>	2007	44 13.5	110	44 13.5	38.5 12	2.8 5.9	No	Yes	20.5	34.5	11950	0	IB	In-Mast furling main +3 sec/mi, MGM less than 50% of E +3 sec/mi				
			<b>657</b>		ALUMN						40.5	723	29.8	5000	1	Fixed_3					
			205		MS				229		38	0	11.7	Lead	FIXED	3					
											22.5	<input type="checkbox"/>	0	5.6							

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications							
		Sail #	DW Rating		I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No		Yes/No		LOA	LWL	Ttl Disp.	Traps/H.	Strps		IB or OB						
										PY	MSA	SL	SPL								SLU	ASA	Max Beam	Ballast	moveable blst	Prop Type
Disp/WL Ratio	Mast Material	Rig Type	SSFF	SSA	SLE	ASMG	Fixed or _o	Max Draft	Ballast Mat.	Keel Type	# of blades															
Salt Peanuts	Custom Dees GP 26	18	78	2008	29.35	130	36.43	32.42	5.58	No	Yes	20.41	25.72	2340	0	OB	(mtg 2/18/10, change custom rating from 75 to 78)(3/28/12, New Rudder Noted)									
			562		8.07		14.32	12.63	8.69		43.5	21.22	1100	1	None											
					CARBON				258		31.76	8	8	FIXED	0											
			111		FS						19.85	6.04	Lead	FIXED	0											
Salty Hotel	Express 27 ODR	60	129	1983	28.5	155	28.5	28.5	4.22	Yes	No		27.25	2450	0	OB										
			611		9		28.5	10.416	7.03			23.75	1100	1	None											
					ALUMN				182		17.75	429	8.17	FIXED	0											
			83		FS						17.75		4.5	FIXED	0											
Samba Pa Ti	J 22	3	186	1982	24.8	125	24.8	26.1	3.78	Yes	No		22.5	1790	0	OB										
			674		8.8		8.8	9	6.27			19	700	1	None											
					ALUMN				147		16	320	8	FIXED	0											
			119		FS						16		3.8	FIXED	0											
Sapphire	Synergy 1000	38008	48	2004	40.8	125	45.75	42	5.86	No	Yes	28	32.83	4400	No	IB	(Mtg 10/22/15, +3 sec/mi for smaller than class mainsail)									
			532		12		16.4	15.5	10.03		52	1172	29.17	1850	1	FOLD										
					CARBON				387		46.2	4.3	9.75	FIXED	2											
			81		FS						28.8	0	7	FIXED	2											
Savoir Faire	Beneteau 42 IK	28735	90	1984	52.82	145	52.82	46.59	5.4	Yes	No		42.92	20900	No	IB	PER MTG 8/14/97									
			581		16.73		52.82	14.6	9.35		53	16.73	36	7920	1	FEATH										
					ALUMN			0	401		30.183	1355	12.75	Iron	FIXED	2										
			204		MS			0			32.677		7.25	FIXED	2											
Scarlett	Moore 24	86	150	1980	26.25	150	26.25	25	3.89	Yes	No		24	2050	No	OB										
			636		9.75		26.25	9.5	6.45		26.5	9.75	21.75	1000	1	None										
					ALUMN				147		17.5	386	7.17	FIXED	0											
			91		FS						17.5		4.08	FIXED	0											
Scilla	J 70 ODR	327	114	2012	26.77	100	30.15	26.16	4.71	No	Yes	18.7	22.78	1750	0	OB										
			607		7.68		13.5	9.44	6.93		35.43	491	20.47	630	1	None										
					CARBON				164		28.87	5.1	7.38	Lead	MVBL											
			93		FS						18.24	0	4.92	Lead	MVBL											

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications							
				I J Max Headsail Mast Material Rig Type	P E PY EY		MGU MGM MSA	Yes/No SL SPL SSMG SSF	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast	Traps/H. moveable blst		Strps Keel Type										
															44.83 13.17 ALUMN MS			6 10.3 426	No	No	35.5 30.58 12 5.42	13900 5023 Lead	0 1 FIXED	IB Fixed_3
Scraft	Hunter 36	38096	156	2005	44.83 13.17 ALUMN MS	6 10.3 426	No	No	35.5 30.58 12 5.42	13900 5023 Lead	0 1 FIXED	IB Fixed_3	Roller Furler, In-mast Furling Mainsail											
Sea Breeze	Catalina 320	850	156	2001	43.58 12.33 ALUMN MS	43.58 13.25 8.661	No	No	32.5 28 11.75 6	11300 4000 Lead	0 1 FIXED	IB Fold 2												
Sea Ghost	Beneteau 42 IK	68222	90	1984	52.82 16.73 ALUMN MS	52.82 14.6 9.35 0 400 0	Yes 53 30.1 32.6	No 16.73 1352	42.92 36.25 12.75 7.25	20900 7920 Iron	0 1 FIXED	IB FOLD 2	DOUBLE HEADRAIL, HYDRALIC BACKSTAY PER MTG 8/14/97											
Sea Spirit	Catalina 34 1&2	108	147	1986	44 13.5 ALUMN MS	44 13.5	Yes 42 24 23.5	No 13.5 837	34.5 29.83 11.75 5.58	11950 5000 Lead	No 1 FIXED	IB FOLD 2												
Sea Star	CAL 39-2/3	38022	114	1977	50 16.7 ALUMN MS	50 13.8 8 337	Yes 48 30 29	Yes 16.7 1192	34 1181 0 0	39 32 12 6.7	17000 7000 Lead	0 1 FIXED	IB FEATH 3	Roller Furler										
Seaya	Catalina 380	252	120	2000	50.916 14.667 ALUMN MS	135	44.833 15.667	5.2 10 405	No	No	38.42 32.42 12.33 7.17	19000 6800 Lead	No 1 FIXED	IB FEATH 3										
Serenade	Sabre Spirit		96	2007	45.5 12.87 CARBON FS	106 12.87	51.2 12.87	45.5 16.55 9.93 425	5.55 9.93	Yes 44.92 23.17 22.24	No 12.87 860	23 976 0 0	36.67 28.33 10.42 6.58	10500 3740 Lead	0 1 FIXED	IB Fold								

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst	IB or OB Prop Type # of blades	
								SL	SPL	SLU	ASA						
								SSMG SSF	SSA	SLE ASM	SA						
Serendipity	CAL 29-1 IB	6601	1974	37.833 12.333 ALUMN MS	155	37.833 12.67	31.666 4.332 12.166 7.573 0 223 0	Yes	No	29.25 24.17 9.25 4.75	8000 3350 Lead	No 1 FIXED	IB FOLD 2				
Serenity	Islander 36 ODR	82659	1973	45 14.48 ALUMN MS	135	45	39.25 3.69 12.75 6.88 265	Yes	No	36.08 28.25 11.17 6.083	13500 5450 Lead	0 1 FIXED	IB Feath				
SF	CAL 25-1 OB	1062	1969	29.75 10 ALUMN MS	120	29.75	25 4.17 11 7 163	No	No	25 20 8 4	4000 1700 Lead	0 1 FIXED	OB None				
Shadowfax	Olson 25	91	1986	32 9.6 ALUMN MS	155	32	28 3.8 10 6.4 0 166 0	Yes	No	25 21.25 9 4.5	3300 1300 Lead	No 1 FIXED	OB None 0				
Shanti	Ericson 911S Olson	326	1989	41.5 12.33 ALUMN MS	150	41.5 12.33	35.5 4.73 11.83 7.69 0 253 0	Yes	No	29.92 25 10.33 5.42	8700 3200 Lead	0 1 FIXED	IB FOLD 2	CHANGE TO RUDDER NOTED, NCTR			
Shark-On- Bluegrass	Olson 25	18201	1984	32 9.583 ALUMN MS	155	32	28 3.8 10 6.4 0 166 0	Yes	No	25 21.25 9 4.5	3300 1300 Lead	No 1 FIXED	OB None 0				
Shenanigans	Express 27 ODR	67	1983	28.5 9 ALUMN FS	155	28.5	28.5 4.22 10.42 7.03 0 182 0	Yes	No	27.25 23.75 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0				

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications			
				I J	Max Headsail		P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.			Traps/H. Strps moveable blst		
									SL	SPL	SLU	ASA							Ballast Mat.	Keel Type
Disp/WL Ratio	Mast Material	Mast Rig Type	375	SSMG	SSA	SLE	ASMG	Ballast Mat.	Keel Type											
Short Bus	Hunter 35 Legend	210	1990	42	110	44.08	5.5	No	Yes	24.6	35.58	12600	0	IB						
		<b>628</b>		12.17		14.25	9.2		49.5	957	29.75	5000	1	Fixed_2						
		218		ALUMN			375		39.8	0	11.75	Lead	FIXED							
				MS					26	<input type="checkbox"/>	6.5									
Shut Up & Drive	J 24 ODR	513		26.25	150	26.25	28	3.7	Yes	No	24	3100	No	OB						
		<b>693</b>		9.5		9.75	6.37		26.5	9.5	20	965	1	None						
		176		ALUMN		0	163		17	375	8.916	Lead	FIXED	0						
				FS		0			16.8		4									
Siento El Viento	C&C 29	38311	1977	39.5	155		33.5		Yes	No	29.5	7500	No	IB						
		<b>693</b>		12.8		10.1			39	12.8	23.6	2700	1	Fold						
		259		ALUMN					22	715	10.5	Lead	FIXED	2						
				MS					22		5.25									
Simply Irresistible	Express 27 ODR	18070	1983	28.5	155	28.5	28.5	4.22	Yes	No	27.25	2450	No	OB						
		<b>612</b>		9		10.416	7.03		28.6	9.8	23.75	1100	1	None						
		83		ALUMN		0	182		17.75	422	8.17	Lead	FIXED	0						
				FS		0			17.5		4.5									
Sir Leansalot	Hunter 40	161	1986	53.9	125	53.9	48	5.2	Yes	No	39.7	17400	0	IB						
		<b>610</b>		17		13.9	9		52.5	17	32.5	6000	1	Fixed_2						
		230		ALUMN		0	396		29.2	1276	13.5	Iron	FIXED	2						
				MS		0			29		6.5									
Sirena	Ericson 32-2	18319	1972	35	110	35	31	4.9	Yes	No	31	8800	0	IB						
		<b>685</b>		13		13	8.4		37	13	24	4000	1	Fixed_2						
		289		ALUMN			239		23.1	705	9.8	Lead	FIXED	2						
				MS					21.9		5									
Six Brothers	Columbia C 30-2	32006	2013	36.67	103	42	38	7.77	No	Yes	31.5	4500	0	IB						
		<b>529</b>		12.67		14.67	10.64		50	1145	27	1900	1	None						
		104		ALUMN			374		42.05	0	10.13	Lead	FIXED							
				FS					29.43	<input checked="" type="checkbox"/>	7.42									



Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications		
		Sail #	DW Rating		I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.			Traps/H. Strps Ballast moveable blst Ballast Mat. Keel Type	
									SL	SPL	SLU	ASA							
									SSMG SSF	SSA	SLE	ASMG							
Skinny Love	11 Metre ODR	92	<b>69</b> <b>536</b> 84	1996	32.53 10.166 ALUMN FS	95	41	36.08 13.583 0 0	5.23 8.82 293	Yes	No	41 13.17 23.62 807 23.62	0	<input type="checkbox"/>	33.67 26.92 8.67 5.42	3600 1600 Lead	No 1 FIXED	OB None 0	MTG 4/9/98. Sail number 90, using sail # 246 for Vallejo 2008
Skye	Capo 30 MOD	0	<b>114</b> <b>629</b> 194	1984	41.7 12.75 ALUMN MS	120	41.5 12.75	36 11.5	4.37 7.47 247	Yes	No	41.5 12 21.5 740 21	0	<input type="checkbox"/>	33 26 10.33 5.42	7500 3000 Lead	0 1 FIXED	IB Feath	(Mtg 5/25/17, -9 sec/mi for increased LOA from added sugar scoop)
Slainte	Cal 20	1510	<b>273</b> <b>748</b> 150	1973	22 7.33 ALUMN FS	115	22 7.33	23 9.833	3.67 6.5 135	Yes	No	22 7.33 13.2 242 13.2	0	<input type="checkbox"/>	20 18.08 7 3.33	1950 900 Iron	0 1 FIXED	OB None	
Sleeper	Olson 30 OB	59608	<b>99</b> <b>586</b> 79	1980	36.25 11.65 ALUMN MS	150	36.26	30.33 10.75	4.33 7.15 199	Yes	No	35.5 11.75 21.1 618 20	0	<input type="checkbox"/>	30 27.5 9.25 5.1	3600 1800 Lead	0 1 FIXED	OB None 0	
Slight Disorder	Moore 24	98	<b>150</b> <b>636</b> 91	1981	26.25 9.75 ALUMN FS	150	26.25 9.75	25 9.5 0 0	3.91 6.5 147	Yes	No	26.6 9.8 17.5 388 17.5	0	<input type="checkbox"/>	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0	
SLOWMO!	Catalina 22-1 OB SK	2482	<b>270</b>  140	1973	25.93 8 ALUMN MS	150		21 9.66	3.47 5.96 118	No	No		0	<input type="checkbox"/>	21.6 19.4 7.8 5	2250 550 Iron	0 1 MVBL	OB None 3	
Snafu	Moore 24	121	<b>150</b> <b>647</b> 91	1982	26.25 9.75 ALUMN FS	150	26.25	25 9.5	3.91 6.5 147	Yes	No	27 9.75 17.55 395 17.55	0	<input type="checkbox"/>	23.75 21.75 7.16 4.08	2050 1000 Lead	0 1 FIXED	OB None	

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU ASA SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.		Traps/H. Strps moveable blst				
								SL	SPL						Ballast			Keel Type
								SSMG SSF	SSA						Ballast Mat.			Keel Type
Disp/WL Ratio																		
Snafu	CS 30	68588	1988	42 12.04 ALUMN MS	42 12.04	36.416 3.95 11.416 6.5 0 232 0		NO	Yes	20.04	30 25.51 10.25 5.416	8000 0 3440 1 Lead FIXED	IB FOLD 2					
Sobrante	Alerion Express 28 ODR	406	2009	30 9.75 ALUMN FS	30 9.75	33 4.8 12.5 7.6 241		No	No		28.25 22.83 8.2 4.5	5700 0 2200 1 Lead FIXED	IB Fold 2					
Soiree	Beneteau Oceanis 49 SD	38776		59.75 18.42 ALUMN FS	59.75 18.42	51.67 4.7 18.33 9.3 480		No	Yes	29.41	49.5 43.67 14.75 5.75	30517 0 480 1 Iron FIXED	IB Feath	Electric Winches (Mtg 10/27/16, +3 sec/mi for In-mast furling mainsail)				
Some Assembly Required	Holder 20	183	1984	22.6 7.25 ALUMN FS	22.6 13.05	24.04 3.84 9.33 6.58 141		Yes	No		20.33 18.42 7.83 3.58	1160 4 335 1 Lead MVBL	OB None	(Mtg 8/24/17, added 4 soft hiking straps to seats, NCTR)				
Sonrisa	Baba 40	0		50 21 ALUMN CTR	50 21	46 5.3 14.75 9 391		No	Yes	30.5	39.83 34.5 12.83 6	29000 0 12000 1 Iron FIXED	IB Feath					
Sparky	Catalina 25 FK	1498	1979	29 10.5 ALUMN MS	29 10.5	24.66 3.68 9.58 1.45 102		Yes	Yes	17.9	25 22.16 8 4	4550 0 1900 1 Cast Iron FIXED	OB None 0					
Spartan	Dufour 1300	0	1975	31.17 9.18 ALUMN MS	110	27.89 3.54 8.2 5.91 146		No	No		23.88 18.04 8.66 4.76	2866 0 1257 1 Iron FIXED	OB None					

Boat Name	Boat Model (Type)	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications									
		Sail #	Built	I J	Max	Headsail	ISP JSP	P E	MGU MGM	Yes/No		Yes/No		LOA	Ttl Disp.	Traps/H.	Strps	IB or OB	Prop Type								
										DW Rating	Mast Material	PY	MSA							SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	# of blades
Max Draft	Fixed or _o	Max Draft	Ballast Mat.	Keel Type	# of blades																						
Spirit	Alerion Express 28 ODR	275	168	30	90	30	33	4.8	No	No		28.25	5700	0		IB											
				9.75		9.75	12.5	7.6				22.83	2200	1		Fold											
				ALUMN				241			0	8.2	Lead	FIXED		2											
			218	FS							0	4.5															
Spirit of Freedom	J 124	38006	27	2006	49	155	54.7	48.4	Yes	Yes	32.6	40.7	12600	No		IB	(mtg 4/22/10, -3 sec/mi for OSP, -3 sec/mi for ability to square back pole)										
			535		14		15.4	17			1243	36.2	5000	1		FOLD											
				CARBON							0	11.3	Lead	FIXED		2											
			121	FS							26.7	6.9															
											0																
Split Water	J 88	78	81	2015	38.67	104	46	36.82	No	Yes	29	29.19	4990	0		IB											
			561		11.28		18.05	12			1022	26.84	1840	1		Fold											
				CARBON							5.25	9.5	Lead	FIXED													
			117	FS							0	6.5															
Sprite	Cal 20	347	273	1964	22	125	22	23	Yes	No		20	1950	0		OB											
			748		7.33		7.33	9.83			7.33	18.08	900	1		None											
				ALUMN							0	7	Iron	FIXED													
			150	FS							0	3.33															
											0																
Star Baby	Cal 20	1545	273	1967	22	110	22	23	Yes	No	0	20	1950	0		OB											
			748		7.33		7.33	9.83			0	18.08	900	1		None											
				ALUMN							0	7	Iron	FIXED													
			150	FS							0	3.33															
											0																
Starbuck	Custom Black Soo 30	8666	144	1968	30	125	29.5	25	Yes	No	20.4	31	4500	0		OB	(Mtg 1/17/02, added scoop, custom rating changed from 144 to 141)(mtg 1/11/13, Added A-sail, -9 sec/mi, rating changed from 141 to 132)(Mtg 5/13/14, removed A-Sail, +9 sec/mi, change custom rating from 132 to 141, +2 sec/mi for small headsail)										
			600		13		13	11.73			13	27.5	1800	1		None											
				ALUMN				0			577	6.8	Iron	FIXED		0											
			98	MS				0			19.1	6.4															
											0																
											0																
Sterling	Catalina 34 1&2	1269	153	1994	44	125		38.5	No	No		35.66	11950	0		IB											
					13.5			12				29.84	5000	1		Fixed_2											
				ALUMN							0	11.75	Lead	FIXED													
			204	MS							0	5.56															
											0																

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications						
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU ASA Sprit Lngth Fixed or _o	SL SPL SSMG SSA	SLE ASA Sprit Lngth Fixed or _o		SLU ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast			Traps/H. moveable blst	Strps Keel Type				
								Disp/WL Ratio	42 13.75 0 0											5.28 8.83 344	Yes No	SL SPL SSMG SSA	SLU ASA Sprit Lngth Fixed or _o
Stewball	Express 37	18278	72	1985	48.75 14.33 ALUMN MS	150	48.75	42 13.75 0 0	5.28 8.83 344	Yes	No	37.083 30.833 11.57 7.25	11000 4500 Lead	0 1 FIXED	IB FOLD 2								
Stink Eye	Laser 28 ODR MOD	33562	126		31.73 9.65 ALUMN MS	110	33.2	33.14 12.3 0 0	5.2 8.3 252	Yes	Yes	19 546 0.92	28.42 23.62 9.48 5	4050 1500 Lead	No 1 FIXED	OB FOLD 2	(Mtg 3/27/14, -3 sec/mi for oversized mainsail girths, -3 sec/mi for OB motor)						
Strange Magic	Islander Bahama 30	179	180	1981	40 12.75 ALUMN MS	150	40 12.75	33.75 11.5	4.37 7.47 232	No	No	23.95 831 0	29.92 24.58 10 5	8230 3130 Lead	0 1 FIXED	IB Fold							
Stratocaster	J 32	16	126	1996	39.2 11 ALUMN FS	155	40.68	38.5 15.5 0 0	5.88 10.07 355	Yes	Yes	23.95 831 0	32.5 28.67 11 5.75	10000 3840 Lead	No 1 FIXED	IB FOLD 2							
Summertime Dream	Custom Schumacher 26	18859	186	1979	26.28 8.07 ALUMN FS	150	26.28 8.07	29.58 10.76 0 0	4.33 7.23 195	Yes	No	37.23 1681 90	26.08 20 9.08 5.08	3300 1360 Lead	0 1 FIXED	OB None 0	Boat has previously been called "War"						
Surprise	Custom Schumacher 46	28098	6	1997	57 17 CARBON FS	160	63	57 19.75 0 0	7.5 12.8 670	Yes	Yes	37.23 1681 90	46 40.63 12.92 7.75	18300 8000 Lead	No 1 FIXED	IB FOLD 2	(MTG 4/9/98)(mtg 2/20/04)						
Swamp Donkey	Express 27 ODR	8444	129	1981	28.5 9 ALUMN FS	155	28.5	28.5 10.416 0 0	4.22 7.03 182	Yes	No	37.23 1681 90	27.25 23.75 8.166 4.5	2450 1100 Lead	No 1 FIXED	OB None 0							

Boat Name	Boat Model (Type)	Rating		I J Max Headsail Mast Material Rig Type	ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications				
		Sail #	Built			P E PY EY	MGU MGM MSA	Yes/No		SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps moveable blst						
								DW Rating	Mast Material								SSMG	SPL SSA	Ballast Mat.	Keel Type
Sweet Grapes	Ericson 36 Holland	19	1981	47.75 14.5	47.75	42 12	3.5 7.2	Yes	No	47 25.83 24.83	14.5 1004	35.58 29 11.83 6.25	11600 5230 Lead	0 1 FIXED	IB FOLD 2					
Sweet Okole	Custom Farr 36	29000	1976	42.049 12.35	42.049	44.54 16	5.9 10	Yes	No	43.82 22.23 22.23	12.35 812	36 31.33 11.88 7	9696 3750 Lead	No 1 FIXED	IB FOLD 2	(78 MTG 1/28/93) (81 MTG 3/18/93)(Mtg 5/22/08, +3 sec/mi for switching to smaller headsail, +3 sec/mi for removing 250# shoe from keel, change custom rating from 81 to 87)(6/7/10, change headsail to 155% 2 sec/mi change rating				
Sweet Pea	Islander 30-2	195	1971	38.5 12.58	38.42	32.5 11.58	4.75 8.125	Yes	No	38.6 22.5 22.5	12.42 724	30 24.58 10 5	8600 3500 Lead	0 1 FIXED	IB FOLD 2					
Sweet Tea	Moore 24	105	1981	26.25 9.75	26.25	25 9.5	3.91 6.5	Yes	No	27 17.55 17.55	9.75 395	23.75 21.75 7.16 4.08	2050 1025 Lead	0 1 FIXED	OB None					
Sweetspot	C&C 121 DK W/5' BS	46921	2000	57 15	57 20	51 16.386	6.19 10.6	No	Yes	63.8 55.6 37.5	36 1851 5	40 35.5 13.8 8	14100 5500 Lead	No 1 FIXED	IB FOLD 2	Deep Keel-bowsprit, (Mtg 4/24/08, rating appeal submitted, change base rating for C&C 121 DK w/ 5' BS, aka C&C 121 XP, to 60)				
Swift Ness	J 111	101	2014	48.37 13.85	51.4 20.08	45.17 14.5	6.1 10.1	No	Yes	31.8 59.05 46.88 31.8	31.8 1404 6.3 0	36.5 32.7 10.8 7.2	9300 3500 LeadSteel	0 1 FIXED	IB Fold					
Symmetry	J 111	91	2013	48.37 13.85	51.4 20.08	45.17 14.45	6.16 10.1	No	Yes	31.1 59.05 48.88 31.1	31.1 1399 6.3 0	36.5 32.7 10.8 7.2	9300 3500 LeadSteel	0 1 FIXED	IB Fold					

Boat Name	Boat Model (Type)	Rating		I J Mast Material Rig Type	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications							
		Sail #	Built		ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SL SPL SSMG SSF	SPL SSA	Yes/No		ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.			Traps/H. Strps						
								DW Rating	Max Headsail										SL SPL SSMG SSF	SPL SSA	SLU SLE ASMG	ASA Sprit Lngth Fixed or _o	Ballast	moveable blst
Synchronicity	Olson 25	68	1985	32	155	32	28	3.8	Yes		No	25	3300	No	OB									
		671		9.583		9.6	10	6.4		32	9.583	21.25	1300	1	None									
		156		ALUMN MS			0	166		17.28	461	9	Lead	FIXED	0									
							0			17.28		4.5												
Take Five	Express 27 ODR	28031	1982	28.5	155	28.5	28.5	4.22	Yes		No	27.25	2450	0	OB									
		611		9			10.416	7.03		29	9.833	23.75	1100	1	None									
		83		ALUMN FS				182		17.75	429	8.17	Lead	FIXED	0									
										17.75		4.5												
TASHI	Catalina 30	2010	1976	41	110	41	35	4.63	No		No	29.92	10200	0	IB									
				11.5			11.5	7.72				25	4250	1	Fixed_3									
				ALUMN MS				246				10.83	Lead	FIXED	3									
		297										5.25												
TAZ!!	Express 27 ODR	8100	1981	28.5	125	28.5	28.5	4.23	Yes		No	27.3	2450	0	NONE									
		620		9			10.42	7.04		28.58	9.83	23.8	1100	1	None									
		83		ALUMN FS				182		17.75	332	8.17	Lead	FIXED										
												4.5												
Tequila Mockingbird	Express 27 ODR	18353		28.5	155	32.5	28.5	4.22	Yes		Yes	18.85	2450	No	OB	(Mtg 4/23/15, switched to MH configuration, -3 sec/mi for increased spinnaker area)								
		603		9			10.416	7.03		30.5	9.833	23.75	1100	1	None									
		83		ALUMN FS			0	182		18.25	460	8.17	Lead	FIXED	0									
							0			17.5		4.5												
TESA	Catalina 42-1/2	642	1999	53	155	53	46.75	5.91	Yes		Yes	31	25500	0	IB	Added one electric main halyard winch								
		595		16.41		23	15.416	10		48.833	16	36	8300	1	FEATH									
		248		ALUMN MS			0	430		28	1134	13.83	Lead	FIXED	3									
							0			27.333		6.8												
The Belafonte	Santana 22 ODR	5000	1970	26	110	26	21.75	3.95	Yes		No	22	2600	No	OB									
		737		8.5			9.833	6.59		26	8.583	18.67	1230	1	None									
		182		ALUMN MS			0	131		15.44	335	7.833	Iron	FIXED	0									
							0			15.44		3.5												

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
		Sail #	DW Rating		I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.			Traps/H. Ballast moveable blst Keel Type
									SL	SPL	SLU	ASA						
									SSMG SSF	SSA	SLE ASMG	SA						
The Jackal	Moore 24	22	150	1977	26.25 9.75	150	26.25 9.75	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.08	2050 1025 Lead	0 1 FIXED	OB None			
The Mighty Windsong	International Folkboat OB	567	228	1969	26 8.3	155	26 8.3	28.8 11.2	4.44 7.34	Yes	No	25.75 19.75 7.5 4	5000 2750 Iron	0 1 FIXED	OB None			
The Shadow	Custom Mull 32	18787	150	1974	39.833 13.25	125	39.83	35.166 9.75	3.45 6.2	Yes	No	32.166 26.666 10 5	10600 4500 Lead	No 1 FIXED	IB FOLD 2	RMVD Foam Bumps from both sides of hull, Red Beam by approx 7" Replaced Rudder and Skeg Design w/balanced Rudder Depth same, area increased approx 8 sqft. Hull dry rot, Crsnfg Accom, Ref, Head Stars Cnv. Changed MTC 10/6/07		
Thea	Folkboat	108	252	1984	21.988 6.562	100	10.166	28.707 11.154	4.416 7.333	No	No	25.079 19.822 7.261 3.916	4640 2315 Iron	No 1 FIXED	OB None 0			
Tiburon	C&C 30 Mills	11	36	2014	40.8 11.28	105	46.74 18.6	41.8 14.2	7 10	No	Yes	30 28.7 9.8 7.5	3995 1579 Lead	0 1 FIXED	IB Fold			
Tijd	Beneteau First 30	45	102	2011	41.66 13.78	105	42.16 15.7	40.2 14.25	6.24 9.38	No	Yes	31.7 27.5 10.5 6.25	8267 2403 Cast Iron	0 1 FIXED	IB Fold	(Mtg 8/27/15, -3 sec/mi for OSP, +6 sec/mi for small spinnaker)		
Tiki Blue	Beneteau 423	38423	105	2005	48.65 16.52	125	48.65 16.52	43.44 14.83	5.49 9.6	Yes	No	41.67 38.58 12.92 6.92	20224 5569 Iron	No 1 FIXED	IB FOLD 3			

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps moveable blst		
								SL	SPL	SLU	ASA						
								SSMG SSF	SSA	SLE	ASMG						
Timber Wolf	Farr 38-1 C&B Marine	67519	1980	43.91 13.36 ALUMN FS	155	47.9	44.83 17.91 0 0	6.7 11.6 476	Yes	No	48 14.67 26.4 1056 26.4	38.32 30.9 11.97 6.39	12000 4100 Lead	0 1 FIXED	IB FOLD 2	(REDUCED MGM, ADDED 6" TO RUDDER LENGTH -NOTED NCTR- 2/15/01)(-3 sec/mi for oversized spinnaker)	
Tinker	Wilderness 21	6	1977	25 8.67 ALUMN MS	125	25	25 8 0 0	2.83 4.66 113	Yes	No	25 8.67 15.6 325 15.6	20.5 17.8 7.25 4	1870 1070 Lead	No 1 FIXED	OB None	Added roller furler	
Toppallant	Tartan 10	18608	1978	35 11.75 ALUMN FS	125	35	40.25 13.75 0 0	5.34 8.96 332	Yes	No	35 12 21.6 622 20.3	33.16 27 9.25 5.83	6700 3340 Lead	No 1 FIXED	IB FOLD 2	(4/25/02 Installed Running Backstay)	
Tortuga	Westsail 32	207	1974	31.2 18.4 ALUMN CTR	150		38.3 15.1		No	No		32 27.6 11 5	19500 7000 Lead	0 1 FIXED	IB FOLD 3		
Tortuga	Pyramid 660 ODR MOD	8375	1981	21.82 6.8 ALUMN FS	104	28 7	25.7 10.5	4 6.8 161	Yes	No	25.9 8 14 299 13.3	21.8 18.1 6.2 3.9	850 400 Lead	2 1 FIXED	OB None 2	(Mtg 5/20/10, removed trapeze +18 sec/mi, hiking straps still allowed)(1/24/13, added upper spreaders & stays, NCTR)	
Toypedo	Ranger 26-2	67341	1980	26.4 9 ALUMN FS	150	28 9	30.5 11	4 7 197	Yes	No	26.5 9 16.2 358 16.2	26 20 8 5	3000 1140 Lead	0 1 FIXED	OB None	Fixed Keel, No daggerboard	
Traveler	Express 34	97089	1987	44.3 13 ALUMN MS	150	44.3	38.5 12.83 0 0	4.87 8.46 296	Yes	No	42.7 13 22.2 787 21.8	34 28.3 10.5 6	8500 3700 Lead	0 1 FIXED	IB FOLD 2	-6 FOR OVERSIZED SPINNAKER	



Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
				DW Rating Disp/WL Ratio	J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast	Traps/H. moveable blst		IB or OB Prop Type # of blades
									SL	SPL	SLU	ASA						
									SSMG SSF	SSA	SLE ASMG	Fixed or _o						
Trex	Sunsail F40 ODR (Beneteau F40)	1007	2012	52.69 15.09 ALUMN FS	105	56.54 17.06	51.15 17.65	6.53 11.42	534	No	Yes	30.32 1200 1.98 0	40.15 35 12.76 8.04	17437 6609 Lead	0 1 FIXED	IB Fold 2		
Trois Amis	Screamer 12 Meter MOD	194	1985	44.58 15.75 ALUMN MS	140	44.58	41 14.2	5.3 9.2	345	Yes	No	0 0	39.37 32.5 10.33 7.67	6000 1350 Lead	0 1 FIXED	OB None	(mtg 3/23/17, custom rating of 36 assigned)	
Tule Fog	Express 27 ODR	18178	1984	29 9 ALUMN FS	155	28.5	29 10	4.22 7.03	182	Yes	No	0 0	27.3 23.8 8.166 4.5	2450 1100 Lead	n 1 FIXED	OB None 0		
Tule Lost	Ericson 911S Olson	28911	1988	41.5 12.33 ALUMN MS	155	41.5	35.5 11.083 0 0	4.73 7.69 247	0	Yes	No	0	29.92 25 10.33 5.42	8680 3200 Lead	No 1 FIXED	IB FOLD 0	MUST HAVE YACHT CLUB MEMBERSHIP CARD WITH ENTRY FORM FOR 2006 RACING	
Tupelo Honey	Elan 40	28908	2004	48.89 14.21 ALUMN FS	105	50.05 14.21	48.82 17.23 0 0	5.58 10.09 467	0	Yes	No	0	39.04 34.07 12.55 7.87	17600 5621 LeadSteel	No 1 FIXED	IB FOLD 2		
Turbo Camper	Hobie 33 ODR MOD	87574	1984	33.28 12.4 ALUMN FS	155	36.5 13.13	35 12.5 0 0	4.75 8.1	261	No	Yes	23 702 0.6 90	33 30.5 8 5.42	4200 1900 Lead	1 FIXED	OB None 0	(Mtg 3/29/12, -3 sec/mi for displacement changes)	
Twist	J 120 ALUM	28442	2000	50.5 14.5 ALUMN FS	150	52 21.5	46.5 17.8 0 0	6.75 11.5 492	0	No	Yes	34.1 1764 7 0	40 35 12 7	13900 6000 Lead	No 1 FIXED	IB FOLD 2		

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications		
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		Ttl Disp. Ballast		Traps/H. moveable blst					
								SL	SPL	SLU	ASA								
								SSMG SSF	SSA	SLE ASMG	Sprit Lngth Fixed or _o				Ballast Mat.			Keel Type	
Disp/WL Ratio																			
Twisted	Farr 40 ODR MH	40046	0	1999	53.15 15.45	105	50.04 17.06	54.8 19.36	8.49 13.77	Yes	No	60.69 34.39 34.44	17.06 1740	0	40.7 35.3 13.2 8.53	10902 4960 Lead	0 1 FIXED	IB FOLD 2	(Mtg 12/1/11, interior mods for IRC, smaller mainsail: NCTR)(Mtg 5/24/12, switching to MH ODR configuration)
Tyr	J 125	52125	-12	2000	49 14.8	155	52 23.4	46.5 18	6.79 11.65	No	Yes	23.4	39.3 1831	41 37 10.6 7.9	8350 4646 Lead	0 1 FIXED	IB Fold 2		
U Decide	Ultimate 20	155	144	2001	26.08 6.97	114	27.58 12.79	27.33 10.17	5.5 7.96	No	Yes	17.7 433	20.83 18 8.33 5	1350 450 Lead	0 1 FIXED	OB None 0			
UHOO!	Ultimate 20	64	144	1996	22.8 7	100	27.58 13	27.5 10.33	5.3 7.96	No	Yes	19.2 446	20.8 18 8.166 5	1100 450 Lead	No 1 CENTER	OB None 0			
un-named	Catalina 22-2 OB FK	15622	255	2006	25.8 8	135	25.83 8	21 9.67	3.5 6.08	Yes	No	8 300	21.5 19.33 7.67 5	2250 550 Lead	0 1 CNTRBRD	OB None			
Uno	Wyliecat 30 IB	28632	129	1995	35.8 5.5		35.8 12	39.66 19.75	9.31 13.05	No	Yes	12	19.68 550 0 90	30.5 25 9.5 5.25	5800 3000 Lead	0 1 FIXED	IB FOLD 2	(mtg 2/21/08, penalty for oversized main -3 sec/mi)(Mtg 5/22/08, -24 for asymmetric spinnaker flown on 12' pole)(1/24/16, not using spinnaker +24 sec/mi)	
USA 76	IACC	76	-78	2002	83.99 27.17	100		99.18 30.19	14.12 20.33	No	No		82.6 61.6 11.9 13.45	52910 39683 Lead	No 1 FIXED	IB Fold	(mtg 12/5/13, custom rating of -78 assigned)		

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
				DW Rating Disp/WL Ratio	J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast	Traps/H. moveable blst		IB or OB Prop Type # of blades
									SL	SPL	SLU	ASA						
									SSMG SSF	SSA	SLE ASMG	Fixed or _o						
Vanga	Alberg 30	30	1965	36.75 10.5 ALUMN MS	100	36	31 14.25	4.49 8.2	Yes	No	36.5 10.5 18.9 18.9	575	0 0	30.25 21.67 8.75 4.5	9000 3300 Iron	0 1 FIXED	IB Fixed_3 3	Roller Furler
Velvet Hammer	Schock 40	51507	2000	42.5 13.6 CARBON FS	104	49.5 20.58	44.4 16.8 0 0	7.2 11.8 470	No	Yes	60 49 31.685	33.92 1459 7 0	40 35 10 8	7914 1800 Lead	No 2 MOVABL	OB None 0	(mtg 10/21/09, switched to 104% headsail, from 150%, smaller girths on mainsail. Change custom rating from -18 to -12)	
Vento	Swan 391	40841		53.5 16.25 ALUMN MS	95	53.5 16.25	47.25 14	5.5 9.2 399	Yes	Yes	51.83 29.3 29.3	16.25 1266	26 1014 0 0	39.9 33.1 12.4 7.2	18900 6800 Lead	0 1 FIXED	IB Fold	
Ventus	J 88	60	2015	38.67 11.28 CARBON FS	104	46 18.05	36.82 12	5.44 8.4 282	No	Yes	47.83 40.84 27.32	29 1022 5.25 0	29.19 26.84 9.5 6.5	4990 1840 Lead	0 1 FIXED	IB Fold		
Vera Cruz	Sunsail F40 ODR	1003	2012	52.69 15.09 ALUMN FS	105	56.54 17.06	51.15 17.65	6.53 11.42 534	No	Yes	58.07 49.5 25.9	30.32 1200 1.98 0	40.15 35 12.76 8.04	17437 6609 Lead	0 1 FIXED	IB Fold 2		
Verve	Express 27 ODR	18283	1981	28.5 9 ALUMN FS	155	28.5	28.5 10.416	4.22 7.03	Yes	No	29 17.5 17.9	9.833 425	0	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0	
Vip	Farallone Clipper FR	7	1957	36.82 14 WOOD FS	155	36.82	40.5 18.5 0 0	6.16 10.979 420	Yes	No	36.76 25.195 24.86	14 770	0	38 28.75 9.5 5.6	19000 7000 Iron	No 1 FIXED	IB Fixed_3 3	

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
				DW Rating Disp/WL Ratio	I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			SLU ASA Sprit Lngth Fixed or _o	Ballast Ballast Mat.			Traps/H. moveable blst Keel Type
									SL	SPL	SLU	ASA						
									SSMG SSF	SSA	SLE ASM	SA						
Vita E Bella	Catalina 42-1/2	989	2007	53 16.5 155 16.5	52 18.67	46.9 5.2 15.6 9.5	5.2 9.5 415	No	Yes	27.3 53.8 1105 36	41.83 36	24400 3765 Lead	0 1 FIXED	IB FOLD 3	(mtg 3/28/13, -3 sec/mi for added sprit)			
Vitesse Too	Hobie 33 ODR	87112	1983	33.8 12.4 125 36.8		35 12.4 8	4.75 8	Yes	No		33 30.5 8 5.5	4000 1800 Lead	No 1 FIXED	OB None 0	Extended rudder 10", NCTR			
Void Star	Santa Cruz 40	59995	1982	52 16 135 52 18.67		45.5 14 8.58	5.2 370	No	Yes	33.62 56.2 1238 48.32 0 27.13	40 36 12 7	12500 5000 Lead	0 1 FIXED	IB FEATH 2	(Mtg 10/22/15, -6 sec/mi for 20% increase in JSP)(4/6/16, +3 sec/mi for non-articulating spinnaker)			
Vuja Star	J 105 ODR w/ 5'BS	181	1998	40.6 13.5 100 42.1 19.07		41.5 14.5 9.4	5.5 358	No	Yes	29.5 49.52 958 39.8 5.5 24.8	34.5 29.5 11 6.5	8733 3400 Lead	0 1 FIXED	IB Fold 2				
Warpath	Olson 30 OB	198	1982	36 11.75 150 35.9 11.67		31.5 10.75 7.268	4.364 208	Yes	No		30 27.5 9.33 5.08	3600 1800 Lead	No 1 FIXED	OB None 0				
Warwhoop	Contessa 33	63336	1984	37.916 11.17 100 37.93		39.416 13.86 9	5.31 326	Yes	Yes	20.92 40 682 37.5 0 21.17	33 25.52 11.08 5.8	8375 3700 Lead	No 1 FIXED	IB FOLD 2	(Mtg 1/26/17, -3 sec/mi for oversized asymmetric area)(Mtg 2/23/17, -3 sec/mi for oversized symmetric spinnaker area)			
Wasabi	JPK 1080	38103		46.66 14.17 100 51.51 19.09		46.2 15.48 9.61	5.84 419	No	Yes		35.43 30.84 11.98 7.22	10692 4740 Steel	0 1 FIXED	IB Fold				

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications							
		Sail #	DW Rating		I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No		Yes/No	ASF		LOA LWL	Ttl Disp.	Traps/H.	Strps		IB or OB Prop Type						
										PY	MSA		SL	SPL							SLU	ASA	Max Beam	Ballast	moveable blst	# of blades
Disp/WL Ratio	Mast Material	Rig Type	829	26	14.57	53.21	15.8	28.4	1525	58.4	0	0	38.08	31.5	12.34	7.25	14330	0	IB							
Water Witch	P-Class Cutter	3	90	1928	65.59 23.7	120	23.7	59.41 26	7.67 14.57	No	No		56 39 11.5 8	48000 15000 Cast Iron	0 1 FIXED	IB Feath	(Mtg 10/26/17, custom rating assigned of 90)									
Wayward Wind	Baltic 38 DP	87258	96	1983	52.25 15.82	155	52.25	46.25 13.75	4.53 8.2	Yes	No		38.08 31.5 12.34 7.25	14330 6512 Lead	0 1 FIXED	IB Fold										
Wet Corvette	Melges 30	103	36	1994	36.85 10.59	150	36.85 18.96	38 15.49		No	Yes		30 28.6 9.1 7	3800 1750 Lead	0 1 MVBL	IB FOLD 2										
Wet Spot	Moore 24	51	150	1979	26.25 9.75	150	26.25	25 9.5 0 0	3.91 6.5 147	Yes	No		23.75 21.75 7.16 4.08	2050 1025 Lead	No 1 FIXED	OB None 0										
Wetsu	Express 27 w/J length pole	70	129	1983	28.5 9	155	28.5	28.5 10.42 0 0	4.22 7.03 182	Yes	No		27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0	-6 Sec/mi OSP									
Whispering Winds	Lancer 36 MH	87374	141		42 16	125	41.9	37 12	4.8 7.9 269	No	Yes	26 932 0 0	36.17 29 11.75 6	10500 4000 Lead	0 1 FIXED	IB Fixed_3										
White Bear	Nonsuch 30	431	174	1987				45 24	8.68 15.12 629	No	No		30.33 28.75 11.9 5	11500 4500 Lead	0 1 FIXED	IB Fold 3										



Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
				J Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp.	Traps/H. Strps		IB or OB Prop Type # of blades		
								SL	SPL	SLU	ASA			Ballast	moveable blst			
																	SSMG	
Disp/WL Ratio	Mast Material	Rig Type	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max					
Wild Spirit	Wylie 36	0	1970	44.67	44.67	40.75	5.3	No	Yes	23.5	36.5	13720	0	IB	(Mtg 3/24/16, same hull as "Alert", +3 sec/mi for small "I", +3 sec/mi for no spinnaker articulation)			
		642		14.75	14.75	14	9.1		45	815	30	5575	1	Fixed_2				
		231		ALUMN CTR					39.66	0	10.9	Lead	FIXED					
									23	<input checked="" type="checkbox"/>	6							
Wildcard	Santa Cruz 37	37005	2009	47.1	52.17	47	6.4	No	Yes	33.3	37	8662	0	IB	(Mtg 1/26/16, new keel box & rudder noted, NCTR)			
		507		13.4	19	17	11		59.7	1534	34.75	3730	1	FOLD				
		94		CARBON FS					50.85	5.6	10.64	Lead	FIXED	2				
									33.3	<input checked="" type="checkbox"/>	7.5							
Wildcat of Loch Awe	S-2 7.9 FR DB	59838	1983	31.83	31.83	29.42	4.75	Yes	No		25.92	4250	0	OB				
		685		9.5		12.33	7.92		30.33	9.5	21.67	1750	1	None				
		190		ALUMN FS					17.08	432	9	Lead	AGGERBR					
									17.08		5							
Wild-Type	Ericson 32-2	614	1975	38		31.5	4.53	No	Yes	22.23	31.58	8800	0	IB	Roller Furler			
		707		13		13	8.19		39.55	639	24	4000	1	Fixed_3				
		289		ALUMN MS					35.38	0	8.67	Lead	FIXED	3				
									20.01	<input checked="" type="checkbox"/>	4.92							
Wile E Coyote	Express 27 ODR	11	1981	28.5	28.5	28.5	4.22	Yes	No		27.25	2450	No	OB				
		611		9		10.416	7.03		29	9.833	23.75	1100	1	None				
		83		ALUMN FS		0	182		17.7	428	8.17	Lead	FIXED	3				
						0			17.7		4.5							
Willow	Wauquiez 40s Centurion	38300	2004	51.5	51.5	49.21	7.3	Yes	Yes	28.54	41.17	18960	No	IB	(mtg 3/18/10, -3 sec/mi for oversized a-sail).(mtg 1/27/11, - 3 sec/mi for added sprit)			
		573		14.17		19.3	12.5		50.73	14.17	36.4	6085	1	FEATH				
		179		ALUMN FS					25.54	1080	12.66	Lead	FIXED	3				
									25.54		7.75							
Wimm	Jeanneau Sun Odyssey 349	38105	2016	43.6		40.68	4.9	No	No		33.92	11770	0	IB				
		141		12.37		13.62	8.2				30.84	3483	1	Fold				
		182		ALUMN MS							11.29	Cast Iron	FIXED					
											6.86							

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications		
		Sail #	DW Rating		J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp. Ballast	Traps/H. moveable blst	IB or OB Prop Type # of blades			
										SL	SPL	SLU	ASA						ASF	Strps
Disp/WL Ratio	Mast Material	Rig Type	SSG	SSA	SLE	Fixed or _o	Ballast Mat.	Keel Type												
Wind Blown Hare	Wylie Wabbit ODR W/Trap	29	<b>126</b> <b>602</b> 55	1982	20.5 6.5 ALUMN FS	150	20.5	23.75 4.03 10 6.72 0 145 0	Yes	No	23.75 20 5.583 3.5	975 440 Lead	1 3 FIXED	OB None 0						
Wind Speed	J 30	39963	<b>141</b> <b>657</b> 195	1980	34.19 11.5 ALUMN FS	155	34.2	37.5 4.9 12.5 8.1 0 281 0	Yes	No	29.83 25 11.18 5.25	6700 2100 Lead	No 1 FIXED	IB FOLD 2	+6 sec/mi for J length pole (mtg 11/16/01)					
Windswept Lady	X-362 Classic	50980	<b>96</b> <b>613</b> 199	1998	46.6 12.9 ALUMN MS	125	46.6 12.9	40.6 5.05 14.1 8.86 333	Yes	Yes	35.1 30.4 11.4 6.2	12320 5170 Lead	0 1 FIXED	IB Fold						
Windtrip Infinity	J 92s	35	<b>96</b> <b>587</b> 134	2006	40.68 11.48 ALUMN FS	107	44.08 16.67	38.88 5.42 13.95 9 324	No	Yes	30 26.7 10 6.24	5610 2317 Lead	0 1 FIXED	IB Fold						
Windwalker	Islander 36 ODR	57307	<b>144</b> <b>648</b> 271	1976	45 14.48 ALUMN MS	150	45	39.25 4.8 12.75 8.2 0 297 0	Yes	No	36.08 28.25 11.17 6.08	13450 5820 Lead	No 1 FIXED	IB FOLD 2						
Wingman Racing	J 70 ODR	584	<b>114</b> <b>607</b> 93	2014	26.77 7.68 CARBON FS	100	30.15 13.5	26.16 4.71 9.44 6.93 164	No	Yes	22.75 20.47 7.38 4.95	1750 630 Lead	0 1 MVBL	OB None						
Wings	Columbia 5.5 M ODR	31	<b>177</b> <b>619</b> 128	1965	29.125 8.25 ALUMN FS	96	30	34 4.59 11.416 7.65 0 237 0	Yes	No	32.416 25 6.25 4.33	4400 2800 Lead	No 1 FIXED	NA None 0						



Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications			
		Sail #	DW Rating		I J Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.	Traps/H. Strps moveable blst		IB or OB Prop Type # of blades		
									SL	SPL	SLU	ASA							Ballast Mat.	Keel Type
Wood Eye	Catalina 38	111	123	1981	49.83 15.5	110	49.83 15.5	44 11.5	4.7 7.9	Yes	No	38.17 30.25 11.83 6.75	15900 6850 Lead	0 1 FIXED	IB Fixed_2 2					
WooHoo	Moore 24	80	150	1980	26.25 9.8	150	26.25	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.083	2050 1025 Lead	0 1 FIXED	OB None 0					
Wuvulu	Islander Bahama 30	61	180	1979	40 12.75	150	38.416	33.75 11.5	4.75 8.125	Yes	No	30 24.58 10 5	8600 3500 Lead	No 1 FIXED	IB FOLD 2					
X TA C	Olson 29	18457	99	1986	34 11	155	36	32.42 11.42	4.59 7.66	Yes	No	29.67 27.5 9.33 5.25	3900 1900 Lead	No 1 FIXED	OB None 0	RUDDER REPLACED W/MORE 30 - CHANGE NOTED NCTR.				
Xtasea	Catalina 30	0	186	1985	41 11.5	110	41	35.5 11.5	4.63 7.72	Yes	No	29.92 25 10.83 5.25	10200 4250 Lead	0 1 FIXED	IB Fixed_2 2					
Xtreme	Hobie 33 ODR	18170	90	1984	33.83 12.4	125	36.25	35 12.5	4.75 8	Yes	No	33 30.5 8 5.42	4000 1800 Lead	No 1 FIXED	OB None 0					
Yellow Brick Road	Jeanneau Sun Odyssey 40	33300	96	1999	50 13.75	125	50 13.8	43.25 15.67	5.7 9.89	No	Yes	25.59 1095 0 0	40 33.33 12.92 6.33	16094 5291 Iron	0 1 FIXED	IB FEATH 3				

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
		Sail #	DW Rating		I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.			Traps/H. Strps Ballast moveable blst Ballast Mat. Keel Type
									SL	SPL	SLU	ASA						
									SSMG SSF	SSA	SLE ASMG	SA						
Yeti	Express 27 ODR	38	<b>129</b>	1983	28.5 9 155	28.5	28.5 10.4	4.22 7.03	Yes	No	27.25 23.75 8.16 4.5	2450 1100 Lead	0 1 FIXED	OB None				
Youngster	IOD ODR	82	<b>156</b>	1937	29.25 8.33 103	41 10.67	38.83 16.25	6.12 10.47	Yes	No	33.42 21.42 6.75 5.333	7100 4100 Lead	No 1 FIXED	NONE None 0	(mtg 1/21/10, switched to Masthead Spinnaker, -12 sec/mi for 40% increase in ISP, -6 sec/mi for oversized spinnaker girths)(138 rating valid for PHRF Races, not valid for IOD Class races. Boat must be in class configuration to sail			
Zamazaan	Custom Farr 52	3883	<b>21</b>	1978	70.4 18.51 135	70.4 18.51	65.2 23.2	8.82 15.08	Yes	No	52.19 47.26 15.45 8.79	25391 9679 Lead	No 1 FIXED	IB FOLD 2	RTG W/USYRU AGE ALLOWANCE IOR RTG W/USYRU AGE ALLOWANCE R=44.9 (1987) 18/24 AS PER PHRF MTG 4/20/95. SHORTENED MAST 6.15 FEET FROM TOP, REDUCED MAINSAIL AREA FROM 24/27 MTG 8/10/95			
Zara	Beneteau 310	144	<b>135</b>	1993	37.04 10.83 135	37.04 10.82	37.8 12.9	5.2 8.9 301	No	Yes	31.2 27.7 10.5 4.3	7054 2160 Lead	0 1 FIXED	IB Fixed_2				
Zeehond	Newport 30-2	707	<b>174</b>	1976	39.5 12.125 150	39.5	34 10.25	3.6 6.33	Yes	No	30 25 10.5 4.75	8500 2600 Lead	No 1 FIXED	IB FOLD 2				
Zenith	Islander 36 NCPHRF	472	<b>147</b>	1978	45 14.48 135	45 14.8	39.25 12.75	5.05 8.44	No	No	36.08 28.25 11.166 6.083	13450 5820 Lead	No 1 FIXED	IB Fold 2				
Zephyrus	Riechel/Pugh Turbo 77	69011	<b>-99</b>	1997	85.37 35 128	94.94 35	87.34 30.5	11.5 19.2 1563	No	Yes	77.67 65.2 14.78 14.12	31939 12300 Lead	0 1 FIXED	IB FOLD 2	(mtg 8/27/09, -6 sec/mi for new oversized jib. Changed custom rating from -126 to -132)(Mtg 4/26/12, New pintop mainsail, change custom rating from -132 to 129)(Mtg 8/23/12, change custom rating from 129 to 99 after review			

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
				J Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp. Traps/H. Strps		IB or OB Prop Type # of blades			
								SL SPL SSMG SSF	SPL SSA	SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ballast Ballast Mat.	moveable blst Keel Type				
																Mast Material Rig Type		
Zingara	Islander 36 NCPHRF	484	<b>150</b> 1978	45 14.48	125	45 14.8	39.25 12.75	4.8 8.29	No	No	36.1 28.25 11.17 6.08	13450 5820 Lead	No 1 FIXED	IB Fold 2	Roller Furler			
Zingaro	Santana 22	5050	<b>237</b> 1971	26 8.5	125	26	21.75 9.83	3.95 6.59	Yes	No	22 18.67 7.833 3.5	2600 1260 Iron	0 1 FIXED	OB None 0				
Zsa-Zsa	1D 35	35017	<b>36</b> 1999	42.49 12.52	110	44.78	44.46 18.58	7.55 12	Yes	No	35 31.5 10.75 7.6	6500 2600 lead	No 1 FIXED	IB Feath 2				
Zwei Flying Fish	San Juan 33s	59733	<b>129</b> 1981	34.83 11.48	134	34.83	39.16 12.66	4.66 8.08	Yes	No	33.1 27.8 7.95 5.5	6000 3500 Lead	0 1 FIXED	IB Fold	(Mtg 5/28/15, +3 sec/mi for small rig)			