

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No	Yes/No	ASF	Ttl Disp.		Traps/H. Strps			
				Mast Material			PY	MSA	SL	SPL	SLU	ASA		Ballast	moveable blst		
				Rig Type			EY		SSMG	SSA	SLE	Sprit Lngth		Ballast Mat.	Keel Type		
			Disp/WL ratio						SSF		ASM	Fixed or _o					
Lucky Duck	Custom Santa Cruz 52	28729	-30 2001	64.14 18.95 CARBON MS	155	64.6 22.5	57.5 21	8.76 14.22		Yes	Yes	40.91 2190	53 46.25 14 9	22544 8000 Lead	0 1 FIXED	IB Fold 2	(Mtg 8/23/12, Custom Rating Assigned, -21 as sailed)(Mtg 5/23/13, weighed displacement added)(Mtg 3/27/14, New Rudder, -3 sec/mi for OSP, -6 sec/mi for 10%+ increase in spinnaker area. No penalty for keel/displacement)
Danger Zone	Taylor 32	4128	-24 1994	40 10.7 ALUMN MS	100	19.4	37.1 14.3	9.5 11.6 395		No	Yes	26.52 829 0 0	32 28.9 14.8 5.6	1962 551 Lead	1 CNTRBRD	OB None	
CaZan	DK 46	61046	-21 2001	61.94 17.85 ALUMN MS	126	70.54 19.849	63.55 21.95	8.2 14.21		Yes	No	33.56 1822 0 0	46.26 40.52 13.45 9.84	22439 9480 Lead	0 1 FIXED	IB Fold	(Mtg 5/25/17, custom rating assigned. As Sailed: -21)
Bodacious +	1D 48	48005	-15 1996	57.7 16.7 CARBON FS	155	68.3 16.7	61.3 22.5	9.84 14.66 848		Yes	Yes	30.1 1673 0 0	48.3 40.2 14.2 10.1	19743 8818 Lead	0 1 FIXED	IB Fold 2	Water ballast system not operational (mtg 8/19/08, custom rating assigned of -30, includes dual spinnakers)(Mtg 3/24/11, new smaller mainsail, smaller symmetrical, change cutom rating from -20 to -21)(Mtg 8/25/11)
Horizon	Santa Cruz 50	18926	-15 1982	61.7 18.43 ALUMN MS	145	61.7 20.3	55.2 19	7.15 12.05 618		No	Yes	36.4 1880 0 90	50.23 46.906 12.02 7.988	18844 8000 Lead	0 1 FIXED	IB FOLD 2	(Mtg 6/16/08, -6 sec/mi for oversized spinnaker, -3 sec/mi for oversized main)
Can't Touch This	J 125	93204	-12 1999	49 15 CARBON MS	155	52.1 23	47 18	6.8 11.6 502		No	Yes	41 1941 8 0	41 37 10.6 7.9	9330 4646 Lead	0 1 FIXED	IB FOLD 2	(Mtg 2/26/09, -3 sec/mi for oversized main girths)(3/9/09, corrected main girths, removed -3 sec/mi penalty)
Hana Ho	Santa Cruz 50	77007	-12 1980	61.39 18.85 ALUMN MS	155	61.5 20.73	54.92 16.98	6.5 11.1 558		Yes	Yes	35.9 1847 0 0	52 46 12 7.75	18000 8000 Lead	0 1 FIXED	IB Feath 3	(Mtg 5/26/11, +3 sec/mi for interior changes)(2/24/12, interior changes removed, boat is back to standard weight for a SC 50)(Mtg 5/25/17, New Rudder, NCTR. -3 sec/mi for OSP, -3 sec/mi for oversized spinnaker area)

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
			ISP		I	J	Max Headsail	ISP	P	MGU	Yes/No	Yes/No	ASF		Ttl Disp.	Traps/H. Strps	IB or OB		
			JSP		J	J		JSP	E	MGM	SL	SPL	SLU		ASA	Ballast	moveable blst		Prop Type
					Mast Material				PY	MSA	SSMG	SSA	SLE		Sprit Lngth	Max Beam	Ballast Mat.		Keel Type
			Disp/WL ratio	Rig Type	EY		SSF		ASM	Fixed or_o	Max Draft								
OAXACA	Santa Cruz 50	8927	-12	1982	61.48 18.88	155	61.22 20.65	54.75 16.98	6.08 10.67	Yes	No	36.5 1889	50.23 46.67	17374 8000	0 1	IB Fold	(Mtg 5/26/16, -6 sec/mi for oversized ASA)		
			480 78		ALUMN FS				540				12 7.91	Lead FIXED					
Tyr	J 125	52125	-12	2000	49 14.8	155	52 23.4	46.5 18	6.79 11.65	No	Yes	39.3 1831	41 37	8350 4646	0 1	IB Fold			
			471 75		CARBON FS				497				10.6 7.9	Lead FIXED		2			
Velvet Hammer	Schock 40	51507	-12	2000	42.5 13.6	104	49.5 20.58	44.4 16.8	7.2 11.8	No	Yes	33.92 1459	40 35	7914 1800	No 2	OB None	(mtg 10/21/09, switched to 104% headsail, from 150%, smaller girths on mainsail. Change custom rating from -18 to -12)		
			464 84		CARBON FS			0 0	470				10 8	Lead MOVABL	0				
Deception	Santa Cruz 50	97263	-6	1987	61.8 18.3	155	61.8 18.3	55 18.4	7.1 12	Yes	Yes	32.9 1335	50 46	17500 8000	0 1	IB FOLD	ELPT Keel & OS/Spinnaker; Has a Code 0 headsail aboard - tacked to stem, no sprit (Mtg 5/26/16, -3 sec/mi for oversized mainsail)(Mtg 6/23/16, change rating back to -6)		
			482 82		ALUMN MS				605				12 8	Lead FIXED	2				
Emily Carr	Santa Cruz 50	49211	-6	1981	61 19	150	61	55 17	6.4 11	Yes	No		53 46.5	15000 7500	No 1	IB FOLD	3' SUGAR SCOOP ON TRANSOM IF STD 50FT LOA OF BOAT		
			478 68		ALUMN MS			0 0	555			0	12 8	Lead FIXED	2				
Leglus	Ohashi 52	2480	-6	1986	49.26 16.387	149	62 21.92	57.578 21.325	8.103 13.517	No	Yes	34.8 2089	52.5 50.06	15017 5.952	0 1	IB FOLD	(mtg 10/21/09 assigned custom rating of -39)(Mtg 3/24/16, +3 sec/mi for no spinnaker articulation, change custom rating from -36 to -6)		
			439 54		ALUMN FS				724				12.6 11.36	Lead FIXED	2				
Astra	Farr 40 ODR MH	40079	0	2000	53.2 15.5	105	53.12	54.8 19.4	7.29 12.47	Yes	No		40.75 35.27	10917 5079	No 1	IB FOLD			
			502 113		CARBON MS			0 0	629			0	13.22 8.53	Lead FIXED	2				

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SPL SSMG SSF	SLU ASA SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.		Traps/H. Strps moveable blst Ballast Mat. Keel Type			
Bright Hour	Farr 40 ODR MH	50092	0 2001	53.15 15.45	0	50.04 17.06	54.8 19.36	8.49 13.77	Yes	No		40.7 35.3 13.2 8.53	10902 4960 Lead	0 1 FIXED	IB Fold		
			498 113	CARBON FS				674			<input checked="" type="checkbox"/> 0 0						
Twisted	Farr 40 ODR MH	40046	0 1999	53.15 15.45	105	50.04 17.06	54.8 19.36	8.49 13.77	Yes	No		40.7 35.3 13.2 8.53	10902 4960 Lead	0 1 FIXED	IB FOLD 2	(Mtg 12/11/11, interior mods for IRC, smaller mainsail: NCTR)(Mtg 5/24/12, switching to MH ODR configuration)	
			498 113	CARBON FS				674			<input type="checkbox"/> 0 0						
California Condor	Class 40	94	6 2010	53.9 15.65	104	58.6 23.85	53.21 18.81	11.71 14.38	No	Yes	39.7 1623	40 39.17 14.7 9.84	12225 4710 Lead	0 1 FIXED	IB Fold 2	Short-Handed Bay Configuration	
			481 92	CARBON FS				715			8.2 0						
Surprise	Custom Schumacher 46	28098	6 1997	57 17	160	63	57 19.75	7.5 12.8	Yes	Yes	37.23 1681	46 40.63 12.92 7.75	18300 8000 Lead	No 1 FIXED	IB FOLD 2	(MTG 4/9/98)(mtg 2/20/04)	
			510 124	CARBON FS			0 0	670			0 90						
Elusive	Swan 42 Club	4216	9 2007	59.07 16.44	106	62.99 19.05	56.56 19	7.1 12.5	Yes	Yes	34.8 1808	42.59 38.15 12.8 9	17158 6988 Lead	0 1 FIXED	IB Fold 2	(Mtg 2/25/16, +3 sec/mi for decrease in Spinnaker Area, +6 sec/mi for decreased JSP, -3 sec/mi for articulation, -3 sec/mi for switch to larger headsail)(06/09/17, switching back to stock configuration)	
			513 140	CARBON FS				641			2.6 0						
Wicked Sister	Farr 36 ODR	3	9 2004	46.78 13.19	110	54.82 21.06	49.93 18.63	8.53 12.96	No	Yes	36.28 1751	36.1 32.8 11.72 8.5	6745 3076 Lead	0 1 FIXED	IB Fold		
			473 87	CARBON FS				592			7.36 0						
Nadja Delphine	X-41	0	15 2009	55.9 16.11	106	58.63	53.31 18.04	6.82 11.61	Yes	No		40.52 35.07 11.94 8.2	14109 6019 Lead	0 1 FIXED	IB Fold	Electronic winches	
			537 149	CARBON FS				570			0 0						

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Keel		Engine/Prop	Modifications
					I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No	Yes/No	ASF	Ttl Disp.		Traps/H. Strps	IB or OB		
			DW Rating		Mast Material		PY	MSA	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type		
			Disp/WL ratio		Rig Type		EY		SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades		
									SSF		ASM	Fixed or _o	Max Draft					
Acey Deucy	J 44	97659	21	1989	60.606 17.08	155	60.416	53.51 7.3	19.41 12.5	Yes	Yes	27	44.83	22770	0	IB	Electric Winches	
			547		ALUMN			0	615	59.8	17.085	63.8	38.58	9000	1	FOLD		
			180		MS			0		30.8	1535	55.9	13.67	Lead	FIXED	2		
								0		30.8		27.8	8.14					
Ardea	Custom Nelson/Marek 50	42616	21	1989	59.92 17.59	100	59.92	65.19 9.35	24.08 15.98	Yes	Yes	31.6	49.8	22145	0	IB	(Mtg 8/28/15, custom rating of 21 assigned)	
			519		ALUMN				946	59.2	17.59	62.2	38.55	12627	1	Fold		
			176		FS					31.1	1527	55.8	14.86	Lead	FIXED			
										30.4		30.9	9.32					
Bustin Loose	Sydney 38 MH	38044	21	2002	54 14.9	104	52.03	50.53 6.85	18.046 11.73	Yes	Yes	27.69	38.6	12250	0	IB		
			533		ALUMN			0	543	56.7	15.9	54.92	35.3	5140	1	FOLD		
			127		FS			0		30.12	1422	48.33	12.4	Lead	FIXED	2		
								0		30		25.49	8.8					
Phantom	J 44	28844	21	1990	60.606 17.08	120	60.416	53.53 7.3	19.41 12.5	Yes	Yes	27	44.75	23838	No	IB		
			550		ALUMN			0	615	59.65	17.08	63.8	38.58	9000	1	Feath		
			189		MS			0		30.7	1526	55.9	13.67	Lead	FIXED	3		
								0		30.7		27.8	8.14					
Zamazaan	Custom Farr 52	3883	21	1978	70.4 18.51	135	70.4	65.2 8.82	23.2 15.08	Yes	No		52.19	25391	No	IB	RTG W/USYRU AGE ALLOWANCE IOR RTG W/USYRU AGE ALLOWANCE R=44.9 (1987) 18/24 AS PER PHRF MTG 4/20/95. SHORTENED MAST 6.15 FEET FROM TOP, REDUCED MAINSAIL AREA FROM 24/27 MTC 8/10/95	
			492		ALUMN			0	900	69.78	21.9		47.26	9679	1	FOLD		
			109		MS			0		39.44	2293		15.45	Lead	FIXED	2		
										39.44			8.79					
Jaybird	J 133 CM	52443	24	2004	57 17.25	100	60.4	54 7	18.6 12	No	Yes		38.08	16900	0	IB		
			574		CARBON				595			0	30.25	6850	1	Fixed_2		
			278		FS							0	11.8	Iron	FIXED			
												0	6.8					
Albion	J 124	14	27	2007	49 14	145	54.7	48.4 6.4	17 11	No	Yes	32.74	40.7	12600	0	IB	(Mtg 2/23/17, -6 sec/mi for asymmetric spinnaker modifications)	
			522		CARBON				488			1528	36.2	5000	1	Fold		
			121		FS					60.53		3.83	11.33	Lead	FIXED			
										51.51		0	7					

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications									
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	SL SSMG SSF	SPL SSA	Yes/No	Yes/No	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps moveable blst	IB or OB Prop Type # of blades										
																		DW Rating Disp/WL ratio	49 14	54.7 15.4	48.4 17	Yes	32.6	40.7	No	IB
Chance	Farr 395	39528	27 2002	51.25 14	105	56.33 20.36	50 18.42	7.54 12.53	No	Yes	33.46	39.33	12500	No	IB											
			528 138	CARBON FS			0 0	567		Yes	62.6 1617	34.5	4600	1	FOLD											
										33.79	6.36	12.08	Lead	FIXED	2											
Kuai	Melges 32 ODR	211	27 2006	40.86 10.7	105	48.3 18.7	44.05 15.49	6.95 11.14	No	Yes	31.82	31.84	4200	0	OB											
			475 82	CARBON FS				438		Yes	55.75 1344	28.5	1600	1	None											
										46.9 8	9.83	9.83	Lead	FIXED												
										31.31	0	7														
Spirit of Freedom	J 124	38006	27 2006	49 14	155	54.7 15.4	48.4 17		Yes	Yes	32.6	40.7	12600	No	IB	(mtg 4/22/10, -3 sec/mi for OSP, -3 sec/mi for ability to square back pole)										
			535 121	CARBON FS					53.9 27.7	15.4 1244	55.1 51.9	36.2 11.3	5000	1	FOLD											
									27.7		26.7	6.9	Lead	FIXED	2											
Wildcard	Santa Cruz 37	37005	27 2009	47.1 13.4	107	52.17 19	47 17	6.4 11	No	Yes	33.3	37	8662	0	IB	(Mtg 1/26/16, new keel box & rudder noted, NCTR)										
			507 94	CARBON FS						59.7 1534	34.75	3730	1	FOLD												
										50.85 5.6	10.64	Lead	FIXED	2												
										33.3	0	7.5														
Alpha Puppy	1D 35	35024	30 1999	42.49 12.52	110	44.78	44.46 18.58	7.5 12	No	Yes	31.4	35	6500	No	IB	6/13/11, boat now in same configuration as B-Line. Added 4.9' bowsprit and oversized spinnaker. -9 sec/mi for oversized asymmetric spinnaker, +3 sec/mi for inability to articulate sprit										
			517 95	CARBON FS						45.11 14.76	51.8 1238	31.5	2600	1	FOLD											
										26.25 987	46.6 4.9	10.75	lead	FIXED	2											
										26.25	29.9	7.6														
Blue	Swan 53-2	61522	30 2012	71.96 19.52	105	73.84 19.53	65.88 21.98	7.64 13.38	No	Yes	38.89	54.07	54482	0	IB	(Mtg 3/23/17, -3 sec/mi for ability to fly a-sail on a squared back pole)										
			530 235	CARBON MS						75.95 2214	47.24	22400	1	Fold												
										67.09 0	15.58	Lead	CNTRBRD													
										36.72	90	12.14														
Dark & Stormy	1D 35	35018	30 1998	42 12.47	110	44.8 17.39	44 19	7.5 12	No	Yes	31.4	35	6550	0	IB	Fixed bow sprit, using Asymmetrical spinnaker(mtg 3/20/08, -9 sec/mi for oversized spinnaker, +3 sec mi for not being able to articulate pole, as sailed: 30)										
			518 95	CARBON FS						51.8 1236	31.5	2660	1	FOLD												
										46.62 4.92	10.9	Lead	FIXED	2												
										29.83	0	7.58														

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst Keel Type		
Rufless	Melges 32 MOD	174	30 2007	40.86 10.7	105	48.3 18.7	44.05 15.49	6.95 11.14	No	Yes	31.3 1203	31.84 28.5 9.83	4200 1600 Lead	0 1 FIXED	OB None	(mtg 2/23/17, no longer using the class spinnaker. +3 sec/mi for small asymmetric)	
			481 82	CARBON FS				438			8 0						
Bad Dog	J 111	103	36 2011	48.37 13.85	105	51.4 20.08	45.7 14.5	6.1 10.1	No	Yes	31.86 1433	36.5 32.7 10.8	9300 3500 LeadSteel	0 1 FIXED	IB Fold		
			532 121	CARBON FS				414			6.3 0						
Gentoo	Soto 30	1	36 2012	38.25 12.25	102	38.67 19.83	38.67 13.58	5.83 8.83	No	Yes	26.25 968	30 28.75 9.58	3800 1415 Lead	0 1 FIXED	OB None	(Mtg 9/16, -3 sec/mi for larger mainsail)	
			516 73	CARBON MS				322			7.7 0						
Swift Ness	J 111	101	36 2014	48.37 13.85	105	51.4 20.08	45.17 14.5	6.1 10.1	No	Yes	31.8 1404	36.5 32.7 10.8	9300 3500 LeadSteel	0 1 FIXED	IB Fold		
			534 121	CARBON FS				410			6.3 0						
Symmetry	J 111	91	36 2013	48.37 13.85	105	51.4 20.08	45.17 14.45	6.16 10.1	No	Yes	31.1 1399	36.5 32.7 10.8	9300 3500 LeadSteel	0 1 FIXED	IB Fold		
			534 121	CARBON FS				410			6.3 0						
Tiburón	C&C 30 Mills	11	36 2014	40.8 11.28	105	46.74 18.6	41.8 14.2	7 10	No	Yes	31.5 1284	30 28.7 9.8	3995 1579 Lead	0 1 FIXED	IB Fold		
			495 77	CARBON FS				387			7 0						
Trois Amis	Screamer 12 Meter MOD	194	36 1985	44.58 15.75	140	44.58	41 14.2	5.3 9.2	Yes	No		39.37 32.5 10.33	6000 1350 Lead	0 1 FIXED	OB None	(mtg 3/23/17, custom rating of 36 assigned)	
			506 79	ALUMN MS				345			0 0						

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
			Rating		I	J	ISP	P	MGU	Yes/No		Yes/No	ASF		Ttl Disp.	Traps/H.	IB or OB	
			Max Headsail		Max Headsail	Max Headsail	JSP	E	MGM	SL	SPL	SLU	ASA		Ballast	moveable blst	Prop Type	
			DW Rating		Mast Material	Mast Material		PY	MSA	SSMG	SSA	SLE	Sprit Lngth		Ballast Mat.	Keel Type	# of blades	
		Disp/WL ratio	Rig Type		EY	SSF		ASM	Fixed or _o									
Wet Corvette	Melges 30	103	36	1994	36.85 10.59	150	36.85 18.96	38 15.49		No	Yes		30 28.6 9.1 7	3800 1750 Lead	0 1 MVBL	IB FOLD 2		
			507 74		CARBON FS						<input type="checkbox"/>	8.4 90						
Zsa-Zsa	1D 35	35017	36	1999	42.49 12.52	110	44.78	44.46 7.55 18.58 12		Yes	No		35 31.5 10.75 7.6	6500 2600 lead	No 1 FIXED	IB Feath 2		
			520 95		CARBON FS			0 498 0	50 14.76 26.5 1104 26.5		<input type="checkbox"/>	0						
Vera Cruz	Sunsail F40 ODR	1003	42	2012	52.69 15.09	105	56.54 17.06	51.15 6.53 17.65 11.42		No	Yes	30.32 1200 1.98 0	40.15 35 12.76 8.04	17437 6609 Lead	0 1 FIXED	IB Fold 2		
			571 185		ALUMN FS			534			<input checked="" type="checkbox"/>							
Afterburner	Synergy 1000	1001	45	1999	40.75 12	110	45.75 16.4	42 6.99 15.5 11.03		No	Yes	26 1089 4.3 0	32.83 29.17 9.75 7	4600 1850 Lead	0 1 FIXED	IB Feath 2		
			538 84		CARBON FS			417			<input checked="" type="checkbox"/>							
Anais	Hanse 505	61019	45	2014	64.16 19.16	100	65 20	58.6 6.55 20 11.87		No	Yes	38.52 2151 1.5 0	49 44.4 15.6 7.7	36000 8300 Lead	0 1 FIXED	IB Feath		
			530 187		ALUMN FS			655			<input checked="" type="checkbox"/>							
Divine Wind	Olson 40	69069	45	1983	50 15.75	150	51.21 15.8	44 5.5 14.25 9.29		Yes	No		40.33 36 11.25 6.5	10500 5500 Lead	0 1 FIXED	IB Feath 2		
			540 102		ALUMN MS			376	50.17 15.75 28.35 1185 28.35		<input type="checkbox"/>	0 0						
Kira	Aerodyne 38 SD	38104	45	2003	50.82 14.5	105	57.25 20.83	51.75 6.25 16.5 10.6		No	Yes	39.5 2062 0	37.66 34.21 13 6	11850 4150 Lead	0 1 FIXED	IB Fold		
			634 135		ALUMN FS			506			<input checked="" type="checkbox"/>							

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail		P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps Ballast moveable blst Ballast Mat. Keel Type		
Peregrine	J 120 Carbon	25487	45 2001	50.5 14.5	150	52	46.5 17.8	6.76 11.57	No	Yes	35.1 1776 7	40 35 12 7	13900 6000 Lead	0 1 FIXED	IB Fold 2		
			540 147	CARBON FS				493			<input checked="" type="checkbox"/>						
Quiver	Custom Nelson Marek 36	28669	45 1999	43.85 12.5	105	51.9 14.57	45.75 16.47	6.56 10.66	Yes	Yes	26.24 1221 1.5	35.6 29.32 10.3 7.6	7725 3255 Lead	No 1 FIXED	IB FOLD 2	(mtg 6/15/10, added lead shoe to keel, -3 sec/mi, change custom rating from 48 to 45)(Mtg 2/29/12, added sprit equal to SPL, NCTR)	
			542 139	CARBON FS				453			<input checked="" type="checkbox"/>						
Void Star	Santa Cruz 40	59995	45 1982	52 16	135	52 18.67	45.5 14	5.2 8.58	No	Yes	33.62 1238 0	40 36 12 7	12500 5000 Lead	0 1 FIXED	IB FEATH 2	(Mtg 10/22/15, -6 sec/mi for 20% increase in JSP)(4/6/16, +3 sec/mi for non-articulating spinnaker)	
			548 122	ALUMN MS				370			<input checked="" type="checkbox"/>						
Family Hour, TNG	Henderson 30	46595	48 1997	37 11	155	42.3 17.8	38.2 14	6.74 10.62	Yes	Yes	31.9 1223 6.2 15	30.83 27.75 9.84 7	3850 1750 Lead	0 1 FIXED	OB None 0	Kelp Cutter	
			504 82	CARBON FS				356			<input type="checkbox"/>						
Hokulani	J 120 ALUM	43	48 1996	50.42 14.42	155	50.42 21.42	46.42 17.67	6.58 11.42	No	Yes	37.8 1777 0 0	40 35 12 7	13900 6000 Lead	0 1 FIXED	IB Fold		
			538 147	ALUMN FS				486			<input checked="" type="checkbox"/>						
Hot Socks	Figaro II	27	48 2004	42.75 12.42	104	42.75	42.67 15.42	7 11	Yes	No	0 0 0	32.18 32 11.33 6.5	6724 2425 LeadWater	0 1 FIXED	IB Fold		
			564 93	CARBON FS				422			<input type="checkbox"/>						
Jamani	J 120 ALUM	52879	48 2002	50.5 14.5	155	52 21.5	46.5 17.8	6.7 11.5	No	Yes	34 1729 7 0	40 35 12 7	13900 6000 Lead	0 1 FIXED	IB FOLD 2		
			542 147	ALUMN FS				491			<input checked="" type="checkbox"/>						

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications								
			Built	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB									
										E	MGM									SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type
EW	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Draft	Ballast Mat.	Keel Type	# of blades																		
Kookaburra	J 120 ALUM	153	48	2001	50.5	155	52	46.5	6.2	No	Yes	30.3	40	13900	No	IB											
			556		14.5		21.5	17.8	10.7		60.8	1265	35	6000	1	FOLD											
			147		ALUMN			0	471		50.6	7	12	Lead	FIXED	2											
			147		FS			0			26.5	<input checked="" type="checkbox"/>	7														
Saetta	J 120 ALUM	28486	48	1999	50.5	153	52	46.5	6.75	No	Yes	37.6	40	13900	No	IB											
			540		14.5		21.5	17.8	11.5		65.61	1793	35	6000	1	FOLD											
			147		ALUMN			0	492		51.8	7	12	Lead	FIXED	2											
			147		FS			0			36.42	<input checked="" type="checkbox"/>	7														
Sapphire	Synergy 1000	38008	48	2004	40.8	125	45.75	42	5.86	No	Yes	28	32.83	4400	No	IB	(Mtg 10/22/15, +3 sec/mi for smaller than class mainsail)										
			532		12		16.4	15.5	10.03		52	1172	29.17	1850	1	FOLD											
			81		CARBON				387		46.2	4.3	9.75	Lead	FIXED	2											
			81		FS						28.8	<input type="checkbox"/>	7														
Twist	J 120 ALUM	28442	48	2000	50.5	150	52	46.5	6.75	No	Yes	34.1	40	13900	No	IB											
			541		14.5		21.5	17.8	11.5		64	1764	35	6000	1	FOLD											
			147		ALUMN			0	492		50.6	7	12	Lead	FIXED	2											
			147		FS			0			37.65	<input checked="" type="checkbox"/>	7														
Alchera	J 120 Mod	28870	51	2001	50.5	125	52	46.5	6	No	Yes	34	40	13900	No	IB	Modifications for offshore singlehanding: Smaller spinnaker and main, 2 extra winches at helm, 3 additional gel batteries, dodger boss widened and all control lines led to cockpit, radar pole, veltran MHN jib. (Mtg 2/21/09, +3 sec/mi for small)										
			554		14.5		21.55	17.57	10.57		57.96	1407	35	6000	1	FOLD											
			147		CARBON			0	463		49.99	7	12	Lead	FIXED	2											
			147		FS			0			30.6	<input checked="" type="checkbox"/>	7														
Chance	J 120 ALUM	28484	51	2001	50.5	100	52	46.3	6.7	No	Yes	34.1	40	13900	No	IB											
			541		14.5		21.5	17.8	11.5		64.1	1765	35	6000	1	FOLD											
			147		ALUMN			0	489		50.6	7	12	Lead	FIXED	2											
			147		FS			0			37.65	<input type="checkbox"/>	7														
Argo	Beneteau 40.7 First Farr	46933	54	1999	51.61	105	51.61	48.85	6.72	Yes	No		39.33	15211	0	IB											
			569		14.47		14.47	17.72	11.51		50.9	14.47	34.83	5950	1	Feath											
			164		ALUMN				515		26	1094	12.33	Lead	FIXED	2											
			164		FS						25		7.75														

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications							
			Built	J	Max	Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No		LOA	Ttl Disp.	Traps/H.	Strps	IB or OB							
											E	MGM	SL	SPL							SLU	ASA	LWL	Ballast	moveable blst	IB or OB
EW	EW	SS	SS	AS	AS	Max Draft																				
Captain Sluggo	Hobie 33	77870	54	1982	34.7	105	42.3	38.1	6	No		Yes	25.6	33	4532	0	OB	(Meeting 4/27/17, Custom rating assigned: 54)								
					12.2			13.5	9.6		14.32	Yes	928	30.4	1800	1	None									
			524		CARBON				328			Yes	0	8	Lead	FIXED										
			73		MS							Yes	90	5.4												
CentoMiglia	Flying Tiger 10 Meter ODR	15	54	2006	39.284	105	45.282	40.167	6.463	No		Yes	27.493	32.68	4376	No	OB	(3/7/11, new class rudder installed, NCTR)								
					12.126		19.134	14.895	10.499			Yes	1087	30.31	1918	1	None									
			517		CARBON				378			Yes	7.008	9.12	Lead	FIXED	3									
			71		FS							Yes	0	7.61												
Divine Wind	Flying Tiger 10 Meter ODR	30	54	2007	39.28	105	45.28	40.16	6.463	No		Yes	27.49	32.65	4900	0	OB									
					12.12		19.134	14.89	10.5			Yes	1087	30.31	1918	1	None									
			514		CARBON				378			Yes	7	9.15	Lead	FIXED	0									
			80		FS							Yes	0	7.62												
Envolee	Figaro II	0	54	2012	42.75	104	42.75	42.67	6.5	Yes		No		32.18	6724	0	IB	(mtg 4/27/17, water ballast disabled, +6 sec/mi)								
					12.42			15.42	10.63		43.96	13.85		32	2425	1	Fold									
			558		CARBON				410				0	11.33	LeadWater	FIXED										
			93		FS								0	6.5												
Everlong	Beneteau 40.7 First Farr	51705	54	2002	51.61	104	51.61	48.85	6.73	Yes		Yes		39.33	15211	0	IB									
					14.47		14.47	17.72	11.51		50.92	14.47		34.83	5950	1	FOLD									
			569		ALUMN			0	515				0	12.33	Lead	FIXED	2									
			164		MS			0					0	7.75												
Freedom	Beneteau 523	38333	54	2006	65.22	105		59.09	6.39	No		Yes	35.519	53.08	32800	No	IB	Bow Thruster, in-mast furling, above deck jib furler; (Mtg 8/17/06 - +6 s/m for small girth main); electric winches added 1/29/07 (Mtg 3/28/13, +3 secmi for 8% decrease in mainsail area)								
					20.77			18.53	11.04			Yes	1854	47.92	10935	1	FOLD									
			512		ALUMN				620			Yes	2	16	Iron	FIXED	3									
			135		FS							Yes	0	7.5												
Frequent Flyer	Mumm/Farr 30	52	54	1996	38.2	104	44.9	40.5	6.42	Yes		Yes	25.25	30.9	4561	0	IB									
					10.9		13.58	14.6	10.4		44.58	13.58		27.6	1997	1	Fold									
			540		CARBON				377				0	10.1	Lead	FIXED										
			99		FS								0	6.9												

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
			Rating		I	J	Max Headsail	ISP	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB	
			DW Rating		Mast	Material	JSP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type		
			Disp/WL ratio		Rig Type	PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades				
EY	SSF	ASM	G	Fixed or _o	Max Draft														
Q	Custom Schumacher 40	28901	54	2001	47	105	47	47.5	6.75	Yes	No			40	10166	No	IB		
					14.67			18.35	11.75			46.8	14.67	31.5	4528	1	FOLD		
			554		CARBON			0	513			26.41	1030	11	Lead	FIXED	2		
			148		FS			0				26.41		7.6					
Wild 1	Flying Tiger 10 Meter ODR	41	54	2007	39.284	105	45.282	40.167	6.463	No	Yes	27.493		32.68	4376	0	OB		
					12.126		19.134	14.895	10.499		51.541	1087		30.31	1918	1	None		
			517		CARBON				378		42.651	7.008		9.12	Lead	FIXED	3		
			71		FS						27.76	<input checked="" type="checkbox"/>	0	7.61					
Ebb Tide	Wauquiez 45s Centurion	60245	57	2003	55.77	100	55.77	51.84	6.51	Yes	Yes	32.25		45.92	23148	0	IB		
					17.72		17.72	19.32	11.68		58.86	1541		40.25	8488	1	Fold		
			542		ALUMN				567		52.39	0		13.67	Lead	FIXED	3	(Mtg 5/26/11, Increased "JSP" by 5.67' which equals a 30% increase. - 9 sec/mi per NCPHRF Rules & Guidelines.)(Mtg 3/29/12, JSP now same as J+9 sec/mi, Asymmetrical spinnaker still oversized, -3 sec/mi)	
			161		FS			30.62			33.49	<input checked="" type="checkbox"/>		8.17					
Encore	Sydney 36 CR	3632	57	2006	45.6	104		44.36	6.1	No	Yes	28.9		36.06	12897	No	IB		
					14			16.4	10.6		55.7	1283		31.04	4850	1	FOLD	(Australian IRC Rating 1.052)(Mtg 8/23/12, change custom rating from 54 to 57)	
			565		ALUMN				431		48	1.4		11.32	Lead	FIXED	2		
			196		FS			27.2			29.9	<input type="checkbox"/>	90	7.55					
Imagine	Davidson 44 MOD	77220	57	1980	49.92	125	50.33	58.3	6.9	Yes	No			44	24410	No	IB		
					15.38			18.33	12.8					38.5	7000	1	FOLD	(Mtg 4/27/17, custom rating of 57 assigned)	
			568		ALUMN			0	652				0	13	Lead	FIXED	3		
			194		FS			0				<input type="checkbox"/>		7.6					
Outsider	Azzura 310	1000	57	1996	35.35	110	43.33	38.75	6.68	No	Yes	30.1		30.75	4850	No	OB		
					11.55		21.57	13.25	10.5		47.01	1163		27.4	2100	1	Fixed_3	6 FT ARTIC. RETRAC BOWSPRIT. MTG 3/28/96 (RATED 66) (CHNG NOTED 4/18/96-NO CHNGE RTNG. (2/13/96 FM 66 TO 60.)(MTG 11/13/97 FM 60 TO 57)MTG 2/12/98 FM 57 TO 63 (MTG 4/9/98) Inboard SailDrive removed and replaced with	
			525		CARBON			0	352		39.7	6		10	Lead	FIXED	3		
			107		FS			0			32.7	<input type="checkbox"/>		7.2					
Six Brothers	Columbia C 30-2	32006	57	2013	36.67	103	42	38	7.77	No	Yes	31.5		32	4500	0	IB		
					12.67		17.67	14.67	10.64		50	1145		27	1900	1	None		
			529		ALUMN				374		42.05	0		10.13	Lead	FIXED			
			104		FS						29.43	<input checked="" type="checkbox"/>	0	7.42					

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No	Yes/No	ASF	Ttl Disp.		Traps/H. Strps			
				Mast Material			PY	MSA	SL	SPL	SLU	ASA		Ballast	moveable blst		
				Rig Type			EY		SSMG	SSA	SLE	Sprit Lngth		Ballast Mat.	Keel Type		
									SSF		ASM	Fixed or _o					
Mirthmaker	A 35	18250	69 2007	44.22 13.45 90		51.06	44.94 14.66	5.42 8.88		Yes	Yes	24.2 996 1.5	34.7 30.47 11.6 6.88	9810 4367 Lead	0 1 FIXED	IB Fold 2	(Mtg 5/20/10, custom rating of 60 assigned, would like a copy of ORR Certificate)(mtg 6/15/10, change custom rating from 60 to 63 based on further clarification of boats configuration)(Mtg 10/27/16, change custom rating from 63 to 60 after
Pegasus - Motion X	J 100 ODR MOD	1197	69 2005	38 12.7 95		43 15.63	38 15.3	5.32 9.32		No	Yes	23.3 861 4.13	32.8 29 9.3 5.8	7250 2500 Lead	No 1 FIXED	IB FOLD 2	(Mtg 2/26/09, -3 sec/mi for adding sprit)(mtg 1/21/10, additional -3 sec/mi for lengthening sprit to 4.13')(Mtg 1/27/11, -6 sec/mi for increased "e")(Mtg 1/26/11, shortened J, boat rigged for short-headed ceiling. NCTBY1/22/17
Raven	C&C 115	38108	69 2004	52.17 14.5 106		52.17 14.5	49.33 16.33	6.2 8.6		No	Yes	24.7 962 0	37.75 33 11.92 6.67	11800 4200 Lead	0 1 FIXED	IB Fold 2	
Skinny Love	11 Metre ODR	92	69 1996	32.53 10.166 95		41	36.08 13.583	5.23 8.82		Yes	No	0	33.67 26.92 8.67 5.42	3600 1600 Lead	No 1 FIXED	OB None 0	MTG 4/9/98. Sail number 90, using sail # 246 for Vallejo 2008
Willow	Wauquiez 40s Centurion	38300	69 2004	51.5 14.17 110		51.5	49.21 19.3	7.3 12.5		Yes	Yes	28.54 1155 2.4	41.17 36.4 12.66 7.75	18960 6085 Lead	No 1 FIXED	IB FEATH 3	(mtg 3/18/10, -3 sec/mi for oversized a-sail.)(mtg 1/27/11, - 3 sec/mi for added sprit)
Basic Instinct	Custom Elliott 10.50	8123	72 1993	41 12.5 125		45.6 13.9	44.2 17.5	8.5 12		No	Yes	29.4 1192 0	34.42 31.83 12.08 7	10220 3000 Lead	No 1 FIXED	IB FOLD 2	(mtg 3/19/09, changed to smaller headsail, +3 sec/mi, & larger mainsail, -6 sec/mi, change rating from 66 to 63)(Mtg 10/21/09, new smaller headsail, still with large headboard. Change mainsail penalty from 6 sec/mi to 2 sec/mi
Bullet	Express 37	40311	72 1985	48.75 14.33 155		48.75	42 13.75	5.3 8.83		Yes	No	0	37.08 30.83 11.57 7.25	11000 4600 Lead	No 1 FIXED	IB FOLD 2	

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Keel		Engine/Prop	Modifications
					I	J	ISP	P	MGU	Yes/No	Yes/No	ASF	Ttl Disp.		Traps/H. Strps	IB or OB		
			DW Rating		Max Headsail	ISP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type		
			Disp/WL ratio		Mast Material	JSP	PY	MSA	SSMG	SSA	SLE	Sprit Length	Max Beam	Ballast Mat.	Keel Type	# of blades		
					Rig Type		EY		SSF		ASM	Fixed or _o	Max Draft					
Eclipse	Express 37	18495	72	1985	48.75 14.33	155	48.75	42 5.28 13.75 8.83	48	14.33	No		37.08 30.83 11.57 7.25	11000 4500 Lead	0 1 FIXED	IB FOLD 2	Rudder modification noted, no change to rating. (Actual weight from yard 11200 - 9500 was design displacement. No mods from standard express 27.) 3/26/01	
			577 171		MS		0 0	344	25.79 25.79	1032		<input type="checkbox"/>						
Elan	Express 37	87700	72	1985	48.75 14.33	155	48.75	42 5.28 13.75 8.83	48	14.33	No		37.083 30.833 11.57 7.25	11000 4500 Lead	No 1 FIXED	IB FOLD 2		
			581 171		ALUMN MS		0 0	344	25.79 25.79	1032		<input type="checkbox"/>						
Escapade	Express 37	18051	72	1985	48.75 14.33	155	48.75	42 5.28 13.75 8.83	48	14.33	No		37.08 30.83 11.57 7.25	11000 4500 Lead	No 1 FIXED	IB FOLD 2		
			577 171		ALUMN MS		0 0	344	25.58 25.42	1022		<input type="checkbox"/>						
Expeditious	Express 37	18478	72	1986	48.75 14.33	155	48.75	42 5.28 13.75 8.83	48	14.33	No		37.08 30.83 11.57 7.25	11000 4500 Lead	No 1 FIXED	IB FOLD 2	INSTALED NEW CLASS-APPROVED CARBONFIBER RUDDER - MTG 6-12-2000 NCTR.	
			577 171		ALUMN MS		0 0	344	25.5 25.4	1019		<input type="checkbox"/>						
Golden Moon	Express 37	18488	72	1985	48.75 14.33	155	48.75	42 5.37 13.75 8.99	48.27	14.33	Yes	29.5	37 30.83 11.57 7.25	11000 4500 Lead	No 1 FIXED	IB FOLD 2		
			577 171		ALUMN MS		0 0	347	25.79 25.79	1037	49.8	1034						
									25		<input type="checkbox"/>	90						
Jarlen	J 35	28528	72	1990	46.333 14.583	150	46.3	41.416 5.43 14 9.11	46	14.583	No		35.42 30 11.67 6.75	10500 4400 Lead	No 1 FIXED	IB FOLD 2		
			585 177		ALUMN MS		0 0	347	26 26	997		0						
Junkyard Dog	J 109 ODR	168	72	2004	46.5 13.3	105	49 18.83	43.25 5.88 15.5 10			Yes	27.75	35.25 30.5 11.5 7	10900 3900 Lead	No 1 FIXED	IB FOLD 2		
			583 175		ALUMN FS		0 0	398			56.33	1160						
									27.2		<input checked="" type="checkbox"/>	0						

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications	
			Built	J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp.	Traps/H. Strps		IB or OB Prop Type # of blades			
									DW Rating Disp/WL ratio	Mast Material Rig Type	SL	SPL SPL SSA			SLU SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o			Ballast	moveable blst Keel Type
La Viajera	J 109 ODR	46480	72	2004	46.5 13.3	105	49.6 18.8	43.25 15.5	5.89 10.07	No	Yes	27.75 1160	35.25 30.5 11.5 7	10900 3900 Lead	0 1 FIXED	IB Fold 2				
Mojo	J 35	18935	72	1983	46.4 14.7	150	46.3 14.7	41.75 14.98	5.21 8.77	Yes	No	0	35.42 30 11.8 6.9	10500 4400 Lead	No 1 FIXED	IB Feath 2				
Mudshark	Express 37	28052	72	1986	48.75 14.33	155	48.75	42 13.75	5.28 8.83	Yes	No	0	37.08 30.83 11.57 7.25	11000 4500 Lead	No 1 FIXED	IB FOLD 2				
Phat Jack	Express 37	18257	72	1985	48.75 14.33	150	48.75	42 13.75	5.25 8.83	Yes	No	0	37.08 30.83 11.57 7.25	11000 4500 Lead	0 1 FIXED	IB FEATH 2				
Punk Dolphin	Custom Wylie 38	18481	72	1985	48 14.33	150	48	43 14	5.58 9.55	Yes	No	0	38 31 11.6 6.75	14000 5000 Lead	No 1 FIXED	IB FOLD 2				
Stewball	Express 37	18278	72	1985	48.75 14.33	150	48.75	42 13.75	5.28 8.83	Yes	No	0	37.083 30.833 11.57 7.25	11000 4500 Lead	0 1 FIXED	IB FOLD 2				
Abracadabra	Antrim 27 CM ODR	28927	75	1996	28.69 8.17	116	37.25 15	33.75 14	7.5 10.9	No	Yes	25.1 723 6.83 13	27.83 23.75 9.25 6	2900 1050 Lead	No 1 FIXED	OB None 0	BOWSPRINT IS ARTICULATING			

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail Mast Material Rig Type		P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst Keel Type		
Akialoa	J 35	28435	75 1989	46.33 14.58	120	46.3	41.42 5.43 14 9.11	0 347	No	No		35.42 30 11.67 6.75	10500 4400 Lead	No 1 FIXED	IB FOLD 2		
Escapade	Sabre 40-2	38011	75 1997	54 15.5	110	54 16	47.5 5.6 17 9.9	449	Yes	Yes	23.5 1001	40.2 34 13.3 7.5	19760 7500 Lead	0 1 FIXED	IB FEATH 3		
Expression	Express 37 MOD	33985	75 1984	48.75 14.33	150	48.75	42 5.3 13.75 9	346	Yes	No	19 705	37.1 30.83 11.5 6	9500 4500 Lead	0 1 FIXED	IB Fold 2	(mtg 1/21/10, +3 sec/mi for modified keel, -3 sec/mi for dual spinnaker/ability to fly asym on squared back pole)(1/19/11, removed asym, only using symmetric spinnaker, +3 sec/mi)	
Joker	J 35	400	75 1986	46.4 14.7	125	46.4	41.5 5.43 14 9.11	0 348	Yes	No		35.42 30 11.8 6.75	10500 4400 Lead	0 1 FIXED	IB FOLD 2		
Princess	Sabre 40-2	28876	75 1996	53.5 15.5	110	53.5 20.5	47.8 6.27 17 10.7	476	No	Yes	26.75 1205	40.17 35.25 13.25 6.25	19500 7000 Lead	No 1 FIXED	IB FOLD 2	base rtg changed frm 69 to 72 MTG 4/8/03.	
Raven	Benteau First 35	38073	75 2001	47.24 13.12	108	51.48	45.93 5.98 14.75 10.23	419	Yes	No		36.32 30.6 12.76 7.25	12125 3681 Iron	0 1 FIXED	IB Fold		
Rustler	Esse 850	71	75 1989	32.8 10	105	37.72 16.2	34.4 6.23 11.97 8.85	277	No	Yes	24.3 779	28 28 7.25 6.6	3000 1540 Lead	0 1 FIXED	IB Fold	Outboard replaced with inboard saildrive (Mtg 2/28/13, custom rating assigned, as sailed: 75)	

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
				I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No	Yes/No	ASF	Ttl Disp.		Traps/H. Strps	IB or OB Prop Type # of blades		
			DW Rating Disp/WL ratio	Mast Material Rig Type	PY EY	MSA	SSMG SSF	SPL SSA	SLU SLE ASMG	ASA Sprit Lngth Fixed or _o		Ballast	moveable blst Keel Type				
Timber Wolf	Farr 38-1 C&B Marine	67519	75 1980	43.91 13.36 155	47.9	44.83 17.91 0 0	6.7 11.6 476	Yes	48 26.4 26.4	14.67 1056	No	38.32 30.9 11.97 6.39	12000 4100 Lead	0 1 FIXED	IB FOLD 2	(REDUCED MGM, ADDED 6" TO RUDDER LENGTH -NOTED NCTR-2/15/01)-3 sec/mi for oversized spinnaker)	
Advantage 3	J 105 ODR w/ 5'BS	84	78 1994	40.6 13.5 100	42.1 19.07	41.5 14.5 0 0	5.5 9.4 358	No		25.5 957 5	Yes	34.5 29.5 11 6.5	7750 3400 Lead	No 1 FIXED	IB FOLD 2		
Akula	J 105 ODR w/ 5'BS	16	78 1992	40.6 13.5 100	42.1 19.07	41.5 14.6 0 0	5.5 9.4 359	No		25 854 5	Yes	34.5 29.5 11 6.5	7750 3400 Lead	No 1 FIXED	IB FOLD 2		
Alchimiste	Archambault 27	38973	78 2013	34.25 10.83 100	39.08 15.98	34.78 12.63 261	4.75	No	38.98 21.56 20.41	12.2 693	Yes	27.4 22.7 9.7 5.7	4894 1814 Lead	0 1 FIXED	IB Fold	(Mtg 10/22/15, Custom rating assigned. Includes -9 sec/mi penalty for 22% oversized ASA & +3 sec/mi credit for non-articulating sprit. As sailed: 78)	
Allegro	Beneteau Farr First 36.7	56657	78 2010	46.42 13.1 155	46.42 14.35	45.4 15.6	5.92 12.49 458	Yes	45.25 23.58 23.5	13.1 889	Yes	36 30.3 11.4 7.3	12939 3993 Lead	0 1 FIXED	IB Fold 2	(Mtg 1/26/16, -3 sec/mi for increased JSP)	
Crackers	J 105 ODR w/ 5'BS	581	78 2002	40.6 13.5 100	42.1 19.07	41.5 14.5	5.5 9.4 358	No		26.2 859 5	Yes	34.5 29.5 11 6.5	8664 3400 Lead	0 1 FIXED	IB Fold		
Godot	J 105 ODR w/ 5'BS	28905	78 1992	40.6 13.5 95	42.1 19.07	41.5 14.6 0 0	5.5 9.4 359	No		23.29 958 5	Yes	34.5 29.5 11 6.5	7750 3400 Lead	No 1 FIXED	IB FOLD 2		

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications								
			Built	J	Max Headsail	ISP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB										
									JSP	E								MGM		SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type
DW Rating	Mast Material	EY		ASF	Max Draft	Keel Type	# of blades																				
Javelin	J 105 ODR w/ 5'BS	394	78	2001	40.6	100	42.1	41.5	5.5	No	Yes	25.5	34.5	8697	0	IB											
					13.5		19.07	14.5	9.4		49	957	29.5	3400	1	Fold											
			584		ALUMN				358		38.6	5	11	Lead	FIXED												
			154		FS						26.4	<input checked="" type="checkbox"/>	0														
Lightwave	J 105 ODR w/ 5'BS	319	78	2000	40.6	100	42.1	41.5	5.5	No	Yes	22.9	34.5	7750	No	IB											
					13.5		19.07	14.5	9.4		49.4	947	29.5	3400	1	FOLD											
			581		ALUMN			0	358		38.5	5	11	Lead	FIXED	2											
			137		FS			0			26.6	<input checked="" type="checkbox"/>															
Mamaluc	J 105 ODR w/ 5'BS	265	78	1999	40.6	100	42.1	41.5	5.5	No	Yes	25.9	34.5	7750	No	IB											
					13.5		19.07	14.5	9.4		49.42	962	29.5	3400	1	FOLD											
			581		ALUMN			0	358		39.76	5	11	Lead	FIXED	2											
			137		FS			0			25.88	<input checked="" type="checkbox"/>															
Nantucket Sleighride	J 105 ODR w/ 5'BS	414	78	2001	40.6	100	42.1	41.5	5.5	No	Yes	25	34.5	7750	0	IB											
					13.5		19.07	14.5	9.4		48.9	863	29.5	3400	1	Fold											
			585		ALUMN				358		38.7	5	11	Lead	FIXED	2											
			137		FS						23.3	<input checked="" type="checkbox"/>	0														
Pressure Drop	Beneteau Farr First 36.7	52489	78	2006	46.4	155	46.4	45.4	5.92	Yes	No	23.29	36	12495	0	IB	(12/2/16, -3 sec/mi for JSP)										
					13.1		14.35	15.6	12.49		45.8	13.1	30.3	4034	1	Fold											
			602		ALUMN				458		23.5	897	11.4	Lead	FIXED	2											
			204		FS						23.5		7.3														
Russian Roulette	J 105 ODR w/ 5'BS	85	78	1995	40.6	100	42.1	41.5	5.5	No	Yes	25	34.5	7750	0	IB											
					13.5		19.07	14.5	9.4		48.9	854	29.5	3400	1	Fold											
			585		ALUMN				358		38.7	5.5	11	Lead	FIXED	2											
			137		FS						23	<input checked="" type="checkbox"/>	0														
Salt Peanuts	Custom Dees GP 26	18	78	2008	29.35	130	36.43	32.42	5.58	No	Yes	20.41	25.72	2340	0	OB	(mtg 2/18/10, change custom rating from 75 to 78)(3/28/12, New Rudder Noted)										
					8.07		14.32	12.63	8.69		43.5	626	21.22	1100	1	None											
			562		CARBON				258		31.76	6.23	8	Lead	FIXED	0											
			111		FS						19.85	<input checked="" type="checkbox"/>	0														

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Keel		Engine/Prop	Modifications
					I	J	ISP	P	MGU	Yes/No	Yes/No	ASF	Ttl Disp.		Traps/H. Strps	IB or OB		
			DW Rating		Max Headsail		JSP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type	
			Disp/WL ratio		Mast Material			PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades	
					Rig Type			EY		SSF		ASM	Fixed or _o	Max Draft				
Sweet Okole	Custom Farr 36	29000	78	1976	42.049 12.35	155	42.049	44.54 16	5.9 10	Yes		No		36 31.33 11.88 7	9696 3750 Lead	No 1 FIXED	IB FOLD 2	(78 MTG 1/28/93) (81 MTG 3/18/93)(Mtg 5/22/08, +3 sec/mi for switching to smaller headsail, +3 sec/mi for removing 250# shoe from keel, change custom rating from 81 to 87)(6/7/10, change headsail to 155% 2 sec/mi change rating
			585 143		ALUMN FS			0 0	416	22.23 22.23	812		0 <input type="checkbox"/>					
Vuja Star	J 105 ODR w/ 5'BS	181	78	1998	40.6 13.5	100	42.1 19.07	41.5 14.5	5.5 9.4	No		Yes	29.5 958 5.5 0	34.5 29.5 11 6.5	8733 3400 Lead	0 1 FIXED	IB Fold 2	
			581 155		ALUMN FS				358				<input checked="" type="checkbox"/>					
Courageous	J 88	77	81	2015	38.67 11.28	104	46 18.05	36.82 12	5.44 8.4	No		Yes	29 1022 5.25 0	29.19 26.84 9.5 6.5	4990 1840 Lead	0 1 FIXED	IB Fold	
			561 117		CARBON FS				282				<input checked="" type="checkbox"/>					
CruzSea Baby	Beneteau First 10R ODR	52878	81	2007	43.2 12.07	155	46.41 16.5	42.25 14.73	5.59 9.57	No		Yes	27.5 1055 4.43 0	32.75 28.7 11 6.55	9715 3528 Lead	0 1 FIXED	IB Fold 2	(Rudder Modifications noted, smaller non-class spinnaker +3 sec/mi)
			603 187		CARBON FS				371				<input checked="" type="checkbox"/>					
Dare Dare	Jeanneau Sun Fast 3200	39	81	2008	41.92 12.58	102	43.77 13.61	38.67 13.68	5.28 8.46	Yes		Yes	24.41 887 1 0	33.1 28 11.5 6.2	7916 2866 Lead	0 1 FIXED	IB Fold 2	
			598 164		ALUMN FS				311	44.91 24.08 23.39	13.58 896	42.06 42.06 25.52	<input type="checkbox"/>					
Hera	Beneteau Farr First 36.7	28372	81	2002	46.4 13.1	150	46.4 13.1	45.4 15.6	5.92 12.49	Yes		No		36 30.3 11.6 7.2	12495 3748 Lead	No 1 FIXED	IB FOLD 2	
			602 204		ALUMN FS			0 0	458	23.01 22.1	871		<input type="checkbox"/>					
Inconceivable	J 88	9	81	2013	38.67 11.28	104	46 18.05	36.82 12	5.44 8.4	No		Yes	29 1022 5.25 0	29.19 26.84 9.5 6.5	4990 1840 Lead	0 1 FIXED	IB Fold	
			561 117		CARBON FS				282				<input checked="" type="checkbox"/>					

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications								
			Built	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB									
										E	MGM									SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type
Disp/WL ratio	Mast Material	Rig Type	EY	SSSF	ASMG	Fixed or_o	Max Draft																				
Javelin	J 100 ODR	4	81	2004	38.5	95	43	38	5.13	No	Yes	24.34	32.8	6500	No	IB											
					11.5		12.7	13.5	8.77		49.93	899	29	2500	1	FOLD											
			590		CARBON				306		38.71	0	9.3	Lead	FIXED	2											
			121		FS						24.34	<input type="checkbox"/>	5.8														
Juno	J 88	20	81	2014	38.67	105	46	36.82	5.44	No	Yes	29	29.19	4990	0	IB											
					11.28		18.05	12	8.4		47.83	1022	26.84	1840	1	Feath											
			561		CARBON				282		40.84	5.25	9.5	Lead	FIXED												
			117		FS						27.32	<input checked="" type="checkbox"/>	6.5														
M Squared	J 88	75	81		38.67	104	46	36.82	5.44	No	Yes	29	29.19	4990	0	IB											
					11.28		18.05	12	8.4		47.83	1022	26.84	1840	1	Fold											
			561		CARBON				282		40.84	5.25	9.5	Lead	FIXED												
			117		FS						27.32	<input checked="" type="checkbox"/>	6.5														
Mintaka 4	Farr 38	18441	81	1979	43.67	125	46.2	44.9	6.8	Yes	No		38.25	11850	No	IB	(2002-removed dinette stbrd, add bench seat w/55 gal fuel tank, original was 12.5. Rudder replaced 12" longer, 4" narrower. Changes noted mtg 1/17/02, NCTR)(removed short pole, changed spinnakers, 1/12/04) / Mts 1/24/12, new stem										
					13.67			17.9	11.6				31.17	4100	1	FOLD											
			578		ALUMN			0	478		26.07	948	12	Lead	FIXED	2											
			178		FS			0			24.6		6.33														
Mistral	Beneteau Farr First 36.7	28394	81	2002	46.4	155	46.4	45.4	5.92	Yes	No		35	12495	No	IB											
					13.1		13.1	15.6	12.49				30.3	4034	1	FOLD											
			602		ALUMN			0	458		23.47	885	11.6	Iron	FIXED	2											
			204		FS			0			22.07		7.2														
Mulan	Beneteau First 10R ODR	52659	81	2007	43.2	120	46.41	42.25	5.59	No	Yes	25.5	32.75	9715	0	IB											
					12.07		16.5	14.73	9.57		52.59	1075	28.7	3258	1	Fold											
			601		CARBON				371		45.8	4.43	11	Lead	FIXED	2											
			187		FS						26.4	<input checked="" type="checkbox"/>	6.55														
Relentless	Sydney 32	28732	81	2002	40.6	110	40.6	39.7	5.6	Yes	No		31.9	6850	No	IB	-3 Sec/mi for OSP										
					12.2		13.1	14.75	9.59				28.4	2860	1	FOLD											
			589		ALUMN			0	349		23.4	786	10.6	Lead	FIXED	2											
			136		FS			0			23.4		6.9														

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst Keel Type			
Turbo Camper	Hobie 33 ODR MOD	87574	84 1984	33.28 12.4	155	36.5 13.13	35 12.5	4.75 8.1	No	37	13.13	Yes	23 702	33 30.5	4200 1900	1 FIXED	OB None 0	(Mtg 3/29/12, -3 sec/mi for displacement changes)
			550 67	ALUMN FS			0 0	261		23.6 23.6	728	34.2 23	0.6 <input type="checkbox"/>	90	8 5.42			
Dawn's Early Light	J 36	77549	87 1982	44.219 14	125	44.21 14	47 15	5.8 9.5	Yes	44.25	14	No	0 0	35.95 30.5	10570 4600	0 1 FIXED	IB Fold	
			590 169	ALUMN FS				418		25.26 24.12	923		<input type="checkbox"/>	11.76 6.6	Lead FIXED			
Ex Indigo	Custom Diva 39	8	87 1987	41.73 12.8	125	41.73 12.8	46.75 14.75	5.72 9.6	Yes	41.4	12.8	No	0 0	38.75 30.83	9920 4575	No 1 FIXED	IB FOLD 2	Back Stay Crane
			591 154	ALUMN FS			0 0	413		22.6 22.6	780		<input type="checkbox"/>	9.83 5.75	Lead FIXED			
Grunion	Catalina 425	11	87 2017	55.75 15.67	125	17.34	52 18	5.04 9.58	No			No	0 0	41.67 39.08	17500 7000	0 1 FIXED	IB Fold	(Mtg 1/26/17, need to submit spinnaker measurements when available)
			133	ALUMN MS				490					<input checked="" type="checkbox"/>	13.67 6.67	Lead FIXED			
Red Cloud	Farr 36 Mod	99	87 1976	38.3 12.16	108	46.3 12.16	41 16.75	6.4 10.9	Yes	45.4	12.16	No	0 0	36 31.33	10430 3950	No 1 FIXED	IB Fold 2	(550# ADDED TO KEEL 300# TO FILL MIDDLE WINDOW+250# TO BOTTOM)(Mtg 1/26/12, -3 sec/mi for new mainsail)(mtg 3/29/12, +3 sec/mi after review of rating appeal, as sailed: 87)
			584 154	ALUMN FS			0 0	410		21.8 21.8	825		<input type="checkbox"/>	11.92 6.16	Lead FIXED			
Soiree	Beneteau Oceanis 49 SD	38776	87 1976	59.75 18.42	135	59.75 18.42	51.67 18.33	4.7 9.3	No			Yes	29.41 1210	49.5 43.67	30517 480	0 1 FIXED	IB Feath	Electric Winches (Mtg 10/27/16, +3 sec/mi for In-mast furling mainsail)
			551 167	ALUMN FS				480		50.72 26.75			0 <input checked="" type="checkbox"/>	14.75 5.75	Iron FIXED			
Another Girl	Alerion Express 38-2	20	90 2011	42.98 12.99	90		47.5 18.25	9.58 13.45	No			No	0 0	38.3 30.1	13000 5000	0 1 FIXED	IB Feath 2	(mtg 4/28/11, Custom rating of 90 assigned)
			616 217	CARBON MS				583					<input type="checkbox"/>	10.3 5.92	Lead FIXED			

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull	Displacement/Keel		Engine/Prop	Modifications	
			ISP		I	J	Max Headsail	ISP	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps		IB or OB
			JSP		J	J		E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type		
					Mast Material			PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades		
			Disp/WL ratio		Rig Type	EY		ASM	Fixed or _o	Max Draft									
Drop Beer	Beneteau Class 10	18277	90	1984	37.8	150	38.6	39.7	4	Yes	No		34.2	7000	0	IB	NEW RUDDER 3/4/95, NCTR (MTG 3/36/95)		
			588		12.6			13.9	8.7			29.6	2200	1	FOLD				
			123		ALUMN			0	308		0	9.9	Iron	FIXED	0				
					FS			0			<input type="checkbox"/>	6.8							
Roxanne	Tartan 4100 SD TM	322	90		57	135	57	50.1	6.8	No	Yes	27	41.3	20400	0	IB			
			579		15		15	18	11.5		58.9	1285	35.9	8000	1	Feath			
			200		ALUMN				533		53	0	13.6	Lead	FIXED				
					MS						27.7	<input checked="" type="checkbox"/>	5.4						
Savoir Faire	Beneteau 42 IK	28735	90	1984	52.82	145	52.82	46.59	5.4	Yes	No		42.92	20900	No	IB	PER MTG 8/14/97		
			581		16.73			14.6	9.35			16.73	36	7920	1	FEATH			
			204		ALUMN			0	401			0	12.75	Iron	FIXED	2			
					MS			0			<input type="checkbox"/>	7.25							
Sea Ghost	Beneteau 42 IK	68222	90	1984	52.82	155	52.82	46.5	5.4	Yes	No		42.92	20900	0	IB	DOUBLE HEADRAIL, HYDRALIC BACKSTAY PER MTG 8/14/97		
			580		16.73			14.6	9.35			16.73	36.25	7920	1	FOLD			
			199		ALUMN			0	400			0	12.75	Iron	FIXED	2			
					MS			0			<input type="checkbox"/>	7.25							
Vitesse Too	Hobie 33 ODR	87112	90	1983	33.8	125	36.8	35	4.75	Yes	No		33	4000	No	OB	Extended rudder 10", NCTR		
			552		12.4			12.4	8			13.25	30.5	1800	1	None			
			64		ALUMN			0	259			0	8	Lead	FIXED	0			
					FS			0			<input type="checkbox"/>	5.5							
Xtreme	Hobie 33 ODR	18170	90	1984	33.83	125	36.25	35	4.75	Yes	No		33	4000	No	OB			
			553		12.4			12.5	8			13.125	30.5	1800	1	None			
			64		ALUMN			0	260			0	8	Lead	FIXED	0			
					FS			0			<input type="checkbox"/>	5.42							
Yellow Brick Road	Jeanneau Sun Odyssey 40	33300	90	1999	50	125	50	43.25	5.7	No	Yes	25.59	40	16094	0	IB			
			601		13.75		13.8	15.67	9.89		52.33	1095	33.33	5291	1	FEATH			
			198		ALUMN			0	396		45.37	0	12.92	Iron	FIXED	3			
					MS			0			27.23	<input checked="" type="checkbox"/>	6.33						

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst Keel Type			
Gavilan	Custom Wylie 39	28439	93 1996	49 14.5	122	49	43 15.5 0 0	5.73 9.75 390	Yes	48.64 26.6 26.6	14.5 1078	Yes	24.6 783 1.17	41.5 31.75 11.5 6.77	17900 5920 Lead	No 1 FIXED	IB FEATH 3	(mtg 4/28/11, change custom rating from 84 to 96 after review of rating appeal)(Mtg 1/26/12, -3 sec/mi for sprit)
Lady Jane	Jeanneau 39i Sun Odyssey	7913	93 2008	48.1 13.1	122	48.1	46.3 14.6	5.42 9.28 398	No	49.31 42.81 26.08	1012 1 0	Yes	27.46 1012 1 0	38.1 35.2 12.9 6.7	16163 5026 Cast Iron	0 1 FIXED	IB Feath 3	
Ada Helen	ace	922	96 2005	53 16.5	155	53 16.5	46.75 15.5		No	18		Yes	29.7 1303 0 90	43.8 36 13.1 6	24400 8300 Lead	No 1 FIXED	IB FOLD 3	(Mtg 3/20/08 -6/sec/mi for OSP)(mtg 6/19/08, new larger a-sail, correct size for J, NCTR)
Freedom	Worth 40	18230	96 1984	54 16	155	16	47 14 0 0	5.5 9.2 397	Yes	52 28.8 28.8	16 1248	No	0	40 34.25 12.5 7.25	21000 7800 Lead	0 1 FIXED	IB FOLD 2	
Serenade	Sabre Spirit		96 2007	45.5 12.87	106	51.2 12.87	45.5 16.55	5.55 9.93 425	Yes	44.92 23.17 22.24	12.87 860	No	23 976 0 0	36.67 28.33 10.42 6.58	10500 3740 Lead	0 1 FIXED	IB Fold	
Wayward Wind	Baltic 38 DP	87258	96 1983	52.25 15.82	155	52.25	46.25 13.75	4.53 8.2	Yes	53.21 28.4 58.4	15.8 1525	No	0 0	38.08 31.5 12.34 7.25	14330 6512 Lead	0 1 FIXED	IB Fold	
Windswept Lady	X-362 Classic	50980	96 1998	46.6 12.9	125	46.6 12.9	40.6 14.1	5.05 8.86 333	Yes	46.13 23.23 22.97	12.9 891	Yes	26.7 878 0	35.1 30.4 11.4 6.2	12320 5170 Lead	0 1 FIXED	IB Fold	

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications								
			Built	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB									
										E	MGM									SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type
Disp/WL ratio	Mast Material	IEY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades																
Windtrip Infinity	J 92s	35	96	2006	40.68	107	44.08	38.88	5.42	No	Yes	23.25	30	5610	0	IB											
			587		11.48		16.67	13.95	9		48.67	878	26.7	2317	1	Fold											
			134		ALUMN				324		39.67	5.17	10	Lead	FIXED												
					FS						24	<input checked="" type="checkbox"/>	0														
Ala Moana	Beneteau First 30	104	99	2012	41.66	105	42.16	40.3	6.28	No	Yes	28.82	31.7	8267	0	IB											
			602		13.78		15.78	14.25	9.38		48.6	1049	27.6	2403	1	Fold											
			179		ALUMN				356		43.7	2	10.5	Cast Iron	FIXED	2											
					FS						26.9	<input checked="" type="checkbox"/>	0														
Double Espresso	Olson 30 OB	18069	99	1982	36	155	35.9	31.5	4.36	Yes	No		30	3600	0	OB											
			591		11.75		11.75	10.75	7.26				27.5	1800	1	None											
			79		ALUMN				208			0	9.33	Lead	FIXED												
					MS							<input type="checkbox"/>	0														
													5.08														
Dr Feelgood	Olson 29	24	99	1986	34	155	36	32.5	4.36	Yes	No		29.67	3600	0	OB											
			571		11			11.5	7.48				27.5	1950	1	None											
			79		ALUMN				223			0	9.33	Lead	FIXED												
					FS							<input type="checkbox"/>	0														
													5.58														
Dragonsong	Olson 30 OB	87014	99	1982	36	155	35.9	31.5	4.364	Yes	No		30	3600	No	OB											
			584		11.75		11.67	10.75	7.268				27.5	1800	1	None											
			79		ALUMN			0	208			0	9.33	Lead	FIXED	0											
					MS			0				<input type="checkbox"/>	0														
													5.08														
Hot Betty	Olson 30 OB	67537	99	1979	36	155	35.9	31.5	4.364	Yes	Yes	21	30	3600	No	OB											
			584		11.75		11.67	10.75	7.268			630	27.5	1800	1	None											
			79		ALUMN			0	208			0	9.33	Lead	FIXED	0											
					MS			0				<input checked="" type="checkbox"/>	0														
													5.08														
Nina	Olson 29	27	99	1987	34	155	36	32.5	4.5	Yes	No		29.67	3700	0	OB											
			579		11			11.5	7.27				27.5	1950	1	None											
			81		ALUMN			0	222			0	9.33	Lead	FIXED	0											
					FS			0				<input type="checkbox"/>	0														
													5.58														

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Keel		Engine/Prop	Modifications
					I	J	Max Headsail	ISP	ISJ	P	MGU	Yes/No	Yes/No		ASF	Ttl Disp.		
			DW Rating		Mast Material		PE	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type		
			Disp/WL ratio		Rig Type		PY	MSA	SSMG	SSA	SLE	Sprit Length	Max Beam	Ballast Mat.	Keel Type	# of blades		
							EY		SSF		ASM	Fixed or _o	Max Draft					
Pony Express	Express 34	28234	99	1988	44.25 12.92	155	44.25	38.5 4.87	12.83 8.46	44 12.89	23.4 858	0	34 28.33 10.5 6	7500 3700 Lead	No 1 FIXED	IB FOLD 2		
Razzberries	Ericson 34 Olson TM	97479	99	1988	46.77 12.95	155	47	40.9 5.1	12.95 8.5	45.7 12.95	23.31 888	0	33.88 28 10.8 6.085	10855 3500 Lead	No 1 FIXED	IB FOLD 2		
Traveler	Express 34	97089	99	1987	44.3 13	150	44.3	38.5 4.87	12.83 8.46	42.7 13	22.2 787	0	34 28.3 10.5 6	8500 3700 Lead	0 1 FIXED	IB FOLD 2	-6 FOR OVERSIZED SPINNAKER	
Vento	Swan 391	40841	99		53.5 16.25	95	53.5 16.25	47.25 5.5	14 9.2	51.83 16.25	29.3 1266	26 1014 0	39.9 33.1 12.4 7.2	18900 6800 Lead	0 1 FIXED	IB Fold		
Vita E Bella	Catalina 42-1/2	989	99	2007	53 16.5	155	16.5	46.9 5.2	15.6 9.5	No	27.3 1105 3.67 0	41.83 36 13.1 6.8	24400 3765 Lead	0 1 FIXED	IB FOLD 3	(mtg 3/28/13, -3 sec/mi for added sprit)		
Warpath	Olson 30 OB	198	99	1982	36 11.75	150	35.9 11.67	31.5 4.364	10.75 7.268	36 11.75	0 208	0	30 27.5 9.33 5.08	3600 1800 Lead	No 1 FIXED	OB None 0		
X TA C	Olson 29	18457	99	1986	34 11	155	36	32.42 4.59	11.42 7.66	34 11.25	20.25 574	0	29.67 27.5 9.33 5.25	3900 1900 Lead	No 1 FIXED	OB None 0	RUDDER REPLACED W/MORE 30 - CHANGE NOTED NCTR.	

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications								
			Built	J	Max Headsail	ISP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB										
									JSP	E								MGM		SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type
Disp/WL ratio	Mast Material	SSFF	SSA	SLE	Fixed or_o	Max Draft																					
Checkedred Past	Custom Wyliecat 39	3	102	2002				52	10.2	No	No	38.83	12000	0	IB	Boat has been modified for handicapped sailing											
			595		CARBON		26.6	17.4			32	6200	1	FOLD													
			166		CAT			826			11.5	Lead	FIXED	2													
Fariage	Catalina 42-1/2	336	102	1992	53	130	53	46.75	5.75	No	Yes	27.08	41.83	20600	0	IB											
			604		16.42		16.42	16.42	9.83		53	8300	1	Feath													
			201		ALUMN			437			47.37	Lead	FIXED	3													
			201		MS						24.37																
Flight Risk	Thompson 650	650	102	2000	26.67	100	28.25	28.29	5.7	No	Yes	20.58	22.3	1692	Yes	OB	(mtg 1/21/10, weighed displacement of 1692lbs updated, NCTR)(Mtg 3/18/10, change custom rating from 108 to 99)(Mtg 8/18/10, submitted appeal, rating changed from 99 to 102)										
			570		8.86		14.86	10.4	8		37.79	660	3	None													
			99		CARBON			204			33.6	Lead	FIXED														
			99		FS						19.5																
Gratitude	Hylas 46	60373	102	2002	58.4	135	58.4	50.6	4.6	No	Yes	25.5	46.3	27777	0	IB											
			573		17.7		17.7	18	9.6		54.6	12347	1	Feath													
			197		ALUMN			469			51.6	Lead	FIXED	3													
			197		CTR						30.6																
Lilith	Custom Wyliecat 39	7	102	1992				50.75	10.45	No	No	38.83	12000	No	IB	HULL DESIGN IS VERY SIMILAR TO WYLIECAT 30.NO JIB, NO SPINNAKER, NO SPANKER,NO REACHER, NO VANG,NO TWEEKER,NO STAYS ETC., AS SAILED RATING 102 PER MTG 6/15/02											
			596		CARBON			26.5	17.5			32	6200	1	FOLD												
			166		CAT			0	811			11.83	Lead	FIXED	2												
			166					0				6.67															
Marrakesh	Express 34	3	102	1987	44.25	125	44.25	38.5	4.87	Yes	No	34	9245	No	IB												
			613		13			12.83	8.46		44	3800	1	FOLD													
			185		ALUMN			0	296		23.4	Lead	FIXED	2													
			185		MS			0			23.4																
Post Time	Catalina 42-1/2	362	102	1993	53	135	53	46.75	5	No	No	41.83	24000	0	IB	In-Boom Furling Mast, Electric Halyard Winch											
			234		16.42		16.42	15.5	9			36	8300	1	Feath												
			234		ALUMN				401			13.83	Lead	FIXED	3												
			234		MS							6															

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Keel		Engine/Prop	Modifications
					I	J	Max Headsail	ISP	ISJ	P	MGU	Yes/No	Yes/No		ASF	Ttl Disp.		
			DW Rating		Mast Material		PY	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type		
			Disp/WL ratio		Rig Type		EY	MSA	SSMG	SSA	SLE	Sprit Length	Max Beam	Ballast Mat.	Keel Type	# of blades		
									SSF		ASMG	Fixed or _o	Max Draft					
TESA	Catalina 42-1/2	642	102	1999	53 16.41	155	53 23	46.75 5.91	5.91 10	Yes	48.833	16	41.83	25500	0	IB	Added one electric main halyard winch	
			595		ALUMN		0	430	28	1134	44.2	0	36	8300	1	FEATH		
			248		MS		0		27.333		32	<input checked="" type="checkbox"/>	13.83	Lead	FIXED	3		
Tijd	Beneteau First 30	45	102	2011	41.66 13.78	105	42.16 15.7	40.2 6.24	6.24 9.38	No		15	31.7	8267	0	IB	(Mtg 8/27/15, -3 sec/mi for OSP, +6 sec/mi for small spinnaker)	
			602		ALUMN			354			45.6	866	27.5	2403	1	Fold		
			181		FS						40.5 23.8	1 90	10.5	Cast Iron	FIXED			
Baleineau	Ericson 34 Olson SM	42147	105	1988	44 13	155	44 44	38.8 4.88	4.88 8.25	Yes	43.5	12.96	34	10600	No	IB		
			629		ALUMN		0	298	23.25	843		0	28	3650	1	FOLD		
			219		MS		0		23.25		<input type="checkbox"/>		10.83	Lead	FIXED	2		
Carmelita	Catalina 42-1/2	131	105	1990	53 16.42	125	53	46.75 4.98	4.98 8.85	Yes	49	16.42	41.83	22000	No	IB		
			595		ALUMN		0	399	29.55	1207	51.25	0	36	8300	1	FEATH		
			214		MS		0		29.55		24.42	<input checked="" type="checkbox"/>	13.83	Lead	FIXED	3		
Kai Ola	Jeanneau Sun Odyssey 379	0	105	2011	46.67 13.58	132	46.67	44.58 5.4	5.4 9.1	Yes	45.5	13.58	37.17	14771	0	IB	(Mtg 5/25/17, -3 sec/mi for oversized spinnaker)	
			584		ALUMN			372	26	982		0	36	3914	1	Fixed_3		
			144		MS				25.5		<input type="checkbox"/>	0	12.33	Steel	FIXED			
Loya	Ericson 34 Olson SM	3246	105	1989	44.5 13.25	154	44 13.25	38.84 4.69	4.69 8.38	Yes	44	13.25	34	10600	0	IB		
			627		ALUMN			296	23.6	864	42.1	0	28	3650	1	Fold		
			219		MS				23.35		23.8	<input checked="" type="checkbox"/>	10.83	Lead	FIXED	2		
Ragtime!	J 92	18	105	1993	37 11.5	155	38.5 17	38 4.7	4.7 8.2	No	39.98	14.5	30	5500	No	IB	(changes noted 3-11-03, NCTR)(2/14/06 - Spinnaker based on 1019 sq feet/94.67 meters)(Mtg 01/16/14, -3 sec/mi for flying asymmetric off squared back pole)(Mtg 4/24/14, New Rudder noted, NCTR, Shortened pole/sprit	
			593		ALUMN		0	293	30.6	1019	38.5	5.5	25.8	2275	1	FOLD		
			146		FS		0		30.6		28.4	<input checked="" type="checkbox"/>	10	Lead	FIXED	2		

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Keel		Engine/Prop	Modifications
					I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No	Yes/No	ASF	Ttl Disp.		Traps/H. Strps	IB or OB		
			DW Rating		Mast Material		PY	MSA	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type		
			Disp/WL ratio		Rig Type		EY		SSMG	SSA	SLE	Sprit Length	Max Beam	Ballast Mat.	Keel Type	# of blades		
									SSF		ASMG	Fixed or _o	Max Draft					
Red Sky	Ericson 34 Olson SM	28340	105	1989	44 12.95	150	44 12.95	38.7 5.1	5.1	Yes	Yes	21.98	33.88	10855	No	IB	MTG 12/11/97(RUDDER REPLACED 8" DEEPER ADN 3" NARROWER.)	
			627		ALUMN		0	302	42	12.95	41.5	587	28	3500	1	FOLD		
			225		MS		0		23.4	816	33.77	0	10.8	Lead	FIXED	2		
Relentless	J 92	93	105	1997	37 11.5	155	38.5 17.5	38 5.2	5.2	No	Yes	26.4	30	5500	0	IB		
			590		ALUMN		13.5	8.7			45.2	915	26.5	2275	1	Fold		
			134		FS			306			40.6	5.5	10	Lead	FIXED	2		
Revelry	Catalina 42-1/2	703	105	1999	53 16.416	125	53 16.416	46.75 5.75	5.75	No	Yes	27.5	41.833	20500	No	IB	ASYM SPIN NOTED NCTR.	
			608		ALUMN		0	425	52.7	9.833	52.7	1097	36	8300	1	FEATH		
			200		MS		0		47.4		47.4	0	13.833	Lead	FIXED	3		
Sail La Vie	Beneteau 411	28597	105	1999	46.67 16.25	140		41.5 4.872	4.872	No	No		41.67	17196	No	IB		
					ALUMN		0	344	14.83	8.77		0	36.09	5500	1	FEATH		
			166		MS		0						13	Steel	FIXED	3		
Tiki Blue	Beneteau 423	38423	105	2005	48.65 16.52	125	48.65 16.52	43.44 5.49	5.49	Yes	No		41.67	20224	No	IB		
			580		ALUMN		14.83	9.6	48.76	16.5		0	38.58	5569	1	FOLD		
			160		MS			381	29.7	1199		0	12.92	Iron	FIXED	3		
Blue Zephyr	Jeanneau Sun Odyssey 42 DS		108	2010	51.58 16.25	150		48.82 3.55	3.55	No	No		42.42	19676	0	IB	(mtg 4/27/17, +3sec/mi for in-mast furling, +3 sec/mi for MGM < 50% of E)	
					ALUMN		14.6	6.9				0	38	5628	1	Fixed_3		
			163		FS			350				0	13.5	Iron	FIXED			
Gig	Humboldt 30 IB	18112	108	1983	37.5 11.5	149	37.5	41.5 5.13	5.13	Yes	No		30	5400	No	IB		
			603		ALUMN		13.75	8.83	37	11.5		0	26.66	2222	1	FOLD		
			130		FS		0	338	20.7	635		0	10.5	Lead	FIXED	2		

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications										
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast		Traps/H. moveable blst	IB or OB Prop Type # of blades												
																DW Rating Disp/WL ratio		I J	37.66 13.22	5 8.6	No	Yes	26.51 868	30 26.5	5500 2275	0 1	IB Fold
Hijinks	J 92	90	108 1996	37 11.5	97	38.5 17	37.66 13.22	5 8.6	No	Yes	26.51 868	30 26.5	5500 2275	0 1	IB Fold												
			595 134	ALUMN FS				297			5.5 0	10 5.9	Lead FIXED		2												
Imagination	Bavaria 40	0	108 2001	47.25 14.58	111	48	44.46 15.58	5 9.21	No	Yes	20 828	40.94 35.93	17417 6283	0 1	IB Fold												
			594 171	ALUMN FS				386			0 0	13.1 6.4	Lead FIXED														
Max	Ultimate 24 ODR	2	108 2002	28.04 7.82	110	30.8 14.5	31 11.35	6.81 9.18	No	Yes	21.3 562	24.38 21.17	2040 750	0 1	OB None												
			583 98	CARBON FS				254			6.7 0	8.48 5.52	Lead FIXED														
Popstar	Catalina 400	331	108 2005	52.5 15.5	135	52.5 16.5	46.9 17	4.02 8.27	No	Yes	27.9 1225	41.54 36.5	20500 8300	0 1	IB Fold	(+3 sec/mi for in-mast furling mainsail, +3 sec/mi for MGM <50% of E)											
			599 192	ALUMN MS				393			0 0	13.5 6.92	Lead FIXED	3													
Sir Leansalot	Hunter 40	161	108 1986	53.9 17	125	53.9 17	48 13.9	5.2 9	Yes	No		39.7 32.5	17400 6000	0 1	IB Fixed_2												
			610 230	ALUMN MS			0 0	396			0	13.5 6.5	Iron FIXED		2												
Sweet Grapes	Ericson 36 Holland	19	108 1981	47.75 14.5	147	47.75	42 12	3.5 7.2	Yes	No		35.58 29	11600 5230	0 1	IB FOLD												
			621 216	ALUMN MS				278			0 0	11.83 6.25	Lead FIXED		2												
Boomer	Melges 20	676	111 2009	23.19 7.05	110	27.2 10.95	24.25 9.84	3.83 7.42	No	Yes	18.8 417	20 19.4	1105 415	0 1	OB None												
			604 69	CARBON FS				152			3.9 0	7 4.5	Lead FIXED		0												

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMUG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst Keel Type		
Endless Summer	Catalina 42-1/2 WK	688	111 2000	53 16.5	155	30.8 14.5	46.75 15.5	5.08 9.16	No	No	0 0	41.83 36 13.83 4.83	28000 8300 Lead	0 1 FIXED	IB Feath 3		
For Pete's Sake	Ultimate 24 ODR	28469	111 2003	28.04 7.82	102	30.8 14.5	31 11.5	5.5 8.8	No	Yes	22.2 587 6.7 0	24.38 21.17 8.48 5.52	2040 750 lead	No 1 FIXED	OB None		
Ganesha	Sabre 36-2	28862	111 1996	48.5 13.46	155		41.6 14.83	5.66 9.63	No	No	0 0	36.17 30.42 12 6.5	13800 5520 Lead	No 1 FIXED	IB FOLD 2	Adjustable back stays	
Hylite	Hylas 49 SM	49	111 2007	57.42 19.5	130	57.42 19.5	51 18.5	4.5 9.17	No	Yes	28.67 1214 0 0	48.83 39.5 14.25 6	35000 14500 Lead	0 1 FIXED	IB Fold	(Mtg 1/26/17, Custom rating of 111 assigned)	
Makanani	Ultimate 24 ODR	3	111 2003	28.04 7.82	110	30.8 14.5	31 11.35	6.35 9.18	No	Yes	21.3 566 6.7 0	24.38 21.17 8.48 5.52	2040 750 Lead	0 1 FIXED	OB None		
Nightmare	Custom Wilderness 30 SX FR OB	305	111 1980	34 11.75	125		34.4 11.5	4.59 7	Yes	No	0 0	29.75 27.75 8.83 5.92	4700 1650 Lead	No 1 FIXED	OB None 0	(-3 sec/mi for change from IB to OB, -6 sec/mi for keel change.)(mtg 2/26/15, -9 sec/mi for oversized spinnaker)	
Problen Child	Melges 20	134	111 2009	23.19 7.05	110	27.2 10.95	24.25 9.84	3.83 7.42	No	Yes	18.8 417 3.9 0	20 19.4 7 4.5	1105 415 Lead	0 1 FIXED	OB None		

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SPL SSMG SSF	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.		Traps/H. Strps Ballast moveable blst Ballast Mat. Keel Type			
Ahi	Santana 35	30980	114 1981	39 12.85	155	39	42 14.25	5.51 9.26	Yes 39	12.85 752	No	35 26.5 11.92 6.25	8500 3300 Lead	No 1 FIXED	IB Fold 2	(Mtg 6/27/13, new rudder noted, NCTR)	
Allons-Y	J 70 ODR	346	114 2014	26.77 7.68	100	30.15 13.5	26.16 9.44	4.71 6.93	No		Yes 35.43 28.87 18.24	18.7 491 5.1 0	22.75 20.47 7.38 4.92	1750 630 Lead	0 1 MVBL	OB None	
Azure	CAL 40	72	114 1966	46 15.17	150	46	40 17.5	6.65 11.37	Yes 46.5	15.17	No	39.3 30.5 11 5.5	15500 6000 Lead	0 1 FIXED	IB FEATH 2		
Benny	J 70 ODR	897	114 2015	26.77 7.68	100	30.15 13.5	26.16 9.44	4.71 6.93	No		Yes 35.43 28.87 18.24	18.7 491 5.1 0	22.75 20.47 7.38 4.92	1750 630 Lead	0 1 MVBL	OB None	
Bessie's Girl	Bristol 45.5	30088	114 1980	57 18.83	130	57 18.83	47.25 15.2	4.66 8.56	Yes 56	18.83	Yes 56	33 1353	45.5 37.25 13.2 11	40000 15000 Lead	No 1 CNTRBRD	IB FEATH 3	(mtg 2/18/10, -3 sec/mi for dual spinnakers/ability to use asym on squared back pole)
Blue Passion	tartan 3400	7134	114 2006	46 13.67	95	49.67 13.67	43 14.5	4.58 8.2	No		No	34.42 30.42 11.92 6.5	10800 3500 Lead	0 1 FIXED	IB Fold		
Breakout	Santana 35	18679	114 1982	39 12.85	155	39	42 14.25	5.51 9.26	Yes 39	12.85 722	No	35 26.5 11.92 6.25	8500 3300 Lead	No 1 FIXED	IB FOLD 2		

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications								
			Built	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB									
										E	MGM									SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type
Disp/WL ratio	Mast Material	Rig Type	EY	SSSF	ASMG	Fixed or _o	Max Draft																				
Elan	Beneteau 37	46	114	2012	45.83 15	105	48	43.5 12.83	6.16 8.83	No	Yes	26.6 915	37.8 34.08	14359 3901	0 1		IB Fold										
			596 165		ALUMN FS				359		39.17 25.6	0 <input checked="" type="checkbox"/>	12.83 6.25	Iron	FIXED												
Green Buffalo	CAL 40	8538	114	1967	46.7 15.2	155	46.7	39.8 17.6	6.65 11.37	Yes	No		39.3 30	15148 6000	0 1		IB FEATH	Schumacher designed rudder - same as original									
			622 255		ALUMN MS			0 0	416		27.3 27.3	1047 <input type="checkbox"/>	10.9 5.8	Lead	FIXED		3										
Neverland	Tartan 3700 SD 5.0'	106	114	2006	51.75 15	135	51.75 15	45.25 15	5.7 9.68	No	Yes	25.4 1025	37 32.5	17780 6200	0 1		IB Fold										
			616 235		CARBON MS				404		46.8 24.21	0 <input checked="" type="checkbox"/>	12.6 5	Lead	FIXED		2										
Nozomi	CAL 40	164	114	1970	46.2 15.2	155	46.2	39.9 17.6	6.6 11.37	Yes	No		39.5 30	15500 6000	0 1		IB FEATH										
			622 261		ALUMN MS				416		27.3 27.3	1051 <input type="checkbox"/>	11 5.6	Lead	FIXED		3										
Penny Pincher	J 70 ODR	215	114	2014	26.77 7.68	100	30.15 13.5	26.16 9.44	4.71 6.93	No	Yes	18.7 491	22.78 20.47	1750 630	0 1		OB None										
			607 93		CARBON FS				164		28.87 18.24	5.1 <input checked="" type="checkbox"/>	7.38 4.92	Lead	MVBL												
Prime Number	J 70 ODR	29	114	2012	26.77 7.68	100	30.15 13.5	26.16 9.44	4.71 6.93	No	Yes	18.7 491	22.78 20.47	1750 630	0 1		OB None										
			607 93		CARBON FS				164		28.87 18.24	5.1 <input checked="" type="checkbox"/>	7.38 4.92	Lead	MVBL												
Rampage	J 70 ODR	582	114	2014	26.77 7.68	100	30.15 13.5	26.16 9.44	4.71 6.93	No	Yes	18.7 491	22.75 20.47	1750 630	0 1		OB None										
			607 93		CARBON FS				164		28.87 18.24	5.1 <input checked="" type="checkbox"/>	7.38 4.92	Lead	MVBL												

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	Mast Material Rig Type		P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst Keel Type		
Redhead	Cal 40	7817	114 1964	46 15.17	155	46.36	40 17.5 0 0	6.5 11.3 414	Yes 46 27.3 26.2	15.17 1038	No <input type="checkbox"/>	0	39.5 30 10.92 5.75	16500 6000 Lead	No 1 FIXED	IB Feath 2		
Riff Rider	Cal 40	46	114 1965	46.2 15.1	155	46.2	40 17.5	6.5 11.3 414	Yes 46.2 27.2 27.2	15.1 1047	No <input type="checkbox"/>	0 0	39.3 30.3 11 5.6	15000 6000 Lead	0 1 FIXED	IB Fold		
Scilla	J 70 ODR	327	114 2012	26.77 7.68	100	30.15 13.5	26.16 9.44	4.71 6.93 164	No	Yes 35.43 28.87 18.24	18.7 491 5.1 0	<input checked="" type="checkbox"/>	22.78 20.47 7.38 4.92	1750 630 Lead	0 1 MVBL	OB None		
Sea Star	CAL 39-2/3	38022	114 1977	50 16.7	150	50	44 13.8	4.5 8 337	Yes 48 30 29	16.7 1192	Yes 48 44 30	34 1181 0 0	39 32 12 6.7	17000 7000 Lead	0 1 FIXED	IB FEATH 3	Roller Furler	
Skye	Capo 30 MOD	0	114 1984	41.7 12.75	120	41.5 12.75	36 11.5	4.37 7.47 247	Yes 41.5 21.5 21	12 740	No <input type="checkbox"/>	0 0	33 26 10.33 5.42	7500 3000 Lead	0 1 FIXED	IB Feath	(Mtg 5/25/17, -9 sec/mi for increased LOA from added sugar scoop)	
Wingman Racing	J 70 ODR	584	114 2014	26.77 7.68	100	30.15 13.5	26.16 9.44	4.71 6.93 164	No	Yes 35.43 28.87 18.21	18.7 491 5.1 0	<input checked="" type="checkbox"/>	22.75 20.47 7.38 4.95	1750 630 Lead	0 1 MVBL	OB None		
Ciao Bella	Beneteau 37	38	117 2009	45.833 15	105		43.5 12.9		No	No	<input type="checkbox"/>	0 0	37.666 34.75 12.833 6.25	14008 3902 Iron	0 1 FIXED	IB FOLD 3		

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications					
			Built	J	Max Headsail	ISP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp. Traps/H. Strps		IB or OB								
									E	MGM				SL	SPL		SLU	ASA		LWL	Ballast	moveable blst	# of blades	
																								PY
JSP	Mast Material	Rig Type	EY	SSSF	ASMG	Fixed or _o	Max Draft																	
								Dulcinea	Catalina 38	88	117	1981	49.83	130	49.8	44	4.37	No	No	38.17	15900	0	IB	
													15.5		15.5	11.5	7.6			30.25	6850	1	Fold	
					ALUMN				304			11.83	Lead	FIXED	2									
		261			MS						<input type="checkbox"/>	0	6.75											
Ecco	CAL 39-2/3	115	117	1980	50	125	50	44	5	No	No	39	17000	0	IB									
					16.7			13.75	8.5			32.1	7000	1	Feath									
					ALUMN				351			12.15	Lead	FIXED										
		234			MS						<input type="checkbox"/>	0	6.7											
E-Ticket	Moorings 38 SD	119	117	1990	47.5	155	47.5	41.7	5.69	Yes	No	38.4	13700	0	IB	Shoal Draft (Mtg 10/27/16, -3 sec/mi for oversized spinnaker area)								
					13.9		13.9	15	9.45			31.33	5400	1	Fold									
					ALUMN				369			12.5	Steel	FIXED	2									
					MS						<input type="checkbox"/>	0	4.8											
Flight Risk	Catalina 38	87586	117	1983	49.8	155	49.8	44	4.18	Yes	No	38.24	19489	No	IB	Roller Furler								
					15.5			11.5	7.12			30.45	6850	1	Fold									
					ALUMN				294			11.12	Lead	FIXED	2									
					MS						<input type="checkbox"/>	0	6.1											
Harp	Catalina 38	18003	117	1983	50.7	155	50.9	44	4.8	Yes	No	38.17	19489	No	IB	DEC 93 - 7X19 STND RIG/ W/ROD RIG & SHR TN UPR SPREADERS 2 IN. NO CHNG RTNG (MTG 1/27/94)								
					15.43		15.43	11.5	7.97			30.25	6850	1	FOLD									
					ALUMN			0	316			11.83	Lead	FIXED	2									
					MS			0			<input type="checkbox"/>	0	6.79											
Highlander	Cal 40	4590	117	1968	46.2	150	46.2	39.5	6.65	Yes	No	39.25	15000	0	IB									
					15.2			17.5	11.37			30.25	6000	1	Fixed_2									
					ALUMN				412			11	Lead	FIXED	2									
					MS						<input type="checkbox"/>	0	5.58											
Oscar	Santa Cruz 33	57663	117	1978	41	125	41	35.42	4.25	Yes	No	33	7000	No	IB									
					13.583			15	7.166			28	3000	1	FOLD									
					ALUMN				269			10.06	Lead	FIXED	2									
					MS						<input type="checkbox"/>	0	6											

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications	
			Built	J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp.	Traps/H. Strps		IB or OB Prop Type # of blades			
									DW Rating	Mast Material	SL	SPL			SLU	ASA			Ballast	moveable blst
Puffin	Alden 44	38144	117	1978	54.1 19.5	100	47.08 14.75	5.7 9.6	No	Yes	33 1369	44.17 34.08	24500	0 1	IB Feath					
			595 281		ALUMN CTR			416		49 32	0 <input type="checkbox"/>	12.5 8.75	Lead	CNTRBRD						
Allora	Morris 36	38082	120	2007	38.66 12.75	95	44.3	41.25 15.08	5.1 9.43	No	Yes	21.4 452	36.1 25	8900 3850	0 1	IB Fold				
			652 259		CARBON FS			357		34.3 13.1	0 <input checked="" type="checkbox"/>	10.1 5.3	Lead	FIXED						
FUGU	Wilderness 30 SX FR IB	67967	120	1980	34.08 11.75	150	34.1 11.8	34.44 11.5	4.37 7.48	Yes	Yes	20.36 603	29.75 27.75	4200 1900	0 1	OB None 0	(Mtg 11/20/08, -6 sec/mi for replacing inboard with outboard engine)			
			585 89		ALUMN FS			236		21.15 21.15	604 0	8.75 5.5	Lead	FIXED						
Happy Daze	Santana 30-30 GP	87322	120	1984	40.83 11.67	150	40.83	36.17 11.08	5.25 8.5	Yes	No		29.92 25.42	6500 2435	No 1	IB FOLD 2				
			641 180		ALUMN MS			0 0	267	40.25 19.5 18.6	11.75 648	0 <input type="checkbox"/>	10.25 5.5	Lead	FIXED					
Iolani	Hughes 48	38048	120	1972	54.3 18.2	135	20.2	48.2 19	5.9 10.4	Yes	Yes	32.76 1400	48 35.1	32000 14300	0 1	IB FEATH 3				
			599 336		ALUMN YAWL			23 10	493	40.32 32.76 32.76	18.2 1101	48.6 32.76 <input checked="" type="checkbox"/>	11.1 6	Lead	FIXED					
La Dolce Vita	J 32	64	120	2001	39.2 11	155	40.5 13	38.5 15.5	5.1 9.2	No	Yes	19.7 677	32.4 29	10000 3840	0 1	IB Feath 3	(Mtg 8/22/13, -6 sec/mi for sprit)			
			635 186		ALUMN FS			334		39.5 19.7	2.5 0	11 6	Lead	FIXED						
Rhapsody	J 32	56303	120	2000	39.2 11	155	40.583 13	38.5 15.5	5.12 9.25	No	Yes	22.5 830	32.4 29	11500 3840	0 1	IB Fold 3	(Mtg 5/23/13, -3 sec/mi for sprit, -3 sec/mi for oversized spinnaker)			
			640 214		ALUMN FS			335		41.55 22.75	2 0	11 6	Lead	FIXED						

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull	Displacement/Keel		Engine/Prop	Modifications		
			Rating		I	ISP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	IB or OB			
			Max Headsail		J	JSP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type			
			DW Rating		Mast Material	PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades				
			Disp/WL ratio		Rig Type	EY		SSF	ASMG	Fixed or _o	Max Draft								
Seaya	Catalina 380	252	120	2000	50.916 14.667	135		44.833 15.667	5.2 10		No	No	38.42 32.42 12.33 7.17	19000 6800 Lead	No 1 FIXED	IB FEATH 3			
White Jacket	Etchells 22 ODR	901	120	1991	27.27 8.22	90		32.49 11.57			Yes	No	30.5 22 6.83 4.5	3337 2105 Lead	0 1 FIXED	OB None 0			
Aerie	CS 36	2160	123	1980	49 15	155	49	42.75 12.75	4.33 7.58		Yes	No	36.5 29.25 11.5 6.25	15500 6500 Lead	0 1 FIXED	IB Fold			
Arcadia	Custom Nash 28.5	3113	123	1969	33 10	120	34 11	32.5 13	4.92 8.41		No	Yes	24.606 38.8 34.908 24.606	756 4 100	28.5 25.5 9 6.5	4327 1200 Lead	No 1 FIXED	IB FOLD 2	(Weighed Displacement as of 4/4/2009)(mtg 2/28/13, change custom rating from 135 to 123 after review of race results and structural modifications) 3
Double Down	Custom Schumacher 30	18480	123	1988	41.37 12.16	150	41.5	36.416 11.83	4.5 7.69		Yes	No	29.92 26 10.65 6.17	7854 3650 Lead	No 1 FIXED	IB FOLD 2	Rudder change, old rudder 85lbs new 65 lbs. Old alum/new carbon MTG 10/27/94 Noted- NCTR (MTG 1/9/97 Alum headsail removed and excess wires removed from mast- Noted NCTR)(Mtg 2/21/08, change custom rating from 126 to 123 after		
JouJou	Capo 30	87324	123	1984	41.7 12.75	120	41.5	36 11.5	4.37 7.47		Yes	No	30 25 10.33 5.43	7200 3000 Lead	0 1 FIXED	IB Fold 2	Roller Furler		
Wood Eye	Catalina 38	111	123	1981	49.83 15.5	110	49.83 15.5	44 11.5	4.7 7.9		Yes	No	38.17 30.25 11.83 6.75	15900 6850 Lead	0 1 FIXED	IB Fixed_2 2			

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Keel		Engine/Prop	Modifications
					I	J	Max Headsail	ISP	P	MGU	Yes/No	Yes/No	ASF		Ttl Disp.	Traps/H. Strps		
			DW Rating		Mast Material	JSP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type		
			Disp/WL ratio		Rig Type		PY	MSA	SSMG	SSA	SLE	Sprit Length	Max Beam	Ballast Mat.	Keel Type	# of blades		
							EY		SSF		ASM	Fixed or _o	Max Draft					
Bad Hare Day	Wylie Wabbit ODR W/Trap	35	126	1982	20.75 6.5	150	20.5	23.75 4.03	10 6.72	21.6 8.5	14 252	0	23.75 20 5.583 3.5	975 440 Lead	Yes 3 FIXED	OB None 0		
Domino	Wilderness 30 MOD	38081	126	1985	36 12.25	155	36 12.25	31.5 4.11	10.83 6.93	36.15 12.25	22.05 655	0	30 27.75 8.8 5.5	5450 2150 Lead	0 1 FIXED	IB Fold	(Mtg 3/28/13, +6 sec/mi for small rig)	
First Light	Beneteau 35S5	115	126	1991	41.66 11.15	98		42.65 5.25	15.09 9.042	42.7 11.15	20.5 729	0	35.42 29.33 11.83 6	11460 4190 Lead	No 1 FIXED	IB Fixed_2 2		
Heart of Gold	Olson 911S	41327	126	1987	41.5 12.33	155	41.5	35.5 4.5	11.83 7.7	41.1 12.16	22.19 760	0	29.9 25 10.3 5.5	7200 3200 Lead	No 1 FIXED	IB FOLD 2		
Iniscaw	Martin 32	49143	126	1980	42.5 13.67	145		37.17 4.7	12 8	42.4 13.67	22.4 806	0	32.8 27 9.6 6.1	8200 4100 Lead	0 1 FIXED	IB FOLD 2	(Mtg 10/2/13, new rudder, NCTR)	
Keala	Wylie Wabbit ODR W/Trap	12	126	1982	20.5 6.5	150	20.5	23.75 4.03	10 6.72	22 8.5	13.9 254	0	23.75 20 5.58 3.5	975 440 Lead	Yes 3 FIXED	OB None 0	Hiking straps and single trapeze	
Kwazy	Wylie Wabbit ODR W/Trap	26	126	1982	20.416 6.416	150	20.5	23 4.02	10 6.71	22 8.5	14 257	0	23.58 20 5.42 3.41	975 440 Lead	Yes 3 FIXED	NONE None 0		

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications											
			Built	J	Max Headsail	ISP	P	MGU	E	MGM	Yes/No		Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB											
											DW Rating	Mast Material									PY	MSA	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type
Lepus	Wylie Wabbit ODR W/Trap	18	126	1982	20.5	150	20.5	23.75	4.03	Yes	No	23.75	975	1	OB	Hiking Straps & Trapeze per class rules														
					6.5			10	6.72			20	440	3	None															
			602		ALUMN			0	145			5.58	Lead	FIXED	0															
			55		FS			0			<input type="checkbox"/>	3.5																		
Mr McGregor	Wylie Wabbit ODR W/Trap	8426	126	1982	20.5	150	20.5	23.75	4.03	Yes	No	23.75	975	1	OB	INCLUDES HIKING STRAPS AND SINGLE TRAPEZE.														
					6.5			10	6.72			20	440	3	None															
			602		ALUMN			0	145			5.58	Lead	FIXED	0															
			55		FS			0			<input type="checkbox"/>	3.5																		
Nancy	Wyliecat 30 OB	28890	126	1995				39.66	8.71	No	No	30.5	5500	No	OB	(-3 sec/mi for square top main)														
								19.75	13.46			25	3050	1	None															
			650		CARBON			0	491			9.5	Lead	FIXED	0															
			160		CAT			0			<input type="checkbox"/>	5.25																		
Paradigm	J 32	79	126	2002	39.166	150	40.583	38.42	5.5	No	Yes	17.83	32.4	No	IB															
					11		11.916	15.42	9.58		42.09	722	29	11500	1		FOLD													
			647		ALUMN				343		39.25	0	11	3840	1		2													
			214		FS						22.17	<input checked="" type="checkbox"/>	6	Lead	FIXED															
Pork Chop Express	Express 27 ODR MOD	115	126	1986	28.5	130	32.5	28.5	4.2	Yes	Yes	19.55	27.25	0	OB	(Mtg 1/26/17, -3sec/mi for switching to MH configuration. New Rudder, NCTR)														
					9			10.4	7		33.04	425	23.75	1100	1		None													
			604		ALUMN				182		28.84	0	8.17	Lead	FIXED															
			83		MS			14.11			15.72	<input type="checkbox"/>	4.5																	
Redux	Olson 911S	28106	126	1987	41.5	155	41.5	35.5	4.5	Yes	No	29.9	7200	No	IB															
					12.33			11.83	7.7		41	12.166	25	3200	1		FOLD													
			648		ALUMN			0	251		21.9	748	10.33	Lead	FIXED		2													
			209		MS			0			21.9		5.416																	
Stink Eye	Laser 28 ODR MOD	33562	126		31.73	110	33.2	33.14	5.2	Yes	Yes	19	28.42	No	OB	(Mtg 3/27/14, -3 sec/mi for oversized mainsail girths, -3 sec/mi for OB motor)														
					9.65			12.3	8.3		37	546	23.62	4050	1		FOLD													
			635		ALUMN			0	252		19.5	528	9.48	1500	1		2													
			140		MS			0			19.5		5	Lead	FIXED															

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SPL SSMG SSF	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.		Traps/H. Strps Ballast moveable blst Ballast Mat. Keel Type				
Stratocaster	J 32	16	126 1996	39.2 11	155	40.68	38.5 15.5 0 0	5.88 10.07 355	Yes	39 20.4 19.75	11 659	Yes 44.92 38.38 23.95	23.95 831 0	32.5 28.67 11 5.75	10000 3840 Lead	No 1 FIXED	IB FOLD 2	
Tequila Mockingbird	Express 27 ODR	18353	126 1996	28.5 9	155	32.5	28.5 10.416 0 0	4.22 7.03 182	Yes	30.5 18.25 17.5	9.833 460	Yes 33.85 26.25 17.75	18.85 450 0 90	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0	(Mtg 4/23/15, switched to MH configuration, -3 sec/mi for increased spinnaker area)
White Wabbit	Wylie Wabbit ODR W/Trap	19	126 1982	20.5 6.6	110	26.1	23.75 10 0 0	4.03 6.72 145	Yes	21.6 14 14	8.6 252	No	0	23.75 20 5.58 3.5	975 440 Lead	Yes 1 FIXED	OB None 0	
Wind Blown Hare	Wylie Wabbit ODR W/Trap	29	126 1982	20.5 6.5	150	20.5	23.75 10 0 0	4.03 6.72 145	Yes	22 13.9 13.7	8.5 254	No	0	23.75 20 5.583 3.5	975 440 Lead	1 3 FIXED	OB None 0	
Abba-Zaba	Tartan 10	8112	129 1979	35 12	125	35	40.25 13.75 0 0	5.34 8.86 331	Yes	35 21.6 21.6	12 630	No	0	33.16 27 9.25 5.83	6700 3340 Lead	0 1 FIXED	IB FOLD 2	(+3 sec/mi credit for 125% or smaller headsail)
Abigail Morgan	Express 27 ODR	18394	129 1985	28.5 9	150	28.5	28.5 10.416 0 0	4.22 7.03 182	Yes	28.562 17.75 17.4	9.833 421	No	0	27.25 23.75 8.166 4.5	2450 1100 Lead	No 1 FIXED	OB None 0	
Althea	Cavalier 39	38101	129 1981	48.5 14.83	120	46 16.13	42 12	4.55 7.79	No	16.13		Yes 48.75 42.41 26.82	28.23 1029 0 90	38.98 29.49 11.22 5.97	13228 7513 Lead	0 1 FIXED	IB Fixed_3	(Mtg 4/28/16, -3 sec/mi for oversized spinnaker pole, -3 sec/mi for oversized spinnaker)

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications			
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H.	Strps		IB or OB Prop Type # of blades		
								SL	SPL	SLU	ASA								Ballast	moveable blst
Andale	Express 27 ODR	72	129 1985	28.5 9	155	28.5	28.5 10.42	4.22 7.03	Yes	No	27.25 23.75 8.17 4.5	2450 1100 Lead	0 1 FIXED	None						
			611 83	ALUMN FS				182			<input type="checkbox"/>	0 0								
Archimedes	Express 27 ODR	18355	129 1985	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	No	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	NONE None 0						
			611 83	ALUMN FS			0 0	182	17.333 17.6		<input checked="" type="checkbox"/>	0								
Bombora	Express 27 ODR	38047	129	28.5 9	155	28.5	28.5 10.42	4.22 7.03	Yes	No	27.25 23.8 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0						
			611 83	ALUMN FS				182			<input type="checkbox"/>	0 0								
Borealis	Gulf 39 PH	77135	129	50 16.17	128		42 13.75	4.83 8.58	No	No	38.83 33.67 12 5	17500 Iron	1 FIXED	IB Fold						
			208	ALUMN MS				334			<input type="checkbox"/>	0 0								
Boudicca	Elan 310	310	129 2010	40.19 11.74	106	42.55 14.87	39.53 13.55	5.28 8.92	No	Yes	30.3 28.58 10.5 6.23	10141 2292 Iron	0 1 FIXED	IB Fold						
			630 197	ALUMN FS				323			25.91 906 3 0									
Current Affair	Express 27 ODR	56	129 1983	28.5 9	155	28.5	28.5 10.42	4.22 7.03	Yes	No	27.25 23.75 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None						
			611 83	ALUMN FS				182			<input type="checkbox"/>	0 0								
Dianne	Express 27 ODR	0	129 1981	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	No	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0						
			611 83	ALUMN FS			0 0	182	17.75 17.75		<input type="checkbox"/>	0								

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop		Modifications		
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H.	Strps	IB or OB Prop Type # of blades			
								SL	SPL	SLU	ASA								Ballast	moveable blst
								SSMG SSF	SSA	SLE	ASMG								Ballast Mat.	Keel Type
Dream	Sceptre 41	12	129 1983	53 17.67 90	53	47 13	5.24 8.73	53 29.5 28	17.67 1290	No	28 1038 0 0	41 36 12.67 6.08	21500 8700 Lead	0 1 FIXED	IB Fold					
El Raton	Express 27 ODR	28050	129 1985	28.5 9 155	28.5	28.5 10.416	4.22 7.03	29 17.75 17.75	9.833 429	No	0	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0					
Elise	Express 27 ODR	101	129 1986	28.5 9 155	28.5	28.5 10.416	4.22 7.03	28.6 17.75 17.75	9.8 423	No	0 0	27.25 23.75 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0					
Ergo	Express 27 ODR	40428	129	28.5 9 155	28.5	28.5 10.416	4.22 7.03	29 17.7 17.7	9.833 428	No	0 0 0	27.25 23.75 8.075 4.5	2450 1100 Lead	0 1 FIXED	OB None 0					
Get Happy!!	Express 27 ODR	1	129 1981	28.5 9 155	28.5	28.5 10.416	4.22 7.03	29 17.7 17.7	9.833 428	No	0	27.25 23.75 8.166 4.5	2450 1100 Lead	No 1 FIXED	OB None 0					
Hang 20	Express 27 ODR	48	129 1982	28.5 9 125	28.5	28.5 10.42	4.22 7.03	28.5 17.7 17.7	9.83 420	No	0 0	27.3 23.8 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0					
Invictus	Hunter 41 DS	38093	129 2007	51.6 13 110		50.8 19.6	6 10.11			No	0 0	40.4 35.6 13.3 6.6	19400 6506 Lead	0 1 FIXED	IB Fixed_3 3	(Mtg 4/25/13, +3 sec/mi for in-mast furling main)				

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail		P E PY EY	MGU MGM MSA	Yes/No SL SPL SSMG SSF	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast		Traps/H. moveable blst Keel Type			
Levitation II	Express 27 ODR	77	129 1984	28.5 9	150	28.5	28.5 4.22 10.416 7.03	4.22 7.03	Yes 29 9.833	No		27.25 23.75 8.166 4.5	2450 1100 Lead	No 1 FIXED	OB None 0		
			611 83	ALUMN FS		0 0	182		17.5 423	<input type="checkbox"/>	0						
Make Me Smile	Express 27 ODR	91	129 1984	28.5 9	155	28.5	28.5 4.22 10.42 7.03	4.22 7.03	Yes 28.5 9.83	No		27.25 23.8 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0		
			610 83	ALUMN FS			182		17.7 420	<input type="checkbox"/>	0						
Mega Hurtz	Laser 28 ODR MOD	53470	129 1974	31.1 9.65	125	31.73	33.14 4.98 12.96 8.4	4.98 8.4	Yes 33 11.32	No		28.41 23.62 9.48 4.98	3950 1500 Lead	0 1 FIXED	OB None 2	(Mtg 2/27/14, switched to outboard motor, -3 sec/mi)	
			631 136	ALUMN FS			257		20.37 552	<input type="checkbox"/>	0 0						
Moonlight	Express 27 ODR	28059	129 1986	28.5 9	155	28.5	28.5 4.22 10.416 7.03	4.22 7.03	Yes 29 9.833	No		27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0		
			610 83	ALUMN FS			182		16.5 404	<input type="checkbox"/>	0						
Motorcycle Irene	Express 27 ODR	28137	129 1982	28.5 9	155	28.5	28.5 4.22 10.416 7.03	4.22 7.03	Yes 29 9.833	No		27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0		
			611 83	ALUMN FS			182		17.7 428	<input type="checkbox"/>	0						
Peaches	Express 27 ODR	18364	129 1986	28.5 9	155	28.5	28.5 4.22 10.416 7.03	4.22 7.03	Yes 29 9.833	No		27.25 23.75 8.166 4.5	2450 1100 Lead	No 1 FIXED	OB None 0		
			611 83	ALUMN FS			182		17.75 429	<input type="checkbox"/>	0						
QE 3	Tartan 10	8049	129 1978	35 12	125	35 0	40.25 5.34 13.75 8.96	5.34 8.96	Yes 35 12	No		33.16 27 9.25 5.83	6700 3340 Lead	0 1 FIXED	IB FOLD 2		
			623 155	ALUMN FS			332		21.6 630	<input type="checkbox"/>	0						

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Keel		Engine/Prop	Modifications
					I	J	P	MGU	Yes/No	Yes/No	ASF	Ttl Disp.		Traps/H. Strps	IB or OB		
			DW Rating		Max Headsail	ISP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type	
			Disp/WL ratio		Mast Material	JSP	PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades	
					Rig Type		EY		SSF		ASMG	Fixed or _o	Max Draft				
Uno	Wyliecat 30 IB	28632	129	1995	35.8 5.5	35.8 12	39.66 19.75	9.31 13.05		No	Yes	19.68 550	30.5 25	5800 3000	0 1	IB FOLD	(mtg 2/21/08, penalty for oversized main -3 sec/mi)(Mtg 5/22/08, -24 for asymmetric spinnaker flown on 12' pole)(1/24/16, not using spinnaker +24 sec/mi)
			607 169		CARBON CAT			493			37.02 32.8 18.7	0 0 90	9.5 5.25	Lead	FIXED	2	
Verve	Express 27 ODR	18283	129	1981	28.5 9	28.5	28.5 10.416	4.22 7.03	Yes	No		0	27.25 23.75	2450 1100	No 1	OB None	
			611 83		ALUMN FS		0 0	182			17.5 17.9	0	8.17 4.5	Lead	FIXED	0	
Wetsu	Express 27 w/J length pole	70	129	1983	28.5 9	28.5	28.5 10.42	4.22 7.03	Yes	No		0	27.25 23.75	2450 1100	No 1	OB None	-6 Sec/mi OSP
			611 83		ALUMN FS		0 0	182			17.7 17.5	0	8.17 4.5	Lead	FIXED	0	
Wile E Coyote	Express 27 ODR	11	129	1981	28.5 9	28.5	28.5 10.416	4.22 7.03	Yes	No		0	27.25 23.75	2450 1100	No 1	OB None	
			611 83		ALUMN FS		0 0	182			17.7	0	8.17 4.5	Lead	FIXED	3	
Yeti	Express 27 ODR	38	129	1983	28.5 9	28.5	28.5 10.4	4.22 7.03	Yes	No		0	27.25 23.75	2450 1100	0 1	OB None	
			612 83		ALUMN FS			182			28.6 17.7 17.7	9.83 422	8.16 4.5	Lead	FIXED		
Zwei Flying Fish	San Juan 33s	59733	129	1981	34.83 11.48	34.83	39.16 12.66	4.66 8.08	Yes	No		0	33.1 27.8	6000 3500	0 1	IB Fold	(Mtg 5/28/15, +3 sec/mi for small rig)
			606 127		ALUMN FS			292			19.75 19.75	555	7.95 5.5	Lead	FIXED		
Bandicoot	Wyliecat 30 IB	28530	132	2000	0 0	29 10	39.75 20.5	7.87 13.46	No	No	18.8 512	30.5 25	5500 3050	0 1	IB FEATH	(mtg 5/20/10, -21 sec/mi for added spinnakers)(9/5/12, removed spinnaker, back to standard configuration)	
			653 160		CARBON CATBOAT		0 0	488			17.75 17.75	429	9.5 5.25	Lead	FIXED	2	

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Keel		Engine/Prop	Modifications
					I	J	Max Headsail	ISP	P	MGU	Yes/No	Yes/No	ASF		Ttl Disp.	Traps/H. Strps	IB or OB	
			DW Rating		Mast Material		EY	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type		
			Disp/WL ratio		Rig Type			MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades		
									SSF		ASM	Fixed or _o	Max Draft					
Catalyst	Wyliecat 30 IB	28571	132	2004			40	7.87	No		No		30.42	5800	No	IB	Must have a YC card before registering for 2005 and clear YC for 2004	
			652		CARBON		20.67	13.46					25	3000	1	Feath		
			169		CAT		0	493			<input type="checkbox"/>	0	9.42	Lead	FIXED	2		
							0						5.25					
Crinan II	Wyliecat 30 IB	15	132	2002			39.75	7.79	No		No		30.5	5500	No	IB		
			653		ALUMN		20.5	13.32					25	3050	1	FOLD		
			160		CATBOAT		0	485			<input type="checkbox"/>	0	9.5	Lead	FIXED	2		
							0						5.25					
Iseult	Wyliecat 30 IB	13	132	2001		0	39.75	7.87	No		No		30.5	5500	0	IB		
			653		CARBON		20.8	13.46					25	3050	1	Fold		
			160		CAT			491			<input type="checkbox"/>	0	9.42	Lead	FIXED	2		
													9.25					
Kabunza	Pearson 36-2	362	132	1986	47.1	110	41	3.65	No		No		36.5	15000	0	IB		
					15.4		14.5	7.3					29.5	5800	1	Fixed_2		
			266		ALUMN			300			<input type="checkbox"/>	0	12.3	Lead	FIXED	2		
					MS								6.5					
Kira	Cal 33-2	28999	132	1986	46	125	40.5	4.82	No		Yes	21.86	33	10800	No	IB	(Mtg 1/26/12, -3 sec/mi for increased "e" & MSA)	
			655		ALUMN		12.75	8.23					27.5	4475	1	FOLD		
			236		MS		0	307			39.5	0	11.33	Lead	FIXED	2		
							0				19.68	<input type="checkbox"/>	6.12					
Polecat	Wyliecat 30 IB	5	132	1997			29.5	7.35	No		No	21.6	30.5	5500	No	IB	(Articulating Sprint and Pole added for asym spinnaker, added asymmetrical, -21 sec/mi)(5/22/14, removed Asymmetric, +21 sec/mi)(Mtg 8/25/16, New rudder installed, NCTR)	
			620		CARBON		20	12.66					25	3050	1	FOLD		
			160		CAT		0	468			29.3	8	9.416	Lead	FIXED	2		
							0				18.4	<input type="checkbox"/>	5.25					
Shanti	Ericson 911S Olson	326	132	1989	41.5	150	35.5	4.73	Yes		No		29.92	8700	0	IB	CHANGE TO RUDDER NOTED, NCTR	
			662		ALUMN		11.83	7.69					25	3200	1	FOLD		
			253		MS		0	253			22	768	10.33	Lead	FIXED	2		
							0				21.7	<input type="checkbox"/>	5.42					

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications												
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast		Traps/H. moveable blst	IB or OB Prop Type # of blades														
																DW Rating Disp/WL ratio		1981	28.5 9	125	28.5	10.42 7.04	28.58 13 17.75	9.83 332	No	27.3 23.8 8.17 4.5	2450 1100 Lead	0 1 FIXED	NONE None
1991	41.5 12.25	125	41.5	11.811 7.136	4.035 7.136	Yes	20.932 698	30 25 10.33 5.42	8500 3200 LeadSteel	No 1 FIXED	IB FEATH 2																		
												TAZ!!	Express 27 ODR	8100	132	1981	28.5 9	125	28.5	28.5 10.42 7.04	4.23 7.04	Yes	28.58 13 17.75	9.83 332	No	27.3 23.8 8.17 4.5	2450 1100 Lead	0 1 FIXED	NONE None
Tule Lost	Ericson 911S Olson	28911	132	1988	41.5 12.33	155	41.5	35.5 11.083 7.69	4.73 7.69	Yes	42 21.9 21.9	12.33 767	No	29.92 25 10.33 5.42	8680 3200 Lead	No 1 FIXED	IB FOLD 0	MUST HAVE YACHT CLUB MEMBERSHIP CARD WITH ENTRY FORM FOR 2006 RACING											
Plus Sixteen	Ericson 911S Olson	97707	135	1991	41.5 12.25	125	41.5	35.761 11.811 7.136	4.035 7.136	Yes	43.5 22.605 22.605	12.25 819	Yes	20.932 698	30 25 10.33 5.42	8500 3200 LeadSteel	No 1 FIXED	IB FEATH 2											
Zara	Beneteau 310	144	135	1993	37.04 10.83	135	37.04	37.8 12.9	5.2 8.9	No	Yes	21.6 528	Yes	21.6 528	31.2 27.7 10.5 4.3	7054 2160 Lead	0 1 FIXED	IB Fixed_2											
Big Air	Open 5.7 ODR	189	138	2006	21.52 7.3	117	21.6	25.33 10.24	5.7 8.2	No	Yes	17.6 345	Yes	17.6 345	18.75 18.7 8.3 5.74	992 405 Lead	0 1 FIXED	OB None											
Curie	Beneteau 32S5	52868	138	1990	38.39 9.68	150	38.39	38.88 13.78	5.3 9.01	Yes	39.98 17.3 17.3	9.6 576	No	17.3 519	32.6 27.83 10.83 6	9260 2980 Cast Iron	0 1 FIXED	IB FOLD 2											
Frisky	Open 5.7 ODR	281	138	2009	21.52 7.3	117	27.9	25.33 10.24	5.7 8.2	No	Yes	17.5 338	Yes	17.5 338	18.7 18.7 8.3 5.7	992 405 Lead	0 1 FIXED	NONE None											

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications			
				J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			Ttl Disp.	Traps/H.	IB or OB				
									SL	SPL	SLU	ASA						Ballast	moveable blst	IB or OB
Mast Material	Rig Type																			
Short Bus	Hunter 35 Legend	210	138 1990	42 12.17	110	32.7	32.7	44.08	5.5	No	Yes	24.6	35.58	12600	0	IB				
			628 218	ALUMN MS				14.25	9.2		49.5	957	29.75	5000	1	Fixed_2				
									375		39.8	0	11.75	Lead	FIXED					
											26	<input type="checkbox"/>	6.5							
Blade Runner	Santa Cruz 27	28727	141 1979	32.7 10.9	150	32.7	10.9	28.2	3.27	Yes	Yes	19.58	27	3000	0	OB				
			631 98	ALUMN MS				8.7	5.64		32.74	10.9	24.08	1600	1	None				
									146		19.6	535	8	Lead	FIXED					
											19.6		4.5							
											19.58	<input type="checkbox"/>	90							
Friction Loss	J 30	67425	141 1979	34 11.5	155	34.1	11.5	38	4.94	Yes	No	21.06	29.83	6500	0	IB				
			652 189	ALUMN FS				13	8.45		34.4	11.5	25	2100	1	FOLD				
								0	295		22.2	635	11.17	Lead	FIXED	2				
								0			22		5.25							
FROLIC	Islander 36 TM	47462	141 1974	47 14.5	155	47	14.5	40.75	4.8	Yes	No		36.08	13450	0	IB				
			655 271	ALUMN MS				12.6	8.25		46.5	14.5	28.25	5450	1	Feath				
									307		25.8	990	11.17	Iron	FIXED	3				
											24.6		6.08							
												<input type="checkbox"/>	0							
Geodesic III	Optima 101	103	141 1985	38.71 12	125	38.71	12	38.39	4.9	Yes	Yes	19.6	32.84	8511	0	IB	(Mtg 4/27/17, added 2' retractable bowsprit, -3 sec/mi)			
			621 155	ALUMN FS				13.45	8.2		37	12	29.25	3968	1	Fixed_2				
									298		21.5	663	11.15	Iron	FIXED					
											19.6	<input type="checkbox"/>	0							
Giant Slayer	Santa Cruz 27	59369	141 1979	32.583 10.9	155	32.583	10.9	28.25	3.7	Yes	Yes	17.67	27	3304	No	OB	(Mtg 3/27/14, -3 sec/mi for 10% overized symmetrical spinnaker)			
			624 109	ALUMN MS				8.7	6.3		32.8	10.9	24	1800	1	None				
								0	157		19.6	536	8	Lead	FIXED	0				
								0			19.6		4.5							
											13.42	<input type="checkbox"/>	90							
Gotcha	Santa Cruz 27	47911	141 1975	32.58 10.75	150	32.58		28.25	3.68	Yes	No		27	3200	0	OB				
			619 105	ALUMN MS				8.583	6.06		32.8	10.9	24	1600	1	None				
									154		19.6	536	8	Lead	FIXED					
											19.6		4.5							
												<input type="checkbox"/>	0							

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications		
				I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU ASA Sprit Length Fixed or _o	SL SPL SSMG SSA	SLU ASA Sprit Length Fixed or _o		Ttl Disp.	Traps/H.			Strps	
								Ballast	moveable blst										IB or OB
Disp/WL ratio	Mast Material	Rig Type	ISP JSP	MGU MGM MSA	Yes/No	SL SPL SSMG SSA	SLU ASA Sprit Length Fixed or _o	Ttl Disp.	Traps/H.	Strps	IB or OB	Prop Type	# of blades						
Ione	J 30	8994	141	1981	34.19 11.041	140	38 13	4.83 8.21	Yes	34.5	11.04	No	29.83 25 11.2 5.25	6500 2100 Lead	0 1 FIXED	IB FOLD 2			
Kynntana	Freedom 38	38086	141	1988	33.34 11.5	100	33.34 11.5	45.5 16.57	6.25 10.7	No	447	No	38.42 30.58 12.5 5.6	14370 6500 Lead	0 1 FIXED	IB Fold			
Low-Down	Santa Cruz 27	8027	141	1979	32.7 10.9	140	28.25 8.58	3.68 6.06	Yes	32.15	10.81	No	27 24 8 4.5	3300 1500 Lead	0 1 FIXED	OB None			
Quila	Santa Cruz 27	18723	141	1976	32.583 10.75	155	32.583	28.25 8.583	3.68 6.1	Yes	32.74	10.75	No	27 24 8 4.5	3000 1500 Lead	No 1 FIXED	OB None 0		
Rare Bird	Moore 24	67	141		26.58 9.75	100	28.31 11.65	25 9.5	3.91 6.5	Yes	27	11.65	Yes	17.22 464 0 0	23.75 21.75 7.16 4.083	2050 1025 Lead	0 1 FIXED	OB None	(Mtg 10/27/16, -6 sec/mi for OSP, -6 sec/mi for increased spinnaker area)
Warwhoop	Contessa 33	63336	141	1984	37.916 11.17	100	37.93	39.416 13.86	5.31 9	Yes	36.1	11.17	Yes	20.92 682 0	33 25.52 11.08 5.8	8375 3700 Lead	No 1 FIXED	IB FOLD 2	(Mtg 1/26/17, -3 sec/mi for oversized asymmetric area)(Mtg 2/23/17, -3 sec/mi for oversized symmetric spinnaker area)
Whispering Winds	Lancer 36 MH	87374	141		42 16	125	41.9	37 12	4.8 7.9	No	42 39 28	26 932 0 0	36.17 29 11.75 6	10500 4000 Lead	0 1 FIXED	IB Fixed_3			

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Keel		Engine/Prop	Modifications
					I	J	Max Headsail	ISP	P	MGU	Yes/No	Yes/No	ASF		Ttl Disp.	Traps/H. Strps		
			DW Rating		Mast Material	JSP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type		
			Disp/WL ratio		Rig Type		PY	MSA	SSMG	SSA	SLE	Sprit Length	Max Beam	Ballast Mat.	Keel Type	# of blades		
							EY		SSF		ASM	Fixed or _o	Max Draft					
Cassiopeia	Islander 36 ODR	6763	144	1971	45 14.48	150	45	39.25 4.8	12.75 8.29	45.34 15	27 1020	27	36.08 28.25 11.17 6	13947 5450 Lead	No 1 FIXED	IB FOLD 2	(mtg 2/18/10, - 6 sec/mi for 10% OSP)(8/2/11, boat returned to ODR Configuration)	
Cordon Rouge	J 30	68	144	1979	34 11.5	125	34	38 5.1	13 8.4	34 11.5	19.5 555	20	29.83 25 11.2 5.25	6700 2100 Lead	No 1 FIXED	IB FOLD 3		
Crazy Rhythm	Santa Cruz 27	18771	144	1978	32.58 10.75	125	32.58	28.166 3.68	8.583 6.06	32.74 10.75	19.4 529	19.4	27 24 8 4.5	3200 1600 Lead	No 1 FIXED	OB None 0	(Outboard Removed)	
Flyer	Peterson 33 (CHITA)	18620	144	1979	42.5 13.9	155	42.5	36.66 3.66	9.91 6.21	41.91 13.75	24.83 866	24.67	32.67 26.58 10.5 6.08	9480 4960 Lead	0 1 FIXED	IB FOLD 2		
French Kiss	Beneteau 350 Oceanis	28713	144	1989	41.47 12.8	140	41.47	35.7 4.2	11.6 7.3	39.5 12.52	22.5 741	22.5	33.83 29.83 11.17 5.17	10580 3525 Lead	0 1 FIXED	IB FOLD 2	Above deck Roller Furler	
Luna Sea	Islander 36 ODR	420	144	1980	45 14.48	135	45	39.25 5.05	12.75 8.44	45 15	27 1013	27	36.08 28.25 11.17 6.08	18000 5450 Lead	No 1 FIXED	IB Feath 3		
Nutmeg	Islander 36 ODR	87245	144		45 14.48	150	45	39.25 5.05	12.75 8.44	No			36.083 28.25 11.166 6.083	13450 5450 Lead	No 1 FIXED	IB FOLD 0		

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications								
			Built	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF		LOA	LWL	Ttl Disp.	Traps/H.	Strps	IB or OB							
										PY	MGM		SL	SPL								SLU	ASA	Ballast	moveable blst	IB or OB	Prop Type
DW Rating	Disp/WL ratio	Mast Material	Rig Type	SSFF	ASA	Fixed or_o																					
Peabody	Ultimate 20	22	144		25.08	110	27.58	27.5	5.5	No	Yes	19.2	20.94		1350	0		OB									
			613		6.97		12.79	10.25	7.96		31.3	448	18		450	1		None									
			105	FS					195		28.4	6	8.33		Lead	CNTRBRD											
											17.7	<input checked="" type="checkbox"/>	5.03														
Serenity	Islander 36 ODR	82659	144	1973	45	135	45	39.25	3.69	Yes	No		36.08		13500	0		IB									
			648		14.48			12.75	6.88	45	15		28.25		5450	1		Feath									
			272	ALUMN					265	27	1013		11.17		Lead	FIXED											
				MS						27		<input checked="" type="checkbox"/>	6.083														
Starbuck	Custom Black Soo 30	8666	144	1968	30	125	29.5	25	4.9	Yes	No	20.4	31		4500	0		OB									
			600		13		13	11.73	7.5	31	13		27.5		1800	1		None									
			98	ALUMN				0	178	22.1	577		6.8		Iron	FIXED		0	(Mtg 1/17/02, added scoop, custom rating changed from 144 to 141)(mtg 1/11/13, Added A-sail, -9 sec/mi, rating changed from 141 to 132)(Mtg 5/13/14, removed A-Sail, +9 sec/mi, change custom rating from 132 to 141, +2 sec/mi for small headsail)								
				MS				0		23.2		<input type="checkbox"/>	6.4														
U Decide	Ultimate 20	155	144	2001	26.08	114	27.58	27.33	5.5	No	Yes	17.7	20.83		1350	0		OB									
			616		6.97		12.79	10.17	7.96		30.42	433	18		450	1		None									
			105	ALUMN					193		28.42	6	8.33		Lead	FIXED		0									
				FS							17.67	<input checked="" type="checkbox"/>	5														
UHOO!	Ultimate 20	64	144	1996	22.8	100	27.58	27.5	5.3	No	Yes	19.2	20.8		1100	No		OB									
			614		7		13	10.33	7.96		31.3	446	18		450	1		None									
			86	ALUMN				0	194		28.4	6	8.166		Lead	CENTER		0									
				FS				0			17.6	<input checked="" type="checkbox"/>	5														
Windwalker	Islander 36 ODR	57307	144	1976	45	150	45	39.25	4.8	Yes	No		36.08		13450	No		IB									
			648		14.48			12.75	8.2	45.25	15		28.25		5820	1		FOLD									
			271	ALUMN				0	297	23.3	889		11.17		Lead	FIXED		2									
				MS				0		24.7		<input type="checkbox"/>	6.08														
Amandla	Catalina 34 1&2	796	147	1988	46	130		38.5		No	No		35.75		11950	0		IB									
					13.5			12					29.8		5000	1		FOLD									
			205	ALUMN								<input type="checkbox"/>	11.75		Lead	FIXED		3									
				MS									5.6														

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications	
			Rating		I	J	ISP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB		
			DW Rating		Max Headsail	ISP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type				
			Disp/WL ratio		Mast Material	JSP	PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades				
					Rig Type	EY		ASM	Fixed or _o	Max Draft										
Crews Nest	Catalina 34 1&2	1383	147	1997	44 13.5	130	44 13.5	38.5 12	3.6 6.8	Yes	No	42 24 23.5	13.5 837	0	<input checked="" type="checkbox"/>	35.67 29.83 11.75 5.58	11950 5000 Lead	No 1 FIXED	IB FEATH 3	
Friday Harbor	Beneteau 323 DK	28580	147	2004	42.67 11.06	116		38.9 13.17	5 8.56	No	Yes	45.4 41.34 17.9	19.91 661 0	0	<input checked="" type="checkbox"/>	32 29.17 10.67 5.92	8448 2258 Iron	No 1 FIXED	IB FOLD 2	
Hangover	Islander 36 ODR	367	147	1976	45 14.48	135	45	39.25 12.75	5.05 8.44	No	No			0	<input type="checkbox"/>	36.8 28.25 11.17 6.08	13450 5820 Lead	0 1 FIXED	IB Fixed_2	
Kapai	Islander 36 ODR	438	147	1977	45 14.48	125	45	39.25 12.75	5.05 8.44	No	No			0	<input type="checkbox"/>	36.08 28.25 11.17 6	13450 5500 Lead	0 1 FIXED	IB FOLD 2	
Lawless	Catalina 36-2	2056	147	2002	44.75 14.42	155	44.9	39 12	4.83 8.05	No	No			0	<input type="checkbox"/>	36.42 30.33 11.92 5.83	13500 6042 Lead	0 1 FIXED	IB Fixed_3	
Mottley	Catalina 34	8	147	1986	44 13.5	130	44 14	38.5 12	4.7 8.05	No	No			0	<input type="checkbox"/>	34.5 29.833 11.75 5.583	11950 5000 Lead	No 1 FIXED	IB Fold 2	
Music	Catalina 34 1&2	56583	147	2001	44 13.5	130		38.5 12	3.6 6.8	No	Yes	45 39.2 21.7	21.8 762 0	0	<input checked="" type="checkbox"/>	35.66 29.84 11.75 5.56	11950 5000 Lead	0 1 FIXED	IB FOLD 2	

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications		
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		Ttl Disp.		Traps/H.	Strps	IB or OB Prop Type # of blades			
								SL	SPL	SLU	ASA							Ballast	moveable blst
SSF	SSA	ASM	ASF																
Queimada	Catalina 34 1&2	611	147 1988	44 13.5 150 44 13.5	44 13.5	38.5 4.2 12 7.2	4.2 7.2	Yes	No	34.5 29.83 11.75 5.58	11950 5000 Lead	0 1 FIXED	IB Fold 2						
Sea Spirit	Catalina 34 1&2	108	147 1986	44 13.5 130 44 13.5	44 13.5	38.5 4.36 12 7.54	4.36 7.54	Yes	No	34.5 29.83 11.75 5.58	11950 5000 Lead	No 1 FIXED	IB FOLD 2						
Sonrisa	Baba 40	0	147 1981	50 21 100 50 21	50 21	46 5.3 14.75 9	5.3 9	No	Yes	39.83 34.5 12.83 6	29000 12000 Iron	0 1 FIXED	IB Feath						
Zenith	Islander 36 NCPHRF	472	147 1978	45 14.48 135 45 14.8	45 14.8	39.25 5.05 12.75 8.44	5.05 8.44	No	No	36.08 28.25 11.166 6.083	13450 5820 Lead	No 1 FIXED	IB Fold 2						
Absinthe	Moore 24	102	150 1981	26.25 9.75 150 26.25 26.25	26.25 26.25	25 3.91 9.5 6.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0						
Anna Banana	Moore 24	146	150 1984	26.25 9.75 150 26.25 26.25	26.25 26.25	25 3.91 9.5 6.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.08	2050 1025 Lead	No 1 FIXED	OB None						
Brandy	Farr 30 1/2 Ton	57257	150 1979	31 9.6 145 31 31	31 31	34 4.5 12.9 7.11	4.5 7.11	Yes	No	30.33 23.5 10 5.33	4894 1909 Lead	0 1 FIXED	OB None	(Mtg 4/24/15, -6 sec/mi for increased P)					

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications		
			Rating		I	J		P	MGU	Yes/No	Yes/No	ASF	Ttl Disp.		Traps/H.	IB or OB				
			DW Rating		Max	Max		E	MGM	SL	SPL	SLU	ASA		Ballast	moveable blst	Prop Type			
			Disp/WL ratio		Headsail	Headsail		PY	MSA	SSMG	SSA	SLE	Sprit Lngth		Ballast Mat.	Keel Type	# of blades			
Cadenza	Moore 24	18878	150	1977	26.25 9.75	150	26.25	25 9.5	4.01 6.54	Yes	27	9.75	No		0	23.75 21.75 7.17 4.083	2050 1025 Lead	No 1 FIXED	OB None 0	
			636 91		FS			0 0	148				<input type="checkbox"/>							
Color Blind	Moore 24	49	150	1979	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	27	9.75	No		0	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0	
			635 91		ALUMN FS			0 0	147		17.55 17.55	395		<input type="checkbox"/>						
Crazy Eights	Moore 24	28888	150	1978	26 9.8	150	26.3 9.75	25 9.5	3.91 6.5	Yes	26.6	9.75	No		0	23.75 21.75 7.16 4.083	2050 1000 Lead	0 1 FIXED	OB None 0	
			636 91		ALUMN FS				147		17.55 17.55	389		<input type="checkbox"/>						
Endless Summer	Catalina 36	271	150	1984	44.75 14.33	95	44.75 14.33	39 12	4.33 8.01	No			Yes	23.33	850	36.33 30.25 11.92 5.83	13500 6000 Lead	0 1 FIXED	IB Fixed_3 3	
			655 222		ALUMN MS				279				38.08	<input checked="" type="checkbox"/>	0					
Fatuity	Moore 24	48	150	1980	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	27	9.75	No		0	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0	
			635 91		ALUMN FS			0 0	147		17.55 17.55	395		<input type="checkbox"/>						
Firefly	Moore 24	64	150	1980	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	27	9.75	No		0	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0	
			635 91		ALUMN FS			0 0	147		17.55 17.55	395		<input type="checkbox"/>						
Gruntled	Moore 24	68	150	1980	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	27	9.75	No		0	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0	
			635 91		ALUMN FS			0 0	147		17.5 17.5	394		<input type="checkbox"/>						

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications							
			Built	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps		IB or OB						
										SL	SPL									SLU	ASA	LWL	Ballast	moveable blst	IB or OB
Disp/WL ratio	Mast Material	RPY	MSA	ASMG	Fixed or _o	Max Draft																			
Hasta Nunca	Moore 24	142	150		26.25	150	26.25	25	3.91	Yes	No	23.75	2050	0		OB									
			636		9.75			9.5	6.5			21.75	1025	1		None									
			91		ALUMN				147		<input type="checkbox"/>	7.16	Lead	FIXED		0									
					FS							4.08													
Incognito	Moore 24	136	150	1984	26.25	150	26.25	25	3.91	Yes	No	23.75	2050	No		OB									
			635		9.75			9.5	6.5			21.75	1025	1		None									
			91		ALUMN			0	147		<input type="checkbox"/>	7.16	Lead	FIXED		0									
					FS			0				4.08													
Irie	Beneteau 393 Oceanis SD	38200	150		46	110	46	40.2	4.63	No	Yes	38.12	21700	0		IB									
			633		14.5		14.5	15.1	8.12		45	35.1	5357	1		Fold									
			228		ALUMN				324		39.5	13	Cast Iron	FIXED		3									
					MS						20.8	5.1													
Itinerant	Hunter 34	1025	150	1986	47.42	105		41	4.02	No	No	34.42	11820	0		IB									
					13.75			11.75	6.87			28.25	5366	1		Fixed_2									
					ALUMN				271		<input type="checkbox"/>	11.5	Steel	FIXED											
			238		MS							5.5													
JR	Moore 24	76	150	1980	26.25	155	26.25	25	3.91	Yes	No	23.75	2050	No		OB									
			635		9.75			9.5	6.5			21.75	1025	1		None									
			91		ALUMN			0	147		<input type="checkbox"/>	7.16	Lead	FIXED		0									
					FS			0				4.08													
Kelika	Hunter 33.5	28815	150	1991	39.166	150	39.116	43.166	5.2	Yes	No	33.33	10800	No		IB									
			657		11.666			13.5	8.9			26.83	4500	1		FEATH									
			254		ALUMN			0	350		<input type="checkbox"/>	11	Iron	FIXED		2									
					FS			0				4.5													
Leda	Lapworth 36	71	150	1965	40.5	150	40.5	35.5		Yes	No	36	13500	No		IB									
			632		13.5		13.5	17.5				29	4500	1		FOLD									
			252		ALUMN			0			<input type="checkbox"/>	9.5	Lead	FIXED		0									
					MS			0				5.43													

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
			ISP		I	J	ISP	P	MGU	Yes/No	Yes/No	ASF		Ttl Disp.	Traps/H. Strps	IB or OB	
			JSP		Max	Headsail	E	MGM	SL	SPL	SLU	ASA		Ballast	moveable blst	Prop Type	
			PY		MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type		# of blades			
Disp/WL ratio	Rig Type	EY	SSSF	ASMG	Fixed or _o	Max Draft											
Liquid Asset	Ranger 33	27707	150	1970	41.5	150	41.5	35	4.93	Yes	No		33.17	10500	0	IB	
					13.7		13.67	13.75	8.67				26.25	4500	1	Fold	
			649		ALUMN				280			0	9.58	Lead	FIXED		
			264		MS						<input type="checkbox"/>	0	5.17				
Mas!	Moore 24	138	150	1983	26.25	150	26.25	25	3.91	Yes	Yes	17.6	23.75	2050	0	OB	
					9.75			9.5	6.5		28.4	387	21.75	1025	1	None	
			642		ALUMN				147		25.1	0	7.16	Lead	FIXED		
			91		FS					17.25	17.3	<input type="checkbox"/>	90	4.08			
Mirth	Catalina 34 1&2	28634	150	2005	44	125		38.5	4.17	No	Yes	22.02	35.67	11950	No	IB	
					13.5			12	7.33		42.23	693	29.83	5000	1	FEATH	
			646		ALUMN				265		38.63	0	11.75	Lead	FIXED	3	
			205		MS						20.21	<input checked="" type="checkbox"/>	0	5.58			
Mooretician	Moore 24	89	150	1981	26.25	150	26.25	25	3.91	Yes	No		23.75	2050	No	OB	
					9.75			9.5	6.5		26.6	9.75	21.75	1025	1	None	
			636		ALUMN			0	147		17.55	389	7.16	Lead	FIXED	0	
			91		FS			0			17.55		4.08				
Moxy	Moore 24	110	150	1982	26.25	150	26.25	25	3.91	Yes	No		23.75	2050	No	OB	
					9.75			9.5	6.5		27	9.75	21.75	1025	1	None	
			635		ALUMN			0	147		17.55	395	7.16	Lead	FIXED	0	
			91		FS			0			17.55		4.083				
Nicole	Orion 35	8210	150	1979	44	150	44	39.5	4.42	Yes	No		34.58	13000	0	IB	Displacement Obtained by actual weight on scale, Rudder is new design and new build.
					14			10.5	7.319				28.75	4700	1	FOLD	
			650		ALUMN			0	260		43.667	14.125	10.83	Lead	FIXED	2	
			249		MS			0			25.2	917	6				
Orca	Moore 24	85	150	1981	26.25	150	26.25	25	3.91	Yes	No		23.75	2050	0	OB	
					9.75			9.5	6.5		26	9.75	21.75	1025	1	None	
			638		ALUMN			0	147		17.55	380	7.16	Lead	FIXED	0	
			91		FS			0			17.55		4.083				

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
			Max Headsail		Mast Material Rig Type	P E PY EY		MGU MGM MSA	Yes/No		Yes/No	ASF	Ttl Disp.		Traps/H.	Strps	IB or OB	
			DW Rating						SL	SPL								
			Disp/WL ratio						SSMG	SSA	SLE	Sprit Lngth	Ballast		moveable blst	Keel Type		
Oxymoron	Moore 24	28993	150	1981	26.25 9.75	150	26.2	25 9.5	3.91 6.5	Yes	No		23.75 21.75 7.16 4.25	2050 1025 Lead	0 1 FIXED	OB None 0		
Paramour	Moore 24	75	150	1980	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No		23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0		
Rocket Science	Moore 24	104	150		26.25 9.75	155	26.25 9.76	25 9.5	3.91 6.5	Yes	No		23.75 21.75 7.16 4.08	2050 1025 Lead	0 1 FIXED	OB None 3		
Scarlett	Moore 24	86	150	1980	26.25 9.75	150	26.25	25 9.5	3.89 6.45	Yes	No		24 21.75 7.17 4.08	2050 1000 Lead	No 1 FIXED	OB None		
Slight Disorder	Moore 24	98	150	1981	26.25 9.75	150	26.25 9.75	25 9.5	3.91 6.5	Yes	No		23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0		
Snafu	Moore 24	121	150	1982	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No		23.75 21.75 7.16 4.08	2050 1000 Lead	0 1 FIXED	OB None		
Sweet Tea	Moore 24	105	150	1981	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No		23.75 21.75 7.16 4.08	2050 1025 Lead	0 1 FIXED	OB None		

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
				I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		Ttl Disp.		Traps/H. Strps Ballast moveable blst				
								SL SPL SSMG SSF	SPL SSA	SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o				Ballast Mat.			Keel Type
The Jackal	Moore 24	22	150	1977	26.25 9.75	150	26.25 9.75	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.08	2050 1025 Lead	0 1 FIXED	OB None			
			636 91	ALUMN FS				147			<input type="checkbox"/>	0 0						
The Shadow	Custom Mull 32	18787	150	1974	39.833 13.25	125	39.83	35.166 9.75	3.45 6.2	Yes	No	32.166 26.666 10 5	10600 4500 Lead	No 1 FIXED	IB FOLD 2	RMVD Foam Bumps from both sides of hull, Red Beam by approx 7" Replaced Rudder and Skeg Design w/balanced Rudder Depth same, area increased approx 8 sqft. Hull dry rot, Crsnfg Accom, Ref, Head Stars Cowl, Changed MTC 10/6/07		
			661 254	ALUMN MS				0 0	200		<input type="checkbox"/>	0						
Wet Spot	Moore 24	51	150	1979	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.08	2050 1025 Lead	No 1 FIXED	OB None 0			
			636 91	FS				0 0	147		<input type="checkbox"/>	0						
White Trash	Moore 24	78	150	1979	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.08	2050 1025 Lead	0 1 FIXED	OB None 0			
			636 91	ALUMN FS					147		<input type="checkbox"/>	0 0						
WooHoo	Moore 24	80	150	1980	26.25 9.8	150	26.25	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.083	2050 1025 Lead	0 1 FIXED	OB None 0			
			635 91	ALUMN FS					147		<input type="checkbox"/>	0 0						
Zingara	Islander 36 NCPHRF	484	150	1978	45 14.48	125	45 14.8	39.25 12.75	4.8 8.29	No	No	36.1 28.25 11.17 6.08	13450 5820 Lead	No 1 FIXED	IB Fold 2	Roller Furler		
			271	ALUMN MS				0 0	298		<input type="checkbox"/>	0						
Andiamo	Catalina 36-2	2168	153	2004	44.75 14.33	115		39 13	3.04 6.16	No	Yes	36 30.25 11.9 5.8	14200 6000 Lead	0 1 FIXED	IB Fixed_3 3	In-Mast Furling Mainsail, +3 sec/mi		
			649 233	ALUMN MS					248		<input checked="" type="checkbox"/>	0						

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications		
				I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No	Yes/No	ASF	Ttl Disp.		Traps/H. Strps					
				Mast Material			PY	MSA	SL	SPL	SLU	ASA	Ballast	moveable blst					
				Rig Type			EY		SSMG	SSA	SLE	Sprit Length	Ballast Mat.	Keel Type					
			Disp/WL ratio						SSF		ASMG	Fixed or _o							
Coquelicot	Ranger 33	148	153 1975	41.5 13.87	120	43.75 13.87	35 13.75	4.6 8.1	Yes	45.51	13.87	No		33 26.3 9.6 5	10500 4500 Lead	No 1 FIXED	IB FOLD 2	Double Spreader rig, water supply 41 gallons, below v berth, 26 gallon bladder tank starboard, rudder 9 inches deeper, group 31 batteries, 15 hsp one cyl disel replaced by 29 hsp Perkins 3 cylendar engine. (MTCB/MTC 2 21 02)	
			644 262	ALUMN MS			0 0	270				<input type="checkbox"/>	0						
Lenora	Hunter 33-2	60700	153 2004	37.42 10.83	115	38.42 10.83	36.46 15.83	4.83 8.33	No			Yes	18.5 531	33.5 29.42 11.17 5.5	10400 3459 Lead	0 1 FIXED	IB Fold 3		
			648 186	ALUMN FS				306				35.5 16.67	0 <input checked="" type="checkbox"/>	0					
Moore Fun	Moore 24	18884	153 1979	26.25 9.75	125	26.25	25 9.5	3.91 6.5	Yes	27	9.75	No		23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0		
			636 91	ALUMN FS			0 0	147		17.55 17.55	395		0 <input type="checkbox"/>	0					
Sterling	Catalina 34 1&2	1269	153 1994	44 13.5	125		38.5 12	3.6 6.8	No			No		35.66 29.84 11.75 5.56	11950 5000 Lead	0 1 FIXED	IB Fixed_2		
			204	ALUMN MS				251					<input type="checkbox"/>	0 0					
Azure	Catalina 275 Sport	1	156 2013	34.42 8.99	106	11.83	31.5 11.48	5.33 8.17	No			Yes	22 665	27.5 26.57 8.5 5.2	5000 2040 Lead	0 1 FIXED	IB Fixed_2		
			629 121	ALUMN FS				233				35 22	0 <input type="checkbox"/>	0					
Bosporus II	Columbia 36	97415	156 1968	42.75 15	150	41.75 15	34.666 14	5.3 9.1	Yes	41.5	15	No		35.75 28.25 10.5 5.42	13000 5000 Lead	No 1 FIXED	IB Fold 2		
			639 262	ALUMN MS			0 0	289		25.8 26	894		0 <input type="checkbox"/>	0					
Eliana II	Morgan 38-2	77486	156 1981	46 16.25	110	46 16.25	40.5 14.5	4.69 8.34	Yes	47.8	16.25	No		38.33 30.5 12 6	17000 6800 Lead	0 1 FIXED	IB Fixed_3 3	(Mtg 1/26/17, -3 sec/mi for oversized symmetric spinnaker area)	
			632 272	ALUMN MS				324		30.1 30	1198		0 <input type="checkbox"/>	0					

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No	Yes/No	ASF	Ttl Disp.		Traps/H. Strps			
				Mast Material			PY	MSA	SL	SPL	SLU	ASA	Ballast	moveable blst			
				Rig Type			EY		SSMG	SSA	SLE	Sprit Lngth	Ballast Mat.	Keel Type			
									SSF		ASMG	Fixed or _o					
Joyicity	Custom Davidson 26	20746	156 1975	27 9.1	150	31.15 10	28.75 11.5	5.1 8.1	Yes	No	31.12	10	26.42 22.5 8.25 5.25	3000 1450 Lead	No 1 FIXED	IB FOLD 2	Removed IOR Bump infilled w/Divinicell w/fiberglass skin/faired; Installed Melges rig w/mod for Spinnaker; shortened boom; increased "P" increased "J". Code zero type furler used above deck; Helard on luff side of sail; 10 ft spin
			633 120	CARBON FS			0 0	210	18 18	467		0					
Nessie	Catalina 34 1&2	734	156 1988	44 1.5	100	44 13.48	38.5 12	4.7 7.54	No	No			34.5 29.83 11.75 5.58	11950 5000 Lead	0 1 FIXED	IB Fixed_3 3	
			205	ALUMN MS				274				0					
Sacagawea	Catalina 34 1&2	375	156 1987	44 13.5	95	44 13.48	38.5 11.75	4.7 7.54	No	No			34.5 29.83 11.75 5.6	11950 5000 Lead	0 1 FIXED	IB Fixed_3 3	
			205	ALUMN MS				272				0					
Scraft	Hunter 36	38096	156 2005	44.83 13.17	125		44.92 16	6 10.3	No	No			35.5 30.58 12 5.42	13900 5023 Lead	0 1 FIXED	IB Fixed_3	Roller Furler, In-mast Furling Mainsail
			221	ALUMN MS				426				0					
Sea Breeze	Catalina 320	850	156 2001	43.58 12.33	135	43.58	38 13.25	5.168 8.661	No	No			32.5 28 11.75 6	11300 4000 Lead	0 1 FIXED	IB Fold 2	
			234	ALUMN MS				303				0					
Youngster	IOD ODR	82	156 1937	29.25 8.33	103	41 10.67	38.83 16.25	6.12 10.47	Yes	No	30	8.416	33.42 21.42 6.75 5.333	7100 4100 Lead	No 1 FIXED	NONE None 0	(mtg 1/21/10, switched to Masthead Spinnaker, -12 sec/mi for 40% increase in ISP, -6 sec/mi for oversized spinnaker girths)(138 rating valid for PHRF Races, not valid for IOD Class races. Boat must be in close configuration to sail
			699 328	ALUMN MS			0 0	374	15 15	375		0					
Alchemy	Olson 25	18252	159 1984	32 9.583	155	32	28 10	3.8 6.4	Yes	No	32	9.583	25 21.25 9 4.5	3300 1300 Lead	No 1 FIXED	OB None 0	
			671 156	ALUMN MS			0 0	166	17.25 17	459		0					

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications	
			Built	ISP JSP	I J	Max Headsail	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp.	Traps/H. Strps		IB or OB Prop Type # of blades			
									DW Rating	Mast Material	SL SPL SSMG SSF	SPL SSA			SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ballast		moveable blst
Arby	Colgate 26	212	159	2004	27.75 8.25	105	27.75	29.75 11.2	4.3 7.3	No	No	25.7 20 8.5 4.5	2600 1040 Lead	0 1 FIXED	OB Fixed_3 3	Non Spinnaker configuration				
Carpe Vita	Olson 25	97399	159	1988	32 9.583	130	32	28 10	3.8 6.4	Yes	No	25 21.25 9 4.5	3300 1300 Lead	No 1 FIXED	OB None 0					
Fast Lane	Olson 25	46657	159	1985	32 9.6	155	32	28 10	3.8 6.4	Yes	No	25 21.25 9 4.5	3300 1300 Lead	0 1 FIXED	OB None					
Foxxfyre	Yamaha 33 IK SM	67248	159	1978	42.81 13.78	150	42.81	37.4 10.6	4.38 7.27	Yes	No	33.25 26.92 11 6.25	16000 4410 Iron	No 1 FIXED	IB FEATH 2	PER PHRF MTG 3/16/2000 - Weight Differencer from brochure is significant.				
Grey Wulff	Olson 25	18517	159	1984	32 9.6	155	32	28 10	3.8 6.4	Yes	No	25 21.25 9 4.5	3300 1300 Lead	0 1 FIXED	OB None					
Harizon	Dufour 310	122	159	2016	40.35 10.82	95		38.25 14.57	5.54 9.47	No	No	31.72 28.54 10.88 6.23	10802 2932 Iron	0 1 FIXED	IB Fold					
Imagine	Ericson 32-3	716	159	1987	42 13.8	135		36.4 11.8	4.18 7.28	No	No	32.5 25.83 10.83 6	9800 4200 Lead	0 1 FIXED	IB Fixed_2 2					

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst	IB or OB Prop Type # of blades	
								SL	SPL	SLU	ASA						
								SSMG SSF	SSA	SLE ASMG	Fixed or _o						
Isle Of Skye	Tartan 33 7/8 RIG	6	159 1979	36.42 12.42 ALUMN FS	100	36.42	41.58 14.42 0 0	4.6 8.1 328	No	No	0 <input type="checkbox"/>	33.67 28.08 10.92 4.42	10000 4400 Lead	No 1 FIXED	IB FEATH 3		
Joie De Vivre	C&C 33	18797	159 1979	43 14 ALUMN MS	110	43	37.25 10.75 0 0	4.4 6.33 235	No	Yes 43.25 38.33 21.33	21.42 726 0 <input checked="" type="checkbox"/>	32.9 26.42 10.54 5.5	10100 3975 Lead	0 1 FIXED	IB FOLD		
Ouessant	Farallone Clipper FR	8214	159 1957	35.69 13.87 WOOD FS	150	35.69	40.34 18.79 0 0	7 12.1 448	Yes	No 35.38 24.41 23.58	13.833 715	37.833 28.25 9.5 5.916	18344 7200 Iron	No 1 FIXED	IB Fixed_2 2		
Shadowfax	Olson 25	91	159 1986	32 9.6 ALUMN MS	155	32	28 10 0 0	3.8 6.4 166	Yes	No 31.7 17.25 17.25	9.583 456	25 21.25 9 4.5	3300 1300 Lead	No 1 FIXED	OB None 0		
Shark-On-Bluegrass	Olson 25	18201	159 1984	32 9.583 ALUMN MS	155	32	28 10 0 0	3.8 6.4 166	Yes	No 32 17.25 17	9.583 459	25 21.25 9 4.5	3300 1300 Lead	No 1 FIXED	OB None 0		
Snafu	CS 30	68588	159 1988	42 12.04 ALUMN MS	125	42	36.416 11.416 0 0	3.95 6.5 232	NO	Yes 44 40.653 20.04	20.04 707 0 <input checked="" type="checkbox"/>	30 25.51 10.25 5.416	8000 3440 Lead	0 1 FIXED	IB FOLD 2		
Synchronicity	Olson 25	68	159 1985	32 9.583 ALUMN MS	155	32	28 10 0 0	3.8 6.4 166	Yes	No 32 17.28 17.28	9.583 461	25 21.25 9 4.5	3300 1300 Lead	No 1 FIXED	OB None 0		

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications				
			Built	J	Max Headsail	ISP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp. Traps/H. Strps		IB or OB							
									E	MGM				SL	SPL		SLU	ASA		LWL	Ballast	moveable blst	# of blades
Disp/WL ratio	Mast Material	Rig Type	EY	SSF	ASMG	Fixed or _o	Max Draft	Ballast Mat.	Keel Type														
Vip	Farallone Clipper FR	7	159	1957	36.82	155	36.82	40.5	6.16	Yes	No	38	19000	No	IB								
			673		14			18.5	10.979			28.75	7000	1	Fixed_3								
			363		WOOD			0	420		<input type="checkbox"/>	9.5	Iron	FIXED	3								
			368		FS			0				5.6											
Apogee	Islander 36 Freeport	36	162	1978	46.75	150		42	5	No	No	35.9	17000	0	IB								
			368		16.75			12.75	8.4			27.6	7030	1	Fold								
			368		ALUMN				323		<input type="checkbox"/>	12	Lead	FIXED									
			368		MS							5.3											
Finn	Capo 26 IB	18782	162	1985	34.6	155		30	4.1	Yes	No	26	4300	0	IB								
			673		10.56			10	6.8			22	1900	1	Fold								
			184		ALUMN				185		<input type="checkbox"/>	9.25	Lead	FIXED									
			184		MS							4.58											
Red Hawk	Hawkfarm 28 ODR	59024	162	1978	33	155	33.25	36	4.37	Yes	No	28	5700	0	IB								
			667		11		11.5	10.5	7.26			23.5	2700	1	FOLD								
			200		ALUMN			0	236		<input type="checkbox"/>	9.75	Lead	FIXED	2								
			200		FS			0				5.166											
Sailor Dog	Catalina 34 1&2	1798	162	2007	44	110	44	38.5	2.8	No	Yes	34.5	11950	0	IB	In-Mast furling main +3 sec/mi, MGM less than 50% of E +3 sec/mi							
			657		13.5		13.5	12	5.9		20.5	29.8	5000	1	Fixed_3								
			205		ALUMN				229		723	11.7	Lead	FIXED	3								
			205		MS						<input type="checkbox"/>	5.6											
White Cloud	Yamaha 33 IK SM	28688	162	1979	42.8	150	42.8	37.42	4.38	Yes	No	33.25	10582	0	IB								
			648		13.78			10.67	7.27			26.92	4409	1	Fixed_2								
			247		ALUMN				247		<input checked="" type="checkbox"/>	11	Iron	FIXED									
			247		MS							6.2											
Constance	Tartan 34 CB	346	165	1974	41	125	41	35.5	4	No	Yes	34.3	11200	0	IB	Roller Furler							
			683		14			10.5	6.9		20.3	25	5000	1	Fold								
			326		ALUMN				224		742	10.2	Lead	CNTRBRD	2								
			326		MS						<input checked="" type="checkbox"/>	8.3											

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
			Rating		I	J	ISP	P	MGU	Yes/No	Yes/No	ASF		Ttl Disp.	Traps/H.	IB or OB		
			DW Rating		Max	Max	JSP	E	MGM	SL	SPL	SLU		ASA	Ballast	moveable blst		Prop Type
			Disp/WL ratio		Headsail	Headsail		PY	MSA	SSMG	SSA	SLE		Sprit Lngth	Ballast Mat.	Keel Type		# of blades
Lonesome Dove	Elite 29	9066	165	1984	35.833 11.083	130		30.333 10.333	2.6 5.1	Yes		No	28.67 24.42	6160 2310	No 1	IB Fixed_2		
			676 192		ALUMN MS		0 0	157				<input type="checkbox"/>	10.5 5.58	Iron FIXED		2		
Pearl	Ranger 33 SM	278	165	1977	38 13.9	125	38	31.5 11	4.43 7.39	Yes		No	33.17 26.25	10500 4800	0 1	IB Fixed_2		
			666 264		ALUMN MS			212				<input type="checkbox"/>	9.583 5.166	Lead FIXED		2		
Wildcat of Loch Awe	S-2 7.9 FR DB	59838	165	1983	31.83 9.5	135	31.83	29.42 12.33	4.75 7.92	Yes		No	25.92 21.67	4250 1750	0 1	OB None		
			685 190		ALUMN FS			216				<input type="checkbox"/>	9 5	Lead AGGERBF				
Bandido	Merit 25	28125	168	1983	28.75 9.66	150		28 9.75	4.25 6.69	Yes		No	24.5 20.5	3000 1050	No 1	OB None		
			693 158		ALUMN FS			172				<input type="checkbox"/>	8 4	Lead FIXED		3		
Double Agent	Merit 25	8465	168	1981	28.75 9.66	155		28 9.75	4.25 6.69	Yes		No	24.5 20.5	3000 1050	No 1	OB None		
			693 158		ALUMN FS			172				<input type="checkbox"/>	8 4	Lead FIXED		0		
Downtown Upoar	J 24 ODR	2394	168	1981	26.25 9.5	150		28 9.75	3.7 6.37	Yes		No	24 20	3125 965	0 1	OB None		
			693 178		ALUMN FS			163				<input type="checkbox"/>	9.2 4.1	Lead FIXED		0		
Irish Blessing	J 24 ODR	2184	168		26.25 9.5	150		28 9.75	3.7 6.37	Yes		No	24 20	3100 965	0 1	OB None		
			693 176		ALUMN FS			163				<input type="checkbox"/>	8.92 4	Lead FIXED		0		

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications		
			Built	J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp.	Traps/H. Strps		IB or OB Prop Type # of blades			
									DW Rating Disp/WL ratio	Mast Material Rig Type	SL	SPL			SLU	ASA			Ballast	moveable blst
Shut Up & Drive	J 24 ODR	513	168		26.25	150	26.25	28	3.7	Yes		No		24	3100	No	OB			
			693		9.5			9.75	6.37					20	965	1	None			
			176		ALUMN FS			0	163				<input type="checkbox"/>	8.916	Lead	FIXED	0			
								0						4						
Sobrante	Alerion Express 28 ODR	406	168	2009	30	90	30	33	4.8		No	No		28.25	5700	0	IB			
					9.75		9.75	12.5	7.6					22.83	2200	1	Fold			
			218		ALUMN FS				241				<input type="checkbox"/>	8.2	Lead	FIXED	2			
														4.5						
Spirit	Alerion Express 28 ODR	275	168		30	90	30	33	4.8		No	No		28.25	5700	0	IB			
					9.75		9.75	12.5	7.6					22.83	2200	1	Fold			
			218		ALUMN FS				241				<input type="checkbox"/>	8.2	Lead	FIXED	2			
														4.5						
Achates	Newport 30-2	6847	174	1974	39.5	155	39.5	34	3.8	Yes		No		30	8500	No	IB			
					12.5			10.25	6.6					25	3000	1	FOLD			
			667		ALUMN MS			0	206				<input type="checkbox"/>	10.67	Lead	FIXED	2			
			247					0						5.17						
Alpha	Sonar 23	498	174	1990	23	100		27.5	1.23		No	No		23	2100	n	OB			
					8.25			11.17	7.3					19.92	900	1	None			
			121		ALUMN MS				156				<input type="checkbox"/>	7.8	Lead	FIXED				
														3.92						
Aquadisiac	Newport 30-3	38075	174	1985	40	155	40	34	3.8		No	No		30.5	8500	0	IB			
					12.5			10.25	6.6					26.5	2600	1	Fold			
			208		ALUMN MS				206				<input type="checkbox"/>	10.67	Lead	FIXED	2			
														5.17						
BZ	Sonar 23		174		23	100		27.5	1.23		No	No		23	2100	No	NONE			
					8.25			11.17	7.3					19.92	900	1	None			
			121		ALUMN FS				156				<input type="checkbox"/>	7.8	Lead	FIXED				
														3.92						

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst Keel Type		
Nepenthe	Hawkfarm 28	6122	174 1976	33.3 11	115	33	36 10.5	4.3 7.2	No	No		28 23.5 9.75 5.5	5700 2700 Lead	0 1 FIXED	IB Fixed_2 2		
Now and Zen	Newport 30-2	6883	174 1978	39.5 12.125	150		34 10.25 0 0	3.25 5.7 190	Yes	No		30 25 10.5 4.75	8000 2600 Lead	No 1 FIXED	IB Fold 2		
Siento El Viento	C&C 29	38311	174 1977	39.5 12.8	155		33.5 10.1		Yes	No		29.5 23.6 10.5 5.25	7500 2700 Lead	No 1 FIXED	IB Fold 2		
Tortuga	Pyramid 660 ODR MOD	8375	174 1981	21.82 6.8	104	28 7	25.7 10.5	4 6.8 161	Yes	No		21.8 18.1 6.2 3.9	850 400 Lead	2 1 FIXED	OB None 2	(Mtg 5/20/10, removed trapeze +18 sec/mi, hiking straps still allowed)(1/24/13, added upper spreaders & stays, NCTR)	
White Bear	Nonsuch 30	431	174 1987				45 24	8.68 15.12 629	No	No		30.33 28.75 11.9 5	11500 4500 Lead	0 1 FIXED	IB Fold 3		
Zeehond	Newport 30-2	707	174 1976	39.5 12.125	150	39.5	34 10.25 0 0	3.6 6.33 201	Yes	No		30 25 10.5 4.75	8500 2600 Lead	No 1 FIXED	IB FOLD 2		
Archaeopteryx	Hotfoot 20	101	177 1986	25 7	105	26.08 7.67	27.08 10.08	4.05 6.6 166	Yes	No		20 18 8.5 5	1000 400 Lead	0 1 CNTRBRD	OB None		

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst Keel Type		
Wings	Columbia 5.5 M ODR	31	177 1965	29.125 8.25	96	30	34 11.416	4.59 7.65	Yes	29	8.25	No	32.416 25 6.25 4.33	4400 2800 Lead	No 1 FIXED	NA None 0	
Galaxsea	Custom Nauticat 43.5	28743	180 1985	51 20	104	20.6	45 13.6	4.3 7.9	Yes	50.98	20	Yes	43.6 37.7 12.2 5.9	34000 11000 Lead	No 1 FIXED	IB FEATH 3	Stay sail measurements foot=1', Luff=34'6", Leach=30'2", LP=132"
Goose	Catalina 30	1210	180 1979	41 11.416	155	41	35 11.5	4.63 7.72	Yes	40	11.5	No	29.92 25 10.83 5.25	10200 4200 Lead	No 1 FIXED	IB FOLD 2	
Lelo Too	Tartan 30	16354	180 1975	39 13	155	39	34 11.416	4.61 7.69	Yes	37	13	No	29.92 24.25 10 4.916	8750 3700 Lead	0 1 FIXED	IB FOLD 0	
Ross's Dream	Catalina 30	4895	180 1987	41 11.42	150	41	35 11.5	4.63 7.72	Yes	40.45	11.5	No	29.92 25 10.83 5.25	10200 4200 Lead	0 1 FIXED	IB Fold 2	
Serendipity	CAL 29-1 IB	6601	180 1974	37.833 12.333	155	37.833 12.67	31.666 12.166	4.332 7.573	Yes	37	12.16	No	29.25 24.17 9.25 4.75	8000 3350 Lead	No 1 FIXED	IB FOLD 2	
Strange Magic	Islander Bahama 30	179	180 1981	40 12.75	150	40 12.75	33.75 11.5	4.37 7.47	No			No	29.92 24.58 10 5	8230 3130 Lead	0 1 FIXED	IB Fold	

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst Keel Type	IB or OB Prop Type # of blades	
Wuvulu	Islander Bahama 30	61	180 1979	40 12.75	150	38.416	33.75 11.5	4.75 8.125	Yes	38.5	12.416	No	30 24.58	8600 3500	No 1	IB FOLD	
			674 263	ALUMN MS			0 0	243		22.44 22.75	722	<input type="checkbox"/>	10 5	Lead	FIXED	2	
Alte Liebe	Albin Ballad 30	1266	183 1978	37.083 11.249	155	37.8	31.916 9.333	3.33 5.58	Yes	36.83	12.27	No	29.916 22.583	7276 3417	No 1	IB FOLD	The J measurement in all Ballad documents & Sailmaker plans is 12.27 however the actual J= 11.3" (MTG 8/25/94), standard SPL is 12.27 (mtg 3/20/08)
			698 287	ALUMN MS			0 0	171		22.2 21.83	679	<input type="checkbox"/>	9.666 5.09	Lead	FIXED	2	
Avalon	Catalina 30	6138	183 1992	41 11.416	120	41	35 11.5	4.63 7.72	No			No	29.92 25	10200 4200	0 1	IB Fold	
				ALUMN MS			0 0	246				<input type="checkbox"/>	10.83 5.25	Lead	FIXED	2	
Christine Rose	Catalina 30 TM	0	183 1977	43 13.16	150	43 13.16	37 12	4.8 8	Yes	43.08	13.16	No	29.92 25	10200 4250	0 1	IB Fixed_3	
			684 297	ALUMN MS				270		23.6 23.6	847	<input type="checkbox"/>	10.83 5.25	Lead	FIXED	3	
Kiwa	Ericson 32-2	285	183 1973	36 18	155	36	31.5 13	4.9 8.4	No			No	32 24	9400 4400	0 1	IB Fixed_2	
				ALUMN MS				243				<input type="checkbox"/>	9.67 4.91	Lead	FIXED	2	
Moxie	CAL 28-2	28217	183 1988	39.9 11.4	90	39.9 11.4	34.17 10.33	4.28 7.11	Yes	39.26	11.4	No	28 23	7200	0 1	IB FOLD	
			691 269	ALUMN MS				219		20.39 20.39	667	<input type="checkbox"/>	10.8 5.3	Lead	FIXED	2	
Antares	Islander 30-2	6237	186 1971	38.5 12.58	155	38.416	32.5 11.58	4.75 8.125	Yes	38	12.416	No	30 24.58	8600 3600	No 1	IB FOLD	
			677 263	ALUMN MS			0 0	235		22.7 22.92	720	<input type="checkbox"/>	10 5	Lead	FIXED	2	

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp. Traps/H. Strps		IB or OB Prop Type # of blades			
								SL SPL SSMG SSF	SPL SSA SSA	SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ballast	moveable blst Keel Type				
																	Ballast Mat.	Keel Type
Don Wan	Santana 28	8191	186	1978	36 12	155	36	31 9.416	3.6 6.1	Yes	No	28.25 23 9.17 5	7500 2550 Lead	No 1 FIXED	IB Fold 2			
			704 280		ALUMN MS		0 0	175			<input type="checkbox"/>							
Maxine	Yankee 30-1 SM	43	186	1971	37.5 12.75	125	37.5 12.75	32.5 9.7	2.4 4.8	No	No	30.13 23 9 5	8700 4130 Lead	0 1 FIXED	IB FOLD 2	+3 sec/mi for MGM less than 50% of E		
			325		ALUMN MS			158										
Samba Pa Ti	J 22	3	186	1982	24.8 8.8	125	24.8 8.8	26.1 9	3.78 6.27	Yes	No	22.5 19 8 3.8	1790 700 Lead	0 1 FIXED	OB None			
			674 119		ALUMN FS			147			<input type="checkbox"/>							
Sirena	Ericson 32-2	18319	186	1972	35 13	110	35	31 13	4.9 8.4	Yes	No	31 24 9.8 5	8800 4000 Lead	0 1 FIXED	IB Fixed_2 2			
			685 289		ALUMN MS			239			<input type="checkbox"/>							
Summertime Dream	Custom Schumacher 26	18859	186	1979	26.28 8.07	150	26.28 8.07	29.58 10.76	4.33 7.23	Yes	No	26.08 20 9.08 5.08	3300 1360 Lead	0 1 FIXED	OB None 0	Boat has previously been called "War"		
			705 187		ALUMN FS			195			<input type="checkbox"/>							
Sweet Pea	Islander 30-2	195	186	1971	38.5 12.58	155	38.42	32.5 11.58	4.75 8.125	Yes	No	30 24.58 10 5	8600 3500 Lead	0 1 FIXED	IB FOLD 2			
			677 263		ALUMN MS			235			<input type="checkbox"/>							
Wild-Type	Ericson 32-2	614	186	1975	38 13	155	13	31.5 13	4.53 8.19	No	Yes	31.58 24 8.67 4.92	8800 4000 Lead	0 1 FIXED	IB Fixed_3 3	Roller Furler		
			707 289		ALUMN MS			237			<input checked="" type="checkbox"/>							

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SPL SSMG SSF	Yes/No SLU SLE ASMUG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast		Traps/H. moveable blst	Strps Keel Type	IB or OB Prop Type # of blades	
Xtasea	Catalina 30	0	186 1985	41 11.5	110	41	35.5 11.5	4.63 7.72	Yes 40.45 20.7 20.7	11.5 698	No	0 0	29.92 25 10.83 5.25	10200 4250 Lead	0 1 FIXED	IB Fixed_2 2	
Lucky Mud	Pearson 323	110	189 1978	41 13.81	100		36 10.75	3 5.2	No		No	0 0	32.3 27.5 10 4.5	12800 4500 Lead	0 1 FIXED	IB Fixed_3	
TASHI	Catalina 30	2010	189 1976	41 11.5	110	41	35 11.5	4.63 7.72	No		No	0 0	29.92 25 10.83 5.25	10200 4250 Lead	0 1 FIXED	IB Fixed_3 3	
Toypedo	Ranger 26-2	67341	189 1980	26.4 9	150	28 9	30.5 11	4 7	Yes 26.5 16.2 16.2	9 358	No	0 0	26 20 8 5	3000 1140 Lead	0 1 FIXED	OB None	Fixed Keel, No daggerboard
Gygax	Hinckley Pilot 35 TM	4802	192 1975	44.36 13.8	155	44.36 13.8	41.83 15.81	5.5 9.97	Yes 42 24.8 24.8	13.8 868	No	0 0	35.5 25 9.5 5	13500 4200 Lead	0 1 FIXED	IB Feath	
Jam Jam	Yankee 30-1 SM	90	192 1972	37.5 12.75	125	37.5	34.5 9.75	2.45 4.91	Yes 35 19.5 22.5	12.75 586	No	0 0	30 23 9 5.1	8900 4180 Lead	0 1 FIXED	IB Fixed_3 3	(mtg 4/28/11, +3 sec/mi for engine modifications)
Ga	Knarr ODR	123	198	33.583 6.583	125	33.583	31 11.166	4.47 7.46	No		No	0	30.333 20.333 7 4.25	4630 2866 Lead	No 1 FIXED	OB None 0	

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
				I J	Max Headsail		P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps moveable blst Ballast Mat. Keel Type			
Kraken	Knarr ODR	47	198		33.583 6.583 WOOD FS	125	33.583	31 11.166 0 0	4.47 7.46 211	No	6.583	No	0	30.333 20.333 7 4.25	4360 2866 Cast Iron	No 1 FIXED	OB None 0	
Happiness	Cal 27-2 OB	3893	201		36 12 ALUMN MS	95	36 12	30.67 10.25	3.25 6.5 180	Yes 36 21.6 21.6	12 648	No	0 0	26.58 22.08 9.25 4.25	6700 3100 Lead	0 1 FIXED	OB None	
Oshun	Catalina 27 OB	1216	201	1974	34 11.25 ALUMN MS	95		28.67 10.5	4.24 7.08 185	No		No	0 0	26.83 21.75 8.83 4	6850 2750 Lead	0 1 FIXED	OB None	
Blue Ribbon II	Catalina 270 IB	38087	207	1994	33.58 9.25 ALUMN MS	135	33.58	28.42 11.5	4.67 7.61 199	No		No	0 0	27 23.75 9.83 5	6400 2000 Lead	0 1 FIXED	IB Fixed_2 2	
Obsession	Harbor 20	299	207	2010	25.75 7 ALUMN FS	95	26.38 8.16	26 10	3.25 6.05 147	Yes 25.9 13.7 13.6	8 295	No	0 0	20 17.2 7 3.5	1800 900 Lead	0 1 FIXED	OB None	(Mth 5/25/17, -6 sec/mi for OSP)
Miss Kate	Catalina 27 IB	4630	210	1980	34.5 11.25 ALUMN MS	125	34.5 11.25	28.66 10.5	3.99 6.83 180	No		Yes 34.35 31.85 18.25	20.35 515 0 0	26.85 21.75 8.85 4	6850 2700 Lead	0 1 FIXED	IB Fixed_2	
Picante	Islander Bahama 28 SM	1	210	1981	33.8 11.75 ALUMN MS	150	11.75	28 8.2	3.58 5.75 146	No		Yes 33 29.4 18	20 478 0 0	27.9 23 9.8 5.5	7000 3000 Lead	0 1 FIXED	IB Fixed_3 3	

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		Ttl Disp. Ballast		Traps/H. moveable blst	IB or OB Prop Type # of blades			
								SL SSMG SSF	SPL SSA	SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o					Ballast Mat.		Keel Type
Blue Ribbon	Catalina 27 IB	343	213 1975	34.5 11.25 ALUMN MS	120	28.7 10.5	3.5 6.3 170	No	No			26.83 21.75 8.83 4	6850 2650 Lead	0 1 FIXED	IB Fixed_3 3			
Dura Mater	CAL 27-2 IB	616	213 1979	36 12 ALUMN MS	120	30.83 10.25	4.21 7 195	Yes	No			26.58 22.08 9.25 4.25	6700 3100 Lead	0 1 FIXED	IB Fixed_3 3			
Firefly	Harbor 20	226	213 2006	25.75 7 ALUMN FS	90	25.75 7	26 10 151	3.6 6.25	No	No		20 17.17 7 3.5	1800 900 Lead	0 1 FIXED	OB None			
Adagio	CAL 25-2 OB		216 1979	33 11 ALUMN MS	150	28 9.5	3.9 6.5 165	No	No			29.25 22 9 4.5	4500 2000 Lead	0 1 FIXED	OB None			
Evenstar	Ranger 23	6404	216 1974	27.54 9.75 ALUMN MS	155	27.5 9.7	24 9.2 126	3.3 5.4	Yes	No		23.67 20 7.92 3.9	3400 1500 Lead	0 1 FIXED	OB None			
Quiet Thing	Ranger 22	200	216 1978	25.75 8.5 ALUMN FS	155	25.75 9.7	26 7.4 115	2.8 4.8	Yes	No		22.5 17.5 7.8 4.3	2200 900 Lead	0 1 FIXED	OB None			
Tortuga	Westsail 32	207	216 1974	31.2 18.4 ALUMN CTR	150	38.3 15.1			No	No		32 27.6 11 5	19500 7000 Lead	0 1 FIXED	IB FOLD 3			

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications							
			Built	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF		LOA	Ttl Disp.	Traps/H.	Strps		IB or OB						
										E	MGM		SL	SPL							SLU	ASA	LWL	Ballast	moveable blst	Prop Type
Disp/WL ratio	Mast Material	Rig Type	EY	SSF	ASMG	Fixed or _o	Max Draft																			
No Name	swift	274	219	1978	25.9	125	25.9	26	3.3	Yes		No		22.5	2183	0	OB	Roller Furler								
					8.5		8.6	7.5	5.5					17.58	900	1	None									
			724		ALUMN				126				0	7.83	Lead	FIXED										
			183		FS							<input type="checkbox"/>	0	4.3												
New Sinsation	Santana 20	28449	222	1978	24.5	150	24.5	24.5	3.16	Yes		No		20.2	1350	0	OB									
					8.16			7	4.92					16	550	1	None									
			719		ALUMN				110				0	8	Lead	FIXED										
			150		FS							<input type="checkbox"/>	0	4												
Sparky	Catalina 25 FK	1498	222	1979	29	145	29	24.66	3.68	Yes		Yes	17.9	25	4550	0	OB									
					10.5		10.5	9.58	1.45				369	22.16	1900	1	None									
			720		ALUMN				102				0	8	Cast Iron	FIXED	0									
			190		MS							<input checked="" type="checkbox"/>	0	4												
SF	CAL 25-1 OB	1062	225	1969	29.75	120	29.75	25	4.17	No		No		25	4000	0	OB									
					10			11	7				0	20	1700	1	None									
					ALUMN				163				0	8	Lead	FIXED										
			227		MS							<input type="checkbox"/>	0	4												
Tinker	Wilderness 21	6	225	1977	25	125	25	25	2.83	Yes		No		20.5	1870	No	OB	Added roller furler								
					8.67			8	4.66					17.8	1070	1	None									
			718		ALUMN			0	113				0	7.25	Lead	FIXED										
			151		MS			0				<input type="checkbox"/>	0	4												
The Mighty Windsong	International Folkboat OB	567	228	1969	26	155	26	28.8	4.44	Yes		No		25.75	5000	0	OB									
					8.3		8.3	11.2	7.34					19.75	2750	1	None									
			817		ALUMN				195				0	7.5	Iron	FIXED										
			295		MS							<input type="checkbox"/>	0	4												
Vanga	Alberg 30	30	231	1965	36.75	100	36	31	4.49	Yes		No		30.25	9000	0	IB	Roller Furler								
					10.5			14.25	8.2					21.67	3300	1	Fixed_3									
			732		ALUMN				243				0	8.75	Iron	FIXED	3									
			402		MS							<input type="checkbox"/>	0	4.5												

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
			Rating		I	J		P	MGU	Yes/No		Yes/No	ASF		Ttl Disp.	Traps/H.	Strps		IB or OB
			DW Rating		Max	Headsail		E	MGM	SL	SPL	SLU	ASA		Ballast	moveable blst	Prop Type		
			Disp/WL ratio		Mast	Material		PY	MSA	SSMG	SSA	SLE	Sprit Lngth		Ballast Mat.	Keel Type	# of blades		
			182		Rig Type		EY	SSF	ASM	Fixed or _o									
High and Dry	Santana 22	114	234	1967	26	150	26	21.75	3.95	Yes	No			22	2600	0	OB		
					8.5			9.83	6.59					18.67	1230	1	None		
			737		ALUMN				131			0		7.83	Cast Iron	FIXED			
			182		MS						<input type="checkbox"/>	0		3.5					
Albacore	Santana 22 ODR	18325	237	1976	25.67	125	25.67	21.75	3.95	Yes	No			22	2600	0	OB		
					8.58		8.58	9.83	6.59					18.67	1230	1	None		
			737		ALUMN				131			0		7.83	Iron	FIXED			
			182		MS						<input type="checkbox"/>	0		3.5					
Anapos	Santana 22	5158	237	1966	26	120	26	21.75	3.95	Yes	No			22	2600	No	OB		
					8.5			9.833	6.59					18.666	1230	1	None		
			737		ALUMN			0	131			0		7.833	Iron	FIXED	0		
			182		MS			0			<input type="checkbox"/>			3.5					
Auggie	Santana 22 ODR	476	237	1969	26	125	26	21.75	3.95	Yes	No			22	2600	No	OB		
					8.5			9.833	6.59					18.666	1230	1	None		
			737		ALUMN			0	131			0		7.833	Cast Iron	FIXED	0		
			182		MS			0			<input type="checkbox"/>			3.5					
Byte Size	Santana 22	801	237	2001	26	90	26	21.75	3.95	Yes	No			22	2600	No	OB		
					8.5		8.5	9.833	6.59					18.67	1230	1	None		
			737		ALUMN			0	131			0		7.83	Iron	FIXED	0		
			182		MS			0			<input type="checkbox"/>			3.5					
Meliki	Santana 22	5194	237	1967	26	125	26	21.75	3.95	Yes	No			22	2600	No	OB		
					8.5			9.833	6.59					18.67	1230	1	None		
			737		ALUMN			0	131			0		7.83	Iron	FIXED	0		
			182		MS			0			<input type="checkbox"/>			3.5					
The Belafonte	Santana 22 ODR	5000	237	1970	26	110	26	21.75	3.95	Yes	No			22	2600	No	OB		
					8.5			9.833	6.59					18.67	1230	1	None		
			737		ALUMN			0	131			0		7.833	Iron	FIXED	0		
			182		MS			0			<input type="checkbox"/>			3.5					

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
			Built	J	Max	IS	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	IB or OB				
			ISP	JSP	Head	Sail	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type			
			JSP	JSP	sail	Material	PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades			
			Disp/WL ratio	Rig Type	EY		SSF	ASM	Fixed or _o	Max Draft									
Zingaro	Santana 22	5050	237	1971	26	125	26	21.75	3.95	Yes	No			22	2600	0	OB		
					8.5			9.83	6.59			26	8.58	18.67	1260	1	None		
			737		ALUMN				131			15.44	335	7.833	Iron	FIXED	0		
			182		MS							15.44		3.5			0		
Passat	North Star 500	57313	240	1973	33	140		27.5	3.5	No	No			24.98	4298	0	IB		
					10.25			8.75	6.1					20.23	1710	1	Fixed_3		
					ALUMN				149				0	9	Lead	FIXED			
			236		MS								0	5					
Daseins Den	Dana 24	#####	246	1987	34	120		28.25	3	No	No			24.16	7400	0	IB		
					12.25			10.75	5.85					21.42	3100	1	Fixed_2		
					ALUMN				160				0	8.58	Lead	FIXED			
			342		CTR								0	3.83					
Circlesea	Folkboat	125	252		21.99	100	10.17	28.71	4.42	No	No			25.08	4640	0	OB		
					6.56			11.15	7.33					19.82	2315	1	None		
					WOOD				194				0	7.26	Iron	FIXED	0		
			271		MS								0	3.92					
Crane Wife	Fuji 32 KTH	0	252	1977	36.25	148		29.08	3.8	No	No			31.5	13115	0	IB		
					14.75			11.21	5.96					29	4635	1	Fixed_3		
					ALUMN			18.25	177				0	9.83	Iron	FIXED			
			244		KTCH			8					0	3.66					
Thea	Folkboat	108	252	1984	21.988	100	10.166	28.707	4.416	No	No			25.079	4640	No	OB		
					6.562			11.154	7.333					19.822	2315	1	None		
					WOOD			0	194				0	7.261	Iron	FIXED	0		
			271		MS			0					0	3.916					
un-named	Catalina 22-2 OB FK	15622	255	2006	25.8	135	25.83	21	3.5	Yes	No			21.5	2250	0	OB		
					8		8	9.67	6.08					19.33	550	1	None		
					ALUMN				119				0	7.67	Lead	CNTRBRD			
			716		FS								0	5					
			142										0						

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps moveable blst Keel Type		
Nemesis	Pearson 26 Commander	151	258 1964	31.5 9.5	155	26 11.5	3.3 5.75	Yes	31.2 17.1 16.4	9.5 441	Yes	21.06 444 0 0	25.7 18.5 8 3.7	5200 2500 Lead	0 1 FIXED	OB None	
SLOWMO!	Catalina 22-1 OB SK	2482	270 1973	25.93 8	150	21 9.66	3.47 5.96	No			No	0 0	21.6 19.4 7.8 5	2250 550 Iron	0 1 MVBL	OB None 3	
Can O' Whoopass	CAL 20	624	273 1965	22 7.33	115	22 7.33	23 10	4 6.7	Yes	22 13.2 13.2	No	0 0 0	20 18.1 7 3.33	2000 900 Iron	0 1 FIXED	OB None 2	(mtg 4/24/08, -18 sec/mi for adding single trapeze wire) (10/2/08 - removed trapeze, now racing as a standard cal 20 -18 sec/mi penalty removed)(3/5/09 added single trapeze back, -18 sec/mi)(8/26/09, switching back to standard Cal 20)
Green Dragon	Cal 20	4188	273 1965	22 7.33	125	22	23 9.84 0 0	3.84 6.5 137	Yes	22 13 13	No	0	20 18.08 7 3.33	1950 900 Steel	0 1 FIXED	OB None 0	