

# NCPHRF - CURRENT FLEET ROSTER

This Roster represents the information on file for boats with a current NCPHRF certificate. If the boat you are looking for is not listed, their certificate is either not current or not yet updated to the list. You can contact the YRA office to verify a boat not found on this list at info@yra.org or via phone at 415.771.9500. This list is updated monthly.

As of: 8/24/2017

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Keel		Engine/Prop	Modifications
					I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No	Yes/No	ASF	Ttl Disp.		Traps/H. Strps	IB or OB		
			DW Rating		Mast Material		PY	MSA	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type		
			Disp/WL ratio		Rig Type		EY		SSMG	SSA	SLE	Sprit Length	Max Beam	Ballast Mat.	Keel Type	# of blades		
									SSF		ASMG	Fixed or _o	Max Draft					
Invisible Hand	Pac 52	5202	-102	2016	66 20.5	101	76 29.5	69.23 22.98	10.96 15.76	No	Yes	44.7 85.5 71.7 45.5	52 50 14.5 11.8	15700 8360 Lead	0 1 FIXED	IB None		
			402 57		CARBON FS				1017			<input type="checkbox"/>	90					
Zephyrus	Riechel/Pugh Turbo 77	69011	-99	1997	85.37 35	128	94.94 35	87.34 30.5	11.5 19.2	No	Yes	56.1 103.41 88.35 56.66	77.67 65.2 14.78 14.12	31939 12300 Lead	0 1 FIXED	IB FOLD 2	(mtg 8/27/09, -6 sec/mi for new oversized jib. Changed custom rating from -126 to -132)(Mtg 4/26/12, New pintop mainsail, change custom rating from -132 to 129)(Mtg 8/23/12, change custom rating from -126 to -90 after review)	
			409 52		CARBON FS				1563			<input checked="" type="checkbox"/>	0					
Merlin	Custom Lee 68	8955	-87	1977	71.96 22.5	146	74.35 30.4	66.87 27.5	11 18	No	Yes	48.05 87.51 83.44 42.34	68.6 64 12.17 10.65	24363 10484 Lead	0 1 FIXED	IB FOLD 2	(Mtg 4/27/17, custom rating assigned: -81)(Mtg 5/25/17, -3 sec/mi for larger headsail, -3 sec/mi for increased J. New custom rating: -87 as sailed)	
			392 42		CARBON MS			0 0	1109			<input type="checkbox"/>	90					
Catapult	Santa Cruz 70	41005	-84	1989	73.34 22.19	155	73.74 25.26	66.11 24.67	9.3 15.75	No	Yes	39.1 76.8 67.9 38.9	68 59.7 15.1 10	23847 9000 Lead	0 1 FIXED	IB Fold	(Mtg 5/25/17, Custom rating assigned. As Sailed: -84)	
			417 51		CARBON MS				963			<input checked="" type="checkbox"/>	0					
Buona Sera	Santa Cruz 70	41104	-81	1986	73.15 22.52	155	73.63	65.49 25.39	9.12 15.72	No	Yes	40.06 79.07 68.31 40.95	68.9 60.4 15.1 10.62	24905 8960 Lead	0 1 FIXED	IB Fold	(Mtg 8/27/15, New rudder noted, -9 sec/mi for new keel)(Mtg 3/23/17, -6 sec/mi for 13% increase in SPL, -3 sec/mi for increase in spinnaker area, +3 sec/mi for decrease in mainsail area)	
			423 51		CARBON MS				961			<input type="checkbox"/>	45					
USA 76	IACC	76	-78	2002	83.99 27.17	100		99.18 30.19	14.12 20.33	No	No		82.6 61.6 11.9 13.45	52910 39683 Lead	No 1 FIXED	IB Fold	(mtg 12/5/13, custom rating of -78 assigned)	
			103		CARBON FS				1892			<input checked="" type="checkbox"/>	0					

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications						
			Built	J	Max Headsail	ISP	P	MGU	Yes/No		Yes/No		LOA	LWL	Ttl Disp.	Traps/H.	Strps	IB or OB	Prop Type	Modifications					
									E	MGM	SL	SPL									SLU	ASA	Ballast	moveable blst	# of blades
Rating	DW Rating	Mast Material	JSP	EY	SSSF	ASA	Fixed or _o	Max Draft	Ballast Mat.	Keel Type	# of blades														
Lotus	Vismara 50	0	<b>-39</b>	2008	65.5	106	72.01	65.62	7.32	No	Yes	35.6	50.2	24912	0	IB	(Mtg 8/24/17, Custom rating assigned: -39)								
			<b>485</b>		17.95		23	20.34	13.67		75	1926	46.42	9259	1	Fold									
			<b>113</b>		CARBON				796		64.6	0	14.1	Lead	CNTRBRD										
			<b>113</b>		FS						32.5	<input checked="" type="checkbox"/>	9.84												
Lucky Duck	Custom Santa Cruz 52	28729	<b>-30</b>	2001	64.14	155	64.6	57.5	8.76	Yes	Yes	40.91	53	22544	0	IB	(Mtg 8/23/12, Custom Rating Assigned, -21 as sailed)(Mtg 5/23/13, weighed displacement added)(Mtg 3/27/14, New Rudder, -3 sec/mi for OSP, -6 sec/mi for 10%+ increase in spinnaker area. No penalty for keel/displacement								
			<b>471</b>		18.95		22.5	21	14.22		67.29	22.5	46.25	8000	1	Fold									
			<b>104</b>		CARBON				745		40.55	2254	14	Lead	FIXED	2									
			<b>104</b>		MS						38.74		9												
Danger Zone	Taylor 32	4128	<b>-24</b>	1994	40	100	19.4	37.1	9.5	No	Yes	26.52	32	1962		OB									
			<b>443</b>		10.7			14.3	11.6		43.35	829	28.9	551	1	None									
			<b>37</b>		ALUMN				395		36.3	0	14.8	Lead	CNTRBRD										
			<b>37</b>		MS						24.6	<input checked="" type="checkbox"/>	5.6												
CaZan	DK 46	61046	<b>-21</b>	2001	61.94	126	70.54	63.55	8.2	Yes	No	33.56	46.26	22439	0	IB	(Mtg 5/25/17, custom rating assigned. As Sailed: -21)								
			<b>504</b>		17.85		19.849	21.95	14.21		69.23	19.85	40.52	9480	1	Fold									
			<b>153</b>		ALUMN				826		35.42	2013	13.45	Lead	FIXED										
			<b>153</b>		MS						32.81		9.84												
Bodacious +	1D 48	48005	<b>-15</b>	1996	57.7	155	68.3	61.3	9.84	Yes	Yes	30.1	48.3	19743	0	IB	Water ballast system not operational (mtg 8/19/08, custom rating assigned of -30, includes dual spinnakers)(Mtg 3/24/11, new smaller mainsail, smaller symmetrical, change cutom rating from -30 to -24)(Mtg 8/25/11)								
			<b>490</b>		16.7		16.7	22.5	14.66		66.7	16.7	40.2	8818	1	Fold									
			<b>138</b>		CARBON				848		33.1	1834	14.2	Lead	FIXED	2									
			<b>138</b>		FS						32.6		10.1												
Horizon	Santa Cruz 50	18926	<b>-15</b>	1982	61.7	145	61.7	55.2	7.15	No	Yes	36.4	50.23	18844	0	IB	(Mtg 6/16/08, -6 sec/mi for oversized spinnaker, -3 sec/mi for oversized main)								
			<b>475</b>		18.43		20.3	19	12.05		66	1880	46.906	8000	1	FOLD									
			<b>83</b>		ALUMN				618		59.6	0	12.02	Lead	FIXED	2									
			<b>83</b>		MS						35.8	<input type="checkbox"/>	7.988												
Can't Touch This	J 125	93204	<b>-12</b>	1999	49	155	52.1	47	6.8	No	Yes	41	41	9330	0	IB	(Mtg 2/26/09, -3 sec/mi for oversized main girths)(3/9/09, corrected main girths, removed -3 sec/mi penalty)								
			<b>468</b>		15		23	18	11.6		61.3	1941	37	4646	1	FOLD									
			<b>84</b>		CARBON				502		52.3	8	10.6	Lead	FIXED	2									
			<b>84</b>		MS						41	<input type="checkbox"/>	7.9												

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
			ISP		I	J	Max Headsail	ISP	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB	
			JSP		J	J		E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type		
					Mast Material			PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades		
			Disp/WL ratio		Rig Type	EY		ASM	Fixed or _o	Max Draft									
Hana Ho	Santa Cruz 50	77007	-12	1980	61.39 18.85	155	61.5 20.73	54.92 16.98	6.5 11.1	Yes	Yes	35.9 1847	52 46	18000 8000	0 1	IB Feath	(Mtg 5/26/11, +3 sec/mi for interior changes)(2/24/12, interior changes removed, boat is back to standard weight for a SC 50)(Mtg 5/25/17, New Rudder, NCTR. -3 sec/mi for OSP, -3 sec/mi for oversized spinnaker area)		
			478 84		ALUMN MS		0 0	558			33.75 1713	59.68 35.3	0 <input checked="" type="checkbox"/>	12 7.75	Lead FIXED	3			
OAXACA	Santa Cruz 50	8927	-12	1982	61.48 18.88	155	61.22 20.65	54.75 16.98	6.08 10.67	Yes	No	36.5 1889	50.23 46.67	17374 8000	0 1	IB Fold	(Mtg 5/26/16, -6 sec/mi for oversized ASA)		
			480 78		ALUMN FS			540			36.6 1867	59.5 36.2	0 <input type="checkbox"/>	12 7.91	Lead FIXED				
Tyr	J 125	52125	-12	2000	49 14.8	155	52 23.4	46.5 18	6.79 11.65	No	Yes	39.3 1831	41 37	8350 4646	0 1	IB Fold			
			471 75		CARBON FS			497			23.4	62.17 52.49	0 0	10.6 7.9	Lead FIXED	2			
Velvet Hammer	Schock 40	51507	-12	2000	42.5 13.6	104	49.5 20.58	44.4 16.8	7.2 11.8	No	Yes	33.92 1459	40 35	7914 1800	No 2	OB None	(mtg 10/21/09, switched to 104% headsail, from 150%, smaller girths on mainsail. Change custom rating from -18 to -12)		
			464 84		CARBON FS		0 0	470				31.685	7 0	10 8	Lead MOVABL	0			
Deception	Santa Cruz 50	97263	-6	1987	61.8 18.3	155	61.8 18.3	55 18.4	7.1 12	Yes	Yes	32.9 1335	50 46	17500 8000	0 1	IB FOLD	ELPT Keel & OS/Spinnaker; Has a Code 0 headsail aboard - tacked to stem, no sprit (Mtg 5/26/16, -3 sec/mi for oversized mainsail)(Mtg 6/23/16, change rating back to -6)		
			482 82		ALUMN MS			605				61.7 34.2	18.3 1758	12 8	Lead FIXED	2			
Emily Carr	Santa Cruz 50	49211	-6	1981	61 19	150	61	55 17	6.4 11	Yes	No		53 46.5	15000 7500	No 1	IB FOLD	3' SUGAR SCOOP ON TRANSOM IF STD 50FT LOA OF BOAT		
			478 68		ALUMN MS			555				61 34	18.92 1718	12 8	Lead FIXED	2			
Leglus	Ohashi 52	2480	-6	1986	49.26 16.387	149	62 21.92	57.578 21.325	8.103 13.517	No	Yes	34.8 2089	52.5 50.06	15017 5.952	0 1	IB FOLD	(mtg 10/21/09 assigned custom rating of -39)(Mtg 3/24/16, +3 sec/mi for no spinnaker articulation, change custom rating from -36 to -6)		
			439 54		ALUMN FS			724				39.37 38.188	2076	12.6 11.36	Lead FIXED	2			

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Keel		Engine/Prop	Modifications
					I	J	Max Headsail	ISP	P	MGU	Yes/No	Yes/No	ASF		Ttl Disp.	Traps/H. Strps		
			DW Rating		Mast Material		EY	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type		
			Disp/WL ratio		Rig Type			MSA	SSMG	SSA	SLE	Sprit Length	Max Beam	Ballast Mat.	Keel Type	# of blades		
									SSF		ASMG	Fixed or _o	Max Draft					
Astra	Farr 40 ODR MH	40079	0	2000	53.2 15.5	105	53.12	54.8 7.29	19.4 12.47	60.69 17.06	34.39 1740	0	40.75 35.27 13.22 8.53	10917 5079 Lead	No 1 FIXED	IB FOLD 2		
			502 113		CARBON MS			629				<input type="checkbox"/>						
Bright Hour	Farr 40 ODR MH	50092	0	2001	53.15 15.45	0	50.04 17.06	54.8 8.49	19.36 13.77	60.69 17.06	34.39 1740	0	40.7 35.3 13.2 8.53	10902 4960 Lead	0 1 FIXED	IB Fold		
			498 113		CARBON FS			674				<input checked="" type="checkbox"/>						
Twisted	Farr 40 ODR MH	40046	0	1999	53.15 15.45	105	50.04 17.06	54.8 8.49	19.36 13.77	60.69 17.06	34.39 1740	0	40.7 35.3 13.2 8.53	10902 4960 Lead	0 1 FIXED	IB FOLD 2	(Mtg 12/1/11, interior mods for IRC, smaller mainsail: NCTR)(Mtg 5/24/12, switching to MH ODR configuration)	
			498 113		CARBON FS			674				<input type="checkbox"/>						
California Condor	Class 40	94	6	2010	53.9 15.65	104	58.6 23.85	53.21 11.71	18.81 14.38	No	Yes	39.7	40 39.17 14.7 9.84	12225 4710 Lead	0 1 FIXED	IB Fold 2	Short-Handed Bay Configuration	
			481 92		CARBON FS			715				<input checked="" type="checkbox"/>						
Surprise	Custom Schumacher 46	28098	6	1997	57 17	160	63	57 7.5	19.75 12.8	Yes	Yes	37.23	46 40.63 12.92 7.75	18300 8000 Lead	No 1 FIXED	IB FOLD 2	(MTG 4/9/98)(mtg 2/20/04)	
			510 124		CARBON FS			670				<input type="checkbox"/>						
Elusive	Swan 42 Club	4216	9	2007	59.07 16.44	106	62.99 19.05	56.56 7.1	19 12.5	Yes	Yes	34.8	42.59 38.15 12.8 9	17158 6988 Lead	0 1 FIXED	IB Fold 2	(Mtg 2/25/16, +3 sec/mi for decrease in Spinnaker Area, +6 sec/mi for decreased JSP, -3 sec/mi for articulation, -3 sec/mi for switch to larger headsail)(06/09/17, switching back to stock configuration)	
			513 140		CARBON FS			641				<input checked="" type="checkbox"/>						
Racer X	Farr 36 ODR	6	9	2006	46.78 13.19	110	54.82 21.06	49.93 8.53	18.63 12.965	No	Yes	36.279	36.1 32.8 11.72 8.5	6744 3078 Lead	No 1 FIXED	IB FOLD 2		
			473 87		CARBON FS			592				<input checked="" type="checkbox"/>						

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications									
		Sail #	JSP		I J	Max Headsail	ISP	P E	MGU MGM	Yes/No		Yes/No	ASF		LOA	Ttl Disp.	Traps/H.	Strps		IB or OB								
										DW Rating	Mast Material		PY	MSA							SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type
Wicked Sister	Farr 36 ODR	3	9	2004	46.78 13.19	110	54.82 21.06	49.93 18.63	8.53 12.96	No	Yes	36.28 1751	36.1 32.8	6745 3076	0 1		IB Fold											
		473 87			CARBON FS		592				55.05 36.05	7.36 0	11.72 8.5	Lead	FIXED													
Angel	J 130 DK AM	46079	15	1993	57 16.5	155	58.5 23.5	52.5 18.5	7.03 12.02	No	Yes	39.5 2195	42.6 38.17	15500 6450	0 1		IB Feath											
			498 127		ALUMN FS		578				59.05 40	7 0	12.67 8.5	Lead	FIXED													
Nadja Delphine	X-41	0	15	2009	55.9 16.11	106	58.63	53.31 18.04	6.82 11.61	Yes	No		40.52 35.07	14109 6019	0 1		IB Fold	Electronic winches										
			537 149		CARBON FS				570			0 0	11.94 8.2	Lead	FIXED													
Acey Deucy	J 44	97659	21	1989	60.606 17.08	155	60.416	53.51 19.41	7.3 12.5	Yes	Yes	27 1379	44.83 38.58	22770 9000	0 1		IB FOLD	Electric Winches										
			547 180		ALUMN MS			0 0	615		30.8 30.8	1535	13.67 8.14	Lead	FIXED	2												
Ardea	Custom Nelson/Marek 50	42616	21	1989	59.92 17.59	100	59.92 17.59	65.19 24.08	9.35 15.98	Yes	Yes	31.6 1526	49.8 38.55	22145 12627	0 1		IB Fold	(Mtg 8/28/15, custom rating of 21 assigned)										
			519 176		ALUMN FS				946		59.2 31.1 30.4	17.59	14.86 9.32	Lead	FIXED													
Bustin Loose	Sydney 38 MH	38044	21	2002	54 14.9	104	52.03 14.77	50.53 18.046	6.85 11.73	Yes	Yes	27.69 1116	38.6 35.3	12250 5140	0 1		IB FOLD											
			533 127		ALUMN FS			0 0	543		30.12 30	1422	12.4 8.8	Lead	FIXED	2												
Phantom	J 44	28844	21	1990	60.606 17.08	120	60.416	53.53 19.41	7.3 12.5	Yes	Yes	27 1379	44.75 38.58	23838 9000	No 1		IB Feath											
			550 189		ALUMN MS			0 0	615		30.7 30.7	1526	13.67 8.14	Lead	FIXED	3												

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SPL SSMG SSF	Yes/No SLU SLE ASMUG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.		Traps/H. Strps Ballast moveable blst Ballast Mat. Keel Type			
Zamazaan	Custom Farr 52	3883	21 1978	70.4 18.51	135	70.4 18.51	65.2 23.2	8.82 15.08	Yes 69.78 21.9	No 39.44 2293	<input type="checkbox"/>	0	52.19 47.26 15.45 8.79	25391 9679 Lead FIXED	No 1 FIXED	IB FOLD 2	RTG W/USYRU AGE ALLOWANCE IOR RTG W/USYRU AGE ALLOWANCE R=44.9 (1987) 18/24 AS PER PHRF MTG 4/20/95. SHORTENED MAST 6.15 FEET FROM TOP, REDUCED MAINSAIL AREA. FROM 24/27 MTG 8/10/05
Jaybird	J 133 CM	52443	24 2004	57 17.25	100	60.4 24	54 18.6	7 12	No 54 7	Yes 18.6 12	<input type="checkbox"/>	0 0	38.08 30.25 11.8 6.8	16900 6850 Iron FIXED	0 1 FIXED	IB Fixed_2	
Albion	J 124	14	27 2007	49 14	145	54.7 19.43	48.4 17	6.4 11	No 48.4 6.4	Yes 60.53 1528 51.51 3.83 32.74	<input checked="" type="checkbox"/>	0	40.7 36.2 11.33 7	12600 5000 Lead FIXED	0 1 FIXED	IB Fold	(Mtg 2/23/17, -6 sec/mi for asymmetric spinnaker modifications)
Chance	Farr 395	39528	27 2002	51.25 14	105	56.33 20.36	50 18.42	7.54 12.53	No 50 7.54	Yes 62.6 1617 52.49 6.36 33.79	<input checked="" type="checkbox"/>	0	39.33 34.5 12.08 7.83	12500 4600 Lead FIXED	No 1 FIXED	IB FOLD 2	
Kuai	Melges 32 ODR	211	27 2006	40.86 10.7	105	48.3 18.7	44.05 15.49	6.95 11.14	No 44.05 6.95	Yes 55.75 1344 46.9 8 31.31	<input checked="" type="checkbox"/>	0	31.84 28.5 9.83 7	4200 1600 Lead FIXED	0 1 FIXED	OB None	
Spirit of Freedom	J 124	38006	27 2006	49 14	155	54.7 15.4	48.4 17		Yes 53.9 15.4	Yes 55.1 1243 51.9 0 26.7	<input checked="" type="checkbox"/>	0	40.7 36.2 11.3 6.9	12600 5000 Lead FIXED	No 1 FIXED	IB FOLD 2	(mtg 4/22/10, -3 sec/mi for OSP, -3 sec/mi for ability to square back pole)
Wildcard	Santa Cruz 37	37005	27 2009	47.1 13.4	107	52.17 19	47 17	6.4 11	No 47 6.4	Yes 59.7 1534 50.85 5.6 33.3	<input checked="" type="checkbox"/>	0	37 34.75 10.64 7.5	8662 3730 Lead FIXED	0 1 FIXED	IB FOLD 2	(Mtg 1/26/16, new keel box & rudder noted, NCTR)

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No	Yes/No	ASF	Ttl Disp.		Traps/H. Strps			
				Mast Material			PY	MSA	SL	SPL	SLU	ASA	Ballast	moveable blst			
				Rig Type			EY		SSMG	SSA	SLE	Sprit Lngth	Ballast Mat.	Keel Type			
			Disp/WL ratio						SSF		ASM	Fixed or _o					
Alpha Puppy	1D 35	35024	<b>30</b> 1999	42.49 12.52 110	44.78	44.46 18.58 0 0	7.5 12 497	No	45.11 26.25 26.25	14.76 987	Yes 51.8 46.6 29.9	31.4 1238 4.9	35 31.5 10.75 7.6	6500 2600 lead	No 1 FIXED	IB FOLD 2	6/13/11, boat now in same configuration as B-Line. Added 4.9' bowsprit and oversized spinnaker. -9 sec/mi for oversized asymmetric spinnaker, +3 sec/mi for inability to articulate sprit
Blue	Swan 53-2	61522	<b>30</b> 2012	71.96 19.52 105	73.84 19.53	65.88 21.98	7.64 13.38	No		19.43	Yes 75.95 67.09 36.72	38.89 2214 0 90	54.07 47.24 15.58 12.14	54482 22400 Lead	0 1 CNTRBRD	IB Fold	(Mtg 3/23/17, -3 sec/mi for ability to fly a-sail on a squared back pole)
Dark & Stormy	1D 35	35018	<b>30</b> 1998	42 12.47 110	44.8 17.39	44 19	7.5 12 497	No			Yes 51.8 46.62 29.83	31.4 1236 4.92 0	35 31.5 10.9 7.58	6550 2660 Lead	0 1 FIXED	IB FOLD 2	Fixed bow sprit, using Asymmetrical spinnaker(mtg 3/20/08, -9 sec/mi for oversized spinnaker, +3 sec mi for not being able to articulate pole, as sailed: 30)
Rufless	Melges 32 MOD	174	<b>30</b> 2007	40.86 10.7 105	48.3 18.7	44.05 15.49	6.95 11.14 438	No			Yes 54 46.2 28.2	31.3 1203 8 0	31.84 28.5 9.83 7	4200 1600 Lead	1 FIXED	OB None	(mtg 2/23/17, no longer using the class spinnaker. +3 sec/mi for small asymmetric)
Bad Dog	J 111	103	<b>36</b> 2011	48.37 13.85 105	51.4 20.08	45.7 14.5	6.1 10.1 414	No			Yes 59.05 48.88 31.86	31.86 1433 6.3 0	36.5 32.7 10.8 7.2	9300 3500 LeadSteel	0 1 FIXED	IB Fold	
Don't Panic	C&C 30 Mills	30026	<b>36</b> 2016	40.8 11.28 105	46.74 18.6	41.7 14.2	7 10 386	No			Yes 52.9 46.1 31	31.5 1283 7 0	30 28.7 9.8 7.5	3995 1579 Lead	0 1 FIXED	IB Fold	
Gentoo	Soto 30	1	<b>36</b> 2012	38.25 12.25 102	38.67 19.83	38.67 13.58	5.83 8.83 322	No			Yes 49.83 40 25.75	26.25 968 7.7 0	30 28.75 9.58 6.5	3800 1415 Lead	0 1 FIXED	OB None	(Mtg 9/16, -3 sec/mi for larger mainsail)



Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications						
			Built	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No		LOA	LWL	Ttl Disp.	Traps/H.	Strps	IB or OB						
										E	MGM	SL	SPL								SLU	ASA	Ballast	moveable blst	Prop Type
Disp/WL ratio	Mast Material	FS	EY	SSSF	ASMG	Fixed or _o	Max Draft	Ballast Mat.																	
Swift Ness	J 111	101	36	2014	48.37 13.85	105	51.4 20.08	45.17 14.5	6.1 10.1	No	Yes	31.8 1404	36.5 32.7	9300 3500	0 1		IB Fold								
			534 121		CARBON FS				410		46.88 31.8	6.3 <input checked="" type="checkbox"/> 0	10.8 7.2	LeadSteel	FIXED										
Symmetry	J 111	91	36	2013	48.37 13.85	105	51.4 20.08	45.17 14.45	6.16 10.1	No	Yes	31.1 1399	36.5 32.7	9300 3500	0 1		IB Fold								
			534 121		CARBON FS				410		48.88 31.1	6.3 <input checked="" type="checkbox"/> 0	10.8 7.2	LeadSteel	FIXED										
Tiburon	C&C 30 Mills	11	36	2014	40.8 11.28	105	46.74 18.6	41.8 14.2	7 10	No	Yes	31.5 1284	30 28.7	3995 1579	0 1		IB Fold								
			495 77		CARBON FS				387		46.16 31	7 <input checked="" type="checkbox"/> 0	9.8 7.5	Lead	FIXED										
Trois Amis	Screamer 12 Meter MOD	194	36	1985	44.58 15.75	140	44.58	41 14.2	5.3 9.2	Yes	No		39.37 32.5	6000 1350	0 1		OB None	(mtg 3/23/17, custom rating of 36 assigned)							
			506 79		ALUMN MS				345		29.75 29.75	1116 0 0	10.33 7.67	Lead	FIXED										
Wet Corvette	Melges 30	103	36	1994	36.85 10.59	150	36.85 18.96	38 15.49		No	Yes		30 28.6	3800 1750	0 1		IB FOLD								
			507 74		CARBON FS							8.4 <input type="checkbox"/> 90	9.1 7	Lead	MVBL		2								
Zsa-Zsa	1D 35	35017	36	1999	42.49 12.52	110	44.78	44.46 18.58	7.55 12	Yes	No		35 31.5	6500 2600	No 1		IB Feath								
			520 95		CARBON FS			0 0	498		26.5 26.5	1104 0	10.75 7.6	lead	FIXED		2								
Trex	Sunsail F40 ODR (Beneteau F40)	1007	42	2012	52.69 15.09	105	56.54 17.06	51.15 17.65	6.53 11.42	No	Yes	30.32 1200	40.15 35	17437 6609	0 1		IB Fold								
			571 185		ALUMN FS				534		49.5 25.9	1.98 <input checked="" type="checkbox"/> 0	12.76 8.04	Lead	FIXED		2								



Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications								
			Built	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB									
										E	MGM									SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type
Disp/WL ratio	Mast Material	FS	EY	SSF	ASM	Fixed or _o	Max Draft																				
Vera Cruz	Sunsail F40 ODR	1003	42	2012	52.69 15.09	105	56.54 17.06	51.15 17.65	6.53 11.42	No	Yes	30.32 1200	40.15 35	17437 6609	0 1	IB Fold											
			571 185		ALUMN FS				534		49.5 25.9	1.98 <input checked="" type="checkbox"/> 0	12.76 8.04	Lead FIXED		2											
Afterburner	Synergy 1000	1001	45	1999	40.75 12	110	45.75 16.4	42 15.5	6.99 11.03	No	Yes	26 1089	32.83 29.17	4600 1850	0 1	IB Feath											
			538 84		CARBON FS				417		43.7 28	4.3 <input checked="" type="checkbox"/> 0	9.75 7	Lead FIXED		2											
Anais	Hanse 505	61019	45	2014	64.16 19.16	100	65 20	58.6 20	6.55 11.87	No	Yes	38.52 2151	49 44.4	36000 8300	0 1	IB Feath											
			530 187		ALUMN FS				655		70.41 64.11 38.35	1.5 <input checked="" type="checkbox"/> 0	15.6 7.7	Lead FIXED													
Divine Wind	Olson 40	69069	45	1983	50 15.75	150	51.21 15.8	44 14.25	5.5 9.29	Yes	No		40.33 36	10500 5500	0 1	IB Feath											
			540 102		ALUMN MS				376		50.17 28.35 28.35	15.75 1185 <input type="checkbox"/> 0	11.25 6.5	Lead FIXED		2											
Kira	Aerodyne 38 SD	38104	45	2003	50.82 14.5	105	57.25 20.83	51.75 16.5	6.25 10.6	No	Yes	39.5 2062	37.66 34.21	11850 4150	0 1	IB Fold											
			634 135		ALUMN FS				506		58.5 40	<input checked="" type="checkbox"/> 0	13 6	Lead FIXED													
Peregrine	J 120 Carbon	25487	45	2001	50.5 14.5	150	52	46.5 17.8	6.76 11.57	No	Yes	35.1 1776	40 35	13900 6000	0 1	IB Fold											
			540 147		CARBON FS				493		52.5 36.96	7 <input checked="" type="checkbox"/> 0	12 7	Lead FIXED		2											
Quiver	Custom Nelson Marek 36	28669	45	1999	43.85 12.5	105	51.9 14.57	45.75 16.47	6.56 10.66	Yes	Yes	26.24 1221	35.6 29.32	7725 3255	No 1	IB FOLD	(mtg 6/15/10, added lead shoe to keel, -3 sec/mi, change custom rating from 48 to 45)(Mtg 2/29/12, added sprit equal to SPL, NCTR)										
			542 139		CARBON FS				453		57.4 47.57 28.34	1.5 <input checked="" type="checkbox"/>	10.3 7.6	Lead FIXED	2												

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop		Modifications
			Rating		I	J	ISP	P	MGU	Yes/No		Yes/No	ASF		Ttl Disp.	Traps/H.	IB or OB Prop Type # of blades		
			Max Headsail		Max	Headsail	JSP	E	MGM	SL	SPL	SLU	ASA		Ballast	moveable blst			
			Disp/WL ratio		Mast Material	Rig Type	PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam		Ballast Mat.	Keel Type			
			EY			SSF	ASM	G	Fixed or _o	Max Draft									
Void Star	Santa Cruz 40	59995	<b>45</b>	1982	52	135	52	45.5	5.2	No	Yes	33.62	40	12500	0	IB	(Mtg 10/22/15, -6 sec/mi for 20% increase in JSP)(4/6/16, +3 sec/mi for non-articulating spinnaker)		
					16		18.67	14	8.58		56.2	1238	36	5000	1	FEATH			
			<b>548</b>		ALUMN						48.32	0	12	Lead	FIXED	2			
			122		MS						27.13	<input checked="" type="checkbox"/>	0						
Family Hour, TNG	Henderson 30	46595	<b>48</b>	1997	37	155	42.3	38.2	6.74	Yes	Yes	31.9	30.83	3850	0	OB	Kelp Cutter		
					11		17.8	14	10.62		49.99	1223	27.75	1750	1	None			
			<b>504</b>		CARBON						41.99	6.2	9.84	Lead	FIXED	0			
			82		FS						19.8		7						
Hokulani	J 120 ALUM	43	<b>48</b>	1996	50.42	155	50.42	46.42	6.58	No	Yes	37.8	40	13900	0	IB			
					14.42		21.42	17.67	11.42		62.5	1777	35	6000	1	Fold			
			<b>538</b>		ALUMN						51.5	0	12	Lead	FIXED				
			147		FS						37.3	<input checked="" type="checkbox"/>	0						
Hot Socks	Figaro II	27	<b>48</b>	2004	42.75	104	42.75	42.67	7	Yes	No	0	32.18	6724	0	IB			
					12.42			15.42	11				32	2425	1	Fold			
			<b>564</b>		CARBON							0	11.33	LeadWater	FIXED				
			93		FS							<input type="checkbox"/>	0						
Jamani	J 120 ALUM	52879	<b>48</b>	2002	50.5	155	52	46.5	6.7	No	Yes	34	40	13900	0	IB			
					14.5		21.5	17.8	11.5		64	1729	35	6000	1	FOLD			
			<b>542</b>		ALUMN						50	7	12	Lead	FIXED	2			
			147		FS						37	<input checked="" type="checkbox"/>	0						
Kookaburra	J 120 ALUM	153	<b>48</b>	2001	50.5	155	52	46.5	6.2	No	Yes	30.3	40	13900	No	IB			
					14.5		21.5	17.8	10.7		60.8	1265	35	6000	1	FOLD			
			<b>556</b>		ALUMN			0	471		50.6	7	12	Lead	FIXED	2			
			147		FS			0			26.5	<input checked="" type="checkbox"/>							
Saetta	J 120 ALUM	28486	<b>48</b>	1999	50.5	153	52	46.5	6.75	No	Yes	37.6	40	13900	No	IB			
					14.5		21.5	17.8	11.5		65.61	1793	35	6000	1	FOLD			
			<b>540</b>		ALUMN			0	492		51.8	7	12	Lead	FIXED	2			
			147		FS			0			36.42	<input checked="" type="checkbox"/>	0						

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications								
			Built	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF	LOA	LWL	Ttl Disp.	Traps/H.	Strps	IB or OB								
										E	MGM										SL	SPL	SLU	ASA	Ballast	moveable blst	IB or OB
Disp/WL ratio	Mast Material	Rig Type	EY	SSF	ASMG	Fixed or_o	Max Draft	Ballast Mat.	Keel Type	# of blades																	
Sapphire	Synergy 1000	38008	48	2004	40.8	125	45.75	42	5.86	No	Yes	28	32.83	4400	No		IB	(Mtg 10/22/15, +3 sec/mi for smaller than class mainsail)									
			532		12		16.4	15.5	10.03		52	1172	29.17	1850	1		FOLD										
			81		CARBON						46.2	4.3	9.75	Lead	FIXED		2										
Twist	J 120 ALUM	28442	48	2000	50.5	150	52	46.5	6.75	No	Yes	34.1	40	13900	No		IB										
			541		14.5		21.5	17.8	11.5		64	1764	35	6000	1		FOLD										
			147		ALUMN			0	492		50.6	7	12	Lead	FIXED		2										
Alchera	J 120 Mod	28870	51	2001	50.5	125	52	46.5	6	No	Yes	34	40	13900	No		IB	Modifications for offshore singlehanded: Smaller spinnaker and main, 2 extra winches at helm, 3 additional gel batteries, dodger boss widened and all control lines led to cockpit, radar pole, veltran MHN jib. (Mtg 2/21/08, +2 sec/mi for small)									
			554		14.5		21.55	17.57	10.57		57.96	1407	35	6000	1		FOLD										
			147		CARBON			0	463		49.99	7	12	Lead	FIXED		2										
Chance	J 120 ALUM	28484	51	2001	50.5	100	52	46.3	6.7	No	Yes	34.1	40	13900	No		IB										
			541		14.5		21.5	17.8	11.5		64.1	1765	35	6000	1		FOLD										
			147		ALUMN			0	489		50.6	7	12	Lead	FIXED		2										
Argo	Beneteau 40.7 First Farr	46933	54	1999	51.61	105	51.61	48.85	6.72	Yes	No		39.33	15211	0		IB										
			569		14.47		14.47	17.72	11.51	50.9	14.47		34.83	5950	1		Feath										
			164		ALUMN				515	26	1094	0	12.33	Lead	FIXED		2										
Captain Sluggo	Hobie 33	77870	54	1982	34.7	105	42.3	38.1	6	No	Yes	25.6	33	4532	0		OB	(Meeting 4/27/17, Custom rating assigned: 54)									
			524		12.2			13.5	9.6	14.32	44.6	928	30.4	1800	1		None										
			73		CARBON				328		42.4	0	8	Lead	FIXED												
Divine Wind	Flying Tiger 10 Meter ODR	30	54	2007	39.28	105	45.28	40.16	6.463	No	Yes	27.49	32.65	4900	0		OB										
			514		12.12		19.134	14.89	10.5		51.54	1087	30.31	1918	1		None										
			80		CARBON				378		42.65	7	9.15	Lead	FIXED		0										
					FS						27.76	0	7.62														

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Keel		Engine/Prop	Modifications
			Built	ISP	I	J	Max Headsail	ISP JSP	P	MGU	Yes/No	Yes/No	ASF		Max Beam	Ttl Disp.		
			DW Rating		Mast Material		EY	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type		
			Disp/WL ratio		Rig Type			MSA	SSMG	SSA	SLE	Sprit Lngth	Max Draft	Ballast Mat.	Keel Type	# of blades		
											Fixed or _o							
Envolee	Figaro II	0	<b>54</b>	2012	42.75 12.42	104	42.75	42.67 6.5	15.42 10.63	43.96 13.85			32.18 32	6724 2425	0 1	IB Fold	(mtg 4/27/17, water ballast disabled, +6 sec/mi)	
			<b>558</b> 93		CARBON FS			410	23.62 23.63	865		0 0	11.33 6.5	LeadWater	FIXED			
Everlong	Beneteau 40.7 First Farr	51705	<b>54</b>	2002	51.61 14.47	104	51.61 14.47	48.85 6.73	17.72 11.51	50.92 14.47			39.33 34.83	15211 5950	0 1	IB FOLD		
			<b>569</b> 164		ALUMN MS			0 515	26 26	1103		0	12.33 7.75	Lead	FIXED	2		
Freedom	Beneteau 523	38333	<b>54</b>	2006	65.22 20.77	105		59.09 6.39	18.53 11.04			35.519	53.08 47.92	32800 10935	No 1	IB FOLD	Bow Thruster, in-mast furling, above deck jib furler; (Mtg 8/17/06 - +6 s/m for small girth main); electric winches added 1/29/07 (Mtg 3/28/13, +3 secmi for 8% decrease in mainsail area)	
			<b>512</b> 135		ALUMN FS			620				2 0	16 7.5	Iron	FIXED	3		
Frequent Flyer	Mumm/Farr 30	52	<b>54</b>	1996	38.2 10.9	104	44.9 13.58	40.5 6.42	14.6 10.4	44.58 13.58			30.9 27.6	4561 1997	0 1	IB Fold		
			<b>540</b> 99		CARBON FS			377	25.25 24.67	934		0 0	10.1 6.9	Lead	FIXED			
Q	Custom Schumacher 40	28901	<b>54</b>	2001	47 14.67	105	47	47.5 6.75	18.35 11.75	46.8 14.67			40 31.5	10166 4528	No 1	IB FOLD		
			<b>554</b> 148		CARBON FS			0 513	26.41 26.41	1030		0	11 7.6	Lead	FIXED	2		
Wild 1	Flying Tiger 10 Meter ODR	41	<b>54</b>	2007	39.284 12.126	105	45.282 19.134	40.167 6.463	14.895 10.499			27.493	32.68 30.31	4376 1918	0 1	OB None		
			<b>517</b> 71		CARBON FS			378				7.008 0	9.12 7.61	Lead	FIXED	3		
Centomiglia	Flying Tiger 10 Meter	15	<b>57</b>	2006	39.284 12.126	105	45.282 19.134	40.167 5.25	14.895 9.12			27.493	32.68 30.31	4376 1918	No 1	OB None	(3/7/11, new class rudder installed, NCTR)(Mtg 8/24/17, +3 sec/mi for small girth mainsail)	
			<b>521</b> 71		CARBON FS			344				7.008 0	9.12 7.61	Lead	FIXED	3		

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
			Built	ISP	I	J	Max Headsail	ISP JSP	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H. Strps	IB or OB		
			DW Rating		Mast Material		EY	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type			
			Disp/WL ratio		Rig Type			MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades			
									SSF		ASM	Fixed or _o	Max Draft						
Ebb Tide	Wauquiez 45s Centurion	60245	57	2003	55.77 17.72	100	55.77 17.72	51.84 6.51	19.32 11.68	55.59 17.72	31.9 1466	52.39 0	45.92 40.25 13.67 8.17	23148 8488 Lead	0 1 FIXED	IB Fold 3	(Mtg 5/26/11, Increased "JSP" by 5.67" which equals a 30% increase. -9 sec/mi per NCPHRF Rules & Guidelines.)(Mtg 3/29/12, JSP now same as J+9 sec/mi, Asymmetrical spinnaker still oversized, -3 sec/mi)		
Encore	Sydney 36 CR	3632	57	2006	45.6 14	104		44.36 6.1 16.4 10.6	49.9 15.4 28.6 1178 27.2	Yes No	28.9 1283 48 1.4 29.9 90	36.06 31.04 11.32 7.55	12897 4850 Lead	No 1 FIXED	IB FOLD 2	(Australian IRC Rating 1.052)(Mtg 8/23/12, change custom rating from 54 to 57)			
Imagine	Davidson 44 MOD	77220	57	1980	49.92 15.38	125	50.33	58.3 6.9 18.33 12.8	0 652 0	Yes	0	44 38.5 13 7.6	24410 7000 Lead	No 1 FIXED	IB FOLD 3	(Mtg 4/27/17, custom rating of 57 assigned)			
Outsider	Azzura 310	1000	57	1996	35.35 11.55	110	43.33 21.57	38.75 6.68 13.25 10.5	0 352 0	No	30.1 1163 6 0	30.75 27.4 10 7.2	4850 2100 Lead	No 1 FIXED	OB Fixed_3 3	6 FT ARTIC, RETRAC BOWSPRIT. MTG 3/28/96 (RATED 66) (CHNG NOTED 4/18/96-NO CHNGE RTNG. (2/13/96 FM 66 TO 60.)( MTG 11/13/97 FM 60 TO 57)MTG 2/12/98 FM 57 TO 63 (MTG 4/9/98) Inboard Sail Drive removed and replaced with			
Six Brothers	Columbia C 30-2	32006	57	2013	36.67 12.67	103	42 17.67	38 7.77 14.67 10.64		No	31.5 1145 0 0	32 27 10.13 7.42	4500 1900 Lead	0 1 FIXED	IB None				
Jet Stream	Custom JS 9000	9045	60	2003	27.08 9.5	87	30.25 15.5	30.84 6.07 10.171 8.17		No	21.8 561 3 0	29.9 27.9 5.7 6.8	2425 1543 Lead	0 1 FIXED	OB None 0	(Mtg 1/22/09, custom rating of 78 assigned)(Mtg 8/19/10, -9 sec/mi for adding 3' sprit, -3 sec/mi for increased spinnaker area, Original rating of 78 contained a 3 sec error, rating should have been 75, change custom rating to 62/7/27/17. Now			
Sweetspot	C&C 121 DK W/5' BS	46921	60	2000	57 15	135	57 20	51 6.19 16.386 10.6	0 496 0	No	36 1851 5 0	40 35.5 13.8 8	14100 5500 Lead	No 1 FIXED	IB FOLD 2	Deep Keel-bowsprit, (Mtg 4/24/08, rating appeal submitted, change base rating for C&C 121 DK w/ 5' BS, aka C&C 121 XP, to 60)			

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications	
			Built	J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp.	Traps/H. Strps		IB or OB Prop Type # of blades			
									DW Rating Disp/WL ratio	Mast Material Rig Type	SL SPL SSMG SSF	SPL SSA			SLU SLA SLE ASMG	ASF ASA Sprit Lngth Fixed or _o			Ballast	moveable blst
Invictus	Jeanneau Sunfast 3600	12	63	2015	46.58 13.83	105	48 17.67	44.25 6.49 15.08 9.91	No	Yes	27.8 1192	35.42 31.25 11.67 7	10362 4850 Lead	0 1 FIXED	IB Feath					
			572 154		ALUMN FS		411			46.59 28	0 <input checked="" type="checkbox"/> 0									
Ohana	Beneteau 45F5	38023	63	1991	53.15 15.08	100	55.15 16	55.4 7.06 18.58 12.08	Yes	No		44.11 36.9 14.1 7.9	26500 8500 Lead	0 1 FIXED	IB FEATH 3	(Mtg 12/1/11, -6 sec/mi for new keel)				
			580 240		ALUMN FS		613			52.49 15.08 27.14 1187 27.14	0 <input type="checkbox"/> 0									
Wasabi	JPK 1080	38103	63		46.66 14.17	100	51.51 19.09	46.2 5.84 15.48 9.61	No	Yes		35.43 30.84 11.98 7.22	10692 4740 Steel	0 1 FIXED	IB Fold					
			550 166		CARBON FS		419				0 <input type="checkbox"/> 90									
Jeannette	Custom Frers 40 IOR 1 Tonner	40646	66	1986	47.2 13.7	100	13.7	51.48 7.13 18.76 12.19	Yes	No		39.5 33 12.6 8.1	12900 6000 Lead	0 1 FIXED	IB FOLD 2	(mtg 5/31/07 custom rating changed from 63 to 60 based on performance data)(Mtg 8/27/15, change custom rating back to 63 after review of race results)				
			569 163		ALUMN FS		575			46.69 13.7 24.66 959 24.66	0 <input type="checkbox"/> 0									
Lindo	J 109	195	69	2005	46.5 13.3	155	49 18.8	43.3 5.89 15.5 10.07	No	Yes	27.75 1160	35.25 30.5 11.5 7	10900 3900 Lead	0 1 FIXED	IB FOLD 2					
			580 175		ALUMN FS		400			56.33 45.63 27.2	5.5 <input checked="" type="checkbox"/> 0									
Mirthmaker	A 35	18250	69	2007	44.22 13.45	90	51.06	44.94 5.42 14.66 8.88	Yes	Yes	24.2 996	34.7 30.47 11.6 6.88	9810 4367 Lead	0 1 FIXED	IB Fold 2	(Mtg 5/20/10, custom rating of 60 assigned, would like a copy of ORR Certificate)(mtg 6/15/10, change custom rating from 60 to 63 based on further clarification of boats configuration)(Mtg 10/27/16, change custom rating from 63 to 60 after				
			574 158		CARBON FS		381			50.32 14.1 25.38 1064 25.38	1.5 <input type="checkbox"/>									
Pegasus - Motion X	J 100 ODR MOD	1197	69	2005	38 12.7	95	43 15.63	38 5.32 15.3 9.32	No	Yes	23.3 861	32.8 29 9.3 5.8	7250 2500 Lead	No 1 FIXED	IB FOLD 2	(Mtg 2/26/09, -3 sec/mi for adding sprit)(mtg 1/21/10, additional -3 sec/mi for lengthening sprit to 4.13')(Mtg 1/27/11, -6 sec/mi for increased "e")(Mtg 1/26/11, shortened J, boat rigged for carbonized ceiling. NCTBY4/22/17				
			579 135		CARBON FS		332			47.8 39.1 23.9	4.13 <input checked="" type="checkbox"/>									

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Keel		Engine/Prop	Modifications
					I	J	Max Headsail	ISP	P	MGU	Yes/No	Yes/No	ASF		Ttl Disp.	Traps/H. Strps		
			DW Rating		Mast Material	JSP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type		
			Disp/WL ratio		Rig Type		PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades		
							EY		SSF		ASMG	Fixed or _o	Max Draft					
Raven	C&C 115	38108	69	2004	52.17 14.5	106	52.17 14.5	49.33 6.2	16.33 8.6	No	Yes	24.7	37.75	11800	0	IB		
			587		CARBON				447		53.3	962	33	4200	1	Fold		
			149		FS						47.3	0	11.92	Lead	FIXED	2		
											22.5	<input checked="" type="checkbox"/>	6.67					
Skinny Love	11 Metre ODR	92	69	1996	32.53 10.166	95	41	36.08 5.23	13.583 8.82	Yes	No		33.67	3600	No	OB	MTG 4/9/98. Sail number 90, using sail # 246 for Vallejo 2008	
			536		ALUMN			0	293		41	13.17	26.92	1600	1	None		
			84		FS			0	0		23.62	807	8.67	Lead	FIXED	0		
								0	0		23.62		5.42					
Willow	Wauquiez 40s Centurion	38300	69	2004	51.5 14.17	110	51.5	49.21 7.3	19.3 12.5	Yes	Yes	28.54	41.17	18960	No	IB	(mtg 3/18/10, -3 sec/mi for oversized a-sail.)(mtg 1/27/11, - 3 sec/mi for added sprit)	
			573		ALUMN			0	564		50.73	14.17	36.4	6085	1	FEATH		
			179		FS			0	0		25.54	1080	12.66	Lead	FIXED	3		
								25.54	0		27.66	<input checked="" type="checkbox"/>	7.75					
Basic Instinct	Custom Elliott 10.50	8123	72	1993	41 12.5	125	45.6 13.9	44.2 8.5	17.5 12	No	Yes	29.4	34.42	10220	No	IB	(mtg 3/19/09, changed to smaller headsail, +3 sec/mi, & larger mainsail, -6 sec/mi, change rating from 66 to 63)(Mtg 10/21/09, new smaller headsail, still with large headboard. Change mainsail rating from 6 sec/mi to 3 sec/mi)	
			570		ALUMN			0	497		48	1198	31.83	3000	1	FOLD		
			144		FS			0	0		30	1198	12.08	Lead	FIXED	2		
								29.75	0		29.4	<input checked="" type="checkbox"/>	7					
Bullet	Express 37	40311	72	1985	48.75 14.33	155	48.75	42 5.3	13.75 8.83	Yes	No		37.08	11000	No	IB		
			581		ALUMN			0	344		48	14.33	30.83	4600	1	FOLD		
			171		MS			0	0		25.79	1032	11.57	Lead	FIXED	2		
								0	0		25.79		7.25					
Eclipse	Express 37	18495	72	1985	48.75 14.33	155	48.75	42 5.28	13.75 8.83	Yes	No		37.08	11000	0	IB	Rudder modification noted, no change to rating. (Actual weight from yard 11200 - 9500 was design displacement. No mods from standard express 27.) 3/26/01	
			577		MS			0	344		48	14.33	30.83	4500	1	FOLD		
			171					0	0		25.79	1032	11.57	Lead	FIXED	2		
								0	0		25.79		7.25					
Elan	Express 37	87700	72	1985	48.75 14.33	155	48.75	42 5.28	13.75 8.83	Yes	No		37.083	11000	No	IB		
			581		ALUMN			0	344		48	14.33	30.833	4500	1	FOLD		
			171		MS			0	0		25.79	1032	11.57	Lead	FIXED	2		
								0	0		25.79		7.25					



Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications		
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		Ttl Disp.		Traps/H.	Strps	IB or OB Prop Type # of blades			
								SL	SPL	SLU	ASA							Ballast	moveable blst
								SSMG	SSA	SLE	Sprit Lngth Fixed or _o								
Escapade	Express 37	18051	72 1985	48.75 14.33 155	48.75	42 13.75 0 0	5.28 8.83 344	Yes 48 25.58 25.42	14.33 1022	No <input type="checkbox"/>	0	37.08 30.83 11.57 7.25	11000 4500 Lead	No 1 FIXED	IB FOLD 2				
Expeditious	Express 37	18478	72 1986	48.75 14.33 155	48.75	42 13.75 0 0	5.28 8.83 344	Yes 48 25.5 25.4	14.33 1019	No <input type="checkbox"/>	0	37.08 30.83 11.57 7.25	11000 4500 Lead	No 1 FIXED	IB FOLD 2	INSTALED NEW CLASS- APPROVED CARBONFIBER RUDDER - MTG 6-12-2000 NCTR.			
Golden Moon	Express 37	18488	72 1985	48.75 14.33 155	48.75	42 13.75 0 0	5.37 8.99 347	Yes 48.27 25.79 25.79	14.33 1037	Yes 49.8 46 25	29.5 1034 0 90	37 30.83 11.57 7.25	11000 4500 Lead	No 1 FIXED	IB FOLD 2				
Jarlen	J 35	28528	72 1990	46.333 14.583 150	46.3	41.416 14 0 0	5.43 9.11 347	Yes 46 26 26	14.583 997	No <input type="checkbox"/>	0	35.42 30 11.67 6.75	10500 4400 Lead	No 1 FIXED	IB FOLD 2				
Junkyard Dog	J 109 ODR	168	72 2004	46.5 13.3 105	49 18.83	43.25 15.5 0 0	5.88 10 398	No 56.33 45.63 27.2	27.75 1160 5.5 0	Yes <input checked="" type="checkbox"/>	0	35.25 30.5 11.5 7	10900 3900 Lead	No 1 FIXED	IB FOLD 2				
La Viajera	J 109 ODR	46480	72 2004	46.5 13.3 105	49.6 18.8	43.25 15.5 399	5.89 10.07	No 56.33 45.63 27.2	27.75 1160 5.5 0	Yes <input checked="" type="checkbox"/>	0	35.25 30.5 11.5 7	10900 3900 Lead	0 1 FIXED	IB Fold 2				
Mojo	J 35	18935	72 1983	46.4 14.7 150	46.3 14.7	41.75 14.98 353	5.21 8.77	Yes 46 26.25 26.25	14.7 1006	No <input type="checkbox"/>	0	35.42 30 11.8 6.9	10500 4400 Lead	No 1 FIXED	IB Feath 2				

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications			
			ISP		I	J	Max Headsail	ISP	P	MGU	Yes/No	Yes/No	ASF		Ttl Disp.	Traps/H.	Strps		IB or OB		
			JSP		J	J		JSP	E	MGM	SL	SPL	SLU		ASA	Ballast	moveable blst		Prop Type		
					Mast Material				PY	MSA	SSMG	SSA	SLE		Sprit Lngth	Max Beam	Ballast Mat.		Keel Type	# of blades	
	Disp/WL ratio		Rig Type		EY		SSF		ASM	Fixed or _o	Max Draft										
Mudshark	Express 37	28052	72	1986	48.75 14.33	155	48.75	42 13.75	5.28 8.83	Yes	48	14.33	No		0	37.08 30.83 11.57 7.25	11000 4500 Lead	No 1 FIXED	IB FOLD 2		
			577 171		MS			0 0	344				<input type="checkbox"/>								
Phat Jack	Express 37	18257	72	1985	48.75 14.33	150	48.75	42 13.75	5.25 8.83	Yes	48	14.33	No		0	37.08 30.83 11.57 7.25	11000 4500 Lead	0 1 FIXED	IB FEATH 2		
			577 171		ALUMN MS				343		25.7 25.7	1028		<input type="checkbox"/>	0						
Punk Dolphin	Custom Wylie 38	18481	72	1985	48 14.33	150	48	43 14	5.58 9.55	Yes	48	14.33	No		0	38 31 11.6 6.75	14000 5000 Lead	No 1 FIXED	IB FOLD 2		
			581 214		ALUMN MS			0 0	369		25.8 25	1026		<input type="checkbox"/>							
Stewball	Express 37	18278	72	1985	48.75 14.33	150	48.75	42 13.75	5.28 8.83	Yes	48	14.33	No		0	37.083 30.833 11.57 7.25	11000 4500 Lead	0 1 FIXED	IB FOLD 2		
			577 171		ALUMN MS			0 0	344		25.7 24.76	1020		<input type="checkbox"/>							
Abracadabra	Antrim 27 CM ODR	28927	75	1996	28.69 8.17	116	37.25 15	33.75 14	7.5 10.9	No			Yes	25.1 44.2 38 20.1	723 6.83 13	27.83 23.75 9.25 6	2900 1050 Lead	No 1 FIXED	OB None 0	BOWSPRINT IS ARTICULATING	
			555 98		CARBON FS			0 0	327					<input type="checkbox"/>							
Akialoa	J 35	28435	75	1989	46.33 14.58	120	46.3	41.42 14	5.43 9.11	No			No		0	35.42 30 11.67 6.75	10500 4400 Lead	No 1 FIXED	IB FOLD 2		
			177		ALUMN MS			0 0	347					<input type="checkbox"/>							
Escapade	Sabre 40-2	38011	75	1997	54 15.5	110	54 16	47.5 17	5.6 9.9	Yes	51.25 27.3 25.6	15.5 1151	Yes	23.5 1001 47 24	0 0 0	40.2 34 13.3 7.5	19760 7500 Lead	0 1 FIXED	IB FEATH 3		
			599 229		ALUMN MS				449					<input checked="" type="checkbox"/>							

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
					I	J	Max Headsail	ISP	JSP	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	
			DW Rating		Mast Material		PY	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type			
			Disp/WL ratio		Rig Type		EY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades			
									SSF		ASM	Fixed or _o	Max Draft						
Expression	Express 37 MOD	33985	75	1984	48.75 14.33	150	48.75	42	5.3	Yes	No	19	37.1	9500	0	IB	(mtg 1/21/10, +3 sec/mi for modified keel, -3 sec/mi for dual spinnaker/ability to fly asym on squared back pole)(1/19/11, removed asym, only using symmetric spinnaker, +3 sec/mi)		
			590		ALUMN		13.75	9	48.16	14.33	48	705	30.83	4500	1	Fold			
			147		MS			346	23.2	931	45	0	11.5	Lead	FIXED	2			
									23.2		18	<input type="checkbox"/>	90	6					
Joker	J 35	400	75	1986	46.4 14.7	125	46.4	41.5	5.43	Yes	No		35.42	10500	0	IB			
			587		ALUMN		14	9.11	46	14.7			30	4400	1	FOLD			
			177		MS		0	348	26.4	1012		0	11.8	Lead	FIXED	2			
							0	0	26.4			<input type="checkbox"/>	6.75						
Princess	Sabre 40-2	28876	75	1996	53.5 15.5	110	53.5	47.8	6.27	No	Yes	26.75	40.17	19500	No	IB	base rtg changed frm 69 to 72 MTG 4/8/03.		
			588		ALUMN		17	10.7			57.94	1205	35.25	7000	1	FOLD			
			202		MS		0	476			46.65	5	13.25	Lead	FIXED	2			
							0	0	27.88			<input type="checkbox"/>	6.25						
Raven	Benteau First 35	38073	75	2001	47.24 13.12	108	51.48	45.93	5.98	Yes	No		36.32	12125	0	IB			
			586		ALUMN		14.75	10.23	51.31	14.73			30.6	3681	1	Fold			
			192		FS			419	26.25	1116		0	12.76	Iron	FIXED				
									25.46			<input type="checkbox"/>	7.25						
Rustler	Esse 850	71	75		32.8 10	105	37.72	34.4	6.23	No	Yes	24.3	28	3000	0	IB	Outboard replaced with inboard saildrive (Mtg 2/28/13, custom rating assigned, as sailed: 75)		
			535		ALUMN		11.97	8.85			43.5	779	28	1540	1	Fold			
			62		FS			277			36.9	6.05	7.25	Lead	FIXED				
											23	<input checked="" type="checkbox"/>	0	6.6					
Timber Wolf	Farr 38-1 C&B Marine	67519	75	1980	43.91 13.36	155	47.9	44.83	6.7	Yes	No		38.32	12000	0	IB	(REDUCED MGM, ADDED 6" TO RUDDER LENGTH -NOTED NCTR-2/15/01)(-3 sec/mi for oversized spinnaker)		
			579		ALUMN		17.91	11.6	48	14.67			30.9	4100	1	FOLD			
			185		FS		0	476	26.4	1056		0	11.97	Lead	FIXED	2			
							0	0	26.4			<input type="checkbox"/>	6.39						
Advantage 3	J 105 ODR w/ 5'BS	84	78	1994	40.6 13.5	100	42.1	41.5	5.5	No	Yes	25.5	34.5	7750	No	IB			
			581		ALUMN		19.07	14.5	9.4		49	957	29.5	3400	1	FOLD			
			137		FS			0	358		38.6	5	11	Lead	FIXED	2			
								0	0		26.4	<input checked="" type="checkbox"/>	6.5						

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications							
			Built	J	Max	ISP	P	MGU	Yes/No		Yes/No		LOA	LWL	Ttl Disp.	Traps/H.	IB or OB	Prop Type	Modifications							
									JSP	E	MGM	SL								SPL	SLU	ASA	Max Beam	Ballast	moveable blst	# of blades
DW Rating	Mast Material	EY	SSSF	ASMG	Fixed or _o	Max Draft	Ballast Mat.	Keel Type	# of blades																	
Akula	J 105 ODR w/ 5'BS	16	78	1992	40.6	100	42.1	41.5	5.5	No	Yes	25	34.5	7750	No	IB										
					13.5		19.07	14.6	9.4		48.9	854	29.5	3400	1	FOLD										
			585		ALUMN			0	359		38.7	5	11	Lead	FIXED	2										
			137		FS			0			23	<input checked="" type="checkbox"/>	6.5													
Alchimiste	Archambault 27	38973	78	2013	34.25	100	39.08	34.78	4.75	No	Yes	26.9	27.4	4894	0	IB	(Mtg 10/22/15, Custom rating assigned. Includes -9 sec/mi penalty for 22% oversized ASA & +3 sec/mi credit for non-articulating sprit. As sailed: 78)									
					10.83		15.98	12.63	8.16		43.97	872	22.7	1814	1	Fold										
			616		ALUMN				261		38.71	0	9.7	Lead	FIXED											
			190		FS			20.41			24.93	<input checked="" type="checkbox"/>	5.7													
Allegro	Beneteau Farr First 36.7	56657	78	2010	46.42	155	46.42	45.4	5.92	Yes	Yes	23.41	36	12939	0	IB	(Mtg 1/26/16, -3 sec/mi for increased JSP)									
					13.1		14.35	15.6	12.49		47.33	834	30.3	3993	1	Fold										
			601		ALUMN				458		43	0	11.4	Lead	FIXED	2										
			211		FS			23.58	889		21.83	<input type="checkbox"/>	90													
Crackers	J 105 ODR w/ 5'BS	581	78	2002	40.6	100	42.1	41.5	5.5	No	Yes	26.2	34.5	8664	0	IB										
					13.5		19.07	14.5	9.4		49.5	859	29.5	3400	1	Fold										
			585		ALUMN				358		39.8	5	11	Lead	FIXED											
			153		FS						22.3	<input checked="" type="checkbox"/>	0													
Godot	J 105 ODR w/ 5'BS	28905	78	1992	40.6	95	42.1	41.5	5.5	No	Yes	23.29	34.5	7750	No	IB										
					13.5		19.07	14.6	9.4		49.54	958	29.5	3400	1	FOLD										
			581		ALUMN			0	359		38.55	5	11	Lead	FIXED	2										
			137		FS			0			26.8	<input checked="" type="checkbox"/>	6.5													
Javelin	J 105 ODR w/ 5'BS	394	78	2001	40.6	100	42.1	41.5	5.5	No	Yes	25.5	34.5	8697	0	IB										
					13.5		19.07	14.5	9.4		49	957	29.5	3400	1	Fold										
			584		ALUMN				358		38.6	5	11	Lead	FIXED											
			154		FS						26.4	<input checked="" type="checkbox"/>	0													
Lightwave	J 105 ODR w/ 5'BS	319	78	2000	40.6	100	42.1	41.5	5.5	No	Yes	22.9	34.5	7750	No	IB										
					13.5		19.07	14.5	9.4		49.4	947	29.5	3400	1	FOLD										
			581		ALUMN			0	358		38.5	5	11	Lead	FIXED	2										
			137		FS			0			26.6	<input checked="" type="checkbox"/>	6.5													

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Keel		Engine/Prop	Modifications
					I	J	Max Headsail	ISP	P	MGU	Yes/No	Yes/No	ASF		Ttl Disp.	Traps/H. Strps		
			DW Rating		Mast Material	JSP	EY	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type		
			Disp/WL ratio		Rig Type			MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades		
											ASMG	Fixed or _o	Max Draft					
Mamaluc	J 105 ODR w/ 5'BS	265	78	1999	40.6 13.5	100	42.1 19.07	41.5 5.5 14.5 9.4		No	Yes	25.9	34.5	7750	No	IB		
			581		ALUMN			0			49.42	962	29.5	3400	1	FOLD		
			137		FS			0			39.76	5	11	Lead	FIXED	2		
								0			25.88	<input checked="" type="checkbox"/>	6.5					
Nantucket Sleighride	J 105 ODR w/ 5'BS	414	78	2001	40.6 13.5	100	42.1 19.07	41.5 5.5 14.5 9.4		No	Yes	25	34.5	7750	0	IB		
			585		ALUMN						48.9	863	29.5	3400	1	Fold		
			137		FS			358			38.7	5	11	Lead	FIXED	2		
											23.3	<input checked="" type="checkbox"/>	6.5					
Pressure Drop	Beneteau Farr First 36.7	52489	78	2006	46.4 13.1	155	46.4 14.35	45.4 5.92 15.6 12.49	Yes		No	23.29	36	12495	0	IB	(12/2/16, -3 sec/mi for JSP)	
			602		ALUMN						46.25	867	30.3	4034	1	Fold		
			204		FS			458			43.63	0	11.4	Lead	FIXED	2		
											23.13	<input type="checkbox"/>	7.3					
Russian Roulette	J 105 ODR w/ 5'BS	85	78	1995	40.6 13.5	100	42.1 19.07	41.5 5.5 14.5 9.4		No	Yes	25	34.5	7750	0	IB		
			585		ALUMN						48.9	854	29.5	3400	1	Fold		
			137		FS			358			38.7	5.5	11	Lead	FIXED	2		
											23	<input checked="" type="checkbox"/>	6.5					
Salt Peanuts	Custom Dees GP 26	18	78	2008	29.35 8.07	130	36.43 14.32	32.42 5.58 12.63 8.69	No		Yes	20.41	25.72	2340	0	OB	(mtg 2/18/10, change custom rating from 75 to 78)(3/28/12, New Rudder Noted)	
			562		CARBON						43.5	626	21.22	1100	1	None		
			111		FS			258			31.76	6.23	8	Lead	FIXED	0		
											19.85	<input checked="" type="checkbox"/>	6.04					
Sweet Okole	Custom Farr 36	29000	78	1976	42.049 12.35	155	42.049	44.54 5.9 16 10	Yes		No		36	9696	No	IB	(78 MTG 1/28/93) (81 MTG 3/18/93)(Mtg 5/22/08, +3 sec/mi for switching to smaller headsail, +3 sec/mi for removing 250# shoe from keel, change custom rating from 81 to 87)(6/7/10, change headsail to 155% 2 sec/mi change rating)	
			585		ALUMN						43.82	12.35	31.33	3750	1	FOLD		
			143		FS			416			22.23	812	11.88	Lead	FIXED	2		
											22.23	<input type="checkbox"/>	7					
Vuja Star	J 105 ODR w/ 5'BS	181	78	1998	40.6 13.5	100	42.1 19.07	41.5 5.5 14.5 9.4		No	Yes	29.5	34.5	8733	0	IB		
			581		ALUMN						49.52	958	29.5	3400	1	Fold		
			155		FS			358			39.8	5.5	11	Lead	FIXED	2		
											24.8	<input checked="" type="checkbox"/>	6.5					

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications									
			Built	J	Max Headsail	ISP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB	Prop Type	Modifications									
									JSP	E										MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	# of blades
Disp/WL ratio	Mast Material	FS	EY	SSF	ASM	Fixed or _o	Max Draft																					
Courageous	J 88	77	81	2015	38.67 11.28	104	46 18.05	36.82 12	5.44 8.4	No	Yes	29 1022	29.19 26.84	4990 1840	0 1	IB Fold												
			561 117		CARBON FS				282		40.84 27.32	5.25 <input checked="" type="checkbox"/>	9.5 6.5	Lead	FIXED													
CruzSea Baby	Beneteau First 10R ODR	52878	81	2007	43.2 12.07	155	46.41 16.5	42.25 14.73	5.59 9.57	No	Yes	27.5 1055	32.75 28.7	9715 3528	0 1	IB Fold	(Rudder Modifications noted, smaller non-class spinnaker +3 sec/mi)											
			603 187		CARBON FS				371		41.5 27.9	4.43 <input checked="" type="checkbox"/>	11 6.55	Lead	FIXED	2												
Dare Dare	Jeanneau Sun Fast 3200	39	81	2008	41.92 12.58	102	43.77 13.61	38.67 13.68	5.28 8.46	Yes	Yes	24.41 887	33.1 28	7916 2866	0 1	IB Fold												
			598 164		ALUMN FS				311		44.91 24.08 23.39	13.58 896	11.5 6.2	Lead	FIXED	2												
Hera	Beneteau Farr First 36.7	28372	81	2002	46.4 13.1	150	46.4 13.1	45.4 15.6	5.92 12.49	Yes	No	0	36 30.3	12495 3748	No 1	IB FOLD												
			602 204		ALUMN FS			0 0	458		23.01 22.1	871	7.2	Lead	FIXED	2												
Inconceivable	J 88	9	81	2013	38.67 11.28	104	46 18.05	36.82 12	5.44 8.4	No	Yes	29 1022	29.19 26.84	4990 1840	0 1	IB Fold												
			561 117		CARBON FS				282		40.84 27.32	5.25 <input checked="" type="checkbox"/>	9.5 6.5	Lead	FIXED													
Javelin	J 100 ODR	4	81	2004	38.5 11.5	95	43 12.7	38 13.5	5.13 8.77	No	Yes	24.34 899	32.8 29	6500 2500	No 1	IB FOLD												
			590 121		CARBON FS				306		38.71 24.34	0 <input type="checkbox"/>	9.3 5.8	Lead	FIXED	2												
Juno	J 88	20	81	2014	38.67 11.28	105	46 18.05	36.82 12	5.44 8.4	No	Yes	29 1022	29.19 26.84	4990 1840	0 1	IB Feath												
			561 117		CARBON FS				282		40.84 27.32	5.25 <input checked="" type="checkbox"/>	9.5 6.5	Lead	FIXED													

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
			Built	J	Max Headsail	ISP	JSP	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB		
			DW Rating	Mast Material			EY	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type			
			Disp/WL ratio	Rig Type				MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades			
									SSF		ASM	Fixed or _o	Max Draft						
M Squared	J 88	75	81	1979	38.67 11.28	104	46 18.05	36.82 5.44	12	8.4	No	Yes	29	29.19	4990	0	IB		
			561		CARBON						47.83	1022	26.84	1840	1	Fold			
			117		FS			282			40.84	5.25	9.5	Lead	FIXED				
											27.32	<input checked="" type="checkbox"/>	0	6.5					
Mintaka 4	Farr 38	18441	81	1979	43.67 13.67	125	46.2	44.9 6.8	17.9	11.6	Yes	No	38.25	11850	No	IB	(2002-removed dinette stbrd, add bench seat w/55 gal fuel tank, original was 12.5. Rudder replaced 12" longer, 4" narrower. Changes noted mtg 1/17/02, NCTR)(removed short pole, changed spinnakers, 4/12/04) (Mtg 1/24/12 new stem		
			578		ALUMN						44.13	14.5	31.17	4100	1	FOLD			
			178		FS			0	478		26.07	948	12	Lead	FIXED	2			
								0			24.6		6.33						
Mistral	Beneteau Farr First 36.7	28394	81	2002	46.4 13.1	155	46.4 13.1	45.4 5.92	15.6	12.49	Yes	No	35	12495	No	IB			
			602		ALUMN						45.8	13.1	30.3	4034	1	FOLD			
			204		FS			0	458		23.47	885	11.6	Iron	FIXED	2			
								0			22.07		7.2						
Relentless	Sydney 32	28732	81	2002	40.6 12.2	110	40.6 13.1	39.7 5.6	14.75	9.59	Yes	No	31.9	6850	No	IB	-3 Sec/mi for OSP		
			589		ALUMN						40.29	13.1	28.4	2860	1	FOLD			
			136		FS			0	349		23.4	786	10.6	Lead	FIXED	2			
								0			23.4		6.9						
Split Water	J 88	78	81	2015	38.67 11.28	104	46 18.05	36.82 5.44	12	8.4	No	Yes	29	29.19	4990	0	IB		
			561		CARBON						47.83	1022	26.84	1840	1	Fold			
			117		FS			282			40.84	5.25	9.5	Lead	FIXED				
											27.32	<input checked="" type="checkbox"/>	0	6.5					
Ventus	J 88	60	81	2015	38.67 11.28	104	46 18.05	36.82 5.44	12	8.4	No	Yes	29	29.19	4990	0	IB		
			561		CARBON						47.83	1022	26.84	1840	1	Fold			
			117		FS			282			40.84	5.25	9.5	Lead	FIXED				
											27.32	<input checked="" type="checkbox"/>	0	6.5					
White Shadow	J 88	23	81	2014	38.67 11.28	104	46 18.05	36.82 5.44	12	8.4	No	Yes	29	29.19	4990	0	IB		
			561		CARBON						47.83	1022	26.84	1840	1	Fold			
			117		FS			282			40.84	5.25	9.5	Lead	FIXED				
											27.32	<input checked="" type="checkbox"/>	0	6.5					



Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No	Yes/No	ASF	Ttl Disp.		Traps/H. Strps			
				Mast Material			PY	MSA	SL	SPL	SLU	ASA	Ballast	moveable blst			
				Rig Type			EY		SSMG	SSA	SLE	Sprit Lngth	Ballast Mat.	Keel Type			
			Disp/WL ratio						SSF		ASMG	Fixed or _o					
Ariadne	Beneteau Farr First 36.7	403	84	46.4 13.1	125	46.4 13.1	46.4 15.6	5.92 12.49	Yes		No		36 30.3 11.4 7.3	12495 4034 Lead	No 1 FIXED	IB Fold 2	
			601 204	ALUMN FS			0 0	468	23.5 23.5	897		<input type="checkbox"/> 0 0					
Enchante'	Beneteau 42 IK TM	63222	84	1985	55.43 16.73	155	55.71	49.2 14.6	4.8 8.5	No	No		43.67 36 13.83 7.19	20509 8700 Iron	No 1 FIXED	IB FOLD 2	
			200	ALUMN MS			0 0	400				<input type="checkbox"/>					
Insolent Minx	Melges 24	725	84	2008	27.85 7.98	100	31.85 12	28.75 12.42	3.83 7.09	No	Yes	20.67 38 32.9 19.23	24 22 8.2 5.25	1750 650 Lead	0 1 CNTRBRD	OB None	
			578 75	CARBON FS				195				<input checked="" type="checkbox"/> 0					
Lonestar	Beneteau First 10R ODR MOD	40	84	2007	43.2 12.07	100	46.41 16.5	42.25 14.73	5.59 9.57	No	Yes	25.5 52.9 45.8 26.4	32.75 28.7 11 6.55	9715 3528 Lead	0 1 FIXED	IB FOLD 2	(Mtg 5/20/10, +3 sec/mi for non-class smaller kite)(Mtg 9/23/10, rudder modifications noted, NCTR)(Mtg 4/26/12, new rudder noted, NCTR)
			601 187	CARBON FS				371				<input checked="" type="checkbox"/> 0					
Mulan	Beneteau First 10R ODR	52659	84	2007	43.2 12.07	100	46.41 16.5	42.25 14.73	5.59 9.57	No	Yes	25.5 52.9 45.8 26.4	32.75 28.7 11 6.55	9715 3258 Lead	0 1 FIXED	IB Fold 2	(mtg 9/23/10, +3 sec/mi for non-class smaller kite)
			601 187	CARBON FS				371				<input checked="" type="checkbox"/> 0					
Rufless	Melges 24	445	84	1999	27.85 7.95	100	31.85 12	28.9 12.45	3.83 7.09	No	Yes	20.67 38 32.9 19.23	24 22 8.17 5.25	1783 650 Lead	0 1 CNTRBRD	OB None 0	
			577 76	CARBON FS				196				<input checked="" type="checkbox"/> 0					
Turbo Camper	Hobie 33 ODR MOD	87574	84	1984	33.28 12.4	155	36.5 13.13	35 12.5	4.75 8.1	No	Yes	23 39 34.2 23	33 30.5 8 5.42	4200 1900 Lead	1 FIXED	OB None 0	(Mtg 3/29/12, -3 sec/mi for displacement changes)
			550 67	ALUMN FS			0 0	261				<input type="checkbox"/> 90					

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Keel		Engine/Prop	Modifications
					I	J	Max Headsail	ISP	P	MGU	Yes/No	Yes/No	ASF		Ttl Disp.	Traps/H. Strps		
			DW Rating		Mast Material	JSP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type		
			Disp/WL ratio		Rig Type		PY	MSA	SSMG	SSA	SLE	Sprit Length	Max Beam	Ballast Mat.	Keel Type	# of blades		
							EY		SSF		ASMG	Fixed or _o	Max Draft					
Dawn's Early Light	J 36	77549	87	1982	44.219 14	125	44.21 14	47 15	5.8 9.5	Yes	No		35.95 30.5 11.76 6.6	10570 4600 Lead	0 1 FIXED	IB Fold		
			590 169		ALUMN FS			418				0 0						
Ex Indigo	Custom Diva 39	8	87	1987	41.73 12.8	125	41.73 12.8	46.75 14.75	5.72 9.6	Yes	No		38.75 30.83 9.83 5.75	9920 4575 Lead	No 1 FIXED	IB FOLD 2	Back Stay Crane	
			591 154		ALUMN FS			0 0	413			0						
Grunion	Catalina 425	11	87	2017	55.75 15.67	125	17.34	52 18	5.04 9.58	No	No		41.67 39.08 13.67 6.67	17500 7000 Lead	0 1 FIXED	IB Fold	(Mtg 1/26/17, need to submit spinnaker measurements when available)	
			133		ALUMN MS				490			0 0						
Red Cloud	Farr 36 Mod	99	87	1976	38.3 12.16	108	46.3 12.16	41 16.75	6.4 10.9	Yes	No		36 31.33 11.92 6.16	10430 3950 Lead	No 1 FIXED	IB Fold 2	(550# ADDED TO KEEL 300# TO FILL MIDDLE WINDOW+250# TO BOTTOM)(Mtg 1/26/12, -3 sec/mi for new mainsail)(mtg 3/29/12, +3 sec/mi after review of rating appeal, as sailed: 87)	
			584 154		ALUMN FS			0 0	410			0						
Soiree	Beneteau Oceanis 49 SD	38776	87		59.75 18.42	135	59.75 18.42	51.67 18.33	4.7 9.3	No	Yes	29.41 1210	49.5 43.67 14.75 5.75	30517 480 Iron	0 1 FIXED	IB Feath	Electric Winches (Mtg 10/27/16, +3 sec/mi for In-mast furling mainsail)	
			551 167		ALUMN FS				480			0 0						
Another Girl	Alerion Express 38-2	20	90	2011	42.98 12.99	90		47.5 18.25	9.58 13.45	No	No		38.3 30.1 10.3 5.92	13000 5000 Lead	0 1 FIXED	IB Feath 2	(mtg 4/28/11, Custom rating of 90 assigned)	
			616 217		CARBON MS				583			0 0						
Drop Beer	Beneteau Class 10	18277	90	1984	37.8 12.6	150	38.6	39.7 13.9	4 8.7	Yes	No		34.2 29.6 9.9 6.8	7000 2200 Iron	0 1 FIXED	IB FOLD 0	NEW RUDDER 3/4/95, NCTR (MTG 3/36/95)	
			588 123		ALUMN FS			0 0	308			0						

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SPL SSMG SSF	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast		Traps/H. moveable blst Keel Type			
Quantum	Beneteau 405 TM	0	<b>90</b> 1986	52.17 14.83	155	52.17	46.26 15.09	4.76 8.74	Yes	51.45 26.64 26.64	14.8 1142	No	40.42 35.5 12.75 7.19	18518 7694 Iron	0 1 FIXED	IB Fold	
			<b>583</b> 188	ALUMN MS				385				<input type="checkbox"/>	0 0				
Roxanne	Tartan 4100 SD TM	322	<b>90</b> 1986	57 15	135	57 15	50.1 18	6.8 11.5	No	58.9 53 27.7	27 1285 0 0	Yes	41.3 35.9 13.6 5.4	20400 8000 Lead	0 1 FIXED	IB Feath	
			<b>579</b> 200	ALUMN MS				533				<input type="checkbox"/>	0 0				
Savoir Faire	Beneteau 42 IK	28735	<b>90</b> 1984	52.82 16.73	145	52.82	46.59 14.6	5.4 9.35	Yes	53 30.183 32.677	16.73 1355	No	42.92 36 12.75 7.25	20900 7920 Iron	No 1 FIXED	IB FEATH 2	PER MTG 8/14/97
			<b>581</b> 204	ALUMN MS			0 0	401				<input type="checkbox"/>	0				
Sea Ghost	Beneteau 42 IK	68222	<b>90</b> 1984	52.82 16.73	155	52.82	46.5 14.6	5.4 9.35	Yes	53 30.1 32.6	16.73 1352	No	42.92 36.25 12.75 7.25	20900 7920 Iron	0 1 FIXED	IB FOLD 2	DOUBLE HEADRAIL, HYDRALIC BACKSTAY PER MTG 8/14/97
			<b>580</b> 199	ALUMN MS			0 0	400				<input type="checkbox"/>	0				
Vitesse Too	Hobie 33 ODR	87112	<b>90</b> 1983	33.8 12.4	125	36.8	35 12.4	4.75 8	Yes	36.2 23.4 21.4	13.25 694	No	33 30.5 8 5.5	4000 1800 Lead	No 1 FIXED	OB None 0	Extended rudder 10", NCTR
			<b>552</b> 64	ALUMN FS			0 0	259				<input type="checkbox"/>	0				
Xtreme	Hobie 33 ODR	18170	<b>90</b> 1984	33.83 12.4	125	36.25	35 12.5	4.75 8	Yes	36 23.4 21.4	13.125 690	No	33 30.5 8 5.42	4000 1800 Lead	No 1 FIXED	OB None 0	
			<b>553</b> 64	ALUMN FS			0 0	260				<input type="checkbox"/>	0				
Yellow Brick Road	Jeanneau Sun Odyssey 40	33300	<b>90</b> 1999	50 13.75	125	50 13.8	43.25 15.67	5.7 9.89	No	52.33 45.37 27.23	25.59 1095 0 0	Yes	40 33.33 12.92 6.33	16094 5291 Iron	0 1 FIXED	IB FEATH 3	
			<b>601</b> 198	ALUMN MS			0 0	396				<input checked="" type="checkbox"/>	0				

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications		
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst Keel Type				
Gavilan	Custom Wylie 39	28439	<b>93</b> 1996	49 14.5	122	49	43 15.5 0 0	5.73 9.75 390	Yes	48.64 26.6 26.6	14.5 1078	Yes 48.39 47.08 18.47	24.6 783 1.17	<input checked="" type="checkbox"/>	41.5 31.75 11.5 6.77	17900 5920 Lead	No 1 FIXED	IB FEATH 3	(mtg 4/28/11, change custom rating from 84 to 96 after review of rating appeal)(Mtg 1/26/12, -3 sec/mi for sprit)
Lady Jane	Jeanneau 39i Sun Odyssey	7913	<b>93</b> 2008	48.1 13.1	122	48.1	46.3 14.6	5.42 9.28 398	No			Yes 49.31 42.81 26.08	27.46 1012 1 0	<input checked="" type="checkbox"/>	38.1 35.2 12.9 6.7	16163 5026 Cast Iron	0 1 FIXED	IB Feath 3	
Ada Helen	ace	922	<b>96</b> 2005	53 16.5	155	53 16.5	46.75 15.5		No	18		Yes 54.76 50.5 29.7	29.7 1303 0 90	<input type="checkbox"/>	43.8 36 13.1 6	24400 8300 Lead	No 1 FIXED	IB FOLD 3	(Mtg 3/20/08 -6/sec/mi for OSP)(mtg 6/19/08, new larger a-sail, correct size for J, NCTR)
Freedom	Worth 40	18230	<b>96</b> 1984	54 16	155	16	47 14 0 0	5.5 9.2 397	Yes	52 28.8 28.8	16 1248	No	0	<input type="checkbox"/>	40 34.25 12.5 7.25	21000 7800 Lead	0 1 FIXED	IB FOLD 2	
Prime Number	Tartan 4100 SD	38107	<b>96</b> 2004	57 15	106	57 15	47.75 17.22	5.64 10.08 458	No			No	0 0	<input type="checkbox"/>	41.25 35.75 13.5 5.33	20400 8000 Lead	0 1 FIXED	IB Fold	
Serenade	Sabre Spirit		<b>96</b> 2007	45.5 12.87	106	51.2 12.87	45.5 16.55	5.55 9.93 425	Yes	44.92 23.17 22.24	12.87 860	No	23 976 0 0	<input checked="" type="checkbox"/>	36.67 28.33 10.42 6.58	10500 3740 Lead	0 1 FIXED	IB Fold	
Wayward Wind	Baltic 38 DP	87258	<b>96</b> 1983	52.25 15.82	155	52.25	46.25 13.75	4.53 8.2 357	Yes	53.21 28.4 58.4	15.8 1525	No	0 0	<input type="checkbox"/>	38.08 31.5 12.34 7.25	14330 6512 Lead	0 1 FIXED	IB Fold	

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
			ISP		I	J	P	MGU	Yes/No	Yes/No	ASF	Ttl Disp.		Traps/H. Strps	IB or OB		
			JSP		Max Headsail	Mast Material	E	MGM	SL	SPL	SLU	ASA		Ballast	moveable blst	Prop Type	
			PY		MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type		# of blades			
Disp/WL ratio	Rig Type	EY	SSF	ASMG	Fixed or_o	Max Draft											
Windswept Lady	X-362 Classic	50980	<b>96</b>	1998	46.6 12.9	125	46.6 12.9	40.6 14.1	5.05 8.86	Yes	Yes	26.7 878	35.1 30.4 11.4 6.2	12320 5170 Lead	0 1 FIXED	IB Fold	
			<b>613</b> 199		ALUMN MS				333			<input type="checkbox"/>					
Windtrip Infinity	J 92s	35	<b>96</b>	2006	40.68 11.48	107	44.08 16.67	38.88 13.95	5.42 9	No	Yes	23.25 878	30 26.7 10 6.24	5610 2317 Lead	0 1 FIXED	IB Fold	
			<b>587</b> 134		ALUMN FS				324			5.17 0					
Ala Moana	Beneteau First 30	104	<b>99</b>	2012	41.66 13.78	105	42.16 15.78	40.3 14.25	6.28 9.38	No	Yes	28.82 1049	31.7 27.6 10.5 6.25	8267 2403 Cast Iron	0 1 FIXED	IB Fold 2	
			<b>602</b> 179		ALUMN FS				356			2 0					
Double Espresso	Olson 30 OB	18069	<b>99</b>	1982	36 11.75	155	35.9 11.75	31.5 10.75	4.36 7.26	Yes	No		30 27.5 9.33 5.08	3600 1800 Lead	0 1 FIXED	OB None	
			<b>591</b> 79		ALUMN MS				208			0 0					
Dr Feelgood	Olson 29	24	<b>99</b>	1986	34 11	155	36	32.5 11.5	4.36 7.48	Yes	No		29.67 27.5 9.33 5.58	3600 1950 Lead	0 1 FIXED	OB None	
			<b>571</b> 79		ALUMN FS				223			0 0					
Dragonsong	Olson 30 OB	87014	<b>99</b>	1982	36 11.75	155	35.9 11.67	31.5 10.75	4.364 7.268	Yes	No		30 27.5 9.33 5.08	3600 1800 Lead	No 1 FIXED	OB None 0	
			<b>584</b> 79		ALUMN MS				208			0					
Hot Betty	Olson 30 OB	67537	<b>99</b>	1979	36 11.75	155	35.9 11.67	31.5 10.75	4.364 7.268	Yes	Yes	21 630	30 27.5 9.33 5.08	3600 1800 Lead	No 1 FIXED	OB None 0	
			<b>584</b> 79		ALUMN MS				208			0 0					

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
			Built	J	Max	IS	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	IB or OB	# of blades			
				Headsail	ISP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type				
			DW Rating	Mast Material	JSP	PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type					
Disp/WL ratio	Rig Type		EY		SSF		ASM	Fixed or _o	Max Draft										
Nina	Olson 29	27	99	1987	34	155	36	32.5	4.5	Yes	No			29.67	3700	0	OB		
					11			11.5	7.27			34	11.25	27.5	1950	1	None		
			579		ALUMN			0	222			20.25	574	9.33	Lead	FIXED	0		
			81		FS			0				20.25		5.58					
Pony Express	Express 34	28234	99	1988	44.25	155	44.25	38.5	4.87	Yes	No			34	7500	No	IB		
					12.92			12.83	8.46			44	12.89	28.33	3700	1	FOLD		
			613		ALUMN			0	296			23.4	858	10.5	Lead	FIXED	2		
			150		MS			0				23.4		6					
Razzberries	Ericson 34 Olson TM	97479	99	1988	46.77	155	47	40.9	5.1	Yes	No			33.88	10855	No	IB		
					12.95			12.95	8.5			45.7	12.95	28	3500	1	FOLD		
			625		ALUMN			0	320			23.31	888	10.8	Lead	FIXED	2		
			225		MS			0				23.31		6.085					
Traveler	Express 34	97089	99	1987	44.3	150	44.3	38.5	4.87	Yes	No			34	8500	0	IB	-6 FOR OVERSIZED SPINNAKER	
					13			12.83	8.46			42.7	13	28.3	3700	1	FOLD		
			616		ALUMN			0	296			22.2	787	10.5	Lead	FIXED	2		
			170		MS			0				21.8		6					
Vento	Swan 391	40841	99		53.5	95	53.5	47.25	5.5	Yes	Yes	26		39.9	18900	0	IB		
					16.25		16.25	14	9.2			51.83	16.25	33.1	6800	1	Fold		
			592		ALUMN				399			29.3	1266	12.4	Lead	FIXED			
			237		MS							29.3		7.2					
Vita E Bella	Catalina 42-1/2	989	99	2007	53	155	16.5	46.9	5.2	No	Yes	27.3		41.83	24400	0	IB	(mtg 3/28/13, -3 sec/mi for added sprit)	
					16.5		16.5	15.6	9.5			53.8	1105	36	3765	1	FOLD		
			595		ALUMN				415			50.4	3.67	13.1	Lead	FIXED	3		
			238		MS							25	0	6.8					
Warpath	Olson 30 OB	198	99	1982	36	150	35.9	31.5	4.364	Yes	No			30	3600	No	OB		
					11.75		11.67	10.75	7.268			36	11.75	27.5	1800	1	None		
			584					0	208					9.33	Lead	FIXED	0		
			79		MS			0						5.08					

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SPL SSMG SSF	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.		Traps/H. Strps Ballast moveable blst Ballast Mat. Keel Type			
X T A C	Olson 29	18457	<b>99</b> 1986	34 11	155	36	32.42 11.42	4.59 7.66	Yes	34 11.25	No	29.67 27.5 9.33 5.25	3900 1900 Lead	No 1 FIXED	OB None 0	RUDDER REPLACED W/MORE 30 - CHANGE NOTED NCTR.	
Checkedred Past	Custom Wyliecat 39	3	<b>102</b> 2002				52 26.6	10.2 17.4	No		No	38.83 32 11.5 6.6	12000 6200 Lead	0 1 FIXED	IB FOLD 2	Boat has been modified for handicapped sailing	
Farriage	Catalina 42-1/2	336	<b>102</b> 1992	53 16.42	130	53 16.42	46.75 16.42	5.75 9.83	No		Yes 53 47.37 24.37	27.08 1042 0 0	41.83 36 13.83 6.83	20600 8300 Lead	0 1 FIXED	IB Feath 3	
Flight Risk	Thompson 650	650	<b>102</b> 2000	26.67 8.86	100	28.25 14.86	28.29 10.4	5.7 8	No		Yes 37.79 33.6 19.5	20.58 586 7.87 0	22.3 19.8 8.16 5.9	1692 660 Lead	Yes 3 FIXED	OB None	(mtg 1/21/10, weighed displacement of 1692lbs updated, NCTR)(Mtg 3/18/10, change custom rating from 108 to 99)(Mtg 8/18/10, submitted appeal, rating changed from 99 to 102)
Gratitude	Hylas 46	60373	<b>102</b> 2002	58.4 17.7	135	58.4 17.7	50.6 18	4.6 9.6	No		Yes 54.6 51.6 30.6	25.5 1309 0 0	46.3 40 13.9 6.6	27777 12347 Lead	0 1 FIXED	IB Feath 3	
Lilith	Custom Wyliecat 39	7	<b>102</b> 1992				50.75 26.5	10.45 17.5	No		No	38.83 32 11.83 6.67	12000 6200 Lead	No 1 FIXED	IB FOLD 2	HULL DESIGN IS VERY SIMILAR TO WYLIECAT 30.NO JIB, NO SPINNAKER, NO SPANKER,NO REACHER, NO VANG,NO TWECKER,NO STAYS ETC., AS SAILED RATING 102 PER MTG 5/15/02	
Marrakesh	Express 34	3	<b>102</b> 1987	44.25 13	125	44.25	38.5 12.83	4.87 8.46	Yes	44 13	No	34 28.33 10.33 6.11	9245 3800 Lead	No 1 FIXED	IB FOLD 2		



Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst Keel Type		
Post Time	Catalina 42-1/2	362	<b>102</b> 1993	53 16.42	135	53 16.42	46.75 15.5	5 9	No	No	0 0	41.83 36 13.83 6	24000 8300 Lead	0 1 FIXED	IB Feath 3	In-Boom Furling Mast, Electric Halyard Winch	
TESA	Catalina 42-1/2	642	<b>102</b> 1999	53 16.41	155	53 23	46.75 15.416	5.91 10	Yes 48.833	16 16	31 1275 0	41.83 36 13.83 6.8	25500 8300 Lead	0 1 FIXED	IB FEATH 3	Added one electric main halyard winch	
Tijd	Beneteau First 30	45	<b>102</b> 2011	41.66 13.78	105	42.16 15.7	40.2 14.25	6.24 9.38	No 15	Yes 45.6	25.5 866 1 90	31.7 27.5 10.5 6.25	8267 2403 Cast Iron	0 1 FIXED	IB Fold	(Mtg 8/27/15, -3 sec/mi for OSP, +6 sec/mi for small spinnaker)	
Baleineau	Ericson 34 Olson SM	42147	<b>105</b> 1988	44 13	155	44 44	38.8 13	4.88 8.25	Yes 43.5	12.96	0	34 28 10.83 6	10600 3650 Lead	No 1 FIXED	IB FOLD 2		
Carmelita	Catalina 42-1/2	131	<b>105</b> 1990	53 16.42	125	53	46.75 15.5	4.98 8.85	Yes 49	16.42	27.75 1131 0	41.83 36 13.83 6.66	22000 8300 Lead	No 1 FIXED	IB FEATH 3		
Kai Ola	Jeanneau Sun Odyssey 379	0	<b>105</b> 2011	46.67 13.58	132	46.67	44.58 13.92	5.4 9.1	Yes 45.5	13.58	No 0 0	37.17 36 12.33 6.33	14771 3914 Steel	0 1 FIXED	IB Fixed_3	(Mtg 5/25/17, -3 sec/mi for oversized spinnaker)	
Loya	Ericson 34 Olson SM	3246	<b>105</b> 1989	44.5 13.25	154	44 13.25	38.84 12.9	4.69 8.38	Yes 44	13.25	23.8 886 0 0	34 28 10.83 6	10600 3650 Lead	0 1 FIXED	IB Fold 2		

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Keel		Engine/Prop	Modifications
					I	J	Max Headsail	ISP	P	MGU	Yes/No	Yes/No	ASF		Ttl Disp.	Traps/H. Strps		
			DW Rating		Mast Material		EY	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type		
			Disp/WL ratio		Rig Type			MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades		
									SSF		ASMG	Fixed or _o	Max Draft					
Ragtime!	J 92	18	<b>105</b>	1993	37 11.5	155	38.5 17	4.7 8.2	No		Yes	29.75 1019	30 25.8	5500 2275	No 1	IB FOLD	(changes noted 3-11-03, NCTR)(2/14/06 - Spinnaker based on 1019 sq feet/94.67 meters)(Mtg 01/16/14, -3 sec/mi for flying asymetric off squared back pole)(Mtg 4/24/14, New Rudder noted NCTR. Shortened pole/sprit	
			<b>593</b> 146		ALUMN FS		0 0	293	30.6 30.6	1019	38.5 28.4	5.5 <input checked="" type="checkbox"/>	10 5.9	Lead	FIXED	2		
Red Sky	Ericson 34 Olson SM	28340	<b>105</b>	1989	44 12.95	150	44 12.95	5.1 8.5	Yes		Yes	21.98 587	33.88 28	10855 3500	No 1	IB FOLD	MTG 12/11/97(RUDDER REPLACED 8" DEEPER ADN 3" NARROWER.)	
			<b>627</b> 225		ALUMN MS		0 0	302	23.4 23	816	33.77 17.91	0 <input type="checkbox"/>	10.8 6.08	Lead	FIXED	2		
Relentless	J 92	93	<b>105</b>	1997	37 11.5	155	38.5 17.5	5.2 8.7	No		Yes	26.4 915	30 26.5	5500 2275	0 1	IB Fold		
			<b>590</b> 134		ALUMN FS			306			40.6 25.4	5.5 <input checked="" type="checkbox"/> 0	10 5.9	Lead	FIXED	2		
Revelry	Catalina 42-1/2	703	<b>105</b>	1999	53 16.416	125	53 16.416	5.75 9.833	No		Yes	27.5 1097	41.833 36	20500 8300	No 1	IB FEATH	ASYM SPIN NOTED NCTR.	
			<b>608</b> 200		ALUMN MS		0 0	425			47.4 26	0 <input type="checkbox"/>	13.833 6.83	Lead	FIXED	3		
Sail La Vie	Beneteau 411	28597	<b>105</b>	1999	46.67 16.25	140		4.872 8.77	No		No	0	41.67 36.09	17196 5500	No 1	IB FEATH		
					ALUMN MS		0 0	344				<input type="checkbox"/>	13 5.58	Steel	FIXED	3		
Tiki Blue	Beneteau 423	38423	<b>105</b>	2005	48.65 16.52	125	48.65 16.52	5.49 9.6	Yes		No	0	41.67 38.58	20224 5569	No 1	IB FOLD		
			<b>580</b> 160		ALUMN MS			381	48.76 29.7 28.69	16.5 1199		0 <input checked="" type="checkbox"/> 0	12.92 6.92	Iron	FIXED	3		
Blue Zephyr	Jeanneau Sun Odyssey 42 DS		<b>108</b>	2010	51.58 16.25	150		3.55 6.9	No		No	0	42.42 38	19676 5628	0 1	IB Fixed_3	(mtg 4/27/17, +3sec/mi for in-mast furling, +3 sec/mi for MGM < 50% of E)	
					ALUMN FS			350				0 <input type="checkbox"/> 0	13.5 6.92	Iron	FIXED			

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp. Ballast	Traps/H. moveable blst	IB or OB Prop Type # of blades			
								SL	SPL	SLU	ASA							
								SSMG SSF	SSA	SLE ASMG	Sprit Lngth Fixed or _o					Ballast Mat.	Keel Type	
Gig	Humboldt 30 IB	18112	<b>108</b> 1983	37.5 11.5 149	37.5	41.5 13.75 0 0	5.13 8.83 338	Yes	No	30 26.66 10.5 5.75	5400 2222 Lead	No 1 FIXED	IB FOLD 2					
Hijinks	J 92	90	<b>108</b> 1996	37 11.5 97	38.5 17	37.66 13.22	5 8.6 297	No	Yes	26.51 26.5 10 5.9	5500 2275 Lead	0 1 FIXED	IB Fold 2					
Imagination	Bavaria 40	0	<b>108</b> 2001	47.25 14.58 111	48	44.46 15.58	5 9.21 386	No	Yes	20 828 0 0	40.94 35.93 13.1 6.4	17417 6283 Lead	0 1 FIXED	IB Fold				
Max	Ultimate 24 ODR	2	<b>108</b> 2002	28.04 7.82 110	30.8 14.5	31 11.35	6.81 9.18 254	No	Yes	21.3 562 6.7 0	24.38 21.17 8.48 5.52	2040 750 Lead	0 1 FIXED	OB None				
Popstar	Catalina 400	331	<b>108</b> 2005	52.5 15.5 135	52.5 16.5	46.9 17	4.02 8.27 393	No	Yes	27.9 1225 0 0	41.54 36.5 13.5 6.92	20500 8300 Lead	0 1 FIXED	IB Fold 3	(+3 sec/mi for in-mast furling mainsail, +3 sec/mi for MGM <50% of E)			
Sir Leansalot	Hunter 40	161	<b>108</b> 1986	53.9 17 125	53.9 17	48 13.9	5.2 9 396	Yes	No	39.7 32.5 13.5 6.5	17400 6000 Iron	0 1 FIXED	IB Fixed_2 2					
Sweet Grapes	Ericson 36 Holland	19	<b>108</b> 1981	47.75 14.5 147	47.75	42 12	3.5 7.2 278	Yes	No	35.58 29 11.83 6.25	11600 5230 Lead	0 1 FIXED	IB FOLD 2					

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications	
			Built	J	Max Headsail	ISP	P	MGU	Yes/No		Yes/No		LOA	Ttl Disp. Traps/H. Strps		IB or OB				
									E	MGM	SL	SPL		SLU	ASA		Ballast	moveable blst		Prop Type
Disp/WL ratio	Mast Material	Rig Type	EY	SSSF	ASMG	Fixed or_o	Max Draft	Ballast Mat.	# of blades											
Boomer	Melges 20	676	111	2009	23.19	110	27.2	24.25	3.83	No	Yes	18.8	20	1105	0	OB				
			604		7.05		10.95	9.84	7.42		29.78	417	19.4	415	1	None				
			69		CARBON				152		26.25	3.9	7	Lead	FIXED	0				
					FS						17.65	<input checked="" type="checkbox"/>	4.5							
Endless Summer	Catalina 42-1/2 WK	688	111	2000	53	155		46.75	5.08	No	No		41.83	28000	0	IB				
					16.5			15.5	9.16				36	8300	1	Feath				
					ALUMN				405			<input type="checkbox"/>	13.83	Lead	FIXED	3				
			273		MS							0	4.83							
For Pete's Sake	Ultimate 24 ODR	28469	111	2003	28.04	102	30.8	31	5.5	No	Yes	22.2	24.38	2040	No	OB				
			582		7.82		14.5	11.5	8.8		36	587	21.17	750	1	None				
			98		CARBON			0	238		30.6	6.7	8.48	lead	FIXED					
					FS			0	0		20.9	<input checked="" type="checkbox"/>	5.52							
Ganesha	Sabre 36-2	28862	111	1996	48.5	155		41.6	5.66	No	No		36.17	13800	No	IB	Adjustable back stays			
					13.46			14.83	9.63				30.42	5520	1	FOLD				
					ALUMN			0	368			<input checked="" type="checkbox"/>	12	Lead	FIXED	2				
			223		MS			0	0			0	6.5							
Hylite	Hylas 49 SM	49	111	2007	57.42	130	57.42	51	4.5	No	Yes	28.67	48.83	35000	0	IB	(Mtg 1/26/17, Custom rating of 111 assigned)			
			580		19.5		19.5	18.5	9.17		60	1214	39.5	14500	1	Fold				
			258		ALUMN				470		55.33	0	14.25	Lead	FIXED					
					CTR						24.42	<input checked="" type="checkbox"/>	6							
Makanani	Ultimate 24 ODR	3	111	2003	28.04	110	30.8	31	6.35	No	Yes	21.3	24.38	2040	0	OB				
			583		7.82		14.5	11.35	9.18		36	566	21.17	750	1	None				
			98		CARBON				250		27.8	6.7	8.48	Lead	FIXED					
					FS						21.3	<input checked="" type="checkbox"/>	5.52							
Nightmare	Custom Wilderness 30 SX FR OB	305	111	1980	34	125		34.4	4.59	Yes	No		29.75	4700	No	OB	(-3 sec/mi for change from IB to OB, -6 sec/mi for keel change.)(mtg 2/26/15, -9 sec/mi for oversized spinnaker)			
			588		11.75			11.5	7				27.75	1650	1	None				
			100		FS			0	233				8.83	Lead	FIXED	0				
								0	0			<input type="checkbox"/>	5.92							

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications		
				J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps moveable blst				
									SL	SPL								Ballast	Keel Type
									SSMG SSF	SSA								Ballast Mat.	Keel Type
Problen Child	Melges 20	134	111	2009	23.19 7.05	110	27.2 10.95	24.25 9.84	3.83 7.42	No	Yes	18.8 417 3.9 0	20 19.4 7 4.5	1105 415 Lead	0 1 FIXED	OB None			
Ahi	Santana 35	30980	114	1981	39 12.85	155	39	42 14.25	5.51 9.26	Yes	No	12.85 752 0 0	35 26.5 11.92 6.25	8500 3300 Lead	0 1 FIXED	IB Fold 2	(Mtg 6/27/13, new rudder noted, NCTR)		
Allons-Y	J 70 ODR	346	114	2014	26.77 7.68	100	30.15 13.5	26.16 9.44	4.71 6.93	No	Yes	18.7 491 5.1 0	22.75 20.47 7.38 4.92	1750 630 Lead	0 1 MVBL	OB None			
Azure	CAL 40	72	114	1966	46 15.17	150	46	40 17.5	6.65 11.37	Yes	No	15.17 1056 0 0	39.3 30.5 11 5.5	15500 6000 Lead	0 1 FIXED	IB FEATH 2			
Benny	J 70 ODR	897	114	2015	26.77 7.68	100	30.15 13.5	26.16 9.44	4.71 6.93	No	Yes	18.7 491 5.1 0	22.75 20.47 7.38 4.92	1750 630 Lead	0 1 MVBL	OB None			
Bessie's Girl	Bristol 45.5	30088	114	1980	57 18.83	130	57 18.83	47.25 15.2	4.66 8.56	Yes	Yes	33 1353 0 0	45.5 37.25 13.2 11	40000 15000 Lead	No 1 CNTRBRD	IB FEATH 3	(mtg 2/18/10, -3 sec/mi for dual spinnakers/ability to use asym on squared back pole)		
Blue Passion	tartan 3400	7134	114	2006	46 13.67	95	49.67 13.67	43 14.5	4.58 8.2	No	No	0 0	34.42 30.42 11.92 6.5	10800 3500 Lead	0 1 FIXED	IB Fold			

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast		Traps/H. moveable blst				
								SL	SPL						SLU			ASA
								SSMG	SSA						SLE			Fixed or _o
Breakout	Santana 35	18679	114	1982	39 12.85 155	39	42 14.25	5.51 9.26	358	Yes	No	35 26.5 11.92 6.25	8500 3300 Lead	No 1 FIXED	IB FOLD 2			
Elan	Beneteau 37	46	114	2012	45.83 15 105	48	43.5 12.83	6.16 8.83	359	No	Yes	37.8 34.08 12.83 6.25	14359 3901 Iron	0 1 FIXED	IB Fold			
Green Buffalo	CAL 40	8538	114	1967	46.7 15.2 155	46.7	39.8 17.6	6.65 11.37	416	Yes	No	39.3 30 10.9 5.8	15148 6000 Lead	0 1 FIXED	IB FEATH 3	Schumacher designed rudder - same as original		
Neverland	Tartan 3700 SD 5.0'	106	114	2006	51.75 15 135	51.75 15	45.25 15	5.7 9.68	404	No	Yes	37 32.5 12.6 5	17780 6200 Lead	0 1 FIXED	IB Fold 2			
Nozomi	CAL 40	164	114	1970	46.2 15.2 155	46.2	39.9 17.6	6.6 11.37	416	Yes	No	39.5 30 11 5.6	15500 6000 Lead	0 1 FIXED	IB FEATH 3			
Penny Pincher	J 70 ODR	215	114	2014	26.77 7.68 100	30.15 13.5	26.16 9.44	4.71 6.93	164	No	Yes	22.78 20.47 7.38 4.92	1750 630 Lead	0 1 MVBL	OB None			
Prime Number	J 70 ODR	29	114	2012	26.77 7.68 100	30.15 13.5	26.16 9.44	4.71 6.93	164	No	Yes	22.78 20.47 7.38 4.92	1750 630 Lead	0 1 MVBL	OB None			

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		Ttl Disp. Ballast		Traps/H. moveable blst				
								SL	SPL	SLU	ASA							
								SSMG SSF	SSA	SLE ASMG	Sprit Lngth Fixed or _o				Ballast Mat.			Keel Type
Rampage	J 70 ODR	582	114	2014	26.77 7.68	100	30.15 13.5	26.16 9.44	4.71 6.93	No	Yes	18.7 491 5.1 0	22.75 20.47 7.38 4.92	1750 630 Lead	0 1 MVBL	OB None		
Redhead	Cal 40	7817	114	1964	46 15.17	155	46.36	40 17.5	6.5 11.3	Yes	No	46 27.3 26.2	15.17 1038	39.5 30 10.92 5.75	16500 6000 Lead	No 1 FIXED	IB Feath 2	
Riff Rider	Cal 40	46	114	1965	46.2 15.1	155	46.2	40 17.5	6.5 11.3	Yes	No	46.2 27.2 27.2	15.1 1047	39.3 30.3 11 5.6	15000 6000 Lead	0 1 FIXED	IB Fold	
Scilla	J 70 ODR	327	114	2012	26.77 7.68	100	30.15 13.5	26.16 9.44	4.71 6.93	No	Yes	18.7 491 5.1 0	22.78 20.47 7.38 4.92	1750 630 Lead	0 1 MVBL	OB None		
Sea Star	CAL 39-2/3	38022	114	1977	50 16.7	150	50	44 13.8	4.5 8	Yes	Yes	34 1181 0 0	39 32 12 6.7	17000 7000 Lead	0 1 FIXED	IB FEATH 3	Roller Furler	
Skye	Capo 30 MOD	0	114	1984	41.7 12.75	120	41.5 12.75	36 11.5	4.37 7.47	Yes	No	0 0 0	33 26 10.33 5.42	7500 3000 Lead	0 1 FIXED	IB Feath	(Mtg 5/25/17, -9 sec/mi for increased LOA from added sugar scoop)	
Wingman Racing	J 70 ODR	584	114	2014	26.77 7.68	100	30.15 13.5	26.16 9.44	4.71 6.93	No	Yes	18.7 491 5.1 0	22.75 20.47 7.38 4.95	1750 630 Lead	0 1 MVBL	OB None		



Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications							
			Built	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No		LOA	Ttl Disp.	Traps/H.	Strps	IB or OB	Prop Type	Modifications						
										E	MGM	SL	SPL								SLU	ASA	LWL	Ballast	moveable blst	# of blades
Disp/WL ratio	Mast Material	Rig Type	EY	SSF	ASM	Fixed or _o	Max Draft	Ballast Mat.	Keel Type	# of blades																
Ciao Bella	Beneteau 37	38	117	2009	45.833 15	105	43.5 12.9		No	No		37.666 34.75 12.833 6.25	14008 3902 Iron	0 1 FIXED	IB FOLD 3											
Dulcinea	Catalina 38	88	117	1981	49.83 15.5	130	49.8 15.5	44 11.5	4.37 7.6	No	No	38.17 30.25 11.83 6.75	15900 6850 Lead	0 1 FIXED	IB Fold 2											
Ecco	CAL 39-2/3	115	117	1980	50 16.7	125	50	44 13.75	5 8.5	No	No	39 32.1 12.15 6.7	17000 7000 Lead	0 1 FIXED	IB Feath											
E-Ticket	Moorings 38 SD	119	117	1990	47.5 13.9	155	47.5 13.9	41.7 15	5.69 9.45	Yes	No	38.4 31.33 12.5 4.8	13700 5400 Steel	0 1 FIXED	IB Fold 2	Shoal Draft (Mtg 10/27/16, -3 sec/mi for oversized spinnaker area)										
Flight Risk	Catalina 38	87586	117	1983	49.8 15.5	155	49.8	44 11.5	4.18 7.12	Yes	No	38.24 30.45 11.12 6.1	19489 6850 Lead	No 1 FIXED	IB Fold 2	Roller Furler										
Harp	Catalina 38	18003	117	1983	50.7 15.43	155	50.9 15.43	44 11.5	4.8 7.97	Yes	No	38.17 30.25 11.83 6.79	19489 6850 Lead	No 1 FIXED	IB FOLD 2	DEC 93 - 7X19 STND RIG/ W/ROD RIG & SHR TN UPR SPREADERS 2 IN. NO CHNG RTNG ( MTG 1/27/94)										
Highlander	Cal 40	4590	117	1968	46.2 15.2	150	46.2	39.5 17.5	6.65 11.37	Yes	No	39.25 30.25 11 5.58	15000 6000 Lead	0 1 FIXED	IB Fixed_2 2											

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps Ballast moveable blst Ballast Mat. Keel Type	IB or OB Prop Type # of blades	
Oscar	Santa Cruz 33	57663	117 1978	41 13.583	125	41	35.42 15	4.25 7.166	Yes	41 24.6 24.6	13.68 841	No	33 28 10.06 6	7000 3000 Lead	No 1 FIXED	IB FOLD 2	
			595 145	ALUMN MS				269				<input type="checkbox"/>					
Puffin	Alden 44	38144	117 1978	54.1 19.5	100		47.08 14.75	5.7 9.6	No		13.68 841	Yes	44.17 34.08 12.5 8.75	24500 Lead	0 1 CNTRBRD	IB Feath	
			595 281	ALUMN CTR				416				<input type="checkbox"/>					
Allora	Morris 36	38082	120 2007	38.66 12.75	95	44.3	41.25 15.08	5.1 9.43	No			Yes	36.1 25 10.1 5.3	8900 3850 Lead	0 1 FIXED	IB Fold	
			652 259	CARBON FS				357				<input checked="" type="checkbox"/>					
FUGU	Wilderness 30 SX FR IB	67967	120 1980	34.08 11.75	150	34.1 11.8	34.44 11.5	4.37 7.48	Yes	34.28 21.15 21.15	11.75 604	Yes	29.75 27.75 8.75 5.5	4200 1900 Lead	0 1 FIXED	OB None 0	(Mtg 11/20/08, -6 sec/mi for replacing inboard with outboard engine)
			585 89	ALUMN FS				236				<input checked="" type="checkbox"/>					
Happy Daze	Santana 30-30 GP	87322	120 1984	40.83 11.67	150	40.83	36.17 11.08	5.25 8.5	Yes	40.25 19.5 18.6	11.75 648	No	29.92 25.42 10.25 5.5	6500 2435 Lead	No 1 FIXED	IB FOLD 2	
			641 180	ALUMN MS				267				<input type="checkbox"/>					
Iolani	Hughes 48	38048	120 1972	54.3 18.2	135	20.2	48.2 19	5.9 10.4	Yes	40.32 32.76 32.76	18.2 1101	Yes	48 35.1 11.1 6	32000 14300 Lead	0 1 FIXED	IB FEATH 3	
			599 336	ALUMN YAWL				493				<input checked="" type="checkbox"/>					
La Dolce Vita	J 32	64	120 2001	39.2 11	155	40.5 13	38.5 15.5	5.1 9.2	No			Yes	32.4 29 11 6	10000 3840 Lead	0 1 FIXED	IB Feath 3	(Mtg 8/22/13, -6 sec/mi for sprit)
			635 186	ALUMN FS				334				<input checked="" type="checkbox"/>					

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst		
Rhapsody	J 32	56303	<b>120</b> 2000	39.2 11	155	40.583 13	38.5 15.5	5.12 9.25	No	Yes	22.5 830	32.4 29 11 6	11500 3840 Lead	0 1 FIXED	IB Fold 3	(Mtg 5/23/13, -3 sec/mi for sprit, -3 sec/mi for oversized spinnaker)	
Seaya	Catalina 380	252	<b>120</b> 2000	50.916 14.667	135		44.833 15.667	5.2 10	No	No	0	38.42 32.42 12.33 7.17	19000 6800 Lead	No 1 FIXED	IB FEATH 3		
White Jacket	Etchells 22 ODR	901	<b>120</b> 1991	27.27 8.22	90		32.49 11.57		Yes	No	8.22	30.5 22 6.83 4.5	3337 2105 Lead	0 1 FIXED	OB None 0		
Aerie	CS 36	2160	<b>123</b> 1980	49 15	155	49	42.75 12.75	4.33 7.58	Yes	No	15	36.5 29.25 11.5 6.25	15500 6500 Lead	0 1 FIXED	IB Fold		
Arcadia	Custom Nash 28.5	3113	<b>123</b> 1969	33 10	120	34 11	32.5 13	4.92 8.41	No	Yes	24.606 756	28.5 25.5 9 6.5	4327 1200 Lead	No 1 FIXED	IB FOLD 2	(Weighed Displacement as of 4/4/2009)(mtg 2/28/13, change custom rating from 135 to 123 after review of race results and structural modifications) 3	
Double Down	Custom Schumacher 30	18480	<b>123</b> 1988	41.37 12.16	150	41.5	36.416 11.83	4.5 7.69	Yes	No	12.08	29.92 26 10.65 6.17	7854 3650 Lead	No 1 FIXED	IB FOLD 2	Rudder change, old rudder 85lbs new 65 lbs. Old alum/new carbon MTG 10/27/94 Noted- NCTR (MTG 1/9/97 Alum headsail removed and excess wires removed from mast- Noted NCTR)(Mtg 2/21/08, change custom rating from 126 to 123 after	
JouJou	Capo 30	87324	<b>123</b> 1984	41.7 12.75	120	41.5	36 11.5	4.37 7.47	Yes	No	12	30 25 10.33 5.43	7200 3000 Lead	0 1 FIXED	IB Fold 2	Roller Furler	

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:				Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications										
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	SL SPL SSMG SSF	SPL SSA	Yes/No	Yes/No	ASF ASA Sprit Lngth Fixed or _o	Ballast		Traps/H. moveable blst	IB or OB Prop Type # of blades												
																	DW Rating Disp/WL ratio		15.5	4.7 7.9	4.03 6.72	12.25 12.25	11.15	8.5	0	0	0	0
11.5	15.5	11.5	7.9	49	15.42	27.9	1139	27.9	0	0	0	0																
Wood Eye	Catalina 38	111	<b>123</b> 1981	49.83 15.5	110	49.83 15.5	44 11.5	4.7 7.9	Yes	49 15.42	No	38.17 30.25 11.83 6.75	15900 6850 Lead	0 1 FIXED	IB Fixed_2 2													
Bad Hare Day	Wylie Wabbit ODR W/Trap	35	<b>126</b> 1982	20.75 6.5	150	20.5	23.75 10	4.03 6.72	Yes	21.6 8.5	No	23.75 20 5.583 3.5	975 440 Lead	Yes 3 FIXED	OB None 0													
Domino	Wilderness 30 MOD	38081	<b>126</b> 1985	36 12.25	155	36 12.25	31.5 10.83	4.11 6.93	Yes	36.15 12.25	No	30 27.75 8.8 5.5	5450 2150 Lead	0 1 FIXED	IB Fold	(Mtg 3/28/13, +6 sec/mi for small rig)												
First Light	Beneteau 35S5	115	<b>126</b> 1991	41.66 11.15	98		42.65 15.09	5.25 9.042	Yes	42.7 11.15	No	35.42 29.33 11.83 6	11460 4190 Lead	No 1 FIXED	IB Fixed_2 2													
Iniscaw	Martin 32	49143	<b>126</b> 1980	42.5 13.67	145		37.17 12	4.7 8	Yes	42.4 13.67	No	32.8 27 9.6 6.1	8200 4100 Lead	0 1 FIXED	IB FOLD 2	(Mtg 10/2/13, new rudder, NCTR)												
Keala	Wylie Wabbit ODR W/Trap	12	<b>126</b> 1982	20.5 6.5	150	20.5	23.75 10	4.03 6.72	Yes	22 8.5	No	23.75 20 5.58 3.5	975 440 Lead	Yes 3 FIXED	OB None 0	Hiking straps and single trapeze												
Kwazy	Wylie Wabbit ODR W/Trap	26	<b>126</b> 1982	20.416 6.416	150	20.5	23 10	4.02 6.71	Yes	22 8.5	No	23.58 20 5.42 3.41	975 440 Lead	Yes 3 FIXED	NONE None 0													

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications							
			Built	J	Max Headsail	ISP	P	MGU	Yes/No		Yes/No	ASF		LOA	Ttl Disp.	Traps/H.	Strps	IB or OB								
									JSP	E		MGM	SL							SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type
Disp/WL ratio	Mast Material	EY		ASMG	Fixed or _o	Max Draft																				
Lepus	Wylie Wabbit ODR W/Trap	18	<b>126</b>	1982	20.5	150	20.5	23.75	4.03	Yes	No	23.75	975	1	OB	Hiking Straps & Trapeze per class rules										
					6.5			10	6.72		22	20	440	3	None											
			<b>602</b>		ALUMN			0	145		13.9	5.58	Lead	FIXED	0											
			55		FS			0			13.7	3.5														
Mr McGregor	Wylie Wabbit ODR W/Trap	8426	<b>126</b>	1982	20.5	150	20.5	23.75	4.03	Yes	No	23.75	975	1	OB	INCLUDES HIKING STRAPS AND SINGLE TRAPEZE.										
					6.5			10	6.72		22	20	440	3	None											
			<b>602</b>		ALUMN			0	145		13.9	5.58	Lead	FIXED	0											
			55		FS			0			13.7	3.5														
Nancy	Wyliecat 30 OB	28890	<b>126</b>	1995				39.66	8.71	No	No	30.5	5500	No	OB	(-3 sec/mi for square top main)										
								19.75	13.46			25	3050	1	None											
			<b>650</b>		CARBON			0	491			9.5	Lead	FIXED	0											
			160		CAT			0				5.25														
Paradigm	J 32	79	<b>126</b>	2002	39.166	150	40.583	38.42	5.5	No	Yes	32.4	11500	No	IB											
					11		11.916	15.42	9.58		42.09	29	3840	1	FOLD											
			<b>647</b>		ALUMN				343		39.25	11	Lead	FIXED	2											
			214		FS						22.17	6														
Redux	Olson 911S	28106	<b>126</b>	1987	41.5	155	41.5	35.5	4.5	Yes	No	29.9	7200	No	IB											
					12.33			11.83	7.7		41	25	3200	1	FOLD											
			<b>648</b>		ALUMN			0	251		21.9	10.33	Lead	FIXED	2											
			209		MS			0			21.9	5.416														
Stink Eye	Laser 28 ODR MOD	33562	<b>126</b>		31.73	110	33.2	33.14	5.2	Yes	Yes	28.42	4050	No	OB	(Mtg 3/27/14, -3 sec/mi for oversized mainsail girths, -3 sec/mi for OB motor)										
					9.65			12.3	8.3		32.5	23.62	1500	1	FOLD											
			<b>635</b>		ALUMN			0	252		19.5	9.48	Lead	FIXED	2											
			140		MS			0			19.5	5														
Stratocaster	J 32	16	<b>126</b>	1996	39.2	155	40.68	38.5	5.88	Yes	Yes	32.5	10000	No	IB											
					11			15.5	10.07		39	28.67	3840	1	FOLD											
			<b>633</b>		ALUMN			0	355		20.4	11	Lead	FIXED	2											
			193		FS			0			19.75	5.75														

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Keel		Engine/Prop	Modifications	
					I	J	P	MGU	Yes/No	Yes/No	ASF	Ttl Disp.		Traps/H. Strps	IB or OB			
			DW Rating		Max Headsail	ISP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type		
			Disp/WL ratio		Mast Material	JSP	PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades		
					Rig Type		EY		SSF		ASM	Fixed or _o	Max Draft					
Tequila Mockingbird	Express 27 ODR	18353	126		28.5 9	155	32.5	28.5 4.22	4.22	Yes	Yes	18.85	27.25	2450	No	OB	(Mtg 4/23/15, switched to MH configuration, -3 sec/mi for increased spinnaker area)	
			603		ALUMN		10.416	7.03	30.5	9.833	33.85	450	23.75	1100	1	None		
			83		FS		0	182	18.25	460	26.25	0	8.17	Lead	FIXED	0		
White Wabbit	Wylie Wabbit ODR W/Trap	19	126	1982	20.5 6.6	110	26.1	23.75 4.03	4.03	Yes	No		23.75	975	Yes	OB		
			601		ALUMN		10	6.72	21.6	8.6		0	20	440	1	None		
			55		FS		0	145	14	252		0	5.58	Lead	FIXED	0		
Wind Blown Hare	Wylie Wabbit ODR W/Trap	29	126	1982	20.5 6.5	150	20.5	23.75 4.03	4.03	Yes	No		23.75	975	1	OB		
			602		ALUMN		10	6.72	22	8.5		0	20	440	3	None		
			55		FS		0	145	13.9	254		0	5.583	Lead	FIXED	0		
Abba-Zaba	Tartan 10	8112	129	1979	35 12	125	35	40.25 5.34	5.34	Yes	No		33.16	6700	0	IB	(+3 sec/mi credit for 125% or smaller headsail)	
			623		ALUMN		13.75	8.86	35	12		0	27	3340	1	FOLD		
			155		FS		0	331	21.6	630		0	9.25	Lead	FIXED	2		
Abigail Morgan	Express 27 ODR	18394	129	1985	28.5 9	150	28.5	28.5 4.22	4.22	Yes	No		27.25	2450	No	OB		
			612		ALUMN		10.416	7.03	28.562	9.833		0	23.75	1100	1	None		
			83		FS		0	182	17.75	421		0	8.166	Lead	FIXED	0		
Althea	Cavalier 39	38101	129	1981	48.5 14.83	120	46 16.13	42 4.55	4.55	No	Yes	28.23	38.98	13228	0	IB	(Mtg 4/28/16, -3 sec/mi for oversized spinnaker pole, -3 sec/mi for oversized spinnaker)	
			608		ALUMN		12	7.79		16.13	48.75	1029	29.49	7513	1	Fixed_3		
			234		MS			301	42.41		0	0	11.22	Lead	FIXED			
Andale	Express 27 ODR	72	129	1985	28.5 9	155	28.5	28.5 4.22	4.22	Yes	No		27.25	2450	0			
			611		ALUMN		10.42	7.03	29	9.83		0	23.75	1100	1	None		
			83		FS			182	17.7	428		0	8.17	Lead	FIXED			

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications												
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	SL SPL SSMG SSF	Yes/No	SPL SSA	SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H.	Strps		IB or OB Prop Type # of blades											
																			DW Rating Disp/WL ratio	28.5 9 155	28.5	4.22 7.03	29 17.333 17.6	9.833 420	0 <input checked="" type="checkbox"/>	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	NONE None 0
310	129	2010	40.19 11.74 106	42.55 14.87	39.53 13.55	5.28 8.92	323	No	Yes	25.91 906 3 0	30.3 28.58 10.5 6.23	10141 2292 Iron	0 1 FIXED	IB Fold															
Archimedes	Express 27 ODR	18355	129	1985	28.5 9 155	28.5	28.5 10.416 7.03	4.22 7.03	29 17.333 17.6	9.833 420	No <input checked="" type="checkbox"/>	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	NONE None 0														
Bombora	Express 27 ODR	38047	129		28.5 9 155	28.5	28.5 10.42 7.03	4.22 7.03	28.5 17.7 17.7	9.83 420	No <input type="checkbox"/>	27.25 23.8 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0														
Borealis	Gulf 39 PH	77135	129		50 16.17 128		42 13.75	4.83 8.58			No <input type="checkbox"/>	38.83 33.67 12 5	17500 Iron	1 FIXED	IB Fold														
Boudicca	Elan 310	310	129	2010	40.19 11.74 106	42.55 14.87	39.53 13.55	5.28 8.92	323		No	Yes	25.91 906 3 0	30.3 28.58 10.5 6.23	10141 2292 Iron	0 1 FIXED	IB Fold												
Current Affair	Express 27 ODR	56	129	1983	28.5 9 155	28.5	28.5 10.42 7.03	4.22 7.03	29 17.75 17.75	9.83 429	No <input type="checkbox"/>	27.25 23.75 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None														
Dianne	Express 27 ODR	0	129	1981	28.5 9 155	28.5	28.5 10.416 7.03	4.22 7.03	29 17.75 17.75	9.833 429	No <input type="checkbox"/>	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0														
Dream	Sceptre 41	12	129	1983	53 17.67 90	53	47 13	5.24 8.73	374		Yes	No	28 1038 0 0	41 36 12.67 6.08	21500 8700 Lead	0 1 FIXED	IB Fold												



Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail		P E PY EY	MGU MGM MSA	Yes/No SL SPL SSMG SSF	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast		Traps/H. moveable blst Keel Type			
El Raton	Express 27 ODR	28050	<b>129</b> 1985	28.5 9	155	28.5	28.5 4.22 10.416 7.03	4.22 7.03	Yes 29 9.833	No		27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0		
Elise	Express 27 ODR	101	<b>129</b> 1986	28.5 9	155	28.5	28.5 4.22 10.416 7.03	4.22 7.03	Yes 28.6 9.8	No		27.25 23.75 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0		
Ergo	Express 27 ODR	40428	<b>129</b> 1985	28.5 9	155	28.5	28.5 4.22 10.416 7.03	4.22 7.03	Yes 29 9.833	No	0	27.25 23.75 8.075 4.5	2450 1100 Lead	0 1 FIXED	OB None 0		
Get Happy!!	Express 27 ODR	1	<b>129</b> 1981	28.5 9	155	28.5	28.5 4.22 10.416 7.03	4.22 7.03	Yes 29 9.833	No		27.25 23.75 8.166 4.5	2450 1100 Lead	No 1 FIXED	OB None 0		
Hang 20	Express 27 ODR	48	<b>129</b> 1982	28.5 9	125	28.5	28.5 4.22 10.42 7.03	4.22 7.03	Yes 28.5 9.83	No		27.3 23.8 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0		
Heart of Gold	Olson 911S	41327	<b>129</b> 1987	41.5 12.33	125	41.5	35.5 4.5 11.83 7.7	4.5 7.7	Yes 41.1 12.16	No		29.9 25 10.3 5.5	7200 3200 Lead	No 1 FIXED	IB FOLD 2		
Invictus	Hunter 41 DS	38093	<b>129</b> 2007	51.6 13	110		50.8 6 19.6 10.11	6 10.11	No	No		40.4 35.6 13.3 6.6	19400 6506 Lead	0 1 FIXED	IB Fixed_3 3	(Mtg 4/25/13, +3 sec/mi for in-mast furling main)	

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications												
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	SL SPL SSMG SSF	SPL SSA	Yes/No	Yes/No	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H.	Strps		IB or OB Prop Type # of blades											
																			DW Rating Disp/WL ratio	28.5 9	4.22 7.03	29 17.5 17.5	9.833 423	0	0	27.25 23.75 8.166 4.5	2450 1100 Lead	No 1 FIXED	OB None 0
Levitation II	Express 27 ODR	77	<b>129</b> 1984	28.5 9	150	28.5	28.5 10.416	4.22 7.03	29	9.833	Yes	No	0	27.25 23.75 8.166 4.5	2450 1100 Lead	No 1 FIXED	OB None 0												
Make Me Smile	Express 27 ODR	91	<b>129</b> 1984	28.5 9	155	28.5	28.5 10.42	4.22 7.03	29	9.83	Yes	No	0	27.25 23.8 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0												
Mega Hurtz	Laser 28 ODR MOD	53470	<b>129</b> 1974	31.1 9.65	125	31.73	33.14 12.96	4.98 8.4	33	11.32	Yes	No	0 0	28.41 23.62 9.48 4.98	3950 1500 Lead	0 1 FIXED	OB None 2	(Mtg 2/27/14, switched to outboard motor, -3 sec/mi)											
Moonlight	Express 27 ODR	28059	<b>129</b> 1986	28.5 9	155	28.5	28.5 10.416	4.22 7.03	29	9.833	Yes	No	0	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0												
Motorcycle Irene	Express 27 ODR	28137	<b>129</b> 1982	28.5 9	155	28.5	28.5 10.416	4.22 7.03	29	9.833	Yes	No	0	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0												
Peaches	Express 27 ODR	18364	<b>129</b> 1986	28.5 9	155	28.5	28.5 10.416	4.22 7.03	29	9.833	Yes	No	0	27.25 23.75 8.166 4.5	2450 1100 Lead	No 1 FIXED	OB None 0												
Pork Chop Express	Express 27 ODR	115	<b>129</b> 1986	28.5 9	130	32.5	28.5 10.4	4.2 7	28.58 16.44 14.11	9.8 380	Yes	No	19.55 425 0 90	27.25 23.75 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None	(Mtg 1/26/17, -3sec/mi for switching to MH configuration. New Rudder, NCTR)(08/11/17, switching back to OD config)											

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
			Rating		I	J	Max Headsail	ISP	P	MGU	Yes/No	Yes/No	ASF		Ttl Disp.	Traps/H.	Strps		IB or OB
			DW Rating		Mast	Material	JSP	E	MGM	SL	SPL	SLU	ASA		Ballast	moveable blst	Prop Type		
			Disp/WL ratio		Rig Type		EY	PY	MSA	SSMG	SSA	SLE	Sprit Lngth		Ballast Mat.	Keel Type	# of blades		
QE 3	Tartan 10	8049	<b>129</b>	1978	35	125	35	40.25	5.34	Yes	No			33.16	6700	0	IB		
					12		0	13.75	8.96			35	12	27	3340	1	FOLD		
			<b>623</b>		ALUMN			0	332			21.6	630	9.25	Lead	FIXED	2		
			155		FS			0				21.6		5.83					
Salty Hotel	Express 27 ODR	60	<b>129</b>	1983	28.5	155	28.5	28.5	4.22	Yes	No			27.25	2450	0	OB		
					9			10.416	7.03			29	9.83	23.75	1100	1	None		
			<b>611</b>		ALUMN				182			17.75	429	8.17	Lead	FIXED	0		
			83		FS			17.75				17.75		4.5					
Shenanigans	Express 27 ODR	67	<b>129</b>	1983	28.5	155	28.5	28.5	4.22	Yes	No			27.25	2450	0	OB		
					9			10.42	7.03			29	9.83	23.75	1100	1	None		
			<b>609</b>		ALUMN			0	182			16	387	8.17	Lead	FIXED	0		
			83		FS			0				16		4.5					
Simply Irresistible	Express 27 ODR	18070	<b>129</b>	1983	28.5	155	28.5	28.5	4.22	Yes	No			27.25	2450	No	OB		
					9			10.416	7.03			28.6	9.8	23.75	1100	1	None		
			<b>612</b>		ALUMN			0	182			17.75	422	8.17	Lead	FIXED	0		
			83		FS			0				17.5		4.5					
Swamp Donkey	Express 27 ODR	8444	<b>129</b>	1981	28.5	155	28.5	28.5	4.22	Yes	No			27.25	2450	No	OB		
					9			10.416	7.03			29	9.833	23.75	1100	1	None		
			<b>611</b>		ALUMN			0	182			17.8	430	8.166	Lead	FIXED	0		
			83		FS			0				17.8		4.5					
Take Five	Express 27 ODR	28031	<b>129</b>	1982	28.5	155	28.5	28.5	4.22	Yes	No			27.25	2450	0	OB		
					9			10.416	7.03			29	9.833	23.75	1100	1	None		
			<b>611</b>		ALUMN				182			17.75	429	8.17	Lead	FIXED	0		
			83		FS			17.75				17.75		4.5					
Topgallant	Tartan 10	18608	<b>129</b>	1978	35	125	35	40.25	5.34	Yes	No			33.16	6700	No	IB	(4/25/02 Installed Running Backstay)	
					11.75			13.75	8.96			35	12	27	3340	1	FOLD		
			<b>623</b>		ALUMN			0	332			21.6	622	9.25	Lead	FIXED	2		
			155		FS			0				20.3		5.83					

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
				I J	Max Headsail		P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst Keel Type			
Tule Fog	Express 27 ODR	18178	<b>129</b> 1984	29 9	155	28.5	29 10	4.22 7.03	Yes	29 17.7 17.7	9.83 428	No	0 0	27.3 23.8 8.166 4.5	2450 1100 Lead	n 1 FIXED	OB None 0	
Uno	Wyliecat 30 IB	28632	<b>129</b> 1995	35.8 5.5		35.8 12	39.66 19.75	9.31 13.05	No		12	Yes	19.68 550 0 90	30.5 25 9.5 5.25	5800 3000 Lead	0 1 FIXED	IB FOLD 2	(mtg 2/21/08, penalty for oversized main -3 sec/mi)(Mtg 5/22/08, -24 for asymmetric spinnaker flown on 12' pole)(1/24/16, not using spinnaker +24 sec/mi)
Verve	Express 27 ODR	18283	<b>129</b> 1981	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	29 17.5 17.9	9.833 425	No	0	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0	
Wetsu	Express 27 w/J length pole	70	<b>129</b> 1983	28.5 9	155	28.5	28.5 10.42	4.22 7.03	Yes	29 17.7 17.5	9.833 427	No	0	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0	-6 Sec/mi OSP
Wile E Coyote	Express 27 ODR	11	<b>129</b> 1981	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	29 17.7 17.7	9.833 428	No	0	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 3	
Yeti	Express 27 ODR	38	<b>129</b> 1983	28.5 9	155	28.5	28.5 10.4	4.22 7.03	Yes	28.6 17.7 17.7	9.83 422	No	0 0	27.25 23.75 8.16 4.5	2450 1100 Lead	0 1 FIXED	OB None	
Zwei Flying Fish	San Juan 33s	59733	<b>129</b> 1981	34.83 11.48	134	34.83	39.16 12.66	4.66 8.08	Yes	33.7 19.75 19.75	11.833 555	No	0 0	33.1 27.8 7.95 5.5	6000 3500 Lead	0 1 FIXED	IB Fold	(Mtg 5/28/15, +3 sec/mi for small rig)

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications										
			Built	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF	LOA	LWL	Ttl Disp.	Traps/H.	Strps	IB or OB									
										E	MGM										SL	SPL	SLU	ASA	Ballast	moveable blst	IB or OB	Prop Type
Disp/WL ratio	Mast Material	Rig Type	EY	SSSF	ASMG	Fixed or _o	Max Draft	Ballast Mat.	Keel Type	# of blades																		
Bandicoot	Wyliecat 30 IB	28530	<b>132</b>	2000	0	29	39.75	7.87	No	No	18.8	30.5		5500	0		IB	(mtg 5/20/10, -21 sec/mi for added spinnakers)(9/5/12, removed spinnaker, back to standard configuration)										
					0	10	20.5	13.46			512	25		3050	1		FEATH											
			<b>653</b>		CARBON		0	488			0	9.5		Lead	FIXED		2											
			<b>160</b>		CATBOAT		0				<input checked="" type="checkbox"/>	5.25																
Catalyst	Wyliecat 30 IB	28571	<b>132</b>	2004			40	7.87	No	No		30.42		5800	No		IB	Must have a YC card before registering for 2005 and clear YC for 2004										
							20.67	13.46				25		3000	1		Feath											
			<b>652</b>		CARBON		0	493			0	9.42		Lead	FIXED		2											
			<b>169</b>		CAT		0				<input type="checkbox"/>	5.25																
Crinan II	Wyliecat 30 IB	15	<b>132</b>	2002			39.75	7.79	No	No		30.5		5500	No		IB											
							20.5	13.32				25		3050	1		FOLD											
			<b>653</b>		ALUMN		0	485			0	9.5		Lead	FIXED		2											
			<b>160</b>		CATBOAT		0				<input type="checkbox"/>	5.25																
Iseult	Wyliecat 30 IB	13	<b>132</b>	2001		0	39.75	7.87	No	No		30.5		5500	0		IB											
							20.8	13.46				25		3050	1		Fold											
			<b>653</b>		CARBON			491			0	9.42		Lead	FIXED		2											
			<b>160</b>		CAT						<input type="checkbox"/>	9.25																
Kabunza	Pearson 36-2	362	<b>132</b>	1986	47.1	110	41	3.65	No	No		36.5		15000	0		IB											
					15.4		14.5	7.3				29.5		5800	1		Fixed_2											
					ALUMN			300			0	12.3		Lead	FIXED		2											
			<b>266</b>		MS						<input type="checkbox"/>	6.5																
Kira	Cal 33-2	28999	<b>132</b>	1986	46	125	46	4.82	No	Yes	21.86	33		10800	No		IB	(Mtg 1/26/12, -3 sec/mi for increased "e" & MSA)										
					13.25		12.75	8.23			697	27.5		4475	1		FOLD											
			<b>655</b>		ALUMN		0	307			0	11.33		Lead	FIXED		2											
			<b>236</b>		MS		0				<input type="checkbox"/>	6.12																
Polecat	Wyliecat 30 IB	5	<b>132</b>	1997			29.5	7.35	No	No	21.6	30.5		5500	No		IB	(Articulating Sprint and Pole added for asym spinnaker, added asymmetrical, -21 sec/mi)(5/22/14, removed Asymmetric, +21 sec/mi)(Mtg 8/25/16, New rudder installed, NCTR)										
							20	12.66			493	25		3050	1		FOLD											
					CARBON		0	468			8	9.416		Lead	FIXED		2											
			<b>620</b>		CAT		0				<input type="checkbox"/>	5.25																

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications					
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU ASA Sprit Lngth Fixed or _o	SL SPL SSMG SSA	SLE ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst			Strps Keel Type				
								SL	SPL										SLU	ASA	Ballast Mat.	Keel Type
Shanti	Ericson 911S Olson	326	<b>132</b> 1989	41.5 12.33 150 41.5 12.33		35.5 4.73 11.83 7.69 0 253 0	4.73 7.69	Yes	42 12.17	No		29.92 25 10.33 5.42	8700 3200 Lead	0 1 FIXED	IB FOLD 2	CHANGE TO RUDDER NOTED, NCTR						
TAZ!!	Express 27 ODR	8100	<b>132</b> 1981	28.5 9 125 28.5		28.5 4.23 10.42 7.04	4.23 7.04	Yes	28.58 9.83	No		27.3 23.8 8.17 4.5	2450 1100 Lead	0 1 FIXED	NONE None							
Tule Lost	Ericson 911S Olson	28911	<b>132</b> 1988	41.5 12.33 155 41.5		35.5 4.73 11.083 7.69 0 247 0	4.73 7.69	Yes	42 12.33	No		29.92 25 10.33 5.42	8680 3200 Lead	No 1 FIXED	IB FOLD 0	MUST HAVE YACHT CLUB MEMBERSHIP CARD WITH ENTRY FORM FOR 2006 RACING						
Plus Sixteen	Ericson 911S Olson	97707	<b>135</b> 1991	41.5 12.25 125 41.5 12.33		35.761 4.035 11.811 7.136 0 240 0	4.035 7.136	Yes	43.5 12.25	Yes	20.932 698	30 25 10.33 5.42	8500 3200 LeadSteel	No 1 FIXED	IB FEATH 2							
Zara	Beneteau 310	144	<b>135</b> 1993	37.04 10.83 135 37.04 10.82		37.8 5.2 12.9 8.9 301	5.2 8.9	No		Yes	21.6 528 0 0	31.2 27.7 10.5 4.3	7054 2160 Lead	0 1 FIXED	IB Fixed_2							
Big Air	Open 5.7 ODR	189	<b>138</b> 2006	21.52 7.3 117 21.6 12.3		25.33 5.7 10.24 8.2 183	5.7 8.2	No		Yes	17.6 345 5 0	18.75 18.7 8.3 5.74	992 405 Lead	0 1 FIXED	OB None							
Curie	Beneteau 32S5	52868	<b>138</b> 1990	38.39 9.68 150 38.39 9.68		38.88 5.3 13.78 9.01 321	5.3 9.01	Yes	39.98 9.6	No	17.3 519	32.6 27.83 10.83 6	9260 2980 Cast Iron	0 1 FIXED	IB FOLD 2							

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps moveable blst		
								SL	SPL	SLU	ASA						
								SSMG SSF	SSA	SLE ASMG	Fixed or _o						
Frisky	Open 5.7 ODR	281	<b>138</b> 2009	21.52 7.3 117 27.9 12.3	25.33 10.24	5.7 8.2 183	No	Yes	17.5 25.8 338 18.7	18.7	992 405 Lead	0 1 FIXED	NONE None				
Geodesic III	Optima 101	103	<b>138</b> 1985	38.71 12 145 38.71 12	38.39 13.45	4.9 8.2 298	Yes	Yes	19.6 38.4 586 32.84	29.25	8511 3968 Iron	0 1 FIXED	IB Fixed_2	(Mtg 4/27/17, added 2' retractable bowsprit, -3 sec/mi)			
Short Bus	Hunter 35 Legend	210	<b>138</b> 1990	42 12.17 110	44.08 14.25	5.5 9.2 375	No	Yes	24.6 49.5 957 29.75	35.58	12600 5000 Lead	0 1 FIXED	IB Fixed_2				
Blade Runner	Santa Cruz 27	28727	<b>141</b> 1979	32.7 10.9 150 32.7 10.9	28.2 8.7	3.27 5.64 146	Yes	Yes	19.58 34.05 533 24.08	8	3000 1600 Lead	0 1 FIXED	OB None				
Friction Loss	J 30	67425	<b>141</b> 1979	34 11.5 155 34.1 11.5	38 13	4.94 8.45 295	Yes	No	21.06 37.7 666 29.83	25	6500 2100 Lead	0 1 FIXED	IB FOLD 2				
FROLIC	Islander 36 TM	47462	<b>141</b> 1974	47 14.5 155 47 14.5	40.75 12.6	4.8 8.25 307	Yes	No	17.67 30.02 372 36.08	11.17	13450 5450 Iron	0 1 FIXED	IB Feath 3				
Giant Slayer	Santa Cruz 27	59369	<b>141</b> 1979	32.583 10.9 155 32.583 10.9	28.25 8.7	3.7 6.3 157	Yes	Yes	17.67 30.02 372 27	24	3304 1800 Lead	No 1 FIXED	OB None 0	(Mtg 3/27/14, -3 sec/mi for 10% overized symmetrical spinnaker)			



Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Keel		Engine/Prop	Modifications
					I	J	Max Headsail	ISP	ISJ	P	MGU	Yes/No	Yes/No		ASF	Ttl Disp.		
			DW Rating		Mast Material		PE	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type		
			Disp/WL ratio		Rig Type		PY	MSA	SSMG	SSA	SLE	Sprit Length	Max Beam	Ballast Mat.	Keel Type	# of blades		
							EY		SSF		ASM	Fixed or _o	Max Draft					
Gotcha	Santa Cruz 27	47911	141	1975	32.58 10.75	150	32.58	28.25 3.68	8.583 6.06	32.8 10.9	19.6 536	0	27 24 8 4.5	3200 1600 Lead	0 1 FIXED	OB None		
Ione	J 30	8994	141	1981	34.19 11.041	140		38 4.83	13 8.21	34.5 11.04	20 581	0	29.83 25 11.2 5.25	6500 2100 Lead	0 1 FIXED	IB FOLD 2		
Kynntana	Freedom 38	38086	141	1988	33.34 11.5	100	33.34 11.5	45.5 6.25	16.57 10.7	No		0	38.42 30.58 12.5 5.6	14370 6500 Lead	0 1 FIXED	IB Fold		
Low-Down	Santa Cruz 27	8027	141	1979	32.7 10.9	140		28.25 3.68	8.58 6.06	Yes	32.15 10.81	0	27 24 8 4.5	3300 1500 Lead	0 1 FIXED	OB None		
Quila	Santa Cruz 27	18723	141	1976	32.583 10.75	155	32.583	28.25 3.68	8.583 6.1	Yes	32.74 10.75	0	27 24 8 4.5	3000 1500 Lead	No 1 FIXED	OB None 0		
Rare Bird	Moore 24	67	141		26.58 9.75	100	28.31 11.65	25 3.91	9.5 6.5	Yes	27 11.65	17.22 464	23.75 21.75 7.16 4.083	2050 1025 Lead	0 1 FIXED	OB None	(Mtg 10/27/16, -6 sec/mi for OSP, -6 sec/mi for increased spinnaker area)	
Warwhoop	Contessa 33	63336	141	1984	37.916 11.17	100	37.93	39.416 5.31	13.86 9	Yes	36.1 11.17	20.92 682	33 25.52 11.08 5.8	8375 3700 Lead	No 1 FIXED	IB FOLD 2	(Mtg 1/26/17, -3 sec/mi for oversized asymmetric area)(Mtg 2/23/17, -3 sec/mi for oversized symmetric spinnaker area)	

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications									
			Built	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF	LOA	LWL	Ttl Disp.	Traps/H.	Strps	IB or OB								
										PY	MGM										SL	SPL	SLU	ASA	Ballast	moveable blst	IB or OB
Disp/WL ratio		Mast Material		Rig Type																							
Whispering Winds	Lancer 36 MH	87374	<b>141</b>		42	125	41.9	37	4.8	No	Yes	26	36.17	10500	0		IB										
			<b>621</b>		16			12	7.9		42	932	29	4000	1		Fixed_3										
			<b>196</b>		ALUMN				269		39	0	11.75	Lead	FIXED												
					MS						28	<input checked="" type="checkbox"/>	0	6													
Wild Spirit	Wylie 36	0	<b>141</b>	1970	44.67	100	44.67	40.75	5.3	No	Yes	23.5	36.5	13720	0		IB	(Mtg 3/24/16, same hull as "Alert", +3 sec/mi for small "I", +3 sec/mi for no spinnaker articulation)									
			<b>642</b>		14.75		14.75	14	9.1		45	815	30	5575	1		Fixed_2										
			<b>231</b>		ALUMN				340		39.66	0	10.9	Lead	FIXED												
					CTR						23	<input checked="" type="checkbox"/>	0	6													
Wimm	Jeanneau Sun Odyssey 349	38105	<b>141</b>	2016	43.6	112		40.68	4.9	No	No		33.92	11770	0		IB										
					12.37			13.62	8.2				30.84	3483	1		Fold										
			<b>182</b>		ALUMN				318			<input type="checkbox"/>	0	11.29	Cast Iron	FIXED											
					MS								6.86														
Wind Speed	J 30	39963	<b>141</b>	1980	34.19	155	34.2	37.5	4.9	Yes	No		29.83	6700	No		IB	+6 sec/mi for J length pole (mtg 11/16/01)									
			<b>657</b>		11.5			12.5	8.1	33.6	11.5		25	2100	1		FOLD										
			<b>195</b>		ALUMN			0	281	20.7	580		11.18	Lead	FIXED		2										
					FS			0		20.7		<input type="checkbox"/>	0	5.25													
Ad Lib	Aphrodite 101	8161	<b>144</b>	1979	36.83	100	32.23	39.33	4.5	Yes	No		32.75	6160	No		IB										
					11.81			11.48	6.1	35.6	11.9		26.33	3527	1		FOLD										
			<b>645</b>		ALUMN			0	253	21.3	622		7.92	Lead	FIXED		2										
			<b>153</b>		FS			0		19.6		<input type="checkbox"/>	0	5.42													
All Hail	Catalina 34 TM	524	<b>144</b>	1988	46	130	45.9	40.5	4.8	No	No		35.66	12000	0		IB										
					13.5		13.5	12	8				29.84	5000	1		Fold										
					ALUMN				296			<input type="checkbox"/>	0	11.75	Lead	FIXED											
			<b>205</b>		MS								5.56														
Breakaway	Ultimate 20 CM	180	<b>144</b>	2002	26.08	114	27.58	27.33	5.5	No	Yes	19.167	20.83	1350	No		OB										
					6.97		12.79	10.17	7.96		30.42	441	18	450	1		Fixed_3										
			<b>622</b>		CARBON				193	0	28.417	6	8.33	Lead	FIXED		3										
			<b>105</b>		FS					0	17.7	<input checked="" type="checkbox"/>	0	5													

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst Keel Type		
Califia	Islander 36 ODR	67074	<b>144</b> 1978	45 14.48	135	45	39.25 12.75	3.69 6.88	No	No		36.08 28.25 11.17 6.08	13450 5450 Lead	0 1 FIXED	IB Feath 2		
Cassiopeia	Islander 36 ODR	6763	<b>144</b> 1971	45 14.48	150	45	39.25 12.75	4.8 8.29	Yes 45.34	No		36.08 28.25 11.17 6	13947 5450 Lead	No 1 FIXED	IB FOLD 2	(mtg 2/18/10, - 6 sec/mi for 10% OSP)(8/2/11, boat returned to ODR Configuration)	
Cordon Rouge	J 30	68	<b>144</b> 1979	34 11.5	125	34	38 13	5.1 8.4	Yes 34	No		29.83 25 11.2 5.25	6700 2100 Lead	No 1 FIXED	IB FOLD 3		
Crazy Rhythm	Santa Cruz 27	18771	<b>144</b> 1978	32.58 10.75	125	32.58	28.166 8.583	3.68 6.06	Yes 32.74	No		27 24 8 4.5	3200 1600 Lead	No 1 FIXED	OB None 0	(Outboard Removed)	
Flyer	Peterson 33 (CHITA)	18620	<b>144</b> 1979	42.5 13.9	155	42.5	36.66 9.91	3.66 6.21	Yes 41.91	No		32.67 26.58 10.5 6.08	9480 4960 Lead	0 1 FIXED	IB FOLD 2		
French Kiss	Beneteau 350 Oceanis	28713	<b>144</b> 1989	41.47 12.8	140	41.47	35.7 11.6	4.2 7.3	Yes 39.5	No		33.83 29.83 11.17 5.17	10580 3525 Lead	0 1 FIXED	IB FOLD 2	Above deck Roller Furler	
Luna Sea	Islander 36 ODR	420	<b>144</b> 1980	45 14.48	135	45	39.25 12.75	5.05 8.44	Yes 45	No		36.08 28.25 11.17 6.08	18000 5450 Lead	No 1 FIXED	IB Feath 3		





Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		SLU SLE ASMG		ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast	Traps/H. moveable blst		IB or OB Prop Type # of blades
								SL	SPL	SLU	ASA							
								SSMG	SSA	SSMG	SSA							
Mottley	Catalina 34	8	147	1986	44 13.5 ALUMN MS	44 14	38.5 4.7 12 8.05 0 281 0	No	No			34.5 29.833 11.75 5.583	11950 5000 Lead	No 1 FIXED	IB Fold 2			
Music	Catalina 34 1&2	56583	147	2001	44 13.5 ALUMN MS	44 13.5	38.5 3.6 12 6.8 251	No	Yes	21.8 762 0 0		35.66 29.84 11.75 5.56	11950 5000 Lead	0 1 FIXED	IB FOLD 2			
Queimada	Catalina 34 1&2	611	147	1988	44 13.5 ALUMN MS	44 13.5	38.5 4.2 12 7.2 263	Yes	No	13.5 825		34.5 29.83 11.75 5.58	11950 5000 Lead	0 1 FIXED	IB Fold 2			
Sea Spirit	Catalina 34 1&2	108	147	1986	44 13.5 ALUMN MS	44 13.5	38.5 4.36 12 7.54 270	Yes	No	13.5 837		34.5 29.83 11.75 5.58	11950 5000 Lead	No 1 FIXED	IB FOLD 2			
Sonrisa	Baba 40	0	147		50 21 ALUMN CTR	50 21	46 5.3 14.75 9 391	No	Yes	30.5 1196 0 0		39.83 34.5 12.83 6	29000 12000 Iron	0 1 FIXED	IB Feath			
Zenith	Islander 36 NCPHRF	472	147	1978	45 14.48 ALUMN MS	45 14.8	39.25 5.05 12.75 8.44 0 303 0	No	No			36.08 28.25 11.166 6.083	13450 5820 Lead	No 1 FIXED	IB Fold 2			
Absinthe	Moore 24	102	150	1981	26.25 9.75 ALUMN FS	26.25	25 3.91 9.5 6.5 0 147 0	Yes	No	9.75 395		23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0			

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail		P E PY EY	MGU MGM MSA	Yes/No SL SPL SSMG SSF	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.		Traps/H. Strps Ballast moveable blst Ballast Mat. Keel Type			
Anna Banana	Moore 24	146	<b>150</b> 1984	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No		23.75 21.75 7.16 4.08	2050 1025 Lead	No 1 FIXED	OB None		
			<b>636</b> 91	ALUMN FS				147			<input type="checkbox"/>	0 0					
Blue Angel	Moore 24	106	<b>150</b> 1982	26.25 9.75	155	26.25	25 9.5	3.91 6.5	Yes	No		23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0		
			<b>635</b> 91	ALUMN FS			0 0	147			<input type="checkbox"/>	0					
Brandy	Farr 30 1/2 Ton	57257	<b>150</b> 1979	31 9.6	145	31	34 12.9	4.5 7.11	Yes	No		30.33 23.5 10 5.33	4894 1909 Lead	0 1 FIXED	OB None	(Mtg 4/24/15, -6 sec/mi for increased P)	
			<b>654</b> 171	ALUMN FS				243			<input type="checkbox"/>	0 0					
Cadenza	Moore 24	18878	<b>150</b> 1977	26.25 9.75	150	26.25	25 9.5	4.01 6.54	Yes	No		23.75 21.75 7.17 4.083	2050 1025 Lead	No 1 FIXED	OB None 0		
			<b>636</b> 91	FS			0 0	148			<input type="checkbox"/>	0					
Color Blind	Moore 24	49	<b>150</b> 1979	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No		23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0		
			<b>635</b> 91	ALUMN FS			0 0	147			<input type="checkbox"/>	0					
Crazy Eights	Moore 24	28888	<b>150</b> 1978	26 9.8	150	26.3 9.75	25 9.5	3.91 6.5	Yes	No		23.75 21.75 7.16 4.083	2050 1000 Lead	0 1 FIXED	OB None 0		
			<b>636</b> 91	ALUMN FS				147			<input type="checkbox"/>	0					
Endless Summer	Catalina 36	271	<b>150</b> 1984	44.75 14.33	95	44.75 14.33	39 12	4.33 8.01	No	Yes	23.33	36.33 30.25 11.92 5.83	13500 6000 Lead	0 1 FIXED	IB Fixed_3 3		
			<b>655</b> 222	ALUMN MS				279			<input checked="" type="checkbox"/>	0					



Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications									
			Built	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF		LOA	Ttl Disp.	Traps/H.	Strps		IB or OB								
										DW Rating	Mast Material		E	MGM							SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type
EY	SSA	ASMG	Fixed or _o	Max Draft	Ballast Mat.	Keel Type	# of blades																					
Fatuity	Moore 24	48	150	1980	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No	27 9.75	0	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0											
Firefly	Moore 24	64	150	1980	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No	27 9.75	0	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0											
Gruntled	Moore 24	68	150	1980	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No	27 9.75	0	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0											
Hasta Nunca	Moore 24	142	150		26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No	26.6 9.75	0	23.75 21.75 7.16 4.08	2050 1025 Lead	0 1 FIXED	OB None 0											
Incognito	Moore 24	136	150	1984	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No	27 9.75	0	23.75 21.75 7.16 4.08	2050 1025 Lead	No 1 FIXED	OB None 0											
Irie	Beneteau 393 Oceanis SD	38200	150		46 14.5	110	46 14.5	40.2 15.1	4.63 8.12	No	Yes	24 755	0	38.12 35.1 13 5.1	21700 5357 Cast Iron	0 1 FIXED	IB Fold 3											
Itinerant	Hunter 34	1025	150	1986	47.42 13.75	105		41 11.75	4.02 6.87	No	No		0	34.42 28.25 11.5 5.5	11820 5366 Steel	0 1 FIXED	IB Fixed_2											

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications									
			Built	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF		LOA	Ttl Disp.	Traps/H.	Strps		IB or OB								
										DW Rating	Mast Material		E	MGM							SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type
EY	MSA	SSMG	SSA	ASMG	Fixed or _o	Max Draft	Ballast Mat.	Keel Type	# of blades																			
JR	Moore 24	76	150	1980	26.25 9.75	155	26.25	25 9.5	3.91 6.5	Yes	No	27 17.55 17.55	9.75 395	0	23.75 21.75 7.16 4.08	2050 1025 Lead	No 1 FIXED	OB None 0										
Kelika	Hunter 33.5	28815	150	1991	39.166 11.666	150	39.116	43.166 13.5	5.2 8.9	Yes	No	39 21.15 21.15	11.75 687	0	33.33 26.83 11 4.5	10800 4500 Iron	No 1 FIXED	IB FEATH 2										
Leda	Lapworth 36	71	150	1965	40.5 13.5	150	40.5 13.5	35.5 17.5	4.93 8.67	Yes	No	40.5 23.8 23.8	13.5 803	0	36 29 9.5 5.43	13500 4500 Lead	No 1 FIXED	IB FOLD 0										
Liquid Asset	Ranger 33	27707	150	1970	41.5 13.7	150	41.5 13.67	35 13.75	4.93 8.67	Yes	No	41.5 24.6 24.6	13.7 851	0 0	33.17 26.25 9.58 5.17	10500 4500 Lead	0 1 FIXED	IB Fold										
Mas!	Moore 24	138	150	1983	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	Yes	26.6 17 17.25	9.75 378	17.6 387 0 90	23.75 21.75 7.16 4.08	2050 1025 Lead	0 1 FIXED	OB None										
Mirth	Catalina 34 1&2	28634	150	2005	44 13.5	125		38.5 12	4.17 7.33	No	Yes	42.23 38.63 20.21	22.02 693 0 0	0	35.67 29.83 11.75 5.58	11950 5000 Lead	No 1 FIXED	IB FEATH 3										
Mooretician	Moore 24	89	150	1981	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No	26.6 17.55 17.55	9.75 389	0	23.75 21.75 7.16 4.08	2050 1025 Lead	No 1 FIXED	OB None 0										

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		Ttl Disp. Ballast		Traps/H. moveable blst	IB or OB Prop Type # of blades		
								SL	SPL	SLU	ASA						
								SSMG SSF	SSA	SLE ASMG	Sprit Lngth Fixed or _o					Ballast Mat.	
DW Rating Disp/WL ratio																	
Moxy	Moore 24	110	150	1982	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0		
Nicole	Orion 35	8210	150	1979	44 14	150	44	39.5 10.5	4.42 7.319	Yes	No	34.58 28.75 10.83 6	13000 4700 Lead	0 1 FIXED	IB FOLD 2	Displacement Obtained by actual weight on scale, Rudder is new design and new build.	
Orca	Moore 24	85	150	1981	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.083	2050 1025 Lead	0 1 FIXED	OB None 0		
Oxymoron	Moore 24	28993	150	1981	26.25 9.75	150	26.2	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.25	2050 1025 Lead	0 1 FIXED	OB None 0		
Paramour	Moore 24	75	150	1980	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0		
Rocket Science	Moore 24	104	150		26.25 9.75	155	26.25 9.76	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.08	2050 1025 Lead	0 1 FIXED	OB None 3		
Scarlett	Moore 24	86	150	1980	26.25 9.75	150	26.25	25 9.5	3.89 6.45	Yes	No	24 21.75 7.17 4.08	2050 1000 Lead	No 1 FIXED	OB None		

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications									
			Built	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF		LOA	Ttl Disp.	Traps/H.	Strps		IB or OB								
										DW Rating	Mast Material		E	MGM							SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type
Max Draft	Ballast Mat.	Keel Type	# of blades																									
Slight Disorder	Moore 24	98	150	1981	26.25 9.75	150	26.25 9.75	25 9.5	3.91 6.5	Yes	No	26.6 17.5 17.5	9.8 388	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0											
Snafu	Moore 24	121	150	1982	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No	27 17.55 17.55	9.75 395	23.75 21.75 7.16 4.08	2050 1000 Lead	0 1 FIXED	OB None											
Sweet Tea	Moore 24	105	150	1981	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No	27 17.55 17.55	9.75 395	23.75 21.75 7.16 4.08	2050 1025 Lead	0 1 FIXED	OB None											
The Jackal	Moore 24	22	150	1977	26.25 9.75	150	26.25 9.75	25 9.5	3.91 6.5	Yes	No	26.6 17.55 17.55	9.75 389	23.75 21.75 7.16 4.08	2050 1025 Lead	0 1 FIXED	OB None											
The Shadow	Custom Mull 32	18787	150	1974	39.833 13.25	125	39.83	35.166 9.75	3.45 6.2	Yes	No	39.54 23.65 23.5	13.25 778	32.166 26.666 10 5	10600 4500 Lead	No 1 FIXED	IB FOLD 2	RMVD Foam Bumps from both sides of hull, Red Beam by approx 7" Replaced Rudder and Skeg Design w/balanced Rudder Depth same, area increased approx 8 sqft. Hull dry rot, Crsnfg Accom, Ref, Head Stars Cov. Changed. MTC 10/6/07										
Wet Spot	Moore 24	51	150	1979	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No	26.6 17.55 17.55	9.75 389	23.75 21.75 7.16 4.08	2050 1025 Lead	No 1 FIXED	OB None 0											
White Trash	Moore 24	78	150	1979	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No	26.6 17.55 17.55	9.75 389	23.75 21.75 7.16 4.08	2050 1025 Lead	0 1 FIXED	OB None 0											

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
				I J	Max Headsail		P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst	Strps Keel Type	
WooHoo	Moore 24	80	<b>150</b> 1980	26.25 9.8	150	26.25	25 9.5	3.91 6.5	Yes	27	9.75	No	23.75 21.75 7.16 4.083	2050 1025 Lead	0 1 FIXED	OB None 0	
Zingara	Islander 36 NCPHRF	484	<b>150</b> 1978	45 14.48	125	45 14.8	39.25 12.75	4.8 8.29	No			No	36.1 28.25 11.17 6.08	13450 5820 Lead	No 1 FIXED	IB Fold 2	Roller Furler
Andiamo	Catalina 36-2	2168	<b>153</b> 2004	44.75 14.33	115		39 13	3.04 6.16	No			Yes	36 30.25 11.9 5.8	14200 6000 Lead	0 1 FIXED	IB Fixed_3 3	In-Mast Furling Mainsail, +3 sec/mi
Boogie Woogie	Ranger 33 MOD	8262	<b>153</b> 1976	41.5 13.87	150	41.5	31.5 11	4.43 7.39	Yes	38.4	13.87	No	33.17 26.25 9.58 5.17	10500 4800 Lead	No 1 FIXED	IB FOLD 2	(Mtg 8/24/17, +3 sec/mi for short "E")
Coquelicot	Ranger 33	148	<b>153</b> 1975	41.5 13.87	120	43.75 13.87	35 13.75	4.6 8.1	Yes	45.51	13.87	No	33 26.3 9.6 5	10500 4500 Lead	No 1 FIXED	IB FOLD 2	Double Spreader rig, water supply 41 gallons, below v berth, 26 gallon bladder tank starboard, rudder 9 inches deeper, group 31 batteries, 15 hsp one cyl diesel replaced by 29 hsp Perkins 3 cylendar engine. (NOTED) (MTC 2 21 02)
Lenora	Hunter 33-2	60700	<b>153</b> 2004	37.42 10.83	115	38.42 10.83	36.46 15.83	4.83 8.33	No			Yes	33.5 29.42 11.17 5.5	10400 3459 Lead	0 1 FIXED	IB Fold 3	
Moore Fun	Moore 24	18884	<b>153</b> 1979	26.25 9.75	125	26.25	25 9.5	3.91 6.5	Yes	27	9.75	No	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0	

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications			
				J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No		Yes/No	ASF		LOA	Ttl Disp.	Traps/H. Strps			IB or OB Prop Type		
									SL	SPL		SLU	ASA			LWL	Ballast			moveable blst	# of blades
ALUMN MS	PY EY	MSA	SSF	ASM	Fixed or _o	Max Draft	Ballast Mat.	Keel Type													
Sterling	Catalina 34 1&2	1269	<b>153</b> 1994	44 13.5	125	41.75 15	38.5 12	3.6 6.8	No	No		35.66 29.84 11.75 5.56	11950 5000 Lead	0 1 FIXED	IB Fixed_2						
Bosporus II	Columbia 36	97415	<b>156</b> 1968	42.75 15	150	41.75 15	34.666 14	5.3 9.1	Yes	No		35.75 28.25 10.5 5.42	13000 5000 Lead	No 1 FIXED	IB Fold 2						
Eliana II	Morgan 38-2	77486	<b>156</b> 1981	46 16.25	110	46 16.25	40.5 14.5	4.69 8.34	Yes	No		38.33 30.5 12 6	17000 6800 Lead	0 1 FIXED	IB Fixed_3 3	(Mtg 1/26/17, -3 sec/mi for oversized symmetric spinnaker area)					
Joyicity	Custom Davidson 26	20746	<b>156</b> 1975	27 9.1	150	31.15 10	28.75 11.5	5.1 8.1	Yes	No		26.42 22.5 8.25 5.25	3000 1450 Lead	No 1 FIXED	IB FOLD 2	Removed IOR Bump infilled w/Divinacell w/fiberglass skin/faired; Installed Melges rig w/mod for Spinnaker; shortened boom; increased "P" increased "J"; Code zero type furler used above deck; Halyard on buff side of sail; 10 # spin					
Nessie	Catalina 34 1&2	734	<b>156</b> 1988	44 1.5	100	44 13.48	38.5 12	4.7 7.54	No	No		34.5 29.83 11.75 5.58	11950 5000 Lead	0 1 FIXED	IB Fixed_3 3						
Sacagawea	Catalina 34 1&2	375	<b>156</b> 1987	44 13.5	95	44 13.48	38.5 11.75	4.7 7.54	No	No		34.5 29.83 11.75 5.6	11950 5000 Lead	0 1 FIXED	IB Fixed_3 3						
Scraft	Hunter 36	38096	<b>156</b> 2005	44.83 13.17	125		44.92 16	6 10.3	No	No		35.5 30.58 12 5.42	13900 5023 Lead	0 1 FIXED	IB Fixed_3	Roller Furler, In-mast Furling Mainsail					



Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		Ttl Disp. Ballast		Traps/H. moveable blst	IB or OB Prop Type # of blades		
								SL	SPL	SLU	ASA						
								SSMG SSF	SSA	SLE ASMG	Sprit Lngth Fixed or _o					Ballast Mat.	
DW Rating Disp/WL ratio																	
Grey Wulff	Olson 25	18517	159 1984	32 9.6 155	32	28 10	3.8 6.4 166	Yes	No	25 21.25 9 4.5	3300 1300 Lead	0 1 FIXED	OB None				
Harizon	Dufour 310	122	159 2016	40.35 10.82 95		38.25 14.57	5.54 9.47 332	No	No	31.72 28.54 10.88 6.23	10802 2932 Iron	0 1 FIXED	IB Fold				
Imagine	Ericson 32-3	716	159 1987	42 13.8 135		36.4 11.8	4.18 7.28 248	No	No	32.5 25.83 10.83 6	9800 4200 Lead	0 1 FIXED	IB Fixed_2 2				
Isle Of Skye	Tartan 33 7/8 RIG	6	159 1979	36.42 12.42 100	36.42	41.58 14.42 0 0	4.6 8.1 328	No	No	33.67 28.08 10.92 4.42	10000 4400 Lead	No 1 FIXED	IB FEATH 3				
Joie De Vivre	C&C 33	18797	159 1987	43 14 110	43	37.25 10.75 0 0	4.4 6.33 235	No	Yes	32.9 26.42 10.54 5.5	21.42 726 0	0 1 FIXED	IB FOLD				
Make My Day	Olson 25	87742	159 1985	32 9.583 155	32	28 10 0 0	3.96 6.4 168	Yes	No	25 21.25 9 4.5	3300 1300 Lead	No 1 FIXED	OB None 0	increased purchase in outhaul and backstay added boomkicker			
Ouessant	Farallone Clipper FR	8214	159 1957	35.69 13.87 150	35.69	40.34 18.79 0 0	7 12.1 448	Yes	No	37.833 28.25 9.5 5.916	18344 7200 Iron	No 1 FIXED	IB Fixed_2 2				



Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
			Max Headsail		I	J		P	MGU	Yes/No		Yes/No	ASF		Ttl Disp.	Traps/H.			Strps
			DW Rating		Mast	Material		E	MGM	SL	SPL	SLU	ASA		Ballast	moveable blst			
			Disp/WL ratio		Rig Type			PY	MSA	SSMG	SSA	SLE	Sprit Lngth		Ballast Mat.	Keel Type			
							EY			ASM	Fixed or _o								
Shadowfax	Olson 25	91	<b>159</b>	1986	32	155	32	28	3.8	Yes	No		25	3300	No	OB			
					9.6			10	6.4	31.7	9.583		21.25	1300	1	None			
			<b>671</b>		ALUMN		0	0	166	17.25	456	<input type="checkbox"/>	9	Lead	FIXED	0			
			156		MS		0	0		17.25			4.5						
Shark-On-Bluegrass	Olson 25	18201	<b>159</b>	1984	32	155	32	28	3.8	Yes	No		25	3300	No	OB			
					9.583			10	6.4	32	9.583		21.25	1300	1	None			
			<b>671</b>		ALUMN		0	0	166	17.25	459	<input type="checkbox"/>	9	Lead	FIXED	0			
			156		MS		0	0		17			4.5						
Snafu	CS 30	68588	<b>159</b>	1988	42	125	42	36.416	3.95	NO	Yes	20.04	30	8000	0	IB			
					12.04		12.04	11.416	6.5		44	707	25.51	3440	1	FOLD			
			<b>669</b>		ALUMN		0	0	232		40.653	0	10.25	Lead	FIXED	2			
			219		MS		0	0			20.04	<input checked="" type="checkbox"/>	5.416						
Synchronicity	Olson 25	68	<b>159</b>	1985	32	155	32	28	3.8	Yes	No		25	3300	No	OB			
					9.583		9.6	10	6.4	32	9.583		21.25	1300	1	None			
			<b>671</b>		ALUMN		0	0	166	17.28	461	<input type="checkbox"/>	9	Lead	FIXED	0			
			156		MS		0	0		17.28			4.5						
Vip	Farallone Clipper FR	7	<b>159</b>	1957	36.82	155	36.82	40.5	6.16	Yes	No		38	19000	No	IB			
					14			18.5	10.979				28.75	7000	1	Fixed_3			
			<b>673</b>		WOOD		0	0	420		25.195	770	9.5	Iron	FIXED	3			
			363		FS		0	0			24.86		5.6						
Apogee	Islander 36 Freeport	36	<b>162</b>	1978	46.75	150		42	5	No	No		35.9	17000	0	IB			
					16.75			12.75	8.4				27.6	7030	1	Fold			
					ALUMN								12	Lead	FIXED				
			368		MS							<input type="checkbox"/>	5.3						
Finn	Capo 26 IB	18782	<b>162</b>	1985	34.6	155		30	4.1	Yes	No		26	4300	0	IB			
					10.56			10	6.8				22	1900	1	Fold			
			<b>673</b>		ALUMN						18.8	545	9.25	Lead	FIXED				
			184		MS						18.3		4.58						

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications														
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	SL SPL SSMG SSF	SPL SSA	Yes/No	Yes/No	ASF		ASA	Sprit Lngth Fixed or _o	Ttl Disp.		Traps/H. Strps	IB or OB Prop Type # of blades												
																				DW Rating Disp/WL ratio	4 3	4 3	4 3	4 3	4 3	4 3	4 3	4 3	4 3	4 3	4 3
Red Hawk	Hawkfarm 28 ODR	59024	162 1978	33 11 155 33.25 11.5	ALUMN FS	36 4.37 10.5 7.26 0 236 0	Yes	No	28 23.5 9.75 5.166	5700 2700 Lead	0 1 FIXED	IB FOLD 2																			
Sailor Dog	Catalina 34 1&2	1798	162 2007	44 13.5 110 44 13.5	ALUMN MS	38.5 2.8 12 5.9 229	No	Yes	34.5 29.8 11.7 5.6	11950 5000 Lead	0 1 FIXED	IB Fixed_3 3	In-Mast furling main +3 sec/mi, MGM less than 50% of E +3 sec/mi																		
White Cloud	Yamaha 33 IK SM	28688	162 1979	42.8 13.78 150 42.8	ALUMN MS	37.42 4.38 10.67 7.27 247	Yes	No	33.25 26.92 11 6.2	10582 4409 Iron	0 1 FIXED	IB Fixed_2																			
Constance	Tartan 34 CB	346	165 1974	41 14 125 41	ALUMN MS	35.5 4 10.5 6.9 224	No	Yes	34.3 25 10.2 8.3	11200 5000 Lead	0 1 CNTRBRD	IB Fold 2	Roller Furler																		
Lonesome Dove	Elite 29	9066	165 1984	35.833 11.083 130 38 13.9 125 38	ALUMN MS	30.333 2.6 10.333 5.1 0 157 0	Yes	No	28.67 24.42 10.5 5.58	6160 2310 Iron	No 1 FIXED	IB Fixed_2 2																			
Pearl	Ranger 33 SM	278	165 1977	38 13.9 125 38	ALUMN MS	31.5 4.43 11 7.39 212	Yes	No	33.17 26.25 9.583 5.166	10500 4800 Lead	0 1 FIXED	IB Fixed_2 2																			
Wildcat of Loch Awe	S-2 7.9 FR DB	59838	165 1983	31.83 9.5 135 31.83	ALUMN FS	29.42 4.75 12.33 7.92 216	Yes	No	25.92 21.67 9 5	4250 1750 Lead	0 1 AGGERBF	OB None																			

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications							
			Built	J	Max	Head	ISP	P	MGU	Yes/No		Yes/No		LOA	Ttl Disp.	Traps/H.	Strps	IB or OB								
										JSP	E	MGM	SL							SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type
Disp/WL ratio	Mast Material	Rig Type	EY		ASF	Fixed or _o	Max Draft																			
Azure	Catalina 275 Sport	1	168	2013	34.42	106	11.83	31.5	5.33	No	Yes	22	27.5	5000	0	IB										
			629		8.99			11.48	8.17		37.5	665	26.57	2040	1	Fixed_2										
			121		ALUMN				233		35	0	8.5	Lead	FIXED											
					FS						22	<input type="checkbox"/>	5.2													
Bandido	Merit 25	28125	168	1983	28.75	150	28.75	28	4.25	Yes	No		24.5	3000	No	OB										
			693		9.66			9.75	6.69			9.66	20.5	1050	1	None										
			158		ALUMN			0	172		17.39	420	8	Lead	FIXED	3										
					FS			0			17.39		4													
Double Agent	Merit 25	8465	168	1981	28.75	155	28.75	28	4.25	Yes	No		24.5	3000	No	OB										
			693		9.66			9.75	6.69			9.66	20.5	1050	1	None										
			158		ALUMN			0	172		17.39	420	8	Lead	FIXED	0										
					FS			0			17.39		4													
Downtown Upoar	J 24 ODR	2394	168	1981	26.25	150	26.25	28	3.7	Yes	No		24	3125	0	OB										
			693		9.5			9.75	6.37			9.5	20	965	1	None										
			178		ALUMN			0	163		17	375	9.2	Lead	FIXED	0										
					FS			0			16.8		4.1													
Irish Blessing	J 24 ODR	2184	168		26.25	150	26.25	28	3.7	Yes	No		24	3100	0	OB										
			693		9.5			9.75	6.37			9.5	20	965	1	None										
			176		ALUMN				163		17	375	8.92	Lead	FIXED	0										
					FS						16.8		4													
Shut Up & Drive	J 24 ODR	513	168		26.25	150	26.25	28	3.7	Yes	No		24	3100	No	OB										
			693		9.5			9.75	6.37			9.5	20	965	1	None										
			176		ALUMN			0	163		17	375	8.916	Lead	FIXED	0										
					FS			0			16.8		4													
Sobrante	Alerion Express 28 ODR	406	168	2009	30	90	30	33	4.8	No	No		28.25	5700	0	IB										
					9.75		9.75	12.5	7.6				22.83	2200	1	Fold										
					ALUMN				241			0	8.2	Lead	FIXED	2										
			218		FS							0	4.5													

Boat Name	Boat Model (Type)	Sail #	Foretriangle:				Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications	
			Rating	Built	I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp. Ballast	Traps/H. moveable blst	IB or OB Prop Type # of blades			
			DW Rating						SL SSMG SSF	SPL SSA	SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o							
			Disp/WL ratio																
Spirit	Alerion Express 28 ODR	275	<b>168</b>	30 9.75	90	30 9.75	33 12.5	4.8 7.6	No	No		28.25 22.83 8.2 4.5	5700 2200 Lead	0 1 FIXED	IB Fold 2				
Achates	Newport 30-2	6847	<b>174</b>	1974	39.5 12.5	155	39.5	34 10.25	3.8 6.6	Yes	No	40 22.5 22.5	12.5 750	0 0	30 25 10.67 5.17	8500 3000 Lead	No 1 FIXED	IB FOLD 2	
Alpha	Sonar 23	498	<b>174</b>	1990	23 8.25	100		27.5 11.17	1.23 7.3	No	No			0 0	23 19.92 7.8 3.92	2100 900 Lead	n 1 FIXED	OB None	
Aquadisiac	Newport 30-3	38075	<b>174</b>	1985	40 12.5	155	40	34 10.25	3.8 6.6	No	No			0 0	30.5 26.5 10.67 5.17	8500 2600 Lead	0 1 FIXED	IB Fold 2	
BZ	Sonar 23		<b>174</b>		23 8.25	100		27.5 11.17	1.23 7.3	No	No			0 0	23 19.92 7.8 3.92	2100 900 Lead	No 1 FIXED	NONE None	
Capo Gatto	Nonsuch 30	308	<b>174</b>	1985				45 24	7.9 14.3	No	No			0 0	30.33 28.75 11.1 5	11500 4500 Lead	0 1 FIXED	IB Fold 2	
Harry	Newport 30-2	6889	<b>174</b>	1974	39.5 12.125	150	39.5	34 10.25	4.2 7	Yes	No	39.24 21.78 21.78	12.1 712	0 0	30 25 10.5 4.75	8500 2500 Lead	No 1 FIXED	IB FOLD 2	

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications							
			Built	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF		LOA	Ttl Disp.	Traps/H.	Strps	IB or OB							
										E	MGM		SL	SPL							SLU	ASA	LWL	Ballast	moveable blst	Prop Type
EY		SSF		ASM	Fixed or _o	Max Draft																				
Jacqueline	Freedom 30 SD	3	<b>174</b>	1986	28.4			35.2	5.25	Yes		No		30	7660	0	IB									
					9.8			13.9	9				25.42	3150	1	Fixed_2										
			<b>686</b>		CARBON				291			0	10.8	Lead	FIXED											
			212		CAT							0	4.5													
Lil Angel	Newport 30-2	6884	<b>174</b>	1979	39.5			34	4.26	Yes		No		30	8500	0	IB									
					12.1	150	39.5	10.25	7.07				25	2500	1	FOLD										
			<b>675</b>		ALUMN			0	217			0	10.5	Lead	FIXED											
			247		MS			0				0	4.75													
Lioness	Bermuda 40	981	<b>174</b>	1962	42.5			36.6		No		No		40.75	20000	0	IB									
					15.58	160		17.2					28.8	5600	1	Fixed_3										
					ALUMN			17.7				0	11.75	Lead	CNTRBRD											
			<b>381</b>		YAWL			8.5				0	4.25					(Mtg 5/22/08, +6 secmi for 3-blade fixed prop, no penalty for headsail larger than 155%, no credit for sonar transducer, custom rating of 174 assigned)								
Makani	Nonsuch 30	278	<b>174</b>	1985				44.9	8	No		No		30.33	11500	0	IB									
						0		23.9	14.5				28.75	4500	1	Feath										
					ALUMN				607			0	11.83	Lead	FIXED											
			<b>220</b>		CAT							0	5													
Neja	Dasher 32	7325	<b>174</b>	1961	38.01			33.22	5.12	Yes		No		31.75	11323	0	IB									
					12.59	155	38.01	14.6	8.86				26.75	3600	1	Fold										
			<b>668</b>		ALUMN				277			0	8.9	Lead	FIXED											
			269		MS			21.94				0	5.75					500 pounds less lead in keel than the Dasher Easom Boat Works built								
Nepenthe	Hawkfarm 28	6122	<b>174</b>	1976	33.3			36	4.3	No		No		28	5700	0	IB									
					11	115	33	10.5	7.2				23.5	2700	1	Fixed_2										
					ALUMN				234			0	9.75	Lead	FIXED											
			<b>200</b>		FS							0	5.5													
Now and Zen	Newport 30-2	6883	<b>174</b>	1978	39.5			34	3.25	Yes		No		30	8000	No	IB									
					12.125	150		10.25	5.7				25	2600	1	Fold										
			<b>671</b>		ALUMN			0	190			0	10.5	Lead	FIXED											
			233		MS			0				0	4.75													

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull	Displacement/Keel		Engine/Prop	Modifications		
			ISP		I	J	Max Headsail	ISP	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.		Strps	IB or OB
			JSP		J	J	Material	JSP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast		moveable blst	Prop Type
			JSP		J	J	Rig Type	JSP	PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.		Keel Type	# of blades
			Disp/WL ratio					SSA	SSA	ASMG	Fixed or _o	Max Draft							
Siento El Viento	C&C 29	38311	<b>174</b>	1977	39.5	155		33.5	4	Yes	No		29.5	7500	No	IB			
					12.8		10.1						23.6	2700	1	Fold			
			<b>693</b>		ALUMN						0	10.5	Lead	FIXED	2				
			259		MS			22			<input type="checkbox"/>	5.25							
Tortuga	Pyramid 660 ODR MOD	8375	<b>174</b>	1981	21.82	104	28	25.7	4	Yes	No		21.8	850	2	OB	(Mtg 5/20/10, removed trapeze +18 sec/mi, hiking straps still allowed)(1/24/13, added upper spreaders & stays, NCTR)		
					6.8		7	10.5	6.8				18.1	400	1	None			
			<b>598</b>		ALUMN				161			6.2	Lead	FIXED	2				
			65		FS			13.3			0	3.9							
White Bear	Nonsuch 30	431	<b>174</b>	1987				45	8.68	No	No		30.33	11500	0	IB			
								24	15.12				28.75	4500	1	Fold			
			<b>666</b>		ALUMN				629			0	11.9	Lead	FIXED	3			
			220		CAT						<input type="checkbox"/>	5							
Zeehond	Newport 30-2	707	<b>174</b>	1976	39.5	150	39.5	34	3.6	Yes	No		30	8500	No	IB			
					12.125			10.25	6.33				25	2600	1	FOLD			
			<b>671</b>		ALUMN			0	201			0	10.5	Lead	FIXED	2			
			247		MS			0			<input type="checkbox"/>	4.75							
Archaeopteryx	Hotfoot 20	101	<b>177</b>	1986	25	105	26.08	27.08	4.05	Yes	No		20	1000	0	OB			
					7		7.67	10.08	6.6				18	400	1	None			
			<b>628</b>		ALUMN				166			0	8.5	Lead	CNTRBRD				
			78		FS			13.3			<input type="checkbox"/>	5							
Wings	Columbia 5.5 M ODR	31	<b>177</b>	1965	29.125	96	30	34	4.59	Yes	No		32.416	4400	No	NA			
					8.25			11.416	7.65				25	2800	1	None			
			<b>619</b>		ALUMN			0	237			0	6.25	Lead	FIXED	0			
			128		FS			0			<input type="checkbox"/>	4.33							
Friday's Eagle	Catalina 30	18294	<b>180</b>	1981	41	155	41	35	4.63	Yes	No		29.916	10200	No	IB			
					11.416			11.5	7.72				25	4200	1	FOLD			
			<b>685</b>		ALUMN			0	246			0	10.833	Lead	FIXED	2			
			297		MS			0			<input type="checkbox"/>	5.25							

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst Keel Type		
Galaxsea	Custom Nauticat 43.5	28743	180 1985	51 20	104	20.6	45 13.6 32.4 8.5	4.3 7.9 338	Yes 50.98 33.43 35.6	20	52 50 25.6	29.2 1119 4.9	43.6 37.7 12.2 5.9	34000 11000 Lead	No 1 FIXED	IB FEATH 3	Stay sail measurements foot=1', Luff=34'6", Leach=30'2", LP=132"
Goose	Catalina 30	1210	180 1979	41 11.416	155	41	35 11.5 0 0	4.63 7.72 246	Yes 40 20.7 20.7	11.5	No <input type="checkbox"/>	0	29.92 25 10.83 5.25	10200 4200 Lead	No 1 FIXED	IB FOLD 2	
Lelo Too	Tartan 30	16354	180 1975	39 13	155	39	34 11.416 0 0	4.61 7.69 238	Yes 37 21.666 10.833	13	No <input type="checkbox"/>	0	29.92 24.25 10 4.916	8750 3700 Lead	0 1 FIXED	IB FOLD 0	
Ross's Dream	Catalina 30	4895	180 1987	41 11.42	150	41	35 11.5 0 0	4.63 7.72 246	Yes 40.45 20.7 20.7	11.5	No <input type="checkbox"/>	0 0	29.92 25 10.83 5.25	10200 4200 Lead	0 1 FIXED	IB Fold 2	
Serendipity	CAL 29-1 IB	6601	180 1974	37.833 12.333	155	37.833 12.67	31.666 12.166 0 0	4.332 7.573 223	Yes 37 22 22	12.16	No <input type="checkbox"/>	0	29.25 24.17 9.25 4.75	8000 3350 Lead	No 1 FIXED	IB FOLD 2	
Strange Magic	Islander Bahama 30	179	180 1981	40 12.75	150	40 12.75	33.75 11.5 0 0	4.37 7.47 232	No	No	<input type="checkbox"/>	0 0	29.92 24.58 10 5	8230 3130 Lead	0 1 FIXED	IB Fold	
Wuvulu	Islander Bahama 30	61	180 1979	40 12.75	150	38.416	33.75 11.5 0 0	4.75 8.125 243	Yes 38.5 22.44 22.75	12.416	No <input type="checkbox"/>	0	30 24.58 10 5	8600 3500 Lead	No 1 FIXED	IB FOLD 2	

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMUG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst Keel Type	IB or OB Prop Type # of blades	
Alte Liebe	Albin Ballad 30	1266	<b>183</b> 1978	37.083 11.249	155	37.8	31.916 9.333 0 0	3.33 5.58 171	Yes 36.83 22.2 21.83	12.27 679	No <input type="checkbox"/>	29.916 22.583 9.666 5.09	7276 3417 Lead	No 1 FIXED	IB FOLD 2	The J measurement in all Ballad documents & Sailmaker plans is 12.27 however the actual J= 11.3" (MTG 8/25/94), standard SPL is 12.27 (mtg 3/20/08)	
Avalon	Catalina 30	6138	<b>183</b> 1992	41 11.416	120	41	35 11.5 0 0	4.63 7.72 246	No <input type="checkbox"/>	No 0	29.92 25 10.83 5.25	10200 4200 Lead	0 1 FIXED	IB Fold 2			
Christine Rose	Catalina 30 TM	0	<b>183</b> 1977	43 13.16	150	43 13.16	37 12 270	4.8 8	Yes 43.08 23.6 23.6	13.16 847	No <input type="checkbox"/>	29.92 25 10.83 5.25	10200 4250 Lead	0 1 FIXED	IB Fixed_3 3		
Kiwa	Ericson 32-2	285	<b>183</b> 1973	36 18	155	36	31.5 13	4.9 8.4 243	No <input type="checkbox"/>	No 0 0	32 24 9.67 4.91	9400 4400 Lead	0 1 FIXED	IB Fixed_2 2			
Moxie	CAL 28-2	28217	<b>183</b> 1988	39.9 11.4	90	39.9 11.4	34.17 10.33 219	4.28 7.11	Yes 39.26 20.39 20.39	11.4 667	No <input type="checkbox"/>	28 23 10.8 5.3	7200 Lead	0 1 FIXED	IB FOLD 2		
Antares	Islander 30-2	6237	<b>186</b> 1971	38.5 12.58	155	38.416	32.5 11.58 0 0	4.75 8.125 235	Yes 38 22.7 22.92	12.416 720	No <input type="checkbox"/>	30 24.58 10 5	8600 3600 Lead	No 1 FIXED	IB FOLD 2		
Don Wan	Santana 28	8191	<b>186</b> 1978	36 12	155	36	31 9.416 0 0	3.6 6.1 175	Yes 36 21.6 21.6	12 648	No <input type="checkbox"/>	28.25 23 9.17 5	7500 2550 Lead	No 1 FIXED	IB Fold 2		



Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications									
			Built	J	Max	Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps		IB or OB								
											E	MGM									SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type
Disp/WL ratio	Mast Material	Rig Type	EY	SSF	ASM	Fixed or _o	Max Draft																					
Maxine	Yankee 30-1 SM	43	186	1971	37.5	125	37.5	32.5	2.4	No	No	20.75	30.13	8700	0		IB	+3 sec/mi for MGM less than 50% of E										
					12.75		12.75	9.7	4.8		36.4	23	4130	1		FOLD												
					ALUMN				158		31	9	Lead	FIXED		2												
					MS						21.5	5																
Samba Pa Ti	J 22	3	186	1982	24.8	125	24.8	26.1	3.78	Yes	No		22.5	1790	0		OB											
					8.8		8.8	9	6.27			19	700	1		None												
					ALUMN				147			8	Lead	FIXED														
					FS							3.8																
Sirena	Ericson 32-2	18319	186	1972	35	110	35	31	4.9	Yes	No		31	8800	0		IB											
					13			13	8.4			24	4000	1		Fixed_2												
					ALUMN				239			9.8	Lead	FIXED		2												
					MS							5																
Summertime Dream	Custom Schumacher 26	18859	186	1979	26.28	150	26.28	29.58	4.33	Yes	No		26.08	3300	0		OB	Boat has previously been called "War"										
					8.07		8.07	10.76	7.23			20	1360	1		None												
					ALUMN			0	195			9.08	Lead	FIXED		0												
					FS			0				5.08																
Sweet Pea	Islander 30-2	195	186	1971	38.5	155	38.42	32.5	4.75	Yes	No		30	8600	0		IB											
					12.58			11.58	8.125			24.58	3500	1		FOLD												
					ALUMN			0	235			10	Lead	FIXED		2												
					MS			0				5																
Wild-Type	Ericson 32-2	614	186	1975	38	155	13	31.5	4.53	No	Yes	22.23	31.58	8800	0		IB	Roller Furler										
					13		13	13	8.19			39.55	24	4000	1		Fixed_3											
					ALUMN				237			35.38	8.67	Lead	FIXED	3												
					MS							20.01	4.92															
Xtasea	Catalina 30	0	186	1985	41	110	41	35.5	4.63	Yes	No		29.92	10200	0		IB											
					11.5			11.5	7.72			25	4250	1		Fixed_2												
					ALUMN				250			10.83	Lead	FIXED		2												
					MS							5.25																

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail		P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst Keel Type		
Catch 22	Custom Zenrich 20	22	<b>189</b> 1979	25.5 8	155	25.5	25.5 8.67	3.67 5.08	Yes	25.5 14.3 14	8 303	No	20 18 7.79 4	1800 400 Lead	0 1 FIXED	OB None	(Mtg 1/26/12, Custom rating of 189 assigned)
Lucky Mud	Pearson 323	110	<b>189</b> 1978	41 13.81	100		36 10.75	3 5.2	No			No	32.3 27.5 10 4.5	12800 4500 Lead	0 1 FIXED	IB Fixed_3	
TASHI	Catalina 30	2010	<b>189</b> 1976	41 11.5	110	41	35 11.5	4.63 7.72	No			No	29.92 25 10.83 5.25	10200 4250 Lead	0 1 FIXED	IB Fixed_3 3	
Toypedo	Ranger 26-2	67341	<b>189</b> 1980	26.4 9	150	28 9	30.5 11	4 7	Yes	26.5 16.2 16.2	9 358	No	26 20 8 5	3000 1140 Lead	0 1 FIXED	OB None	Fixed Keel, No daggerboard
Gygax	Hinckley Pilot 35 TM	4802	<b>192</b> 1975	44.36 13.8	155	44.36 13.8	41.83 15.81	5.5 9.97	Yes	42 24.8 24.8	13.8 868	No	35.5 25 9.5 5	13500 4200 Lead	0 1 FIXED	IB Feath	
Jam Jam	Yankee 30-1 SM	90	<b>192</b> 1972	37.5 12.75	125	37.5	34.5 9.75	2.45 4.91	Yes	35 19.5 22.5	12.75 586	No	30 23 9 5.1	8900 4180 Lead	0 1 FIXED	IB Fixed_3 3	(mtg 4/28/11, +3 sec/mi for engine modifications)
Some Assembly Required	Holder 20	183	<b>192</b> 1984	22.6 7.25	155	22.6 13.05	24.04 9.33	3.84 6.58	Yes	22.54 12.92 11.88	7.25 239	No	20.33 18.42 7.83 3.58	1160 335 Lead	4 1 MVBL	OB None	(Mtg 8/24/17, added 4 soft hiking straps to seats, NCTR)

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J Max Headsail Mast Material Rig Type	P E PY EY		MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst		
								SL	SPL	SLU	ASA						
								SSMG SSF	SSA	SLE ASMG	ASA						
Spartan	Dufour 1300	0	195	1975	31.17 9.18 ALUMN MS	110	27.89 8.2	3.54 5.91	146	No	No	23.88 18.04 8.66 4.76	2866 1257 Iron	0 1 FIXED	OB None		
Ga	Knarr ODR	123	198	33.583 6.583 WOOD FS	125	33.583	31 11.166 0 0	4.47 7.46 211		No	No	30.333 20.333 7 4.25	4630 2866 Lead	No 1 FIXED	OB None 0		
Kraken	Knarr ODR	47	198	33.583 6.583 WOOD FS	125	33.583	31 11.166 0 0	4.47 7.46 211		No	No	30.333 20.333 7 4.25	4360 2866 Cast Iron	No 1 FIXED	OB None 0		
Happiness	Cal 27-2 OB	3893	201	36 12 ALUMN MS	95	36 12	30.67 10.25	3.25 6.5 180		Yes	No	26.58 22.08 9.25 4.25	6700 3100 Lead	0 1 FIXED	OB None		
Oshun	Catalina 27 OB	1216	201	1974	34 11.25 ALUMN MS	95	28.67 10.5	4.24 7.08 185		No	No	26.83 21.75 8.83 4	6850 2750 Lead	0 1 FIXED	OB None		
Blue Ribbon II	Catalina 270 IB	38087	207	1994	33.58 9.25 ALUMN MS	135	33.58	28.42 11.5	4.67 7.61 199	No	No	27 23.75 9.83 5	6400 2000 Lead	0 1 FIXED	IB Fixed_2 2		
Obsession	Harbor 20	299	207	2010	25.75 7 ALUMN FS	95	26.38 8.16	26 10	3.25 6.05 147	Yes	No	20 17.2 7 3.5	1800 900 Lead	0 1 FIXED	OB None	(Mth 5/25/17, -6 sec/mi for OSP)	

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications			
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H.	Strps		IB or OB Prop Type # of blades		
								SL	SPL	SLU	ASA								Ballast	moveable blst
								SSMG SSF	SSA	SLE ASMG	Fixed									
Miss Kate	Catalina 27 IB	4630	<b>210</b> 1980	34.5 11.25 125 34.5 11.25		28.66 3.99 10.5 6.83		No	Yes	20.35	26.85	6850 2700 Lead	0 1 FIXED	IB Fixed_2						
			<b>738</b> 303	ALUMN MS		180			34.35 31.85 18.25	515 0 <input checked="" type="checkbox"/>	21.75 8.85 4									
Picante	Islander Bahama 28 SM	1	<b>210</b> 1981	33.8 11.75 150 11.75		28 3.58 8.2 5.75		No	Yes	20	27.9	7000 3000 Lead	0 1 FIXED	IB Fixed_3 3						
			<b>726</b> 262	ALUMN MS		146			29.4 18	0 0 <input checked="" type="checkbox"/>	9.8 5.5									
Blue Ribbon	Catalina 27 IB	343	<b>213</b> 1975	34.5 11.25 120		28.7 3.5 10.5 6.3		No	No		26.83	6850 2650 Lead	0 1 FIXED	IB Fixed_3 3						
			<b>303</b>	ALUMN MS		170				0 0 <input type="checkbox"/>	8.83 4									
Dura Mater	CAL 27-2 IB	616	<b>213</b> 1979	36 12 120		30.83 4.21 10.25 7		Yes	No		26.58	6700 3100 Lead	0 1 FIXED	IB Fixed_3 3						
			<b>721</b> 283	ALUMN MS		195			32.8 18.4 21.1	11.8 518	9.25 4.25									
Firefly	Harbor 20	226	<b>213</b> 2006	25.75 7 90 25.75 7		26 3.6 10 6.25		No	No		20	1800 900 Lead	0 1 FIXED	OB None						
			<b>162</b>	ALUMN FS		151				0 0 <input type="checkbox"/>	7 3.5									
Adagio	CAL 25-2 OB		<b>216</b> 1979	33 11 150		28 3.9 9.5 6.5		No	No		29.25	4500 2000 Lead	0 1 FIXED	OB None						
			<b>192</b>	ALUMN MS		165				0 0 <input type="checkbox"/>	9 4.5									
Evenstar	Ranger 23	6404	<b>216</b> 1974	27.54 9.75 155 27.5 9.7		24 3.3 9.2 5.4		Yes	No		23.67	3400 1500 Lead	0 1 FIXED	OB None						
			<b>724</b> 193	ALUMN MS		126			27.7 17.46 17.46	9.7 403	7.92 3.9									

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SPL SSMG SSF	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast		Traps/H. moveable blst Keel Type				
Quiet Thing	Ranger 22	200	<b>216</b> 1978	25.75 8.5	155	25.75	26 7.4	2.8 4.8	Yes	25.4 14.7 14.7	8.2 311	No	0 0	22.5 17.5 7.8 4.3	2200 900 Lead	0 1 FIXED	OB None	
Tortuga	Westsail 32	207	<b>216</b> 1974	31.2 18.4	150		38.3 15.1		No			No	0 0	32 27.6 11 5	19500 7000 Lead	0 1 FIXED	IB FOLD 3	
No Name	swift	274	<b>219</b> 1978	25.9 8.5	125	25.9 8.6	26 7.5	3.3 5.5	Yes	25.9 15.3 15.6	8.3 332	No	0 0	22.5 17.58 7.83 4.3	2183 900 Lead	0 1 FIXED	OB None	Roller Furler
New Sinsation	Santana 20	28449	<b>222</b> 1978	24.5 8.16	150	24.5	24.5 7	3.16 4.92	Yes	23.75 13.67 13.67	8.16 271	No	0 0	20.2 16 8 4	1350 550 Lead	0 1 FIXED	OB None	
Sparky	Catalina 25 FK	1498	<b>222</b> 1979	29 10.5	145	29 10.5	24.66 9.58	3.68 1.45	Yes	28.66 16.5 16.41	10.5 394	Yes	17.9 369 0 0	25 22.16 8 4	4550 1900 Cast Iron	0 1 FIXED	OB None 0	
SF	CAL 25-1 OB	1062	<b>225</b> 1969	29.75 10	120	29.75	25 11	4.17 7	No			No	0 0	25 20 8 4	4000 1700 Lead	0 1 FIXED	OB None	
Tinker	Wilderness 21	6	<b>225</b> 1977	25 8.67	125	25	25 8	2.83 4.66	Yes	25 15.6 15.6	8.67 325	No	0	20.5 17.8 7.25 4	1870 1070 Lead	No 1 FIXED	OB None	Added roller furler

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications											
			Built	J	Max	IS	P	MGU	SL	SPL	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB												
																				ISP	E	MGM	SSMG	SSA	SLU	ASA	LWL	Ballast	moveable blst	Prop Type
DW Rating	Mast Material	SP	SSMG	SSA	SLE	Sprit Lngth	Max Draft	Ballast Mat.	Keel Type	# of blades																				
Disp/WL ratio	Rig Type	SP	SSMG	SSA	SLE	Sprit Lngth	Max Draft	Ballast Mat.	Keel Type	# of blades																				
The Mighty Windsong	International Folkboat OB	567	<b>228</b>	1969	26	155	26	28.8	4.44	Yes	No	25.75	5000	0		OB														
					8.3		8.3	11.2	7.34			19.75	2750	1		None														
			<b>817</b>		ALUMN				195			7.5	Iron	FIXED																
			295		MS						<input type="checkbox"/>	4																		
Vanga	Alberg 30	30	<b>231</b>	1965	36.75	100	36	31	4.49	Yes	No	30.25	9000	0		IB	Roller Furler													
					10.5			14.25	8.2			21.67	3300	1		Fixed_3														
			<b>732</b>		ALUMN				243			8.75	Iron	FIXED		3														
			402		MS						<input type="checkbox"/>	4.5																		
High and Dry	Santana 22	114	<b>234</b>	1967	26	150	26	21.75	3.95	Yes	No	22	2600	0		OB														
					8.5			9.83	6.59			18.67	1230	1		None														
			<b>737</b>		ALUMN				131			7.83	Cast Iron	FIXED																
			182		MS						<input type="checkbox"/>	3.5																		
Albacore	Santana 22 ODR	18325	<b>237</b>	1976	25.67	125	25.67	21.75	3.95	Yes	No	22	2600	0		OB														
					8.58		8.58	9.83	6.59			18.67	1230	1		None														
			<b>737</b>		ALUMN				131			7.83	Iron	FIXED																
			182		MS						<input type="checkbox"/>	3.5																		
Anapos	Santana 22	5158	<b>237</b>	1966	26	120	26	21.75	3.95	Yes	No	22	2600	No		OB														
					8.5			9.833	6.59			18.666	1230	1		None														
			<b>737</b>		ALUMN			0	131			7.833	Iron	FIXED		0														
			182		MS			0			<input type="checkbox"/>	3.5																		
Auggie	Santana 22 ODR	476	<b>237</b>	1969	26	125	26	21.75	3.95	Yes	No	22	2600	No		OB														
					8.5			9.833	6.59			18.666	1230	1		None														
			<b>737</b>		ALUMN			0	131			7.833	Cast Iron	FIXED		0														
			182		MS			0			<input type="checkbox"/>	3.5																		
Byte Size	Santana 22	801	<b>237</b>	2001	26	90	26	21.75	3.95	Yes	No	22	2600	No		OB														
					8.5		8.5	9.833	6.59			18.67	1230	1		None														
			<b>737</b>		ALUMN			0	131			7.83	Iron	FIXED		0														
			182		MS			0			<input type="checkbox"/>	3.5																		

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		Ttl Disp. Ballast		Traps/H. moveable blst	IB or OB Prop Type # of blades		
								SL	SPL	SLU	ASA						
								SSMG SSF	SSA	SLE ASMG	Sprit Lngth Fixed or _o					Ballast Mat.	
DW Rating Disp/WL ratio																	
Meliki	Santana 22	5194	<b>237</b> 1967	26 8.5 125	26	21.75 9.833 0 0	3.95 6.59 131	Yes 26 15.44 15.44	8.583 335	No	<input type="checkbox"/>	0	22 18.67 7.83 3.5	2600 1230 Iron	No 1 FIXED	OB None 0	
The Belafonte	Santana 22 ODR	5000	<b>237</b> 1970	26 8.5 110	26	21.75 9.833 0 0	3.95 6.59 131	Yes 26 15.44 15.44	8.583 335	No	<input type="checkbox"/>	0	22 18.67 7.833 3.5	2600 1230 Iron	No 1 FIXED	OB None 0	
Zingaro	Santana 22	5050	<b>237</b> 1971	26 8.5 125	26	21.75 9.83 0 0	3.95 6.59 131	Yes 26 15.44 15.44	8.58 335	No	<input type="checkbox"/>	0 0	22 18.67 7.833 3.5	2600 1260 Iron	0 1 FIXED	OB None 0	
Passat	North Star 500	57313	<b>240</b> 1973	33 10.25 140		27.5 8.75	3.5 6.1 149	No		No	<input type="checkbox"/>	0 0	24.98 20.23 9 5	4298 1710 Lead	0 1 FIXED	IB Fixed_3	
Daseins Den	Dana 24	#####	<b>246</b> 1987	34 12.25 120		28.25 10.75	3 5.85 160	No		No	<input type="checkbox"/>	0 0	24.16 21.42 8.58 3.83	7400 3100 Lead	0 1 FIXED	IB Fixed_2	
Circlesea	Folkboat	125	<b>252</b>	21.99 6.56 100	10.17	28.71 11.15	4.42 7.33 194	No		No	<input type="checkbox"/>	0 0	25.08 19.82 7.26 3.92	4640 2315 Iron	0 1 FIXED	OB None 0	
Crane Wife	Fuji 32 KTH	0	<b>252</b> 1977	36.25 14.75 148		29.08 11.21 18.25 8	3.8 5.96 177	No		No	<input type="checkbox"/>	0 0	31.5 29 9.83 3.66	13115 4635 Iron	0 1 FIXED	IB Fixed_3	

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications							
			Built	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF		LOA	Ttl Disp.	Traps/H.	Strps	IB or OB							
										E	MGM		SL	SPL							SLU	ASA	LWL	Ballast	moveable blst	Prop Type
EY		SSF		ASMG	Fixed or _o	Max Draft																				
Thea	Folkboat	108	<b>252</b>	1984	21.988 6.562	100	10.166	28.707 11.154	4.416 7.333	No	No		25.079 19.822	4640 2315	No 1		OB None 0									
					WOOD MS			0 0	194		<input type="checkbox"/>	0	7.261 3.916	Iron FIXED												
un-named	Catalina 22-2 OB FK	15622	<b>255</b>	2006	25.8 8	135	25.83 8	21 9.67	3.5 6.08	Yes	No		21.5 19.33	2250 550	0 1		OB None									
					ALUMN FS				119			0	7.67 5	Lead CNTRBRD												
Nemesis	Pearson 26 Commander	151	<b>258</b>	1964	31.5 9.5	155		26 11.5	3.3 5.75	Yes	Yes	21.06 444	25.7 18.5	5200 2500	0 1		OB None									
					ALUMN MS				154			0	8 3.7	Lead FIXED												
SLOWMO!	Catalina 22-1 OB SK	2482	<b>270</b>	1973	25.93 8	150		21 9.66	3.47 5.96	No	No		21.6 19.4	2250 550	0 1		OB None									
					ALUMN MS				118			0	7.8 5	Iron MVBL			3									
Can O' Whoopass	CAL 20	624	<b>273</b>	1965	22 7.33	115	22 7.33	23 10	4 6.7	Yes	No		20 18.1	2000 900	0 1		OB None	(mtg 4/24/08, -18 sec/mi for adding single trapeze wire) (10/2/08 - removed trapeze, now racing as a standard cal 20 -18 sec/mi penalty removed)(3/5/09 added single trapeze back, -18 sec/mi)(8/26/09, switching back to standard Cal 20)								
					ALUMN FS				140			0	7 3.33	Iron FIXED			2									
Green Dragon	Cal 20	4188	<b>273</b>	1965	22 7.33	125	22	23 9.84	3.84 6.5	Yes	No		20 18.08	1950 900	0 1		OB None									
					ALUMN FS			0 0	137			0	7 3.33	Steel FIXED			0									
Sprite	Cal 20	347	<b>273</b>	1964	22 7.33	125	22 7.33	23 9.83	3.67 6.5	Yes	No		20 18.08	1950 900	0 1		OB None									
					ALUMN FS				135			0	7 3.33	Iron FIXED												