

NCPHRF - CURRENT FLEET ROSTER

This Roster represents the information on file for boats with a current NCPHRF certificate. If the boat you are looking for is not listed, their certificate is either not current or not yet updated to the list. You can contact the YRA office to verify a boat not found on this list at info@yra.org or via phone at 415.771.9500. This list is updated monthly.

As of: 11/30/2017

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
					I	J	Max Headsail	ISP	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB	
			DW Rating		Mast Material	JSP	PE	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type			
			Disp/WL ratio		Rig Type		PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades			
							EY		SSF		ASMG	Fixed or _o	Max Draft						
Invisible Hand	Pac 52	5202	-102	2016	66 20.5	101	76 29.5	69.23 10.96			No	Yes	44.7	52	15700	0	IB		
			402		CARBON			22.98	15.76		29.5	85.5	2970	50	8360	1	None		
			57		FS				1017			71.7	0	14.5	Lead	FIXED			
												45.5	<input type="checkbox"/>	90	11.8				
Zephyrus	Riechel/Pugh Turbo 77	69011	-99	1997	85.37 35	128	94.94 35	87.34 11.5			No	Yes	56.1	77.67	31939	0	IB		
			409		CARBON			30.5	19.2		35	103.41	4518	65.2	12300	1	FOLD		
			52		FS				1563			88.35	0	14.78	Lead	FIXED	2		(mtg 8/27/09, -6 sec/mi for new oversized jib. Changed custom rating from -126 to -132)(Mtg 4/26/12, New pintop mainsail, change custom rating from -132 to 129)(Mtg 8/23/12, change custom rating from -126 to -90 after review)
												56.66	<input checked="" type="checkbox"/>	0	14.12				
Merlin	Custom Lee 68	8955	-87	1977	71.96 22.5	146	74.35 30.4	66.87 11			No	Yes	48.05	68.6	24363	0	IB		
			392		CARBON			27.5	18		30.4	87.51	3097	64	10484	1	FOLD		
			42		MS			0	1109			83.44	0	12.17	Lead	FIXED	2		(Mtg 4/27/17, custom rating assigned: -81)(Mtg 5/25/17, -3 sec/mi for larger headsail, -3 sec/mi for increased J. New custom rating: -87 as sailed)
								0				42.34	<input type="checkbox"/>	90	10.65				
Catapult	Santa Cruz 70	41005	-84	1989	73.34 22.19	155	73.74 25.26	66.11 9.3			No	Yes	39.1	68	23847	0	IB		
			417		CARBON			24.67	15.75			76.8	2348	59.7	9000	1	Fold		
			51		MS				963			67.9	0	15.1	Lead	FIXED			
												38.9	<input checked="" type="checkbox"/>	0	10				
Buona Sera	Santa Cruz 70	41104	-81	1986	73.15 22.52	155	73.63	65.49 9.12			No	Yes	40.06	68.9	24905	0	IB		
			423		CARBON			25.39	15.72		25.5	79.07	2504	60.4	8960	1	Fold		
			51		MS				961			68.31	0	15.1	Lead	FIXED			(Mtg 8/27/15, New rudder noted, -9 sec/mi for new keel)(Mtg 3/23/17, -6 sec/mi for 13% increase in SPL, -3 sec/mi for increase in spinnaker area, +3 sec/mi for decrease in mainsail area)
												40.95	<input type="checkbox"/>	45	10.62				
USA 76	IACC	76	-78	2002	83.99 27.17	100		99.18 14.12			No	No		82.6	52910	No	IB		
					CARBON			30.19	20.33					61.6	39683	1	Fold		
					FS				1892					11.9	Lead	FIXED			(mtg 12/5/13, custom rating of -78 assigned)
			103										<input checked="" type="checkbox"/>	0	13.45				

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications						
			Built	J	Max Headsail	ISP	P	MGU	Yes/No		Yes/No		LOA	LWL	Ttl Disp.	Traps/H.	Strps	IB or OB	Prop Type	Modifications					
									E	MGM	SL	SPL									SLU	ASA	Ballast	moveable blst	# of blades
Rating	DW Rating	Mast Material	JSP	EY	SSSF	ASA	Fixed or _o	Max Draft	Ballast Mat.	Keel Type	# of blades														
Lotus	Vismara 50	0	-39	2008	65.5	106	72.01	65.62	7.32	No	Yes	35.6	50.2	24912	0	IB	(Mtg 8/24/17, Custom rating assigned: -39)								
			485		17.95		23	20.34	13.67		75	1926	46.42	9259	1	Fold									
			113		CARBON				796		64.6	0	14.1	Lead	CNTRBRD										
			113		FS						32.5	<input checked="" type="checkbox"/>	9.84												
Lucky Duck	Custom Santa Cruz 52	28729	-30	2001	64.14	155	64.6	57.5	8.76	Yes	Yes	40.91	53	22544	0	IB	(Mtg 8/23/12, Custom Rating Assigned, -21 as sailed)(Mtg 5/23/13, weighed displacement added)(Mtg 3/27/14, New Rudder, -3 sec/mi for OSP, -6 sec/mi for 10%+ increase in spinnaker area. No penalty for keel/displacement								
			471		18.95		22.5	21	14.22		67.29	22.5	46.25	8000	1	Fold									
			104		CARBON				745		40.55	2254	14	Lead	FIXED	2									
			104		MS						38.74		9												
Danger Zone	Taylor 32	4128	-24	1994	40	100	19.4	37.1	9.5	No	Yes	26.52	32	1962		OB									
			443		10.7			14.3	11.6		43.35	829	28.9	551	1	None									
			37		ALUMN				395		36.3	0	14.8	Lead	CNTRBRD										
			37		MS						24.6	<input checked="" type="checkbox"/>	5.6												
CaZan	DK 46	61046	-21	2001	61.94	126	70.54	63.55	8.2	Yes	No	33.56	46.26	22439	0	IB	(Mtg 5/25/17, custom rating assigned. As Sailed: -21)								
			504		17.85		19.849	21.95	14.21		69.23	19.85	40.52	9480	1	Fold									
			153		ALUMN				826		35.42	2013	13.45	Lead	FIXED										
			153		MS						32.81		9.84												
Bodacious +	1D 48	48005	-15	1996	57.7	155	68.3	61.3	9.84	Yes	Yes	30.1	48.3	19743	0	IB	Water ballast system not operational (mtg 8/19/08, custom rating assigned of -30, includes dual spinnakers)(Mtg 3/24/11, new smaller mainsail, smaller symmetrical, change custom rating from -30 to -24)(Mtg 8/25/14								
			490		16.7		16.7	22.5	14.66		66.7	16.7	40.2	8818	1	Fold									
			138		CARBON				848		33.1	1834	14.2	Lead	FIXED	2									
			138		FS						32.6		10.1												
Horizon	Santa Cruz 50	18926	-15	1982	61.7	145	61.7	55.2	7.15	No	Yes	36.4	50.23	18844	0	IB	(Mtg 6/16/08, -6 sec/mi for oversized spinnaker, -3 sec/mi for oversized main)								
			475		18.43		20.3	19	12.05		66	1880	46.906	8000	1	FOLD									
			83		ALUMN				618		59.6	0	12.02	Lead	FIXED	2									
			83		MS						35.8	<input type="checkbox"/>	7.988												
Can't Touch This	J 125	93204	-12	1999	49	155	52.1	47	6.8	No	Yes	41	41	9330	0	IB	(Mtg 2/26/09, -3 sec/mi for oversized main girths)(3/9/09, corrected main girths, removed -3 sec/mi penalty)(Mtg 8/24/17, -6 sec/mi for oversized LP, -3 sec/mi for oversized genoa luff)(10/23/17, switching back to standard LP -10								
			468		15		23	18	11.6		61.3	1941	37	4646	1	FOLD									
			84		CARBON				502		52.3	8	10.6	Lead	FIXED	2									
			84		MS						41	<input type="checkbox"/>	7.9												

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications			
					J	Max Headsail	ISP JSP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp. Traps/H. Strps		IB or OB					
										SL	SPL				SLU	ASA			LWL	Ballast	moveable blst	# of blades
MS	MSA	SSSF	SSA	ASMG	Fixed or _o	Max Draft	Ballast Mat.	Keel Type														
Hana Ho	Santa Cruz 50	77007	-12	1980	61.39 18.85	155	61.5 20.73	54.92 16.98	6.5 11.1	Yes	Yes	35.9 1847	52 46 12 7.75	18000 8000 Lead	0 1 FIXED	IB Feath 3	(Mtg 5/26/11, +3 sec/mi for interior changes)(2/24/12, interior changes removed, boat is back to standard weight for a SC 50)(Mtg 5/25/17, New Rudder, NCTR. -3 sec/mi for OSP, -3 sec/mi for oversized spinnaker area)					
OAXACA	Santa Cruz 50	8927	-12	1982	61.48 18.88	155	61.22 20.65	54.75 16.98	6.08 10.67	Yes	No	36.5 1889	50.23 46.67 12 7.91	17374 8000 Lead	0 1 FIXED	IB Fold	(Mtg 5/26/16, -6 sec/mi for oversized ASA)					
Tyr	J 125	52125	-12	2000	49 14.8	155	52 23.4	46.5 18	6.79 11.65	No	Yes	39.3 1831	41 37 10.6 7.9	8350 4646 Lead	0 1 FIXED	IB Fold 2						
Velvet Hammer	Schock 40	51507	-12	2000	42.5 13.6	104	49.5 20.58	44.4 16.8	7.2 11.8	No	Yes	33.92 1459	40 35 10 8	7914 1800 Lead	No 2 MOVABL	OB None 0	(mtg 10/21/09, switched to 104% headsail, from 150%, smaller girths on mainsail. Change custom rating from -18 to -12)					
Deception	Santa Cruz 50	97263	-6	1987	61.8 18.3	155	61.8 18.3	55 18.4	7.1 12	Yes	Yes	32.9 1335	50 46 12 8	17500 8000 Lead	0 1 FIXED	IB FOLD 2	ELPT Keel & OS/Spinnaker; Has a Code 0 headsail aboard - tacked to stem, no sprit (Mtg 5/26/16, -3 sec/mi for oversized mainsail)(Mtg 6/23/16, change rating back to -6)					
Emily Carr	Santa Cruz 50	49211	-6	1981	61 19	150	61	55 17	6.4 11	Yes	No	0	53 46.5 12 8	15000 7500 Lead	No 1 FIXED	IB FOLD 2	3' SUGAR SCOOP ON TRANSOM IF STD 50FT LOA OF BOAT					
Leglus	Ohashi 52	2480	-6	1986	49.26 16.387	149	62 21.92	57.578 21.325	8.103 13.517	No	Yes	34.8 2089	52.5 50.06 12.6 11.36	15017 5.952 Lead	0 1 FIXED	IB FOLD 2	(mtg 10/21/09 assigned custom rating of -39)(Mtg 3/24/16, +3 sec/mi for no spinnaker articulation, change custom rating from -36 to -6)					

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No	Yes/No	ASF	Ttl Disp.		Traps/H. Strps			
				Mast Material			PY	MSA	SL	SPL	SLU	ASA		Ballast	moveable blst		
				Rig Type			EY		SSMG	SSA	SLE	Sprit Lngth		Ballast Mat.	Keel Type		
			Disp/WL ratio						SSF		ASMG	Fixed or _o					
Astra	Farr 40 ODR MH	40079	0 2000	53.2 15.5	105	53.12	54.8 19.4	7.29 12.47	Yes		No		40.75 35.27 13.22 8.53	10917 5079 Lead	No 1 FIXED	IB FOLD 2	
			502 113	CARBON MS			0 0	629	60.69 34.39 34.44	17.06 1740		0 <input type="checkbox"/>					
Bright Hour	Farr 40 ODR MH	50092	0 2001	53.15 15.45	0	50.04 17.06	54.8 19.36	8.49 13.77	Yes		No		40.7 35.3 13.2 8.53	10902 4960 Lead	0 1 FIXED	IB Fold	
			498 113	CARBON FS				674	60.69 34.39 34.44	17.06 1740		0 <input checked="" type="checkbox"/>					
Twisted	Farr 40 ODR MH	40046	0 1999	53.15 15.45	105	50.04 17.06	54.8 19.36	8.49 13.77	Yes		No		40.7 35.3 13.2 8.53	10902 4960 Lead	0 1 FIXED	IB FOLD 2	(Mtg 12/1/11, interior mods for IRC, smaller mainsail: NCTR)(Mtg 5/24/12, switching to MH ODR configuration)
			498 113	CARBON FS				674	60.69 34.39 34.44	17.06 1740		0 <input type="checkbox"/>					
California Condor	Class 40	94	6 2010	53.9 15.65	104	58.6 23.85	53.21 18.81	11.71 14.38	No		Yes	39.7	40 39.17 14.7 9.84	12225 4710 Lead	0 1 FIXED	IB Fold 2	Short-Handed Bay Configuration
			481 92	CARBON FS				715			64.53 55.77 30.54	8.2 0 <input checked="" type="checkbox"/>					
Surprise	Custom Schumacher 46	28098	6 1997	57 17	160	63	57 19.75	7.5 12.8	Yes		Yes	37.23	46 40.63 12.92 7.75	18300 8000 Lead	No 1 FIXED	IB FOLD 2	(MTG 4/9/98)(mtg 2/20/04)
			510 124	CARBON FS			0 0	670	62.4 33.6 33.6	18.7 1747	65.06 60.17 30.97	0 0 <input type="checkbox"/>	90				
Elusive	Swan 42 Club	4216	9 2007	59.07 16.44	106	62.99 19.05	56.56 19	7.1 12.5	Yes		Yes	34.8	42.59 38.15 12.8 9	17158 6988 Lead	0 1 FIXED	IB Fold 2	(Mtg 2/25/16, +3 sec/mi for decrease in Spinnaker Area, +6 sec/mi for decreased JSP, -3 sec/mi for articulation, -3 sec/mi for switch to larger headsail)(06/09/17, switching back to stock configuration)
			513 140	CARBON FS				641	62 34 33.7	19.05 1754	65 59.1 35	1808 2.6 <input checked="" type="checkbox"/>	0				
Racer X	Farr 36 ODR	6	9 2006	46.78 13.19	110	54.82 21.06	49.93 18.63	8.53 12.965	No		Yes	36.279	36.1 32.8 11.72 8.5	6744 3078 Lead	No 1 FIXED	IB FOLD 2	
			473 87	CARBON FS				592	0 0		61.384 55.052 36.049	7.35 0 <input checked="" type="checkbox"/>					

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
			Built	J	Max Headsail	ISP	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB			
			DW Rating	Mast Material	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type					
			Disp/WL ratio	Rig Type	PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades					
					EY		SSF		ASM	Fixed or _o	Max Draft								
Wicked Sister	Farr 36 ODR	3	9	2004	46.78 13.19	110	54.82 21.06	49.93 18.63	8.53 12.96	No	Yes	36.28 1751	36.1 32.8	6745 3076	0 1	IB Fold			
			473 87	CARBON FS			592					55.05 36.05	7.36 0	11.72 8.5	Lead FIXED				
Angel	J 130 DK AM	46079	15	1993	57 16.5	155	58.5 23.5	52.5 18.5	7.03 12.02	No	Yes	39.5 2195	42.6 38.17	15500 6450	0 1	IB Feath			
			498 127	ALUMN FS			578					59.05 40	7 0	12.67 8.5	Lead FIXED				
Nadja Delphine	X-41	0	15	2009	55.9 16.11	106	58.63	53.31 18.04	6.82 11.61	Yes	No		40.52 35.07	14109 6019	0 1	IB Fold	Electronic winches		
			537 149	CARBON FS			570					28.61 27.79	1390 0	11.94 8.2	Lead FIXED				
Acey Deucy	J 44	97659	21	1989	60.606 17.08	155	60.416	53.51 19.41	7.3 12.5	Yes	Yes	27 1379	44.83 38.58	22770 9000	0 1	IB FOLD	Electric Winches		
			547 180	ALUMN MS			615	0 0	615			30.8 30.8	1535 27.8	13.67 8.14	Lead FIXED	2			
Ardea	Custom Nelson/Marek 50	42616	21	1989	59.92 17.59	100	59.92 17.59	65.19 24.08	9.35 15.98	Yes	Yes	31.6 1526	49.8 38.55	22145 12627	0 1	IB Fold	(Mtg 8/28/15, custom rating of 21 assigned)		
			519 176	ALUMN FS			946					59.2 31.1 30.4	17.59 1527	55.8 30.9	0 90	14.86 9.32	Lead FIXED		
Bustin Loose	Sydney 38 MH	38044	21	2002	54 14.9	104	52.03 14.77	50.53 18.046	6.85 11.73	Yes	Yes	27.69 1116	38.6 35.3	12250 5140	0 1	IB FOLD			
			533 127	ALUMN FS			543	0 0	543			30.12 30	1422	48.33 25.49	0	12.4 8.8	Lead FIXED	2	
Phantom	J 44	28844	21	1990	60.606 17.08	120	60.416	53.53 19.41	7.3 12.5	Yes	Yes	27 1379	44.75 38.58	23838 9000	No 1	IB Feath			
			550 189	ALUMN MS			615	0 0	615			30.7 30.7	1526	55.9 27.8	0	13.67 8.14	Lead FIXED	3	

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SPL SSMG SSF	Yes/No SLU SLE ASMUG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.		Traps/H. Strps moveable blst Ballast Mat. Keel Type			
Zamazaan	Custom Farr 52	3883	21 1978	70.4 18.51	135	70.4 18.51	65.2 23.2	8.82 15.08	Yes 69.78	No 21.9		52.19 47.26 15.45 8.79	25391 9679 Lead	No 1 FIXED	IB FOLD 2	RTG W/USYRU AGE ALLOWANCE IOR RTG W/USYRU AGE ALLOWANCE R=44.9 (1987) 18/24 AS PER PHRF MTG 4/20/95. SHORTENED MAST 6.15 FEET FROM TOP, REDUCED MAINSAIL AREA. FROM 24/27 MTG 8/10/05	
Jaybird	J 133 CM	52443	24 2004	57 17.25	100	60.4 24	54 18.6	7 12	No 69.78	Yes 21.9		38.08 30.25 11.8 6.8	16900 6850 Iron	0 1 FIXED	IB Fixed_2		
Albion	J 124	14	27 2007	49 14	145	54.7 19.43	48.4 17	6.4 11	No 60.53	Yes 1528	32.74 3.83	40.7 36.2 11.33 7	12600 5000 Lead	0 1 FIXED	IB Fold	(Mtg 2/23/17, -6 sec/mi for asymmetric spinnaker modifications)	
Chance	Farr 395	39528	27 2002	51.25 14	105	56.33 20.36	50 18.42	7.54 12.53	No 62.6	Yes 1617	33.46 6.36	39.33 34.5 12.08 7.83	12500 4600 Lead	No 1 FIXED	IB FOLD 2		
Kuai	Melges 32 ODR	211	27 2006	40.86 10.7	105	48.3 18.7	44.05 15.49	6.95 11.14	No 55.75	Yes 1344	31.82 8 0	31.84 28.5 9.83 7	4200 1600 Lead	0 1 FIXED	OB None		
Spirit of Freedom	J 124	38006	27 2006	49 14	155	54.7 15.4	48.4 17		Yes 53.9	Yes 15.4	32.6 1243	40.7 36.2 11.3 6.9	12600 5000 Lead	No 1 FIXED	IB FOLD 2	(mtg 4/22/10, -3 sec/mi for OSP, -3 sec/mi for ability to square back pole)	
Wildcard	Santa Cruz 37	37005	27 2009	47.1 13.4	107	52.17 19	47 17	6.4 11	No 59.7	Yes 1534	33.3 5.6 0	37 34.75 10.64 7.5	8662 3730 Lead	0 1 FIXED	IB FOLD 2	(Mtg 1/26/16, new keel box & rudder noted, NCTR)	

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No	Yes/No	ASF	Ttl Disp.		Traps/H. Strps			
				Mast Material			PY	MSA	SL	SPL	SLU	ASA		Ballast	moveable blst		
				Rig Type			EY		SSMG	SSA	SLE	Sprit Lngth		Ballast Mat.	Keel Type		
			Disp/WL ratio						SSF		ASM	Fixed or _o					
Alpha Puppy	1D 35	35024	30 1999	42.49 12.52 110	44.78	44.46 18.58 0 0	7.5 12 497	No	Yes	31.4 1238 4.9 <input checked="" type="checkbox"/>	35 31.5 10.75 7.6	6500 2600 lead	No 1 FIXED	IB FOLD 2	6/13/11, boat now in same configuration as B-Line. Added 4.9' bowsprit and oversized spinnaker. -9 sec/mi for oversized asymmetric spinnaker, +3 sec/mi for inability to articulate sprit		
Blue	Swan 53-2	61522	30 2012	71.96 19.52 105	73.84 19.53	65.88 21.98	7.64 13.38 826	No	Yes	38.89 2214 0 90 <input type="checkbox"/>	54.07 47.24 15.58 12.14	54482 22400 Lead	0 1 CNTRBRD	IB Fold	(Mtg 3/23/17, -3 sec/mi for ability to fly a-sail on a squared back pole)		
Dark & Stormy	1D 35	35018	30 1998	42 12.47 110	44.8 17.39	44 19	7.5 12 497	No	Yes	31.4 1236 4.92 0 <input checked="" type="checkbox"/>	35 31.5 10.9 7.58	6550 2660 Lead	0 1 FIXED	IB FOLD 2	Fixed bow sprit, using Asymmetrical spinnaker(mtg 3/20/08, -9 sec/mi for oversized spinnaker, +3 sec mi for not being able to articulate pole, as sailed: 30)		
Rufless	Melges 32 MOD	174	30 2007	40.86 10.7 105	48.3 18.7	44.05 15.49	6.95 11.14 438	No	Yes	31.3 1203 8 0 <input checked="" type="checkbox"/>	31.84 28.5 9.83 7	4200 1600 Lead	1 FIXED	OB None	(mtg 2/23/17, no longer using the class spinnaker. +3 sec/mi for small asymmetric)		
Bad Dog	J 111	103	36 2011	48.37 13.85 105	51.4 20.08	45.7 14.5	6.1 10.1 414	No	Yes	31.86 1433 6.3 0 <input checked="" type="checkbox"/>	36.5 32.7 10.8 7.2	9300 3500 LeadSteel	0 1 FIXED	IB Fold			
Don't Panic	C&C 30 Mills	30026	36 2016	40.8 11.28 105	46.74 18.6	41.7 14.2	7 10 386	No	Yes	31.5 1283 7 0 <input checked="" type="checkbox"/>	30 28.7 9.8 7.5	3995 1579 Lead	0 1 FIXED	IB Fold			
Gentoo	Soto 30	1	36 2012	38.25 12.25 102	38.67 19.83	38.67 13.58	5.83 8.83 322	No	Yes	26.25 968 7.7 0 <input checked="" type="checkbox"/>	30 28.75 9.58 6.5	3800 1415 Lead	0 1 FIXED	OB None	(Mtg 9/16, -3 sec/mi for larger mainsail)		

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications								
			Built	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB									
										E	MGM									SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type
Disp/WL ratio	Mast Material	EY	SSSF	ASMG	Fixed or_o	Max Draft																					
Swift Ness	J 111	101	36	2014	48.37 13.85	105	51.4 20.08	45.17 14.5	6.1 10.1	No	Yes	31.8 1404	36.5 32.7	9300 3500	0 1	IB Fold											
			534 121		CARBON FS				410		46.88 31.8	6.3 0	10.8 7.2	LeadSteel	FIXED												
Symmetry	J 111	91	36	2013	48.37 13.85	105	51.4 20.08	45.17 14.45	6.16 10.1	No	Yes	31.1 1399	36.5 32.7	9300 3500	0 1	IB Fold											
			534 121		CARBON FS				410		48.88 31.1	6.3 0	10.8 7.2	LeadSteel	FIXED												
Tiburon	C&C 30 Mills	11	36	2014	40.8 11.28	105	46.74 18.6	41.8 14.2	7 10	No	Yes	31.5 1284	30 28.7	3995 1579	0 1	IB Fold											
			495 77		CARBON FS				387		46.16 31	7 0	9.8 7.5	Lead	FIXED												
Trois Amis	Screamer 12 Meter MOD	194	36	1985	44.58 15.75	140	44.58	41 14.2	5.3 9.2	Yes	No		39.37 32.5	6000 1350	0 1	OB None	(mtg 3/23/17, custom rating of 36 assigned)										
			506 79		ALUMN MS				345		45.02 29.75 29.75	17 1116	10.33 7.67	Lead	FIXED												
Wet Corvette	Melges 30	103	36	1994	36.85 10.59	150	36.85 18.96	38 15.49		No	Yes		30 28.6	3800 1750	0 1	IB FOLD											
			507 74		CARBON FS							8.4 90	9.1 7	Lead	MVBL	2											
Zsa-Zsa	1D 35	35017	36	1999	42.49 12.52	110	44.78	44.46 18.58	7.55 12	Yes	No		35 31.5	6500 2600	No 1	IB Feath											
			520 95		CARBON FS			0 0	498		26.5 26.5	1104	10.75 7.6	lead	FIXED	2											
Afterburner	Synergy 1000	1001	45	1999	40.75 12	110	45.75 16.4	42 15.5	6.99 11.03	No	Yes	26 1089	32.83 29.17	4600 1850	0 1	IB Feath											
			538 84		CARBON FS				417		43.7 28	4.3 0	9.75 7	Lead	FIXED	2											

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications					
			Built	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF		LOA	LWL	Ttl Disp.	Traps/H. Strps		IB or OB				
										E	MGM		SL	SPL				SLU	ASA			Ballast	moveable blst	# of blades
Disp/WL ratio	Mast Material	Rig Type	EY	SSF	ASM	Fixed or _o	Max Draft	Ballast Mat.	Keel Type															
Anais	Hanse 505	61019	45	2014	64.16	100	65	58.6	6.55	No	Yes	38.52	49	36000	0	IB								
			530		19.16		20	20	11.87		70.41	2151	44.4	8300	1	Feath								
			187		ALUMN				655		64.11	1.5	15.6	Lead	FIXED									
					FS						38.35	<input checked="" type="checkbox"/>	7.7											
Divine Wind	Olson 40	69069	45	1983	50	150	51.21	44	5.5	Yes	No		40.33	10500	0	IB								
			540		15.75		15.8	14.25	9.29		50.17	15.75	36	5500	1	Feath								
			102		ALUMN				376		28.35	1185	11.25	Lead	FIXED									
					MS						28.35		6.5											
Kira	Aerodyne 38 SD	38104	45	2003	50.82	105	57.25	51.75	6.25	No	Yes	39.5	37.66	11850	0	IB								
			634		14.5		20.83	16.5	10.6		65.5	2062	34.21	4150	1	Fold								
			135		ALUMN				506		58.5		13	Lead	FIXED									
					FS						40	<input checked="" type="checkbox"/>	6											
Peregrine	J 120 Carbon	25487	45	2001	50.5	150	52	46.5	6.76	No	Yes	35.1	40	13900	0	IB								
			540		14.5			17.8	11.57		64	1776	35	6000	1	Fold								
			147		CARBON				493		52.5	7	12	Lead	FIXED									
					FS						36.96	<input checked="" type="checkbox"/>	7											
Quiver	Custom Nelson Marek 36	28669	45	1999	43.85	105	51.9	45.75	6.56	Yes	Yes	26.24	35.6	7725	No	IB	(mtg 6/15/10, added lead shoe to keel, -3 sec/mi, change custom rating from 48 to 45)(Mtg 2/29/12, added sprit equal to SPL, NCTR)							
			542		12.5		14.57	16.47	10.66		50.39	14.57	29.32	3255	1	FOLD								
			139		CARBON				453		26.21	1101	10.3	Lead	FIXED	2								
					FS						26.21	<input checked="" type="checkbox"/>	7.6											
Void Star	Santa Cruz 40	59995	45	1982	52	135	52	45.5	5.2	No	Yes	33.62	40	12500	0	IB	(Mtg 10/22/15, -6 sec/mi for 20% increase in JSP)(4/6/16, +3 sec/mi for non-articulating spinnaker)							
			548		16		18.67	14	8.58		50	16	36	5000	1	FEATH								
			122		ALUMN				370		28.33	1178	12	Lead	FIXED	2								
					MS						28		7											
Family Hour, TNG	Henderson 30	46595	48	1997	37	155	42.3	38.2	6.74	Yes	Yes	31.9	30.83	3850	0	OB	Kelp Cutter							
			504		11		17.8	14	10.62		41.5	11	27.75	1750	1	None								
			82		CARBON				356		19.8	685	9.84	Lead	FIXED	0								
					FS						19.8		7											

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Keel		Engine/Prop	Modifications
			Built	ISP	I	J	Max Headsail	ISP JSP	P	MGU	Yes/No	Yes/No	ASF		Ttl Disp.	Traps/H. Strps	IB or OB	
			DW Rating		Mast Material		PY	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type		
			Disp/WL ratio		Rig Type		EY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades		
									SSF		ASM	Fixed or _o	Max Draft					
Hokulani	J 120 ALUM	43	48	1996	50.42 14.42	155	50.42 21.42	46.42 17.67	6.58 11.42	No	Yes	37.8 1777	40 35	13900 6000	0 1	IB Fold		
			538 147		ALUMN FS			486			51.5 37.3	0 <input checked="" type="checkbox"/>	12 7	Lead	FIXED			
Hot Socks	Figaro II	27	48	2004	42.75 12.42	104	42.75	42.67 15.42	7 11	Yes	No	0	32.18 32	6724 2425	0 1	IB Fold		
			564 93		CARBON FS			422			20.1 20.5	0 <input type="checkbox"/>	11.33 6.5	LeadWater	FIXED			
Jamani	J 120 ALUM	52879	48	2002	50.5 14.5	155	52 21.5	46.5 17.8	6.7 11.5	No	Yes	34 1729	40 35	13900 6000	0 1	IB FOLD		
			542 147		ALUMN FS			491			50 37	7 <input checked="" type="checkbox"/>	12 7	Lead	FIXED	2		
Kookaburra	J 120 ALUM	153	48	2001	50.5 14.5	155	52 21.5	46.5 17.8	6.2 10.7	No	Yes	30.3 1265	40 35	13900 6000	No 1	IB FOLD		
			556 147		ALUMN FS			0 0	471		50.6 26.5	7 <input checked="" type="checkbox"/>	12 7	Lead	FIXED	2		
Saetta	J 120 ALUM	28486	48	1999	50.5 14.5	153	52 21.5	46.5 17.8	6.75 11.5	No	Yes	37.6 1793	40 35	13900 6000	No 1	IB FOLD		
			540 147		ALUMN FS			0 0	492		51.8 36.42	7 <input checked="" type="checkbox"/>	12 7	Lead	FIXED	2		
Sapphire	Synergy 1000	38008	48	2004	40.8 12	125	45.75 16.4	42 15.5	5.86 10.03	No	Yes	28 1172	32.83 29.17	4400 1850	No 1	IB FOLD	(Mtg 10/22/15, +3 sec/mi for smaller than class mainsail)	
			532 81		CARBON FS			387			46.2 28.8	4.3 <input type="checkbox"/>	9.75 7	Lead	FIXED	2		
Twist	J 120 ALUM	28442	48	2000	50.5 14.5	150	52 21.5	46.5 17.8	6.75 11.5	No	Yes	34.1 1764	40 35	13900 6000	No 1	IB FOLD		
			541 147		ALUMN FS			0 0	492		50.6 37.65	7 <input checked="" type="checkbox"/>	12 7	Lead	FIXED	2		

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Keel		Engine/Prop	Modifications
					I	J	Max Headsail	ISP	P	MGU	Yes/No	Yes/No	ASF		Ttl Disp.	Traps/H. Strps		
			DW Rating		Mast Material		PE	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type		
			Disp/WL ratio		Rig Type		PY	MSA	SSMG	SSA	SLE	Sprit Length	Max Beam	Ballast Mat.	Keel Type	# of blades		
							EY		SSF		ASM	Fixed or _o	Max Draft					
Alchera	J 120 Mod	28870	51	2001	50.5 14.5	125	52 21.55	46.5 6	6	No	Yes	34	40	13900	No	IB	Modifications for offshore singlehanding: Smaller spinnaker and main, 2 extra winches at helm, 3 additional gel batteries, dodger boss widened and all control lines led to cockpit, radar pole, veltran MHN jib. (Mtg 2/21/08 - 2 sec/mi for small)	
			554		CARBON		17.57	10.57			57.96	1407	35	6000	1	FOLD		
			147		FS		0	463			49.99	7	12	Lead	FIXED	2		
Chance	J 120 ALUM	28484	51	2001	50.5 14.5	100	52 21.5	46.3 6.7	6.7	No	Yes	34.1	40	13900	No	IB		
			541		ALUMN		17.8	11.5			64.1	1765	35	6000	1	FOLD		
			147		FS		0	489			50.6	7	12	Lead	FIXED	2		
Argo	Beneteau 40.7 First Farr	46933	54	1999	51.61 14.47	105	51.61 14.47	48.85 6.72	6.72	Yes	No		39.33	15211	0	IB		
			569		ALUMN		17.72	11.51			50.9	14.47	34.83	5950	1	Feath		
			164		FS			515			26	1094	12.33	Lead	FIXED	2		
Captain Sluggo	Hobie 33	77870	54	1982	34.7 12.2	105	42.3	38.1 6	6	No	Yes	25.6	33	4532	0	OB	(Meeting 4/27/17, Custom rating assigned: 54)	
			524		CARBON		13.5	9.6			44.6	928	30.4	1800	1	None		
			73		MS			328			42.4	0	8	Lead	FIXED			
Divine Wind	Flying Tiger 10 Meter ODR	30	54	2007	39.28 12.12	105	45.28 19.134	40.16 6.463	6.463	No	Yes	27.49	32.65	4900	0	OB		
			514		CARBON		14.89	10.5			51.54	1087	30.31	1918	1	None		
			80		FS			378			42.65	7	9.15	Lead	FIXED	0		
Envolee	Figaro II	0	54	2012	42.75 12.42	104	42.75	42.67 6.5	6.5	Yes	No		32.18	6724	0	IB	(mtg 4/27/17, water ballast disabled, +6 sec/mi)	
			558		CARBON		15.42	10.63			43.96	13.85	32	2425	1	Fold		
			93		FS			410			23.62	865	11.33	LeadWater	FIXED			
Everlong	Beneteau 40.7 First Farr	51705	54	2002	51.61 14.47	104	51.61 14.47	48.85 6.73	6.73	Yes	Yes		39.33	15211	0	IB		
			569		ALUMN		17.72	11.51			50.92	14.47	34.83	5950	1	FOLD		
			164		MS			515			26	1103	12.33	Lead	FIXED	2		
							0				26		7.75					

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
			Built	ISP	I	J	Max Headsail	ISP JSP	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H. Strps	IB or OB		
			DW Rating		Mast Material		EY	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type			
			Disp/WL ratio		Rig Type			MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades			
											Fixed or _o		Max Draft						
Freedom	Beneteau 523	38333	54	2006	65.22 20.77	105	44.9 13.58	59.09 6.39 18.53 11.04		No	Yes	35.519 1854 2 0	53.08 47.92 16 7.5	32800 10935 Iron	No 1 FIXED	IB FOLD 3	Bow Thruster, in-mast furling, above deck jib furler; (Mtg 8/17/06 - +6 s/m for small girth main); electric winches added 1/29/07 (Mtg 3/28/13, +3 secmi for 8% decrease in mainsail area)		
Frequent Flyer	Mumm/Farr 30	52	54	1996	38.2 10.9	104	44.9 13.58	40.5 6.42 14.6 10.4	44.58 13.58	Yes	Yes	25.25 882 0 0	30.9 27.6 10.1 6.9	4561 1997 Lead	0 1 FIXED	IB Fold			
Q	Custom Schumacher 40	28901	54	2001	47 14.67	105	47	47.5 6.75 18.35 11.75	6.75 11.75	Yes	No	0 0	40 31.5 11 7.6	10166 4528 Lead	No 1 FIXED	IB FOLD 2			
Ragtime	J 90 MOD	50090	54	1998	35.6 10.5	125	43.1 18	38.85 5.51 14.5 9.42	5.51 9.42	No	Yes	26.25 857 7.5 0	30 27 8.5 6.5	3400 1595 Lead	No 1 FIXED	OB FOLD 2	(Mtg 4/28/11, -3 sec/mi for increased "P", + 3 sec/mi for smaller asymmetrical)(Mtg 1/26/12, removed saildrive, added OB, -3 sec/mi)(1/24/13, new rudder noted, NCTR)(Mtg 10/26/17, +3 sec/mi for smaller mainsail, +2 sec/mi for		
Trex	Sunsail F40 ODR (Beneteau F40)	1007	54	2012	52.69 15.09	105	56.54 17.06	51.15 6.53 17.65 11.42	6.53 11.42	No	Yes	30.32 1200 1.98 0	40.15 35 12.76 8.04	17437 6609 Lead	0 1 FIXED	IB Fold 2			
Vera Cruz	Sunsail F40 ODR	1003	54	2012	52.69 15.09	105	56.54 17.06	51.15 6.53 17.65 11.42	6.53 11.42	No	Yes	30.32 1200 1.98 0	40.15 35 12.76 8.04	17437 6609 Lead	0 1 FIXED	IB Fold 2			
Wild 1	Flying Tiger 10 Meter ODR	41	54	2007	39.284 12.126	105	45.282 19.134	40.167 6.463 14.895 10.499	6.463 10.499	No	Yes	27.493 1087 7.008 0	32.68 30.31 9.12 7.61	4376 1918 Lead	0 1 FIXED	OB None 3			

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
			Built	J	Max Headsail	ISP	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H. Strps	IB or OB				
			DW Rating	Mast Material	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type					
			Disp/WL ratio	Rig Type	PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades					
					EY		SSF		ASM	Fixed or _o	Max Draft								
CentoMiglia	Flying Tiger 10 Meter	15	57	2006	39.284 12.126	105	45.282 19.134	40.167 14.895	5.25 9.12	No	Yes	27.493 1087	32.68 30.31	4376 1918	No 1	OB None	(3/7/11, new class rudder installed, NCTR)(Mtg 8/24/17, +3 sec/mi for small girth mainsail)		
			521 71		CARBON FS		344							Lead FIXED	3				
Ebb Tide	Wauquiez 45s Centurion	60245	57	2003	55.77 17.72	100	55.77 17.72	51.84 19.32	6.51 11.68	Yes	Yes	32.25 1541	45.92 40.25	23148 8488	0 1	IB Fold	(Mtg 5/26/11, Increased "JSP" by 5.67' which equals a 30% increase. -9 sec/mi per NCPHRF Rules & Guidelines.)(Mtg 3/29/12, JSP now same as J+9 sec/mi, Asymmetrical spinnaker still oversized, -3 sec/mi)		
			542 161		ALUMN FS		567							Lead FIXED	3				
Encore	Sydney 36 CR	3632	57	2006	45.6 14	104		44.36 16.4	6.1 10.6	No	Yes	28.9 1283	36.06 31.04	12897 4850	No 1	IB FOLD	(Australian IRC Rating 1.052)(Mtg 8/23/12, change custom rating from 54 to 57)		
			565 196		ALUMN FS		431							Lead FIXED	2				
Imagine	Davidson 44 MOD	77220	57	1980	49.92 15.38	125	50.33	58.3 18.33	6.9 12.8	Yes	No		44 38.5	24410 7000	No 1	IB FOLD	(Mtg 4/27/17, custom rating of 57 assigned)		
			568 194		ALUMN FS									Lead FIXED	3				
Outsider	Azzura 310	1000	57	1996	35.35 11.55	110	43.33 21.57	38.75 13.25	6.68 10.5	No	Yes	30.1 1163	30.75 27.4	4850 2100	No 1	OB Fixed_3	6 FT ARTIC, RETRAC BOWSPRIT. MTG 3/28/96 (RATED 66) (CHNG NOTED 4/18/96-NO CHNGE RTNG. (2/13/96 FM 66 TO 60.)(MTG 11/13/97 FM 60 TO 57)MTG 2/12/98 FM 57 TO 63 (MTG 4/9/98) Inboard SailDrive removed and replaced with		
			525 107		CARBON FS		352							Lead FIXED	3				
Six Brothers	Columbia C 30-2	32006	57	2013	36.67 12.67	103	42 17.67	38 14.67	7.77 10.64	No	Yes	31.5 1145	32 27	4500 1900	0 1	IB None			
			529 104		ALUMN FS		374							Lead FIXED					
Jet Stream	Custom JS 9000	9045	60	2003	27.08 9.5	87	30.25 15.5	30.84 10.171	6.07 8.17	No	Yes	21.8 561	29.9 27.9	2425 1543	0 1	OB None	(Mtg 1/22/09, custom rating of 78 assigned)(Mtg 8/19/10, -9 sec/mi for adding 3' sprit, -3 sec/mi for increased spinnaker area, Original rating of 78 contained a 3 sec error, rating should have been 75, change custom rating to 62)(7/27/17 New		
			540 51		CARBON FS		226							Lead FIXED	0				

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull	Displacement/Keel		Engine/Prop	Modifications	
			Rating		I	J	ISP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps		IB or OB
			Built		Max	Headsail	JSP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type		
			DW Rating		Mast	Material	PY	MSA	SSMG	SSA	SLE	Sprit	Lngrh	Max Beam	Ballast Mat.	Keel Type	# of blades		
			Disp/WL ratio	Rig Type	EY		SSSF	ASMG	Fixed or _o	Max Draft									
Sweetspot	C&C 121 DK W/5' BS	46921	60	2000	57	135	57	51	6.19	No	Yes	36	40	14100	No	IB	Deep Keel-bowsprit, (Mtg 4/24/08, rating appeal submitted, change base rating for C&C 121 DK w/ 5' BS, aka C&C 121 XP, to 60)		
			549		15		20	16.386	10.6		63.8	35.5	5500	1	FOLD				
			143		ALUMN		0	0	496		55.6	13.8	Lead	FIXED	2				
					MS		0				37.5	8							
Jeannette	Custom Frers 40 IOR 1 Tonner	40646	63	1986	47.2	100	13.7	51.48	7.13	Yes	No		39.5	11918	0	IB	(mtg 5/31/07 custom rating changed from 63 to 60 based on performance data)(Mtg 8/27/15, change custom rating back to 63 after review of race results)		
			562		13.7			18.76	12.19			33	6000	1	FOLD				
			151		ALUMN				575		24.66	12.6	Lead	FIXED	2				
					FS			24.66			24.66	8.1							
Ohana	Beneteau 45F5	38023	63	1991	53.15	100	55.15	55.4	7.06	Yes	No		44.11	26500	0	IB	(Mtg 12/1/11, -6 sec/mi for new keel)		
			580		15.08		16	18.58	12.08			36.9	8500	1	FEATH				
			240		ALUMN				613		27.14	14.1	Lead	FIXED	3				
					FS			27.14			27.14	7.9							
Wasabi	JPK 1080	38103	63		46.66	100	51.51	46.2	5.84	No	Yes		35.43	10692	0	IB			
			550		14.17		19.09	15.48	9.61			15.32	30.84	4740	1	Fold			
			166		CARBON				419			0	11.98	Steel	FIXED	2			
					FS							90	7.22						
Lindo	J 109	195	69	2005	46.5	155	49	43.3	5.89	No	Yes	27.75	35.25	10900	0	IB			
			580		13.3		18.8	15.5	10.07			1160	30.5	3900	1	FOLD			
			175		ALUMN				400		45.63	5.5	Lead	FIXED	2				
					FS						27.2	0							
Mirthmaker	A 35	18250	69	2007	44.22	90	51.06	44.94	5.42	Yes	Yes	24.2	34.7	9810	0	IB	(Mtg 5/20/10, custom rating of 60 assigned, would like a copy of ORR Certificate)(mtg 6/15/10, change custom rating from 60 to 63 based on further clarification of boats configuration)(Mtg 10/27/16, change custom rating from 63 to 60 after		
			574		13.45			14.66	8.88			996	30.47	4367	1	Fold			
			158		CARBON				381		25.38	1.5	Lead	FIXED	2				
					FS			25.38			22.5		6.88						
Pegasus - Motion X	J 100 ODR MOD	1197	69	2005	38	95	43	38	5.32	No	Yes	23.3	32.8	7250	No	IB	(Mtg 2/26/09, -3 sec/mi for adding sprit)(mtg 1/21/10, additional -3 sec/mi for lengthening sprit to 4.13')(Mtg 1/27/11, -6 sec/mi for increased "e")(Mtg 1/26/11, shortened J, boat rigged for carbon keel)		
			579		12.7		15.63	15.3	9.32			861	29	2500	1	FOLD			
			135		CARBON				332		39.1	4.13	Lead	FIXED	2				
					FS						23.9		5.8						

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications							
			Built	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF		LOA	Ttl Disp.	Traps/H.	Strps	IB or OB							
										E	MGM		SL	SPL							SLU	ASA	LWL	Ballast	moveable blst	Prop Type
EY		SSF		ASM	Fixed or _o	Max Draft																				
Raven	C&C 115	38108	69	2004	52.17 14.5	106	52.17 14.5	49.33 16.33	6.2 8.6	No	Yes	24.7 962	37.75 33	11800 4200	0 1		IB Fold									
			587 149		CARBON FS				447		47.3 22.5	0 <input checked="" type="checkbox"/>	11.92 6.67	Lead	FIXED		2									
Skinny Love	11 Metre ODR	92	69	1996	32.53 10.166	95	41	36.08 13.583	5.23 8.82	Yes	No		33.67 26.92	3600 1600	No 1		OB None	MTG 4/9/98. Sail number 90, using sail # 246 for Vallejo 2008								
			536 84		ALUMN FS			0 0	293			0 <input type="checkbox"/>	8.67 5.42	Lead	FIXED		0									
Tupelo Honey	Elan 40	28908	69	2004	48.89 14.21	105	50.05 14.21	48.82 17.23	5.58 10.09	Yes	No		39.04 34.07	17600 5621	No 1		IB FOLD									
			582 202		ALUMN FS			0 0	467			0 <input type="checkbox"/>	12.55 7.87	LeadSteel	FIXED		2									
Willow	Wauquiez 40s Centurion	38300	69	2004	51.5 14.17	110	51.5	49.21 19.3	7.3 12.5	Yes	Yes	28.54 1155	41.17 36.4	18960 6085	No 1		IB FEATH	(mtg 3/18/10, -3 sec/mi for oversized a-sail.)(mtg 1/27/11, - 3 sec/mi for added sprit)								
			573 179		ALUMN FS				564		46.75 27.66	2.4 <input checked="" type="checkbox"/>	12.66 7.75	Lead	FIXED		3									
Basic Instinct	Custom Elliott 10.50	8123	72	1993	41 12.5	125	45.6 13.9	44.2 17.5	8.5 12	No	Yes	29.4 1192	34.42 31.83	10220 3000	No 1		IB FOLD	(mtg 3/19/09, changed to smaller headsail, +3 sec/mi, & larger mainsail, -6 sec/mi, change rating from 66 to 63)(Mtg 10/21/09, new smaller headsail, still with large headboard. Change mainsail result from 6 sec/mi to 2 sec/mi)								
			570 144		ALUMN FS			0 0	497		45.82 29.4	0 <input checked="" type="checkbox"/>	12.08 7	Lead	FIXED		2									
Bullet	Express 37	40311	72	1985	48.75 14.33	155	48.75	42 13.75	5.3 8.83	Yes	No		37.08 30.83	11000 4600	No 1		IB FOLD									
			581 171		ALUMN MS			0 0	344			0 <input type="checkbox"/>	11.57 7.25	Lead	FIXED		2									
Eclipse	Express 37	18495	72	1985	48.75 14.33	155	48.75	42 13.75	5.28 8.83	Yes	No		37.08 30.83	11000 4500	0 1		IB FOLD	Rudder modification noted, no change to rating. (Actual weight from yard 11200 - 9500 was design displacement. No mods from standard express 27.) 3/26/01								
			577 171		MS			0 0	344			0 <input type="checkbox"/>	11.57 7.25	Lead	FIXED		2									

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
			Rating		I	J		P	MGU	Yes/No	Yes/No	ASF	Ttl Disp.		Traps/H. Strps	IB or OB		
			DW Rating		Max	Max		E	MGM	SL	SPL	SLU	ASA		Ballast	moveable blst	Prop Type	
			Disp/WL ratio		Headsail	Headsail		PY	MSA	SSMG	SSA	SLE	Sprit Lngth		Ballast Mat.	Keel Type	# of blades	
Elan	Express 37	87700	72	1985	48.75 14.33	155	48.75	42	5.28	Yes	No			37.083 30.833 11.57 7.25	11000 4500 Lead	No 1 FIXED	IB FOLD 2	
			581 171		ALUMN MS			0 0	344	25.79 25.79	1032		0 <input type="checkbox"/>					
Escapade	Express 37	18051	72	1985	48.75 14.33	155	48.75	42	5.28	Yes	No			37.08 30.83 11.57 7.25	11000 4500 Lead	No 1 FIXED	IB FOLD 2	
			577 171		ALUMN MS			0 0	344	25.58 25.42	1022		0 <input type="checkbox"/>					
Expeditious	Express 37	18478	72	1986	48.75 14.33	155	48.75	42	5.28	Yes	No			37.08 30.83 11.57 7.25	11000 4500 Lead	No 1 FIXED	IB FOLD 2	INSTALED NEW CLASS- APPROVED CARBONFIBER RUDDER - MTG 6-12-2000 NCTR.
			577 171		ALUMN MS			0 0	344	25.5 25.4	1019		0 <input type="checkbox"/>					
Golden Moon	Express 37	18488	72	1985	48.75 14.33	155	48.75	42	5.37	Yes	Yes	29.5		37 30.83 11.57 7.25	11000 4500 Lead	No 1 FIXED	IB FOLD 2	
			577 171		ALUMN MS			0 0	347	48.27 25.79 25.79	14.33 1037	49.8 46 25	1034 0 90					
Jarlen	J 35	28528	72	1990	46.333 14.583	150	46.3	41.416	5.43	Yes	No			35.42 30 11.67 6.75	10500 4400 Lead	No 1 FIXED	IB FOLD 2	
			585 177		ALUMN MS			0 0	347	46 26 26	14.583 997		0 <input type="checkbox"/>					
Junkyard Dog	J 109 ODR	168	72	2004	46.5 13.3	105	49 18.83	43.25	5.88	No	Yes	27.75		35.25 30.5 11.5 7	10900 3900 Lead	No 1 FIXED	IB FOLD 2	
			583 175		ALUMN FS			0 0	398			56.33 45.63 27.2	1160 5.5 0					
La Viajera	J 109 ODR	46480	72	2004	46.5 13.3	105	49.6 18.8	43.25	5.89	No	Yes	27.75		35.25 30.5 11.5 7	10900 3900 Lead	0 1 FIXED	IB Fold 2	
			583 175		ALUMN FS			15.5	10.07 399			56.33 45.63 27.2	1160 5.5 0					

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications		
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps moveable blst	IB or OB Prop Type # of blades			
								SL SPL SSMG SSF	SPL SSA SSA	SLU SLE ASMG	ASA							Ballast Mat.	Keel Type
48.75 14.33	48.75 14.7	46.3 14.7	5.21 8.77	Yes	No	35.42 30 11.8 6.9	10500 4400 Lead	No 1 FIXED	IB Feath 2										
Mojo	J 35	18935	72 1983	46.4 14.7	150	46.3 14.7	41.75 14.98	5.21 8.77	Yes	No	35.42 30 11.8 6.9	10500 4400 Lead	No 1 FIXED	IB Feath 2					
			587 177	ALUMN MS				353			<input type="checkbox"/>								
Mudshark	Express 37	28052	72 1986	48.75 14.33	155	48.75	42 13.75	5.28 8.83	Yes	No	37.08 30.83 11.57 7.25	11000 4500 Lead	No 1 FIXED	IB FOLD 2					
			577 171	MS			0 0	344			<input type="checkbox"/>								
Phat Jack	Express 37	18257	72 1985	48.75 14.33	150	48.75	42 13.75	5.25 8.83	Yes	No	37.08 30.83 11.57 7.25	11000 4500 Lead	0 1 FIXED	IB FEATH 2					
			577 171	ALUMN MS				343			<input type="checkbox"/>								
Punk Dolphin	Custom Wylie 38	18481	72 1985	48 14.33	150	48	43 14	5.58 9.55	Yes	No	38 31 11.6 6.75	14000 5000 Lead	No 1 FIXED	IB FOLD 2					
			581 214	ALUMN MS			0 0	369			<input type="checkbox"/>								
Stewball	Express 37	18278	72 1985	48.75 14.33	150	48.75	42 13.75	5.28 8.83	Yes	No	37.083 30.833 11.57 7.25	11000 4500 Lead	0 1 FIXED	IB FOLD 2					
			577 171	ALUMN MS			0 0	344			<input type="checkbox"/>								
Abacadabra	Antrim 27 CM ODR	28927	75 1996	28.69 8.17	116	37.25 15	33.75 14	7.5 10.9	No	Yes	27.83 23.75 9.25 6	2900 1050 Lead	No 1 FIXED	OB None 0	BOWSPRINT IS ARTICULATING				
			555 98	CARBON FS			0 0	327			<input type="checkbox"/>								
Akialoa	J 35	28435	75 1989	46.33 14.58	120	46.3	41.42 14	5.43 9.11	No	No	35.42 30 11.67 6.75	10500 4400 Lead	No 1 FIXED	IB FOLD 2					
			177	ALUMN MS			0 0	347			<input type="checkbox"/>								

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst Keel Type		
Escapade	Sabre 40-2	38011	75 1997	54 15.5	110	54 16	47.5 17	5.6 9.9	Yes 51.25	15.5	Yes 53.5	23.5 1001	40.2 34	19760 7500	0 1	IB FEATH 3	
			599 229	ALUMN MS				449	27.3 25.6	1151	47 24	0 <input checked="" type="checkbox"/>	13.3 7.5	Lead FIXED			
Expression	Express 37 MOD	33985	75 1984	48.75 14.33	150	48.75	42 13.75	5.3 9	Yes 48.16	14.33	No 48	19 705	37.1 30.83	9500 4500	0 1	IB Fold 2	(mtg 1/21/10, +3 sec/mi for modified keel, -3 sec/mi for dual spinnaker/ability to fly asym on squared back pole)(1/19/11, removed asym, only using symmetric spinnaker, +3 sec/mi)
			590 147	ALUMN MS				346	23.2 23.2	931	45 18	0 <input type="checkbox"/>	11.5 6	Lead FIXED			
Joker	J 35	400	75 1986	46.4 14.7	125	46.4	41.5 14	5.43 9.11	Yes 46	14.7	No	0	35.42 30	10500 4400	0 1	IB FOLD 2	
			587 177	ALUMN MS				348	26.4 26.4	1012	<input type="checkbox"/>	0	11.8 6.75	Lead FIXED			
Princess	Sabre 40-2	28876	75 1996	53.5 15.5	110	53.5 20.5	47.8 17	6.27 10.7	No		Yes 57.94	26.75 1205	40.17 35.25	19500 7000	No 1	IB FOLD 2	base rtg changed frm 69 to 72 MTG 4/8/03.
			588 202	ALUMN MS				476			46.65 27.88	5 <input type="checkbox"/>	13.25 6.25	Lead FIXED			
Raven	Benteau First 35	38073	75 2001	47.24 13.12	108	51.48	45.93 14.75	5.98 10.23	Yes 51.31	14.73	No	0	36.32 30.6	12125 3681	0 1	IB Fold	
			586 192	ALUMN FS				419	26.25 25.46	1116	<input type="checkbox"/>	0 0	12.76 7.25	Iron FIXED			
Rustler	Esse 850	71	75 1997	32.8 10	105	37.72 16.2	34.4 11.97	6.23 8.85	No		Yes 43.5	24.3 779	28 28	3000 1540	0 1	IB Fold	Outboard replaced with inboard saildrive (Mtg 2/28/13, custom rating assigned, as sailed: 75)
			535 62	ALUMN FS				277			36.9 23	6.05 <input checked="" type="checkbox"/>	7.25 6.6	Lead FIXED			
Timber Wolf	Farr 38-1 C&B Marine	67519	75 1980	43.91 13.36	155	47.9	44.83 17.91	6.7 11.6	Yes 48	14.67	No	0	38.32 30.9	12000 4100	0 1	IB FOLD 2	(REDUCED MGM, ADDED 6" TO RUDDER LENGTH -NOTED NCTR-2/15/01)(-3 sec/mi for oversized spinnaker)
			579 185	ALUMN FS				476	26.4 26.4	1056	<input type="checkbox"/>	0	11.97 6.39	Lead FIXED			

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Keel		Engine/Prop	Modifications
					I	J	Max Headsail	ISP	P	MGU	Yes/No	Yes/No	ASF		Ttl Disp.	Traps/H. Strps		
			DW Rating		Mast Material	JSP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type		
			Disp/WL ratio		Rig Type		PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades		
							EY		SSF		ASM	Fixed or _o	Max Draft					
Advantage 3	J 105 ODR w/ 5'BS	84	78	1994	40.6 13.5	100	42.1 19.07	41.5 14.5	5.5 9.4	No	Yes	25.5 957	34.5 29.5	7750 3400	No 1	IB FOLD		
			581 137		ALUMN FS		0 0	358			38.6 26.4	5 <input checked="" type="checkbox"/>	11 6.5	Lead	FIXED	2		
Akula	J 105 ODR w/ 5'BS	16	78	1992	40.6 13.5	100	42.1 19.07	41.5 14.6	5.5 9.4	No	Yes	25 854	34.5 29.5	7750 3400	No 1	IB FOLD		
			585 137		ALUMN FS		0 0	359			38.7 23	5 <input checked="" type="checkbox"/>	11 6.5	Lead	FIXED	2		
Alchimiste	Archambault 27	38973	78	2013	34.25 10.83	100	39.08 15.98	34.78 12.63	4.75 8.16	No	Yes	26.9 872	27.4 22.7	4894 1814	0 1	IB Fold	(Mtg 10/22/15, Custom rating assigned. Includes -9 sec/mi penalty for 22% oversized ASA & +3 sec/mi credit for non-articulating sprit. As sailed: 78)	
			616 190		ALUMN FS			261			21.56 20.41	693 <input checked="" type="checkbox"/>	9.7 5.7	Lead	FIXED			
Allegro	Beneteau Farr First 36.7	56657	78	2010	46.42 13.1	155	46.42 14.35	45.4 15.6	5.92 12.49	Yes	Yes	23.41 834	36 30.3	12939 3993	0 1	IB Fold	(Mtg 1/26/16, -3 sec/mi for increased JSP)	
			601 211		ALUMN FS			458			23.58 23.5	889 <input type="checkbox"/>	11.4 7.3	Lead	FIXED	2		
Crackers	J 105 ODR w/ 5'BS	581	78	2002	40.6 13.5	100	42.1 19.07	41.5 14.5	5.5 9.4	No	Yes	26.2 859	34.5 29.5	8664 3400	0 1	IB Fold		
			585 153		ALUMN FS			358			39.8 22.3	5 <input checked="" type="checkbox"/>	11 6.5	Lead	FIXED			
Godot	J 105 ODR w/ 5'BS	28905	78	1992	40.6 13.5	95	42.1 19.07	41.5 14.6	5.5 9.4	No	Yes	23.29 958	34.5 29.5	7750 3400	No 1	IB FOLD		
			581 137		ALUMN FS		0 0	359			38.55 26.8	5 <input checked="" type="checkbox"/>	11 6.5	Lead	FIXED	2		
Javelin	J 105 ODR w/ 5'BS	394	78	2001	40.6 13.5	100	42.1 19.07	41.5 14.5	5.5 9.4	No	Yes	25.5 957	34.5 29.5	8697 3400	0 1	IB Fold		
			584 154		ALUMN FS			358			38.6 26.4	5 <input checked="" type="checkbox"/>	11 6.5	Lead	FIXED			

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Keel		Engine/Prop	Modifications
					I	J	Max Headsail	ISP	P	MGU	Yes/No	Yes/No	ASF		Ttl Disp.	Traps/H. Strps		
			DW Rating		Mast Material	JSP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type		
			Disp/WL ratio		Rig Type		PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades		
							EY		SSF		ASMG	Fixed or _o	Max Draft					
Lightwave	J 105 ODR w/ 5'BS	319	78	2000	40.6 13.5	100	42.1 19.07	41.5 5.5	5.5 9.4	No	Yes	22.9	34.5	7750	No	IB		
			581		ALUMN		0	358			49.4	947	29.5	3400	1	FOLD		
			137		FS		0				38.5	5	11	Lead	FIXED	2		
							0				26.6	<input checked="" type="checkbox"/>	6.5					
Mamaluc	J 105 ODR w/ 5'BS	265	78	1999	40.6 13.5	100	42.1 19.07	41.5 5.5	5.5 9.4	No	Yes	25.9	34.5	7750	No	IB		
			581		ALUMN		0	358			49.42	962	29.5	3400	1	FOLD		
			137		FS		0				39.76	5	11	Lead	FIXED	2		
							0				25.88	<input checked="" type="checkbox"/>	6.5					
Nantucket Sleighride	J 105 ODR w/ 5'BS	414	78	2001	40.6 13.5	100	42.1 19.07	41.5 5.5	5.5 9.4	No	Yes	25	34.5	7750	0	IB		
			585		ALUMN			358			48.9	863	29.5	3400	1	Fold		
			137		FS						38.7	5	11	Lead	FIXED	2		
											23.3	<input checked="" type="checkbox"/>	6.5					
Pressure Drop	Beneteau Farr First 36.7	52489	78	2006	46.4 13.1	155	46.4 14.35	45.4 5.92	5.92 12.49	Yes	No	23.29	36	12495	0	IB	(12/2/16, -3 sec/mi for JSP)	
			602		ALUMN			458			46.25	867	30.3	4034	1	Fold		
			204		FS						23.5	897	11.4	Lead	FIXED	2		
											23.13	<input type="checkbox"/>	90	7.3				
Russian Roulette	J 105 ODR w/ 5'BS	85	78	1995	40.6 13.5	100	42.1 19.07	41.5 5.5	5.5 9.4	No	Yes	25	34.5	7750	0	IB		
			585		ALUMN			358			48.9	854	29.5	3400	1	Fold		
			137		FS						38.7	5.5	11	Lead	FIXED	2		
											23	<input checked="" type="checkbox"/>	0	6.5				
Salt Peanuts	Custom Dees GP 26	18	78	2008	29.35 8.07	130	36.43 14.32	32.42 5.58	5.58 8.69	No	Yes	20.41	25.72	2340	0	OB	(mtg 2/18/10, change custom rating from 75 to 78)(3/28/12, New Rudder Noted)	
			562		CARBON			258			43.5	626	21.22	1100	1	None		
			111		FS						31.76	6.23	8	Lead	FIXED	0		
											19.85	<input checked="" type="checkbox"/>	0	6.04				
Sweet Okole	Custom Farr 36	29000	78	1976	42.049 12.35	155	42.049	44.54 5.9	5.9 10	Yes	No		36	9696	No	IB	(78 MTG 1/28/93) (81 MTG 3/18/93)(Mtg 5/22/08, +3 sec/mi for switching to smaller headsail, +3 sec/mi for removing 250# shoe from keel, change custom rating from 81 to 87)(6/7/10, change headsail to 155% 2 sec/mi change rating	
			585		ALUMN			16	10		43.82	12.35	31.33	3750	1	FOLD		
			143		FS			0	416		22.23	812	11.88	Lead	FIXED	2		
								0			22.23	<input type="checkbox"/>		7				

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
			Max Headsail		I	J	ISP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp. Traps/H. Strps		IB or OB		
			ISP JSP		E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type					
			Mast Material		PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades					
			Disp/WL ratio		Rig Type	EY			SSF	ASMG	Fixed or_o	Max Draft							
Vuja Star	J 105 ODR w/ 5'BS	181	78	1998	40.6	100	42.1	41.5	5.5	No	Yes	29.5	34.5	8733	0	IB			
					13.5		19.07	14.5	9.4		49.52	958	29.5	3400	1	Fold			
			581		ALUMN				358		39.8	5.5	11	Lead	FIXED	2			
			155		FS						24.8	<input checked="" type="checkbox"/>	0						
Benny	J 88	79169	81	2014	38.67	100	46	36.82	5.44	No	Yes	29	29.19	4990	0	IB			
					11.28		18.05	12	8.4		47.83	1022	26.84	1840	1	Fold			
			561		CARBON				282		40.84	5.25	8.5	Lead	FIXED				
			117		FS						27.32	<input checked="" type="checkbox"/>	0						
Courageous	J 88	77	81	2015	38.67	104	46	36.82	5.44	No	Yes	29	29.19	4990	0	IB			
					11.28		18.05	12	8.4		47.83	1022	26.84	1840	1	Fold			
			561		CARBON				282		40.84	5.25	9.5	Lead	FIXED				
			117		FS						27.32	<input checked="" type="checkbox"/>	0						
CruzSea Baby	Beneteau First 10R ODR	52878	81	2007	43.2	155	46.41	42.25	5.59	No	Yes	27.5	32.75	9715	0	IB	(Rudder Modifications noted, smaller non-class spinnaker +3 sec/mi)		
					12.07		16.5	14.73	9.57		49.5	1055	28.7	3528	1	Fold			
			603		CARBON				371		41.5	4.43	11	Lead	FIXED	2			
			187		FS						27.9	<input checked="" type="checkbox"/>	0						
Dare Dare	Jeanneau Sun Fast 3200	39	81	2008	41.92	102	43.77	38.67	5.28	Yes	Yes	24.41	33.1	7916	0	IB			
					12.58		13.61	13.68	8.46		44.91	13.58	28	2866	1	Fold			
			598		ALUMN				311		24.08	896	11.5	Lead	FIXED	2			
			164		FS						23.39		6.2						
Hera	Beneteau Farr First 36.7	28372	81	2002	46.4	150	46.4	45.4	5.92	Yes	No		36	12495	No	IB			
					13.1		13.1	15.6	12.49		45.8	13.1	30.3	3748	1	FOLD			
			602		ALUMN			0	458		23.01	871	11.6	Lead	FIXED	2			
			204		FS			0			22.1		7.2						
Inconceivable	J 88	9	81	2013	38.67	104	46	36.82	5.44	No	Yes	29	29.19	4990	0	IB			
					11.28		18.05	12	8.4		47.83	1022	26.84	1840	1	Fold			
			561		CARBON				282		40.84	5.25	9.5	Lead	FIXED				
			117		FS						27.32	<input checked="" type="checkbox"/>	0						

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications								
			Built	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB									
										E	MGM									SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type
Disp/WL ratio	Mast Material	FS	EY	SSSF	ASMG	Fixed or_o	Max Draft	Ballast Mat.	Keel Type	# of blades																	
Javelin	J 100 ODR	4	81	2004	38.5	95	43	38	5.13	No	Yes	24.34	32.8	6500	No	IB											
			590		11.5		12.7	13.5	8.77		49.93	899	29	2500	1	FOLD											
			121		CARBON				306		38.71	0	9.3	Lead	FIXED	2											
					FS						24.34	<input type="checkbox"/>	5.8														
Juno	J 88	20	81	2014	38.67	105	46	36.82	5.44	No	Yes	29	29.19	4990	0	IB											
			561		11.28		18.05	12	8.4		47.83	1022	26.84	1840	1	Feath											
			117		CARBON				282		40.84	5.25	9.5	Lead	FIXED												
					FS						27.32	<input checked="" type="checkbox"/>	6.5														
M Squared	J 88	75	81		38.67	104	46	36.82	5.44	No	Yes	29	29.19	4990	0	IB											
			561		11.28		18.05	12	8.4		47.83	1022	26.84	1840	1	Fold											
			117		CARBON				282		40.84	5.25	9.5	Lead	FIXED												
					FS						27.32	<input checked="" type="checkbox"/>	6.5														
Mintaka 4	Farr 38	18441	81	1979	43.67	125	46.2	44.9	6.8	Yes	No		38.25	11850	No	IB	(2002-removed dinette stbrd, add bench seat w/55 gal fuel tank, original was 12.5. Rudder replaced 12" longer, 4" narrower. Changes noted mtg 1/17/02, NCTR)(removed short pole, changed spinnakers, 1/12/04) / Mts 1/24/12, new stem										
			578		13.67			17.9	11.6				31.17	4100	1	FOLD											
			178		ALUMN			0	478		26.07	948	12	Lead	FIXED	2											
					FS			0			24.6		6.33														
Mistral	Beneteau Farr First 36.7	28394	81	2002	46.4	155	46.4	45.4	5.92	Yes	No		35	12495	No	IB											
			602		13.1		13.1	15.6	12.49				30.3	4034	1	FOLD											
			204		ALUMN			0	458		23.47	885	11.6	Iron	FIXED	2											
					FS			0			22.07		7.2														
Relentless	Sydney 32	28732	81	2002	40.6	110	40.6	39.7	5.6	Yes	No		31.9	6850	No	IB	-3 Sec/mi for OSP										
			589		12.2		13.1	14.75	9.59				28.4	2860	1	FOLD											
			136		ALUMN			0	349		23.4	786	10.6	Lead	FIXED	2											
					FS			0			23.4		6.9														
Split Water	J 88	78	81	2015	38.67	104	46	36.82	5.44	No	Yes	29	29.19	4990	0	IB											
			561		11.28		18.05	12	8.4		47.83	1022	26.84	1840	1	Fold											
			117		CARBON				282		40.84	5.25	9.5	Lead	FIXED												
					FS						27.32	<input checked="" type="checkbox"/>	6.5														

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications						
			Built	J	Max Headsail	ISP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp. Traps/H. Strps		IB or OB									
									E	MGM				SL	SPL		SLU	ASA		LWL	Ballast	moveable blst	# of blades		
																								PY	MSA
JSP	Mast Material	Rig Type	EY	SSSF	ASMG	Fixed or _o	Max Draft																		
								Ventus	J 88	60	81	2015	38.67	104	46	36.82	5.44	No	Yes	29	29.19	4990	0		
													11.28		18.05	12	8.4		47.83	1022	26.84	1840	1	Fold	
			561		CARBON				282		40.84	5.25	9.5	Lead	FIXED										
			117		FS						27.32	<input checked="" type="checkbox"/>	0	6.5											
White Shadow	J 88	23	81	2014	38.67	104	46	36.82	5.44	No	Yes	29	29.19	4990	0	IB									
					11.28		18.05	12	8.4		47.83	1022	26.84	1840	1	Fold									
			561		CARBON				282		40.84	5.25	9.5	Lead	FIXED										
			117		FS						27.32	<input checked="" type="checkbox"/>	0	6.5											
Ariadne	Beneteau Farr First 36.7	403	84		46.4	125	46.4	46.4	5.92	Yes	No		36	12495	No	IB									
					13.1		13.1	15.6	12.49			13.1	30.3	4034	1	Fold									
			601		ALUMN			0	468			0	11.4	Lead	FIXED	2									
			204		FS			0				<input type="checkbox"/>	0	7.3											
Enchante'	Beneteau 42 IK TM	63222	84	1985	55.43	155	55.71	49.2	4.8	No	No		43.67	20509	No	IB									
					16.73			14.6	8.5				36	8700	1	FOLD									
					ALUMN			0	400			0	13.83	Iron	FIXED	2									
			200		MS			0				<input type="checkbox"/>	0	7.19											
Insolent Minx	Melges 24	725	84	2008	27.85	100	31.85	28.75	3.83	No	Yes	20.67	24	1750	0	OB									
					7.98		12	12.42	7.09		38	577	22	650	1	None									
			578		CARBON				195		32.9	0	8.2	Lead	CNTRBRD										
			75		FS						19.23	<input checked="" type="checkbox"/>	0	5.25											
Lonestar	Beneteau First 10R ODR MOD	40	84	2007	43.2	100	46.41	42.25	5.59	No	Yes	25.5	32.75	9715	0	IB									
					12.07		16.5	14.73	9.57		52.9	1078	28.7	3528	1	FOLD									
			601		CARBON				371		45.8	4.43	11	Lead	FIXED	2	(Mtg 5/20/10, +3 sec/mi for non-class smaller kite)(Mtg 9/23/10, rudder modifications noted, NCTR)(Mtg 4/26/12, new rudder noted, NCTR)								
			187		FS						26.4	<input checked="" type="checkbox"/>	0	6.55											
Mulan	Beneteau First 10R ODR	52659	84	2007	43.2	100	46.41	42.25	5.59	No	Yes	25.5	32.75	9715	0	IB									
					12.07		16.5	14.73	9.57		52.9	1078	28.7	3258	1	Fold									
			601		CARBON				371		45.8	4.43	11	Lead	FIXED	2	(mtg 9/23/10, +3 sec/mi for non-class smaller kite)								
			187		FS						26.4	<input checked="" type="checkbox"/>	0	6.55											

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications							
			Built	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF		LOA	Ttl Disp.	Traps/H.	Strps		IB or OB						
										E	MGM		SL	SPL							SLU	ASA	LWL	Ballast	moveable blst	Prop Type
Disp/WL ratio	Mast Material	Rig Type	EY	SSF	ASM	Fixed or_o	Max Draft																			
Rufless	Melges 24	445	84	1999	27.85 7.95	100	31.85 12	28.9 12.45	3.83 7.09	No	Yes	20.67	24	1783	0		OB									
			577		CARBON						38	22	650	1		None										
			76		FS				196		32.9	8.17	8.17	Lead	CNTRBRD	0										
											19.23	5.25	5.25													
Turbo Camper	Hobie 33 ODR MOD	87574	84	1984	33.28 12.4	155	36.5 13.13	35 12.5	4.75 8.1	No	Yes	23	33	4200			OB	(Mtg 3/29/12, -3 sec/mi for displacement changes)								
			550		ALUMN			0	261		39	30.5	1900	1		None										
			67		FS			0			23.6	8	Lead	FIXED	0											
											23.6	5.42	5.42													
Dawn's Early Light	J 36	77549	87	1982	44.219 14	125	44.21 14	47 15	5.8 9.5	Yes	No		35.95	10570	0		IB									
			590		ALUMN						44.25	14	4600	1		Fold										
			169		FS				418		25.26	923	11.76	Lead	FIXED											
											24.12	6.6	6.6													
Ex Indigo	Custom Diva 39	8	87	1987	41.73 12.8	125	41.73 12.8	46.75 14.75	5.72 9.6	Yes	No		38.75	9920	No		IB	Back Stay Crane								
			591		ALUMN			0	413		41.4	12.8	4575	1		FOLD										
			154		FS			0			22.6	780	9.83	Lead	FIXED	2										
											22.6	5.75	5.75													
Grunion	Catalina 425	11	87	2017	55.75 15.67	125	17.34	52 18	5.04 9.58	No	No		41.67	17500	0		IB	(Mtg 1/26/17, need to submit spinnaker measurements when available)								
					ALUMN								39.08	7000	1		Fold									
			133		MS				490			0	13.67	Lead	FIXED											
											<input checked="" type="checkbox"/>	0	6.67													
Red Cloud	Farr 36 Mod	99	87	1976	38.3 12.16	108	46.3 12.16	41 16.75	6.4 10.9	Yes	No		36	10430	No		IB	(550# ADDED TO KEEL 300# TO FILL MIDDLE WINDOW+250# TO BOTTOM)(Mtg 1/26/12, -3 sec/mi for new mainsail)(mtg 3/29/12, +3 sec/mi after review of rating appeal, as sailed: 87)								
			584		ALUMN			0	410		45.4	12.16	3950	1		Fold										
			154		FS			0			21.8	825	11.92	Lead	FIXED	2										
											21.8	6.16	6.16													
Soiree	Beneteau Oceanis 49 SD	38776	87		59.75 18.42	135	59.75 18.42	51.67 18.33	4.7 9.3	No	Yes	29.41	49.5	30517	0		IB	Electric Winches (Mtg 10/27/16, +3 sec/mi for In-mast furling mainsail)								
			551		ALUMN						55.73	1210	43.67	480	1		Feath									
			167		FS				480		50.72	0	14.75	Iron	FIXED											
											26.75	0	5.75													

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
				I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No	Yes/No	ASF	Ttl Disp.		Traps/H. Strps	IB or OB Prop Type # of blades		
			DW Rating Disp/WL ratio	Mast Material Rig Type	PY EY	MSA	SSMG SSF	SPL SSA	SLU SLE ASM	ASA Sprit Lngth Fixed or _o		Ballast Ballast Mat.	moveable blst Keel Type				
Another Girl	Alerion Express 38-2	20	90 2011	42.98 12.99 90 CARBON MS	47.5 18.25	9.58 13.45 583	No	No				38.3 30.1 10.3 5.92	13000 5000 Lead	0 1 FIXED	IB Feath 2	(mtg 4/28/11, Custom rating of 90 assigned)	
Drop Beer	Beneteau Class 10	18277	90 1984	37.8 12.6 150 ALUMN FS	39.7 13.9 0 0	4 8.7 308	Yes	No	36.11 12.6 22.1 665 22.1			34.2 29.6 9.9 6.8	7000 2200 Iron	0 1 FIXED	IB FOLD 0	NEW RUDDER 3/4/95, NCTR (MTG 3/36/95)	
Oxomoxo	Swan 391	39118	90 1983	53.5 16.3 135 ALUMN MS	47.3 14	4.92 8.5 379	Yes	Yes	53.25 16.5 29.1 1278 27.6	31 1374 0 0		39.92 33.08 12.42 7.2	20315 6800 Lead	0 1 FIXED	IB Fold	(Mtg 10/26/17, -3 sec/mi for oversized asymmetrical, -3 sec/mi for oversized SPL)	
Quantum	Beneteau 405 TM	0	90 1986	52.17 14.83 155 ALUMN MS	46.26 15.09	4.76 8.74 385	Yes	No	51.45 14.8 26.64 1142 26.64			40.42 35.5 12.75 7.19	18518 7694 Iron	0 1 FIXED	IB Fold		
Roxanne	Tartan 4100 SD TM	322	90	57 15 135 ALUMN MS	50.1 18	6.8 11.5 533	No	Yes		27 1285 0 0		41.3 35.9 13.6 5.4	20400 8000 Lead	0 1 FIXED	IB Feath		
Savoir Faire	Beneteau 42 IK	28735	90 1984	52.82 16.73 145 ALUMN MS	46.59 14.6 0 0	5.4 9.35 401	Yes	No	53 16.73 30.183 1355 32.677			42.92 36 12.75 7.25	20900 7920 Iron	No 1 FIXED	IB FEATH 2	PER MTG 8/14/97	
Sea Ghost	Beneteau 42 IK	68222	90 1984	52.82 16.73 155 ALUMN MS	46.5 14.6 0 0	5.4 9.35 400	Yes	No	53 16.73 30.1 1352 32.6			42.92 36.25 12.75 7.25	20900 7920 Iron	0 1 FIXED	IB FOLD 2	DOUBLE HEADRAIL, HYDRALIC BACKSTAY PER MTG 8/14/97	

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail		P E PY EY	MGU MGM MSA	Yes/No SL SPL SSMG SSF	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.		Traps/H. Strps Ballast moveable blst Ballast Mat. Keel Type			
Vitesse Too	Hobie 33 ODR	87112	90 1983	33.8 12.4	125	36.8	35 12.4	4.75 8	Yes	No		33 30.5 8 5.5	4000 1800 Lead	No 1 FIXED	OB None 0	Extended rudder 10", NCTR	
			552 64	ALUMN FS			0 0	259			<input type="checkbox"/>	0					
Water Witch	P-Class Cutter	3	90 1928	65.59 23.7	120	23.7	59.41 26	7.67 14.57	No	No		56 39 11.5 8	48000 15000 Cast Iron	0 1 FIXED	IB Feath	(Mtg 10/26/17, custom rating assigned of 90)	
			368	WOOD MS				829			<input type="checkbox"/>	0					
Xtreme	Hobie 33 ODR	18170	90 1984	33.83 12.4	125	36.25	35 12.5	4.75 8	Yes	No		33 30.5 8 5.42	4000 1800 Lead	No 1 FIXED	OB None 0		
			553 64	ALUMN FS			0 0	260			<input type="checkbox"/>	0					
Gavilan	Custom Wylie 39	28439	93 1996	49 14.5	122	49	43 15.5	5.73 9.75	Yes	Yes	24.6	41.5 31.75 11.5 6.77	17900 5920 Lead	No 1 FIXED	IB FEATH 3	(mtg 4/28/11, change custom rating from 84 to 96 after review of rating appeal)(Mtg 1/26/12, -3 sec/mi for sprit)	
			604 254	ALUMN MS			0 0	390		48.64 26.6 26.6	14.5 1078	48.39 47.08 18.47	783 1.17	<input checked="" type="checkbox"/>			
Lady Jane	Jeanneau 39i Sun Odyssey	7913	93 2008	48.1 13.1	122	48.1	46.3 14.6	5.42 9.28	No	Yes	27.46	38.1 35.2 12.9 6.7	16163 5026 Cast Iron	0 1 FIXED	IB Feath 3		
			594 168	ALUMN FS				398		49.31 42.81 26.08	1012	1 0	<input checked="" type="checkbox"/>				
Ada Helen	ace	922	96 2005	53 16.5	155	53 16.5	46.75 15.5		No	Yes	29.7	43.8 36 13.1 6	24400 8300 Lead	No 1 FIXED	IB FOLD 3	(Mtg 3/20/08 -6/sec/mi for OSP)(mtg 6/19/08, new larger a-sail, correct size for J, NCTR)	
			588 238	ALUMN MS						54.76 50.5 29.7	1303	0 90	<input type="checkbox"/>				
Freedom	Worth 40	18230	96 1984	54 16	155	16	47 14	5.5 9.2	Yes	No		40 34.25 12.5 7.25	21000 7800 Lead	0 1 FIXED	IB FOLD 2		
			594 238	ALUMN MS			0 0	397		52 28.8 28.8	16 1248	0	<input type="checkbox"/>				

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:		ISP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull	Displacement/Keel		Engine/Prop	Modifications
			Rating		I	J	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB	
			Built		Max	Head	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type		
			DW Rating		Mast	Material	PY	MSA	SSMG	SSA	SLE	Sprit	Lngrh	Max Beam	Ballast Mat.	Keel Type	# of blades	
			Disp/WL ratio	Rig Type	EY			ASM	G	Fixed or _o	Max Draft							
Prime Number	Tartan 4100 SD	38107	96	2004	57 15	106	57 15	47.75 17.22	5.64 10.08	No	No			41.25 35.75 13.5 5.33	20400 8000 Lead	0 1 FIXED	IB Fold	
Serenade	Sabre Spirit		96	2007	45.5 12.87	106	51.2 12.87	45.5 16.55	5.55 9.93	Yes	No	23 976		36.67 28.33 10.42 6.58	10500 3740 Lead	0 1 FIXED	IB Fold	
			601		CARBON				425			0						
			210		FS							0						
Wayward Wind	Baltic 38 DP	87258	96	1983	52.25 15.82	155	52.25	46.25 13.75	4.53 8.2	Yes	No			38.08 31.5 12.34 7.25	14330 6512 Lead	0 1 FIXED	IB Fold	
			578		ALUMN				357			0						
			208		MS							0						
Windswept Lady	X-362 Classic	50980	96	1998	46.6 12.9	125	46.6 12.9	40.6 14.1	5.05 8.86	Yes	Yes	26.7 878		35.1 30.4 11.4 6.2	12320 5170 Lead	0 1 FIXED	IB Fold	
			613		ALUMN				333			0						
			199		MS							0						
Windtrip Infinity	J 92s	35	96	2006	40.68 11.48	107	44.08 16.67	38.88 13.95	5.42 9	No	Yes	23.25 878		30 26.7 10 6.24	5610 2317 Lead	0 1 FIXED	IB Fold	
			587		ALUMN				324			5.17						
			134		FS							0						
Yellow Brick Road	Jeanneau Sun Odyssey 40	33300	96	1999	50 13.75	125	50 13.8	43.25 15.67	5.7 9.89	No	Yes	25.59 1095		40 33.33 12.92 6.33	16094 5291 Iron	0 1 FIXED	IB FEATH 3	
			601		ALUMN				396			0						
			198		MS							0						
Ala Moana	Beneteau First 30	104	99	2012	41.66 13.78	105	42.16 15.78	40.3 14.25	6.28 9.38	No	Yes	28.82 1049		31.7 27.6 10.5 6.25	8267 2403 Cast Iron	0 1 FIXED	IB Fold 2	
			602		ALUMN				356			2						
			179		FS							0						

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull	Displacement/Keel		Engine/Prop	Modifications	
			Rating		I	J	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps		IB or OB
			Built		Max	Head	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type		
			DW Rating		Mast	Material	PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades		
			Disp/WL ratio	Rig Type	EY			ASM	G	Max Draft								
Double Espresso	Olson 30 OB	18069	99	1982	36	155	35.9	31.5	4.36	Yes	No		30	3600	0	OB		
					11.75		11.75	10.75	7.26				27.5	1800	1	None		
			591		ALUMN				208			0	9.33	Lead	FIXED			
			79		MS						<input type="checkbox"/>	0	5.08					
Dr Feelgood	Olson 29	24	99	1986	34	155	36	32.5	4.36	Yes	No		29.67	3600	0	OB		
					11			11.5	7.48				27.5	1950	1	None		
			571		ALUMN				223			0	9.33	Lead	FIXED			
			79		FS						<input type="checkbox"/>	0	5.58					
Dragonsong	Olson 30 OB	87014	99	1982	36	155	35.9	31.5	4.364	Yes	No		30	3600	No	OB		
					11.75		11.67	10.75	7.268				27.5	1800	1	None		
			584		ALUMN			0	208			0	9.33	Lead	FIXED	0		
			79		MS			0			<input type="checkbox"/>		5.08					
Hot Betty	Olson 30 OB	67537	99	1979	36	155	35.9	31.5	4.364	Yes	Yes	21	30	3600	No	OB		
					11.75		11.67	10.75	7.268		35.5	630	27.5	1800	1	None		
			584		ALUMN			0	208		36.2	0	9.33	Lead	FIXED	0		
			79		MS			0			21.1	<input checked="" type="checkbox"/>	5.08					
Nina	Olson 29	27	99	1987	34	155	36	32.5	4.5	Yes	No		29.67	3700	0	OB		
					11			11.5	7.27				27.5	1950	1	None		
			579		ALUMN			0	222			0	9.33	Lead	FIXED	0		
			81		FS			0			<input type="checkbox"/>		5.58					
Pony Express	Express 34	28234	99	1988	44.25	155	44.25	38.5	4.87	Yes	No		34	7500	No	IB		
					12.92			12.83	8.46				28.33	3700	1	FOLD		
			613		ALUMN			0	296			0	10.5	Lead	FIXED	2		
			150		MS			0			<input type="checkbox"/>		6					
Razzberries	Ericson 34 Olson TM	97479	99	1988	46.77	155	47	40.9	5.1	Yes	No		33.88	10855	No	IB		
					12.95			12.95	8.5				28	3500	1	FOLD		
			625		ALUMN			0	320			0	10.8	Lead	FIXED	2		
			225		MS			0			<input type="checkbox"/>		6.085					

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop		Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		Ttl Disp. Ballast		Traps/H. moveable blst	IB or OB Prop Type # of blades			
								SL	SPL	SLU	ASA							
								SSMG SSF	SSA	SLE ASMG	Sprit Lngth Fixed or _o					Ballast Mat.	Keel Type	
DW Rating Disp/WL ratio																		
Sleeper	Olson 30 OB	59608	99 1980	36.25 11.65 150	36.26	30.33 10.75	4.33 7.15	35.5 21.1 20	11.75 618	Yes	No	30 27.5 9.25 5.1	3600 1800 Lead	0 1 FIXED	OB None 0			
Traveler	Express 34	97089	99 1987	44.3 13 150	44.3	38.5 12.83	4.87 8.46	42.7 22.2 21.8	13 787	Yes	No	34 28.3 10.5 6	8500 3700 Lead	0 1 FIXED	IB FOLD 2	-6 FOR OVERSIZED SPINNAKER		
Vento	Swan 391	40841	99	53.5 16.25 95	53.5 16.25	47.25 14	5.5 9.2	51.83 29.3 29.3	16.25 1266	Yes	Yes	26 1014 0 0	39.9 33.1 12.4 7.2	18900 6800 Lead	0 1 FIXED	IB Fold		
Vita E Bella	Catalina 42-1/2	989	99 2007	53 16.5 155	16.5	46.9 15.6	5.2 9.5	51.83 29.3 25	16.25 1266	No	Yes	27.3 1105 3.67 0	41.83 36 13.1 6.8	24400 3765 Lead	0 1 FIXED	IB FOLD 3	(mtg 3/28/13, -3 sec/mi for added sprit)	
Warpath	Olson 30 OB	198	99 1982	36 11.75 150	35.9 11.67	31.5 10.75	4.364 7.268	36 0 0	11.75	Yes	No	30 27.5 9.33 5.08	3600 1800 Lead	No 1 FIXED	OB None 0			
X TA C	Olson 29	18457	99 1986	34 11 155	36	32.42 11.42	4.59 7.66	34 20.25 20.25	11.25 574	Yes	No	29.67 27.5 9.33 5.25	3900 1900 Lead	No 1 FIXED	OB None 0	RUDDER REPLACED W/MORE 30 - CHANGE NOTED NCTR.		
Checkedred Past	Custom Wyliecat 39	3	102 2002			52 26.6	10.2 17.4			No	No	38.83 32 11.5 6.6	12000 6200 Lead	0 1 FIXED	IB FOLD 2	Boat has been modified for handicapped sailing		

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications					
			Built	J	Max Headsail	ISP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp. Traps/H. Strps		IB or OB								
									JSP	E				MGM	SL		SPL	SLU		ASA	LWL	Ballast	moveable blst	# of blades
DW Rating	Mast Material	EY		ASMG	Fixed or _o	Max Draft	Ballast Mat.																	
Tijd	Beneteau First 30	45	102	2011	41.66	105	42.16	40.2	6.24	No	Yes	25.5	31.7	8267	0	IB	(Mtg 8/27/15, -3 sec/mi for OSP, +6 sec/mi for small spinnaker)							
			602		13.78		15.7	14.25	9.38		45.6	866	27.5	2403	1	Fold								
			181		ALUMN				354		40.5	1	10.5	Cast Iron	FIXED									
					FS						23.8	<input type="checkbox"/>	6.25											
Baleineau	Ericson 34 Olson SM	42147	105	1988	44	155	44	38.8	4.88	Yes	No		34	10600	No	IB								
			629		13		44	13	8.25				28	3650	1	FOLD								
			219		ALUMN			0	298			0	10.83	Lead	FIXED	2								
					MS			0				<input type="checkbox"/>	6											
Carmelita	Catalina 42-1/2	131	105	1990	53	125	53	46.75	4.98	Yes	Yes	27.75	41.83	22000	No	IB								
			595		16.42			15.5	8.85		49	16.42	36	8300	1	FEATH								
			214		ALUMN			0	399		29.55	1207	13.83	Lead	FIXED	3								
					MS			0			29.55		6.66											
Kai Ola	Jeanneau Sun Odyssey 379	0	105	2011	46.67	132	46.67	44.58	5.4	Yes	No		37.17	14771	0	IB	(Mtg 5/25/17, -3 sec/mi for oversized spinnaker)							
			584		13.58			13.92	9.1				36	3914	1	Fixed_3								
			144		ALUMN				372			0	12.33	Steel	FIXED									
					MS							<input type="checkbox"/>	6.33											
Loya	Ericson 34 Olson SM	3246	105	1989	44.5	154	44	38.84	4.69	Yes	Yes	23.8	34	10600	0	IB								
			627		13.25		13.25	12.9	8.38		44	13.25	28	3650	1	Fold								
			219		ALUMN				296		23.6	864	10.83	Lead	FIXED	2								
					MS						23.35		6											
											23.8	<input checked="" type="checkbox"/>												
Ragtime!	J 92	18	105	1993	37	155	38.5	38	4.7	No	Yes	29.75	30	5500	No	IB	(changes noted 3-11-03, NCTR)(2/14/06 - Spinnaker based on 1019 sq feet/94.67 meters)(Mtg 01/16/14, -3 sec/mi for flying asymmetric off squared back pole)(Mtg 4/24/14, New Rudder noted NCTR. Shortened pole/sprit							
			593		11.5		17	13.5	8.2		39.98	14.5	25.8	2275	1	FOLD								
			146		ALUMN			0	293		30.6	1019	10	Lead	FIXED	2								
					FS			0			30.6		5.9											
											28.4	<input checked="" type="checkbox"/>												
Red Sky	Ericson 34 Olson SM	28340	105	1989	44	150	44	38.7	5.1	Yes	Yes	21.98	33.88	10855	No	IB	MTG 12/11/97(RUDDER REPLACED 8" DEEPER ADN 3" NARROWER.)							
			627		12.95		12.95	12.95	8.5		42	12.95	28	3500	1	FOLD								
			225		ALUMN			0	302		23.4	816	10.8	Lead	FIXED	2								
					MS			0			23		6.08											
											17.91	<input type="checkbox"/>												

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
				J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp. Traps/H. Strps		IB or OB Prop Type # of blades		
									SL	SPL	SLU	ASA		Ballast	moveable blst			
																	SSMG	
ASF	Fixed or _o	Max Beam	Keel Type															
Relentless	J 92	93	105 1997	37 11.5	155	38.5 17.5	38 13.5	5.2 8.7	No	Yes	26.4 45.2 40.6 25.4	30 26.5 10 5.9	5500 2275 Lead	0 1 FIXED	IB Fold 2			
			590 134	ALUMN FS				306			<input checked="" type="checkbox"/>	0						
Revelry	Catalina 42-1/2	703	105 1999	53 16.416	125	53 16.416	46.75 15.416	5.75 9.833	No	Yes	27.5 52.7 47.4 26	41.833 36 13.833 6.83	20500 8300 Lead	No 1 FIXED	IB FEATH 3	ASYM SPIN NOTED NCTR.		
			608 200	ALUMN MS			0 0	425			<input type="checkbox"/>	0						
Sail La Vie	Beneteau 411	28597	105 1999	46.67 16.25	140		41.5 14.83	4.872 8.77	No	No		41.67 36.09 13 5.58	17196 5500 Steel	No 1 FIXED	IB FEATH 3			
			166	ALUMN MS			0 0	344			<input type="checkbox"/>	0						
Tiki Blue	Beneteau 423	38423	105 2005	48.65 16.52	125	48.65 16.52	43.44 14.83	5.49 9.6	Yes	No	48.76 29.7 28.69	41.67 38.58 12.92 6.92	20224 5569 Iron	No 1 FIXED	IB FOLD 3			
			580 160	ALUMN MS				381			<input checked="" type="checkbox"/>	0 0						
Blue Zephyr	Jeanneau Sun Odyssey 42 DS		108 2010	51.58 16.25	150		48.82 14.6	3.55 6.9	No	No		42.42 38 13.5 6.92	19676 5628 Iron	0 1 FIXED	IB Fixed_3	(mtg 4/27/17, +3sec/mi for in-mast furling, +3 sec/mi for MGM < 50% of E)		
			163	ALUMN FS				350			<input type="checkbox"/>	0 0						
Gig	Humboldt 30 IB	18112	108 1983	37.5 11.5	149	37.5	41.5 13.75	5.13 8.83	Yes	No	37 20.7 20.2	30 26.66 10.5 5.75	5400 2222 Lead	No 1 FIXED	IB FOLD 2			
			603 130	ALUMN FS			0 0	338			<input type="checkbox"/>	0						
Hijinks	J 92	90	108 1996	37 11.5	97	38.5 17	37.66 13.22	5 8.6	No	Yes	26.51 45.4 40.85 23.55	30 26.5 10 5.9	5500 2275 Lead	0 1 FIXED	IB Fold 2			
			595 134	ALUMN FS				297			<input checked="" type="checkbox"/>	0						

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SPL SSMG SSF	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.		Traps/H. Strps moveable blst	IB or OB Prop Type # of blades		
Imagination	Bavaria 40	0	108 2001	47.25 14.58	111	48	44.46 15.58	5 9.21	No	Yes	20 828	40.94 35.93 13.1 6.4	17417 6283 Lead	0 1 FIXED	IB Fold		
			594 171	ALUMN FS				386		44 22	0 <input checked="" type="checkbox"/>						
Max	Ultimate 24 ODR	2	108 2002	28.04 7.82	110	30.8 14.5	31 11.35	6.81 9.18	No	Yes	21.3 562 6.7 0	24.38 21.17 8.48 5.52	2040 750 Lead	0 1 FIXED	OB None		
			583 98	CARBON FS				254		27.8 21.3	<input checked="" type="checkbox"/>						
Popstar	Catalina 400	331	108 2005	52.5 15.5	135	52.5 16.5	46.9 17	4.02 8.27	No	Yes	27.9 1225 0 0	41.54 36.5 13.5 6.92	20500 8300 Lead	0 1 FIXED	IB Fold 3	(+3 sec/mi for in-mast furling mainsail, +3 sec/mi for MGM <50% of E)	
			599 192	ALUMN MS				393		50 29	<input checked="" type="checkbox"/>						
Sir Leansalot	Hunter 40	161	108 1986	53.9 17	125	53.9 17	48 13.9	5.2 9	Yes	No	0	39.7 32.5 13.5 6.5	17400 6000 Iron	0 1 FIXED	IB Fixed_2 2		
			610 230	ALUMN MS			0 0	396		52.5 29.2 29	17 1276						
Sweet Grapes	Ericson 36 Holland	19	108 1981	47.75 14.5	147	47.75	42 12	3.5 7.2	Yes	No	0 0	35.58 29 11.83 6.25	11600 5230 Lead	0 1 FIXED	IB FOLD 2		
			621 216	ALUMN MS				278		47 25.83 24.83	14.5 1004						
Boomer	Melges 20	676	111 2009	23.19 7.05	110	27.2 10.95	24.25 9.84	3.83 7.42	No	Yes	18.8 417 3.9 0	20 19.4 7 4.5	1105 415 Lead	0 1 FIXED	OB None 0		
			604 69	CARBON FS				152		26.25 17.65	<input checked="" type="checkbox"/>						
Endless Summer	Catalina 42-1/2 WK	688	111 2000	53 16.5	155		46.75 15.5	5.08 9.16	No	No	0 0	41.83 36 13.83 4.83	28000 8300 Lead	0 1 FIXED	IB Feath 3		
			273	ALUMN MS				405			<input type="checkbox"/>						

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst Keel Type		
For Pete's Sake	Ultimate 24 ODR	28469	111 2003	28.04 7.82	102	30.8 14.5	31 11.5	5.5 8.8	No	Yes	22.2 587	24.38 21.17	2040 750 lead	No 1 FIXED	OB None		
			582 98	CARBON FS			0 0	238			6.7 0	8.48 5.52					
Ganesha	Sabre 36-2	28862	111 1996	48.5 13.46	155		41.6 14.83	5.66 9.63	No	No		36.17 30.42	13800 5520 Lead	No 1 FIXED	IB FOLD 2	Adjustable back stays	
			223	ALUMN MS			0 0	368			0 0	12 6.5					
Hylite	Hylas 49 SM	49	111 2007	57.42 19.5	130	57.42 19.5	51 18.5	4.5 9.17	No	Yes	28.67 1214	48.83 39.5	35000 14500 Lead	0 1 FIXED	IB Fold	(Mtg 1/26/17, Custom rating of 111 assigned)	
			580 258	ALUMN CTR				470			0 0	14.25 6					
Makanani	Ultimate 24 ODR	3	111 2003	28.04 7.82	110	30.8 14.5	31 11.35	6.35 9.18	No	Yes	21.3 566	24.38 21.17	2040 750 Lead	0 1 FIXED	OB None		
			583 98	CARBON FS				250			6.7 0	8.48 5.52					
Nightmare	Custom Wilderness 30 SX FR OB	305	111 1980	34 11.75	125		34.4 11.5	4.59 7	Yes	No		29.75 27.75	4700 1650 Lead	No 1 FIXED	OB None 0	(-3 sec/mi for change from IB to OB, -6 sec/mi for keel change.)(mtg 2/26/15, -9 sec/mi for oversized spinnaker)	
			588 100	FS			0 0	233			0	8.83 5.92					
Proben Child	Melges 20	134	111 2009	23.19 7.05	110	27.2 10.95	24.25 9.84	3.83 7.42	No	Yes	18.8 417	20 19.4	1105 415 Lead	0 1 FIXED	OB None		
			604 69	CARBON FS				152			3.9 0	7 4.5					
Ahi	Santana 35	30980	114 1981	39 12.85	155	39	42 14.25	5.51 9.26	Yes	No		35 26.5	8500 3300 Lead	0 1 FIXED	IB Fold 2	(Mtg 6/27/13, new rudder noted, NCTR)	
			628 208	ALUMN FS				358			0 0	11.92 6.25					

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst Keel Type		
Allons-Y	J 70 ODR	346	114 2014	26.77 7.68	100	30.15 13.5	26.16 9.44	4.71 6.93	No	Yes	18.7 491 5.1 0	22.75 20.47 7.38 4.92	1750 630 Lead	0 1 MVBL	OB None		
Azure	CAL 40	72	114 1966	46 15.17	150	46	40 17.5	6.65 11.37	Yes	No	0	39.3 30.5 11 5.5	15500 6000 Lead	0 1 FIXED	IB FEATH 2		
Benny	J 70 ODR	897	114 2015	26.77 7.68	100	30.15 13.5	26.16 9.44	4.71 6.93	No	Yes	18.7 491 5.1 0	22.75 20.47 7.38 4.92	1750 630 Lead	0 1 MVBL	OB None		
Bessie's Girl	Bristol 45.5	30088	114 1980	57 18.83	130	57 18.83	47.25 15.2	4.66 8.56	Yes	Yes	33 1353 0 0	45.5 37.25 13.2 11	40000 15000 Lead	No 1 CNTRBRD	IB FEATH 3	(mtg 2/18/10, -3 sec/mi for dual spinnakers/ability to use asym on squared back pole)	
Blue Passion	tartan 3400	7134	114 2006	46 13.67	95	49.67 13.67	43 14.5	4.58 8.2	No	No	0 0	34.42 30.42 11.92 6.5	10800 3500 Lead	0 1 FIXED	IB Fold		
Breakout	Santana 35	18679	114 1982	39 12.85	155	39	42 14.25	5.51 9.26	Yes	No	0	35 26.5 11.92 6.25	8500 3300 Lead	No 1 FIXED	IB FOLD 2		
Elan	Beneteau 37	46	114 2012	45.83 15	105	48	43.5 12.83	6.16 8.83	No	Yes	26.6 915 0 0	37.8 34.08 12.83 6.25	14359 3901 Iron	0 1 FIXED	IB Fold		

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications					
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No	ASF		SLU ASA SLE ASMG	SPL SSA SSA SSA			Ttl Disp.	Traps/H. Ballast Mat.	Strps moveable blst Keel Type		
									SL	SPL											SLU	ASA
									SSMG	SSA											SLE	Sprit Lngth Fixed or _o
Green Buffalo	CAL 40	8538	114 1967	46.7 15.2	155	46.7	39.8 17.6	6.65 11.37	Yes	No	46.01 27.3 27.3	15.2 1047	39.3 30 10.9 5.8	15148 6000 Lead	0 1 FIXED	IB FEATH 3	Schumacher designed rudder - same as original					
Neverland	Tartan 3700 SD 5.0'	106	114 2006	51.75 15	135	51.75 15	45.25 15	5.7 9.68	No	Yes	46.8 24.21	1025 0	37 32.5 12.6 5	17780 6200 Lead	0 1 FIXED	IB Fold 2						
Nozomi	CAL 40	164	114 1970	46.2 15.2	155	46.2	39.9 17.6	6.6 11.37	Yes	No	46.2 27.3 27.3	15.2 1051	39.5 30 11 5.6	15500 6000 Lead	0 1 FIXED	IB FEATH 3						
Penny Pincher	J 70 ODR	215	114 2014	26.77 7.68	100	30.15 13.5	26.16 9.44	4.71 6.93	No	Yes	28.87 18.24	5.1 0	22.78 20.47 7.38 4.92	1750 630 Lead	0 1 MVBL	OB None						
Prime Number	J 70 ODR	29	114 2012	26.77 7.68	100	30.15 13.5	26.16 9.44	4.71 6.93	No	Yes	28.87 18.24	5.1 0	22.78 20.47 7.38 4.92	1750 630 Lead	0 1 MVBL	OB None						
Rampage	J 70 ODR	582	114 2014	26.77 7.68	100	30.15 13.5	26.16 9.44	4.71 6.93	No	Yes	28.87 18.24	5.1 0	22.75 20.47 7.38 4.92	1750 630 Lead	0 1 MVBL	OB None						
Redhead	Cal 40	7817	114 1964	46 15.17	155	46.36	40 17.5	6.5 11.3	Yes	No	46 27.3 26.2	15.17 1038	39.5 30 10.92 5.75	16500 6000 Lead	No 1 FIXED	IB Feath 2						

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail		P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst Keel Type		
Riff Rider	Cal 40	46	114 1965 615 245	46.2 15.1	155	46.2	40 17.5	6.5 11.3	414	Yes	No	39.3 30.3 11 5.6	15000 6000 Lead	0 1 FIXED	IB Fold		
Scilla	J 70 ODR	327	114 2012 607 93	26.77 7.68	100	30.15 13.5	26.16 9.44	4.71 6.93	164	No	Yes	22.78 20.47 7.38 4.92	1750 630 Lead	0 1 MVBL	OB None		
Sea Star	CAL 39-2/3	38022	114 1977 611 236	50 16.7	150	50	44 13.8	4.5 8	337	Yes	Yes	39 32 12 6.7	17000 7000 Lead	0 1 FIXED	IB FEATH 3	Roller Furler	
Skye	Capo 30 MOD	0	114 1984 629 194	41.7 12.75	120	41.5 12.75	36 11.5	4.37 7.47	247	Yes	No	33 26 10.33 5.42	7500 3000 Lead	0 1 FIXED	IB Feath	(Mtg 5/25/17, -9 sec/mi for increased LOA from added sugar scoop)	
Wingman Racing	J 70 ODR	584	114 2014 607 93	26.77 7.68	100	30.15 13.5	26.16 9.44	4.71 6.93	164	No	Yes	22.75 20.47 7.38 4.95	1750 630 Lead	0 1 MVBL	OB None		
Ciao Bella	Beneteau 37	38	117 2009 152	45.833 15	105		43.5 12.9			No	No	37.666 34.75 12.833 6.25	14008 3902 Iron	0 1 FIXED	IB FOLD 3		
Dulcinea	Catalina 38	88	117 1981 261	49.83 15.5	130	49.8 15.5	44 11.5	4.37 7.6	304	No	No	38.17 30.25 11.83 6.75	15900 6850 Lead	0 1 FIXED	IB Fold 2		

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
			Rating		I	J	Max	ISP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp. Traps/H. Strps		IB or OB	
			DW Rating		Mast	Material	JSP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type		
			Disp/WL ratio		Rig Type		PY	MSA	SSMG	SSA	SLE	Sprit	Lngrh	Max Beam	Ballast Mat.	Keel Type	# of blades		
					EY		ASM	G	Fixed	or _o	Max Draft								
Allora	Morris 36	38082	120	2007	38.66 12.75	95	44.3	41.25 15.08	5.1 9.43	No	Yes	21.4 452	36.1 25	8900 3850	0 1	IB Fold			
			652 259		CARBON FS				357		Yes	0 0	10.1 5.3	Lead	FIXED				
FUGU	Wilderness 30 SX FR IB	67967	120	1980	34.08 11.75	150	34.1 11.8	34.44 11.5	4.37 7.48	Yes	Yes	20.36 603	29.75 27.75	4200 1900	0 1	OB None	(Mtg 11/20/08, -6 sec/mi for replacing inboard with outboard engine)		
			585 89		ALUMN FS				236		Yes	0 0	8.75 5.5	Lead	FIXED	0			
Happy Daze	Santana 30-30 GP	87322	120	1984	40.83 11.67	150	40.83	36.17 11.08	5.25 8.5	Yes	No		29.92 25.42	6500 2435	No 1	IB FOLD			
			641 180		ALUMN MS			0 0	267			0	10.25 5.5	Lead	FIXED	2			
Iolani	Hughes 48	38048	120	1972	54.3 18.2	135	20.2	48.2 19	5.9 10.4	Yes	Yes	32.76 1400	48 35.1	32000 14300	0 1	IB FEATH			
			599 336		ALUMN YAWL			23 10	493		Yes	0 0	11.1 6	Lead	FIXED	3			
La Dolce Vita	J 32	64	120	2001	39.2 11	155	40.5 13	38.5 15.5	5.1 9.2	No	Yes	19.7 677	32.4 29	10000 3840	0 1	IB Feath	(Mtg 8/22/13, -6 sec/mi for sprit)		
			635 186		ALUMN FS				334			2.5 0	11 6	Lead	FIXED	3			
Rhapsody	J 32	56303	120	2000	39.2 11	155	40.583 13	38.5 15.5	5.12 9.25	No	Yes	22.5 830	32.4 29	11500 3840	0 1	IB Fold	(Mtg 5/23/13, -3 sec/mi for sprit, -3 sec/mi for oversized spinnaker)		
			640 214		ALUMN FS				335		Yes	2 0	11 6	Lead	FIXED	3			
Seaya	Catalina 380	252	120	2000	50.916 14.667	135		44.833 15.667	5.2 10	No	No		38.42 32.42	19000 6800	No 1	IB FEATH			
					ALUMN MS				405			0	12.33 7.17	Lead	FIXED	3			

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications	
			Built	J	Max Headsail	ISP	P	MGU	E	MGM	Yes/No		Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB	
											SL	SPL								
													PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	
Disp/WL ratio	Mast Material	JSP	EY	SSF	ASM	Fixed or _o	Max Draft		# of blades											
White Jacket	Etchells 22 ODR	901	120	1991	27.27 8.22	90		32.49 11.57		Yes	8.22	No		30.5 22 6.83 4.5	3337 2105 Lead	0 1 FIXED	OB None 0			
Aerie	CS 36	2160	123	1980	49 15	155	49	42.75 12.75	4.33 7.58	Yes		No		36.5 29.25 11.5 6.25	15500 6500 Lead	0 1 FIXED	IB Fold			
Arcadia	Custom Nash 28.5	3113	123	1969	33 10	120	34 11	32.5 13	4.92 8.41	No		Yes	24.606 38.8 34.908 24.606	756 4 100	28.5 25.5 9 6.5	4327 1200 Lead	No 1 FIXED	IB FOLD 2	(Weighed Displacement as of 4/4/2009)(mtg 2/28/13, change custom rating from 135 to 123 after review of race results and structural modifications) 3	
Double Down	Custom Schumacher 30	18480	123	1988	41.37 12.16	150	41.5	36.416 11.83	4.5 7.69	Yes		No		29.92 26 10.65 6.17	7854 3650 Lead	No 1 FIXED	IB FOLD 2	Rudder change, old rudder 85lbs new 65 lbs. Old alum/new carbon MTG 10/27/94 Noted- NCTR (MTG 1/9/97 Alum headsail removed and excess wires removed from mast- Noted NCTR)(Mtg 2/21/08, change custom rating from 126 to 123 after		
JouJou	Capo 30	87324	123	1984	41.7 12.75	120	41.5	36 11.5	4.37 7.47	Yes		No		30 25 10.33 5.43	7200 3000 Lead	0 1 FIXED	IB Fold 2	Roller Furler		
Wood Eye	Catalina 38	111	123	1981	49.83 15.5	110	49.83 15.5	44 11.5	4.7 7.9	Yes		No		38.17 30.25 11.83 6.75	15900 6850 Lead	0 1 FIXED	IB Fixed_2 2			
Bad Hare Day	Wylie Wabbit ODR W/Trap	35	126	1982	20.75 6.5	150	20.5	23.75 10	4.03 6.72	Yes		No		23.75 20 5.583 3.5	975 440 Lead	Yes 3 FIXED	OB None 0			

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
				I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No	SPL	Yes/No	ASF		Ttl Disp.	Traps/H. Strps	IB or OB		
				Mast Material			PY	MSA	SL	SPL	SLU	ASA		Ballast	moveable blst	Prop Type		
				Rig Type			EY		SSMG	SSA	SLE	Sprit Length		Ballast Mat.	Keel Type	# of blades		
				Disp/WL ratio					SSF		ASM	Fixed or _o						
Domino	Wilderness 30 MOD	38081	126	1985	36 12.25	155	36 12.25	31.5 4.11	4.11 6.93	Yes	No			30 27.75 8.8 5.5	5450 2150 Lead	0 1 FIXED	IB Fold	(Mtg 3/28/13, +6 sec/mi for small rig)
First Light	Beneteau 35S5	115	126	1991	41.66 11.15	98		42.65 5.25	5.25 9.042	Yes	No			35.42 29.33 11.83 6	11460 4190 Lead	No 1 FIXED	IB Fixed_2 2	
Iniscaw	Martin 32	49143	126	1980	42.5 13.67	145		37.17 4.7	4.7 8	Yes	No			32.8 27 9.6 6.1	8200 4100 Lead	0 1 FIXED	IB FOLD 2	(Mtg 10/2/13, new rudder, NCTR)
Keala	Wylie Wabbit ODR W/Trap	12	126	1982	20.5 6.5	150	20.5	23.75 4.03	4.03 6.72	Yes	No			23.75 20 5.58 3.5	975 440 Lead	Yes 3 FIXED	OB None 0	Hiking straps and single trapeze
Kwazy	Wylie Wabbit ODR W/Trap	26	126	1982	20.416 6.416	150	20.5	23 4.02	4.02 6.71	Yes	No			23.58 20 5.42 3.41	975 440 Lead	Yes 3 FIXED	NONE None 0	
Lepus	Wylie Wabbit ODR W/Trap	18	126	1982	20.5 6.5	150	20.5	23.75 4.03	4.03 6.72	Yes	No			23.75 20 5.58 3.5	975 440 Lead	1 3 FIXED	OB None 0	Hiking Straps & Trapeze per class rules
Mr McGregor	Wylie Wabbit ODR W/Trap	8426	126	1982	20.5 6.5	150	20.5	23.75 4.03	4.03 6.72	Yes	No			23.75 20 5.58 3.5	975 440 Lead	1 3 FIXED	OB None 0	INCLUDES HIKING STRAPS AND SINGLE TRAPEZE.

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
			Built	ISP	I	J	Max Headsail	ISP	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB	
			DW Rating	JSP	Mast	Material	EY	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type			
			Disp/WL ratio		Rig Type			MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades			
									SSF		ASM	Fixed or _o	Max Draft						
Nancy	Wyliecat 30 OB	28890	126	1995						No	No		30.5	5500	No	OB	(-3 sec/mi for square top main)		
			650		CARBON		39.66	8.71					25	3050	1	None			
			160		CAT		19.75	13.46				0	9.5	Lead	FIXED	0			
							0	491				<input type="checkbox"/>	5.25						
Paradigm	J 32	79	126	2002	39.166	150	40.583			No	Yes	17.83	32.4	11500	No	IB			
			647		11		11.916				42.09	722	29	3840	1	FOLD			
			214		ALUMN						39.25	0	11	Lead	FIXED	2			
					FS			343			22.17	<input checked="" type="checkbox"/>	6						
Redux	Olson 911S	28106	126	1987	41.5	155	41.5			Yes	No		29.9	7200	No	IB			
			648		12.33						41	12.166	25	3200	1	FOLD			
			209		ALUMN						21.9	748	10.33	Lead	FIXED	2			
					MS			0			21.9		5.416						
								0				<input type="checkbox"/>							
Stink Eye	Laser 28 ODR MOD	33562	126		31.73	110	33.2			Yes	Yes	19	28.42	4050	No	OB	(Mtg 3/27/14, -3 sec/mi for oversized mainsail girths, -3 sec/mi for OB motor)		
			635		9.65						32.5	11.3	23.62	1500	1	FOLD			
			140		ALUMN						19.5	528	9.48	Lead	FIXED	2			
					MS			0			19.5		5						
								0				<input checked="" type="checkbox"/>							
Stratocaster	J 32	16	126	1996	39.2	155	40.68			Yes	Yes	23.95	32.5	10000	No	IB			
			633		11						39	11	28.67	3840	1	FOLD			
			193		ALUMN						20.4	659	11	Lead	FIXED	2			
					FS			0			19.75		5.75						
								0				<input checked="" type="checkbox"/>							
Tequila Mockingbird	Express 27 ODR	18353	126		28.5	155	32.5			Yes	Yes	18.85	27.25	2450	No	OB	(Mtg 4/23/15, switched to MH configuration, -3 sec/mi for increased spinnaker area)		
			603		9						30.5	9.833	23.75	1100	1	None			
			83		ALUMN						18.25	460	8.17	Lead	FIXED	0			
					FS			0			17.5		4.5						
								0				<input type="checkbox"/>	90						
White Wabbit	Wylie Wabbit ODR W/Trap	19	126	1982	20.5	110	26.1			Yes	No		23.75	975	Yes	OB			
			601		6.6						21.6	8.6	20	440	1	None			
			55		ALUMN						14	252	5.58	Lead	FIXED	0			
					FS			0			14		3.5						
								0				<input type="checkbox"/>							

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications									
			Built	J	Max Headsail	ISP	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB												
																	JSP	E		MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type
DW Rating	Mast Material	SPF	SSA	SLE	Fixed or _o	Max Draft	Keel Type	# of blades																				
Wind Blown Hare	Wylie Wabbit ODR W/Trap	29	126	1982	20.5	150	20.5	23.75	4.03	Yes	No		23.75	975	1	OB												
			602		6.5			10	6.72				20	440	3	None												
			55		ALUMN			0	145			<input type="checkbox"/>	5.583	Lead	FIXED	0												
			55		FS			0					3.5															
Abba-Zaba	Tartan 10	8112	129	1979	35	125	35	40.25	5.34	Yes	No		33.16	6700	0	IB	(+3 sec/mi credit for 125% or smaller headsail)											
			623		12			13.75	8.86				27	3340	1	FOLD												
			155		ALUMN			0	331			<input type="checkbox"/>	9.25	Lead	FIXED	2												
			155		FS			0					5.83															
Abigail Morgan	Express 27 ODR	18394	129	1985	28.5	150	28.5	28.5	4.22	Yes	No		27.25	2450	No	OB												
			612		9			10.416	7.03				23.75	1100	1	None												
			83		ALUMN			0	182			<input type="checkbox"/>	8.166	Lead	FIXED	0												
			83		FS			0					4.5															
Althea	Cavalier 39	38101	129	1981	48.5	120	46	42	4.55	No	Yes	28.23	38.98	13228	0	IB	(Mtg 4/28/16, -3 sec/mi for oversized spinnaker pole, -3 sec/mi for oversized spinnaker)											
			608		14.83		16.13	12	7.79		48.75	1029	29.49	7513	1	Fixed_3												
			234		ALUMN				301		42.41	0	11.22	Lead	FIXED													
			234		MS						26.82	<input type="checkbox"/>	5.97															
Andale	Express 27 ODR	72	129	1985	28.5	155	28.5	28.5	4.22	Yes	No		27.25	2450	0	None												
			611		9			10.42	7.03				23.75	1100	1	None												
			83		ALUMN				182			<input type="checkbox"/>	8.17	Lead	FIXED													
			83		FS								4.5															
Archimedes	Express 27 ODR	18355	129	1985	28.5	155	28.5	28.5	4.22	Yes	No		27.25	2450	No	NONE												
			611		9			10.416	7.03				23.75	1100	1	None												
			83		ALUMN			0	182			<input checked="" type="checkbox"/>	8.17	Lead	FIXED	0												
			83		FS			0					4.5															
Bombora	Express 27 ODR	38047	129		28.5	155	28.5	28.5	4.22	Yes	No	0	27.25	2450	0	OB												
			611		9			10.42	7.03				23.8	1100	1	None												
			83		ALUMN				182			<input type="checkbox"/>	8.17	Lead	FIXED	0												
			83		FS								4.5															

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
				I J Max Headsail Mast Material Rig Type	P E PY EY		MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst	IB or OB Prop Type # of blades	
								SL SPL SSMG SSF	SPL SSA	SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o						
Borealis	Gulf 39 PH	77135	129	50 16.17 ALUMN MS	128	42 13.75	4.83 8.58	334	No	No	0 0	38.83 33.67 12 5	17500	1 FIXED	Iron	IB Fold	
Boudicca	Elan 310	310	129	2010 40.19 11.74 ALUMN FS	106	42.55 14.87	39.53 5.28 13.55 8.92	323	No	Yes	25.91 906 3 0	30.3 28.58 10.5 6.23	10141 2292 Iron	0 1 FIXED		IB Fold	
Current Affair	Express 27 ODR	56	129	1983 28.5 9 ALUMN FS	155	28.5	28.5 4.22 10.42 7.03	182	Yes	No	9.83 429	27.25 23.75 8.17 4.5	2450 1100 Lead	0 1 FIXED		OB None	
Dianne	Express 27 ODR	0	129	1981 28.5 9 ALUMN FS	155	28.5	28.5 4.22 10.416 7.03	182	Yes	No	9.833 429	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED		OB None 0	
Dream	Sceptre 41	12	129	1983 53 17.67 ALUMN MS	90	53	47 5.24 13 8.73	374	Yes	No	28 1038 0 0	41 36 12.67 6.08	21500 8700 Lead	0 1 FIXED		IB Fold	
El Raton	Express 27 ODR	28050	129	1985 28.5 9 ALUMN FS	155	28.5	28.5 4.22 10.416 7.03	182	Yes	No	9.833 429	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED		OB None 0	
Elise	Express 27 ODR	101	129	1986 28.5 9 ALUMN FS	155	28.5	28.5 4.22 10.416 7.03	182	Yes	No	9.8 423	27.25 23.75 8.17 4.5	2450 1100 Lead	0 1 FIXED		OB None 0	

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail		P E PY EY	MGU MGM MSA	Yes/No SL SPL SSMG SSF	Yes/No SLU ASA SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast		Traps/H. moveable blst Keel Type			
Ergo	Express 27 ODR	40428	129	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	No	0	27.25 23.75 8.075 4.5	2450 1100 Lead	0 1 FIXED	OB None 0		
Get Happy!!	Express 27 ODR	1	129	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	No	0	27.25 23.75 8.166 4.5	2450 1100 Lead	No 1 FIXED	OB None 0		
Hang 20	Express 27 ODR	48	129	28.5 9	125	28.5	28.5 10.42	4.22 7.03	Yes	No	0	27.3 23.8 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0		
Heart of Gold	Olson 911S	41327	129	41.5 12.33	125	41.5	35.5 11.83	4.5 7.7	Yes	No	0	29.9 25 10.3 5.5	7200 3200 Lead	No 1 FIXED	IB FOLD 2		
Invictus	Hunter 41 DS	38093	129	51.6 13	110		50.8 19.6	6 10.11	No	No	0	40.4 35.6 13.3 6.6	19400 6506 Lead	0 1 FIXED	IB Fixed_3 3	(Mtg 4/25/13, +3 sec/mi for in-mast furling main)	
Levitation II	Express 27 ODR	77	129	28.5 9	150	28.5	28.5 10.416	4.22 7.03	Yes	No	0	27.25 23.75 8.166 4.5	2450 1100 Lead	No 1 FIXED	OB None 0		
Make Me Smile	Express 27 ODR	91	129	28.5 9	155	28.5	28.5 10.42	4.22 7.03	Yes	No	0	27.25 23.8 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0		

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Keel		Engine/Prop	Modifications
					I J	Max Headsail		P E	MGU MGM	Yes/No	Yes/No	ASF	Ttl Disp.		Traps/H. Strps	IB or OB		
			DW Rating		Mast Material		PY	MSA	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type		
			Disp/WL ratio		Rig Type		EY		SSMG	SSA	SLE	Sprit Length	Max Beam	Ballast Mat.	Keel Type	# of blades		
											Fixed or _o		Max Draft					
Mega Hurtz	Laser 28 ODR MOD	53470	129	1974	31.1 9.65	125	31.73	33.14 12.96	4.98 8.4	Yes	No		28.41 23.62 9.48 4.98	3950 1500 Lead	0 1 FIXED	OB None 2	(Mtg 2/27/14, switched to outboard motor, -3 sec/mi)	
			631 136		ALUMN FS				257	20.37 18.92	11.32 552	0 0						
Moonlight	Express 27 ODR	28059	129	1986	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	No		27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0		
			610 83		ALUMN FS			0 0	182	16.5 17.6	404	0						
Motorcycle Irene	Express 27 ODR	28137	129	1982	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	No		27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0		
			611 83		ALUMN FS			0 0	182	17.7 17.7	428	0						
Peaches	Express 27 ODR	18364	129	1986	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	No		27.25 23.75 8.166 4.5	2450 1100 Lead	No 1 FIXED	OB None 0		
			611 83		ALUMN FS			0 0	182	17.75 17.75	429	0						
Pork Chop Express	Express 27 ODR	115	129	1986	28.5 9	130	32.5	28.5 10.4	4.2 7	Yes	No	19.55	27.25 23.75 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None	(Mtg 1/26/17, -3sec/mi for switching to MH configuration. New Rudder, NCTR)(08/11/17, switching back to OD config)	
			608 83		ALUMN MS				182	28.58 16.44 14.11	9.8 380	0 90						
QE 3	Tartan 10	8049	129	1978	35 12	125	35	40.25 13.75	5.34 8.96	Yes	No		33.16 27 9.25 5.83	6700 3340 Lead	0 1 FIXED	IB FOLD 2		
			623 155		ALUMN FS			0 0	332	21.6 21.6	630	0						
Salty Hotel	Express 27 ODR	60	129	1983	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	No		27.25 23.75 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0		
			611 83		ALUMN FS				182	17.75 17.75	429	0 0						

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail		P E PY EY	MGU MGM MSA	Yes/No SL SPL SSMG SSF	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast		Traps/H. moveable blst Keel Type			
Shenanigans	Express 27 ODR	67	129 1983	28.5 9	155	28.5	28.5 4.22 10.42 7.03	0 182	29 9.83 16 387 16	Yes	No	0	27.25 23.75 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0	
Simply Irresistible	Express 27 ODR	18070	129 1983	28.5 9	155	28.5	28.5 4.22 10.416 7.03	0 182	28.6 9.8 17.75 422 17.5	Yes	No	0	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0	
Swamp Donkey	Express 27 ODR	8444	129 1981	28.5 9	155	28.5	28.5 4.22 10.416 7.03	0 182	29 9.833 17.8 430 17.8	Yes	No	0	27.25 23.75 8.166 4.5	2450 1100 Lead	No 1 FIXED	OB None 0	
Take Five	Express 27 ODR	28031	129 1982	28.5 9	155	28.5	28.5 4.22 10.416 7.03	0 182	29 9.833 17.75 429 17.75	Yes	No	0 0	27.25 23.75 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0	
Topgallant	Tartan 10	18608	129 1978	35 11.75	125	35	40.25 5.34 13.75 8.96	0 332	35 12 21.6 622 20.3	Yes	No	0	33.16 27 9.25 5.83	6700 3340 Lead	No 1 FIXED	IB FOLD 2	(4/25/02 Installed Running Backstay)
Tule Fog	Express 27 ODR	18178	129 1984	29 9	155	28.5	29 4.22 10 7.03	0 182	29 9.83 17.7 428 17.7	Yes	No	0 0	27.3 23.8 8.166 4.5	2450 1100 Lead	n 1 FIXED	OB None 0	
Uno	Wyliecat 30 IB	28632	129 1995	35.8 5.5		35.8 12	39.66 9.31 19.75 13.05	0 493	No 12	Yes	19.68 550 32.8 0 18.7	0 90	30.5 25 9.5 5.25	5800 3000 Lead	0 1 FIXED	IB FOLD 2	(mtg 2/21/08, penalty for oversized main -3 sec/mi)(Mtg 5/22/08, -24 for asymmetric spinnaker flown on 12' pole)(1/24/16, not using spinnaker +24 sec/mi)

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail		P E PY EY	MGU MGM MSA	Yes/No SL SPL SSMG SSF	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast		Traps/H. moveable blst Keel Type			
Verve	Express 27 ODR	18283	129 1981	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	No		27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0		
			611 83	ALUMN FS		0 0	182	17.5 425 17.9		<input type="checkbox"/>	0						
Wetsu	Express 27 w/J length pole	70	129 1983	28.5 9	155	28.5	28.5 10.42	4.22 7.03	Yes	No		27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0	-6 Sec/mi OSP	
			611 83	ALUMN FS		0 0	182	17.7 427 17.5		<input type="checkbox"/>	0						
Wile E Coyote	Express 27 ODR	11	129 1981	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	No		27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 3		
			611 83	ALUMN FS		0 0	182	17.7 428 17.7		<input type="checkbox"/>	0						
Yeti	Express 27 ODR	38	129 1983	28.5 9	155	28.5	28.5 10.4	4.22 7.03	Yes	No		27.25 23.75 8.16 4.5	2450 1100 Lead	0 1 FIXED	OB None		
			612 83	ALUMN FS			182	17.7 422 17.7		<input type="checkbox"/>	0 0						
Zwei Flying Fish	San Juan 33s	59733	129 1981	34.83 11.48	134	34.83	39.16 12.66	4.66 8.08	Yes	No		33.1 27.8 7.95 5.5	6000 3500 Lead	0 1 FIXED	IB Fold	(Mtg 5/28/15, +3 sec/mi for small rig)	
			606 127	ALUMN FS			292	19.75 555 19.75		<input type="checkbox"/>	0 0						
Bandicoot	Wyliecat 30 IB	28530	132 2000	0 0		29 10	39.75 20.5	7.87 13.46	No	No	18.8 512	30.5 25 9.5 5.25	5500 3050 Lead	0 1 FIXED	IB FEATH 2	(mtg 5/20/10, -21 sec/mi for added spinnakers)(9/5/12, removed spinnaker, back to standard configuration)	
			653 160	CARBON CATBOAT			0 0	488	17.75 429 17.75		<input checked="" type="checkbox"/>						
Catalyst	Wyliecat 30 IB	28571	132 2004				40 20.67	7.87 13.46	No	No		30.42 25 9.42 5.25	5800 3000 Lead	No 1 FIXED	IB Feath 2	Must have a YC card before registering for 2005 and clear YC for 2004	
			652 169	CARBON CAT			0 0	493		<input type="checkbox"/>	0						

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps moveable blst Ballast Mat. Keel Type		
Crinan II	Wyliecat 30 IB	15	132 2002				39.75 20.5	7.79 13.32	No	No		30.5 25 9.5 5.25	5500 3050 Lead	No 1 FIXED	IB FOLD 2		
Iseult	Wyliecat 30 IB	13	132 2001		0		39.75 20.8	7.87 13.46	No	No		30.5 25 9.42 9.25	5500 3050 Lead	0 1 FIXED	IB Fold 2		
Kabunza	Pearson 36-2	362	132 1986	47.1 15.4	110		41 14.5	3.65 7.3	No	No		36.5 29.5 12.3 6.5	15000 5800 Lead	0 1 FIXED	IB Fixed_2 2		
Kira	Cal 33-2	28999	132 1986	46 13.25	125	46 13.25	40.5 12.75	4.82 8.23	No	Yes	21.86 697	33 27.5 11.33 6.12	10800 4475 Lead	No 1 FIXED	IB FOLD 2	(Mtg 1/26/12, -3 sec/mi for increased "e" & MSA)	
Polecat	Wyliecat 30 IB	5	132 1997			29.5 12	40 20	7.35 12.66	No	No	21.6 493	30.5 25 9.416 5.25	5500 3050 Lead	No 1 FIXED	IB FOLD 2	(Articulating Sprint and Pole added for asym spinnaker, added asymmetrical, -21 sec/mi)(5/22/14, removed Asymmetric, +21 sec/mi)(Mtg 8/25/16, New rudder installed, NCTR)	
Shanti	Ericson 911S Olson	326	132 1989	41.5 12.33	150	41.5 12.33	35.5 11.83	4.73 7.69	Yes	No	12.17	29.92 25 10.33 5.42	8700 3200 Lead	0 1 FIXED	IB FOLD 2	CHANGE TO RUDDER NOTED, NCTR	
TAZ!!	Express 27 ODR	8100	132 1981	28.5 9	125	28.5	28.5 10.42	4.23 7.04	Yes	No		27.3 23.8 8.17 4.5	2450 1100 Lead	0 1 FIXED	NONE None		

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
			Rating		I	J	ISP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp. Traps/H. Strps		IB or OB	
			Built		Max	Head	JSP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type	
			DW Rating		Mast	Material		PY	MSA	SSMG	SSA	SLE	Sprit	Length	Max Beam	Ballast Mat.	Keel Type	
			Disp/WL ratio	Rig Type		EY		ASM	G	Fixed	or _o	Max Draft						
Tule Lost	Ericson 911S Olson	28911	132	1988	41.5	155	41.5	35.5	4.73	Yes	No		29.92	8680	No	IB	MUST HAVE YACHT CLUB MEMBERSHIP CARD WITH ENTRY FORM FOR 2006 RACING	
			663		12.33		11.083	7.69	42	12.33		25	3200	1	FOLD			
			253		ALUMN		0	247	21.9	767	<input type="checkbox"/>	10.33	Lead	FIXED	0			
					MS		0		21.9			5.42						
Plus Sixteen	Ericson 911S Olson	97707	135	1991	41.5	125	41.5	35.761	4.035	Yes	Yes	20.932	30	8500	No	IB		
			662		12.25		11.811	7.136	43.5	12.25	41.995	698	25	3200	1	FEATH		
			247		ALUMN		0	240	22.605	819	35.761	0	10.33	LeadSteel	FIXED	2		
					MS		0		22.605		21.702	<input type="checkbox"/>	5.42					
Zara	Beneteau 310	144	135	1993	37.04	135	37.04	37.8	5.2	No	Yes	21.6	31.2	7054	0	IB		
			645		10.83		12.9	8.9			37	528	27.7	2160	1	Fixed_2		
			151		ALUMN			301			35	0	10.5	Lead	FIXED			
					FS						16.6	<input checked="" type="checkbox"/>	4.3					
Big Air	Open 5.7 ODR	189	138	2006	21.52	117	21.6	25.33	5.7	No	Yes	17.6	18.75	992	0	OB		
			609		7.3		10.24	8.2			25.82	345	18.7	405	1	None		
			69		ALUMN			183			20.64	5	8.3	Lead	FIXED			
					FS						17.9	<input checked="" type="checkbox"/>	5.74					
Curie	Beneteau 32S5	52868	138	1990	38.39	150	38.39	38.88	5.3	Yes	No	17.3	32.6	9260	0	IB		
			652		9.68		13.78	9.01	39.98	9.6	35.75	519	27.83	2980	1	FOLD		
			195		ALUMN			321	17.3	576	32.75	0	10.83	Cast Iron	FIXED	2		
					FS				17.3		18.4	<input checked="" type="checkbox"/>	6					
Frisky	Open 5.7 ODR	281	138	2009	21.52	117	27.9	25.33	5.7	No	Yes	17.5	18.7	992	0	NONE		
			599		7.3		10.24	8.2			25.8	338	18.7	405	1	None		
			69		ALUMN			183			20.6	5	8.3	Lead	FIXED			
					FS						17.5	<input checked="" type="checkbox"/>	5.7					
Geodesic III	Optima 101	103	138	1985	38.71	145	38.71	38.39	4.9	Yes	Yes	19.6	32.84	8511	0	IB	(Mtg 4/27/17, added 2' retractable bowsprit, -3 sec/mi)	
			621		12		13.45	8.2	37	12	38.4	586	29.25	3968	1	Fixed_2		
			155		ALUMN			298	21.5	663	33.4	2	11.15	Iron	FIXED			
					FS				21.5		19.6	<input type="checkbox"/>	4.76					

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications			
			Built	J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp.	Traps/H. Ballast	Strps moveable blst Keel Type	IB or OB Prop Type # of blades					
									DW Rating Disp/WL ratio	Mast Material Rig Type	SL	SPL						SLU		ASA	SL	SPL
Short Bus	Hunter 35 Legend	210	138	1990	42 12.17	110	44.08 14.25	5.5 9.2	No	Yes	24.6 957	35.58 29.75 11.75 6.5	12600 5000 Lead	0 1 FIXED	IB Fixed_2							
			628 218		ALUMN MS			375			0 0											
Blade Runner	Santa Cruz 27	28727	141	1979	32.7 10.9	150	32.7 8.7	32.7 5.64	Yes	Yes	19.58 533	27 24.08 8 4.5	3000 1600 Lead	0 1 FIXED	OB None							
			631 98		ALUMN MS			146			0 90											
Friction Loss	J 30	67425	141	1979	34 11.5	155	34.1 11.5	38 13 0 0	4.94 8.45 295	Yes	No	21.06 666 0	29.83 25 11.17 5.25	6500 2100 Lead	0 1 FIXED	IB FOLD 2						
			652 189		ALUMN FS			0			0											
FROLIC	Islander 36 TM	47462	141	1974	47 14.5	155	47 14.5	40.75 12.6	4.8 8.25	Yes	No	36.08 28.25 11.17 6.08	13450 5450 Iron	0 1 FIXED	IB Feath 3							
			655 271		ALUMN MS			307			0 0											
Giant Slayer	Santa Cruz 27	59369	141	1979	32.583 10.9	155	32.583 10.9	28.25 8.7 0 0	3.7 6.3 157	Yes	Yes	17.67 372 0 90	27 24 8 4.5	3304 1800 Lead	No 1 FIXED	OB None 0	(Mtg 3/27/14, -3 sec/mi for 10% overized symmetrical spinnaker)					
			624 109		ALUMN MS			0			0											
Gotcha	Santa Cruz 27	47911	141	1975	32.58 10.75	150	32.58	28.25 8.583	3.68 6.06	Yes	No	27 24 8 4.5	3200 1600 Lead	0 1 FIXED	OB None							
			619 105		ALUMN MS			154			0 0											
lone	J 30	8994	141	1981	34.19 11.041	140	38 13 0 0	4.83 8.21 290		Yes	No	29.83 25 11.2 5.25	6500 2100 Lead	0 1 FIXED	IB FOLD 2							
			657 189		ALUMN FS			0			0											

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Keel		Engine/Prop	Modifications
					I	J	Max Headsail	ISP	ISJ	P	MGU	Yes/No	Yes/No		ASF	Ttl Disp.		
			DW Rating		Mast Material		PE	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type		
			Disp/WL ratio		Rig Type		PY	MSA	SSMG	SSA	SLE	Sprit Length	Max Beam	Ballast Mat.	Keel Type	# of blades		
							EY		SSF		ASM	Fixed or _o	Max Draft					
Kynntana	Freedom 38	38086	141	1988	33.34 11.5 100 CARBON FS	33.34 11.5	45.5 16.57	6.25 10.7		No	No		38.42 30.58 12.5 5.6	14370 6500 Lead	0 1 FIXED	IB Fold		
Low-Down	Santa Cruz 27	8027	141	1979	32.7 10.9 140 ALUMN MS		28.25 8.58	3.68 6.06	32.15 19.45 19.45	10.81 521	No		27 24 8 4.5	3300 1500 Lead	0 1 FIXED	OB None		
Quila	Santa Cruz 27	18723	141	1976	32.583 10.75 155 ALUMN MS	32.583	28.25 8.583	3.68 6.1	32.74 19.4 19.4	10.75 529	No		27 24 8 4.5	3000 1500 Lead	No 1 FIXED	OB None 0		
Rare Bird	Moore 24	67	141		26.58 9.75 100 ALUMN FS	28.31 11.65	25 9.5	3.91 6.5	27 17.55 17.55	11.65 395	Yes	17.22 464 0 0	23.75 21.75 7.16 4.083	2050 1025 Lead	0 1 FIXED	OB None	(Mtg 10/27/16, -6 sec/mi for OSP, -6 sec/mi for increased spinnaker area)	
Warwhoop	Contessa 33	63336	141	1984	37.916 11.17 100 ALUMN FS	37.93	39.416 13.86 0 0	5.31 9 326	36.1 21.5 21.6	11.17 647	Yes	20.92 682 0 0	33 25.52 11.08 5.8	8375 3700 Lead	No 1 FIXED	IB FOLD 2	(Mtg 1/26/17, -3 sec/mi for oversized asymmetric area)(Mtg 2/23/17, -3 sec/mi for oversized symmetric spinnaker area)	
Whispering Winds	Lancer 36 MH	87374	141		42 16 125 ALUMN MS	41.9	37 12	4.8 7.9		No	Yes	26 932 0 0	36.17 29 11.75 6	10500 4000 Lead	0 1 FIXED	IB Fixed_3		
Wild Spirit	Wylie 36	0	141	1970	44.67 14.75 100 ALUMN CTR	44.67 14.75	40.75 14	5.3 9.1		No	Yes	23.5 815 0 0	36.5 30 10.9 6	13720 5575 Lead	0 1 FIXED	IB Fixed_2	(Mtg 3/24/16, same hull as "Alert", +3 sec/mi for small "I", +3 sec/mi for no spinnaker articulation)	

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst		
Wimm	Jeanneau Sun Odyssey 349	38105	141 2016	43.6 12.37	112	34.2	40.68 13.62	4.9 8.2	No	No		33.92 30.84 11.29 6.86	11770 3483 Cast Iron	0 1 FIXED	IB Fold		
Wind Speed	J 30	39963	141 1980	34.19 11.5	155	34.2	37.5 12.5	4.9 8.1	Yes	No		29.83 25 11.18 5.25	6700 2100 Lead	No 1 FIXED	IB FOLD 2	+6 sec/mi for J length pole (mtg 11/16/01)	
Ad Lib	Aphrodite 101	8161	144 1979	36.83 11.81	100	32.23	39.33 11.48	4.5 6.1	Yes	No		32.75 26.33 7.92 5.42	6160 3527 Lead	No 1 FIXED	IB FOLD 2		
All Hail	Catalina 34 TM	524	144 1988	46 13.5	130	45.9 13.5	40.5 12	4.8 8	No	No		35.66 29.84 11.75 5.56	12000 5000 Lead	0 1 FIXED	IB Fold		
Breakaway	Ultimate 20 CM	180	144 2002	26.08 6.97	114	27.58 12.79	27.33 10.17	5.5 7.96	No	Yes	19.167 441 6 0	20.83 18 8.33 5	1350 450 Lead	No 1 FIXED	OB Fixed_3 3		
Califia	Islander 36 ODR	67074	144 1978	45 14.48	135	45	39.25 12.75	3.69 6.88	No	No		36.08 28.25 11.17 6.08	13450 5450 Lead	0 1 FIXED	IB Feath 2		
Cassiopeia	Islander 36 ODR	6763	144 1971	45 14.48	150	45	39.25 12.75	4.8 8.29	Yes	No		36.08 28.25 11.17 6	13947 5450 Lead	No 1 FIXED	IB FOLD 2	(mtg 2/18/10, - 6 sec/mi for 10% OSP)(8/2/11, boat returned to ODR Configuration)	

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications											
			Built	J	Max Headsail	ISP	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB	Prop Type	# of blades												
																				JSP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	IB or OB
Disp/WL ratio	Mast Material	Rig Type	EY		ASMG	Fixed or _o	Max Draft																							
Cordon Rouge	J 30	68	144	1979	34	125	34	38	5.1	Yes	No	0	29.83	6700	No	IB														
					11.5			13	8.4				25	2100	1	FOLD														
			657		ALUMN							0	11.2	Lead	FIXED	3														
			195		FS						<input type="checkbox"/>	0	5.25																	
Crazy Rhythm	Santa Cruz 27	18771	144	1978	32.58	125	32.58	28.166	3.68	Yes	No		27	3200	No	OB	(Outboard Removed)													
					10.75			8.583	6.06				24	1600	1	None														
			621		ALUMN			0	153			0	8	Lead	FIXED	0														
			105		MS			0			<input type="checkbox"/>		4.5																	
Flyer	Peterson 33 (CHITA)	18620	144	1979	42.5	155	42.5	36.66	3.66	Yes	No		32.67	9480	0	IB														
					13.9			9.91	6.21				26.58	4960	1	FOLD														
			644		ALUMN							0	10.5	Lead	FIXED	2														
			229		MS				213		<input type="checkbox"/>	0	6.08																	
French Kiss	Beneteau 350 Oceanis	28713	144	1989	41.47	140	41.47	35.7	4.2	Yes	No		33.83	10580	0	IB	Above deck Roller Furler													
					12.8			11.6	7.3				29.83	3525	1	FOLD														
			633		ALUMN			0	242			0	11.17	Lead	FIXED	2														
			181		MS			0			<input type="checkbox"/>		5.17																	
Luna Sea	Islander 36 ODR	420	144	1980	45	135	45	39.25	5.05	Yes	No		36.08	18000	No	IB														
					14.48			12.75	8.44				28.25	5450	1	Feath														
			655		ALUMN			0	303			0	11.17	Lead	FIXED	3														
			363		MS			0			<input type="checkbox"/>		6.08																	
Nutmeg	Islander 36 ODR	87245	144		45	150	45	39.25	5.05	No	No		36.083	13450	No	IB														
					14.48			12.75	8.44				28.25	5450	1	FOLD														
			669		ALUMN			0	303			0	11.166	Lead	FIXED	0														
			271		MS			0			<input type="checkbox"/>		6.083																	
Nymph	S&S 30	60602	144	2013	38	90	43.58	40	5.35	No	Yes	16.7	30.5	6500	0	IB														
					9.5			14	8.96			537	27.5	2400	1	Fold														
			629		ALUMN							0	8.25	Lead	FIXED															
			142		FS				332		<input checked="" type="checkbox"/>	0	5.5																	

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		Ttl Disp. Ballast		Traps/H. moveable blst	IB or OB Prop Type # of blades			
								SL SSMG SSF	SPL SSA	SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o					Ballast Mat.		Keel Type
Amandla	Catalina 34 1&2	796	147 1988	46 13.5 ALUMN MS	130	38.5 12		No	No			35.75 29.8 11.75 5.6	11950 5000 Lead	0 1 FIXED	IB FOLD 3			
Crews Nest	Catalina 34 1&2	1383	147 1997	44 13.5 ALUMN MS	130	38.5 12 0 0	3.6 6.8 251	Yes	No	42 24 23.5	13.5 837	0	35.67 29.83 11.75 5.58	11950 5000 Lead	No 1 FIXED	IB FEATH 3		
Friday Harbor	Beneteau 323 DK	28580	147 2004	42.67 11.06 ALUMN MS	116	38.9 13.17	5 8.56 306	No	Yes	19.91 45.4 41.34 17.9	661 0 0	32 29.17 10.67 5.92	8448 2258 Iron	No 1 FIXED	IB FOLD 2			
Hangover	Islander 36 ODR	367	147 1976	45 14.48 ALUMN MS	135	39.25 12.75	5.05 8.44 303	No	No			0 0	36.8 28.25 11.17 6.08	13450 5820 Lead	0 1 FIXED	IB Fixed_2		
Kapai	Islander 36 ODR	438	147 1977	45 14.48 ALUMN MS	125	39.25 12.75 0 0	5.05 8.44 303	No	No			0	36.08 28.25 11.17 6	13450 5500 Lead	0 1 FIXED	IB FOLD 2		
Lawless	Catalina 36-2	2056	147 2002	44.75 14.42 ALUMN MS	155	39 12	4.83 8.05 286	No	No			0 0	36.42 30.33 11.92 5.83	13500 6042 Lead	0 1 FIXED	IB Fixed_3		
Mottley	Catalina 34	8	147 1986	44 13.5 ALUMN MS	130	38.5 12 0 0	4.7 8.05 281	No	No			0	34.5 29.833 11.75 5.583	11950 5000 Lead	No 1 FIXED	IB Fold 2		

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications						
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU ASA Sprit Lngth Fixed or _o	SL SPL SSMG SSF	SPL SSA		Yes/No	ASF			Ttl Disp. Ballast Mat.	Traps/H. moveable blst Keel Type				
								44 13.5	44 13.5											42.5 23.35 23	13.5 825	No	Yes
Music	Catalina 34 1&2	56583	147 2001	44 13.5	130	44 13.5	38.5 12	3.6 6.8	No	Yes	21.8 762 0 0	35.66 29.84 11.75 5.56	11950 5000 Lead	0 1 FIXED	IB FOLD 2								
Queimada	Catalina 34 1&2	611	147 1988	44 13.5	150	44 13.5	38.5 12	4.2 7.2	Yes	No	0 0	34.5 29.83 11.75 5.58	11950 5000 Lead	0 1 FIXED	IB Fold 2								
Sea Spirit	Catalina 34 1&2	108	147 1986	44 13.5	130	44 13.5	38.5 12	4.36 7.54	Yes	No	0 0	34.5 29.83 11.75 5.58	11950 5000 Lead	No 1 FIXED	IB FOLD 2								
Sonrisa	Baba 40	0	147	50 21	100	50 21	46 14.75	5.3 9	No	Yes	30.5 1196 0 0	39.83 34.5 12.83 6	29000 12000 Iron	0 1 FIXED	IB Feath								
Zenith	Islander 36 NCPHRF	472	147 1978	45 14.48	135	45 14.8	39.25 12.75	5.05 8.44	No	No	0	36.08 28.25 11.166 6.083	13450 5820 Lead	No 1 FIXED	IB Fold 2								
42	Moore 24	42	150 1979	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No	0	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0								
Absinthe	Moore 24	102	150 1981	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No	0	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0								

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		Ttl Disp. Ballast		Traps/H. moveable blst	IB or OB Prop Type # of blades		
								SL	SPL	SLU	ASA						
								SSMG SSF	SSA	SLE ASMG	Sprit Lngth Fixed or _o					Ballast Mat.	
DW Rating Disp/WL ratio																	
Anna Banana	Moore 24	146	150	1984	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.08	2050 1025 Lead	No 1 FIXED	OB None		
			636 91		ALUMN FS				147								
Blue Angel	Moore 24	106	150	1982	26.25 9.75	155	26.25	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0		
			635 91		ALUMN FS			0 0	147								
Brandy	Farr 30 1/2 Ton	57257	150	1979	31 9.6	145	31	34 12.9	4.5 7.11	Yes	No	30.33 23.5 10 5.33	4894 1909 Lead	0 1 FIXED	OB None	(Mtg 4/24/15, -6 sec/mi for increased P)	
			654 171		ALUMN FS				243								
Cadenza	Moore 24	18878	150	1977	26.25 9.75	150	26.25	25 9.5	4.01 6.54	Yes	No	23.75 21.75 7.17 4.083	2050 1025 Lead	No 1 FIXED	OB None 0		
			636 91		FS			0 0	148								
Color Blind	Moore 24	49	150	1979	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0		
			635 91		ALUMN FS			0 0	147								
Crazy Eights	Moore 24	28888	150	1978	26 9.8	150	26.3 9.75	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.083	2050 1000 Lead	0 1 FIXED	OB None 0		
			636 91		ALUMN FS				147								
Endless Summer	Catalina 36	271	150	1984	44.75 14.33	95	44.75 14.33	39 12	4.33 8.01	No	Yes	36.33 30.25 11.92 5.83	13500 6000 Lead	0 1 FIXED	IB Fixed_3 3		
			655 222		ALUMN MS				279								

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications										
			Built	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB											
										DW Rating	Mast Material									E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type
EY	SSA	ASMG	Fixed or _o	Max Draft																									
					Fatuity	Moore 24	48	150	1980	26.25	150	26.25	25	3.91	Yes	No	23.75	2050	No	OB									
					9.75			9.5	6.5			21.75	1025	1	None														
			635		ALUMN			0	147			7.16	Lead	FIXED	0														
			91		FS			0			<input type="checkbox"/>	4.083																	
Fernweh	Morgan 462	0	150	1979	50.75	110		43.25	5.15	No	No	46.5	30000	0	IB														
					18.75			13	8.65			39.25	8400	1	Fixed_3														
					ALUMN			26.5	341			13.5	Lead	FIXED															
			226		KTCH			9			<input type="checkbox"/>	5.25																	
Firefly	Moore 24	64	150	1980	26.25	150	26.25	25	3.91	Yes	No	23.75	2050	No	OB														
					9.75			9.5	6.5			21.75	1025	1	None														
			635		ALUMN			0	147			7.16	Lead	FIXED	0														
			91		FS			0			<input type="checkbox"/>	4.083																	
Gruntled	Moore 24	68	150	1980	26.25	150	26.25	25	3.91	Yes	No	23.75	2050	No	OB														
					9.75			9.5	6.5			21.75	1025	1	None														
			635		ALUMN			0	147			7.16	Lead	FIXED	0														
			91		FS			0			<input type="checkbox"/>	4.083																	
Hasta Nunca	Moore 24	142	150		26.25	150	26.25	25	3.91	Yes	No	23.75	2050	0	OB														
					9.75			9.5	6.5			21.75	1025	1	None														
			636		ALUMN				147			7.16	Lead	FIXED	0														
			91		FS						<input type="checkbox"/>	4.08																	
Incognito	Moore 24	136	150	1984	26.25	150	26.25	25	3.91	Yes	No	23.75	2050	No	OB														
					9.75			9.5	6.5			21.75	1025	1	None														
			635		ALUMN			0	147			7.16	Lead	FIXED	0														
			91		FS			0			<input type="checkbox"/>	4.08																	
Irie	Beneteau 393 Oceanis SD	38200	150		46	110	46	40.2	4.63	No	Yes	38.12	21700	0	IB														
					14.5		14.5	15.1	8.12		45	35.1	5357	1	Fold														
			633		ALUMN				324		39.5	13	Cast Iron	FIXED	3														
			228		MS						20.8	5.1																	

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		SLU ASA Sprit Lngth Fixed or _o		Ballast Ballast Mat.	Traps/H. moveable blst Keel Type	IB or OB Prop Type # of blades	
								SL	SPL	SLU	ASA						
								SSMG SSF	SSA	SLE ASMG	Fixed or _o						
Itinerant	Hunter 34	1025	150	1986	47.42 13.75 ALUMN MS	105	26.25	41 11.75	4.02 6.87	271	No	No	34.42 28.25 11.5 5.5	11820 5366 Steel	0 1 FIXED	IB Fixed_2	
JR	Moore 24	76	150	1980	26.25 9.75 ALUMN FS	155	26.25	25 9.5 0 0	3.91 6.5 147	0	Yes	No	23.75 21.75 7.16 4.08	2050 1025 Lead	No 1 FIXED	OB None 0	
Kelika	Hunter 33.5	28815	150	1991	39.166 11.666 ALUMN FS	150	39.116	43.166 13.5 0 0	5.2 8.9 350	0	Yes	No	33.33 26.83 11 4.5	10800 4500 Iron	No 1 FIXED	IB FEATH 2	
Leda	Lapworth 36	71	150	1965	40.5 13.5 ALUMN MS	150	40.5 13.5	35.5 17.5 0 0	4.93 8.67	0	Yes	No	36 29 9.5 5.43	13500 4500 Lead	No 1 FIXED	IB FOLD 0	
Liquid Asset	Ranger 33	27707	150	1970	41.5 13.7 ALUMN MS	150	41.5 13.67	35 13.75	4.93 8.67	280	Yes	No	33.17 26.25 9.58 5.17	10500 4500 Lead	0 1 FIXED	IB Fold	
Mas!	Moore 24	138	150	1983	26.25 9.75 ALUMN FS	150	26.25	25 9.5	3.91 6.5	147	Yes	Yes	17.6 387 21.75 7.16 4.08	2050 1025 Lead	0 1 FIXED	OB None	
Mirth	Catalina 34 1&2	28634	150	2005	44 13.5 ALUMN MS	125		38.5 12	4.17 7.33	265	No	Yes	22.02 693 11.75 5.58	11950 5000 Lead	No 1 FIXED	IB FEATH 3	

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications									
			Built	J	Max	Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps		IB or OB								
											E	MGM									SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type
Disp/WL ratio	Mast Material	Rig Type	EY	SSF	ASM	G	Fixed or _o	Max Draft																				
Mooretician	Moore 24	89	150	1981	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.08	2050 1025 Lead	No 1 FIXED	OB None 0													
Moxy	Moore 24	110	150	1982	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0													
Nicole	Orion 35	8210	150	1979	44 14	150	44	39.5 10.5	4.42 7.319	Yes	No	34.58 28.75 10.83 6	13000 4700 Lead	0 1 FIXED	IB FOLD 2	Displacement Obtained by actual weight on scale, Rudder is new design and new build.												
Orca	Moore 24	85	150	1981	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.083	2050 1025 Lead	0 1 FIXED	OB None 0													
Oxymoron	Moore 24	28993	150	1981	26.25 9.75	150	26.2	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.25	2050 1025 Lead	0 1 FIXED	OB None 0													
Paramour	Moore 24	75	150	1980	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0													
Rocket Science	Moore 24	104	150		26.25 9.75	155	26.25 9.76	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.08	2050 1025 Lead	0 1 FIXED	OB None 3													

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications					
			Built	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF		LOA	Ttl Disp.	Traps/H. Strps		IB or OB					
										E	MGM		SL	SPL			SLU	ASA			LWL	Ballast	moveable blst	# of blades
EY		SSF		ASM	Fixed or _o	Max Draft																		
Scarlett	Moore 24	86	150	1980	26.25 9.75	150	26.25	25 9.5	3.89 6.45	Yes	No		24 21.75 7.17 4.08	2050 1000 Lead	No 1 FIXED	OB None								
			636 91		ALUMN FS				147			<input type="checkbox"/>	0 0											
Slight Disorder	Moore 24	98	150	1981	26.25 9.75	150	26.25 9.75	25 9.5	3.91 6.5	Yes	No		23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0								
			636 91		ALUMN FS			0 0	147			<input type="checkbox"/>	0											
Snafu	Moore 24	121	150	1982	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No		23.75 21.75 7.16 4.08	2050 1000 Lead	0 1 FIXED	OB None								
			647 91		ALUMN FS				147			<input type="checkbox"/>	0 0											
Sweet Tea	Moore 24	105	150	1981	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No		23.75 21.75 7.16 4.08	2050 1025 Lead	0 1 FIXED	OB None								
			635 91		ALUMN FS				147			<input type="checkbox"/>	0 0											
The Jackal	Moore 24	22	150	1977	26.25 9.75	150	26.25 9.75	25 9.5	3.91 6.5	Yes	No		23.75 21.75 7.16 4.08	2050 1025 Lead	0 1 FIXED	OB None								
			636 91		ALUMN FS				147			<input type="checkbox"/>	0 0											
The Shadow	Custom Mull 32	18787	150	1974	39.833 13.25	125	39.83	35.166 9.75	3.45 6.2	Yes	No		32.166 26.666 10 5	10600 4500 Lead	No 1 FIXED	IB FOLD 2	RMVD Foam Bumps from both sides of hull, Red Beam by approx 7" Replaced Rudder and Skeg Design w/balanced Rudder Depth same, area increased approx 8 sqft. Hull dry rot, Crsnfg Accom, Ref, Head Stars Cowl, Changed MTC 10/6/07							
			661 254		ALUMN MS			0 0	200			<input type="checkbox"/>	0											
Wet Spot	Moore 24	51	150	1979	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No		23.75 21.75 7.16 4.08	2050 1025 Lead	No 1 FIXED	OB None 0								
			636 91		FS			0 0	147			<input type="checkbox"/>	0											

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SPL SSMG SSF	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.		Traps/H. Strps moveable blst Ballast Mat. Keel Type				
White Trash	Moore 24	78	150 1979	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	26.6 17.55 17.55	9.75 389	No	0 0	23.75 21.75 7.16 4.08	2050 1025 Lead	0 1 FIXED	OB None 0	
WooHoo	Moore 24	80	150 1980	26.25 9.8	150	26.25	25 9.5	3.91 6.5	Yes	27 17.55 17.55	9.75 395	No	0 0	23.75 21.75 7.16 4.083	2050 1025 Lead	0 1 FIXED	OB None 0	
Zingara	Islander 36 NCPHRF	484	150 1978	45 14.48	125	45 14.8	39.25 12.75	4.8 8.29	No			No	0	36.1 28.25 11.17 6.08	13450 5820 Lead	No 1 FIXED	IB Fold 2	Roller Furler
Andiamo	Catalina 36-2	2168	153 2004	44.75 14.33	115		39 13	3.04 6.16	No			Yes	29 833 0 0	36 30.25 11.9 5.8	14200 6000 Lead	0 1 FIXED	IB Fixed_3 3	In-Mast Furling Mainsail, +3 sec/mi
Boogie Woogie	Ranger 33 MOD	8262	153 1976	41.5 13.87	150	41.5	35 11	4.43 7.39	Yes	41.5 24.97 24.97	13.87	No	0	33.17 26.25 9.58 5.17	10500 4800 Lead	No 1 FIXED	IB FOLD 2	(Mtg 8/24/17, +3 sec/mi for short "E")
Coquelicot	Ranger 33	148	153 1975	41.5 13.87	120	43.75 13.87	35 13.75	4.6 8.1	Yes	45.51	13.87	No	0	33 26.3 9.6 5	10500 4500 Lead	No 1 FIXED	IB FOLD 2	Double Spreader rig, water supply 41 gallons, below v berth, 26 gallon bladder tank starboard, rudder 9 inches deeper, group 31 batteries, 15 hsp one cyl disel replaced by 29 hsp Perkins 3 cylendar engine. (NOTE) (MTC 2 21 02)
Lenora	Hunter 33-2	60700	153 2004	37.42 10.83	115	38.42 10.83	36.46 15.83	4.83 8.33	No			Yes	18.5 531 0 0	33.5 29.42 11.17 5.5	10400 3459 Lead	0 1 FIXED	IB Fold 3	

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Keel		Engine/Prop	Modifications
					I	J	Max Headsail	ISP	ISJ	P	MGU	Yes/No	Yes/No		ASF	Ttl Disp.		
			DW Rating		Mast Material		PY	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type		
			Disp/WL ratio		Rig Type		EY	MSA	SSMG	SSA	SLE	Sprit Length	Max Beam	Ballast Mat.	Keel Type	# of blades		
												Fixed or _o	Max Draft					
Moore Fun	Moore 24	18884	153	1979	26.25 9.75	125	26.25	25 9.5	3.91 6.5	Yes	No		23.75 21.75	2050 1025	No 1	OB None		
			636 91		ALUMN FS		0 0	147	17.55 17.55	9.75 395		0	7.16 4.083	Lead	FIXED	0		
Sterling	Catalina 34 1&2	1269	153	1994	44 13.5	125		38.5 12	3.6 6.8	No	No		35.66 29.84	11950 5000	0 1	IB Fixed_2		
					ALUMN MS			251				0 0	11.75 5.56	Lead	FIXED			
Bosporus II	Columbia 36	97415	156	1968	42.75 15	150	41.75 15	34.666 14	5.3 9.1	Yes	No		35.75 28.25	13000 5000	No 1	IB Fold		
			639 262		ALUMN MS		0 0	289		15 894		0	10.5 5.42	Lead	FIXED	2		
Eliana II	Morgan 38-2	77486	156	1981	46 16.25	110	46 16.25	40.5 14.5	4.69 8.34	Yes	No		38.33 30.5	17000 6800	0 1	IB Fixed_3	(Mtg 1/26/17, -3 sec/mi for oversized symmetric spinnaker area)	
			632 272		ALUMN MS			324		1198		0 0	12 6	Lead	FIXED	3		
Joyicity	Custom Davidson 26	20746	156	1975	27 9.1	150	31.15 10	28.75 11.5	5.1 8.1	Yes	No		26.42 22.5	3000 1450	No 1	IB FOLD	Removed IOR Bump infilled w/Divinacell w/fiberglass skin/faired; Installed Melges rig w/mod for Spinnaker; shortened boom; increased "P" increased "J"; Code zero type furler used above deck; Helved on left side of coil; 10 ft spin	
			633 120		CARBON FS		0 0	210		467		0	8.25 5.25	Lead	FIXED	2		
Nessie	Catalina 34 1&2	734	156	1988	44 1.5	100	44 13.48	38.5 12	4.7 7.54	No	No		34.5 29.83	11950 5000	0 1	IB Fixed_3		
					ALUMN MS			274				0 0	11.75 5.58	Lead	FIXED	3		
Sacagawea	Catalina 34 1&2	375	156	1987	44 13.5	95	44 13.48	38.5 11.75	4.7 7.54	No	No		34.5 29.83	11950 5000	0 1	IB Fixed_3		
					ALUMN MS			272				0 0	11.75 5.6	Lead	FIXED	3		

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		Ttl Disp. Ballast		Traps/H. moveable blst				
								SL SPL SSMG SSF	SPL SSA	SLU SLA SLE ASMG	ASF ASA Sprit Lngth Fixed or _o				Ballast Mat.			Keel Type
Scraft	Hunter 36	38096	156 2005	44.83 13.17 ALUMN MS	125	43.58	44.92 6 16 10.3 426	No	No			35.5 30.58 12 5.42	13900 5023 Lead	0 1 FIXED	IB Fixed_3	Roller Furler, In-mast Furling Mainsail		
Sea Breeze	Catalina 320	850	156 2001	43.58 12.33 ALUMN MS	135	43.58	38 5.168 13.25 8.661 303	No	No			32.5 28 11.75 6	11300 4000 Lead	0 1 FIXED	IB Fold 2			
Youngster	IOD ODR	82	156 1937	29.25 8.33 ALUMN MS	103	41 10.67	38.83 6.12 16.25 10.47 0 374 0	Yes	No			33.42 21.42 6.75 5.333	7100 4100 Lead	No 1 FIXED	NONE None 0	(mtg 1/21/10, switched to Masthead Spinnaker, -12 sec/mi for 40% increase in ISP, -6 sec/mi for oversized spinnaker girths)(138 rating valid for PHRF Races, not valid for IOD Class races. Boat must be in class configuration to sail		
Alchemy	Olson 25	18252	159 1984	32 9.583 ALUMN MS	155	32	28 3.8 10 6.4 0 166 0	Yes	No			25 21.25 9 4.5	3300 1300 Lead	No 1 FIXED	OB None 0			
Arby	Colgate 26	212	159 2004	27.75 8.25 ALUMN FS	105	27.75	29.75 4.3 11.2 7.3 200	No	No			25.7 20 8.5 4.5	2600 1040 Lead	0 1 FIXED	OB Fixed_3 3	Non Spinnaker configuration		
Carpe Vita	Olson 25	97399	159 1988	32 9.583 ALUMN MS	130	32	28 3.8 10 6.4 0 166 0	Yes	No			25 21.25 9 4.5	3300 1300 Lead	No 1 FIXED	OB None 0			
Fast Lane	Olson 25	46657	159 1985	32 9.6 ALUMN MS	155	32	28 3.8 10 6.4 166	Yes	No			25 21.25 9 4.5	3300 1300 Lead	0 1 FIXED	OB None			

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
			Rating		I	J	ISP	P	MGU	Yes/No		Yes/No	ASF		Ttl Disp.	Traps/H.	IB or OB	
			Built		Max	Head	JSP	E	MGM	SL	SPL	SLU	ASA		Ballast	moveable blst	Prop Type	
			DW Rating		Mast	Sail		PY	MSA	SSMG	SSA	SLE	Sprit Lngth		Ballast Mat.	Keel Type	# of blades	
			Disp/WL ratio	Rig Type	EY			ASM	G	Fixed or _o								
Foxxfyre	Yamaha 33 IK SM	67248	159	1978	42.81 13.78	150	42.81	37.4 10.6	4.38 7.27	Yes		No		33.25 26.92 11 6.25	16000 4410 Iron	No 1 FIXED	IB FEATH 2	PER PHRF MTG 3/16/2000 - Weight Differencer from brochure is significant.
			648 373		ALUMN MS			0 0	246			<input type="checkbox"/>	0					
Grey Wulff	Olson 25	18517	159	1984	32 9.6	155	32	28 10	3.8 6.4	Yes		No		25 21.25 9 4.5	3300 1300 Lead	0 1 FIXED	OB None	
			671 156		ALUMN MS				166			<input type="checkbox"/>	0 0					
Harizon	Dufour 310	122	159	2016	40.35 10.82	95		38.25 14.57	5.54 9.47	No		No		31.72 28.54 10.88 6.23	10802 2932 Iron	0 1 FIXED	IB Fold	
			211		ALUMN FS				332			<input type="checkbox"/>	0 0					
Imagine	Ericson 32-3	716	159	1987	42 13.8	135		36.4 11.8	4.18 7.28	No		No		32.5 25.83 10.83 6	9800 4200 Lead	0 1 FIXED	IB Fixed_2 2	
			258		ALUMN MS				248			<input type="checkbox"/>	0 0					
Isle Of Skye	Tartan 33 7/8 RIG	6	159	1979	36.42 12.42	100	36.42	41.58 14.42	4.6 8.1	No		No		33.67 28.08 10.92 4.42	10000 4400 Lead	No 1 FIXED	IB FEATH 3	
			205		ALUMN FS			0 0	328			<input type="checkbox"/>	0					
Joie De Vivre	C&C 33	18797	159		43 14	110	43	37.25 10.75	4.4 6.33	No		Yes	21.42	32.9 26.42 10.54 5.5	10100 3975 Lead	0 1 FIXED	IB FOLD	
			659 249		ALUMN MS			0 0	235				<input checked="" type="checkbox"/>					
Make My Day	Olson 25	87742	159	1985	32 9.583	155	32	28 10	3.96 6.4	Yes		No		25 21.25 9 4.5	3300 1300 Lead	No 1 FIXED	OB None 0	increased purchase in outhaul and backstay added boomkicker
			670 156		ALUMN MS			0 0	168				<input type="checkbox"/>	0				

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications		
			Built	J	Max Headsail	ISP JSP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp. Traps/H. Strps		IB or OB					
									SL	SPL				SLU	ASA		LWL	Ballast		moveable blst	# of blades
Disp/WL ratio	Mast Material	PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Keel Type	Max Draft	Ballast Mat.	Keel Type									
Ouessant	Farallone Clipper FR	8214	159	1957	35.69 13.87	150	35.69	40.34 18.79	7 12.1	Yes	No	37.833 28.25 9.5 5.916	18344 7200 Iron	No 1 FIXED	IB Fixed_2 2						
			673 370		WOOD FS		0 0	448		24.41 23.58	13.833 715	<input type="checkbox"/>	0								
Shadowfax	Olson 25	91	159	1986	32 9.6	155	32	28 10	3.8 6.4	Yes	No	25 21.25 9 4.5	3300 1300 Lead	No 1 FIXED	OB None 0						
			671 156		ALUMN MS		0 0	166		17.25 17.25	9.583 456	<input type="checkbox"/>	0								
Shark-On-Bluegrass	Olson 25	18201	159	1984	32 9.583	155	32	28 10	3.8 6.4	Yes	No	25 21.25 9 4.5	3300 1300 Lead	No 1 FIXED	OB None 0						
			671 156		ALUMN MS		0 0	166		17.25 17	9.583 459	<input type="checkbox"/>	0								
Snafu	CS 30	68588	159	1988	42 12.04	125	42 12.04	36.416 11.416	3.95 6.5	NO	Yes	30 25.51 10.25 5.416	8000 3440 Lead	0 1 FIXED	IB FOLD 2						
			669 219		ALUMN MS		0 0	232			20.04 44 40.653 20.04	20.04 707 0	<input checked="" type="checkbox"/>								
Synchronicity	Olson 25	68	159	1985	32 9.583	155	32 9.6	28 10	3.8 6.4	Yes	No	25 21.25 9 4.5	3300 1300 Lead	No 1 FIXED	OB None 0						
			671 156		ALUMN MS		0 0	166		17.28 17.28	9.583 461	<input type="checkbox"/>	0								
Vip	Farallone Clipper FR	7	159	1957	36.82 14	155	36.82	40.5 18.5	6.16 10.979	Yes	No	38 28.75 9.5 5.6	19000 7000 Iron	No 1 FIXED	IB Fixed_3 3						
			673 363		WOOD FS		0 0	420		25.195 24.86	770	<input type="checkbox"/>	0								
Apogee	Islander 36 Freeport	36	162	1978	46.75 16.75	150		42 12.75	5 8.4	No	No	35.9 27.6 12 5.3	17000 7030 Lead	0 1 FIXED	IB Fold						
			368		ALUMN MS				323			<input type="checkbox"/>	0 0								

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull	Displacement/Keel		Engine/Prop	Modifications
			ISP		I	J	ISP	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB		
			JSP		Max Headsail	Max Headsail	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type	
			P		MGM	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades				
Y	MSA	SSF	ASF	Fixed or _o	Max Draft												
Finn	Capo 26 IB	18782	162	1985	34.6	155		30	4.1	Yes	No		26	4300	0	IB	
					10.56		10	6.8					22	1900	1	Fold	
			673		ALUMN			185				0	9.25	Lead	FIXED		
			184		MS						<input type="checkbox"/>	0	4.58				
Popcorn	Nonsuch 33	77	162	1997			50.33	7.2	No	No			33.33	15350	No	IB	
							24.33	13.6					31.42	6050	1	FOLD	
					ALUMN		0	657				0	12.42	Lead	FIXED	2	
			225		CAT		0				<input type="checkbox"/>		5.25				
Red Hawk	Hawkfarm 28 ODR	59024	162	1978	33	155	33.25	4.37	Yes	No			28	5700	0	IB	
					11		11.5	10.5	7.26				23.5	2700	1	FOLD	
			667		ALUMN			0	236			0	9.75	Lead	FIXED	2	
			200		FS			0			<input type="checkbox"/>		5.166				
Sailor Dog	Catalina 34 1&2	1798	162	2007	44	110	44	2.8	No	Yes	20.5		34.5	11950	0	IB	In-Mast furling main +3 sec/mi, MGM less than 50% of E +3 sec/mi
					13.5		13.5	12	5.9				29.8	5000	1	Fixed_3	
			657		ALUMN				229			0	11.7	Lead	FIXED	3	
			205		MS						<input type="checkbox"/>	0	5.6				
White Cloud	Yamaha 33 IK SM	28688	162	1979	42.8	150	42.8	4.38	Yes	No			33.25	10582	0	IB	
					13.78			10.67	7.27				26.92	4409	1	Fixed_2	
			648		ALUMN				247			0	11	Iron	FIXED		
			247		MS						<input checked="" type="checkbox"/>	0	6.2				
Constance	Tartan 34 CB	346	165	1974	41	125	41	4	No	Yes	20.3		34.3	11200	0	IB	Roller Furler
					14			10.5	6.9				25	5000	1	Fold	
			683		ALUMN				224			0	10.2	Lead	CNTRBRD	2	
			326		MS						<input checked="" type="checkbox"/>	0	8.3				
Lonesome Dove	Elite 29	9066	165	1984	35.833	130		2.6	Yes	No			28.67	6160	No	IB	
					11.083			10.333	5.1				24.42	2310	1	Fixed_2	
			676		ALUMN			0	157			0	10.5	Iron	FIXED	2	
			192		MS			0			<input type="checkbox"/>		5.58				

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
			Built	I	J	ISP	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	IB or OB				
			Max Headsail	Max	Head	JSP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type			
			ISP	Material	Material	Material	Material	Material	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades			
			Disp/WL ratio	Rig Type	Material	Material	Material	Material	Material	Material	Material	Material	Material	Material	Material	Material	Material	Material	
Pearl	Ranger 33 SM	278	165	1977	38	125	38	31.5	4.43	Yes	No			33.17	10500	0	IB		
					13.9			11	7.39					26.25	4800	1	Fixed_2		
			666		ALUMN							0		9.583	Lead	FIXED	2		
			264		MS				212			0		5.166					
Wildcat of Loch Awe	S-2 7.9 FR DB	59838	165	1983	31.83	135	31.83	29.42	4.75	Yes	No			25.92	4250	0	OB		
					9.5			12.33	7.92					21.67	1750	1	None		
			685		ALUMN							0		9	Lead	AGGERBR			
			190		FS				216			0		5					
Azure	Catalina 275 Sport	1	168	2013	34.42	106	11.83	31.5	5.33	No	Yes		22	27.5	5000	0	IB		
					8.99			11.48	8.17		37.5		665	26.57	2040	1	Fixed_2		
			629		ALUMN						35		0	8.5	Lead	FIXED			
			121		FS				233		22	<input type="checkbox"/>	0	5.2					
Bandido	Merit 25	28125	168	1983	28.75	150	28.75	28	4.25	Yes	No			24.5	3000	No	OB		
					9.66			9.75	6.69					20.5	1050	1	None		
			693		ALUMN			0	172			0		8	Lead	FIXED	3		
			158		FS			0				<input type="checkbox"/>		4					
Double Agent	Merit 25	8465	168	1981	28.75	155	28.75	28	4.25	Yes	No			24.5	3000	No	OB		
					9.66			9.75	6.69					20.5	1050	1	None		
			693		ALUMN			0	172			0		8	Lead	FIXED	0		
			158		FS			0				<input type="checkbox"/>		4					
Downtown Upoar	J 24 ODR	2394	168	1981	26.25	150	26.25	28	3.7	Yes	No			24	3125	0	OB		
					9.5			9.75	6.37					20	965	1	None		
			693		ALUMN			0	163			0		9.2	Lead	FIXED	0		
			178		FS			0				<input type="checkbox"/>		4.1					
Irish Blessing	J 24 ODR	2184	168		26.25	150	26.25	28	3.7	Yes	No			24	3100	0	OB		
					9.5			9.75	6.37					20	965	1	None		
			693		ALUMN				163			0		8.92	Lead	FIXED	0		
			176		FS							<input type="checkbox"/>	0	4					

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications		
			Built	J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp.	Traps/H. Strps		IB or OB Prop Type # of blades			
									DW Rating Disp/WL ratio	Mast Material Rig Type	SL	SPL			SLU	ASA			Ballast	moveable blst
Shut Up & Drive	J 24 ODR	513	168		26.25	150	26.25	28	3.7	Yes		No		24	3100	No	OB			
			693		9.5			9.75	6.37					20	965	1	None			
			176		ALUMN FS			0	163				<input type="checkbox"/>	8.916	Lead	FIXED	0			
								0						4						
Sobrante	Alerion Express 28 ODR	406	168	2009	30	90	30	33	4.8	No		No		28.25	5700	0	IB			
					9.75			12.5	7.6					22.83	2200	1	Fold			
					ALUMN FS				241				<input type="checkbox"/>	8.2	Lead	FIXED	2			
			218											4.5						
Spirit	Alerion Express 28 ODR	275	168		30	90	30	33	4.8	No		No		28.25	5700	0	IB			
					9.75			12.5	7.6					22.83	2200	1	Fold			
					ALUMN FS				241				<input type="checkbox"/>	8.2	Lead	FIXED	2			
			218											4.5						
Achates	Newport 30-2	6847	174	1974	39.5	155	39.5	34	3.8	Yes		No		30	8500	No	IB			
					12.5			10.25	6.6					25	3000	1	FOLD			
			667		ALUMN MS			0	206				<input type="checkbox"/>	10.67	Lead	FIXED	2			
			247					0						5.17						
Alpha	Sonar 23	498	174	1990	23	100		27.5	1.23	No		No		23	2100	n	OB			
					8.25			11.17	7.3					19.92	900	1	None			
					ALUMN MS				156				<input type="checkbox"/>	7.8	Lead	FIXED				
			121											3.92						
Aquadisiac	Newport 30-3	38075	174	1985	40	155	40	34	3.8	No		No		30.5	8500	0	IB			
					12.5			10.25	6.6					26.5	2600	1	Fold			
					ALUMN MS				206				<input type="checkbox"/>	10.67	Lead	FIXED	2			
			208											5.17						
BZ	Sonar 23		174		23	100		27.5	1.23	No		No		23	2100	No	NONE			
					8.25			11.17	7.3					19.92	900	1	None			
					ALUMN FS				156				<input type="checkbox"/>	7.8	Lead	FIXED				
			121											3.92						

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst Keel Type		
Nepenthe	Hawkfarm 28	6122	174 1976	33.3 11	115	33	36 10.5	4.3 7.2	No	No		28 23.5 9.75 5.5	5700 2700 Lead	0 1 FIXED	IB Fixed_2 2		
Now and Zen	Newport 30-2	6883	174 1978	39.5 12.125	150		34 10.25 0 0	3.25 5.7 190	Yes	No		30 25 10.5 4.75	8000 2600 Lead	No 1 FIXED	IB Fold 2		
Siento El Viento	C&C 29	38311	174 1977	39.5 12.8	155		33.5 10.1		Yes	No		29.5 23.6 10.5 5.25	7500 2700 Lead	No 1 FIXED	IB Fold 2		
Tortuga	Pyramid 660 ODR MOD	8375	174 1981	21.82 6.8	104	28 7	25.7 10.5	4 6.8 161	Yes	No		21.8 18.1 6.2 3.9	850 400 Lead	2 1 FIXED	OB None 2	(Mtg 5/20/10, removed trapeze +18 sec/mi, hiking straps still allowed)(1/24/13, added upper spreaders & stays, NCTR)	
White Bear	Nonsuch 30	431	174 1987				45 24	8.68 15.12 629	No	No		30.33 28.75 11.9 5	11500 4500 Lead	0 1 FIXED	IB Fold 3		
Zeehond	Newport 30-2	707	174 1976	39.5 12.125	150	39.5	34 10.25 0 0	3.6 6.33 201	Yes	No		30 25 10.5 4.75	8500 2600 Lead	No 1 FIXED	IB FOLD 2		
Archaeopteryx	Hotfoot 20	101	177 1986	25 7	105	26.08 7.67	27.08 10.08	4.05 6.6 166	Yes	No		20 18 8.5 5	1000 400 Lead	0 1 CNTRBRD	OB None		

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
			Built	I	J	Max	ISP	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	IB or OB			
				Headsail		Material	JSP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type		
			Disp/WL ratio	Rig Type				PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades		
					EY		SSF		ASM	Fixed or _o	Max Draft								
Wings	Columbia 5.5 M ODR	31	177	1965	29.125 8.25	96	30	34 11.416	4.59 7.65	Yes	No	32.416 25 6.25 4.33	4400 2800 Lead	No 1 FIXED	NA None 0				
Friday's Eagle	Catalina 30	18294	180	1981	41 11.416	155	41	35 11.5	4.63 7.72	Yes	No	29.916 25 10.833 5.25	10200 4200 Lead	No 1 FIXED	IB FOLD 2				
Galaxsea	Custom Nauticat 43.5	28743	180	1985	51 20	104	20.6	45 13.6	4.3 7.9	Yes	Yes	43.6 37.7 12.2 5.9	34000 11000 Lead	No 1 FIXED	IB FEATH 3	Stay sail measurements foot=1', Luff=34'6", Leach=30'2", LP=132"			
Goose	Catalina 30	1210	180	1979	41 11.416	155	41	35 11.5	4.63 7.72	Yes	No	29.92 25 10.83 5.25	10200 4200 Lead	No 1 FIXED	IB FOLD 2				
Lelo Too	Tartan 30	16354	180	1975	39 13	155	39	34 11.416	4.61 7.69	Yes	No	29.92 24.25 10 4.916	8750 3700 Lead	0 1 FIXED	IB FOLD 0				
Ross's Dream	Catalina 30	4895	180	1987	41 11.42	150	41	35 11.5	4.63 7.72	Yes	No	29.92 25 10.83 5.25	10200 4200 Lead	0 1 FIXED	IB Fold 2				
Serendipity	CAL 29-1 IB	6601	180	1974	37.833 12.333	155	37.833 12.67	31.666 12.166	4.332 7.573	Yes	No	29.25 24.17 9.25 4.75	8000 3350 Lead	No 1 FIXED	IB FOLD 2				

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
				I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No	SPL	Yes/No	ASF	LOA	LWL	Ttl Disp.	Traps/H. Strps	IB or OB	
				Mast Material			PY	MSA	SL	SPL	SLU	ASA	Max Beam	Ballast	moveable blst	Prop Type		
				Rig Type			EY		SSMG	SSA	SLE	Sprit Length	Max Draft	Ballast Mat.	Keel Type	# of blades		
				Disp/WL ratio					SSF		ASM	Fixed or _o						
Strange Magic	Islander Bahama 30	179	180	1981	40 12.75	150	40 12.75	33.75 4.37	4.37 7.47	No	No		29.92 24.58	8230 3130	0 1	IB Fold		
				252	ALUMN MS				232			<input type="checkbox"/>	0 0	10 5	Lead FIXED			
Wuvulu	Islander Bahama 30	61	180	1979	40 12.75	150	38.416	33.75 4.75	4.75 8.125	Yes	No		30 24.58	8600 3500	No 1	IB FOLD		
				263	ALUMN MS			0 0	243			<input type="checkbox"/>	0	10 5	Lead FIXED	2		
Alte Liebe	Albin Ballad 30	1266	183	1978	37.083 11.249	155	37.8	31.916 3.33	3.33 5.58	Yes	No		29.916 22.583	7276 3417	No 1	IB FOLD	The J measurement in all Ballad documents & Sailmaker plans is 12.27 however the actual J= 11.3" (MTG 8/25/94), standard SPL is 12.27 (mtg 3/20/08)	
				287	ALUMN MS			9.333 0 0	5.58 171			<input type="checkbox"/>	0	9.666 5.09	Lead FIXED	2		
Avalon	Catalina 30	6138	183	1992	41 11.416	120	41	35 4.63	4.63 7.72	No	No		29.92 25	10200 4200	0 1	IB Fold		
				297	ALUMN MS			0 0	246			<input type="checkbox"/>	0	10.83 5.25	Lead FIXED	2		
Christine Rose	Catalina 30 TM	0	183	1977	43 13.16	150	43 13.16	37 4.8	4.8 8	Yes	No		29.92 25	10200 4250	0 1	IB Fixed_3		
				297	ALUMN MS			12 270	8			<input type="checkbox"/>	0 0	10.83 5.25	Lead FIXED	3		
Kiwa	Ericson 32-2	285	183	1973	36 18	155	36	31.5 4.9	4.9 8.4	No	No		32 24	9400 4400	0 1	IB Fixed_2		
				309	ALUMN MS			13 243	8.4			<input type="checkbox"/>	0 0	9.67 4.91	Lead FIXED	2		
Moxie	CAL 28-2	28217	183	1988	39.9 11.4	90	39.9 11.4	34.17 4.28	4.28 7.11	Yes	No		28 23	7200	0 1	IB FOLD		
				269	ALUMN MS			10.33 219	7.11			<input type="checkbox"/>	0 0	10.8 5.3	Lead FIXED	2		

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop		Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		Ttl Disp. Ballast		Traps/H. moveable blst	IB or OB Prop Type # of blades			
								SL	SPL	SLU	ASA							
								SSMG SSF	SSA	SLE ASM	Sprit Lngth Fixed or _o					Ballast Mat.	Keel Type	
DW Rating Disp/WL ratio																		
Antares	Islander 30-2	6237	186 1971	38.5 12.58 155	38.416	32.5 4.75 11.58 8.125 0 0	4.75 8.125 235	Yes	No	30 24.58 10 5	8600 3600 Lead	No 1 FIXED	IB FOLD 2					
Don Wan	Santana 28	8191	186 1978	36 12 155	36	31 9.416 0 0	3.6 6.1 175	Yes	No	28.25 23 9.17 5	7500 2550 Lead	No 1 FIXED	IB Fold 2					
Maxine	Yankee 30-1 SM	43	186 1971	37.5 12.75 125	37.5 12.75	32.5 2.4 9.7 4.8	4.8 158	No	No	30.13 23 9 5	8700 4130 Lead	0 1 FIXED	IB FOLD 2	+3 sec/mi for MGM less than 50% of E				
Samba Pa Ti	J 22	3	186 1982	24.8 8.8 125	24.8 8.8	26.1 3.78 9 6.27 147	3.78 6.27	Yes	No	22.5 19 8 3.8	1790 700 Lead	0 1 FIXED	OB None					
Sirena	Ericson 32-2	18319	186 1972	35 13 110	35	31 4.9 13 8.4	8.4 239	Yes	No	31 24 9.8 5	8800 4000 Lead	0 1 FIXED	IB Fixed_2 2					
Summertime Dream	Custom Schumacher 26	18859	186 1979	26.28 8.07 150	26.28 8.07	29.58 4.33 10.76 7.23	7.23	Yes	No	26.08 20 9.08 5.08	3300 1360 Lead	0 1 FIXED	OB None 0	Boat has previously been called "War"				
Sweet Pea	Islander 30-2	195	186 1971	38.5 12.58 155	38.42	32.5 4.75 11.58 8.125 0 0	4.75 8.125 235	Yes	No	30 24.58 10 5	8600 3500 Lead	0 1 FIXED	IB FOLD 2					

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
			Rating		I	J	Max Headsail	ISP	P	MGU	Yes/No		Yes/No		ASF	Ttl Disp.	Traps/H. Strps		IB or OB
			DW Rating		Mast Material	JSP	E	MGM	SL	SPL	SLU	ASA	Ballast		moveable blst	Prop Type			
			Disp/WL ratio		Rig Type	PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.		Keel Type	# of blades			
EY	SSF	ASM	G	Fixed or _o	Max Draft														
Wild-Type	Ericson 32-2	614	186	1975	38 13	155	13	31.5 13	4.53 8.19	No	Yes	22.23 639	31.58 24	8800 4000	0 1	IB Fixed_3	Roller Furler		
			707		ALUMN				237			0	8.67	Lead	FIXED	3			
			289		MS						<input checked="" type="checkbox"/>	0	4.92						
Xtasea	Catalina 30	0	186	1985	41 11.5	110	41	35.5 11.5	4.63 7.72	Yes	No		29.92 25	10200 4250	0 1	IB Fixed_2			
			685		ALUMN				250			0	10.83	Lead	FIXED	2			
			297		MS						<input type="checkbox"/>	0	5.25						
Catch 22	Custom Zenrich 20	22	189	1979	25.5 8	155	25.5	25.5 8.67	3.67 5.08	Yes	No		20 18	1800 400	0 1	OB None	(Mtg 1/26/12, Custom rating of 189 assigned)		
			714		ALUMN				131			0	7.79	Lead	FIXED				
			140		FS						<input type="checkbox"/>	0	4						
Lucky Mud	Pearson 323	110	189	1978	41 13.81	100		36 10.75	3 5.2	No	No		32.3 27.5	12800 4500	0 1	IB Fixed_3			
			280		ALUMN				197			0	10	Lead	FIXED				
			280		MS						<input type="checkbox"/>	0	4.5						
TASHI	Catalina 30	2010	189	1976	41 11.5	110	41	35 11.5	4.63 7.72	No	No		29.92 25	10200 4250	0 1	IB Fixed_3			
			297		ALUMN				246			0	10.83	Lead	FIXED	3			
			297		MS						<input type="checkbox"/>	0	5.25						
Toypedo	Ranger 26-2	67341	189	1980	26.4 9	150	28 9	30.5 11	4 7	Yes	No		26 20	3000 1140	0 1	OB None	Fixed Keel, No daggerboard		
			682		ALUMN				197			0	8	Lead	FIXED				
			170		FS						<input type="checkbox"/>	0	5						
Gygax	Hinckley Pilot 35 TM	4802	192	1975	44.36 13.8	155	44.36 13.8	41.83 15.81	5.5 9.97	Yes	No		35.5 25	13500 4200	0 1	IB Feath			
			672		ALUMN				383			0	9.5	Lead	FIXED				
			393		MS						<input type="checkbox"/>	0	5						

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail		P E PY EY	MGU MGM MSA	Yes/No SL SPL SSMG SSF	Yes/No SLU SLE ASMUG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast		Traps/H. moveable blst Keel Type			
Jam Jam	Yankee 30-1 SM	90	192 1972	37.5 12.75	125	37.5	34.5 9.75	2.45 4.91	Yes	No		30 23 9 5.1	8900 4180 Lead	0 1 FIXED	IB Fixed_3 3	(mtg 4/28/11, +3 sec/mi for engine modifications)	
Some Assembly Required	Holder 20	183	192 1984	22.6 7.25	155	22.6 13.05	24.04 9.33	3.84 6.58	Yes	No		20.33 18.42 7.83 3.58	1160 335 Lead	4 1 MVBL	OB None	(Mtg 8/24/17, added 4 soft hiking straps to seats, NCTR)	
Spartan	Dufour 1300	0	195 1975	31.17 9.18	110		27.89 8.2	3.54 5.91	No	No		23.88 18.04 8.66 4.76	2866 1257 Iron	0 1 FIXED	OB None		
Ga	Knarr ODR	123	198	33.583 6.583	125	33.583	31 11.166 0 0	4.47 7.46 211	No	No		30.333 20.333 7 4.25	4630 2866 Lead	No 1 FIXED	OB None 0		
Kraken	Knarr ODR	47	198	33.583 6.583	125	33.583	31 11.166 0 0	4.47 7.46 211	No	No		30.333 20.333 7 4.25	4360 2866 Cast Iron	No 1 FIXED	OB None 0		
Happiness	Cal 27-2 OB	3893	201	36 12	95	36 12	30.67 10.25	3.25 6.5	Yes	No		26.58 22.08 9.25 4.25	6700 3100 Lead	0 1 FIXED	OB None		
Oshun	Catalina 27 OB	1216	201 1974	34 11.25	95		28.67 10.5	4.24 7.08	No	No		26.83 21.75 8.83 4	6850 2750 Lead	0 1 FIXED	OB None		

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SPL SSMG SSF	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast		Traps/H. moveable blst Keel Type			
Blue Ribbon II	Catalina 270 IB	38087	207 1994	33.58 9.25	135	33.58	28.42 11.5	4.67 7.61	No	No		27 23.75 9.83 5	6400 2000 Lead	0 1 FIXED	IB Fixed_2 2		
Obsession	Harbor 20	299	207 2010	25.75 7	95	26.38 8.16	26 10	3.25 6.05	Yes 25.9	No 8		20 17.2 7 3.5	1800 900 Lead	0 1 FIXED	OB None	(Mth 5/25/17, -6 sec/mi for OSP)	
Miss Kate	Catalina 27 IB	4630	210 1980	34.5 11.25	125	34.5 11.25	28.66 10.5	3.99 6.83	No	Yes	20.35 515	26.85 21.75 8.85 4	6850 2700 Lead	0 1 FIXED	IB Fixed_2		
Picante	Islander Bahama 28 SM	1	210 1981	33.8 11.75	150	11.75	28 8.2	3.58 5.75	No	Yes	20 478	27.9 23 9.8 5.5	7000 3000 Lead	0 1 FIXED	IB Fixed_3 3		
Blue Ribbon	Catalina 27 IB	343	213 1975	34.5 11.25	120		28.7 10.5	3.5 6.3	No	No		26.83 21.75 8.83 4	6850 2650 Lead	0 1 FIXED	IB Fixed_3 3		
Dura Mater	CAL 27-2 IB	616	213 1979	36 12	120		30.83 10.25	4.21 7	Yes 32.8	No 11.8		26.58 22.08 9.25 4.25	6700 3100 Lead	0 1 FIXED	IB Fixed_3 3		
Firefly	Harbor 20	226	213 2006	25.75 7	90	25.75 7	26 10	3.6 6.25	No	No		20 17.17 7 3.5	1800 900 Lead	0 1 FIXED	OB None		

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
			Rating		I	J		P	MGU	Yes/No	Yes/No	ASF	Ttl Disp.		Traps/H.	IB or OB		
			DW Rating		Max	Headsail		E	MGM	SL	SPL	SLU	ASA		Ballast	moveable blst	Prop Type	
			Disp/WL ratio		Mast	Material		PY	MSA	SSMG	SSA	SLE	Sprit Lngth		Ballast Mat.	Keel Type	# of blades	
					Rig Type		EY		ASM	Fixed or _o								
SF	CAL 25-1 OB	1062	225	1969	29.75 10	120	29.75	25 11	4.17 7	No	No			25 20 8 4	4000 1700 Lead	0 1 FIXED	OB None	
Tinker	Wilderness 21	6	225	1977	25 8.67	125	25	25 8	2.83 4.66	Yes	No			20.5 17.8 7.25 4	1870 1070 Lead	No 1 FIXED	OB None	Added roller furler
The Mighty Windsong	International Folkboat OB	567	228	1969	26 8.3	155	26 8.3	28.8 11.2	4.44 7.34	Yes	No			25.75 19.75 7.5 4	5000 2750 Iron	0 1 FIXED	OB None	
Vanga	Alberg 30	30	231	1965	36.75 10.5	100	36	31 14.25	4.49 8.2	Yes	No			30.25 21.67 8.75 4.5	9000 3300 Iron	0 1 FIXED	IB Fixed_3 3	Roller Furler
High and Dry	Santana 22	114	234	1967	26 8.5	150	26	21.75 9.83	3.95 6.59	Yes	No			22 18.67 7.83 3.5	2600 1230 Cast Iron	0 1 FIXED	OB None	
Albacore	Santana 22 ODR	18325	237	1976	25.67 8.58	125	25.67 8.58	21.75 9.83	3.95 6.59	Yes	No			22 18.67 7.83 3.5	2600 1230 Iron	0 1 FIXED	OB None	
Anapos	Santana 22	5158	237	1966	26 8.5	120	26	21.75 9.833	3.95 6.59	Yes	No			22 18.666 7.833 3.5	2600 1230 Iron	No 1 FIXED	OB None 0	

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
			Rating		I	J		P	MGU	Yes/No	Yes/No	ASF	Ttl Disp.		Traps/H. Strps			
			DW Rating		Max Headsail	Max Headsail		E	MGM	SL	SPL	SLU	ASA		Ballast	moveable blst		
			Disp/WL ratio		Mast Material	Mast Material		PY	MSA	SSMG	SSA	SLE	Sprit Lngth		Ballast Mat.	Keel Type		
			182		Rig Type		EY			ASF	Fixed or _o							
Auggie	Santana 22 ODR	476	237	1969	26	125	26	21.75	3.95	Yes	No		22	2600	No	OB		
					8.5			9.833	6.59				18.666	1230	1	None		
			737		ALUMN			0	131			0	7.833	Cast Iron	FIXED	0		
			182		MS			0			<input type="checkbox"/>		3.5					
Byte Size	Santana 22	801	237	2001	26	90	26	21.75	3.95	Yes	No		22	2600	No	OB		
					8.5			9.833	6.59				18.67	1230	1	None		
			737		ALUMN			0	131			0	7.83	Iron	FIXED	0		
			182		MS			0			<input type="checkbox"/>		3.5					
Meliki	Santana 22	5194	237	1967	26	125	26	21.75	3.95	Yes	No		22	2600	No	OB		
					8.5			9.833	6.59				18.67	1230	1	None		
			737		ALUMN			0	131			0	7.83	Iron	FIXED	0		
			182		MS			0			<input type="checkbox"/>		3.5					
The Belafonte	Santana 22 ODR	5000	237	1970	26	110	26	21.75	3.95	Yes	No		22	2600	No	OB		
					8.5			9.833	6.59				18.67	1230	1	None		
			737		ALUMN			0	131			0	7.833	Iron	FIXED	0		
			182		MS			0			<input type="checkbox"/>		3.5					
Zingaro	Santana 22	5050	237	1971	26	125	26	21.75	3.95	Yes	No		22	2600	0	OB		
					8.5			9.83	6.59				18.67	1260	1	None		
			737		ALUMN				131			0	7.833	Iron	FIXED	0		
			182		MS						<input type="checkbox"/>	0	3.5					
Passat	North Star 500	57313	240	1973	33	140		27.5	3.5	No	No		24.98	4298	0	IB		
					10.25			8.75	6.1				20.23	1710	1	Fixed_3		
					ALUMN				149			0	9	Lead	FIXED			
			236		MS						<input type="checkbox"/>	0	5					
Daseins Den	Dana 24	#####	246	1987	34	120		28.25	3	No	No		24.16	7400	0	IB		
					12.25			10.75	5.85				21.42	3100	1	Fixed_2		
					ALUMN				160			0	8.58	Lead	FIXED			
			342		CTR						<input type="checkbox"/>	0	3.83					

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail		P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps Ballast moveable blst Ballast Mat. Keel Type		
Circlesea	Folkboat	125	252		21.99 6.56	100	10.17	28.71 11.15	4.42 7.33	No	No		25.08 19.82 7.26 3.92	4640 2315 Iron	0 1 FIXED	OB None 0	
Crane Wife	Fuji 32 KTH	0	252	1977	36.25 14.75	148		29.08 11.21 18.25 8	3.8 5.96 177	No	No		31.5 29 9.83 3.66	13115 4635 Iron	0 1 FIXED	IB Fixed_3	
Thea	Folkboat	108	252	1984	21.988 6.562	100	10.166	28.707 11.154	4.416 7.333	No	No		25.079 19.822 7.261 3.916	4640 2315 Iron	No 1 FIXED	OB None 0	
un-named	Catalina 22-2 OB FK	15622	255	2006	25.8 8	135	25.83 8	21 9.67	3.5 6.08	Yes 25 14.4 14.4	No 8 300		21.5 19.33 7.67 5	2250 550 Lead	0 1 CNTRBRD	OB None	
Nemesis	Pearson 26 Commander	151	258	1964	31.5 9.5	155		26 11.5	3.3 5.75	Yes 31.2 17.1 16.4	Yes 9.5 441	21.06 444 0 0	25.7 18.5 8 3.7	5200 2500 Lead	0 1 FIXED	OB None	
SLOWMO!	Catalina 22-1 OB SK	2482	270	1973	25.93 8	150		21 9.66	3.47 5.96	No	No		21.6 19.4 7.8 5	2250 550 Iron	0 1 MVBL	OB None 3	
Can O' Whoopass	CAL 20	624	273	1965	22 7.33	115	22 7.33	23 10	4 6.7	Yes 22 13.2 13.2	No 7.33 242		20 18.1 7 3.33	2000 900 Iron	0 1 FIXED	OB None 2	(mtg 4/24/08, -18 sec/mi for adding single trapeze wire) (10/2/08 - removed trapeze, now racing as a standard cal 20 -18 sec/mi penalty removed)(3/5/09 added single trapeze back, -18 sec/mi)(8/26/09, switching back to standard Cal 20)

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
			Rating		I	J	Max Headsail	ISP	P	MGU	Yes/No	Yes/No	ASF		Ttl Disp.	Traps/H. Strps	IB or OB	
			DW Rating		Mast Material	JSP	E	MGM	SL	SPL	SLU	ASA	Ballast		moveable blst	Prop Type		
			Disp/WL ratio		Rig Type	EY	PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Ballast Mat.		Keel Type	# of blades		
Green Dragon	Cal 20	4188	273	1965	22	125	22	23	3.84	Yes	No		20	1950	0	OB		
					7.33			9.84	6.5				18.08	900	1	None		
			748		ALUMN			0	137			0	7	Steel	FIXED	0		
			150		FS			0				<input type="checkbox"/>	3.33					
Slainte	Cal 20	1510	273	1973	22	115	22	23	3.67	Yes	No	0	20	1950	0	OB		
					7.33		7.33	9.833	6.5				18.08	900	1	None		
			748		ALUMN				135			0	7	Iron	FIXED			
			150		FS							<input type="checkbox"/>	3.33					
Sprite	Cal 20	347	273	1964	22	125	22	23	3.67	Yes	No		20	1950	0	OB		
					7.33		7.33	9.83	6.5				18.08	900	1	None		
			748		ALUMN				135			0	7	Iron	FIXED			
			150		FS							<input type="checkbox"/>	3.33					
Star Baby	Cal 20	1545	273	1967	22	110	22	23	3.67	Yes	No	0	20	1950	0	OB		
					7.33		7.33	9.83	6.5				18.08	900	1	None		
			748		ALUMN				135			0	7	Iron	FIXED			
			150		FS							<input type="checkbox"/>	3.33					