

# NCPHRF - CURRENT FLEET ROSTER

This Roster represents the information on file for boats with a current NCPHRF certificate. If the boat you are looking for is not listed, their certificate is either not current or not yet updated to the list. You can contact the YRA office to verify a boat not found on this list at [info@yra.org](mailto:info@yra.org) or via phone at 415.771.9500. This list is updated monthly.

As of: **4/27/2017**

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
				I J	Max Headsail	ISP JSP	P E	MGU MGM	SL	SPL	SLU	ASF ASA	LOA	LWL	Ttl Disp.	Traps/H. Strps	IB or OB	Prop Type
			DW Rating Disp/WL ratio	Mast Material			PY EY	MSA	SSMG SSF	SSA	SLE ASMG	Sprit Lngth Fixed or _o	Max Beam Max Draft	Ballast Mat.	moveable blst Keel Type	# of blades		
Invisible Hand	Pac 52	5202	<b>-102</b> 2016	66 20.5 101	76 29.5	69.23 22.98	10.96 15.76		No	Yes	44.7 85.5 2970	52 50 14.5 11.8	15700 8360 Lead	0 1 FIXED	IB None			
			<b>402</b> 57	CARBON FS			1017				0 90							
Buona Sera	Santa Cruz 70	41104	<b>-81</b> 1986	73.15 22.52 155	73.63	65.49 25.39	9.12 15.72		No	Yes	40.06 79.07 2504	68.9 60.4 15.1 10.62	24905 8960 Lead	0 1 FIXED	IB Fold	(Mtg 8/27/15, New rudder noted, -9 sec/mi for new keel)(Mtg 3/23/17, -6 sec/mi for 13% increase in SPL, -3 sec/mi for increase in spinnaker area, +3 sec/mi for decrease in mainsail area)		
			<b>423</b> 51	CARBON MS			961				0 45							
Merlin	Custom Lee 68	8955	<b>-81</b> 1977	71.96 21 103	74.35	66.87 27.5	11 18		No	Yes	48.05 87.51 3097	68.6 64 12.17 10.65	24363 10484 Lead	0 1 FIXED	IB FOLD 2	(Mtg 4/27/17, custom rating assigned: -81)		
			<b>394</b> 42	CARBON MS			1109				0 90							
USA 76	IACC	76	<b>-78</b> 2002	83.99 27.17 100		99.18 30.19	14.12 20.33		No	No	0 0	82.6 61.6 11.9 13.45	52910 39683 Lead	No 1 FIXED	IB Fold	(mtg 12/5/13, custom rating of -78 assigned)		
			<b>103</b>	CARBON FS			1892				<input checked="" type="checkbox"/>							
Lucky Duck	Custom Santa Cruz 52	28729	<b>-30</b> 2001	64.14 18.95 155	64.6 22.5	57.5 21	8.76 14.22		Yes	Yes	40.91 2190	53 46.25	22544 8000 Lead	0 1 FIXED	IB Fold 2	(Mtg 8/23/12, Custom Rating Assigned, -21 as sailed)(Mtg 5/23/13, weighed displacement added)(Mtg 3/27/14, New Rudder, -3 sec/mi for OSP, -6 sec/mi for 10%+ increase in spinnaker area. No penalty for keel/displacement)		
			<b>471</b> 104	CARBON MS			745				2 90							
Danger Zone	Taylor 32	4128	<b>-24</b> 1994	40 10.7 100	19.4	37.1 14.3	9.5 11.6		No	Yes	26.52 829	32 28.9 14.8 5.6	1962 551 Lead	1 CNTRBRD	OB None			
			<b>443</b> 37	ALUMN MS			395				0 0							

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No	Yes/No	ASF	Ttl Disp.		Traps/H. Strps			
				Mast Material			PY	MSA	SL	SPL	SLU	ASA		Ballast	moveable blst		
				Rig Type			EY		SSMG	SSA	SLE	Sprit Lngth		Ballast Mat.	Keel Type		
			Disp/WL ratio						SSF		ASM	Fixed or _o					
Bodacious +	1D 48	48005	-15 1996	57.7 16.7	155	68.3 16.7	61.3 22.5	9.84 14.66		Yes	Yes	30.1 1673	48.3 40.2	19743 8818	0 1	IB Fold	Water ballast system not operational (mtg 8/19/08, custom rating assigned of -30, includes dual spinnakers)(Mtg 3/24/11, new smaller mainsail, smaller symmetrical, change custom rating from -30 to -24)(Mtg 9/25/11)
			490 138	CARBON FS				848	33.1 32.6	1834	65.7 30.1	0 <input checked="" type="checkbox"/>	14.2 10.1	Lead	FIXED	2	
Can't Touch This	J 125	93204	-12 1999	49 15	155	52.1 23	47 18	6.8 11.6		No	Yes	41 1941	41 37	9330 4646	0 1	IB FOLD	(Mtg 2/26/09, -3 sec/mi for oversized main girths)(3/9/09, corrected main girths, removed -3 sec/mi penalty)
			468 84	CARBON MS				502			52.3 41	8 <input type="checkbox"/>	10.6 7.9	Lead	FIXED	2	
OAXACA	Santa Cruz 50	8927	-12 1982	61.48 18.88	155	61.22 20.65	54.75 16.98	6.08 10.67		Yes	No	36.5 1889	50.23 46.67	17374 8000	0 1	IB Fold	(Mtg 5/26/16, -6 sec/mi for oversized ASA)
			480 78	ALUMN FS				540	61.2 36.6 36.6	20.65 1867	65.5 59.5 36.2	0 0 <input type="checkbox"/>	12 7.91	Lead	FIXED		
Tyr	J 125	52125	-12 2000	49 14.8	155	52 23.4	46.5 18	6.79 11.65		No	Yes	39.3 1831	41 37	8350 4646	0 1	IB Fold	
			471 75	CARBON FS				497			62.17 52.49 38.09	0 0 <input checked="" type="checkbox"/>	10.6 7.9	Lead	FIXED	2	
Velvet Hammer	Schock 40	51507	-12 2000	42.5 13.6	104	49.5 20.58	44.4 16.8	7.2 11.8		No	Yes	33.92 1459	40 35	7914 1800	No 2	OB None	(mtg 10/21/09, switched to 104% headsail, from 150%, smaller girths on mainsail. Change custom rating from -18 to -12)
			464 84	CARBON FS			0 0	470			60 49 31.685	7 0 <input checked="" type="checkbox"/>	10 8	Lead	MOVABL	0	
Deception	Santa Cruz 50	97263	-6 1987	61.8 18.3	155	61.8 18.3	55 18.4	7.1 12		Yes	Yes	32.9 1335	50 46	17500 8000	0 1	IB FOLD	ELPT Keel & OS/Spinnaker; Has a Code 0 headsail aboard - tacked to stem, no sprit (Mtg 5/26/16, -3 sec/mi for oversized mainsail)(Mtg 6/23/16, change rating back to -6)
			482 82	ALUMN MS				605	61.7 34.2 34.2	18.3 1758	62.83 58.47 24.8	0 0 <input checked="" type="checkbox"/>	12 8	Lead	FIXED	2	
Emily Carr	Santa Cruz 50	49211	-6 1981	61 19	150	61	55 17	6.4 11		Yes	No		53 46.5	15000 7500	No 1	IB FOLD	3' SUGAR SCOOP ON TRANSOM IF STD 50FT LOA OF BOAT
			478 68	ALUMN MS			0 0	555	61 34 33	18.92 1718		0 <input type="checkbox"/>	12 8	Lead	FIXED	2	

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Keel		Engine/Prop	Modifications
					I	J	Max Headsail	ISP	P	MGU	Yes/No	Yes/No	ASF		Ttl Disp.	Traps/H. Strps		
			DW Rating		Mast Material		JSP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type	
			Disp/WL ratio		Rig Type			PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades	
								EY		SSF		ASM	Fixed or _o	Max Draft				
Astra	Farr 40 ODR MH	40079	0	2000	53.2 15.5	105	53.12	54.8 19.4	7.29 12.47	Yes		No		40.75 35.27 13.22 8.53	10917 5079 Lead	No 1 FIXED	IB FOLD 2	
			502 113		CARBON MS			0 0	629	60.69 34.39 34.44	17.06 1740		0 <input type="checkbox"/>					
California Condor	Class 40	94	0	2010	53.9 15.65	104	58.6 23.85	53.21 18.81	11.71 14.38	No		Yes	44.88 2054 8.2 0	40 39.17 14.7 9.84	12225 4710 Lead	0 1 FIXED	IB Fold 2	Full Crew Configuration
			469 92		CARBON FS				715			59.55 37.2	<input checked="" type="checkbox"/>					
Twisted	Farr 40 ODR MH	40046	0	1999	53.15 15.45	105	50.04 17.06	54.8 19.36	8.49 13.77	Yes		No		40.7 35.3 13.2 8.53	10902 4960 Lead	0 1 FIXED	IB FOLD 2	(Mtg 12/1/11, interior mods for IRC, smaller mainsail: NCTR)(Mtg 5/24/12, switching to MH ODR configuration)
			498 113		CARBON FS				674	60.69 34.39 34.44	17.06 1740		0 <input type="checkbox"/>					
Surprise	Custom Schumacher 46	28098	6	1997	57 17	160	63	57 19.75	7.5 12.8	Yes		Yes	37.23 1681 0 90	46 40.63 12.92 7.75	18300 8000 Lead	No 1 FIXED	IB FOLD 2	(MTG 4/9/98)(mtg 2/20/04)
			510 124		CARBON FS			0 0	670	62.4 33.6 33.6	18.7 1747	60.17 30.97	<input type="checkbox"/>					
Elusive	Swan 42 Club	4216	9	2007	59.07 16.44	106	62.99 19.05	56.56 19	7.1 12.5	Yes		Yes	37.4 2010 7.51 0	42.59 38.15 12.8 9	17158 6988 Lead	0 1 FIXED	IB Fold 2	(Mtg 2/25/16, +3 sec/mi for decrease in Spinnaker Area, +6 sec/mi for decreased JSP, -3 sec/mi for articulation, -3 sec/mi for switch to larger headsail)(04/05/17, Switching back to stock configuration. As sailed: 0)
			504 140		CARBON FS				641	62 34 33.7	19.05 1754	73.49 59.65 35.93	<input checked="" type="checkbox"/>					
Wicked Sister	Farr 36 ODR	3	9	2004	46.78 13.19	110	54.82 21.06	49.93 18.63	8.53 12.96	No		Yes	36.28 1751 7.36 0	36.1 32.8 11.72 8.5	6745 3076 Lead	0 1 FIXED	IB Fold	
			473 87		CARBON FS				592			55.05 36.05	<input checked="" type="checkbox"/>					
Nadja Delphine	X-41	0	15	2009	55.9 16.11	106	58.63	53.31 18.04	6.82 11.61	Yes		No		40.52 35.07 11.94 8.2	14109 6019 Lead	0 1 FIXED	IB Fold	Electronic winches
			537 149		CARBON FS				570	58.63 28.61 27.79	17.06 1390		0 <input type="checkbox"/>					

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Keel		Engine/Prop	Modifications
					I	J	Max Headsail	ISP	P	MGU	Yes/No	Yes/No	ASF		Ttl Disp.	Traps/H. Strps		
			DW Rating		Mast Material	JSP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type		
			Disp/WL ratio		Rig Type		PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades		
							EY		SSF		ASMG	Fixed or _o	Max Draft					
Acey Deucy	J 44	97659	21	1989	60.606 17.08	155	60.416	53.51 7.3	19.41 12.5	59.8 17.085	63.8 1379	27 1379	44.83 38.58	22770 9000	0 1	IB FOLD	Electric Winches	
			547 180		ALUMN MS		0 0	615	30.8 30.8	1535	55.9 27.8	1 <input checked="" type="checkbox"/>	13.67 8.14	Lead FIXED	2			
Ardea	Custom Nelson/Marek 50	42616	21	1989	59.92 17.59	100	59.92 17.59	65.19 9.35	24.08 15.98	59.2 17.59	62.2 1526	31.6 1526	49.8 38.55	22145 12627	0 1	IB Fold	(Mtg 8/28/15, custom rating of 21 assigned)	
			519 176		ALUMN FS			946	31.1 30.4	1527	55.8 30.9	0 <input type="checkbox"/>	14.86 9.32	Lead FIXED				
Phantom	J 44	28844	21	1990	60.606 17.08	120	60.416	53.53 7.3	19.41 12.5	59.65 17.08	63.8 1379	27 1379	44.75 38.58	23838 9000	No 1	IB Feath		
			550 189		ALUMN MS		0 0	615	30.7 30.7	1526	55.9 27.8	0 <input checked="" type="checkbox"/>	13.67 8.14	Lead FIXED	3			
Zamazaan	Custom Farr 52	3883	21	1978	70.4 18.51	135	70.4 18.51	65.2 8.82	23.2 15.08	69.78 21.9		0	52.19 47.26	25391 9679	No 1	IB FOLD	RTG W/USYRU AGE ALLOWANCE IOR RTG W/USYRU AGE ALLOWANCE R=44.9 (1987) 18/24 AS PER PHRF MTG 4/20/95. SHORTENED MAST 6.15 FEET FROM TOP, REDUCED MAINSAIL AREA FROM 24/27 MTC 8/10/95	
			492 109		ALUMN MS		0 0	900	39.44 39.44	2293	<input type="checkbox"/>	0	15.45 8.79	Lead FIXED	2			
Jaybird	J 133 CM	52443	24	2004	57 17.25	100	60.4 24	54 7	18.6 12	No	Yes	0 0	38.08 30.25	16900 6850	0 1	IB Fixed_2		
			574 278		CARBON FS			595			<input type="checkbox"/>	0	11.8 6.8	Iron FIXED				
Albion	J 124	14	27	2007	49 14	145	54.7 19.43	48.4 6.4	17 11	No	Yes	32.74 1528	40.7 36.2	12600 5000	0 1	IB Fold	(Mtg 2/23/17, -6 sec/mi for asymmetric spinnaker modifications)	
			522 121		CARBON FS			488			51.51 32.74	3.83 <input checked="" type="checkbox"/>	11.33 7	Lead FIXED				
Spirit of Freedom	J 124	38006	27	2006	49 14	155	54.7 15.4	48.4 17		Yes	Yes	32.6 1243	40.7 36.2	12600 5000	No 1	IB FOLD	(mtg 4/22/10, -3 sec/mi for OSP, -3 sec/mi for ability to square back pole)	
			535 121		CARBON FS				53.9 27.7	15.4 1244	55.1 51.9	0 0	11.3 6.9	Lead FIXED	2			

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications								
			Built	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB									
										E	MGM									SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type
Disp/WL ratio	Mast Material	Rig Type	EY	SSF	ASM	Fixed or _o	Max Draft																				
Wildcard	Santa Cruz 37	37005	27	2009	47.1	107	52.17	47	6.4	No	Yes	33.3	37	8662	0	IB	(Mtg 1/26/16, new keel box & rudder noted, NCTR)										
					13.4		19	17	11		59.7	34.75	3730	1	FOLD												
			507		CARBON				474		50.85	10.64	Lead	FIXED	2												
			94		FS						33.3	7.5															
Blue	Swan 53-2	61522	30	2012	71.96	105	73.84	65.88	7.64	No	Yes	38.89	54.07	54482	0	IB	(Mtg 3/23/17, -3 sec/mi for ability to fly a-sail on a squared back pole)										
					19.52		19.53	21.98	13.38		75.95	47.24	22400	1	Fold												
			530		CARBON				826		67.09	15.58	Lead	CNTRBRD													
			235		MS						36.72	12.14															
Dark & Stormy	1D 35	35018	30	1998	42	110	44.8	44	7.5	No	Yes	31.4	35	6550	0	IB	Fixed bow sprit, using Asymmetrical spinnaker(mtg 3/20/08, -9 sec/mi for oversized spinnaker, +3 sec mi for not being able to articulate pole, as sailed: 30)										
					12.47		17.39	19	12		51.8	31.5	2660	1	FOLD												
			518		CARBON				497		46.62	10.9	Lead	FIXED	2												
			95		FS						29.83	7.58															
Rufless	Melges 32 MOD	174	30	2007	40.86	105	48.3	44.05	6.95	No	Yes	31.3	31.84	4200		OB	(mtg 2/23/17, no longer using the class spinnaker. +3 sec/mi for small asymmetric)										
					10.7		18.7	15.49	11.14		54	28.5	1600	1	None												
			481		CARBON				438		46.2	9.83	Lead	FIXED													
			82		FS						28.2	7															
Bad Dog	J 111	103	36	2011	48.37	105	51.4	45.7	6.1	No	Yes	31.86	36.5	9300	0	IB											
					13.85		20.08	14.5	10.1		59.05	32.7	3500	1	Fold												
			532		CARBON				414		48.88	10.8	LeadSteel	FIXED													
			121		FS						31.86	7.2															
Swift Ness	J 111	101	36	2014	48.37	105	51.4	45.17	6.1	No	Yes	31.8	36.5	9300	0	IB											
					13.85		20.08	14.5	10.1		59.05	32.7	3500	1	Fold												
			534		CARBON				410		46.88	10.8	LeadSteel	FIXED													
			121		FS						31.8	7.2															
Tiburon	C&C 30 Mills	11	36	2014	40.8	105	46.74	41.8	7	No	Yes	31.5	30	3995	0	IB											
					11.28		18.6	14.2	10		52.9	28.7	1579	1	Fold												
			495		CARBON				387		46.16	9.8	Lead	FIXED													
			77		FS						31	7.5															

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
			Max Headsail		I	J		P	MGU	Yes/No	Yes/No	ASF	Ttl Disp.		Traps/H. Strps				
			DW Rating		Mast Material	E		MGM	SL	SPL	SLU	ASA	Ballast		moveable blst				
			Disp/WL ratio		Rig Type	PY		MSA	SSMG	SSA	SLE	Sprit Lngth	Ballast Mat.		Keel Type				
								SSFF	ASA	Fixed or _o									
Trois Amis	Screamer 12 Meter MOD	194	<b>36</b>	1985	44.58 15.75	140	44.58	41 14.2	5.3 9.2	Yes	No			39.37 32.5 10.33 7.67	6000 1350 Lead	0 1 FIXED	OB None	(mtg 3/23/17, custom rating of 36 assigned)	
			<b>506</b> 79		ALUMN MS				345			<input type="checkbox"/>	0 0						
Wet Corvette	Melges 30	103	<b>36</b>	1994	36.85 10.59	150	36.85 18.96	38 15.49		No	Yes			30 28.6 9.1 7	3800 1750 Lead	0 1 MVBL	IB FOLD 2		
			<b>507</b> 74		CARBON FS							<input type="checkbox"/>	8.4 90						
Zsa-Zsa	1D 35	35017	<b>36</b>	1999	42.49 12.52	110	44.78	44.46 18.58	7.55 12	Yes	No			35 31.5 10.75 7.6	6500 2600 lead	No 1 FIXED	IB Feath 2		
			<b>520</b> 95		CARBON FS			0 0	498			<input type="checkbox"/>	0						
Vera Cruz	Sunsail F40 ODR	1003	<b>42</b>	2012	52.69 15.09	105	56.54 17.06	51.15 17.65	6.53 11.42	No	Yes			40.15 35 12.76 8.04	17437 6609 Lead	0 1 FIXED	IB Fold 2		
			<b>571</b> 185		ALUMN FS				534			<input checked="" type="checkbox"/>	30.32 1200 1.98 0						
Afterburner	Synergy 1000	1001	<b>45</b>	1999	40.75 12	110	45.75 16.4	42 15.5	6.99 11.03	No	Yes			32.83 29.17 9.75 7	4600 1850 Lead	0 1 FIXED	IB Feath 2		
			<b>538</b> 84		CARBON FS				417			<input checked="" type="checkbox"/>	26 1089 4.3 0						
Divine Wind	Olson 40	69069	<b>45</b>	1983	50 15.75	150	51.21 15.8	44 14.25	5.5 9.29	Yes	No			40.33 36 11.25 6.5	10500 5500 Lead	0 1 FIXED	IB Feath 2		
			<b>540</b> 102		ALUMN MS				376			<input type="checkbox"/>	0 0						
Kira	Aerodyne 38 SD	38104	<b>45</b>	2003	50.82 14.5	105	57.25 20.83	51.75 16.5	6.25 10.6	No	Yes			37.66 34.21 13 6	11850 4150 Lead	0 1 FIXED	IB Fold		
			<b>634</b> 135		ALUMN FS				506			<input checked="" type="checkbox"/>	39.5 2062 0						

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps Ballast moveable blst Ballast Mat. Keel Type		
Peregrine	J 120 Carbon	25487	<b>45</b> 2001	50.5 14.5	150	52	46.5 17.8	6.76 11.57	No	Yes	35.1 1776 7	40 35 12 7	13900 6000 Lead	0 1 FIXED	IB Fold 2		
			<b>540</b> 147	CARBON FS				493			<input checked="" type="checkbox"/>						
Quiver	Custom Nelson Marek 36	28669	<b>45</b> 1999	43.85 12.5	105	51.9 14.57	45.75 16.47	6.56 10.66	Yes	Yes	26.24 1221 1.5	35.6 29.32 10.3 7.6	7725 3255 Lead	No 1 FIXED	IB FOLD 2	(mtg 6/15/10, added lead shoe to keel, -3 sec/mi, change custom rating from 48 to 45)(Mtg 2/29/12, added sprit equal to SPL, NCTR)	
			<b>542</b> 139	CARBON FS				453			<input checked="" type="checkbox"/>						
Void Star	Santa Cruz 40	59995	<b>45</b> 1982	52 16	135	52 18.67	45.5 14	5.2 8.58	No	Yes	33.62 1238 0	40 36 12 7	12500 5000 Lead	0 1 FIXED	IB FEATH 2	(Mtg 10/22/15, -6 sec/mi for 20% increase in JSP)(4/6/16, +3 sec/mi for non-articulating spinnaker)	
			<b>548</b> 122	ALUMN MS				370			<input checked="" type="checkbox"/>						
Family Hour, TNG	Henderson 30	46595	<b>48</b> 1997	37 11	155	42.3 17.8	38.2 14	6.74 10.62	Yes	Yes	31.9 1223 6.2 15	30.83 27.75 9.84 7	3850 1750 Lead	0 1 FIXED	OB None 0	Kelp Cutter	
			<b>504</b> 82	CARBON FS				356			<input type="checkbox"/>						
Hokulani	J 120 ALUM	43	<b>48</b> 1996	50.42 14.42	155	50.42 21.42	46.42 17.67	6.58 11.42	No	Yes	37.8 1777 0 0	40 35 12 7	13900 6000 Lead	0 1 FIXED	IB Fold		
			<b>538</b> 147	ALUMN FS				486			<input checked="" type="checkbox"/>						
Hot Socks	Figaro II	27	<b>48</b> 2004	42.75 12.42	104	42.75	42.67 15.42	7 11	Yes	No	0 0 0	32.18 32 11.33 6.5	6724 2425 LeadWater	0 1 FIXED	IB Fold		
			<b>564</b> 93	CARBON FS				422			<input type="checkbox"/>						
Jamani	J 120 ALUM	52879	<b>48</b> 2002	50.5 14.5	155	52 21.5	46.5 17.8	6.7 11.5	No	Yes	34 1729 7 0	40 35 12 7	13900 6000 Lead	0 1 FIXED	IB FOLD 2		
			<b>542</b> 147	ALUMN FS				491			<input checked="" type="checkbox"/>						

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
			Built	J	Max Headsail	ISP	JSP	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB		
		DW Rating	Mast Material			E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type				
		Disp/WL ratio	Rig Type			PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades				
						EY		SSF		ASM	Fixed or _o	Max Draft							
Kookaburra	J 120 ALUM	153	48	2001	50.5	155	52	46.5	6.2	No	Yes	30.3	40	13900	No	IB			
					14.5		21.5	17.8	10.7		60.8	1265	35	6000	1	FOLD			
			556		ALUMN		0	471			50.6	7	12	Lead	FIXED	2			
			147		FS		0				26.5	<input checked="" type="checkbox"/>	7						
Saetta	J 120 ALUM	28486	48	1999	50.5	153	52	46.5	6.75	No	Yes	37.6	40	13900	No	IB			
					14.5		21.5	17.8	11.5		65.61	1793	35	6000	1	FOLD			
			540		ALUMN		0	492			51.8	7	12	Lead	FIXED	2			
			147		FS		0				36.42	<input checked="" type="checkbox"/>	7						
Sapphire	Synergy 1000	38008	48	2004	40.8	125	45.75	42	5.86	No	Yes	28	32.83	4400	No	IB	(Mtg 10/22/15, +3 sec/mi for smaller than class mainsail)		
					12		16.4	15.5	10.03		52	1172	29.17	1850	1	FOLD			
			532		CARBON				387		46.2	4.3	9.75	Lead	FIXED	2			
			81		FS						28.8	<input type="checkbox"/>	7						
Twist	J 120 ALUM	28442	48	2000	50.5	150	52	46.5	6.75	No	Yes	34.1	40	13900	No	IB			
					14.5		21.5	17.8	11.5		64	1764	35	6000	1	FOLD			
			541		ALUMN		0	492			50.6	7	12	Lead	FIXED	2			
			147		FS		0				37.65	<input checked="" type="checkbox"/>	7						
Alchera	J 120 Mod	28870	51	2001	50.5	125	52	46.5	6	No	Yes	34	40	13900	No	IB	Modifications for offshore singlehanded: Smaller spinnaker and main, 2 extra winches at helm, 3 additional gel batteries, dodger boss widened and all control lines led to cockpit, radar pole, veltran MHN jib. (Mtg 2/24/09, +3 sec/mi for small)		
					14.5		21.55	17.57	10.57		57.96	1407	35	6000	1	FOLD			
			554		CARBON		0	463			49.99	7	12	Lead	FIXED	2			
			147		FS		0				30.6	<input checked="" type="checkbox"/>	7						
Argo	Beneteau 40.7 First Farr	46933	54	1999	51.61	105	51.61	48.85	6.72	Yes	No		39.33	15211	0	IB			
					14.47		14.47	17.72	11.51		50.9	14.47	34.83	5950	1	Feath			
			569		ALUMN				515		26	1094	12.33	Lead	FIXED	2			
			164		FS						25		7.75						
Captain Sluggo	Hobie 33	77870	54	1982	34.7	105	42.3	38.1	6	No	Yes	25.6	33	4532	0	OB	(Meeting 4/27/17, Custom rating assigned: 54)		
					12.2			13.5	9.6		44.6	928	30.4	1800	1	None			
			524		CARBON				328		42.4	0	8	Lead	FIXED				
			73		MS						25.6	<input type="checkbox"/>	90						



Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Keel		Engine/Prop	Modifications
			Built	ISP	I	J	Max Headsail	ISP JSP	P	MGU	Yes/No	Yes/No	ASF		Max Beam	Ttl Disp.		
			DW Rating		Mast Material		E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type		
			Disp/WL ratio		Rig Type		PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Draft	Ballast Mat.	Keel Type	# of blades		
							EY		SSF		ASM	Fixed or _o						
Envolee	Figaro II	0	<b>54</b>	2012	42.75 12.42	104	42.75	42.67	6.5	Yes	No		32.18	6724	0	IB	(mtg 4/27/17, water ballast disabled, +6 sec/mi)	
			<b>558</b> 93		CARBON FS			15.42	10.63	43.96	13.85		32	2425	1	Fold		
									410	23.62	865	0	11.33	LeadWater	FIXED			
										23.63		0	6.5					
Everlong	Beneteau 40.7 First Farr	51705	<b>54</b>	2002	51.61 14.47	104	51.61	48.85	6.73	Yes	Yes		39.33	15211	0	IB		
			<b>569</b> 164		ALUMN MS			17.72	11.51	50.92	14.47		34.83	5950	1	FOLD		
								0	515	26	1103	0	12.33	Lead	FIXED	2		
								0		26			7.75					
Freedom	Beneteau 523	38333	<b>54</b>	2006	65.22 20.77	105		59.09	6.39	No	Yes	35.519	53.08	32800	No	IB	Bow Thruster, in-mast furling, above deck jib furler; (Mtg 8/17/06 - +6 s/m for small girth main); electric winches added 1/29/07 (Mtg 3/28/13, +3 secmi for 8% decrease in mainsail area)	
			<b>512</b> 135		ALUMN FS			18.53	11.04		66.974	1854	47.92	10935	1	FOLD		
									620		58.269	2	16	Iron	FIXED	3		
											35.519	0	7.5					
Frequent Flyer	Mumm/Farr 30	52	<b>54</b>	1996	38.2 10.9	104	44.9	40.5	6.42	Yes	Yes	25.25	30.9	4561	0	IB		
			<b>540</b> 99		CARBON FS			14.6	10.4	44.58	13.58		27.6	1997	1	Fold		
									377	25.25	934	0	10.1	Lead	FIXED			
										24.67		0	6.9					
Q	Custom Schumacher 40	28901	<b>54</b>	2001	47 14.67	105	47	47.5	6.75	Yes	No		40	10166	No	IB		
			<b>554</b> 148		CARBON FS			18.35	11.75	46.8	14.67		31.5	4528	1	FOLD		
								0	513	26.41	1030	0	11	Lead	FIXED	2		
								0		26.41			7.6					
Wild 1	Flying Tiger 10 Meter ODR	41	<b>54</b>	2007	39.284 12.126	105	45.282	40.167	6.463	No	Yes	27.493	32.68	4376	0	OB		
			<b>517</b> 71		CARBON FS			14.895	10.499		51.541	1087	30.31	1918	1	None		
									378		42.651	7.008	9.12	Lead	FIXED	3		
											27.76	0	7.61					
Ebb Tide	Wauquiez 45s Centurion	60245	<b>57</b>	2003	55.77 17.72	100	55.77	51.84	6.51	Yes	Yes	32.25	45.92	23148	0	IB	(Mtg 5/26/11, Increased "JSP" by 5.67" which equals a 30% increase. - 9 sec/mi per NCPHRF Rules & Guidelines.)(Mtg 3/29/12, JSP now same as J+9 sec/mi, Asymmetrical spinnaker still oversized, -3 sec/mi)	
			<b>542</b> 161		ALUMN FS			19.32	11.68	55.59	17.72		40.25	8488	1	Fold		
									567	31.9	1466	0	13.67	Lead	FIXED	3		
										30.62		0	8.17					

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications					
			Built	J	Max Headsail	ISP	P	MGU	Yes/No		Yes/No		LOA	LWL	Ttl Disp.	Traps/H.	Strps	IB or OB						
									E	MGM	SL	SPL								SLU	ASA	Ballast	moveable blst	Prop Type
Disp/WL ratio	Mast Material	Rig Type	EY	SSF	ASM	Fixed or_o	Max Draft	Ballast Mat.																
Encore	Sydney 36 CR	3632	57	2006	45.6	104	50.33	44.36	6.1	No	Yes	28.9	36.06	12897	No	IB	(Australian IRC Rating 1.052)(Mtg 8/23/12, change custom rating from 54 to 57)							
			565		14			16.4	10.6		55.7	31.04	4850	1	FOLD									
			196		ALUMN				431		48	11.32	Lead	FIXED	2									
					FS						29.9	7.55												
Imagine	Davidson 44 MOD	77220	57	1980	49.92	125	50.33	58.3	6.9	Yes	No		44	24410	No	IB	(Mtg 4/27/17, custom rating of 57 assigned)							
			568		15.38			18.33	12.8			38.5	7000	1	FOLD									
			194		ALUMN			0	652		0	13	Lead	FIXED	3									
					FS			0				7.6												
Outsider	Azzura 310	1000	57	1996	35.35	110	43.33	38.75	6.68	No	Yes	30.1	30.75	4850	No	OB	6 FT ARTIC. RETRAC BOWSPRIT. MTG 3/28/96 (RATED 66) (CHNG NOTED 4/18/96-NO CHNGE RTNG. (2/13/96 FM 66 TO 60.))( MTG 11/13/97 FM 60 TO 57)MTG 2/12/98 FM 57 TO 63 (MTG 4/9/98) Inboard Sail Drive removed and replaced with							
			525		11.55			13.25	10.5		47.01	27.4	2100	1	Fixed_3									
			107		CARBON			0	352		39.7	10	Lead	FIXED	3									
					FS			0			32.7	7.2												
Six Brothers	Columbia C 30-2	32006	57	2013	36.67	103	42	38	7.77	No	Yes	31.5	32	4500	0	IB								
			529		12.67		17.67	14.67	10.64		50	27	1900	1	None									
			104		ALUMN				374		42.05	10.13	Lead	FIXED										
					FS						29.43	7.42												
Sweetspot	C&C 121 DK W/5' BS	46921	60	2000	57	135	57	51	6.19	No	Yes	36	40	14100	No	IB	Deep Keel-bowsprit, (Mtg 4/24/08, rating appeal submitted, change base rating for C&C 121 DK w/ 5' BS, aka C&C 121 XP, to 60)							
			549		15		20	16.386	10.6		63.8	35.5	5500	1	FOLD									
			143		ALUMN			0	496		55.6	13.8	Lead	FIXED	2									
					MS			0			37.5	8												
Invictus	Jeanneau Sunfast 3600	12	63	2015	46.58	105	48	44.25	6.49	No	Yes	27.8	35.42	10362	0	IB								
			572		13.83		17.67	15.08	9.91		55.77	31.25	4850	1	Feath									
			154		ALUMN				411		46.59	11.67	Lead	FIXED										
					FS						28	7												
Ohana	Beneteau 45F5	38023	63	1991	53.15	100	55.15	55.4	7.06	Yes	No		44.11	26500	0	IB	(Mtg 12/1/11, -6 sec/mi for new keel)							
			580		15.08		16	18.58	12.08			36.9	8500	1	FEATH									
			240		ALUMN				613		27.14	14.1	Lead	FIXED	3									
					FS						27.14	7.9												

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
			Built	J	Max	ISP	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	IB or OB	# of blades			
				Head	Sail	JSP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst			Prop Type	
				Material	Rating		PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type				
	Rig Type	Disp/WL ratio		EY		SSF		ASM	Fixed or _o	Max Draft									
Jeannette	Custom Frers 40 IOR 1 Tonner	40646	66	1986	47.2	100	13.7	51.48	7.13	Yes	No		39.5	12900	0	IB	(mtg 5/31/07 custom rating changed from 63 to 60 based on performance data)(Mtg 8/27/15, change custom rating back to 63 after review of race results)		
			569		13.7			18.76	12.19			33	6000	1	FOLD				
			163		ALUMN				575		0	12.6	Lead	FIXED	2				
					FS						0	8.1							
Lindo	J 109	195	69	2005	46.5	155	49	43.3	5.89	No	Yes	27.75	35.25	10900	0	IB			
			580		13.3		18.8	15.5	10.07		Yes	1160	30.5	3900	1	FOLD			
			175		ALUMN				400		45.63	5.5	11.5	Lead	FIXED	2			
					FS						27.2	0	7						
Mirthmaker	A 35	18250	69	2007	44.22	90	51.06	44.94	5.42	Yes	Yes	24.2	34.7	9810	0	IB	(Mtg 5/20/10, custom rating of 60 assigned, would like a copy of ORR Certificate)(mtg 6/15/10, change custom rating from 60 to 63 based on further clarification of boats configuration)(Mtg 10/27/16, change custom rating from 63 to 60 after		
			574		13.45			14.66	8.88		Yes	996	30.47	4367	1	Fold			
			158		CARBON				381		46.7	1.5	11.6	Lead	FIXED	2			
					FS						22.5	0	6.88						
Pegasus - Motion X	J 100 ODR MOD	1197	69	2005	38	95	43	38	5.32	No	Yes	23.3	32.8	7250	No	IB	(Mtg 2/26/09, -3 sec/mi for adding sprit)(mtg 1/21/10, additional -3 sec/mi for lengthening sprit to 4.13')(Mtg 1/27/11, -6 sec/mi for increased "e")(Mtg 1/26/11, shortened J, boat rigged for chathamod sailing, NCTBY4/23/17		
			579		12.7		15.63	15.3	9.32		Yes	861	29	2500	1	FOLD			
			135		CARBON				332		39.1	4.13	9.3	Lead	FIXED	2			
					FS						23.9	0	5.8						
Skinny Love	11 Metre ODR	92	69	1996	32.53	95	41	36.08	5.23	Yes	No		33.67	3600	No	OB	MTG 4/9/98. Sail number 90, using sail # 246 for Vallejo 2008		
			536		10.166			13.583	8.82		No		26.92	1600	1	None			
			84		ALUMN			0	293		0		8.67	Lead	FIXED	0			
					FS			0			0		5.42						
Willow	Wauquiez 40s Centurion	38300	69	2004	51.5	110	51.5	49.21	7.3	Yes	Yes	28.54	41.17	18960	No	IB	(mtg 3/18/10, -3 sec/mi for oversized a-sail.)(mtg 1/27/11, - 3 sec/mi for added sprit)		
			573		14.17			19.3	12.5		Yes	1155	36.4	6085	1	FEATH			
			179		ALUMN				564		46.75	2.4	12.66	Lead	FIXED	3			
					FS						27.66	0	7.75						
Basic Instinct	Custom Elliott 10.50	8123	72	1993	41	125	45.6	44.2	8.5	No	Yes	29.4	34.42	10220	No	IB	(mtg 3/19/09, changed to smaller headsail, +3 sec/mi, & larger mainsail, -6 sec/mi, change rating from 66 to 63)(Mtg 10/21/09, new smaller headsail, still with large headboard. Change mainsail penalty from 6 sec/mi to 2 sec/mi		
			570		12.5		13.9	17.5	12		Yes	1192	31.83	3000	1	FOLD			
			144		ALUMN			0	497		45.82	0	12.08	Lead	FIXED	2			
					FS			0			29.4	0	7						

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast		Traps/H. moveable blst				
								SL	SPL						Yes			No
								SSMG SSF	SSA									
Bullet	Express 37	40311	72 1985	48.75 14.33 155	48.75	42 13.75 0 0	5.3 8.83 344	Yes 48 25.79 25.79	14.33 1032	No <input type="checkbox"/>	37.08 30.83 11.57 7.25	11000 4600 Lead	No 1 FIXED	IB FOLD 2				
Eclipse	Express 37	18495	72 1985	48.75 14.33 155	48.75	42 13.75 0 0	5.28 8.83 344	Yes 48 25.79 25.79	14.33 1032	No <input type="checkbox"/>	37.08 30.83 11.57 7.25	11000 4500 Lead	0 1 FIXED	IB FOLD 2	Rudder modification noted, no change to rating. (Actual weight from yard 11200 - 9500 was design displacement. No mods from standard express 27.) 3/26/01			
Elan	Express 37	87700	72 1985	48.75 14.33 155	48.75	42 13.75 0 0	5.28 8.83 344	Yes 48 25.79 25.79	14.33 1032	No <input type="checkbox"/>	37.083 30.833 11.57 7.25	11000 4500 Lead	No 1 FIXED	IB FOLD 2				
Escapade	Express 37	18051	72 1985	48.75 14.33 155	48.75	42 13.75 0 0	5.28 8.83 344	Yes 48 25.58 25.42	14.33 1022	No <input type="checkbox"/>	37.08 30.83 11.57 7.25	11000 4500 Lead	No 1 FIXED	IB FOLD 2				
Expeditious	Express 37	18478	72 1986	48.75 14.33 155	48.75	42 13.75 0 0	5.28 8.83 344	Yes 48 25.5 25.4	14.33 1019	No <input type="checkbox"/>	37.08 30.83 11.57 7.25	11000 4500 Lead	No 1 FIXED	IB FOLD 2	INSTALED NEW CLASS-APPROVED CARBONFIBER RUDDER - MTG 6-12-2000 NCTR.			
Golden Moon	Express 37	18488	72 1985	48.75 14.33 155	48.75	42 13.75 0 0	5.37 8.99 347	Yes 48.27 25.79 25.79	14.33 1037	Yes 49.8 46 25 <input type="checkbox"/>	29.5 1034 0 90	37 30.83 11.57 7.25	11000 4500 Lead	No 1 FIXED	IB FOLD 2			
Junkyard Dog	J 109 ODR	168	72 2004	46.5 13.3 105	49 18.83	43.25 15.5 0 0	5.88 10 398	No		Yes 56.33 45.63 27.2 <input checked="" type="checkbox"/>	27.75 1160 5.5 0	35.25 30.5 11.5 7	10900 3900 Lead	No 1 FIXED	IB FOLD 2			

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications			
					J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H.	Strps		IB or OB Prop Type # of blades		
										SL	SPL									Ballast	moveable blst
										SSMG SSF	SSA									Ballast Mat.	Keel Type
La Viajera	J 109 ODR	46480	72	2004	46.5 13.3	105	49.6 18.8	43.25 15.5	5.89 10.07	No	Yes	27.75 1160 5.5 0	35.25 30.5 11.5 7	10900 3900 Lead	0 1 FIXED	IB Fold 2					
Mudshark	Express 37	28052	72	1986	48.75 14.33	155	48.75	42 13.75 0 0	5.28 8.83 344	Yes	No	0	37.08 30.83 11.57 7.25	11000 4500 Lead	No 1 FIXED	IB FOLD 2					
Phat Jack	Express 37	18257	72	1985	48.75 14.33	150	48.75	42 13.75	5.25 8.83	Yes	No	0 0	37.08 30.83 11.57 7.25	11000 4500 Lead	0 1 FIXED	IB FEATH 2					
Punk Dolphin	Custom Wylie 38	18481	72	1985	48 14.33	150	48	43 14 0 0	5.58 9.55 369	Yes	No	0	38 31 11.6 6.75	14000 5000 Lead	No 1 FIXED	IB FOLD 2					
Stewball	Express 37	18278	72	1985	48.75 14.33	150	48.75	42 13.75 0 0	5.28 8.83 344	Yes	No	0	37.083 30.833 11.57 7.25	11000 4500 Lead	0 1 FIXED	IB FOLD 2					
Abracadabra	Antrim 27 CM ODR	28927	75	1996	28.69 8.17	116	37.25 15	33.75 14 0 0	7.5 10.9 327	No	Yes	25.1 723 6.83 13	27.83 23.75 9.25 6	2900 1050 Lead	No 1 FIXED	OB None 0	BOWSPRINT IS ARTICULATING				
Akialoa	J 35	28435	75	1989	46.33 14.58	120	46.3	41.42 14 0 0	5.43 9.11 347	No	No	0	35.42 30 11.67 6.75	10500 4400 Lead	No 1 FIXED	IB FOLD 2					

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
			Rating		I	J	ISP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp. Traps/H. Strps		IB or OB		
			Rating		Max	Max	JSP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type		
			Disp/WL ratio		Headsail	Headsail		PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades		
Escapade	Sabre 40-2	38011	75	1997	54	110	54	47.5	5.6	Yes		Yes	23.5	40.2	19760	0	IB		
					15.5		16	17	9.9			53.5	1001	34	7500	1	FEATH		
			599		ALUMN				449			47	0	13.3	Lead	FIXED	3		
			229		MS							24	<input checked="" type="checkbox"/>	0					
Expression	Express 37 MOD	33985	75	1984	48.75	150	48.75	42	5.3	Yes		No	19	37.1	9500	0	IB	(mtg 1/21/10, +3 sec/mi for modified keel, -3 sec/mi for dual spinnaker/ability to fly asym on squared back pole)(1/19/11, removed asym, only using symmetric spinnaker, +3 sec/mi)	
					14.33			13.75	9			48	705	30.83	4500	1	Fold		
			590		ALUMN				346			45	0	11.5	Lead	FIXED	2		
			147		MS							18	<input type="checkbox"/>	90					
Princess	Sabre 40-2	28876	75	1996	53.5	110	53.5	47.8	6.27	No		Yes	26.75	40.17	19500	No	IB	base rtg changed frm 69 to 72 MTG 4/8/03.	
					15.5		20.5	17	10.7			57.94	1205	35.25	7000	1	FOLD		
			588		ALUMN			0	476			46.65	5	13.25	Lead	FIXED	2		
			202		MS			0				27.88	<input type="checkbox"/>						
Raven	Benteau First 35	38073	75	2001	47.24	108	51.48	45.93	5.98	Yes		No		36.32	12125	0	IB		
					13.12			14.75	10.23					30.6	3681	1	Fold		
			586		ALUMN				419					12.76	Iron	FIXED			
			192		FS								<input type="checkbox"/>	0					
Rustler	Esse 850	71	75		32.8	105	37.72	34.4	6.23	No		Yes	24.3	28	3000	0	IB	Outboard replaced with inboard saildrive (Mtg 2/28/13, custom rating assigned, as sailed: 75)	
					10		16.2	11.97	8.85			43.5	779	28	1540	1	Fold		
			535		ALUMN				277			36.9	6.05	7.25	Lead	FIXED			
			62		FS							23	<input checked="" type="checkbox"/>	0					
Timber Wolf	Farr 38-1 C&B Marine	67519	75	1980	43.91	155	47.9	44.83	6.7	Yes		No		38.32	12000	0	IB	(REDUCED MGM, ADDED 6" TO RUDDER LENGTH -NOTED NCTR-2/15/01)(-3 sec/mi for oversized spinnaker)	
					13.36			17.91	11.6					30.9	4100	1	FOLD		
			579		ALUMN			0	476					11.97	Lead	FIXED	2		
			185		FS			0					<input type="checkbox"/>	0					
Advantage 3	J 105 ODR w/ 5'BS	84	78	1994	40.6	100	42.1	41.5	5.5	No		Yes	25.5	34.5	7750	No	IB		
					13.5		19.07	14.5	9.4			49	957	29.5	3400	1	FOLD		
			581		ALUMN			0	358			38.6	5	11	Lead	FIXED	2		
			137		FS			0				26.4	<input checked="" type="checkbox"/>						

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst	Strps Keel Type	
Akula	J 105 ODR w/ 5'BS	16	<b>78</b> 1992	40.6 13.5	100	42.1 19.07	41.5 14.6	5.5 9.4	No	Yes	25 854 5 23	34.5 29.5 11 6.5	7750 3400 Lead	No 1 FIXED	IB FOLD 2		
			<b>585</b> 137	ALUMN FS			0 0	359			<input checked="" type="checkbox"/>						
Alchimiste	Archambault 27	38973	<b>78</b> 2013	34.25 10.83	100	39.08 15.98	34.78 12.63	4.75 8.16	No	Yes	26.9 872 0 0	27.4 22.7 9.7 5.7	4894 1814 Lead	0 1 FIXED	IB Fold	(Mtg 10/22/15, Custom rating assigned. Includes -9 sec/mi penalty for 22% oversized ASA & +3 sec/mi credit for non-articulating sprit. As sailed: 78)	
			<b>616</b> 190	ALUMN FS				261			<input checked="" type="checkbox"/>						
Godot	J 105 ODR w/ 5'BS	28905	<b>78</b> 1992	40.6 13.5	95	42.1 19.07	41.5 14.6	5.5 9.4	No	Yes	23.29 958 5 26.8	34.5 29.5 11 6.5	7750 3400 Lead	No 1 FIXED	IB FOLD 2		
			<b>581</b> 137	ALUMN FS			0 0	359			<input checked="" type="checkbox"/>						
Lightwave	J 105 ODR w/ 5'BS	319	<b>78</b> 2000	40.6 13.5	100	42.1 19.07	41.5 14.5	5.5 9.4	No	Yes	22.9 947 5 26.6	34.5 29.5 11 6.5	7750 3400 Lead	No 1 FIXED	IB FOLD 2		
			<b>581</b> 137	ALUMN FS			0 0	358			<input checked="" type="checkbox"/>						
Mamaluc	J 105 ODR w/ 5'BS	265	<b>78</b> 1999	40.6 13.5	100	42.1 19.07	41.5 14.5	5.5 9.4	No	Yes	25.9 962 5 25.88	34.5 29.5 11 6.5	7750 3400 Lead	No 1 FIXED	IB FOLD 2		
			<b>581</b> 137	ALUMN FS			0 0	358			<input checked="" type="checkbox"/>						
Nantucket Sleighride	J 105 ODR w/ 5'BS	414	<b>78</b> 2001	40.6 13.5	100	42.1 19.07	41.5 14.5	5.5 9.4	No	Yes	25 863 5 23.3	34.5 29.5 11 6.5	7750 3400 Lead	0 1 FIXED	IB Fold 2		
			<b>585</b> 137	ALUMN FS				358			<input checked="" type="checkbox"/>						
Pressure Drop	Beneteau Farr First 36.7	52489	<b>78</b> 2006	46.4 13.1	155	46.4 14.35	45.4 15.6	5.92 12.49	Yes	No	23.29 867 0 90	36 30.3 11.4 7.3	12495 4034 Lead	0 1 FIXED	IB Fold 2	(12/2/16, -3 sec/mi for JSP)	
			<b>602</b> 204	ALUMN FS				458			<input type="checkbox"/>						

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Keel		Engine/Prop	Modifications
					I	J	Max Headsail	ISP	ISJ	P	MGU	Yes/No	Yes/No		ASF	Ttl Disp.		
			DW Rating		Mast Material		PY	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type		
			Disp/WL ratio		Rig Type		EY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades		
									SSF		ASM	Fixed or _o	Max Draft					
Russian Roulette	J 105 ODR w/ 5'BS	85	<b>78</b>	1995	40.6 13.5	100	42.1 19.07	41.5 5.5	5.5 9.4	No	Yes	25	34.5	7750	0	IB		
			<b>585</b>		ALUMN						48.9	854	29.5	3400	1	Fold		
			137		FS				358		38.7	5.5	11	Lead	FIXED	2		
											23	<input checked="" type="checkbox"/>	6.5					
Salt Peanuts	Custom Dees GP 26	18	<b>78</b>	2008	29.35 8.07	130	36.43 14.32	32.42 12.63	5.58 8.69	No	Yes	20.41	25.72	2340	0	OB	(mtg 2/18/10, change custom rating from 75 to 78)(3/28/12, New Rudder Noted)	
			<b>562</b>		CARBON						43.5	626	21.22	1100	1	None		
			111		FS				258		31.76	6.23	8	Lead	FIXED	0		
											19.85	<input checked="" type="checkbox"/>	6.04					
Sweet Okole	Custom Farr 36	29000	<b>78</b>	1976	42.049 12.35	155	42.049	44.54 16	5.9 10	Yes	No		36	9696	No	IB	(78 MTG 1/28/93) (81 MTG 3/18/93)(Mtg 5/22/08, +3 sec/mi for switching to smaller headsail, +3 sec/mi for removing 250# shoe from keel, change custom rating from 81 to 87)(6/7/10, change headsail to 155% 2 sec/mi change rating)	
			<b>585</b>		ALUMN						43.82	12.35	31.33	3750	1	FOLD		
			143		FS				416		22.23	812	11.88	Lead	FIXED	2		
											22.23		7					
											<input type="checkbox"/>	0						
Vuja Star	J 105 ODR w/ 5'BS	181	<b>78</b>	1998	40.6 13.5	100	42.1 19.07	41.5 14.5	5.5 9.4	No	Yes	29.5	34.5	8733	0	IB		
			<b>581</b>		ALUMN						49.52	958	29.5	3400	1	Fold		
			155		FS				358		39.8	5.5	11	Lead	FIXED	2		
											24.8	<input checked="" type="checkbox"/>	6.5					
Courageous	J 88	77	<b>81</b>	2015	38.67 11.28	104	46 18.05	36.82 12	5.44 8.4	No	Yes	29	29.19	4990	0	IB		
			<b>561</b>		CARBON						47.83	1022	26.84	1840	1	Fold		
			117		FS				282		40.84	5.25	9.5	Lead	FIXED			
											27.32	<input checked="" type="checkbox"/>	6.5					
CruzSea Baby	Beneteau First 10R ODR	52878	<b>81</b>	2007	43.2 12.07	155	46.41 16.5	42.25 14.73	5.59 9.57	No	Yes	27.5	32.75	9715	0	IB	(Rudder Modifications noted, smaller non-class spinnaker +3 sec/mi)	
			<b>603</b>		CARBON						49.5	1055	28.7	3528	1	Fold		
			187		FS				371		41.5	4.43	11	Lead	FIXED	2		
											27.9	<input checked="" type="checkbox"/>	6.55					
Dare Dare	Jeanneau Sun Fast 3200	39	<b>81</b>	2008	41.92 12.58	102	43.77 13.61	38.67 13.68	5.28 8.46	Yes	Yes	24.41	33.1	7916	0	IB		
			<b>598</b>		ALUMN						42.06	887	28	2866	1	Fold		
			164		FS				311		42.06	1	11.5	Lead	FIXED	2		
											25.52	<input type="checkbox"/>	6.2					
											23.39							



Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No	Yes/No	ASF	Ttl Disp.		Traps/H. Strps			
				Mast Material			PY	MSA	SL	SPL	SLU	ASA	Ballast	moveable blst			
				Rig Type			EY		SSMG	SSA	SLE	Sprit Lngth Fixed or _o	Ballast Mat.	Keel Type			
				Disp/WL ratio					SSF		ASM						
Hera	Beneteau Farr First 36.7	28372	81 2002	46.4 13.1	150	46.4 13.1	45.4 15.6	5.92 12.49		Yes	No		36 30.3 11.6 7.2	12495 3748 Lead	No 1 FIXED	IB FOLD 2	
Inconceivable	J 88	9	81 2013	38.67 11.28	104	46 18.05	36.82 12	5.44 8.4		No	Yes	29 1022	29.19 26.84 9.5 6.5	4990 1840 Lead	0 1 FIXED	IB Fold	
Juno	J 88	20	81 2014	38.67 11.28	105	46 18.05	36.82 12	5.44 8.4		No	Yes	29 1022	29.19 26.84 9.5 6.5	4990 1840 Lead	0 1 FIXED	IB Feath	
Mintaka 4	Farr 38	18441	81 1979	43.67 13.67	125	46.2	44.9 17.9	6.8 11.6		Yes	No		38.25 31.17 12 6.33	11850 4100 Lead	No 1 FIXED	IB FOLD 2	(2002-removed dinette stbrd, add bench seat w/55 gal fuel tank, original was 12.5. Rudder replaced 12" longer, 4" narrower. Changes noted mtg 1/17/02, NCTR)(removed short pole, changed spinnakers, 1/12/04) / Mts 1/24/12, new stem
Mulan	Beneteau First 10R ODR	52659	81 2007	43.2 12.07	120	46.41 16.5	42.25 14.73	5.59 9.57		No	Yes	25.5 1075	32.75 28.7 11 6.55	9715 3258 Lead	0 1 FIXED	IB Fold 2	
Relentless	Sydney 32	28732	81 2002	40.6 12.2	110	40.6 13.1	39.7 14.75	5.6 9.59		Yes	No		31.9 28.4 10.6 6.9	6850 2860 Lead	No 1 FIXED	IB FOLD 2	-3 Sec/mi for OSP
Ventus	J 88	60	81 2015	38.67 11.28	104	46 18.05	36.82 12	5.44 8.4		No	Yes	29 1022	29.19 26.84 9.5 6.5	4990 1840 Lead	0 1 FIXED	IB Fold	

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications				
			Built	J	Max Headsail	ISP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp. Traps/H. Strps		IB or OB							
									E	MGM				SL	SPL		SLU	ASA		LWL	Ballast	moveable blst	# of blades
Disp/WL ratio	Mast Material	Rig Type	EY	SSF	ASMG	Fixed or _o	Max Draft																
White Shadow	J 88	23	<b>81</b>	2014	38.67	104	46	36.82	5.44	No	Yes	29	29.19	4990	0	IB							
					11.28		18.05	12	8.4		47.83	1022	26.84	1840	1	Fold							
			<b>561</b>		CARBON				282		40.84	5.25	9.5	Lead	FIXED								
			117		FS						27.32	<input checked="" type="checkbox"/>	0	6.5									
Ariadne	Beneteau Farr First 36.7	403	<b>84</b>		46.4	125	46.4	46.4	5.92	Yes	No		36	12495	No	IB							
					13.1		13.1	15.6	12.49				30.3	4034	1	Fold							
			<b>601</b>		ALUMN			0	468		23.5	897	11.4	Lead	FIXED	2							
			204		FS			0			23.5		7.3										
Enchante'	Beneteau 42 IK TM	63222	<b>84</b>	1985	55.43	155	55.71	49.2	4.8	No	No		43.67	20509	No	IB							
					16.73			14.6	8.5				36	8700	1	FOLD							
					ALUMN			0	400			0	13.83	Iron	FIXED	2							
			200		MS			0				<input type="checkbox"/>	7.19										
Insolent Minx	Melges 24	725	<b>84</b>	2008	27.85	100	31.85	28.75	3.83	No	Yes	20.67	24	1750	0	OB							
					7.98		12	12.42	7.09		38	577	22	650	1	None							
			<b>578</b>		CARBON				195		32.9	0	8.2	Lead	CNTRBRD								
			75		FS						19.23	<input checked="" type="checkbox"/>	0	5.25									
Lonestar	Beneteau First 10R ODR MOD	40	<b>84</b>	2007	43.2	100	46.41	42.25	5.59	No	Yes	25.5	32.75	9715	0	IB	(Mtg 5/20/10, +3 sec/mi for non-class smaller kite)(Mtg 9/23/10, rudder modifications noted, NCTR)(Mtg 4/26/12, new rudder noted, NCTR)						
					12.07		16.5	14.73	9.57		52.9	1078	28.7	3528	1	FOLD							
			<b>601</b>		CARBON				371		45.8	4.43	11	Lead	FIXED	2							
			187		FS						26.4	<input checked="" type="checkbox"/>	0	6.55									
Rufless	Melges 24	445	<b>84</b>	1999	27.85	100	31.85	28.9	3.83	No	Yes	20.67	24	1783	0	OB							
					7.95		12	12.45	7.09		38	577	22	650	1	None							
			<b>577</b>		CARBON				196		32.9	0	8.17	Lead	CNTRBRD	0							
			76		FS						19.23	<input checked="" type="checkbox"/>	0	5.25									
Turbo Camper	Hobie 33 ODR MOD	87574	<b>84</b>	1984	33.28	155	36.5	35	4.75	No	Yes	23	33	4200		OB	(Mtg 3/29/12, -3 sec/mi for displacement changes)						
					12.4		13.13	12.5	8.1		39	702	30.5	1900	1	None							
			<b>550</b>		ALUMN			0	261		34.2	0.6	8	Lead	FIXED	0							
			67		FS			0			23	<input type="checkbox"/>	90	5.42									

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SPL SSMG SSF	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.		Traps/H. Strps Ballast moveable blst Ballast Mat. Keel Type			
Dawn's Early Light	J 36	77549	87 1982	44.219 14	97	44.21 14	47 15	5.8 9.5	Yes 44.25 25.26 24.12	14	No	0 0	35.95 30.5 11.76 6.6	10570 4600 Lead	0 1 FIXED	IB Fold	
Grunion	Catalina 425	11	87 2017	55.75 15.67	125	17.34	52 18	5.04 9.58	No 45.4 21.8 21.8	12.16	No	0 0	41.67 39.08 13.67 6.67	17500 7000 Lead	0 1 FIXED	IB Fold	(Mtg 1/26/17, need to submit spinnaker measurements when available)
Red Cloud	Farr 36 Mod	99	87 1976	38.3 12.16	108	46.3 12.16	41 16.75	6.4 10.9	Yes 45.4 21.8 21.8	12.16	No	0	36 31.33 11.92 6.16	10430 3950 Lead	No 1 FIXED	IB Fold 2	(550# ADDED TO KEEL 300# TO FILL MIDDLE WINDOW+250# TO BOTTOM)(Mtg 1/26/12, -3 sec/mi for new mainsail)(mtg 3/29/12, +3 sec/mi after review of rating appeal, as sailed: 87)
Soiree	Beneteau Oceanis 49 SD	38776	87	59.75 18.42	135	59.75 18.42	51.67 18.33	4.7 9.3	No		Yes 29.41 55.73 50.72 26.75	0 1210 0 0	49.5 43.67 14.75 5.75	30517 480 Iron	0 1 FIXED	IB Feath	Electric Winches (Mtg 10/27/16, +3 sec/mi for In-mast furling mainsail)
Another Girl	Alerion Express 38-2	20	90 2011	42.98 12.99	90		47.5 18.25	9.58 13.45	No		No	0 0	38.3 30.1 10.3 5.92	13000 5000 Lead	0 1 FIXED	IB Feath 2	(mtg 4/28/11, Custom rating of 90 assigned)
Drop Beer	Beneteau Class 10	18277	90 1984	37.8 12.6	150	38.6	39.7 13.9	4 8.7	Yes 36.11 22.1 22.1	12.6	No	0	34.2 29.6 9.9 6.8	7000 2200 Iron	0 1 FIXED	IB FOLD 0	NEW RUDDER 3/4/95, NCTR (MTG 3/36/95)
Roxanne	Tartan 4100 SD TM	322	90	57 15	135	57 15	50.1 18	6.8 11.5	No		Yes 27 58.9 53 27.7	0 1285 0 0	41.3 35.9 13.6 5.4	20400 8000 Lead	0 1 FIXED	IB Feath	

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail		P E PY EY	MGU MGM MSA	Yes/No SL SPL SSMG SSF	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast		Traps/H. moveable blst Keel Type			
Vitesse Too	Hobie 33 ODR	87112	<b>90</b> 1983	33.8 12.4	125	36.8	35 12.4	4.75 8	Yes	No		33 30.5 8 5.5	4000 1800 Lead	No 1 FIXED	OB None 0	Extended rudder 10", NCTR	
			<b>552</b> 64	ALUMN FS			0 0	259			<input type="checkbox"/>						
Xtreme	Hobie 33 ODR	18170	<b>90</b> 1984	33.83 12.4	125	36.25	35 12.5	4.75 8	Yes	No		33 30.5 8 5.42	4000 1800 Lead	No 1 FIXED	OB None 0		
			<b>553</b> 64	ALUMN FS			0 0	260			<input type="checkbox"/>						
Gavilan	Custom Wylie 39	28439	<b>93</b> 1996	49 14.5	122	49	43 15.5	5.73 9.75	Yes	Yes	24.6 783	41.5 31.75 11.5 6.77	17900 5920 Lead	No 1 FIXED	IB FEATH 3	(mtg 4/28/11, change custom rating from 84 to 96 after review of rating appeal)(Mtg 1/26/12, -3 sec/mi for sprit)	
			<b>604</b> 254	ALUMN MS			0 0	390			<input checked="" type="checkbox"/>						
Lady Jane	Jeanneau 39i Sun Odyssey	7913	<b>93</b> 2008	48.1 13.1	122	48.1	46.3 14.6	5.42 9.28	No	Yes	27.46 1012	38.1 35.2 12.9 6.7	16163 5026 Cast Iron	0 1 FIXED	IB Feath 3		
			<b>594</b> 168	ALUMN FS				398			<input checked="" type="checkbox"/>						
Ada Helen	ace	922	<b>96</b> 2005	53 16.5	155	53 16.5	46.75 15.5		No	Yes	29.7 1303	43.8 36 13.1 6	24400 8300 Lead	No 1 FIXED	IB FOLD 3	(Mtg 3/20/08 -6/sec/mi for OSP)(mtg 6/19/08, new larger a-sail, correct size for J, NCTR)	
			<b>588</b> 238	ALUMN MS						18	<input type="checkbox"/>						
Freedom	Worth 40	18230	<b>96</b> 1984	54 16	155	16	47 14	5.5 9.2	Yes	No		40 34.25 12.5 7.25	21000 7800 Lead	0 1 FIXED	IB FOLD 2		
			<b>594</b> 238	ALUMN MS			0 0	397			<input type="checkbox"/>						
Serenade	Sabre Spirit		<b>96</b> 2007	45.5 12.87	106	51.2 12.87	45.5 16.55	5.55 9.93	Yes	No	23 976	36.67 28.33 10.42 6.58	10500 3740 Lead	0 1 FIXED	IB Fold		
			<b>601</b> 210	CARBON FS				425			<input checked="" type="checkbox"/>						

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications					
			Built	J	Max Headsail	ISP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp. Traps/H. Strps		IB or OB								
									JSP	E				MGM	SL		SPL	SLU		ASA	LWL	Ballast	moveable blst	# of blades
Disp/WL ratio	Mast Material	Rig Type	EY	SSF	ASM	Fixed or _o	Max Draft																	
Windswept Lady	X-362 Classic	50980	<b>96</b>	1998	46.6	125	46.6	40.6	5.05	Yes	Yes	26.7	35.1	12320	0	IB								
			<b>613</b>		12.9		12.9	14.1	8.86		46.8	878	30.4	5170	1	Fold								
			<b>199</b>		ALUMN				333		42.3	0	11.4	Lead	FIXED									
			<b>199</b>		MS						22.9	<input type="checkbox"/>	6.2											
Windtrip Infinity	J 92s	35	<b>96</b>	2006	40.68	107	44.08	38.88	5.42	No	Yes	23.25	30	5610	0	IB								
			<b>587</b>		11.48		16.67	13.95	9		48.67	878	26.7	2317	1	Fold								
			<b>134</b>		ALUMN				324		39.67	5.17	10	Lead	FIXED									
			<b>134</b>		FS						24	<input checked="" type="checkbox"/>	6.24											
Ala Moana	Beneteau First 30	104	<b>99</b>	2012	41.66	105	42.16	40.3	6.28	No	Yes	28.82	31.7	8267	0	IB								
			<b>602</b>		13.78		15.78	14.25	9.38		48.6	1049	27.6	2403	1	Fold								
			<b>179</b>		ALUMN				356		43.7	2	10.5	Cast Iron	FIXED	2								
			<b>179</b>		FS						26.9	<input checked="" type="checkbox"/>	6.25											
Double Espresso	Olson 30 OB	18069	<b>99</b>	1982	36	155	35.9	31.5	4.36	Yes	No		30	3600	0	OB								
			<b>591</b>		11.75		11.75	10.75	7.26		36	11.75	27.5	1800	1	None								
			<b>79</b>		ALUMN				208		21.16	635	9.33	Lead	FIXED									
			<b>79</b>		MS						21.16		5.08											
			<b>79</b>									<input type="checkbox"/>	0											
			<b>79</b>									0												
			<b>79</b>									0												
Dr Feelgood	Olson 29	24	<b>99</b>	1986	34	155	36	32.5	4.36	Yes	No		29.67	3600	0	OB								
			<b>571</b>		11			11.5	7.48		36	11.75	27.5	1950	1	None								
			<b>79</b>		ALUMN				223		21.15	635	9.33	Lead	FIXED									
			<b>79</b>		FS						21.15		5.58											
			<b>79</b>									<input type="checkbox"/>	0											
			<b>79</b>									0												
Dragonsong	Olson 30 OB	87014	<b>99</b>	1982	36	155	35.9	31.5	4.364	Yes	No		30	3600	No	OB								
			<b>584</b>		11.75		11.67	10.75	7.268		36	11.75	27.5	1800	1	None								
			<b>79</b>		ALUMN			0	208		21.15	635	9.33	Lead	FIXED	0								
			<b>79</b>		MS			0			21.15		5.08											
			<b>79</b>									<input type="checkbox"/>	0											
			<b>79</b>									0												
Nina	Olson 29	27	<b>99</b>	1987	34	155	36	32.5	4.5	Yes	No		29.67	3700	0	OB								
			<b>579</b>		11			11.5	7.27		34	11.25	27.5	1950	1	None								
			<b>81</b>		ALUMN			0	222		20.25	574	9.33	Lead	FIXED	0								
			<b>81</b>		FS			0			20.25		5.58											
			<b>81</b>									<input type="checkbox"/>	0											

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		Ttl Disp. Ballast		Traps/H. moveable blst	IB or OB Prop Type # of blades		
								SL	SPL	SLU	ASA						
								SSMG SSF	SSA	SLE ASM	Sprit Lngth Fixed or _o					Ballast Mat.	
Disp/WL ratio																	
Pony Express	Express 34	28234	99 1988	44.25 12.92 155	44.25	38.5 12.83 0 0	4.87 8.46 296	Yes	44 12.89 23.4 23.4	No	0	34 28.33 10.5 6	7500 3700 Lead	No 1 FIXED	IB FOLD 2		
Traveler	Express 34	97089	99 1987	44.3 13 150	44.3	38.5 12.83 0 0	4.87 8.46 296	Yes	42.7 13 22.2 21.8	No	0	34 28.3 10.5 6	8500 3700 Lead	0 1 FIXED	IB FOLD 2	-6 FOR OVERSIZED SPINNAKER	
Vento	Swan 391	40841	99 1987	53.5 16.25 95	53.5 16.25	47.25 14 9.2	5.5 399	Yes	51.83 16.25 29.3 29.3	Yes	26 1014 0 0	39.9 33.1 12.4 7.2	18900 6800 Lead	0 1 FIXED	IB Fold		
Vita E Bella	Catalina 42-1/2	989	99 2007	53 16.5 155	16.5	46.9 15.6 9.5	5.2 415	No	51.83 16.25 29.3 29.3	Yes	27.3 1105 3.67 0	41.83 36 13.1 6.8	24400 3765 Lead	0 1 FIXED	IB FOLD 3	(mtg 3/28/13, -3 sec/mi for added sprit)	
Warpath	Olson 30 OB	198	99 1982	36 11.75 150	35.9 11.67	31.5 10.75 7.268	4.364 208	Yes	36 11.75	No	0	30 27.5 9.33 5.08	3600 1800 Lead	No 1 FIXED	OB None 0		
X TA C	Olson 29	18457	99 1986	34 11 155	36	32.42 11.42 7.66	4.59 226	Yes	34 11.25 20.25 574 20.25	No	0	29.67 27.5 9.33 5.25	3900 1900 Lead	No 1 FIXED	OB None 0	RUDDER REPLACED W/MORE 30 - CHANGE NOTED NCTR.	
Checkedred Past	Custom Wyliecat 39	3	102 2002			52 26.6 10.2 17.4	826	No		No	0 0	38.83 32 11.5 6.6	12000 6200 Lead	0 1 FIXED	IB FOLD 2	Boat has been modified for handicapped sailing	

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU ASA SLE ASMG	ASF Sprit Lngth Fixed or _o	Ttl Disp.		Traps/H. Strps Ballast moveable blst Ballast Mat. Keel Type			
								SL	SPL								
								SSMG SSF	SSA								
Farriage	Catalina 42-1/2	336	<b>102</b> 1992	53 16.42 130 53 16.42	53 16.42	46.75 5.75 16.42 9.83	5.75 9.83	No	Yes	27.08	41.83	20600 0 8300 1 Lead FIXED	IB Feath 3				
Flight Risk	Thompson 650	650	<b>102</b> 2000	26.67 8.86 100 28.25 14.86	28.25 14.86	28.29 5.7 10.4 8	5.7 8	No	Yes	20.58	22.3	1692 Yes 660 3 Lead FIXED	OB None	(mtg 1/21/10, weighed displacement of 1692lbs updated, NCTR)(Mtg 3/18/10, change custom rating from 108 to 99)(Mtg 8/18/10, submitted appeal, rating changed from 99 to 102)			
Gratitude	Hylas 46	60373	<b>102</b> 2002	58.4 17.7 135 58.4 17.7	58.4 17.7	50.6 4.6 18 9.6	4.6 9.6	No	Yes	25.5	46.3	27777 0 12347 1 Lead FIXED	IB Feath 3				
Marrakesh	Express 34	3	<b>102</b> 1987	44.25 13 125 44.25	44.25	38.5 4.87 12.83 8.46	4.87 8.46	Yes	No		34	9245 No 3800 1 Lead FIXED	IB FOLD 2				
Post Time	Catalina 42-1/2	362	<b>102</b> 1993	53 16.42 135 53 16.42	53 16.42	46.75 5 15.5 9	5 9	No	No		41.83	24000 0 8300 1 Lead FIXED	IB Feath 3	In-Boom Furling Mast, Electric Halyard Winch			
TESA	Catalina 42-1/2	642	<b>102</b> 1999	53 16.41 155 53 23	53 23	46.75 5.91 15.416 10	5.91 10	Yes	Yes	31	41.83	25500 0 8300 1 Lead FIXED	IB FEATH 3	Added one electric main halyard winch			
Tijd	Beneteau First 30	45	<b>102</b> 2011	41.66 13.78 105 42.16 15.7	42.16 15.7	40.2 6.24 14.25 9.38	6.24 9.38	No	Yes	25.5	31.7	8267 0 2403 1 Cast Iron FIXED	IB Fold	(Mtg 8/27/15, -3 sec/mi for OSP, +6 sec/mi for small spinnaker)			
			<b>604</b> 201	ALUMN MS			437		Yes	1042	36						
			<b>570</b> 99	CARBON FS			204		Yes	586	19.8						
			<b>573</b> 197	ALUMN CTR			469		Yes	1309	40						
			<b>613</b> 185	ALUMN MS			296	44 13 23.4 858	No	0	10.33						
			<b>602</b> 181	ALUMN FS			354		Yes	866	27.5						
									Yes	1	10.5						
									Yes	90	6.25						

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
					I	J	Max Headsail	ISP	PE	MGU	SL	SPL	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H. Strps	IB or OB
			DW Rating		Mast Material		PY	MSA	SSMG	SSA	SLU	ASA	LWL	Ballast	moveable blst	Prop Type			
			Disp/WL ratio		Rig Type		EY		SSF		SLE	Sprit Length	Max Beam	Ballast Mat.	Keel Type	# of blades			
											Fixed or _o	Max Draft							
Baleineau	Ericson 34 Olson SM	42147	105	1988	44 13	155	44 44	38.8 13	4.88 8.25	Yes	43.5 23.25 23.25	12.96 843	No	34 28 10.83 6	10600 3650 Lead	No 1 FIXED	IB FOLD 2		
			629 219		ALUMN MS		0 0	298				0 <input type="checkbox"/>							
Carmelita	Catalina 42-1/2	131	105	1990	53 16.42	125	53	46.75 15.5	4.98 8.85	Yes	49 29.55 29.55	16.42 1207	Yes	27.75 1131 0	41.83 36 13.83 6.66	22000 8300 Lead	No 1 FIXED	IB FEATH 3	
			595 214		ALUMN MS		0 0	399				24.42	<input checked="" type="checkbox"/>						
Loya	Ericson 34 Olson SM	3246	105	1989	44.5 13.25	154	44 13.25	38.84 12.9	4.69 8.38	Yes	44 23.6 23.35	13.25 864	Yes	23.8 886 0	34 28 10.83 6	10600 3650 Lead	0 1 FIXED	IB Fold 2	
			627 219		ALUMN MS			296					<input checked="" type="checkbox"/>	0					
Ragtime!	J 92	18	105	1993	37 11.5	155	38.5 17	38 13.5	4.7 8.2	No	39.98 30.6 30.6	14.5 1019	Yes	29.75 1019 5.5	30 25.8 10 5.9	5500 2275 Lead	No 1 FIXED	IB FOLD 2	(changes noted 3-11-03, NCTR)(2/14/06 - Spinnaker based on 1019 sq feet/94.67 meters)(Mtg 01/16/14, -3 sec/mi for flying asymmetric off squared back pole)(Mtg 4/24/14, New Rudder noted NCTR. Shortened pole/sprit
			593 146		ALUMN FS		0 0	293					<input checked="" type="checkbox"/>						
Red Sky	Ericson 34 Olson SM	28340	105	1989	44 12.95	150	44 12.95	38.7 12.95	5.1 8.5	Yes	42 23.4 23	12.95 816	Yes	21.98 587 0	33.88 28 10.8 6.08	10855 3500 Lead	No 1 FIXED	IB FOLD 2	MTG 12/11/97(RUDDER REPLACED 8" DEEPER ADN 3" NARROWER.)
			627 225		ALUMN MS		0 0	302					<input type="checkbox"/>						
Relentless	J 92	93	105	1997	37 11.5	155	38.5 17.5	38 13.5	5.2 8.7	No			Yes	26.4 915 5.5 0	30 26.5 10 5.9	5500 2275 Lead	0 1 FIXED	IB Fold 2	
			590 134		ALUMN FS			306					<input checked="" type="checkbox"/>						
Revelry	Catalina 42-1/2	703	105	1999	53 16.416	125	53 16.416	46.75 15.416	5.75 9.833	No			Yes	27.5 1097 0	41.833 36 13.833 6.83	20500 8300 Lead	No 1 FIXED	IB FEATH 3	ASYM SPIN NOTED NCTR.
			608 200		ALUMN MS		0 0	425					<input type="checkbox"/>						



Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail		P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst Keel Type		
Sail La Vie	Beneteau 411	28597	<b>105</b> 1999	46.67 16.25	140		41.5 14.83	4.872 8.77	No	No			41.67 36.09 13 5.58	17196 5500 Steel	No 1 FIXED	IB FEATH 3	
Sir Leansalot	Hunter 40	161	<b>105</b> 1986	53.9 17	125	53.9 17	48 13.9	5.2 9	Yes	No			39.7 32.5 13.5 6.5	17400 6000 Iron	0 1 FIXED	IB Fold 2	
Tiki Blue	Beneteau 423	38423	<b>105</b> 2005	48.65 16.52	125	48.65 16.52	43.44 14.83	5.49 9.6	Yes	No			41.67 38.58 12.92 6.92	20224 5569 Iron	No 1 FIXED	IB FOLD 3	
Blue Zephyr	Jeanneau Sun Odyssey 42 DS		<b>108</b> 2010	51.58 16.25	150		48.82 14.6	3.55 6.9	No	No			42.42 38 13.5 6.92	19676 5628 Iron	0 1 FIXED	IB Fixed_3	(mtg 4/27/17, +3sec/mi for in-mast furling, +3 sec/mi for MGM < 50% of E)
Gig	Humboldt 30 IB	18112	<b>108</b> 1983	37.5 11.5	149	37.5	41.5 13.75	5.13 8.83	Yes	No			30 26.66 10.5 5.75	5400 2222 Lead	No 1 FIXED	IB FOLD 2	
Hijinks	J 92	90	<b>108</b> 1996	37 11.5	97	38.5 17	37.66 13.22	5 8.6	No	Yes	26.51 868		30 26.5 10 5.9	5500 2275 Lead	0 1 FIXED	IB Fold 2	
Imagination	Bavaria 40	0	<b>108</b> 2001	47.25 14.58	111	48	44.46 15.58	5 9.21	No	Yes	20 828		40.94 35.93 13.1 6.4	17417 6283 Lead	0 1 FIXED	IB Fold	

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst	Strps Keel Type	
Max	Ultimate 24 ODR	2	<b>108</b> 2002	28.04 7.82	110	30.8 14.5	31 11.35	6.81 9.18	No	Yes	21.3 35.5 27.8 21.3	24.38 21.17 8.48 5.52	2040 750 Lead	0 1 FIXED	OB None		
			<b>583</b> 98	CARBON FS				254			<input checked="" type="checkbox"/>						
Popstar	Catalina 400	331	<b>108</b> 2005	52.5 15.5	135	52.5 16.5	46.9 17	4.02 8.27	No	Yes	27.9 52.16 50 29	41.54 36.5 13.5 6.92	20500 8300 Lead	0 1 FIXED	IB Fold 3	(+3 sec/mi for in-mast furling mainsail, +3 sec/mi for MGM <50% of E)	
			<b>599</b> 192	ALUMN MS				393			<input checked="" type="checkbox"/>						
Sweet Grapes	Ericson 36 Holland	19	<b>108</b> 1981	47.75 14.5	147	47.75	42 12	3.5 7.2	Yes	No		35.58 29 11.83 6.25	11600 5230 Lead	0 1 FIXED	IB FOLD 2		
			<b>621</b> 216	ALUMN MS				278			<input type="checkbox"/>						
Boomer	Melges 20	676	<b>111</b> 2009	23.19 7.05	110	27.2 10.95	24.25 9.84	3.83 7.42	No	Yes	18.8 29.78 26.25 17.65	20 19.4 7 4.5	1105 415 Lead	0 1 FIXED	OB None 0		
			<b>604</b> 69	CARBON FS				152			<input checked="" type="checkbox"/>						
Endless Summer	Catalina 42-1/2 WK	688	<b>111</b> 2000	53 16.5	155		46.75 15.5	5.08 9.16	No	No		41.83 36 13.83 4.83	28000 8300 Lead	0 1 FIXED	IB Feath 3		
				ALUMN MS				405			<input type="checkbox"/>						
For Pete's Sake	Ultimate 24 ODR	28469	<b>111</b> 2003	28.04 7.82	102	30.8 14.5	31 11.5	5.5 8.8	No	Yes	22.2 36 30.6 20.9	24.38 21.17 8.48 5.52	2040 750 lead	No 1 FIXED	OB None		
			<b>582</b> 98	CARBON FS				238			<input checked="" type="checkbox"/>						
Hylite	Hylas 49 SM	49	<b>111</b> 2007	57.42 19.5	130	57.42 19.5	51 18.5	4.5 9.17	No	Yes	28.67 60 55.33 24.42	48.83 39.5 14.25 6	35000 14500 Lead	0 1 FIXED	IB Fold	(Mtg 1/26/17, Custom rating of 111 assigned)	
			<b>580</b> 258	ALUMN CTR				470			<input checked="" type="checkbox"/>						

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst Keel Type		
Makanani	Ultimate 24 ODR	3	111 2003	28.04 7.82	110	30.8 14.5	31 11.35	6.35 9.18	No	Yes	21.3 566	24.38 21.17 8.48 5.52	2040 750 Lead	0 1 FIXED	OB None		
			583 98	CARBON FS				250			6.7 0						
Nightmare	Custom Wilderness 30 SX FR OB	305	111 1980	34 11.75	125		34.4 11.5	4.59 7	Yes	No		29.75 27.75 8.83 5.92	4700 1650 Lead	No 1 FIXED	OB None 0	(-3 sec/mi for change from IB to OB, -6 sec/mi for keel change.)(mtg 2/26/15, -9 sec/mi for oversized spinnaker)	
			588 100	FS			0 0	233			0						
Ahi	Santana 35	30980	114 1981	39 12.85	155	39	42 14.25	5.51 9.26	Yes	No		35 26.5 11.92 6.25	8500 3300 Lead	0 1 FIXED	IB Fold 2	(Mtg 6/27/13, new rudder noted, NCTR)	
			628 208	ALUMN FS				358			0 0						
Allons-Y	J 70 ODR	346	114 2014	26.77 7.68	100	30.15 13.5	26.16 9.44	4.71 6.93	No	Yes	18.7 491	22.75 20.47 7.38 4.92	1750 630 Lead	0 1 MVBL	OB None		
			607 93	CARBON FS				164			5.1 0						
Azure	CAL 40	72	114 1966	46 15.17	150	46	40 17.5	6.65 11.37	Yes	No		39.3 30.5 11 5.5	15500 6000 Lead	0 1 FIXED	IB FEATH 2		
			623 248	ALUMN MS			0 0	417			0						
Benny	J 70 ODR	897	114 2015	26.77 7.68	100	30.15 13.5	26.16 9.44	4.71 6.93	No	Yes	18.7 491	22.75 20.47 7.38 4.92	1750 630 Lead	0 1 MVBL	OB None		
			607 93	CARBON FS				164			5.1 0						
Bessie's Girl	Bristol 45.5	30088	114 1980	57 18.83	130	57 18.83	47.25 15.2	4.66 8.56	Yes	Yes	33 1353	45.5 37.25 13.2 11	40000 15000 Lead	No 1 CNTRBRD	IB FEATH 3	(mtg 2/18/10, -3 sec/mi for dual spinnakers/ability to use asym on squared back pole)	
			594 352	ALUMN KTCH			30.25 8.25	390			0 0						

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications		
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		Ttl Disp.		Traps/H.	Strps	IB or OB Prop Type # of blades			
								SL	SPL	SLU	ASA							Ballast	moveable blst
								SSMG SSF	SSA	SLE ASMG	Sprit Lngth Fixed or _o								
Blue Passion	tartan 3400	7134	<b>114</b> 2006	46 13.67 95 49.67 13.67		43 4.58 14.5 8.2		No	No			34.42 30.42 11.92 6.5	10800 3500 Lead	0 1 FIXED	IB Fold				
Breakout	Santana 35	18679	<b>114</b> 1982	39 12.85 155 39		42 5.51 14.25 9.26		Yes	No			35 26.5 11.92 6.25	8500 3300 Lead	No 1 FIXED	IB FOLD 2				
Elan	Beneteau 37	46	<b>114</b> 2012	45.83 15 105 48		43.5 6.16 12.83 8.83		No	Yes	26.6 915		37.8 34.08 12.83 6.25	14359 3901 Iron	0 1 FIXED	IB Fold				
Green Buffalo	CAL 40	8538	<b>114</b> 1967	46.7 15.2 155 46.7		39.8 6.65 17.6 11.37		Yes	No			39.3 30 10.9 5.8	15148 6000 Lead	0 1 FIXED	IB FEATH 3	Schumacher designed rudder - same as original			
Neverland	Tartan 3700 SD 5.0'	106	<b>114</b> 2006	51.75 15 135 51.75 15		45.25 5.7 15 9.68		No	Yes	25.4 1025		37 32.5 12.6 5	17780 6200 Lead	0 1 FIXED	IB Fold 2				
Nozomi	CAL 40	164	<b>114</b> 1970	46.2 15.2 155 46.2		39.9 6.6 17.6 11.37		Yes	No			39.5 30 11 5.6	15500 6000 Lead	0 1 FIXED	IB FEATH 3				
Penny Pincher	J 70 ODR	215	<b>114</b> 2014	26.77 7.68 100 30.15 13.5		26.16 4.71 9.44 6.93		No	Yes	18.7 491		22.78 20.47 7.38 4.92	1750 630 Lead	0 1 MVBL	OB None				

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications		
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.	Traps/H. Ballast Mat.		Strps moveable blst Keel Type	IB or OB Prop Type # of blades
									SL	SPL	SLU	ASA							
									SSMG SSF	SSA	SLE ASMG	Fixed or _o							
Prime Number	J 70 ODR	29	114	2012	26.77 7.68	100	30.15 13.5	26.16 9.44	4.71 6.93	No	Yes	18.7 491 5.1 0	22.78 20.47 7.38 4.92	1750 630 Lead	0 1 MVBL	OB None			
Rampage	J 70 ODR	582	114	2014	26.77 7.68	100	30.15 13.5	26.16 9.44	4.71 6.93	No	Yes	18.7 491 5.1 0	22.75 20.47 7.38 4.92	1750 630 Lead	0 1 MVBL	OB None			
Redhead	Cal 40	7817	114	1964	46 15.17	155	46.36	40 17.5	6.5 11.3	Yes	No	0	39.5 30 10.92 5.75	16500 6000 Lead	No 1 FIXED	IB Feath 2			
Riff Rider	Cal 40	46	114	1965	46.2 15.1	155	46.2	40 17.5	6.5 11.3	Yes	No	0	39.3 30.3 11 5.6	15000 6000 Lead	0 1 FIXED	IB Fold			
Scilla	J 70 ODR	327	114	2012	26.77 7.68	100	30.15 13.5	26.16 9.44	4.71 6.93	No	Yes	18.7 491 5.1 0	22.78 20.47 7.38 4.92	1750 630 Lead	0 1 MVBL	OB None			
Sea Star	CAL 39-2/3	38022	114	1977	50 16.7	150	50	44 13.8	4.5 8	Yes	Yes	34 1181 0 0	39 32 12 6.7	17000 7000 Lead	0 1 FIXED	IB FEATH 3	Roller Furler		
Wingman Racing	J 70 ODR	584	114	2014	26.77 7.68	100	30.15 13.5	26.16 9.44	4.71 6.93	No	Yes	18.7 491 5.1 0	22.75 20.47 7.38 4.95	1750 630 Lead	0 1 MVBL	OB None			

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp. Ballast	Traps/H. moveable blst	IB or OB Prop Type # of blades			
								SL	SPL	SLU	ASA							
								SSMG SSF	SSA	SLE ASMG	Sprit Lngth Fixed or _o					Ballast Mat.	Keel Type	
DW Rating Disp/WL ratio																		
Dulcinea	Catalina 38	88	117	1981	49.83 15.5	130	49.8 15.5	44 11.5	4.37 7.6	No	No	38.17 30.25 11.83 6.75	15900 6850 Lead	0 1 FIXED	IB Fold 2			
Ecco	CAL 39-2/3	115	117	1980	50 16.7	125	50	44 13.75	5 8.5	No	No	39 32.1 12.15 6.7	17000 7000 Lead	0 1 FIXED	IB Feath			
E-Ticket	Moorings 38 SD	119	117	1990	47.5 13.9	155	47.5 13.9	41.7 15	5.69 9.45	Yes	No	38.4 31.33 12.5 4.8	13700 5400 Steel	0 1 FIXED	IB Fold 2	Shoal Draft (Mtg 10/27/16, -3 sec/mi for oversized spinnaker area)		
Flight Risk	Catalina 38	87586	117	1983	49.8 15.5	155	49.8	44 11.5	4.18 7.12	Yes	No	38.24 30.45 11.12 6.1	19489 6850 Lead	No 1 FIXED	IB Fold 2	Roller Furler		
Harp	Catalina 38	18003	117	1983	50.7 15.43	155	50.9 15.43	44 11.5	4.8 7.97	Yes	No	38.17 30.25 11.83 6.79	19489 6850 Lead	No 1 FIXED	IB FOLD 2	DEC 93 - 7X19 STND RIG/ W/ROD RIG & SHR TN UPR SPREADERS 2 IN. NO CHNG RTNG ( MTG 1/27/94)		
Highlander	Cal 40	4590	117	1968	46.2 15.2	150	46.2	39.5 17.5	6.65 11.37	Yes	No	39.25 30.25 11 5.58	15000 6000 Lead	0 1 FIXED	IB Fixed_2 2			
Oscar	Santa Cruz 33	57663	117	1978	41 13.583	125	41	35.42 15	4.25 7.166	Yes	No	33 28 10.06 6	7000 3000 Lead	No 1 FIXED	IB FOLD 2			

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
			ISP		I	J	ISP	P	MGU	Yes/No	Yes/No	ASF		Ttl Disp.	Traps/H.	Strps		IB or OB
			JSP		Max	Head	JSP	E	MGM	SL	SPL	SLU		ASA	Ballast	moveable blst		Prop Type
			Material		Sail	Material	PY	MSA	SSMG	SSA	SLE	Sprit		Lngrh	Ballast Mat.	Keel Type		# of blades
Disp/WL ratio	Rig Type	Rig Type	EY		SSF		ASM	G	Fixed or _o									
Puffin	Alden 44	38144	117	1978	54.1 19.5	100	34.1	47.08 14.75	5.7 9.6	No	Yes	33 1369	44.17 34.08	24500	0 1	IB Feath		
			595 281		ALUMN CTR				416		49 32	0 <input type="checkbox"/>	12.5 8.75	Lead	CNTRBRD			
FUGU	Wilderness 30 SX FR IB	67967	120	1980	34.08 11.75	150	34.1	34.44 11.5	4.37 7.48	Yes	Yes	20.36 603	29.75 27.75	4200 1900	0 1	OB None	(Mtg 11/20/08, -6 sec/mi for replacing inboard with outboard engine)	
			585 89		ALUMN FS				236		21.15 21.15	604 0	8.75 5.5	Lead	FIXED	0		
Happy Daze	Santana 30-30 GP	87322	120	1984	40.83 11.67	150	40.83	36.17 11.08	5.25 8.5	Yes	No		29.92 25.42	6500 2435	No 1	IB FOLD		
			641 180		ALUMN MS			0 0	267		19.5 18.6	648 <input type="checkbox"/>	10.25 5.5	Lead	FIXED	2		
Iolani	Hughes 48	38048	120	1972	54.3 18.2	135	20.2	48.2 19	5.9 10.4	Yes	Yes	32.76 1400	48 35.1	32000 14300	0 1	IB FEATH		
			599 336		ALUMN YAWL			23 10	493		32.76 32.76	1101 0	11.1 6	Lead	FIXED	3		
La Dolce Vita	J 32	64	120	2001	39.2 11	155	40.5	38.5 15.5	5.1 9.2	No	Yes	19.7 677	32.4 29	10000 3840	0 1	IB Feath	(Mtg 8/22/13, -6 sec/mi for sprit)	
			635 186		ALUMN FS				334		39.5 19.7	2.5 <input checked="" type="checkbox"/>	11 6	Lead	FIXED	3		
Rhapsody	J 32	56303	120	2000	39.2 11	155	40.583	38.5 15.5	5.12 9.25	No	Yes	22.5 830	32.4 29	11500 3840	0 1	IB Fold	(Mtg 5/23/13, -3 sec/mi for sprit, -3 sec/mi for oversized spinnaker)	
			640 214		ALUMN FS				335		41.55 22.75	2 <input checked="" type="checkbox"/>	11 6	Lead	FIXED	3		
Seaya	Catalina 380	252	120	2000	50.916 14.667	135		44.833 15.667	5.2 10	No	No		38.42 32.42	19000 6800	No 1	IB FEATH		
			253		ALUMN MS				405			0 <input type="checkbox"/>	12.33 7.17	Lead	FIXED	3		





Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
				I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No	Yes/No	ASF	Ttl Disp.		Traps/H. Strps				
				Mast Material			PY	MSA	SL	SPL	SLU	ASA		Ballast	moveable blst			
				Rig Type			EY		SSMG	SSA	SLE	Sprit Length		Ballast Mat.	Keel Type			
			Disp/WL ratio						SSF		ASM	Fixed or _o						
Domino	Wilderness 30 MOD	38081	126	1985	36 12.25	155	36 12.25	31.5 4.11	4.11 6.93	Yes	No			30 27.75 8.8 5.5	5450 2150 Lead	0 1 FIXED	IB Fold	(Mtg 3/28/13, +6 sec/mi for small rig)
			608 116		ALUMN MS				203	22.05 655		0 0						
First Light	Beneteau 35S5	115	126	1991	41.66 11.15	98		42.65 5.25	5.25 9.042	Yes	No			35.42 29.33 11.83 6	11460 4190 Lead	No 1 FIXED	IB Fixed_2 2	
			630 206		ALUMN FS			0 0	366	20.5 729 20.5		0						
Heart of Gold	Olson 911S	41327	126	1987	41.5 12.33	155	41.5	35.5 4.5	4.5 7.7	Yes	No			29.9 25 10.3 5.5	7200 3200 Lead	No 1 FIXED	IB FOLD 2	
			648 209		ALUMN MS			0 0	251	22.19 760 22.19		0						
Iniscaw	Martin 32	49143	126	1980	42.5 13.67	145		37.17 4.7	4.7 8	Yes	No			32.8 27 9.6 6.1	8200 4100 Lead	0 1 FIXED	IB FOLD 2	(Mtg 10/2/13, new rudder, NCTR)
			618 189		ALUMN MS			12	270	42.4 13.67 22.4 806 24.4		0						
Keala	Wylie Wabbit ODR W/Trap	12	126	1982	20.5 6.5	150	20.5	23.75 4.03	4.03 6.72	Yes	No			23.75 20 5.58 3.5	975 440 Lead	Yes 3 FIXED	OB None 0	Hiking straps and single trapeze
			602 55		ALUMN FS			0 0	145	22 8.5 13.9 254 13.7		0						
Kwazy	Wylie Wabbit ODR W/Trap	26	126	1982	20.416 6.416	150	20.5	23 4.02	4.02 6.71	Yes	No			23.58 20 5.42 3.41	975 440 Lead	Yes 3 FIXED	NONE None 0	
			604 55		ALUMN FS			0 0	141	22 8.5 14 257 14		0						
Lepus	Wylie Wabbit ODR W/Trap	18	126	1982	20.5 6.5	150	20.5	23.75 4.03	4.03 6.72	Yes	No			23.75 20 5.58 3.5	975 440 Lead	1 3 FIXED	OB None 0	Hiking Straps & Trapeze per class rules
			602 55		ALUMN FS			0 0	145	22 8.5 13.9 254 13.7		0						

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Keel		Engine/Prop	Modifications
					I	J	Max Headsail	ISP	PE	MGU	SL	SPL	Yes/No		Yes/No	ASF		
			DW Rating		Mast Material		JSP	PY	MSA	SSMG	SSA	SLU	ASA	LWL	Ballast	moveable blst	Prop Type	
			Disp/WL ratio		Rig Type			EY		SSF		SLE	Sprit Lngth	Max Draft	Ballast Mat.	Keel Type	# of blades	
												Fixed or _o						
Mr McGregor	Wylie Wabbit ODR W/Trap	8426	126	1982	20.5 6.5	150	20.5	23.75 10	4.03 6.72		Yes	No		23.75 20	975 440	1 3	OB None	INCLUDES HIKING STRAPS AND SINGLE TRAPEZE.
			602 55		ALUMN FS			0 0	145	13.9 13.7	8.5 254		0 <input type="checkbox"/>	5.58 3.5	Lead	FIXED	0	
Nancy	Wyliecat 30 OB	28890	126	1995				39.66 19.75	8.71 13.46		No	No		30.5 25	5500 3050	No 1	OB None	(-3 sec/mi for square top main)
			650 160		CARBON CAT			0 0	491			0 <input type="checkbox"/>	9.5 5.25	Lead	FIXED	0		
Paradigm	J 32	79	126	2002	39.166 11	150	40.583 11.916	38.42 15.42	5.5 9.58		No	Yes	17.83 722	32.4 29	11500 3840	No 1	IB FOLD	
			647 214		ALUMN FS				343			39.25 22.17	0 <input checked="" type="checkbox"/>	11 6	Lead	FIXED	2	
Redux	Olson 911S	28106	126	1987	41.5 12.33	155	41.5	35.5 11.83	4.5 7.7		Yes	No		29.9 25	7200 3200	No 1	IB FOLD	
			648 209		ALUMN MS			0 0	251	21.9 21.9	748		0 <input type="checkbox"/>	10.33 5.416	Lead	FIXED	2	
Stink Eye	Laser 28 ODR MOD	33562	126		31.73 9.65	110	33.2	33.14 12.3	5.2 8.3		Yes	Yes	19 546	28.42 23.62	4050 1500	No 1	OB FOLD	(Mtg 3/27/14, -3 sec/mi for oversized mainsail girths, -3 sec/mi for OB motor)
			635 140		ALUMN MS			0 0	252	19.5 19.5	528	32 19	0.92 <input checked="" type="checkbox"/>	9.48 5	Lead	FIXED	2	
Stratocaster	J 32	16	126	1996	39.2 11	155	40.68	38.5 15.5	5.88 10.07		Yes	Yes	23.95 831	32.5 28.67	10000 3840	No 1	IB FOLD	
			633 193		ALUMN FS			0 0	355	20.4 19.75	659	38.38 23.95	0 <input checked="" type="checkbox"/>	11 5.75	Lead	FIXED	2	
Tequila Mockingbird	Express 27 ODR	18353	126		28.5 9	155	32.5	28.5 10.416	4.22 7.03		Yes	Yes	18.85 450	27.25 23.75	2450 1100	No 1	OB None	(Mtg 4/23/15, switched to MH configuration, -3 sec/mi for increased spinnaker area)
			603 83		ALUMN FS			0 0	182	18.25 17.5	460	26.25 17.75	0 <input type="checkbox"/>	8.17 4.5	Lead	FIXED	0	

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Keel		Engine/Prop	Modifications
					I J	Max Headsail		P E	MGU MGM	SL	SPL	Yes/No	ASF		Ttl Disp.	Traps/H. Strps		
			DW Rating		Mast Material		PY	MSA	SSMG	SSA	SLU	ASA	LWL	Ballast	moveable blst	Prop Type		
			Disp/WL ratio		Rig Type		EY		SSF		SLE	Sprit Length	Max Beam	Ballast Mat.	Keel Type	# of blades		
											Fixed or _o		Max Draft					
White Wabbit	Wylie Wabbit ODR W/Trap	19	126	1982	20.5 6.6	110	26.1	23.75 4.03	10 6.72	21.6 8.6	Yes	No	23.75 20	975 440	Yes 1	OB None		
			601 55		ALUMN FS		0 0	145	14 14	252		<input type="checkbox"/>	5.58 3.5	Lead	FIXED	0		
Wind Blown Hare	Wylie Wabbit ODR W/Trap	29	126	1982	20.5 6.5	150	20.5	23.75 4.03	10 6.72	22 8.5	Yes	No	23.75 20	975 440	1 3	OB None		
			602 55		ALUMN FS		0 0	145	13.9 13.7	254		<input type="checkbox"/>	5.583 3.5	Lead	FIXED	0		
Abba-Zaba	Tartan 10	8112	129	1979	35 12	125	35	40.25 5.34	13.75 8.86	35 12	Yes	No	33.16 27	6700 3340	0 1	IB FOLD		(+3 sec/mi credit for 125% or smaller headsail)
			623 155		ALUMN FS		0 0	331	21.6 21.6	630		<input type="checkbox"/>	9.25 5.83	Lead	FIXED	2		
Abigail Morgan	Express 27 ODR	18394	129	1985	28.5 9	150	28.5	28.5 4.22	10.416 7.03	28.562 9.833	Yes	No	27.25 23.75	2450 1100	No 1	OB None		
			612 83		ALUMN FS		0 0	182	17.75 17.4	421		<input type="checkbox"/>	8.166 4.5	Lead	FIXED	0		
Andale	Express 27 ODR	72	129	1985	28.5 9	155	28.5	28.5 4.22	10.42 7.03	29 9.83	Yes	No	27.25 23.75	2450 1100	0 1	None		
			611 83		ALUMN FS			182	17.7 17.7	428		<input type="checkbox"/>	8.17 4.5	Lead	FIXED			
Archimedes	Express 27 ODR	18355	129	1985	28.5 9	155	28.5	28.5 4.22	10.416 7.03	29 9.833	Yes	No	27.25 23.75	2450 1100	No 1	NONE None		
			611 83		ALUMN FS		0 0	182	17.333 17.6	420		<input checked="" type="checkbox"/>	8.17 4.5	Lead	FIXED	0		
Bombora	Express 27 ODR	38047	129		28.5 9	155	28.5	28.5 4.22	10.42 7.03	28.5 9.83	Yes	No	27.25 23.8	2450 1100	0 1	OB None		
			611 83		ALUMN FS			182	17.7 17.7	420		<input type="checkbox"/>	8.17 4.5	Lead	FIXED	0		

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
				I J	Max Headsail		P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.	Traps/H. Strps		IB or OB Prop Type # of blades
									SL SPL SSMG SSF	SPL SSA	SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o						
Borealis	Gulf 39 PH	77135	<b>129</b>	50 16.17 ALUMN MS	128	42 13.75	4.83 8.58		No	No		38.83 33.67 12 5	17500		1 FIXED	IB Fold		
Boudicca	Elan 310	310	<b>129</b>	2010 40.19 11.74 ALUMN FS	106	42.55 14.87	39.53 5.28 13.55 8.92		No	Yes	25.91 906 3 0	30.3 28.58 10.5 6.23	10141 2292 Iron	0 1 FIXED	IB Fold			
Current Affair	Express 27 ODR	56	<b>129</b>	1983 28.5 9 ALUMN FS	155	28.5	28.5 4.22 10.42 7.03		Yes	No		27.25 23.75 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None			
Dianne	Express 27 ODR	0	<b>129</b>	1981 28.5 9 ALUMN FS	155	28.5	28.5 4.22 10.416 7.03		Yes	No		27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0			
El Raton	Express 27 ODR	28050	<b>129</b>	1985 28.5 9 ALUMN FS	155	28.5	28.5 4.22 10.416 7.03		Yes	No		27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0			
Elise	Express 27 ODR	101	<b>129</b>	1986 28.5 9 ALUMN FS	155	28.5	28.5 4.22 10.416 7.03		Yes	No		27.25 23.75 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0			
Ergo	Express 27 ODR	40428	<b>129</b>	28.5 9 ALUMN FS	155	28.5	28.5 4.22 10.416 7.03		Yes	No	0 0 0	27.25 23.75 8.075 4.5	2450 1100 Lead	0 1 FIXED	OB None 0			

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail		P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst Keel Type		
Get Happy!!	Express 27 ODR	1	<b>129</b> 1981	28.5 9	155	28.5	28.5 4.22 10.416 7.03	4.22 7.03	Yes	29 9.833	No		27.25 23.75 8.166 4.5	2450 1100 Lead	No 1 FIXED	OB None 0	
			<b>611</b> 83	ALUMN FS		0 0	182			17.7 428		<input type="checkbox"/>	0				
Hang 20	Express 27 ODR	48	<b>129</b> 1982	28.5 9	125	28.5	28.5 4.22 10.42 7.03	4.22 7.03	Yes	28.5 9.83	No		27.3 23.8 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0	
			<b>612</b> 83	ALUMN FS			182			17.7 420		<input type="checkbox"/>	0 0				
Invictus	Hunter 41 DS	38093	<b>129</b> 2007	51.6 13	110		50.8 6 19.6 10.11	6 10.11	No		No		40.4 35.6 13.3 6.6	19400 6506 Lead	0 1 FIXED	IB Fixed_3 3	(Mtg 4/25/13, +3 sec/mi for in-mast furling main)
			<b>195</b>	ALUMN FS			524					<input type="checkbox"/>	0 0				
Make Me Smile	Express 27 ODR	91	<b>129</b>	28.5 9	155	28.5	28.5 4.22 10.42 7.03	4.22 7.03	Yes	28.5 9.83	No		27.25 23.8 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0	
			<b>610</b> 83	ALUMN FS			182			17.7 420		<input type="checkbox"/>	0				
Mega Hurtz	Laser 28 ODR MOD	53470	<b>129</b> 1974	31.1 9.65	125	31.73	33.14 4.98 12.96 8.4	4.98 8.4	Yes	33 11.32	No		28.41 23.62 9.48 4.98	3950 1500 Lead	0 1 FIXED	OB None 2	(Mtg 2/27/14, switched to outboard motor, -3 sec/mi)
			<b>631</b> 136	ALUMN FS			257			20.37 552		<input type="checkbox"/>	0 0				
Moonlight	Express 27 ODR	28059	<b>129</b> 1986	28.5 9	155	28.5	28.5 4.22 10.416 7.03	4.22 7.03	Yes	29 9.833	No		27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0	
			<b>610</b> 83	ALUMN FS			0 0	182		16.5 404		<input type="checkbox"/>	0				
Motorcycle Irene	Express 27 ODR	28137	<b>129</b> 1982	28.5 9	155	28.5	28.5 4.22 10.416 7.03	4.22 7.03	Yes	29 9.833	No		27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0	
			<b>611</b> 83	ALUMN FS			0 0	182		17.7 428		<input type="checkbox"/>	0				

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail		P E PY EY	MGU MGM MSA	Yes/No SL SPL SSMG SSF	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast		Traps/H. moveable blst Keel Type			
Peaches	Express 27 ODR	18364	<b>129</b> 1986	28.5 9	155	28.5	28.5 4.22 10.416 7.03	4.22 7.03	Yes 29 9.833	No		27.25 23.75 8.166 4.5	2450 1100 Lead	No 1 FIXED	OB None 0		
			<b>611</b> 83	ALUMN FS		0 0	182		17.75 429		<input type="checkbox"/>	0					
Pork Chop Express	Express 27 ODR MOD	115	<b>129</b> 1986	28.5 9	130	32.5	28.5 4.2 10.4 7	4.2 7	Yes 28.58 9.8	Yes 33.04 28.84 15.72	19.55 425 0 90	27.25 23.75 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None	(Mtg 1/26/17, -3sec/mi for switching to MH configuration. New Rudder, NCTR)(3/22/17, back to OD configuration, +3 sec/mi)	
			<b>604</b> 83	ALUMN MS			182		16.44 380		<input type="checkbox"/>						
Salty Hotel	Express 27 ODR	60	<b>129</b> 1983	28.5 9	155	28.5	28.5 4.22 10.416 7.03	4.22 7.03	Yes 29 9.83	No		27.25 23.75 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0		
			<b>611</b> 83	ALUMN FS			182		17.75 429		<input type="checkbox"/>	0 0					
Shenanigans	Express 27 ODR	67	<b>129</b> 1983	28.5 9	155	28.5	28.5 4.22 10.42 7.03	4.22 7.03	Yes 29 9.83	No		27.25 23.75 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0		
			<b>609</b> 83	ALUMN FS			182		16 387		<input type="checkbox"/>	0					
Simply Irresistible	Express 27 ODR	18070	<b>129</b> 1983	28.5 9	155	28.5	28.5 4.22 10.416 7.03	4.22 7.03	Yes 28.6 9.8	No		27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0		
			<b>612</b> 83	ALUMN FS			182		17.75 422		<input type="checkbox"/>	0					
Swamp Donkey	Express 27 ODR	8444	<b>129</b> 1981	28.5 9	155	28.5	28.5 4.22 10.416 7.03	4.22 7.03	Yes 29 9.833	No		27.25 23.75 8.166 4.5	2450 1100 Lead	No 1 FIXED	OB None 0		
			<b>611</b> 83	ALUMN FS			182		17.8 430		<input type="checkbox"/>	0					
Take Five	Express 27 ODR	28031	<b>129</b> 1982	28.5 9	155	28.5	28.5 4.22 10.416 7.03	4.22 7.03	Yes 29 9.833	No		27.25 23.75 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0		
			<b>611</b> 83	ALUMN FS			182		17.75 429		<input type="checkbox"/>	0 0					

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail		P E PY EY	MGU MGM MSA	Yes/No SL SPL SSMG SSF	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast		Traps/H. moveable blst Keel Type			
Topgallant	Tartan 10	18608	<b>129</b> 1978	35 11.75	125	35	40.25 5.34 13.75 8.96	5.34 8.96	Yes	No		33.16 27 9.25 5.83	6700 3340 Lead	No 1 FIXED	IB FOLD 2	(4/25/02 Installed Running Backstay)	
			<b>623</b> 155	ALUMN FS		0 0	332	21.6 622 20.3		<input type="checkbox"/>	0						
Tule Fog	Express 27 ODR	18178	<b>129</b> 1984	29 9	155	28.5	29 10 7.03	4.22 7.03	Yes	No		27.3 23.8 8.166 4.5	2450 1100 Lead	n 1 FIXED	OB None 0		
			<b>610</b> 83	ALUMN FS			182	17.7 428 17.7		<input type="checkbox"/>	0						
Uno	Wyliecat 30 IB	28632	<b>129</b> 1995	35.8 5.5		35.8 12	39.66 9.31 19.75 13.05	9.31 13.05	No	Yes	19.68 550	30.5 25 9.5 5.25	5800 3000 Lead	0 1 FIXED	IB FOLD 2	(mtg 2/21/08, penalty for oversized main -3 sec/mi)(Mtg 5/22/08, -24 for asymmetric spinnaker flown on 12' pole)(1/24/16, not using spinnaker +24 sec/mi)	
			<b>607</b> 169	CARBON CAT			493			<input type="checkbox"/>	90						
Verve	Express 27 ODR	18283	<b>129</b> 1981	28.5 9	155	28.5	28.5 4.22 10.416 7.03	4.22 7.03	Yes	No		27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0		
			<b>611</b> 83	ALUMN FS			182	17.5 425 17.9		<input type="checkbox"/>	0						
Wetsu	Express 27 w/J length pole	70	<b>129</b> 1983	28.5 9	155	28.5	28.5 4.22 10.42 7.03	4.22 7.03	Yes	No		27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0	-6 Sec/mi OSP	
			<b>611</b> 83	ALUMN FS			182	17.7 427 17.5		<input type="checkbox"/>	0						
Yeti	Express 27 ODR	38	<b>129</b> 1983	28.5 9	155	28.5	28.5 4.22 10.4 7.03	4.22 7.03	Yes	No		27.25 23.75 8.16 4.5	2450 1100 Lead	0 1 FIXED	OB None		
			<b>612</b> 83	ALUMN FS			182	17.7 422 17.7		<input type="checkbox"/>	0						
Zwei Flying Fish	San Juan 33s	59733	<b>129</b> 1981	34.83 11.48	134	34.83	39.16 4.66 12.66 8.08	4.66 8.08	Yes	No		33.1 27.8 7.95 5.5	6000 3500 Lead	0 1 FIXED	IB Fold	(Mtg 5/28/15, +3 sec/mi for small rig)	
			<b>606</b> 127	ALUMN FS			292	19.75 555 19.75		<input type="checkbox"/>	0						

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications									
			Built	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps		IB or OB								
										E	MGM									SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type
Disp/WL ratio	Mast Material	Rig Type	EY	SSA	ASMG	Fixed or _o	Max Draft	Ballast Mat.	Keel Type	# of blades																	
Bandicoot	Wyliecat 30 IB	28530	<b>132</b>	2000	0	29	39.75	7.87	No	No	18.8	30.5	5500	0		IB	(mtg 5/20/10, -21 sec/mi for added spinnakers)(9/5/12, removed spinnaker, back to standard configuration)										
					0	10	20.5	13.46	29	10	31.5	25	3050	1		FEATH											
			<b>653</b>		CARBON		0	488	17.75	429	25	9.5	Lead	FIXED	2												
			<i>160</i>		CATBOAT		0		17.75		22.5	5.25															
Catalyst	Wyliecat 30 IB	28571	<b>132</b>	2004			40	7.87	No	No		30.42	5800	No		IB	Must have a YC card before registering for 2005 and clear YC for 2004										
							20.67	13.46				25	3000	1		Feath											
			<b>652</b>		CARBON		0	493			0	9.42	Lead	FIXED	2												
			<i>169</i>		CAT		0				<input type="checkbox"/>	5.25															
Crinan II	Wyliecat 30 IB	15	<b>132</b>	2002			39.75	7.79	No	No		30.5	5500	No		IB											
							20.5	13.32				25	3050	1		FOLD											
			<b>653</b>		ALUMN		0	485			0	9.5	Lead	FIXED	2												
			<i>160</i>		CATBOAT		0				<input type="checkbox"/>	5.25															
Iseult	Wyliecat 30 IB	13	<b>132</b>	2001		0	39.75	7.87	No	No		30.5	5500	0		IB											
							20.8	13.46				25	3050	1		Fold											
			<b>653</b>		CARBON			491			0	9.42	Lead	FIXED	2												
			<i>160</i>		CAT						<input type="checkbox"/>	9.25															
Kabunza	Pearson 36-2	362	<b>132</b>	1986	47.1	110	41	3.65	No	No		36.5	15000	0		IB											
					15.4		14.5	7.3				29.5	5800	1		Fixed_2											
					ALUMN			300			0	12.3	Lead	FIXED	2												
			<i>266</i>		MS						<input type="checkbox"/>	6.5															
Kira	Cal 33-2	28999	<b>132</b>	1986	46	125	46	4.82	No	Yes	21.86	33	10800	No		IB	(Mtg 1/26/12, -3 sec/mi for increased "e" & MSA)										
					13.25		12.75	8.23			697	27.5	4475	1		FOLD											
			<b>655</b>		ALUMN		0	307			0	11.33	Lead	FIXED	2												
			<i>236</i>		MS		0				<input type="checkbox"/>	6.12															
Polecat	Wyliecat 30 IB	5	<b>132</b>	1997			29.5	7.35	No	No	21.6	30.5	5500	No		IB	(Articulating Sprint and Pole added for asym spinnaker, added asymmetrical, -21 sec/mi)(5/22/14, removed Asymmetric, +21 sec/mi)(Mtg 8/25/16, New rudder installed, NCTR)										
							20	12.66			493	25	3050	1		FOLD											
			<b>620</b>		CARBON		0	468			8	9.416	Lead	FIXED	2												
			<i>160</i>		CAT		0				<input type="checkbox"/>	5.25															



Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
			Rating		I	J	ISP	P	MGU	Yes/No		Yes/No	ASF		Ttl Disp.	Traps/H.	IB or OB	
			Rating		Max	Max	JSP	E	MGM	SL	SPL	SLU	ASA					
			Disp/WL ratio		Headsail	Headsail		PY	MSA	SSMG	SSA	SLE	Sprit Lngth		Ballast Mat.	Keel Type	# of blades	
Shanti	Ericson 911S Olson	326	<b>132</b>	1989	41.5	150	41.5	35.5	4.73	Yes	No		29.92	8700	0	IB	CHANGE TO RUDDER NOTED, NCTR	
					12.33		12.33	11.83	7.69			25	3200	1	FOLD			
			<b>662</b>		ALUMN			0	253			10.33	Lead	FIXED	2			
			253		MS			0	0		<input type="checkbox"/>	5.42						
TAZ!!	Express 27 ODR	8100	<b>132</b>	1981	28.5	125	28.5	28.5	4.23	Yes	No		27.3	2450	0	NONE		
					9			10.42	7.04			23.8	1100	1	None			
			<b>620</b>		ALUMN				182			8.17	Lead	FIXED				
			83		FS						<input type="checkbox"/>	4.5						
Tule Lost	Ericson 911S Olson	28911	<b>132</b>	1988	41.5	155	41.5	35.5	4.73	Yes	No		29.92	8680	No	IB	MUST HAVE YACHT CLUB MEMBERSHIP CARD WITH ENTRY FORM FOR 2006 RACING	
					12.33			11.083	7.69			25	3200	1	FOLD			
			<b>663</b>		ALUMN			0	247			10.33	Lead	FIXED	0			
			253		MS			0	0		<input type="checkbox"/>	5.42						
Plus Sixteen	Ericson 911S Olson	97707	<b>135</b>	1991	41.5	125	41.5	35.761	4.035	Yes	Yes	20.932	30	8500	No	IB		
					12.25		12.33	11.811	7.136		41.995	698	25	3200	1	FEATH		
			<b>662</b>		ALUMN			0	240		22.605	819	10.33	LeadSteel	FIXED	2		
			247		MS			0	0		22.605	21.702	5.42					
Zara	Beneteau 310	144	<b>135</b>	1993	37.04	135	37.04	37.8	5.2	No	Yes	21.6	31.2	7054	0	IB		
					10.83		10.82	12.9	8.9		37	528	27.7	2160	1	Fixed_2		
			<b>645</b>		ALUMN				301		35	0	10.5	Lead	FIXED			
			151		FS						16.6	<input checked="" type="checkbox"/>	4.3					
Big Air	Open 5.7 ODR	189	<b>138</b>	2006	21.52	117	21.6	25.33	5.7	No	Yes	17.6	18.75	992	0	OB		
					7.3		12.3	10.24	8.2		25.82	345	18.7	405	1	None		
			<b>609</b>		ALUMN				183		20.64	5	8.3	Lead	FIXED			
			69		FS						17.9	<input checked="" type="checkbox"/>	5.74					
Curie	Beneteau 32S5	52868	<b>138</b>	1990	38.39	150	38.39	38.88	5.3	Yes	No	17.3	32.6	9260	0	IB		
					9.68		9.68	13.78	9.01		35.75	519	27.83	2980	1	FOLD		
			<b>652</b>		ALUMN				321		17.3	576	10.83	Cast Iron	FIXED	2		
			195		FS						17.3		6					

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications				
			Built	J	Max Headsail	ISP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp. Traps/H. Strps		IB or OB							
									E	MGM				SL	SPL		SLU	ASA		LWL	Ballast	moveable blst	# of blades
Disp/WL ratio	Mast Material	Rig Type	EY	SSSF	ASMG	Fixed or_o	Max Draft	Ballast Mat.	Keel Type														
Frisky	Open 5.7 ODR	281	<b>138</b>	2009	21.52	117	27.9	25.33	5.7	No	Yes	17.5	18.7	992	0	NONE							
			<b>599</b>		7.3		12.3	10.24	8.2		25.8	18.7	405	1	None								
			<b>69</b>		ALUMN				183		20.6	8.3	Lead	FIXED									
			<b>69</b>		FS						17.5	5.7											
Short Bus	Hunter 35 Legend	210	<b>138</b>	1990	42	110		44.08	5.5	No	Yes	24.6	35.58	12600	0	IB							
			<b>628</b>		12.17			14.25	9.2		49.5	29.75	5000	1	Fixed_2								
			<b>218</b>		ALUMN				375		39.8	11.75	Lead	FIXED									
			<b>218</b>		MS						26	6.5											
Blade Runner	Santa Cruz 27	28727	<b>141</b>	1979	32.7	150	32.7	28.2	3.27	Yes	Yes	19.58	27	3000	0	OB							
			<b>631</b>		10.9		10.9	8.7	5.64		34.05	533	24.08	1600	1	None							
			<b>98</b>		ALUMN				146		31.27	0	8	Lead	FIXED								
			<b>98</b>		MS						19.58	90	4.5										
Friction Loss	J 30	67425	<b>141</b>	1979	34	155	34.1	38	4.94	Yes	No	21.06	29.83	6500	0	IB							
			<b>652</b>		11.5		11.5	13	8.45		37.7	666	25	2100	1	FOLD							
			<b>189</b>		ALUMN			0	295		34.5	0	11.17	Lead	FIXED	2							
			<b>189</b>		FS			0			22.4	0	5.25										
FROLIC	Islander 36 TM	47462	<b>141</b>	1974	47	155	47	40.75	4.8	Yes	No		36.08	13450	0	IB							
			<b>655</b>		14.5		14.5	12.6	8.25			0	28.25	5450	1	Feath							
			<b>271</b>		ALUMN				307			0	11.17	Iron	FIXED	3							
			<b>271</b>		MS							0	6.08										
Geodesic III	Optima 101	103	<b>141</b>	1985	38.71	125	38.71	38.39	4.9	Yes	Yes	19.6	32.84	8511	0	IB	(Mtg 4/27/17, added 2' retractable bowsprit, -3 sec/mi)						
			<b>621</b>		12		12	13.45	8.2		37	12	29.25	3968	1	Fixed_2							
			<b>155</b>		ALUMN				298		21.5	663	11.15	Iron	FIXED								
			<b>155</b>		FS						21.5		4.76										
Giant Slayer	Santa Cruz 27	59369	<b>141</b>	1979	32.583	155	32.583	28.25	3.7	Yes	Yes	17.67	27	3304	No	OB	(Mtg 3/27/14, -3 sec/mi for 10% overized symmetrical spinnaker)						
			<b>624</b>		10.9		10.9	8.7	6.3		32.8	10.9	24	1800	1	None							
			<b>109</b>		ALUMN			0	157		19.6	536	8	Lead	FIXED	0							
			<b>109</b>		MS			0			19.6		4.5										

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst Keel Type		
Gotcha	Santa Cruz 27	47911	<b>141</b> 1975	32.58 10.75	150	32.58	28.25 8.583	3.68 6.06	Yes	32.8 10.9	No	27 24 8 4.5	3200 1600 Lead	0 1 FIXED	OB None		
			<b>619</b> 105	ALUMN MS				154		19.6 536	<input type="checkbox"/>	0 0					
Ione	J 30	8994	<b>141</b> 1981	34.19 11.041	140		38 13	4.83 8.21	Yes	34.5 11.04	No	29.83 25 11.2 5.25	6500 2100 Lead	0 1 FIXED	IB FOLD 2		
			<b>657</b> 189	ALUMN FS			0 0	290		20 581 21	<input type="checkbox"/>	0					
Kynntana	Freedom 38	38086	<b>141</b> 1988	33.34 11.5	100	33.34 11.5	45.5 16.57	6.25 10.7	No		No	38.42 30.58 12.5 5.6	14370 6500 Lead	0 1 FIXED	IB Fold		
			<b>228</b>	CARBON FS				447			<input type="checkbox"/>	0 0					
Low-Down	Santa Cruz 27	8027	<b>141</b> 1979	32.7 10.9	140		28.25 8.58	3.68 6.06	Yes	32.15 10.81	No	27 24 8 4.5	3300 1500 Lead	0 1 FIXED	OB None		
			<b>635</b> 109	ALUMN MS				153		19.45 521 19.45	<input type="checkbox"/>	0 0					
Quila	Santa Cruz 27	18723	<b>141</b> 1976	32.583 10.75	155	32.583	28.25 8.583	3.68 6.1	Yes	32.74 10.75	No	27 24 8 4.5	3000 1500 Lead	No 1 FIXED	OB None 0		
			<b>620</b> 99	ALUMN MS			0 0	154		19.4 529 19.4	<input type="checkbox"/>	0					
Rare Bird	Moore 24	67	<b>141</b> 1976	26.58 9.75	100	28.31 11.65	25 9.5	3.91 6.5	Yes	27 11.65	Yes	17.22 21.75 7.16 4.083	2050 1025 Lead	0 1 FIXED	OB None	(Mtg 10/27/16, -6 sec/mi for OSP, -6 sec/mi for increased spinnaker area)	
			<b>624</b> 91	ALUMN FS				147		17.55 395 17.55	<input checked="" type="checkbox"/>	0					
Warwhoop	Contessa 33	63336	<b>141</b> 1984	37.916 11.17	100	37.93	39.416 13.86	5.31 9	Yes	36.1 11.17	Yes	20.92 25.52 11.08 5.8	8375 3700 Lead	No 1 FIXED	IB FOLD 2	(Mtg 1/26/17, -3 sec/mi for oversized asymmetric area)(Mtg 2/23/17, -3 sec/mi for oversized symmetric spinnaker area)	
			<b>653</b> 229	ALUMN FS			0 0	326		21.5 647 21.6	<input type="checkbox"/>	0					

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications		
				I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No	Yes/No	ASF	Ttl Disp.		Traps/H. Strps	IB or OB Prop Type # of blades				
				Mast Material			PY	MSA	SL	SPL	SLU	ASA	Ballast	moveable blst					
				Rig Type			EY		SSMG	SSA	SLE	Sprit Lngth Fixed or _o	Ballast Mat.	Keel Type					
				Disp/WL ratio					SSF		ASM	Fixed or _o							
Wild Spirit	Wylie 36	0	141	1970	44.67 14.75	100	44.67 14.75	40.75 5.3 14	9.1		No	Yes	23.5 815	36.5 30 10.9 6	13720 5575 Lead	0 1 FIXED	IB Fixed_2	(Mtg 3/24/16, same hull as "Alert", +3 sec/mi for small "I", +3 sec/mi for no spinnaker articulation)	
Wimm	Jeanneau Sun Odyssey 349	38105	141	2016	43.6 12.37	112		40.68 4.9 13.62	8.2		No	No	0 0	33.92 30.84 11.29 6.86	11770 3483 Cast Iron	0 1 FIXED	IB Fold		
Wind Speed	J 30	39963	141	1980	34.19 11.5	155	34.2	37.5 4.9 12.5	8.1	33.6	Yes	11.5	No	0	29.83 25 11.18 5.25	6700 2100 Lead	No 1 FIXED	IB FOLD 2	+6 sec/mi for J length pole (mtg 11/16/01)
Ad Lib	Aphrodite 101	8161	144	1979	36.83 11.81	100	32.23	39.33 4.5 11.48	6.1	35.6	Yes	11.9	No	0	32.75 26.33 7.92 5.42	6160 3527 Lead	No 1 FIXED	IB FOLD 2	
All Hail	Catalina 34 TM	524	144	1988	46 13.5	130	45.9 13.5	40.5 4.8 12	8		No		No	0 0	35.66 29.84 11.75 5.56	12000 5000 Lead	0 1 FIXED	IB Fold	
Breakaway	Ultimate 20 CM	180	144	2002	26.08 6.97	114	27.58 12.79	27.33 5.5 10.17	7.96		No	Yes	19.167 441	20.83 18 8.33 5	1350 450 Lead	No 1 FIXED	OB Fixed_3 3		
Califia	Islander 36 ODR	67074	144	1978	45 14.48	135	45	39.25 3.69 12.75	6.88		No	No	0 0	36.08 28.25 11.17 6.08	13450 5450 Lead	0 1 FIXED	IB Feath 2		

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SPL SSMG SSF	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast		Traps/H. moveable blst Keel Type				
Cassiopeia	Islander 36 ODR	6763	<b>144</b> 1971	45 14.48	150	45	39.25 12.75	4.8 8.29	Yes	45.34 27 27	15 1020	No	0	36.08 28.25 11.17 6	13947 5450 Lead	No 1 FIXED	IB FOLD 2	(mtg 2/18/10, - 6 sec/mi for 10% OSP)(8/2/11, boat returned to ODR Configuration)
Cordon Rouge	J 30	68	<b>144</b> 1979	34 11.5	125	34	38 13	5.1 8.4	Yes	34 19.5 20	11.5 555	No	0	29.83 25 11.2 5.25	6700 2100 Lead	No 1 FIXED	IB FOLD 3	
Flyer	Peterson 33 (CHITA)	18620	<b>144</b> 1979	42.5 13.9	155	42.5	36.66 9.91	3.66 6.21	Yes	41.91 24.83 24.67	13.75 866	No	0	32.67 26.58 10.5 6.08	9480 4960 Lead	0 1 FIXED	IB FOLD 2	
French Kiss	Beneteau 350 Oceanis	28713	<b>144</b> 1989	41.47 12.8	140	41.47	35.7 11.6	4.2 7.3	Yes	39.5 22.5 22.5	12.52 741	No	0	33.83 29.83 11.17 5.17	10580 3525 Lead	0 1 FIXED	IB FOLD 2	Above deck Roller Furler
Luna Sea	Islander 36 ODR	420	<b>144</b> 1980	45 14.48	135	45	39.25 12.75	5.05 8.44	Yes	45 27 27	15 1013	No	0	36.08 28.25 11.17 6.08	18000 5450 Lead	No 1 FIXED	IB Feath 3	
Nutmeg	Islander 36 ODR	87245	<b>144</b>	45 14.48	150	45	39.25 12.75	5.05 8.44	No	0	0	No	0	36.083 28.25 11.166 6.083	13450 5450 Lead	No 1 FIXED	IB FOLD 0	
Peabody	Ultimate 20	22	<b>144</b>	25.08 6.97	110	27.58 12.79	27.5 10.25	5.5 7.96	No	0	0	Yes	19.2 448 6 0	20.94 18 8.33 5.03	1350 450 Lead	0 1 CNTRBRD	OB None	

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications		
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SPL SSMG SSF	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast		Traps/H. moveable blst Keel Type					
Serenity	Islander 36 ODR	82659	<b>144</b> 1973	45 14.48	135	45	39.25 12.75	3.69 6.88	Yes	45 27 27	15 1013	No	0	36.08 28.25 11.17 6.083	13500 5450 Lead	0 1 FIXED	IB Feath		
			<b>648</b> 272	ALUMN MS				265				<input checked="" type="checkbox"/>	0						
Starbuck	Custom Black Soo 30	8666	<b>144</b> 1968	30 13	125	29.5 13	25 11.73	4.9 7.5	Yes	31 22.1 23.2	13 577	No	20.4 565 0	31 27.5 6.8 6.4	4500 1800 Iron	0 1 FIXED	OB None 0	(Mtg 1/17/02, added scoop, custom rating changed from 144 to 141)(mtg 1/11/13, Added A-sail, -9 sec/mi, rating changed from 141 to 132)(Mtg 5/13/14, removed A-Sail, +9 sec/mi, change custom rating from 132 to 141, +2 sec/mi for small headsail)	
U Decide	Ultimate 20	155	<b>144</b> 2001	26.08 6.97	114	27.58 12.79	27.33 10.17	5.5 7.96	No			Yes	17.7 433 6 0	20.83 18 8.33 5	1350 450 Lead	0 1 FIXED	OB None 0		
UHOO!	Ultimate 20	64	<b>144</b> 1996	22.8 7	100	27.58 13	27.5 10.33	5.3 7.96	No			Yes	19.2 446 6 0	20.8 18 8.166 5	1100 450 Lead	No 1 CENTER	OB None 0		
Windwalker	Islander 36 ODR	57307	<b>144</b> 1976	45 14.48	150	45	39.25 12.75	4.8 8.2	Yes	45.25 23.3 24.7	15 889	No	0	36.08 28.25 11.17 6.08	13450 5820 Lead	No 1 FIXED	IB FOLD 2		
Amandla	Catalina 34 1&2	796	<b>147</b> 1988	46 13.5	130		38.5 12		No			No	0	35.75 29.8 11.75 5.6	11950 5000 Lead	0 1 FIXED	IB FOLD 3		
			<b>205</b>	ALUMN MS								<input type="checkbox"/>							
Crews Nest	Catalina 34 1&2	1383	<b>147</b> 1997	44 13.5	130	44 13.5	38.5 12	3.6 6.8	Yes	42 24 23.5	13.5 837	No	0	35.67 29.83 11.75 5.58	11950 5000 Lead	No 1 FIXED	IB FEATH 3		
			<b>634</b> 205	ALUMN MS			0 0	251				<input checked="" type="checkbox"/>							

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
			Rating		I	J	P	MGU	Yes/No	Yes/No	ASF	Ttl Disp.		Traps/H.	IB or OB		
			Built		Max Headsail	ISP	E	MGM	SL	SPL	SLU	ASA		Ballast	moveable blst	Prop Type	
			DW Rating		Mast Material	JSP	PY	MSA	SSMG	SSA	SLE	Sprit Lngth		Ballast Mat.	Keel Type	# of blades	
			Disp/WL ratio		Rig Type		EY		ASMG	Fixed or_o							
Friday Harbor	Beneteau 323 DK	28580	<b>147</b>	2004	42.67 11.06	116		38.9 13.17	5 8.56	No	Yes	19.91 661	32 29.17 10.67 5.92	8448 2258 Iron	No 1 FIXED	IB FOLD 2	
			<b>633</b> 155		ALUMN MS				306		41.34 17.9	0 <input checked="" type="checkbox"/>					
Hangover	Islander 36 ODR	367	<b>147</b>	1976	45 14.48	135	45	39.25 12.75	5.05 8.44	No	No		36.8 28.25 11.17 6.08	13450 5820 Lead	0 1 FIXED	IB Fixed_2	
					ALUMN MS				303			0 <input type="checkbox"/>					
Kapai	Islander 36 ODR	438	<b>147</b>	1977	45 14.48	125	45	39.25 12.75	5.05 8.44	No	No		36.08 28.25 11.17 6	13450 5500 Lead	0 1 FIXED	IB FOLD 2	
					ALUMN MS			0 0	303			0 <input type="checkbox"/>					
Lawless	Catalina 36-2	2056	<b>147</b>	2002	44.75 14.42	155	44.9	39 12	4.83 8.05	No	No		36.42 30.33 11.92 5.83	13500 6042 Lead	0 1 FIXED	IB Fixed_3	
					ALUMN MS				286			0 <input type="checkbox"/>					
Mottley	Catalina 34	8	<b>147</b>	1986	44 13.5	130	44 14	38.5 12	4.7 8.05	No	No		34.5 29.833 11.75 5.583	11950 5000 Lead	No 1 FIXED	IB Fold 2	
					ALUMN MS			0 0	281			0 <input type="checkbox"/>					
Music	Catalina 34 1&2	56583	<b>147</b>	2001	44 13.5	130		38.5 12	3.6 6.8	No	Yes	21.8 762	35.66 29.84 11.75 5.56	11950 5000 Lead	0 1 FIXED	IB FOLD 2	
					ALUMN MS				251			39.2 21.7	0 <input checked="" type="checkbox"/>				
Queimada	Catalina 34 1&2	611	<b>147</b>	1988	44 13.5	150	44 13.5	38.5 12	4.2 7.2	Yes	No		34.5 29.83 11.75 5.58	11950 5000 Lead	0 1 FIXED	IB Fold 2	
					ALUMN MS				263			42.5 23.35 23	13.5 825	0 <input type="checkbox"/>			

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications			
				I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SL SPL SSMG SSF	SPL SSA	SLU SLE ASMG		Yes/No ASF				Ballast Ballast Mat.	Traps/H. moveable blst Keel Type	
								SL	SPL					SLU	ASA					Sprit Lngth Fixed or _o
Sea Spirit	Catalina 34 1&2	108	147 1986	44 13.5 130 44 13.5	38.5 4.36 12 7.54	42 13.5 24 837 23.5	Yes	No				34.5 29.83 11.75 5.58	11950 5000 Lead	No 1 FIXED	IB FOLD 2					
Zenith	Islander 36 NCPHRF	472	147 1978	45 14.48 135 45 14.8	39.25 5.05 12.75 8.44	0 303 0	No	No				36.08 28.25 11.166 6.083	13450 5820 Lead	No 1 FIXED	IB Fold 2					
Absinthe	Moore 24	102	150 1981	26.25 9.75 150 26.25	25 3.91 9.5 6.5	27 9.75 17.55 395 17.55	Yes	No				23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0					
Brandy	Farr 30 1/2 Ton	57257	150 1979	31 9.6 145 31	34 4.5 12.9 7.11	31.4 9.8 17 445 17	Yes	No				30.33 23.5 10 5.33	4894 1909 Lead	0 1 FIXED	OB None	(Mtg 4/24/15, -6 sec/mi for increased P)				
Cadenza	Moore 24	18878	150 1977	26.25 9.75 150 26.25	25 4.01 9.5 6.54	27 9.75	Yes	No				23.75 21.75 7.17 4.083	2050 1025 Lead	No 1 FIXED	OB None 0					
Color Blind	Moore 24	49	150 1979	26.25 9.75 150 26.25	25 3.91 9.5 6.5	27 9.75 17.55 395 17.55	Yes	No				23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0					
Crazy Eights	Moore 24	28888	150 1978	26 9.8 150 26.3 9.75	25 3.91 9.5 6.5	26.6 9.75 17.55 389 17.55	Yes	No				23.75 21.75 7.16 4.083	2050 1000 Lead	0 1 FIXED	OB None 0					



Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications								
			Built	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB									
										E	MGM									SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type
Disp/WL ratio	Mast Material	Rig Type	EY	SSF	ASM	Fixed or _o	Max Draft																				
Endless Summer	Catalina 36	271	150	1984	44.75 14.33	95	44.75 14.33	39 12	4.33 8.01	No	Yes	23.33	36.33	13500	0	IB											
			655		ALUMN						850	30.25	6000	1	Fixed_3												
			222		MS				279		0	11.92	Lead	FIXED	3												
Firefly	Moore 24	64	150	1980	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No		23.75	2050	No	OB											
			635		ALUMN						9.75	21.75	1025	1	None												
			91		FS			0	147		17.55	7.16	Lead	FIXED	0												
Gruntled	Moore 24	68	150	1980	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No		23.75	2050	No	OB											
			635		ALUMN						9.75	21.75	1025	1	None												
			91		FS			0	147		17.5	7.16	Lead	FIXED	0												
Hasta Nunca	Moore 24	142	150		26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No		23.75	2050	0	OB											
			636		ALUMN						9.75	21.75	1025	1	None												
			91		FS			0	147		17.55	7.16	Lead	FIXED	0												
Incognito	Moore 24	136	150	1984	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No		23.75	2050	No	OB											
			635		ALUMN						9.75	21.75	1025	1	None												
			91		FS			0	147		17.55	7.16	Lead	FIXED	0												
Irie	Beneteau 393 Oceanis SD	38200	150		46 14.5	110	46 14.5	40.2 15.1	4.63 8.12	No	Yes	24	38.12	21700	0	IB											
			633		ALUMN						755	35.1	5357	1	Fold												
			228		MS				324		0	13	Cast Iron	FIXED	3												
Itinerant	Hunter 34	1025	150	1986	47.42 13.75	105		41 11.75	4.02 6.87	No	No		34.42	11820	0	IB											
					ALUMN							28.25	5366	1	Fixed_2												
			238		MS				271		0	11.5	Steel	FIXED													

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
			Max Headsail		I	J		P	MGU	Yes/No	Yes/No	ASF	Ttl Disp.		Traps/H.	IB or OB		
			Mast Material		E	MGM		SL	SPL	SLU	ASA	Ballast	moveable blst		Prop Type			
			Rig Type		PY	MSA		SSMG	SSA	SLE	Sprit Lngth	Ballast Mat.	Keel Type		# of blades			
			DW Rating Disp/WL ratio															
JR	Moore 24	76	150	1980	26.25 9.75	155	26.25	25 9.5	3.91 6.5	Yes	No		23.75 21.75 7.16 4.08	2050 1025 Lead	No 1 FIXED	OB None 0		
Kelika	Hunter 33.5	28815	150	1991	39.166 11.666	150	39.116	43.166 13.5	5.2 8.9	Yes	No		33.33 26.83 11 4.5	10800 4500 Iron	No 1 FIXED	IB FEATH 2		
Liquid Asset	Ranger 33	27707	150	1970	41.5 13.7	150	41.5 13.67	35 13.75	4.93 8.67	Yes	No		33.17 26.25 9.58 5.17	10500 4500 Lead	0 1 FIXED	IB Fold		
Mas!	Moore 24	138	150	1983	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	Yes	17.6 387	23.75 21.75 7.16 4.08	2050 1025 Lead	0 1 FIXED	OB None		
Mirth	Catalina 34 1&2	28634	150	2005	44 13.5	125		38.5 12	4.17 7.33	No	Yes	22.02 693 0 0	35.67 29.83 11.75 5.58	11950 5000 Lead	No 1 FIXED	IB FEATH 3		
Mooretician	Moore 24	89	150	1981	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No		23.75 21.75 7.16 4.08	2050 1025 Lead	No 1 FIXED	OB None 0		
Moxy	Moore 24	110	150	1982	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No		23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0		

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:		ISP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull	Displacement/Keel		Engine/Prop	Modifications	
			Max Headsail		I	J	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB			
			Mast Material		E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst		Prop Type				
			Rig Type		PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades					
			Disp/WL ratio			JSP													
Nicole	Orion 35	8210	150	1979	44	150	44	39.5	4.42	Yes	No		34.58	13000	0	IB	Displacement Obtained by actual weight on scale, Rudder is new design and new build.		
					14			10.5	7.319			28.75	4700	1	FOLD				
			650		ALUMN			0	260			10.83	Lead	FIXED	2				
			249		MS			0			<input type="checkbox"/>	6							
Orca	Moore 24	85	150	1981	26.25	150	26.25	25	3.91	Yes	No		23.75	2050	0	OB			
					9.75			9.5	6.5				21.75	1025	1	None			
			638		ALUMN			0	147				7.16	Lead	FIXED	0			
			91		FS			0			<input type="checkbox"/>	4.083							
Oxymoron	Moore 24	28993	150	1981	26.25	150	26.2	25	3.91	Yes	No		23.75	2050	0	OB			
					9.75			9.5	6.5				21.75	1025	1	None			
			639		ALUMN			0	147				7.16	Lead	FIXED	0			
			91		FS			0			<input type="checkbox"/>	4.25							
Paramour	Moore 24	75	150	1980	26.25	150	26.25	25	3.91	Yes	No		23.75	2050	No	OB			
					9.75			9.5	6.5				21.75	1025	1	None			
			635		ALUMN			0	147				7.16	Lead	FIXED	0			
			91		FS			0			<input type="checkbox"/>	4.083							
Rocket Science	Moore 24	104	150		26.25	155	26.25	25	3.91	Yes	No		23.75	2050	0	OB			
					9.75		9.76	9.5	6.5				21.75	1025	1	None			
			635		ALUMN				147				7.16	Lead	FIXED	3			
			91		FS						<input type="checkbox"/>	4.08							
Scarlett	Moore 24	86	150	1980	26.25	150	26.25	25	3.89	Yes	No		24	2050	No	OB			
					9.75			9.5	6.45				21.75	1000	1	None			
			636		ALUMN				147				7.17	Lead	FIXED				
			91		FS						<input type="checkbox"/>	4.08							
Slight Disorder	Moore 24	98	150	1981	26.25	150	26.25	25	3.91	Yes	No		23.75	2050	No	OB			
					9.75		9.75	9.5	6.5				21.75	1025	1	None			
			636		ALUMN			0	147				7.16	Lead	FIXED	0			
			91		FS			0			<input type="checkbox"/>	4.083							

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications		
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		Ttl Disp.		Traps/H.	Strps	IB or OB Prop Type # of blades			
								SL	SPL	SLU	ASA							Ballast	moveable blst
								SSMG SSF	SSA	SLE	Sprit Lngth Fixed or _o								
Snafu	Moore 24	121	150	1982	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.08	2050 1000 Lead	0 1 FIXED	OB None				
			<b>647</b> 91	ALUMN FS			147				<input type="checkbox"/>	0 0							
Sweet Tea	Moore 24	105	150	1981	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.08	2050 1025 Lead	0 1 FIXED	OB None				
			<b>635</b> 91	ALUMN FS			147				<input type="checkbox"/>	0 0							
The Jackal	Moore 24	22	150	1977	26.25 9.75	150	26.25 9.75	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.08	2050 1025 Lead	0 1 FIXED	OB None				
			<b>636</b> 91	ALUMN FS			147				<input type="checkbox"/>	0 0							
White Trash	Moore 24	78	150	1979	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.08	2050 1025 Lead	0 1 FIXED	OB None 0				
			<b>636</b> 91	ALUMN FS			147				<input type="checkbox"/>	0 0							
WooHoo	Moore 24	80	150	1980	26.25 9.8	150	26.25	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.083	2050 1025 Lead	0 1 FIXED	OB None 0				
			<b>635</b> 91	ALUMN FS			147				<input type="checkbox"/>	0 0							
Zingara	Islander 36 NCPHRF	484	150	1978	45 14.48	125	45 14.8	39.25 12.75	4.8 8.29	No	No	36.1 28.25 11.17 6.08	13450 5820 Lead	No 1 FIXED	IB Fold 2	Roller Furler			
								0 0	298		<input type="checkbox"/>	0							
Andiamo	Catalina 36-2	2168	153	2004	44.75 14.33	115		39 13	3.04 6.16	No	Yes	36 30.25 11.9 5.8	14200 6000 Lead	0 1 FIXED	IB Fixed_3 3	In-Mast Furling Mainsail, +3 sec/mi			
			<b>649</b> 233	ALUMN MS					248		<input checked="" type="checkbox"/>	0							

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications		
			ISP		I	J	Max Headsail	ISP	P	MGU	Yes/No	Yes/No	ASF		Ttl Disp.	Traps/H. Strps	IB or OB			
			JSP		J	J		JSP	E	MGM	SL	SPL	SLU		ASA	Ballast	moveable blst		Prop Type	
					Mast Material	Mast Material		PY	MSA	SSMG	SSA	SLE	Sprit Lngth		Max Beam	Ballast Mat.	Keel Type		# of blades	
	Disp/WL ratio	Disp/WL ratio	Rig Type	EY		SSF		ASM	Fixed or _o	Max Draft										
Coquelicot	Ranger 33	148	<b>153</b>	1975	41.5 13.87	120	43.75 13.87	35 13.75	4.6 8.1	Yes	45.51	13.87	No		33 26.3 9.6 5	10500 4500 Lead	No 1 FIXED	IB FOLD 2	Double Spreader rig, water supply 41 gallons, below v berth, 26 gallon bladder tank starboard, rudder 9 inches deeper, group 31 batteries, 15 hsp one cyl disel replaced by 29 hsp Perkins 3 cylendar engine. (MTCB/MTC 2 21 02)	
			<b>644</b> 262		ALUMN MS			0 0	270				<input type="checkbox"/>	0						
Lenora	Hunter 33-2	60700	<b>153</b>	2004	37.42 10.83	115	38.42 10.83	36.46 15.83	4.83 8.33	No			Yes	18.5 39.33 35.5 16.67	531 0 0	33.5 29.42 11.17 5.5	10400 3459 Lead	0 1 FIXED	IB Fold 3	
			<b>648</b> 186		ALUMN FS				306				<input checked="" type="checkbox"/>	0						
Moore Fun	Moore 24	18884	<b>153</b>	1979	26.25 9.75	125	26.25	25 9.5	3.91 6.5	Yes	27 17.55 17.55	9.75 395	No		23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0		
			<b>636</b> 91		ALUMN FS			0 0	147				<input type="checkbox"/>	0						
Sterling	Catalina 34 1&2	1269	<b>153</b>	1994	44 13.5	125		38.5 12	3.6 6.8	No			No		35.66 29.84 11.75 5.56	11950 5000 Lead	0 1 FIXED	IB Fixed_2		
			<b>204</b>		ALUMN MS				251				<input type="checkbox"/>	0 0						
Azure	Catalina 275 Sport	1	<b>156</b>	2013	34.42 8.99	106	11.83	31.5 11.48	5.33 8.17	No			Yes	22 37.5 35 22	665 0 0	27.5 26.57 8.5 5.2	5000 2040 Lead	0 1 FIXED	IB Fixed_2	
			<b>629</b> 121		ALUMN FS				233				<input type="checkbox"/>	0						
Bosporus II	Columbia 36	97415	<b>156</b>	1968	42.75 15	150	41.75 15	34.666 14	5.3 9.1	Yes	41.5 25.8 26	15 894	No		35.75 28.25 10.5 5.42	13000 5000 Lead	No 1 FIXED	IB Fold 2		
			<b>639</b> 262		ALUMN MS			0 0	289				<input type="checkbox"/>	0						
Eliana II	Morgan 38-2	77486	<b>156</b>	1981	46 16.25	110	46 16.25	40.5 14.5	4.69 8.34	Yes	47.8 30.1 30	16.25 1198	No		38.33 30.5 12 6	17000 6800 Lead	0 1 FIXED	IB Fixed_3 3	(Mtg 1/26/17, -3 sec/mi for oversized symmetric spinnaker area)	
			<b>632</b> 272		ALUMN MS				324				<input type="checkbox"/>	0 0						

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Keel		Engine/Prop	Modifications
					I	J	Max Headsail	ISP	P	MGU	Yes/No	Yes/No	ASF		Ttl Disp.	Traps/H. Strps		
			DW Rating		Mast Material		PE	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type		
			Disp/WL ratio		Rig Type		PY	MSA	SSMG	SSA	SLE	Sprit Length	Max Beam	Ballast Mat.	Keel Type	# of blades		
							EY		SSF		ASM	Fixed or _o	Max Draft					
Joyicity	Custom Davidson 26	20746	<b>156</b>	1975	27 9.1	150	31.15 10	28.75 11.5	5.1 8.1	Yes	No		26.42 22.5	3000 1450	No 1	IB FOLD	Removed IOR Bump infilled w/Divinacell w/fiberglass skin/faired; Installed Melges rig w/mod for Spinnaker; shortened boom; increased "P" increased "J". Code zero type furler used above deck; Helved on luff side of sail: 10 ft on	
			<b>633</b> 120		CARBON FS		0 0	210	18 18	10 467		0	8.25 5.25	Lead	FIXED	2		
Nessie	Catalina 34 1&2	734	<b>156</b>	1988	44 1.5	100	44 13.48	38.5 12	4.7 7.54	No	No		34.5 29.83	11950 5000	0 1	IB Fixed_3		
			205		ALUMN MS			274				0	11.75 5.58	Lead	FIXED	3		
Sacagawea	Catalina 34 1&2	375	<b>156</b>	1987	44 13.5	95	44 13.48	38.5 11.75	4.7 7.54	No	No		34.5 29.83	11950 5000	0 1	IB Fixed_3		
			205		ALUMN MS			272				0	11.75 5.6	Lead	FIXED	3		
Scraft	Hunter 36	38096	<b>156</b>	2005	44.83 13.17	125	44.92 16	6 10.3		No	No		35.5 30.58	13900 5023	0 1	IB Fixed_3	Roller Furler, In-mast Furling Mainsail	
			221		ALUMN MS			426				0	12 5.42	Lead	FIXED			
Sea Breeze	Catalina 320	850	<b>156</b>	2001	43.58 12.33	135	43.58	38 13.25	5.168 8.661	No	No		32.5 28	11300 4000	0 1	IB Fold		
			234		ALUMN MS			303				0	11.75 6	Lead	FIXED	2		
Youngster	IOD ODR	82	<b>156</b>	1937	29.25 8.33	103	41 10.67	38.83 16.25	6.12 10.47	Yes	No		33.42 21.42	7100 4100	No 1	NONE None	(mtg 1/21/10, switched to Masthead Spinnaker, -12 sec/mi for 40% increase in ISP, -6 sec/mi for oversized spinnaker girths)(138 rating valid for PHRF Races, not valid for IOD Class races. Boat must be in close configuration to sail	
			<b>699</b> 328		ALUMN MS		0 0	374		375		0	6.75 5.333	Lead	FIXED	0		
Arby	Colgate 26	212	<b>159</b>	2004	27.75 8.25	105	27.75	29.75 11.2	4.3 7.3	No	No		25.7 20	2600 1040	0 1	OB Fixed_3	Non Spinnaker configuration	
			148		ALUMN FS			200		347		0	8.5 4.5	Lead	FIXED	3		

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications			
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.		Traps/H. Strps moveable blst	IB or OB Prop Type # of blades					
								SL	SPL											
								SSMG	SSA											
Ballast Mat.	Keel Type																			
Carpe Vita	Olson 25	97399	159	1988	32 9.583 ALUMN MS	32	28 10 0 0	3.8 6.4 166	Yes	32 17.25 17	9.583 459	No	<input type="checkbox"/>	0	25 21.25 9 4.5	3300 1300 Lead	No 1 FIXED	OB None 0		
Foxxfyre	Yamaha 33 IK SM	67248	159	1978	42.81 13.78 ALUMN MS	150	42.81	37.4 10.6 0 0	4.38 7.27 246	Yes	44 24.8 23.7	13.78 901	No	<input type="checkbox"/>	0	33.25 26.92 11 6.25	16000 4410 Iron	No 1 FIXED	IB FEATH 2	PER PHRF MTG 3/16/2000 - Weight Differencer from brochure is significant.
Grey Wulff	Olson 25	18517	159	1984	32 9.6 ALUMN MS	155	32	28 10 0	3.8 6.4 166	Yes	31.7 17.28 17.28	9.6 456	No	<input type="checkbox"/>	0 0	25 21.25 9 4.5	3300 1300 Lead	0 1 FIXED	OB None	
Harizon	Dufour 310	122	159	2016	40.35 10.82 ALUMN FS	95		38.25 14.57	5.54 9.47 332	No			No	<input type="checkbox"/>	0 0	31.72 28.54 10.88 6.23	10802 2932 Iron	0 1 FIXED	IB Fold	
Imagine	Ericson 32-3	716	159	1987	42 13.8 ALUMN MS	135		36.4 11.8	4.18 7.28 248	No			No	<input type="checkbox"/>	0 0	32.5 25.83 10.83 6	9800 4200 Lead	0 1 FIXED	IB Fixed_2 2	
Isle Of Skye	Tartan 33 7/8 RIG	6	159	1979	36.42 12.42 ALUMN FS	100	36.42	41.58 14.42 0 0	4.6 8.1 328	No			No	<input type="checkbox"/>	0	33.67 28.08 10.92 4.42	10000 4400 Lead	No 1 FIXED	IB FEATH 3	
Joie De Vivre	C&C 33	18797	159		43 14 ALUMN MS	110	43	37.25 10.75 0 0	4.4 6.33 235	No			Yes	<input checked="" type="checkbox"/>	21.42 726 0	32.9 26.42 10.54 5.5	10100 3975 Lead	0 1 FIXED	IB FOLD	

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SPL SSMG SSF	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.		Traps/H. Strps moveable blst	IB or OB Prop Type # of blades			
Ouessant	Farallone Clipper FR	8214	<b>159</b> 1957	35.69 13.87	150	35.69	40.34 18.79	7 12.1	Yes	35.38 24.41 23.58	13.833 715	No	0	37.833 28.25 9.5 5.916	18344 7200 Iron	No 1 FIXED	IB Fixed_2 2	
			<b>673</b> 370	WOOD FS			0 0	448				<input type="checkbox"/>						
Vip	Farallone Clipper FR	7	<b>159</b> 1957	36.82 14	155	36.82	40.5 18.5	6.16 10.979	Yes	36.76 25.195 24.86	14 770	No	0	38 28.75 9.5 5.6	19000 7000 Iron	No 1 FIXED	IB Fixed_3 3	
			<b>673</b> 363	WOOD FS			0 0	420				<input type="checkbox"/>						
Apogee	Islander 36 Freeport	36	<b>162</b> 1978	46.75 16.75	150		42 12.75	5 8.4	No			No	0	35.9 27.6 12 5.3	17000 7030 Lead	0 1 FIXED	IB Fold	
			<b>673</b> 368	ALUMN MS				323				<input type="checkbox"/>	0 0					
Finn	Capo 26 IB	18782	<b>162</b> 1985	34.6 10.56	155		30 10	4.1 6.8	Yes	35 18.8 18.3	10.5 545	No	0	26 22 9.25 4.58	4300 1900 Lead	0 1 FIXED	IB Fold	
			<b>673</b> 184	ALUMN MS				185				<input type="checkbox"/>	0 0					
Red Hawk	Hawkfarm 28 ODR	59024	<b>162</b> 1978	33 11	155	33.25 11.5	36 10.5	4.37 7.26	Yes	33 20.7 20.7	11.5 569	No	0	28 23.5 9.75 5.166	5700 2700 Lead	0 1 FIXED	IB FOLD 2	
			<b>667</b> 200	ALUMN FS			0 0	236				<input type="checkbox"/>	0					
Sailor Dog	Catalina 34 1&2	1798	<b>162</b> 2007	44 13.5	110	44 13.5	38.5 12	2.8 5.9	No			Yes	20.5 723	34.5 29.8 11.7 5.6	11950 5000 Lead	0 1 FIXED	IB Fixed_3 3	In-Mast furling main +3 sec/mi, MGM less than 50% of E +3 sec/mi
			<b>657</b> 205	ALUMN MS				229				<input type="checkbox"/>	0 0					
White Cloud	Yamaha 33 IK SM	28688	<b>162</b> 1979	42.8 13.78	150	42.8	37.42 10.67	4.38 7.27	Yes	44 24 24	13.78 880	No	0 0	33.25 26.92 11 6.2	10582 4409 Iron	0 1 FIXED	IB Fixed_2	
			<b>648</b> 247	ALUMN MS				247				<input checked="" type="checkbox"/>	0 0					



Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
			Rating		I	J	ISP	P	MGU	Yes/No		Yes/No	ASF		Ttl Disp.	Traps/H. Strps	IB or OB	
			DW Rating		Max Headsail	Mast Material	E	MGM	SL	SPL	SLU	ASA	Ballast					
			Disp/WL ratio		Rig Type	PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.		Keel Type	# of blades		
Constance	Tartan 34 CB	346	<b>165</b>	1974	41	125	41	35.5	4	No	Yes	20.3	34.3	11200	0	IB	Roller Furler	
					14			10.5	6.9		43.6	742	25	5000	1	Fold		
			<b>683</b>		ALUMN				224		37.4	0	10.2	Lead	CNTRBRD	2		
			326		MS						22.4	<input checked="" type="checkbox"/>	8.3					
Lonesome Dove	Elite 29	9066	<b>165</b>	1984	35.833	130		30.333	2.6	Yes	No		28.67	6160	No	IB		
					11.083			10.333	5.1			0	24.42	2310	1	Fixed_2		
			<b>676</b>		ALUMN			0	157			<input type="checkbox"/>	10.5	Iron	FIXED	2		
			192		MS			0					5.58					
Pearl	Ranger 33 SM	278	<b>165</b>	1977	38	125	38	31.5	4.43	Yes	No		33.17	10500	0	IB		
					13.9			11	7.39				26.25	4800	1	Fixed_2		
			<b>666</b>		ALUMN				212			<input type="checkbox"/>	9.583	Lead	FIXED	2		
			264		MS								5.166					
Wildcat of Loch Awe	S-2 7.9 FR DB	59838	<b>165</b>	1983	31.83	135	31.83	29.42	4.75	Yes	No		25.92	4250	0	OB		
					9.5			12.33	7.92				21.67	1750	1	None		
			<b>685</b>		ALUMN				216			<input type="checkbox"/>	9	Lead	AGGERBF			
			190		FS								5					
Bandido	Merit 25	28125	<b>168</b>	1983	28.75	150	28.75	28	4.25	Yes	No		24.5	3000	No	OB		
					9.66			9.75	6.69				20.5	1050	1	None		
			<b>693</b>		ALUMN			0	172			<input type="checkbox"/>	8	Lead	FIXED	3		
			158		FS			0					4					
Double Agent	Merit 25	8465	<b>168</b>	1981	28.75	155	28.75	28	4.25	Yes	No		24.5	3000	No	OB		
					9.66			9.75	6.69				20.5	1050	1	None		
			<b>693</b>		ALUMN			0	172			<input type="checkbox"/>	8	Lead	FIXED	0		
			158		FS			0					4					
Irish Blessing	J 24 ODR	2184	<b>168</b>		26.25	150	26.25	28	3.7	Yes	No		24	3100	0	OB		
					9.5			9.75	6.37				20	965	1	None		
			<b>693</b>		ALUMN				163			<input type="checkbox"/>	8.92	Lead	FIXED	0		
			176		FS								4					



Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications								
			Built	J	Max Headsail	ISP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB	Prop Type	Modifications								
									E	MGM										SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	# of blades
Disp/WL ratio	Mast Material	Rig Type	EY	SSFF	ASMG	Fixed or _o	Max Draft																				
Jacqueline	Freedom 30 SD	3	<b>174</b>	1986	28.4			35.2	5.25	Yes		No			30	7660	0	IB									
					9.8			13.9	9						25.42	3150	1	Fixed_2									
			<b>686</b>		CARBON				291						10.8	Lead	FIXED										
			212		CAT										4.5												
Lil Angel	Newport 30-2	6884	<b>174</b>	1979	39.5			34	4.26	Yes		No			30	8500	0	IB									
					12.1	150	39.5	10.25	7.07						25	2500	1	FOLD									
			<b>675</b>		ALUMN			0	217						10.5	Lead	FIXED	2									
			247		MS			0	0						4.75												
Lioness	Bermuda 40	981	<b>174</b>	1962	42.5			36.6		No		No			40.75	20000	0	IB									
					15.58	160		17.2							28.8	5600	1	Fixed_3									
					ALUMN			17.7							11.75	Lead	CNTRBRD	3	(Mtg 5/22/08, +6 secmi for 3-blade fixed prop, no penalty for headsail larger than 155%, no credit for sonar transducer, custom rating of 174 assigned)								
			<b>381</b>		YAWL			8.5							4.25												
Makani	Nonsuch 30	278	<b>174</b>	1985				44.9	8	No		No			30.33	11500	0	IB									
						0		23.9	14.5						28.75	4500	1	Feath									
					ALUMN				607						11.83	Lead	FIXED										
			<b>220</b>		CAT										5												
Neja	Dasher 32	7325	<b>174</b>	1961	38.01			33.22	5.12	Yes		No			31.75	11323	0	IB									
					12.59	155	38.01	14.6	8.86						26.75	3600	1	Fold									
			<b>668</b>		ALUMN				277						8.9	Lead	FIXED		500 pounds less lead in keel than the Dasher Easom Boat Works built								
			269		MS										5.75												
Nepenthe	Hawkfarm 28	6122	<b>174</b>	1976	33.3			36	4.3	No		No			28	5700	0	IB									
					11	115	33	10.5	7.2						23.5	2700	1	Fixed_2									
					ALUMN				234						9.75	Lead	FIXED	2									
			<b>200</b>		FS										5.5												
Now and Zen	Newport 30-2	6883	<b>174</b>	1978	39.5			34	3.25	Yes		No			30	8000	No	IB									
					12.125	150		10.25	5.7						25	2600	1	Fold									
			<b>671</b>		ALUMN			0	190						10.5	Lead	FIXED	2									
			233		MS			0							4.75												

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail		P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMUG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst Keel Type		
Siento El Viento	C&C 29	38311	<b>174</b> 1977	39.5 12.8	155		33.5 10.1		Yes	No		29.5 23.6 10.5 5.25	7500 2700 Lead	No 1 FIXED	IB Fold 2		
			<b>693</b> 259	ALUMN MS							<input type="checkbox"/>	0					
Tortuga	Pyramid 660 ODR MOD	8375	<b>174</b> 1981	21.82 6.8	104	28 7	25.7 10.5	4 6.8	Yes	No		21.8 18.1 6.2 3.9	850 400 Lead	2 1 FIXED	OB None 2	(Mtg 5/20/10, removed trapeze +18 sec/mi, hiking straps still allowed)(1/24/13, added upper spreaders & stays, NCTR)	
			<b>598</b> 65	ALUMN FS				161			<input type="checkbox"/>	0 0					
White Bear	Nonsuch 30	431	<b>174</b> 1987				45 24	8.68 15.12	No	No		30.33 28.75 11.9 5	11500 4500 Lead	0 1 FIXED	IB Fold 3		
			<b>666</b> 220	ALUMN CAT				629			<input type="checkbox"/>	0 0					
Zeehond	Newport 30-2	707	<b>174</b> 1976	39.5 12.125	150	39.5	34 10.25	3.6 6.33	Yes	No		30 25 10.5 4.75	8500 2600 Lead	No 1 FIXED	IB FOLD 2		
			<b>671</b> 247	ALUMN MS			0 0	201			<input type="checkbox"/>	0					
Archaeopteryx	Hotfoot 20	101	<b>177</b> 1986	25 7	105	26.08 7.67	27.08 10.08	4.05 6.6	Yes	No		20 18 8.5 5	1000 400 Lead	0 1 CNTRBRD	OB None		
			<b>628</b> 78	ALUMN FS				166			<input type="checkbox"/>	0 0					
Wings	Columbia 5.5 M ODR	31	<b>177</b> 1965	29.125 8.25	96	30	34 11.416	4.59 7.65	Yes	No		32.416 25 6.25 4.33	4400 2800 Lead	No 1 FIXED	NA None 0		
			<b>619</b> 128	ALUMN FS			0 0	237			<input type="checkbox"/>	0					
Galaxsea	Custom Nauticat 43.5	28743	<b>180</b> 1985	51 20	104	20.6	45 13.6	4.3 7.9	Yes	Yes	29.2 1119	43.6 37.7 12.2 5.9	34000 11000 Lead	No 1 FIXED	IB FEATH 3	Stay sail measurements foot=1', Luff=34'6", Leach=30'2", LP=132"	
			<b>629</b> 288	ALUMN KTCH			32.4 8.5	338			50 25.6	4.9					
											<input checked="" type="checkbox"/>						

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Keel		Engine/Prop	Modifications
					I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No	SPL	Yes/No	ASF		Max Beam	Ttl Disp.		
			DW Rating		Mast Material		PY	MSA	SSMG	SSA	SLU	ASA	LWL	Ballast	moveable blst	Prop Type		
			Disp/WL ratio		Rig Type		EY		SSF		SLE	Sprit Lngth	Max Draft	Ballast Mat.	Keel Type	# of blades		
Lelo Too	Tartan 30	16354	<b>180</b>	1975	39 13	155	39	34 4.61	4.61	Yes	No		29.92	8750	0	IB		
			<b>687</b>		ALUMN		11.416	7.69	37	13		0	24.25	3700	1	FOLD		
			<b>279</b>		MS		0	238	21.666	601	<input type="checkbox"/>	0	10	Lead	FIXED	0		
							0		10.833				4.916					
Ross's Dream	Catalina 30	4895	<b>180</b>	1987	41 11.42	150	41	35 4.63	4.63	Yes	No		29.92	10200	0	IB		
			<b>696</b>		ALUMN		11.5	7.72	40.45	11.5		0	25	4200	1	Fold		
			<b>297</b>		MS			246	20.7	698	<input type="checkbox"/>	0	10.83	Lead	FIXED	2		
									20.7				5.25					
Serendipity	CAL 29-1 IB	6601	<b>180</b>	1974	37.833 12.333	155	37.833 12.67	31.666 4.332	4.332	Yes	No		29.25	8000	No	IB		
			<b>687</b>		ALUMN		12.166	7.573	37	12.16		0	24.17	3350	1	FOLD		
			<b>258</b>		MS		0	223	22	678	<input type="checkbox"/>	0	9.25	Lead	FIXED	2		
							0		22				4.75					
Strange Magic	Islander Bahama 30	179	<b>180</b>	1981	40 12.75	150	40 12.75	33.75 4.37	4.37	No	No		29.92	8230	0	IB		
					ALUMN		11.5	7.47				0	24.58	3130	1	Fold		
			<b>252</b>		MS			232			<input type="checkbox"/>	0	10	Lead	FIXED			
												0	5					
Wuvulu	Islander Bahama 30	61	<b>180</b>	1979	40 12.75	150	38.416	33.75 4.75	4.75	Yes	No		30	8600	No	IB		
			<b>674</b>		ALUMN		11.5	8.125	38.5	12.416		0	24.58	3500	1	FOLD		
			<b>263</b>		MS		0	243	22.44	722	<input type="checkbox"/>	0	10	Lead	FIXED	2		
							0		22.75				5					
Alte Liebe	Albin Ballad 30	1266	<b>183</b>	1978	37.083 11.249	155	37.8	31.916 3.33	3.33	Yes	No		29.916	7276	No	IB	The J measurement in all Ballad documents & Sailmaker plans is 12.27 however the actual J= 11.3" (MTG 8/25/94), standard SPL is 12.27 (mtg 3/20/08)	
			<b>698</b>		ALUMN		9.333	5.58	36.83	12.27		0	22.583	3417	1	FOLD		
			<b>287</b>		MS		0	171	22.2	679	<input type="checkbox"/>	0	9.666	Lead	FIXED	2		
							0		21.83				5.09					
Avalon	Catalina 30	6138	<b>183</b>	1992	41 11.416	120	41	35 4.63	4.63	No	No		29.92	10200	0	IB		
					ALUMN		11.5	7.72				0	25	4200	1	Fold		
			<b>297</b>		MS		0	246			<input type="checkbox"/>	0	10.83	Lead	FIXED	2		
							0						5.25					

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
				I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No	Yes/No	ASF	Ttl Disp.		Traps/H. Strps	IB or OB		
				Mast Material			PY	MSA	SL	SPL	SLU	ASA		Ballast	moveable blst	Prop Type	
				Rig Type			EY		SSMG	SSA	SLE	Sprit Lngth		Ballast Mat.	Keel Type	# of blades	
			Disp/WL ratio						SSF		ASM	Fixed or _o					
Christine Rose	Catalina 30 TM	0	<b>183</b> 1977	43 13.16 150	43 13.16	37 12	4.8 8	43.08 23.6 23.6	13.16 847	Yes	No		29.92 25 10.83 5.25	10200 4250 Lead	0 1 FIXED	IB Fixed_3 3	
Kiwa	Ericson 32-2	285	<b>183</b> 1973	36 18 155	36	31.5 13	4.9 8.4		No	No			32 24 9.67 4.91	9400 4400 Lead	0 1 FIXED	IB Fixed_2 2	
Moxie	CAL 28-2	28217	<b>183</b> 1988	39.9 11.4 90	39.9 11.4	34.17 10.33	4.28 7.11	39.26 20.39 20.39	11.4 667	Yes	No		28 23 10.8 5.3	7200 Lead	0 1 FIXED	IB FOLD 2	
Antares	Islander 30-2	6237	<b>186</b> 1971	38.5 12.58 155	38.416	32.5 11.58 0 0	4.75 8.125 235	38 22.7 22.92	12.416 720	Yes	No		30 24.58 10 5	8600 3600 Lead	No 1 FIXED	IB FOLD 2	
Samba Pa Ti	J 22	3	<b>186</b> 1982	24.8 8.8 125	24.8 8.8	26.1 9	3.78 6.27	24 16 16	8.8 320	Yes	No		22.5 19 8 3.8	1790 700 Lead	0 1 FIXED	OB None	
Sirena	Ericson 32-2	18319	<b>186</b> 1972	35 13 110	35	31 13	4.9 8.4	37 23.1 21.9	13 705	Yes	No		31 24 9.8 5	8800 4000 Lead	0 1 FIXED	IB Fixed_2 2	
Summertime Dream	Custom Schumacher 26	18859	<b>186</b> 1979	26.28 8.07 150	26.28 8.07	29.58 10.76 0 0	4.33 7.23	25.67 14.52 14	8 308	Yes	No		26.08 20 9.08 5.08	3300 1360 Lead	0 1 FIXED	OB None 0	Boat has previously been called "War"

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications										
			Built	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB											
										DW Rating	Mast Material									E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type
EY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Max Draft	Ballast Mat.	Keel Type	# of blades																			
Sweet Pea	Islander 30-2	195	<b>186</b>	1971	38.5	155	38.42	32.5	4.75	Yes	No	30	8600	0		IB													
			<b>677</b>		12.58			11.58	8.125			24.58	3500	1		FOLD													
			<b>263</b>		ALUMN			0	235		<input type="checkbox"/>	10	Lead	FIXED		2													
			<b>263</b>		MS			0				5																	
Wild-Type	Ericson 32-2	614	<b>186</b>	1975	38	155		31.5	4.53	No	Yes	22.23	31.58	0		IB	Roller Furler												
			<b>707</b>		13		13	13	8.19		39.55	639	24	4000	1	Fixed_3													
			<b>289</b>		ALUMN				237		35.38	0	8.67	Lead	FIXED	3													
			<b>289</b>		MS						20.01	<input checked="" type="checkbox"/>	4.92																
Xtasea	Catalina 30	0	<b>186</b>	1985	41	110	41	35.5	4.63	Yes	No	29.92	10200	0		IB													
			<b>685</b>		11.5			11.5	7.72			25	4250	1	Fixed_2														
			<b>297</b>		ALUMN				250		<input type="checkbox"/>	0	10.83	Lead	FIXED	2													
			<b>297</b>		MS							0	5.25																
TASHI	Catalina 30	2010	<b>189</b>	1976	41	110	41	35	4.63	No	No	29.92	10200	0		IB													
			<b>297</b>		11.5			11.5	7.72			25	4250	1	Fixed_3														
			<b>297</b>		ALUMN				246		<input type="checkbox"/>	0	10.83	Lead	FIXED	3													
			<b>297</b>		MS							0	5.25																
Toypedo	Ranger 26-2	67341	<b>189</b>	1980	26.4	150	28	30.5	4	Yes	No	26	3000	0		OB	Fixed Keel, No daggerboard												
			<b>682</b>		9		9	11	7			20	1140	1	None														
			<b>170</b>		ALUMN				197		<input type="checkbox"/>	0	8	Lead	FIXED														
			<b>170</b>		FS							0	5																
Gygax	Hinckley Pilot 35 TM	4802	<b>192</b>	1975	44.36	155	44.36	41.83	5.5	Yes	No	35.5	13500	0		IB													
			<b>672</b>		13.8		13.8	15.81	9.97			25	4200	1	Feath														
			<b>393</b>		ALUMN				383		<input type="checkbox"/>	0	9.5	Lead	FIXED														
			<b>393</b>		MS							0	5																
Jam Jam	Yankee 30-1 SM	90	<b>192</b>	1972	37.5	125	37.5	34.5	2.45	Yes	No	30	8900	0		IB	(mtg 4/28/11, +3 sec/mi for engine modifications)												
			<b>715</b>		12.75			9.75	4.91			23	4180	1	Fixed_3														
			<b>332</b>		ALUMN				170		<input type="checkbox"/>	0	9	Lead	FIXED	3													
			<b>332</b>		MS							0	5.1																

Boat Name	Boat Model (Type)	Sail #	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
			Rating	Built	I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		Ttl Disp.	Traps/H. Strps Ballast Ballast Mat.	IB or OB Prop Type # of blades		
			DW Rating						SL	SPL	SLU						ASA
			Disp/WL ratio						SSMG SSF	SSA	SLE						Sprit Lngth Fixed or _o
Ga	Knarr ODR	123	<b>198</b>	33.583 6.583 WOOD FS	33.583	31 11.166 0 0	4.47 7.46 211	No	No	0	30.333 20.333 7 4.25	4630 2866 Lead	No 1 FIXED	OB None 0			
Happiness	Cal 27-2 OB	3893	<b>201</b>	36 12 ALUMN MS	95	36 10.25	3.25 6.5 180	Yes 36 21.6 21.6	No 12 648	0 0	26.58 22.08 9.25 4.25	6700 3100 Lead	0 1 FIXED	OB None			
Oshun	Catalina 27 OB	1216	<b>201</b>	1974 34 11.25 ALUMN MS	95	28.67 10.5	4.24 7.08 185	No	No	0 0	26.83 21.75 8.83 4	6850 2750 Lead	0 1 FIXED	OB None			
Miss Kate	Catalina 27 IB	4630	<b>210</b>	1980 34.5 11.25 ALUMN MS	125	34.5 11.25	28.66 3.99 10.5 6.83 180	No	Yes 34.35 31.85 18.25	20.35 515 0 0	26.85 21.75 8.85 4	6850 2700 Lead	0 1 FIXED	IB Fixed_2			
Picante	Islander Bahama 28 SM	1	<b>210</b>	1981 33.8 11.75 ALUMN MS	150	11.75	28 3.58 8.2 5.75 146	No	Yes 33 29.4 18	20 478 0 0	27.9 23 9.8 5.5	7000 3000 Lead	0 1 FIXED	IB Fixed_3 3			
Dura Mater	CAL 27-2 IB	616	<b>213</b>	1979 36 12 ALUMN MS	120	30.83 4.21 10.25 7	32.8 11.8	Yes 18.4 21.1	No 518	0 0	26.58 22.08 9.25 4.25	6700 3100 Lead	0 1 FIXED	IB Fixed_3 3			
Firefly	Harbor 20	226	<b>213</b>	2006 25.75 7 ALUMN FS	90	25.75 7	26 3.6 10 6.25 151	No	No	0 0	20 17.17 7 3.5	1800 900 Lead	0 1 FIXED	OB None			



Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J Max Headsail Mast Material Rig Type	ISP JSP		P E PY EY	MGU MGM MSA	Yes/No SL SPL SSMG SSF	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast Ballast Mat.		Traps/H. moveable blst Keel Type			
Adagio	CAL 25-2 OB		<b>216</b> 1979	33 11 150	ALUMN MS		28 3.9 9.5 6.5 165	No	No			29.25 22 9 4.5	4500 2000 Lead	0 1 FIXED	OB None		
Evenstar	Ranger 23	6404	<b>216</b> 1974	27.54 9.75 155	ALUMN MS	27.5 9.7	24 3.3 9.2 5.4 126	Yes 27.7 9.7 17.46 403 17.46	No			23.67 20 7.92 3.9	3400 1500 Lead	0 1 FIXED	OB None		
Quiet Thing	Ranger 22	200	<b>216</b> 1978	25.75 8.5 155	ALUMN FS	25.75	26 2.8 7.4 4.8 115	Yes 25.4 8.2 14.7 311 14.7	No			22.5 17.5 7.8 4.3	2200 900 Lead	0 1 FIXED	OB None		
Tortuga	Westsail 32	207	<b>216</b> 1974	31.2 18.4 150	ALUMN CTR		38.3 15.1	No	No			32 27.6 11 5	19500 7000 Lead	0 1 FIXED	IB FOLD 3		
New Sinsation	Santana 20	28449	<b>222</b> 1978	24.5 8.16 150	ALUMN FS	24.5	24.5 3.16 7 4.92 110	Yes 23.75 8.16 13.67 271 13.67	No			20.2 16 8 4	1350 550 Lead	0 1 FIXED	OB None		
Sparky	Catalina 25 FK	1498	<b>222</b> 1979	29 10.5 145	ALUMN MS	29 10.5	24.66 3.68 9.58 1.45 102	Yes 28.66 10.5 16.5 394 16.41	Yes	17.9 369		25 22.16 8 4	4550 1900 Cast Iron	0 1 FIXED	OB None 0		
SF	CAL 25-1 OB	1062	<b>225</b> 1969	29.75 10 120	ALUMN MS	29.75	25 4.17 11 7 163	No	No			25 20 8 4	4000 1700 Lead	0 1 FIXED	OB None		

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications					
			Built	J	Max Headsail	ISP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp. Traps/H. Strps		IB or OB								
									JSP	E				MGM	SL		SPL	SLU		ASA	LWL	Ballast	moveable blst	# of blades
Disp/WL ratio	Mast Material	Rig Type	EY	SSF	ASM	Fixed or _o	Max Draft	Ballast Mat.	Keel Type															
Tinker	Wilderness 21	6	<b>225</b>	1977	25	125	25	2.83	Yes	No	20.5	1870	No	OB	Added roller furler									
					8.67		8	4.66			17.8	1070	1	None										
			<b>718</b>		ALUMN		0	113			7.25	Lead	FIXED											
			151		MS		0				4													
The Mighty Windsong	International Folkboat OB	567	<b>228</b>	1969	26	155	26	4.44	Yes	No	25.75	5000	0	OB										
					8.3		11.2	7.34			19.75	2750	1	None										
			<b>817</b>		ALUMN			195			7.5	Iron	FIXED											
			295		MS						4													
High and Dry	Santana 22	114	<b>234</b>	1967	26	150	26	3.95	Yes	No	22	2600	0	OB										
					8.5		9.83	6.59			18.67	1230	1	None										
			<b>737</b>		ALUMN			131			7.83	Cast Iron	FIXED											
			182		MS						3.5													
Albacore	Santana 22 ODR	18325	<b>237</b>	1976	25.67	125	25.67	3.95	Yes	No	22	2600	0	OB										
					8.58		9.83	6.59			18.67	1230	1	None										
			<b>737</b>		ALUMN			131			7.83	Iron	FIXED											
			182		MS						3.5													
Anapos	Santana 22	5158	<b>237</b>	1966	26	120	26	3.95	Yes	No	22	2600	No	OB										
					8.5		9.833	6.59			18.666	1230	1	None										
			<b>737</b>		ALUMN		0	131			7.833	Iron	FIXED	0										
			182		MS		0				3.5													
Auggie	Santana 22 ODR	476	<b>237</b>	1969	26	125	26	3.95	Yes	No	22	2600	No	OB										
					8.5		9.833	6.59			18.666	1230	1	None										
			<b>737</b>		ALUMN		0	131			7.833	Cast Iron	FIXED	0										
			182		MS		0				3.5													
Byte Size	Santana 22	801	<b>237</b>	2001	26	90	26	3.95	Yes	No	22	2600	No	OB										
					8.5		9.833	6.59			18.67	1230	1	None										
			<b>737</b>		ALUMN		0	131			7.83	Iron	FIXED	0										
			182		MS		0				3.5													

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop		Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		Ttl Disp. Ballast		Traps/H. moveable blst	IB or OB Prop Type # of blades			
								SL	SPL	SLU	ASA							
								SSMG SSF	SSA	SLE ASMG	Sprit Lngth Fixed or _o					Ballast Mat.	Keel Type	
DW Rating Disp/WL ratio																		
Meliki	Santana 22	5194	<b>237</b> 1967	26 8.5 125	26	21.75 9.833	3.95 6.59	Yes	No	22 18.67 7.83 3.5	2600 1230 Iron	No 1 FIXED	OB None 0					
The Belafonte	Santana 22 ODR	5000	<b>237</b> 1970	26 8.5 110	26	21.75 9.833	3.95 6.59	Yes	No	22 18.67 7.833 3.5	2600 1230 Iron	No 1 FIXED	OB None 0					
Zingaro	Santana 22	5050	<b>237</b> 1971	26 8.5 125	26	21.75 9.83	3.95 6.59	Yes	No	22 18.67 7.833 3.5	2600 1260 Iron	0 1 FIXED	OB None 0					
Daseins Den	Dana 24	#####	<b>246</b> 1987	34 12.25 120		28.25 10.75	3 5.85	No	No	24.16 21.42 8.58 3.83	7400 3100 Lead	0 1 FIXED	IB Fixed_2					
Circlesea	Folkboat	125	<b>252</b>	21.99 6.56 100	10.17	28.71 11.15	4.42 7.33	No	No	25.08 19.82 7.26 3.92	4640 2315 Iron	0 1 FIXED	OB None 0					
Crane Wife	Fuji 32 KTH	0	<b>252</b> 1977	36.25 14.75 148		29.08 11.21	3.8 5.96	No	No	31.5 29 9.83 3.66	13115 4635 Iron	0 1 FIXED	IB Fixed_3					
Nemesis	Pearson 26 Commander	151	<b>258</b> 1964	31.5 9.5 155		26 11.5	3.3 5.75	Yes	Yes	25.7 18.5 8 3.7	5200 2500 Lead	0 1 FIXED	OB None					
			<b>774</b> <b>373</b>	ALUMN MS			154											

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail		P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps moveable blst Keel Type		
SLOWMO!	Catalina 22-1 OB SK	2482	<b>270</b> 1973	25.93 8	150	22	21 9.66	3.47 5.96	No	No			21.6 19.4 7.8 5	2250 550 Iron	0 1 MVBL	OB None 3	
Can O' Whoopass	CAL 20	624	<b>273</b> 1965	22 7.33	115	22 7.33	23 10	4 6.7	Yes	No			20 18.1 7 3.33	2000 900 Iron	0 1 FIXED	OB None 2	(mtg 4/24/08, -18 sec/mi for adding single trapeze wire) (10/2/08 - removed trapeze, now racing as a standard cal 20 -18 sec/mi penalty removed)(3/5/09 added single trapeze back, -18 sec/mi)(8/26/09, switching back to standard Cal 20)
Green Dragon	Cal 20	4188	<b>273</b> 1965	22 7.33	125	22	23 9.84	3.84 6.5	Yes	No			20 18.08 7 3.33	1950 900 Steel	0 1 FIXED	OB None 0	