

# NCPHRF - CURRENT FLEET ROSTER

This Roster represents the information on file for boats with a current NCPHRF certificate. If the boat you are looking for is not listed, their certificate is either not current or not yet updated to the list. You can contact the YRA office to verify a boat not found on this list at [info@yra.org](mailto:info@yra.org) or via phone at 415.771.9500. This list is updated monthly.

As of: 5/25/2017

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
				I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No	Yes/No	ASF ASA	LOA LWL	Ttl Disp.	Traps/H.	IB or OB			
			DW Rating Disp/WL ratio	Mast Material			PY EY	MSA	SL SSG SSF	SPL SSA	SLU SLE ASM	SA Sprit Lngth Fixed or _o	Max Beam Max Draft	Ballast	moveable blst Keel Type	Prop Type # of blades		
Invisible Hand	Pac 52	5202	<b>-102</b> 2016	66 20.5 101	76 29.5	69.23 22.98	10.96 15.76		No	Yes	44.7 85.5 2970	52 50 14.5 11.8	15700 8360 Lead	0 1 FIXED	IB None			
			<b>402</b> 57	CARBON FS			1017				0 90							
Merlin	Custom Lee 68	8955	<b>-87</b> 1977	71.96 22.5 146	74.35 30.4	66.87 27.5	11 18		No	Yes	48.05 87.51 3097	68.6 64 12.17 10.65	24363 10484 Lead	0 1 FIXED	IB FOLD 2	(Mtg 4/27/17, custom rating assigned: -81)(Mtg 5/25/17, -3 sec/mi for larger headsail, -3 sec/mi for increased J. New custom rating: -87 as sailed)		
			<b>392</b> 42	CARBON MS			1109 0				0 90							
Catapult	Santa Cruz 70	41005	<b>-84</b> 1989	73.34 22.19 155	73.74 25.26	66.11 24.67	9.3 15.75		No	Yes	39.1 76.8 2348	68 59.7 15.1 10	23847 9000 Lead	0 1 FIXED	IB Fold	(Mtg 5/25/17, Custom rating assigned. As Sailed: -84)		
			<b>417</b> 51	CARBON MS			963				0 0							
Buona Sera	Santa Cruz 70	41104	<b>-81</b> 1986	73.15 22.52 155	73.63	65.49 25.39	9.12 15.72		No	Yes	40.06 79.07 2504	68.9 60.4 15.1 10.62	24905 8960 Lead	0 1 FIXED	IB Fold	(Mtg 8/27/15, New rudder noted, -9 sec/mi for new keel)(Mtg 3/23/17, -6 sec/mi for 13% increase in SPL, -3 sec/mi for increase in spinnaker area, +3 sec/mi for decrease in mainsail area)		
			<b>423</b> 51	CARBON MS			961				0 45							
USA 76	IACC	76	<b>-78</b> 2002	83.99 27.17 100		99.18 30.19	14.12 20.33		No	No		82.6 61.6 11.9 13.45	52910 39683 Lead	No 1 FIXED	IB Fold	(mtg 12/5/13, custom rating of -78 assigned)		
			<b>103</b>	CARBON FS			1892				0 0							
Lucky Duck	Custom Santa Cruz 52	28729	<b>-30</b> 2001	64.14 18.95 155	64.6 22.5	57.5 21	8.76 14.22		Yes	Yes	40.91 67.72 2190	53 46.25 14 9	22544 8000 Lead	0 1 FIXED	IB Fold 2	(Mtg 8/23/12, Custom Rating Assigned, -21 as sailed)(Mtg 5/23/13, weighed displacement added)(Mtg 3/27/14, New Rudder, -3 sec/mi for OSP, -6 sec/mi for 10%+ increase in spinnaker area. No penalty for keel/displacement)		
			<b>471</b> 104	CARBON MS			745				2 90							

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications			
				J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or_o	Ttl Disp.			Traps/H. Strps moveable blst		
									SL	SPL	SLU	ASA							Ballast	Keel Type
Danger Zone	Taylor 32	4128	-24	1994	40	100	19.4	37.1	9.5	No	Yes	26.52	32	1962		OB				
					10.7			14.3	11.6		43.35	829	28.9	551	1	None				
					ALUMN				395		36.3	0	14.8	Lead	CNTRBRD					
					MS						24.6	<input checked="" type="checkbox"/>	5.6							
CaZan	DK 64	61046	-21	2001	61.94	126	19.849	63.55	8.2	Yes	No	33.56	46.26	22439	0	IB	(Mtg 5/25/17, custom rating assigned. As Sailed: -21)			
					17.85			21.95	14.21		69.23	19.85	40.52	9480	1	Fold				
					ALUMN				826		35.42	2013	13.45	Lead	FIXED					
					MS						32.81		9.84							
											32.84	<input checked="" type="checkbox"/>	0							
Bodacious +	1D 48	48005	-15	1996	57.7	155	16.7	61.3	9.84	Yes	Yes	30.1	48.3	19743	0	IB	Water ballast system not operational (mtg 8/19/08, custom rating assigned of -30, includes dual spinnakers)(Mtg 3/24/11, new smaller mainsail, smaller symmetrical, change cutom rating from 30 to 24VMS 8/25/11)			
					16.7			22.5	14.66		66.7	16.7	40.2	8818	1	Fold				
					CARBON				848		33.1	1834	14.2	Lead	FIXED	2				
					FS						32.6	<input checked="" type="checkbox"/>	10.1							
Horizon	Santa Cruz 50	18926	-15	1982	61.7	145	20.3	55.2	7.15	No	Yes	36.4	50.23	18844	0	IB	(Mtg 6/16/08, -6 sec/mi for oversized spinnaker, -3 sec/mi for oversized main)			
					18.43			19	12.05		66		46.906	8000	1	FOLD				
					ALUMN				618		59.6	0	12.02	Lead	FIXED	2				
					MS						35.8	<input type="checkbox"/>	90							
Can't Touch This	J 125	93204	-12	1999	49	155	23	47	6.8	No	Yes	41	41	9330	0	IB	(Mtg 2/26/09, -3 sec/mi for oversized main girths)(3/9/09, corrected main girths, removed -3 sec/mi penalty)			
					15			18	11.6		61.3		37	4646	1	FOLD				
					CARBON				502		52.3	8	10.6	Lead	FIXED	2				
					MS						41	<input type="checkbox"/>	0							
Hana Ho	Santa Cruz 50	77007	-12	1980	61.39	155	20.73	54.92	6.5	Yes	Yes	35.9	52	18000	0	IB	(Mtg 5/26/11, +3 sec/mi for interior changes)(2/24/12, interior changes removed, boat is back to standard weight for a SC 50)(Mtg 5/25/17, New Rudder, NCTR. -3 sec/mi for OSP, -3 sec/mi for oversized spinnaker area)			
					18.85			16.98	11.1		60.9	20.73	46	8000	1	Feath				
					ALUMN			0	558		33.75	1713	12	Lead	FIXED	3				
					MS			0			33.75		7.75							
											35.3	<input checked="" type="checkbox"/>								
OAXACA	Santa Cruz 50	8927	-12	1982	61.48	155	20.65	54.75	6.08	Yes	No	36.5	50.23	17374	0	IB	(Mtg 5/26/16, -6 sec/mi for oversized ASA)			
					18.88			16.98	10.67		65.5	1889	46.67	8000	1	Fold				
					ALUMN				540		59.5	0	12	Lead	FIXED					
					FS						36.2	<input type="checkbox"/>	0							
											36.6		7.91							
											36.6									

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications		
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		SLU SLE ASMG		ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.	Traps/H. Strps		IB or OB Prop Type # of blades	
								SSMG SSF	SPL SSA	SL	SPL					Ballast			moveable blst
Tyr	J 125	52125	-12 2000	49 14.8 155 52 23.4	46.5 6.79 18 11.65	No	Yes	39.3 62.17 1831	41 37 10.6 7.9	8350 4646 Lead	0 1 FIXED	IB Fold 2							
Velvet Hammer	Schock 40	51507	-12 2000	42.5 13.6 104 49.5 20.58	44.4 7.2 16.8 11.8	No	Yes	33.92 60 1459	40 35 10 8	7914 1800 Lead	No 2 MOVABL	OB None 0	(mtg 10/21/09, switched to 104% headsail, from 150%, smaller girths on mainsail. Change custom rating from -18 to -12)						
Deception	Santa Cruz 50	97263	-6 1987	61.8 18.3 155 61.8 18.3	55 7.1 18.4 12	Yes	Yes	32.9 62.83 1335	50 46 12 8	17500 8000 Lead	0 1 FIXED	IB FOLD 2	ELPT Keel & OS/Spinnaker; Has a Code 0 headsail aboard - tacked to stem, no sprit (Mtg 5/26/16, -3 sec/mi for oversized mainsail)(Mtg 6/23/16, change rating back to -6)						
Emily Carr	Santa Cruz 50	49211	-6 1981	61 19 150 61	55 6.4 17 11	Yes	No	34.8 70.6 2089	53 46.5 12 8	15000 7500 Lead	No 1 FIXED	IB FOLD 2	3' SUGAR SCOOP ON TRANSOM IF STD 50FT LOA OF BOAT						
Leglus	Ohashi 52	2480	-6 1986	49.26 16.387 149 62 21.92	57.578 8.103 21.325 13.517	No	Yes	34.8 70.6 2089	52.5 50.06 12.6 11.36	15017 5.952 Lead	0 1 FIXED	IB FOLD 2	(mtg 10/21/09 assigned custom rating of -39)(Mtg 3/24/16, +3 sec/mi for no spinnaker articulation, change custom rating from -36 to -6)						
Astra	Farr 40 ODR MH	40079	0 2000	53.2 15.5 105 53.12	54.8 7.29 19.4 12.47	Yes	No	34.8 70.6 2089	40.75 35.27 13.22 8.53	10917 5079 Lead	No 1 FIXED	IB FOLD 2							
Bright Hour	Farr 40 ODR MH	50092	0 2001	53.15 15.45 0 50.04 17.06	54.8 8.49 19.36 13.77	Yes	No	34.8 70.6 2089	40.7 35.3 13.2 8.53	10902 4960 Lead	0 1 FIXED	IB Fold							

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst Keel Type			
Twisted	Farr 40 ODR MH	40046	<b>0</b> 1999	53.15 15.45	105	50.04 17.06	54.8 19.36	8.49 13.77	Yes	60.69 34.39 34.44	17.06 1740	No	39.7 0 0	40.7 35.3 13.2 8.53	10902 4960 Lead	0 1 FIXED	IB FOLD 2	(Mtg 12/1/11, interior mods for IRC, smaller mainsail: NCTR)(Mtg 5/24/12, switching to MH ODR configuration)
California Condor	Class 40	94	<b>6</b> 2010	53.9 15.65	104	58.6 23.85	53.21 18.81	11.71 14.38	No	64.53 55.77 30.54	1623 8.2 0	Yes	39.7 1623 8.2 0	40 39.17 14.7 9.84	12225 4710 Lead	0 1 FIXED	IB Fold 2	Short-Handed Bay Configuration
Surprise	Custom Schumacher 46	28098	<b>6</b> 1997	57 17	160	63	57 19.75	7.5 12.8	Yes	62.4 33.6 33.6	18.7 1747	Yes	37.23 1681 0 90	46 40.63 12.92 7.75	18300 8000 Lead	No 1 FIXED	IB FOLD 2	(MTG 4/9/98)(mtg 2/20/04)
Wicked Sister	Farr 36 ODR	3	<b>9</b> 2004	46.78 13.19	110	54.82 21.06	49.93 18.63	8.53 12.96	No	61.38 55.05 36.05	1751 7.36 0	Yes	36.28 1751 7.36 0	36.1 32.8 11.72 8.5	6745 3076 Lead	0 1 FIXED	IB Fold	
Elusive	Swan 42 Club	4216	<b>12</b> 2007	59.07 16.44	106	62.99 19.05	56.56 19	7.1 12.5	Yes	62 34 33.7	19.05 1754	Yes	34.8 1808 2.6 0	42.59 38.15 12.8 9	17158 6988 Lead	0 1 FIXED	IB Fold 2	(Mtg 2/25/16, +3 sec/mi for decrease in Spinnaker Area, +6 sec/mi for decreased JSP, -3 sec/mi for articulation, -3 sec/mi for switch to larger headsail)
Nadja Delphine	X-41	0	<b>15</b> 2009	55.9 16.11	106	58.63	53.31 18.04	6.82 11.61	Yes	58.63 28.61 27.79	17.06 1390	No	0 0 0	40.52 35.07 11.94 8.2	14109 6019 Lead	0 1 FIXED	IB Fold	Electronic winches
Acey Deucy	J 44	97659	<b>21</b> 1989	60.606 17.08	155	60.416	53.51 19.41	7.3 12.5	Yes	59.8 30.8 30.8	17.085 1535	Yes	27 1379 1 0	44.83 38.58 13.67 8.14	22770 9000 Lead	0 1 FIXED	IB FOLD 2	Electric Winches

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Keel		Engine/Prop	Modifications
					I	J	Max Headsail	ISP	ISJ	P	MGU	Yes/No	Yes/No		ASF	Ttl Disp.		
			DW Rating		Mast Material		PY	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type		
			Disp/WL ratio		Rig Type		EY	MSA	SSMG	SSA	SLE	Sprit Length	Max Beam	Ballast Mat.	Keel Type	# of blades		
									SSF		ASMG	Fixed or _o	Max Draft					
Ardea	Custom Nelson/Marek 50	42616	21	1989	59.92 17.59	100	59.92 17.59	65.19 9.35	9.35	Yes	Yes	31.6	49.8	22145	0	IB	(Mtg 8/28/15, custom rating of 21 assigned)	
			519		ALUMN			24.08	15.98		62.2	1526	38.55	12627	1	Fold		
			176		FS						55.8	0	14.86	Lead	FIXED			
Bustin Loose	Sydney 38 MH	38044	21	2002	54 14.9	104	52.03 14.77	50.53 18.046	6.85 11.73	Yes	Yes	27.69	38.6	12250	0	IB		
			533		ALUMN			0	543		54.92	1116	35.3	5140	1	FOLD		
			127		FS			0			48.33	0	12.4	Lead	FIXED	2		
Phantom	J 44	28844	21	1990	60.606 17.08	120	60.416	53.53 19.41	7.3 12.5	Yes	Yes	27	44.75	23838	No	IB		
			550		ALUMN			0	615		63.8	1379	38.58	9000	1	Feath		
			189		MS			0			55.9	0	13.67	Lead	FIXED	3		
Zamazaan	Custom Farr 52	3883	21	1978	70.4 18.51	135	70.4 18.51	65.2 23.2	8.82 15.08	Yes	No		52.19	25391	No	IB	RTG W/USYRU AGE ALLOWANCE IOR RTG W/USYRU AGE ALLOWANCE R=44.9 (1987) 18/24 AS PER PHRF MTG 4/20/95. SHORTENED MAST 6.15 FEET FROM TOP, REDUCED MAINSAIL AREA FROM 24/27 MTC 8/10/95	
			492		ALUMN			0	900			0	47.26	9679	1	FOLD		
			109		MS			0					15.45	Lead	FIXED	2		
Jaybird	J 133 CM	52443	24	2004	57 17.25	100	60.4 24	54 18.6	7 12	No	Yes		38.08	16900	0	IB		
			574		CARBON							0	30.25	6850	1	Fixed_2		
			278		FS							0	11.8	Iron	FIXED			
Albion	J 124	14	27	2007	49 14	145	54.7 19.43	48.4 17	6.4 11	No	Yes	32.74	40.7	12600	0	IB	(Mtg 2/23/17, -6 sec/mi for asymmetric spinnaker modifications)	
			522		CARBON						60.53	1528	36.2	5000	1	Fold		
			121		FS				488		51.51	3.83	11.33	Lead	FIXED			
Chance	Farr 395	39528	27	2002	51.25 14	105	56.33 20.36	50 18.42	7.54 12.53	No	Yes	33.46	39.33	12500	No	IB		
			528		CARBON			0	567		62.6	1617	34.5	4600	1	FOLD		
			138		FS			0			52.49	6.36	12.08	Lead	FIXED	2		
								0			33.79		7.83					

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications	
			ISP		I	J	Max	Head	Sail	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp. Traps/H. Strps			IB or OB
			JSP		Headsail	Material	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type				
			Disp/WL ratio		Rig Type	PY	MSA	SSMG	SSA	SLE	Sprit	Lngrh	Max Beam	Ballast Mat.	Keel Type	# of blades				
								SSFF	ASMG	Fixed or _o	Max Draft									
Kuai	Melges 32 ODR	211	27	2006	40.86	105	48.3	44.05	6.95	No	Yes	31.82	31.84	4200	0	OB				
					10.7		18.7	15.49	11.14		55.75	1344	28.5	1600	1	None				
			475		CARBON				438		46.9	8	9.83	Lead	FIXED					
			82		FS						31.31	<input checked="" type="checkbox"/>	0	7						
Spirit of Freedom	J 124	38006	27	2006	49	155	54.7	48.4		Yes	Yes	32.6	40.7	12600	No	IB	(mtg 4/22/10, -3 sec/mi for OSP, -3 sec/mi for ability to square back pole)			
					14		15.4	17			53.9	15.4	36.2	5000	1	FOLD				
			535		CARBON						27.7	1244	11.3	Lead	FIXED	2				
			121		FS						27.7		6.9							
Wildcard	Santa Cruz 37	37005	27	2009	47.1	107	52.17	47	6.4	No	Yes	33.3	37	8662	0	IB	(Mtg 1/26/16, new keel box & rudder noted, NCTR)			
					13.4		19	17	11		59.7	1534	34.75	3730	1	FOLD				
			507		CARBON				474		50.85	5.6	10.64	Lead	FIXED	2				
			94		FS						33.3	<input checked="" type="checkbox"/>	0	7.5						
Alpha Puppy	1D 35	35024	30	1999	42.49	110	44.78	44.46	7.5	No	Yes	31.4	35	6500	No	IB	6/13/11, boat now in same configuration as B-Line. Added 4.9' bowsprit and oversized spinnaker. -9 sec/mi for oversized asymmetric spinnaker, +3 sec/mi for inability to articulate sprit			
					12.52			18.58	12		45.11	14.76	31.5	2600	1	FOLD				
			517		CARBON			0	497		26.25	987	10.75	lead	FIXED	2				
			95		FS			0			26.25		7.6							
Blue	Swan 53-2	61522	30	2012	71.96	105	73.84	65.88	7.64	No	Yes	38.89	54.07	54482	0	IB	(Mtg 3/23/17, -3 sec/mi for ability to fly a-sail on a squared back pole)			
					19.52		19.53	21.98	13.38		19.43		47.24	22400	1	Fold				
			530		CARBON				826		67.09	0	15.58	Lead	CNTRBRD					
			235		MS						36.72	<input type="checkbox"/>	90	12.14						
Dark & Stormy	1D 35	35018	30	1998	42	110	44.8	44	7.5	No	Yes	31.4	35	6550	0	IB	Fixed bow sprit, using Asymmetrical spinnaker(mtg 3/20/08, -9 sec/mi for oversized spinnaker, +3 sec mi for not being able to articulate pole, as sailed: 30)			
					12.47		17.39	19	12		51.8	1236	31.5	2660	1	FOLD				
			518		CARBON				497		46.62	4.92	10.9	Lead	FIXED	2				
			95		FS						29.83	<input checked="" type="checkbox"/>	0	7.58						
Rufless	Melges 32 MOD	174	30	2007	40.86	105	48.3	44.05	6.95	No	Yes	31.3	31.84	4200		OB	(mtg 2/23/17, no longer using the class spinnaker. +3 sec/mi for small asymmetric)			
					10.7		18.7	15.49	11.14		54	1203	28.5	1600	1	None				
			481		CARBON				438		46.2	8	9.83	Lead	FIXED					
			82		FS						28.2	<input checked="" type="checkbox"/>	0	7						

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications						
			Built	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No		LOA	LWL	Ttl Disp.	Traps/H.	Strps	IB or OB						
										E	MGM	SL	SPL								SLU	ASA	Ballast	moveable blst	Prop Type
Disp/WL ratio	Mast Material	FS	EY	SSSF	ASMG	Fixed or _o	Max Draft	Ballast Mat.																	
Bad Dog	J 111	103	36	2011	48.37 13.85	105	51.4 20.08	45.7 14.5	6.1 10.1	No	Yes	31.86 1433	36.5 32.7	9300 3500	0 1		IB Fold								
			532 121		CARBON FS				414			6.3 0	10.8 7.2	LeadSteel	FIXED										
Gentoo	Soto 30	1	36	2012	38.25 12.25	102	38.67 19.83	38.67 13.58	5.83 8.83	No	Yes	26.25 968	30 28.75	3800 1415	0 1		OB None	(Mtg 9/16, -3 sec/mi for larger mainsail)							
			516 73		CARBON MS				322			7.7 0	9.58 6.5	Lead	FIXED										
Swift Ness	J 111	101	36	2014	48.37 13.85	105	51.4 20.08	45.17 14.5	6.1 10.1	No	Yes	31.8 1404	36.5 32.7	9300 3500	0 1		IB Fold								
			534 121		CARBON FS				410			6.3 0	10.8 7.2	LeadSteel	FIXED										
Symmetry	J 111	91	36	2013	48.37 13.85	105	51.4 20.08	45.17 14.45	6.16 10.1	No	Yes	31.1 1399	36.5 32.7	9300 3500	0 1		IB Fold								
			534 121		CARBON FS				410			6.3 0	10.8 7.2	LeadSteel	FIXED										
Tiburon	C&C 30 Mills	11	36	2014	40.8 11.28	105	46.74 18.6	41.8 14.2	7 10	No	Yes	31.5 1284	30 28.7	3995 1579	0 1		IB Fold								
			495 77		CARBON FS				387			7 0	9.8 7.5	Lead	FIXED										
Trois Amis	Screamer 12 Meter MOD	194	36	1985	44.58 15.75	140	44.58	41 14.2	5.3 9.2	Yes	No		39.37 32.5	6000 1350	0 1		OB None	(mtg 3/23/17, custom rating of 36 assigned)							
			506 79		ALUMN MS				345			0 0	10.33 7.67	Lead	FIXED										
Wet Corvette	Melges 30	103	36	1994	36.85 10.59	150	36.85 18.96	38 15.49		No	Yes		30 28.6	3800 1750	0 1		IB FOLD								
			507 74		CARBON FS							8.4 90	9.1 7	Lead	MVBL		2								



Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications		
			ISP		I	J	Max	Head	Sail	P	MGU	Yes/No	Yes/No		ASF	Ttl Disp.	Traps/H.		Strps	IB or OB
			JSP		Head	Sail	Material	E	MGM	SL	SPL	SLU	ASA		Ballast	moveable blst	Prop Type			
			ISP		Material	PY	MSA	SSMG	SSA	SLE	Sprit	Lngrh	Max Beam		Ballast Mat.	Keel Type	# of blades			
			Disp/WL ratio		Rig Type	EY		SSFF	ASMG	Fixed or _o										
Zsa-Zsa	1D 35	35017	<b>36</b>	1999	42.49 12.52	110	44.78	44.46 18.58	7.55 12	Yes	No	35 31.5 10.75 7.6	6500 2600 lead	No 1 FIXED	IB Feath 2					
			<b>520</b> 95		CARBON FS		0 0	498	26.5 1104		<input type="checkbox"/>	0								
Vera Cruz	Sunsail F40 ODR	1003	<b>42</b>	2012	52.69 15.09	105	56.54 17.06	51.15 17.65	6.53 11.42	No	Yes	40.15 35 12.76 8.04	17437 6609 Lead	0 1 FIXED	IB Fold 2					
			<b>571</b> 185		ALUMN FS			534			30.32 1200 1.98 0									
Afterburner	Synergy 1000	1001	<b>45</b>	1999	40.75 12	110	45.75 16.4	42 15.5	6.99 11.03	No	Yes	32.83 29.17 9.75 7	4600 1850 Lead	0 1 FIXED	IB Feath 2					
			<b>538</b> 84		CARBON FS			417			26 1089 4.3 0									
Anais	Hanse 505	61019	<b>45</b>	2014	64.16 19.16	100	65 20	58.6 20	6.55 11.87	No	Yes	49 44.4 15.6 7.7	36000 8300 Lead	0 1 FIXED	IB Feath					
			<b>530</b> 187		ALUMN FS			655			38.52 2151 1.5 0									
Divine Wind	Olson 40	69069	<b>45</b>	1983	50 15.75	150	51.21 15.8	44 14.25	5.5 9.29	Yes	No	40.33 36 11.25 6.5	10500 5500 Lead	0 1 FIXED	IB Feath 2					
			<b>540</b> 102		ALUMN MS			376			39.5 2062 0 0									
Kira	Aerodyne 38 SD	38104	<b>45</b>	2003	50.82 14.5	105	57.25 20.83	51.75 16.5	6.25 10.6	No	Yes	37.66 34.21 13 6	11850 4150 Lead	0 1 FIXED	IB Fold					
			<b>634</b> 135		ALUMN FS			506			39.5 2062 0 0									
Peregrine	J 120 Carbon	25487	<b>45</b>	2001	50.5 14.5	150	52	46.5 17.8	6.76 11.57	No	Yes	40 35 12 7	13900 6000 Lead	0 1 FIXED	IB Fold 2					
			<b>540</b> 147		CARBON FS			493			35.1 1776 7 0									



Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Keel		Engine/Prop	Modifications
					I	J	Max Headsail	ISP	P	MGU	Yes/No	Yes/No	ASF		Ttl Disp.	Traps/H. Strps		
			DW Rating		Mast Material	JSP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type		
			Disp/WL ratio		Rig Type		PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades		
							EY		SSF		ASMG	Fixed or_o	Max Draft					
Quiver	Custom Nelson Marek 36	28669	45	1999	43.85 12.5	105	51.9 14.57	45.75 16.47	6.56 10.66	Yes	Yes	26.24 1221	35.6 29.32	7725 3255	No 1	IB FOLD	(mtg 6/15/10, added lead shoe to keel, -3 sec/mi, change custom rating from 48 to 45)(Mtg 2/29/12, added sprit equal to SPL, NCTR)	
			542 139		CARBON FS			453			47.57 28.34	1.5 <input checked="" type="checkbox"/>	10.3 7.6	Lead	FIXED	2		
Void Star	Santa Cruz 40	59995	45	1982	52 16	135	52 18.67	45.5 14	5.2 8.58	No	Yes	33.62 1238	40 36	12500 5000	0 1	IB FEATH	(Mtg 10/22/15, -6 sec/mi for 20% increase in JSP)(4/6/16, +3 sec/mi for non-articulating spinnaker)	
			548 122		ALUMN MS			370			48.32 27.13	0 <input checked="" type="checkbox"/>	12 7	Lead	FIXED	2		
Family Hour, TNG	Henderson 30	46595	48	1997	37 11	155	42.3 17.8	38.2 14	6.74 10.62	Yes	Yes	31.9 1223	30.83 27.75	3850 1750	0 1	OB None	Kelp Cutter	
			504 82		CARBON FS			356			41.5 19.8 19.8	11 685	9.84 7	Lead	FIXED	0		
Hokulani	J 120 ALUM	43	48	1996	50.42 14.42	155	50.42 21.42	46.42 17.67	6.58 11.42	No	Yes	37.8 1777	40 35	13900 6000	0 1	IB Fold		
			538 147		ALUMN FS			486			51.5 37.3	0 <input checked="" type="checkbox"/>	12 7	Lead	FIXED			
Hot Socks	Figaro II	27	48	2004	42.75 12.42	104	42.75	42.67 15.42	7 11	Yes	No	0	32.18 32	6724 2425	0 1	IB Fold		
			564 93		CARBON FS			422			20.1 20.5	689	11.33 6.5	LeadWater	FIXED			
Jamani	J 120 ALUM	52879	48	2002	50.5 14.5	155	52 21.5	46.5 17.8	6.7 11.5	No	Yes	34 1729	40 35	13900 6000	0 1	IB FOLD		
			542 147		ALUMN FS			491			50 37	7 <input checked="" type="checkbox"/>	12 7	Lead	FIXED	2		
Kookaburra	J 120 ALUM	153	48	2001	50.5 14.5	155	52 21.5	46.5 17.8	6.2 10.7	No	Yes	30.3 1265	40 35	13900 6000	No 1	IB FOLD		
			556 147		ALUMN FS			0 0	471		50.6 26.5	7 <input checked="" type="checkbox"/>	12 7	Lead	FIXED	2		

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
			ISP		I	J	Max Headsail	ISP	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB	
			JSP		J	J		JSP	E	MGM	SL	SPL	SLU	LWL	Ballast	moveable blst	Prop Type		
					Mast Material				PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades	
	Disp/WL ratio		Rig Type		EY		SSF		ASM	Fixed or _o	Max Draft								
Saetta	J 120 ALUM	28486	<b>48</b>	1999	50.5	153	52	46.5	6.75	No	Yes	37.6	40	13900	No	IB			
					14.5		21.5	17.8	11.5		65.61	1793	35	6000	1	FOLD			
			<b>540</b>		ALUMN			0	492		51.8	7	12	Lead	FIXED	2			
			147		FS			0			36.42	<input checked="" type="checkbox"/>	0						
Sapphire	Synergy 1000	38008	<b>48</b>	2004	40.8	125	45.75	42	5.86	No	Yes	28	32.83	4400	No	IB	(Mtg 10/22/15, +3 sec/mi for smaller than class mainsail)		
					12		16.4	15.5	10.03		52	1172	29.17	1850	1	FOLD			
			<b>532</b>		CARBON				387		46.2	4.3	9.75	Lead	FIXED	2			
			81		FS						28.8	<input type="checkbox"/>	0						
Twist	J 120 ALUM	28442	<b>48</b>	2000	50.5	150	52	46.5	6.75	No	Yes	34.1	40	13900	No	IB			
					14.5		21.5	17.8	11.5		64	1764	35	6000	1	FOLD			
			<b>541</b>		ALUMN			0	492		50.6	7	12	Lead	FIXED	2			
			147		FS			0			37.65	<input checked="" type="checkbox"/>	0						
Alchera	J 120 Mod	28870	<b>51</b>	2001	50.5	125	52	46.5	6	No	Yes	34	40	13900	No	IB	Modifications for offshore singlehanded: Smaller spinnaker and main, 2 extra winches at helm, 3 additional gel batteries, dodger boss widened and all control lines led to cockpit, radar pole, veltran MHN jib. (Mtg 2/21/08, +2 sec/mi for small)		
					14.5		21.55	17.57	10.57		57.96	1407	35	6000	1	FOLD			
			<b>554</b>		CARBON			0	463		49.99	7	12	Lead	FIXED	2			
			147		FS			0			30.6	<input checked="" type="checkbox"/>							
Chance	J 120 ALUM	28484	<b>51</b>	2001	50.5	100	52	46.3	6.7	No	Yes	34.1	40	13900	No	IB			
					14.5		21.5	17.8	11.5		64.1	1765	35	6000	1	FOLD			
			<b>541</b>		ALUMN			0	489		50.6	7	12	Lead	FIXED	2			
			147		FS			0			37.65	<input type="checkbox"/>							
Argo	Beneteau 40.7 First Farr	46933	<b>54</b>	1999	51.61	105	51.61	48.85	6.72	Yes	No		39.33	15211	0	IB			
					14.47		14.47	17.72	11.51		50.9	14.47	34.83	5950	1	Feath			
			<b>569</b>		ALUMN				515		26	1094	12.33	Lead	FIXED	2			
			164		FS						25		7.75						
												<input type="checkbox"/>	0						
Captain Sluggo	Hobie 33	77870	<b>54</b>	1982	34.7	105	42.3	38.1	6	No	Yes	25.6	33	4532	0	OB	(Meeting 4/27/17, Custom rating assigned: 54)		
					12.2			13.5	9.6		44.6	928	30.4	1800	1	None			
			<b>524</b>		CARBON				328		42.4	0	8	Lead	FIXED				
			73		MS						25.6	<input type="checkbox"/>	90						

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
			Built	J	Max Headsail	ISP	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H. Strps	IB or OB				
			DW Rating	Mast Material	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type					
			Disp/WL ratio	Rig Type	PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades					
					EY		SSF		ASM	Fixed or _o	Max Draft								
CentoMiglia	Flying Tiger 10 Meter ODR	15	54	2006	39.284 12.126	105	45.282 19.134	40.167 14.895	6.463 10.499	No	Yes	27.493 1087	32.68 30.31	4376 1918	No 1	OB None	(3/7/11, new class rudder installed, NCTR)		
			517 71		CARBON FS				378		7.008 0	9.12 7.61	Lead FIXED	3					
Envolee	Figaro II	0	54	2012	42.75 12.42	104	42.75	42.67 15.42	6.5 10.63	Yes	No		32.18 32	6724 2425	0 1	IB Fold	(mtg 4/27/17, water ballast disabled, +6 sec/mi)		
			558 93		CARBON FS				410		0 0	11.33 6.5	LeadWater FIXED						
Everlong	Beneteau 40.7 First Farr	51705	54	2002	51.61 14.47	104	51.61 14.47	48.85 17.72	6.73 11.51	Yes	Yes		39.33 34.83	15211 5950	0 1	IB FOLD			
			569 164		ALUMN MS			0 0	515		1103	12.33 7.75	Lead FIXED	2					
Freedom	Beneteau 523	38333	54	2006	65.22 20.77	105		59.09 18.53	6.39 11.04	No	Yes	35.519 1854	53.08 47.92	32800 10935	No 1	IB FOLD	Bow Thruster, in-mast furling, above deck jib furler; (Mtg 8/17/06 - +6 s/m for small girth main); electric winches added 1/29/07 (Mtg 3/28/13, +3 secmi for 8% decrease in mainsail area)		
			512 135		ALUMN FS				620		2 0	16 7.5	Iron FIXED	3					
Frequent Flyer	Mumm/Farr 30	52	54	1996	38.2 10.9	104	44.9 13.58	40.5 14.6	6.42 10.4	Yes	Yes	25.25 882	30.9 27.6	4561 1997	0 1	IB Fold			
			540 99		CARBON FS				377		0 0	10.1 6.9	Lead FIXED						
Q	Custom Schumacher 40	28901	54	2001	47 14.67	105	47	47.5 18.35	6.75 11.75	Yes	No		40 31.5	10166 4528	No 1	IB FOLD			
			554 148		CARBON FS			0 0	513		1030	11 7.6	Lead FIXED	2					
Wild 1	Flying Tiger 10 Meter ODR	41	54	2007	39.284 12.126	105	45.282 19.134	40.167 14.895	6.463 10.499	No	Yes	27.493 1087	32.68 30.31	4376 1918	0 1	OB None			
			517 71		CARBON FS				378		7.008 0	9.12 7.61	Lead FIXED	3					

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Keel		Engine/Prop	Modifications
					I	J	Max Headsail	ISP	P	MGU	Yes/No	Yes/No	ASF		Ttl Disp.	Traps/H. Strps		
			DW Rating		Mast Material	JSP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type		
			Disp/WL ratio		Rig Type		PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades		
							EY		SSF		ASMG	Fixed or _o	Max Draft					
Ebb Tide	Wauquiez 45s Centurion	60245	57	2003	55.77 17.72	100	55.77 17.72	51.84 19.32	6.51 11.68	Yes	Yes	32.25 1541	45.92 40.25	23148 8488	0 1	IB Fold	(Mtg 5/26/11, Increased "JSP" by 5.67" which equals a 30% increase. - 9 sec/mi per NCPHRF Rules & Guidelines.)(Mtg 3/29/12, JSP now same as J+9 sec/mi, Asymmetrical spinnaker still oversized, -3 sec/mi)	
			542 161		ALUMN FS				567			0 <input checked="" type="checkbox"/>	13.67 8.17	Lead FIXED	3			
Encore	Sydney 36 CR	3632	57	2006	45.6 14	104		44.36 16.4	6.1 10.6	No	Yes	28.9 1283	36.06 31.04	12897 4850	No 1	IB FOLD	(Australian IRC Rating 1.052)(Mtg 8/23/12, change custom rating from 54 to 57)	
			565 196		ALUMN FS				431			1.4 90 <input type="checkbox"/>	11.32 7.55	Lead FIXED	2			
Imagine	Davidson 44 MOD	77220	57	1980	49.92 15.38	125	50.33	58.3 18.33	6.9 12.8	Yes	No		44 38.5	24410 7000	No 1	IB FOLD	(Mtg 4/27/17, custom rating of 57 assigned)	
			568 194		ALUMN FS			0 0	652			0 <input type="checkbox"/>	13 7.6	Lead FIXED	3			
Outsider	Azzura 310	1000	57	1996	35.35 11.55	110	43.33 21.57	38.75 13.25	6.68 10.5	No	Yes	30.1 1163	30.75 27.4	4850 2100	No 1	OB Fixed_3	6 FT ARTIC, RETRAC BOWSPRIT. MTG 3/28/96 (RATED 66) (CHNG NOTED 4/18/96-NO CHNGE RTNG. (2/13/96 FM 66 TO 60.)( MTG 11/13/97 FM 60 TO 57)MTG 2/12/98 FM 57 TO 63 (MTG 4/9/98) Inboard Sail Drive removed and replaced with	
			525 107		CARBON FS			0 0	352			6 <input type="checkbox"/>	10 7.2	Lead FIXED	3			
Six Brothers	Columbia C 30-2	32006	57	2013	36.67 12.67	103	42 17.67	38 14.67	7.77 10.64	No	Yes	31.5 1145	32 27	4500 1900	0 1	IB None		
			529 104		ALUMN FS				374			0 <input checked="" type="checkbox"/>	10.13 7.42	Lead FIXED				
Sweetspot	C&C 121 DK W/5' BS	46921	60	2000	57 15	135	57 20	51 16.386	6.19 10.6	No	Yes	36 1851	40 35.5	14100 5500	No 1	IB FOLD	Deep Keel-bowsprit, (Mtg 4/24/08, rating appeal submitted, change base rating for C&C 121 DK w/ 5' BS, aka C&C 121 XP, to 60)	
			549 143		ALUMN MS			0 0	496			5 <input checked="" type="checkbox"/>	13.8 8	Lead FIXED	2			
Invictus	Jeanneau Sunfast 3600	12	63	2015	46.58 13.83	105	48 17.67	44.25 15.08	6.49 9.91	No	Yes	27.8 1192	35.42 31.25	10362 4850	0 1	IB Feath		
			572 154		ALUMN FS				411			0 <input checked="" type="checkbox"/>	11.67 7	Lead FIXED				

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications								
			Built	J	Max Headsail	ISP	P	MGU	Yes/No		SLU	ASA	LWL	Ttl Disp.	Traps/H.	IB or OB	# of blades										
									JSP	E									MGM	SL	SPL	Yes/No	ASF	LOA	Ballast	moveable blst	Prop Type
Disp/WL ratio	Mast Material	SSSF	SSA	SLE	Fixed or _o	Max Draft	Keel Type																				
Jet Stream	Custom JS 9000	9045	63	2003	27.08	87	30.25	31	5.6	No	Yes	21.8	29.9	2425	0	OB	(Mtg 1/22/09, custom rating of 78 assigned)(Mtg 8/19/10, -9 sec/mi for adding 3' sprit, -3 sec/mi for increased spinnaker area, Original rating of 78 contained a 3 sec error, rating should have been 75, change custom rating to 62)										
			544		9.5		15.5	8.73	7		35.8	561	27.9	1543	1	None											
			51		CARBON				199		30.1	3	5.7	Lead	FIXED	0											
					FS						20.1	<input checked="" type="checkbox"/>	0	6.8													
Ohana	Beneteau 45F5	38023	63	1991	53.15	100	55.15	55.4	7.06	Yes	No		44.11	26500	0	IB	(Mtg 12/1/11, -6 sec/mi for new keel)										
			580		15.08		16	18.58	12.08				36.9	8500	1	FEATH											
			240		ALUMN				613			0	14.1	Lead	FIXED	3											
					FS							<input type="checkbox"/>	0	7.9													
Wasabi	JPK 1080	38103	63		46.66	100	51.51	46.2	5.84	No	Yes		35.43	10692	0	IB											
			550		14.17		19.09	15.48	9.61				30.84	4740	1	Fold											
			166		CARBON				419			0	11.98	Steel	FIXED												
					FS							<input type="checkbox"/>	90	7.22													
Jeannette	Custom Frers 40 IOR 1 Tonner	40646	66	1986	47.2	100	13.7	51.48	7.13	Yes	No		39.5	12900	0	IB	(mtg 5/31/07 custom rating changed from 63 to 60 based on performance data)(Mtg 8/27/15, change custom rating back to 63 after review of race results)										
			569		13.7			18.76	12.19				33	6000	1	FOLD											
			163		ALUMN				575			0	12.6	Lead	FIXED	2											
					FS							<input type="checkbox"/>	0	8.1													
Lindo	J 109	195	69	2005	46.5	155	49	43.3	5.89	No	Yes	27.75	35.25	10900	0	IB											
			580		13.3		18.8	15.5	10.07				30.5	3900	1	FOLD											
			175		ALUMN				400			5.5	11.5	Lead	FIXED	2											
					FS							<input checked="" type="checkbox"/>	0	7													
Mirthmaker	A 35	18250	69	2007	44.22	90	51.06	44.94	5.42	Yes	Yes	24.2	34.7	9810	0	IB	(Mtg 5/20/10, custom rating of 60 assigned, would like a copy of ORR Certificate)(mtg 6/15/10, change custom rating from 60 to 63 based on further clarification of boats configuration)(Mtg 10/27/16, change custom rating from 63 to 60 after										
			574		13.45			14.66	8.88				30.47	4367	1	Fold											
			158		CARBON				381			1.5	11.6	Lead	FIXED	2											
					FS							<input type="checkbox"/>		6.88													
Pegasus - Motion X	J 100 ODR MOD	1197	69	2005	38	95	43	38	5.32	No	Yes	23.3	32.8	7250	No	IB	(Mtg 2/26/09, -3 sec/mi for adding sprit)(mtg 1/21/10, additional -3 sec/mi for lengthening sprit to 4.13')(Mtg 1/27/11, -6 sec/mi for increased "e")(Mtg 1/26/11, shortened J, boat rigged for										
			579		12.7		15.63	15.3	9.32				29	2500	1	FOLD	shortened ceiling. NCTBY4/22/17										
			135		CARBON				332			4.13	9.3	Lead	FIXED	2											
					FS							<input checked="" type="checkbox"/>	5.8														

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst Keel Type		
Raven	C&C 115	38108	<b>69</b> 2004	52.17 14.5	106	52.17 14.5	49.33 16.33	6.2 8.6	No	Yes	24.7 962	37.75 33	11800 4200	0 1	IB Fold		
			<b>587</b> 149	CARBON FS				447			0 <input checked="" type="checkbox"/>	11.92 6.67	Lead FIXED		2		
Skinny Love	11 Metre ODR	92	<b>69</b> 1996	32.53 10.166	95	41	36.08 13.583	5.23 8.82	Yes	No		33.67 26.92	3600 1600	No 1	OB None	MTG 4/9/98. Sail number 90, using sail # 246 for Vallejo 2008	
			<b>536</b> 84	ALUMN FS			0 0	293			0 <input type="checkbox"/>	8.67 5.42	Lead FIXED		0		
Willow	Wauquiez 40s Centurion	38300	<b>69</b> 2004	51.5 14.17	110	51.5	49.21 19.3	7.3 12.5	Yes	Yes	28.54 1155	41.17 36.4	18960 6085	No 1	IB FEATH	(mtg 3/18/10, -3 sec/mi for oversized a-sail.)(mtg 1/27/11, - 3 sec/mi for added sprit)	
			<b>573</b> 179	ALUMN FS				564			2.4 <input checked="" type="checkbox"/>	12.66 7.75	Lead FIXED		3		
Basic Instinct	Custom Elliott 10.50	8123	<b>72</b> 1993	41 12.5	125	45.6 13.9	44.2 17.5	8.5 12	No	Yes	29.4 1192	34.42 31.83	10220 3000	No 1	IB FOLD	(mtg 3/19/09, changed to smaller headsail, +3 sec/mi, & larger mainsail, -6 sec/mi, change rating from 66 to 63)(Mtg 10/21/09, new smaller headsail, still with large headboard. Change mainsail rating from 6 sec/mi to 2 sec/mi)	
			<b>570</b> 144	ALUMN FS			0 0	497			0 <input checked="" type="checkbox"/>	12.08 7	Lead FIXED		2		
Bullet	Express 37	40311	<b>72</b> 1985	48.75 14.33	155	48.75	42 13.75	5.3 8.83	Yes	No		37.08 30.83	11000 4600	No 1	IB FOLD		
			<b>581</b> 171	ALUMN MS			0 0	344			0 <input type="checkbox"/>	11.57 7.25	Lead FIXED		2		
Eclipse	Express 37	18495	<b>72</b> 1985	48.75 14.33	155	48.75	42 13.75	5.28 8.83	Yes	No		37.08 30.83	11000 4500	0 1	IB FOLD	Rudder modification noted, no change to rating. (Actual weight from yard 11200 - 9500 was design displacement. No mods from standard express 27.) 3/26/01	
			<b>577</b> 171	MS			0 0	344			0 <input type="checkbox"/>	11.57 7.25	Lead FIXED		2		
Elan	Express 37	87700	<b>72</b> 1985	48.75 14.33	155	48.75	42 13.75	5.28 8.83	Yes	No		37.083 30.833	11000 4500	No 1	IB FOLD		
			<b>581</b> 171	ALUMN MS			0 0	344			0 <input type="checkbox"/>	11.57 7.25	Lead FIXED		2		

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications		
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		Ttl Disp.		Traps/H.	Strps	IB or OB Prop Type # of blades			
								SL	SPL	SLU	ASA							Ballast	moveable blst
								SSMG SSF	SSA	SLE ASMG	Sprit Lngth Fixed or _o								
Escapade	Express 37	18051	72 1985	48.75 14.33 155	48.75	42 13.75 0 0	5.28 8.83 344	Yes 48 25.58 25.42	14.33 1022	No <input type="checkbox"/>	0	37.08 30.83 11.57 7.25	11000 4500 Lead	No 1 FIXED	IB FOLD 2				
Expeditious	Express 37	18478	72 1986	48.75 14.33 155	48.75	42 13.75 0 0	5.28 8.83 344	Yes 48 25.5 25.4	14.33 1019	No <input type="checkbox"/>	0	37.08 30.83 11.57 7.25	11000 4500 Lead	No 1 FIXED	IB FOLD 2	INSTALED NEW CLASS- APPROVED CARBONFIBER RUDDER - MTG 6-12-2000 NCTR.			
Golden Moon	Express 37	18488	72 1985	48.75 14.33 155	48.75	42 13.75 0 0	5.37 8.99 347	Yes 48.27 25.79 25.79	14.33 1037	Yes 49.8 46 25	29.5 1034 0 90	37 30.83 11.57 7.25	11000 4500 Lead	No 1 FIXED	IB FOLD 2				
Jarlen	J 35	28528	72 1990	46.333 14.583 150	46.3	41.416 14 0 0	5.43 9.11 347	Yes 46 26 26	14.583 997	No <input type="checkbox"/>	0	35.42 30 11.67 6.75	10500 4400 Lead	No 1 FIXED	IB FOLD 2				
Junkyard Dog	J 109 ODR	168	72 2004	46.5 13.3 105	49 18.83	43.25 15.5 0 0	5.88 10 398	No 56.33 45.63 27.2	27.75 1160 5.5 0	Yes <input checked="" type="checkbox"/>	0	35.25 30.5 11.5 7	10900 3900 Lead	No 1 FIXED	IB FOLD 2				
La Viajera	J 109 ODR	46480	72 2004	46.5 13.3 105	49.6 18.8	43.25 15.5 399	5.89 10.07	No 56.33 45.63 27.2	27.75 1160 5.5 0	Yes <input checked="" type="checkbox"/>	0	35.25 30.5 11.5 7	10900 3900 Lead	0 1 FIXED	IB Fold 2				
Mojo	J 35	18935	72 1983	46.4 14.7 150	46.3 14.7	41.75 14.98 353	5.21 8.77	Yes 46 26.25 26.25	14.7 1006	No <input type="checkbox"/>	0	35.42 30 11.8 6.9	10500 4400 Lead	No 1 FIXED	IB Feath 2				



Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull	Displacement/Keel		Engine/Prop	Modifications		
			Rating		I	J	ISP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps		IB or OB	
			Built		Max	Head	JSP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable	blst		Prop Type	
			DW Rating		Mast	Material	PY	MSA	SSMG	SSA	SLE	Sprit	Lngrh	Max Beam	Ballast Mat.	Keel Type	# of blades			
		Disp/WL ratio	Rig Type	EY		SSF	ASM	G	Fixed	or_o	Max Draft									
Mudshark	Express 37	28052	72	1986	48.75 14.33	155	48.75	42 13.75	5.28 8.83	Yes	48	14.33	No		0	37.08 30.83 11.57 7.25	11000 4500 Lead	No 1 FIXED	IB FOLD 2	
Phat Jack	Express 37	18257	72	1985	48.75 14.33	150	48.75	42 13.75	5.25 8.83	Yes	48	14.33	No		0	37.08 30.83 11.57 7.25	11000 4500 Lead	0 1 FIXED	IB FEATH 2	
Punk Dolphin	Custom Wylie 38	18481	72	1985	48 14.33	150	48	43 14	5.58 9.55	Yes	48	14.33	No		0	38 31 11.6 6.75	14000 5000 Lead	No 1 FIXED	IB FOLD 2	
Stewball	Express 37	18278	72	1985	48.75 14.33	150	48.75	42 13.75	5.28 8.83	Yes	48	14.33	No		0	37.083 30.833 11.57 7.25	11000 4500 Lead	0 1 FIXED	IB FOLD 2	
Abracadabra	Antrim 27 CM ODR	28927	75	1996	28.69 8.17	116	37.25 15	33.75 14	7.5 10.9	No			Yes	25.1 44.2 38 20.1	723 6.83 13	27.83 23.75 9.25 6	2900 1050 Lead	No 1 FIXED	OB None 0	BOWSPRINT IS ARTICULATING
Akialoa	J 35	28435	75	1989	46.33 14.58	120	46.3	41.42 14	5.43 9.11	No			No		0	35.42 30 11.67 6.75	10500 4400 Lead	No 1 FIXED	IB FOLD 2	
Escapade	Sabre 40-2	38011	75	1997	54 15.5	110	54 16	47.5 17	5.6 9.9	Yes	51.25 27.3 25.6	15.5 1151	Yes	23.5 1001 47 24	0 0 0	40.2 34 13.3 7.5	19760 7500 Lead	0 1 FIXED	IB FEATH 3	

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Keel		Engine/Prop	Modifications
					I	J	Max Headsail	ISP	IS	IS	Yes/No	Yes/No	ASF		Ttl Disp.	Traps/H. Strps		
			DW Rating		Mast Material		P	MGU	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type		
			Disp/WL ratio		Rig Type		E	MGM	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades		
							Y	MSA	SSF		ASM	Fixed or _o	Max Draft					
Expression	Express 37 MOD	33985	75	1984	48.75 14.33	150	48.75	42 5.3 13.75 9	Yes	48.16 23.2 23.2	14.33 931	No 48 45 18	19 705 0 90	37.1 30.83 11.5 6	9500 4500 Lead	0 1 FIXED	IB Fold 2	(mtg 1/21/10, +3 sec/mi for modified keel, -3 sec/mi for dual spinnaker/ability to fly asym on squared back pole)(1/19/11, removed asym, only using symmetric spinnaker, +3 sec/mi)
Joker	J 35	400	75	1986	46.4 14.7	125	46.4	41.5 5.43 14 9.11	Yes	46 26.4 26.4	14.7 1012	No   <input type="checkbox"/>	0 0	35.42 30 11.8 6.75	10500 4400 Lead	0 1 FIXED	IB FOLD 2	
Princess	Sabre 40-2	28876	75	1996	53.5 15.5	110	53.5 20.5	47.8 6.27 17 10.7	No	46.65 27.88	1205 5	Yes 57.94 46.65 27.88	26.75 1205 5	40.17 35.25 13.25 6.25	19500 7000 Lead	No 1 FIXED	IB FOLD 2	base rtg changed frm 69 to 72 MTG 4/8/03.
Raven	Benteau First 35	38073	75	2001	47.24 13.12	108	51.48	45.93 5.98 14.75 10.23	Yes	51.31 26.25 25.46	14.73 1116	No   <input type="checkbox"/>	0 0	36.32 30.6 12.76 7.25	12125 3681 Iron	0 1 FIXED	IB Fold	
Rustler	Esse 850	71	75		32.8 10	105	37.72 16.2	34.4 6.23 11.97 8.85	No	36.9 23	6.05 0	Yes 43.5 36.9 23	24.3 779 6.05 0	28 28 7.25 6.6	3000 1540 Lead	0 1 FIXED	IB Fold	Outboard replaced with inboard saildrive (Mtg 2/28/13, custom rating assigned, as sailed: 75)
Timber Wolf	Farr 38-1 C&B Marine	67519	75	1980	43.91 13.36	155	47.9	44.83 6.7 17.91 11.6	Yes	48 26.4 26.4	14.67 1056	No   <input type="checkbox"/>	0 0	38.32 30.9 11.97 6.39	12000 4100 Lead	0 1 FIXED	IB FOLD 2	(REDUCED MGM, ADDED 6" TO RUDDER LENGTH -NOTED NCTR-2/15/01)(-3 sec/mi for oversized spinnaker)
Advantage 3	J 105 ODR w/ 5'BS	84	78	1994	40.6 13.5	100	42.1 19.07	41.5 5.5 14.5 9.4	No	38.6 26.4	5	Yes 49 38.6 26.4	25.5 957 5	34.5 29.5 11 6.5	7750 3400 Lead	No 1 FIXED	IB FOLD 2	

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications	
			Built	J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp.	Traps/H. Strps		IB or OB Prop Type # of blades			
									DW Rating Disp/WL ratio	Mast Material Rig Type	SL	SPL SSA SSF			SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o			Ballast	moveable blst Keel Type
Akula	J 105 ODR w/ 5'BS	16	78	1992	40.6 13.5	100	42.1 19.07	41.5 14.6	5.5 9.4	No	Yes	25 854	34.5 29.5	7750 3400	No 1	IB FOLD				
			585 137		ALUMN FS		0 0	359			23	<input checked="" type="checkbox"/>	11 6.5	Lead FIXED		2				
Alchimiste	Archambault 27	38973	78	2013	34.25 10.83	100	39.08 15.98	34.78 12.63	4.75 8.16	No	Yes	26.9 872	27.4 22.7	4894 1814	0 1	IB Fold	(Mtg 10/22/15, Custom rating assigned. Includes -9 sec/mi penalty for 22% oversized ASA & +3 sec/mi credit for non-articulating sprit. As sailed: 78)			
			616 190		ALUMN FS			261			20.41	<input checked="" type="checkbox"/>	9.7 5.7	Lead FIXED						
Allegro	Beneteau Farr First 36.7	56657	78	2010	46.42 13.1	155	46.42 14.35	45.4 15.6	5.92 12.49	Yes	Yes	23.41 834	36 30.3	12939 3993	0 1	IB Fold	(Mtg 1/26/16, -3 sec/mi for increased JSP)			
			601 211		ALUMN FS			458			23.58 23.5	889	43 21.83	0 90	11.4 7.3	Lead FIXED	2			
Crackers	J 105 ODR w/ 5'BS	581	78	2002	40.6 13.5	100	42.1 19.07	41.5 14.5	5.5 9.4	No	Yes	26.2 859	34.5 29.5	8664 3400	0 1	IB Fold				
			585 153		ALUMN FS			358			22.3	<input checked="" type="checkbox"/>	5 0	11 6.5	Lead FIXED					
Godot	J 105 ODR w/ 5'BS	28905	78	1992	40.6 13.5	95	42.1 19.07	41.5 14.6	5.5 9.4	No	Yes	23.29 958	34.5 29.5	7750 3400	No 1	IB FOLD				
			581 137		ALUMN FS		0 0	359			26.8	<input checked="" type="checkbox"/>	11 6.5	Lead FIXED		2				
Javelin	J 105 ODR w/ 5'BS	394	78	2001	40.6 13.5	100	42.1 19.07	41.5 14.5	5.5 9.4	No	Yes	25.5 957	34.5 29.5	8697 3400	0 1	IB Fold				
			584 154		ALUMN FS			358			26.4	<input checked="" type="checkbox"/>	11 6.5	Lead FIXED						
Lightwave	J 105 ODR w/ 5'BS	319	78	2000	40.6 13.5	100	42.1 19.07	41.5 14.5	5.5 9.4	No	Yes	22.9 947	34.5 29.5	7750 3400	No 1	IB FOLD				
			581 137		ALUMN FS		0 0	358			26.6	<input checked="" type="checkbox"/>	11 6.5	Lead FIXED		2				

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Keel		Engine/Prop	Modifications
					I	J	Max Headsail	ISP	P	MGU	Yes/No	Yes/No	ASF		Ttl Disp.	Traps/H. Strps		
			DW Rating		Mast Material		PE	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type		
			Disp/WL ratio		Rig Type		PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades		
							EY		SSF		ASMG	Fixed or _o	Max Draft					
Mamaluc	J 105 ODR w/ 5'BS	265	<b>78</b>	1999	40.6 13.5	100	42.1 19.07	41.5 5.5	5.5 9.4	No	Yes	25.9	34.5	7750	No	IB		
			<b>581</b>		ALUMN		0	358			49.42	962	29.5	3400	1	FOLD		
			137		FS		0				39.76	5	11	Lead	FIXED	2		
							0				25.88	<input checked="" type="checkbox"/>	6.5					
Nantucket Sleighride	J 105 ODR w/ 5'BS	414	<b>78</b>	2001	40.6 13.5	100	42.1 19.07	41.5 5.5	5.5 9.4	No	Yes	25	34.5	7750	0	IB		
			<b>585</b>		ALUMN						48.9	863	29.5	3400	1	Fold		
			137		FS			358			38.7	5	11	Lead	FIXED	2		
											23.3	<input checked="" type="checkbox"/>	6.5					
Pressure Drop	Beneteau Farr First 36.7	52489	<b>78</b>	2006	46.4 13.1	155	46.4 14.35	45.4 5.92	5.92 12.49	Yes	No	23.29	36	12495	0	IB	(12/2/16, -3 sec/mi for JSP)	
			<b>602</b>		ALUMN						45.8	13.1	30.3	4034	1	Fold		
			204		FS			458			23.5	897	11.4	Lead	FIXED	2		
											23.5	<input type="checkbox"/>	7.3					
Russian Roulette	J 105 ODR w/ 5'BS	85	<b>78</b>	1995	40.6 13.5	100	42.1 19.07	41.5 5.5	5.5 9.4	No	Yes	25	34.5	7750	0	IB		
			<b>585</b>		ALUMN						48.9	854	29.5	3400	1	Fold		
			137		FS			358			38.7	5.5	11	Lead	FIXED	2		
											23	<input checked="" type="checkbox"/>	6.5					
Salt Peanuts	Custom Dees GP 26	18	<b>78</b>	2008	29.35 8.07	130	36.43 14.32	32.42 5.58	5.58 8.69	No	Yes	20.41	25.72	2340	0	OB	(mtg 2/18/10, change custom rating from 75 to 78)(3/28/12, New Rudder Noted)	
			<b>562</b>		CARBON						43.5	626	21.22	1100	1	None		
			111		FS			258			31.76	6.23	8	Lead	FIXED	0		
											19.85	<input checked="" type="checkbox"/>	6.04					
Sweet Okole	Custom Farr 36	29000	<b>78</b>	1976	42.049 12.35	155	42.049	44.54 5.9	5.9 10	Yes	No		36	9696	No	IB	(78 MTG 1/28/93) (81 MTG 3/18/93)(Mtg 5/22/08, +3 sec/mi for switching to smaller headsail, +3 sec/mi for removing 250# shoe from keel, change custom rating from 81 to 87)(6/7/10, change headsail to 155% 2 sec/mi change rating	
			<b>585</b>		ALUMN						43.82	12.35	31.33	3750	1	FOLD		
			143		FS			0	416		22.23	812	11.88	Lead	FIXED	2		
								0			22.23	<input type="checkbox"/>	7					
Vuja Star	J 105 ODR w/ 5'BS	181	<b>78</b>	1998	40.6 13.5	100	42.1 19.07	41.5 5.5	5.5 9.4	No	Yes	29.5	34.5	8733	0	IB		
			<b>581</b>		ALUMN						49.52	958	29.5	3400	1	Fold		
			155		FS			358			39.8	5.5	11	Lead	FIXED	2		
											24.8	<input checked="" type="checkbox"/>	6.5					

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications								
			Built	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB									
										E	MGM									SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type
Disp/WL ratio	Mast Material	FS	EY	SSF	ASM	MG	Fixed or _o	Max Draft																			
Courageous	J 88	77	81	2015	38.67 11.28	104	46 18.05	36.82 12	5.44 8.4	No	Yes	29 1022	29.19 26.84	4990 1840	0 1	IB Fold											
			561 117		CARBON FS				282		40.84 27.32	5.25 <input checked="" type="checkbox"/>	9.5 6.5	Lead	FIXED												
CruzSea Baby	Beneteau First 10R ODR	52878	81	2007	43.2 12.07	155	46.41 16.5	42.25 14.73	5.59 9.57	No	Yes	27.5 1055	32.75 28.7	9715 3528	0 1	IB Fold	(Rudder Modifications noted, smaller non-class spinnaker +3 sec/mi)										
			603 187		CARBON FS				371		41.5 27.9	4.43 <input checked="" type="checkbox"/>	11 6.55	Lead	FIXED	2											
Dare Dare	Jeanneau Sun Fast 3200	39	81	2008	41.92 12.58	102	43.77 13.61	38.67 13.68	5.28 8.46	Yes	Yes	24.41 887	33.1 28	7916 2866	0 1	IB Fold											
			598 164		ALUMN FS				311		44.91 24.08 23.39	13.58 896	11.5 6.2	Lead	FIXED	2											
Hera	Beneteau Farr First 36.7	28372	81	2002	46.4 13.1	150	46.4 13.1	45.4 15.6	5.92 12.49	Yes	No	0	36 30.3 11.6 7.2	12495 3748	No 1	IB FOLD											
			602 204		ALUMN FS			0 0	458		23.01 22.1	871		Lead	FIXED	2											
Inconceivable	J 88	9	81	2013	38.67 11.28	104	46 18.05	36.82 12	5.44 8.4	No	Yes	29 1022	29.19 26.84	4990 1840	0 1	IB Fold											
			561 117		CARBON FS				282		40.84 27.32	5.25 <input checked="" type="checkbox"/>	9.5 6.5	Lead	FIXED												
Javelin	J 100 ODR	4	81	2004	38.5 11.5	95	43 12.7	38 13.5	5.13 8.77	No	Yes	24.34 899	32.8 29	6500 2500	No 1	IB FOLD											
			590 121		CARBON FS				306		38.71 24.34	0 <input type="checkbox"/>	9.3 5.8	Lead	FIXED	2											
Juno	J 88	20	81	2014	38.67 11.28	105	46 18.05	36.82 12	5.44 8.4	No	Yes	29 1022	29.19 26.84	4990 1840	0 1	IB Feath											
			561 117		CARBON FS				282		40.84 27.32	5.25 <input checked="" type="checkbox"/>	9.5 6.5	Lead	FIXED												

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No	Yes/No	ASF	Ttl Disp.		Traps/H. Strps			
		DW Rating Disp/WL ratio		Mast Material Rig Type			PY EY	MSA	SL SSMG SSF	SPL SSA	SLU SLE ASMG	ASA Sprit Lngth Fixed or _o		Ballast Ballast Mat.	moveable blst Keel Type		
M Squared	J 88	75	81	1979	38.67 11.28	104	46 18.05	36.82 5.44 12 8.4		No	Yes	29 1022	29.19 26.84	4990 1840 Lead	0 1 FIXED	IB Fold	
		561 117		CARBON FS				282			40.84 27.32	5.25 0	9.5 6.5				
Mintaka 4	Farr 38	18441	81	1979	43.67 13.67	125	46.2	44.9 6.8 17.9 11.6	Yes	No		38.25 31.17	11850 4100 Lead	No 1 FIXED	IB FOLD 2	(2002-removed dinette stbrd, add bench seat w/55 gal fuel tank, original was 12.5. Rudder replaced 12" longer, 4" narrower. Changes noted mtg 1/17/02, NCTR)(removed short pole, changed spinnakers, 1/12/04) (Mts 1/24/12 new stem	
		578 178		ALUMN FS				0 478 0			44.13 14.5 26.07 948 24.6	0	12 6.33				
Mistral	Beneteau Farr First 36.7	28394	81	2002	46.4 13.1	155	46.4 13.1	45.4 5.92 15.6 12.49	Yes	No		35 30.3	12495 4034 Iron	No 1 FIXED	IB FOLD 2		
		602 204		ALUMN FS				0 458 0			45.8 13.1 23.47 885 22.07	0	11.6 7.2				
Mulan	Beneteau First 10R ODR	52659	81	2007	43.2 12.07	120	46.41 16.5	42.25 5.59 14.73 9.57	No	Yes	25.5 1075	32.75 28.7	9715 3258 Lead	0 1 FIXED	IB Fold 2		
		601 187		CARBON FS				371			45.8 26.4	4.43 0	11 6.55				
Relentless	Sydney 32	28732	81	2002	40.6 12.2	110	40.6 13.1	39.7 5.6 14.75 9.59	Yes	No		31.9 28.4	6850 2860 Lead	No 1 FIXED	IB FOLD 2	-3 Sec/mi for OSP	
		589 136		ALUMN FS				0 349 0			40.29 13.1 23.4 786 23.4	0	10.6 6.9				
Ventus	J 88	60	81	2015	38.67 11.28	104	46 18.05	36.82 5.44 12 8.4	No	Yes	29 1022	29.19 26.84	4990 1840 Lead	0 1 FIXED	IB Fold		
		561 117		CARBON FS				282			40.84 27.32	5.25 0	9.5 6.5				
White Shadow	J 88	23	81	2014	38.67 11.28	104	46 18.05	36.82 5.44 12 8.4	No	Yes	29 1022	29.19 26.84	4990 1840 Lead	0 1 FIXED	IB Fold		
		561 117		CARBON FS				282			40.84 27.32	5.25 0	9.5 6.5				

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SPL SSMG SSF	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.		Traps/H. Strps Ballast moveable blst Ballast Mat. Keel Type			
Ariadne	Beneteau Farr First 36.7	403	<b>84</b>	46.4 13.1	125	46.4 13.1	46.4 15.6	5.92 12.49	Yes	45.8 23.5 23.5	13.1 897	No	36 30.3 11.4 7.3	12495 4034 Lead	No 1 FIXED	IB Fold 2	
			<b>601</b> 204	ALUMN FS			0 0	468				<input type="checkbox"/>	0 0				
Enchante'	Beneteau 42 IK TM	63222	<b>84</b>	1985 55.43 16.73	155	55.71	49.2 14.6	4.8 8.5	No	No		No	43.67 36 13.83 7.19	20509 8700 Iron	No 1 FIXED	IB FOLD 2	
			<b>200</b>	ALUMN MS			0 0	400				<input type="checkbox"/>					
Insolent Minx	Melges 24	725	<b>84</b>	2008 27.85 7.98	100	31.85 12	28.75 12.42	3.83 7.09	No	Yes	20.67 38 32.9 19.23	0 577 0 0	24 22 8.2 5.25	1750 650 Lead	0 1 CNTRBRD	OB None	
			<b>578</b> 75	CARBON FS				195				<input checked="" type="checkbox"/>					
Lonestar	Beneteau First 10R ODR MOD	40	<b>84</b>	2007 43.2 12.07	100	46.41 16.5	42.25 14.73	5.59 9.57	No	Yes	25.5 1078 4.43 0	32.75 28.7 11 6.55	9715 3528 Lead	0 1 FIXED	IB FOLD 2	(Mtg 5/20/10, +3 sec/mi for non-class smaller kite)(Mtg 9/23/10, rudder modifications noted, NCTR)(Mtg 4/26/12, new rudder noted, NCTR)	
			<b>601</b> 187	CARBON FS				371				<input checked="" type="checkbox"/>					
Rufless	Melges 24	445	<b>84</b>	1999 27.85 7.95	100	31.85 12	28.9 12.45	3.83 7.09	No	Yes	20.67 38 32.9 19.23	24 22 8.17 5.25	1783 650 Lead	0 1 CNTRBRD	OB None 0		
			<b>577</b> 76	CARBON FS				196				<input checked="" type="checkbox"/>					
Turbo Camper	Hobie 33 ODR MOD	87574	<b>84</b>	1984 33.28 12.4	155	36.5 13.13	35 12.5	4.75 8.1	No	Yes	23 702 0.6 90	33 30.5 8 5.42	4200 1900 Lead	1 FIXED	OB None 0	(Mtg 3/29/12, -3 sec/mi for displacement changes)	
			<b>550</b> 67	ALUMN FS			0 0	261				<input type="checkbox"/>					
Dawn's Early Light	J 36	77549	<b>87</b>	1982 44.219 14	125	44.21 14	47 15	5.8 9.5	Yes	No		35.95 30.5 11.76 6.6	10570 4600 Lead	0 1 FIXED	IB Fold		
			<b>590</b> 169	ALUMN FS				418				<input type="checkbox"/>					



Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SPL SSMG SSF	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.		Traps/H. Strps Ballast moveable blst Ballast Mat. Keel Type			
Ex Indigo	Custom Diva 39	8	<b>87</b> 1987	41.73 12.8	125	41.73 12.8	46.75 14.75 0 0	5.72 9.6 413	Yes 41.4 22.6 22.6	12.8 780	No  <input type="checkbox"/>	38.75 30.83 9.83 5.75	9920 4575 Lead	No 1 FIXED	IB FOLD 2	Back Stay Crane	
Grunion	Catalina 425	11	<b>87</b> 2017	55.75 15.67	125	17.34	52 18	5.04 9.58 490	No	No	 <input checked="" type="checkbox"/>	41.67 39.08 13.67 6.67	17500 7000 Lead	0 1 FIXED	IB Fold	(Mtg 1/26/17, need to submit spinnaker measurements when available)	
Red Cloud	Farr 36 Mod	99	<b>87</b> 1976	38.3 12.16	108	46.3 12.16	41 16.75 0 0	6.4 10.9 410	Yes 45.4 21.8 21.8	12.16 825	No  <input type="checkbox"/>	36 31.33 11.92 6.16	10430 3950 Lead	No 1 FIXED	IB Fold 2	(550# ADDED TO KEEL 300# TO FILL MIDDLE WINDOW+250# TO BOTTOM)(Mtg 1/26/12, -3 sec/mi for new mainsail)(mtg 3/29/12, +3 sec/mi after review of rating appeal, as sailed: 87)	
Soiree	Beneteau Oceanis 49 SD	38776	<b>87</b>	59.75 18.42	135	59.75 18.42	51.67 18.33	4.7 9.3 480	No	Yes 55.73 50.72 26.75	29.41 1210 0 <input checked="" type="checkbox"/>	49.5 43.67 14.75 5.75	30517 480 Iron	0 1 FIXED	IB Feath	Electric Winches (Mtg 10/27/16, +3 sec/mi for In-mast furling mainsail)	
Another Girl	Alerion Express 38-2	20	<b>90</b> 2011	42.98 12.99	90		47.5 18.25	9.58 13.45 583	No	No	 <input type="checkbox"/>	38.3 30.1 10.3 5.92	13000 5000 Lead	0 1 FIXED	IB Feath 2	(mtg 4/28/11, Custom rating of 90 assigned)	
Drop Beer	Beneteau Class 10	18277	<b>90</b> 1984	37.8 12.6	150	38.6	39.7 13.9 0 0	4 8.7 308	Yes 36.11 22.1 22.1	12.6 665	No  <input type="checkbox"/>	34.2 29.6 9.9 6.8	7000 2200 Iron	0 1 FIXED	IB FOLD 0	NEW RUDDER 3/4/95, NCTR (MTG 3/36/95)	
Roxanne	Tartan 4100 SD TM	322	<b>90</b>	57 15	135	57 15	50.1 18	6.8 11.5 533	No	Yes 58.9 53 27.7	27 1285 0 <input checked="" type="checkbox"/>	41.3 35.9 13.6 5.4	20400 8000 Lead	0 1 FIXED	IB Feath		

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications					
			Built	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF		LOA	Ttl Disp.	Traps/H. Strps		IB or OB					
										E	MGM		SL	SPL			SLU	ASA			LWL	Ballast	moveable blst	# of blades
Disp/WL ratio	Mast Material	Rig Type	EY	ASF Fixed or _o	Max Draft	Ballast Mat.	Keel Type																	
Sea Ghost	Beneteau 42 IK	68222	90	1984	52.82	155	52.82	46.5	5.4	Yes	No		42.92	20900	0	IB	DOUBLE HEADRAIL, HYDRALIC BACKSTAY PER MTG 8/14/97							
					16.73			14.6	9.35			36.25	7920	1	FOLD									
			580		ALUMN			0	400			12.75	Iron	FIXED	2									
			199		MS			0			<input type="checkbox"/>	7.25												
Vitesse Too	Hobie 33 ODR	87112	90	1983	33.8	125	36.8	35	4.75	Yes	No		33	4000	No	OB	Extended rudder 10", NCTR							
					12.4			12.4	8			30.5	1800	1	None									
			552		ALUMN			0	259			8	Lead	FIXED	0									
			64		FS			0			<input type="checkbox"/>	5.5												
Xtreme	Hobie 33 ODR	18170	90	1984	33.83	125	36.25	35	4.75	Yes	No		33	4000	No	OB								
					12.4			12.5	8			30.5	1800	1	None									
			553		ALUMN			0	260			8	Lead	FIXED	0									
			64		FS			0			<input type="checkbox"/>	5.42												
Gavilan	Custom Wylie 39	28439	93	1996	49	122	49	43	5.73	Yes	Yes	24.6	41.5	17900	No	IB	(mtg 4/28/11, change custom rating from 84 to 96 after review of rating appeal)(Mtg 1/26/12, -3 sec/mi for sprit)							
					14.5			15.5	9.75			783	31.75	5920	1	FEATH								
			604		ALUMN			0	390			1.17	11.5	Lead	FIXED	3								
			254		MS			0			18.47	<input checked="" type="checkbox"/>	6.77											
Lady Jane	Jeanneau 39i Sun Odyssey	7913	93	2008	48.1	122	48.1	46.3	5.42	No	Yes	27.46	38.1	16163	0	IB								
					13.1			14.6	9.28			1012	35.2	5026	1	Feath								
			594		ALUMN				398			1	12.9	Cast Iron	FIXED	3								
			168		FS						26.08	<input checked="" type="checkbox"/>	6.7											
Ada Helen	ace	922	96	2005	53	155	53	46.75		No	Yes	29.7	43.8	24400	No	IB	(Mtg 3/20/08 -6/sec/mi for OSP)(mtg 6/19/08, new larger a-sail, correct size for J, NCTR)							
					16.5		16.5	15.5				1303	36	8300	1	FOLD								
			588		ALUMN							0	13.1	Lead	FIXED	3								
			238		MS						29.7	<input type="checkbox"/>	6											
Freedom	Worth 40	18230	96	1984	54	155	16	47	5.5	Yes	No		40	21000	0	IB								
					16		16	14	9.2				34.25	7800	1	FOLD								
			594		ALUMN			0	397			0	12.5	Lead	FIXED	2								
			238		MS			0				<input type="checkbox"/>	7.25											



Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SPL SSMG SSF	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast		Traps/H. moveable blst Keel Type			
Dragonsong	Olson 30 OB	87014	<b>99</b> 1982	36 11.75	155	35.9 11.67	31.5 10.75	4.364 7.268	Yes 36 21.15 21.15	11.75 635	No  <input type="checkbox"/>	30 27.5 9.33 5.08	3600 1800 Lead	No 1 FIXED	OB None 0		
Nina	Olson 29	27	<b>99</b> 1987	34 11	155	36	32.5 11.5	4.5 7.27	Yes 34 20.25 20.25	11.25 574	No  <input type="checkbox"/>	29.67 27.5 9.33 5.58	3700 1950 Lead	0 1 FIXED	OB None 0		
Pony Express	Express 34	28234	<b>99</b> 1988	44.25 12.92	155	44.25	38.5 12.83	4.87 8.46	Yes 44 23.4 23.4	12.89 858	No  <input type="checkbox"/>	34 28.33 10.5 6	7500 3700 Lead	No 1 FIXED	IB FOLD 2		
Razzberries	Ericson 34 Olson TM	97479	<b>99</b> 1988	46.77 12.95	155	47	40.9 12.95	5.1 8.5	Yes 45.7 23.31 23.31	12.95 888	No  <input type="checkbox"/>	33.88 28 10.8 6.085	10855 3500 Lead	No 1 FIXED	IB FOLD 2		
Traveler	Express 34	97089	<b>99</b> 1987	44.3 13	150	44.3	38.5 12.83	4.87 8.46	Yes 42.7 22.2 21.8	13 787	No  <input type="checkbox"/>	34 28.3 10.5 6	8500 3700 Lead	0 1 FIXED	IB FOLD 2	-6 FOR OVERSIZED SPINNAKER	
Vento	Swan 391	40841	<b>99</b> 1987	53.5 16.25	95	53.5 16.25	47.25 14	5.5 9.2	Yes 51.83 29.3 29.3	16.25 1266	Yes 51.83 49 23.67	26 1014 0 0	39.9 33.1 12.4 7.2	18900 6800 Lead	0 1 FIXED	IB Fold	
Vita E Bella	Catalina 42-1/2	989	<b>99</b> 2007	53 16.5	155	16.5	46.9 15.6	5.2 9.5	No   	Yes 53.8 50.4 25	27.3 1105 3.67 0	41.83 36 13.1 6.8	24400 3765 Lead	0 1 FIXED	IB FOLD 3	(mtg 3/28/13, -3 sec/mi for added sprit)	

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications					
			Built	J	Max Headsail	ISP	P	MGU	Yes/No		SLU	ASA	LWL	Ttl Disp.	Traps/H.	IB or OB	Prop Type	# of blades						
									E	MGM										SL	SPL	LVA	Ballast	moveable blst
Disp/WL ratio	Mast Material	Rig Type	EY		ASF	Fixed or _o	Max Draft	Ballast Mat.	Keel Type															
Warpath	Olson 30 OB	198	99	1982	36	150	35.9	31.5	4.364	Yes	No	30	3600	No	OB									
			584		11.75		11.67	10.75	7.268			27.5	1800	1	None									
			79		MS			0	208		<input type="checkbox"/>	9.33	Lead	FIXED	0									
								0				5.08												
X TA C	Olson 29	18457	99	1986	34	155	36	32.42	4.59	Yes	No	29.67	3900	No	OB	RUDDER REPLACED W/MORE 30 - CHANGE NOTED NCTR.								
			583		11			11.42	7.66			27.5	1900	1	None									
			85		ALUMN			0	226			9.33	Lead	FIXED	0									
					MS			0			<input type="checkbox"/>	5.25												
Checkedred Past	Custom Wyliecat 39	3	102	2002				52	10.2	No	No	38.83	12000	0	IB	Boat has been modified for handicapped sailing								
			595					26.6	17.4			32	6200	1	FOLD									
			166		CARBON				826		<input type="checkbox"/>	11.5	Lead	FIXED	2									
					CAT							6.6												
Farriage	Catalina 42-1/2	336	102	1992	53	130	53	46.75	5.75	No	Yes	41.83	20600	0	IB									
			604		16.42		16.42	16.42	9.83		53	36	8300	1	Feath									
			201		ALUMN				437		47.37	13.83	Lead	FIXED	3									
					MS						24.37	6.83												
											<input checked="" type="checkbox"/>	0												
Flight Risk	Thompson 650	650	102	2000	26.67	100	28.25	28.29	5.7	No	Yes	22.3	1692	Yes	OB	(mtg 1/21/10, weighed displacement of 1692lbs updated, NCTR)(Mtg 3/18/10, change custom rating from 108 to 99)(Mtg 8/18/10, submitted appeal, rating changed from 99 to 102)								
			570		8.86		14.86	10.4	8		20.58	19.8	660	3	None									
			99		CARBON				204		37.79	8.16	Lead	FIXED										
					FS						33.6	5.9												
											<input checked="" type="checkbox"/>													
											19.5													
Gratitude	Hylas 46	60373	102	2002	58.4	135	58.4	50.6	4.6	No	Yes	46.3	27777	0	IB									
			573		17.7		17.7	18	9.6		25.5	40	12347	1	Feath									
			197		ALUMN				469		54.6	13.9	Lead	FIXED	3									
					CTR						51.6	6.6												
											30.6													
											<input checked="" type="checkbox"/>													
											0													
Marrakesh	Express 34	3	102	1987	44.25	125	44.25	38.5	4.87	Yes	No	34	9245	No	IB									
			613		13			12.83	8.46			28.33	3800	1	FOLD									
			185		ALUMN			0	296			10.33	Lead	FIXED	2									
					MS			0				6.11												
											<input type="checkbox"/>													

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		Ttl Disp.		Traps/H. Strps moveable blst			
								SL	SPL	SLU	ASA						
								SSMG SSF	SSA	SLE ASMG	Sprit Lngth Fixed or _o				Ballast Mat.		
Post Time	Catalina 42-1/2	362	<b>102</b> 1993	53 16.42 135 53 16.42	53 16.42	46.75 5 15.5 9	5 401	No	No	31 0 0	41.83 36 13.83 6	24000 8300 Lead	0 1 FIXED	IB Feath 3	In-Boom Furling Mast, Electric Halyard Winch		
TESA	Catalina 42-1/2	642	<b>102</b> 1999	53 16.41 155 53 23	53 23	46.75 5.91 15.416 10	5.91 10	Yes	Yes	31 1275 0	41.83 36 13.83 6.8	25500 8300 Lead	0 1 FIXED	IB FEATH 3	Added one electric main halyard winch		
Tijd	Beneteau First 30	45	<b>102</b> 2011	41.66 13.78 105 42.16 15.7	42.16 15.7	40.2 6.24 14.25 9.38	6.24 354	No	Yes	25.5 866 1 90	31.7 27.5 10.5 6.25	8267 2403 Cast Iron	0 1 FIXED	IB Fold	(Mtg 8/27/15, -3 sec/mi for OSP, +6 sec/mi for small spinnaker)		
Baleineau	Ericson 34 Olson SM	42147	<b>105</b> 1988	44 13 155 44 44	44 44	38.8 4.88 13 8.25	4.88 298	Yes	No	0	34 28 10.83 6	10600 3650 Lead	No 1 FIXED	IB FOLD 2			
Carmelita	Catalina 42-1/2	131	<b>105</b> 1990	53 16.42 125 53	53	46.75 4.98 15.5 8.85	4.98 399	Yes	Yes	27.75 1131 0	41.83 36 13.83 6.66	22000 8300 Lead	No 1 FIXED	IB FEATH 3			
Kai Ola	Jeanneau Sun Odyssey 379	0	<b>105</b> 2011	46.67 13.58 132 46.67	46.67	44.58 5.4 13.92 9.1	5.4 372	Yes	No	0 0	37.17 36 12.33 6.33	14771 3914 Steel	0 1 FIXED	IB Fixed_3	(Mtg 5/25/17, -3 sec/mi for oversized spinnaker)		
Loya	Ericson 34 Olson SM	3246	<b>105</b> 1989	44.5 13.25 154 44 13.25	44 13.25	38.84 4.69 12.9 8.38	4.69 296	Yes	Yes	23.8 886 0 0	34 28 10.83 6	10600 3650 Lead	0 1 FIXED	IB Fold 2			

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Keel		Engine/Prop	Modifications
					I	J	Max Headsail	ISP	P	MGU	Yes/No	Yes/No	ASF		Ttl Disp.	Traps/H. Strps		
			DW Rating		Mast Material		PE	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type		
			Disp/WL ratio		Rig Type		PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades		
							EY		SSF		ASM	Fixed or _o	Max Draft					
Ragtime!	J 92	18	<b>105</b>	1993	37 11.5	155	38.5 17	38 4.7	4.7	No	Yes	29.75	30	5500	No	IB	(changes noted 3-11-03, NCTR)(2/14/06 - Spinnaker based on 1019 sq feet/94.67 meters)(Mtg 01/16/14, -3 sec/mi for flying asymmetric off squared back pole)(Mtg 4/24/14, New Rudder noted NCTR. Shortened pole/sprit	
			<b>593</b>		ALUMN		0	293	39.98	14.5	46.8	1019	25.8	2275	1	FOLD		
			<b>146</b>		FS		0		30.6	1019	38.5	5.5	10	Lead	FIXED	2		
							0		30.6		28.4	<input checked="" type="checkbox"/>	5.9					
Red Sky	Ericson 34 Olson SM	28340	<b>105</b>	1989	44 12.95	150	44 12.95	38.7 5.1	5.1	Yes	Yes	21.98	33.88	10855	No	IB	MTG 12/11/97(RUDDER REPLACED 8" DEEPER ADN 3" NARROWER.)	
			<b>627</b>		ALUMN		0	302	42	12.95	41.5	587	28	3500	1	FOLD		
			<b>225</b>		MS		0		23.4	816	33.77	0	10.8	Lead	FIXED	2		
							0		23		17.91	<input type="checkbox"/>	6.08					
Relentless	J 92	93	<b>105</b>	1997	37 11.5	155	38.5 17.5	38 5.2	5.2	No	Yes	26.4	30	5500	0	IB		
			<b>590</b>		ALUMN		13.5	8.7	45.2		915		26.5	2275	1	Fold		
			<b>134</b>		FS			306	40.6		5.5	10	10	Lead	FIXED	2		
									25.4		<input checked="" type="checkbox"/>	0	5.9					
Revelry	Catalina 42-1/2	703	<b>105</b>	1999	53 16.416	125	53 16.416	46.75 5.75	5.75	No	Yes	27.5	41.833	20500	No	IB	ASYM SPIN NOTED NCTR.	
			<b>608</b>		ALUMN		0	425	52.7		1097	36	8300	1	FEATH			
			<b>200</b>		MS		0		47.4		0	13.833	Lead	FIXED	3			
							0		26		<input type="checkbox"/>		6.83					
Sail La Vie	Beneteau 411	28597	<b>105</b>	1999	46.67 16.25	140	41.5 4.872	4.872	14.83	8.77	No	No	41.67	17196	No	IB		
					ALUMN		0	344				0	36.09	5500	1	FEATH		
			<b>166</b>		MS		0				<input type="checkbox"/>		13	Steel	FIXED	3		
							0						5.58					
Sir Leansalot	Hunter 40	161	<b>105</b>	1986	53.9 17	125	53.9 17	48 5.2	5.2	Yes	No		39.7	17400	0	IB		
			<b>608</b>		ALUMN		13.9	9	52.5	17			32.5	6000	1	Fold		
			<b>230</b>		MS		0	396	29.2	1276		0	13.5	Iron	FIXED	2		
							0		29		<input type="checkbox"/>		6.5					
Tiki Blue	Beneteau 423	38423	<b>105</b>	2005	48.65 16.52	125	48.65 16.52	43.44 5.49	5.49	Yes	No		41.67	20224	No	IB		
			<b>580</b>		ALUMN		14.83	9.6	48.76	16.5			38.58	5569	1	FOLD		
			<b>160</b>		MS			381	29.7	1199		0	12.92	Iron	FIXED	3		
									28.69		<input checked="" type="checkbox"/>	0	6.92					



Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail		P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst Keel Type		
Blue Zephyr	Jeanneau Sun Odyssey 42 DS		<b>108</b> 2010	51.58 16.25	150		48.82 14.6	3.55 6.9	No	No		42.42 38 13.5 6.92	19676 5628 Iron	0 1 FIXED	IB Fixed_3	(mtg 4/27/17, +3sec/mi for in-mast furling, +3 sec/mi for MGM < 50% of E)	
Gig	Humboldt 30 IB	18112	<b>108</b> 1983	37.5 11.5	149	37.5	41.5 13.75	5.13 8.83	Yes	No		30 26.66 10.5 5.75	5400 2222 Lead	No 1 FIXED	IB FOLD 2		
Hijinks	J 92	90	<b>108</b> 1996	37 11.5	97	38.5 17	37.66 13.22	5 8.6	No	Yes	26.51 868	30 26.5 10 5.9	5500 2275 Lead	0 1 FIXED	IB Fold 2		
Imagination	Bavaria 40	0	<b>108</b> 2001	47.25 14.58	111	48	44.46 15.58	5 9.21	No	Yes	20 828	40.94 35.93 13.1 6.4	17417 6283 Lead	0 1 FIXED	IB Fold		
Max	Ultimate 24 ODR	2	<b>108</b> 2002	28.04 7.82	110	30.8 14.5	31 11.35	6.81 9.18	No	Yes	21.3 562	24.38 21.17 8.48 5.52	2040 750 Lead	0 1 FIXED	OB None		
Popstar	Catalina 400	331	<b>108</b> 2005	52.5 15.5	135	52.5 16.5	46.9 17	4.02 8.27	No	Yes	27.9 1225	41.54 36.5 13.5 6.92	20500 8300 Lead	0 1 FIXED	IB Fold 3	(+3 sec/mi for in-mast furling mainsail, +3 sec/mi for MGM <50% of E)	
Sweet Grapes	Ericson 36 Holland	19	<b>108</b> 1981	47.75 14.5	147	47.75	42 12	3.5 7.2	Yes	No		35.58 29 11.83 6.25	11600 5230 Lead	0 1 FIXED	IB FOLD 2		

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications	
			Built	J	Max Headsail	ISP	P	MGU	Yes/No		Yes/No		LOA	Ttl Disp. Traps/H. Strps		IB or OB				
									E	MGM	SL	SPL		SLU	ASA		Ballast	moveable blst		Prop Type
Disp/WL ratio	Mast Material	IEY	MSA	SSMG	SSA	SLU	ASA	Max Draft	Ballast Mat.	Keel Type	# of blades									
Boomer	Melges 20	676	111	2009	23.19	110	27.2	24.25	3.83	No	Yes	18.8	20	1105	0	OB				
					7.05		10.95	9.84	7.42		29.78	417	19.4	415	1	None				
			604		CARBON				152		26.25	3.9	7	Lead	FIXED	0				
			69		FS						17.65	<input checked="" type="checkbox"/>	4.5							
Endless Summer	Catalina 42-1/2 WK	688	111	2000	53	155		46.75	5.08	No	No		41.83	28000	0	IB				
					16.5			15.5	9.16				36	8300	1	Feath				
					ALUMN				405			<input type="checkbox"/>	13.83	Lead	FIXED	3				
			273		MS							0	4.83							
For Pete's Sake	Ultimate 24 ODR	28469	111	2003	28.04	102	30.8	31	5.5	No	Yes	22.2	24.38	2040	No	OB				
					7.82		14.5	11.5	8.8		36	587	21.17	750	1	None				
			582		CARBON			0	238		30.6	6.7	8.48	lead	FIXED					
			98		FS			0			20.9	<input checked="" type="checkbox"/>	5.52							
Ganesha	Sabre 36-2	28862	111	1996	48.5	155		41.6	5.66	No	No		36.17	13800	No	IB	Adjustable back stays			
					13.46			14.83	9.63				30.42	5520	1	FOLD				
					ALUMN			0	368			<input checked="" type="checkbox"/>	12	Lead	FIXED	2				
			223		MS			0				0	6.5							
Hylite	Hylas 49 SM	49	111	2007	57.42	130	57.42	51	4.5	No	Yes	28.67	48.83	35000	0	IB	(Mtg 1/26/17, Custom rating of 111 assigned)			
					19.5		19.5	18.5	9.17		60	1214	39.5	14500	1	Fold				
			580		ALUMN				470		55.33	0	14.25	Lead	FIXED					
			258		CTR						24.42	<input checked="" type="checkbox"/>	6							
Makanani	Ultimate 24 ODR	3	111	2003	28.04	110	30.8	31	6.35	No	Yes	21.3	24.38	2040	0	OB				
					7.82		14.5	11.35	9.18		36	566	21.17	750	1	None				
			583		CARBON				250		27.8	6.7	8.48	Lead	FIXED					
			98		FS						21.3	<input checked="" type="checkbox"/>	5.52							
Nightmare	Custom Wilderness 30 SX FR OB	305	111	1980	34	125		34.4	4.59	Yes	No		29.75	4700	No	OB	(-3 sec/mi for change from IB to OB, -6 sec/mi for keel change.)(mtg 2/26/15, -9 sec/mi for oversized spinnaker)			
					11.75			11.5	7				27.75	1650	1	None				
			588					0	233				8.83	Lead	FIXED	0				
			100		FS			0				<input type="checkbox"/>	5.92							

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications								
			Built	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB									
										E	MGM									SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type
Disp/WL ratio	Mast Material	FS	EY	SSF	ASM	Fixed or _o	Max Draft																				
Problen Child	Melges 20	134	111	2009	23.19 7.05	110	27.2 10.95	24.25 9.84	3.83 7.42	No	Yes	18.8 417 3.9 0	20 19.4 7 4.5	1105 415 Lead	0 1 FIXED	OB None											
Ahi	Santana 35	30980	114	1981	39 12.85	155	39	42 14.25	5.51 9.26	Yes	No	12.85 752 0 0	35 26.5 11.92 6.25	8500 3300 Lead	0 1 FIXED	IB Fold 2	(Mtg 6/27/13, new rudder noted, NCTR)										
Allons-Y	J 70 ODR	346	114	2014	26.77 7.68	100	30.15 13.5	26.16 9.44	4.71 6.93	No	Yes	18.7 491 5.1 0	22.75 20.47 7.38 4.92	1750 630 Lead	0 1 MVBL	OB None											
Azure	CAL 40	72	114	1966	46 15.17	150	46	40 17.5	6.65 11.37	Yes	No	15.17 1056 0 0	39.3 30.5 11 5.5	15500 6000 Lead	0 1 FIXED	IB FEATH 2											
Benny	J 70 ODR	897	114	2015	26.77 7.68	100	30.15 13.5	26.16 9.44	4.71 6.93	No	Yes	18.7 491 5.1 0	22.75 20.47 7.38 4.92	1750 630 Lead	0 1 MVBL	OB None											
Bessie's Girl	Bristol 45.5	30088	114	1980	57 18.83	130	57 18.83	47.25 15.2	4.66 8.56	Yes	Yes	33 1353 0 0	45.5 37.25 13.2 11	40000 15000 Lead	No 1 CNTRBRD	IB FEATH 3	(mtg 2/18/10, -3 sec/mi for dual spinnakers/ability to use asym on squared back pole)										
Blue Passion	tartan 3400	7134	114	2006	46 13.67	95	49.67 13.67	43 14.5	4.58 8.2	No	No	0 0	34.42 30.42 11.92 6.5	10800 3500 Lead	0 1 FIXED	IB Fold											

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Keel		Engine/Prop	Modifications
					I	J	Max Headsail	ISP	ISJ	Yes/No	Yes/No	ASF	Ttl Disp.		Traps/H. Strps	IB or OB		
			DW Rating		Mast Material		P	MGU	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type		
			Disp/WL ratio		Rig Type		E	MGM	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades		
							PY	MSA	SSF		ASM	Fixed or _o	Max Draft					
Breakout	Santana 35	18679	114	1982	39 12.85	155	39	42 5.51	14.25	9.26	39	12.85	35 26.5 11.92 6.25	8500 3300 Lead	No 1 FIXED	IB FOLD 2		
			630 208		ALUMN FS			358	23.13 18.6	722		0 <input type="checkbox"/>						
Elan	Beneteau 37	46	114	2012	45.83 15	105	48	43.5 12.83	6.16 8.83		No	Yes	26.6 915	37.8 34.08 12.83 6.25	14359 3901 Iron	0 1 FIXED	IB Fold	
			596 165		ALUMN FS			359			39.17 25.6	0 <input checked="" type="checkbox"/>	0					
Green Buffalo	CAL 40	8538	114	1967	46.7 15.2	155	46.7	39.8 17.6	6.65 11.37	46.01	15.2	No		39.3 30 10.9 5.8	15148 6000 Lead	0 1 FIXED	IB FEATH 3	Schumacher designed rudder - same as original
			622 255		ALUMN MS			0 0	416	1047		0 <input type="checkbox"/>						
Neverland	Tartan 3700 SD 5.0'	106	114	2006	51.75 15	135	51.75 15	45.25 15	5.7 9.68		No	Yes	25.4 1025	37 32.5 12.6 5	17780 6200 Lead	0 1 FIXED	IB Fold 2	
			616 235		CARBON MS			404			53.83 46.8 24.21	0 <input checked="" type="checkbox"/>	0					
Nozomi	CAL 40	164	114	1970	46.2 15.2	155	46.2	39.9 17.6	6.6 11.37	46.2	15.2	No		39.5 30 11 5.6	15500 6000 Lead	0 1 FIXED	IB FEATH 3	
			622 261		ALUMN MS			416			27.3 1051 27.3	0 <input type="checkbox"/>	0					
Penny Pincher	J 70 ODR	215	114	2014	26.77 7.68	100	30.15 13.5	26.16 9.44	4.71 6.93		No	Yes	18.7 491	22.78 20.47 7.38 4.92	1750 630 Lead	0 1 MVBL	OB None	
			607 93		CARBON FS			164			28.87 18.24	5.1 <input checked="" type="checkbox"/>	0					
Prime Number	J 70 ODR	29	114	2012	26.77 7.68	100	30.15 13.5	26.16 9.44	4.71 6.93		No	Yes	18.7 491	22.78 20.47 7.38 4.92	1750 630 Lead	0 1 MVBL	OB None	
			607 93		CARBON FS			164			28.87 18.24	5.1 <input checked="" type="checkbox"/>	0					

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No	Yes/No	ASF	Ttl Disp.		Traps/H. Strps			
				Mast Material			PY	MSA	SL	SPL	SLU	ASA	Ballast	moveable blst			
				Rig Type			EY		SSMG	SSA	SLE	Sprit Lngth	Ballast Mat.	Keel Type			
				Disp/WL ratio					SSF		ASMG	Fixed or _o					
Rampage	J 70 ODR	582	114	2014	26.77 7.68	100	30.15 13.5	26.16 9.44	4.71 6.93	No	Yes	18.7 491	22.75 20.47	1750 630	0 1	OB None	
			607		CARBON				164		28.87	5.1	7.38	Lead	MVBL		
			93		FS						18.24	<input checked="" type="checkbox"/>	4.92				
Redhead	Cal 40	7817	114	1964	46 15.17	155	46.36	40 17.5	6.5 11.3	Yes	No		39.5 30	16500 6000	No 1	IB Feath	
			622		ALUMN			0	414		27.3	1038	10.92	Lead	FIXED		
			278		MS			0			26.2	<input type="checkbox"/>	5.75				
Riff Rider	Cal 40	46	114	1965	46.2 15.1	155	46.2	40 17.5	6.5 11.3	Yes	No		39.3 30.3	15000 6000	0 1	IB Fold	
			615		ALUMN				414		27.2	1047	11	Lead	FIXED		
			245		MS						27.2	<input type="checkbox"/>	5.6				
Scilla	J 70 ODR	327	114	2012	26.77 7.68	100	30.15 13.5	26.16 9.44	4.71 6.93	No	Yes	18.7 491	22.78 20.47	1750 630	0 1	OB None	
			607		CARBON				164		28.87	5.1	7.38	Lead	MVBL		
			93		FS						18.24	<input checked="" type="checkbox"/>	4.92				
Sea Star	CAL 39-2/3	38022	114	1977	50 16.7	150	50	44 13.8	4.5 8	Yes	Yes	34 1181	39 32	17000 7000	0 1	IB FEATH	Roller Furler
			611		ALUMN				337		48	1192	12	Lead	FIXED		
			236		MS			29			30	<input checked="" type="checkbox"/>	6.7				
Skye	Capo 30 MOD	0	114	1984	41.7 12.75	120	41.5 12.75	36 11.5	4.37 7.47	Yes	No		33 26	7500 3000	0 1	IB Feath	(Mtg 5/25/17, -9 sec/mi for increased LOA from added sugar scoop)
			629		ALUMN				247		41.5	12	10.33	Lead	FIXED		
			194		MS			21			21.5	740	5.42				
Wingman Racing	J 70 ODR	584	114	2014	26.77 7.68	100	30.15 13.5	26.16 9.44	4.71 6.93	No	Yes	18.7 491	22.75 20.47	1750 630	0 1	OB None	
			607		CARBON				164		28.87	5.1	7.38	Lead	MVBL		
			93		FS						18.21	<input checked="" type="checkbox"/>	4.95				

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail		P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. Strps moveable blst Keel Type		
Ciao Bella	Beneteau 37	38	<b>117</b> 2009	45.833 15	105	43.5 12.9			No	No			37.666 34.75 12.833 6.25	14008 3902 Iron	0 1 FIXED	IB FOLD 3	
Dulcinea	Catalina 38	88	<b>117</b> 1981	49.83 15.5	130	49.8 15.5	44 11.5	4.37 7.6	No	No			38.17 30.25 11.83 6.75	15900 6850 Lead	0 1 FIXED	IB Fold 2	
Ecco	CAL 39-2/3	115	<b>117</b> 1980	50 16.7	125	50	44 13.75	5 8.5	No	No			39 32.1 12.15 6.7	17000 7000 Lead	0 1 FIXED	IB Feath	
E-Ticket	Moorings 38 SD	119	<b>117</b> 1990	47.5 13.9	155	47.5 13.9	41.7 15	5.69 9.45	Yes	No			38.4 31.33 12.5 4.8	13700 5400 Steel	0 1 FIXED	IB Fold 2	Shoal Draft (Mtg 10/27/16, -3 sec/mi for oversized spinnaker area)
Flight Risk	Catalina 38	87586	<b>117</b> 1983	49.8 15.5	155	49.8	44 11.5	4.18 7.12	Yes	No			38.24 30.45 11.12 6.1	19489 6850 Lead	No 1 FIXED	IB Fold 2	Roller Furler
Harp	Catalina 38	18003	<b>117</b> 1983	50.7 15.43	155	50.9 15.43	44 11.5	4.8 7.97	Yes	No			38.17 30.25 11.83 6.79	19489 6850 Lead	No 1 FIXED	IB FOLD 2	DEC 93 - 7X19 STND RIG/ W/ROD RIG & SHRTN UPR SPREADERS 2 IN. NO CHNG RTNG ( MTG 1/27/94)
Highlander	Cal 40	4590	<b>117</b> 1968	46.2 15.2	150	46.2	39.5 17.5	6.65 11.37	Yes	No			39.25 30.25 11 5.58	15000 6000 Lead	0 1 FIXED	IB Fixed_2 2	

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SPL SSMG SSF	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.		Traps/H. Strps Ballast moveable blst Ballast Mat. Keel Type	IB or OB Prop Type # of blades		
Oscar	Santa Cruz 33	57663	117 1978	41 13.583	125	41	35.42 15	4.25 7.166	Yes	41 24.6 24.6	13.68 841	No	33 28 10.06 6	7000 3000 Lead	No 1 FIXED	IB FOLD 2	
			595 145	ALUMN MS				269				<input type="checkbox"/>					
Puffin	Alden 44	38144	117 1978	54.1 19.5	100		47.08 14.75	5.7 9.6	No		53 49 32	Yes 33 1369 0 0	44.17 34.08 12.5 8.75	24500 Lead	0 1 CNTRBRD	IB Feath	
			595 281	ALUMN CTR				416				<input type="checkbox"/>					
Allora	Morris 36	38082	120 2007	38.66 12.75	95	44.3	41.25 15.08	5.1 9.43	No		39.2 34.3 13.1	Yes 21.4 452 0 0	36.1 25 10.1 5.3	8900 3850 Lead	0 1 FIXED	IB Fold	
			652 259	CARBON FS				357				<input checked="" type="checkbox"/>					
FUGU	Wilderness 30 SX FR IB	67967	120 1980	34.08 11.75	150	34.1 11.8	34.44 11.5	4.37 7.48	Yes	34.28 21.15 21.15	11.75 604	Yes 20.36 603 0 0	29.75 27.75 8.75 5.5	4200 1900 Lead	0 1 FIXED	OB None 0	(Mtg 11/20/08, -6 sec/mi for replacing inboard with outboard engine)
			585 89	ALUMN FS				236				<input checked="" type="checkbox"/>					
Happy Daze	Santana 30-30 GP	87322	120 1984	40.83 11.67	150	40.83	36.17 11.08	5.25 8.5	Yes	40.25 19.5 18.6	11.75 648	No	29.92 25.42 10.25 5.5	6500 2435 Lead	No 1 FIXED	IB FOLD 2	
			641 180	ALUMN MS				267				<input type="checkbox"/>					
Iolani	Hughes 48	38048	120 1972	54.3 18.2	135	20.2	48.2 19	5.9 10.4	Yes	40.32 32.76 32.76	18.2 1101	Yes 32.76 1400 48.6 32.76	48 35.1 11.1 6	32000 14300 Lead	0 1 FIXED	IB FEATH 3	
			599 336	ALUMN YAWL				493				<input checked="" type="checkbox"/>					
La Dolce Vita	J 32	64	120 2001	39.2 11	155	40.5 13	38.5 15.5	5.1 9.2	No			Yes 19.7 677 2.5 0	32.4 29 11 6	10000 3840 Lead	0 1 FIXED	IB Feath 3	(Mtg 8/22/13, -6 sec/mi for sprit)
			635 186	ALUMN FS				334				<input checked="" type="checkbox"/>					



Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst Keel Type		
Rhapsody	J 32	56303	<b>120</b> 2000	39.2 11	155	40.583 13	38.5 15.5	5.12 9.25	No	Yes	22.5 830	32.4 29 11 6	11500 3840 Lead	0 1 FIXED	IB Fold 3	(Mtg 5/23/13, -3 sec/mi for sprit, -3 sec/mi for oversized spinnaker)	
Seaya	Catalina 380	252	<b>120</b> 2000	50.916 14.667	135		44.833 15.667	5.2 10	No	No	0	38.42 32.42 12.33 7.17	19000 6800 Lead	No 1 FIXED	IB FEATH 3		
White Jacket	Etchells 22 ODR	901	<b>120</b> 1991	27.27 8.22	90		32.49 11.57		Yes	No	8.22	30.5 22 6.83 4.5	3337 2105 Lead	0 1 FIXED	OB None 0		
Aerie	CS 36	2160	<b>123</b> 1980	49 15	155	49	42.75 12.75	4.33 7.58	Yes	No	15	36.5 29.25 11.5 6.25	15500 6500 Lead	0 1 FIXED	IB Fold		
Arcadia	Custom Nash 28.5	3113	<b>123</b> 1969	33 10	120	34 11	32.5 13	4.92 8.41	No	Yes	24.606 756	28.5 25.5 9 6.5	4327 1200 Lead	No 1 FIXED	IB FOLD 2	(Weighed Displacement as of 4/4/2009)(mtg 2/28/13, change custom rating from 135 to 123 after review of race results and structural modifications) 3	
Double Down	Custom Schumacher 30	18480	<b>123</b> 1988	41.37 12.16	150	41.5	36.416 11.83	4.5 7.69	Yes	No	12.08	29.92 26 10.65 6.17	7854 3650 Lead	No 1 FIXED	IB FOLD 2	Rudder change, old rudder 85lbs new 65 lbs. Old alum/new carbon MTG 10/27/94 Noted- NCTR (MTG 1/9/97 Alum headsail removed and excess wires removed from mast- Noted NCTR)(Mtg 2/21/08, change custom rating from 126 to 123 after	
JouJou	Capo 30	87324	<b>123</b> 1984	41.7 12.75	120	41.5	36 11.5	4.37 7.47	Yes	No	12	30 25 10.33 5.43	7200 3000 Lead	0 1 FIXED	IB Fold 2	Roller Furler	

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst	IB or OB Prop Type # of blades	
								SL	SPL	SLU	ASA						
								SSMG SSF	SSA	SLE ASMG	ASA Fixed or _o						
Wood Eye	Catalina 38	111	<b>123</b> 1981	49.83 15.5	110	49.83 15.5	44 11.5	4.7 7.9	Yes	No	38.17 30.25 11.83 6.75	15900 6850 Lead	0 1 FIXED	IB Fixed_2 2			
			<b>625</b> 261	ALUMN MS				313	49 27.9 27.9	15.42 1139		0 0					
Bad Hare Day	Wylie Wabbit ODR W/Trap	35	<b>126</b> 1982	20.75 6.5	150	20.5	23.75 10	4.03 6.72	Yes	No	23.75 20 5.583 3.5	975 440 Lead	Yes 3 FIXED	OB None 0			
			<b>603</b> 55	ALUMN FS			0 0	145	21.6 14 14	8.5 252		0					
Domino	Wilderness 30 MOD	38081	<b>126</b> 1985	36 12.25	155	36 12.25	31.5 10.83	4.11 6.93	Yes	No	30 27.75 8.8 5.5	5450 2150 Lead	0 1 FIXED	IB Fold	(Mtg 3/28/13, +6 sec/mi for small rig)		
			<b>608</b> 116	ALUMN MS				203	36.15 22.05 20.5	12.25 655		0 0					
First Light	Beneteau 35S5	115	<b>126</b> 1991	41.66 11.15	98		42.65 15.09	5.25 9.042	Yes	No	35.42 29.33 11.83 6	11460 4190 Lead	No 1 FIXED	IB Fixed_2 2			
			<b>630</b> 206	ALUMN FS			0 0	366	42.7 20.5 20.5	11.15 729		0					
Heart of Gold	Olson 911S	41327	<b>126</b> 1987	41.5 12.33	155	41.5	35.5 11.83	4.5 7.7	Yes	No	29.9 25 10.3 5.5	7200 3200 Lead	No 1 FIXED	IB FOLD 2			
			<b>648</b> 209	ALUMN MS			0 0	251	41.1 22.19 22.19	12.16 760		0					
Iniscaw	Martin 32	49143	<b>126</b> 1980	42.5 13.67	145		37.17 12	4.7 8	Yes	No	32.8 27 9.6 6.1	8200 4100 Lead	0 1 FIXED	IB FOLD 2	(Mtg 10/2/13, new rudder, NCTR)		
			<b>618</b> 189	ALUMN MS				270	42.4 22.4 24.4	13.67 806		0					
Keala	Wylie Wabbit ODR W/Trap	12	<b>126</b> 1982	20.5 6.5	150	20.5	23.75 10	4.03 6.72	Yes	No	23.75 20 5.58 3.5	975 440 Lead	Yes 3 FIXED	OB None 0	Hiking straps and single trapeze		
			<b>602</b> 55	ALUMN FS			0 0	145	22 13.9 13.7	8.5 254		0					

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications				
			Built	J	Max Headsail	ISP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp. Traps/H. Strps		IB or OB							
									E	MGM				SL	SPL			SLU	ASA	LWL	Ballast	moveable blst	Prop Type
EY		SSF		ASMG	Fixed or _o	Max Draft																	
Kwazy	Wylie Wabbit ODR W/Trap	26	<b>126</b>	1982	20.416	150	20.5	23	4.02	Yes	No	23.58	975	Yes	NONE								
			<b>604</b>		6.416			10	6.71			20	440	3	None								
			<b>55</b>		ALUMN			0	141		<input type="checkbox"/>	5.42	Lead	FIXED	0								
			<b>55</b>		FS			0				3.41											
Lepus	Wylie Wabbit ODR W/Trap	18	<b>126</b>	1982	20.5	150	20.5	23.75	4.03	Yes	No	23.75	975	1	OB	Hiking Straps & Trapeze per class rules							
			<b>602</b>		6.5			10	6.72			20	440	3	None								
			<b>55</b>		ALUMN			0	145		<input type="checkbox"/>	5.58	Lead	FIXED	0								
			<b>55</b>		FS			0				3.5											
Mr McGregor	Wylie Wabbit ODR W/Trap	8426	<b>126</b>	1982	20.5	150	20.5	23.75	4.03	Yes	No	23.75	975	1	OB	INCLUDES HIKING STRAPS AND SINGLE TRAPEZE.							
			<b>602</b>		6.5			10	6.72			20	440	3	None								
			<b>55</b>		ALUMN			0	145		<input type="checkbox"/>	5.58	Lead	FIXED	0								
			<b>55</b>		FS			0				3.5											
Nancy	Wyliecat 30 OB	28890	<b>126</b>	1995				39.66	8.71	No	No	30.5	5500	No	OB	(-3 sec/mi for square top main)							
			<b>650</b>					19.75	13.46			25	3050	1	None								
			<b>160</b>		CARBON			0	491		<input type="checkbox"/>	9.5	Lead	FIXED	0								
			<b>160</b>		CAT			0				5.25											
Paradigm	J 32	79	<b>126</b>	2002	39.166	150	40.583	38.42	5.5	No	Yes	17.83	32.4	No	IB								
			<b>647</b>		11		11.916	15.42	9.58		42.09	722	29	11500	1	FOLD							
			<b>214</b>		ALUMN				343		39.25	0	11	3840	1	2							
			<b>214</b>		FS						22.17	<input checked="" type="checkbox"/>	6	Lead	FIXED								
Pork Chop Express	Express 27 ODR MOD	115	<b>126</b>	1986	28.5	130	32.5	28.5	4.2	Yes	Yes	19.55	27.25	0	OB	(Mtg 1/26/17, -3sec/mi for switching to MH configuration. New Rudder, NCTR)							
			<b>604</b>		9			10.4	7		33.04	425	23.75	1100	1		None						
			<b>83</b>		ALUMN				182		28.84	0	8.17	Lead	FIXED								
			<b>83</b>		MS						15.72	<input type="checkbox"/>	4.5										
Redux	Olson 911S	28106	<b>126</b>	1987	41.5	155	41.5	35.5	4.5	Yes	No	29.9	7200	No	IB								
			<b>648</b>		12.33			11.83	7.7			25	3200	1	FOLD								
			<b>209</b>		ALUMN			0	251			10.33	Lead	FIXED	2								
			<b>209</b>		MS			0				5.416											

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Keel		Engine/Prop	Modifications
					I	J	P	MGU	Yes/No	Yes/No	ASF	Ttl Disp.		Traps/H. Strps	IB or OB		
			DW Rating		Max Headsail	ISP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type	
			Disp/WL ratio		Mast Material	JSP	PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades	
					Rig Type		EY		SSF		ASMG	Fixed or _o	Max Draft				
Stink Eye	Laser 28 ODR MOD	33562	<b>126</b>		31.73 9.65 110	33.2	33.14 12.3 0 0	5.2 8.3 252	Yes	Yes	19 546 0.92		28.42 23.62 9.48 5	4050 1500 Lead	No 1 FIXED	OB FOLD 2	(Mtg 3/27/14, -3 sec/mi for oversized mainsail girths, -3 sec/mi for OB motor)
Stratocaster	J 32	16	<b>126</b>	1996	39.2 11 155	40.68	38.5 15.5 0 0	5.88 10.07 355	Yes	Yes	23.95 831 0		32.5 28.67 11 5.75	10000 3840 Lead	No 1 FIXED	IB FOLD 2	
Tequila Mockingbird	Express 27 ODR	18353	<b>126</b>		28.5 9 155	32.5	28.5 10.416 0 0	4.22 7.03 182	Yes	Yes	18.85 450 0 90		27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0	(Mtg 4/23/15, switched to MH configuration, -3 sec/mi for increased spinnaker area)
White Wabbit	Wylie Wabbit ODR W/Trap	19	<b>126</b>	1982	20.5 6.6 110	26.1	23.75 10 0 0	4.03 6.72 145	Yes	No	0		23.75 20 5.58 3.5	975 440 Lead	Yes 1 FIXED	OB None 0	
Wind Blown Hare	Wylie Wabbit ODR W/Trap	29	<b>126</b>	1982	20.5 6.5 150	20.5	23.75 10 0 0	4.03 6.72 145	Yes	No	0		23.75 20 5.583 3.5	975 440 Lead	1 3 FIXED	OB None 0	
Abba-Zaba	Tartan 10	8112	<b>129</b>	1979	35 12 125	35	40.25 13.75 0 0	5.34 8.86 331	Yes	No	0		33.16 27 9.25 5.83	6700 3340 Lead	0 1 FIXED	IB FOLD 2	(+3 sec/mi credit for 125% or smaller headsail)
Abigail Morgan	Express 27 ODR	18394	<b>129</b>	1985	28.5 9 150	28.5	28.5 10.416 0 0	4.22 7.03 182	Yes	No	0		27.25 23.75 8.166 4.5	2450 1100 Lead	No 1 FIXED	OB None 0	

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications		
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps	IB or OB Prop Type # of blades			
								SL	SPL	SLU	ASA								
								SSMG SSF	SSA	SLE ASMG	Fixed or _o								
Althea	Cavalier 39	38101	129	1981	48.5 14.83	120	46 16.13	42 12	4.55 7.79	No	16.13	Yes	28.23 48.75 42.41 26.82	0 1029 0 90	38.98 29.49 11.22 5.97	13228 7513 Lead	0 1 FIXED	IB Fixed_3	(Mtg 4/28/16, -3 sec/mi for oversized spinnaker pole, -3 sec/mi for oversized spinnaker)
Andale	Express 27 ODR	72	129	1985	28.5 9	155	28.5	28.5 10.42	4.22 7.03	Yes	9.83	No	0 0 0	27.25 23.75 8.17 4.5	2450 1100 Lead	0 1 FIXED	None		
Archimedes	Express 27 ODR	18355	129	1985	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	9.833	No	0 0 0	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	NONE None 0		
Bombora	Express 27 ODR	38047	129		28.5 9	155	28.5	28.5 10.42	4.22 7.03	Yes	9.83	No	0 0 0	27.25 23.8 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0		
Borealis	Gulf 39 PH	77135	129		50 16.17	128		42 13.75	4.83 8.58	No		No	0 0	38.83 33.67 12 5	17500 Iron	1 FIXED	IB Fold		
Boudicca	Elan 310	310	129	2010	40.19 11.74	106	42.55 14.87	39.53 13.55	5.28 8.92	No		Yes	25.91 46.59 42.02 24.18	0 906 3 0	30.3 28.58 10.5 6.23	10141 2292 Iron	0 1 FIXED	IB Fold	
Current Affair	Express 27 ODR	56	129	1983	28.5 9	155	28.5	28.5 10.42	4.22 7.03	Yes	9.83	No	0 0	27.25 23.75 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None		

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps moveable blst	IB or OB Prop Type # of blades	
								SL	SPL	SLU	ASA						
								SSMG SSF	SSA	SLE	ASMG						
Dianne	Express 27 ODR	0	<b>129</b> 1981	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	No	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0			
			<b>611</b> 83	ALUMN FS		0 0	182	17.75 17.75	9.833 429	<input type="checkbox"/>	0						
Dream	Sceptre 41	12	<b>129</b> 1983	53 17.67	90	53	47 13	5.24 8.73	Yes	No	41 36 12.67 6.08	21500 8700 Lead	0 1 FIXED	IB Fold			
			<b>581</b> 209	ALUMN MS			374	29.5 28	17.67 1290	48.67 45.17 26.17	28 1038 0 0						
El Raton	Express 27 ODR	28050	<b>129</b> 1985	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	No	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0			
			<b>611</b> 83	ALUMN FS		0 0	182	17.75 17.75	9.833 429	<input type="checkbox"/>	0						
Elise	Express 27 ODR	101	<b>129</b> 1986	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	No	27.25 23.75 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0			
			<b>612</b> 83	ALUMN FS			182	17.75 17.75	9.8 423	<input type="checkbox"/>	0 0						
Ergo	Express 27 ODR	40428	<b>129</b> 1986	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	No	27.25 23.75 8.075 4.5	2450 1100 Lead	0 1 FIXED	OB None 0			
			<b>611</b> 83	ALUMN FS			182	17.7 17.7	9.833 428	<input type="checkbox"/>	0 0						
Get Happy!!	Express 27 ODR	1	<b>129</b> 1981	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	No	27.25 23.75 8.166 4.5	2450 1100 Lead	No 1 FIXED	OB None 0			
			<b>611</b> 83	ALUMN FS			182	17.7 17.7	428	<input type="checkbox"/>	0						
Hang 20	Express 27 ODR	48	<b>129</b> 1982	28.5 9	125	28.5	28.5 10.42	4.22 7.03	Yes	No	27.3 23.8 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0			
			<b>612</b> 83	ALUMN FS			182	17.7 17.7	9.83 420	<input type="checkbox"/>	0 0						

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SPL SSMG SSF	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast		Traps/H. moveable blst Keel Type			
Invictus	Hunter 41 DS	38093	<b>129</b> 2007	51.6 13	110		50.8 19.6	6 10.11	No	No		40.4 35.6 13.3 6.6	19400 6506 Lead	0 1 FIXED	IB Fixed_3 3	(Mtg 4/25/13, +3 sec/mi for in-mast furling main)	
Make Me Smile	Express 27 ODR	91	<b>129</b> <b>610</b> 83	28.5 9	155	28.5	28.5 10.42	4.22 7.03	Yes	No		27.25 23.8 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0		
Mega Hurtz	Laser 28 ODR MOD	53470	<b>129</b> <b>631</b> 136	31.1 9.65	125	31.73	33.14 12.96	4.98 8.4	Yes	No		28.41 23.62 9.48 4.98	3950 1500 Lead	0 1 FIXED	OB None 2	(Mtg 2/27/14, switched to outboard motor, -3 sec/mi)	
Moonlight	Express 27 ODR	28059	<b>129</b> <b>610</b> 83	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	No		27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0		
Motorcycle Irene	Express 27 ODR	28137	<b>129</b> <b>611</b> 83	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	No		27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0		
Peaches	Express 27 ODR	18364	<b>129</b> <b>611</b> 83	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	No		27.25 23.75 8.166 4.5	2450 1100 Lead	No 1 FIXED	OB None 0		
QE 3	Tartan 10	8049	<b>129</b> <b>623</b> 155	35 12	125	35 0	40.25 13.75	5.34 8.96	Yes	No		33.16 27 9.25 5.83	6700 3340 Lead	0 1 FIXED	IB FOLD 2		



Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications			
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H.	Strps		IB or OB Prop Type # of blades		
								SL SPL SSMG SSF	SPL SSA	SLU SLE ASMG	ASA								Ballast	moveable blst
Salty Hotel	Express 27 ODR	60	<b>129</b> 1983	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	No	27.25 23.75 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0						
			<b>611</b> 83	ALUMN FS				182			<input type="checkbox"/>	0 0								
Shenanigans	Express 27 ODR	67	<b>129</b> 1983	28.5 9	155	28.5	28.5 10.42	4.22 7.03	Yes	No	27.25 23.75 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0						
			<b>609</b> 83	ALUMN FS			0 0	182			<input type="checkbox"/>	0 16								
Simply Irresistible	Express 27 ODR	18070	<b>129</b> 1983	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	No	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0						
			<b>612</b> 83	ALUMN FS			0 0	182			<input type="checkbox"/>	0								
Swamp Donkey	Express 27 ODR	8444	<b>129</b> 1981	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	No	27.25 23.75 8.166 4.5	2450 1100 Lead	No 1 FIXED	OB None 0						
			<b>611</b> 83	ALUMN FS			0 0	182			<input type="checkbox"/>	0								
Take Five	Express 27 ODR	28031	<b>129</b> 1982	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	No	27.25 23.75 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0						
			<b>611</b> 83	ALUMN FS				182			<input type="checkbox"/>	0 0								
Topgallant	Tartan 10	18608	<b>129</b> 1978	35 11.75	125	35	40.25 13.75	5.34 8.96	Yes	No	33.16 27 9.25 5.83	6700 3340 Lead	No 1 FIXED	IB FOLD 2	(4/25/02 Installed Running Backstay)					
			<b>623</b> 155	ALUMN FS			0 0	332			<input type="checkbox"/>	0								
Tule Fog	Express 27 ODR	18178	<b>129</b> 1984	29 9	155	28.5	29 10	4.22 7.03	Yes	No	27.3 23.8 8.166 4.5	2450 1100 Lead	n 1 FIXED	OB None 0						
			<b>610</b> 83	ALUMN FS				182			<input type="checkbox"/>	0 0								

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Keel		Engine/Prop	Modifications
					I	J	P	MGU	Yes/No	Yes/No	ASF	Ttl Disp.		Traps/H. Strps	IB or OB		
			DW Rating		Max Headsail	ISP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type	
			Disp/WL ratio		Mast Material	JSP	PY	MSA	SSMG	SSA	SLE	Sprit Length	Max Beam	Ballast Mat.	Keel Type	# of blades	
					Rig Type		EY		SSF		ASMG	Fixed or _o	Max Draft				
Uno	Wyliecat 30 IB	28632	129	1995	35.8 5.5	35.8 12	39.66 19.75	9.31 13.05		No	Yes	19.68 550	30.5 25	5800 3000	0 1	IB FOLD	(mtg 2/21/08, penalty for oversized main -3 sec/mi)(Mtg 5/22/08, -24 for asymmetric spinnaker flown on 12' pole)(1/24/16, not using spinnaker +24 sec/mi)
			607 169		CARBON CAT			493			37.02 32.8 18.7	0 0 90	9.5 5.25	Lead	FIXED	2	
Verve	Express 27 ODR	18283	129	1981	28.5 9	28.5	28.5 10.416	4.22 7.03	Yes	No		0	27.25 23.75	2450 1100	No 1	OB None	
			611 83		ALUMN FS	155	0 0	182			29 17.5 17.9	9.833 425	8.17 4.5	Lead	FIXED	0	
Wetsu	Express 27 w/J length pole	70	129	1983	28.5 9	28.5	28.5 10.42	4.22 7.03	Yes	No		0	27.25 23.75	2450 1100	No 1	OB None	-6 Sec/mi OSP
			611 83		ALUMN FS	155	0 0	182			29 17.7 17.5	9.833 427	8.17 4.5	Lead	FIXED	0	
Wile E Coyote	Express 27 ODR	11	129	1981	28.5 9	28.5	28.5 10.416	4.22 7.03	Yes	No		0	27.25 23.75	2450 1100	No 1	OB None	
			611 83		ALUMN FS	155	0 0	182			29 17.7 17.7	9.833 428	8.17 4.5	Lead	FIXED	3	
Yeti	Express 27 ODR	38	129	1983	28.5 9	28.5	28.5 10.4	4.22 7.03	Yes	No		0	27.25 23.75	2450 1100	0 1	OB None	
			612 83		ALUMN FS	155	17.7 17.7	422			28.6 17.7 17.7	9.83 422	8.16 4.5	Lead	FIXED		
Zwei Flying Fish	San Juan 33s	59733	129	1981	34.83 11.48	34.83	39.16 12.66	4.66 8.08	Yes	No		0	33.1 27.8	6000 3500	0 1	IB Fold	(Mtg 5/28/15, +3 sec/mi for small rig)
			606 127		ALUMN FS	134	19.75 19.75	555			33.7 19.75 19.75	11.833 555	7.95 5.5	Lead	FIXED		
Bandicoot	Wyliecat 30 IB	28530	132	2000	0 0	29 10	39.75 20.5	7.87 13.46	No	No	18.8 512	30.5 25	5500 3050	0 1	IB FEATH	(mtg 5/20/10, -21 sec/mi for added spinnakers)(9/5/12, removed spinnaker, back to standard configuration)	
			653 160		CARBON CATBOAT		0 0	488			25 22.5	0 0	9.5 5.25	Lead	FIXED	2	

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
			Built	ISP	I	J	Max Headsail	ISP	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB	
			DW Rating	JSP	Mast Material	EY	MSA	SL	SPL	SLU	ASA	Max Beam	Ballast	moveable blst		Prop Type			
			Disp/WL ratio		Rig Type			SSMG	SSA	SLE	Sprit Lngth	Max Draft	Ballast Mat.	Keel Type		# of blades			
								SSF		ASM	Fixed or _o								
Catalyst	Wyliecat 30 IB	28571	132	2004		40	7.87	No		No		30.42	5800	No	IB	Must have a YC card before registering for 2005 and clear YC for 2004			
			652		CARBON	20.67	13.46				0	25	3000	1	Feath				
			169		CAT	0	493				<input type="checkbox"/>	9.42	Lead	FIXED	2				
						0						5.25							
Crinan II	Wyliecat 30 IB	15	132	2002		39.75	7.79	No		No		30.5	5500	No	IB				
			653		ALUMN	20.5	13.32				0	25	3050	1	FOLD				
			160		CATBOAT	0	485				<input type="checkbox"/>	9.5	Lead	FIXED	2				
						0						5.25							
Iseult	Wyliecat 30 IB	13	132	2001	0	39.75	7.87	No		No		30.5	5500	0	IB				
			653		CARBON	20.8	13.46				0	25	3050	1	Fold				
			160		CAT		491				<input type="checkbox"/>	9.42	Lead	FIXED	2				
												9.25							
Kabunza	Pearson 36-2	362	132	1986	47.1	41	3.65	No		No		36.5	15000	0	IB				
					15.4	14.5	7.3				0	29.5	5800	1	Fixed_2				
			266		ALUMN		300				<input type="checkbox"/>	12.3	Lead	FIXED	2				
					MS							6.5							
Kira	Cal 33-2	28999	132	1986	46	40.5	4.82	No		Yes	21.86	33	10800	No	IB	(Mtg 1/26/12, -3 sec/mi for increased "e" & MSA)			
			655		13.25	12.75	8.23			43.6	697	27.5	4475	1	FOLD				
			236		125	0	307			39.5	0	11.33	Lead	FIXED	2				
					MS	0				19.68	<input type="checkbox"/>	6.12							
Polecat	Wyliecat 30 IB	5	132	1997		40	7.35	No		No	21.6	30.5	5500	No	IB	(Articulating Sprint and Pole added for asym spinnaker, added asymmetrical, -21 sec/mi)(5/22/14, removed Asymmetric, +21 sec/mi)(Mtg 8/25/16, New rudder installed, NCTR)			
			620		CARBON	20	12.66			32.8	493	25	3050	1	FOLD				
			160		CAT	0	468			29.3	8	9.416	Lead	FIXED	2				
						0				18.4	<input type="checkbox"/>	5.25							
Shanti	Ericson 911S Olson	326	132	1989	41.5	35.5	4.73	Yes		No		29.92	8700	0	IB	CHANGE TO RUDDER NOTED, NCTR			
			662		12.33	11.83	7.69			42	12.17	25	3200	1	FOLD				
			253		150	0	253			22	768	10.33	Lead	FIXED	2				
					MS	0				21.7		5.42							

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications						
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast		Traps/H. moveable blst	Strps Keel Type	IB or OB Prop Type # of blades							
																		DW Rating Disp/WL ratio	4.23 7.04 182	4.73 7.69 247	20.932 698 0	8500 3200 LeadSteel	No 1 FIXED
28.5 10.42 7.04 28.58 13 17.75	4.23 7.04 182	4.73 7.69 247	20.932 698 0	8500 3200 LeadSteel	No 1 FIXED																		
TAZ!!	Express 27 ODR	8100	<b>132</b> 1981	28.5 9 125	28.5	28.5 10.42 7.04 28.58 13 17.75	4.23 7.04 182	Yes	No	27.3 23.8 8.17 4.5	2450 1100 Lead	0 1 FIXED	NONE None										
Tule Lost	Ericson 911S Olson	28911	<b>132</b> 1988	41.5 12.33 155	41.5	35.5 11.083 7.69 0 0	4.73 7.69 247	Yes	No	29.92 25 10.33 5.42	8680 3200 Lead	No 1 FIXED	IB FOLD 0	MUST HAVE YACHT CLUB MEMBERSHIP CARD WITH ENTRY FORM FOR 2006 RACING									
Plus Sixteen	Ericson 911S Olson	97707	<b>135</b> 1991	41.5 12.25 125	41.5 12.33	35.761 11.811 7.136 0 0	4.035 7.136 240	Yes	Yes	20.932 698 0	8500 3200 LeadSteel	No 1 FIXED	IB FEATH 2										
Zara	Beneteau 310	144	<b>135</b> 1993	37.04 10.83 135	37.04 10.82	37.8 12.9 8.9 301	5.2 8.9	No	Yes	21.6 528 0	31.2 27.7 10.5 4.3	7054 2160 Lead	0 1 FIXED	IB Fixed_2									
Big Air	Open 5.7 ODR	189	<b>138</b> 2006	21.52 7.3 117	21.6 12.3	25.33 10.24 8.2 183	5.7 8.2	No	Yes	17.6 345 5 0	18.75 18.7 8.3 5.74	992 405 Lead	0 1 FIXED	OB None									
Curie	Beneteau 32S5	52868	<b>138</b> 1990	38.39 9.68 150	38.39 9.68	38.88 13.78 9.01 321 17.3 17.3	5.3 9.01	Yes	No	17.3 519 0	32.6 27.83 10.83 6	9260 2980 Cast Iron	0 1 FIXED	IB FOLD 2									
Frisky	Open 5.7 ODR	281	<b>138</b> 2009	21.52 7.3 117	27.9 12.3	25.33 10.24 8.2 183	5.7 8.2	No	Yes	17.5 338 5 0	18.7 18.7 8.3 5.7	992 405 Lead	0 1 FIXED	NONE None									

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
				J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp. Traps/H. Strps		IB or OB Prop Type # of blades		
									SL	SPL	SLU	ASA		Ballast	moveable blst			
																	SSMG	
Short Bus	Hunter 35 Legend	210	138 1990	42 12.17	110	32.7	32.7	44.08	5.5	No	Yes	24.6	35.58	12600	0	IB		
			628 218	ALUMN MS		10.9	10.9	14.25	9.2		49.5	957	29.75	5000	1	Fixed_2		
									375		39.8	0	11.75	Lead	FIXED			
											26	<input type="checkbox"/>	6.5					
Blade Runner	Santa Cruz 27	28727	141 1979	32.7 10.9	150	32.7	32.7	28.2	3.27	Yes	Yes	19.58	27	3000	0	OB		
			631 98	ALUMN MS		10.9	10.9	8.7	5.64		34.05	533	24.08	1600	1	None		
									146		31.27	0	8	Lead	FIXED			
											19.58	<input type="checkbox"/>	4.5					
Friction Loss	J 30	67425	141 1979	34 11.5	155	34.1	34.1	38	4.94	Yes	No	21.06	29.83	6500	0	IB		
			652 189	ALUMN FS		11.5	11.5	13	8.45		37.7	666	25	2100	1	FOLD		
								0	295		34.5	0	11.17	Lead	FIXED	2		
								0			22.4	<input type="checkbox"/>	5.25					
FROLIC	Islander 36 TM	47462	141 1974	47 14.5	155	47	47	40.75	4.8	Yes	No		36.08	13450	0	IB		
			655 271	ALUMN MS		14.5	14.5	12.6	8.25			0	28.25	5450	1	Feath		
									307			0	11.17	Iron	FIXED	3		
												<input type="checkbox"/>	6.08					
Geodesic III	Optima 101	103	141 1985	38.71 12	125	38.71	38.71	38.39	4.9	Yes	Yes	19.6	32.84	8511	0	IB	(Mtg 4/27/17, added 2' retractable bowsprit, -3 sec/mi)	
			621 155	ALUMN FS		12	12	13.45	8.2		38.4	586	29.25	3968	1	Fixed_2		
									298		33.4	2	11.15	Iron	FIXED			
											19.6	<input type="checkbox"/>	4.76					
Giant Slayer	Santa Cruz 27	59369	141 1979	32.583 10.9	155	32.583	32.583	28.25	3.7	Yes	Yes	17.67	27	3304	No	OB	(Mtg 3/27/14, -3 sec/mi for 10% overized symmetrical spinnaker)	
			624 109	ALUMN MS		10.9	10.9	8.7	6.3		30.02	372	24	1800	1	None		
								0	157		32.58	0	8	Lead	FIXED	0		
								0			13.42	<input type="checkbox"/>	4.5					
Gotcha	Santa Cruz 27	47911	141 1975	32.58 10.75	150	32.58	32.58	28.25	3.68	Yes	No		27	3200	0	OB		
			619 105	ALUMN MS		10.9	10.9	8.583	6.06			0	24	1600	1	None		
									154			0	8	Lead	FIXED			
												<input type="checkbox"/>	4.5					

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU ASA Sprit Length Fixed or _o	SL SPL SSMG SSA	SLE ASA Sprit Length Fixed or _o		Ballast Ballast Mat.	Traps/H. moveable blst Keel Type		
								Yes	No								
Ione	J 30	8994	141 1981	34.19 11.041 140	33.34 11.5	38 13 0 0	4.83 8.21 290	Yes No	34.5 11.04 20 581 21	No <input type="checkbox"/>	29.83 25 11.2 5.25	6500 2100 Lead	0 1 FIXED	IB FOLD 2			
Kynntana	Freedom 38	38086	141 1988	33.34 11.5 100	33.34 11.5	45.5 16.57 0 0	6.25 10.7 447	No No	38.42 30.58 12.5 5.6	No <input type="checkbox"/>	38.42 30.58 12.5 5.6	14370 6500 Lead	0 1 FIXED	IB Fold			
Low-Down	Santa Cruz 27	8027	141 1979	32.7 10.9 140		28.25 8.58 0 0	3.68 6.06 153	Yes No	32.15 10.81 19.45 521 19.45	No <input type="checkbox"/>	27 24 8 4.5	3300 1500 Lead	0 1 FIXED	OB None			
Quila	Santa Cruz 27	18723	141 1976	32.583 10.75 155	32.583	28.25 8.583 0 0	3.68 6.1 154	Yes No	32.74 10.75 19.4 529 19.4	No <input type="checkbox"/>	27 24 8 4.5	3000 1500 Lead	No 1 FIXED	OB None 0			
Rare Bird	Moore 24	67	141 1976	26.58 9.75 100	28.31 11.65	25 9.5 0 0	3.91 6.5 147	Yes Yes	27 11.65 17.55 395 17.55	Yes 17.22 464 0 0	23.75 21.75 7.16 4.083	2050 1025 Lead	0 1 FIXED	OB None	(Mtg 10/27/16, -6 sec/mi for OSP, -6 sec/mi for increased spinnaker area)		
Warwhoop	Contessa 33	63336	141 1984	37.916 11.17 100	37.93	39.416 13.86 0 0	5.31 9 326	Yes Yes	36.1 11.17 21.5 647 21.6	Yes 20.92 682 0 0	33 25.52 11.08 5.8	8375 3700 Lead	No 1 FIXED	IB FOLD 2	(Mtg 1/26/17, -3 sec/mi for oversized asymmetric area)(Mtg 2/23/17, -3 sec/mi for oversized symmetric spinnaker area)		
Whispering Winds	Lancer 36 MH	87374	141 1984	42 16 125	41.9	37 12 0 0	4.8 7.9 269	No Yes	42 39 28	26 932 0 0	36.17 29 11.75 6	10500 4000 Lead	0 1 FIXED	IB Fixed_3			

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
			Built	I	J	Max Headsail	ISP	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB		
				J			JSP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type		
			<i>Disp/WL ratio</i>	Mast Material				PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades		
			<i>Disp/WL ratio</i>	Rig Type	EY		SSF		ASM	Fixed or _o	Max Draft								
Wild Spirit	Wylie 36	0	<b>141</b>	1970	44.67	100	44.67	40.75	5.3	No	Yes	23.5	36.5	13720	0	IB	(Mtg 3/24/16, same hull as "Alert", +3 sec/mi for small "I", +3 sec/mi for no spinnaker articulation)		
			<b>642</b>		14.75		14.75	14	9.1		45	30	5575	1	Fixed_2				
			<b>231</b>		ALUMN						39.66	10.9	Lead	FIXED					
					CTR						23	6							
Wimm	Jeanneau Sun Odyssey 349	38105	<b>141</b>	2016	43.6	112	12.37	40.68	4.9	No	No		33.92	11770	0	IB			
					12.37			13.62	8.2				30.84	3483	1	Fold			
					ALUMN								11.29	Cast Iron	FIXED				
			<b>182</b>		MS						<input type="checkbox"/>	0	6.86						
Wind Speed	J 30	39963	<b>141</b>	1980	34.19	155	11.5	37.5	4.9	Yes	No		29.83	6700	No	IB	+6 sec/mi for J length pole (mtg 11/16/01)		
			<b>657</b>		11.5			12.5	8.1				25	2100	1	FOLD			
			<b>195</b>		ALUMN			0	281				11.18	Lead	FIXED	2			
					FS			0			<input type="checkbox"/>	0	5.25						
Ad Lib	Aphrodite 101	8161	<b>144</b>	1979	36.83	100	11.81	39.33	4.5	Yes	No		32.75	6160	No	IB			
			<b>645</b>		11.81			11.48	6.1				26.33	3527	1	FOLD			
			<b>153</b>		ALUMN			0	253				7.92	Lead	FIXED	2			
					FS			0			<input type="checkbox"/>	0	5.42						
All Hail	Catalina 34 TM	524	<b>144</b>	1988	46	130	13.5	40.5	4.8	No	No		35.66	12000	0	IB			
					13.5			12	8				29.84	5000	1	Fold			
					ALUMN								11.75	Lead	FIXED				
			<b>205</b>		MS				296		<input type="checkbox"/>	0	5.56						
Breakaway	Ultimate 20 CM	180	<b>144</b>	2002	26.08	114	6.97	27.33	5.5	No	Yes	19.167	20.83	1350	No	OB			
			<b>622</b>		6.97			10.17	7.96				18	450	1	Fixed_3			
			<b>105</b>		CARBON								8.33	Lead	FIXED	3			
					FS				193		0		5						
								0			<input checked="" type="checkbox"/>	0							
Califia	Islander 36 ODR	67074	<b>144</b>	1978	45	135	14.48	39.25	3.69	No	No		36.08	13450	0	IB			
					14.48			12.75	6.88				28.25	5450	1	Feath			
					ALUMN								11.17	Lead	FIXED	2			
			<b>271</b>		MS				265		<input type="checkbox"/>	0	6.08						



Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SPL SSMG SSF	SLU ASA SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast		Traps/H. moveable blst Keel Type				
Cassiopeia	Islander 36 ODR	6763	<b>144</b> 1971	45 14.48	150	45	39.25 12.75	4.8 8.29	Yes	45.34 27 27	15 1020	No	0	36.08 28.25 11.17 6	13947 5450 Lead	No 1 FIXED	IB FOLD 2	(mtg 2/18/10, - 6 sec/mi for 10% OSP)(8/2/11, boat returned to ODR Configuration)
Cordon Rouge	J 30	68	<b>144</b> 1979	34 11.5	125	34	38 13	5.1 8.4	Yes	34 19.5 20	11.5 555	No	0	29.83 25 11.2 5.25	6700 2100 Lead	No 1 FIXED	IB FOLD 3	
Crazy Rhythm	Santa Cruz 27	18771	<b>144</b> 1978	32.58 10.75	125	32.58	28.166 8.583	3.68 6.06	Yes	32.74 19.4 19.4	10.75 529	No	0	27 24 8 4.5	3200 1600 Lead	No 1 FIXED	OB None 0	(Outboard Removed)
Flyer	Peterson 33 (CHITA)	18620	<b>144</b> 1979	42.5 13.9	155	42.5	36.66 9.91	3.66 6.21	Yes	41.91 24.83 24.67	13.75 866	No	0	32.67 26.58 10.5 6.08	9480 4960 Lead	0 1 FIXED	IB FOLD 2	
French Kiss	Beneteau 350 Oceanis	28713	<b>144</b> 1989	41.47 12.8	140	41.47	35.7 11.6	4.2 7.3	Yes	39.5 22.5 22.5	12.52 741	No	0	33.83 29.83 11.17 5.17	10580 3525 Lead	0 1 FIXED	IB FOLD 2	Above deck Roller Furler
Luna Sea	Islander 36 ODR	420	<b>144</b> 1980	45 14.48	135	45	39.25 12.75	5.05 8.44	Yes	45 27 27	15 1013	No	0	36.08 28.25 11.17 6.08	18000 5450 Lead	No 1 FIXED	IB Feath 3	
Nutmeg	Islander 36 ODR	87245	<b>144</b> 1971	45 14.48	150	45	39.25 12.75	5.05 8.44	No	0	0	No	0	36.083 28.25 11.166 6.083	13450 5450 Lead	No 1 FIXED	IB FOLD 0	



Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
			Rating		I	J	ISP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp. Traps/H. Strps		IB or OB		
			Built		Max	Head	JSP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type		
			DW Rating		Mast	Material	PY	MSA	SSMG	SSA	SLE	Sprit	Lngrh	Max Beam	Ballast Mat.	Keel Type	# of blades		
			Disp/WL ratio		Rig Type		EY			ASM	G	Fixed or _o	Max Draft						
Crews Nest	Catalina 34 1&2	1383	<b>147</b>	1997	44	130	44	38.5	3.6		Yes	No		35.67	11950	No	IB		
					13.5		13.5	12	6.8	42	13.5		29.83	5000	1	FEATH			
			<b>634</b>		ALUMN		0	0	251	24	837	0	11.75	Lead	FIXED	3			
			205		MS		0			23.5		<input checked="" type="checkbox"/>	5.58						
Friday Harbor	Beneteau 323 DK	28580	<b>147</b>	2004	42.67	116		38.9	5		No	Yes	19.91	32	8448	No	IB		
					11.06			13.17	8.56			45.4	661	29.17	2258	1	FOLD		
			<b>633</b>		ALUMN				306	41.34	0	0	10.67	Iron	FIXED	2			
			155		MS					17.9	<input checked="" type="checkbox"/>	0	5.92						
Hangover	Islander 36 ODR	367	<b>147</b>	1976	45	135	45	39.25	5.05		No	No		36.8	13450	0	IB		
					14.48			12.75	8.44					28.25	5820	1	Fixed_2		
					ALUMN				303			0	11.17	Lead	FIXED				
			271		MS							<input type="checkbox"/>	6.08						
Kapai	Islander 36 ODR	438	<b>147</b>	1977	45	125	45	39.25	5.05		No	No		36.08	13450	0	IB		
					14.48			12.75	8.44					28.25	5500	1	FOLD		
					ALUMN			0	303			0	11.17	Lead	FIXED	2			
			271		MS		0					<input type="checkbox"/>	6						
Lawless	Catalina 36-2	2056	<b>147</b>	2002	44.75	155	44.9	39	4.83		No	No		36.42	13500	0	IB		
					14.42			12	8.05					30.33	6042	1	Fixed_3		
					ALUMN				286			0	11.92	Lead	FIXED				
			220		MS							<input type="checkbox"/>	5.83						
Mottley	Catalina 34	8	<b>147</b>	1986	44	130	44	38.5	4.7		No	No		34.5	11950	No	IB		
					13.5		14	12	8.05					29.833	5000	1	Fold		
					ALUMN			0	281			0	11.75	Lead	FIXED	2			
			205		MS		0					<input type="checkbox"/>	5.583						
Music	Catalina 34 1&2	56583	<b>147</b>	2001	44	130		38.5	3.6		No	Yes	21.8	35.66	11950	0	IB		
					13.5			12	6.8			45	762	29.84	5000	1	FOLD		
			<b>645</b>		ALUMN				251	39.2	0	0	11.75	Lead	FIXED	2			
			204		MS					21.7	<input checked="" type="checkbox"/>	0	5.56						

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst Keel Type			
Queimada	Catalina 34 1&2	611	<b>147</b> 1988	44 13.5	150	44 13.5	38.5 12	4.2 7.2	Yes	42.5 23.35 23	13.5 825	No	0 0	34.5 29.83 11.75 5.58	11950 5000 Lead	0 1 FIXED	IB Fold 2	
Sea Spirit	Catalina 34 1&2	108	<b>147</b> 1986	44 13.5	130	44 13.5	38.5 12	4.36 7.54	Yes	42 24 23.5	13.5 837	No	0 0	34.5 29.83 11.75 5.58	11950 5000 Lead	No 1 FIXED	IB FOLD 2	
Zenith	Islander 36 NCPHRF	472	<b>147</b> 1978	45 14.48	135	45 14.8	39.25 12.75	5.05 8.44	No	0 0	303	No	0	36.08 28.25 11.166 6.083	13450 5820 Lead	No 1 FIXED	IB Fold 2	
Absinthe	Moore 24	102	<b>150</b> 1981	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	27 17.55 17.55	9.75 395	No	0	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0	
Anna Banana	Moore 24	146	<b>150</b> 1984	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	26.6 17.55 17.55	9.75 389	No	0 0	23.75 21.75 7.16 4.08	2050 1025 Lead	No 1 FIXED	OB None	
Brandy	Farr 30 1/2 Ton	57257	<b>150</b> 1979	31 9.6	145	31	34 12.9	4.5 7.11	Yes	31.4 17 17	9.8 445	No	0 0	30.33 23.5 10 5.33	4894 1909 Lead	0 1 FIXED	OB None	(Mtg 4/24/15, -6 sec/mi for increased P)
Cadenza	Moore 24	18878	<b>150</b> 1977	26.25 9.75	150	26.25	25 9.5	4.01 6.54	Yes	27	9.75	No	0	23.75 21.75 7.17 4.083	2050 1025 Lead	No 1 FIXED	OB None 0	

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications							
			Built	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF		LOA	Ttl Disp.	Traps/H.	Strps	IB or OB							
										E	MGM		SL	SPL							SLU	ASA	LWL	Ballast	moveable blst	Prop Type
EY		SSF		ASM	Fixed or _o	Max Draft																				
Color Blind	Moore 24	49	150	1979	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0											
			635 91		ALUMN FS			0 0	147			<input type="checkbox"/>	0													
Crazy Eights	Moore 24	28888	150	1978	26 9.8	150	26.3 9.75	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.083	2050 1000 Lead	0 1 FIXED	OB None 0											
			636 91		ALUMN FS				147			<input type="checkbox"/>	0													
Endless Summer	Catalina 36	271	150	1984	44.75 14.33	95	44.75 14.33	39 12	4.33 8.01	No	Yes	36.33 30.25 11.92 5.83	13500 6000 Lead	0 1 FIXED	IB Fixed_3 3											
			655 222		ALUMN MS				279			23.33 850 0 0														
Firefly	Moore 24	64	150	1980	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0											
			635 91		ALUMN FS			0 0	147			<input type="checkbox"/>	0													
Gruntled	Moore 24	68	150	1980	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0											
			635 91		ALUMN FS			0 0	147			<input type="checkbox"/>	0													
Hasta Nunca	Moore 24	142	150		26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.08	2050 1025 Lead	0 1 FIXED	OB None 0											
			636 91		ALUMN FS				147			<input type="checkbox"/>	0 0													
Incognito	Moore 24	136	150	1984	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.08	2050 1025 Lead	No 1 FIXED	OB None 0											
			635 91		ALUMN FS			0 0	147			<input type="checkbox"/>	0													

Boat Name	Boat Model (Type)	Sail #	Foretriangle:				Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications			
			Rating	Built	I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.	Traps/H. Strps moveable blst		IB or OB Prop Type # of blades		
			DW Rating						SL	SPL	SLU	ASA							Ballast	Keel Type
			Disp/WL ratio						SSMG SSF	SSA	SLE ASMG	Fixed or _o							Ballast Mat.	Keel Type
Irie	Beneteau 393 Oceanis SD	38200	<b>150</b>	46 14.5	110	46 14.5	40.2 4.63 15.1 8.12	No	Yes	24 755	38.12 35.1 13 5.1	21700 5357 Cast Iron	0 1 FIXED	IB Fold 3						
Itinerant	Hunter 34	1025	<b>150</b>	47.42 13.75	105		41 4.02 11.75 6.87	No	No	0 0	34.42 28.25 11.5 5.5	11820 5366 Steel	0 1 FIXED	IB Fixed_2						
JR	Moore 24	76	<b>150</b>	26.25 9.75	155	26.25	25 3.91 9.5 6.5	Yes	No	27 9.75	23.75 21.75 7.16 4.08	2050 1025 Lead	No 1 FIXED	OB None 0						
Kelika	Hunter 33.5	28815	<b>150</b>	39.166 11.666	150	39.116	43.166 5.2 13.5 8.9	Yes	No	39 11.75	33.33 26.83 11 4.5	10800 4500 Iron	No 1 FIXED	IB FEATH 2						
Liquid Asset	Ranger 33	27707	<b>150</b>	41.5 13.7	150	41.5 13.67	35 4.93 13.75 8.67	Yes	No	41.5 13.7	33.17 26.25 9.58 5.17	10500 4500 Lead	0 1 FIXED	IB Fold						
Mas!	Moore 24	138	<b>150</b>	26.25 9.75	150	26.25	25 3.91 9.5 6.5	Yes	Yes	17.6 387	23.75 21.75 7.16 4.08	2050 1025 Lead	0 1 FIXED	OB None						
Mirth	Catalina 34 1&2	28634	<b>150</b>	44 13.5	125		38.5 4.17 12 7.33	No	Yes	22.02 693	35.67 29.83 11.75 5.58	11950 5000 Lead	No 1 FIXED	IB FEATH 3						

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
			Built	I	J	ISP	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	IB or OB				
			Max Headsail	Max	Headsail	JSP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type			
			ISP	Material	Material	Material	Material	Material	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades			
			Disp/WL ratio	Rig Type			SSA	SSA	Fixed or _o	Max Draft									
Mooretician	Moore 24	89	150	1981	26.25	150	26.25	25	3.91	Yes	No			23.75	2050	No	OB		
					9.75			9.5	6.5					21.75	1025	1	None		
			636		ALUMN			0	147			0		7.16	Lead	FIXED	0		
			91		FS			0						4.08					
Moxy	Moore 24	110	150	1982	26.25	150	26.25	25	3.91	Yes	No			23.75	2050	No	OB		
					9.75			9.5	6.5					21.75	1025	1	None		
			635		ALUMN			0	147			0		7.16	Lead	FIXED	0		
			91		FS			0						4.083					
Nicole	Orion 35	8210	150	1979	44	150	44	39.5	4.42	Yes	No			34.58	13000	0	IB	Displacement Obtained by actual weight on scale, Rudder is new design and new build.	
					14			10.5	7.319					28.75	4700	1	FOLD		
			650		ALUMN			0	260			0		10.83	Lead	FIXED	2		
			249		MS			0						6					
Orca	Moore 24	85	150	1981	26.25	150	26.25	25	3.91	Yes	No			23.75	2050	0	OB		
					9.75			9.5	6.5					21.75	1025	1	None		
			638		ALUMN			0	147			0		7.16	Lead	FIXED	0		
			91		FS			0						4.083					
Oxymoron	Moore 24	28993	150	1981	26.25	150	26.2	25	3.91	Yes	No			23.75	2050	0	OB		
					9.75			9.5	6.5					21.75	1025	1	None		
			639		ALUMN			0	147			0		7.16	Lead	FIXED	0		
			91		FS			0						4.25					
Paramour	Moore 24	75	150	1980	26.25	150	26.25	25	3.91	Yes	No			23.75	2050	No	OB		
					9.75			9.5	6.5					21.75	1025	1	None		
			635		ALUMN			0	147			0		7.16	Lead	FIXED	0		
			91		FS			0						4.083					
Rocket Science	Moore 24	104	150		26.25	155	26.25	25	3.91	Yes	No			23.75	2050	0	OB		
					9.75		9.76	9.5	6.5					21.75	1025	1	None		
			635		ALUMN				147			0		7.16	Lead	FIXED	3		
			91		FS							0		4.08					



Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications											
			Built	J	Max	Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps		IB or OB										
											DW Rating	Mast Material									PY	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	IB or OB
91	FS	147	17.5	SSA	SSMG	SSA	SSMG	SSA	SSMG	SSA	SSMG	SSA	SSMG	SSA	SSMG	SSA	SSMG	SSA												
Scarlett	Moore 24	86	150	1980	26.25	150	26.25	25	3.89	Yes	No		24	2050	No		OB													
					9.75			9.5	6.45				21.75	1000	1		None													
			636		ALUMN				147			0	7.17	Lead	FIXED															
			91		FS							0	4.08																	
Slight Disorder	Moore 24	98	150	1981	26.25	150	26.25	25	3.91	Yes	No		23.75	2050	No		OB													
					9.75			9.5	6.5				21.75	1025	1		None													
			636		ALUMN			0	147			0	7.16	Lead	FIXED		0													
			91		FS			0					4.083																	
Snafu	Moore 24	121	150	1982	26.25	150	26.25	25	3.91	Yes	No		23.75	2050	0		OB													
					9.75			9.5	6.5				21.75	1000	1		None													
			647		ALUMN				147			0	7.16	Lead	FIXED															
			91		FS							0	4.08																	
Sweet Tea	Moore 24	105	150	1981	26.25	150	26.25	25	3.91	Yes	No		23.75	2050	0		OB													
					9.75			9.5	6.5				21.75	1025	1		None													
			635		ALUMN				147			0	7.16	Lead	FIXED															
			91		FS							0	4.08																	
The Jackal	Moore 24	22	150	1977	26.25	150	26.25	25	3.91	Yes	No		23.75	2050	0		OB													
					9.75			9.5	6.5				21.75	1025	1		None													
			636		ALUMN				147			0	7.16	Lead	FIXED															
			91		FS							0	4.08																	
White Trash	Moore 24	78	150	1979	26.25	150	26.25	25	3.91	Yes	No		23.75	2050	0		OB													
					9.75			9.5	6.5				21.75	1025	1		None													
			636		ALUMN				147			0	7.16	Lead	FIXED		0													
			91		FS							0	4.08																	
WooHoo	Moore 24	80	150	1980	26.25	150	26.25	25	3.91	Yes	No		23.75	2050	0		OB													
					9.8			9.5	6.5				21.75	1025	1		None													
			635		ALUMN				147			0	7.16	Lead	FIXED		0													
			91		FS							0	4.083																	

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
				I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H. Strps	IB or OB			
				Mast Material			PY	MSA	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type		
				Rig Type			EY		SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades		
				Disp/WL ratio					SSF		ASMG	Fixed or _o	Max Draft					
Zingara	Islander 36 NCPHRF	484	150	1978	45 14.48	125	45 14.8	39.25 4.8	4.8 8.29	No	No		36.1 28.25 11.17 6.08	13450 5820 Lead	No 1 FIXED	IB Fold 2	Roller Furler	
Andiamo	Catalina 36-2	2168	153	2004	44.75 14.33	115		39 13	3.04 6.16	No	Yes	29 833	36 30.25 11.9 5.8	14200 6000 Lead	0 1 FIXED	IB Fixed_3 3	In-Mast Furling Mainsail, +3 sec/mi	
Coquelicot	Ranger 33	148	153	1975	41.5 13.87	120	43.75 13.87	35 13.75	4.6 8.1	Yes	No		33 26.3 9.6 5	10500 4500 Lead	No 1 FIXED	IB FOLD 2	Double Spreader rig, water supply 41 gallons, below v berth, 26 gallon bladder tank starboard, rudder 9 inches deeper, group 31 batteries, 15 hsp one cyl diesel replaced by 29 hsp Perkins 3 cylendar engine. (NOTED) (MTC 2 21 02)	
Lenora	Hunter 33-2	60700	153	2004	37.42 10.83	115	38.42 10.83	36.46 15.83	4.83 8.33	No	Yes	18.5 531	33.5 29.42 11.17 5.5	10400 3459 Lead	0 1 FIXED	IB Fold 3		
Moore Fun	Moore 24	18884	153	1979	26.25 9.75	125	26.25	25 9.5	3.91 6.5	Yes	No		23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0		
Sterling	Catalina 34 1&2	1269	153	1994	44 13.5	125		38.5 12	3.6 6.8	No	No		35.66 29.84 11.75 5.56	11950 5000 Lead	0 1 FIXED	IB Fixed_2		
Azure	Catalina 275 Sport	1	156	2013	34.42 8.99	106	11.83	31.5 11.48	5.33 8.17	No	Yes	22 665	27.5 26.57 8.5 5.2	5000 2040 Lead	0 1 FIXED	IB Fixed_2		

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
			Rating		I	J	ISP	P	MGU	Yes/No		Yes/No	ASF		Ttl Disp.	Traps/H.	IB or OB	
			DW Rating		Max Headsail	ISP	E	MGM	SL	SPL	SLU	ASA	Ballast		moveable blst	Prop Type		
			Disp/WL ratio		Mast Material	JSP	PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Ballast Mat.		Keel Type	# of blades		
					Rig Type	EY			ASMG	Fixed or _o								
Bosporus II	Columbia 36	97415	<b>156</b>	1968	42.75 15	150	41.75 15	34.666 14	5.3 9.1	Yes	No	41.5 25.8 26	15 894	35.75 28.25 10.5 5.42	13000 5000 Lead	No 1 FIXED	IB Fold 2	
			<b>639</b> 262		ALUMN MS		0 0	289			<input type="checkbox"/>	0						
Eliana II	Morgan 38-2	77486	<b>156</b>	1981	46 16.25	110	46 16.25	40.5 14.5	4.69 8.34	Yes	No	47.8 30.1 30	16.25 1198	38.33 30.5 12 6	17000 6800 Lead	0 1 FIXED	IB Fixed_3 3	(Mtg 1/26/17, -3 sec/mi for oversized symmetric spinnaker area)
			<b>632</b> 272		ALUMN MS			324			<input type="checkbox"/>	0 0						
Joyicity	Custom Davidson 26	20746	<b>156</b>	1975	27 9.1	150	31.15 10	28.75 11.5	5.1 8.1	Yes	No	31.12 18 18	10 467	26.42 22.5 8.25 5.25	3000 1450 Lead	No 1 FIXED	IB FOLD 2	Removed IOR Bump infilled w/Divinicell w/fiberglass skin/faired; Installed Melges rig w/mod for Spinnaker; shortened boom; increased "P" increased "J", Code zero type furler used above deck; Moved on buff side of sail; 10 # spin
			<b>633</b> 120		CARBON FS			210			<input type="checkbox"/>	0						
Nessie	Catalina 34 1&2	734	<b>156</b>	1988	44 1.5	100	44 13.48	38.5 12	4.7 7.54	No	No			34.5 29.83 11.75 5.58	11950 5000 Lead	0 1 FIXED	IB Fixed_3 3	
			<b>205</b>		ALUMN MS			274			<input type="checkbox"/>	0 0						
Sacagawea	Catalina 34 1&2	375	<b>156</b>	1987	44 13.5	95	44 13.48	38.5 11.75	4.7 7.54	No	No			34.5 29.83 11.75 5.6	11950 5000 Lead	0 1 FIXED	IB Fixed_3 3	
			<b>205</b>		ALUMN MS			272			<input type="checkbox"/>	0 0						
Scraft	Hunter 36	38096	<b>156</b>	2005	44.83 13.17	125	44.92 16	6 10.3		No	No			35.5 30.58 12 5.42	13900 5023 Lead	0 1 FIXED	IB Fixed_3	Roller Furler, In-mast Furling Mainsail
			<b>221</b>		ALUMN MS			426			<input type="checkbox"/>	0 0						
Sea Breeze	Catalina 320	850	<b>156</b>	2001	43.58 12.33	135	43.58 13.25	38 8.661	5.168	No	No			32.5 28 11.75 6	11300 4000 Lead	0 1 FIXED	IB Fold 2	
			<b>234</b>		ALUMN MS			303			<input type="checkbox"/>	0 0						

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
				I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No	Yes/No	ASF	Ttl Disp.		Traps/H. Strps				
				Mast Material			PY	MSA	SL	SPL	SLU	ASA		Ballast	moveable blst			
				Rig Type			EY		SSMG	SSA	SLE	Sprit Length		Ballast Mat.	Keel Type			
				Disp/WL ratio					SSF		ASM	Fixed or _o						
Youngster	IOD ODR	82	<b>156</b> 1937	29.25 8.33	103	41 10.67	38.83 16.25	6.12 10.47		Yes	No			33.42 21.42 6.75 5.333	7100 4100 Lead	No 1 FIXED	NONE None 0	(mtg 1/21/10, switched to Masthead Spinnaker, -12 sec/mi for 40% increase in ISP, -6 sec/mi for oversized spinnaker girths)(138 rating valid for PHRF Races, not valid for IOD Class races. Boat must be in class configuration to sail.
Arby	Colgate 26	212	<b>159</b> 2004	27.75 8.25	105	27.75	29.75 11.2	4.3 7.3		No	No			25.7 20 8.5 4.5	2600 1040 Lead	0 1 FIXED	OB Fixed_3 3	Non Spinnaker configuration
Carpe Vita	Olson 25	97399	<b>159</b> 1988	32 9.583	130	32	28 10	3.8 6.4		Yes	No			25 21.25 9 4.5	3300 1300 Lead	No 1 FIXED	OB None 0	
Foxxfyre	Yamaha 33 IK SM	67248	<b>159</b> 1978	42.81 13.78	150	42.81	37.4 10.6	4.38 7.27		Yes	No			33.25 26.92 11 6.25	16000 4410 Iron	No 1 FIXED	IB FEATH 2	PER PHRF MTG 3/16/2000 - Weight Differencer from brochure is significant.
Grey Wulff	Olson 25	18517	<b>159</b> 1984	32 9.6	155	32	28 10	3.8 6.4		Yes	No			25 21.25 9 4.5	3300 1300 Lead	0 1 FIXED	OB None	
Harizon	Dufour 310	122	<b>159</b> 2016	40.35 10.82	95		38.25 14.57	5.54 9.47		No	No			31.72 28.54 10.88 6.23	10802 2932 Iron	0 1 FIXED	IB Fold	
Imagine	Ericson 32-3	716	<b>159</b> 1987	42 13.8	135		36.4 11.8	4.18 7.28		No	No			32.5 25.83 10.83 6	9800 4200 Lead	0 1 FIXED	IB Fixed_2 2	

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications	
			Built	J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp.	Traps/H. Strps		IB or OB Prop Type # of blades			
									DW Rating Disp/WL ratio	Mast Material Rig Type	SL SPL SSMG SSF	SPL SSA			SLU SLE ASMG	ASA Sprit Lngth Fixed or _o		Ballast		moveable blst Keel Type
Isle Of Skye	Tartan 33 7/8 RIG	6	159	1979	36.42 12.42	100	36.42	41.58 14.42	4.6 8.1	No	No	33.67 28.08 10.92 4.42	10000 4400 Lead	No 1 FIXED	IB FEATH 3					
Joie De Vivre	C&C 33	18797	159		43 14	110	43	37.25 10.75	4.4 6.33	No	Yes	32.9 26.42 10.54 5.5	10100 3975 Lead	0 1 FIXED	IB FOLD					
			659		ALUMN MS		0 0	235			21.42 726 0 21.33									
Ouessant	Farallone Clipper FR	8214	159	1957	35.69 13.87	150	35.69	40.34 18.79	7 12.1	Yes	No	37.833 28.25 9.5 5.916	18344 7200 Iron	No 1 FIXED	IB Fixed_2 2					
			673		WOOD FS		0 0	448			0									
Shark-On-Bluegrass	Olson 25	18201	159	1984	32 9.583	155	32	28 10	3.8 6.4	Yes	No	25 21.25 9 4.5	3300 1300 Lead	No 1 FIXED	OB None 0					
			671		ALUMN MS		0 0	166			21.42 9.583 17									
Snafu	CS 30	68588	159	1988	42 12.04	125	42 12.04	36.416 11.416	3.95 6.5	NO	Yes	30 25.51 10.25 5.416	8000 3440 Lead	0 1 FIXED	IB FOLD 2					
			669		ALUMN MS		0 0	232			20.04 707 0 20.04									
Vip	Farallone Clipper FR	7	159	1957	36.82 14	155	36.82	40.5 18.5	6.16 10.979	Yes	No	38 28.75 9.5 5.6	19000 7000 Iron	No 1 FIXED	IB Fixed_3 3					
			673		WOOD FS		0 0	420			0									
Apogee	Islander 36 Freeport	36	162	1978	46.75 16.75	150		42 12.75	5 8.4	No	No	35.9 27.6 12 5.3	17000 7030 Lead	0 1 FIXED	IB Fold					
			368		ALUMN MS			323			0 0									

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		Ttl Disp. Ballast		Traps/H. moveable blst			
								SL	SPL	SLU	ASA						
								SSMG SSF	SSA	SLE ASMG	Sprit Lngth Fixed or _o				Ballast Mat.		
Finn	Capo 26 IB	18782	162	1985	34.6 10.56 155	33.25 11.5	30 10	4.1 6.8 185	Yes	No	26 22 9.25 4.58	4300 1900 Lead	0 1 FIXED	IB Fold			
Red Hawk	Hawkfarm 28 ODR	59024	162	1978	33 11 155	33.25 11.5	36 10.5 0 0	4.37 7.26 236	Yes	No	28 23.5 9.75 5.166	5700 2700 Lead	0 1 FIXED	IB FOLD 2			
Sailor Dog	Catalina 34 1&2	1798	162	2007	44 13.5 110	44 13.5	38.5 12	2.8 5.9 229	No	Yes	34.5 29.8 11.7 5.6	11950 5000 Lead	0 1 FIXED	IB Fixed_3 3	In-Mast furling main +3 sec/mi, MGM less than 50% of E +3 sec/mi		
White Cloud	Yamaha 33 IK SM	28688	162	1979	42.8 13.78 150	42.8	37.42 10.67	4.38 7.27 247	Yes	No	33.25 26.92 11 6.2	10582 4409 Iron	0 1 FIXED	IB Fixed_2			
Constance	Tartan 34 CB	346	165	1974	41 14 125	41	35.5 10.5	4 6.9 224	No	Yes	34.3 25 10.2 8.3	11200 5000 Lead	0 1 CNTRBRD	IB Fold 2	Roller Furler		
Lonesome Dove	Elite 29	9066	165	1984	35.833 11.083 130	33.25 11.5	30.333 10.333	2.6 5.1 157	Yes	No	28.67 24.42 10.5 5.58	6160 2310 Iron	No 1 FIXED	IB Fixed_2 2			
Pearl	Ranger 33 SM	278	165	1977	38 13.9 125	38	31.5 11	4.43 7.39 212	Yes	No	33.17 26.25 9.583 5.166	10500 4800 Lead	0 1 FIXED	IB Fixed_2 2			

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail		P E PY EY	MGU MGM MSA	Yes/No SL SPL SSMG SSF	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast		Traps/H. moveable blst Keel Type			
Wildcat of Loch Awe	S-2 7.9 FR DB	59838	<b>165</b> 1983	31.83 9.5	135	31.83	29.42 12.33	4.75 7.92	Yes	No		25.92 21.67 9 5	4250 1750 Lead	0 1 AGGERBR	OB None		
			<b>685</b> 190	ALUMN FS				216			<input type="checkbox"/>	0 0					
Bandido	Merit 25	28125	<b>168</b> 1983	28.75 9.66	150	28.75	28 9.75	4.25 6.69	Yes	No		24.5 20.5 8 4	3000 1050 Lead	No 1 FIXED	OB None 3		
			<b>693</b> 158	ALUMN FS			0 0	172			<input type="checkbox"/>	0					
Double Agent	Merit 25	8465	<b>168</b> 1981	28.75 9.66	155	28.75	28 9.75	4.25 6.69	Yes	No		24.5 20.5 8 4	3000 1050 Lead	No 1 FIXED	OB None 0		
			<b>693</b> 158	ALUMN FS			0 0	172			<input type="checkbox"/>	0					
Downtown Upoar	J 24 ODR	2394	<b>168</b> 1981	26.25 9.5	150	26.25	28 9.75	3.7 6.37	Yes	No		24 20 9.2 4.1	3125 965 Lead	0 1 FIXED	OB None 0		
			<b>693</b> 178	ALUMN FS			0 0	163			<input type="checkbox"/>	0					
Irish Blessing	J 24 ODR	2184	<b>168</b> 1981	26.25 9.5	150	26.25	28 9.75	3.7 6.37	Yes	No		24 20 8.92 4	3100 965 Lead	0 1 FIXED	OB None 0		
			<b>693</b> 176	ALUMN FS				163			<input type="checkbox"/>	0 0					
Shut Up & Drive	J 24 ODR	513	<b>168</b> 1981	26.25 9.5	150	26.25	28 9.75	3.7 6.37	Yes	No		24 20 8.916 4	3100 965 Lead	No 1 FIXED	OB None 0		
			<b>693</b> 176	ALUMN FS			0 0	163			<input type="checkbox"/>	0					
Sobrante	Alerion Express 28 ODR	406	<b>168</b> 2009	30 9.75	90	30 9.75	33 12.5	4.8 7.6	No	No		28.25 22.83 8.2 4.5	5700 2200 Lead	0 1 FIXED	IB Fold 2		
			<b>218</b>	ALUMN FS				241			<input type="checkbox"/>	0 0					

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications		
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps	IB or OB Prop Type # of blades			
								SL	SPL	SLU	ASA							Ballast	moveable blst
								SSMG SSF	SSA	SLE ASMG	ASA								
Achates	Newport 30-2	6847	174	1974	39.5 12.5	155	39.5	34 10.25	3.8 6.6	Yes	No	30 25 10.67 5.17	8500 3000 Lead	No 1 FIXED	IB FOLD 2				
			667 247		ALUMN MS		0 0	206			<input type="checkbox"/>	0							
Alpha	Sonar 23	498	174	1990	23 8.25	100		27.5 11.17	1.23 7.3	No	No	23 19.92 7.8 3.92	2100 900 Lead	n 1 FIXED	OB None				
					ALUMN MS			156			<input type="checkbox"/>	0 0							
Aquadisiac	Newport 30-3	38075	174	1985	40 12.5	155	40	34 10.25	3.8 6.6	No	No	30.5 26.5 10.67 5.17	8500 2600 Lead	0 1 FIXED	IB Fold 2				
					ALUMN MS			206			<input type="checkbox"/>	0 0							
BZ	Sonar 23		174		23 8.25	100		27.5 11.17	1.23 7.3	No	No	23 19.92 7.8 3.92	2100 900 Lead	No 1 FIXED	NONE None				
					ALUMN FS			156			<input type="checkbox"/>	0 0							
Capo Gatto	Nonsuch 30	308	174	1985				45 24	7.9 14.3	No	No	30.33 28.75 11.1 5	11500 4500 Lead	0 1 FIXED	IB Fold 2				
					ALUMN CAT			605			<input type="checkbox"/>	0 0							
Harry	Newport 30-2	6889	174	1974	39.5 12.125	150	39.5	34 10.25	4.2 7	Yes	No	30 25 10.5 4.75	8500 2500 Lead	No 1 FIXED	IB FOLD 2				
					ALUMN SL			0 0	215		<input type="checkbox"/>	0							
Jacqueline	Freedom 30 SD	3	174	1986	28.4 9.8			35.2 13.9	5.25 9	Yes	No	30 25.42 10.8 4.5	7660 3150 Lead	0 1 FIXED	IB Fixed_2				
					CARBON CAT				291		<input type="checkbox"/>	0 0							



Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
			Rating		I	J		P	MGU	Yes/No	Yes/No	ASF	Ttl Disp.		Traps/H.	IB or OB		
			DW Rating		Max Headsail	Mast Material		E	MGM	SL	SPL	SLU	ASA		Ballast	moveable blst	Prop Type	
			Disp/WL ratio		Rig Type	PY		MSA	SSMG	SSA	SLE	Sprit Lngth	Ballast Mat.		Keel Type	# of blades		
						EY		SSF	ASMG	Fixed or _o								
Lil Angel	Newport 30-2	6884	<b>174</b>	1979	39.5 12.1	150	39.5	34 10.25	4.26 7.07	Yes	No	39 12.1	0	30 25 10.5 4.75	8500 2500 Lead	0 1 FIXED	IB FOLD 2	
Lioness	Bermuda 40	981	<b>174</b>	1962	42.5 15.58	160		36.6 17.2		No	No	12.1 707	0	40.75 28.8 11.75 4.25	20000 5600 Lead	0 1 CNTRBRD	IB Fixed_3 3	(Mtg 5/22/08, +6 secmi for 3-blade fixed prop, no penalty for headsail larger than 155%, no credit for sonar transducer, custom rating of 174 assigned)
Makani	Nonsuch 30	278	<b>174</b>	1985		0		44.9 23.9	8 14.5	No	No		0	30.33 28.75 11.83 5	11500 4500 Lead	0 1 FIXED	IB Feath	
Neja	Dasher 32	7325	<b>174</b>	1961	38.01 12.59	155	38.01	33.22 14.6	5.12 8.86	Yes	No	12.5 691	0	31.75 26.75 8.9 5.75	11323 3600 Lead	0 1 FIXED	IB Fold	500 pounds less lead in keel than the Dasher Easom Boat Works built
Nepenthe	Hawkfarm 28	6122	<b>174</b>	1976	33.3 11	115	33	36 10.5	4.3 7.2	No	No		0	28 23.5 9.75 5.5	5700 2700 Lead	0 1 FIXED	IB Fixed_2 2	
Now and Zen	Newport 30-2	6883	<b>174</b>	1978	39.5 12.125	150		34 10.25	3.25 5.7	Yes	No		0	30 25 10.5 4.75	8000 2600 Lead	No 1 FIXED	IB Fold 2	
Siento El Viento	C&C 29	38311	<b>174</b>	1977	39.5 12.8	155		33.5 10.1		Yes	No	12.8 715	0	29.5 23.6 10.5 5.25	7500 2700 Lead	No 1 FIXED	IB Fold 2	

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Keel		Engine/Prop	Modifications
					I	J	Max Headsail	ISP	P	MGU	Yes/No	Yes/No	ASF		Ttl Disp.	Traps/H. Strps		
			DW Rating		Mast Material	JSP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type		
			Disp/WL ratio		Rig Type		PY	MSA	SSMG	SSA	SLE	Sprit Length	Max Beam	Ballast Mat.	Keel Type	# of blades		
							EY		SSF		ASM	Fixed or _o	Max Draft					
Tortuga	Pyramid 660 ODR MOD	8375	174	1981	21.82 6.8	104	28 7	25.7 10.5	4 6.8	Yes	No		21.8 18.1 6.2 3.9	850 400 Lead	2 1 FIXED	OB None 2	(Mtg 5/20/10, removed trapeze +18 sec/mi, hiking straps still allowed)(1/24/13, added upper spreaders & stays, NCTR)	
White Bear	Nonsuch 30	431	174	1987				45 24	8.68 15.12	No	No		30.33 28.75 11.9 5	11500 4500 Lead	0 1 FIXED	IB Fold 3		
Zeehond	Newport 30-2	707	174	1976	39.5 12.125	150	39.5	34 10.25	3.6 6.33	Yes	No		30 25 10.5 4.75	8500 2600 Lead	No 1 FIXED	IB FOLD 2		
Archaeopteryx	Hotfoot 20	101	177	1986	25 7	105	26.08 7.67	27.08 10.08	4.05 6.6	Yes	No		20 18 8.5 5	1000 400 Lead	0 1 CNTRBRD	OB None		
Wings	Columbia 5.5 M ODR	31	177	1965	29.125 8.25	96	30	34 11.416	4.59 7.65	Yes	No		32.416 25 6.25 4.33	4400 2800 Lead	No 1 FIXED	NA None 0		
Galaxsea	Custom Nauticat 43.5	28743	180	1985	51 20	104	20.6	45 13.6	4.3 7.9	Yes	Yes	29.2 1119	43.6 37.7 12.2 5.9	34000 11000 Lead	No 1 FIXED	IB FEATH 3	Stay sail measurements foot=1', Luff=34'6", Leach=30'2", LP=132"	
Goose	Catalina 30	1210	180	1979	41 11.416	155	41	35 11.5	4.63 7.72	Yes	No		29.92 25 10.83 5.25	10200 4200 Lead	No 1 FIXED	IB FOLD 2		

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Keel		Engine/Prop	Modifications
					I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No	Yes/No	ASF	Ttl Disp.		Traps/H. Strps	IB or OB		
			DW Rating		Mast Material		PY	MSA	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type		
			Disp/WL ratio		Rig Type		EY		SSMG	SSA	SLE	Sprit Length	Max Beam	Ballast Mat.	Keel Type	# of blades		
									SSF		ASMG	Fixed or _o	Max Draft					
Lelo Too	Tartan 30	16354	<b>180</b>	1975	39 13	155	39	34 4.61	4.61	Yes	No		29.92	8750	0	IB		
			<b>687</b>		ALUMN		0	7.69	7.69			0	24.25	3700	1	FOLD		
			<b>279</b>		MS		0	238	238		<input type="checkbox"/>	0	10	Lead	FIXED	0		
							0		10.833				4.916					
Ross's Dream	Catalina 30	4895	<b>180</b>	1987	41 11.42	150	41	35 4.63	4.63	Yes	No		29.92	10200	0	IB		
			<b>696</b>		ALUMN		11.5	7.72	7.72			0	25	4200	1	Fold		
			<b>297</b>		MS			246	246		<input type="checkbox"/>	0	10.83	Lead	FIXED	2		
									20.7	698			5.25					
									20.7									
Serendipity	CAL 29-1 IB	6601	<b>180</b>	1974	37.833 12.333	155	37.833 12.67	31.666 4.332	4.332	Yes	No		29.25	8000	No	IB		
			<b>687</b>		ALUMN		12.166	7.573	7.573			0	24.17	3350	1	FOLD		
			<b>258</b>		MS		0	223	223		<input type="checkbox"/>	0	9.25	Lead	FIXED	2		
							0		22	678			4.75					
							0		22									
Strange Magic	Islander Bahama 30	179	<b>180</b>	1981	40 12.75	150	40 12.75	33.75 4.37	4.37	No	No		29.92	8230	0	IB		
					ALUMN		11.5	7.47	7.47			0	24.58	3130	1	Fold		
			<b>252</b>		MS			232	232		<input type="checkbox"/>	0	10	Lead	FIXED			
												0	5					
Wuvulu	Islander Bahama 30	61	<b>180</b>	1979	40 12.75	150	38.416	33.75 4.75	4.75	Yes	No		30	8600	No	IB		
			<b>674</b>		ALUMN		11.5	8.125	8.125			0	24.58	3500	1	FOLD		
			<b>263</b>		MS		0	243	243		<input type="checkbox"/>	0	10	Lead	FIXED	2		
							0		22.75				5					
Alte Liebe	Albin Ballad 30	1266	<b>183</b>	1978	37.083 11.249	155	37.8	31.916 3.33	3.33	Yes	No		29.916	7276	No	IB	The J measurement in all Ballad documents & Sailmaker plans is 12.27 however the actual J= 11.3" (MTG 8/25/94), standard SPL is 12.27 (mtg 3/20/08)	
			<b>698</b>		ALUMN		9.333	5.58	5.58			0	22.583	3417	1	FOLD		
			<b>287</b>		MS		0	171	171		<input type="checkbox"/>	0	9.666	Lead	FIXED	2		
							0		21.83				5.09					
Avalon	Catalina 30	6138	<b>183</b>	1992	41 11.416	120	41	35 4.63	4.63	No	No		29.92	10200	0	IB		
					ALUMN		11.5	7.72	7.72			0	25	4200	1	Fold		
			<b>297</b>		MS		0	246	246		<input type="checkbox"/>	0	10.83	Lead	FIXED	2		
							0						5.25					

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		Ttl Disp. Ballast		Traps/H. moveable blst	IB or OB Prop Type # of blades		
								SL	SPL	SLU	ASA						
								SSMG SSF	SSA	SLE ASMG	Sprit Lngth Fixed or _o					Ballast Mat.	
Christine Rose	Catalina 30 TM	0	<b>183</b> 1977	43 13.16 150 43 13.16	43	37 12	4.8 8 270	Yes 43.08 23.6 23.6	13.16 847	No	0 0	29.92 25 10.83 5.25	10200 4250 Lead	0 1 FIXED	IB Fixed_3 3		
Kiwa	Ericson 32-2	285	<b>183</b> 1973	36 18 155 36	36	31.5 13	4.9 8.4 243	No	11.4	No	0 0	32 24 9.67 4.91	9400 4400 Lead	0 1 FIXED	IB Fixed_2 2		
Moxie	CAL 28-2	28217	<b>183</b> 1988	39.9 11.4 90 39.9 11.4	39.9	34.17 10.33	4.28 7.11 219	Yes 39.26 20.39 20.39	11.4 667	No	0 0	28 23 10.8 5.3	7200 Lead	0 1 FIXED	IB FOLD 2		
Antares	Islander 30-2	6237	<b>186</b> 1971	38.5 12.58 155 38.416	38.416	32.5 11.58 0 0	4.75 8.125 235	Yes 38 22.7 22.92	12.416 720	No	0	30 24.58 10 5	8600 3600 Lead	No 1 FIXED	IB FOLD 2		
Don Wan	Santana 28	8191	<b>186</b> 1978	36 12 155 36	36	31 9.416 0 0	3.6 6.1 175	Yes 36 21.6 21.6	12 648	No	0	28.25 23 9.17 5	7500 2550 Lead	No 1 FIXED	IB Fold 2		
Maxine	Yankee 30-1 SM	43	<b>186</b> 1971	37.5 12.75 125 37.5 12.75	37.5	32.5 9.7	2.4 4.8 158	No	20.75 36.4 31 21.5	No	600 0 0	30.13 23 9 5	8700 4130 Lead	0 1 FIXED	IB FOLD 2	+3 sec/mi for MGM less than 50% of E	
Samba Pa Ti	J 22	3	<b>186</b> 1982	24.8 8.8 125 24.8 8.8	24.8	26.1 9	3.78 6.27 147	Yes 24 16 16	8.8 320	No	0 0	22.5 19 8 3.8	1790 700 Lead	0 1 FIXED	OB None		

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications								
			Built	J	Max Headsail	ISP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB	Prop Type	Modifications								
									E	MGM										SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	# of blades
Disp/WL ratio	Mast Material	SP	SP	SP	SP	SP	SP	SP	SP	SP	SP	SP	SP	SP	SP	SP	SP										
Sirena	Ericson 32-2	18319	<b>186</b>	1972	35	110	35	31	4.9	Yes	No	31	8800	0	IB												
					13			13	8.4			24	4000	1	Fixed_2												
			<b>685</b>		ALUMN				239			9.8	Lead	FIXED	2												
			<b>289</b>		MS							5															
Summertime Dream	Custom Schumacher 26	18859	<b>186</b>	1979	26.28	150	26.28	29.58	4.33	Yes	No	26.08	3300	0	OB	Boat has previously been called "War"											
					8.07		8.07	10.76	7.23			20	1360	1	None												
			<b>705</b>		ALUMN			0	195			9.08	Lead	FIXED	0												
			<b>187</b>		FS			0				5.08															
Sweet Pea	Islander 30-2	195	<b>186</b>	1971	38.5	155	38.42	32.5	4.75	Yes	No	30	8600	0	IB												
					12.58			11.58	8.125			24.58	3500	1	FOLD												
			<b>677</b>		ALUMN			0	235			10	Lead	FIXED	2												
			<b>263</b>		MS			0				5															
Wild-Type	Ericson 32-2	614	<b>186</b>	1975	38	155	13	31.5	4.53	No	Yes	31.58	8800	0	IB	Roller Furler											
					13		13	13	8.19			24	4000	1	Fixed_3												
			<b>707</b>		ALUMN				237			8.67	Lead	FIXED	3												
			<b>289</b>		MS							4.92															
Xtasea	Catalina 30	0	<b>186</b>	1985	41	110	41	35.5	4.63	Yes	No	29.92	10200	0	IB												
					11.5			11.5	7.72			25	4250	1	Fixed_2												
			<b>685</b>		ALUMN				250			10.83	Lead	FIXED	2												
			<b>297</b>		MS							5.25															
TASHI	Catalina 30	2010	<b>189</b>	1976	41	110	41	35	4.63	No	No	29.92	10200	0	IB												
					11.5			11.5	7.72			25	4250	1	Fixed_3												
					ALUMN				246			10.83	Lead	FIXED	3												
			<b>297</b>		MS							5.25															
Toypedo	Ranger 26-2	67341	<b>189</b>	1980	26.4	150	28	30.5	4	Yes	No	26	3000	0	OB	Fixed Keel, No daggerboard											
					9		9	11	7			20	1140	1	None												
			<b>682</b>		ALUMN				197			8	Lead	FIXED													
			<b>170</b>		FS							5															

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications								
			Built	J	Max Headsail	ISP	P	MGU	Yes/No		SL	SPL	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB								
									JSP	E											MGM	SLU	ASA	LWL	Ballast	moveable blst	IB or OB
Disp/WL ratio	Mast Material	EY	SSF	ASM	Fixed or _o	Max Draft	Ballast Mat.	Keel Type	# of blades																		
Gygax	Hinckley Pilot 35 TM	4802	<b>192</b>	1975	44.36 13.8	155	44.36 13.8	41.83 15.81	5.5 9.97	Yes	No	42 24.8 24.8	13.8 868	No	0	0	35.5 25 9.5 5	13500 4200 Lead	0 1 FIXED	IB Feath							
Jam Jam	Yankee 30-1 SM	90	<b>192</b>	1972	37.5 12.75	125	37.5	34.5 9.75	2.45 4.91	Yes	No	35 19.5 22.5	12.75 586	No	0	0	30 23 9 5.1	8900 4180 Lead	0 1 FIXED	IB Fixed_3 3	(mtg 4/28/11, +3 sec/mi for engine modifications)						
Ga	Knarr ODR	123	<b>198</b>		33.583 6.583	125	33.583	31 11.166	4.47 7.46	No	No	0		No	0		30.333 20.333 7 4.25	4630 2866 Lead	No 1 FIXED	OB None 0							
Kraken	Knarr ODR	47	<b>198</b>		33.583 6.583	125	33.583	31 11.166	4.47 7.46	No	No	0	6.583	No	0		30.333 20.333 7 4.25	4360 2866 Cast Iron	No 1 FIXED	OB None 0							
Happiness	Cal 27-2 OB	3893	<b>201</b>		36 12	95	36 12	30.67 10.25	3.25 6.5	Yes	No	36 21.6 21.6	12 648	No	0	0	26.58 22.08 9.25 4.25	6700 3100 Lead	0 1 FIXED	OB None							
Oshun	Catalina 27 OB	1216	<b>201</b>	1974	34 11.25	95		28.67 10.5	4.24 7.08	No	No	0		No	0		26.83 21.75 8.83 4	6850 2750 Lead	0 1 FIXED	OB None							
Blue Ribbon II	Catalina 270 IB	38087	<b>207</b>	1994	33.58 9.25	135	33.58	28.42 11.5	4.67 7.61	No	No	0		No	0		27 23.75 9.83 5	6400 2000 Lead	0 1 FIXED	IB Fixed_2 2							

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications											
			Built	J	Max	IS	P	MGU	SL	SPL	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB												
																				ISP	E	MGM	SSMG	SSA	SLU	ASA	LWL	Ballast	moveable blst	IB or OB
Disp/WL ratio	Mast Material	Rig Type	EY	MSA	SSG	SSA	SLE	Fixed or _o	Max Draft	Ballast Mat.	Keel Type	# of blades																		
Obsession	Harbor 20	299	<b>207</b>	2010	25.75	95	26.38	26	3.25	Yes	No	20	1800	0		OB	(Mth 5/25/17, -6 sec/mi for OSP)													
					7		8.16	10	6.05			17.2	900	1		None														
			<b>722</b>		ALUMN				147			7	Lead	FIXED																
			161		FS						<input type="checkbox"/>	0	3.5																	
Miss Kate	Catalina 27 IB	4630	<b>210</b>	1980	34.5	125	34.5	28.66	3.99	No	Yes	20.35	6850	0		IB														
					11.25		11.25	10.5	6.83			21.75	2700	1		Fixed_2														
			<b>738</b>		ALUMN				180			8.85	Lead	FIXED																
			303		MS						<input checked="" type="checkbox"/>	0	4																	
Picante	Islander Bahama 28 SM	1	<b>210</b>	1981	33.8	150	11.75	28	3.58	No	Yes	20	7000	0		IB														
					11.75		11.75	8.2	5.75			23	3000	1		Fixed_3														
			<b>726</b>		ALUMN				146			9.8	Lead	FIXED		3														
			262		MS						<input checked="" type="checkbox"/>	0	5.5																	
Blue Ribbon	Catalina 27 IB	343	<b>213</b>	1975	34.5	120		28.7	3.5	No	No		6850	0		IB														
					11.25			10.5	6.3			21.75	2650	1		Fixed_3														
					ALUMN				170			8.83	Lead	FIXED		3														
			303		MS						<input type="checkbox"/>	0	4																	
Dura Mater	CAL 27-2 IB	616	<b>213</b>	1979	36	120		30.83	4.21	Yes	No		6700	0		IB														
					12			10.25	7			22.08	3100	1		Fixed_3														
			<b>721</b>		ALUMN				195			9.25	Lead	FIXED		3														
			283		MS						<input type="checkbox"/>	0	4.25																	
Firefly	Harbor 20	226	<b>213</b>	2006	25.75	90	25.75	26	3.6	No	No		1800	0		OB														
					7		7	10	6.25			17.17	900	1		None														
					ALUMN				151			7	Lead	FIXED																
			162		FS						<input type="checkbox"/>	0	3.5																	
Adagio	CAL 25-2 OB		<b>216</b>	1979	33	150		28	3.9	No	No		4500	0		OB														
					11			9.5	6.5			22	2000	1		None														
					ALUMN				165			9	Lead	FIXED																
			192		MS						<input type="checkbox"/>	0	4.5																	

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications										
			Built	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB											
										DW Rating	Mast Material									E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type
EY	SSFF	ASMG	Fixed or _o	Max Draft																									
Evenstar	Ranger 23	6404	<b>216</b>	1974	27.54 9.75	155	27.5 9.7	24 9.2	3.3 5.4	Yes	No	23.67 20 7.92 3.9	3400 1500 Lead	0 1 FIXED	OB None														
			<b>724</b> 193		ALUMN MS				126			<input checked="" type="checkbox"/>	0 0																
Quiet Thing	Ranger 22	200	<b>216</b>	1978	25.75 8.5	155	25.75	26 7.4	2.8 4.8	Yes	No	22.5 17.5 7.8 4.3	2200 900 Lead	0 1 FIXED	OB None														
			<b>732</b> 187		ALUMN FS				115			<input type="checkbox"/>	0 0																
Tortuga	Westsail 32	207	<b>216</b>	1974	31.2 18.4	150		38.3 15.1		No	No	32 27.6 11 5	19500 7000 Lead	0 1 FIXED	IB FOLD 3														
			<b>694</b> 422		ALUMN CTR							<input type="checkbox"/>	0 0																
New Sinsation	Santana 20	28449	<b>222</b>	1978	24.5 8.16	150	24.5	24.5 7	3.16 4.92	Yes	No	20.2 16 8 4	1350 550 Lead	0 1 FIXED	OB None														
			<b>719</b> 150		ALUMN FS				110			<input type="checkbox"/>	0 0																
Sparky	Catalina 25 FK	1498	<b>222</b>	1979	29 10.5	145	29 10.5	24.66 9.58	3.68 1.45	Yes	Yes	25 22.16 8 4	4550 1900 Cast Iron	0 1 FIXED	OB None 0														
			<b>720</b> 190		ALUMN MS				102			<input checked="" type="checkbox"/>	17.9 369 0 0																
SF	CAL 25-1 OB	1062	<b>225</b>	1969	29.75 10	120	29.75	25 11	4.17 7	No	No	25 20 8 4	4000 1700 Lead	0 1 FIXED	OB None														
					ALUMN MS				163			<input type="checkbox"/>	0 0																
Tinker	Wilderness 21	6	<b>225</b>	1977	25 8.67	125	25	25 8	2.83 4.66	Yes	No	20.5 17.8 7.25 4	1870 1070 Lead	No 1 FIXED	OB None	Added roller furler													
			<b>718</b> 151		ALUMN MS				113			<input type="checkbox"/>	0																





Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		Ttl Disp. Ballast		Traps/H. moveable blst	IB or OB Prop Type # of blades		
								SL	SPL	SLU	ASA						
								SSMG SSF	SSA	SLE ASMG	Sprit Lngth Fixed or _o					Ballast Mat.	
DW Rating Disp/WL ratio																	
Meliki	Santana 22	5194	<b>237</b> 1967	26 8.5 125	26	21.75 9.833 0 0	3.95 6.59 131	Yes 26 15.44 15.44	8.583 335	No	<input type="checkbox"/>	22 18.67 7.83 3.5	2600 1230 Iron	No 1 FIXED	OB None 0		
The Belafonte	Santana 22 ODR	5000	<b>237</b> 1970	26 8.5 110	26	21.75 9.833 0 0	3.95 6.59 131	Yes 26 15.44 15.44	8.583 335	No	<input type="checkbox"/>	22 18.67 7.833 3.5	2600 1230 Iron	No 1 FIXED	OB None 0		
Zingaro	Santana 22	5050	<b>237</b> 1971	26 8.5 125	26	21.75 9.83 0 0	3.95 6.59 131	Yes 26 15.44 15.44	8.58 335	No	<input type="checkbox"/>	22 18.67 7.833 3.5	2600 1260 Iron	0 1 FIXED	OB None 0		
Passat	North Star 500	57313	<b>240</b> 1973	33 10.25 140		27.5 8.75	3.5 6.1 149	No		No	<input type="checkbox"/>	24.98 20.23 9 5	4298 1710 Lead	0 1 FIXED	IB Fixed_3		
Daseins Den	Dana 24	#####	<b>246</b> 1987	34 12.25 120		28.25 10.75	3 5.85 160	No		No	<input type="checkbox"/>	24.16 21.42 8.58 3.83	7400 3100 Lead	0 1 FIXED	IB Fixed_2		
Circlesea	Folkboat	125	<b>252</b>	21.99 6.56 100	10.17	28.71 11.15	4.42 7.33 194	No		No	<input type="checkbox"/>	25.08 19.82 7.26 3.92	4640 2315 Iron	0 1 FIXED	OB None 0		
Crane Wife	Fuji 32 KTH	0	<b>252</b> 1977	36.25 14.75 148		29.08 11.21 18.25 8	3.8 5.96 177	No		No	<input type="checkbox"/>	31.5 29 9.83 3.66	13115 4635 Iron	0 1 FIXED	IB Fixed_3		

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst Keel Type		
Thea	Folkboat	108	<b>252</b> 1984	21.988 6.562	100	10.166	28.707 11.154	4.416 7.333	No	No		25.079 19.822 7.261 3.916	4640 2315 Iron	No 1 FIXED	OB None 0		
un-named	Catalina 22-2 OB FK	15622	<b>255</b> 2006	25.8 8	135	25.83 8	21 9.67	3.5 6.08	Yes 25 14.4 14.4	No 8 300		21.5 19.33 7.67 5	2250 550 Lead	0 1 CNTRBRD	OB None		
Nemesis	Pearson 26 Commander	151	<b>258</b> 1964	31.5 9.5	155		26 11.5	3.3 5.75	Yes 31.2 17.1 16.4	Yes 9.5 441	21.06 444 0 0	25.7 18.5 8 3.7	5200 2500 Lead	0 1 FIXED	OB None		
SLOWMO!	Catalina 22-1 OB SK	2482	<b>270</b> 1973	25.93 8	150		21 9.66	3.47 5.96	No	No		21.6 19.4 7.8 5	2250 550 Iron	0 1 MVBL	OB None 3		
Can O' Whoopass	CAL 20	624	<b>273</b> 1965	22 7.33	115	22 7.33	23 10	4 6.7	Yes 22 13.2 13.2	No 7.33 242		20 18.1 7 3.33	2000 900 Iron	0 1 FIXED	OB None 2	(mtg 4/24/08, -18 sec/mi for adding single trapeze wire) (10/2/08 - removed trapeze, now racing as a standard cal 20 -18 sec/mi penalty removed)(3/5/09 added single trapeze back, -18 sec/mi)(8/26/09, switching back to standard Cal 20)	
Green Dragon	Cal 20	4188	<b>273</b> 1965	22 7.33	125	22	23 9.84	3.84 6.5	Yes 22 13 13	No 7.33 238		20 18.08 7 3.33	1950 900 Steel	0 1 FIXED	OB None 0		