

NCPHRF - CURRENT FLEET ROSTER

This Roster represents the information on file for boats with a current NCPHRF certificate. If the boat you are looking for is not listed, their certificate is either not current or not yet updated to the list. You can contact the YRA office to verify a boat not found on this list at info@yra.org or via phone at 415.771.9500. This list is updated monthly.

As of: 2/8/2012

Boat Name	Boat Model (Type)	Sail #	Rating Built DW Rating	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast Ballast Mat.	Traps/H. moveable blst Keel Type		
Truth	Open 50	101	-123 2003 -147	73.4 23.88 131	75.13 35.17	73.16 24.7	14.17 18.56	No	Yes	48.56	50 50 15.09 13.5	13972 5972 LeadWater	0 4 MVBL	IB FOLD 2	6612 lb in water ballast (Mtg 4/24/08 custom rating assigned of -114)(Mtg 5/22/08, taller rig & deeper keel added, change custom rating from -114 to -144)(Mtg 1/26/12, change custom rating from -144 to -123 after review of rating appeal)		
Medusa	Custom Santa Cruz 52 TM	69910	-33 1993 -36	67.08 18.9 155	67.29 21.67	60.47 20.82	7.25 14.63	No	Yes	38.71	53 46.5 14 9	24265 9100 Lead	0 1 FIXED	IB Feath 3	(Mtg 1/26/12, -6 sec/mi for OSP, -6 sec/mi for oversized asymmetrical, -3 sec/mi for oversized mainsail girths, custom rating of -33 assigned)		
Bodacious +	1D 48	48005	-12 1996 -21	57.7 16.7 155	68.3 16.7	61.3 22.5	9.84 14.66	Yes	Yes	30.1	48.3 40.2 14.2 10.1	19743 8818 Lead	0 1 FIXED	IB Fold 2	Water ballast system not operational (mtg 8/19/08, custom rating assigned of -30, includes dual spinnakers)(Mtg 3/24/11, new smaller mainsail, smaller symmetrical, change cutom rating from -30 to -24)(Mtg 8/25/11)		
DoubleTrouble	J 125	93204	-12 1999 -30	49 15 155	23	47 18	6.8 11.6	No	Yes	41	41 37 10.6 7.9	9330 4646 Lead	0 1 FIXED	IB FOLD 2	(Mtg 2/26/09, -3 sec/mi for oversized main girths)(3/9/09, corrected main girths, removed -3 sec/mi penalty)		
Deception	Santa Cruz 50	97263	-9 1987 -33	61.8 18.3 155	61.8 18.3	55 18.4	7.1 12	Yes	Yes	32.9	50 46 12 8	17500 8000 Lead	0 1 FIXED	IB FOLD 2	ELPT Keel & OS/Spinnaker; Has a Code 0 headsail aboard - tacked to stem, no sprit (Mtg 3/19/09, -3 sec/mi for dual spinnakers)		
California Condor	Class 40	94	3 2010 -51	58.6 15.65 104	58.6 23.85	53.21 18.81	12.93 15.55	No	Yes	44.88	40 39.17 14.7 9.84	12142 4710 Lead	0 4 fixd&water	IB Fold 2	(mtg 4/22/10, custom rating of -9 assigned)(Mtg 1/27/11, water ballast disabled. Change custom rating from -9 to 0[zero], DW Rating changes from -60 to -45)(Mtg 5/26/11, enabling water ballast. Custom rating reverts back to 0/		

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Kee		Engine/Prop	Modifications
					I J Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No	SL SPL SSMG SSF	Yes/No	ASF ASA Sprit Lngth Fixed or _o	Max Beam		Ttl Disp. Traps/H. Strps	IB or OB Prop Type		
		DW Rating			Mast Material								LWL	Ballast	moveable blst			
					Rig Type								Max Draft	Ballast Mat.	Keel Type			
Astra	Farr 40 ODR FR	40079	9	2000	53.2 15.5	105	53.12	54.8 19.4	7.29 12.47	Yes		No	40.75 35.27	10917 5079	No 1	IB FOLD		
			6		CARBON FS			0 0	629			0 <input type="checkbox"/>	13.22 8.53	Lead	FIXED	2		
Magic Cloud	Swan 48 FRERS CR MH	28481	18	2001	65.45 56.59	125	64.96 21.49	57.91 19.03	7.23 12.4	No		Yes	48.65 41.01	34400 12100	No 1	IB FEATH		
			-15		ALUMN MS			0 0	657			23 1212 1.666 <input type="checkbox"/>	14.17 7.9	Lead	FIXED	2		
Recidivist	Custom Schumacher 39	3510	21	1996	48.34 14.03	100	56.78	50.91 18.49	7 12.02	Yes		No	39.81 33.7	12853 5500	No 1	IB FOLD		
			15		CARBON FS			0 0	560			0 <input type="checkbox"/>	12.12 8.24	Lead	FIXED	2	ALUMINUM MAST REPLACED W/CARBON. MTG 4/9/98-CHANGED FROM 24 TO 27 PER MTG 8/24/2000 (Mtg 5/22/08, -9 sec/mi for oversized luffs, +3 sec/mi for smaller headsail)(mtg 6/19/08, added Sweet Back Spreaders	
RAM	J 130 CM SD	29	24	1995	57 16.5	120	58.5 23.5	52.5 18.5	7 12	No		Yes	42.58 38.17	18000 6750	No 1	IB FOLD		
			6		CARBON FS			0 0	578			37.9 1993 7 <input checked="" type="checkbox"/>	12.67 7	Lead	FIXED	2		
Tiburon	Santa Cruz 37	38042	27	2008	47 13.5	105	52.17 19	47 17	6.46 11.05	No		Yes	37 34.75	9882 3730	0 1	IB FOLD		
			6		CARBON MS				476			33.3 1541 5.5 <input checked="" type="checkbox"/>	10.64 7.5	Lead	FIXED	2		
MAD MEN	J 111	17	36	2011	48.37 13.84	105	54.41 20.08	45.17 14.5	5.18 10.1	No		Yes	36.5 32.7	9300 3500	0 1	IB Fold		
			15		CARBON FS				396			1404 8 <input checked="" type="checkbox"/>	10.8 7.2	LeadSteel	FIXED	2		
Zsa-Zsa	1D 35	35017	36	1999	42.49 12.52	110	44.78	44.46 18.58	7.55 12	Yes		No	35 31.5	6500 2600	No 1	IB Feath		
			9		CARBON FS			0 0	498			0 <input type="checkbox"/>	10.75 7.6	lead	FIXED	2		

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Keel		Engine/Prop	Modifications
					I	J	Max Headsail	ISP	JP	P	MGU	Yes/No	Yes/No		ASF	Ttl Disp.		
		DW Rating			Mast Material			E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type	
					Rig Type			PY	MSA	SSMG	SSA	SLE	Sprit Length	Max Beam	Ballast Mat.	Keel Type	# of blades	
								EY		SSF		ASM	Fixed or _o	Max Draft				
Tiger Beetle	Custom N/M 45	77985	42	1983	59.1 17.5	155	59.1	52.1 16	5.8 10.1	Yes		No		45 37.7 13.4 7.9	21000 10000 Lead	No 1 FIXED	IB FOLD 2	PIPE BERTH INTERIOR, 1400 LBS LEAD SET IN BILGE ABOVE KEEL REINSTALLED. (MTG 4/9/98) RTG CHANGED FM 45 TO 42 W/NOTED CHANGES TO BALLAST, INTERIOR AND LWL. MTG 2/15/2000
Sapphire	Synergy 1000	38008	45	2004	40.8 12	125	45.75 16.4	42 15.5	6.99 11.08	No		Yes	28 1172 4.3 0	32.83 29.17 9.75 7	4400 1850 Lead	No 1 FIXED	IB FOLD 2	
Spellbound	Olson 40	18983	45	1983	51.21 15.75	155	51.21	44.21 14.3	5.5 9.2	Yes		No		40.33 36 11.33 6.5	10350 5500 Lead	0 1 FIXED	IB FOLD 2	MTG 4/9/98
Buzz Off	Henderson 30	111	48	1997	37.9 11	125	42.3 18.8	38.3 14.3	5.45 9.25	No		Yes	32 1044 7.71 15	30.83 27.75 9.8 7	3850 1750 Lead	0 1 FIXED	OB None 0	
Clipper	Olson 40	18912	48	1983	50 15.75	125	50 15.8	44 14.25	5.5 9.29	Yes		No		40.33 36 11.25 6.5	10350 5500 Lead	No 1 FIXED	IB FOLD 2	MRG 4/9/98
Ragtime	J 90 MOD	50090	48	1998	35.6 10.5	125	43.1 18	38.85 14.5	5.91 9.74	No		Yes	27.9 983 7.5 0	30 27 8.5 6.5	3400 1595 Lead	No 1 FIXED	OB FOLD 2	(Mtg 4/28/11, Switched to larger Mainsail & smaller Asymmetrical, - 3 sec/mi for oversized main girths, -3 sec/mi for increased "P", + 3 sec/mi for smaller asymmetrical)(Mtg 1/26/12, removed saildrive, added OB 2 sec/mi)
Twist	J 120 ALUM	28442	48	2000	50.5 14.5	150	52 21.5	46.5 17.8	6.75 11.5	No		Yes	34.1 1764 7 0	40 35 12 7	13900 6000 Lead	No 1 FIXED	IB FOLD 2	

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Keel		Engine/Prop	Modifications
					I	J	Max Headsail	ISP	PE	MGU	SL	SPL	Yes/No		Yes/No	ASF		
		DW Rating			Mast Material		JSP	PY	MGM	SSMG	SSA	SLU	ASA	Max Beam	Ballast	moveable blst	Prop Type	
					Rig Type			EY	MSA	SSF		SLE	Sprit Length	Max Draft	Ballast Mat.	Keel Type	# of blades	
Void Star	Santa Cruz 40	59995	48	1982	52 16	142	52	45.5 14	5.2 8.58	Yes		No		40 36 12 7	12500 5000 Lead	0 1 FIXED	IB FEATH 2	
			33		ALUMN MS				370	28.33 28	1178		0 0					
Don't Stop	Beneteau 40.7 First Farr	51705	54	2002	51.61 14.47	104	51.61 14.47	48.85 17.72	6.73 11.51	Yes		Yes		39.33 34.83 12.33 7.75	15211 5950 Lead	0 1 FIXED	IB FOLD 2	
			54		ALUMN MS			0 0	515	26 26	1103		0					
Easom Riggin/Eight Ball	Mumm/Farr 30	57	54	1996	38.3 10.89	104	44.9 13.5	40.52 14.56	6.42 10.4	Yes		Yes	24.6 921	30.9 27.5 10.16 6.89	4500 2060 Lead	0 1 FIXED	IB Fold 2	
			24		CARBON FS				376	44.7 25.1 23.3	13.58 922	46.33 42.05 25.1	0 0 90					
Encore	Sydney 36 CR	3632	54	2006	45.6 14	104		44.36 16.4	6.1 10.6	No		Yes	30 1297	36.06 31.04 11.32 7.55	11244 4850 Lead	No 1 FIXED	IB FOLD 2	Autralian IRC Rating 1.052
			48		ALUMN FS				431			56.4 50.8 28.8	3 3					
Frequent Flyer	Mumm/Farr 30	52	54	1996	38.2 10.9	104	44.9 13.58	40.5 14.6	6.42 10.4	Yes		Yes	25.25 882	30.9 27.6 10.1 6.9	4561 1997 Lead	0 1 FIXED	IB Fold	
			24		CARBON FS				377	44.58 25.25 24.67	13.58 934	46.92 41.33 23.67	0 0					
Shoofly	Custom Barnett Offshore 41	87978	54	1986	53 14.75	98	17.4	47 15.75	4.87 8.93	No		Yes	28 1260	41.5 35 11 7.6	14000 6955 Lead	0 1 FIXED	IB FOLD 0	(Mtg 1/26/12, Custom rating of 54 assigned)
			42		ALUMN CTR			0 0	403			57 48 29	2.7					
Outsider	Azzura 310	1000	57	1996	35.35 11.55	110	43.33 21.57	38.75 13.25	6.68 10.5	No		Yes	30.1 1163	30.75 27.4 10 7.2	4850 2100 Lead	No 1 FIXED	OB Fixed_3 3	6 FT ARTIC, RETRAC BOWSPRIT. MTG 3/28/96 (RATED 66) (CHNG NOTED 4/18/96-NO CHNGE RTNG. (2/13/96 FM 66 TO 60.)(MTG 11/13/97 FM 60 TO 57)MTG 2/12/98 FM 57 TO 63 (MTC 4/0/98) Inboard Sail Drive
			21		CARBON FS			0 0	352			47.01 39.7 32.7	6					

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Kee		Engine/Prop	Modifications
					I J	Max Headsail	ISP JSP	P E	MGU MGM	SL	SPL	Yes/No	Yes/No		ASF	LWL		
			DW Rating		Mast Material		PY	MSA	SSMG	SSA	SLU	ASA	Max Beam	Ballast	moveable blst	Prop Type		
					Rig Type		EY		SSF		SLE	Sprit Length	Max Draft	Ballast Mat.	Keel Type	# of blades		
Jet Stream	Custom JS 9000	9045	63	2003	27.08 9.5	82	30.25 15.5	31 8.73	5.6 7	No	Yes	21.8 561	29.9 27.9	2425 1543	0 1	OB None	(Mtg 1/22/09, custom rating of 78 assigned)(Mtg 8/19/10, -9 sec/mi for adding 3' sprit, -3 sec/mi for increased spinnaker area. Original rating of 78 contained a 3 sec error, rating should have been 75, change custom rating to 75)	
			30		CARBON FS				199		30.1 20.1	3 0	5.7 6.8	Lead	FIXED	0		
Bodacious	Custom Farr 40 1/T	41001	66	1985	47.274 13.818	155	47.3	50.909 18.346	6.92 11.84	Yes	No		40 31.46	17036 6620	No 1	IB FEATH	FARR 40 DESIGN #158 (MTG 5/14/98 - -3 SEC/MI FOR FILLING IN STERN CREASE); All displacement in IRC measured Trim (totally empty); Measurement changes noted, NCTR PHRF Mtg 2/16/09.	
			63		ALUMN FS			0 0	554			0	13.11 7.5	Lead	FIXED	2		
Basic Instinct	Custom Elliott 10.50	8123	69	1993	41 12.5	125	45.6	44.2 17.5	8.5 12	Yes	No	26.5 801	34.42 31.83	10220 3000	No 1	IB FOLD	(mtg 3/19/09, changed to smaller headsail, +3 sec/mi, & larger mainsail, -6 sec/mi, change rating from 66 to 63)(Mtg 10/21/09, new smaller headsail, still with large headboard. Change mainsail rating from 6 sec/mi to 3 sec/mi)	
			48		ALUMN FS			0 0	497		41 21	0	12.08 7	Lead	FIXED	2		
Pegasus - Motion X	J 100 ODR MOD	678	69	2005	38 12.7	95	43 15.63	38 15.3	5.32 9.32	No	Yes	23.3 861	32.8 29	7250 2500	No 1	IB FOLD	(Mtg 2/26/09, -3 sec/mi for adding sprit)(mtg 1/21/10, additional -3 sec/mi for lengthening sprit to 4.13')(Mtg 1/27/11, -6 sec/mi for increased "e")(Mtg 1/26/11, shortened J, boat rigged for shortboard sailing NCTR)	
			66		CARBON FS				332		39.1 23.9	4.13	9.3 5.8	Lead	FIXED	2		
Skiff Sailing Association	11 Metre ODR	246	69	1996	32.53 10.166	95	41	36.08 13.583	5.23 8.82	Yes	No		33.67 26.92	3600 1600	No 1	OB None	MTG 4/9/98. Sail number 90, using sail # 246 for Vallejo 2008	
			42		ALUMN FS			0 0	293			0	8.67 5.42	Lead	FIXED	0		
Tupelo Honey	Elan 40	28908	69	2004	48.89 14.21	105	50.05 14.21	48.82 17.23	5.58 10.09	Yes	No		39.04 34.07	17600 5621	No 1	IB FOLD		
			69		ALUMN FS			0 0	467			0	12.55 7.87	LeadSteel	FIXED	2		
Willow	Wauquiez 40s Centurion	38300	69	2004	51.5 14.17	110	51.5	49.21 19.3	7.3 12.5	Yes	Yes	28.54 1155	41.17 36.4	18960 6085	No 1	IB FEATH	(mtg 3/18/10, -3 sec/mi for oversized a-sail.)(mtg 1/27/11, - 3 sec/mi for added sprit)	
			57		ALUMN FS				564		25.54 27.66	2.4	12.66 7.75	Lead	FIXED	3		

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Keel		Engine/Prop	Modifications
					I J	Max Headsail	ISP JSP	P E	MGU MGM	SL	SPL	Yes/No	ASF		Max Beam	Ttl Disp.		
		DW Rating			Mast Material		PY	MSA	SSMG	SSA	SLU	ASA	LWL	Ballast	moveable blst	Prop Type		
					Rig Type		EY		SSF		SLE	Sprit Length	Max Draft	Ballast Mat.	Keel Type	# of blades		
Escapade	Express 37	18051	72	1985	48.75 14.33	155	48.75	42	5.28	Yes	No		37.08	11000	No	IB		
			72		ALUMN MS		13.75	8.83	48	14.33		0	30.83	4500	1	FOLD		
							0	344	25.58	1022	<input type="checkbox"/>	0	11.57	Lead	FIXED	2		
							0		25.42				7.25					
Golden Moon	Express 37	18488	72	1985	48.75 14.33	155	48.75	42	5.37	Yes	No		37	11000	No	IB		
			72		ALUMN MS		13.75	8.99	48.27	14.33		0	30.83	4500	1	FOLD		
							0	347	25.79	1037	<input type="checkbox"/>	0	11.57	Lead	FIXED	2		
							0		25.79				7.25					
Jarlen	J 35	28528	72	1990	46.333 14.583	150	46.3	41.416	5.43	Yes	No		35.42	10500	No	IB		
			72		ALUMN MS		14	9.11	46	14.583		0	30	4400	1	FOLD		
							0	347	26	997	<input type="checkbox"/>	0	11.67	Lead	FIXED	2		
							0		26				6.75					
Joyride	J 109 ODR	47	72	2003	46.5 13.3	105	49 18.8	43.25	5.89	No	Yes	27.75	35.25	10900	No	IB		
			66		ALUMN FS		15.5	10.07	56.33	1160		5.5	30.5	3900	1	FOLD		
							0	399	45.63	5.5	<input checked="" type="checkbox"/>	0	11.5	Lead	FIXED	2		
							0		27.2				7					
Maggie	C&C 37/40R	43728	72	1990	53.5 16	150		47.25	6	Yes	No		39.5	16000	0	IB		
			69		ALUMN MS		15.5	10	53.25	15.5		0	31.75	6300	1	Feath		
								437	28.75	1267	<input type="checkbox"/>	0	12.5	Lead	FIXED	3		
									27.75				7.4					
Mudshark	Express 37	28052	72	1986	48.75 14.33	155	48.75	42	5.28	Yes	No		37.08	11000	No	IB		
			72		MS		13.75	8.83	48	14.33		0	30.83	4500	1	FOLD		
							0	344			<input type="checkbox"/>	0	11.57	Lead	FIXED	2		
							0						7.25					
One Eyes Jack	Express 37	18334	72	1986	48.75 14.33	150	48.75	42	5.28	Yes	No		37.3	11000	0	IB		
			72		ALUMN MS		13.75	8.83	48	14.33		0	30.8	4500	1	FOLD		
							0	344	25.7	1028	<input type="checkbox"/>	0	11.57	Lead	FIXED	2		
							0		25.7				7.3					

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Keel		Engine/Prop	Modifications
					I J Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No	SL SPL SSMG SSF	SLU ASA SLE ASMG	ASF	Yes/No		Ballast	Traps/H. Strps		
		DW Rating			Mast Material								LWL	Ballast Mat.	moveable blst		# of blades	
					Rig Type								Max Beam	Keel Type				
													Max Draft					
Pegasus	J 35	28390	72	1993	46.333 14.583	155	46.3	41.416 14	5.43 9.11	Yes	46	14.583	35.42	10500	0	IB		
			75		ALUMN MS			0 0	347		26.3 25.4	1001	30 11.67 6.75	4400 Lead	1 FIXED	FOLD 2		
Dare Dare	Jeanneau Sun Fast 3200	39	75	2008	41.92 12.58	112	45.94 13.61	38.67 13.92	5.28 9.06	Yes	44.91 24.08 23.39	13.58 896	33.1	7496	0	IB		
			75		ALUMN FS				321		40.06 18.41	1 0	28 11.5 6.2	2866 Lead	1 FIXED	Fold 2		
E T	Antrim 27 CM ODR	19	75	1999	28.69 8.17	116	37.25 15	33.75 14	7.5 10.9	No	Yes	25.1 709	27.83	3450	No	OB	(Mtg 1/26/12, weighed displacement updated, NCTR)	
			63		CARBON FS			0 0	327		38 20.1	6.83 13	23.75 9.25 6	1050 Lead	1 FIXED	None 0		
Escapade	Sabre 40-2	38011	75	1997	54 15.5	110	54 16	47.5 17	5.6 9.9	Yes	51.25 27.3 25.6	15.5 1151	40.2	19760	0	IB		
			84		ALUMN MS				449		53.5 47 24	1001 0 0	34 13.3 7.5	7500 Lead	1 FIXED	FEATH 3		
Lanikai	C&C 44 w/ctrbd	25091	75	1986	56.2 16.11	135	56.2 16.11	48.23 14.73	5.28 9.58	No	Yes	30.47 1343	44.2	26033	No	IB	Due to shortened rig rating changed from 69 to 75 6-14-05. Keel modification did not affect rating.	
			87		ALUMN MS			0 0	419		58.75 51.4 28.96	0 0	35.3 13.3 8.6	13483 Lead	1 CNTRBRD	FOLD 3		
Raven	Benteau First 35	38073	75	2001	47.24 13.12	108	51.48	45.93 14.75	5.98 10.23	Yes	51.31 26.25 25.46	14.73 1116	36.32	12125	0	IB		
			72		ALUMN FS				419			0 0	30.6 12.76 7.25	3681 Iron	1 FIXED	Fold		
Relentless	Jeanneau Sun Fast 3200	60171	75	2009	41.92 12.63	110	43.77 13.61	38.71 13.94	5.38 9.38	Yes	45 24.17 23.63	13.61 902	33.1	7496	0	IB		
			78		ALUMN FS				327		44.95 39.55 24.52	863 1 0	28 11.5 6.2	2866 Lead	1 FIXED	Fold 2		

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Kee		Engine/Prop	Modifications
					I	J	Max Headsail	ISP	JSP	P	MGU	Yes/No	Yes/No		ASF	Ttl Disp.		
			DW Rating		Mast Material			E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type	
					Rig Type			PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades	
								EY		SSF		ASM	Fixed or _o	Max Draft				
Akula	J 105 ODR w/ 5'BS	16	78	1992	40.6 13.5	100	42.1 19.07	41.5 14.6	5.5 9.4	No		Yes	25 854	34.5 29.5	7750 3400	No 1	IB FOLD	
			72		ALUMN FS			0 0	359			38.7 23	5 <input checked="" type="checkbox"/>	11 6.5	Lead	FIXED	2	
Akyla	Hobie 33 ODR MOD	163	78	1985	33.6 12.4	150	36.5 16.2	35.3 12.5	4.75 8	No		Yes	25.7 830	33 30.5	4260 1800	0 1	OB None	(mtg 8/19/10, -3 sec/mi for sprit, -12 sec/mi for 20% oversized asymmetrical spinnaker)
			33		ALUMN MS				262		36 23 23	13.12 690	38.5 24.4	3.8 0	8 5.5	Lead	FIXED	
Energy	J 105 ODR w/ 5'BS	46060	78	1996	40.6 13.5	100	42.1 19.07	41.5 14.5	5.5 9.4	No		Yes	26 926	34.5 29.5	7750 3400	No 1	IB FOLD	
			69		ALUMN FS			0 0	358				5 <input checked="" type="checkbox"/>	11 6.5	Lead	FIXED	2	
Moonshine	J 105 ODR w/ 5'BS	405	78	2001	40.6 13.5	100	42.1 18.5	41.5 14.5	5.5 9.4	No		Yes	26.2 859	34.5 29.5	7750 3400	No 1	IB FOLD	
			72		ALUMN FS			0 0	358				5 <input checked="" type="checkbox"/>	11 6.5	Lead	FIXED	2	
Nirvana	J 105 ODR w/ 5'BS	342	78	2000	40.6 13.5	100	42.1 19.07	41.5 14.5	5.5 9.4	No		Yes	25 854	34.5 29.5	7750 3400	No 1	IB FOLD	
			72		ALUMN FS			0 0	358				5 <input type="checkbox"/>	11 6.5	Lead	FIXED	2	
Racer X	J 105 ODR w/ 5'BS	375	78	1996	40.6 13.5	100	42.1 19.07	41.5 14.5	5.5 9.4	No		Yes	25 854	34.5 29.5	7750 3400	No 1	IB FOLD	
			72		ALUMN FS			0 0	358				5 <input checked="" type="checkbox"/>	11 6.5	Lead	FIXED	2	
Sea Room	J 105 ODR w/ 5'BS	520	78		40.6 13.5	100	42.1 19.07	42 15	5.5 9.4	No		Yes	27.5 966	34.5 29.5	7750 3400	0 1	IB FOLD	Needs YC membership to race in YRA races
			66		ALUMN FS			0 0	368				5.5 0	11 6.5	Lead	FIXED	2	

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Keel		Engine/Prop	Modifications
					I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No	Yes/No	ASF	Ttl Disp.		Traps/H. Strps	IB or OB		
		DW Rating			Mast Material		PY EY	MSA	SL SSMG SSF	SPL SSA	SLU SLE ASMG	ASA Sprit Length Fixed or _o	LWL	Ballast	moveable blst	Prop Type		
					Rig Type								Max Beam	Ballast Mat.	Keel Type	# of blades		
Flying Baby	J 100 ODR	138	81	2007	38.48 11.48 100	42.98 11.48	38 13.48	5.11 8.76	No		Yes	21.65 723 0 0	32.8 29 9.3 5.8	6500 2500 Lead	0 1 FIXED	IB FOLD 2		
Por Favor	Hobie 33 ODR MOD	51946	81 42	1982	33.8 12.4 135	36.5 13.125	34.1 12.33	4.83 8.25	Yes	36.5 22.65 23.25	13.125 693	Yes	21.97 698 0 0	33 30.5 8 5.5	4000 1800 Lead	0 1 FIXED	OB None 0	Double Spreader Ballanger Mast (Mtg 2/18/10, Modified ODR, -6 sec/mi for oversized spinnaker)
Red Sky	Beneteau Farr First 36.7	52316	81 93	2005	46.41 13.1 155	46.4 13.1	45.4 15.6	5.92 12.5	Yes	45.9 23.5 23.5	13.1 899	Yes	21.3 854 0 0	35 30.3 11.4 7.2	12495 4034 Lead	0 1 FIXED	IB Fold	
Tiki J	J 42 SD	33	81 75	1999	50.5 14.7 150	52 14.6	46.5 18	5.64 10.27	Yes	51.35 26.47 26.47	14.69 1133	No	24.1 949 14.6	42 35.1 12.2 5.5	21275 7000 Lead	0 1 FIXED	IB FEATH 3	
Aero	Hobie 33 ODR	77646	84 39	1981	33.83 12.375 152	36.47	34.71 12.35	4.69 8.1	Yes	36.83 23.33 22.83	13 713	Yes	22.8 675 0 90	33 30.5 8 5.5	5250 1800 Lead	0 1 FIXED	OB None 0	(mtg 5/22/08, -3sec/mi for ability to use asymmetric on squared back pole)
Avion	Bianca 414	30345	84 78	1980	50.14 15.61 150	50.14	51.17 17.3 0 0	6.64 11.37	Yes	50 28.1 28.1	15.61 1171	No	0 0	41.27 32.81 9.58 7.61	19953 8624 Lead	No 1 FIXED	IB Fixed_2 2	(MTG 4/8/99 1360 LBS SHAVED OFF SIDES OF KEEL, 925 LBS ADDED TO BOTTOM OF KEEL - 3 FOR KEEL MODS)(New Rudder, NCTR, 2/15/01)
Coyote	Beneteau 42 IK TM	28776	84 66	1985	55.43 16.73 155	55.71	49.2 14.6 0 0	4.8 8.5 400	Yes	55 30.11 30.11	16.73 1380	No	0	44.58 36 13.2 7.25	23560 9500 Iron	No 1 FIXED	IB FOLD 2	(mtg 5/21/09, added 15' scoop to transom, NCTR)

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Kee		Engine/Prop	Modifications
					I	J	Max Headsail	ISP	ISJ	P	MGU	Yes/No	Yes/No		ASF	Ttl Disp.		
			DW Rating		Mast Material			E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type	
					Rig Type			PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades	
								EY		SSF		ASM	Fixed or _o	Max Draft				
CruzSea Baby	Beneteau First 10R ODR	52878	84	2007	43.2 12.07	105	46.41 16.5	42.25 14.73	5.59 9.57	No		Yes	27.5 1055	32.75 28.7	9715 3528	0 1	IB Fold	(Rudder Modifications noted, smaller non-class spinnaker +3 sec/mi)
			87		CARBON FS				371			41.5 27.9	4.43 <input checked="" type="checkbox"/> 0	11 6.55	Lead FIXED	2		
Made Easy	Beneteau 42 IK TM	53202	84	1984	55.43 16.73	145	55.43 16.73	49.2 14.6	5.5 9.5	Yes		No		42.8 36.25	22857 8700	No 1	IB FEATH	(8/27/10, boat weight, displacement is 22857 not 18600)
			66		ALUMN MS			0 0	428	55 30.1 30.1	16.73 1380		0 <input type="checkbox"/>	13.17 7.25	Iron FIXED	3		
Mintaka 4	Farr 38	18441	84	1979	43.67 13.45	155	44.5	44.9 17.9	6.8 11.6	Yes		No		38.25 31.17	11850 4100	No 1	IB FOLD	(base=84)(2002-removed dinette stbrd, add bench seat w/55 gal fuel tank, original was 12.5. Rudder replaced 12" longer, 4" narrower. Changes noted mtg 1/17/02, NCTR)(removed short pole, changed spinnaker 1/12/04)
			81		ALUMN FS			0 0	478	44.13 26.07 24.6	14.5 948		0 <input type="checkbox"/>	12 6.33	Lead FIXED	2		
Red Cloud	Farr 36 Mod	99	84	1976	38.3 12.16	108	46.3 12.16	41 16.75	6.4 10.9	Yes		No		36 32	10430 3950	No 1	IB Fold	(550# ADDED TO KEEL 300# TO FILL MIDDLE WINDOW+250# TO BOTTOM)(Mtg 1/26/12, -3 sec/mi for new mainsail)
			72		ALUMN FS			0 0	410	45.4 21.8 21.8	12.16 825		0 <input type="checkbox"/>	11.92 6.16	Lead FIXED	2		
Rum Tum Tugger	Beneteau First 10R ODR MOD	39	84	2007	43.2 12.07	105	46.41 16.5	42.25 14.73	5.59 9.57	No		Yes	25.5 1075	32.75 28.7	9715 3528	0 1	IB FOLD	(mtg 9/23/10, +3 sec/mi for non-class smaller kite)
			87		CARBON FS				371			45.8 26.4	4.43 <input checked="" type="checkbox"/> 0	11 6.55	Lead FIXED	2		
Split Water	Beneteau First 10R ODR MOD	40	84	2007	43.2 12.07	105	46.41 16.5	42.25 14.73	5.59 9.57	No		Yes	25.5 1078	32.75 28.7	9715 3528	0 1	IB FOLD	(Mtg 5/20/10, +3 sec/mi for non-class smaller kite)(Mtg 9/23/10, rudder modifications noted, NCTR)
			87		CARBON FS				371			45.8 26.4	4.43 <input checked="" type="checkbox"/> 0	11 6.55	Lead FIXED	2		
Arowana	Custom Diva 39	8	87	1987	41.73 12.8	125	41.73 12.8	46.75 14.75	5.72 9.6	Yes		No		38.75 30.83	9920 4575	No 1	IB FOLD	Back Stay Crane
			75		ALUMN FS			0 0	413	41.4 22.6 22.6	12.8 780		0 <input type="checkbox"/>	9.83 5.75	Lead FIXED	2		

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SPL SSMG SSF	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast		Traps/H. moveable blst Keel Type			
Brainwaves	J 35C	43533	90 1990	46.2 13.2	155		40.8 15.5	5.87 10.07	Yes 45 23.8 23.8	13 893	No <input type="checkbox"/>	35.2 30 11.1 6.4	11800 4300 Lead	0 1 FIXED	IB FOLD 2	(mtg 2/18/10, interior changes for Pacific Cup, NCTR)	
Espresso	Hobie 33 ODR	77981	90 1982	33.28 12.4	125	36.28	35 12.5 0 0	4.75 8 260	Yes 36 23.4 21.4	12.4 690	No <input type="checkbox"/>	33 30.5 8 5.416	4000 1800 Lead	No 1 FIXED	OB None 0	Standard rig, with longer elliptical rudder. Boat is an ODR boat with a short spinnaker pole, but Spinnaker is standard ODR size.	
Hot Ice	C&C 110	38110	90 2004	51 14	98	51	45 15.5 0 0	5.8 9.9 412	No		No <input type="checkbox"/>	36.36 31.5 12 6.5	10900 4200 Lead	No 1 FIXED	IB FOLD 2	carbon mast noted (standard on C & C 110) NCTR PHRF Mtg 3/16/06;	
Vitesse Too	Hobie 33 ODR	87112	90 1983	33.8 12.4	125	36.8	35 12.4 0 0	4.75 8 259	Yes 36.2 23.4 21.4	13.25 694	No <input type="checkbox"/>	33 30.5 8 5.5	4000 1800 Lead	No 1 FIXED	OB None 0	Extended rudder 10", NCTR	
Agave Azul	Catalina 470	127	93 2011	58.23 17	110	58.23 17	50.5 20	6.5 11.5 558	No		Yes 60.7 54.65 26.16	29.07 1285 0 0	47.9 42 14 7.8	27270 9020 Lead	0 1 FIXED	IB Fold	
Gavilan	Custom Wylie 39	28439	93 1996	49 14.5	122	49	43 15.5 0 0	5.73 9.75 390	Yes 48.64 26.6 26.6	14.5	Yes 48.39 47.08 18.47	24.6 783 1.17	41.5 31.75 11.5 6.77	17900 5920 Lead	No 1 FIXED	IB FEATH 3	(mtg 4/28/11, change custom rating from 84 to 96 after review of rating appeal)(Mtg 1/26/12, -3 sec/mi for sprit)
Compromise	Elite 37	#####	96 1984	48.5 14.75	155	48.5 14.75	42 13.25 0 0	5.23 8.74 336	Yes 48.1 26.5 26.5	14.75	Yes 49.14 45.7 27.6	32.2 1127 0	37.08 31.58 12.08 5.91	12787 5291 Iron	No 1 FIXED	IB FEATH 3	(Mtg 8/13/02, -6 sec/mi for oversized asymmetric)

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Keel		Engine/Prop	Modifications
					I J	Max Headsail	ISP JSP	P E	MGU MGM	SL	SPL	Yes/No	Yes/No		ASF	Max Beam		
		DW Rating			Mast Material		PY	MSA	SSMG	SSA	SLU	ASA	LWL	Ballast	moveable blst	Prop Type		
					Rig Type		EY		SSF		SLE	Sprit Lngth	Max Draft	Ballast Mat.	Keel Type	# of blades		
Dragonsong	Olson 30 OB	87014	99	1982	36 11.75	155	35.9 11.67	31.5 10.75	4.364 7.268	Yes	No		30 27.5 9.33 5.08	3600 1800 Lead	No 1 FIXED	OB None 0		
			69		ALUMN MS		0 0	208	21.15 21.15	11.75 635		0 <input type="checkbox"/>						
Hellion	Olson 30 OB	28775	99	1981	36 11.75	155	35.9 11.67	31.5 10.75	4.36 7.27	Yes	No		30 27.5 9.33 5.08	3600 1800 Lead	0 1 FIXED	OB None	Roller Furler	
			69		ALUMN MS			208	21.1 21.1	11.75 633		0 <input type="checkbox"/>						
Nina	Olson 29	27	99	1987	34 11	155	36	32.5 11.5	4.5 7.27	Yes	No		29.67 27.5 9.33 5.58	3700 1950 Lead	0 1 FIXED	OB None 0		
			66		ALUMN FS		0 0	222	20.25 20.25	11.25 574		0 <input type="checkbox"/>						
Razzberries	Ericson 34 Olson TM	97479	99	1988	46.77 12.95	155	47	40.9 12.95	5.1 8.5	Yes	No		33.88 28 10.8 6.085	10855 3500 Lead	No 1 FIXED	IB FOLD 2		
			111		ALUMN MS		0 0	320	23.31 23.31	888		0 <input type="checkbox"/>						
Temerity	Olson 34	28134	99	1986	44.8 13.25	155	44.8 13.25	38.84 12.9	5 8.4	Yes	No		34 28 10.83 6	9540 3600 Lead	1 FIXED	IB FOLD 2		
			102		ALUMN MS		0 0	300	23.6 20	839		0 <input type="checkbox"/>						
Think Fast	Olson 30 OB	28708	99	1980	36 11.75	150	35.9 11.67	31.5 10.75	4.364 7.268	Yes	No		30 27.5 9.33 5.08	3600 1800 Lead	0 1 FIXED	OB None 0		
			69		ALUMN MS		0 0	208	21 19.8	623		0 <input type="checkbox"/>						
Weatherly	Olson 30 OB	18225	99	1982	36 11.75	155	35.9 11.67	31.5 10.75	4.364 7.268	Yes	No		30 27.5 9.33 5.08	3600 1800 Lead	0 1 FIXED	OB None 0		
			69		ALUMN MS		0 0	208	21.1 20.5	626		0 <input type="checkbox"/>						

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Kee		Engine/Prop	Modifications
			Built	DW Rating	I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	LOA LWL Max Beam Max Draft	Ttl Disp. Ballast	Traps/H. moveable blst	Strps Keel Type	IB or OB Prop Type # of blades	
Checkedred Past	Custom Wyliecat 39	3	102	2002				52 26.6	10.2 17.4	No	No		38.83 32 11.5 6.6	12000 6200 Lead	0 1 FIXED	IB FOLD 2	Boat has been modified for handicapped sailing		
			81		CARBON CAT				826			<input type="checkbox"/>	0 0						
Daisy Cutter	Mini Transat 6.5 Type Zero	530	102	2004	31.7 8.75	135	31.8 16.55	30.5 10.8	7.83 9.5	No	Yes	30.1 772 7.8 35	21.3 21.3 9.8 5.25	2350 950 Lead	0 1 FIXED	OB None 3	Production Aluminum mast, boom & sprit replaced with Carbon Fiber (mtg 1/21/10, custom rating of 102 assigned)		
			69		CARBON FS				260			<input type="checkbox"/>							
Lilith	Custom Wyliecat 39	7	102	1992				50.75 26.5 0 0	10.45 17.5 811	No	No		38.83 32 11.83 6.67	12000 6200 Lead	No 1 FIXED	IB FOLD 2	HULL DESIGN IS VERY SIMILAR TO WYLIECAT 30.NO JIB, NO SPINNAKER, NO SPANKER,NO REACHER, NO VANG,NO TWECKER,NO STAYS ETC., AS SAILED RATING 102 PER MTG 5/15/10		
			81		CARBON CAT							<input type="checkbox"/>	0						
MinFlicka	Hanse 370	38028	102	2008	49.3 13.7	150		47.3 16.1	6 10	No	Yes	24.5 1024 0.75 0	36.11 33 12.4 6.5	16500 5045 Lead	0 1 FIXED	IB FOLD 2	Roller Furler		
			93		ALUMN FS				445			<input checked="" type="checkbox"/>							
Carmelita	Catalina 42-1/2	131	105	1990	53 16.42	125	53	46.75 15.5 0 0	4.98 8.85 399	Yes	Yes	27.75 1131 0	41.83 36 13.83 6.66	22000 8300 Lead	No 1 FIXED	IB FEATH 3			
			90		ALUMN MS							<input checked="" type="checkbox"/>							
Relentless	J 92	93	105	1997	37 11.5	155	38.5 17.5	38 13.5	5.2 8.7	No	Yes	26.4 915 5.5 0	30 26.5 10 5.9	5500 2275 Lead	0 1 FIXED	IB Fold 2			
			78		ALUMN FS				306			<input checked="" type="checkbox"/>							
Sir Leansalot	Hunter 40	161	105	1986	53.9 17	125	53.9 17	48 13.9 0 0	5.2 9 396	Yes	No		39.7 32.5 13.5 6.5	17400 6000 Iron	0 1 FIXED	IB Fold 2			
			93		ALUMN MS							<input type="checkbox"/>	0						

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Kee		Engine/Prop	Modifications
					I	J	Max Headsail	P	MGU	Yes/No	Yes/No	ASF	Ttl Disp.		Traps/H. Strps	IB or OB		
		DW Rating			Mast Material	ISP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type		
					Rig Type	JSP	PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades		
							EY		SSF		ASM	Fixed or _o	Max Draft					
Tahitienne	Hinckley 42 SW	42015	105	1983	55 17.5	145	55 20.7	47.25 5.85	15.25 9.9	No	Yes	34.45	42	24000	0	IB	(In-mast furling, electric primary winches)(Mtg 1/26/12, -3 sec/mi for articulating sprit)	
			84		ALUMN						59.55	1548	31.25	8500	1	FEATH		
					MS						50.85	3.2	12.5	Lead	CNTRBRD	3		
											33.46	<input type="checkbox"/> 80	8					
TEAM OPEN SAILING	Mini Transat 6.5 Type Zero	806	105	2010	29.5 8.4	141	32 15.98	30 6.85	11.1 8.3	No	Yes	24.9	21.3	2215	0	OB	(Mtg 4/25/11, custom rating of 105 assigned)	
			72		ALUMN						37.2	732	21.3	948	1	None		
					FS						33.4	7.6	9.8	LeadIron	FIXED			
											24.9	<input type="checkbox"/> 10	5.3					
Gig	Humboldt 30 IB	18112	108	1983	37.5 11.5	149	37.5	41.5 4.84	13.75 12.67	Yes	No		30	5400	No	IB		
			84		ALUMN								26.66	2222	1	FOLD		
					FS			0 387	20.7 635			0	10.5	Lead	FIXED	2		
								0	20.2		<input type="checkbox"/>		5.75					
Max	Ultimate 24 ODR	2	108	2002	28.04 7.82	110	30.8 14.5	31 6.81	11.35 9.18	No	Yes	21.3	24.38	2040	0	OB		
			69		CARBON						35.5	562	21.17	750	1	None		
					FS						27.8	6.7	8.48	Lead	FIXED			
											21.3	<input checked="" type="checkbox"/> 0	5.52					
Bandicoot	Wyliecat 30 IB	28530	111	2000	0 0		29 10	39.75 7.87	20.5 13.46	No	Yes	18.8	30.5	5500	0	IB	(mtg 5/20/10, -21 sec/mi for added spinnakers)	
			105		CARBON						29	10	25	3050	1	FEATH		
					CATBOAT			0 488	17.75 429		31.5	512	9.5	Lead	FIXED	2		
								0	17.75		22.5	<input type="checkbox"/> 90	5.25					
Endless Summer	Catalina 42-1/2 WK	688	111	2000	53 16.5	155		46.75 5.08	15.5 9.16	No	No		41.83	28000	0	IB		
					ALUMN								36	8300	1	Feath		
					MS							0	13.83	Lead	FIXED	3		
								405			<input type="checkbox"/>	0	4.83					
For Pete's Sake	Ultimate 24 ODR	28469	111	2003	28.04 7.82	102	30.8 14.5	31 5.5	11.5 8.8	No	Yes	22.2	24.38	2040	No	OB		
			69		CARBON						36	587	21.17	750	1	None		
					FS			0 238			30.6	6.7	8.48	lead	FIXED			
								0			20.9	<input checked="" type="checkbox"/> 0	5.52					

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle		Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Keel		Engine/Prop	Modifications	
					I J Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No	SL SPL SSMG SSF	Yes/No	ASF ASA Sprit Lngth Fixed or _o		Max Beam	Ttl Disp. Traps/H. Strps			IB or OB Prop Type
Ganesha	Sabre 36-2	28862	111	1996	48.5 13.46	155	41.6 14.83	5.66 9.63	No	No		36.17 30.42 12 6.5	13800 5520 Lead	No 1 FIXED	IB FOLD 2	Adjustable back stays		
Vuja De	Ultimate 24 ODR	28978	111 69	2003	28.04 7.82	110	30.8 14.5	31 11.35	6.35 9.5	No	Yes 36 30.8 21	22.2 591 6.7 0	24.38 21.17 8.5 5.5	2080 750 Iron	No 1 CNTRBRD	OB None		
Ahi	Santana 35	30980	114 114	1981	39 12.85	155	39	42 14.25	5.51 9.26	Yes	No	39 23.13 23.13	12.85 752	35 26.5 11.92 6.25	8500 3300 Lead	0 1 FIXED	IB Fold 2	
Azure	CAL 40	72	114 102	1966	46 15.17	150	46	40 17.5	4.4 8.8	Yes	No	46.5 27.3 27	15.17 1056	39.5 30.5 11 5.5	15500 6000 Lead	No 1 FIXED	IB FEATH 2	
Breakout	Santana 35	18679	114 114	1982	39 12.85	155	39	42 14.25	5.51 9.26	Yes	No	39 23.13 18.6	12.85 722	35 26.5 11.92 6.25	8500 3300 Lead	No 1 FIXED	IB FOLD 2	
Green Buffalo	CAL 40	8538	114 102	1967	46.7 15.2	155	46.7	39.8 17.6	6.65 11.37	Yes	No	46.01 27.3 27.3	15.2 1047	39.2 30 10.9 5.8	17500 6000 Lead	0 1 FIXED	IB FEATH 3	Schumacher designed rudder - same as original
Henry Hannah	CAL 40	59	114 102	1967	46 15.17	150	46	40 17.5	6.5 10.7	Yes	No	45 27 25.4	15.16 1001	39.33 30.33 11 5.58	15500 6000 Lead	0 1 FIXED	IB FEATH 2	

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Kee		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASM	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst Keel Type		
Mon Desir	Jeanneau 35 Sun Fast	28779	114 2004	45.75 13.2	155	33.25 15.666	42.083 13.083	5.19 8.67	Yes	45.47 24.48 23.95	13.779 924	No	35.25 31.92 11.42 7	12203 3219 Iron	No 1 FIXED	IB FOLD 2	
Pain Killer	J 80 ODR MOD	369	114 2001	30 9.415	139	33.25 15.666	30 12.416	4.7 8.1	No	39.162 31.996 23.156	698 6.25	Yes 25.16	26.3 22 8.3 4.9	2900 1400 Lead	0 1 FIXED	OB Fixed_2 2	
Shaman	CAL 40	5166	114 1966	46 15.17	155	46	40 17.5	6.07 10.7	Yes	45.7 27.1 26.4	15.1 1027	No	39.5 30.3 11 5.5	15500 6000 Lead	No 1 FIXED	IB FEATH 2	
Spirit-Of-Elvis	Santana 35	67630	114 1979	39 12.85	155	39	42 14.25	5.51 9.26	Yes	39 23 21.83	12.85 740	No	35.1 26.5 11.92 6.25	8500 3300 Lead	No 1 FIXED	IB FOLD 2	
Harp	Catalina 38	18003	117 1983	50.7 15.43	155	50.9 15.43	44 11.5	4.8 7.97	Yes	49.2 27.3 27.5	15.42 1121	No	38.17 30.25 11.83 6.79	19489 6850 Lead	No 1 FIXED	IB FOLD 2	DEC 93 - 7X19 STND RIG/ W/ROD RIG & SHR TN UPR SPREADERS 2 IN. NO CHNG RTNG (MTG 1/27/94)
Sea Star	CAL 39-2/3	38022	117 1977	50 16.7	100	50	44 13.8	4.5 8	No	48 44 30	34 1181 0 0	Yes	39 32 12 6.7	17000 7000 Lead	0 1 FIXED	IB FEATH 3	Roller Furler
Spindrift	Cal 39-2/3 TM	67799	117 1980	54.33 16.7	110		47.51 13.06	4.91 8.36	No			No	39 32.1 12 6.8	17000 7000 Lead	0 1 FIXED	IB Feath 3	(Mtg Dec '10, +3 sec/mi for small headsail, E & P Must be black-banded.)

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Kee		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst Keel Type		
Timmy	Elliott 6.5	3574	117 1996	23.11 8.2	100	22.63 13.5	25.48 12.36	5.31 8.66	Yes 24 16 15	8.8 316	Yes 29.94 27.9 17.54	17 420 5 0	21.05 19.6 7.94 4	1550 495 Lead	0 1 FIXED	OB None 0	(Mtg 1/27/11, custom rating of 111 assigned, includes 100% headsail)(Mtg 1/26/12, rating appealed, custom rating changed from 111 to 117)
Iolani	Hughes 48	38048	120 1972	54.3 18.2	135	20.2	48.2 19	5.9 10.4	Yes 40.32 32.76 32.76	18.2 1101	Yes 54 48.6 32.76	32.76 1400 0	48 35.1 11.1 6	32000 14300 Lead	0 1 FIXED	IB FEATH 3	
Sandpiper	LaFitte 44	52	120 1985	56 19.5	135	56 19.5	51.25 16.35	4.6 8.6	Yes 53.6 33.7 32.2	19.5 1492	No 0 0	44.33 35.5 12.8 6.33	28000 11000 Lead	0 1 FIXED	IB Feath		
Seaya	Catalina 380	252	120 2000	50.916 14.667	135		44.833 15.667	5.2 10	No 0		No 0	38.42 32.42 12.33 7.17	19000 6800 Lead	No 1 FIXED	IB FEATH 3		
Surf	X-332-Sport	38415	120 2003	43.22 11.68	120		42 14.5	5.643 9.711	No 0		No 0	33.8 28.9 10.8 7.1	9038 3086 LeadIron	No 1 FIXED	IB FOLD 2		
Wahoo	Capo 30	87304	120 1983	41.7 12.75	150	41.5	36 11.5	4.37 7.47	Yes 41.5 21.5 21	12 740	No 0 0	30 25 10.3 5.43	7200 3000 Lead	0 1 FIXED	IB None 2		
Wayward Whale	Ericson 38	75	120 1982	50 16.25	105		43.25 14	5.46 9.16	No 0 0		No 0 0	37.8 30.6 12 6.6	14900 6300 Lead	0 1 FIXED	IB Fixed_2 2		

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Kee		Engine/Prop	Modifications
					I J Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No	SL SPL SSMG SSF	Yes/No	ASF ASA Sprit Lngth Fixed or _o	Max Beam		Ttl Disp. Traps/H. Strps	IB or OB		
		DW Rating			Mast Material								LWL	Ballast	moveable blst	Prop Type		
					Rig Type								Max Draft	Ballast Mat.	Keel Type	# of blades		
Audacious	J 29 7/8 OB	18917	123	1984	35 11.416	150	35	38.666 4.94	4.94	Yes	35 11.5	No	29.5	6000	0	OB		
			129		ALUMN FS		0 0	300			20.17 586		11.08	2100	1	None		
							0 0				19.8	<input type="checkbox"/>	5.67	Lead	FIXED	0		
Blue Pearl	Hunter 41	38083	123	2005	51.5 13.5	105	52 13.5	50.667 6.81	6.81	No	13.5	Yes	40.33	19400	No	IB	(mtg 3/15/07: + 3 sec/m for in-mast furling main, +3 sec/m for MGM less than 50% of E, - 3 sec/m for oversized pole, - 3 sec/m for tacking spinnaker off centerline)(5/24/07: cut pole back to J length, remove -3 sec/m penalty)	
			135		ALUMN FS		0 0	560			47.7 23.4	23.4	35.5	6506	1	FOLD		
							0 0				972	<input type="checkbox"/>	6.5	Lead	FIXED	2		
Lucky Duck	Wylie 34	18709	123	1979	38.6 11.3	125	38.6 11.3	41 5.5	5.5	Yes	12	Yes	33.75	8026	0	IB		
			120		ALUMN FS		0 0	351			683	38.38 34.51 18.01	25.75	3100	1	FOLD		
							0 0					<input checked="" type="checkbox"/>	6	Lead	FIXED	2		
Nalu	Jeanneau Sun Odyssey 35	38019	123	2002	43.5 13.25	130	16.25	38.33 4.31	4.31	No	7.71	Yes	35.25	11464	0	IB	(mtg 1/21/10, -3 sec/mi for sprit)	
			102		ALUMN MS			276				47.9 42.5 22.3	31.92	3285	1	Fixed_3		
												<input checked="" type="checkbox"/>	6	Lead	FIXED	3		
No Ka Oi	Gibsea 42	28668	123	2000	46.5 16.57	150	46.5 18.5	42.1 3.65	3.65	No	18.5	Yes	42	24000	0	IB	In-mast furling main with no battens (Mtg. 3/15/07 +3 sec/mi for in-mast furling main, +3 sec/mi for MGM less than 50% of E)(Mtg 4/24/08, -3 sec/mi for ability to square back a-sail on pole)(Mtg 6/19/08, -3 sec/mi for chopping to mainsail with	
			87		ALUMN MS			336				50.3 45.3 31.4	35.8	Iron	1	FEATH		
												<input type="checkbox"/>	6		FIXED	3		
Abba-Zaba	Tartan 10	8112	126	1979	35 12	155	35	40.25 5.34	5.34	Yes	12	No	33.1	6700	0	IB	Roller Furler	
			108		ALUMN FS		0 0	331			630		27	3340	1	FOLD		
												<input type="checkbox"/>	5.83	Lead	FIXED	2		
Encore	Custom Wylie Gemini 30	8592	126	1976	33.33 11.75	125	33.5	39 5.3	5.3	Yes	13	No	30.95	6000	No	IB	MAST IS APPROX 3' SHORTER THAN STOCK GEMINI; Change rating from 135 to 126 PHRF Mtg 3/16/06;	
			96		ALUMN FS		0 0	325			665		26.5	3000	1	FOLD		
												<input type="checkbox"/>	6.25	Lead	FIXED	2		

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Kee		Engine/Prop	Modifications
					I J	Max Headsail		P E	MGU MGM	Yes/No	Yes/No	ASF	Ttl Disp.		Traps/H. Strps	IB or OB		
		DW Rating			Mast Material		PY EY	MSA	SL SSMG SSF	SPL SSA	SLU SLE ASMG	ASA Sprit Length Fixed or _o	LWL	Ballast	moveable blst	Keel Type	Prop Type	# of blades
Furrari	Wylie Wabbit ODR W/Trap	47	126	1983	20.5 6.5	150	20.5	23.75 10	4.03 6.72	Yes	22	8.5	No	23.75 20	975 440	1 3	OB None	INCLUDES HIKING STRAPS AND SINGLE TRAPEZE.
			87		ALUMN FS		0 0	145	13.9 13.7	254		0 <input type="checkbox"/>	5.583 3.5	Lead	FIXED	0		
Lazy Lightning	Tartan 10	860	126	1979	35 12	150	35	40.25 13.75	5.34 8.96	Yes	35.15	12	No	33.16 27	6700 3340	No 1	IB FOLD	
			108		ALUMN FS		0 0	332	21.6 21.6	633		0 <input type="checkbox"/>	9.25 8.833	Lead	FIXED	2		
Mr McGregor	Wylie Wabbit ODR W/Trap	8426	126	1982	20.5 6.5	150	20.5	23.75 10	4.03 6.72	Yes	22	8.5	No	23.75 20	975 440	1 3	OB None	INCLUDES HIKING STRAPS AND SINGLE TRAPEZE.
			87		ALUMN FS		0 0	145	13.9 13.7	254		0 <input type="checkbox"/>	5.58 3.5	Lead	FIXED	0		
Solar Wind	Martin 32	49143	126	1980	42.5 13.67	145		37.17 12	4.7 8	Yes	42.4	13.67	No	32.8 27	8200 4100	0 1	IB FOLD	
			102		ALUMN MS			270	22.4 24.4	806		0 <input type="checkbox"/>	9.6 6.1	Lead	FIXED	2		
The Other Woman	Hunter 41	41	126	2007	51.6 13	110		50.8 19.6	6 10.11	No			No	40.4 35.6	19400 6506	0 1	IB Fixed_2	+ 3 sec/mi for in-mast furling mainsail
					ALUMN FS			524				0 0 <input type="checkbox"/>	13.3 6.6	Lead	FIXED	2		
Life is Good	Wyliecat 30 OB	38349	129	2007		0		40 21	7.67 13.46	No			No	30.5 25	5500 3050	0 1	OB None	
			135		CARBON CAT			493				0 0 <input type="checkbox"/>	9.5 5.25	Lead	FIXED	3		
Mirage	Express 27 ODR	8477	129	1981	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	28.8	9.833	No	27.25 23.75	2450 1100	No 1	OB None	
			96		ALUMN FS		0 0	182	17.5 17.9	422		0 <input type="checkbox"/>	8.17 4.5	Lead	FIXED	0		

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Keel		Engine/Prop	Modifications
					I	J	Max Headsail	ISP	PE	MGU	SL	SPL	Yes/No		ASF	Ttl Disp.		
		DW Rating			Mast Material		PY	MGM	SSMG	SSA	SLU	ASA	LWL	Ballast	moveable blst	Prop Type		
					Rig Type		EY	MSA	SSF		SLE	Sprit Length	Max Beam	Ballast Mat.	Keel Type	# of blades		
											Fixed or _o	Max Draft						
Plus Sixteen	Ericson 911S Olson	97707	129	1991	42 12.25	150	42 12.5	35.761 4.035	11.811 7.136	Yes	43.5	12.25	30	8500	No	IB	(Mtg 4/13/06 -3 Sec for Dual Spinnakers. Due to dual spinnakers, pole can be pulled back when using assymetrical spinnaker.)	
			129		ALUMN MS		0 0	240	22.605 22.605		819	35.761 21.702	12.25	10.33	LeadSteel	FIXED		FEATH 2
Take Five	Express 27 ODR	28031	129	1982	28.5 9	155	28.5	28.5 4.22	10.416 7.03	Yes	29	9.833	27.25	2450	0	OB		
			96		ALUMN FS			182	17.75 17.75		429	0 0	23.75	1100	1	None		0
Uno	Wyliecat 30 IB	28632	129	1995	35.8 5.5		35.8 12	39.66 9.31	19.75 13.05	No	12	19.68	30.5	5800	0	IB	(mtg 2/21/08, penalty for oversized main -3 sec/mi)(Mtg 5/22/08, -24 for asymmetric spinnaker flown on 12' pole)(6/11/08, removed asymmetric spinnaker +24 sec/mi)	
			138		CARBON CAT			493				37.02	25	3000	1	FOLD		2
Verve	Express 27 ODR	18283	129	1981	28.5 9	155	28.5	28.5 4.22	10.416 7.03	Yes	29	9.833	27.25	2450	No	OB		
			96		ALUMN FS			182	17.5 17.9		425	0	23.75	1100	1	None		0
Witchy Woman	Express 27 ODR	116	129	1986	28.5 9	150	28.5	28.5 4.22	10.416 7.03	Yes	29	9.833	27.25	2450	No	OB		
			96		ALUMN FS			182	17.75 17.75		429	0	23.75	1100	1	None		0
Crinan II	Wyliecat 30 IB	15	132	2002				39.75 7.79	20.5 13.32	No		0	30.5	5500	No	IB		
			138		ALUMN CATBOAT			485				0	25	3050	1	FOLD		2
Dazzler	Wyliecat 30 IB	28259	132	1997				40 7.87	20.7 13.46	No		0	30.5	5700	0	IB	INSTALLED IB ENGINE JAN 99	
			138		CARBON CT			493				0	25	3050	1	FOLD		2

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst Keel Type		
Dora	Catalina Morgan 381 MOD	41	132 1994	50.5 14.67	150	50.5 14.67	42.17 15.67	5.8 10.1	No	Yes	28 971 0 0	38.42 32.82 12.33 7	19000 6800 Lead	0 1 FIXED	IB Feath	Roller Furler	
Kabunza	Pearson 36-2	362	132 1986	47.1 15.4	110		41 14.5	3.65 7.3	No	No	0 0	36.5 29.5 12.3 6.5	15000 5800 Lead	0 1 FIXED	IB Fixed_2 2		
Kira	Cal 33-2	28999	132 1986	46 13.25	125	46 13.25	40.5 12.75	4.82 8.23	No	Yes	21.86 697 0 0	33 27.5 11.33 6.12	10800 4475 Lead	No 1 FIXED	IB FOLD 2	(Mtg 1/26/12, -3 sec/mi for increased "e" & MSA)	
Krissy	Ericson 35-3	195	132 1984	46 15.83	125	46 15.83	39 12	3.79 5.8	Yes	Yes	0 0	35.5 28.83 11.33 6.17	13000 5200 Lead	Yes 3 FIXED	IB Fixed_2 2		
Whirlwind	Wyliecat 30 IB	38068	132 2009		0		39.75 20.56	7.87 13.46	No	No	0 0	30.56 25 9.42 5.25	5500 3050 Lead	0 1 FIXED	IB Fold 2		
Arcadia	Custom Nash 28.5	3113	135 1969	33 10	120	34 11	32.5 13	4.92 8.41	No	Yes	24.606 756 4 100	28.5 25.5 9 6.5	4327 1200 Lead	No 1 FIXED	IB FOLD 2	(Weighed Displacement as of 4/4/2009)	
B Mer	B 25 ODR	48	135 1995	28 8.5	155	28 9.5	28 11	4.37 7.31	Yes	No	0 0	25 21.25 8.33 5	2000 800 Lead	No 1 CNRBD	OB None 0		

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Kee		Engine/Prop	Modifications		
					I J Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No	SL SPL SSMG SSF	Yes/No	ASF ASA Sprit Lngth Fixed or _o	LOA LWL Max Beam Max Draft		Ttl Disp. Ballast Mat.	Traps/H. Strps moveable blst Keel Type			IB or OB Prop Type # of blades	
Westerly	Custom Perry 39	11	135	1979	55 15.75	125	55 15.75	48.83 14.5	4.83 8.66	Yes	54.35 28.35 28.35	15.75 1284	No		0	38.71 32.83 11.83 6	21300 8400 Lead	No 1 FIXED	IB Feath 3	DESIGNED AS A 50/50 MOTORSAILER, HAS BEEN RE-RIGED AS A 70/30 NOWK HAS 1500 FT WRKNG SAIL (OFF WIND) CAN CARY MIZZEN SS AT 250. STOCK HULL #1 W/ORIG RIG
Boracic	Open 5.7 ODR	186	138	2006	21.52 7.3	117	21.6 12.3	25.33 10.24	5.34 7.12	No			Yes	17.6 345 5 0		18.7 18.7 8.3 5.7	1020 396 Lead	0 1 FIXED	OB None 2	
Jet Lag	Catalina 34 1&2	1130	138	1991	44 13.67	155	44 15.67	38.5 13.75	5.1 8.8	Yes	42 24 23.5	13.5 837	Yes	23 718 2 40		34.6 29.1 11.9 5.6	11950 5000 Lead	0 1 FIXED	IB FOLD 2	Added 2' bowsprit for asymmetrical sail. Will use spin ple on asym sail to pull back tack approx 40 degrees (Mtg 4/28/09, -3 sec/mi ability to fly A-sail on squared back pole, -3 sec/mi for sprit)(Mtg 8/27/09, -3 sec/mi for increased mainsail area)
Moonshadow	Custom Wylie 31	8675	138	1973	41.5 12.75	150	40.25	37 12.42	4.66 8	Yes	40 23.2 21.5	12.75 762	No		0	30.8 26.42 10.8 5.42	7200 3500 Lead	0 1 FIXED	IB FOLD 0	(mtg 9/23/10, -3 sec/mi for increased I & P, due to new mast. Change custom rating from 141 to 138)
Crazy Rhythm	Santa Cruz 27	18771	141	1978	32.58 10.75	150	32.58	28.166 8.583	3.68 6.06	Yes	32.74 19.4 19.4	10.75 529	No		0	27 24 8 4.5	3200 1600 Lead	No 1 FIXED	OB None 0	
Iliohale	Hanse 341/342	60128	141	2004	46 12.2	125		42 15	5.58 9.37	No			No		0 0	34 29.2 11.2 5.9	11353 3395 Iron	0 1 FIXED	IB FOLD 2	
Ione	J 30	8994	141	1981	34.19 11.041	140		38 13	4.83 8.21	Yes	34.5 20 21	11.04 581	No		0	29.83 25 11.2 5.25	6500 2100 Lead	0 1 FIXED	IB FOLD 2	

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Keel		Engine/Prop	Modifications
					I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No	Yes/No	ASF	Ttl Disp.		Traps/H. Strps	IB or OB		
		DW Rating			Mast Material		PY	MSA	SL SSMG	SPL SSA	SLU SLE	ASA Sprit Length	LWL	Ballast	moveable blst	Prop Type		
					Rig Type		EY		SSF		ASMG	Fixed or _o	Max Beam	Ballast Mat.	Keel Type	# of blades		
Krissy 2	Passport 40	97552	141	1987	50.6 15.6	125	50.6 15.6	45.9 6	16 10.3	No	No		39.4 33.42 12.67 5.75	22771 8600 Steel	0 1 FIXED	IB Fixed_3		
Mirage	Custom Black Soo 30	8500	141 90	1968	30 10	155	34	30 12	4.4 7.6	Yes	No		31.1 28 6.2 6.6	4600 1900 Iron	No 1 FIXED	OB None 0	Moved location of keel and sail area. Weight did not change. Changed to custom boat rating of 138(1/18.96)MTG 1/9/97 -6 SEC/MI. for masthead spinnaker)(mtg 1/17/02 changed from 138 to 144)(headsail changed to 150 2	
Prime Mover	J 30	18675	141 141	1980	34.19 11.5	155		38 13	4.83 8.21	Yes	No		29.83 25 11.18 5.25	6700 2100 Lead	0 1 FIXED	IB FOLD 2	W/J BASED POLE AND SPINNAKER SHORTENED.	
Quila	Santa Cruz 27	18723	141 99	1976	32.583 10.75	155	32.583	28.25 8.583	3.68 6.1	Yes	No		27 24 8 4.5	3000 1500 Lead	No 1 FIXED	OB None 0		
Vitesse	Santa Cruz 27	18711	141 102	1977	32.583 10.75	150	32.583	28.25 8.583	3.38 6.3	Yes	No		27 24 8 4.5	3300 1500 Lead	No 1 FIXED	OB None 0		
Yellow Jack	Santa Cruz 27	57313	141 102	1976	32.583 10.75	155	32.583	28.25 8.583	3.68 5.9	Yes	No		27 24 8 4.5	3300 1500 Lead	0 1 FIXED	0 None 0		
Ad Lib	Aphrodite 101	8161	144 129	1979	36.83 11.81	100	32.23	39.33 11.48	4.5 6.1	Yes	No		32.75 26.33 7.92 5.42	6160 3527 Lead	No 1 FIXED	IB FOLD 2		

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Kee		Engine/Prop	Modifications
					I J Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No	SL SPL SSMG SSF	Yes/No	ASF ASA Sprit Lngth Fixed or _o	LWL		Ttl Disp. Ballast Mat.	Traps/H. Strps moveable blst Keel Type		
Alcyone	BENETEAU OCEANIS 350	990	144	1990	41.47 12.8	130	41.47 12.8	35.7 11.4	3.1 6.2	No	Yes	23.5 605	33.8 29.1	10582 3968	0 1	IB Feath		
			135		ALUMN MS				214		36 18	0 <input checked="" type="checkbox"/>	11.3 4.17	Iron	FIXED	3		
Breakaway	Ultimate 20 CM	180	144	2002	26.08 6.97	114	27.58 12.79	27.33 10.17	5.5 7.96	No	Yes	19.167 441	20.83 18	1350 450	No 1	OB Fixed_3		
			108		CARBON FS				193		28.417 17.7	6 <input checked="" type="checkbox"/>	8.33 5	Lead	FIXED	3		
Califia	Islander 36 ODR	67074	144	1978	45 14.48	135	45	39.25 12.75	3.69 6.88	No	No		36.08 28.25	13450 5450	0 1	IB Feath		
					ALUMN MS				265			<input type="checkbox"/>	11.17 6.08	Lead	FIXED	2		
Firebolt	Laser 28	18228	144	1984	31.1 9.65	125	31.73	33.14 12.96	4 8.125	Yes	No		28.41 23.62	3950 1500	0 1	IB FOLD		
			129		ALUMN FS			0 0	243		20.25 20	0 <input type="checkbox"/>	9.48 4.98	Lead	FIXED	2		
French Kiss	Beneteau 350 Oceanis	28713	144	1989	41.47 12.8	140	41.47	35.7 11.6	4.2 7.3	Yes	No		33.83 29.83	10580 3525	0 1	IB FOLD	Above deck Roller Furler	
			117		ALUMN MS			0 0	242		22.5 22.5	0 <input type="checkbox"/>	11.17 5.17	Lead	FIXED	2		
Interlude	Catalina 36 TM	1664	144	1998	46.75 14.33	135	46.75	41 13	4.8 8.25	No	Yes	24 791	36.333 30.25	14100 6042	No 1	IB Fixed_3		
			138		ALUMN MS			0 0	313		40.2 22	0 <input checked="" type="checkbox"/>	11.916 5.833	Lead	FIXED	3		
Kapai	Islander 36 ODR	438	144	1977	45 14.48	135	45	39.25 12.75	5.05 8.44	No	No		36.08 28.25	13450 5500	0 1	IB FOLD		
					ALUMN MS			0 0	303			<input type="checkbox"/>	11.17 6	Lead	FIXED	2		

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Kee		Engine/Prop	Modifications	
					I J Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No	SL SPL SSMG SSF	Yes/No	ASF ASA Sprit Lngth Fixed or _o	Max Beam		Ttl Disp. Traps/H. Strps	IB or OB Prop Type			
			DW Rating		Mast Material	Rig Type							LWL	Ballast	moveable blst	# of blades			
													Max Draft	Ballast Mat.	Keel Type				
Luna Sea	Islander 36 ODR	420	144	1980	45 14.48	135	45	39.25 12.75	5.05 8.44	Yes	45 27 27	15 1013	No		0	36.08 28.25 11.17 6.08	18000 5450 Lead	No 1 FIXED	IB Feath 3
Mirage	Santa Cruz 27	8027	144	1979	32.7 10.9	125		28.25 8.58	3.68 6.06	Yes	32.15 19.15 15.55	10.81 494	No		0	27 24 8 4.5	3300 1500 Lead	0 1 FIXED	OB None
Orion	Islander 36 ODR	211	144	1974	45 14.48	135	45	39.25 12.75	5.05 8.44	No	0 0		No		0	36.08 28.25 11.17 6.08	13450 5450 Lead	0 1 FIXED	IB None
Petite Sirah	Islander 36 ODR	6799	144	1979	45 14.48	150	45	39.25 12.75	5.05 8.44	Yes	45.25 27 25	15 1003	No		0	36.08 28.25 11.17 6.08	13450 5820 Lead	0 1 FIXED	IB Fold
Stormrider	Aphrodite 101	8010	144	1978	36.833 11.81	124	36.833	39.333 11.48	4.67 7.77	Yes	36 19.66 19.66	11.81 590	No		0	32.75 26.33 7.92 5.42	6160 3527 Lead	0 1 FIXED	IB FOLD 2
Amandla	Catalina 34 1&2	796	147	1988	46 13.5	130		38.5 12		No			No		0	35.75 29.8 11.75 5.6	11950 5000 Lead	0 1 FIXED	IB FOLD 3
Friday Harbor	Beneteau 323 DK	28580	147	2004	42.67 11.06	116		38.9 13.17	5 8.56	No			Yes	19.91 45.4 41.34 17.9	661 0 0	32 29.17 10.67 5.92	8448 2258 Iron	No 1 FIXED	IB FOLD 2

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle		Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Kee		Engine/Prop	Modifications
					I J Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No	SL SPL SSMG SSF	Yes/No	ASF ASA Sprit Lngth Fixed or _o		LWL	Ttl Disp. Ballast Mat.		
Simcha	Beneteau 361 Oceanis	0	147	2002	45.21 13.94	140	38.39 14.44	3.93 7.68	No	No		36.5 31.1 12.6 5	12790 4156 Cast Iron	0 1 FIXED	IB Fixed_3 3	(+3 sec/mi for in-mast mainsail furler)	
Slider	Beneteau 323 DK	41	147 111	2006	42.6666 11.083	116	38.91 13.166	4.19 7.6	No	Yes	18.9 611	32.83 31.08 10.75 5.91	9235 2258 Iron	No 1 FIXED	IB Fold 2		
Windhover	Pearson 10M	47126	147 132	1974	44 14.2	150	38.5 11	3.833 6.666	Yes	No	14.17	33.05 28.33 11 5.93	12441 5445 Lead	No 1 FIXED	IB FOLD 2	above deck roller furling jib	
Banditos	Moore 24	118	150 123	1982	26.25 9.75	150	25 9.5	3.91 6.5	Yes	No	9.75	23.75 21.75 7.16 4.083	2050 1025 Lead	0 1 FIXED	OB None 0		
Brick House	Moore 24	91	150 123	1981	26.25 9.75	150	25 9.5	3.91 6.5	Yes	No	9.75	23.75 21.75 7.14 4.84	2050 1025 Lead	No 1 FIXED	OB None 0		
Claire de Lune	Moore 24	80	150 123	1980	26.25 9.8	150	25 9.5	3.91 6.5	Yes	No	9.75	23.75 21.75 7.16 4.083	2050 1025 Lead	0 1 FIXED	OB None 0		
Fatuity	Moore 24	48	150 123	1980	26.25 9.75	150	25 9.5	3.91 6.5	Yes	No	9.75	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0		

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Kee		Engine/Prop	Modifications
					I J	Max Headsail	ISP JSP	P E	MGU MGM	SL SPL	SSMG SSA	SLU ASA	ASF		Yes/No	Yes/No		
			DW Rating		Mast Material			PY	MSA	SSMG	SSA	SLU	ASA	LWL	Ballast	moveable blst	Prop Type	
					Rig Type			EY		SSF		ASMG	Sprit Length	Max Draft	Ballast Mat.	Keel Type	# of blades	
Imi Loa	Catalina 34 1&2	582	150	1988	44 13.5	120	44 14	38.5 12	4.7 8.05	No		Yes	23.09	34.5	11950	No	IB	
			135		ALUMN MS			0 0	281			45.41 40.72 20.75	761 0	29.83 11.75 5.58	5000 Lead	1 FIXED	FEATH 3	
Kelika	Hunter 33.5	28815	150	1991	39.166 11.666	150	39.116	43.166 13.5	5.2 8.9	Yes		No		33.33	10800	No	IB	
			141		ALUMN FS			0 0	350			39 21.15 21.15	11.75 687	26.83 11 4.5	4500 Iron	1 FIXED	FEATH 2	
Mercedes	Moore 24	55	150	1980	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes		No		23.75	2050	No	OB	
			123		ALUMN FS			0 0	147			27 17.55 17.55	9.75 395	21.75 7.16 4.083	1025 Lead	1 FIXED	None 0	
Mooretician	Moore 24	89	150	1981	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes		No		23.75	2050	No	OB	
			123		ALUMN FS			0 0	147			26.6 17.55 17.55	9.75 389	21.75 7.16 4.08	1025 Lead	1 FIXED	None 0	
Nicole	Orion 35	8210	150	1979	44 14	150	44	39.5 10.5	4.42 7.32	Yes		No		34.58	13000	0	IB	Displacement Obtained by actual weight on scale, Rudder is new design and new build.
			123		ALUMN MS			0 0	260			43.667 25.2 25.2	14.125 917	28.75 10.83 6	4700 Lead	1 FIXED	FOLD 2	
Sunshine	Moore 24	54	150	1980	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes		No		23.75	2050	No	OB	
			123		ALUMN FS			0 0	147			27 17.55 17.55	9.75 395	21.75 7.16 4.08	1025 Lead	1 FIXED	None 0	
Zingara	Islander 36 NCPHRF	484	150	1978	45 14.48	125	45 14.8	39.25 12.75	4.8 8.29	No		No		36.1	13450	No	IB	Roller Furler
					ALUMN MS			0 0	298				0	28.25 11.17 6.08	5820 Lead	1 FIXED	Fold 2	

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Kee		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SPL SSMG SSF	SLU ASA SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast		Traps/H. moveable blst Keel Type			
Cookie Jar	Moore 24	98	153 1981	26.25 9.75	125	26.25 9.75	25 9.5 0 0	3.91 6.5 147	Yes 30.6 17.5 17.5	9.8 446	No <input type="checkbox"/>	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0		
Sirius	Catalina 34 1&2	38730	153 2005	44 13.5	135	44 48	38.5 12 0 0	2.965 5.896 231	No 	No <input type="checkbox"/>	35.67 29.8 11.75 5.58	11950 5000 Lead	0 1 FIXED	IB FEATH 3	In-mast furling main, no battens- +3 sec/mi, +3 sec/mi for MGM < 50% of E; Roller Furler		
Antipodiste	Farr 30 1/2 Ton	18845	156 1978	30.14 9.61	155	30.14	31.95 12.92 0 0	5 8.45 248	Yes 30.05 17.29 17.29	9.61 433	No <input type="checkbox"/>	30.1 25.63 9.9 5.48	4500 1850 Lead	No 1 FIXED	NONE None	Inboard motor removed as well as shaft/strut and prop.	
Coast Starlight Ltd	Morgan 38-2	8238	156 1978	46 16.25	125	46	40.5 14.5 0 0	5.66 9.83 358	Yes 46 28.5 27.5	16.25 1085	No <input type="checkbox"/>	38.33 30.5 12 6	19000 7500 Lead	No 1 FIXED	IB Fixed_2 2		
Ergo	Ericson 35-2 SM	97050	156 1970	40 14	150	40 14	32.67 13 0 0	4.45 7.45 237	Yes 41.1 25.2 25.2	14 863	Yes 42 39 20.03	19.6 673 0 <input checked="" type="checkbox"/>	34.67 25.83 10.04 4.49	11600 5000 Lead	No 1 FIXED	IB FOLD 2	(new rudder noted mgt 6-8-04; NCTR).
Jackal	Ranger 33	67733	156 1978	41.5 13.87	155		35 13.8	3.5 7 245	Yes 41 23.5 23	13.67 800	No <input type="checkbox"/>	33 26.3 9.6 5	10500 4500 Lead	No 1 FIXED	IB Fixed_3 3		
Juanita	Custom Phoenix 38	28272	156 1972	44.33 14.58	147		37.33 12.46 0 0	4.9 8.2 281	Yes 39.4 26.2 26.2	13.66 860	No <input type="checkbox"/>	37.17 31 11.83 5.42	21000 8500 Iron	No 1 FIXED	IB Fixed_3 3		

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Kee		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail		P E PY EY	MGU MGM MSA	Yes/No SL SPL SSMG SSF	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast		Traps/H. moveable blst Keel Type			
Stark Terror	IOD ODR	75	156	29.25 8.33	100	30	38.83 16.25	6.12 10.47	Yes	No		33.42 21.42 6.75 5.333	7100 4100 Lead	No 1 FIXED	OB None 0		
			195	WOOD MS			0 0	374	15 15	8.416 375	<input type="checkbox"/>	0					
The Irish Rogue	Islander 36 NCPHRF	553	156	1979	45 14.48	125	45 12.75	14.48 8.44	No	No	0	36.08 28.25 11.17 6.08	13450 5820 Lead	0 1 FIXED	IB Fixed_3 3		
				ALUMN MS				303	0 0	0 0	<input type="checkbox"/>	0					
American Standard	Olson 25	18517	159	1984	32 9.6	155	32	28 10	3.8 6.4	Yes	No	25 21.25 9 4.5	3300 1300 Lead	0 1 FIXED	OB None		
			156	ALUMN MS				166	17.28 17.28	456	<input type="checkbox"/>	0 0					
Balein	Olson 25	74	159	1985	32 9.583	155	32	28 10	3.8 6.4	Yes	No	25 21.25 9 4.5	3300 1300 Lead	No 1 FIXED	OB None 0		
			156	ALUMN MS				166	17.28 17.28	456	<input type="checkbox"/>	0					
Foxxfyre	Yamaha 33 IK SM	67248	159	1978	42.81 13.78	150	42.81	37.4 10.6	4.38 7.27	Yes	No	33.25 26.92 11 6.25	16000 4410 Iron	No 1 FIXED	IB FEATH 2	PER PHRF MTG 3/16/2000 - Weight Differencer from brochure is significant.	
			162	ALUMN MS				246	24.8 23.7	901	<input type="checkbox"/>	0					
Imagine	Ericson 32-3	716	159	1987	42 13.8	135		36.4 11.8	4.18 7.28	No	No	32.5 25.83 10.83 6	9800 4200 Lead	0 1 FIXED	IB Fixed_2 2		
				ALUMN MS				248			<input type="checkbox"/>	0 0					
Isle Of Skye	Tartan 33 7/8 RIG	6	159	1979	36.42 12.42	100	36.42	41.58 14.42	4.6 8.1	No	No	33.67 28.08 10.92 4.42	10000 4400 Lead	No 1 FIXED	IB FEATH 3		
				ALUMN FS				0 0	328		<input type="checkbox"/>	0					

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Keel		Engine/Prop	Modifications
					I	J	Max Headsail	P	MGU	Yes/No	Yes/No	ASF	Ttl Disp.		Traps/H. Strps	IB or OB		
		DW Rating			Mast Material	ISP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type		
					Rig Type	JSP	PY	MSA	SSMG	SSA	SLE	Sprit Length	Max Beam	Ballast Mat.	Keel Type	# of blades		
							EY		SSF		ASM	Fixed or _o	Max Draft					
Samba	Olson 25	28047	159	1985	32 9.583 155	32	28 10 0 0	3.8 6.4 166	Yes 32 17.25 17.25	9.583 460	No	0	25 21.25 9 4.5	3300 1300 Lead	No 1 FIXED	OB None 0		
Shark-On-Bluegrass	Olson 25	18201	159	1984	32 9.583 155	32	28 10 0 0	3.8 6.4 166	Yes 32 17.25 17	9.583 459	No	0	25 21.25 9 4.5	3300 1300 Lead	No 1 FIXED	OB None 0		
Cloud 9	Cascade 36	89	162	1989	45.1 14.7 130	45.1 14.7	37.75 14.5	3.68 7.27 276	No	44.08 41.42 20.17	24.33 748 0	<input checked="" type="checkbox"/>	38.5 30.5 10 6.6	16500 4600 Iron	0 1 FIXED	IB Fixed_3 3		
Harrier	Custom Still 30	77564	162	1981	33.46 10.33 155	33.46	37.07 13.12 0 0	5.1 8.5 291	Yes 33 18.54 18.5	10.33 510	No	0	30.75 24.5 10.5 6	8580 2530 Lead	No 1 FIXED	IB FEATH 2	VESSEL IS A CRUISING VERSION OF A 1/2 TON IOR DESIGN (FULL INTERIOR, TEAK DECK, EXTENDED TRUNK CABIN, 4 BATTERIES, ETC.), WEIGHT CHANGE NOTED, NO CHANGE TO RATING 12/07/05	
Eyrie	Hawkfarm 28 ODR	6100	165	1976	33 11 125	33.25 11.5	36 10.5 0 0	4.37 7.26 236	Yes 33 20 19.4	11.5 547	No	0	28 23.5 9.75 5.17	5700 2700 Lead	No 1 FIXED	IB FOLD 2	Rudder changes noted NCTR mtg 4/20/04)	
Arabella	ALERION EXPRESS 28 ODR	200	168	2002	30 9.75 90		33 12.5 0 0	4.085 7.6 233	No		No	0	28.2 22.8 8.2 4.5	5700 2200 Lead	No 1 FIXED	IB FOLD 2		
Bewitched	Merit 25	8177	168	1979	28.75 9.66 155	28.75	28 9.75 0 0	4.025 6.69 169	Yes 29 17.39 17.39	9.66 420	No	0	24.5 20.5 8 4	3000 1050 Lead	No 1 FIXED	OB None 0		

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Keel		Engine/Prop	Modifications
					I	J	Max Headsail	ISP	PE	MGU	SL	SPL	Yes/No		ASF	Ttl Disp.		
		DW Rating			Mast Material		JSP	PY	MGM	SSMG	SSA	SLU	ASA	LWL	Ballast	moveable blst	Prop Type	
					Rig Type			EY	MSA	SSF		SLE	Sprit Length	Max Beam	Ballast Mat.	Keel Type	# of blades	
													Fixed or _o	Max Draft				
Chesapeake	Merit 25	18245	168	1984	28.75 9.66	155	28.75	28 9.75	4.25 6.69	Yes	29	9.66	No	24.5 20.5	3000 1050	No 1	OB None	
			177		ALUMN FS			0 0	172	17 16.75	410		<input type="checkbox"/>	8 4	Lead FIXED		0	
Curlew	Bird ODR	2	168	1922	20.25 9.5	155	20.25	31.5 20.25	7 12.5	No	22	9.5	No	30.08 24.25	8900 3620	0 1	OB None	
					WOOD MS			0 0	366	17 16.5	310		<input type="checkbox"/>	7.67 5.25	Lead FIXED		0	
Dream	ALERION EXPRESS 28 ODR	222	168	2003	30 9.75	90		33 12.5	4.58 7.9	No			No	28.25 22.83	5700 2200	No 1	IB FOLD	
					ALUMN FS			0 0	242				<input type="checkbox"/>	8.17 4.5	Lead FIXED		2	
Flight	J 24 ODR	1036	168	1979	26.25 9.5	150	26.25	28 9.75	3.7 6.37	Yes	26.5	9.5	No	24 20	3100 965	No 1	OB None	
			180		ALUMN FS			0 0	163	17 16.8	375		<input type="checkbox"/>	8.92 4	Lead FIXED		0	
Nanaimo	Nonsuch 30 Ultra	0	168	368		0		45 24	9.12 15.6	No			No	30.5 29.8	11500 4500	0 1	IB Feath	1' added to LWL due to swimstep (mtg 4/22/10, -6 sec/mi for LWL modification)
			135		ALUMN CAT				643				<input type="checkbox"/>	11.8 5	Lead FIXED		3	
Sans Souci	Beneteau Oceanis 321	28591	168	2000	42 12.33	140		35.25 13.58	2.97 6.19	No			No	32.58 29.42	9700 3274	No 2	IB Fold	Roller Furling Main
					ALUMN MS				229				<input type="checkbox"/>	11.25 4.25	Lead FIXED		3	
Warhawk	Hawkfarm 28	57846	168	1975	33 11	155	33 11	36 10.416	4.37 7.25	Yes	33	11	No	28 23.5	5700 2700	No 1	IB FOLD	SPINNAKER & POLS HAVE BEEN REDUCED TO "J", SMALLER THAN CLASS
			156		FS			0 0	235		19.8 19.8	545	<input type="checkbox"/>	9.75 5.5	Lead FIXED		2	

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
					I	J	Max Headsail	ISP	PE	MGU	SL	SPL	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	
		DW Rating			Mast Material		PY	MSA	SSMG	SSA	SLU	ASA	LWL	Ballast	moveable blst	Prop Type			
					Rig Type		EY		SSF		SLE	Sprit Length	Max Beam	Ballast Mat.	Keel Type	# of blades			
Now and Zen	Newport 30-2	6883	174	1978	39.5 12.125	150	34 10.25	3.25 5.7	Yes		No		30 25 10.5 4.75	8000 2600 Lead	No 1 FIXED	IB Fold 2			
			156		ALUMN MS		0 0	190				0							
Pocket Rocket	Custom Mull 22	8422	174	1981	27 8	150	27 10	27 7.03	Yes	25	No	8	22 20.041 9.5 5	2194 1000 Lead	0 1 FIXED	OB None 3	RACING DECK, STANDARD INTERIOR/ NO WEIGHT DEFFERENCE FROM STANDARD BOAT (ROCKET 22)(Mtg 10/18/07 - Using Merit 25 Spinnaker & Pole - 15 sec/mi penalty, change custom rigging to 150V244/08 went back to		
			168		ALUMN FS		0 0	182		14 13.3		0							
Siento El Viento	C&C 29	38311	174	1977	39.5 12.8	155	33.5 10.1		Yes	39	No	12.8	29.5 23.6 10.5 5.25	7500 2700 Lead	No 1 FIXED	IB Fold 2			
			180		ALUMN MS					22 22		0							
Tortuga	Pyramid 660 ODR MOD	8375	174	1981	21.82 6.8	104	25.7 10.5	4 6.8	Yes	20.9	No	8	21.8 18.1 6.2 3.9	850 400 Lead	2 1 FIXED	OB None 2	(Mtg 5/20/10, removed trapeze +18 sec/mi, hiking straps still allowed)		
			108		ALUMN FS			161		12 11.5		0 0							
Emerald	Yankee 30-2	37894	177	1971	40.5 12.75	125	34.92 11	4.18 7.15	Yes	40	No	12.7	30 23 9 5	8700 4170 Lead	No 1 FIXED	IB FOLD 2			
			168		ALUMN MS		0 0	229		22 20.5		0							
Gypsy Lady	CAL 34-1	7507	177	1969	39 13.75	125	33.5 14	4.75 8.25	Yes	39.29	No	13.75	33.3 26 10 5	10000 3750 Lead	No 1 FIXED	IB FOLD 2			
			138		ALUMN MS		0 0	264		24.75 24.75		0							
Top Cat	Nonsuch 30	308	177	1985			45 24	7.9 14.3	No		No		30.33 28.75 11.1 5	11500 4500 Lead	0 1 FIXED	IB Fixed_2 2			
			156		ALUMN CAT			605				0 0							

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
				I J	Max Headsail	ISP JSP	P E	MGU MGM	SL SPL	Yes/No	Yes/No	ASF	LOA LWL	Ttl Disp.	Traps/H.	Strps	IB or OB Prop Type # of blades	
			DW Rating	Mast Material	Rig Type	PY EY	MSA	SSMG SSF	SSA	SLU SLE ASMG	ASA Sprit Lngth Fixed or _o	Max Beam Max Draft	Ballast Ballast Mat.	moveable blst Keel Type				
Galaxsea	Custom Nauticat 43.5	28743	180 1985	51 20	104	20.6	45 13.6	4.3 7.9	No	Yes	29.2 1119	43.6 37.7	34000 11000	No 1	IB FEATH	Stay sail measurements foot=1', Luff=34'6", Leach=30'2", LP=132"		
			120	ALUMN KTCH			32.4 8.5	338		50 25.6	4.9 <input checked="" type="checkbox"/>	12.2 5.9	Lead	FIXED	3			
Impulse	Catalina 30	38279	180 1976	41 11.416	155	41	35 11.5	4.63 7.72	Yes	No		29.92 25	10200 4200	No 1	IB FOLD			
			180	ALUMN MS			0 0	246		20 20	667 <input type="checkbox"/>	10.83 5.25	Lead	FIXED	2			
Meritime	C&C 30	276	180 1976	39 13.5	120		34 11.5	3.8 7	No	No		30 24.75	7900 3650	0 1	IB Fixed_2			
				ALUMN MS				222			<input type="checkbox"/>	10 5	Lead	FIXED	2			
Serena	Cal 29-1 IB	6624	180 1970	37 12.333	155	37 12.166	31.666 12.166	4.332 7.573	Yes	No		29 24.17	8000 3350	No 1	IB FOLD	Mast shortened 10", cut off at the base. Noted-NCTR-5/13/03 - Base I is 37.		
			174	ALUMN MS			0 0	223		22.19 22.19	684 <input checked="" type="checkbox"/>	9.25 4.5	Lead	FIXED	2			
Spindrifter	Tartan 30	77658	180 1971	39 13	155	39 13	34 11.416	3.833 6.833	No	No		29.92 24.25	8750 3700	0 1	IB FEATH			
				ALUMN MS			0 0	219		23.2 23	733 <input type="checkbox"/>	10 4.92	Lead	FIXED	2			
Wuvulu	Islander Bahama 30	61	180 1979	40 12.75	150	38.416	33.75 11.5	4.75 8.125	Yes	No		30 24.58	8600 3500	No 1	IB FOLD			
			159	ALUMN MS			0 0	243		22.44 22.75	722 <input type="checkbox"/>	10 5	Lead	FIXED	2			
Kiwa	Ericson 32-2	285	183 1973	36 18	155	36	31.5 13	4.9 8.4	No	No		32 24	9400 4400	0 1	IB Fixed_2			
				ALUMN MS				243			<input type="checkbox"/>	9.67 4.91	Lead	FIXED	2			

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Kee		Engine/Prop	Modifications
					I	J	Max Headsail	P	MGU	Yes/No	Yes/No	ASF	Ttl Disp.		Traps/H. Strps	IB or OB		
		DW Rating			Mast Material	ISP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type		
					Rig Type	JSP	PY	MSA	SSMG	SSA	SLE	Sprit Length	Max Beam	Ballast Mat.	Keel Type	# of blades		
							EY		SSF		ASM	Fixed or _o	Max Draft					
Stargazer	Catalina 310	255	183	2003	42.9 11.9	110	11.9	37.3 13	3.3 6.6	No	Yes	21.11	31	10300	0	IB	In-Mast Furling Main- + 3 sec/mi, MGM < 50% of E- +3 sec/mi	
			171		ALUMN						43.8	635	26.6	4000	1	Fixed_3		
					MS						38.1	0	11.6	Lead	FIXED	3		
Synergizer	Ericson 28-2	28091	183	1988	36 12	150	12 13.416	35.5 11	4.5 7.481	Yes	No		28	7500	No	IB		
			174		ALUMN							0	23.33	3200	1	FOLD		
					FS			0	241			<input type="checkbox"/>	10	Lead	FIXED	2		
Egret	Tartan 30	445	186	1977	39 13	125	39	34.583 11.5	4.61 7.7	Yes	No		29.92	8750	No	IB		
			174		ALUMN							0	24.25	3700	1	Fixed_2		
					MS			0	243			<input type="checkbox"/>	10	Lead	FIXED	2		
Hatikvah	CAL 29-1 IB	6609	186	1974	37 12.33	150	37	31.67 12.25		Yes	No		29.34	8000	0	IB		
			177		ALUMN							0	24	3350	1	Fixed_3		
					MS			22.19	685			<input type="checkbox"/>	9.3	Lead	FIXED	3		
Rosalita	CAL 29-1 IB	373	186	1972	38 12	125	37.8 12.7	32 12	4.332 7.537	No	No		29	8000	0	IB	Roller Furler	
					ALUMN							0	24.2	3350	1	Fixed_2		
					MS				224			<input type="checkbox"/>	9.25	Lead	FIXED	2		
Sea Witch	Yankee 30-1 SM	8855	186	1971	37.5 12.75	125	37.5	32.5 9.83	2.45 4.91	Yes	No		30	8700	No	IB	mtg 2/10/04 - short "E" = +3 sec/mi.	
			195		ALUMN							0	23	4180	1	FOLD		
					MS			0	161			<input type="checkbox"/>	9	Lead	FIXED	2		
Sirena	Ericson 32-2	18319	186	1972	35 13	110	35	31 13	4.9 8.4	Yes	No		31	8800	0	IB		
			171		ALUMN							0	24	4000	1	Fixed_2		
					MS				239			<input type="checkbox"/>	9.8	Lead	FIXED	2		

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Kee		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst Keel Type		
Summertime Dream	Custom Schumacher 26	18859	186 1979	26.28 8.07	150	26.28 8.07	29.58 10.76	4.33 7.23	Yes 25.67	8	No 14.52	26.08 20 9.08	3300 1360 Lead	0 1 FIXED	OB None 0	Boat has previously been called "War"	
Sweet Pea	Islander 30-2	195	186 1971	38.5 12.6	155	38.5	32.5 12.5	4.75 8.13	Yes 38.6	12.6	No 22.5	30 24.58 10 5	8600 3500 Lead	0 1 FIXED	IB FOLD 2		
Bon Chance	Hunter 30-1	28938	189 1989	36.83 9.75	105		40.58 12.5	4.81 8	No		No 0 0	30.06 25.83 11 4.25	9500 3800 Cast Iron	0 1 FIXED	IB Fixed_3 3		
Catch 22	Custom Zenrich 20	22	189 1979	25.5 8	155	25.5	25.5 8.67	3.67 5.08	Yes 25.5	8	No 14.3	20 18 7.79 4	1800 400 Lead	0 1 FIXED	OB None	(Mtg 1/26/12, Custom rating of 189 assigned)	
Razzmatazz	Santana 525	8248	189 1979	26.5 8.75	150	26.75	29 10	4.1 6.5	Yes 26.5	8.75	No 15.75	24.58 18.5 9.33 4.25	2400 950 Lead	0 1 FIXED	OB None		
Southernaire	Catalina 309 WK	129	189 2007	42.75 12	155	44.5 12.5	38.75 13.75	3.44 6.88	No		Yes 44.05 40 23	32.75 26.5 11.5 4.33	10200 4400 Lead	0 1 FIXED	IB Fixed_3 3	(mtg 5/20/10, -3 sec/mi for in-mast furling mainsail, -3 sec/mi for MGM < 50% of E)	
Sunda	Custom Seaborn 35	17024	195 1941	39 12.42	125	39	36.67 16	6 10.27	Yes 38.25	11.8	No 0	35 25 8.5 5.5	13900 5100 Lead	No 1 FIXED	IB Fixed_2 2	NEW SAIL PLAN 1/99	

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SPL SSMG SSF	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast		Traps/H. moveable blst Keel Type			
Huttetu	Knarr ODR	100	198 1960	33.583 6.583 WOOD FS	125	33.583	31 11.166 0 0	4.47 7.46 211	No	No	0	30.333 20.333 7 4.25	4630 2866 Cast Iron	No 1 FIXED	OB None 0		
Sagitta	Islander 28 SM	6332	198 1976	34.75 11.75 ALUMN MS	150	34.75	29 10.75 0 0	3.16 5.333 161	Yes 36.65 21 21	Yes 11.75 641	19 477 0 <input checked="" type="checkbox"/>	27.92 23.08 9.87 5	7000 3000 Lead	No 1 FIXED	IB FOLD 2	-3 SEC/MI FOR INCREASED "E" (mtg 3/15/07: -3 sec/m for dual spinnakers, ok to square pole to 90 deg)	
Beverlee	Pacific Seacraft 31	126	201 2006	38.7 14.6 ALUMN CTR	100		32.5 12.58	4.89 8.2 245	No	No	0 0	31.83 24.17 9.83 4.92	11000 4400 Lead	0 1 FIXED	IB Fixed_3 3		
Mull's Magic	Ranger 26-1 SM	28152	201 1972	31 11.33 ALUMN MS	110	31	25.5 10 0 0	4.05 6.75 157	Yes 31.41 20.4 20.5	No 10.5 534	0 <input type="checkbox"/>	26.25 21.75 8.67 4.33	5800 2050 Iron	No 1 FIXED	OB None 0		
Star Ranger	Ranger 26-1 SM	5843	201 1970	31 11.333 ALUMN MS	110	31	25.5 10 0 0	4.05 6.75 157	Yes 31 20.5 21	No 11 532	0 <input type="checkbox"/>	26.25 21.75 8.67 4.33	5800 2050 Iron	No 1 FIXED	OB None 0		
Horizon	Islander 28 SM	6375	204 1975	34.333 11.75 ALUMN MS	146	34.333	29.917 8.417 0 0	3.042 5.25 147	Yes 33.5 20.75 20.75	No 11.67 579	0 <input type="checkbox"/>	27.92 23.08 9.87 5	7000 3000 Lead	No 1 FIXED	IB FOLD 2		
Zora	CAL 27-2 IB	0	204 1976	36 12 ALUMN MS	133	36	30.83 10.25	4.21 7 195	Yes 36 21.6 21.6	No 12 648	0 0 <input type="checkbox"/>	26.58 22.08 9.33 4.25	6700 3100 Lead	0 1 FIXED	IB Feath		

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst Keel Type		
Miss Kate	Catalina 27 IB	4630	210 1980	34.5 11.25	125	34.5 11.25	28.66 10.5	3.99 6.83	No	Yes	20.35 515	26.85 21.75 8.85 4	6850 2700 Lead	0 1 FIXED	IB Fixed_2		
			222	ALUMN MS				180			0 <input checked="" type="checkbox"/>						
Patience	Ranger 23 TM	37987	210 1974	30 9.7	155	30	25.75 9.17	3.83 6.35	Yes	Yes	17.38 417	23 20 7.917 3.75	3400 1500 Lead	No 1 FIXED	OB None 0		
			201	ALUMN MS			0 0	147	17.46 17.46	9.7 436	0 <input checked="" type="checkbox"/>						
Windrose	C&C 25 OB	283	216 1973	31.5 11.6	150	31.5	26.5 9.4	2.4 4.6	Yes	No		25.1 20.6 8.8 3.8	4100 1888 Lead	0 1 FIXED	OB None 0		
			189	ALUMN MS				125			0 <input type="checkbox"/>						
Imagine	Merit 22 CB	224	219 1984	28 8.25	155	28	23 9.6	3.9 6.5	Yes	No		22 18 8 4.2	2000 600 Lead	0 1 CNTRBRC	OB None	Repairs and reinforced keel trunk and hull at trunk/hull junction. Repairs lowered keel ~2 inches and increased draft ~2 inches from "stock" Merit 22 (Mtg 8/19/10, NCTR for Keel modifications/repairs)	
			186	ALUMN MS				136	14.85 14.5	8.25 345	0 <input type="checkbox"/>						
Cape Farewell	Westsail 32	38408	225 1975	42.25 20	110		38.25 14.25	4.06 8.12	No	No		32 27.5 11 5	19500 7000 Lead	0 1 FIXED	IB Fixed_3 3		
			225	ALUMN CTR			0 0	293			0 <input type="checkbox"/>						
Blue Mist	Pearson 33 Vanguard	335	228 1965	37.5 12.25	150		32.5 14.75	4.42 8	Yes	No		32.5 22.35 9.25 4.5	12600 4250 Lead	0 1 FIXED	IB Fixed_3		
			207	ALUMN MS				256	36.33 21.33 22	12.25 650	0 <input type="checkbox"/>						
Risque'	Coronado 25	14678	228 1969	31.333 8.916	155	31.333	27.75 11.916	4.48 6.64	Yes	No		25 20 8 3.666	5060 2150 Lead	0 1 FIXED	OB None 0	(Adjustable Backstay - forward lowers; Internal Halyards; Main has full length top batton and long battens for rest. Modifications noted no change to rating mtg 8-13-02)	
			231	ALUMN MS			0 0	187	30.68 15.96 15.58	8.85 406	0 <input type="checkbox"/>						

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Kee		Engine/Prop IB or OB Prop Type # of blades	Modifications	
				I J	Max Headsail		P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst Keel Type			
Rascal II	Pearson 28 Triton FR	150	231 1960	30.3 10	155	30.3	32 14.2	4.72 8.04	Yes 30 18 18	10 450	No	<input type="checkbox"/>	0 0	28.6 21.6 8.33 4	8000 3000 Lead	0 1 FIXED	OB Fixed_2 2	
Auggie	Santana 22	476	234 1969	26 8.5	150	26	21.75 9.833	3.95 6.59	Yes 26 15.44 15.44	8.583 335	No	<input type="checkbox"/>	0	22 18.666 7.833 3.5	2600 1230 Cast Iron	No 1 FIXED	OB None 0	
Darwind	Pearson 28 Triton FR	107	237 1961	30.3 9.8	130	30.3 9.8	33 13	5 8.4	Yes 28.3 18 18	10 425	No	<input type="checkbox"/>	0 0	28.5 20.5 8.25 4.5	8000 3019 Lead	0 1 FIXED	OB Fixed_3 0	(Mtg 5/26/11, OSP, -3 sec/mi)(Mtg 8/25/11, +6 sec/mi for offshore modifications)
Zingaro	Santana 22	5050	237 1971	26 8.5	125	26	21.75 9.83	3.95 6.59	No 26 15.44 15.44	8.58 335	No	<input type="checkbox"/>	0 0	22 18.67 7.833 3.5	2600 1260 Iron	0 1 FIXED	OB None 0	
Blueberry	Nonsuch 22	48	246 1987				34 19.25	7.3 12.5	No		No	<input type="checkbox"/>	0 0	22 20.5 8.5 3.66	4600 1800 Lead	0 1 FIXED	OB None 2	Mark Ellis designed, Mars Metal built 450 lb split bulb torpedo bolted and faired into bottom 4 inches of keel so as not to increase draft, but to add stability in case of knock down. Original lead was 1800 lb. Total lead now 2250 lbs.
Simple	Nonsuch 22	261	246 1986				33.5 18	6.84 11.7	No		No	<input type="checkbox"/>	0	22 20.5 8.5 3.7	5000 1800 Lead	0 1 FIXED	OB None 0	
Dragonfly	Rhodes 19 OSP	702	258 1967	19.5 6.5	100	19.5 6.5	24 9.7	3.9 6.5	Yes 20 15.8 15.8	6.75 263	No	<input type="checkbox"/>	0 0	19.24 17.9 7 3.3	1325 415 Lead	0 1 FIXED	OB None	

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Kee		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail		P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps moveable blst Keel Type		
Mephisto Cat	Pearson 26 Commander	155	261 1964	31.5 9.5	100		26 11.5	3.3 5.75	No		No		25.7 18.5 8 3.7	5200 2800 Lead	0 1 FIXED	OB None 3	
Nemesis	Pearson 26 Commander	151	261 1964	31.5 9.5	100		26 11.5	3.3 5.75	No		No		25.7 18.5 8 3.7	5200 2500 Lead	0 1 FIXED	OB None	
SLOWMO!	Catalina 22-1 OB SK	2482	270 1973	25.93 8	150		21 9.66	3.47 5.96	No		No		21.6 19.4 7.8 5	2250 550 Iron	0 1 MVBL	OB None 3	
Coyote	Cal 20	61	273 1962	22 7.53	105	22 11.53	23 9.5	3.5 6 128	Yes	22 13.2 13.2	No 26 23 16.2	15.5 328 4 0	20 18 7 3.33	2130 900 Iron	0 1 FIXED	OB None	(mtg 5/20/10, -9 sec/mi for sprit)(1/24/12, dropped asymmetrical, using symmetrical only. +9 sec/mi)