

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Kee		Engine/Prop	Modifications
					I J Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No	SL SPL SSMG SSF	Yes/No	ASF ASA Sprit Lngth Fixed or _o	LWL		Ttl Disp. Ballast Mat.	Traps/H. Strps moveable blst Keel Type		
Isle Of Skye	Tartan 33 7/8 RIG	6	159	1979	36.42 12.42	100	36.42	41.58 14.42	4.6 8.1	No	No		33.67 28.08 10.92 4.42	10000 4400 Lead	No 1 FIXED	IB FEATH 3		
Lilith	Custom Wyliecat 39	7	102 81	1992				50.75 26.5 0 0	10.45 17.5 811	No	No		38.83 32 11.83 6.67	12000 6200 Lead	No 1 FIXED	IB FOLD 2	HULL DESIGN IS VERY SIMILAR TO WYLIECAT 30.NO JIB, NO SPINNAKER, NO SPANKER,NO REACHER, NO VANG,NO TWECKER,NO STAYS ETC., AS SAILED RATING 102 PER MTG 5/15/02	
Arowana	Custom Diva 39	8	87 75	1987	41.73 12.8	125	41.73 12.8	46.75 14.75 0 0	5.72 9.6 413	Yes	No		38.75 30.83 9.83 5.75	9920 4575 Lead	No 1 FIXED	IB FOLD 2	Back Stay Crane	
Westerly	Custom Perry 39	11	135 90	1979	55 15.75	125	55 15.75	48.83 14.5 0 0	4.83 8.66 399	Yes	No		38.71 32.83 11.83 6	21300 8400 Lead	No 1 FIXED	IB Feath 3	DESIGNED AS A 50/50 MOTORSAILER, HAS BEEN RE-RIGED AS A 70/30 NOWK HAS 1500 FT WRKING SAIL (OFF WIND) CAN CARY MIZZEN SS AT 250. STOCK HULL #1 W/ORIG RIG	
Crinan II	Wyliecat 30 IB	15	132 138	2002				39.75 20.5 0 0	7.79 13.32 485	No	No		30.5 25 9.5 5.25	5500 3050 Lead	No 1 FIXED	IB FOLD 2		
Akula	J 105 ODR w/ 5'BS	16	78 72	1992	40.6 13.5	100	42.1 19.07	41.5 14.6 0 0	5.5 9.4 359	No	Yes	25 854 5 0	34.5 29.5 11 6.5	7750 3400 Lead	No 1 FIXED	IB FOLD 2		
MAD MEN	J 111	17	36 15	2011	48.37 13.84	105	54.41 20.08	45.17 14.5	5.18 10.1 396	No	Yes	31.79 1404 8 0	36.5 32.7 10.8 7.2	9300 3500 LeadSteel	0 1 FIXED	IB Fold 2		

Boat Name	Boat Model (Type)	Sail #	Rating Built DW Rating	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SPL SSMG SSF	SLU ASA SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast		Traps/H. moveable blst Keel Type			
E T	Antrim 27 CM ODR	19	75 1999 63	28.69 8.17	116	37.25 15	33.75 14 0 0	7.5 10.9 327	No	Yes	25.1 709 6.83 13	27.83 23.75 9.25 6	3450 1050 Lead	No 1 FIXED	OB None 0	(Mtg 1/26/12, weighed displacement updated, NCTR)	
Catch 22	Custom Zenrich 20	22	189 1979 201	25.5 8	155	25.5	25.5 8.67	3.67 5.08 131	Yes	No	8 0 0	20 18 7.79 4	1800 400 Lead	0 1 FIXED	OB None	(Mtg 1/26/12, Custom rating of 189 assigned)	
Nina	Olson 29	27	99 1987 66	34 11	155	36	32.5 11.5 0 0	4.5 7.27 222	Yes	No	11.25 574 0	29.67 27.5 9.33 5.58	3700 1950 Lead	0 1 FIXED	OB None 0		
RAM	J 130 CM SD	29	24 1995 6	57 16.5	120	58.5 23.5	52.5 18.5 0 0	7 12 578	No	Yes	37.9 1993 7 37.9	42.58 38.17 12.67 7	18000 6750 Lead	No 1 FIXED	IB FOLD 2		
Tiki J	J 42 SD	33	81 1999 75	50.5 14.7	150	52 14.6	46.5 18	5.64 10.27 458	Yes	No	24.1 949 14.6 23.1	42 35.1 12.2 5.5	21275 7000 Lead	0 1 FIXED	IB FEATH 3		
Dare Dare	Jeanneau Sun Fast 3200	39	75 2008 75	41.92 12.58	112	45.94 13.61	38.67 13.92	5.28 9.06 321	Yes	Yes	24.48 681 1 0	33.1 28 11.5 6.2	7496 2866 Lead	0 1 FIXED	IB Fold 2		
Rum Tum Tugger	Beneteau First 10R ODR MOD	39	84 2007 87	43.2 12.07	105	46.41 16.5	42.25 14.73	5.59 9.57 371	No	Yes	25.5 1075 4.43 0	32.75 28.7 11 6.55	9715 3528 Lead	0 1 FIXED	IB FOLD 2	(mtg 9/23/10, +3 sec/mi for non-class smaller kite)	

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Kee		Engine/Prop	Modifications
			Built	DW Rating	I	J	Max Headsail	ISP	JSP	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	
										SL	SPL	SLU	ASA	LWL	Ballast	moveable blst			
										SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type			
										SSF		ASMG	Fixed or _o	Max Draft					
Split Water	Beneteau First 10R ODR MOD	40	84	2007	43.2	105	46.41	42.25	5.59	No	Yes	25.5		32.75	9715	0	IB	(Mtg 5/20/10, +3 sec/mi for non-class smaller kite)(Mtg 9/23/10, rudder modifications noted, NCTR)	
			87		12.07		16.5	14.73	9.57		52.9	1078		28.7	3528	1	FOLD		
					CARBON						45.8	4.43		11	Lead	FIXED	2		
					FS						26.4	<input checked="" type="checkbox"/>	0	6.55					
Dora	Catalina Morgan 381 MOD	41	132	1994	50.5	150	50.5	42.17	5.8	No	Yes	28		38.42	19000	0	IB	Roller Furler	
			105		14.67		14.67	15.67	10.1		48	971		32.82	6800	1	Feath		
					ALUMN						46	0		12.33	Lead	FIXED			
					MS						24	<input checked="" type="checkbox"/>	0	7					
Slider	Beneteau 323 DK	41	147	2006	42.6666	116		38.91	4.19	No	Yes	18.9		32.83	9235	No	IB		
			111		11.083			13.166	7.6		41.8	611		31.08	2258	1	Fold		
					ALUMN						37.1	0		10.75	Iron	FIXED	2		
					MS						18.5	<input checked="" type="checkbox"/>	0	5.91					
The Other Woman	Hunter 41	41	126	2007	51.6	110		50.8	6	No	No			40.4	19400	0	IB	+ 3 sec/mi for in-mast furling mainsail	
					13			19.6	10.11					35.6	6506	1	Fixed_2		
					ALUMN							0		13.3	Lead	FIXED	2		
					FS							<input type="checkbox"/>	0	6.6					
Furrari	Wylie Wabbit ODR W/Trap	47	126	1983	20.5	150	20.5	23.75	4.03	Yes	No			23.75	975	1	OB	INCLUDES HIKING STRAPS AND SINGLE TRAPEZE.	
			87		6.5			10	6.72		22	8.5		20	440	3	None		
					ALUMN			0	145		13.9	254		5.583	Lead	FIXED	0		
					FS			0			13.7		<input type="checkbox"/>	3.5					
Joyride	J 109 ODR	47	72	2003	46.5	105	49	43.25	5.89	No	Yes	27.75		35.25	10900	No	IB		
			66		13.3		18.8	15.5	10.07		56.33	1160		30.5	3900	1	FOLD		
					ALUMN			0	399		45.63	5.5		11.5	Lead	FIXED	2		
					FS			0			27.2	<input checked="" type="checkbox"/>	0	7					
B Mer	B 25 ODR	48	135	1995	28	155	28	28	4.37	Yes	No			25	2000	No	OB		
			108		8.5		9.5	11	7.31		28	9.5		21.25	800	1	None		
					ALUMN			0	187					8.33	Lead	CNTRBD	0		
					FS			0					<input type="checkbox"/>	5					

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Keel		Engine/Prop	Modifications
					I	J	Max Headsail	ISP	PE	MGU	SL	SPL	Yes/No		ASF	Ttl Disp.		
		DW Rating			Mast Material		PY	MSA	SSMG	SSA	SLU	ASA	LWL	Ballast	moveable blst	Prop Type		
					Rig Type		EY		SSF		SLE	Sprit Length	Max Beam	Ballast Mat.	Keel Type	# of blades		
Blueberry	Nonsuch 22	48	246	1987			34	7.3		No	No		22	4600	0	OB	Mark Ellis designed, Mars Metal built 450 lb split bulb torpedo bolted and faired into bottom 4 inches of keel so as not to increase draft, but to add stability in case of knock down. Original lead was 1800 lb. Total lead now 2250 lbs.	
					ALUMN		19.25	12.5				0	20.5	1800	1	None		
					CAT			389				0	8.5	Lead	FIXED	2		
												0	3.66					
Fatuity	Moore 24	48	150	1980	26.25	150	26.25	25	3.91	Yes	No		23.75	2050	No	OB		
					9.75			9.5	6.5				21.75	1025	1	None		
			123		ALUMN		0	147	17.55	395		0	7.16	Lead	FIXED	0		
					FS		0		17.55				4.083					
Frequent Flyer	Mumm/Farr 30	52	54	1996	38.2	104	44.9	40.5	6.42	Yes	Yes	25.25	30.9	4561	0	IB		
					10.9		13.58	14.6	10.4			882	27.6	1997	1	Fold		
			24		CARBON				377		46.92	0	10.1	Lead	FIXED			
					FS						41.33	0	6.9					
											23.67	<input checked="" type="checkbox"/>						
Sandpiper	LaFitte 44	52	120	1985	56	135	56	51.25	4.6	Yes	No		44.33	28000	0	IB		
					19.5		19.5	16.35	8.6				35.5	11000	1	Feath		
			75		ALUMN				437			0	12.8	Lead	FIXED			
					CTR							0	6.33					
Sunshine	Moore 24	54	150	1980	26.25	150	26.25	25	3.91	Yes	No		23.75	2050	No	OB		
					9.75			9.5	6.5				21.75	1025	1	None		
			123		ALUMN		0	147	17.55	395		0	7.16	Lead	FIXED	0		
					FS		0		17.55				4.08					
Mercedes	Moore 24	55	150	1980	26.25	150	26.25	25	3.91	Yes	No		23.75	2050	No	OB		
					9.75			9.5	6.5				21.75	1025	1	None		
			123		ALUMN		0	147	17.55	395		0	7.16	Lead	FIXED	0		
					FS		0		17.55				4.083					
Easom Riggin/Eight Ball	Mumm/Farr 30	57	54	1996	38.3	104	44.9	40.52	6.42	Yes	Yes	24.6	30.9	4500	0	IB		
					10.89		13.5	14.56	10.4			921	27.5	2060	1	Fold		
			24		CARBON				376		46.33	0	10.16	Lead	FIXED	2		
					FS						42.05	0	6.89					
											25.1	<input type="checkbox"/>	90					

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SPL SSMG SSF	SLU ASA SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast		Traps/H. moveable blst Keel Type			
Henry Hannah	CAL 40	59	114	1967	46 15.17	150	46	40 17.5	6.5 10.7	Yes	No	39.33 30.33 11 5.58	15500 6000 Lead	0 1 FIXED	IB FEATH 2		
			102		ALUMN MS			406			<input type="checkbox"/>	0 0					
Coyote	Cal 20	61	273	1962	22 7.53	105	22 11.53	23 9.5	3.5 6	Yes	No	20 18 7 3.33	2130 900 Iron	0 1 FIXED	OB None	(mtg 5/20/10, -9 sec/mi for sprit)(1/24/12, dropped asymmetrical, using symmetrical only. +9 sec/mi)	
			249		ALUMN FS			128				<input checked="" type="checkbox"/>	0				
Wuvulu	Islander Bahama 30	61	180	1979	40 12.75	150	38.416	33.75 11.5	4.75 8.125	Yes	No	30 24.58 10 5	8600 3500 Lead	No 1 FIXED	IB FOLD 2		
			159		ALUMN MS			0 0	243			<input type="checkbox"/>	0				
Azure	CAL 40	72	114	1966	46 15.17	150	46	40 17.5	4.4 8.8	Yes	No	39.5 30.5 11 5.5	15500 6000 Lead	No 1 FIXED	IB FEATH 2		
			102		ALUMN MS			0 0	353			<input type="checkbox"/>	0				
Balein	Olson 25	74	159	1985	32 9.583	155	32	28 10	3.8 6.4	Yes	No	25 21.25 9 4.5	3300 1300 Lead	No 1 FIXED	OB None 0		
			156		ALUMN MS			0 0	166			<input type="checkbox"/>	0				
Stark Terror	IOD ODR	75	156		29.25 8.33	100	30	38.83 16.25	6.12 10.47	Yes	No	33.42 21.42 6.75 5.333	7100 4100 Lead	No 1 FIXED	OB None 0		
			195		WOOD MS			0 0	374			<input type="checkbox"/>	0				
Wayward Whale	Ericson 38	75	120	1982	50 16.25	105		43.25 14	5.46 9.16	No	No	37.8 30.6 12 6.6	14900 6300 Lead	0 1 FIXED	IB Fixed_2 2		
					ALUMN MS				364			<input type="checkbox"/>	0 0				

Boat Name	Boat Model (Type)	Sail #	Rating DW Rating	Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
					I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SPL SSMG SSF	SLU ASA SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast		Traps/H. moveable blst Keel Type			
Claire de Lune	Moore 24	80	150 123	1980	26.25 9.8	150	26.25	25 9.5	3.91 6.5	Yes 27 17.55 17.55	9.75 395	No	0 0	23.75 21.75 7.16 4.083	2050 1025 Lead	0 1 FIXED	OB None 0	
Cloud 9	Cascade 36	89	162 132	1989	45.1 14.7	130	45.1 14.7	37.75 14.5	3.68 7.27	No	9.75 395	Yes 44.08 41.42 20.17	24.33 748 0 <input checked="" type="checkbox"/>	38.5 30.5 10 6.6	16500 4600 Iron	0 1 FIXED	IB Fixed_3 3	
Mooretician	Moore 24	89	150 123	1981	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes 26.6 17.55 17.55	9.75 389	No	0 0	23.75 21.75 7.16 4.08	2050 1025 Lead	No 1 FIXED	OB None 0	
Brick House	Moore 24	91	150 123	1981	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes 26.6 17.55 17.55	9.75 389	No	0 0	23.75 21.75 7.14 4.84	2050 1025 Lead	No 1 FIXED	OB None 0	
Relentless	J 92	93	105 78	1997	37 11.5	155	38.5 17.5	38 13.5	5.2 8.7	No	306	Yes 45.2 40.6 25.4	26.4 915 5.5 0 <input checked="" type="checkbox"/>	30 26.5 10 5.9	5500 2275 Lead	0 1 FIXED	IB Fold 2	
California Condor	Class 40	94	3 -51	2010	58.6 15.65	104	58.6 23.85	53.21 18.81	12.93 15.55	No	758	Yes 67.72 59.55 37.2	44.88 2054 6 0 <input checked="" type="checkbox"/>	40 39.17 14.7 9.84	12142 4710 Lead	0 4 fixd&water	IB Fold 2	(mtg 4/22/10, custom rating of -9 assigned)(Mtg 1/27/11, water ballast disabled. Change custom rating from -9 to 0[zero], DW Rating changes from -60 to -45)(Mtg 5/26/11, enabling water ballast. Custom rating reverts back to 0/
Cookie Jar	Moore 24	98	153 117	1981	26.25 9.75	125	26.25 9.75	25 9.5	3.91 6.5	Yes 30.6 17.5 17.5	9.8 446	No	0 0	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0	

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Keel		Engine/Prop	Modifications	
					I J Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No	SL SPL SSMG SSF	Yes/No	ASF ASA Sprit Lngth Fixed or _o	Max Beam		LWL	Ttl Disp. Ballast Mat.			Traps/H. Strps moveable blst Keel Type
Red Cloud	Farr 36 Mod	99	84 72	1976	38.3 12.16 ALUMN FS	108	46.3 12.16	41 16.75 0 0	6.4 10.9 410	Yes	45.4 21.8 21.8	12.16 825	No	0	36 32 11.92 6.16	10430 3950 Lead	No 1 FIXED	IB Fold 2	(550# ADDED TO KEEL 300# TO FILL MIDDLE WINDOW+250# TO BOTTOM)(Mtg 1/26/12, -3 sec/mi for new mainsail)
Huttetu	Knarr ODR	100	198	1960	33.583 6.583 WOOD FS	125	33.583	31 11.166 0 0	4.47 7.46 211	No			No	0	30.333 20.333 7 4.25	4630 2866 Cast Iron	No 1 FIXED	OB None 0	
Truth	Open 50	101	-123 -147	2003	73.4 23.88 CARBON MS	131	75.13 35.17	73.16 24.7	14.17 18.56 1253	No			Yes	48.56 3233 9.84 0	50 50 15.09 13.5	13972 5972 LeadWater	0 4 MVBL	IB FOLD 2	6612 lb in water ballast (Mtg 4/24/08 custom rating assigned of -114)(Mtg 5/22/08, taller rig & deeper keel added, change custom rating from -114 to -144)(Mtg 1/26/12, change custom rating from -144 to -123 after review of rating appeal)
Darwind	Pearson 28 Triton FR	107	237 249	1961	30.3 9.8 ALUMN FS	130	30.3 9.8	33 13	5 8.4 256	Yes	28.3 18 18	10 425	No	0 0	28.5 20.5 8.25 4.5	8000 3019 Lead	0 1 FIXED	OB Fixed_3 0	(Mtg 5/26/11, OSP, -3 sec/mi)(Mtg 8/25/11, +6 sec/mi for offshore modifications)
Buzz Off	Henderson 30	111	48 3	1997	37.9 11 CARBON FS	125	42.3 18.8	38.3 14.3	5.45 9.25 326	No			Yes	32 1044 7.71 15	30.83 27.75 9.8 7	3850 1750 Lead	0 1 FIXED	OB None 0	
Witchy Woman	Express 27 ODR	116	129 96	1986	28.5 9 ALUMN FS	150	28.5	28.5 10.416 0 0	4.22 7.03 182	Yes	29 17.75 17.75	9.833 429	No	0	27.25 23.75 8.166 4.5	2450 1100 Lead	No 1 FIXED	OB None 0	
Banditos	Moore 24	118	150 123	1982	26.25 9.75 ALUMN FS	150	26.25	25 9.5	3.91 6.5 147	Yes	26.6 17.55 17.55	9.75 389	No	0 0	23.75 21.75 7.16 4.083	2050 1025 Lead	0 1 FIXED	OB None 0	

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst Keel Type		
Beverlee	Pacific Seacraft 31	126	201 2006	38.7 14.6	100	58.23 17	32.5 12.58	4.89 8.2	No	No	0 0	31.83 24.17 9.83 4.92	11000 4400 Lead	0 1 FIXED	IB Fixed_3 3		
Agave Azul	Catalina 470	127	93 2011 36	58.23 17	110	58.23 17	50.5 20	6.5 11.5	No	Yes	29.07 1285 0 0	47.9 42 14 7.8	27270 9020 Lead	0 1 FIXED	IB Fold		
Southernaire	Catalina 309 WK	129	189 2007 147	42.75 12	155	44.5 12.5	38.75 13.75	3.44 6.88	No	Yes	22.5 802 0 0	32.75 26.5 11.5 4.33	10200 4400 Lead	0 1 FIXED	IB Fixed_3 3	(mtg 5/20/10, -3 sec/mi for in-mast furling mainsail, -3 sec/mi for MGM < 50% of E)	
Carmelita	Catalina 42-1/2	131	105 1990 90	53 16.42	125	53	46.75 15.5 0 0	4.98 8.85 399	Yes	Yes	27.75 1131 0 0	41.83 36 13.83 6.66	22000 8300 Lead	No 1 FIXED	IB FEATH 3		
Flying Baby	J 100 ODR	138	81 2007 87	38.48 11.48	100	42.98 11.48	38 13.48	5.11 8.76	No	Yes	21.65 723 0 0	32.8 29 9.3 5.8	6500 2500 Lead	0 1 FIXED	IB FOLD 2		
Rascal II	Pearson 28 Triton FR	150	231 1960 234	30.3 10	155	30.3	32 14.2	4.72 8.04	Yes	No	0 0 0	28.6 21.6 8.33 4	8000 3000 Lead	0 1 FIXED	OB Fixed_2 2		
Nemesis	Pearson 26 Commander	151	261 1964	31.5 9.5	100		26 11.5	3.3 5.75	No	No	0 0	25.7 18.5 8 3.7	5200 2500 Lead	0 1 FIXED	OB None		

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle		Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Keel		Engine/Prop	Modifications
					I J Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No	SL SPL SSMG SSF	Yes/No	ASF ASA Sprit Length Fixed or _o		Max Beam	Ttl Disp. Ballast Mat.		
Mephisto Cat	Pearson 26 Commander	155	261	1964	31.5 9.5	100	26 11.5	3.3 5.75	No	No			25.7 18.5 8 3.7	5200 2800 Lead	0 1 FIXED	OB None 3	
Sir Leansalot	Hunter 40	161	105 93	1986	53.9 17	125	48 13.9 0 0	5.2 9 396	Yes	No			39.7 32.5 13.5 6.5	17400 6000 Iron	0 1 FIXED	IB Fold 2	
Akyla	Hobie 33 ODR MOD	163	78 33	1985	33.6 12.4	150	35.3 12.5	4.75 8 262	No	Yes			33 30.5 8 5.5	4260 1800 Lead	0 1 FIXED	OB None	(mtg 8/19/10, -3 sec/mi for sprit, -12 sec/mi for 20% oversized asymmetrical spinnaker)
Breakaway	Ultimate 20 CM	180	144 108	2002	26.08 6.97	114	27.33 10.17	5.5 7.96 193	No	Yes			20.83 18 8.33 5	1350 450 Lead	No 1 FIXED	OB Fixed_3 3	
Boracic	Open 5.7 ODR	186	138 105	2006	21.52 7.3	117	25.33 10.24	5.34 7.12 171	No	Yes			18.7 18.7 8.3 5.7	1020 396 Lead	0 1 FIXED	OB None 2	
Krissy	Ericson 35-3	195	132 105	1984	46 15.83	125	39 12 0 0	3.79 5.8 243	Yes	Yes			35.5 28.83 11.33 6.17	13000 5200 Lead	Yes 3 FIXED	IB Fixed_2 2	
Sweet Pea	Islander 30-2	195	186 162	1971	38.5 12.6	155	32.5 12.5 0 0	4.75 8.13 242	Yes	No			30 24.58 10 5	8600 3500 Lead	0 1 FIXED	IB FOLD 2	

Boat Name	Boat Model (Type)	Sail #	Rating Built DW Rating	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst Keel Type		
Arabella	ALERION EXPRESS 28 ODR	200	168 2002	30 9.75	90		33 12.5 0 0	4.085 7.6 233	No	No		28.2 22.8 8.2 4.5	5700 2200 Lead	No 1 FIXED	IB FOLD 2		
Orion	Islander 36 ODR	211	144 1974	45 14.48	135	45	39.25 12.75 0 0	5.05 8.44 303	No	No		36.08 28.25 11.17 6.08	13450 5450 Lead	0 1 FIXED	IB None		
Dream	ALERION EXPRESS 28 ODR	222	168 2003	30 9.75	90		33 12.5 0 0	4.58 7.9 242	No	No		28.25 22.83 8.17 4.5	5700 2200 Lead	No 1 FIXED	IB FOLD 2		
Imagine	Merit 22 CB	224	219 1984 186	28 8.25	155	28	23 9.6 14.85 14.5	3.9 6.5 136	Yes	No		22 18 8 4.2	2000 600 Lead	0 1 CNTRBRC	OB None	Repairs and reinforced keel trunk and hull at trunk/hull junction. Repairs lowered keel ~2 inches and increased draft ~2 inches from "stock" Merit 22 (Mtg 8/19/10, NCTR for Keel modifications/repairs)	
Skiff Sailing Association	11 Metre ODR	246	69 1996 42	32.53 10.166	95	41	36.08 13.583 0 0	5.23 8.82 293	Yes	No		33.67 26.92 8.67 5.42	3600 1600 Lead	No 1 FIXED	OB None 0	MTG 4/9/98. Sail number 90, using sail # 246 for Vallejo 2008	
Seaya	Catalina 380	252	120 2000	50.916 14.667	135		44.833 15.667 405	5.2 10	No	No		38.42 32.42 12.33 7.17	19000 6800 Lead	No 1 FIXED	IB FEATH 3		
Stargazer	Catalina 310	255	183 2003 171	42.9 11.9	110	11.9	37.3 13 246	3.3 6.6	No	Yes	21.11 635 0 0	31 26.6 11.6 6.3	10300 4000 Lead	0 1 FIXED	IB Fixed_3 3	In-Mast Furling Main- + 3 sec/mi, MGM < 50% of E- +3 sec/mi	

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Kee		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst Keel Type		
Simple	Nonsuch 22	261	246 1986				33.5 18	6.84 11.7	No	No		22 20.5 8.5 3.7	5000 1800 Lead	0 1 FIXED	OB None 0		
Meritime	C&C 30	276	180 1976	39 13.5	120		34 11.5	3.8 7	No	No		30 24.75 10 5	7900 3650 Lead	0 1 FIXED	IB Fixed_2 2		
Windrose	C&C 25 OB	283	216 1973	31.5 11.6	150	31.5	26.5 9.4	2.4 4.6	Yes 32.1 17.8 14.5	11.6	No	25.1 20.6 8.8 3.8	4100 1888 Lead	0 1 FIXED	OB None 0		
Kiwa	Ericson 32-2	285	183 1973	36 18	155	36	31.5 13	4.9 8.4	No	No		32 24 9.67 4.91	9400 4400 Lead	0 1 FIXED	IB Fixed_2 2		
Top Cat	Nonsuch 30	308	177 1985				45 24	7.9 14.3	No	No		30.33 28.75 11.1 5	11500 4500 Lead	0 1 FIXED	IB Fixed_2 2		
Blue Mist	Pearson 33 Vanguard	335	228 1965	37.5 12.25	150		32.5 14.75	4.42 8	Yes 36.33 21.33 22	12.25	No	32.5 22.35 9.25 4.5	12600 4250 Lead	0 1 FIXED	IB Fixed_3		
Nirvana	J 105 ODR w/ 5'BS	342	78 2000	40.6 13.5	100	42.1 19.07	41.5 14.5	5.5 9.4	No	Yes 48.9 38.7 23	25 854 5	34.5 29.5 11 6.5	7750 3400 Lead	No 1 FIXED	IB FOLD 2		

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Kee		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst Keel Type		
Kabunza	Pearson 36-2	362	132 1986	47.1 15.4	110	33.25 15.666	41 14.5	3.65 7.3	No	No	0 0	36.5 29.5 12.3 6.5	15000 5800 Lead	0 1 FIXED	IB Fixed_2 2		
Pain Killer	J 80 ODR MOD	369	114 2001	30 9.415	139	33.25 15.666	30 12.416	4.7 8.1	No	Yes	25.16 698 6.25	26.3 22 8.3 4.9	2900 1400 Lead	0 1 FIXED	OB Fixed_2 2		
Rosalita	CAL 29-1 IB	373	186 1972	38 12	125	37.8 12.7	32 12	4.332 7.537	No	No	0 0	29 24.2 9.25 4.75	8000 3350 Lead	0 1 FIXED	IB Fixed_2 2	Roller Furler	
Racer X	J 105 ODR w/ 5'BS	375	78 1996	40.6 13.5	100	42.1 19.07	41.5 14.5	5.5 9.4	No	Yes	25 854 5	34.5 29.5 11 6.5	7750 3400 Lead	No 1 FIXED	IB FOLD 2		
Moonshine	J 105 ODR w/ 5'BS	405	78 2001	40.6 13.5	100	42.1 18.5	41.5 14.5	5.5 9.4	No	Yes	26.2 859 5	34.5 29.5 11 6.5	7750 3400 Lead	No 1 FIXED	IB FOLD 2		
Luna Sea	Islander 36 ODR	420	144 1980	45 14.48	135	45	39.25 12.75	5.05 8.44	Yes	No	0	36.08 28.25 11.17 6.08	18000 5450 Lead	No 1 FIXED	IB Feath 3		
Kapai	Islander 36 ODR	438	144 1977	45 14.48	135	45	39.25 12.75	5.05 8.44	No	No	0	36.08 28.25 11.17 6	13450 5500 Lead	0 1 FIXED	IB FOLD 2		

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Kee		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail		P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASM	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst Keel Type		
Egret	Tartan 30	445	186 1977	39 13	125	39	34.583 4.61 11.5 7.7	4.61 7.7	Yes	41 13	No	0	29.92 24.25 10 4.92	8750 3700 Lead	No 1 FIXED	IB Fixed_2 2	
Auggie	Santana 22	476	234 1969	26 8.5	150	26	21.75 3.95 9.833 6.59	3.95 6.59	Yes	26 8.583	No	0	22 18.666 7.833 3.5	2600 1230 Cast Iron	No 1 FIXED	OB None 0	
Zingara	Islander 36 NCPHRF	484	150 1978	45 14.48	125	45 14.8	39.25 4.8 12.75 8.29	4.8 8.29	No		No	0	36.1 28.25 11.17 6.08	13450 5820 Lead	No 1 FIXED	IB Fold 2	Roller Furler
Sea Room	J 105 ODR w/ 5'BS	520	78 66	40.6 13.5	100	42.1 19.07	42 5.5 15 9.4	5.5 9.4	No		Yes	27.5 966 5.5 0	34.5 29.5 11 6.5	7750 3400 Lead	0 1 FIXED	IB FOLD 2	Needs YC membership to race in YRA races
Daisy Cutter	Mini Transat 6.5 Type Zero	530	102 69	31.7 8.75	135	31.8 16.55	30.5 7.83 10.8 9.5	7.83 9.5 260	No		Yes	30.1 772 7.8 35	21.3 21.3 9.8 5.25	2350 950 Lead	0 1 FIXED	OB None 3	Production Aluminum mast, boom & sprit replaced with Carbon Fiber (mtg 1/21/10, custom rating of 102 assigned)
The Irish Rogue	Islander 36 NCPHRF	553	156 1979	45 14.48	125	45 14.48	39.25 5.05 12.75 8.44	5.05 8.44	No		No	0	36.08 28.25 11.17 6.08	13450 5820 Lead	0 1 FIXED	IB Fixed_3 3	
Imi Loa	Catalina 34 1&2	582	150 1988	44 13.5	120	44 14	38.5 4.7 12 8.05	4.7 8.05	No		Yes	23.09 761 0	34.5 29.83 11.75 5.58	11950 5000 Lead	No 1 FIXED	IB FEATH 3	

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Kee		Engine/Prop	Modifications
					I J Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No	SL SPL SSMG SSF	Yes/No	ASF ASA Sprit Lngth Fixed or _o	Max Beam		LWL	Ttl Disp. Ballast Mat.		
Alcyone	BENETEAU OCEANIS 350	990	144	1990	41.47 12.8	130	41.47 12.8	35.7 11.4	3.1 6.2	No	Yes	23.5 605	33.8 29.1	10582 3968	0 1	IB Feath		
			135		ALUMN MS				214		36 18	0 <input checked="" type="checkbox"/>	11.3 4.17	Iron	FIXED	3		
Outsider	Azzura 310	1000	57	1996	35.35 11.55	110	43.33 21.57	38.75 13.25	6.68 10.5	No	Yes	30.1 1163	30.75 27.4	4850 2100	No 1	OB Fixed_3	6 FT ARTIC, RETRAC BOWSPRIT. MTG 3/28/96 (RATED 66) (CHNG NOTED 4/18/96-NO CHNGE RTNG. (2/13/96 FM 66 TO 60.)(MTG 11/13/97 FM 60 TO 57)MTG 2/12/98 FM 57 TO 63 (MTC 4/0/99) Inboard SailDrive	
			21		CARBON FS			0 0	352		39.7 32.7	6 <input type="checkbox"/>	10 7.2	Lead	FIXED	3		
Flight	J 24 ODR	1036	168	1979	26.25 9.5	150	26.25	28 9.75	3.7 6.37	Yes	No		24 20	3100 965	No 1	OB None		
			180		ALUMN FS			0 0	163		17 16.8	0 <input type="checkbox"/>	8.92 4	Lead	FIXED	0		
Jet Lag	Catalina 34 1&2	1130	138	1991	44 13.67	155	44 15.67	38.5 13.75	5.1 8.8	Yes	Yes	23 718	34.6 29.1	11950 5000	0 1	IB FOLD	Added 2' bowsprit for asymmetrical sail. Will use spin ple on asym sail to pull back tack approx 40 degrees (Mtg 4/28/09, -3 sec/mi ability to fly A-sail on squared back pole, -3 sec/mi for sprit)(Mtg 8/27/09, -3 sec/mi for increased mainsail area)	
			129		ALUMN MS				312		24 23.5	2 <input type="checkbox"/>	11.9 5.6	Lead	FIXED	2		
Interlude	Catalina 36 TM	1664	144	1998	46.75 14.33	135	46.75	41 13	4.8 8.25	No	Yes	24 791	36.333 30.25	14100 6042	No 1	IB Fixed_3		
			138		ALUMN MS			0 0	313		40.2 22	0 <input checked="" type="checkbox"/>	11.916 5.833	Lead	FIXED	3		
SLOWMO!	Catalina 22-1 OB SK	2482	270	1973	25.93 8	150		21 9.66	3.47 5.96	No	No		21.6 19.4	2250 550	0 1	OB None		
					ALUMN MS				118			0 <input type="checkbox"/>	7.8 5	Iron	MVBL	3		
Arcadia	Custom Nash 28.5	3113	135	1969	33 10	120	34 11	32.5 13	4.92 8.41	No	Yes	24.606 756	28.5 25.5	4327 1200	No 1	IB FOLD	(Weighed Displacement as of 4/4/2009)	
			75		ALUMN FS			0 0	251		34.908 24.606	4 <input type="checkbox"/>	9 6.5	Lead	FIXED	2		

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Kee		Engine/Prop	Modifications
					I	J	Max Headsail	ISP	ISJ	P	MGU	Yes/No	Yes/No		ASF	Ttl Disp.		
		DW Rating			Mast Material		EY	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type		
					Rig Type			MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades		
									SSF		ASMG	Fixed or _o	Max Draft					
Recidivist	Custom Schumacher 39	3510	21	1996	48.34 14.03	100	56.78	50.91 7	18.49 12.02	Yes	No		39.81 33.7	12853 5500	No 1	IB FOLD	ALUMINUM MAST REPLACED W/CARBON. MTG 4/9/98-CHANGED FROM 24 TO 27 PER MTG 8/24/2000 (Mtg 5/22/08, -9 sec/mi for oversized luffs, +3 sec/mi for smaller headsail)(mtg 6/19/08, added Sweet Peak Spreader	
			15		CARBON FS			0 560	27.76 27.76			0 <input type="checkbox"/>	12.12 8.24	Lead	FIXED	2		
Timmy	Elliott 6.5	3574	117	1996	23.11 8.2	100	22.63 13.5	25.48 5.31	12.36 8.66	Yes	Yes	17	21.05 19.6	1550 495	0 1	OB None	(Mtg 1/27/11, custom rating of 111 assigned, includes 100% headsail)(Mtg 1/26/12, rating appealed, custom rating changed from 111 to 117)	
			108		ALUMN FS				198		24 16 15	8.8 316	29.94 27.9 17.54	420 5 0	<input checked="" type="checkbox"/>	0	0	
Encore	Sydney 36 CR	3632	54	2006	45.6 14	104		44.36 6.1	16.4 10.6	No	Yes	30	36.06 31.04	11244 4850	No 1	IB FOLD	Autralian IRC Rating 1.052	
			48		ALUMN FS				431		56.4 50.8 28.8	1297 3	11.32 7.55	Lead	FIXED	2		
Miss Kate	Catalina 27 IB	4630	210	1980	34.5 11.25	125	34.5 11.25	28.66 3.99	10.5 6.83	No	Yes	20.35	26.85 21.75	6850 2700	0 1	IB Fixed_2		
			222		ALUMN MS				180		34.35 31.85 18.25	515 0 0	8.85 4	Lead	FIXED			
Zingaro	Santana 22	5050	237	1971	26 8.5	125	26	21.75 3.95	9.83 6.59	No	No		22 18.67	2600 1260	0 1	OB None		
					ALUMN MS				131		15.44 15.44	8.58 335	7.833 3.5	Iron	FIXED	0		
Shaman	CAL 40	5166	114	1966	46 15.17	155	46	40 6.07	17.5 10.7	Yes	No		39.5 30.3	15500 6000	No 1	IB FEATH		
			102		ALUMN MS			0 400	0		27.1 1027	0	11 5.5	Lead	FIXED	2		
Star Ranger	Ranger 26-1 SM	5843	201	1970	31 11.333	110	31	25.5 4.05	10 6.75	Yes	No		26.25 21.75	5800 2050	No 1	OB None		
			201		ALUMN MS			0 157	0		20.5 532	0	8.67 4.33	Iron	FIXED	0		

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Kee		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SPL SSMG SSF	SLU ASA SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast		Traps/H. moveable blst Keel Type			
Eyrie	Hawkfarm 28 ODR	6100	1976	33 11	125	33.25 11.5	36 10.5 0 0	4.37 7.26 236	Yes 33 20 19.4	11.5 547	No <input type="checkbox"/>	28 23.5 9.75 5.17	5700 2700 Lead	No 1 FIXED	IB FOLD 2	Rudder changes noted NCTR mtg 4/20/04)	
Sagitta	Islander 28 SM	6332	1976	34.75 11.75	150	34.75	29 10.75 0 0	3.16 5.333 161	Yes 36.65 21 21	11.75 641	Yes 36 33 16	19 477 0 <input checked="" type="checkbox"/>	27.92 23.08 9.87 5	7000 3000 Lead	No 1 FIXED	IB FOLD 2	-3 SEC/MI FOR INCREASED "E" (mtg 3/15/07: -3 sec/m for dual spinnakers, ok to square pole to 90 deg)
Horizon	Islander 28 SM	6375	1975	34.333 11.75	146	34.333	29.917 8.417 0 0	3.042 5.25 147	Yes 33.5 20.75 20.75	11.67 579	No <input type="checkbox"/>	27.92 23.08 9.87 5	7000 3000 Lead	No 1 FIXED	IB FOLD 2		
Hatikvah	CAL 29-1 IB	6609	1974	37 12.33	150	37	31.67 12.25		Yes 37.05 22.19 22.19	12.33 685	No <input type="checkbox"/>	29.34 24 9.3 4.5	8000 3350 Lead	0 1 FIXED	IB Fixed_3 3		
Serena	Cal 29-1 IB	6624	1970	37 12.333	155	37 12.166	31.666 12.166 0 0	4.332 7.573 223	Yes 37 22.19 22.19	12.166 684	No <input checked="" type="checkbox"/>	29 24.17 9.25 4.5	8000 3350 Lead	No 1 FIXED	IB FOLD 2	Mast shortened 10", cut off at the base. Noted-NCTR-5/13/i03 - Base I is 37.	
Petite Sirah	Islander 36 ODR	6799	1979	45 14.48	150	45	39.25 12.75	5.05 8.44	Yes 45.25 27 25	15 1003	No <input type="checkbox"/>	36.08 28.25 11.17 6.08	13450 5820 Lead	0 1 FIXED	IB Fold		
Now and Zen	Newport 30-2	6883	1978	39.5 12.125	150		34 10.25 0 0	3.25 5.7 190	Yes		No <input type="checkbox"/>	30 25 10.5 4.75	8000 2600 Lead	No 1 FIXED	IB Fold 2		

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Kee		Engine/Prop	Modifications
					I	J	Max Headsail	ISP	PE	MGU	SL	SPL	Yes/No		Yes/No	ASF		
		DW Rating			Mast Material		JSP	PY	MGM	SSMG	SSA	SLU	ASA	LWL	Ballast	moveable blst	Prop Type	
					Rig Type			EY	MSA	SSF		SLE	Sprit Length	Max Beam	Ballast Mat.	Keel Type	# of blades	
													Fixed or _o	Max Draft				
Gypsy Lady	CAL 34-1	7507	177	1969	39 13.75	125	39 13.75	33.5 14	4.75 8.25	Yes		No		33.3 26	10000 3750	No 1	IB FOLD	
			138		ALUMN MS			0 0	264	24.75 24.75	810		0 <input type="checkbox"/>	10 5	Lead	FIXED	2	
Stormrider	Aphrodite 101	8010	144	1978	36.833 11.81	124	36.833	39.333 11.48	4.67 7.77	Yes		No		32.75 26.33	6160 3527	0 1	IB FOLD	
			129		ALUMN FS			0 0	278	19.66 19.66	590		0 <input type="checkbox"/>	7.92 5.42	Lead	FIXED	2	
Mirage	Santa Cruz 27	8027	144	1979	32.7 10.9	125		28.25 8.58	3.68 6.06	Yes		No		27 24	3300 1500	0 1	OB None	
			102		ALUMN MS				153		494		0 0 <input type="checkbox"/>	8 4.5	Lead	FIXED		
Abba-Zaba	Tartan 10	8112	126	1979	35 12	155	35	40.25 13.75	5.34 8.86	Yes		No		33.1 27	6700 3340	0 1	IB FOLD	Roller Furler
			108		ALUMN FS			0 0	331		630		0 <input type="checkbox"/>	9.25 5.83	Lead	FIXED	2	
Basic Instinct	Custom Elliott 10.50	8123	69	1993	41 12.5	125	45.6	44.2 17.5	8.5 12	Yes		No	26.5	34.42 31.83	10220 3000	No 1	IB FOLD	(mtg 3/19/09, changed to smaller headsail, +3 sec/mi, & larger mainsail, -6 sec/mi, change rating from 66 to 63)(Mtg 10/21/09, new smaller headsail, still with large headboard. Change mainsail
			48		ALUMN FS			0 0	497		1198		0 <input type="checkbox"/>	12.08 7	Lead	FIXED	2	results from 6 sec/mi to 3 sec/mi
Ad Lib	Aphrodite 101	8161	144	1979	36.83 11.81	100	32.23	39.33 11.48	4.5 6.1	Yes		No		32.75 26.33	6160 3527	No 1	IB FOLD	
			129		ALUMN FS			0 0	253		622		0 <input type="checkbox"/>	7.92 5.42	Lead	FIXED	2	
Bewitched	Merit 25	8177	168	1979	28.75 9.66	155	28.75	28 9.75	4.025 6.69	Yes		No		24.5 20.5	3000 1050	No 1	OB None	
			177		ALUMN FS			0 0	169		420		0 <input type="checkbox"/>	8 4	Lead	FIXED	0	

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Kee		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail		P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst Keel Type		
Nicole	Orion 35	8210	150 1979	44	150	44	39.5	4.42	Yes		No		34.58	13000	0	IB	Displacement Obtained by actual weight on scale, Rudder is new design and new build.
				14			10.5	7.32	43.667	14.125			28.75	4700	1	FOLD	
			123	ALUMN MS			0	260	25.2	917		<input type="checkbox"/>	10.83	Lead	FIXED	2	
Coast Starlight Ltd	Morgan 38-2	8238	156 1978	46	125	46	40.5	5.66	Yes		No		38.33	19000	No	IB	
				16.25			14.5	9.83	46	16.25			30.5	7500	1	Fixed_2	
			117	ALUMN MS			0	358	28.5	1085		<input type="checkbox"/>	12	Lead	FIXED	2	
Razzmatazz	Santana 525	8248	189 1978	26.5	150	26.75	29	4.1	Yes		No		24.58	2400	0	OB	
				8.75			10	6.5	26.5	8.75			18.5	950	1	None	
			177	ALUMN FS				176	15.75	345		<input type="checkbox"/>	9.33	Lead	FIXED		
Tortuga	Pyramid 660 ODR MOD	8375	174 1981	21.82	104	22.96	25.7	4	Yes		No		21.8	850	2	OB	(Mtg 5/20/10, removed trapeze +18 sec/mi, hiking straps still allowed)
				6.8			10.5	6.8	20.9	8			18.1	400	1	None	
			108	ALUMN FS				161	12	207		<input type="checkbox"/>	6.2	Lead	FIXED	2	
Pocket Rocket	Custom Mull 22	8422	174 1981	27	150	27	29	4.22	Yes		No		22	2194	0	OB	RACING DECK, STANDARD INTERIOR/ NO WEIGHT DEFFERENCE FROM STANDARD BOAT (ROCKET 22)(Mtg 10/18/07 - Using Merit 25 Spinnaker & Pole - 15 sec/mi penalty, change custom rig to 150V2/14/08 went back to
				8		8	10	7.03	25	8			20.041	1000	1	None	
			168	ALUMN FS			0	182	14	289		<input type="checkbox"/>	9.5	Lead	FIXED	3	
Mr McGregor	Wylie Wabbit ODR W/Trap	8426	126 1982	20.5	150	20.5	23.75	4.03	Yes		No		23.75	975	1	OB	INCLUDES HIKING STRAPS AND SINGLE TRAPEZE.
				6.5			10	6.72	22	8.5			20	440	3	None	
			87	ALUMN FS			0	145	13.9	254		<input type="checkbox"/>	5.58	Lead	FIXED	0	
Mirage	Express 27 ODR	8477	129 1981	28.5	155	28.5	28.5	4.22	Yes		No		27.25	2450	No	OB	
				9			10.416	7.03	28.8	9.833			23.75	1100	1	None	
			96	ALUMN FS			0	182	17.5	422		<input type="checkbox"/>	8.17	Lead	FIXED	0	

Boat Name	Boat Model (Type)	Sail #	Rating Built DW Rating	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SPL SSMG SSF	SLU ASA SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast		Traps/H. moveable blst Keel Type			
Mirage	Custom Black Soo 30	8500	141 1968 90	30 10	155	34	30 12 0 0	4.4 7.6 211	Yes 33.67 18 17.5	10 502	No <input type="checkbox"/>	31.1 28 6.2 6.6	4600 1900 Iron	No 1 FIXED	OB None 0	Moved location of keel and sail area. Weight did not change. Changed to custom boat rating of 138(1/18.96)MTG 1/9/97 -6 SEC/MI. for masthead spinnaker)(mtg 1/17/02 changed from 138 to 144)(head changed to 150 - 2	
Green Buffalo	CAL 40	8538	114 1967 102	46.7 15.2	155	46.7	39.8 17.6 0 0	6.65 11.37 416	Yes 46.01 27.3 27.3	15.2 1047	No <input type="checkbox"/>	39.2 30 10.9 5.8	17500 6000 Lead	0 1 FIXED	IB FEATH 3	Schumacher designed rudder - same as original	
Encore	Custom Wylie Gemini 30	8592	126 1976 96	33.33 11.75	125	33.5	39 14 0 0	5.3 9.1 325	Yes 34.1 23.4 23.4	13 665	No <input type="checkbox"/>	30.95 26.5 9.25 6.25	6000 3000 Lead	No 1 FIXED	IB FOLD 2	MAST IS APPROX 3' SHORTER THAN STOCK GEMINI; Change rating from 135 to 126 PHRF Mtg 3/16/06;	
Moonshadow	Custom Wylie 31	8675	138 1973 111	41.5 12.75	150	40.25	37 12.42 0 0	4.66 8 273	Yes 40 23.2 21.5	12.75 762	No <input type="checkbox"/>	30.8 26.42 10.8 5.42	7200 3500 Lead	0 1 FIXED	IB FOLD 0	(mtg 9/23/10, -3 sec/mi for increased I & P, due to new mast. Change custom rating from 141 to 138)	
Sea Witch	Yankee 30-1 SM	8855	186 1971 195	37.5 12.75	125	37.5	32.5 9.83 0 0	2.45 4.91 161	Yes 35 19.5 22.25	12.75 585	No <input type="checkbox"/>	30 23 9 5	8700 4180 Lead	No 1 FIXED	IB FOLD 2	mtg 2/10/04 - short "E" = +3 sec/mi.	
Ione	J 30	8994	141 1981 141	34.19 11.041	140		38 13 0 0	4.83 8.21 290	Yes 34.5 20 21	11.04 581	No <input type="checkbox"/>	29.83 25 11.2 5.25	6500 2100 Lead	0 1 FIXED	IB FOLD 2		
Jet Stream	Custom JS 9000	9045	63 2003 30	27.08 9.5	82	30.25 15.5	31 8.73	5.6 7 199	No		Yes 35.8 30.1 20.1	21.8 561 3 0	29.9 27.9 5.7 6.8	2425 1543 Lead	0 1 FIXED	OB None 0	(Mtg 1/22/09, custom rating of 78 assigned)(Mtg 8/19/10, -9 sec/mi for adding 3' sprit, -3 sec/mi for increased spinnaker area, Original rating of 78 contained a 3 sec error, rating should have been 75, change custom rating to 63)

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SPL SSMG SSF	SLU ASA SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast		Traps/H. moveable blst Keel Type			
Risque'	Coronado 25	14678	228 1969	31.333 8.916	155	31.333	27.75 11.916	4.48 6.64	Yes 30.68	8.85	No	25 20 8 3.666	5060 2150 Lead	0 1 FIXED	OB None 0	(Adjustable Backstay - forward lowers; Internal Halyards; Main has full length top batton and long battens for rest. Modifications noted no change to rating mtg 8-13-02)	
			231	ALUMN MS			0 0	187	15.96 15.58	406	<input type="checkbox"/>						
Sunda	Custom Seaborn 35	17024	195 1941	39 12.42	125	39	36.67 16	6 10.27	Yes 38.25	11.8	No	35 25 8.5 5.5	13900 5100 Lead	No 1 FIXED	IB Fixed_2 2	NEW SAIL PLAN 1/99	
			180	ALUMN MS			0 0	347			<input type="checkbox"/>						
Harp	Catalina 38	18003	117 1983	50.7 15.43	155	50.9 15.43	44 11.5	4.8 7.97	Yes 49.2	15.42	No	38.17 30.25 11.83 6.79	19489 6850 Lead	No 1 FIXED	IB FOLD 2	DEC 93 - 7X19 STND RIG/ W/ROD RIG & SHRTN UPR SPREADERS 2 IN. NO CHNG RTNG (MTG 1/27/94)	
			108	ALUMN MS			0 0	316	27.3 27.5	1121	<input type="checkbox"/>						
Escapade	Express 37	18051	72 1985	48.75 14.33	155	48.75	42 13.75	5.28 8.83	Yes 48	14.33	No	37.08 30.83 11.57 7.25	11000 4500 Lead	No 1 FIXED	IB FOLD 2		
			72	ALUMN MS			0 0	344	25.58 25.42	1022	<input type="checkbox"/>						
Gig	Humboldt 30 IB	18112	108 1983	37.5 11.5	149	37.5	41.5 13.75	4.84 12.67	Yes 37	11.5	No	30 26.66 10.5 5.75	5400 2222 Lead	No 1 FIXED	IB FOLD 2		
			84	ALUMN FS			0 0	387	20.7 20.2	635	<input type="checkbox"/>						
Shark-On-Bluegrass	Olson 25	18201	159 1984	32 9.583	155	32	28 10	3.8 6.4	Yes 32	9.583	No	25 21.25 9 4.5	3300 1300 Lead	No 1 FIXED	OB None 0		
			156	ALUMN MS			0 0	166	17.25 17	459	<input type="checkbox"/>						
Weatherly	Olson 30 OB	18225	99 1982	36 11.75	155	35.9 11.67	31.5 10.75	4.364 7.268	Yes 35.8	11.75	No	30 27.5 9.33 5.08	3600 1800 Lead	0 1 FIXED	OB None 0		
			69	ALUMN MS			0 0	208	21.1 20.5	626	<input type="checkbox"/>						

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst Keel Type		
Firebolt	Laser 28	18228	144 1984	31.1 9.65	125	31.73	33.14 12.96 0 0	4 8.125 243	Yes 31.5 20.25 20	9.65 530	No <input type="checkbox"/>	28.41 23.62 9.48 4.98	3950 1500 Lead	0 1 FIXED	IB FOLD 2		
Chesapeake	Merit 25	18245	168 1984	28.75 9.66	155	28.75	28 9.75 0 0	4.25 6.69 172	Yes 29 17 16.75	9.66 410	No <input type="checkbox"/>	24.5 20.5 8 4	3000 1050 Lead	No 1 FIXED	OB None 0		
Verve	Express 27 ODR	18283	129 1981	28.5 9	155	28.5	28.5 10.416 0 0	4.22 7.03 182	Yes 29 17.5 17.9	9.833 425	No <input type="checkbox"/>	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0		
Sirena	Ericson 32-2	18319	186 1972	35 13	110	35	31 13	4.9 8.4 239	Yes 37 23.1 21.9	13 705	No <input type="checkbox"/>	31 24 9.8 5	8800 4000 Lead	0 1 FIXED	IB Fixed_2 2		
One Eyes Jack	Express 37	18334	72 1986	48.75 14.33	150	48.75	42 13.75 0 0	5.28 8.83 344	Yes 48 25.7 25.7	14.33 1028	No <input type="checkbox"/>	37.3 30.8 11.57 7.3	11000 4500 Lead	0 1 FIXED	IB FOLD 2		
Mintaka 4	Farr 38	18441	84 1979	43.67 13.45	155	44.5	44.9 17.9 0 0	6.8 11.6 478	Yes 44.13 26.07 24.6	14.5 948	No <input type="checkbox"/>	38.25 31.17 12 6.33	11850 4100 Lead	No 1 FIXED	IB FOLD 2	(base=84)(2002-removed dinette stbrd, add bench seat w/55 gal fuel tank, original was 12.5. Rudder replaced 12" longer, 4" narrower. Changes noted mtg 1/17/02, NCTR)(removed short pole, changed spinnaker 1/12/04)	
Golden Moon	Express 37	18488	72 1985	48.75 14.33	155	48.75	42 13.75 0 0	5.37 8.99 347	Yes 48.27 25.79 25.79	14.33 1037	No <input type="checkbox"/>	37 30.83 11.57 7.25	11000 4500 Lead	No 1 FIXED	IB FOLD 2		

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Kee		Engine/Prop	Modifications	
					I J Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No	SL SPL SSMG SSF	Yes/No	ASF ASA Sprit Lngth Fixed or _o	Max Beam		Ttl Disp. Traps/H. Strps	IB or OB			
		DW Rating			Mast Material								LWL	Ballast	moveable blst	Prop Type			
					Rig Type								Max Draft	Ballast Mat.	Keel Type	# of blades			
American Standard	Olson 25	18517	159	1984	32 9.6	155	32	28 10	3.8 6.4	Yes	31.7 17.28 17.28	9.6 456	No	25 21.25 9 4.5	3300 1300 Lead	0 1 FIXED	OB None		
Prime Mover	J 30	18675	141	1980	34.19 11.5	155		38 13	4.83 8.21	Yes	34 20.33 20.5	11.5 577	No	29.83 25 11.18 5.25	6700 2100 Lead	0 1 FIXED	IB FOLD 2	W/J BASED POLE AND SPINNAKER SHORTENED.	
Breakout	Santana 35	18679	114	1982	39 12.85	155	39	42 14.25	5.51 9.26	Yes	39 23.13 18.6	12.85 722	No	35 26.5 11.92 6.25	8500 3300 Lead	No 1 FIXED	IB FOLD 2		
Lucky Duck	Wylie 34	18709	123	1979	38.6 11.3	125	38.6 11.3	41 14.3	5.5 9.3	Yes	38 21.6 21.4	12 683	Yes	21.36 567 0	33.75 25.75 10.83 6	8026 3100 Lead	0 1 FIXED	IB FOLD 2	
Vitesse	Santa Cruz 27	18711	141	1977	32.583 10.75	150	32.583	28.25 8.583	3.38 6.3	Yes	32.583 19.333 18.249	10.75 519	No	27 24 8 4.5	3300 1500 Lead	No 1 FIXED	OB None 0		
Quila	Santa Cruz 27	18723	141	1976	32.583 10.75	155	32.583	28.25 8.583	3.68 6.1	Yes	32.74 19.4 19.4	10.75 529	No	27 24 8 4.5	3000 1500 Lead	No 1 FIXED	OB None 0		
Crazy Rhythm	Santa Cruz 27	18771	141	1978	32.58 10.75	150	32.58	28.166 8.583	3.68 6.06	Yes	32.74 19.4 19.4	10.75 529	No	27 24 8 4.5	3200 1600 Lead	No 1 FIXED	OB None 0		

Boat Name	Boat Model (Type)	Sail #	Rating Built DW Rating	Foretriangle		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J Max Headsail Mast Material Rig Type	ISP JSP		P E PY EY	MGU MGM MSA	Yes/No SL SPL SSMG SSF	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast Ballast Mat.		Traps/H. moveable blst Keel Type			
Antipodiste	Farr 30 1/2 Ton	18845	156 1978 114	30.14 9.61 ALUMN FS	155	30.14	31.95 12.92 0 0	5 8.45 248	Yes 30.05 17.29 17.29	9.61 433	No <input type="checkbox"/>	30.1 25.63 9.9 5.48	4500 1850 Lead	No 1 FIXED	NONE None	Inboard motor removed as well as shaft/strut and prop.	
Summertime Dream	Custom Schumacher 26	18859	186 1979 189	26.28 8.07 ALUMN FS	150	26.28 8.07	29.58 10.76 0 0	4.33 7.23 195	Yes 25.67 14.52 14	8 308	No <input type="checkbox"/>	26.08 20 9.08 5.08	3300 1360 Lead	0 1 FIXED	OB None 0	Boat has previously been called "War"	
Clipper	Olson 40	18912	48 1983 27	50 15.75 ALUMN MS	125	50 15.8	44 14.25 0 0	5.5 9.29 376	Yes 49.5 28.35 28.35	15.75 1169	No <input type="checkbox"/>	40.33 36 11.25 6.5	10350 5500 Lead	No 1 FIXED	IB FOLD 2	MRG 4/9/98	
Audacious	J 29 7/8 OB	18917	123 1984 129	35 11.416 ALUMN FS	150	35	38.666 13 0 0	4.94 8.45 300	Yes 35 20.17 19.8	11.5 586	No <input type="checkbox"/>	29.5 25 11.08 5.67	6000 2100 Lead	0 1 FIXED	OB None 0		
Spellbound	Olson 40	18983	45 1983 27	51.21 15.75 ALUMN MS	155	51.21	44.21 14.3 0 0	5.5 9.2 377	Yes 49.8 28.35 28.35	15.75 1177	No <input type="checkbox"/>	40.33 36 11.33 6.5	10350 5500 Lead	0 1 FIXED	IB FOLD 2	MTG 4/9/98	
Lanikai	C&C 44 w/ctrbd	25091	75 1986 87	56.2 16.11 ALUMN MS	135	56.2 16.11	48.23 14.73 0 0	5.28 9.58 419	No 58.75 51.4 28.96	30.47 1343 0	<input checked="" type="checkbox"/>	44.2 35.3 13.3 8.6	26033 13483 Lead	No 1 CNTRBRD	IB FOLD 3	Due to shortened rig rating changed from 69 to 75 6-14-05. Keel modification did not affect rating.	
Take Five	Express 27 ODR	28031	129 1982 96	28.5 9 ALUMN FS	155	28.5	28.5 10.416 182	4.22 7.03	Yes 29 17.75 17.75	9.833 429	No <input type="checkbox"/>	27.25 23.75 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0		

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Kee		Engine/Prop	Modifications
					I J	Max Headsail	ISP JSP	P E	MGU MGM	SL	SPL	Yes/No	ASF		Max Beam	Ttl Disp.		
		DW Rating			Mast Material		PY	MSA	SSMG	SSA	SLU	ASA	LWL	Ballast	moveable blst	Prop Type		
					Rig Type		EY		SSF		SLE	Sprit Length	Max Draft	Ballast Mat.	Keel Type	# of blades		
Samba	Olson 25	28047	159	1985	32 9.583 155	32	28 10 0 0	3.8 6.4 166	Yes	32 9.583 460	No	0	25 21.25 9 4.5	3300 1300 Lead	No 1 FIXED	OB None 0		
Mudshark	Express 37	28052	72	1986	48.75 14.33 155	48.75	42 13.75 0 0	5.28 8.83 344	Yes	48 14.33	No	0	37.08 30.83 11.57 7.25	11000 4500 Lead	No 1 FIXED	IB FOLD 2		
Synergizer	Ericson 28-2	28091	183	1988	36 12 150	12 13.416	35.5 11 0 0	4.5 7.481 241	Yes	36 12 645	No	0	28 23.33 10 5.5	7500 3200 Lead	No 1 FIXED	IB FOLD 2		
Temerity	Olson 34	28134	99	1986	44.8 13.25 155	44.8 13.25	38.84 12.9 0 0	5 8.4 300	Yes	44 13.25 839	No	0	34 28 10.83 6	9540 3600 Lead	1 FIXED	IB FOLD 2		
Mull's Magic	Ranger 26-1 SM	28152	201	1972	31 11.33 110	31	25.5 10 0 0	4.05 6.75 157	Yes	31.41 10.5 534	No	0	26.25 21.75 8.67 4.33	5800 2050 Iron	No 1 FIXED	OB None 0		
Dazzler	Wyliecat 30 IB	28259	132	1997			40 20.7 0 0	7.87 13.46 493	No	No	No	0	30.5 25 9.5 5.25	5700 3050 Lead	0 1 FIXED	IB FOLD 2	INSTALLED IB ENGINE JAN 99	
Juanita	Custom Phoenix 38	28272	156	1972	44.33 14.58 147		37.33 12.46 0 0	4.9 8.2 281	Yes	39.4 13.66 860	No	0	37.17 31 11.83 5.42	21000 8500 Iron	No 1 FIXED	IB Fixed_3 3		

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Kee		Engine/Prop	Modifications
					I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No	Yes/No	ASF	Ttl Disp.		Traps/H. Strps	IB or OB		
		DW Rating			Mast Material		PY EY	MSA	SL SSMG SSF	SPL SSA	SLU SLE ASMG	ASA Sprit Lngth Fixed or _o	LWL	Ballast	moveable blst	Prop Type		
					Rig Type								Max Beam	Ballast Mat.	Keel Type	# of blades		
Pegasus	J 35	28390	72	1993	46.333 14.583	155	46.3	41.416 5.43	5.43	Yes	No		35.42	10500	0	IB		
			75		ALUMN MS		0 0	347	46 26.3 25.4	14.583 1001		0 <input type="checkbox"/>	30 11.67 6.75	4400 Lead	1 FIXED	FOLD 2		
Gavilan	Custom Wylie 39	28439	93	1996	49 14.5	122	49	43 15.5	5.73 9.75	Yes	Yes	24.6	41.5	17900	No	IB	(mtg 4/28/11, change custom rating from 84 to 96 after review of rating appeal)(Mtg 1/26/12, -3 sec/mi for sprit)	
			90		ALUMN MS		0 0	390	48.64 26.6 26.6	14.5 1078	48.39 47.08 18.47	783 1.17 <input checked="" type="checkbox"/>	31.75 11.5 6.77	5920 Lead	1 FIXED	FEATH 3		
Twist	J 120 ALUM	28442	48	2000	50.5 14.5	150	52 21.5	46.5 17.8	6.75 11.5	No	Yes	34.1	40	13900	No	IB		
			30		ALUMN FS		0 0	492			64 50.6 37.65	1764 7 0 <input checked="" type="checkbox"/>	35 12 7	6000 Lead	1 FIXED	FOLD 2		
For Pete's Sake	Ultimate 24 ODR	28469	111	2003	28.04 7.82	102	30.8 14.5	31 11.5	5.5 8.8	No	Yes	22.2	24.38	2040	No	OB		
			69		CARBON FS		0 0	238			36 30.6 20.9	587 6.7 0 <input checked="" type="checkbox"/>	8.48 5.52	750 lead	1 FIXED	None		
Magic Cloud	Swan 48 FRERS CR MH	28481	18	2001	65.45 56.59	125	64.96 21.49	57.91 19.03	7.23 12.4	No	Yes	23	48.65	34400	No	IB		
			-15		ALUMN MS		0 0	657			64.45 56.59 24.28	1212 1.666 <input type="checkbox"/>	41.01 14.17 7.9	12100 Lead	1 FIXED	FEATH 2		
Jarlen	J 35	28528	72	1990	46.333 14.583	150	46.3	41.416 14	5.43 9.11	Yes	No		35.42	10500	No	IB		
			72		ALUMN MS		0 0	347	46 26 26	14.583 997		0 <input type="checkbox"/>	30 11.67 6.75	4400 Lead	1 FIXED	FOLD 2		
Bandicoot	Wyliecat 30 IB	28530	111	2000	0 0		29 10	39.75 20.5	7.87 13.46	No	Yes	18.8	30.5	5500	0	IB	(mtg 5/20/10, -21 sec/mi for added spinnakers)	
			105		CARBON CATBOAT		0 0	488	29 17.75 17.75	10 429	31.5 25 22.5	512 0 90 <input type="checkbox"/>	25 9.5 5.25	3050 Lead	1 FIXED	FEATH 2		

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle		Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Keel		Engine/Prop	Modifications
					I J Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No	SL SPL SSMG SSF	Yes/No	ASF ASA Sprit Lngth Fixed or _o		Max Beam	Ttl Disp. Traps/H. Strps		
			DW Rating		Mast Material	Rig Type							Ballast	moveable blst			
												Max Draft	Ballast Mat.	Keel Type			
Friday Harbor	Beneteau 323 DK	28580	147	2004	42.67 11.06	116	38.9 13.17	5 8.56	No	Yes	19.91	32	8448	No	IB		
			117		ALUMN MS			306		45.4 41.34 17.9	661 0 <input checked="" type="checkbox"/>	29.17 10.67 5.92	2258 Iron	1 FIXED	FOLD 2		
Sans Souci	Beneteau Oceanis 321	28591	168	2000	42 12.33	140	35.25 13.58	2.97 6.19	No	No	0	32.58 29.42 11.25 4.25	9700 3274 Lead	No 2 FIXED	IB Fold 3	Roller Furling Main	
Uno	Wyliecat 30 IB	28632	129	1995	35.8 5.5		35.8 12	39.66 9.31 19.75 13.05	No	No	19.68	30.5	5800	0	IB		
			138		CARBON CAT			493		37.02 32.8 18.7	550 0 <input type="checkbox"/>	25 9.5 5.25	3000 Lead	1 FIXED	FOLD 2	(mtg 2/21/08, penalty for oversized main -3 sec/mi)(Mtg 5/22/08, -24 for asymmetric spinnaker flown on 12' pole)(6/11/08, removed asymmetric spinnaker +24 sec/mi)	
No Ka Oi	Gibsea 42	28668	123	2000	46.5 16.57	150	46.5 18.5	42.1 3.65 16.6 7.73	No	Yes	33	42	24000	0	IB		
			87		ALUMN MS			336		50.3 45.3 31.4	1264 0 <input type="checkbox"/>	35.8 13.11 6	Iron	1 FIXED	FEATH 3	In-mast furling main with no battens (Mtg. 3/15/07 +3 sec/mi for in-mast furling main, +3 sec/mi for MGM less than 50% of E)(Mtg 4/24/08, -3 sec/mi for ability to square back a-sail on pole)(Mtg 6/19/08, -3 sec/mi for chopping to mainsail with	
Think Fast	Olson 30 OB	28708	99	1980	36 11.75	150	35.9 11.67	31.5 4.364 10.75 7.268	Yes	No	0	30	3600	0	OB		
			69		ALUMN MS			208		36 21 19.8	11.75 623 <input type="checkbox"/>	27.5 9.33 5.08	1800 Lead	1 FIXED	None 0		
French Kiss	Beneteau 350 Oceanis	28713	144	1989	41.47 12.8	140	41.47	35.7 4.2 11.6 7.3	Yes	No	0	33.83	10580	0	IB		
			117		ALUMN MS			242		39.5 22.5 22.5	12.52 741 <input type="checkbox"/>	29.83 11.17 5.17	3525 Lead	1 FIXED	FOLD 2	Above deck Roller Furler	
Galaxsea	Custom Nauticat 43.5	28743	180	1985	51 20	104	20.6	45 4.3 13.6 7.9	No	Yes	29.2	43.6	34000	No	IB		
			120		ALUMN KTCH			338		52 50 25.6	1119 4.9 <input checked="" type="checkbox"/>	37.7 12.2 5.9	11000 Lead	1 FIXED	FEATH 3	Stay sail measurements foot=1', Luff=34'6", Leach=30'2", LP=132"	

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Kee		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst Keel Type		
Hellion	Olson 30 OB	28775	99 1981	36 11.75	155	35.9 11.67	31.5 10.75	4.36 7.27	Yes 36 21.1 21.1	No 11.75 633	<input type="checkbox"/> 0 0	30 27.5 9.33 5.08	3600 1800 Lead	0 1 FIXED	OB None	Roller Furler	
Coyote	Beneteau 42 IK TM	28776	84 1985	55.43 16.73	155	55.71	49.2 14.6	4.8 8.5	Yes 55 30.11 30.11	No 16.73 1380	<input type="checkbox"/> 0	44.58 36 13.2 7.25	23560 9500 Iron	No 1 FIXED	IB FOLD 2	(mtg 5/21/09, added 15" scoop to transom, NCTR)	
Mon Desir	Jeanneau 35 Sun Fast	28779	114 2004	45.75 13.2	155		42.083 13.083	5.19 8.67	Yes 45.47 24.48 23.95	No 13.779 924	<input type="checkbox"/> 0	35.25 31.92 11.42 7	12203 3219 Iron	No 1 FIXED	IB FOLD 2		
Kelika	Hunter 33.5	28815	150 1991	39.166 11.666	150	39.116	43.166 13.5	5.2 8.9	Yes 39 21.15 21.15	No 11.75 687	<input type="checkbox"/> 0	33.33 26.83 11 4.5	10800 4500 Iron	No 1 FIXED	IB FEATH 2		
Ganesha	Sabre 36-2	28862	111 1996	48.5 13.46	155		41.6 14.83	5.66 9.63	No 41.6 14.83	No 9.63	<input checked="" type="checkbox"/> 0 0	36.17 30.42 12 6.5	13800 5520 Lead	No 1 FIXED	IB FOLD 2	Adjustable back stays	
Tupelo Honey	Elan 40	28908	69 2004	48.89 14.21	105	50.05 14.21	48.82 17.23	5.58 10.09	Yes 49.43 25.57 24.6	No 14.15 1045	<input type="checkbox"/> 0	39.04 34.07 12.55 7.87	17600 5621 LeadSteel	No 1 FIXED	IB FOLD 2		
Bon Chance	Hunter 30-1	28938	189 1989	36.83 9.75	105		40.58 12.5	4.81 8	No 40.58 12.5	No 8	<input type="checkbox"/> 0 0	30.06 25.83 11 4.25	9500 3800 Cast Iron	0 1 FIXED	IB Fixed_3 3		

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Keel		Engine/Prop	Modifications
					I	J	Max Headsail	ISP	ISJ	P	MGU	Yes/No	Yes/No		ASF	Ttl Disp.		
		DW Rating			Mast Material			E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type	
					Rig Type			PY	MSA	SSMG	SSA	SLE	Sprit Length	Max Beam	Ballast Mat.	Keel Type	# of blades	
								EY		SSF		ASM	Fixed or _o	Max Draft				
Vuja De	Ultimate 24 ODR	28978	111	2003	28.04 7.82	110	30.8 14.5	31 11.35	6.35 9.5	No		Yes 36	22.2 591	24.38 21.17	2080 750	No 1	OB None	
			69		CARBON FS			0 0	253			30.8 21	6.7 <input checked="" type="checkbox"/>	8.5 5.5	Iron	CNTRBRD		
Kira	Cal 33-2	28999	132	1986	46 13.25	125	46 13.25	40.5 12.75	4.82 8.23	No		Yes 43.6	21.86 697	33 27.5	10800 4475	No 1	IB FOLD	(Mtg 1/26/12, -3 sec/mi for increased "e" & MSA)
			141		ALUMN MS			0 0	307			39.5 19.68	0 <input type="checkbox"/>	11.33 6.12	Lead	FIXED	2	
Avion	Bianca 414	30345	84	1980	50.14 15.61	150	50.14	51.17 17.3	6.64 11.37	Yes		No		41.27 32.81	19953 8624	No 1	IB Fixed_2	(MTG 4/8/99 1360 LBS SHAVED OFF SIDES OF KEEL, 925 LBS ADDED TO BOTTOM OF KEEL - 3 FOR KEEL MODS)(New Rudder, NCTR, 2/15/01)
			78		ALUMN MS			0 0	531			28.1 28.1	0 <input checked="" type="checkbox"/>	9.58 7.61	Lead	FIXED	2	
Ahi	Santana 35	30980	114	1981	39 12.85	155	39	42 14.25	5.51 9.26	Yes		No		35 26.5	8500 3300	0 1	IB Fold	
			114		ALUMN FS				358			23.13 23.13	0 <input type="checkbox"/>	11.92 6.25	Lead	FIXED	2	
Zsa-Zsa	1D 35	35017	36	1999	42.49 12.52	110	44.78	44.46 18.58	7.55 12	Yes		No		35 31.5	6500 2600	No 1	IB Feath	
			9		CARBON FS			0 0	498			26.5 26.5	0 <input type="checkbox"/>	10.75 7.6	lead	FIXED	2	
Emerald	Yankee 30-2	37894	177	1971	40.5 12.75	125	40.5	34.92 11	4.18 7.15	Yes		No		30 23	8700 4170	No 1	IB FOLD	
			168		ALUMN MS			0 0	229			22 20.5	0 <input type="checkbox"/>	9 5	Lead	FIXED	2	
Patience	Ranger 23 TM	37987	210	1974	30 9.7	155	30	25.75 9.17	3.83 6.35	Yes		Yes	17.38 417	23 20	3400 1500	No 1	OB None	
			201		ALUMN MS			0 0	147			17.46 17.46	0 <input checked="" type="checkbox"/>	7.917 3.75	Lead	FIXED	0	

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Kee		Engine/Prop	Modifications
					I J Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No	SL SPL SSMG SSF	Yes/No	ASF ASA Sprit Lngth Fixed or _o	LWL		Ttl Disp. Ballast Mat.	Traps/H. Strps moveable blst Keel Type		
Sapphire	Synergy 1000	38008	45 15	2004	40.8 12	125	45.75 16.4	42 15.5	6.99 11.08	No	Yes	28 1172	32.83 29.17	4400 1850	No 1	IB FOLD		
					CARBON FS				417			4.3 0	9.75 7	Lead	FIXED	2		
Escapade	Sabre 40-2	38011	75 84	1997	54 15.5	110	54 16	47.5 17	5.6 9.9	Yes	Yes	23.5 1001	40.2 34	19760 7500	0 1	IB FEATH		
					ALUMN MS				449			0 0	13.3 7.5	Lead	FIXED	3		
Nalu	Jeanneau Sun Odyssey 35	38019	123 102	2002	43.5 13.25	130	16.25	38.33 12.66	4.31 7.71	No	Yes	22.9 844	35.25 31.92	11464 3285	0 1	IB Fixed_3	(mtg 1/21/10, -3 sec/mi for sprit)	
					ALUMN MS				276			3 0	11.42 6	Lead	FIXED	3		
Sea Star	CAL 39-2/3	38022	117 105	1977	50 16.7	100	50	44 13.8	4.5 8	No	Yes	34 1181	39 32	17000 7000	0 1	IB FEATH	Roller Furler	
					ALUMN MS				337			0 0	12 6.7	Lead	FIXED	3		
MinFlicka	Hanse 370	38028	102 93	2008	49.3 13.7	150		47.3 16.1	6 10	No	Yes	24.5 1024	36.11 33	16500 5045	0 1	IB FOLD	Roller Furler	
					ALUMN FS				445			0.75 0	12.4 6.5	Lead	FIXED	2		
Tiburon	Santa Cruz 37	38042	27 6	2008	47 13.5	105	52.17 19	47 17	6.46 11.05	No	Yes	33.3 1541	37 34.75	9882 3730	0 1	IB FOLD		
					CARBON MS				476			5.5 0	10.64 7.5	Lead	FIXED	2		
Iolani	Hughes 48	38048	120 84	1972	54.3 18.2	135	20.2	48.2 19	5.9 10.4	Yes	Yes	32.76 1400	48 35.1	32000 14300	0 1	IB FEATH		
					ALUMN YAWL				493			0	11.1 6	Lead	FIXED	3		

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Keel		Engine/Prop	Modifications
					I	J	Max Headsail	ISP	MGU	MGM	Yes/No	Yes/No	ASF		Ttl Disp.	Traps/H. Strps		
		DW Rating			Mast Material		P	E	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type		
					Rig Type		PY	MGM	SSMG	SSA	SLE	Sprit Length	Max Beam	Ballast Mat.	Keel Type	# of blades		
							EY	MSA	SSF		ASM	Fixed or _o	Max Draft					
Whirlwind	Wyliecat 30 IB	38068	132	2009		0	39.75	7.87		No	No		30.56	5500	0	IB		
			138		CARBON CAT		20.56	13.46				0	25	3050	1	Fold		
								489				0	9.42	Lead	FIXED	2		
												0	5.25					
Raven	Benteau First 35	38073	75	2001	47.24	108	51.48	45.93	5.98	Yes	No		36.32	12125	0	IB		
			72		13.12			14.75	10.23				30.6	3681	1	Fold		
					ALUMN FS				419			0	12.76	Iron	FIXED			
								25.46				0	7.25					
Blue Pearl	Hunter 41	38083	123	2005	51.5	105	52	50.667	6.81	No	Yes	23.4	40.33	19400	No	IB	(mtg 3/15/07: + 3 sec/m for in-mast furling main, +3 sec/m for MGM less than 50% of E, - 3 sec/m for oversized pole, - 3 sec/m for tacking spinnaker off centerline)(5/24/07: cut pole back to J length, remove -3 sec/m for...)	
			135		13.5		13.5	19.5	11.61		52	972	35.5	6506	1	FOLD		
					ALUMN FS			0	560		47.7	90	13.25	Lead	FIXED	2		
							0	0			23.4		6.5					
Hot Ice	C&C 110	38110	90	2004	51	98	51	45	5.8	No	No		36.36	10900	No	IB	carbon mast noted (standard on C & C 110) NCTR PHRF Mtg 3/16/06;	
					14			15.5	9.9				31.5	4200	1	FOLD		
					CARBON MS			0	412			0	12	Lead	FIXED	2		
							0	0					6.5					
Impulse	Catalina 30	38279	180	1976	41	155	41	35	4.63	Yes	No		29.92	10200	No	IB		
			180		11.416			11.5	7.72				25	4200	1	FOLD		
					ALUMN MS			0	246			0	10.83	Lead	FIXED	2		
							0	0					5.25					
Willow	Wauquiez 40s Centurion	38300	69	2004	51.5	110	51.5	49.21	7.3	Yes	Yes	28.54	41.17	18960	No	IB	(mtg 3/18/10, -3 sec/mi for oversized a-sail.)(mtg 1/27/11, - 3 sec/mi for added sprit)	
			57		14.17			19.3	12.5		52.8	1155	36.4	6085	1	FEATH		
					ALUMN FS				564		46.75	2.4	12.66	Lead	FIXED	3		
								25.54			27.66		7.75					
Siento El Viento	C&C 29	38311	174	1977	39.5	155		33.5		Yes	No		29.5	7500	No	IB		
			180		12.8			10.1					23.6	2700	1	Fold		
					ALUMN MS							0	10.5	Lead	FIXED	2		
													5.25					

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	LOA LWL Max Beam Max Draft	Ttl Disp. Ballast	Traps/H. moveable blst	Strps Keel Type	IB or OB Prop Type # of blades	
Life is Good	Wyliecat 30 OB	38349	129 2007		0		40 21	7.67 13.46	No	No		30.5 25 9.5 5.25	5500 3050 Lead	0 1 FIXED	OB None 3			
Cape Farewell	Westsail 32	38408	225 1975	42.25 20	110		38.25 14.25	4.06 8.12	No	No		32 27.5 11 5	19500 7000 Lead	0 1 FIXED	IB Fixed_3 3			
Surf	X-332-Sport	38415	120 2003	43.22 11.68	120		42 14.5	5.643 9.711	No	No		33.8 28.9 10.8 7.1	9038 3086 LeadIron	No 1 FIXED	IB FOLD 2			
Sirius	Catalina 34 1&2	38730	153 2005	44 13.5	135	44 48	38.5 12	2.965 5.896	No	No		35.67 29.8 11.75 5.58	11950 5000 Lead	0 1 FIXED	IB FEATH 3	In-mast furling main, no battens- +3 sec/mi, +3 sec/mi for MGM < 50% of E; Roller Furler		
Astra	Farr 40 ODR FR	40079	9 2000	53.2 15.5	105	53.12	54.8 19.4	7.29 12.47	Yes	No		40.75 35.27 13.22 8.53	10917 5079 Lead	No 1 FIXED	IB FOLD 2			
Bodacious	Custom Farr 40 1/T	41001	66 1985	47.274 13.818	155	47.3	50.909 18.346	6.92 11.84	Yes	No		40 31.46 13.11 7.5	17036 6620 Lead	No 1 FIXED	IB FEATH 2	FARR 40 DESIGN #158 (MTG 5/14/98 - -3 SEC/MI FOR FILLING IN STERN CREASE); ALL displacement in IRC measured Trim (totally empty); Measurement changes noted, NCTR PHRF Mtg 2/16/06.		
Tahitienne	Hinckley 42 SW	42015	105 1983	55 17.5	145	55 20.7	47.25 15.25	5.85 9.9	No	Yes	34.45 1548 3.2 80	42 31.25 12.5 8	24000 8500 Lead	0 1 CNTRBRC	IB FEATH 3	(In-mast furling, electric primary winches)(Mtg 1/26/12, -3 sec/mi for articulating sprit)		

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle		Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Keel		Engine/Prop	Modifications
					I J Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No	SL SPL SSMG SSF	Yes/No	ASF ASA Sprit Lngth Fixed or _o		LWL	Ttl Disp. Ballast Mat.		
Brainwaves	J 35C	43533	90	1990	46.2	155	40.8	5.87	Yes		No		35.2	11800	0	IB	(mtg 2/18/10, interior changes for Pacific Cup, NCTR)
			96		13.2		15.5	10.07		45	13		30	4300	1	FOLD	
					ALUMN MS			377		23.8	893		11.1	Lead	FIXED	2	
Maggie	C&C 37/40R	43728	72	1990	53.5	150	47.25	6	Yes		No		39.5	16000	0	IB	
			69		16		15.5	10		53.25	15.5		31.75	6300	1	Feath	
					ALUMN MS			437		28.75	1267		12.5	Lead	FIXED	3	
Energy	J 105 ODR w/ 5'BS	46060	78	1996	40.6	100	41.5	5.5	No		Yes	26	34.5	7750	No	IB	
			69		13.5		14.5	9.4			49.5	926	29.5	3400	1	FOLD	
					ALUMN FS		0	358			39.8	5	11	Lead	FIXED	2	
Windhover	Pearson 10M	47126	147	1974	44	150	38.5	3.833	Yes		No		33.05	12441	No	IB	above deck roller furling jib
			132		14.2		11	6.666		45	14.17		28.33	5445	1	FOLD	
					ALUMN MS		0	242		25.5	956		11	Lead	FIXED	2	
Bodacious +	1D 48	48005	-12	1996	57.7	155	61.3	9.84	Yes		Yes	30.1	48.3	19743	0	IB	Water ballast system not operational (mtg 8/19/08, custom rating assigned of -30, includes dual spinnakers)(Mtg 3/24/11, new smaller mainsail, smaller symmetrical, change custom rating from -30 to -24)(Mtg 8/25/11)
			-21		16.7		22.5	14.66		66.7	16.7		40.2	8818	1	Fold	
					CARBON FS			848		30.1	1673		14.2	Lead	FIXED	2	
Solar Wind	Martin 32	49143	126	1980	42.5	145	37.17	4.7	Yes		No		32.8	8200	0	IB	
			102		13.67		12	8		42.4	13.67		27	4100	1	FOLD	
					ALUMN MS			270		22.4	806		9.6	Lead	FIXED	2	
Ragtime	J 90 MOD	50090	48	1998	35.6	125	38.85	5.91	No		Yes	27.9	30	3400	No	OB	(Mtg 4/28/11, Switched to larger Mainsail & smaller Asymmetrical, - 3 sec/mi for oversized main girths, -3 sec/mi for increased "P", + 3 sec/mi for smaller asymmetrical)(Mtg 1/26/12, removed saidrive, added OB - 3 sec/mi)
			3		10.5		14.5	9.74			48.4	983	27	1595	1	FOLD	
					CARBON FR		0	345		40.5	7.5		8.5	Lead	FIXED	2	

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Kee		Engine/Prop IB or OB Prop Type # of blades	Modifications	
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst Keel Type			
Don't Stop	Beneteau 40.7 First Farr	51705	54 2002	51.61 14.47	104	51.61 14.47	48.85 17.72	6.73 11.51	Yes	50.92 26 26	14.47 1103	Yes	39.33 34.83 12.33 7.75	15211 5950 Lead	0 1 FIXED	IB FOLD 2		
Por Favor	Hobie 33 ODR MOD	51946	81 1982	33.8 12.4	135	36.5 13.125	34.1 12.33	4.83 8.25	Yes	36.5 22.65 23.25	13.125 693	Yes	21.97 698 0 0	33 30.5 8 5.5	4000 1800 Lead	0 1 FIXED	OB None 0	Double Spreader Ballanger Mast (Mtg 2/18/10, Modified ODR, -6 sec/mi for oversized spinnaker)
Red Sky	Beneteau Farr First 36.7	52316	81 2005	46.41 13.1	155	46.4 13.1	45.4 15.6	5.92 12.5	Yes	45.9 23.5 23.5	13.1 899	Yes	21.3 854 0 0	35 30.3 11.4 7.2	12495 4034 Lead	0 1 FIXED	IB Fold	
CruzSea Baby	Beneteau First 10R ODR	52878	84 2007	43.2 12.07	105	46.41 16.5	42.25 14.73	5.59 9.57	No	49.5 41.5 27.9	9.57 371	Yes	27.5 1055 4.43 0	32.75 28.7 11 6.55	9715 3528 Lead	0 1 FIXED	IB Fold 2	(Rudder Modifications noted, smaller non-class spinnaker +3 sec/mi)
Made Easy	Beneteau 42 IK TM	53202	84 1984	55.43 16.73	145	55.43 16.73	49.2 14.6	5.5 9.5	Yes	55 30.1 30.1	16.73 1380	No	42.8 36.25 13.17 7.25	22857 8700 Iron	No 1 FIXED	IB FEATH 3	(8/27/10, boat weight, displacement is 22857 not 18600)	
Yellow Jack	Santa Cruz 27	57313	141 1976	32.583 10.75	155	32.583	28.25 8.583	3.68 5.9	Yes	32.1 18.3 18.1	10.8 488	No	27 24 8 4.5	3300 1500 Lead	0 1 FIXED	0 None 0		
Warhawk	Hawkfarm 28	57846	168 1975	33 11	155	33 11	36 10.416	4.37 7.25	Yes	33 19.8 19.8	11 545	No	28 23.5 9.75 5.5	5700 2700 Lead	No 1 FIXED	IB FOLD 2	SPINNAKER & POLS HAVE BEEN REDUCED TO "J", SMALLER THAN CLASS	

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Kee		Engine/Prop	Modifications
					I	J	Max Headsail	P	MGU	Yes/No	Yes/No	ASF	Ttl Disp.		Traps/H. Strps	IB or OB		
		DW Rating			Mast Material	ISP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type		
					Rig Type	JSP	PY	MSA	SSMG	SSA	SLE	Sprit Length	Max Beam	Ballast Mat.	Keel Type	# of blades		
							EY		SSF		ASM	Fixed or _o	Max Draft					
Void Star	Santa Cruz 40	59995	48	1982	52 16	142	52	45.5	5.2	Yes	No		40	12500	0	IB		
			33		ALUMN			14	8.58	50	16		36	5000	1	FEATH		
					MS				370	28.33	1178	<input type="checkbox"/>	12	Lead	FIXED	2		
									28			0	7					
Iliohale	Hanse 341/342	60128	141	2004	46 12.2	125		42	5.58	No	No		34	11353	0	IB		
					ALUMN			15	9.37				29.2	3395	1	FOLD		
					FS				369			<input type="checkbox"/>	11.2	Iron	FIXED	2		
												0	5.9					
Relentless	Jeanneau Sun Fast 3200	60171	75	2009	41.92 12.63	110	43.77 13.61	38.71	5.38	Yes	Yes	24.45	33.1	7496	0	IB		
			78		ALUMN			13.94	9.38	45	13.61	44.95	28	2866	1	Fold		
					FS				327	24.17	902	39.55	11.5	Lead	FIXED	2		
										23.63		<input checked="" type="checkbox"/>	6.2					
Califia	Islander 36 ODR	67074	144	1978	45 14.48	135	45	39.25	3.69	No	No		36.08	13450	0	IB		
					ALUMN			12.75	6.88				28.25	5450	1	Feath		
					MS				265			<input type="checkbox"/>	11.17	Lead	FIXED	2		
												0	6.08					
Foxxfyre	Yamaha 33 IK SM	67248	159	1978	42.81 13.78	150	42.81	37.4	4.38	Yes	No		33.25	16000	No	IB	PER PHRF MTG 3/16/2000 - Weight Differencer from brochure is significant.	
			162		ALUMN			10.6	7.27	44	13.78		26.92	4410	1	FEATH		
					MS			0	246	24.8	901	<input type="checkbox"/>	11	Iron	FIXED	2		
								0		23.7			6.25					
Spirit-Of-Elvis	Santana 35	67630	114	1979	39 12.85	155	39	42	5.51	Yes	No		35.1	8500	No	IB		
			114		ALUMN			14.25	9.26	39	12.85		26.5	3300	1	FOLD		
					FS			0	358	23	740	<input type="checkbox"/>	11.92	Lead	FIXED	2		
								0		21.83			6.25					
Jackal	Ranger 33	67733	156	1978	41.5 13.87	155		35	3.5	Yes	No		33	10500	No	IB		
			147		ALUMN			13.8	7	41	13.67		26.3	4500	1	Fixed_3		
					MS				245	23.5	800	<input type="checkbox"/>	9.6	Lead	FIXED	3		
										23			5					

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Keel		Engine/Prop	Modifications	
					I	J	Max Headsail	ISP	ISJ	P	MGU	Yes/No	Yes/No		ASF	Ttl Disp.			Traps/H. Strps
		DW Rating			Mast Material			E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type		
					Rig Type			PY	MSA	SSMG	SSA	SLE	Sprit Length	Max Beam	Ballast Mat.	Keel Type	# of blades		
								EY		SSF		ASM	Fixed or _o	Max Draft					
Spindrift	Cal 39-2/3 TM	67799	117	1980	54.33 16.7 ALUMN MS	110		47.51 13.06	4.91 8.36		No	No		39 32.1 12 6.8	17000 7000 Lead	0 1 FIXED	IB Feath 3	(Mtg Dec '10, +3 sec/mi for small headsail, E & P Must be black-banded.)	
Medusa	Custom Santa Cruz 52 TM	69910	-33 -36	1993	67.08 18.9 ALUMN MS	155	67.29 21.67	60.47 20.82	7.25 14.63		No	Yes	38.71 2147	53 46.5 14 9	24265 9100 Lead	0 1 FIXED	IB Feath 3	(Mtg 1/26/12, -6 sec/mi for OSP, -6 sec/mi for oversized asymmetrical, -3 sec/mi for oversized mainsail girths, custom rating of -33 assigned)	
Harrier	Custom Still 30	77564	162 171	1981	33.46 10.33 ALUMN FS	155	33.46	37.07 13.12 0 0	5.1 8.5 291	Yes	33 18.54 18.5	10.33 510	No	30.75 24.5 10.5 6	8580 2530 Lead	No 1 FIXED	IB FEATH 2	VESSEL IS A CRUISING VERSION OF A 1/2 TON IOR DESIGN (FULL INTERIOR, TEAK DECK, EXTENDED TRUNK CABIN, 4 BATTERIES, ETC.), WEIGHT CHANGE NOTED, NO CHANGE TO RATING 12/07/05	
Aero	Hobie 33 ODR	77646	84 39	1981	33.83 12.375 ALUMN FS	152	36.47	34.71 12.35	4.69 8.1 257	Yes	36.83 23.33 22.83	13 713	Yes	22.8 675 0 90	33 30.5 8 5.5	5250 1800 Lead	0 1 FIXED	OB None 0	(mtg 5/22/08, -3sec/mi for ability to use asymmetric on squared back pole)
Spindrifter	Tartan 30	77658	180	1971	39 13 ALUMN MS	155	39 13	34 11.416 0 0	3.833 6.833	No	38 23.2 23	13 733	No	29.92 24.25 10 4.92	8750 3700 Lead	0 1 FIXED	IB FEATH 2		
Espresso	Hobie 33 ODR	77981	90 42	1982	33.28 12.4 ALUMN FS	125	36.28	35 12.5 0 0	4.75 8 260	Yes	36 23.4 21.4	12.4 690	No	33 30.5 8 5.416	4000 1800 Lead	No 1 FIXED	OB None 0	Standard rig, with longer elliptical rudder. Boat is an ODR boat with a short spinnaker pole, but Spinnaker is standard ODR size.	
Tiger Beetle	Custom N/M 45	77985	42 33	1983	59.1 17.5 ALUMN MS	155	59.1	52.1 16 0 0	5.8 10.1 487	Yes	58.5 31 31.1	17.5 1512	No	45 37.7 13.4 7.9	21000 10000 Lead	No 1 FIXED	IB FOLD 2	PIPE BERTH INTERIOR, 1400 LBS LEAD SET IN BILGE ABOVE KEEL REINSTALLED. (MTG 4/9/98) RTG CHANGED FM 45 TO 42 W/NOTED CHANGES TO BALLAST, INTERROR AND LWL. MTG 2/16/2000	

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Keel		Engine/Prop	Modifications
					I J Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No	SL SPL SSMG SSF	Yes/No	ASF ASA Sprit Length Fixed or _o	Max Beam		Ttl Disp. Ballast Mat.	Traps/H. Strps moveable blst Keel Type		
Dragonsong	Olson 30 OB	87014	99 69	1982	36 11.75	155	35.9 11.67	31.5 10.75	4.364 7.268	Yes 36	11.75	No	0	30 27.5 9.33 5.08	3600 1800 Lead	No 1 FIXED	OB None 0	
Vitesse Too	Hobie 33 ODR	87112	90 39	1983	33.8 12.4	125	36.8	35 12.4	4.75 8	Yes 36.2	13.25	No	0	33 30.5 8 5.5	4000 1800 Lead	No 1 FIXED	OB None 0	Extended rudder 10", NCTR
Wahoo	Capo 30	87304	120 132	1983	41.7 12.75	150	41.5	36 11.5	4.37 7.47	Yes 41.5	12	No	0	30 25 10.3 5.43	7200 3000 Lead	0 1 FIXED	IB None 2	
Shoofly	Custom Barnett Offshore 41	87978	54 42	1986	53 14.75	98	17.4	47 15.75	4.87 8.93	No 15.75	8.93	Yes 57 48 29	28 1260 2.7	41.5 35 11 7.6	14000 6955 Lead	0 1 FIXED	IB FOLD 0	(Mtg 1/26/12, Custom rating of 54 assigned)
DoubleTrouble	J 125	93204	-12 -30	1999	49 15	155	23	47 18	6.8 11.6	No 41.5	11.6	Yes 61.3 52.3 41	41 1941 8 0	41 37 10.6 7.9	9330 4646 Lead	0 1 FIXED	IB FOLD 2	(Mtg 2/26/09, -3 sec/mi for oversized main girths)(3/9/09, corrected main girths, removed -3 sec/mi penalty)
Ergo	Ericson 35-2 SM	97050	156 147	1970	40 14	150	40 14	32.67 13	4.45 7.45	Yes 41.1	14	Yes 42 39 20.03	19.6 673 0	34.67 25.83 10.04 4.49	11600 5000 Lead	No 1 FIXED	IB FOLD 2	(new rudder noted mgt 6-8-04; NCTR).
Deception	Santa Cruz 50	97263	-9 -33	1987	61.8 18.3	155	61.8 18.3	55 18.4	7.1 12	Yes 61.7	18.3	Yes 62.83 58.47 24.8	32.9 1335 0 0	50 46 12 8	17500 8000 Lead	0 1 FIXED	IB FOLD 2	ELPT Keel & OS/Spinnaker; Has a Code 0 headsail aboard - tacked to stem, no sprit (Mtg 3/19/09, -3 sec/mi for dual spinnakers)

Boat Name	Boat Model (Type)	Sail #	Rating Built DW Rating	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Kee		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SPL SSMG SSF	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast		Traps/H. moveable blst Keel Type			
Razzberries	Ericson 34 Olson TM	97479	99 1988 111	46.77 12.95	155	47	40.9 12.95 0 0	5.1 8.5 320	Yes 45.7 23.31 23.31	12.95 888	No <input type="checkbox"/>	33.88 28 10.8 6.085	10855 3500 Lead	No 1 FIXED	IB FOLD 2		
Krissy 2	Passport 40	97552	141 1987	50.6 15.6	125	50.6 15.6	45.9 16	6 10.3 435	No	No	 <input type="checkbox"/>	39.4 33.42 12.67 5.75	22771 8600 Steel	0 1 FIXED	IB Fixed_3		
Plus Sixteen	Ericson 911S Olson	97707	129 1991 129	42 12.25	150	42 12.5	35.761 11.811 0 0	4.035 7.136 240	Yes 43.5 22.605 22.605	12.25 819	Yes 41.995 35.761 21.702	20.932 698 12.25	30 25 10.33 5.42	8500 3200 LeadSteel	No 1 FIXED	IB FEATH 2	(Mtg 4/13/06 -3 Sec for Dual Spinnakers. Due to dual spinnakers, pole can be pulled back when using assymetrical spinnaker.)
Compromise	Elite 37	960276	96 1984 78	48.5 14.75	155	48.5 14.75	42 13.25 0 0	5.23 8.74 336	Yes 48.1 26.5 26.5	14.75	Yes 49.14 45.7 27.6	32.2 1127 0	37.08 31.58 12.08 5.91	12787 5291 Iron	No 1 FIXED	IB FEATH 3	(Mtg 8/13/02, -6 sec/mi for oversized asymmetric)