

NCPHRF - CURRENT FLEET ROSTER

This Roster represents the information on file for boats with a current NCPHRF certificate. If the boat you are looking for is not listed, their certificate is either not current or not yet updated to the list. You can contact the YRA office to verify a boat not found on this list at info@yra.org or via phone at 415.771.9500. This list is updated monthly.

As of: 11/30/2017

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SPL SSMG SSF	Yes/No SLU ASA SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps moveable blst Ballast Mat. Keel Type		
Adagio	CAL 25-2 OB		216 1979	33 11	150	28 9.5	3.9 6.5	No	No			29.25 22 9 4.5	4500 2000 Lead	0 1 FIXED	OB None	
Blue Zephyr	Jeanneau Sun Odyssey 42 DS		108 2010	51.58 16.25	150	48.82 14.6	3.55 6.9	No	No			42.42 38 13.5 6.92	19676 5628 Iron	0 1 FIXED	IB Fixed_3	(mtg 4/27/17, +3sec/mi for in-mast furling, +3 sec/mi for MGM < 50% of E)
BZ	Sonar 23		174 2007	23 8.25	100	27.5 11.17	1.23 7.3	No	No			23 19.92 7.8 3.92	2100 900 Lead	No 1 FIXED	NONE None	
Serenade	Sabre Spirit		96 2007	45.5 12.87	106	51.2 12.87	45.5 9.93	Yes	No	23		36.67 28.33 10.42 6.58	10500 3740 Lead	0 1 FIXED	IB Fold	
Christine Rose	Catalina 30 TM	0	183 1977	43 13.16	150	43 13.16	37 8	Yes	No			29.92 25 10.83 5.25	10200 4250 Lead	0 1 FIXED	IB Fixed_3 3	
Crane Wife	Fuji 32 KTH	0	252 1977	36.25 14.75	148	29.08 11.21	3.8 5.96	No	No			31.5 29 9.83 3.66	13115 4635 Iron	0 1 FIXED	IB Fixed_3	

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications			
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU SLE ASMG	SPL SSA	Yes/No		ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast Mat.	Traps/H. moveable blst Keel Type		IB or OB Prop Type # of blades		
								SL	SPL										SLU	ASA
Dianne	Express 27 ODR	0	129 1981	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	No	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0						
Envolee	Figaro II	0	54 2012	42.75 12.42	104	42.75	42.67 15.42	6.5 10.63	Yes	No	32.18 32 11.33 6.5	6724 2425 LeadWater	0 1 FIXED	IB Fold	(mtg 4/27/17, water ballast disabled, +6 sec/mi)					
Fernweh	Morgan 462	0	150 1979	50.75 18.75	110		43.25 13	5.15 8.65	No	No	46.5 39.25 13.5 5.25	30000 8400 Lead	0 1 FIXED	IB Fixed_3						
Imagination	Bavaria 40	0	108 2001	47.25 14.58	111	48	44.46 15.58	5 9.21	No	Yes	40.94 35.93 13.1 6.4	17417 6283 Lead	0 1 FIXED	IB Fold						
Kai Ola	Jeanneau Sun Odyssey 379	0	105 2011	46.67 13.58	132	46.67	44.58 13.92	5.4 9.1	Yes	No	37.17 36 12.33 6.33	14771 3914 Steel	0 1 FIXED	IB Fixed_3	(Mtg 5/25/17, -3 sec/mi for oversized spinnaker)					
Lotus	Vismara 50	0	-39 2008	65.5 17.95	106	72.01 23	65.62 20.34	7.32 13.67	No	Yes	50.2 46.42 14.1 9.84	24912 9259 Lead	0 1 CNTRBRD	IB Fold	(Mtg 8/24/17, Custom rating assigned: -39)					
Nadja Delphine	X-41	0	15 2009	55.9 16.11	106	58.63	53.31 18.04	6.82 11.61	Yes	No	40.52 35.07 11.94 8.2	14109 6019 Lead	0 1 FIXED	IB Fold	Electronic winches					

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications									
			Built	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF		LOA	Ttl Disp.	Traps/H.	Strps		IB or OB								
										DW Rating	Mast Material		E	MGM							SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type
EY	SSF	ASM	G	Fixed or _o	Max Draft																							
						Quantum	Beneteau 405 TM	0	90	1986	52.17	155	52.17	46.26	4.76	Yes	No			40.42	18518	0	IB					
			583		14.83			15.09	8.74					35.5	7694	1	Fold											
			188		ALUMN				385			<input type="checkbox"/>	0	12.75	Iron	FIXED												
					MS									7.19														
Skye	Capo 30 MOD	0	114	1984	41.7	120	41.5	36	4.37	Yes	No			33	7500	0	IB	(Mtg 5/25/17, -9 sec/mi for increased LOA from added sugar scoop)										
			629		12.75			11.5	7.47					26	3000	1	Feath											
			194		ALUMN				247			<input type="checkbox"/>	0	10.33	Lead	FIXED												
					MS									5.42														
Sonrisa	Baba 40	0	147		50	100	50	46	5.3	No	Yes		30.5	39.83	29000	0	IB											
			631		21		21	14.75	9		52		1196	34.5	12000	1	Feath											
			321		ALUMN				391		46	<input type="checkbox"/>	0	12.83	Iron	FIXED												
					CTR						29		0	6														
Spartan	Dufour 1300	0	195	1975	31.17	110		27.89	3.54	No	No			23.88	2866	0	OB											
			222		9.18			8.2	5.91					18.04	1257	1	None											
					ALUMN				146			<input type="checkbox"/>	0	8.66	Iron	FIXED												
					MS								0	4.76														
Wild Spirit	Wylie 36	0	141	1970	44.67	100	44.67	40.75	5.3	No	Yes		23.5	36.5	13720	0	IB	(Mtg 3/24/16, same hull as "Alert", +3 sec/mi for small "I", +3 sec/mi for no spinnaker articulation)										
			642		14.75		14.75	14	9.1		45		815	30	5575	1	Fixed_2											
			231		ALUMN				340		39.66	<input checked="" type="checkbox"/>	0	10.9	Lead	FIXED												
					CTR						23		0	6														
Xtasea	Catalina 30	0	186	1985	41	110	41	35.5	4.63	Yes	No			29.92	10200	0	IB											
			685		11.5			11.5	7.72					25	4250	1	Fixed_2											
			297		ALUMN				250			<input type="checkbox"/>	0	10.83	Lead	FIXED	2											
					MS								0	5.25														
Azure	Catalina 275 Sport	1	168	2013	34.42	106	11.83	31.5	5.33	No	Yes		22	27.5	5000	0	IB											
			629		8.99			11.48	8.17		37.5		665	26.57	2040	1	Fixed_2											
			121		ALUMN				233		35	<input type="checkbox"/>	0	8.5	Lead	FIXED												
					FS						22		0	5.2														

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications	
			Built	J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp.	Traps/H. Strps		IB or OB Prop Type # of blades			
									DW Rating	Mast Material	SL	SPL			SLU	ASA		Ballast		moveable blst
Gentoo	Soto 30	1	36	2012	38.25 12.25	102	38.67 19.83	38.67 13.58	5.83 8.83	No	Yes	26.25	30	3800	0	OB	(Mtg 9/16, -3 sec/mi for larger mainsail)			
			516		CARBON						49.83	28.75	1415	1	None					
			73		MS						40 25.75	9.58 6.5	Lead	FIXED						
Get Happy!!	Express 27 ODR	1	129	1981	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	No		27.25 23.75	2450	No	OB				
			611		ALUMN						29	8.166	1100	1	None					
			83		FS						17.7 17.7	4.5	Lead	FIXED	0					
Picante	Islander Bahama 28 SM	1	210	1981	33.8 11.75	150	11.75	28 8.2	3.58 5.75	No	Yes	20	27.9 23	7000	0	IB	Fixed_3 3			
			726		ALUMN						33	9.8	3000	1						
			262		MS						29.4 18	5.5	Lead	FIXED						
Max	Ultimate 24 ODR	2	108	2002	28.04 7.82	110	30.8 14.5	31 11.35	6.81 9.18	No	Yes	21.3	24.38 21.17	2040	0	OB	None			
			583		CARBON						35.5	8.48	750	1						
			98		FS						27.8 21.3	5.52	Lead	FIXED						
Checkered Past	Custom Wyliecat 39	3	102	2002				52 26.6	10.2 17.4	No	No		38.83 32	12000	0	IB	Boat has been modified for handicapped sailing			
			595		CARBON							11.5	6200	1	FOLD					
			166		CAT							6.6	Lead	FIXED	2					
Jacqueline	Freedom 30 SD	3	174	1986	28.4 9.8			35.2 13.9	5.25 9	Yes	No		30 25.42	7660	0	IB	Fixed_2			
			686		CARBON						31.4	10.8	3150	1						
			212		CAT						9 14 16.7	4.5	Lead	FIXED						
Makanani	Ultimate 24 ODR	3	111	2003	28.04 7.82	110	30.8 14.5	31 11.35	6.35 9.18	No	Yes	21.3	24.38 21.17	2040	0	OB	None			
			583		CARBON						36	8.48	750	1						
			98		FS						27.8 21.3	5.52	Lead	FIXED						

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
				J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU SLE ASMUG	ASF ASA Sprit Lngth Fixed or _o		Ballast	Traps/H. moveable blst	IB or OB Prop Type # of blades	
									SL	SPL							
									SSMG	SSA							
Marrakesh	Express 34	3	102	1987	44.25 13	125	44.25	38.5 12.83	4.87 8.46	Yes	No	34 28.33 10.33 6.11	9245 3800 Lead	No 1 FIXED	IB FOLD 2		
Samba Pa Ti	J 22	3	186	1982	24.8 8.8	125	24.8 8.8	26.1 9	3.78 6.27	Yes	No	22.5 19 8 3.8	1790 700 Lead	0 1 FIXED	OB None		
Water Witch	P-Class Cutter	3	90	1928	65.59 23.7	120	23.7	59.41 26	7.67 14.57	No	No	56 39 11.5 8	48000 15000 Cast Iron	0 1 FIXED	IB Feath	(Mtg 10/26/17, custom rating assigned of 90)	
Wicked Sister	Farr 36 ODR	3	9	2004	46.78 13.19	110	54.82 21.06	49.93 18.63	8.53 12.96	No	Yes	36.1 32.8 11.72 8.5	6745 3076 Lead	0 1 FIXED	IB Fold		
Javelin	J 100 ODR	4	81	2004	38.5 11.5	95	43 12.7	38 13.5	5.13 8.77	No	Yes	24.34 49.93 38.71 24.34	6500 2500 Lead	No 1 FIXED	IB FOLD 2		
Polecat	Wyliecat 30 IB	5	132	1997			29.5 12	40 20	7.35 12.66	No	No	30.5 25 9.416 5.25	5500 3050 Lead	No 1 FIXED	IB FOLD 2	(Articulating Sprit and Pole added for asym spinnaker, added asymmetrical, -21 sec/mi)(5/22/14, removed Asymmetric, +21 sec/mi)(Mtg 8/25/16, New rudder installed, NCTR)	
Isle Of Skye	Tartan 33 7/8 RIG	6	159	1979	36.42 12.42	100	36.42	41.58 14.42	4.6 8.1	No	No	33.67 28.08 10.92 4.42	10000 4400 Lead	No 1 FIXED	IB FEATH 3		

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications									
		Sail #	DW Rating		J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps		IB or OB								
											E	MGM									SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type
Disp/WL Ratio	Mast Material	Rig Type	EY	SSF	ASM	Fixed or _o	Max Draft																					
Racer X	Farr 36 ODR	6	9	2006	46.78 13.19	110	54.82 21.06	49.93 18.63	8.53 12.965	No	Yes	36.279	36.1 32.8 11.72 8.5	6744 3078 Lead	No 1 FIXED	IB FOLD 2												
Tinker	Wilderness 21	6	225	1977	25 8.67	125	25 8	2.83 4.66	Yes	No	8.67	20.5 17.8 7.25 4	1870 1070 Lead	No 1 FIXED	OB None	Added roller furler												
Lilith	Custom Wyliecat 39	7	102	1992			50.75 26.5 0 0	10.45 17.5 811	No	No	0	38.83 32 11.83 6.67	12000 6200 Lead	No 1 FIXED	IB FOLD 2	HULL DESIGN IS VERY SIMILAR TO WYLIECAT 30.NO JIB, NO SPINNAKER, NO SPANKER,NO REACHER, NO VANG,NO TWEEKER,NO STAYS ETC., AS SAILED RATING 102 PER MTG 6/15/02												
Vip	Farallone Clipper FR	7	159	1957	36.82 14	155	36.82	40.5 18.5 0 0	6.16 10.979 420	Yes	No	14	38 28.75 9.5 5.6	19000 7000 Iron	No 1 FIXED	IB Fixed_3 3												
Ex Indigo	Custom Diva 39	8	87	1987	41.73 12.8	125	41.73 12.8	46.75 14.75 0 0	5.72 9.6 413	Yes	No	12.8	38.75 30.83 9.83 5.75	9920 4575 Lead	No 1 FIXED	IB FOLD 2	Back Stay Crane											
Mottley	Catalina 34	8	147	1986	44 13.5	130	44 14	38.5 12	4.7 8.05	No	No	0	34.5 29.833 11.75 5.583	11950 5000 Lead	No 1 FIXED	IB Fold 2												
Inconceivable	J 88	9	81	2013	38.67 11.28	104	46 18.05	36.82 12	5.44 8.4	No	Yes	29	29.19 26.84 9.5 6.5	4990 1840 Lead	0 1 FIXED	IB Fold												

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU SLA SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.		Traps/H. Strps moveable blst				
								SL	SPL						Ballast			Keel Type
								SSMG SSF	SSA						Ballast Mat.			Keel Type
Grunion	Catalina 425	11	87 2017	55.75 15.67 ALUMN MS	125 17.34	52 18 490	5.04 9.58	No	No	0 0	41.67 39.08 13.67 6.67	17500 7000 Lead	0 1 FIXED	IB Fold	(Mtg 1/26/17, need to submit spinnaker measurements when available)			
Tiburon	C&C 30 Mills	11	36 2014	40.8 11.28 CARBON FS	105 18.6	41.8 14.2 387	7 10	No	Yes	31.5 1284 7 0	30 28.7 9.8 7.5	3995 1579 Lead	0 1 FIXED	IB Fold				
Wile E Coyote	Express 27 ODR	11	129 1981	28.5 9 ALUMN FS	155 28.5	28.5 10.416 0 0	4.22 7.03 182	Yes	No	0 428	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 3				
Dream	Sceptre 41	12	129 1983	53 17.67 ALUMN MS	90 53	47 13 374	5.24 8.73	Yes	No	28 1038 0 0	41 36 12.67 6.08	21500 8700 Lead	0 1 FIXED	IB Fold				
Keala	Wylie Wabbit ODR W/Trap	12	126 1982	20.5 6.5 ALUMN FS	150 20.5	23.75 10 0 0	4.03 6.72 145	Yes	No	8.5 254	23.75 20 5.58 3.5	975 440 Lead	Yes 3 FIXED	OB None 0	Hiking straps and single trapeze			
Iseult	Wyliecat 30 IB	13	132 2001	0 CARBON CAT	0	39.75 20.8 491	7.87 13.46	No	No	0 0	30.5 25 9.42 9.25	5500 3050 Lead	0 1 FIXED	IB Fold 2				
Albion	J 124	14	27 2007	49 14 CARBON FS	145 54.7 19.43	48.4 17 488	6.4 11	No	Yes	32.74 1528 3.83 0	40.7 36.2 11.33 7	12600 5000 Lead	0 1 FIXED	IB Fold	(Mtg 2/23/17, -6 sec/mi for asymmetric spinnaker modifications)			

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications						
				J Max Headsail	ISP JSP	I Mast Material	P E PY EY	MGU MGM MSA	Yes/No		Yes/No	ASF ASA Sprit Lngth Fixed or _o		SL SPL SSMG SSF	SLE SSA ASMG			Ttl Disp.	Traps/H. Strps moveable blst				
									JSP	SSA										SLU SL	ASA	Ballast	Keel Type
CentoMiglia	Flying Tiger 10 Meter	15	57 2006	39.284 12.126 105	45.282 19.134	40.167 5.25 14.895 9.12	5.25	No	Yes	27.493	32.68	4376	No	OB	(3/7/11, new class rudder installed, NCTR)(Mtg 8/24/17, +3 sec/mi for small girth mainsail)								
			521 71	CARBON FS		344			51.541 1087	30.31	1918	1	None										
									42.651 7.008	9.12	Lead	FIXED	3										
									27.76 <input checked="" type="checkbox"/>	0	7.61												
Crinan II	Wyliecat 30 IB	15	132 2002			39.75 7.79 20.5 13.32	7.79	No	No		30.5	5500	No	IB									
			653 160	ALUMN CATBOAT		0 485 0				0	25	3050	1	FOLD									
										<input type="checkbox"/>	9.5	Lead	FIXED	2									
											5.25												
Akula	J 105 ODR w/ 5'BS	16	78 1992	40.6 13.5 100	42.1 19.07	41.5 5.5 14.6 9.4	5.5	No	Yes	25	34.5	7750	No	IB									
			585 137	ALUMN FS		0 359 0			48.9 854	29.5	3400	1	FOLD										
									38.7 5	11	Lead	FIXED	2										
									23 <input checked="" type="checkbox"/>		6.5												
Stratocaster	J 32	16	126 1996	39.2 11 155	40.68	38.5 5.88 15.5 10.07	5.88	Yes	Yes	23.95	32.5	10000	No	IB									
			633 193	ALUMN FS		0 355 0			39 11	44.92 831	28.67	3840	1	FOLD									
									20.4 659	38.38 0	11	Lead	FIXED	2									
									19.75	23.95 <input checked="" type="checkbox"/>	5.75												
Lepus	Wylie Wabbit ODR W/Trap	18	126 1982	20.5 6.5 150	20.5	23.75 4.03 10 6.72	4.03	Yes	No		23.75	975	1	OB	Hiking Straps & Trapeze per class rules								
			602 55	ALUMN FS		0 145 0			22 8.5		20	440	3	None									
									13.9 254		5.58	Lead	FIXED	0									
									13.7		3.5												
Ragtime!	J 92	18	105 1993	37 11.5 155	38.5 17	38 4.7 13.5 8.2	4.7	No	Yes	29.75	30	5500	No	IB	(changes noted 3-11-03, NCTR)(2/14/06 - Spinnaker based on 1019 sq feet/94.67 meters)(Mtg 01/16/14, -3 sec/mi for flying asymmetric off squared back pole)(Mtg 4/24/14, New Rudder noted NCTR, Shortened pole/sprit)								
			593 146	ALUMN FS		0 293 0			39.98 14.5	46.8 1019	25.8	2275	1	FOLD									
									30.6 1019	38.5 5.5	10	Lead	FIXED	2									
									30.6	28.4 <input checked="" type="checkbox"/>	5.9												
Salt Peanuts	Custom Dees GP 26	18	78 2008	29.35 8.07 130	36.43 14.32	32.42 5.58 12.63 8.69	5.58	No	Yes	20.41	25.72	2340	0	OB	(mtg 2/18/10, change custom rating from 75 to 78)(3/28/12, New Rudder Noted)								
			562 111	CARBON FS					43.5 626	21.22	1100	1	None										
									31.76 6.23	8	Lead	FIXED	0										
									19.85 <input checked="" type="checkbox"/>	0	6.04												

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
				DW Rating <i>Disp/WL Ratio</i>	I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast	Traps/H. moveable blst		IB or OB Prop Type # of blades
									SL	SPL	SLU	ASA						
									SSMG SSF	SSA	SLE	ASMG						
Sweet Grapes	Ericson 36 Holland	19	108 1981	47.75 14.5	147	47.75	42 12	3.5 7.2	Yes	No	29	35.58 29 11.83 6.25	11600 5230 Lead	0 1 FIXED	IB FOLD 2			
White Wabbit	Wylie Wabbit ODR W/Trap	19	126 1982	20.5 6.6	110	26.1	23.75 10 0 0	4.03 6.72 145	Yes	No	0	23.75 20 5.58 3.5	975 440 Lead	Yes 1 FIXED	OB None 0			
Another Girl	Alerion Express 38-2	20	90 2011	42.98 12.99	90		47.5 18.25	9.58 13.45	No	No	0	38.3 30.1 10.3 5.92	13000 5000 Lead	0 1 FIXED	IB Feath 2	(mtg 4/28/11, Custom rating of 90 assigned)		
Juno	J 88	20	81 2014	38.67 11.28	105	46 18.05	36.82 12	5.44 8.4	No	Yes	29 1022	29.19 26.84 9.5 6.5	4990 1840 Lead	0 1 FIXED	IB Feath			
Catch 22	Custom Zenrich 20	22	189 1979	25.5 8	155	25.5	25.5 8.67	3.67 5.08	Yes	No	0	20 18 7.79 4	1800 400 Lead	0 1 FIXED	OB None	(Mtg 1/26/12, Custom rating of 189 assigned)		
Peabody	Ultimate 20	22	144 2014	25.08 6.97	110	27.58 12.79	27.5 10.25	5.5 7.96	No	Yes	19.2 448	20.94 18 8.33 5.03	1350 450 Lead	0 1 CNTRBRD	OB None			
The Jackal	Moore 24	22	150 1977	26.25 9.75	150	26.25 9.75	25 9.5	3.91 6.5	Yes	No	0	23.75 21.75 7.16 4.08	2050 1025 Lead	0 1 FIXED	OB None			

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications					
			Built	J	Max Headsail	ISP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp. Traps/H. Strps		IB or OB								
									JSP	E				MGM	SL		SPL	SLU		ASA	LWL	Ballast	moveable blst	# of blades
Disp/WL Ratio	Mast Material	FS	EY	SSSF	ASMG	Fixed or _o	Max Draft	Ballast Mat.	Keel Type															
White Shadow	J 88	23	81	2014	38.67 11.28	104	46 18.05	36.82 12	5.44 8.4	No	Yes	29 1022	29.19 26.84	4990 1840	0 1	IB Fold								
			561 117		CARBON FS				282		40.84 27.32	5.25 <input checked="" type="checkbox"/> 0	9.5 6.5	Lead	FIXED									
Dr Feelgood	Olson 29	24	99	1986	34 11	155	36	32.5 11.5	4.36 7.48	Yes	No		29.67 27.5	3600 1950	0 1	OB None								
			571 79		ALUMN FS				223		36 21.15 21.15	11.75 635	9.33 5.58	Lead	FIXED									
Kwazy	Wylie Wabbit ODR W/Trap	26	126	1982	20.416 6.416	150	20.5	23 10	4.02 6.71	Yes	No		23.58 20	975 440	Yes 3	NONE None								
			604 55		ALUMN FS			0 0	141		14 14	257	5.42 3.41	Lead	FIXED	0								
Hot Socks	Figaro II	27	48	2004	42.75 12.42	104	42.75	42.67 15.42	7 11	Yes	No	0	32.18 32	6724 2425	0 1	IB Fold								
			564 93		CARBON FS				422		41 20.1 20.5	13.5 689	11.33 6.5	LeadWater	FIXED									
Nina	Olson 29	27	99	1987	34 11	155	36	32.5 11.5	4.5 7.27	Yes	No		29.67 27.5	3700 1950	0 1	OB None								
			579 81		ALUMN FS			0 0	222		34 20.25 20.25	11.25 574	9.33 5.58	Lead	FIXED	0								
Prime Number	J 70 ODR	29	114	2012	26.77 7.68	100	30.15 13.5	26.16 9.44	4.71 6.93	No	Yes	18.7 491	22.78 20.47	1750 630	0 1	OB None								
			607 93		CARBON FS				164		28.87 18.24	5.1 <input checked="" type="checkbox"/> 0	7.38 4.92	Lead	MVBL									
Wind Blown Hare	Wylie Wabbit ODR W/Trap	29	126	1982	20.5 6.5	150	20.5	23.75 10	4.03 6.72	Yes	No		23.75 20	975 440	1 3	OB None								
			602 55		ALUMN FS			0 0	145		22 13.9 13.7	8.5 254	5.583 3.5	Lead	FIXED	0								

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
				DW Rating Disp/WL Ratio	I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast	Traps/H. moveable blst		IB or OB Prop Type # of blades
									SL	SPL	SLU	ASA						
									SSMG SSF	SSA	SLE ASMG	SA						
Divine Wind	Flying Tiger 10 Meter ODR	30	54 2007	39.28 12.12 105	45.28 19.134	40.16 14.89	6.463 10.5	No	Yes	27.49 1087 7 0	32.65 30.31 9.15 7.62	4900 1918 Lead	0 1 FIXED	OB None 0				
Vanga	Alberg 30	30	231 1965	36.75 10.5 100	36	31 14.25	4.49 8.2	Yes	No	0 0	30.25 21.67 8.75 4.5	9000 3300 Iron	0 1 FIXED	IB Fixed_3 3	Roller Furler			
Wings	Columbia 5.5 M ODR	31	177 1965	29.125 8.25 96	30	34 11.416	4.59 7.65	Yes	No	0 0	32.416 25 6.25 4.33	4400 2800 Lead	No 1 FIXED	NA None 0				
Bad Hare Day	Wylie Wabbit ODR W/Trap	35	126 1982	20.75 6.5 150	20.5	23.75 10	4.03 6.72	Yes	No	0 0	23.75 20 5.583 3.5	975 440 Lead	Yes 3 FIXED	OB None 0				
Windtrip Infinity	J 92s	35	96 2006	40.68 11.48 107	44.08 16.67	38.88 13.95	5.42 9	No	Yes	23.25 878 5.17 0	30 26.7 10 6.24	5610 2317 Lead	0 1 FIXED	IB Fold				
Apogee	Islander 36 Freeport	36	162 1978	46.75 16.75 150		42 12.75	5 8.4	No	No	0 0	35.9 27.6 12 5.3	17000 7030 Lead	0 1 FIXED	IB Fold				
Ciao Bella	Beneteau 37	38	117 2009	45.833 15 105		43.5 12.9		No	No	0 0	37.666 34.75 12.833 6.25	14008 3902 Iron	0 1 FIXED	IB FOLD 3				

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications													
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	SL SPL SSMG SSF	SPL SSA	Yes/No	Yes/No	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps Ballast moveable blst Ballast Mat. Keel Type	IB or OB Prop Type # of blades														
																		DW Rating	Mast Material	Rig Type	ISP JSP	MGU MGM MSA	SL SPL SSMG SSF	SPL SSA	Yes/No	Yes/No	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.	Traps/H. Strps Ballast moveable blst Ballast Mat. Keel Type	IB or OB Prop Type # of blades
Yeti	Express 27 ODR	38	129 1983	28.5 9	155	28.5	28.5 10.4	4.22 7.03	Yes	No	27.25 23.75 8.16 4.5	2450 1100 Lead	0 1 FIXED	OB None																
Dare Dare	Jeanneau Sun Fast 3200	39	81 2008	41.92 12.58	102	43.77 13.61	38.67 13.68	5.28 8.46	Yes	Yes	33.1 28 11.5 6.2	7916 2866 Lead	0 1 FIXED	IB Fold 2																
Lonestar	Beneteau First 10R ODR MOD	40	84 2007	43.2 12.07	100	46.41 16.5	42.25 14.73	5.59 9.57	No	Yes	32.75 28.7 11 6.55	9715 3528 Lead	0 1 FIXED	IB FOLD 2	(Mtg 5/20/10, +3 sec/mi for non-class smaller kite)(Mtg 9/23/10, rudder modifications noted, NCTR)(Mtg 4/26/12, new rudder noted, NCTR)															
Wild 1	Flying Tiger 10 Meter ODR	41	54 2007	39.284 12.126	105	45.282 19.134	40.167 14.895	6.463 10.499	No	Yes	32.68 30.31 9.12 7.61	4376 1918 Lead	0 1 FIXED	OB None 3																
42	Moore 24	42	150 1979	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0																
Hokulani	J 120 ALUM	43	48 1996	50.42 14.42	155	50.42 21.42	46.42 17.67	6.58 11.42	No	Yes	40 35 12 7	13900 6000 Lead	0 1 FIXED	IB Fold																
Maxine	Yankee 30-1 SM	43	186 1971	37.5 12.75	125	37.5 12.75	32.5 9.7	2.4 4.8	No	No	30.13 23 9 5	8700 4130 Lead	0 1 FIXED	IB FOLD 2	+3 sec/mi for MGM less than 50% of E															

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
				DW Rating Disp/WL Ratio	I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast Mat.	Traps/H. moveable blst Keel Type		IB or OB Prop Type # of blades
									SL	SPL	SLU	ASA						
									SSMG SSF	SSA	SLE ASMG	Fixed or _o						
Tijd	Beneteau First 30	45	102 2011	41.66 13.78 105	42.16 15.7	40.2 6.24 14.25 9.38	6.24 9.38	No	15	Yes	25.5 866 1 90	31.7 27.5 10.5 6.25	8267 2403 Cast Iron	0 1 FIXED	IB Fold	(Mtg 8/27/15, -3 sec/mi for OSP, +6 sec/mi for small spinnaker)		
Elan	Beneteau 37	46	114 2012	45.83 15 105	48	43.5 6.16 12.83 8.83	6.16 8.83	No		Yes	26.6 915 0 0	37.8 34.08 12.83 6.25	14359 3901 Iron	0 1 FIXED	IB Fold			
Riff Rider	Cal 40	46	114 1965	46.2 15.1 155	46.2	40 6.5 17.5 11.3	6.5 11.3	Yes		No	0 0	39.3 30.3 11 5.6	15000 6000 Lead	0 1 FIXED	IB Fold			
Kraken	Knarr ODR	47	198	33.583 6.583 125	33.583	31 4.47 11.166 7.46	4.47 7.46	No	6.583	No	0	30.333 20.333 7 4.25	4360 2866 Cast Iron	No 1 FIXED	OB None 0			
Fatuity	Moore 24	48	150 1980	26.25 9.75 150	26.25	25 3.91 9.5 6.5	3.91 6.5	Yes		No	0	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0			
Hang 20	Express 27 ODR	48	129 1982	28.5 9 125	28.5	28.5 4.22 10.42 7.03	4.22 7.03	Yes		No	0	27.3 23.8 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0			
Color Blind	Moore 24	49	150 1979	26.25 9.75 150	26.25	25 3.91 9.5 6.5	3.91 6.5	Yes		No	0	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0			

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications											
				DW Rating	J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No		Yes/No	ASF	LOA	LWL	Ttl Disp.	Traps/H.		Strps	IB or OB									
										Mast Material	PY										MSA	SL	SPL	SLU	ASA	Max Beam	Ballast	moveable blst	Prop Type
Disp/WL Ratio				EY	SSF	ASM	G	Fixed or _o																					
Hylite	Hylas 49 SM	49	111	2007	57.42 19.5	130	57.42 19.5	51 18.5	4.5 9.17	No	Yes	28.67 1214	48.83 39.5	35000 14500	0 1	IB Fold	(Mtg 1/26/17, Custom rating of 111 assigned)												
			580 258		ALUMN CTR				470			0 0		Lead FIXED															
Wet Spot	Moore 24	51	150	1979	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No		23.75 21.75	2050 1025	No 1	OB None													
			636 91		FS			0 0	147			0 0	7.16 4.08	Lead FIXED		0													
Frequent Flyer	Mumm/Farr 30	52	54	1996	38.2 10.9	104	44.9 13.58	40.5 14.6	6.42 10.4	Yes	Yes	25.25 882	30.9 27.6	4561 1997	0 1	IB Fold													
			540 99		CARBON FS				377			0 0	10.1 6.9	Lead FIXED															
Current Affair	Express 27 ODR	56	129	1983	28.5 9	155	28.5	28.5 10.42	4.22 7.03	Yes	No		27.25 23.75	2450 1100	0 1	OB None													
			611 83		ALUMN FS				182			0 0	8.17 4.5	Lead FIXED															
Salty Hotel	Express 27 ODR	60	129	1983	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	No		27.25 23.75	2450 1100	0 1	OB None													
			611 83		ALUMN FS				182			0 0	8.17 4.5	Lead FIXED		0													
Ventus	J 88	60	81	2015	38.67 11.28	104	46 18.05	36.82 12	5.44 8.4	No	Yes	29 1022	29.19 26.84	4990 1840	0 1	IB Fold													
			561 117		CARBON FS				282			5.25 0	9.5 6.5	Lead FIXED															
Wuvulu	Islander Bahama 30	61	180	1979	40 12.75	150	38.416	33.75 11.5	4.75 8.125	Yes	No		30 24.58	8600 3500	No 1	IB FOLD													
			674 263		ALUMN MS			0 0	243			0	10 5	Lead FIXED		2													

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop		Modifications	
				DW Rating <i>Disp/WL Ratio</i>	J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast Mat.	Traps/H. moveable blst Keel Type		IB or OB Prop Type # of blades
									SL	SPL	SLU	ASA							
									SSMG SSF	SSA	SLU	ASA							
Firefly	Moore 24	64	150	1980	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0				
La Dolce Vita	J 32	64	120	2001	39.2 11	155	40.5 13	38.5 15.5	5.1 9.2	No	Yes	32.4 29 11 6	10000 3840 Lead	0 1 FIXED	IB Feath 3	(Mtg 8/22/13, -6 sec/mi for sprit)			
UHOO!	Ultimate 20	64	144	1996	22.8 7	100	27.58 13	27.5 10.33	5.3 7.96	No	Yes	20.8 18 8.166 5	1100 450 Lead	No 1 CENTER	OB None 0				
Rare Bird	Moore 24	67	141		26.58 9.75	100	28.31 11.65	25 9.5	3.91 6.5	Yes	Yes	23.75 21.75 7.16 4.083	2050 1025 Lead	0 1 FIXED	OB None	(Mtg 10/27/16, -6 sec/mi for OSP, -6 sec/mi for increased spinnaker area)			
Shenanigans	Express 27 ODR	67	129	1983	28.5 9	155	28.5	28.5 10.42	4.22 7.03	Yes	No	27.25 23.75 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0				
Cordon Rouge	J 30	68	144	1979	34 11.5	125	34	38 13	5.1 8.4	Yes	No	29.83 25 11.2 5.25	6700 2100 Lead	No 1 FIXED	IB FOLD 3				
Gruntled	Moore 24	68	150	1980	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0				

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop		Modifications			
				J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No	ASF		Ttl Disp.	Traps/H.	IB or OB	# of blades				
									SL	SPL		SLU							ASA	Ballast	moveable blst
SSF	SSA	ASM	Fixed or _o																		
Synchronicity	Olson 25	68	159	1985	32 9.583	155	32 9.6	28 10	3.8 6.4	Yes	No	25 21.25 9 4.5	3300 1300 Lead	No 1 FIXED	OB None 0						
			671		ALUMN		0	166			0										
			156		MS		0														
Wetsu	Express 27 w/J length pole	70	129	1983	28.5 9	155	28.5	28.5 10.42	4.22 7.03	Yes	No	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0	-6 Sec/mi OSP					
			611		ALUMN		0	182			0										
			83		FS		0														
Leda	Lapworth 36	71	150	1965	40.5 13.5	150	40.5 13.5	35.5 17.5		Yes	No	36 29 9.5 5.43	13500 4500 Lead	No 1 FIXED	IB FOLD 0						
			632		ALUMN		0				0										
			252		MS		0														
Rustler	Esse 850	71	75		32.8 10	105	37.72 16.2	34.4 11.97	6.23 8.85	No	Yes	28 28 7.25 6.6	3000 1540 Lead	0 1 FIXED	IB Fold	Outboard replaced with inboard saildrive (Mtg 2/28/13, custom rating assigned, as sailed: 75)					
			535		ALUMN				277		24.3 779 6.05 0										
			62		FS						0										
Andale	Express 27 ODR	72	129	1985	28.5 9	155	28.5	28.5 10.42	4.22 7.03	Yes	No	27.25 23.75 8.17 4.5	2450 1100 Lead	0 1 FIXED	None						
			611		ALUMN				182		0										
			83		FS						0										
Azure	CAL 40	72	114	1966	46 15.17	150	46	40 17.5	6.65 11.37	Yes	No	39.3 30.5 11 5.5	15500 6000 Lead	0 1 FIXED	IB FEATH 2						
			623		ALUMN			0	417		0										
			248		MS		0														
M Squared	J 88	75	81		38.67 11.28	104	46 18.05	36.82 12	5.44 8.4	No	Yes	29 29.19 26.84 9.5 6.5	4990 1840 Lead	0 1 FIXED	IB Fold						
			561		CARBON				282		29										
			117		FS						0										

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications		
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		Ttl Disp.		Traps/H.	Strps	IB or OB Prop Type # of blades			
								SL	SPL	SLU	ASA							Ballast	moveable blst
Disp/WL Ratio																			
Paramour	Moore 24	75	150	1980	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0				
JR	Moore 24	76	150	1980	26.25 9.75	155	26.25	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.08	2050 1025 Lead	No 1 FIXED	OB None 0				
USA 76	IACC	76	-78	2002	83.99 27.17	100		99.18 30.19	14.12 20.33	No	No	82.6 61.6 11.9 13.45	52910 39683 Lead	No 1 FIXED	IB Fold	(mtg 12/5/13, custom rating of -78 assigned)			
Courageous	J 88	77	81	2015	38.67 11.28	104	46 18.05	36.82 12	5.44 8.4	No	Yes	29 1022 9.5 6.5	4990 1840 Lead	0 1 FIXED	IB Fold				
Levitation II	Express 27 ODR	77	129	1984	28.5 9	150	28.5	28.5 10.416	4.22 7.03	Yes	No	27.25 23.75 8.166 4.5	2450 1100 Lead	No 1 FIXED	OB None 0				
Popcorn	Nonsuch 33	77	162	1997				50.33 24.33	7.2 13.6	No	No	33.33 31.42 12.42 5.25	15350 6050 Lead	No 1 FIXED	IB FOLD 2				
Split Water	J 88	78	81	2015	38.67 11.28	104	46 18.05	36.82 12	5.44 8.4	No	Yes	29 1022 9.5 6.5	4990 1840 Lead	0 1 FIXED	IB Fold				

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications																			
				DW Rating Disp/WL Ratio	I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	SL SPL SSMG SSF	SPL SSA	Yes/No	Yes/No		ASF	ASA	SLU SLE ASMG		Sprit Lngth Fixed or _o	Ttl Disp. Ballast Mat.	Traps/H. moveable blst Keel Type	IB or OB Prop Type # of blades															
																						26.25 9.75	150	26.25	25 9.5	3.91 6.5	26.6 17.55 17.55	9.75 389	No	No	0 0	7.16	23.75 21.75 7.16 4.08	2050 1025 Lead	0 1 FIXED	OB None 0
White Trash	Moore 24	78	150	1979	26.25 9.75	150	26.25	25 9.5	3.91 6.5	26.6 17.55 17.55	9.75 389	No	No	0 0	7.16	23.75 21.75 7.16 4.08	2050 1025 Lead	0 1 FIXED	OB None 0																	
Paradigm	J 32	79	126	2002	39.166 11	150	40.583 11.916	38.42 15.42	5.5 9.58	343	No	Yes	17.83 722	32.4 29 11 6	11500 3840 Lead	No 1 FIXED	IB FOLD 2																			
WooHoo	Moore 24	80	150	1980	26.25 9.8	150	26.25	25 9.5	3.91 6.5	17.55 395	9.75	No	No	0 0	7.16	23.75 21.75 7.16 4.083	2050 1025 Lead	0 1 FIXED	OB None 0																	
Youngster	IOD ODR	82	156	1937	29.25 8.33	103	41 10.67	38.83 16.25 0 0	6.12 10.47 374	0	Yes	8.416	No	0	5.333	7100 4100 Lead	No 1 FIXED	NONE None 0	(mtg 1/21/10, switched to Masthead Spinnaker, -12 sec/mi for 40% increase in ISP, -6 sec/mi for oversized spinnaker girths)(138 rating valid for PHRF Races, not valid for IOD Class races. Boat must be in close configuration to sail)																	
Advantage 3	J 105 ODR w/ 5'BS	84	78	1994	40.6 13.5	100	42.1 19.07	41.5 14.5 0 0	5.5 9.4 358	0	No	Yes	25.5 957 5	34.5 29.5 11 6.5	7750 3400 Lead	No 1 FIXED	IB FOLD 2																			
Orca	Moore 24	85	150	1981	26.25 9.75	150	26.25	25 9.5 0 0	3.91 6.5	17.55 380	9.75	No	No	0	7.16	23.75 21.75 7.16 4.083	2050 1025 Lead	0 1 FIXED	OB None 0																	
Russian Roulette	J 105 ODR w/ 5'BS	85	78	1995	40.6 13.5	100	42.1 19.07	41.5 14.5	5.5 9.4	358	No	Yes	25 854 5.5 0	34.5 29.5 11 6.5	7750 3400 Lead	0 1 FIXED	IB Fold 2																			

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
				DW Rating Disp/WL Ratio	J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast Mat.	Traps/H. moveable blst Keel Type		IB or OB Prop Type # of blades
									SL	SPL	SLU	ASA						
									SSMG SSF	SSA	SLE ASMG	Fixed or _o						
Scarlett	Moore 24	86	150	1980	26.25 9.75	150	26.25	25 9.5	3.89 6.45	Yes	No	24 21.75 7.17 4.08	2050 1000 Lead	No 1 FIXED	OB None			
Dulcinea	Catalina 38	88	117	1981	49.83 15.5	130	49.8 15.5	44 11.5	4.37 7.6	No	No	38.17 30.25 11.83 6.75	15900 6850 Lead	0 1 FIXED	IB Fold 2			
Mooretician	Moore 24	89	150	1981	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.08	2050 1025 Lead	No 1 FIXED	OB None 0			
Hijinks	J 92	90	108	1996	37 11.5	97	38.5 17	37.66 13.22	5 8.6	No	Yes	30 26.5 10 5.9	5500 2275 Lead	0 1 FIXED	IB Fold 2			
Jam Jam	Yankee 30-1 SM	90	192	1972	37.5 12.75	125	37.5	34.5 9.75	2.45 4.91	Yes	No	30 23 9 5.1	8900 4180 Lead	0 1 FIXED	IB Fixed_3 3	(mtg 4/28/11, +3 sec/mi for engine modifications)		
Make Me Smile	Express 27 ODR	91	129		28.5 9	155	28.5	28.5 10.42	4.22 7.03	Yes	No	27.25 23.8 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0			
Shadowfax	Olson 25	91	159	1986	32 9.6	155	32	28 10	3.8 6.4	Yes	No	25 21.25 9 4.5	3300 1300 Lead	No 1 FIXED	OB None 0			

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications		
				J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU SLA SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps Ballast moveable blst Ballast Mat. Keel Type				
									SL	SPL								Yes	No
									SSMG SSF	SSA									
Symmetry	J 111	91	36 2013	48.37 13.85	105	51.4 20.08	45.17 14.45	6.16 10.1	No	Yes	31.1 1399	36.5 32.7 10.8 7.2	9300 3500 LeadSteel	0 1 FIXED	IB Fold				
			534 121	CARBON FS				410			6.3 0								
Skinny Love	11 Metre ODR	92	69 1996	32.53 10.166	95	41	36.08 13.583	5.23 8.82	Yes	No		33.67 26.92 8.67 5.42	3600 1600 Lead	No 1 FIXED	OB None 0	MTG 4/9/98. Sail number 90, using sail # 246 for Vallejo 2008			
			536 84	ALUMN FS			0 0	293			0								
Relentless	J 92	93	105 1997	37 11.5	155	38.5 17.5	38 13.5	5.2 8.7	No	Yes	26.4 915	30 26.5 10 5.9	5500 2275 Lead	0 1 FIXED	IB Fold 2				
			590 134	ALUMN FS				306			5.5 0								
California Condor	Class 40	94	6 2010	53.9 15.65	104	58.6 23.85	53.21 18.81	11.71 14.38	No	Yes	39.7 1623	40 39.17 14.7 9.84	12225 4710 Lead	0 1 FIXED	IB Fold 2	Short-Handed Bay Configuration			
			481 92	CARBON FS				715			8.2 0								
Slight Disorder	Moore 24	98	150 1981	26.25 9.75	150	26.25 9.75	25 9.5	3.91 6.5	Yes	No		23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0				
			636 91	ALUMN FS			0 0	147			0								
Red Cloud	Farr 36 Mod	99	87 1976	38.3 12.16	108	46.3 12.16	41 16.75	6.4 10.9	Yes	No		36 31.33 11.92 6.16	10430 3950 Lead	No 1 FIXED	IB Fold 2	(550# ADDED TO KEEL 300# TO FILL MIDDLE WINDOW+250# TO BOTTOM)(Mtg 1/26/12, -3 sec/mi for new mainsail)(mtg 3/29/12, +3 sec/mi after review of rating appeal, as sailed: 87)			
			584 154	ALUMN FS			0 0	410			0								
Archaeopteryx	Hotfoot 20	101	177 1986	25 7	105	26.08 7.67	27.08 10.08	4.05 6.6	Yes	No		20 18 8.5 5	1000 400 Lead	0 1 CNTRBRD	OB None				
			628 78	ALUMN FS				166			0 0								

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications											
				J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.	Traps/H. Strps moveable blst		IB or OB Prop Type # of blades										
									SL	SPL	SLU	ASA							Ballast Mat.	Keel Type								
																					SSMG	SSA	SLE	ASMG				
Elise	Express 27 ODR	101	129	1986	28.5 9	155	28.5	28.5	4.22	10.416	7.03	28.6	9.8	No		27.25	23.75	8.17	4.5	2450	0	OB						
			612		ALUMN						182	17.75	423		<input type="checkbox"/>	0	8.17	4.5	Lead	FIXED	0							
			83		FS							17.75				4.5				Lead	FIXED	0						
Swift Ness	J 111	101	36	2014	48.37 13.85	105	51.4	20.08	45.17	6.1	14.5	10.1	410	No	Yes	31.8	1404	6.3	0	36.5	32.7	10.8	7.2	9300	0	IB		
			534		CARBON								410		Yes	31.8	1404	6.3	0	36.5	32.7	10.8	7.2	9300	0	IB		
			121		FS								410		31.8	<input checked="" type="checkbox"/>	0	6.3	0	36.5	32.7	10.8	7.2	LeadSteel	FIXED	Fold		
Absinthe	Moore 24	102	150	1981	26.25 9.75	150	26.25		25	3.91	9.5	6.5		Yes	No					23.75	21.75	7.16	4.083	2050	No	OB		
			650		ALUMN				0	147	0				No					23.75	21.75	7.16	4.083	1025	1	None		
			91		FS				0	147	0				<input type="checkbox"/>	0				23.75	21.75	7.16	4.083	Lead	FIXED	0		
Bad Dog	J 111	103	36	2011	48.37 13.85	105	51.4	20.08	45.7	6.1	14.5	10.1	414	No	Yes	31.86	1433	6.3	0	36.5	32.7	10.8	7.2	9300	0	IB		
			532		CARBON								414		Yes	31.86	1433	6.3	0	36.5	32.7	10.8	7.2	9300	0	IB		
			121		FS								414		31.86	<input checked="" type="checkbox"/>	0	6.3	0	36.5	32.7	10.8	7.2	LeadSteel	FIXED	Fold		
Geodesic III	Optima 101	103	138	1985	38.71 12	145	38.71	12	38.39	4.9	13.45	8.2	298	Yes	Yes	19.6	586	2	0	32.84	29.25	11.15	4.76	8511	0	IB	(Mtg 4/27/17, added 2' retractable bowsprit, -3 sec/mi)	
			621		ALUMN								298		Yes	19.6	586	2	0	32.84	29.25	11.15	4.76	3968	1	Fixed_2		
			155		FS								298		19.6	<input type="checkbox"/>	0	2	0	32.84	29.25	11.15	4.76	Iron	FIXED			
Wet Corvette	Melges 30	103	36	1994	36.85 10.59	150	36.85	18.96	38		15.49			No	Yes					30	28.6	9.1	7	3800	0	IB		
			507		CARBON															30	28.6	9.1	7	3800	0	IB		
			74		FS										<input type="checkbox"/>	8.4	90			30	28.6	9.1	7	1750	1	FOLD		
																				30	28.6	9.1	7	Lead	MVBL	2		
Ala Moana	Beneteau First 30	104	99	2012	41.66 13.78	105	42.16	15.78	40.3	6.28	14.25	9.38	356	No	Yes	28.82	1049	2	0	31.7	27.6	10.5	6.25	8267	0	IB		
			602		ALUMN								356		Yes	28.82	1049	2	0	31.7	27.6	10.5	6.25	2403	1	Fold		
			179		FS								356		26.9	<input checked="" type="checkbox"/>	0	2	0	31.7	27.6	10.5	6.25	Cast Iron	FIXED	2		

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
				DW Rating Disp/WL Ratio	I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast	Traps/H. moveable blst		IB or OB Prop Type # of blades
									SL	SPL	SLU	ASA						
									SSMG SSF	SSA	SLE	ASMG						
26.25 9.75	155	26.25 9.76	25 9.5	3.91 6.5	27 17.55 17.55	9.75 395	No	No	0 0	23.75 21.75 7.16 4.08	2050 1025 Lead	0 1 FIXED	OB None 3					
Rocket Science	Moore 24	104	150	1981	26.25 9.75	155	26.25 9.76	25 9.5	3.91 6.5	27 17.55 17.55	9.75 395	No	No	0 0	23.75 21.75 7.16 4.08	2050 1025 Lead	0 1 FIXED	OB None 3
Sweet Tea	Moore 24	105	150	1981	26.25 9.75	150	26.25 9.76	25 9.5	3.91 6.5	27 17.55 17.55	9.75 395	No	No	0 0	23.75 21.75 7.16 4.08	2050 1025 Lead	0 1 FIXED	OB None
Blue Angel	Moore 24	106	150	1982	26.25 9.75	155	26.25 9.76	25 9.5	3.91 6.5	27 17.55 17.55	9.75 395	No	No	0 0	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0
Neverland	Tartan 3700 SD 5.0'	106	114	2006	51.75 15	135	51.75 15	45.25 15	5.7 9.68	No	Yes	25.4 1025	37 32.5 12.6 5	17780 6200 Lead	0 1 FIXED	IB Fold 2		
Sea Spirit	Catalina 34 1&2	108	147	1986	44 13.5	130	44 13.5	38.5 12	4.36 7.54	Yes	No	0 0	34.5 29.83 11.75 5.58	11950 5000 Lead	No 1 FIXED	IB FOLD 2		
Thea	Folkboat	108	252	1984	21.988 6.562	100	10.166	28.707 11.154	4.416 7.333	No	No	0	25.079 19.822 7.261 3.916	4640 2315 Iron	No 1 FIXED	OB None 0		
Lucky Mud	Pearson 323	110	189	1978	41 13.81	100		36 10.75	3 5.2	No	No	0 0	32.3 27.5 10 4.5	12800 4500 Lead	0 1 FIXED	IB Fixed_3		

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications		
				DW Rating Disp/WL Ratio	J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. moveable blst	IB or OB Prop Type # of blades			
									SL	SPL								Ballast Mat.	Keel Type
Moxy	Moore 24	110	150	1982	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0				
Wood Eye	Catalina 38	111	123	1981	49.83 15.5	110	49.83 15.5	44 11.5	4.7 7.9	Yes	No	38.17 30.25 11.83 6.75	15900 6850 Lead	0 1 FIXED	IB Fixed_2 2				
High and Dry	Santana 22	114	234	1967	26 8.5	150	26	21.75 9.83	3.95 6.59	Yes	No	22 18.67 7.83 3.5	2600 1230 Cast Iron	0 1 FIXED	OB None				
Ecco	CAL 39-2/3	115	117	1980	50 16.7	125	50	44 13.75	5 8.5	No	No	39 32.1 12.15 6.7	17000 7000 Lead	0 1 FIXED	IB Feath				
First Light	Beneteau 35S5	115	126	1991	41.66 11.15	98	42.65 15.09	5.25 9.042		Yes	No	35.42 29.33 11.83 6	11460 4190 Lead	No 1 FIXED	IB Fixed_2 2				
Pork Chop Express	Express 27 ODR	115	129	1986	28.5 9	130	32.5	28.5 10.4	4.2 7	Yes	No	19.55 27.25 23.75 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None	(Mtg 1/26/17, -3sec/mi for switching to MH configuration. New Rudder, NCTR)(08/11/17, switching back to OD config)			
E-Ticket	Moorings 38 SD	119	117	1990	47.5 13.9	155	47.5 13.9	41.7 15	5.69 9.45	Yes	No	38.4 31.33 12.5 4.8	13700 5400 Steel	0 1 FIXED	IB Fold 2	Shoal Draft (Mtg 10/27/16, -3 sec/mi for oversized spinnaker area)			

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
				DW Rating Disp/WL Ratio	J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast Mat.	Traps/H. moveable blst Keel Type		IB or OB Prop Type # of blades
									SL	SPL	SLU	ASA						
									SSMG SSF	SSA	SLE ASMG	ASA						
Snafu	Moore 24	121	150 1982	26.25 9.75 150	26.25	25 9.5	3.91 6.5	Yes	No	27 9.75	23.75 21.75 7.16 4.08	2050 1000 Lead	0 1 FIXED	OB None				
Harizon	Dufour 310	122	159 2016	40.35 10.82 95		38.25 14.57	5.54 9.47	No	No		31.72 28.54 10.88 6.23	10802 2932 Iron	0 1 FIXED	IB Fold				
Ga	Knarr ODR	123	198	33.583 6.583 125	33.583	31 11.166 0 0	4.47 7.46 211	No	No		30.333 20.333 7 4.25	4630 2866 Lead	No 1 FIXED	OB None 0				
Circlesea	Folkboat	125	252	21.99 6.56 100	10.17	28.71 11.15	4.42 7.33	No	No		25.08 19.82 7.26 3.92	4640 2315 Iron	0 1 FIXED	OB None 0				
Carmelita	Catalina 42-1/2	131	105 1990	53 16.42 125	53	46.75 15.5 0 0	4.98 8.85 399	Yes	Yes	27.75 1131 0	41.83 36 13.83 6.66	22000 8300 Lead	No 1 FIXED	IB FEATH 3				
Problen Child	Melges 20	134	111 2009	23.19 7.05 110	27.2 10.95	24.25 9.84	3.83 7.42	No	Yes	18.8 417 3.9 0	20 19.4 7 4.5	1105 415 Lead	0 1 FIXED	OB None				
Incognito	Moore 24	136	150 1984	26.25 9.75 150	26.25	25 9.5 0 0	3.91 6.5 147	Yes	No	27 9.75	23.75 21.75 7.16 4.08	2050 1025 Lead	No 1 FIXED	OB None 0				

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications															
				DW Rating <i>Disp/WL Ratio</i>	I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	SL SPL SSMG SSF	SPL SSA	Yes/No	Yes/No		ASF ASA Sprit Lngth Fixed or _o	Ballast Ballast Mat.	Traps/H. moveable blst Keel Type		IB or OB Prop Type # of blades														
																			26.25 9.75	150	26.25	25 9.5	3.91 6.5	26.6 17 17.25	9.75 378	Yes	Yes	17.6 387 0 90	23.75 21.75 7.16 4.08	2050 1025 Lead	0 1 FIXED	OB None
26.25 9.75	150	26.25	25 9.5	3.91 6.5	26.6 17.55 17.55	9.75 389	No	No	0 0	23.75 21.75 7.16 4.08	2050 1025 Lead	No 1 FIXED	OB None																			
Mas!	Moore 24	138	150 1983	26.25 9.75	150	26.25	25 9.5	3.91 6.5	26.6 17 17.25	9.75 378	Yes	Yes	17.6 387 0 90	23.75 21.75 7.16 4.08	2050 1025 Lead	0 1 FIXED	OB None															
Hasta Nunca	Moore 24	142	150 1983	26.25 9.75	150	26.25	25 9.5	3.91 6.5	26.6 17.55 17.55	9.75 389	Yes	No	0 0	23.75 21.75 7.16 4.08	2050 1025 Lead	0 1 FIXED	OB None 0															
Zara	Beneteau 310	144	135 1993	37.04 10.83	135	37.04 10.82	37.8 12.9	5.2 8.9	No	Yes	21.6 528 0 0	31.2 27.7 10.5 4.3	7054 2160 Lead	0 1 FIXED	IB Fixed_2																	
Anna Banana	Moore 24	146	150 1984	26.25 9.75	150	26.25	25 9.5	3.91 6.5	26.6 17.55 17.55	9.75 389	Yes	No	0 0	23.75 21.75 7.16 4.08	2050 1025 Lead	No 1 FIXED	OB None															
Coquelicot	Ranger 33	148	153 1975	41.5 13.87	120	43.75 13.87	35 13.75 0 0	4.6 8.1 270	Yes	No	0	33 26.3 9.6 5	10500 4500 Lead	No 1 FIXED	IB FOLD 2	Double Spreader rig, water supply 41 gallons, below v berth, 26 gallon bladder tank starboard, rudder 9 inches deeper, group 31 batteries, 15 hsp one cyl disel replaced by 29 hsp Perkins 3 cylendar engine. (NOTED) (MTC 2 21 02)																
Nemesis	Pearson 26 Commander	151	258 1964	31.5 9.5	155		26 11.5	3.3 5.75	Yes	Yes	21.06 444 0 0	25.7 18.5 8 3.7	5200 2500 Lead	0 1 FIXED	OB None																	
Kookaburra	J 120 ALUM	153	48 2001	50.5 14.5	155	52 21.5	46.5 17.8 0 0	6.2 10.7 471	No	Yes	30.3 1265 7	40 35 12 7	13900 6000 Lead	No 1 FIXED	IB FOLD 2																	

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
				DW Rating <i>Disp/WL Ratio</i>	I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast	Traps/H. moveable blst		IB or OB Prop Type # of blades
									SL	SPL	SLU	ASA						
									SSMG SSF	SSA	SLE ASMG	Fixed or _o						
U Decide	Ultimate 20	155	144 2001	26.08 6.97	114	27.58 12.79	27.33 10.17	5.5 7.96	No	Yes	17.7 433	20.83 18 8.33	1350 450 Lead	0 1 FIXED	OB None 0			
Sir Leansalot	Hunter 40	161	108 1986	53.9 17	125	53.9 17	48 13.9	5.2 9	Yes	No	0	39.7 32.5 13.5 6.5	17400 6000 Iron	0 1 FIXED	IB Fixed_2 2			
Nozomi	CAL 40	164	114 1970	46.2 15.2	155	46.2	39.9 17.6	6.6 11.37	Yes	No	0	39.5 30 11 5.6	15500 6000 Lead	0 1 FIXED	IB FEATH 3			
Junkyard Dog	J 109 ODR	168	72 2004	46.5 13.3	105	49 18.83	43.25 15.5	5.88 10	No	Yes	27.75 1160	35.25 30.5 11.5 7	10900 3900 Lead	No 1 FIXED	IB FOLD 2			
Rufless	Melges 32 MOD	174	30 2007	40.86 10.7	105	48.3 18.7	44.05 15.49	6.95 11.14	No	Yes	31.3 1203	31.84 28.5 9.83 7	4200 1600 Lead	1 FIXED	OB None	(mtg 2/23/17, no longer using the class spinnaker. +3 sec/mi for small asymmetric)		
Strange Magic	Islander Bahama 30	179	180 1981	40 12.75	150	40 12.75	33.75 11.5	4.37 7.47	No	No	0	29.92 24.58 10 5	8230 3130 Lead	0 1 FIXED	IB Fold			
Breakaway	Ultimate 20 CM	180	144 2002	26.08 6.97	114	27.58 12.79	27.33 10.17	5.5 7.96	No	Yes	19.167 441	20.83 18 8.33 5	1350 450 Lead	No 1 FIXED	OB Fixed_3 3			

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications											
			Built	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB	Prop Type	Modifications										
										DW Rating	Mast Material										PY	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	# of blades
Vuja Star	J 105 ODR w/ 5'BS	181	78	1998	40.6	100	42.1	41.5	5.5	No	Yes	29.5	34.5	8733	0	IB														
			581		13.5		19.07	14.5	9.4		49.52	958	29.5	3400	1	Fold														
			155		ALUMN				358		39.8	5.5	11	Lead	FIXED	2														
			155		FS						24.8	<input checked="" type="checkbox"/>	0	6.5																
Some Assembly Required	Holder 20	183	192	1984	22.6	155	22.6	24.04	3.84	Yes	No		20.33	1160	4	OB	(Mtg 8/24/17, added 4 soft hiking straps to seats, NCTR)													
			666		7.25		13.05	9.33	6.58				18.42	335	1	None														
			84		ALUMN				141		12.92	239	7.83	Lead	MVBL															
			84		FS						11.88		3.58																	
Big Air	Open 5.7 ODR	189	138	2006	21.52	117	21.6	25.33	5.7	No	Yes	17.6	18.75	992	0	OB														
			609		7.3		12.3	10.24	8.2		25.82	345	18.7	405	1	None														
			69		ALUMN				183		20.64	5	8.3	Lead	FIXED															
			69		FS						17.9	<input checked="" type="checkbox"/>	0	5.74																
Trois Amis	Screamer 12 Meter MOD	194	36	1985	44.58	140	44.58	41	5.3	Yes	No		39.37	6000	0	OB	(mtg 3/23/17, custom rating of 36 assigned)													
			506		15.75			14.2	9.2				32.5	1350	1	None														
			79		ALUMN				345		29.75	1116	10.33	Lead	FIXED															
			79		MS						29.75		7.67																	
Lindo	J 109	195	69	2005	46.5	155	49	43.3	5.89	No	Yes	27.75	35.25	10900	0	IB														
			580		13.3		18.8	15.5	10.07		56.33	1160	30.5	3900	1	FOLD														
			175		ALUMN				400		45.63	5.5	11.5	Lead	FIXED	2														
			175		FS						27.2	<input checked="" type="checkbox"/>	0	7																
Sweet Pea	Islander 30-2	195	186	1971	38.5	155	38.42	32.5	4.75	Yes	No		30	8600	0	IB														
			677		12.58			11.58	8.125				24.58	3500	1	FOLD														
			263		ALUMN			0	235		22.5	724	10	Lead	FIXED	2														
			263		MS			0			22.5		5																	
Warpath	Olson 30 OB	198	99	1982	36	150	35.9	31.5	4.364	Yes	No		30	3600	No	OB														
			584		11.75		11.67	10.75	7.268				27.5	1800	1	None														
			79		MS			0	208				9.33	Lead	FIXED	0														
			79					0					5.08																	

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications											
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	SL SSMG SSF	SPL SSA	Yes/No	Yes/No	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps moveable blst	IB or OB Prop Type # of blades												
																		DW Rating Disp/WL Ratio	ISP JSP	MGU MGM MSA	SL SSMG SSF	SPL SSA	Yes/No	Yes/No	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.	Traps/H. Strps moveable blst	IB or OB Prop Type # of blades
Quiet Thing	Ranger 22	200	216	1978	25.75 8.5	155	25.75	26 7.4	2.8 4.8	Yes	No	22.5 17.5 7.8 4.3	2200 900 Lead	0 1 FIXED	OB None													
Tortuga	Westsail 32	207	216	1974	31.2 18.4	150		38.3 15.1		No	No	32 27.6 11 5	19500 7000 Lead	0 1 FIXED	IB FOLD 3													
Short Bus	Hunter 35 Legend	210	138	1990	42 12.17	110		44.08 14.25	5.5 9.2	No	Yes	35.58 29.75 11.75 6.5	12600 5000 Lead	0 1 FIXED	IB Fixed_2													
Kuai	Melges 32 ODR	211	27	2006	40.86 10.7	105	48.3 18.7	44.05 15.49	6.95 11.14	No	Yes	31.84 28.5 9.83 7	4200 1600 Lead	0 1 FIXED	OB None													
Arby	Colgate 26	212	159	2004	27.75 8.25	105	27.75	29.75 11.2	4.3 7.3	No	No	25.7 20 8.5 4.5	2600 1040 Lead	0 1 FIXED	OB Fixed_3 3	Non Spinnaker configuration												
Penny Pincher	J 70 ODR	215	114	2014	26.77 7.68	100	30.15 13.5	26.16 9.44	4.71 6.93	No	Yes	22.78 20.47 7.38 4.92	1750 630 Lead	0 1 MVBL	OB None													
Firefly	Harbor 20	226	213	2006	25.75 7	90	25.75 7	26 10	3.6 6.25	No	No	20 17.17 7 3.5	1800 900 Lead	0 1 FIXED	OB None													

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		Ttl Disp.		Traps/H. Strps moveable blst	IB or OB Prop Type # of blades			
								SL SPL SSMG SSF	SPL SSA	SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o					Ballast Mat.		Keel Type
Seaya	Catalina 380	252	120 2000	50.916 14.667 ALUMN MS	135	44.833 15.667	5.2 10 405	No	No			38.42 32.42 12.33 7.17	19000 6800 Lead	No 1 FIXED	IB FEATH 3			
Mamaluc	J 105 ODR w/ 5'BS	265	78 1999	40.6 13.5 ALUMN FS	100	42.1 19.07	41.5 5.5 14.5 9.4 0 358 0	No	Yes	25.9 962 5 5		34.5 29.5 11 6.5	7750 3400 Lead	No 1 FIXED	IB FOLD 2			
Endless Summer	Catalina 36	271	150 1984	44.75 14.33 ALUMN MS	95	44.75 14.33	39 4.33 12 8.01 279	No	Yes	23.33 850 0 0		36.33 30.25 11.92 5.83	13500 6000 Lead	0 1 FIXED	IB Fixed_3 3			
No Name	swift	274	219 1978	25.9 8.5 ALUMN FS	125	25.9 8.6	26 3.3 7.5 5.5 126	Yes	No			22.5 17.58 7.83 4.3	2183 900 Lead	0 1 FIXED	OB None	Roller Furler		
Spirit	Alerion Express 28 ODR	275	168	30 9.75 ALUMN FS	90	30 9.75	33 4.8 12.5 7.6 241	No	No			28.25 22.83 8.2 4.5	5700 2200 Lead	0 1 FIXED	IB Fold 2			
Makani	Nonsuch 30	278	174 1985		0	44.9 23.9	8 14.5 607	No	No			30.33 28.75 11.83 5	11500 4500 Lead	0 1 FIXED	IB Feath			
Pearl	Ranger 33 SM	278	165 1977	38 13.9 ALUMN MS	125	38	31.5 4.43 11 7.39 212	Yes	No			33.17 26.25 9.583 5.166	10500 4800 Lead	0 1 FIXED	IB Fixed_2 2			

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
				DW Rating Disp/WL Ratio	I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast	Traps/H. moveable blst		IB or OB Prop Type # of blades
									SL	SPL	SLU	ASA						
									SSMG SSF	SSA	SLE ASMG	Fixed or _o						
Frisky	Open 5.7 ODR	281	138 2009	21.52 7.3	117	27.9 12.3	25.33 10.24	5.7 8.2	No	Yes	17.5 338	18.7 18.7 8.3 5.7	992 405 Lead	0 1 FIXED	NONE None			
Kiwa	Ericson 32-2	285	183 1973	36 18	155	36	31.5 13	4.9 8.4	No	No	0 0	32 24 9.67 4.91	9400 4400 Lead	0 1 FIXED	IB Fixed_2 2			
Obsession	Harbor 20	299	207 2010	25.75 7	95	26.38 8.16	26 10	3.25 6.05	Yes	No	8 295	20 17.2 7 3.5	1800 900 Lead	0 1 FIXED	OB None	(Mth 5/25/17, -6 sec/mi for OSP)		
Nightmare	Custom Wilderness 30 SX FR OB	305	111 1980	34 11.75	125		34.4 11.5 0 0	4.59 7 233	Yes	No	0	29.75 27.75 8.83 5.92	4700 1650 Lead	No 1 FIXED	OB None 0	(-3 sec/mi for change from IB to OB, -6 sec/mi for keel change.)(mtg 2/26/15, -9 sec/mi for oversized spinnaker)		
Capo Gatto	Nonsuch 30	308	174 1985				45 24	7.9 14.3	No	No	0 0	30.33 28.75 11.1 5	11500 4500 Lead	0 1 FIXED	IB Fold 2			
Boudicca	Elan 310	310	129 2010	40.19 11.74	106	42.55 14.87	39.53 13.55	5.28 8.92	No	Yes	25.91 906 3 0	30.3 28.58 10.5 6.23	10141 2292 Iron	0 1 FIXED	IB Fold			
Lightwave	J 105 ODR w/ 5'BS	319	78 2000	40.6 13.5	100	42.1 19.07	41.5 14.5	5.5 9.4	No	Yes	22.9 947 5 0	34.5 29.5 11 6.5	7750 3400 Lead	No 1 FIXED	IB FOLD 2			

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications									
			Built	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		SLU	ASA	LWL	Ttl Disp.	Traps/H.	Strps	IB or OB	# of blades									
										DW Rating	Mast Material										PY	MGM	SL	SPL	Max Beam	Ballast	moveable blst	Prop Type
ASF	Sprit Lngth	Fixed or _o	Ballast Mat.	Keel Type	Prop Type	# of blades																						
Roxanne	Tartan 4100 SD TM	322	90		57	135	57	50.1	6.8	No	Yes	27	41.3				IB											
					15		15	18	11.5		58.9	1285	35.9				Feath											
			579		ALUMN						53	0	13.6															
			200		MS						27.7	<input checked="" type="checkbox"/>	5.4	Lead	FIXED													
Shanti	Ericson 911S Olson	326	132	1989	41.5	150	41.5	35.5	4.73	Yes	No		29.92				IB	CHANGE TO RUDDER NOTED, NCTR										
					12.33		12.33	11.83	7.69		42	12.17	25				FOLD											
			662		ALUMN			0	253		22	768	10.33				2											
			253		MS			0			21.7	<input type="checkbox"/>	5.42	Lead	FIXED													
Scilla	J 70 ODR	327	114	2012	26.77	100	30.15	26.16	4.71	No	Yes	18.7	22.78				OB											
					7.68		13.5	9.44	6.93		35.43	491	20.47				None											
			607		CARBON						28.87	5.1	7.38															
			93		FS				164		18.24	<input checked="" type="checkbox"/>	4.92	Lead	MVBL													
Popstar	Catalina 400	331	108	2005	52.5	135	52.5	46.9	4.02	No	Yes	27.9	41.54				IB	(+3 sec/mi for in-mast furling mainsail, +3 sec/mi for MGM <50% of E)										
					15.5		16.5	17	8.27		52.16	1225	36.5				Fold											
			599		ALUMN				393		50	0	13.5				3											
			192		MS						29	<input checked="" type="checkbox"/>	6.92	Lead	FIXED													
Farriage	Catalina 42-1/2	336	102	1992	53	130	53	46.75	5.75	No	Yes	27.08	41.83				IB											
					16.42		16.42	16.42	9.83		53	1042	36				Feath											
			604		ALUMN				437		47.37	0	13.83				3											
			201		MS						24.37	<input checked="" type="checkbox"/>	6.83	Lead	FIXED													
Blue Ribbon	Catalina 27 IB	343	213	1975	34.5	120		28.7	3.5	No	No		26.83				IB											
					11.25			10.5	6.3				21.75				Fixed_3											
					ALUMN				170			0	8.83				3											
			303		MS						<input type="checkbox"/>	0	4	Lead	FIXED													
Allons-Y	J 70 ODR	346	114	2014	26.77	100	30.15	26.16	4.71	No	Yes	18.7	22.75				OB											
					7.68		13.5	9.44	6.93		35.43	491	20.47				None											
			607		CARBON				164		28.87	5.1	7.38															
			93		FS						18.24	<input checked="" type="checkbox"/>	4.92	Lead	MVBL													

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
			Built	DW Rating	I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp. Ballast	Traps/H. moveable blst	IB or OB Prop Type # of blades			
									SL	SPL	SLU	ASA							
									SSMG SSF	SSA	SLE	Sprit Lngth Fixed or _o							
Ballast Mat.	Keel Type																		
Joker	J 35	400	75	1986	46.4 14.7	125	46.4	41.5 14	5.43 9.11	Yes	No	35.42 30 11.8 6.75	10500 4400 Lead	0 1 FIXED	IB FOLD 2				
			587 177		ALUMN MS			0 0	348			<input type="checkbox"/>	0						
Ariadne	Beneteau Farr First 36.7	403	84		46.4 13.1	125	46.4	46.4 15.6	5.92 12.49	Yes	No	36 30.3 11.4 7.3	12495 4034 Lead	No 1 FIXED	IB Fold 2				
			601 204		ALUMN FS			0 0	468			<input type="checkbox"/>	0						
Sobrante	Alerion Express 28 ODR	406	168	2009	30 9.75	90	30	33 12.5	4.8 7.6	No	No	28.25 22.83 8.2 4.5	5700 2200 Lead	0 1 FIXED	IB Fold 2				
			218		ALUMN FS				241			<input type="checkbox"/>	0						
Nantucket Sleighride	J 105 ODR w/ 5'BS	414	78	2001	40.6 13.5	100	42.1	41.5 14.5	5.5 9.4	No	Yes	34.5 29.5 11 6.5	7750 3400 Lead	0 1 FIXED	IB Fold 2				
			585 137		ALUMN FS				358			<input checked="" type="checkbox"/>	25 863 5 0						
Luna Sea	Islander 36 ODR	420	144	1980	45 14.48	135	45	39.25 12.75	5.05 8.44	Yes	No	36.08 28.25 11.17 6.08	18000 5450 Lead	No 1 FIXED	IB Feath 3				
			655 363		ALUMN MS			0 0	303			<input type="checkbox"/>	0						
White Bear	Nonsuch 30	431	174	1987				45 24	8.68 15.12	No	No	30.33 28.75 11.9 5	11500 4500 Lead	0 1 FIXED	IB Fold 3				
			666 220		ALUMN CAT				629			<input type="checkbox"/>	0						
Kapai	Islander 36 ODR	438	147	1977	45 14.48	125	45	39.25 12.75	5.05 8.44	No	No	36.08 28.25 11.17 6	13450 5500 Lead	0 1 FIXED	IB FOLD 2				
			271		ALUMN MS			0 0	303			<input type="checkbox"/>	0						

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications		
				DW Rating Disp/WL Ratio	I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast Mat.		Traps/H. moveable blst Keel Type	IB or OB Prop Type # of blades
									SL	SPL	SLU	ASA							
									SSMG	SSA	SLE	Sprit Lngth Fixed or _o							
Rufless	Melges 24	445	84 1999	27.85 7.95 577 76	100	31.85 12	28.9 12.45	3.83 7.09	No	Yes	20.67 577 0 0	24 22 8.17 5.25	1783 650 Lead	0 1 CNTRBRD	OB None 0				
Zenith	Islander 36 NCPHRF	472	147 1978	45 14.48 ALUMN MS	135	45 14.8	39.25 12.75 0 0	5.05 8.44 303	No	No	0	36.08 28.25 11.166 6.083	13450 5820 Lead	No 1 FIXED	IB Fold 2				
Auggie	Santana 22 ODR	476	237 1969	26 8.5 ALUMN MS	125	26	21.75 9.833 0 0	3.95 6.59 131	Yes	No	8.583 335	22 18.666 7.833 3.5	2600 1230 Cast Iron	No 1 FIXED	OB None 0				
Zingara	Islander 36 NCPHRF	484	150 1978	45 14.48 ALUMN MS	125	45 14.8	39.25 12.75 0 0	4.8 8.29 298	No	No	0	36.1 28.25 11.17 6.08	13450 5820 Lead	No 1 FIXED	IB Fold 2	Roller Furler			
Alpha	Sonar 23	498	174 1990	23 8.25 ALUMN MS	100		27.5 11.17	1.23 7.3 156	No	No	0 0	23 19.92 7.8 3.92	2100 900 Lead	n 1 FIXED	OB None				
Shut Up & Drive	J 24 ODR	513	168 1990	26.25 9.5 ALUMN FS	150	26.25	28 9.75 0 0	3.7 6.37 163	Yes	No	9.5 375	24 20 8.916 4	3100 965 Lead	No 1 FIXED	OB None 0				
All Hail	Catalina 34 TM	524	144 1988	46 13.5 ALUMN MS	130	45.9 13.5	40.5 12	4.8 8 296	No	No	0 0	35.66 29.84 11.75 5.56	12000 5000 Lead	0 1 FIXED	IB Fold				

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
			Built	I	J	Max Headsail	ISP	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB		
			DW Rating	Mast Material	JSP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type				
			Disp/WL Ratio	Rig Type	PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades					
The Mighty Windsong	International Folkboat OB	567	228	1969	26	155	26	28.8	4.44	Yes	No	25.75	5000	0	OB				
			817		8.3		8.3	11.2	7.34								27.13	8.36	19.75
Crackers	J 105 ODR w/ 5'BS	581	78	2002	40.6	100	42.1	41.5	5.5	No	Yes	34.5	8664	0	IB				
			585		13.5		19.07	14.5	9.4								49.5	859	29.5
Rampage	J 70 ODR	582	114	2014	26.77	100	30.15	26.16	4.71	No	Yes	22.75	1750	0	OB				
			607		7.68		13.5	9.44	6.93								35.43	491	20.47
Wingman Racing	J 70 ODR	584	114	2014	26.77	100	30.15	26.16	4.71	No	Yes	22.75	1750	0	OB				
			607		7.68		13.5	9.44	6.93								35.43	491	20.47
Queimada	Catalina 34 1&2	611	147	1988	44	150	44	38.5	4.2	Yes	No	34.5	11950	0	IB				
			637		13.5		13.5	12	7.2								42.5	13.5	29.83
Wild-Type	Ericson 32-2	614	186	1975	38	155	13	31.5	4.53	No	Yes	31.58	8800	0	IB	Roller Furler			
			707		13		13	13	8.19								39.55	639	24
Dura Mater	CAL 27-2 IB	616	213	1979	36	120	13	30.83	4.21	Yes	No	26.58	6700	0	IB				
			721		12		7	10.25	7								32.8	11.8	22.08
			283		36		13	30.83	4.21			26.58	6700	0	IB				
			283		12		7	10.25	7								32.8	11.8	22.08

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
				DW Rating Disp/WL Ratio	I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast Mat.			Traps/H. moveable blst Keel Type
									SL	SPL	SLU	ASA						
									SSMG SSF	SSA	SLE ASMG	Fixed or _o						
Can O' Whoopass	CAL 20	624	273 1965	22 7.33 115	22 7.33	23 10	4 6.7	Yes	No			20 18.1 7 3.33	2000 900 Iron	0 1 FIXED	OB None 2	(mtg 4/24/08, -18 sec/mi for adding single trapeze wire) (10/2/08 - removed trapeze, now racing as a standard cal 20 -18 sec/mi penalty removed)(3/5/09 added single trapeze back, -18 sec/mi)(8/26/09, switching back to standard Cal 20)		
TESA	Catalina 42-1/2	642	102 1999	53 16.41 155	53 23	46.75 15.416	5.91 10	Yes	Yes	31 1275		41.83 36 13.83 6.8	25500 8300 Lead	0 1 FIXED	IB FEATH 3	Added one electric main halyard winch		
Flight Risk	Thompson 650	650	102 2000	26.67 8.86 100	28.25 14.86	28.29 10.4	5.7 8 204	No	Yes	20.58 586 7.87		22.3 19.8 8.16 5.9	1692 660 Lead	Yes 3 FIXED	OB None	(mtg 1/21/10, weighed displacement of 1692lbs updated, NCTR)(Mtg 3/18/10, change custom rating from 108 to 99)(Mtg 8/18/10, submitted appeal, rating changed from 99 to 102)		
Boomer	Melges 20	676	111 2009	23.19 7.05 110	27.2 10.95	24.25 9.84	3.83 7.42 152	No	Yes	18.8 417 3.9 0		20 19.4 7 4.5	1105 415 Lead	0 1 FIXED	OB None 0			
Endless Summer	Catalina 42-1/2 WK	688	111 2000	53 16.5 155		46.75 15.5	5.08 9.16 405	No	No			41.83 36 13.83 4.83	28000 8300 Lead	0 1 FIXED	IB Feath 3			
Revelry	Catalina 42-1/2	703	105 1999	53 16.416 125	53 16.416	46.75 15.416	5.75 9.833	No	Yes	27.5 1097		41.833 36 13.833 6.83	20500 8300 Lead	No 1 FIXED	IB FEATH 3	ASYM SPIN NOTED NCTR.		
Zeehond	Newport 30-2	707	174 1976	39.5 12.125 150	39.5	34 10.25	3.6 6.33 201	Yes	No			30 25 10.5 4.75	8500 2600 Lead	No 1 FIXED	IB FOLD 2			

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		SLU ASA SLE ASMG		ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast	Traps/H. moveable blst		IB or OB Prop Type # of blades
								SL	SPL	SLU	ASA							
								SSMG	SSA	SLE	Sprit Lngth Fixed or _o							
Ballast Mat.	Keel Type																	
Imagine	Ericson 32-3	716	159 1987	42 13.8 ALUMN MS	135	31.85 12	36.4 11.8	4.18 7.28	No	No	20.67 0 0	32.5 25.83 10.83 6	9800 4200 Lead	0 1 FIXED	IB Fixed_2 2			
Insolent Minx	Melges 24	725	84 2008	27.85 7.98 CARBON FS	100	31.85 12	28.75 12.42	3.83 7.09	No	Yes	20.67 577 0 0	24 22 8.2 5.25	1750 650 Lead	0 1 CNTRBRD	OB None			
Nessie	Catalina 34 1&2	734	156 1988	44 1.5 ALUMN MS	100	44 13.48	38.5 12	4.7 7.54	No	No	0 0	34.5 29.83 11.75 5.58	11950 5000 Lead	0 1 FIXED	IB Fixed_3 3			
Amandla	Catalina 34 1&2	796	147 1988	46 13.5 ALUMN MS	130		38.5 12		No	No	0	35.75 29.8 11.75 5.6	11950 5000 Lead	0 1 FIXED	IB FOLD 3			
Byte Size	Santana 22	801	237 2001	26 8.5 ALUMN MS	90	26 8.5	21.75 9.833 0 0	3.95 6.59 131	Yes	No	8.583 335	22 18.67 7.83 3.5	2600 1230 Iron	No 1 FIXED	OB None 0			
Sea Breeze	Catalina 320	850	156 2001	43.58 12.33 ALUMN MS	135	43.58	38 13.25	5.168 8.661	No	No	0 0	32.5 28 11.75 6	11300 4000 Lead	0 1 FIXED	IB Fold 2			
Benny	J 70 ODR	897	114 2015	26.77 7.68 CARBON FS	100	30.15 13.5	26.16 9.44	4.71 6.93	No	Yes	18.7 491 5.1 0	22.75 20.47 7.38 4.92	1750 630 Lead	0 1 MVBL	OB None			

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications												
			Built	J	Max Headsail	ISP JSP	P	MGU	SL	SPL	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB													
																				DW Rating	Mast Material	E	MGM	SSMG	SSA	SLU	ASA	LWL	Ballast	moveable blst	IB or OB
Disp/WL Ratio	Rig Type	EY	SSF	ASM	Fixed or _o	Max Draft	# of blades																								
White Jacket	Etchells 22 ODR	901	120	1991	27.27 8.22	90	32.49 11.57		Yes	8.22	No	30.5 22 6.83 4.5	3337 2105 Lead	0 1 FIXED	OB None 0																
Ada Helen	ace	922	96	2005	53 16.5	155	53 16.5	46.75 15.5	No	18	Yes	43.8 36 13.1 6	24400 8300 Lead	No 1 FIXED	IB FOLD 3	(Mtg 3/20/08 -6/sec/mi for OSP)(mtg 6/19/08, new larger a-sail, correct size for J, NCTR)															
Lioness	Bermuda 40	981	174	1962	42.5 15.58	160	ALUMN YAWL	36.6 17.2 17.7 8.5	No		No	40.75 28.8 11.75 4.25	20000 5600 Lead	0 1 CNTRBRD	IB Fixed_3 3	(Mtg 5/22/08, +6 sec/mi for 3-blade fixed prop, no penalty for headsail larger than 155%, no credit for sonar transducer, custom rating of 174 assigned)															
Vita E Bella	Catalina 42-1/2	989	99	2007	53 16.5	155	16.5	46.9 15.6	5.2 9.5	415	No	41.83 36 13.1 6.8	24400 3765 Lead	0 1 FIXED	IB FOLD 3	(mtg 3/28/13, -3 sec/mi for added sprit)															
Outsider	Azzura 310	1000	57	1996	35.35 11.55	110	43.33 21.57	38.75 13.25	6.68 10.5	0 352 0	No	30.75 27.4 10 7.2	4850 2100 Lead	No 1 FIXED	OB Fixed_3 3	6 FT ARTIC, RETRAC BOWSPRIT. MTG 3/28/96 (RATED 66) (CHNG NOTED 4/18/96-NO CHNGE RTNG. (2/13/96 FM 66 TO 60.)(MTG 11/13/97 FM 60 TO 57)MTG 2/12/98 FM 57 TO 63 (MTG 4/9/98) Inboard SailDrive removed and replaced with															
Afterburner	Synergy 1000	1001	45	1999	40.75 12	110	45.75 16.4	42 15.5	6.99 11.03	417	No	32.83 29.17 9.75 7	4600 1850 Lead	0 1 FIXED	IB Feath 2																
Vera Cruz	Sunsail F40 ODR	1003	54	2012	52.69 15.09	105	56.54 17.06	51.15 17.65	6.53 11.42	534	No	40.15 35 12.76 8.04	17437 6609 Lead	0 1 FIXED	IB Fold 2																

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications		
				JSP	I J	Max Headsail	P E PY EY	MGU MGM MSA	Yes/No		Yes/No	ASF		Ballast Ballast Mat.	Traps/H. moveable blst Keel Type	IB or OB Prop Type # of blades			
									SL	SPL								SLU	ASA
ISP	JSP	ISP	MGU	MGM	SSMG	SSA	SLE	Sprit Lngth Fixed or _o											
Trex	Sunsail F40 ODR (Beneteau F40)	1007	54 2012	52.69 15.09	105	56.54 17.06	51.15 17.65	6.53 11.42	No	Yes	30.32 1200 1.98 0	40.15 35 12.76 8.04	17437 6609 Lead	0 1 FIXED	IB Fold 2				
Itinerant	Hunter 34	1025	150 1986	47.42 13.75	105		41 11.75	4.02 6.87	No	No	0 0	34.42 28.25 11.5 5.5	11820 5366 Steel	0 1 FIXED	IB Fixed_2				
SF	CAL 25-1 OB	1062	225 1969	29.75 10	120	29.75	25 11	4.17 7	No	No	0 0	25 20 8 4	4000 1700 Lead	0 1 FIXED	OB None				
Pegasus - Motion X	J 100 ODR MOD	1197	69 2005	38 12.7	95	43 15.63	38 15.3	5.32 9.32	No	Yes	23.3 861 4.13	32.8 29 9.3 5.8	7250 2500 Lead	No 1 FIXED	IB FOLD 2	(Mtg 2/26/09, -3 sec/mi for adding sprit)(mtg 1/21/10, additional -3 sec/mi for lengthening sprit to 4.13')(Mtg 1/27/11, -6 sec/mi for increased "e")(Mtg 1/26/11, shortened J, boat rigged for carbonized sailing. MCTBY4/22/17			
Goose	Catalina 30	1210	180 1979	41 11.416	155	41	35 11.5	4.63 7.72	Yes	No	0	29.92 25 10.83 5.25	10200 4200 Lead	No 1 FIXED	IB FOLD 2				
Oshun	Catalina 27 OB	1216	201 1974	34 11.25	95		28.67 10.5	4.24 7.08	No	No	0 0	26.83 21.75 8.83 4	6850 2750 Lead	0 1 FIXED	OB None				
Alte Liebe	Albin Ballad 30	1266	183 1978	37.083 11.249	155	37.8	31.916 9.333	3.33 5.58	Yes	No	0	29.916 22.583 9.666 5.09	7276 3417 Lead	No 1 FIXED	IB FOLD 2	The J measurement in all Ballad documents & Sailmaker plans is 12.27 however the actual J= 11.3" (MTG 8/25/94), standard SPL is 12.27 (mtg 3/20/08)			

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
				J Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp.	Traps/H. Strps		IB or OB Prop Type # of blades		
								SL	SPL	SLU	ASA			Ballast	moveable blst			
																	SSMG	
SSF	SSA	ASM	ASF	Fixed or _o														
Sterling	Catalina 34 1&2	1269	153 1994	44 13.5	125	44 13.5	38.5 12	3.6 6.8	No	No	35.66 29.84 11.75 5.56	11950 5000 Lead	0 1 FIXED	IB Fixed_2				
Crews Nest	Catalina 34 1&2	1383	147 1997	44 13.5	130	44 13.5	38.5 12	3.6 6.8	Yes	No	35.67 29.83 11.75 5.58	11950 5000 Lead	No 1 FIXED	IB FEATH 3				
Sparky	Catalina 25 FK	1498	222 1979	29 10.5	145	29 10.5	24.66 9.58	3.68 1.45	Yes	Yes	25 22.16 8 4	4550 1900 Cast Iron	0 1 FIXED	OB None 0				
Slainte	Cal 20	1510	273 1973	22 7.33	115	22 7.33	23 9.833	3.67 6.5	Yes	No	20 18.08 7 3.33	1950 900 Iron	0 1 FIXED	OB None				
Star Baby	Cal 20	1545	273 1967	22 7.33	110	22 7.33	23 9.83	3.67 6.5	Yes	No	20 18.08 7 3.33	1950 900 Iron	0 1 FIXED	OB None				
Sailor Dog	Catalina 34 1&2	1798	162 2007	44 13.5	110	44 13.5	38.5 12	2.8 5.9	No	Yes	34.5 29.8 11.7 5.6	11950 5000 Lead	0 1 FIXED	IB Fixed_3 3	In-Mast furling main +3 sec/mi, MGM less than 50% of E +3 sec/mi			
TASHI	Catalina 30	2010	189 1976	41 11.5	110	41	35 11.5	4.63 7.72	No	No	29.92 25 10.83 5.25	10200 4250 Lead	0 1 FIXED	IB Fixed_3 3				

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications		
				J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No	ASF		Ballast Ballast Mat.	Traps/H. moveable blst Keel Type				
									SL	SPL								SLU	ASA
Lawless	Catalina 36-2	2056	147	2002	44.75 14.42	155	44.9	39 12	4.83 8.05	No	No	36.42 30.33 11.92 5.83	13500 6042 Lead			0 1 FIXED	IB Fixed_3		
Aerie	CS 36	2160	123	1980	49 15	155	49	42.75 12.75	4.33 7.58	Yes	No	36.5 29.25 11.5 6.25	15500 6500 Lead	0 1 FIXED	IB Fold				
Andiamo	Catalina 36-2	2168	153	2004	44.75 14.33	115		39 13	3.04 6.16	No	Yes	36 30.25 11.9 5.8	14200 6000 Lead	0 1 FIXED	IB Fixed_3 3	In-Mast Furling Mainsail, +3 sec/mi			
Irish Blessing	J 24 ODR	2184	168		26.25 9.5	150	26.25	28 9.75	3.7 6.37	Yes	No	24 20 8.92 4	3100 965 Lead	0 1 FIXED	OB None 0				
Downtown Upoar	J 24 ODR	2394	168	1981	26.25 9.5	150	26.25	28 9.75	3.7 6.37	Yes	No	24 20 9.2 4.1	3125 965 Lead	0 1 FIXED	OB None 0				
Leglus	Ohashi 52	2480	-6	1986	49.26 16.387	149	62 21.92	57.578 21.325	8.103 13.517	No	Yes	52.5 50.06 12.6 11.36	15017 5.952 Lead	0 1 FIXED	IB FOLD 2	(mtg 10/21/09 assigned custom rating of -39)(Mtg 3/24/16, +3 sec/mi for no spinnaker articulation, change custom rating from -36 to -6)			
SLOWMO!	Catalina 22-1 OB SK	2482	270	1973	25.93 8	150		21 9.66	3.47 5.96	No	No	21.6 19.4 7.8 5	2250 550 Iron	0 1 MVBL	OB None 3				

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
			Rating		I	J	ISP	P	MGU	Yes/No		Yes/No	ASF		Ttl Disp.	Traps/H. Strps			IB or OB
			DW Rating		Max Headsail	Mast Material	E	MGM	SL	SPL	SLU	ASA	Ballast						
			Disp/WL Ratio		Rig Type	PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.		Keel Type	# of blades			
Arcadia	Custom Nash 28.5	3113	123	1969	33	120	34	32.5	4.92	No		Yes	24.606	28.5	4327	No	IB	(Weighed Displacement as of 4/4/2009)(mtg 2/28/13, change custom rating from 135 to 123 after review of race results and structural modifications) 3	
					10		11	13	8.41			38.8	25.5	1200	1	FOLD			
			589		ALUMN		0	251				34.908	4	9	Lead	FIXED	2		
			<i>119</i>		FS		0					24.606	<input type="checkbox"/>	100					
Loya	Ericson 34 Olson SM	3246	105	1989	44.5	154	44	38.84	4.69	Yes		Yes	23.8	34	10600	0	IB		
					13.25		13.25	12.9	8.38			44	13.25	28	3650	1	Fold		
			627		ALUMN				296			23.6	864	10.83	Lead	FIXED	2		
			<i>219</i>		MS							23.35		6					
Encore	Sydney 36 CR	3632	57	2006	45.6	104		44.36	6.1	No		Yes	28.9	36.06	12897	No	IB	(Australian IRC Rating 1.052)(Mtg 8/23/12, change custom rating from 54 to 57)	
					14			16.4	10.6			49.9	15.4	31.04	4850	1	FOLD		
			565		ALUMN				431			28.6	1178	11.32	Lead	FIXED	2		
			<i>196</i>		FS							27.2		7.55					
Zamazaan	Custom Farr 52	3883	21	1978	70.4	135	70.4	65.2	8.82	Yes		No		52.19	25391	No	IB	RTG W/USYRU AGE ALLOWANCE IOR RTG W/USYRU AGE ALLOWANCE R=44.9 (1987) 18/24 AS PER PHRF MTG 4/20/95. SHORTENED MAST 6.15 FEET FROM TOP, REDUCED MAINSAIL AREA FROM 24/27 MTG 8/10/95	
					18.51		18.51	23.2	15.08			69.78	21.9	47.26	9679	1	FOLD		
			492		ALUMN			0	900			39.44	2293	15.45	Lead	FIXED	2		
			<i>109</i>		MS			0				39.44		8.79					
Happiness	Cal 27-2 OB	3893	201		36	95	36	30.67	3.25	Yes		No		26.58	6700	0	OB		
					12		12	10.25	6.5			36	12	22.08	3100	1	None		
			700		ALUMN				180			21.6	648	9.25	Lead	FIXED			
			<i>283</i>		MS							21.6		4.25					
Danger Zone	Taylor 32	4128	-24	1994	40	100	19.4	37.1	9.5	No		Yes	26.52	32	1962		OB		
					10.7			14.3	11.6			43.35	829	28.9	551	1	None		
			443		ALUMN				395			36.3	0	14.8	Lead	CNTRBRD			
			<i>37</i>		MS							24.6	<input checked="" type="checkbox"/>	0					
Green Dragon	Cal 20	4188	273	1965	22	125	22	23	3.84	Yes		No		20	1950	0	OB		
					7.33			9.84	6.5			22	7.33	18.08	900	1	None		
			748		ALUMN			0	137			13	238	7	Steel	FIXED	0		
			<i>150</i>		FS			0				13		3.33					

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop		Modifications
			Rating		I	J	Max Headsail	ISP	P	MGU	Yes/No		Yes/No		ASF	Ttl Disp.	Traps/H. Strps	IB or OB	
			DW Rating		Mast Material	JSP	E	MGM	SL	SPL	SLU	ASA	Ballast		moveable blst	Prop Type			
			Disp/WL Ratio		Rig Type	PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.		Keel Type	# of blades			
								SSA	ASF										
Elusive	Swan 42 Club	4216	9	2007	59.07 16.44	106	62.99 19.05	56.56 19	7.1 12.5	Yes	62	19.05	Yes	34.8 1808	42.59 38.15	17158 6988	0 1	IB Fold	(Mtg 2/25/16, +3 sec/mi for decrease in Spinnaker Area, +6 sec/mi for decreased JSP, -3 sec/mi for articulation, -3 sec/mi for switch to larger headsail)(06/09/17, switching back to stock configuration)
			513 140		CARBON FS			641			34 33.7	1754	59.1 35	2.6 <input checked="" type="checkbox"/> 0	12.8 9	Lead	FIXED	2	
Highlander	Cal 40	4590	117	1968	46.2 15.2	150	46.2	39.5 17.5	6.65 11.37	Yes	46.5	15.17	No	0 0	39.25 30.25	15000 6000	0 1	IB Fixed_2	
			617 246		ALUMN MS			412			27.3 27	1056		<input type="checkbox"/> 0 0	11 5.58	Lead	FIXED	2	
Miss Kate	Catalina 27 IB	4630	210	1980	34.5 11.25	125	34.5 11.25	28.66 10.5	3.99 6.83	No			Yes	20.35 515	26.85 21.75	6850 2700	0 1	IB Fixed_2	
			738 303		ALUMN MS			180						31.85 18.25	0 <input checked="" type="checkbox"/> 0	8.85 4	Lead	FIXED	
Gygax	Hinckley Pilot 35 TM	4802	192	1975	44.36 13.8	155	44.36 13.8	41.83 15.81	5.5 9.97	Yes	42	13.8	No	0 0	35.5 25	13500 4200	0 1	IB Feath	
			672 393		ALUMN MS			383			24.8 24.8	868		<input type="checkbox"/> 0 0	9.5 5	Lead	FIXED		
Ross's Dream	Catalina 30	4895	180	1987	41 11.42	150	41	35 11.5	4.63 7.72	Yes	40.45	11.5	No	0 0	29.92 25	10200 4200	0 1	IB Fold	
			696 297		ALUMN MS			246			20.7 20.7	698		<input type="checkbox"/> 0 0	10.83 5.25	Lead	FIXED	2	
The Belafonte	Santana 22 ODR	5000	237	1970	26 8.5	110	26	21.75 9.833	3.95 6.59	Yes	26	8.583	No	0	22 18.67	2600 1230	No 1	OB None	
			737 182		ALUMN MS			0 0	131		15.44 15.44	335		<input type="checkbox"/> 0	7.833 3.5	Iron	FIXED	0	
Zingaro	Santana 22	5050	237	1971	26 8.5	125	26	21.75 9.83	3.95 6.59	Yes	26	8.58	No	0 0	22 18.67	2600 1260	0 1	OB None	
			737 182		ALUMN MS			131			15.44 15.44	335		<input type="checkbox"/> 0 0	7.833 3.5	Iron	FIXED	0	

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
				DW Rating <i>Disp/WL Ratio</i>	J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast	Traps/H. moveable blst		IB or OB Prop Type # of blades
									SL	SPL	SLU	ASA						
									SSMG SSF	SSA	SLE ASMG	Fixed or _o						
Anapos	Santana 22	5158	237 1966	26 8.5 120	26	21.75 9.833	3.95 6.59	Yes	No	22 18.666 7.833 3.5	2600 1230 Iron	No 1 FIXED	OB None 0					
Meliki	Santana 22	5194	237 1967	26 8.5 125	26	21.75 9.833	3.95 6.59	Yes	No	22 18.67 7.83 3.5	2600 1230 Iron	No 1 FIXED	OB None 0					
Invisible Hand	Pac 52	5202	-102 2016	66 20.5 101	76 29.5	69.23 22.98	10.96 15.76	No	Yes	52 50 14.5 11.8	15700 8360 Lead	0 1 FIXED	IB None					
Nepenthe	Hawkfarm 28	6122	174 1976	33.3 11 115	33	36 10.5	4.3 7.2 234	No	No	28 23.5 9.75 5.5	5700 2700 Lead	0 1 FIXED	IB Fixed_2 2					
Avalon	Catalina 30	6138	183 1992	41 11.416 120	41	35 11.5	4.63 7.72	No	No	29.92 25 10.83 5.25	10200 4200 Lead	0 1 FIXED	IB Fold 2					
Antares	Islander 30-2	6237	186 1971	38.5 12.58 155	38.416	32.5 11.58	4.75 8.125	Yes	No	30 24.58 10 5	8600 3600 Lead	No 1 FIXED	IB FOLD 2					
Evenstar	Ranger 23	6404	216 1974	27.54 9.75 155	27.5 9.7	24 9.2	3.3 5.4 126	Yes	No	23.67 20 7.92 3.9	3400 1500 Lead	0 1 FIXED	OB None					
			737 182	ALUMN MS		0 0	131		<input type="checkbox"/>	0								
			737 182	ALUMN MS		0 0	131		<input type="checkbox"/>	0								
			402 57	CARBON FS			1017		<input type="checkbox"/>	90								
			200	ALUMN FS					<input type="checkbox"/>	0 0								

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop		Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps moveable blst	IB or OB Prop Type # of blades		
								SL	SPL	SLU	ASA							
								SSMG SSF	SSA	SLE ASM	SA							
Serendipity	CAL 29-1 IB	6601	180	1974	37.833 12.333	155	37.833 12.67	31.666 4.332	4.332	Yes	No	29.25 24.17 9.25 4.75	8000 3350 Lead	No 1 FIXED	IB FOLD 2			
Cassiopeia	Islander 36 ODR	6763	144	1971	45 14.48	150	45	39.25 4.8	4.8	Yes	No	36.08 28.25 11.17 6	13947 5450 Lead	No 1 FIXED	IB FOLD 2	(mtg 2/18/10, - 6 sec/mi for 10% OSP)(8/2/11, boat returned to ODR Configuration)		
Achates	Newport 30-2	6847	174	1974	39.5 12.5	155	39.5	34 3.8	3.8	Yes	No	30 25 10.67 5.17	8500 3000 Lead	No 1 FIXED	IB FOLD 2			
Now and Zen	Newport 30-2	6883	174	1978	39.5 12.125	150		34 3.25	3.25	Yes	No	30 25 10.5 4.75	8000 2600 Lead	No 1 FIXED	IB Fold 2			
Lil Angel	Newport 30-2	6884	174	1979	39.5 12.1	150	39.5	34 4.26	4.26	Yes	No	30 25 10.5 4.75	8500 2500 Lead	0 1 FIXED	IB FOLD 2			
Harry	Newport 30-2	6889	174	1974	39.5 12.125	150	39.5	34 4.2	4.2	Yes	No	30 25 10.5 4.75	8500 2500 Lead	No 1 FIXED	IB FOLD 2			
Blue Passion	tartan 3400	7134	114	2006	46 13.67	95	49.67 13.67	43 4.58	4.58	No	No	34.42 30.42 11.92 6.5	10800 3500 Lead	0 1 FIXED	IB Fold			

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications		
				DW Rating Disp/WL Ratio	I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU SLE ASMG	SPL SSA		Yes/No	ASF ASA Sprit Lngth Fixed or _o			Ttl Disp. Ballast Mat.	Traps/H. moveable blst Keel Type
									SL	SPL									
									SSMG	SSA									
Neja	Dasher 32	7325	174 1961	38.01 12.59 668 269	155	38.01	33.22 14.6	5.12 8.86	277	Yes	No	31.75 26.75 8.9 5.75	11323 3600 Lead	0 1 FIXED	IB Fold	500 pounds less lead in keel than the Dasher Easom Boat Works built			
Redhead	Cal 40	7817	114 1964	46 15.17 622 278	155	46.36	40 17.5 0 0	6.5 11.3 414	277	Yes	No	39.5 30 10.92 5.75	16500 6000 Lead	No 1 FIXED	IB Feath 2				
Lady Jane	Jeanneau 39i Sun Odyssey	7913	93 2008	48.1 13.1 594 168	122	48.1	46.3 14.6	5.42 9.28 398	277	No	Yes	38.1 35.2 12.9 6.7	16163 5026 Cast Iron	0 1 FIXED	IB Feath 3				
Low-Down	Santa Cruz 27	8027	141 1979	32.7 10.9 635 109	140		28.25 8.58	3.68 6.06 153	277	Yes	No	27 24 8 4.5	3300 1500 Lead	0 1 FIXED	OB None				
QE 3	Tartan 10	8049	129 1978	35 12 623 155	125	35	40.25 13.75 0 0	5.34 8.96 332	277	Yes	No	33.16 27 9.25 5.83	6700 3340 Lead	0 1 FIXED	IB FOLD 2				
TAZ!!	Express 27 ODR	8100	132 1981	28.5 9 620 83	125	28.5	28.5 10.42	4.23 7.04 182	277	Yes	No	27.3 23.8 8.17 4.5	2450 1100 Lead	0 1 FIXED	NONE None				
Abba-Zaba	Tartan 10	8112	129 1979	35 12 623 155	125	35	40.25 13.75 0 0	5.34 8.86 331	277	Yes	No	33.16 27 9.25 5.83	6700 3340 Lead	0 1 FIXED	IB FOLD 2	(+3 sec/mi credit for 125% or smaller headsail)			

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications		
				J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No	ASF		Ballast Ballast Mat.	Traps/H. moveable blst Keel Type	IB or OB Prop Type # of blades			
									SL	SPL								SLU	ASA
SSF		ASM	G																
Basic Instinct	Custom Elliott 10.50	8123	72 1993	41 12.5	125	45.6 13.9	44.2 17.5	8.5 12	No	Yes	29.4 1192	34.42 31.83 12.08 7	10220 3000 Lead	No 1 FIXED	IB FOLD 2	(mtg 3/19/09, changed to smaller headsail, +3 sec/mi, & larger mainsail, -6 sec/mi, change rating from 66 to 63)(Mtg 10/21/09, new smaller headsail, still with large headboard. Change mainsail penalty from 6 sec/mi to 2 sec/mi)			
Ad Lib	Aphrodite 101	8161	144 1979	36.83 11.81	100	32.23	39.33 11.48	4.5 6.1	Yes	No	0	32.75 26.33 7.92 5.42	6160 3527 Lead	No 1 FIXED	IB FOLD 2				
Don Wan	Santana 28	8191	186 1978	36 12	155	36	31 9.416	3.6 6.1	Yes	No	0	28.25 23 9.17 5	7500 2550 Lead	No 1 FIXED	IB Fold 2				
Nicole	Orion 35	8210	150 1979	44 14	150	44	39.5 10.5	4.42 7.319	Yes	No	0	34.58 28.75 10.83 6	13000 4700 Lead	0 1 FIXED	IB FOLD 2	Displacement Obtained by actual weight on scale, Rudder is new design and new build.			
Ouessant	Farallone Clipper FR	8214	159 1957	35.69 13.87	150	35.69	40.34 18.79	7 12.1	Yes	No	0	37.833 28.25 9.5 5.916	18344 7200 Iron	No 1 FIXED	IB Fixed_2 2				
Boogie Woogie	Ranger 33 MOD	8262	153 1976	41.5 13.87	150	41.5	35 11	4.43 7.39	Yes	No	0	33.17 26.25 9.58 5.17	10500 4800 Lead	No 1 FIXED	IB FOLD 2	(Mtg 8/24/17, +3 sec/mi for short "E")			
Tortuga	Pyramid 660 ODR MOD	8375	174 1981	21.82 6.8	104	28 7	25.7 10.5	4 6.8	Yes	No	0 0	21.8 18.1 6.2 3.9	850 400 Lead	2 1 FIXED	OB None 2	(Mtg 5/20/10, removed trapeze +18 sec/mi, hiking straps still allowed)(1/24/13, added upper spreaders & stays, NCTR)			

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications							
			Built	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF		LOA	Ttl Disp.	Traps/H. Strps		IB or OB							
										DW Rating	Mast Material		E	MGM			SL	SPL			SLU	ASA	LWL	Ballast	moveable blst	Prop Type
EY	SSF	ASM	G	Fixed or _o	Max Draft																					
						Mr McGregor	Wylie Wabbit ODR W/Trap	8426	126	1982	20.5	150	20.5	23.75	4.03	Yes	No		23.75	975	1	OB	INCLUDES HIKING STRAPS AND SINGLE TRAPEZE.			
			602		6.5			10	6.72			20	440	3	None											
			55		ALUMN			0	145			5.58	Lead	FIXED	0											
					FS			0			<input type="checkbox"/>	3.5														
Swamp Donkey	Express 27 ODR	8444	129	1981	28.5	155	28.5	28.5	4.22	Yes	No		27.25	2450	No	OB										
			611		9			10.416	7.03			23.75	1100	1	None											
			83		ALUMN			0	182			8.166	Lead	FIXED	0											
					FS			0			<input type="checkbox"/>	4.5														
Double Agent	Merit 25	8465	168	1981	28.75	155	28.75	28	4.25	Yes	No		24.5	3000	No	OB										
			693		9.66			9.75	6.69			20.5	1050	1	None											
			158		ALUMN			0	172			8	Lead	FIXED	0											
					FS			0			<input type="checkbox"/>	4														
Green Buffalo	CAL 40	8538	114	1967	46.7	155	46.7	39.8	6.65	Yes	No		39.3	15148	0	IB	Schumacher designed rudder - same as original									
			622		15.2			17.6	11.37			30	6000	1	FEATH											
			255		ALUMN			0	416			10.9	Lead	FIXED	3											
					MS			0			<input type="checkbox"/>	5.8														
Starbuck	Custom Black Soo 30	8666	144	1968	30	125	29.5	25	4.9	Yes	No	20.4	31	4500	0	OB	(Mtg 1/17/02, added scoop, custom rating changed from 144 to 141)(mtg 1/11/13, Added A-sail, -9 sec/mi, rating changed from 141 to 132)(Mtg 5/13/14, removed A-Sail, +9 sec/mi, change custom rating from 132 to 141, +2 sec/mi for small headsail)									
			600		13		13	11.73	7.5			37.4	1800	1	None											
			98		ALUMN			0	178			32.6	Iron	FIXED	0											
					MS			0			<input type="checkbox"/>	0	6.4													
OAXACA	Santa Cruz 50	8927	-12	1982	61.48	155	61.22	54.75	6.08	Yes	No	36.5	50.23	17374	0	IB	(Mtg 5/26/16, -6 sec/mi for oversized ASA)									
			480		18.88		20.65	16.98	10.67			65.5	46.67	8000	1	Fold										
			78		ALUMN				540			59.5	12	Lead	FIXED											
					FS			36.6			<input type="checkbox"/>	0	7.91													
Merlin	Custom Lee 68	8955	-87	1977	71.96	146	74.35	66.87	11	No	Yes	48.05	68.6	24363	0	IB	(Mtg 4/27/17, custom rating assigned: -81)(Mtg 5/25/17, -3 sec/mi for larger headsail, -3 sec/mi for increased J. New custom rating: -87 as sailed)									
			392		22.5		30.4	27.5	18			30.4	64	10484	1	FOLD										
			42		CARBON			0	1109			83.44	12.17	Lead	FIXED	2										
					MS			0			<input type="checkbox"/>	90	10.65													

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications				
			Built	J	Max Headsail	ISP	P	MGU	Yes/No		SLU	ASF	LOA	Ttl Disp. Traps/H. Strps		IB or OB							
									DW Rating	Mast Material				E	MGM			SPL	ASA	LWL	Ballast	moveable blst	Prop Type
EY	SSA	ASMG	Fixed or _o	Max Draft	Ballast Mat.	Keel Type																	
Ione	J 30	8994	141	1981	34.19 11.041	140	38 13	4.83 8.21	Yes	No	29.83 25	6500 2100	0 1	IB FOLD									
			657 189		ALUMN FS		0 0	290		20 21	581		0 <input type="checkbox"/>	11.2 5.25	Lead FIXED	2							
Jet Stream	Custom JS 9000	9045	60	2003	27.08 9.5	87	30.25 15.5	10.171 8.17	No	Yes	29.9 27.9	2425 1543	0 1	OB None	(Mtg 1/22/09, custom rating of 78 assigned)(Mtg 8/19/10, -9 sec/mi for adding 3' sprit, -3 sec/mi for increased spinnaker area, Original rating of 78 contained a 3 sec error, rating should have been 75, change custom rating to 62/7/07/17. New								
			540 51		CARBON FS			226		35.8 30.1 20.1	21.8 561 3 0	5.7 6.8	Lead FIXED	0									
Lonesome Dove	Elite 29	9066	165	1984	35.833 11.083	130	30.333 10.333	2.6 5.1	Yes	No	28.67 24.42	6160 2310	No 1	IB Fixed_2									
			676 192		ALUMN MS		0 0	157		20.083 20.416	556	10.5 5.58	Iron FIXED	2									
un-named	Catalina 22-2 OB FK	15622	255	2006	25.8 8	135	25.83 8	9.67 6.08	Yes	No	21.5 19.33	2250 550	0 1	OB None									
			716 142		ALUMN FS			119		14.4 14.4	300	7.67 5	Lead CNTRBRD	0									
Lelo Too	Tartan 30	16354	180	1975	39 13	155	39	4.61 7.69	Yes	No	29.92 24.25	8750 3700	0 1	IB FOLD									
			687 279		ALUMN MS		0 0	238		21.666 10.833	601	10 4.916	Lead FIXED	0									
Harp	Catalina 38	18003	117	1983	50.7 15.43	155	50.9 15.43	44 11.5	4.8 7.97	Yes	No	38.17 30.25	19489 6850	No 1	IB FOLD	DEC 93 - 7X19 STND RIG/ W/ROD RIG & SHRTN UPR SPREADERS 2 IN. NO CHNG RTNG (MTG 1/27/94)							
			622 320		ALUMN MS		0 0	316		27.3 27.5	1121	11.83 6.79	Lead FIXED	2									
Escapade	Express 37	18051	72	1985	48.75 14.33	155	48.75	42 13.75	5.28 8.83	Yes	No	37.08 30.83	11000 4500	No 1	IB FOLD								
			577 171		ALUMN MS		0 0	344		25.58 25.42	1022	11.57 7.25	Lead FIXED	2									

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst	IB or OB Prop Type # of blades	
								SL	SPL	SLU	ASA						
								SSMG SSF	SSA	SLE	ASMG						
Double Espresso	Olson 30 OB	18069	99 1982	36 11.75 155 35.9 11.75		31.5 4.36 10.75 7.26 208		Yes	No			30 27.5 9.33 5.08	3600 1800 Lead	0 1 FIXED	OB None		
Simply Irresistible	Express 27 ODR	18070	129 1983	28.5 9 155 28.5		28.5 4.22 10.416 7.03 0 182 0		Yes	No			27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0		
Gig	Humboldt 30 IB	18112	108 1983	37.5 11.5 149 37.5		41.5 5.13 13.75 8.83 0 338 0		Yes	No			30 26.66 10.5 5.75	5400 2222 Lead	No 1 FIXED	IB FOLD 2		
Xtreme	Hobie 33 ODR	18170	90 1984	33.83 12.4 125 36.25		35 4.75 12.5 8 0 260 0		Yes	No			33 30.5 8 5.42	4000 1800 Lead	No 1 FIXED	OB None 0		
Tule Fog	Express 27 ODR	18178	129 1984	29 9 155 28.5		29 4.22 10 7.03 182		Yes	No			27.3 23.8 8.166 4.5	2450 1100 Lead	n 1 FIXED	OB None 0		
Shark-On-Bluegrass	Olson 25	18201	159 1984	32 9.583 155 32		28 3.8 10 6.4 0 166 0		Yes	No			25 21.25 9 4.5	3300 1300 Lead	No 1 FIXED	OB None 0		
Freedom	Worth 40	18230	96 1984	54 16 155 16		47 5.5 14 9.2 0 397 0		Yes	No			40 34.25 12.5 7.25	21000 7800 Lead	0 1 FIXED	IB FOLD 2		

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications	
			Built	J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp.	Traps/H. Strps		IB or OB Prop Type # of blades			
									DW Rating	Mast Material	SL	SPL			SLU	ASA			Ballast	moveable blst
Disp/WL Ratio	Rig Type	SSF	SSA	ASM	Fixed or _o															
Mirthmaker	A 35	18250	69	2007	44.22 13.45	90	51.06	44.94 14.66	5.42 8.88	Yes	Yes	24.2 996	34.7 30.47 11.6 6.88	9810 4367 Lead	0 1 FIXED	IB Fold 2	(Mtg 5/20/10, custom rating of 60 assigned, would like a copy of ORR Certificate)(mtg 6/15/10, change custom rating from 60 to 63 based on further clarification of boats configuration)(Mtg 10/27/16, change custom rating from 63 to 60 after			
Alchemy	Olson 25	18252	159	1984	32 9.583	155	32	28 10 0 0	3.8 6.4 166	Yes	No	0	25 21.25 9 4.5	3300 1300 Lead	No 1 FIXED	OB None 0				
Phat Jack	Express 37	18257	72	1985	48.75 14.33	150	48.75	42 13.75	5.25 8.83	Yes	No	0 0	37.08 30.83 11.57 7.25	11000 4500 Lead	0 1 FIXED	IB FEATH 2				
Drop Beer	Beneteau Class 10	18277	90	1984	37.8 12.6	150	38.6	39.7 13.9 0 0	4 8.7 308	Yes	No	0	34.2 29.6 9.9 6.8	7000 2200 Iron	0 1 FIXED	IB FOLD 0	NEW RUDDER 3/4/95, NCTR (MTG 3/36/95)			
Stewball	Express 37	18278	72	1985	48.75 14.33	150	48.75	42 13.75 0 0	5.28 8.83	Yes	No	0	37.083 30.833 11.57 7.25	11000 4500 Lead	0 1 FIXED	IB FOLD 2				
Verve	Express 27 ODR	18283	129	1981	28.5 9	155	28.5	28.5 10.416 0 0	4.22 7.03 182	Yes	No	0	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0				
Friday's Eagle	Catalina 30	18294	180	1981	41 11.416	155	41	35 11.5 0 0	4.63 7.72 246	Yes	No	0	29.916 25 10.833 5.25	10200 4200 Lead	No 1 FIXED	IB FOLD 2				

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications										
				DW Rating <i>Disp/WL Ratio</i>	I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	SL SPL SSMG SSF	SPL SSA	Yes/No	Yes/No		ASF ASA Sprit Lngth Fixed or _o	Ballast Ballast Mat.			Traps/H. moveable blst Keel Type									
																			28.5 9 ALUMN FS	155	28.5	4.22 7.03	Yes	29 17.333 17.6	9.833 420	No	0
Sirena	Ericson 32-2	18319	186 1972	35 13 110	35	31 13	4.9 8.4	239	Yes	No	31 24 9.8 5	8800 4000 Lead	0 1 FIXED	IB Fixed_2 2													
Albacore	Santana 22 ODR	18325	237 1976	25.67 8.58 125	25.67 8.58	21.75 9.83	3.95 6.59	131	Yes	No	22 18.67 7.83 3.5	2600 1230 Iron	0 1 FIXED	OB None													
Tequila Mockingbird	Express 27 ODR	18353	126 1976	28.5 9 155	32.5	28.5 10.416	4.22 7.03	182	Yes	Yes	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0	(Mtg 4/23/15, switched to MH configuration, -3 sec/mi for increased spinnaker area)												
Archimedes	Express 27 ODR	18355	129 1985	28.5 9 155	28.5	28.5 10.416	4.22 7.03	182	Yes	No	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	NONE None 0													
Peaches	Express 27 ODR	18364	129 1986	28.5 9 155	28.5	28.5 10.416	4.22 7.03	182	Yes	No	27.25 23.75 8.166 4.5	2450 1100 Lead	No 1 FIXED	OB None 0													
Abigail Morgan	Express 27 ODR	18394	129 1985	28.5 9 150	28.5	28.5 10.416	4.22 7.03	182	Yes	No	27.25 23.75 8.166 4.5	2450 1100 Lead	No 1 FIXED	OB None 0													
Mintaka 4	Farr 38	18441	81 1979	43.67 13.67 125	46.2	44.9 17.9	6.8 11.6	478	Yes	No	38.25 31.17 12 6.33	11850 4100 Lead	No 1 FIXED	IB FOLD 2	(2002-removed dinette stbrd, add bench seat w/55 gal fuel tank, original was 12.5. Rudder replaced 12" longer, 4" narrower. Changes noted mtg 1/17/02, NCTR)(removed short pole, changed spinnakers, 1/12/04) (Mtg 1/24/12, new stem												

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
			DW Rating		I J	Max Headsail		P E PY EY	MGU MGM MSA	Yes/No	SPL	Yes/No	ASF		Ttl Disp.	Traps/H. Strps			
			Disp/WL Ratio		Mast Material					SL	SPL	SLU	ASA		Ballast	moveable blst			
					Rig Type					SSMG	SSA	SLE	Sprit Lngth		Ballast Mat.	Keel Type			
X TA C	Olson 29	18457	99	1986	34 11	155	36	32.42 11.42	4.59 7.66	Yes		34 11.25	No		29.67 27.5 9.33 5.25	3900 1900 Lead	No 1 FIXED	OB None 0	RUDDER REPLACED W/MORE 30 - CHANGE NOTED NCTR.
Expeditious	Express 37	18478	72	1986	48.75 14.33	155	48.75	42 13.75	5.28 8.83	Yes		48 14.33	No		37.08 30.83 11.57 7.25	11000 4500 Lead	No 1 FIXED	IB FOLD 2	INSTALED NEW CLASS- APPROVED CARBONFIBER RUDDER - MTG 6-12-2000 NCTR.
Double Down	Custom Schumacher 30	18480	123	1988	41.37 12.16	150	41.5	36.416 11.83	4.5 7.69	Yes		40.75 12.08	No		29.92 26 10.65 6.17	7854 3650 Lead	No 1 FIXED	IB FOLD 2	Rudder change, old rudder 85lbs new 65 lbs. Old alum/new carbon MTG 10/27/94 Noted- NCTR (MTG 1/9/97 Alum headsail removed and excess wires removed from mast- Noted NCTR)(Mtg 2/21/08, change custom rating from 126 to 122 after
Punk Dolphin	Custom Wylie 38	18481	72	1985	48 14.33	150	48	43 14	5.58 9.55	Yes		48 14.33	No		38 31 11.6 6.75	14000 5000 Lead	No 1 FIXED	IB FOLD 2	
Golden Moon	Express 37	18488	72	1985	48.75 14.33	155	48.75	42 13.75	5.37 8.99	Yes		48.27 14.33	Yes	29.5	37 30.83 11.57 7.25	11000 4500 Lead	No 1 FIXED	IB FOLD 2	
Eclipse	Express 37	18495	72	1985	48.75 14.33	155	48.75	42 13.75	5.28 8.83	Yes		48 14.33	No		37.08 30.83 11.57 7.25	11000 4500 Lead	0 1 FIXED	IB FOLD 2	Rudder modification noted, no change to rating. (Actural weight from yard 11200 - 9500 was design displacement. No mods from standard express 27.) 3/26/01
Grey Wulff	Olson 25	18517	159	1984	32 9.6	155	32	28 10	3.8 6.4	Yes		31.7 9.6	No		25 21.25 9 4.5	3300 1300 Lead	0 1 FIXED	OB None	

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications		
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps moveable blst				
								SL	SPL	SLU	ASA							Ballast Mat.	Keel Type
								SSMG SSF	SSA	SLE ASMG	ASA								
Topgallant	Tartan 10	18608	129 1978	35 11.75 125	35	40.25 5.34 13.75 8.96	5.34 8.96	Yes	No			33.16 27 9.25 5.83	6700 3340 Lead	No 1 FIXED	IB FOLD 2	(4/25/02 Installed Running Backstay)			
			623 155	ALUMN FS		0 0	332			<input type="checkbox"/>	0								
Flyer	Peterson 33 (CHITA)	18620	144 1979	42.5 13.9 155	42.5	36.66 9.91	3.66 6.21	Yes	No			32.67 26.58 10.5 6.08	9480 4960 Lead	0 1 FIXED	IB FOLD 2				
			644 229	ALUMN MS			213			<input type="checkbox"/>	0								
Breakout	Santana 35	18679	114 1982	39 12.85 155	39	42 14.25	5.51 9.26	Yes	No			35 26.5 11.92 6.25	8500 3300 Lead	No 1 FIXED	IB FOLD 2				
			630 208	ALUMN FS			358			<input type="checkbox"/>	0								
Quila	Santa Cruz 27	18723	141 1976	32.583 10.75 155	32.583	28.25 8.583	3.68 6.1	Yes	No			27 24 8 4.5	3000 1500 Lead	No 1 FIXED	OB None 0				
			620 99	ALUMN MS		0 0	154			<input type="checkbox"/>	0								
Crazy Rhythm	Santa Cruz 27	18771	144 1978	32.58 10.75 125	32.58	28.166 8.583	3.68 6.06	Yes	No			27 24 8 4.5	3200 1600 Lead	No 1 FIXED	OB None 0	(Outboard Removed)			
			621 105	ALUMN MS		0 0	153			<input type="checkbox"/>	0								
Finn	Capo 26 IB	18782	162 1985	34.6 10.56 155		30 10	4.1 6.8	Yes	No			26 22 9.25 4.58	4300 1900 Lead	0 1 FIXED	IB Fold				
			673 184	ALUMN MS			185			<input type="checkbox"/>	0								
The Shadow	Custom Mull 32	18787	150 1974	39.833 13.25 125	39.83	35.166 9.75	3.45 6.2	Yes	No			32.166 26.666 10 5	10600 4500 Lead	No 1 FIXED	IB FOLD 2	RMVD Foam Bumps from both sides of hull, Red Beam by approx 7" Replaced Rudder and Skeg Design w/balanced Rudder Depth same, area increased approx 8 sqft. Hull dry rot, Crsnfg Accom, Ref, Head Stars Cnv. Changed MTC 10/6/07			
			661 254	ALUMN MS		0 0	200			<input type="checkbox"/>	0								

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications										
			Built	JSP	I J	Max Headsail	ISP	P E	MGU MGM	Yes/No		Yes/No	ASF		LOA	Ttl Disp.	Traps/H.	Strps	IB or OB	Prop Type								
										DW Rating	Mast Material		PY	MSA							SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	# of blades
Max Draft	Ballast Mat.	Keel Type	ASF Fixed or_o	Max Draft	Ballast Mat.	Keel Type	# of blades																					
Joie De Vivre	C&C 33	18797	159	1979	43 14	110	43	37.25 10.75	4.4 6.33	No	Yes	21.42 726	32.9 26.42	10100 3975	0 1		IB FOLD											
			659 249		ALUMN MS		0 0	235				0 <input checked="" type="checkbox"/>	10.54 5.5	Lead	FIXED													
Summertime Dream	Custom Schumacher 26	18859	186	1979	26.28 8.07	150	26.28 8.07	29.58 10.76	4.33 7.23	Yes	No		26.08 20	3300 1360	0 1		OB None	Boat has previously been called "War"										
			705 187		ALUMN FS		0 0	195				0 <input type="checkbox"/>	9.08 5.08	Lead	FIXED		0											
Cadenza	Moore 24	18878	150	1977	26.25 9.75	150	26.25	25 9.5	4.01 6.54	Yes	No		23.75 21.75	2050 1025	No 1		OB None											
			636 91		FS		0 0	148				0 <input type="checkbox"/>	7.17 4.083	Lead	FIXED		0											
Moore Fun	Moore 24	18884	153	1979	26.25 9.75	125	26.25	25 9.5	3.91 6.5	Yes	No		23.75 21.75	2050 1025	No 1		OB None											
			636 91		ALUMN FS		0 0	147				0 <input type="checkbox"/>	7.16 4.083	Lead	FIXED		0											
Horizon	Santa Cruz 50	18926	-15	1982	61.7 18.43	145	61.7 20.3	55.2 19	7.15 12.05	No	Yes	36.4 1880	50.23 46.906	18844 8000	0 1		IB FOLD	(Mtg 6/16/08, -6 sec/mi for oversized spinnaker, -3 sec/mi for oversized main)										
			475 83		ALUMN MS			618				0 <input type="checkbox"/>	12.02 7.988	Lead	FIXED		2											
Mojo	J 35	18935	72	1983	46.4 14.7	150	46.3 14.7	41.75 14.98	5.21 8.77	Yes	No		35.42 30	10500 4400	No 1		IB Feath											
			587 177		ALUMN MS			353				0 <input type="checkbox"/>	11.8 6.9	Lead	FIXED		2											
Joyicity	Custom Davidson 26	20746	156	1975	27 9.1	150	31.15 10	28.75 11.5	5.1 8.1	Yes	No		26.42 22.5	3000 1450	No 1		IB FOLD	Removed IOR Bump infilled w/Divinacell w/fiberglass skin/faired; Installed Melges rig w/mod for Spinnaker; shortened boom; increased "P" increased "J", Code zero type furler used above deck; Moved on buff side of sail; 10 # spin										
			633 120		CARBON FS		0 0	210				0 <input type="checkbox"/>	8.25 5.25	Lead	FIXED		2											

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications								
			Built	DW Rating	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF		LOA	Ttl Disp.	Traps/H.		Strps	IB or OB						
											E	MGM		SL	SPL							SLU	ASA	LWL	Ballast	moveable blst	# of blades
EY	SSF	ASM	G	Fixed or _o	Max Draft																						
Peregrine	J 120 Carbon	25487	45	2001	50.5	150	52	46.5	6.76	No	Yes	35.1	40	13900	0		IB										
			540		14.5			17.8	11.57		64	1776	35	6000	1		Fold										
			147		CARBON				493		52.5	7	12	Lead	FIXED		2										
					FS						36.96	<input checked="" type="checkbox"/>	0	7													
Liquid Asset	Ranger 33	27707	150	1970	41.5	150	41.5	35	4.93	Yes	No		33.17	10500	0		IB										
			649		13.7		13.67	13.75	8.67		41.5	13.7	26.25	4500	1		Fold										
			264		ALUMN				280		24.6	851	9.58	Lead	FIXED												
					MS						24.6		5.17														
Take Five	Express 27 ODR	28031	129	1982	28.5	155	28.5	28.5	4.22	Yes	No		27.25	2450	0		OB										
			611		9			10.416	7.03		29	9.833	23.75	1100	1		None										
			83		ALUMN				182		17.75	429	8.17	Lead	FIXED		0										
					FS						17.75		4.5														
El Raton	Express 27 ODR	28050	129	1985	28.5	155	28.5	28.5	4.22	Yes	No		27.25	2450	No		OB										
			611		9			10.416	7.03		29	9.833	23.75	1100	1		None										
			83		ALUMN			0	182		17.75	429	8.17	Lead	FIXED		0										
					FS			0			17.75		4.5														
Mudshark	Express 37	28052	72	1986	48.75	155	48.75	42	5.28	Yes	No		37.08	11000	No		IB										
			577		14.33			13.75	8.83		48	14.33	30.83	4500	1		FOLD										
			171		MS			0	344				11.57	Lead	FIXED		2										
								0					7.25														
Moonlight	Express 27 ODR	28059	129	1986	28.5	155	28.5	28.5	4.22	Yes	No		27.25	2450	No		OB										
			610		9			10.416	7.03		29	9.833	23.75	1100	1		None										
			83		ALUMN			0	182		16.5	404	8.17	Lead	FIXED		0										
					FS			0			17.6		4.5														
Surprise	Custom Schumacher 46	28098	6	1997	57	160	63	57	7.5	Yes	Yes	37.23	46	18300	No		IB	(MTG 4/9/98)(mtg 2/20/04)									
			510		17			19.75	12.8		62.4	18.7	40.63	8000	1		FOLD										
			124		CARBON			0	670		33.6	1747	12.92	Lead	FIXED		2										
					FS			0			33.6		7.75														
								0			30.97	<input type="checkbox"/>	90														

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
				DW Rating <i>Disp/WL Ratio</i>	I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast	Traps/H. moveable blst		IB or OB Prop Type # of blades
									SL	SPL	SLU	ASA						
									SSMG SSF	SSA	SLE	ASMG						
Redux	Olson 911S	28106	126 1987	41.5 12.33 155	41.5	35.5 11.83 4.5	4.5	Yes	No	29.9 25 10.33 5.416	7200 3200 Lead	No 1 FIXED	IB FOLD 2					
Bandido	Merit 25	28125	168 1983	28.75 9.66 150	28.75	28 9.75 4.25	6.69	Yes	No	24.5 20.5 8 4	3000 1050 Lead	No 1 FIXED	OB None 3					
Motorcycle Irene	Express 27 ODR	28137	129 1982	28.5 9 155	28.5	28.5 10.416 4.22	7.03	Yes	No	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0					
Moxie	CAL 28-2	28217	183 1988	39.9 11.4 90	39.9 11.4	34.17 10.33 4.28	7.11	Yes	No	28 23 10.8 5.3	7200 Lead	0 1 FIXED	IB FOLD 2					
Pony Express	Express 34	28234	99 1988	44.25 12.92 155	44.25	38.5 12.83 4.87	8.46	Yes	No	34 28.33 10.5 6	7500 3700 Lead	No 1 FIXED	IB FOLD 2					
Red Sky	Ericson 34 Olson SM	28340	105 1989	44 12.95 150	44 12.95	38.7 12.95 5.1	8.5	Yes	Yes	33.88 28 10.8 6.08	10855 3500 Lead	No 1 FIXED	IB FOLD 2	MTG 12/11/97(RUDDER REPLACED 8" DEEPER ADN 3" NARROWER.)				
Hera	Beneteau Farr First 36.7	28372	81 2002	46.4 13.1 150	46.4 13.1	45.4 15.6 5.92	12.49	Yes	No	36 30.3 11.6 7.2	12495 3748 Lead	No 1 FIXED	IB FOLD 2					

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications	
			Built	J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp.	Traps/H. Strps		IB or OB Prop Type # of blades			
									DW Rating	Mast Material	SL	SPL			SLU	ASA			Ballast	moveable blst
Disp/WL Ratio	Rig Type	SSF	SSA	ASMG	Fixed or _o															
Mistral	Beneteau Farr First 36.7	28394	81	2002	46.4 13.1	155	46.4 13.1	45.4 15.6	5.92 12.49	Yes	No	35 30.3 11.6 7.2	12495 4034 Iron	No 1 FIXED	IB FOLD 2					
			602 204		ALUMN FS		0 0	458				<input type="checkbox"/>	0							
Akialoa	J 35	28435	75	1989	46.33 14.58	120	46.3	41.42 14	5.43 9.11	No	No	35.42 30 11.67 6.75	10500 4400 Lead	No 1 FIXED	IB FOLD 2					
			177		ALUMN MS		0 0	347				<input type="checkbox"/>	0							
Gavilan	Custom Wylie 39	28439	93	1996	49 14.5	122	49	43 15.5	5.73 9.75	Yes	Yes	41.5 31.75 11.5 6.77	17900 5920 Lead	No 1 FIXED	IB FEATH 3	(mtg 4/28/11, change custom rating from 84 to 96 after review of rating appeal)(Mtg 1/26/12, -3 sec/mi for sprit)				
			604 254		ALUMN MS		0 0	390				<input checked="" type="checkbox"/>	24.6 783 1.17							
Twist	J 120 ALUM	28442	48	2000	50.5 14.5	150	52 21.5	46.5 17.8	6.75 11.5	No	Yes	40 35 12 7	13900 6000 Lead	No 1 FIXED	IB FOLD 2					
			541 147		ALUMN FS		0 0	492				<input checked="" type="checkbox"/>	34.1 1764 7 0							
New Sinsation	Santana 20	28449	222	1978	24.5 8.16	150	24.5	24.5 7	3.16 4.92	Yes	No	20.2 16 8 4	1350 550 Lead	0 1 FIXED	OB None					
			719 150		ALUMN FS			110				<input type="checkbox"/>	0 0							
For Pete's Sake	Ultimate 24 ODR	28469	111	2003	28.04 7.82	102	30.8 14.5	31 11.5	5.5 8.8	No	Yes	24.38 21.17 8.48 5.52	2040 750 lead	No 1 FIXED	OB None					
			582 98		CARBON FS		0 0	238				<input checked="" type="checkbox"/>	22.2 587 6.7 0							
Chance	J 120 ALUM	28484	51	2001	50.5 14.5	100	52 21.5	46.3 17.8	6.7 11.5	No	Yes	40 35 12 7	13900 6000 Lead	No 1 FIXED	IB FOLD 2					
			541 147		ALUMN FS		0 0	489				<input type="checkbox"/>	34.1 1765 7							

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications			
				J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.		Traps/H. Ballast Mat.	Strps moveable blst Keel Type	IB or OB Prop Type # of blades
									SL	SPL	SLU	ASA								
									SSMG	SSA	SLE	Spr								
Saetta	J 120 ALUM	28486	48 1999	50.5 14.5	153	52 21.5	46.5 6.75 17.8 11.5	0 492	No	Yes	37.6 1793	40 35 12 7	13900 6000 Lead	No 1 FIXED	IB FOLD 2					
Jarlen	J 35	28528	72 1990	46.333 14.583	150	46.3	41.416 5.43 14 9.11	0 347	Yes	No	14.583 997	35.42 30 11.67 6.75	10500 4400 Lead	No 1 FIXED	IB FOLD 2					
Bandicoot	Wyliecat 30 IB	28530	132 2000	0 0		29 10	39.75 7.87 20.5 13.46	0 488	No	No	18.8 512	30.5 25 9.5 5.25	5500 3050 Lead	0 1 FIXED	IB FEATH 2	(mtg 5/20/10, -21 sec/mi for added spinnakers)(9/5/12, removed spinnaker, back to standard configuration)				
Catalyst	Wyliecat 30 IB	28571	132 2004				40 7.87 20.67 13.46	0 493	No	No	0	30.42 25 9.42 5.25	5800 3000 Lead	No 1 FIXED	IB Feath 2	Must have a YC card before registering for 2005 and clear YC for 2004				
Friday Harbor	Beneteau 323 DK	28580	147 2004	42.67 11.06	116		38.9 5 13.17 8.56	0 306	No	Yes	19.91 661	32 29.17 10.67 5.92	8448 2258 Iron	No 1 FIXED	IB FOLD 2					
Sail La Vie	Beneteau 411	28597	105 1999	46.67 16.25	140		41.5 4.872 14.83 8.77	0 344	No	No	0	41.67 36.09 13 5.58	17196 5500 Steel	No 1 FIXED	IB FEATH 3					
Uno	Wyliecat 30 IB	28632	129 1995	35.8 5.5		35.8 12	39.66 9.31 19.75 13.05	0 493	No	Yes	19.68 550	30.5 25 9.5 5.25	5800 3000 Lead	0 1 FIXED	IB FOLD 2	(mtg 2/21/08, penalty for oversized main -3 sec/mi)(Mtg 5/22/08, -24 for asymmetric spinnaker flown on 12' pole)(1/24/16, not using spinnaker +24 sec/mi)				

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications										
				DW Rating Disp/WL Ratio	I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	SL SPL SSMG SSF	SPL SSA	Yes/No	Yes/No		ASF ASA Sprit Lngth Fixed or _o	Ballast Ballast Mat.			Traps/H. moveable blst Keel Type									
																			44 13.5 ALUMN MS	38.5 12 4.17 7.33	No	Yes	22.02 693 0 0	35.67 29.83 11.75 5.58	11950 5000 Lead	No 1 FIXED	IB FEATH 3
42.8 13.78 ALUMN MS	42.8	Yes	No	0 0	33.25 26.92 11 6.2	10582 4409 Iron	0 1 FIXED	IB Fixed_2																			
Mirth	Catalina 34 1&2	28634	150 2005	44 13.5 ALUMN MS	38.5 12 4.17 7.33	No	Yes	22.02 693 0 0	35.67 29.83 11.75 5.58	11950 5000 Lead	No 1 FIXED	IB FEATH 3															
Quiver	Custom Nelson Marek 36	28669	45 1999	43.85 12.5 CARBON FS	51.9 14.57	Yes	Yes	26.24 1221 1.5 0	35.6 29.32 10.3 7.6	7725 3255 Lead	No 1 FIXED	IB FOLD 2	(mtg 6/15/10, added lead shoe to keel, -3 sec/mi, change custom rating from 48 to 45)(Mtg 2/29/12, added sprit equal to SPL, NCTR)														
White Cloud	Yamaha 33 IK SM	28688	162 1979	42.8 13.78 ALUMN MS	42.8	Yes	No	0 0	33.25 26.92 11 6.2	10582 4409 Iron	0 1 FIXED	IB Fixed_2															
French Kiss	Beneteau 350 Oceanis	28713	144 1989	41.47 12.8 ALUMN MS	41.47	Yes	No	0 0	33.83 29.83 11.17 5.17	10580 3525 Lead	0 1 FIXED	IB FOLD 2	Above deck Roller Furler														
Blade Runner	Santa Cruz 27	28727	141 1979	32.7 10.9 ALUMN MS	32.7 10.9	Yes	Yes	19.58 533 0 90	27 24.08 8 4.5	3000 1600 Lead	0 1 FIXED	OB None															
Lucky Duck	Custom Santa Cruz 52	28729	-30 2001	64.14 18.95 CARBON MS	64.6 22.5	Yes	Yes	40.91 2190 2 90	53 46.25 14 9	22544 8000 Lead	0 1 FIXED	IB Fold 2	(Mtg 8/23/12, Custom Rating Assigned, -21 as sailed)(Mtg 5/23/13, weighed displacement added)(Mtg 3/27/14, New Rudder, -3 sec/mi for OSP, -6 sec/mi for 10%+ increase in spinnaker area. No penalty for keel/displacement)														
Relentless	Sydney 32	28732	81 2002	40.6 12.2 ALUMN FS	40.6 13.1	Yes	No	0 0	31.9 28.4 10.6 6.9	6850 2860 Lead	No 1 FIXED	IB FOLD 2	-3 Sec/mi for OSP														

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
			Rating		I	J	P	MGU	Yes/No	Yes/No	ASF	Ttl Disp.		Traps/H. Strps	IB or OB		
			DW Rating		Max Headsail	ISP	E	MGM	SL	SPL	SLU	ASA		Ballast	moveable blst	Prop Type	
			Disp/WL Ratio		Mast Material	JSP	PY	MSA	SSMG	SSA	SLE	Sprit Lngth		Ballast Mat.	Keel Type	# of blades	
					Rig Type		EY		ASM	Fixed or _o							
Savoir Faire	Beneteau 42 IK	28735	90	1984	52.82 16.73	145	52.82	46.59 14.6	5.4 9.35	Yes	No	53 16.73	42.92 36	20900 7920	No 1	IB FEATH	PER MTG 8/14/97
			581 204		ALUMN MS		0 0	401			30.183 1355	12.75	7.25	Iron	FIXED	2	
Galaxsea	Custom Nauticat 43.5	28743	180	1985	51 20	104	20.6	45 13.6	4.3 7.9	Yes	Yes	29.2 1119	43.6 37.7	34000 11000	No 1	IB FEATH	Stay sail measurements foot=1', Luff=34'6", Leach=30'2", LP=132"
			629 288		ALUMN KTCH		32.4 8.5	338			33.43 35.6	1439	12.2 5.9	Lead	FIXED	3	
Kelika	Hunter 33.5	28815	150	1991	39.166 11.666	150	39.116	43.166 13.5	5.2 8.9	Yes	No	39 11.75	33.33 26.83	10800 4500	No 1	IB FEATH	
			657 254		ALUMN FS		0 0	350			21.15 21.15	687	11 4.5	Iron	FIXED	2	
Phantom	J 44	28844	21	1990	60.606 17.08	120	60.416	53.53 19.41	7.3 12.5	Yes	Yes	27 1379	44.75 38.58	23838 9000	No 1	IB Feath	
			550 189		ALUMN MS		0 0	615			30.7 30.7	1526	13.67 8.14	Lead	FIXED	3	
Ganisha	Sabre 36-2	28862	111	1996	48.5 13.46	155		41.6 14.83	5.66 9.63	No	No	0 0	36.17 30.42	13800 5520	No 1	IB FOLD	Adjustable back stays
					ALUMN MS		0 0	368					12 6.5	Lead	FIXED	2	
Alchera	J 120 Mod	28870	51	2001	50.5 14.5	125	52 21.55	46.5 17.57	6 10.57	No	Yes	34 1407	40 35	13900 6000	No 1	IB FOLD	Modifications for offshore singlehanded: Smaller spinnaker and main, 2 extra winches at helm, 3 additional gel batteries, dodger boss widened and all control lines led to cockpit, radar pole, veltran MHN jib. (MTG 2/21/09 - 12 ppl for small)
			554 147		CARBON FS		0 0	463			49.99 30.6	7	12 7	Lead	FIXED	2	
Princess	Sabre 40-2	28876	75	1996	53.5 15.5	110	53.5 20.5	47.8 17	6.27 10.7	No	Yes	26.75 1205	40.17 35.25	19500 7000	No 1	IB FOLD	base rtg changed frm 69 to 72 MTG 4/8/03.
			588 202		ALUMN MS		0 0	476			46.65 27.88	5	13.25 6.25	Lead	FIXED	2	

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU ASA Sprit Lngth Fixed or _o	Ballast Ballast Mat.	Traps/H. moveable blst Keel Type					
								SL	SPL					Yes	No		
								SSMG SSF	SSA					SLU	ASA		
Oxymoron	Moore 24	28993	150 1981	26.25 9.75 150	26.2	25 9.5 0 0	3.91 6.5 147	Yes 26.6 17.55 17.55	No 9.75 389	23.75 21.75 7.16 4.25	2050 1025 Lead	0 1 FIXED	OB None 0				
Kira	Cal 33-2	28999	132 1986	46 13.25 125	46 13.25	40.5 12.75 0 0	4.82 8.23 307	No 43.6 39.5 19.68	Yes 21.86 697 0	33 27.5 11.33 6.12	10800 4475 Lead	No 1 FIXED	IB FOLD 2	(Mtg 1/26/12, -3 sec/mi for increased "e" & MSA)			
Sweet Okole	Custom Farr 36	29000	78 1976	42.049 12.35 155	42.049	44.54 16 0 0	5.9 10 416	Yes 43.82 22.23 22.23	No 12.35 812	36 31.33 11.88 7	9696 3750 Lead	No 1 FIXED	IB FOLD 2	(78 MTG 1/28/93) (81 MTG 3/18/93)(Mtg 5/22/08, +3 sec/mi for switching to smaller headsail, +3 sec/mi for removing 250# shoe from keel, change custom rating from 81 to 87)(6/7/10, change headsail to 155# - 2 sec/mi change rating)			
Don't Panic	C&C 30 Mills	30026	36 2016	40.8 11.28 105	46.74 18.6	41.7 14.2	7 10 386	No 52.9 46.1 31	Yes 31.5 1283 7 0	30 28.7 9.8 7.5	3995 1579 Lead	0 1 FIXED	IB Fold				
Bessie's Girl	Bristol 45.5	30088	114 1980	57 18.83 130	57 18.83	47.25 15.2 30.25 8.25	4.66 8.56 390	Yes 56 33 33	Yes 18.83 1540	33 1353 0 0	45.5 37.25 13.2 11	40000 15000 Lead	No 1 CNTRBRD	IB FEATH 3	(mtg 2/18/10, -3 sec/mi for dual spinnakers/ability to use asym on squared back pole)		
Ahi	Santana 35	30980	114 1981	39 12.85 155	39	42 14.25	5.51 9.26 358	Yes 39 23.13 23.13	No 12.85 752	35 26.5 11.92 6.25	8500 3300 Lead	0 1 FIXED	IB Fold 2	(Mtg 6/27/13, new rudder noted, NCTR)			
Six Brothers	Columbia C 30-2	32006	57 2013	36.67 12.67 103	42 17.67	38 14.67	7.77 10.64 374	No 50 42.05 29.43	Yes 31.5 1145 0 0	32 27 10.13 7.42	4500 1900 Lead	0 1 FIXED	IB None				

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
			ISP		I	J	Max Headsail	ISP	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB	
			JSP		J			E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type		
					Mast Material			PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades		
			Disp/WL Ratio		Rig Type	EY		ASM	Fixed or _o	Max Draft									
Yellow Brick Road	Jeanneau Sun Odyssey 40	33300	96	1999	50	125	50	43.25	5.7	No	Yes	25.59	40	16094	0	IB			
					13.75		13.8	15.67	9.89		52.33	1095	33.33	5291	1	FEATH			
			601		ALUMN		0	0	396		45.37	0	12.92	Iron	FIXED	3			
			198		MS		0	0			27.23	<input checked="" type="checkbox"/>	6.33						
Stink Eye	Laser 28 ODR MOD	33562	126		31.73	110	33.2	33.14	5.2	Yes	Yes	19	28.42	4050	No	OB	(Mtg 3/27/14, -3 sec/mi for oversized mainsail girths, -3 sec/mi for OB motor)		
					9.65			12.3	8.3		37	546	23.62	1500	1	FOLD			
			635		ALUMN		0	0	252		32	0.92	9.48	Lead	FIXED	2			
			140		MS		0	0			19	<input checked="" type="checkbox"/>	5						
Expression	Express 37 MOD	33985	75	1984	48.75	150	48.75	42	5.3	Yes	No	19	37.1	9500	0	IB	(mtg 1/21/10, +3 sec/mi for modified keel, -3 sec/mi for dual spinnaker/ability to fly asym on squared back pole)(1/19/11, removed asym, only using symmetric spinnaker, +3 sec/mi)		
					14.33			13.75	9		48	705	30.83	4500	1	Fold			
			590		ALUMN				346		45	0	11.5	Lead	FIXED	2			
			147		MS						18	<input type="checkbox"/>	6						
Zsa-Zsa	1D 35	35017	36	1999	42.49	110	44.78	44.46	7.55	Yes	No		35	6500	No	IB			
					12.52			18.58	12		50	14.76	31.5	2600	1	Feath			
			520		CARBON			0	498		26.5	1104	10.75	lead	FIXED	2			
			95		FS			0			26.5		7.6						
Dark & Stormy	1D 35	35018	30	1998	42	110	44.8	44	7.5	No	Yes	31.4	35	6550	0	IB	Fixed bow sprit, using Asymmetrical spinnaker(mtg 3/20/08, -9 sec/mi for oversized spinnaker, +3 sec mi for not being able to articulate pole, as sailed: 30)		
					12.47		17.39	19	12		51.8	1236	31.5	2660	1	FOLD			
			518		CARBON				497		46.62	4.92	10.9	Lead	FIXED	2			
			95		FS						29.83	<input checked="" type="checkbox"/>	7.58						
Alpha Puppy	1D 35	35024	30	1999	42.49	110	44.78	44.46	7.5	No	Yes	31.4	35	6500	No	IB	6/13/11, boat now in same configuration as B-Line. Added 4.9' bowsprit and oversized spinnaker. -9 sec/mi for oversized asymmetric spinnaker, +3 sec/mi for inability to articulate sprit		
					12.52			18.58	12		51.8	1238	31.5	2600	1	FOLD			
			517		CARBON			0	497		46.6	4.9	10.75	lead	FIXED	2			
			95		FS			0			29.9	<input checked="" type="checkbox"/>	7.6						
Wildcard	Santa Cruz 37	37005	27	2009	47.1	107	52.17	47	6.4	No	Yes	33.3	37	8662	0	IB	(Mtg 1/26/16, new keel box & rudder noted, NCTR)		
					13.4		19	17	11		59.7	1534	34.75	3730	1	FOLD			
			507		CARBON				474		50.85	5.6	10.64	Lead	FIXED	2			
			94		FS						33.3	<input checked="" type="checkbox"/>	7.5						

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications		
			ISP		I	J	Max	Headsail	ISP	P	MGU	Yes/No	Yes/No		ASF	Ttl Disp.	Traps/H.		Strps	IB or OB
			JSP		J	J	Headsail	Material	JSP	E	MGM	SL	SPL		SLU	ASA	Ballast		moveable blst	Prop Type
			JSP		J	J	Headsail	Material	JSP	E	MGM	SSMG	SSA		SLE	Sprit Lngth	Ballast Mat.		Keel Type	# of blades
			Disp/WL Ratio						SSA	SSA	Fixed or _o									
Spirit of Freedom	J 124	38006	27	2006	49	155	54.7	48.4	5.86	Yes	Yes	32.6	40.7	12600	No	IB	(mtg 4/22/10, -3 sec/mi for OSP, -3 sec/mi for ability to square back pole)			
			535		14		15.4	17	53.9	15.4	55.1	36.2	5000	1	FOLD					
			121						27.7	1244	51.9	11.3	Lead	FIXED	2					
									27.7		26.7	6.9								
Sapphire	Synergy 1000	38008	48	2004	40.8	125	45.75	42	5.86	No	Yes	28	32.83	4400	No	IB	(Mtg 10/22/15, +3 sec/mi for smaller than class mainsail)			
			532		12		16.4	15.5	10.03		52	1172	29.17	1850	1	FOLD				
			81								46.2	4.3	9.75	Lead	FIXED	2				
											28.8	0	7							
Escapade	Sabre 40-2	38011	75	1997	54	110	54	47.5	5.6	Yes	Yes	23.5	40.2	19760	0	IB				
			599		15.5		16	17	9.9		53.5	1001	34	7500	1	FEATH				
			229								47	0	13.3	Lead	FIXED	3				
											24	0	7.5							
Sea Star	CAL 39-2/3	38022	114	1977	50	150	50	44	4.5	Yes	Yes	34	39	17000	0	IB	Roller Furler			
			611		16.7			13.8	8		48	1181	32	7000	1	FEATH				
			236								44	0	12	Lead	FIXED	3				
											30	0	6.7							
Ohana	Beneteau 45F5	38023	63	1991	53.15	100	55.15	55.4	7.06	Yes	No		44.11	26500	0	IB	(Mtg 12/1/11, -6 sec/mi for new keel)			
			580		15.08		16	18.58	12.08				36.9	8500	1	FEATH				
			240										14.1	Lead	FIXED	3				
													7.9							
Bustin Loose	Sydney 38 MH	38044	21	2002	54	104	52.03	50.53	6.85	Yes	Yes	27.69	38.6	12250	0	IB				
			533		14.9		14.77	18.046	11.73		54.92	1116	35.3	5140	1	FOLD				
			127					0	543		48.33	0	12.4	Lead	FIXED	2				
								0			25.49	0	8.8							
Bombora	Express 27 ODR	38047	129		28.5	155	28.5	28.5	4.22	Yes	No	0	27.25	2450	0	OB				
			611		9			10.42	7.03				23.8	1100	1	None				
			83										8.17	Lead	FIXED	0				
													4.5							

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications								
			Built	J	Max Headsail	ISP	P	MGU	Yes/No		Yes/No	ASF		LOA	Ttl Disp.	Traps/H.	Strps	IB or OB									
									DW Rating	Mast Material		E	MGM							SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type
EY		SSG	SSA	ASM	Fixed or _o	Max Draft																					
Iolani	Hughes 48	38048	120	1972	54.3	135	20.2	48.2	5.9	Yes		Yes	32.76	48			IB										
			599		18.2			19	10.4			54	1400	35.1			FEATH										
			336		ALUMN			23	493			48.6		11.1													
					YAWL			10				32.76	<input checked="" type="checkbox"/>	0	6	Lead	FIXED	3									
Raven	Benteau First 35	38073	75	2001	47.24	108	51.48	45.93	5.98	Yes		No		36.32			IB										
			586		13.12			14.75	10.23					30.6			Fold										
			192		ALUMN				419			26.25	1116	12.76													
					FS			25.46				25.46	<input type="checkbox"/>	0	7.25	Iron	FIXED										
Aquadisiac	Newport 30-3	38075	174	1985	40	155	40	34	3.8	No		No		30.5			IB										
					12.5			10.25	6.6					26.5			Fold										
			208		ALUMN				206				<input type="checkbox"/>	0	10.67												
					MS									5.17	Lead	FIXED	2										
Domino	Wilderness 30 MOD	38081	126	1985	36	155	36	31.5	4.11	Yes		No		30			IB	(Mtg 3/28/13, +6 sec/mi for small rig)									
			608		12.25		12.25	10.83	6.93					27.75			Fold										
			116		ALUMN				203			22.05	655	8.8													
					MS			20.5				20.5	<input type="checkbox"/>	0	5.5	Lead	FIXED										
Allora	Morris 36	38082	120	2007	38.66	95	44.3	41.25	5.1	No		Yes	21.4	36.1			IB										
			652		12.75			15.08	9.43			39.2	452	25			Fold										
			259		CARBON				357			34.3	0	10.1													
					FS							13.1	<input checked="" type="checkbox"/>	0	5.3	Lead	FIXED										
Kynntana	Freedom 38	38086	141	1988	33.34	100	33.34	45.5	6.25	No		No		38.42			IB										
			228		11.5		11.5	16.57	10.7					30.58			Fold										
					CARBON				447				<input type="checkbox"/>	0	12.5												
					FS									5.6	Lead	FIXED											
Blue Ribbon II	Catalina 270 IB	38087	207	1994	33.58	135	33.58	28.42	4.67	No		No		27			IB										
			217		9.25			11.5	7.61					23.75			Fixed_2										
					ALUMN				199				<input type="checkbox"/>	0	9.83												
					MS									5	Lead	FIXED	2										

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications	
			Built	J	Max Headsail	ISP	P	MGU	Yes/No		Yes/No		LOA	Ttl Disp. Traps/H. Strps		IB or OB				
									E	MGM	SL	SPL		SLU	ASA		Ballast	moveable blst		Prop Type
Disp/WL Ratio	Mast Material	Rig Type	EY	SSF	ASMG	Fixed or _o	Max Draft	# of blades												
Invictus	Hunter 41 DS	38093	129	2007	51.6 13	110	46 16.13	50.8 19.6	6 10.11	No	No	40.4 35.6 13.3 6.6	19400 6506 Lead	0 1 FIXED	IB Fixed_3 3	(Mtg 4/25/13, +3 sec/mi for in-mast furling main)				
Scraft	Hunter 36	38096	156	2005	44.83 13.17	125	46 16.13	44.92 16	6 10.3	No	No	35.5 30.58 12 5.42	13900 5023 Lead	0 1 FIXED	IB Fixed_3	Roller Furler, In-mast Furling Mainsail				
Althea	Cavalier 39	38101	129 608 234	1981	48.5 14.83	120	46 16.13	42 12	4.55 7.79	No	16.13	28.23 1029 11.22 5.97	13228 7513 Lead	0 1 FIXED	IB Fixed_3	(Mtg 4/28/16, -3 sec/mi for oversized spinnaker pole, -3 sec/mi for oversized spinnaker)				
Wasabi	JPK 1080	38103	63 550 166		46.66 14.17	100	51.51 19.09	46.2 15.48	5.84 9.61	No	15.32	35.43 30.84 11.98 7.22	10692 4740 Steel	0 1 FIXED	IB Fold					
Kira	Aerodyne 38 SD	38104	45 634 135	2003	50.82 14.5	105	57.25 20.83	51.75 16.5	6.25 10.6	No		37.66 34.21 13 6	11850 4150 Lead	0 1 FIXED	IB Fold					
Wimm	Jeanneau Sun Odyssey 349	38105	141	2016	43.6 12.37	112		40.68 13.62	4.9 8.2	No	No	33.92 30.84 11.29 6.86	11770 3483 Cast Iron	0 1 FIXED	IB Fold					
Prime Number	Tartan 4100 SD	38107	96	2004	57 15	106	57 15	47.75 17.22	5.64 10.08	No	No	41.25 35.75 13.5 5.33	20400 8000 Lead	0 1 FIXED	IB Fold					

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications						
			Built	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No		LOA	LWL	Ttl Disp.	Traps/H.	Strps		IB or OB					
										E	MGM	SL	SPL								SLU	ASA	Ballast	moveable blst	Prop Type
Disp/WL Ratio	Mast Material	Rig Type	EY	SSSF	ASMG	Fixed or _o	Max Draft	Ballast Mat.	Keel Type	# of blades															
Raven	C&C 115	38108	69	2004	52.17	106	52.17	49.33	6.2	No	Yes	24.7	37.75	11800	0		IB								
			587		14.5		14.5	16.33	8.6		53.3	962	33	4200	1		Fold								
			149		CARBON				447		47.3	0	11.92	Lead	FIXED		2								
					FS						22.5	<input checked="" type="checkbox"/>	6.67												
Adventure	Catalina 36	38112	147	1985	44.75	155	14.33	39	4.17	No	No		36.33	15000	0		IB								
			657		14.33			12	8.01				30.25	6000	1		Fixed_3								
			246		ALUMN				277			<input type="checkbox"/>	11.92	Lead	FIXED		3								
					MS								5.83												
Puffin	Alden 44	38144	117	1978	54.1	100	19.5	47.08	5.7	No	Yes	33	44.17	24500	0		IB								
			595		19.5			14.75	9.6		53	1369	34.08		1		Feath								
			281		ALUMN				416		49	0	12.5	Lead	CNTRBRD										
					CTR						32	<input type="checkbox"/>	8.75												
Irie	Beneteau 393 Oceanis SD	38200	150		46	110	14.5	40.2	4.63	No	Yes	24	38.12	21700	0		IB								
			633		14.5			15.1	8.12		45	755	35.1	5357	1		Fold								
			228		ALUMN				324		39.5	0	13	Cast Iron	FIXED		3								
					MS						20.8	<input type="checkbox"/>	5.1												
Willow	Wauquiez 40s Centurion	38300	69	2004	51.5	110	14.17	49.21	7.3	Yes	Yes	28.54	41.17	18960	No		IB	(mtg 3/18/10, -3 sec/mi for oversized a-sail.)(mtg 1/27/11, - 3 sec/mi for added sprit)							
			573		14.17			19.3	12.5		50.73	14.17	36.4	6085	1		FEATH								
			179		ALUMN				564		25.54	1080	12.66	Lead	FIXED		3								
					FS			25.54			27.66	<input checked="" type="checkbox"/>	7.75												
Siento El Viento	C&C 29	38311	174	1977	39.5	155	12.8	33.5		Yes	No		29.5	7500	No		IB								
			693		12.8			10.1			39	12.8	23.6	2700	1		Fold								
			259		ALUMN						22	715	10.5	Lead	FIXED		2								
					MS						22		5.25												
Freedom	Beneteau 523	38333	54	2006	65.22	105	20.77	59.09	6.39	No	Yes	35.519	53.08	32800	No		IB	Bow Thruster, in-mast furling, above deck jib furler; (Mtg 8/17/06 - +6 s/m for small girth main); electric winches added 1/29/07 (Mtg 3/28/13, +3 secmi for 8% decrease in mainsail area)							
			512		20.77			18.53	11.04		66.974	1854	47.92	10935	1		FOLD								
			135		ALUMN				620		58.269	2	16	Iron	FIXED		3								
					FS						35.519	<input type="checkbox"/>	7.5												

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications									
			Built	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF		LOA	Ttl Disp.	Traps/H.	Strps	IB or OB									
										DW Rating	Mast Material		PY	MGM							SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	# of blades
Max Draft	Ballast Mat.	Keel Type																										
			Tiki Blue	Beneteau 423	38423	105	2005	48.65	125	48.65	43.44	5.49	Yes	No		41.67	20224	No		IB								
			580		16.52		16.52	14.83	9.6				38.58	5569	1		FOLD											
			160		ALUMN				381			0	12.92	Iron	FIXED		3											
			160		MS							0	6.92															
Soiree	Beneteau Oceanis 49 SD	38776	87		59.75	135	59.75	51.67	4.7	No	Yes	29.41	49.5	30517	0		IB	Electric Winches (Mtg 10/27/16, +3 sec/mi for In-mast furling mainsail)										
			551		18.42		18.42	18.33	9.3		Yes	1210	43.67	480	1		Feath											
			167		ALUMN				480		50.72	0	14.75	Iron	FIXED													
			167		FS						26.75	0	5.75															
Alchimiste	Archambault 27	38973	78	2013	34.25	100	39.08	34.78	4.75	No	Yes	26.9	27.4	4894	0		IB	(Mtg 10/22/15, Custom rating assigned. Includes -9 sec/mi penalty for 22% oversized ASA & +3 sec/mi credit for non-articulating sprit. As sailed: 78)										
			616		10.83		15.98	12.63	8.16		Yes	872	22.7	1814	1		Fold											
			190		ALUMN				261		43.97	0	9.7	Lead	FIXED													
			190		FS						24.93	0	5.7															
Oxomoxo	Swan 391	39118	90	1983	53.5	135	54	47.3	4.92	Yes	Yes	31	39.92	20315	0		IB	(Mtg 10/26/17, -3 sec/mi for oversized asymmetrical, -3 sec/mi for oversized SPL)										
			595		16.3		16.3	14	8.5		Yes	1374	33.08	6800	1		Fold											
			255		ALUMN				379		56	0	12.42	Lead	FIXED													
			255		MS						49	0	7.2															
			255								31.5	0																
Chance	Farr 395	39528	27	2002	51.25	105	56.33	50	7.54	No	Yes	33.46	39.33	12500	No		IB											
			528		14		20.36	18.42	12.53		Yes	1617	34.5	4600	1		FOLD											
			138		CARBON			0	567		52.49	6.36	12.08	Lead	FIXED		2											
			138		FS			0			33.79	0	7.83															
Wind Speed	J 30	39963	141	1980	34.19	155	34.2	37.5	4.9	Yes	No		29.83	6700	No		IB	+6 sec/mi for J length pole (mtg 11/16/01)										
			657		11.5			12.5	8.1		Yes	11.5	25	2100	1		FOLD											
			195		ALUMN			0	281		20.7	580	11.18	Lead	FIXED		2											
			195		FS			0			20.7		5.25															
Twisted	Farr 40 ODR MH	40046	0	1999	53.15	105	50.04	54.8	8.49	Yes	No		40.7	10902	0		IB	(Mtg 12/1/11, interior mods for IRC, smaller mainsail: NCTR)(Mtg 5/24/12, switching to MH ODR configuration)										
			498		15.45		17.06	19.36	13.77		Yes	17.06	35.3	4960	1		FOLD											
			113		CARBON				674		60.69	1740	13.2	Lead	FIXED		2											
			113		FS						34.39		8.53															
			113								34.44																	

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
			DW Rating		I J	Max		Head	P E	MGU MGM	Yes/No	Yes/No	ASF		Ttl Disp.	Traps/H.			Strps
			Disp/WL Ratio		Mast	Material		PY	MSA	SL	SPL	SLU	ASA		Ballast	moveable blst			
					Rig Type			EY		SSMG	SSA	SLE	Sprit Lngth		Ballast Mat.	Keel Type			
Astra	Farr 40 ODR MH	40079	0	2000	53.2	105	53.12	54.8	7.29	Yes	No			40.75	10917	No	IB		
			502		15.5			19.4	12.47					35.27	5079	1	FOLD		
			113		CARBON			0	629			<input type="checkbox"/>	0	13.22	Lead	FIXED	2		
					MS			0						8.53					
Bullet	Express 37	40311	72	1985	48.75	155	48.75	42	5.3	Yes	No			37.08	11000	No	IB		
			581		14.33			13.75	8.83					30.83	4600	1	FOLD		
			171		ALUMN			0	344			<input type="checkbox"/>	0	11.57	Lead	FIXED	2		
					MS			0						7.25					
Ergo	Express 27 ODR	40428	129		28.5	155	28.5	28.5	4.22	Yes	No		0	27.25	2450	0	OB		
			611		9			10.416	7.03					23.75	1100	1	None		
			83		ALUMN				182			<input type="checkbox"/>	0	8.075	Lead	FIXED	0		
					FS									4.5					
Jeannette	Custom Frers 40 IOR 1 Tonner	40646	63	1986	47.2	100	13.7	51.48	7.13	Yes	No			39.5	11918	0	IB	(Mtg 5/31/07 custom rating changed from 63 to 60 based on performance data)(Mtg 8/27/15, change custom rating back to 63 after review of race results)	
			562		13.7			18.76	12.19					33	6000	1	FOLD		
			151		ALUMN				575			<input type="checkbox"/>	0	12.6	Lead	FIXED	2		
					FS			24.66	959					8.1					
Vento	Swan 391	40841	99		53.5	95	53.5	47.25	5.5	Yes	Yes		26	39.9	18900	0	IB		
			592		16.25		16.25	14	9.2				1014	33.1	6800	1	Fold		
			237		ALUMN				399			<input checked="" type="checkbox"/>	0	12.4	Lead	FIXED			
					MS			29.3						7.2					
Catapult	Santa Cruz 70	41005	-84	1989	73.34	155	73.74	66.11	9.3	No	Yes		39.1	68	23847	0	IB	(Mtg 5/25/17, Custom rating assigned. As Sailed: -84)	
			417		22.19		25.26	24.67	15.75				2348	59.7	9000	1	Fold		
			51		CARBON				963			<input checked="" type="checkbox"/>	0	15.1	Lead	FIXED			
					MS									10					
Buona Sera	Santa Cruz 70	41104	-81	1986	73.15	155	73.63	65.49	9.12	No	Yes		40.06	68.9	24905	0	IB	(Mtg 8/27/15, New rudder noted, -9 sec/mi for new keel)(Mtg 3/23/17, -6 sec/mi for 13% increase in SPL, -3 sec/mi for increase in spinnaker area, +3 sec/mi for decrease in mainsail area)	
			423		22.52			25.39	15.72				2504	60.4	8960	1	Fold		
			51		CARBON				961			<input type="checkbox"/>	45	15.1	Lead	FIXED			
					MS									10.62					

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
			Built	ISP	I	J	Max Headsail	ISP	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB	
			DW Rating	JSP	Mast Material			E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst		Prop Type	
			Disp/WL Ratio		Rig Type			PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type		# of blades	
						EY		SSF		ASMG	Fixed or _o	Max Draft							
Heart of Gold	Olson 911S	41327	129	1987	41.5	125	41.5	35.5	4.5	Yes	No	29.9	7200	No		IB			
					12.33			11.83	7.7			25	3200	1		FOLD			
			648		ALUMN			0	251		0	10.3	Lead	FIXED		2			
			209		MS			0			<input type="checkbox"/>	5.5							
Baleineau	Ericson 34 Olson SM	42147	105	1988	44	155	44	38.8	4.88	Yes	No	34	10600	No		IB			
					13			13	8.25			28	3650	1		FOLD			
			629		ALUMN			0	298		0	10.83	Lead	FIXED		2			
			219		MS			0			<input type="checkbox"/>	6							
Ardea	Custom Nelson/Marek 50	42616	21	1989	59.92	100	59.92	65.19	9.35	Yes	Yes	49.8	22145	0		IB	(Mtg 8/28/15, custom rating of 21 assigned)		
					17.59		17.59	24.08	15.98			38.55	12627	1		Fold			
			519		ALUMN				946		31.1	14.86	Lead	FIXED					
			176		FS			30.4			30.9	9.32							
Angel	J 130 DK AM	46079	15	1993	57	155	58.5	52.5	7.03	No	Yes	42.6	15500	0		IB			
					16.5		23.5	18.5	12.02			38.17	6450	1		Feath			
			498		ALUMN				578		59.05	12.67	Lead	FIXED					
			127		FS			40			<input checked="" type="checkbox"/>	8.5							
La Viajera	J 109 ODR	46480	72	2004	46.5	105	49.6	43.25	5.89	No	Yes	35.25	10900	0		IB			
					13.3		18.8	15.5	10.07			30.5	3900	1		Fold			
			583		ALUMN				399		45.63	11.5	Lead	FIXED		2			
			175		FS			27.2			<input checked="" type="checkbox"/>	7							
Family Hour, TNG	Henderson 30	46595	48	1997	37	155	42.3	38.2	6.74	Yes	Yes	30.83	3850	0		OB	Kelp Cutter		
					11		17.8	14	10.62			27.75	1750	1		None			
			504		CARBON				356		41.5	9.84	Lead	FIXED		0			
			82		FS			19.8			19.8	7							
Fast Lane	Olson 25	46657	159	1985	32	155	32	28	3.8	Yes	No	25	3300	0		OB			
					9.6			10	6.4			21.25	1300	1		None			
			671		ALUMN				166		17.25	9	Lead	FIXED					
			156		MS			17			<input type="checkbox"/>	4.5							

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull	Displacement/Keel		Engine/Prop	Modifications	
			Rating		I	J	ISP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps		IB or OB
			DW Rating		Max Headsail	Max Headsail	JSP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type		
			Disp/WL Ratio		Mast Material	Mast Material		PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades		
											Max Draft								
Sweetspot	C&C 121 DK W/5' BS	46921	60	2000	57	135	57	51	6.19	No	Yes	36	40	14100	No	IB	Deep Keel-bowsprit, (Mtg 4/24/08, rating appeal submitted, change base rating for C&C 121 DK w/ 5' BS, aka C&C 121 XP, to 60)		
							15	20	16.386	10.6	63.8	35.5	5500	1	FOLD				
			549		ALUMN		0	496	0		55.6	13.8	Lead	FIXED	2				
			143		MS		0		0		37.5	8							
Argo	Beneteau 40.7 First Farr	46933	54	1999	51.61	105	51.61	48.85	6.72	Yes	No		39.33	15211	0	IB			
					14.47	14.47	17.72	11.51	50.9	14.47		34.83	5950	1	Feath				
			569		ALUMN			515	26	1094		12.33	Lead	FIXED	2				
			164		FS				25		<input type="checkbox"/>	7.75							
FROLIC	Islander 36 TM	47462	141	1974	47	155	47	40.75	4.8	Yes	No		36.08	13450	0	IB			
					14.5	14.5	12.6	8.25	46.5	14.5		28.25	5450	1	Feath				
			655		ALUMN			307	25.8	990		11.17	Iron	FIXED	3				
			271		MS				24.6		<input type="checkbox"/>	6.08							
Gotcha	Santa Cruz 27	47911	141	1975	32.58	150	32.58	28.25	3.68	Yes	No		27	3200	0	OB			
					10.75		8.583	6.06	32.8	10.9		24	1600	1	None				
			619		ALUMN			154	19.6	536		8	Lead	FIXED					
			105		MS				19.6		<input type="checkbox"/>	4.5							
Bodacious +	1D 48	48005	-15	1996	57.7	155	68.3	61.3	9.84	Yes	Yes	30.1	48.3	19743	0	IB	Water ballast system not operational (mtg 8/19/08, custom rating assigned of -30, includes dual spinnakers)(Mtg 3/24/11, new smaller mainsail, smaller symmetrical, change custom rating from 30 to 24)(Mtg 8/25/11)		
					16.7	16.7	22.5	14.66	66.7	16.7	67.7	40.2	8818	1	Fold				
			490		CARBON			848	33.1	1834	65.7	14.2	Lead	FIXED	2				
			138		FS				32.6		30.1	10.1							
Iniscaw	Martin 32	49143	126	1980	42.5	145		37.17	4.7	Yes	No		32.8	8200	0	IB	(Mtg 10/2/13, new rudder, NCTR)		
					13.67		12	8	42.4	13.67		27	4100	1	FOLD				
			618		ALUMN			270	22.4	806		9.6	Lead	FIXED	2				
			189		MS				24.4		<input type="checkbox"/>	6.1							
Emily Carr	Santa Cruz 50	49211	-6	1981	61	150	61	55	6.4	Yes	No		53	15000	No	IB	3' SUGAR SCOOP ON TRANSOM IF STD 50FT LOA OF BOAT		
					19		17	11	61	18.92		46.5	7500	1	FOLD				
			478		ALUMN		0	555	34	1718		12	Lead	FIXED	2				
			68		MS		0		33		<input type="checkbox"/>	8							

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
			Built	J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp. Traps/H. Strps		IB or OB Prop Type # of blades			
									DW Rating	Mast Material	SL	SPL		SLU	ASA			Ballast	moveable blst
Ragtime	J 90 MOD	50090	54	1998	35.6	125	43.1	38.85	5.51	No	Yes	26.25	30	3400	No	OB		(Mtg 4/28/11, -3 sec/mi for increased "P", + 3 sec/mi for smaller asymmetrical)(Mtg 1/26/12, removed saildrive, added OB, -3 sec/mi)(1/24/13, new rudder noted, NCTR)(Mtg 10/26/17, +3 sec/mi for smaller mainsail, +2 sec/mi for	
			524		10.5		18	14.5	9.42		47	857	27	1595	1	FOLD			
			79		CARBON		0	336			40.1	7.5	8.5	Lead	FIXED	2			
					FR		0				22.95	<input checked="" type="checkbox"/>	0	6.5					
Bright Hour	Farr 40 ODR MH	50092	0	2001	53.15	0	50.04	54.8	8.49	Yes	No		40.7	10902	0	IB			
			498		15.45		17.06	19.36	13.77				35.3	4960	1	Fold			
			113		CARBON				674			0	13.2	Lead	FIXED				
					FS							<input checked="" type="checkbox"/>	0	8.53					
Windswept Lady	X-362 Classic	50980	96	1998	46.6	125	46.6	40.6	5.05	Yes	Yes	26.7	35.1	12320	0	IB			
			613		12.9		12.9	14.1	8.86		46.8	878	30.4	5170	1	Fold			
			199		ALUMN				333		42.3	0	11.4	Lead	FIXED				
					MS						22.9	<input type="checkbox"/>	6.2						
Velvet Hammer	Schock 40	51507	-12	2000	42.5	104	49.5	44.4	7.2	No	Yes	33.92	40	7914	No	OB	(mtg 10/21/09, switched to 104% headsail, from 150%, smaller girths on mainsail. Change custom rating from -18 to -12)		
			464		13.6		20.58	16.8	11.8		60	1459	35	1800	2	None			
			84		CARBON			0	470		49	7	10	Lead	MOVABL	0			
					FS			0			31.685	<input checked="" type="checkbox"/>	0	8					
Everlong	Beneteau 40.7 First Farr	51705	54	2002	51.61	104	51.61	48.85	6.73	Yes	Yes		39.33	15211	0	IB			
			569		14.47		14.47	17.72	11.51		50.92	14.47	34.83	5950	1	FOLD			
			164		ALUMN			0	515		26	1103	12.33	Lead	FIXED	2			
					MS			0			26		7.75						
Tyr	J 125	52125	-12	2000	49	155	52	46.5	6.79	No	Yes	39.3	41	8350	0	IB			
			471		14.8		23.4	18	11.65		62.17	1831	37	4646	1	Fold			
			75		CARBON				497		52.49	0	10.6	Lead	FIXED	2			
					FS						38.09	<input checked="" type="checkbox"/>	0	7.9					
Jaybird	J 133 CM	52443	24	2004	57	100	60.4	54	7	No	Yes		38.08	16900	0	IB			
			574		17.25		24	18.6	12				30.25	6850	1	Fixed_2			
			278		CARBON				595				11.8	Iron	FIXED				
					FS								6.8						

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications									
			Built	JSP	I J	Max Headsail	ISP	P E	MGU MGM	Yes/No		Yes/No		LOA	Ttl Disp.	Traps/H.	Strps	IB or OB	Prop Type	Modifications								
										DW Rating	Mast Material	PY	MSA								SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	# of blades
Max Draft	ASF	Fixed or _o	Max Draft	Ballast Mat.	Keel Type	# of blades	Modifications																					
Pressure Drop	Beneteau Farr First 36.7	52489	78	2006	46.4 13.1	155	46.4 14.35	45.4 15.6	5.92 12.49	Yes	No	23.29	36	12495	0	IB	(12/2/16, -3 sec/mi for JSP)											
			602		ALUMN								30.3	4034	1	Fold												
			204		FS		458						11.4	Lead	FIXED	2												
Mulan	Beneteau First 10R ODR	52659	84	2007	43.2 12.07	100	46.41 16.5	42.25 14.73	5.59 9.57	No	Yes	25.5	32.75	9715	0	IB	(mtg 9/23/10, +3 sec/mi for non-class smaller kite)											
			601		CARBON								28.7	3258	1	Fold												
			187		FS		371						11	Lead	FIXED	2												
Curie	Beneteau 32S5	52868	138	1990	38.39 9.68	150	38.39 9.68	38.88 13.78	5.3 9.01	Yes	No	17.3	32.6	9260	0	IB												
			652		ALUMN								27.83	2980	1	FOLD												
			195		FS		321						10.83	Cast Iron	FIXED	2												
CruzSea Baby	Beneteau First 10R ODR	52878	81	2007	43.2 12.07	155	46.41 16.5	42.25 14.73	5.59 9.57	No	Yes	27.5	32.75	9715	0	IB	(Rudder Modifications noted, smaller non-class spinnaker +3 sec/mi)											
			603		CARBON								28.7	3528	1	Fold												
			187		FS		371						11	Lead	FIXED	2												
Jamani	J 120 ALUM	52879	48	2002	50.5 14.5	155	52 21.5	46.5 17.8	6.7 11.5	No	Yes	34	40	13900	0	IB												
			542		ALUMN								35	6000	1	FOLD												
			147		FS		491						12	Lead	FIXED	2												
Mega Hurtz	Laser 28 ODR MOD	53470	129	1974	31.1 9.65	125	31.73	33.14 12.96	4.98 8.4	Yes	No		28.41	3950	0	OB	(Mtg 2/27/14, switched to outboard motor, -3 sec/mi)											
			631		ALUMN								23.62	1500	1	None												
			136		FS		257						9.48	Lead	FIXED	2												
Rhapsody	J 32	56303	120	2000	39.2 11	155	40.583 13	38.5 15.5	5.12 9.25	No	Yes	22.5	32.4	11500	0	IB	(Mtg 5/23/13, -3 sec/mi for sprit, -3 sec/mi for oversized spinnaker)											
			640		ALUMN								29	3840	1	Fold												
			214		FS		335						11	Lead	FIXED	3												

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
			Rating		I	J	P	MGU	Yes/No	Yes/No	ASF	Ttl Disp.		Traps/H. Strps	IB or OB		
			DW Rating		Max Headsail	ISP	E	MGM	SL	SPL	SLU	ASA		Ballast	moveable blst	Prop Type	
			Disp/WL Ratio		Mast Material	JSP	PY	MSA	SSMG	SSA	SLE	Sprit Lngth		Ballast Mat.	Keel Type	# of blades	
					Rig Type			SSSF	ASMG	Fixed or _o							
Music	Catalina 34 1&2	56583	147	2001	44	130	38.5	3.6	No	Yes	21.8	35.66	11950	0	IB		
					13.5		12	6.8		45	762	29.84	5000	1	FOLD		
			645		ALUMN			251		39.2	0	11.75	Lead	FIXED	2		
			204		MS					21.7	<input checked="" type="checkbox"/>	5.56					
Allegro	Beneteau Farr First 36.7	56657	78	2010	46.42	155	46.42	5.92	Yes	Yes	23.41	36	12939	0	IB	(Mtg 1/26/16, -3 sec/mi for increased JSP)	
					13.1		15.6	12.49		47.33	834	30.3	3993	1	Fold		
			601		ALUMN			458		43	0	11.4	Lead	FIXED	2		
			211		FS					21.83	<input type="checkbox"/>	7.3					
Brandy	Farr 30 1/2 Ton	57257	150	1979	31	145	31	4.5	Yes	No		30.33	4894	0	OB	(Mtg 4/24/15, -6 sec/mi for increased P)	
					9.6		12.9	7.11				23.5	1909	1	None		
			654		ALUMN			243		17	445	10	Lead	FIXED			
			171		FS					17		5.33					
Windwalker	Islander 36 ODR	57307	144	1976	45	150	45	4.8	Yes	No		36.08	13450	No	IB		
					14.48		12.75	8.2		45.25	15	28.25	5820	1	FOLD		
			648		ALUMN		0	297		23.3	889	11.17	Lead	FIXED	2		
			271		MS		0			24.7		6.08					
Passat	North Star 500	57313	240	1973	33	140		3.5	No	No		24.98	4298	0	IB		
					10.25		8.75	6.1				20.23	1710	1	Fixed_3		
					ALUMN			149			0	9	Lead	FIXED			
			236		MS						<input type="checkbox"/>	5					
Oscar	Santa Cruz 33	57663	117	1978	41	125	41	4.25	Yes	No		33	7000	No	IB		
					13.583		15	7.166		41	13.68	28	3000	1	FOLD		
			595		ALUMN			269		24.6	841	10.06	Lead	FIXED	2		
			145		MS					24.6		6					
Red Hawk	Hawkfarm 28 ODR	59024	162	1978	33	155	33.25	4.37	Yes	No		28	5700	0	IB		
					11		10.5	7.26		33	11.5	23.5	2700	1	FOLD		
			667		ALUMN		0	236		20.7	569	9.75	Lead	FIXED	2		
			200		FS		0			20.7		5.166					

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop		Modifications		
					J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H.	IB or OB	# of blades			
										SL	SPL									Ballast	moveable blst
										SSMG SSF	SSA									Ballast Mat.	Keel Type
Giant Slayer	Santa Cruz 27	59369	141	1979	32.583 10.9	155	32.583 10.9	28.25 8.7	3.7 6.3	Yes	Yes	17.67 372	27 24	3304 1800	No 1	OB None	0	(Mtg 3/27/14, -3 sec/mi for 10% overized symmetrical spinnaker)			
			624 109		ALUMN MS		0 0	157		19.6 19.6	536	32.58 13.42	0 <input type="checkbox"/>	90	8 4.5	Lead FIXED					
Sleeper	Olson 30 OB	59608	99	1980	36.25 11.65	150	36.26	30.33 10.75	4.33 7.15	Yes	No		30 27.5	3600 1800	0 1	OB None	0				
			586 79		ALUMN MS			199		21.1 20	618	0 <input type="checkbox"/>	0	9.25 5.1	Lead FIXED						
Zwei Flying Fish	San Juan 33s	59733	129	1981	34.83 11.48	134	34.83	39.16 12.66	4.66 8.08	Yes	No		33.1 27.8	6000 3500	0 1	IB Fold		(Mtg 5/28/15, +3 sec/mi for small rig)			
			606 127		ALUMN FS			292		19.75 19.75	555	0 <input type="checkbox"/>	0	7.95 5.5	Lead FIXED						
Wildcat of Loch Awe	S-2 7.9 FR DB	59838	165	1983	31.83 9.5	135	31.83	29.42 12.33	4.75 7.92	Yes	No		25.92 21.67	4250 1750	0 1	OB None					
			685 190		ALUMN FS			216		17.08 17.08	432	0 <input type="checkbox"/>	0	9 5	Lead AGGERBR						
Void Star	Santa Cruz 40	59995	45	1982	52 16	135	52 18.67	45.5 14	5.2 8.58	No	Yes	33.62 1238	40 36	12500 5000	0 1	IB FEATH		(Mtg 10/22/15, -6 sec/mi for 20% increase in JSP)(4/6/16, +3 sec/mi for non-articulating spinnaker)			
			548 122		ALUMN MS			370		28.33 28	1178	48.32 27.13	0 <input checked="" type="checkbox"/>	0	12 7	Lead FIXED	2				
Ebb Tide	Wauquiez 45s Centurion	60245	57	2003	55.77 17.72	100	55.77 17.72	51.84 19.32	6.51 11.68	Yes	Yes	32.25 1541	45.92 40.25	23148 8488	0 1	IB Fold		(Mtg 5/26/11, Increased "JSP" by 5.67' which equals a 30% increase. - 9 sec/mi per NCPHRF Rules & Guidelines.)(Mtg 3/29/12, JSP now same as J+9 sec/mi, Asymmetrical spinnaker still oversized, -3 sec/mi)			
			542 161		ALUMN FS			567		31.9 30.62	1466	52.39 33.49	0 <input checked="" type="checkbox"/>	0	13.67 8.17	Lead FIXED	3				
Gratitude	Hylas 46	60373	102	2002	58.4 17.7	135	58.4 17.7	50.6 18	4.6 9.6	No	Yes	25.5 1309	46.3 40	27777 12347	0 1	IB Feath					
			573 197		ALUMN CTR			469		30.6		51.6 30.6	0 <input checked="" type="checkbox"/>	0	13.9 6.6	Lead FIXED	3				

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
				DW Rating <i>Disp/WL Ratio</i>	I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Ballast Mat.	Strps moveable blst Keel Type		IB or OB Prop Type # of blades
									SL	SPL								
									SSMG SSF	SSA								
Nymph	S&S 30	60602	144 2013	38 9.5 90	43.58	40 14	5.35 8.96	No	Yes	16.7 43.2 37.5 15.8	537 537 0 0	30.5 27.5 8.25 5.5	6500 2400 Lead	0 1 FIXED	IB Fold			
Lenora	Hunter 33-2	60700	153 2004	37.42 10.83 115	38.42 10.83	36.46 15.83	4.83 8.33	No	Yes	18.5 39.33 35.5 16.67	531 531 0 0	33.5 29.42 11.17 5.5	10400 3459 Lead	0 1 FIXED	IB Fold 3			
Anais	Hanse 505	61019	45 2014	64.16 19.16 100	65 20	58.6 20	6.55 11.87	No	Yes	38.52 70.41 64.11 38.35	2151 1.5 0	49 44.4 15.6 7.7	36000 8300 Lead	0 1 FIXED	IB Feath			
CaZan	DK 46	61046	-21 2001	61.94 17.85 126	70.54 19.849	63.55 21.95	8.2 14.21	Yes	No	33.56 1822 63.33 32.84	0 0 0	46.26 40.52 13.45 9.84	22439 9480 Lead	0 1 FIXED	IB Fold	(Mtg 5/25/17, custom rating assigned. As Sailed: -21)		
Blue	Swan 53-2	61522	30 2012	71.96 19.52 105	73.84 19.53	65.88 21.98	7.64 13.38	No	Yes	38.89 75.95 67.09 36.72	2214 0 90	54.07 47.24 15.58 12.14	54482 22400 Lead	0 1 CNTRBRD	IB Fold	(Mtg 3/23/17, -3 sec/mi for ability to fly a-sail on a squared back pole)		
Enchante'	Beneteau 42 IK TM	63222	84 1985	55.43 16.73 155	55.71	49.2 14.6	4.8 8.5	No	No	0 0	0	43.67 36 13.83 7.19	20509 8700 Iron	No 1 FIXED	IB FOLD 2			
Warwhoop	Contessa 33	63336	141 1984	37.916 11.17 100	37.93	39.416 13.86	5.31 9	Yes	Yes	20.92 40 37.5 21.17	682 0	33 25.52 11.08 5.8	8375 3700 Lead	No 1 FIXED	IB FOLD 2	(Mtg 1/26/17, -3 sec/mi for oversized asymmetric area)(Mtg 2/23/17, -3 sec/mi for oversized symmetric spinnaker area)		

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications			
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H.	Strps		IB or OB Prop Type # of blades		
								SL	SPL	SLU	ASA								Ballast	moveable blst
								SSMG SSF	SSA	SLE	ASMG									
Califia	Islander 36 ODR	67074	144 1978	45 14.48 ALUMN MS	135	45	39.25 12.75	3.69 6.88	No	No		36.08 28.25 11.17 6.08	13450 5450 Lead	0 1 FIXED	IB Feath 2					
Foxxfyre	Yamaha 33 IK SM	67248	159 1978	42.81 13.78 ALUMN MS	150	42.81	37.4 10.6	4.38 7.27	Yes	No		33.25 26.92 11 6.25	16000 4410 Iron	No 1 FIXED	IB FEATH 2	PER PHRF MTG 3/16/2000 - Weight Differencer from brochure is significant.				
Toypedo	Ranger 26-2	67341	189 1980	26.4 9 ALUMN FS	150	28 9	30.5 11	4 7 197	Yes	No		26 20 8 5	3000 1140 Lead	0 1 FIXED	OB None	Fixed Keel, No daggerboard				
Friction Loss	J 30	67425	141 1979	34 11.5 ALUMN FS	155	34.1 11.5	38 13 0 0	4.94 8.45 295	Yes	No	21.06 666	29.83 25 11.17 5.25	6500 2100 Lead	0 1 FIXED	IB FOLD 2					
Timber Wolf	Farr 38-1 C&B Marine	67519	75 1980	43.91 13.36 ALUMN FS	155	47.9	44.83 17.91 0 0	6.7 11.6 476	Yes	No		38.32 30.9 11.97 6.39	12000 4100 Lead	0 1 FIXED	IB FOLD 2	(REDUCED MGM, ADDED 6" TO RUDDER LENGTH -NOTED NCTR-2/15/01)(-3 sec/mi for oversized spinnaker)				
Hot Betty	Olson 30 OB	67537	99 1979	36 11.75 ALUMN MS	155	35.9 11.67	31.5 10.75 0 0	4.364 7.268 208	Yes	Yes	21 630	30 27.5 9.33 5.08	3600 1800 Lead	No 1 FIXED	OB None 0					
FUGU	Wilderness 30 SX FR IB	67967	120 1980	34.08 11.75 ALUMN FS	150	34.1 11.8	34.44 11.5	4.37 7.48 236	Yes	Yes	20.36 603	29.75 27.75 8.75 5.5	4200 1900 Lead	0 1 FIXED	OB None 0	(Mtg 11/20/08, -6 sec/mi for replacing inboard with outboard engine)				

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications						
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU ASA Sprit Lngth Fixed or _o	SL SPL SSMG SSA	SLE ASF Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst			Strps Keel Type					
								SL	SPL										SLU	ASA	Max Beam	Ballast Mat.	Keel Type
Disp/WL Ratio																							
Sea Ghost	Beneteau 42 IK	68222	90 1984	52.82 16.73	155	52.82	46.5 14.6	5.4 9.35	Yes	53	16.73	No	42.92 36.25 12.75 7.25	20900 7920 Iron	0 1 FIXED	IB FOLD 2	DOUBLE HEADRAIL, HYDRALIC BACKSTAY PER MTG 8/14/97						
			580 199	ALUMN MS			0 0	400		30.1 32.6	1352	<input type="checkbox"/>											
Snafu	CS 30	68588	159 1988	42 12.04	125	42 12.04	36.416 11.416	3.95 6.5	NO			Yes	30 25.51 10.25 5.416	8000 3440 Lead	0 1 FIXED	IB FOLD 2							
			669 219	ALUMN MS			0 0	232		40.653 20.04	707 0	20.04 <input checked="" type="checkbox"/>											
Zephyrus	Riechel/Pugh Turbo 77	69011	-99 1997	85.37 35	128	94.94 35	87.34 30.5	11.5 19.2	No	35		Yes	77.67 65.2 14.78 14.12	31939 12300 Lead	0 1 FIXED	IB FOLD 2	(mtg 8/27/09, -6 sec/mi for new oversized jib. Changed custom rating from -126 to -132)(Mtg 4/26/12, New pintop mainsail, change custom rating from -132 to 129)(Mtg 8/23/12, change custom rating from 129 to 99 after review)						
			409 52	CARBON FS				1563		103.41 88.35 56.66	4518 0 0	<input checked="" type="checkbox"/>											
Divine Wind	Olson 40	69069	45 1983	50 15.75	150	51.21 15.8	44 14.25	5.5 9.29	Yes			No	40.33 36 11.25 6.5	10500 5500 Lead	0 1 FIXED	IB Feath 2							
			540 102	ALUMN MS				376		50.17 28.35 28.35	15.75 1185	<input type="checkbox"/>											
Hana Ho	Santa Cruz 50	77007	-12 1980	61.39 18.85	155	61.5 20.73	54.92 16.98	6.5 11.1	Yes			Yes	52 46 12 7.75	18000 8000 Lead	0 1 FIXED	IB Feath 3	(Mtg 5/26/11, +3 sec/mi for interior changes)(2/24/12, interior changes removed, boat is back to standard weight for a SC 50)(Mtg 5/25/17, New Rudder, NCTR. -3 sec/mi for OSP, -3 sec/mi for oversized spritaker area)						
			478 84	ALUMN MS			0 0	558		60.9 33.75 33.75	20.73 1713	59.68 35.3	<input checked="" type="checkbox"/>										
Borealis	Gulf 39 PH	77135	129	50 16.17	128		42 13.75	4.83 8.58	No			No	38.83 33.67 12 5	17500 Iron	1 FIXED	IB Fold							
				ALUMN MS				334				<input type="checkbox"/>											
Imagine	Davidson 44 MOD	77220	57 1980	49.92 15.38	125	50.33	58.3 18.33	6.9 12.8	Yes			No	44 38.5 13 7.6	24410 7000 Lead	No 1 FIXED	IB FOLD 3	(Mtg 4/27/17, custom rating of 57 assigned)						
			568 194	ALUMN FS			0 0	652		50.3 27 27	15.1 1132	<input type="checkbox"/>											

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
			Rating		I	J	ISP	P	MGU	Yes/No	Yes/No	ASF	Ttl Disp.		Traps/H. Strps	IB or OB		
			DW Rating		Max Headsail	ISP	E	MGM	SL	SPL	SLU	ASA	Ballast		moveable blst	Prop Type		
			Disp/WL Ratio		Mast Material	JSP	PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Ballast Mat.		Keel Type	# of blades		
					Rig Type		EY	SSF	ASMG	Fixed or _o								
Eliana II	Morgan 38-2	77486	156	1981	46	110	46	40.5	4.69	Yes	No		38.33	17000	0	IB	(Mtg 1/26/17, -3 sec/mi for oversized symmetric spinnaker area)	
					16.25		16.25	14.5	8.34			30.5	6800	1	Fixed_3			
			632		ALUMN				324			12	Lead	FIXED	3			
			272		MS						<input type="checkbox"/>	0	6					
Dawn's Early Light	J 36	77549	87	1982	44.219	125	44.21	47	5.8	Yes	No		35.95	10570	0	IB		
					14		14	15	9.5			30.5	4600	1	Fold			
			590		ALUMN				418			11.76	Lead	FIXED				
			169		FS						<input type="checkbox"/>	0	6.6					
Captain Sluggo	Hobie 33	77870	54	1982	34.7	105	42.3	38.1	6	No	Yes	25.6	33	4532	0	OB	(Meeting 4/27/17, Custom rating assigned: 54)	
					12.2			13.5	9.6		44.6	928	30.4	1800	1	None		
			524		CARBON				328		42.4	0	8	Lead	FIXED			
			73		MS						25.6	<input type="checkbox"/>	90	5.4				
Benny	J 88	79169	81	2014	38.67	100	46	36.82	5.44	No	Yes	29	29.19	4990	0	IB		
					11.28		18.05	12	8.4		47.83	1022	26.84	1840	1	Fold		
			561		CARBON				282		40.84	5.25	8.5	Lead	FIXED			
			117		FS						27.32	<input checked="" type="checkbox"/>	0	6.5				
Serenity	Islander 36 ODR	82659	144	1973	45	135	45	39.25	3.69	Yes	No		36.08	13500	0	IB		
					14.48			12.75	6.88				28.25	5450	1	Feath		
			648		ALUMN				265			0	11.17	Lead	FIXED			
			272		MS							<input checked="" type="checkbox"/>	0	6.083				
Dragonsong	Olson 30 OB	87014	99	1982	36	155	35.9	31.5	4.364	Yes	No		30	3600	No	OB		
					11.75		11.67	10.75	7.268				27.5	1800	1	None		
			584		ALUMN			0	208			0	9.33	Lead	FIXED	0		
			79		MS			0				<input type="checkbox"/>	5.08					
Vitesse Too	Hobie 33 ODR	87112	90	1983	33.8	125	36.8	35	4.75	Yes	No		33	4000	No	OB	Extended rudder 10", NCTR	
					12.4			12.4	8				30.5	1800	1	None		
			552		ALUMN			0	259			0	8	Lead	FIXED	0		
			64		FS			0				<input type="checkbox"/>	5.5					

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
			Built	J	Max	IS	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	IB or OB			
			DW Rating	Max	Headsail	JSP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type		
			Disp/WL Ratio	Material	Rig Type	PY	MSA	SSMG	SSA	SLE	Sprit	Lngrh	Max Beam	Ballast Mat.	Keel Type	# of blades		
Nutmeg	Islander 36 ODR	87245	144		45	150	45	39.25	5.05	No	No			36.083	13450	No	IB	
					14.48			12.75	8.44					28.25	5450	1	FOLD	
			669		ALUMN			0	303			<input type="checkbox"/>	0	11.166	Lead	FIXED	0	
			271		MS			0						6.083				
Wayward Wind	Baltic 38 DP	87258	96	1983	52.25	155	52.25	46.25	4.53	Yes	No			38.08	14330	0	IB	
					15.82			13.75	8.2					31.5	6512	1	Fold	
			578		ALUMN				357			<input type="checkbox"/>	0	12.34	Lead	FIXED		
			208		MS			58.4					0	7.25				
Happy Daze	Santana 30-30 GP	87322	120	1984	40.83	150	40.83	36.17	5.25	Yes	No			29.92	6500	No	IB	
					11.67			11.08	8.5					25.42	2435	1	FOLD	
			641		ALUMN			0	267			<input type="checkbox"/>	0	10.25	Lead	FIXED	2	
			180		MS			0						5.5				
JouJou	Capo 30	87324	123	1984	41.7	120	41.5	36	4.37	Yes	No			30	7200	0	IB	Roller Furler
					12.75			11.5	7.47					25	3000	1	Fold	
			648		ALUMN				247			<input type="checkbox"/>	0	10.33	Lead	FIXED	2	
			209		MS			21						5.43				
Whispering Winds	Lancer 36 MH	87374	141		42	125	41.9	37	4.8	No	Yes		26	36.17	10500	0	IB	
					16			12	7.9				932	29	4000	1	Fixed_3	
			621		ALUMN				269				0	11.75	Lead	FIXED		
			196		MS							<input checked="" type="checkbox"/>	0	6				
Turbo Camper	Hobie 33 ODR MOD	87574	84	1984	33.28	155	36.5	35	4.75	No	Yes		23	33	4200		OB	(Mtg 3/29/12, -3 sec/mi for displacement changes)
					12.4		13.13	12.5	8.1				702	30.5	1900	1	None	
			550		ALUMN			0	261				0.6	8	Lead	FIXED	0	
			67		FS			0				<input type="checkbox"/>	90	5.42				
Flight Risk	Catalina 38	87586	117	1983	49.8	155	49.8	44	4.18	Yes	No			38.24	19489	No	IB	Roller Furler
					15.5			11.5	7.12					30.45	6850	1	Fold	
			622		ALUMN				294				0	11.12	Lead	FIXED	2	
			314		MS							<input type="checkbox"/>	0	6.1				

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.		Traps/H. Strps moveable blst			
								SL	SPL								
								SSMG SSF	SSA								
Ballast Mat.	Keel Type																
Elan	Express 37	87700	72 1985	48.75 14.33 155	48.75	42 13.75 0 0	5.28 8.83 344	Yes 48 25.79 25.79	No 14.33 1032	<input type="checkbox"/>	0	37.083 30.833 11.57 7.25	11000 4500 Lead	No 1 FIXED	IB FOLD 2		
Make My Day	Olson 25	87742	159 1985	32 9.583 155	32	28 10 0 0	3.96 6.4 168	Yes 32 17.29 17	No 9.583 460	<input type="checkbox"/>	0	25 21.25 9 4.5	3300 1300 Lead	No 1 FIXED	OB None 0	increased purchase in outhaul and backstay added boomkicker	
Can't Touch This	J 125	93204	-12 1999	49 15 155	52.1 23	47 18	6.8 11.6 502	No 61.3 52.3 41	Yes 1941 8 0	<input type="checkbox"/>	0	41 37 10.6 7.9	9330 4646 Lead	0 1 FIXED	IB FOLD 2	(Mtg 2/26/09, -3 sec/mi for oversized main girths)(3/9/09, corrected main girths, removed -3 sec/mi penalty)(Mtg 8/24/17, -6 sec/mi for oversized LP, -3 sec/mi for oversized genoa luff)(10/23/17, switching back to standard LP -10	
Traveler	Express 34	97089	99 1987	44.3 13 150	44.3	38.5 12.83 0 0	4.87 8.46 296	Yes 42.7 22.2 21.8	No 13 787	<input type="checkbox"/>	0	34 28.3 10.5 6	8500 3700 Lead	0 1 FIXED	IB FOLD 2	-6 FOR OVERSIZED SPINNAKER	
Deception	Santa Cruz 50	97263	-6 1987	61.8 18.3 155	61.8 18.3	55 18.4	7.1 12 605	Yes 61.7 34.2 34.2	Yes 18.3 1758	32.9 1335 0 0	<input checked="" type="checkbox"/>	0	50 46 12 8	17500 8000 Lead	0 1 FIXED	IB FOLD 2	ELPT Keel & OS/Spinnaker; Has a Code 0 headsail aboard - tacked to stem, no sprit (Mtg 5/26/16, -3 sec/mi for oversized mainsail)(Mtg 6/23/16, change rating back to -6)
Carpe Vita	Olson 25	97399	159 1988	32 9.583 130	32	28 10 0 0	3.8 6.4 166	Yes 32 17.25 17	No 9.583 459	<input type="checkbox"/>	0	25 21.25 9 4.5	3300 1300 Lead	No 1 FIXED	OB None 0		
Bosporus II	Columbia 36	97415	156 1968	42.75 15 150	41.75 15	34.666 14 0 0	5.3 9.1 289	Yes 41.5 25.8 26	No 15 894	<input type="checkbox"/>	0	35.75 28.25 10.5 5.42	13000 5000 Lead	No 1 FIXED	IB Fold 2		

