

NCPHRF - CURRENT FLEET ROSTER

This Roster represents the information on file for boats with a current NCPHRF certificate. If the boat you are looking for is not listed, their certificate is either not current or not yet updated to the list. You can contact the YRA office to verify a boat not found on this list at info@yra.org or via phone at 415.771.9500. This list is updated monthly.

As of: 5/25/2017

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst Keel Type		
Adagio	CAL 25-2 OB		216 1979	33 11	150	28 9.5	3.9 6.5	No	No			29.25 22 9 4.5	4500 2000 Lead	0 1 FIXED	OB None	
Blue Zephyr	Jeanneau Sun Odyssey 42 DS		108 2010	51.58 16.25	150	48.82 14.6	3.55 6.9	No	No			42.42 38 13.5 6.92	19676 5628 Iron	0 1 FIXED	IB Fixed_3	(mtg 4/27/17, +3sec/mi for in-mast furling, +3 sec/mi for MGM < 50% of E)
BZ	Sonar 23		174	23 8.25	100	27.5 11.17	1.23 7.3	No	No			23 19.92 7.8 3.92	2100 900 Lead	No 1 FIXED	NONE None	
Serenade	Sabre Spirit		96 2007	45.5 12.87	106	51.2 12.87	45.5 9.93	Yes	No	23		36.67 28.33 10.42 6.58	10500 3740 Lead	0 1 FIXED	IB Fold	
Christine Rose	Catalina 30 TM	0	183 1977	43 13.16	150	43 13.16	37 8	Yes	No			29.92 25 10.83 5.25	10200 4250 Lead	0 1 FIXED	IB Fixed_3 3	
Crane Wife	Fuji 32 KTH	0	252 1977	36.25 14.75	148	29.08 11.21	3.8 5.96	No	No			31.5 29 9.83 3.66	13115 4635 Iron	0 1 FIXED	IB Fixed_3	

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications		
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		Ttl Disp.		Traps/H. Strps	IB or OB				
								SL	SPL	SLU	ASA							Ballast	moveable blst
								SSMG	SSA	SLE	Sprit Lngth Fixed or _o								
Dianne	Express 27 ODR	0	129 1981	28.5 9	155	28.5	28.5	4.22	10.416	7.03	29	9.833	No		27.25	2450	No	OB	
			611 83	ALUMN FS		0	182		17.75	429		0	<input type="checkbox"/>		23.75	1100	1	None	
			594 171	ALUMN FS		0	386		17.75			0			8.17	Lead	FIXED	0	
Envolee	Figaro II	0	54 2012	42.75 12.42	104	42.75	42.67	6.5	15.42	10.63	43.96	13.85	No		32.18	6724	0	IB	(mtg 4/27/17, water ballast disabled, +6 sec/mi)
			558 93	CARBON FS				410	23.62	865		0	<input type="checkbox"/>		11.33	2425	1	Fold	
			594 171	CARBON FS				410	23.62	865		0	<input type="checkbox"/>		6.5	LeadWater	FIXED		
Imagination	Bavaria 40	0	108 2001	47.25 14.58	111	48	44.46	5	15.58	9.21			No		40.94	17417	0	IB	
			594 171	ALUMN FS				386			48	828	Yes		35.93	6283	1	Fold	
			594 171	ALUMN FS				386			44	0		<input checked="" type="checkbox"/>	13.1	Lead	FIXED		
			594 171	ALUMN FS				386			22	0		<input checked="" type="checkbox"/>	6.4				
Kai Ola	Jeanneau Sun Odyssey 379	0	105 2011	46.67 13.58	132	46.67	44.58	5.4	13.92	9.1	455	13.58	No		37.17	14771	0	IB	(Mtg 5/25/17, -3 sec/mi for oversized spinnaker)
			373 144	ALUMN MS				372	26	9820		0	<input type="checkbox"/>		12.33	3914	1	Fixed_3	
			373 144	ALUMN MS				372	25.5			0	<input type="checkbox"/>		6.33	Steel	FIXED		
Nadja Delphine	X-41	0	15 2009	55.9 16.11	106	58.63	53.31	6.82	18.04	11.61	58.63	17.06	No		40.52	14109	0	IB	Electronic winches
			537 149	CARBON FS				570			28.61	1390		<input type="checkbox"/>	11.94	6019	1	Fold	
			537 149	CARBON FS				570			27.79			<input type="checkbox"/>	8.2	Lead	FIXED		
Skye	Capo 30 MOD	0	114 1984	41.7 12.75	120	41.5	36	4.37	11.5	7.47	41.5	12	No		33	7500	0	IB	(Mtg 5/25/17, -9 sec/mi for increased LOA from added sugar scoop)
			629 194	ALUMN MS				247	21.5	740		0	<input type="checkbox"/>		10.33	3000	1	Feath	
			629 194	ALUMN MS				247	21			0	<input type="checkbox"/>		5.42	Lead	FIXED		
Wild Spirit	Wylie 36	0	141 1970	44.67 14.75	100	44.67	40.75	5.3	14	9.1			Yes		36.5	13720	0	IB	(Mtg 3/24/16, same hull as "Alert", +3 sec/mi for small "I", +3 sec/mi for no spinnaker articulation)
			642 231	ALUMN CTR				340			39.66	0		<input checked="" type="checkbox"/>	10.9	5575	1	Fixed_2	
			642 231	ALUMN CTR				340			23	0		<input checked="" type="checkbox"/>	6	Lead	FIXED		

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications							
			Built	DW Rating	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps		IB or OB						
											SL	SPL									SLU	ASA	LWL	Ballast	moveable blst	Prop Type
Disp/WL Ratio	Mast Material	Material	Material	Material	Material	Material	Material	Material	Material	Material	Material	Material	Material	Material	Material	Material	Material									
Xtasea	Catalina 30	0	186	1985	41	110	41	35.5	4.63	Yes	No	29.92	10200	0		IB										
			685		ALUMN		11.5	7.72	40.45	11.5	25	4250	1		Fixed_2											
			297		MS			250	20.7	698	10.83	Lead	FIXED	2												
									20.7		5.25															
Azure	Catalina 275 Sport	1	156	2013	34.42	106	11.83	31.5	5.33	No	Yes	27.5	5000	0		IB										
			629		8.99		11.48	8.17	37.5	665	26.57	2040	1		Fixed_2											
			121		ALUMN			233	35	0	8.5	Lead	FIXED													
					FS				22	0	5.2															
Gentoo	Soto 30	1	36	2012	38.25	102	38.67	38.67	5.83	No	Yes	30	3800	0		OB										
			516		12.25		13.58	8.83	49.83	968	28.75	1415	1		None											
			73		CARBON			322	40	7.7	9.58	Lead	FIXED													
					MS				25.75	0	6.5						(Mtg 9/16, -3 sec/mi for larger mainsail)									
Get Happy!!	Express 27 ODR	1	129	1981	28.5	155	28.5	28.5	4.22	Yes	No	27.25	2450	No		OB										
			611		9		10.416	7.03	29	9.833	23.75	1100	1		None											
			83		ALUMN		0	182	17.7	428	8.166	Lead	FIXED	0												
					FS		0		17.7		4.5															
Picante	Islander Bahama 28 SM	1	210	1981	33.8	150	11.75	28	3.58	No	Yes	27.9	7000	0		IB										
			726		11.75		8.2	5.75	33	478	23	3000	1		Fixed_3											
			262		ALUMN			146	29.4	0	9.8	Lead	FIXED	3												
					MS				18	0	5.5															
Max	Ultimate 24 ODR	2	108	2002	28.04	110	30.8	31	6.81	No	Yes	24.38	2040	0		OB										
			583		7.82		11.35	9.18	35.5	562	21.17	750	1		None											
			98		CARBON			254	27.8	6.7	8.48	Lead	FIXED													
					FS				21.3	0	5.52															
Checked Past	Custom Wyliecat 39	3	102	2002				52	10.2	No	No	38.83	12000	0		IB										
			595					26.6	17.4			32	6200	1		FOLD										
			166		CARBON				826			11.5	Lead	FIXED	2		Boat has been modified for handicapped sailing									
					CAT							6.6														

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications										
			Built	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB											
										DW Rating	Mast Material									E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type
EY	SSA	ASMG	Fixed or _o	Max Draft																									
					Jacqueline	Freedom 30 SD	3	174	1986	28.4			35.2	5.25	Yes	No	30	7660	0		IB								
			686		9.8			13.9	9			25.42	3150	1		Fixed_2													
			212		CARBON				291			10.8	Lead	FIXED															
					CAT							4.5																	
Makanani	Ultimate 24 ODR	3	111	2003	28.04			31	6.35	No	Yes	24.38	2040	0		OB													
			583		7.82	110	14.5	11.35	9.18			21.17	750	1		None													
			98		CARBON				250			8.48	Lead	FIXED															
					FS							5.52																	
Marrakesh	Express 34	3	102	1987	44.25			38.5	4.87	Yes	No	34	9245	No		IB													
			613		13	125	44.25	12.83	8.46			28.33	3800	1		FOLD													
			185		ALUMN			0	296			10.33	Lead	FIXED		2													
					MS			0				6.11																	
Samba Pa Ti	J 22	3	186	1982	24.8			26.1	3.78	Yes	No	22.5	1790	0		OB													
			674		8.8	125	8.8	9	6.27			19	700	1		None													
			119		ALUMN				147			8	Lead	FIXED															
					FS			16				3.8																	
Wicked Sister	Farr 36 ODR	3	9	2004	46.78			49.93	8.53	No	Yes	36.1	6745	0		IB													
			473		13.19	110	21.06	18.63	12.96			32.8	3076	1		Fold													
			87		CARBON				592			11.72	Lead	FIXED															
					FS							8.5																	
Javelin	J 100 ODR	4	81	2004	38.5			38	5.13	No	Yes	32.8	6500	No		IB													
			590		11.5	95	12.7	13.5	8.77			29	2500	1		FOLD													
			121		CARBON				306			9.3	Lead	FIXED		2													
					FS							5.8																	
Polecat	Wyliecat 30 IB	5	132	1997				40	7.35	No	No	30.5	5500	No		IB													
			620					20	12.66			25	3050	1		FOLD													
			160		CARBON			0	468			9.416	Lead	FIXED		2													
					CAT			0				5.25					(Articulating Sprint and Pole added for asym spinniker, added asymmetrical, -21 sec/mi)(5/22/14, removed Asymmetric, +21 sec/mi)(Mtg 8/25/16, New rudder installed, NCTR)												

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast		Traps/H. moveable blst			
								SL	SPL								
								SSMG	SSA								
Isle Of Skye	Tartan 33 7/8 RIG	6	159	1979	36.42 12.42 ALUMN FS	100	36.42	41.58 14.42 0 0	4.6 8.1 328	No	No	33.67 28.08 10.92 4.42	10000 4400 Lead	No 1 FIXED	IB FEATH 3		
Tinker	Wilderness 21	6	225	1977	25 8.67 ALUMN MS	125	25	25 8 0 0	2.83 4.66 113	Yes	No	20.5 17.8 7.25 4	1870 1070 Lead	No 1 FIXED	OB None	Added roller furler	
Vip	Farallone Clipper FR	7	159	1957	36.82 14 WOOD FS	155	36.82	40.5 18.5 0 0	6.16 10.979 420	Yes	No	38 28.75 9.5 5.6	19000 7000 Iron	No 1 FIXED	IB Fixed_3 3		
Ex Indigo	Custom Diva 39	8	87	1987	41.73 12.8 ALUMN FS	125	41.73 12.8	46.75 14.75 0 0	5.72 9.6 413	Yes	No	38.75 30.83 9.83 5.75	9920 4575 Lead	No 1 FIXED	IB FOLD 2	Back Stay Crane	
Mottley	Catalina 34	8	147	1986	44 13.5 ALUMN MS	130	44 14	38.5 12 0 0	4.7 8.05 281	No	No	34.5 29.833 11.75 5.583	11950 5000 Lead	No 1 FIXED	IB Fold 2		
Inconceivable	J 88	9	81	2013	38.67 11.28 CARBON FS	104	46 18.05	36.82 12	5.44 8.4 282	No	Yes	29 1022 5.25 0	29.19 26.84 9.5 6.5	4990 1840 Lead	0 1 FIXED	IB Fold	
Grunion	Catalina 425	11	87	2017	55.75 15.67 ALUMN MS	125	17.34	52 18	5.04 9.58 490	No	No	41.67 39.08 13.67 6.67	17500 7000 Lead	0 1 FIXED	IB Fold	(Mtg 1/26/17, need to submit spinnaker measurements when available)	

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
				J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp. Traps/H. Strps		IB or OB Prop Type # of blades		
									SL	SPL	SLU	ASA		Ballast	moveable blst			
																	SSMG	
90	105	46.74 18.6	41.8 14.2	7 10 387	Yes	No	28	1038	0	0	0							
Tiburon	C&C 30 Mills	11	36 2014	40.8 11.28	105	46.74 18.6	41.8 14.2	7 10 387	No	Yes	31.5 1284	30 28.7 9.8 7.5	3995 1579 Lead	0 1 FIXED	IB Fold			
Wile E Coyote	Express 27 ODR	11	129 1981	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	No	9.833	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 3			
Dream	Sceptre 41	12	129 1983	53 17.67	90	53	47 13	5.24 8.73	Yes	No	28 1038	41 36 12.67 6.08	21500 8700 Lead	0 1 FIXED	IB Fold			
Invictus	Jeanneau Sunfast 3600	12	63 2015	46.58 13.83	105	48 17.67	44.25 15.08	6.49 9.91	No	Yes	27.8 1192	35.42 31.25 11.67 7	10362 4850 Lead	0 1 FIXED	IB Feath			
Keala	Wylie Wabbit ODR W/Trap	12	126 1982	20.5 6.5	150	20.5	23.75 10	4.03 6.72	Yes	No	8.5	23.75 20 5.58 3.5	975 440 Lead	Yes 3 FIXED	OB None 0	Hiking straps and single trapeze		
Iseult	Wyliecat 30 IB	13	132 2001		0		39.75 20.8	7.87 13.46	No	No		30.5 25 9.42 9.25	5500 3050 Lead	0 1 FIXED	IB Fold 2			
Albion	J 124	14	27 2007	49 14	145	54.7 19.43	48.4 17	6.4 11	No	Yes	32.74 1528	40.7 36.2 11.33 7	12600 5000 Lead	0 1 FIXED	IB Fold	(Mtg 2/23/17, -6 sec/mi for asymmetric spinnaker modifications)		

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications		
				J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU SLA SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ballast	Traps/H. moveable blst				
									SL	SPL								Ttl Disp.	Keel Type
									SSMG	SSA								Ballast Mat.	Keel Type
CentoMiglia	Flying Tiger 10 Meter ODR	15	54 2006	39.284 12.126	105	45.282 19.134	40.167 14.895	6.463 10.499	No	Yes	27.493 1087 7.008 0	32.68 30.31 9.12 7.61	4376 1918 Lead	No 1 FIXED	OB None 3	(3/7/11, new class rudder installed, NCTR)			
Crinan II	Wyliecat 30 IB	15	132 2002				39.75 20.5 0 0	7.79 13.32 485	No	No	0	30.5 25 9.5 5.25	5500 3050 Lead	No 1 FIXED	IB FOLD 2				
Akula	J 105 ODR w/ 5'BS	16	78 1992	40.6 13.5	100	42.1 19.07	41.5 14.6 0 0	5.5 9.4 359	No	Yes	25 854 5 0	34.5 29.5 11 6.5	7750 3400 Lead	No 1 FIXED	IB FOLD 2				
Stratocaster	J 32	16	126 1996	39.2 11	155	40.68	38.5 15.5 0 0	5.88 10.07 355	Yes	Yes	23.95 831 0 0	32.5 28.67 11 5.75	10000 3840 Lead	No 1 FIXED	IB FOLD 2				
Lepus	Wylie Wabbit ODR W/Trap	18	126 1982	20.5 6.5	150	20.5	23.75 10 0 0	4.03 6.72 145	Yes	No	8.5 254 0	23.75 20 5.58 3.5	975 440 Lead	1 3 FIXED	OB None 0	Hiking Straps & Trapeze per class rules			
Ragtime!	J 92	18	105 1993	37 11.5	155	38.5 17	38 13.5 0 0	4.7 8.2 293	No	Yes	29.75 1019 5.5 0	30 25.8 10 5.9	5500 2275 Lead	No 1 FIXED	IB FOLD 2	(changes noted 3-11-03, NCTR)(2/14/06 - Spinnaker based on 1019 sq feet/94.67 meters)(Mtg 01/16/14, -3 sec/mi for flying asymmetric off squared back pole)(Mtg 4/24/14, New Rudder noted, NCTR, Shortened pole/sprit)			
Salt Peanuts	Custom Dees GP 26	18	78 2008	29.35 8.07	130	36.43 14.32	32.42 12.63	5.58 8.69 258	No	Yes	20.41 626 6.23 0	25.72 21.22 8 6.04	2340 1100 Lead	0 1 FIXED	OB None 0	(mtg 2/18/10, change custom rating from 75 to 78)(3/28/12, New Rudder Noted)			

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications			
		Sail #	DW Rating		I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.	Traps/H. Strps moveable blst		IB or OB Prop Type # of blades		
									SL	SPL	SLU	ASA							Ballast Mat.	Keel Type
SSF	SSA	SLE	ASM																	
Sweet Grapes	Ericson 36 Holland	19	108	1981	47.75 14.5	147	47.75	42 12	3.5 7.2	Yes	No	47 25.83 24.83	14.5 1004	35.58 29 11.83 6.25	11600 5230 Lead	0 1 FIXED	IB FOLD 2			
White Wabbit	Wylie Wabbit ODR W/Trap	19	126	1982	20.5 6.6	110	26.1	23.75 10 0 0	4.03 6.72 145	Yes	No	21.6 14 14	8.6 252	23.75 20 5.58 3.5	975 440 Lead	Yes 1 FIXED	OB None 0			
Another Girl	Alerion Express 38-2	20	90	2011	42.98 12.99	90		47.5 18.25	9.58 13.45	No	No			38.3 30.1 10.3 5.92	13000 5000 Lead	0 1 FIXED	IB Feath 2	(mtg 4/28/11, Custom rating of 90 assigned)		
Juno	J 88	20	81	2014	38.67 11.28	105	46 18.05	36.82 12	5.44 8.4	No	Yes	29 47.83 40.84 27.32	1022	29.19 26.84 9.5 6.5	4990 1840 Lead	0 1 FIXED	IB Feath			
Peabody	Ultimate 20	22	144		25.08 6.97	110	27.58 12.79	27.5 10.25	5.5 7.96	No	Yes	19.2 31.3 28.4 17.7	448	20.94 18 8.33 5.03	1350 450 Lead	0 1 CNTRBRD	OB None			
The Jackal	Moore 24	22	150	1977	26.25 9.75	150	26.25 9.75	25 9.5	3.91 6.5	Yes	No	26.6 17.55 17.55	9.75 389	23.75 21.75 7.16 4.08	2050 1025 Lead	0 1 FIXED	OB None			
White Shadow	J 88	23	81	2014	38.67 11.28	104	46 18.05	36.82 12	5.44 8.4	No	Yes	29 47.83 40.84 27.32	1022	29.19 26.84 9.5 6.5	4990 1840 Lead	0 1 FIXED	IB Fold			

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications		
				I J	Max Headsail		P E PY EY	MGU MGM MSA	Yes/No		SLU ASA Sprit Lngth Fixed or _o	Ttl Disp.		Traps/H.	Strps				
									SL	SPL								Ballast	moveable blst
Wings	Columbia 5.5 M ODR	31	177	1965	29.125 8.25	96	30	34 11.416	4.59 7.65	Yes	No	32.416 25 6.25 4.33	4400 2800 Lead	No 1 FIXED	NA None 0				
Bad Hare Day	Wylie Wabbit ODR W/Trap	35	126	1982	20.75 6.5	150	20.5	23.75 10	4.03 6.72	Yes	No	23.75 20 5.583 3.5	975 440 Lead	Yes 3 FIXED	OB None 0				
Windtrip Infinity	J 92s	35	96	2006	40.68 11.48	107	44.08 16.67	38.88 13.95	5.42 9	No	Yes	23.25 878 5.17 0	30 26.7 10 6.24	5610 2317 Lead	0 1 FIXED	IB Fold			
Apogee	Islander 36 Freeport	36	162	1978	46.75 16.75	150		42 12.75	5 8.4	No	No	35.9 27.6 12 5.3	17000 7030 Lead	0 1 FIXED	IB Fold				
Ciao Bella	Beneteau 37	38	117	2009	45.833 15	105		43.5 12.9		No	No	37.666 34.75 12.833 6.25	14008 3902 Iron	0 1 FIXED	IB FOLD 3				
Yeti	Express 27 ODR	38	129	1983	28.5 9	155	28.5	28.5 10.4	4.22 7.03	Yes	No	27.25 23.75 8.16 4.5	2450 1100 Lead	0 1 FIXED	OB None				
Dare Dare	Jeanneau Sun Fast 3200	39	81	2008	41.92 12.58	102	43.77 13.61	38.67 13.68	5.28 8.46	Yes	Yes	24.41 887 1 0	33.1 28 11.5 6.2	7916 2866 Lead	0 1 FIXED	IB Fold 2			

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications		
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU ASA SLU Sprit Lngth Fixed or _o	SL SPL SSMG SSA SSF	ASF		Ttl Disp.	Traps/H. Strps				
								Ballast	moveable blst									Ballast Mat.	Keel Type
Disp/WL Ratio	FS	371	371	371	371	371	371	371	371	371									
Lonestar	Beneteau First 10R ODR MOD	40	84 2007	43.2 12.07	100	46.41 16.5	42.25 14.73	5.59 9.57	No	Yes	25.5 1078	32.75 28.7	9715 3528	0 1	IB FOLD 2	(Mtg 5/20/10, +3 sec/mi for non-class smaller kite)(Mtg 9/23/10, rudder modifications noted, NCTR)(Mtg 4/26/12, new rudder noted, NCTR)			
Wild 1	Flying Tiger 10 Meter ODR	41	54 2007	39.284 12.126	105	45.282 19.134	40.167 14.895	6.463 10.499	No	Yes	27.493 1087	32.68 30.31	4376 1918	0 1	OB None 3				
Hokulani	J 120 ALUM	43	48 1996	50.42 14.42	155	50.42 21.42	46.42 17.67	6.58 11.42	No	Yes	37.8 1777	40 35	13900 6000	0 1	IB Fold				
Maxine	Yankee 30-1 SM	43	186 1971	37.5 12.75	125	37.5 12.75	32.5 9.7	2.4 4.8	No	No	20.75 600	30.13 23	8700 4130	0 1	IB FOLD 2	+3 sec/mi for MGM less than 50% of E			
Tijd	Beneteau First 30	45	102 2011	41.66 13.78	105	42.16 15.7	40.2 14.25	6.24 9.38	No	Yes	25.5 866	31.7 27.5	8267 2403	0 1	IB Fold	(Mtg 8/27/15, -3 sec/mi for OSP, +6 sec/mi for small spinnaker)			
Elan	Beneteau 37	46	114 2012	45.83 15	105	48	43.5 12.83	6.16 8.83	No	Yes	26.6 915	37.8 34.08	14359 3901	0 1	IB Fold				
Riff Rider	Cal 40	46	114 1965	46.2 15.1	155	46.2	40 17.5	6.5 11.3	Yes	No		39.3 30.3	15000 6000	0 1	IB Fold				

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
				DW Rating Disp/WL Ratio	J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast			Traps/H. moveable blst
									SL SPL SSMG SSF	SPL SSA	SLU SLE ASMG	SLU SLE ASMG						
Kraken	Knarr ODR	47	198	33.583 6.583 WOOD FS	125	33.583	31 11.166 0 0	4.47 7.46 211	No	6.583	No	0	30.333 20.333 7 4.25	4360 2866 Cast Iron	No 1 FIXED	OB None 0		
Hang 20	Express 27 ODR	48	129	28.5 9 ALUMN FS	125	28.5	28.5 10.42	4.22 7.03 182	Yes	9.83	No	0	27.3 23.8 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0		
Color Blind	Moore 24	49	150	26.25 9.75 ALUMN FS	150	26.25	25 9.5 0 0	3.91 6.5 147	Yes	9.75	No	0	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0		
Hylite	Hylas 49 SM	49	111	57.42 19.5 ALUMN CTR	130	57.42 19.5	51 18.5	4.5 9.17 470	No		Yes	28.67 60 55.33 24.42	0 1214 0 0	48.83 39.5 14.25 6	35000 14500 Lead	0 1 FIXED	IB Fold	(Mtg 1/26/17, Custom rating of 111 assigned)
Frequent Flyer	Mumm/Farr 30	52	54	38.2 10.9 CARBON FS	104	44.9 13.58	40.5 14.6	6.42 10.4 377	Yes	13.58	Yes	25.25 46.92 41.33 23.67	882 0 0	30.9 27.6 10.1 6.9	4561 1997 Lead	0 1 FIXED	IB Fold	
Current Affair	Express 27 ODR	56	129	28.5 9 ALUMN FS	155	28.5	28.5 10.42	4.22 7.03 182	Yes	9.83	No	0	27.25 23.75 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None		
Salty Hotel	Express 27 ODR	60	129	28.5 9 ALUMN FS	155	28.5	28.5 10.416	4.22 7.03 182	Yes	9.83	No	0	27.25 23.75 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0		

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications			
				J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.	Traps/H. Strps moveable blst		IB or OB Prop Type # of blades		
									SL	SPL	SLU	ASA							Ballast Mat.	Keel Type
Ventus	J 88	60	81	2015	38.67 11.28	104	46 18.05	36.82 12	5.44 8.4	No	Yes	29 1022	29.19 26.84	4990 1840	0 1	IB Fold				
			561 117		CARBON FS				282		40.84 27.32	5.25 <input checked="" type="checkbox"/>	9.5 6.5	Lead	FIXED					
Wuvulu	Islander Bahama 30	61	180	1979	40 12.75	150	38.416	33.75 11.5	4.75 8.125	Yes	No		30 24.58	8600 3500	No 1	IB FOLD				
			674 263		ALUMN MS			0 0	243		22.44 22.75	722 <input type="checkbox"/>	10 5	Lead	FIXED	2				
Firefly	Moore 24	64	150	1980	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No		23.75 21.75	2050 1025	No 1	OB None				
			635 91		ALUMN FS			0 0	147		17.55 17.55	395 <input type="checkbox"/>	7.16 4.083	Lead	FIXED	0				
La Dolce Vita	J 32	64	120	2001	39.2 11	155	40.5 13	38.5 15.5	5.1 9.2	No	Yes	19.7 43	32.4 29	10000 3840	0 1	IB Feath	(Mtg 8/22/13, -6 sec/mi for sprit)			
			635 186		ALUMN FS				334		39.5 19.7	2.5 <input checked="" type="checkbox"/>	11 6	Lead	FIXED	3				
UHOO!	Ultimate 20	64	144	1996	22.8 7	100	27.58 13	27.5 10.33	5.3 7.96	No	Yes	19.2 31.3	20.8 18	1100 450	No 1	OB None				
			614 86		ALUMN FS			0 0	194		28.4 17.6	6 <input checked="" type="checkbox"/>	8.166 5	Lead	CENTER	0				
Rare Bird	Moore 24	67	141		26.58 9.75	100	28.31 11.65	25 9.5	3.91 6.5	Yes	Yes	17.22 32.18	23.75 21.75	2050 1025	0 1	OB None	(Mtg 10/27/16, -6 sec/mi for OSP, -6 sec/mi for increased spinnaker area)			
			624 91		ALUMN FS				147		17.55 17.55	395 <input checked="" type="checkbox"/>	7.16 4.083	Lead	FIXED					
Shenanigans	Express 27 ODR	67	129	1983	28.5 9	155	28.5	28.5 10.42	4.22 7.03	Yes	No		27.25 23.75	2450 1100	0 1	OB None				
			609 83		ALUMN FS			0 0	182		16 16	387 <input type="checkbox"/>	8.17 4.5	Lead	FIXED	0				

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
				DW Rating	I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.	Traps/H. Strps moveable blst		IB or OB Prop Type # of blades
									SL	SPL	SLU	ASA						
									SSMG SSF	SSA	SLE	ASMG						
Cordon Rouge	J 30	68	144	1979	34 11.5 125	34	38 13	5.1 8.4	296	Yes	No	0	29.83 25 11.2 5.25	6700 2100 Lead	No 1 FIXED	IB FOLD 3		
Gruntled	Moore 24	68	150	1980	26.25 9.75 150	26.25	25 9.5 0 0	3.91 6.5 147	296	Yes	No	0	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0		
Wetsu	Express 27 w/J length pole	70	129	1983	28.5 9 155	28.5	28.5 10.42 0 0	4.22 7.03	182	Yes	No	0	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0	-6 Sec/mi OSP	
Rustler	Esse 850	71	75		32.8 10 105	37.72 16.2	34.4 11.97	6.23 8.85	277	No	Yes	24.3 779 6.05 0	28 28 7.25 6.6	3000 1540 Lead	0 1 FIXED	IB Fold	Outboard replaced with inboard saildrive (Mtg 2/28/13, custom rating assigned, as sailed: 75)	
Andale	Express 27 ODR	72	129	1985	28.5 9 155	28.5	28.5 10.42	4.22 7.03	182	Yes	No	0 0	27.25 23.75 8.17 4.5	2450 1100 Lead	0 1 FIXED	None		
Azure	CAL 40	72	114	1966	46 15.17 150	46	40 17.5 0 0	6.65 11.37	417	Yes	No	0	39.3 30.5 11 5.5	15500 6000 Lead	0 1 FIXED	IB FEATH 2		
M Squared	J 88	75	81		38.67 11.28 104	46 18.05	36.82 12	5.44 8.4	282	No	Yes	29 1022 5.25 0	29.19 26.84 9.5 6.5	4990 1840 Lead	0 1 FIXED	IB Fold		

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications		
				J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. moveable blst	IB or OB Prop Type # of blades			
									SL	SPL								Ballast	Keel Type
Disp/WL Ratio	Mast Material	Rig Type																	
Paramour	Moore 24	75	150	1980	26.25 9.75	150	26.25	25 9.5 0 0	3.91 6.5 147	Yes	No	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0				
JR	Moore 24	76	150	1980	26.25 9.75	155	26.25	25 9.5 0 0	3.91 6.5 147	Yes	No	23.75 21.75 7.16 4.08	2050 1025 Lead	No 1 FIXED	OB None 0				
USA 76	IACC	76	-78	2002	83.99 27.17	100		99.18 30.19	14.12 20.33 1892	No	No	82.6 61.6 11.9 13.45	52910 39683 Lead	No 1 FIXED	IB Fold	(mtg 12/5/13, custom rating of -78 assigned)			
Courageous	J 88	77	81	2015	38.67 11.28	104	46 18.05	36.82 12	5.44 8.4 282	No	Yes	29 1022 9.5 6.5	4990 1840 Lead	0 1 FIXED	IB Fold				
White Trash	Moore 24	78	150	1979	26.25 9.75	150	26.25	25 9.5	3.91 6.5 147	Yes	No	23.75 21.75 7.16 4.08	2050 1025 Lead	0 1 FIXED	OB None 0				
Paradigm	J 32	79	126	2002	39.166 11	150	40.583 11.916	38.42 15.42	5.5 9.58 343	No	Yes	17.83 722 11 6	11500 3840 Lead	No 1 FIXED	IB FOLD 2				
WooHoo	Moore 24	80	150	1980	26.25 9.8	150	26.25	25 9.5	3.91 6.5 147	Yes	No	23.75 21.75 7.16 4.083	2050 1025 Lead	0 1 FIXED	OB None 0				

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
		Sail #	DW Rating		I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No	Yes/No	ASF	Ballast Ballast Mat.		Traps/H. moveable blst Keel Type			
					Mast Material			PY	MSA	SL	SPL	SLU				ASA		
		Disp/WL Ratio			Rig Type			EY		SSMG	SSA	SLE				Sprit Lngth Fixed or _o		
Youngster	IOD ODR	82	156	1937	29.25 8.33	103	41 10.67	38.83 16.25	6.12 10.47	Yes	No	33.42 21.42 6.75 5.333	7100 4100 Lead	No 1 FIXED	NONE None 0	(mtg 1/21/10, switched to Masthead Spinnaker, -12 sec/mi for 40% increase in ISP, -6 sec/mi for oversized spinnaker girths)(138 rating valid for PHRF Races, not valid for IOD Class races. Boat must be in class configuration to sail.		
Advantage 3	J 105 ODR w/ 5'BS	84	78	1994	40.6 13.5	100	42.1 19.07	41.5 14.5	5.5 9.4	No	Yes	34.5 29.5 11 6.5	7750 3400 Lead	No 1 FIXED	IB FOLD 2			
Orca	Moore 24	85	150	1981	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.083	2050 1025 Lead	0 1 FIXED	OB None 0			
Russian Roulette	J 105 ODR w/ 5'BS	85	78	1995	40.6 13.5	100	42.1 19.07	41.5 14.5	5.5 9.4	No	Yes	34.5 29.5 11 6.5	7750 3400 Lead	0 1 FIXED	IB Fold 2			
Scarlett	Moore 24	86	150	1980	26.25 9.75	150	26.25	25 9.5	3.89 6.45	Yes	No	24 21.75 7.17 4.08	2050 1000 Lead	No 1 FIXED	OB None			
Dulcinea	Catalina 38	88	117	1981	49.83 15.5	130	49.8 15.5	44 11.5	4.37 7.6	No	No	38.17 30.25 11.83 6.75	15900 6850 Lead	0 1 FIXED	IB Fold 2			
Mooretician	Moore 24	89	150	1981	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.08	2050 1025 Lead	No 1 FIXED	OB None 0			

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop		Modifications
				J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Ballast Mat.	Strps moveable blst Keel Type	IB or OB Prop Type # of blades	
									SL	SPL								
									SSMG	SSA								
Hijinks	J 92	90	108 1996	37 11.5	97	38.5 17	37.66 13.22	5 8.6	No	Yes	26.51 868	30 26.5 10 5.9	5500 2275 Lead	0 1 FIXED	IB Fold 2			
Jam Jam	Yankee 30-1 SM	90	192 1972	37.5 12.75	125	37.5	34.5 9.75	2.45 4.91	Yes	No	0	30 23 9 5.1	8900 4180 Lead	0 1 FIXED	IB Fixed_3 3	(mtg 4/28/11, +3 sec/mi for engine modifications)		
Make Me Smile	Express 27 ODR	91	129 1996	28.5 9	155	28.5	28.5 10.42	4.22 7.03	Yes	No	0	27.25 23.8 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0			
Symmetry	J 111	91	36 2013	48.37 13.85	105	51.4 20.08	45.17 14.45	6.16 10.1	No	Yes	31.1 1399	36.5 32.7 10.8 7.2	9300 3500 LeadSteel	0 1 FIXED	IB Fold			
Skinny Love	11 Metre ODR	92	69 1996	32.53 10.166	95	41	36.08 13.583	5.23 8.82	Yes	No	0	33.67 26.92 8.67 5.42	3600 1600 Lead	No 1 FIXED	OB None 0	MTG 4/9/98. Sail number 90, using sail # 246 for Vallejo 2008		
Relentless	J 92	93	105 1997	37 11.5	155	38.5 17.5	38 13.5	5.2 8.7	No	Yes	26.4 915	30 26.5 10 5.9	5500 2275 Lead	0 1 FIXED	IB Fold 2			
California Condor	Class 40	94	6 2010	53.9 15.65	104	58.6 23.85	53.21 18.81	11.71 14.38	No	Yes	39.7 1623	40 39.17 14.7 9.84	12225 4710 Lead	0 1 FIXED	IB Fold 2	Short-Handed Bay Configuration		
			595 134	ALUMN FS				297		Yes	5.5 0							
			715 332	ALUMN MS				170		No	0 0							
			610 83	ALUMN FS				182		No	0							
			534 121	CARBON FS				410		Yes	6.3 0							
			536 84	ALUMN FS				293		No	0							

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				DW Rating Disp/WL Ratio	I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Ballast moveable blst Ballast Mat. Keel Type		
									SL	SPL							
									SSMG SSF	SSA							
Slight Disorder	Moore 24	98	150	1981	26.25 9.75	150	26.25 9.75	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0		
Red Cloud	Farr 36 Mod	99	87	1976	38.3 12.16	108	46.3 12.16	41 16.75	6.4 10.9	Yes	No	36 31.33 11.92 6.16	10430 3950 Lead	No 1 FIXED	IB Fold 2	(550# ADDED TO KEEL 300# TO FILL MIDDLE WINDOW+250# TO BOTTOM)(Mtg 1/26/12, -3 sec/mi for new mainsail)(mtg 3/29/12, +3 sec/mi after review of rating appeal, as sailed: 87)	
Archaeopteryx	Hotfoot 20	101	177	1986	25 7	105	26.08 7.67	27.08 10.08	4.05 6.6	Yes	No	20 18 8.5 5	1000 400 Lead	0 1 CNTRBRD	OB None		
Elise	Express 27 ODR	101	129	1986	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	No	27.25 23.75 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0		
Swift Ness	J 111	101	36	2014	48.37 13.85	105	51.4 20.08	45.17 14.5	6.1 10.1	No	Yes	36.5 32.7 10.8 7.2	9300 3500 LeadSteel	0 1 FIXED	IB Fold		
Absinthe	Moore 24	102	150	1981	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0		
Bad Dog	J 111	103	36	2011	48.37 13.85	105	51.4 20.08	45.7 14.5	6.1 10.1	No	Yes	36.5 32.7 10.8 7.2	9300 3500 LeadSteel	0 1 FIXED	IB Fold		

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
				DW Rating Disp/WL Ratio	I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast Mat.	Traps/H. moveable blst Keel Type		IB or OB Prop Type # of blades
									SL	SPL	SLU	ASA						
									SSMG SSF	SSA	SLE ASMG	Fixed or _o						
Geodesic III	Optima 101	103	141 1985	38.71 12	125	38.71 12	38.39 13.45	4.9 8.2	Yes	Yes	19.6 586	32.84 29.25 11.15 4.76	8511 3968 Iron	0 1 FIXED	IB Fixed_2	(Mtg 4/27/17, added 2' retractable bowsprit, -3 sec/mi)		
Wet Corvette	Melges 30	103	36 1994	36.85 10.59	150	36.85 18.96	38 15.49		No	Yes	8.4 90	30 28.6 9.1 7	3800 1750 Lead	0 1 MVBL	IB FOLD 2			
Ala Moana	Beneteau First 30	104	99 2012	41.66 13.78	105	42.16 15.78	40.3 14.25	6.28 9.38	No	Yes	28.82 1049	31.7 27.6 10.5 6.25	8267 2403 Cast Iron	0 1 FIXED	IB Fold 2			
Rocket Science	Moore 24	104	150 1981	26.25 9.75	155	26.25 9.76	25 9.5	3.91 6.5	Yes	No	0 0	23.75 21.75 7.16 4.08	2050 1025 Lead	0 1 FIXED	OB None 3			
Sweet Tea	Moore 24	105	150 1981	26.25 9.75	150	26.25 9.76	25 9.5	3.91 6.5	Yes	No	0 0	23.75 21.75 7.16 4.08	2050 1025 Lead	0 1 FIXED	OB None			
Neverland	Tartan 3700 SD 5.0'	106	114 2006	51.75 15	135	51.75 15	45.25 15	5.7 9.68	No	Yes	25.4 1025	37 32.5 12.6 5	17780 6200 Lead	0 1 FIXED	IB Fold 2			
Sea Spirit	Catalina 34 1&2	108	147 1986	44 13.5	130	44 13.5	38.5 12	4.36 7.54	Yes	No	0 0	34.5 29.83 11.75 5.58	11950 5000 Lead	No 1 FIXED	IB FOLD 2			
			621 155	ALUMN FS			298			37 21.5 21.5	12 663	38.4 33.4 19.6	0					
			507 74	CARBON FS								8.4 90						
			602 179	ALUMN FS				356				28.82 1049						
			635 91	ALUMN FS				147				0 0						
			635 91	ALUMN FS				147				0 0						

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
				DW Rating Disp/WL Ratio	J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast	Traps/H. moveable blst		IB or OB Prop Type # of blades
									SL SPL SSMG SSF	SPL SSA	SLU SLE ASMUG	ASA						
Ballast Mat.	Keel Type																	
Thea	Folkboat	108	252 1984	21.988 6.562 WOOD MS	100	10.166	28.707 11.154 0 0	4.416 7.333 194	No	No		25.079 19.822 7.261 3.916	4640 2315 Iron	No 1 FIXED	OB None 0			
Moxy	Moore 24	110	150 1982	26.25 9.75 ALUMN FS	150	26.25	25 9.5 0 0	3.91 6.5 147	Yes 27 17.55 17.55	No 9.75 395		23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0			
Wood Eye	Catalina 38	111	123 1981	49.83 15.5 ALUMN MS	110	49.83 15.5	44 11.5	4.7 7.9 313	Yes 49 27.9 27.9	No 15.42 1139		38.17 30.25 11.83 6.75	15900 6850 Lead	0 1 FIXED	IB Fixed_2 2			
High and Dry	Santana 22	114	234 1967	26 8.5 ALUMN MS	150	26	21.75 9.83	3.95 6.59 131	Yes 26 15.44 15.44	No 8.58 335		22 18.67 7.83 3.5	2600 1230 Cast Iron	0 1 FIXED	OB None			
Ecco	CAL 39-2/3	115	117 1980	50 16.7 ALUMN MS	125	50	44 13.75	5 8.5 351	No	No		39 32.1 12.15 6.7	17000 7000 Lead	0 1 FIXED	IB Feath			
First Light	Beneteau 35S5	115	126 1991	41.66 11.15 ALUMN FS	98		42.65 15.09 0 0	5.25 9.042 366	Yes 42.7 20.5 20.5	No 11.15 729		35.42 29.33 11.83 6	11460 4190 Lead	No 1 FIXED	IB Fixed_2 2			
Pork Chop Express	Express 27 ODR MOD	115	126 1986	28.5 9 ALUMN MS	130	32.5	28.5 10.4	4.2 7 182	Yes 28.58 16.44 14.11	Yes 9.8 380	19.55 425 0 90	27.25 23.75 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None	(Mtg 1/26/17, -3sec/mi for switching to MH configuration. New Rudder, NCTR)		

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications					
				DW Rating Disp/WL Ratio	J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU SLE ASMUG	SPL SSA		Yes/No	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast Mat.		Traps/H. moveable blst Keel Type	IB or OB Prop Type # of blades			
									SL	SSG										SSA	SLU	ASA
									SSF	SSA										SSA	SLU	ASA
E-Ticket	Moorings 38 SD	119	117	1990	47.5 13.9	155	47.5 13.9	41.7 15	5.69 9.45	Yes	No	38.4 31.33 12.5 4.8	13700 5400 Steel	0 1 FIXED	IB Fold 2	Shoal Draft (Mtg 10/27/16, -3 sec/mi for oversized spinnaker area)						
Snafu	Moore 24	121	150	1982	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.08	2050 1000 Lead	0 1 FIXED	OB None							
Harizon	Dufour 310	122	159	2016	40.35 10.82	95		38.25 14.57	5.54 9.47	No	No	31.72 28.54 10.88 6.23	10802 2932 Iron	0 1 FIXED	IB Fold							
Ga	Knarr ODR	123	198		33.583 6.583	125	33.583	31 11.166	4.47 7.46	No	No	30.333 20.333 7 4.25	4630 2866 Lead	No 1 FIXED	OB None 0							
Circlesea	Folkboat	125	252		21.99 6.56	100	10.17	28.71 11.15	4.42 7.33	No	No	25.08 19.82 7.26 3.92	4640 2315 Iron	0 1 FIXED	OB None 0							
Carmelita	Catalina 42-1/2	131	105	1990	53 16.42	125	53	46.75 15.5	4.98 8.85	Yes	Yes	41.83 36 13.83 6.66	22000 8300 Lead	No 1 FIXED	IB FEATH 3							
Proben Child	Melges 20	134	111	2009	23.19 7.05	110	27.2 10.95	24.25 9.84	3.83 7.42	No	Yes	20 19.4 7 4.5	1105 415 Lead	0 1 FIXED	OB None							

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
			ISP		I	J	P	MGU	Yes/No	Yes/No	ASF	Ttl Disp.		Traps/H. Strps	IB or OB		
			JSP		Max Headsail	Mast Material	E	MGM	SL	SPL	SLU	ASA		Ballast	moveable blst	Prop Type	
					Disp/WL Ratio	Rig Type	PY	MSA	SSMG	SSA	SLE	Sprit Lngth		Ballast Mat.	Keel Type	# of blades	
							EY		SSF	ASMG	Fixed or _o						
Incognito	Moore 24	136	150	1984	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.08	2050 1025 Lead	No 1 FIXED	OB None 0		
			635 91		ALUMN FS			0 0	147	17.55 17.55	9.75 395	<input type="checkbox"/>	0				
Mas!	Moore 24	138	150	1983	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	Yes	23.75 21.75 7.16 4.08	2050 1025 Lead	0 1 FIXED	OB None		
			642 91		ALUMN FS				147	26.6 17 17.25	9.75 378	28.4 25.1 17.3	387 0 <input type="checkbox"/>	90			
Hasta Nunca	Moore 24	142	150		26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.08	2050 1025 Lead	0 1 FIXED	OB None 0		
			636 91		ALUMN FS				147	17.55 17.55	389	<input type="checkbox"/>	0 0				
Zara	Beneteau 310	144	135	1993	37.04 10.83	135	37.04 10.82	37.8 12.9	5.2 8.9	No	Yes	31.2 27.7 10.5 4.3	7054 2160 Lead	0 1 FIXED	IB Fixed_2		
			645 151		ALUMN FS				301			21.6 528 0 0	<input checked="" type="checkbox"/>				
Anna Banana	Moore 24	146	150	1984	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.08	2050 1025 Lead	No 1 FIXED	OB None		
			636 91		ALUMN FS				147	17.55 17.55	389	<input type="checkbox"/>	0 0				
Coquelicot	Ranger 33	148	153	1975	41.5 13.87	120	43.75 13.87	35 13.75	4.6 8.1	Yes	No	33 26.3 9.6 5	10500 4500 Lead	No 1 FIXED	IB FOLD 2	Double Spreader rig, water supply 41 gallons, below v berth, 26 gallon bladder tank starboard, rudder 9 inches deeper, group 31 batteries, 15 hsp one cyl disel replaced by 29 hsp Perkins 3 cylendar engine. (NOTE) (MTC 2 21 02)	
			644 262		ALUMN MS			0 0	270	45.51	13.87	<input type="checkbox"/>	0				
Nemesis	Pearson 26 Commander	151	258	1964	31.5 9.5	155		26 11.5	3.3 5.75	Yes	Yes	25.7 18.5 8 3.7	5200 2500 Lead	0 1 FIXED	OB None		
			774 373		ALUMN MS				154	31.2 17.1 16.4	9.5 441	33 29.19 16.17	21.06 444 0 0	<input checked="" type="checkbox"/>			

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications		
				J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No	ASF		Ballast Ballast Mat.	Traps/H. moveable blst Keel Type	IB or OB Prop Type # of blades			
									SL	SPL								SLU	ASA
									SSMG SSF	SSA								SLE ASMG	Sprit Lngth Fixed or _o
Kookaburra	J 120 ALUM	153	48 2001	50.5 14.5	155	52 21.5	46.5 6.2 17.8 10.7	0 471	No	Yes	30.3 1265 7	40 35 12 7	13900 6000 Lead				No 1 FIXED	IB FOLD 2	
U Decide	Ultimate 20	155	144 2001	26.08 6.97	114	27.58 12.79	27.33 5.5 10.17 7.96	193	No	Yes	17.7 433 6 0	20.83 18 8.33 5	1350 450 Lead	0 1 FIXED	OB None 0				
Sir Leansalot	Hunter 40	161	105 1986	53.9 17	125	53.9 17	48 5.2 13.9 9	0 396	Yes	No	0	39.7 32.5 13.5 6.5	17400 6000 Iron	0 1 FIXED	IB Fold 2				
Nozomi	CAL 40	164	114 1970	46.2 15.2	155	46.2	39.9 6.6 17.6 11.37	416	Yes	No	0 0	39.5 30 11 5.6	15500 6000 Lead	0 1 FIXED	IB FEATH 3				
Junkyard Dog	J 109 ODR	168	72 2004	46.5 13.3	105	49 18.83	43.25 5.88 15.5 10	0 398	No	Yes	27.75 1160 5.5 0	35.25 30.5 11.5 7	10900 3900 Lead	No 1 FIXED	IB FOLD 2				
Rufless	Melges 32 MOD	174	30 2007	40.86 10.7	105	48.3 18.7	44.05 6.95 15.49 11.14	438	No	Yes	31.3 1203 8 0	31.84 28.5 9.83 7	4200 1600 Lead	1 FIXED	OB None	(mtg 2/23/17, no longer using the class spinnaker. +3 sec/mi for small asymmetric)			
Strange Magic	Islander Bahama 30	179	180 1981	40 12.75	150	40 12.75	33.75 4.37 11.5 7.47	232	No	No	0 0	29.92 24.58 10 5	8230 3130 Lead	0 1 FIXED	IB Fold				

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
			Built	DW Rating	I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp.	Traps/H. Strps		IB or OB Prop Type # of blades		
									SSMG	SPL SSA	SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o			Ballast	moveable blst			
																			Ballast Mat.
Breakaway	Ultimate 20 CM	180	144	2002	26.08 6.97 114	27.58 12.79	27.33 10.17	5.5 7.96	No	Yes	19.167	20.83	1350	No	OB				
			622		CARBON			0		30.42	441	18	450	1	Fixed_3				
			105		FS		193	0		28.417	6	8.33	Lead	FIXED	3				
Vuja Star	J 105 ODR w/ 5'BS	181	78	1998	40.6 13.5 100	42.1 19.07	41.5 14.5	5.5 9.4	No	Yes	29.5	34.5	8733	0	IB				
			581		ALUMN					49.52	958	29.5	3400	1	Fold				
			155		FS		358			39.8	5.5	11	Lead	FIXED	2				
										24.8	<input checked="" type="checkbox"/>	0	6.5						
Big Air	Open 5.7 ODR	189	138	2006	21.52 7.3 117	21.6 12.3	25.33 10.24	5.7 8.2	No	Yes	17.6	18.75	992	0	OB				
			609		ALUMN					25.82	345	18.7	405	1	None				
			69		FS		183			20.64	5	8.3	Lead	FIXED					
										17.9	<input checked="" type="checkbox"/>	0	5.74						
Trois Amis	Screamer 12 Meter MOD	194	36	1985	44.58 15.75 140	44.58	41 14.2	5.3 9.2	Yes	No		39.37	6000	0	OB	(mtg 3/23/17, custom rating of 36 assigned)			
			506		ALUMN					45.02	17	32.5	1350	1	None				
			79		MS		345			29.75	1116	10.33	Lead	FIXED					
										29.75		7.67							
Lindo	J 109	195	69	2005	46.5 13.3 155	49 18.8	43.3 15.5	5.89 10.07	No	Yes	27.75	35.25	10900	0	IB				
			580		ALUMN					56.33	1160	30.5	3900	1	FOLD				
			175		FS		400			45.63	5.5	11.5	Lead	FIXED	2				
										27.2	<input checked="" type="checkbox"/>	0	7						
Sweet Pea	Islander 30-2	195	186	1971	38.5 12.58 155	38.42	32.5 11.58	4.75 8.125	Yes	No		30	8600	0	IB				
			677		ALUMN					38.6	12.42	24.58	3500	1	FOLD				
			263		MS		0 0	235		22.5	724	10	Lead	FIXED	2				
										22.5		5							
Warpath	Olson 30 OB	198	99	1982	36 11.75 150	35.9 11.67	31.5 10.75	4.364 7.268	Yes	No		30	3600	No	OB				
			584							36	11.75	27.5	1800	1	None				
			79		MS		0 0	208				9.33	Lead	FIXED	0				
												5.08							

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications												
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	SL SPL SSMG SSF	SPL SSA	Yes/No	Yes/No	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps Ballast Ballast Mat.	moveable blst Keel Type		IB or OB Prop Type # of blades											
																			DW Rating	Disp/WL Ratio	4.8	8.2	311	0	0	7.8	900	1	FIXED
Quiet Thing	Ranger 22	200	216 1978	25.75 8.5	155	25.75	26 7.4	2.8 4.8	25.4 14.7 14.7	8.2 311	No	22.5 17.5 7.8 4.3	2200 900 Lead	0 1 FIXED	OB None														
Tortuga	Westsail 32	207	216 1974	31.2 18.4	150		38.3 15.1		No	No	No	32 27.6 11 5	19500 7000 Lead	0 1 FIXED	IB FOLD 3														
Short Bus	Hunter 35 Legend	210	138 1990	42 12.17	110		44.08 14.25	5.5 9.2	No	Yes	24.6 957	35.58 29.75 11.75 6.5	12600 5000 Lead	0 1 FIXED	IB Fixed_2														
Kuai	Melges 32 ODR	211	27 2006	40.86 10.7	105	48.3 18.7	44.05 15.49	6.95 11.14	No	Yes	31.82 1344	31.84 28.5 9.83 7	4200 1600 Lead	0 1 FIXED	OB None														
Arby	Colgate 26	212	159 2004	27.75 8.25	105	27.75	29.75 11.2	4.3 7.3	No	No		25.7 20 8.5 4.5	2600 1040 Lead	0 1 FIXED	OB Fixed_3 3	Non Spinnaker configuration													
Penny Pincher	J 70 ODR	215	114 2014	26.77 7.68	100	30.15 13.5	26.16 9.44	4.71 6.93	No	Yes	18.7 491	22.78 20.47 7.38 4.92	1750 630 Lead	0 1 MVBL	OB None														
Firefly	Harbor 20	226	213 2006	25.75 7	90	25.75 7	26 10	3.6 6.25	No	No		20 17.17 7 3.5	1800 900 Lead	0 1 FIXED	OB None														

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications		
				DW Rating Disp/WL Ratio	I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast Mat.		Traps/H. moveable blst Keel Type	IB or OB Prop Type # of blades
									SL	SPL	SLU	ASA							
									SSMG	SSA	SLE	Spr							
Seaya	Catalina 380	252	120 2000	50.916 14.667 ALUMN MS	135	42.1 19.07	44.833 15.667	5.2 10 405	No	No			38.42 32.42 12.33 7.17	19000 6800 Lead	No 1 FIXED	IB FEATH 3			
Mamaluc	J 105 ODR w/ 5'BS	265	78 1999	40.6 13.5 ALUMN FS	100	42.1 19.07	41.5 14.5 0 0	5.5 9.4 358	No	Yes	25.9 962 5 5		34.5 29.5 11 6.5	7750 3400 Lead	No 1 FIXED	IB FOLD 2			
Endless Summer	Catalina 36	271	150 1984	44.75 14.33 ALUMN MS	95	44.75 14.33	39 12	4.33 8.01 279	No	Yes	23.33 850 0 0		36.33 30.25 11.92 5.83	13500 6000 Lead	0 1 FIXED	IB Fixed_3 3			
Makani	Nonsuch 30	278	174 1985		0		44.9 23.9	8 14.5 607	No	No			30.33 28.75 11.83 5	11500 4500 Lead	0 1 FIXED	IB Feath			
Pearl	Ranger 33 SM	278	165 1977	38 13.9 ALUMN MS	125	38	31.5 11	4.43 7.39 212	Yes	No			33.17 26.25 9.583 5.166	10500 4800 Lead	0 1 FIXED	IB Fixed_2 2			
Frisky	Open 5.7 ODR	281	138 2009	21.52 7.3 ALUMN FS	117	27.9 12.3	25.33 10.24	5.7 8.2 183	No	Yes	17.5 338 5 0		18.7 18.7 8.3 5.7	992 405 Lead	0 1 FIXED	NONE None			
Kiwa	Ericson 32-2	285	183 1973	36 18 ALUMN MS	155	36	31.5 13	4.9 8.4 243	No	No			32 24 9.67 4.91	9400 4400 Lead	0 1 FIXED	IB Fixed_2 2			

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
				DW Rating Disp/WL Ratio	J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast Mat.	Traps/H. moveable blst Keel Type		IB or OB Prop Type # of blades
									SL	SPL	SLU	ASA						
									SSMG SSF	SSA	SLE ASMG	Fixed or _o						
Obsession	Harbor 20	299	207 2010	25.75 7 95	26.38 8.16	26 10	3.25 6.05	Yes	No	20 17.2 7 3.5	1800 900 Lead	0 1 FIXED	OB None	(Mth 5/25/17, -6 sec/mi for OSP)				
Nightmare	Custom Wilderness 30 SX FR OB	305	111 1980	34 11.75 125		34.4 11.5 0 0	4.59 7 233	Yes	No	29.75 27.75 8.83 5.92	4700 1650 Lead	No 1 FIXED	OB None 0	(-3 sec/mi for change from IB to OB, -6 sec/mi for keel change.)(mtg 2/26/15, -9 sec/mi for oversized spinnaker)				
Capo Gatto	Nonsuch 30	308	174 1985			45 24	7.9 14.3 605	No	No	30.33 28.75 11.1 5	11500 4500 Lead	0 1 FIXED	IB Fold 2					
Boudicca	Elan 310	310	129 2010	40.19 11.74 106	42.55 14.87	39.53 13.55	5.28 8.92 323	No	Yes	25.91 906 10.5 6.23	10141 2292 Iron	0 1 FIXED	IB Fold					
Lightwave	J 105 ODR w/ 5'BS	319	78 2000	40.6 13.5 100	42.1 19.07	41.5 14.5 0 0	5.5 9.4 358	No	Yes	22.9 947 5 26.6	34.5 29.5 11 6.5	7750 3400 Lead	No 1 FIXED	IB FOLD 2				
Roxanne	Tartan 4100 SD TM	322	90 2000	57 15 135	57 15	50.1 18	6.8 11.5 533	No	Yes	27 1285 0 0	41.3 35.9 13.6 5.4	20400 8000 Lead	0 1 FIXED	IB Feath				
Shanti	Ericson 911S Olson	326	132 1989	41.5 12.33 150	41.5 12.33	35.5 11.83 0 0	4.73 7.69 253	Yes	No	29.92 25 10.33 5.42	8700 3200 Lead	0 1 FIXED	IB FOLD 2	CHANGE TO RUDDER NOTED, NCTR				

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
					J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Ballast Mat.	Strps moveable blst Keel Type		IB or OB Prop Type # of blades
										SL	SPL								
										SSMG	SSA								
Scilla	J 70 ODR	327	114	2012	26.77 7.68	100	30.15 13.5	26.16 9.44	4.71 6.93	No	Yes	18.7 491 5.1 0	22.78 20.47 7.38 4.92	1750 630 Lead	0 1 MVBL	OB None			
Popstar	Catalina 400	331	108	2005	52.5 15.5	135	52.5 16.5	46.9 17	4.02 8.27	No	Yes	27.9 1225 0 0	41.54 36.5 13.5 6.92	20500 8300 Lead	0 1 FIXED	IB Fold 3	(+3 sec/mi for in-mast furling mainsail, +3 sec/mi for MGM <50% of E)		
Farriage	Catalina 42-1/2	336	102	1992	53 16.42	130	53 16.42	46.75 16.42	5.75 9.83	No	Yes	27.08 1042 0 0	41.83 36 13.83 6.83	20600 8300 Lead	0 1 FIXED	IB Feath 3			
Blue Ribbon	Catalina 27 IB	343	213	1975	34.5 11.25	120		28.7 10.5	3.5 6.3	No	No	0 0	26.83 21.75 8.83 4	6850 2650 Lead	0 1 FIXED	IB Fixed_3 3			
Allons-Y	J 70 ODR	346	114	2014	26.77 7.68	100	30.15 13.5	26.16 9.44	4.71 6.93	No	Yes	18.7 491 5.1 0	22.75 20.47 7.38 4.92	1750 630 Lead	0 1 MVBL	OB None			
Constance	Tartan 34 CB	346	165	1974	41 14	125	41	35.5 10.5	4 6.9	No	Yes	20.3 742 0 0	34.3 25 10.2 8.3	11200 5000 Lead	0 1 CNTRBRD	IB Fold 2	Roller Furler		
Kabunza	Pearson 36-2	362	132	1986	47.1 15.4	110		41 14.5	3.65 7.3	No	No	0 0	36.5 29.5 12.3 6.5	15000 5800 Lead	0 1 FIXED	IB Fixed_2 2			

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps moveable blst	IB or OB Prop Type # of blades	
								SL	SPL	SLU	ASA						
								SSMG SSF	SSA	SLE ASMG	ASA						
Post Time	Catalina 42-1/2	362	102 1993	53 16.42 135 53 16.42	53 16.42	46.75 5 15.5 9	5 9	No	No	No	0 0	41.83 36 13.83 6	24000 8300 Lead	0 1 FIXED	IB Feath 3	In-Boom Furling Mast, Electric Halyard Winch	
Hangover	Islander 36 ODR	367	147 1976	45 14.48 135 45	45	39.25 5.05 12.75 8.44	5.05 8.44	No	No	No	0 0	36.8 28.25 11.17 6.08	13450 5820 Lead	0 1 FIXED	IB Fixed_2		
Sacagawea	Catalina 34 1&2	375	156 1987	44 13.5 95 44 13.48	44 13.48	38.5 4.7 11.75 7.54	4.7 7.54	No	No	No	0 0	34.5 29.83 11.75 5.6	11950 5000 Lead	0 1 FIXED	IB Fixed_3 3		
Javelin	J 105 ODR w/ 5'BS	394	78 2001	40.6 13.5 100 42.1 19.07	42.1 19.07	41.5 5.5 14.5 9.4	5.5 9.4	No	Yes	25.5 957	5 0	34.5 29.5 11 6.5	8697 3400 Lead	0 1 FIXED	IB Fold		
Joker	J 35	400	75 1986	46.4 14.7 125 46.4	46.4	41.5 5.43 14 9.11	5.43 9.11	Yes	No	46 14.7	0	35.42 30 11.8 6.75	10500 4400 Lead	0 1 FIXED	IB FOLD 2		
Ariadne	Beneteau Farr First 36.7	403	84 2001	46.4 13.1 125 46.4 13.1	46.4 13.1	46.4 5.92 15.6 12.49	5.92 12.49	Yes	No	45.8 13.1	0	36 30.3 11.4 7.3	12495 4034 Lead	No 1 FIXED	IB Fold 2		
Sobrante	Alerion Express 28 ODR	406	168 2009	30 9.75 90 30 9.75	30 9.75	33 4.8 12.5 7.6	4.8 7.6	No	No		0 0	28.25 22.83 8.2 4.5	5700 2200 Lead	0 1 FIXED	IB Fold 2		

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop		Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.		Traps/H. Strps moveable blst	IB or OB Prop Type # of blades			
								SL	SPL							Ballast	Keel Type	
Nantucket Sleighride	J 105 ODR w/ 5'BS	414	78 2001	40.6 13.5	100	42.1 19.07	41.5 14.5	5.5 9.4	No	Yes	25 863	34.5 29.5 11 6.5	7750 3400 Lead	0 1 FIXED	IB Fold 2			
Luna Sea	Islander 36 ODR	420	144 1980	45 14.48	135	45	39.25 12.75	5.05 8.44	Yes	No	0	36.08 28.25 11.17 6.08	18000 5450 Lead	No 1 FIXED	IB Feath 3			
White Bear	Nonsuch 30	431	174 1987				45 24	8.68 15.12	No	No	0 0	30.33 28.75 11.9 5	11500 4500 Lead	0 1 FIXED	IB Fold 3			
Kapai	Islander 36 ODR	438	147 1977	45 14.48	125	45	39.25 12.75	5.05 8.44	No	No	0	36.08 28.25 11.17 6	13450 5500 Lead	0 1 FIXED	IB FOLD 2			
Rufless	Melges 24	445	84 1999	27.85 7.95	100	31.85 12	28.9 12.45	3.83 7.09	No	Yes	20.67 577	24 22 8.17 5.25	1783 650 Lead	0 1 CNTRBRD	OB None 0			
Zenith	Islander 36 NCPHRF	472	147 1978	45 14.48	135	45 14.8	39.25 12.75	5.05 8.44	No	No	0	36.08 28.25 11.166 6.083	13450 5820 Lead	No 1 FIXED	IB Fold 2			
Auggie	Santana 22 ODR	476	237 1969	26 8.5	125	26	21.75 9.833	3.95 6.59	Yes	No	0	22 18.666 7.833 3.5	2600 1230 Cast Iron	No 1 FIXED	OB None 0			

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		SLU ASA Sprit Lngth Fixed or _o		Ballast Ballast Mat.	Traps/H. moveable blst Keel Type	IB or OB Prop Type # of blades	
								SL	SPL	SLU	ASA						
Zingara	Islander 36 NCPHRF	484	150 1978	45 14.48 ALUMN MS	125 45 14.8	39.25 4.8 12.75 8.29 0 298 0	No	No				36.1 28.25 11.17 6.08	13450 5820 Lead	No 1 FIXED	IB Fold 2	Roller Furler	
Alpha	Sonar 23	498	174 1990	23 8.25 ALUMN MS	100	27.5 1.23 11.17 7.3 156	No	No				23 19.92 7.8 3.92	2100 900 Lead	n 1 FIXED	OB None		
Shut Up & Drive	J 24 ODR	513	168 693 176	26.25 9.5 ALUMN FS	150 26.25	28 3.7 9.75 6.37 0 163 0	Yes	No	26.5 17 16.8	9.5 375	0	24 20 8.916 4	3100 965 Lead	No 1 FIXED	OB None 0		
All Hail	Catalina 34 TM	524	144 1988	46 13.5 ALUMN MS	130 45.9 13.5	40.5 4.8 12 8 296	No	No				35.66 29.84 11.75 5.56	12000 5000 Lead	0 1 FIXED	IB Fold		
The Mighty Windsong	International Folkboat OB	567	228 817 295	26 8.3 ALUMN MS	155 26 8.3	28.8 4.44 11.2 7.34 195	Yes	No	27.13 14.89 4.92	8.36 292	0 0	25.75 19.75 7.5 4	5000 2750 Iron	0 1 FIXED	OB None		
Crackers	J 105 ODR w/ 5'BS	581	78 585 153	40.6 13.5 ALUMN FS	100 42.1 19.07	41.5 5.5 14.5 9.4 358	No	Yes		26.2 859 5 0		34.5 29.5 11 6.5	8664 3400 Lead	0 1 FIXED	IB Fold		
Rampage	J 70 ODR	582	114 607 93	26.77 7.68 CARBON FS	100 30.15 13.5	26.16 4.71 9.44 6.93 164	No	Yes		18.7 491 5.1 0		22.75 20.47 7.38 4.92	1750 630 Lead	0 1 MVBL	OB None		

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
			Built	DW Rating	I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp.	Traps/H. Strps		IB or OB Prop Type # of blades		
									SL	SPL	SLU	ASA			Ballast	moveable blst			
																			SSMG
SSF	SSA	ASM	Fixed or _o																
Wingman Racing	J 70 ODR	584	114	2014	26.77 7.68	100	30.15 13.5	26.16 9.44	4.71 6.93	No	Yes	18.7 491	22.75 20.47	1750 630	0 1	OB None			
			607 93		CARBON FS				164		28.87 18.21	5.1 0	7.38 4.95	Lead MVBL					
Queimada	Catalina 34 1&2	611	147	1988	44 13.5	150	44 13.5	38.5 12	4.2 7.2	Yes	No		34.5 29.83	11950 5000	0 1	IB Fold			
			637 205		ALUMN MS				263		42.5 23.35 23	13.5 825	11.75 5.58	Lead FIXED		2			
Wild-Type	Ericson 32-2	614	186	1975	38 13	155	13	31.5 13	4.53 8.19	No	Yes	22.23 639	31.58 24	8800 4000	0 1	IB Fixed_3	Roller Furler		
			707 289		ALUMN MS				237		39.55 35.38 20.01	0 0	8.67 4.92	Lead FIXED	3				
Dura Mater	CAL 27-2 IB	616	213	1979	36 12	120		30.83 10.25	4.21 7	Yes	No		26.58 22.08	6700 3100	0 1	IB Fixed_3			
			721 283		ALUMN MS				195		32.8 18.4 21.1	11.8 518	9.25 4.25	Lead FIXED	3				
Can O' Whoopass	CAL 20	624	273	1965	22 7.33	115	22 7.33	23 10	4 6.7	Yes	No		20 18.1	2000 900	0 1	OB None	(mtg 4/24/08, -18 sec/mi for adding single trapeze wire) (10/2/08 - removed trapeze, now racing as a standard cal 20 -18 sec/mi penalty removed)(3/5/09 added single trapeze back, -18 sec/mi)(8/26/09, switching back to standard Cal 20)		
			746 153		ALUMN FS				140		22 13.2 13.2	7.33 242	7 3.33	Iron FIXED	2				
TESA	Catalina 42-1/2	642	102	1999	53 16.41	155	53 23	46.75 15.416	5.91 10	Yes	Yes	31 1275	41.83 36	25500 8300	0 1	IB FEATH	Added one electric main halyard winch		
			595 248		ALUMN MS			0 0	430		28 27.333	1134	13.83 6.8	Lead FIXED	3				
Flight Risk	Thompson 650	650	102	2000	26.67 8.86	100	28.25 14.86	28.29 10.4	5.7 8	No	Yes	20.58 586	22.3 19.8	1692 660	Yes 3	OB None	(mtg 1/21/10, weighed displacement of 1692lbs updated, NCTR)(Mtg 3/18/10, change custom rating from 108 to 99)(Mtg 8/18/10, submitted appeal, rating changed from 99 to 102)		
			570 99		CARBON FS				204		33.6 19.5	7.87	8.16 5.9	Lead FIXED					

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop		Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		Ttl Disp. Ballast		Traps/H. moveable blst	IB or OB Prop Type # of blades			
								SL	SPL	SLU	ASA							
								SSMG SSF	SSA	SLE ASMG	Sprit Lngth Fixed or _o					Ballast Mat.	Keel Type	
Disp/WL Ratio																		
Boomer	Melges 20	676	111 2009	23.19 7.05	110	27.2 10.95	24.25 9.84	3.83 7.42	No	Yes	18.8 417 3.9 0	20 19.4 7 4.5	1105 415 Lead	0 1 FIXED	OB None 0			
Endless Summer	Catalina 42-1/2 WK	688	111 2000	53 16.5	155		46.75 15.5	5.08 9.16	No	No	0 0	41.83 36 13.83 4.83	28000 8300 Lead	0 1 FIXED	IB Feath 3			
Revelry	Catalina 42-1/2	703	105 1999	53 16.416	125	53 16.416	46.75 15.416	5.75 9.833	No	Yes	27.5 1097 0	41.833 36 13.833 6.83	20500 8300 Lead	No 1 FIXED	IB FEATH 3	ASYM SPIN NOTED NCTR.		
Zeehond	Newport 30-2	707	174 1976	39.5 12.125	150	39.5	34 10.25	3.6 6.33	Yes	No	0	30 25 10.5 4.75	8500 2600 Lead	No 1 FIXED	IB FOLD 2			
Imagine	Ericson 32-3	716	159 1987	42 13.8	135		36.4 11.8	4.18 7.28	No	No	0 0	32.5 25.83 10.83 6	9800 4200 Lead	0 1 FIXED	IB Fixed_2 2			
Insolent Minx	Melges 24	725	84 2008	27.85 7.98	100	31.85 12	28.75 12.42	3.83 7.09	No	Yes	20.67 577 0 0	24 22 8.2 5.25	1750 650 Lead	0 1 CNTRBRD	OB None			
Nessie	Catalina 34 1&2	734	156 1988	44 1.5	100	44 13.48	38.5 12	4.7 7.54	No	No	0 0	34.5 29.83 11.75 5.58	11950 5000 Lead	0 1 FIXED	IB Fixed_3 3			

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications			
				J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.	Traps/H. Strps moveable blst		IB or OB Prop Type # of blades		
									SL	SPL	SLU	ASA							Ballast Mat.	Keel Type
Amandla	Catalina 34 1&2	796	147 1988	46 13.5	130	38.5 12		No	No			35.75 29.8 11.75 5.6	11950 5000 Lead	0 1 FIXED	IB FOLD 3					
Byte Size	Santana 22	801	237 2001	26 8.5	90	26 8.5	21.75 3.95 9.833 6.59	Yes	No			22 18.67 7.83 3.5	2600 1230 Iron	No 1 FIXED	OB None 0					
			737 182	ALUMN MS		0 0	131	15.44 15.44		0	<input type="checkbox"/>									
Sea Breeze	Catalina 320	850	156 2001	43.58 12.33	135	43.58	38 5.168 13.25 8.661	No	No			32.5 28 11.75 6	11300 4000 Lead	0 1 FIXED	IB Fold 2					
			234	ALUMN MS			303			0 0	<input type="checkbox"/>									
Benny	J 70 ODR	897	114 2015	26.77 7.68	100	30.15 13.5	26.16 4.71 9.44 6.93	No	Yes	18.7		22.75 20.47 7.38 4.92	1750 630 Lead	0 1 MVBL	OB None					
			607 93	CARBON FS			164			5.1 0	<input checked="" type="checkbox"/>									
White Jacket	Etchells 22 ODR	901	120 1991	27.27 8.22	90		32.49 11.57	Yes	No			30.5 22 6.83 4.5	3337 2105 Lead	0 1 FIXED	OB None 0					
			648 142	ALUMN FS			0 0			0	<input type="checkbox"/>									
Ada Helen	ace	922	96 2005	53 16.5	155	53 16.5	46.75 15.5	No	Yes	29.7		43.8 36 13.1 6	24400 8300 Lead	No 1 FIXED	IB FOLD 3	(Mtg 3/20/08 -6/sec/mi for OSP)(mtg 6/19/08, new larger a-sail, correct size for J, NCTR)				
			588 238	ALUMN MS						1303										
			238							0 90	<input type="checkbox"/>									
Lioness	Bermuda 40	981	174 1962	42.5 15.58	160		36.6 17.2	No	No			40.75 28.8 11.75 4.25	20000 5600 Lead	0 1 CNTRBRD	IB Fixed_3 3	(Mtg 5/22/08, +6 secmi for 3-blade fixed prop, no penalty for headsail larger than 155%, no credit for sonar transducer, custom rating of 174 assigned)				
			381	ALUMN YAWL			17.7 8.5			0 0	<input type="checkbox"/>									

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
			Rating		I	J	ISP	P	MGU	Yes/No	Yes/No	ASF	Ttl Disp.		Traps/H. Strps	IB or OB		
			DW Rating		Max Headsail	Mast Material	JSP	E	MGM	SL	SPL	SLU	ASA		Ballast	moveable blst	Prop Type	
			Disp/WL Ratio		Rig Type		PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Ballast Mat.		Keel Type	# of blades		
							SSFF	ASMG	Fixed or _o									
Vita E Bella	Catalina 42-1/2	989	99	2007	53 16.5	155	16.5	46.9 15.6	5.2 9.5	No	Yes	27.3 1105	41.83 36	24400 3765	0 1	IB FOLD	(mtg 3/28/13, -3 sec/mi for added sprit)	
			595		ALUMN				415		50.4	3.67	13.1	Lead	FIXED	3		
			238		MS						25	<input checked="" type="checkbox"/>	0					
Outsider	Azzura 310	1000	57	1996	35.35 11.55	110	43.33 21.57	38.75 13.25	6.68 10.5	No	Yes	30.1 1163	30.75 27.4	4850 2100	No 1	OB Fixed_3	6 FT ARTIC. RETRAC BOWSPRIT. MTG 3/28/96 (RATED 66) (CHNG NOTED 4/18/96-NO CHNGE RTNG. (2/13/96 FM 66 TO 60.)(MTG 11/13/97 FM 60 TO 57)MTG 2/12/98 FM 57 TO 63 (MTG 4/9/98) Inboard SailDrive removed and replaced with	
			525		CARBON			0	352		39.7	6	10	Lead	FIXED	3		
			107		FS			0			32.7	<input type="checkbox"/>						
Afterburner	Synergy 1000	1001	45	1999	40.75 12	110	45.75 16.4	42 15.5	6.99 11.03	No	Yes	26 1089	32.83 29.17	4600 1850	0 1	IB Feath		
			538		CARBON				417		43.7	4.3	9.75	Lead	FIXED	2		
			84		FS						28	<input checked="" type="checkbox"/>	0					
Vera Cruz	Sunsail F40 ODR	1003	42	2012	52.69 15.09	105	56.54 17.06	51.15 17.65	6.53 11.42	No	Yes	30.32 1200	40.15 35	17437 6609	0 1	IB Fold		
			571		ALUMN				534		49.5	1.98	12.76	Lead	FIXED	2		
			185		FS						25.9	<input checked="" type="checkbox"/>	0					
Itinerant	Hunter 34	1025	150	1986	47.42 13.75	105		41 11.75	4.02 6.87	No	No		34.42 28.25	11820 5366	0 1	IB Fixed_2		
					ALUMN				271			0	11.5	Steel	FIXED			
			238		MS							<input type="checkbox"/>	0					
SF	CAL 25-1 OB	1062	225	1969	29.75 10	120	29.75	25 11	4.17 7	No	No		25 20	4000 1700	0 1	OB None		
					ALUMN				163			0	8	Lead	FIXED			
			227		MS							<input type="checkbox"/>	0					
Pegasus - Motion X	J 100 ODR MOD	1197	69	2005	38 12.7	95	43 15.63	38 15.3	5.32 9.32	No	Yes	23.3 861	32.8 29	7250 2500	No 1	IB FOLD	(Mtg 2/26/09, -3 sec/mi for adding sprit)(mtg 1/21/10, additional -3 sec/mi for lengthening sprit to 4.13')(Mtg 1/27/11, -6 sec/mi for increased "e")(Mtg 1/26/11, shortened J, boat rigged for shorthanded sailing. NOTED 4/22/17	
			579		CARBON				332		39.1	4.13	9.3	Lead	FIXED	2		
			135		FS						23.9	<input checked="" type="checkbox"/>						

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications			
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H.	Strps		IB or OB Prop Type # of blades		
								SL	SPL	SLU	ASA								Ballast	moveable blst
								SSMG SSF	SSA	SLE	ASMG								Ballast Mat.	Keel Type
Goose	Catalina 30	1210	180 1979	41 11.416 155	41	35 11.5 0 0	4.63 7.72 246	40 11.5 20.7 20.7	Yes	No	0	29.92 25 10.83 5.25	10200 4200 Lead	No 1 FIXED	IB FOLD 2					
Oshun	Catalina 27 OB	1216	201 1974	34 11.25 95		28.67 10.5	4.24 7.08 185	No	No	0 0	26.83 21.75 8.83 4	6850 2750 Lead	0 1 FIXED	OB None						
Alte Liebe	Albin Ballad 30	1266	183 1978	37.083 11.249 155	37.8	31.916 9.333 0 0	3.33 5.58 171	36.83 12.27 22.2 21.83	Yes	No	0	29.916 22.583 9.666 5.09	7276 3417 Lead	No 1 FIXED	IB FOLD 2	The J measurement in all Ballad documents & Sailmaker plans is 12.27 however the actual J= 11.3" (MTG 8/25/94), standard SPL is 12.27 (mtg 3/20/08)				
Sterling	Catalina 34 1&2	1269	153 1994	44 13.5 125		38.5 12	3.6 6.8 251	No	No	0 0	35.66 29.84 11.75 5.56	11950 5000 Lead	0 1 FIXED	IB Fixed_2						
Crews Nest	Catalina 34 1&2	1383	147 1997	44 13.5 130	44 13.5	38.5 12 0 0	3.6 6.8 251	42 24 23.5	Yes	No	0	35.67 29.83 11.75 5.58	11950 5000 Lead	No 1 FIXED	IB FEATH 3					
Sparky	Catalina 25 FK	1498	222 1979	29 10.5 145	29 10.5	24.66 9.58	3.68 1.45 102	28.66 10.5 16.5 16.41	Yes	Yes	17.9 369 0 0	25 22.16 8 4	4550 1900 Cast Iron	0 1 FIXED	OB None 0					
Sailor Dog	Catalina 34 1&2	1798	162 2007	44 13.5 110	44 13.5	38.5 12	2.8 5.9 229	No	Yes	20.5 723 0 0	34.5 29.8 11.7 5.6	11950 5000 Lead	0 1 FIXED	IB Fixed_3 3	In-Mast furling main +3 sec/mi, MGM less than 50% of E +3 sec/mi					

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		Ttl Disp.		Traps/H. Strps	IB or OB Prop Type # of blades			
								SL	SPL	SLU	ASA					Ballast		moveable blst
								SSMG SSF	SSA	SLE	Sprit Lngth Fixed or _o							
Disp/WL Ratio																		
TASHI	Catalina 30	2010	189 1976	41 11.5 110 41	35 4.63 11.5 7.72 246	No	No	29.92 25 10.83 5.25	10200 0 4250 1 Lead FIXED	IB Fixed_3 3								
Lawless	Catalina 36-2	2056	147 2002	44.75 14.42 155 44.9	39 4.83 12 8.05 286	No	No	36.42 30.33 11.92 5.83	13500 0 6042 1 Lead FIXED	IB Fixed_3								
Aerie	CS 36	2160	123 1980	49 15 155 49	42.75 4.33 12.75 7.58 308	Yes	No	36.5 29.25 11.5 6.25	15500 0 6500 1 Lead FIXED	IB Fold								
Andiamo	Catalina 36-2	2168	153 2004	44.75 14.33 115	39 3.04 13 6.16 248	No	Yes	36 30.25 11.9 5.8	14200 0 6000 1 Lead FIXED	IB Fixed_3 3	In-Mast Furling Mainsail, +3 sec/mi							
Irish Blessing	J 24 ODR	2184	168	26.25 9.5 150 26.25	28 3.7 9.75 6.37 163	Yes	No	24 20 8.92 4	3100 0 965 1 Lead FIXED	OB None 0								
Downtown Upoar	J 24 ODR	2394	168 1981	26.25 9.5 150 26.25	28 3.7 9.75 6.37 163	Yes	No	24 20 9.2 4.1	3125 0 965 1 Lead FIXED	OB None 0								
Leglus	Ohashi 52	2480	-6 1986	49.26 16.387 149 62 21.92	57.578 8.103 21.325 13.517 724	No	Yes	52.5 50.06 12.6 11.36	15017 0 5.952 1 Lead FIXED	IB FOLD 2	(mtg 10/21/09 assigned custom rating of -39)(Mtg 3/24/16, +3 sec/mi for no spinnaker articulation, change custom rating from -36 to -6)							

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		Ttl Disp.		Traps/H. Strps				
								SL SPL SSMG SSF	SPL SSA	SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o				Ballast			moveable blst
SLOWMO!	Catalina 22-1 OB SK	2482	270 1973	25.93 8 ALUMN MS	150	34	11	21 9.66	3.47 5.96	118	No	No	21.6 19.4 7.8 5	2250 550 Iron	0 1 MVBL	OB None 3		
Arcadia	Custom Nash 28.5	3113	123 1969	33 10 ALUMN FS	120	34 11	13	32.5 13	4.92 8.41	251	No	Yes	24.606 756 4 100	28.5 25.5 9 6.5	4327 1200 Lead	No 1 FIXED	IB FOLD 2	(Weighed Displacement as of 4/4/2009)(mtg 2/28/13, change custom rating from 135 to 123 after review of race results and structural modifications) 3
Loya	Ericson 34 Olson SM	3246	105 1989	44.5 13.25 ALUMN MS	154	44 13.25	12.9	38.84 12.9	4.69 8.38	296	Yes	Yes	23.8 886 0 0	34 28 10.83 6	10600 3650 Lead	0 1 FIXED	IB Fold 2	
Encore	Sydney 36 CR	3632	57 2006	45.6 14 ALUMN FS	104	44.36 16.4	6.1 10.6	44.36 16.4	6.1 10.6	431	No	Yes	28.9 1283 1.4 90	36.06 31.04 11.32 7.55	12897 4850 Lead	No 1 FIXED	IB FOLD 2	(Australian IRC Rating 1.052)(Mtg 8/23/12, change custom rating from 54 to 57)
Zamazaa	Custom Farr 52	3883	21 1978	70.4 18.51 ALUMN MS	135	70.4 18.51	70.4 18.51	65.2 23.2	8.82 15.08	900	Yes	No	0	52.19 47.26 15.45 8.79	25391 9679 Lead	No 1 FIXED	IB FOLD 2	RTG W/USYRU AGE ALLOWANCE IOR RTG W/USYRU AGE ALLOWANCE R=44.9 (1987) 18/24 AS PER PHRF MTG 4/20/95. SHORTENED MAST 6.15 FEET FROM TOP, REDUCED MAINSAIL AREA FROM 24/27 MTC 8/10/95
Happiness	Cal 27-2 OB	3893	201 1978	36 12 ALUMN MS	95	36 12	36 12	30.67 10.25	3.25 6.5	180	Yes	No	0 0	26.58 22.08 9.25 4.25	6700 3100 Lead	0 1 FIXED	OB None	
Danger Zone	Taylor 32	4128	-24 1994	40 10.7 ALUMN MS	100	19.4	37.1 14.3	9.5 11.6	395	No	Yes	26.52 829 0 0	32 28.9 14.8 5.6	1962 551 Lead	1 CNTRBRD	OB None		

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
			DW Rating		I	J		P	MGU	Yes/No	Yes/No	ASF	Ttl Disp.		Traps/H. Strps	IB or OB		
			Disp/WL Ratio		Max	Max		E	MGM	SL	SPL	SLU	ASA		Ballast	moveable blst	Prop Type	
					Headsail	Headsail		PY	MSA	SSMG	SSA	SLE	Sprit Lngth		Ballast Mat.	Keel Type	# of blades	
			Rig Type	EY		SSF	ASM	Fixed or _o										
Green Dragon	Cal 20	4188	273	1965	22	125	22	23	3.84	Yes		No		20	1950	0	OB	
					7.33			9.84	6.5		22	7.33		18.08	900	1	None	
			748		ALUMN			0	137		13	238		7	Steel	FIXED	0	
			150		FS			0			13			3.33				
Elusive	Swan 42 Club	4216	12	2007	59.07	106	62.99	56.56	7.1	Yes		Yes	34.8	42.59	17158	0	IB	(Mtg 2/25/16, +3 sec/mi for decrease in Spinnaker Area, +6 sec/mi for decreased JSP, -3 sec/mi for articulation, -3 sec/mi for switch to larger headsail)
					16.44		19.05	19	12.5		62	19.05	65	38.15	6988	1	Fold	
			513		CARBON				641		34	1754	59.1	12.8	Lead	FIXED	2	
			140		FS			33.7			35		<input checked="" type="checkbox"/>	0	9			
Highlander	Cal 40	4590	117	1968	46.2	150	46.2	39.5	6.65	Yes		No		39.25	15000	0	IB	
					15.2			17.5	11.37		46.5	15.17		30.25	6000	1	Fixed_2	
			617		ALUMN				412		27.3	1056		11	Lead	FIXED	2	
			246		MS			27			27		<input type="checkbox"/>	0	5.58			
Miss Kate	Catalina 27 IB	4630	210	1980	34.5	125	34.5	28.66	3.99	No		Yes	20.35	26.85	6850	0	IB	
					11.25		11.25	10.5	6.83			34.35	515	21.75	2700	1	Fixed_2	
			738		ALUMN				180			31.85	0	8.85	Lead	FIXED		
			303		MS							18.25	<input checked="" type="checkbox"/>	0	4			
Gygax	Hinckley Pilot 35 TM	4802	192	1975	44.36	155	44.36	41.83	5.5	Yes		No		35.5	13500	0	IB	
					13.8		13.8	15.81	9.97		42	13.8		25	4200	1	Feath	
			672		ALUMN				383		24.8	868		9.5	Lead	FIXED		
			393		MS						24.8		<input type="checkbox"/>	0	5			
Ross's Dream	Catalina 30	4895	180	1987	41	150	41	35	4.63	Yes		No		29.92	10200	0	IB	
					11.42			11.5	7.72		40.45	11.5		25	4200	1	Fold	
			696		ALUMN				246		20.7	698		10.83	Lead	FIXED	2	
			297		MS						20.7		<input type="checkbox"/>	0	5.25			
The Belafonte	Santana 22 ODR	5000	237	1970	26	110	26	21.75	3.95	Yes		No		22	2600	No	OB	
					8.5			9.833	6.59		26	8.583		18.67	1230	1	None	
			737		ALUMN			0	131		15.44	335		7.833	Iron	FIXED	0	
			182		MS			0			15.44		<input type="checkbox"/>	3.5				

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop		Modifications		
				J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.	Traps/H.	Strps		IB or OB	# of blades
									SL	SPL	SLU	ASA								
									SSMG SSF	SSA	SLE	ASMG								
Zingaro	Santana 22	5050	237 1971	26 8.5	125	26	21.75 9.83	3.95 6.59	Yes	No	22 18.67 7.833 3.5	2600 1260 Iron	0 1 FIXED	OB None 0						
		737 182		ALUMN MS		131	15.44 15.44	8.58 335		<input type="checkbox"/>	0 0									
Anapos	Santana 22	5158	237 1966	26 8.5	120	26	21.75 9.833	3.95 6.59	Yes	No	22 18.666 7.833 3.5	2600 1230 Iron	No 1 FIXED	OB None 0						
		737 182		ALUMN MS		131	0 0	15.44 15.44	8.583 335		<input type="checkbox"/>	0								
Meliki	Santana 22	5194	237 1967	26 8.5	125	26	21.75 9.833	3.95 6.59	Yes	No	22 18.67 7.83 3.5	2600 1230 Iron	No 1 FIXED	OB None 0						
		737 182		ALUMN MS		131	0 0	15.44 15.44	8.583 335		<input type="checkbox"/>	0								
Invisible Hand	Pac 52	5202	-102 2016	66 20.5	101	76 29.5	69.23 22.98	10.96 15.76	No	Yes	52 50 14.5 11.8	15700 8360 Lead	0 1 FIXED	IB None						
		402 57		CARBON FS		1017			29.5	44.7 2970 0 90										
Nepenthe	Hawkfarm 28	6122	174 1976	33.3 11	115	33	36 10.5	4.3 7.2	No	No	28 23.5 9.75 5.5	5700 2700 Lead	0 1 FIXED	IB Fixed_2 2						
		200		ALUMN FS		234					<input type="checkbox"/>	0 0								
Avalon	Catalina 30	6138	183 1992	41 11.416	120	41	35 11.5	4.63 7.72	No	No	29.92 25 10.83 5.25	10200 4200 Lead	0 1 FIXED	IB Fold 2						
		297		ALUMN MS		246	0 0				<input type="checkbox"/>	0								
Antares	Islander 30-2	6237	186 1971	38.5 12.58	155	38.416	32.5 11.58	4.75 8.125	Yes	No	30 24.58 10 5	8600 3600 Lead	No 1 FIXED	IB FOLD 2						
		677 263		ALUMN MS		235	0 0	22.7 22.92	720		<input type="checkbox"/>	0								

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
				DW Rating <i>Disp/WL Ratio</i>	I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast	Traps/H. moveable blst		IB or OB Prop Type # of blades
									SL	SPL	SLU	ASA						
									SSMG SSF	SSA	SLE	ASMG						
Evenstar	Ranger 23	6404	216 1974	27.54 9.75	155	27.5 9.7	24 9.2	3.3 5.4	Yes	No		23.67 20 7.92 3.9	3400 1500 Lead	0 1 FIXED	OB None			
Serendipity	CAL 29-1 IB	6601	180 1974	37.833 12.333	155	37.833 12.67	31.666 12.166	4.332 7.573	Yes	No		29.25 24.17 9.25 4.75	8000 3350 Lead	No 1 FIXED	IB FOLD 2			
Cassiopeia	Islander 36 ODR	6763	144 1971	45 14.48	150	45	39.25 12.75	4.8 8.29	Yes	No		36.08 28.25 11.17 6	13947 5450 Lead	No 1 FIXED	IB FOLD 2	(mtg 2/18/10, - 6 sec/mi for 10% OSP)(8/2/11, boat returned to ODR Configuration)		
Achates	Newport 30-2	6847	174 1974	39.5 12.5	155	39.5	34 10.25	3.8 6.6	Yes	No		30 25 10.67 5.17	8500 3000 Lead	No 1 FIXED	IB FOLD 2			
Now and Zen	Newport 30-2	6883	174 1978	39.5 12.125	150		34 10.25	3.25 5.7	Yes	No		30 25 10.5 4.75	8000 2600 Lead	No 1 FIXED	IB Fold 2			
Lil Angel	Newport 30-2	6884	174 1979	39.5 12.1	150	39.5	34 10.25	4.26 7.07	Yes	No		30 25 10.5 4.75	8500 2500 Lead	0 1 FIXED	IB FOLD 2			
Harry	Newport 30-2	6889	174 1974	39.5 12.125	150	39.5	34 10.25	4.2 7	Yes	No		30 25 10.5 4.75	8500 2500 Lead	No 1 FIXED	IB FOLD 2			

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		Ttl Disp. Ballast		Traps/H. moveable blst	IB or OB Prop Type # of blades		
								SL	SPL	SLU	ASA						
								SSMG SSF	SSA	SLE ASMG	Sprit Lngth Fixed or _o					Ballast Mat.	
Disp/WL Ratio																	
Blue Passion	tartan 3400	7134	114 2006	46 13.67 95 49.67 13.67			43 4.58 14.5 8.2		No	No		34.42 30.42 11.92 6.5	10800 3500 Lead	0 1 FIXED	IB Fold		
Neja	Dasher 32	7325	174 1961	38.01 12.59 155 38.01			33.22 5.12 14.6 8.86		Yes	No		31.75 26.75 8.9 5.75	11323 3600 Lead	0 1 FIXED	IB Fold	500 pounds less lead in keel than the Dasher Easom Boat Works built	
Redhead	Cal 40	7817	114 1964	46 15.17 155 46.36			40 6.5 17.5 11.3		Yes	No		39.5 30 10.92 5.75	16500 6000 Lead	No 1 FIXED	IB Feath 2		
Lady Jane	Jeanneau 39i Sun Odyssey	7913	93 2008	48.1 13.1 122 48.1			46.3 5.42 14.6 9.28		No	Yes	27.46 1012	38.1 35.2 12.9 6.7	16163 5026 Cast Iron	0 1 FIXED	IB Feath 3		
Low-Down	Santa Cruz 27	8027	141 1979	32.7 10.9 140			28.25 3.68 8.58 6.06		Yes	No		27 24 8 4.5	3300 1500 Lead	0 1 FIXED	OB None		
QE 3	Tartan 10	8049	129 1978	35 12 125 35 0			40.25 5.34 13.75 8.96		Yes	No		33.16 27 9.25 5.83	6700 3340 Lead	0 1 FIXED	IB FOLD 2		
TAZ!!	Express 27 ODR	8100	132 1981	28.5 9 125 28.5			28.5 4.23 10.42 7.04		Yes	No		27.3 23.8 8.17 4.5	2450 1100 Lead	0 1 FIXED	NONE None		

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications								
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU ASA Sprit Lngth Fixed or _o	SL SPL SSMG SSF	SSA		SLU ASA Sprit Lngth Fixed or _o	ASF			Ttl Disp. Ballast Mat.	Traps/H. moveable blst Keel Type						
								DW Rating	Disp/WL Ratio											ISP JSP	MGU MGM MSA	Yes/No	SL SPL SSMG SSF	SSA	SLU ASA Sprit Lngth Fixed or _o
Abba-Zaba	Tartan 10	8112	129 1979	35 12 125	35	40.25 13.75 5.34 8.86	5.34 8.86	Yes	35 12	No	0	33.16 27 9.25 5.83	6700 3340 Lead	0 1 FIXED	IB FOLD 2	(+3 sec/mi credit for 125% or smaller headsail)									
Basic Instinct	Custom Elliott 10.50	8123	72 1993	41 12.5 125	45.6 13.9	44.2 17.5 8.5 12	8.5 12	No	48 30 1198	Yes	29.4 1192 0	34.42 31.83 12.08 7	10220 3000 Lead	No 1 FIXED	IB FOLD 2	(mtg 3/19/09, changed to smaller headsail, +3 sec/mi, & larger mainsail, -6 sec/mi, change rating from 66 to 63)(Mtg 10/21/09, new smaller headsail, still with large headboard. Change mainsail penalty from 6 sec/mi to 2 sec/mi)									
Ad Lib	Aphrodite 101	8161	144 1979	36.83 11.81 100	32.23	39.33 11.48 6.1	4.5 6.1	Yes	35.6 11.9	No	0	32.75 26.33 7.92 5.42	6160 3527 Lead	No 1 FIXED	IB FOLD 2										
Don Wan	Santana 28	8191	186 1978	36 12 155	36	31 9.416 6.1	3.6 6.1	Yes	36 12	No	0	28.25 23 9.17 5	7500 2550 Lead	No 1 FIXED	IB Fold 2										
Nicole	Orion 35	8210	150 1979	44 14 150	44	39.5 10.5 7.319	4.42 7.319	Yes	43.667 14.125	No	0	34.58 28.75 10.83 6	13000 4700 Lead	0 1 FIXED	IB FOLD 2	Displacement Obtained by actual weight on scale, Rudder is new design and new build.									
Ouessant	Farallone Clipper FR	8214	159 1957	35.69 13.87 150	35.69	40.34 18.79 12.1	7 12.1	Yes	35.38 13.833	No	0	37.833 28.25 9.5 5.916	18344 7200 Iron	No 1 FIXED	IB Fixed_2 2										
Tortuga	Pyramid 660 ODR MOD	8375	174 1981	21.82 6.8 104	28 7	25.7 10.5 6.8	4 6.8	Yes	25.9 8	No	0 0	21.8 18.1 6.2 3.9	850 400 Lead	2 1 FIXED	OB None 2	(Mtg 5/20/10, removed trapeze +18 sec/mi, hiking straps still allowed)(1/24/13, added upper spreaders & stays, NCTR)									

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications									
			Built	J	Max Headsail	ISP	P	MGU	Yes/No		SL	SPL	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB									
									DW Rating	Mast Material											E	MGM	SLU	ASA	LWL	Ballast	moveable blst	Prop Type
Disp/WL Ratio	Rig Type	EY	SSMG	SSA	ASM	Fixed or _o	Max Draft																					
Mr McGregor	Wylie Wabbit ODR W/Trap	8426	126	1982	20.5	150	20.5	23.75	4.03	Yes	No		23.75	975	1		OB	INCLUDES HIKING STRAPS AND SINGLE TRAPEZE.										
					6.5			10	6.72				20	440	3		None											
			602		ALUMN			0	145			0	5.58	Lead	FIXED		0											
			55		FS			0					3.5															
Swamp Donkey	Express 27 ODR	8444	129	1981	28.5	155	28.5	28.5	4.22	Yes	No		27.25	2450	No		OB											
					9			10.416	7.03				23.75	1100	1		None											
			611		ALUMN			0	182			0	8.166	Lead	FIXED		0											
			83		FS			0					4.5															
Double Agent	Merit 25	8465	168	1981	28.75	155	28.75	28	4.25	Yes	No		24.5	3000	No		OB											
					9.66			9.75	6.69				20.5	1050	1		None											
			693		ALUMN			0	172			0	8	Lead	FIXED		0											
			158		FS			0					4															
Green Buffalo	CAL 40	8538	114	1967	46.7	155	46.7	39.8	6.65	Yes	No		39.3	15148	0		IB	Schumacher designed rudder - same as original										
					15.2			17.6	11.37				30	6000	1		FEATH											
			622		ALUMN			0	416			0	10.9	Lead	FIXED		3											
			255		MS			0					5.8															
Starbuck	Custom Black Soo 30	8666	144	1968	30	125	29.5	25	4.9	Yes	No	20.4	31	4500	0		OB	(Mtg 1/17/02, added scoop, custom rating changed from 144 to 141)(mtg 1/11/13, Added A-sail, -9 sec/mi, rating changed from 141 to 132)(Mtg 5/13/14, removed A-Sail, +9 sec/mi, change custom rating from 132 to 141, +2 sec/mi for small headsail)										
					13		13	11.73	7.5				27.5	1800	1		None											
			600		ALUMN			0	178			0	6.8	Iron	FIXED		0											
			98		MS			0					6.4															
OAXACA	Santa Cruz 50	8927	-12	1982	61.48	155	61.22	54.75	6.08	Yes	No	36.5	50.23	17374	0		IB	(Mtg 5/26/16, -6 sec/mi for oversized ASA)										
					18.88		20.65	16.98	10.67				46.67	8000	1		Fold											
			480		ALUMN				540			0	12	Lead	FIXED													
			78		FS			36.6				0	7.91															
Merlin	Custom Lee 68	8955	-87	1977	71.96	146	74.35	66.87	11	No	Yes	48.05	68.6	24363	0		IB	(Mtg 4/27/17, custom rating assigned: -81)(Mtg 5/25/17, -3 sec/mi for larger headsail, -3 sec/mi for increased J. New custom rating: -87 as sailed)										
					22.5		30.4	27.5	18				64	10484	1		FOLD											
			392		CARBON			0	1109			0	12.17	Lead	FIXED		2											
			42		MS			0				90	10.65															

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
			Built	DW Rating	I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps	IB or OB Prop Type # of blades		
									SL	SPL	SLU	ASA				Ballast			moveable blst
SSF	SSA	SLE	ASM	Fixed or _o	Ballast Mat.	Keel Type													
Mirthmaker	A 35	18250	69	2007	44.22 13.45	90	51.06	44.94 14.66	5.42 8.88	Yes	Yes	24.2 996	34.7 30.47 11.6 6.88	9810 4367 Lead	0 1 FIXED	IB Fold 2	(Mtg 5/20/10, custom rating of 60 assigned, would like a copy of ORR Certificate)(mtg 6/15/10, change custom rating from 60 to 63 based on further clarification of boats configuration)(Mtg 10/27/16, change custom rating from 63 to 60 after		
Phat Jack	Express 37	18257	72	1985	48.75 14.33	150	48.75	42 13.75	5.25 8.83	Yes	No	0 0	37.08 30.83 11.57 7.25	11000 4500 Lead	0 1 FIXED	IB FEATH 2			
Drop Beer	Beneteau Class 10	18277	90	1984	37.8 12.6	150	38.6	39.7 13.9	4 8.7	Yes	No	0 0	34.2 29.6 9.9 6.8	7000 2200 Iron	0 1 FIXED	IB FOLD 0	NEW RUDDER 3/4/95, NCTR (MTG 3/36/95)		
Stewball	Express 37	18278	72	1985	48.75 14.33	150	48.75	42 13.75	5.28 8.83	Yes	No	0 0	37.083 30.833 11.57 7.25	11000 4500 Lead	0 1 FIXED	IB FOLD 2			
Verve	Express 27 ODR	18283	129	1981	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	No	0 0	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0			
Sirena	Ericson 32-2	18319	186	1972	35 13	110	35	31 13	4.9 8.4	Yes	No	0 0	31 24 9.8 5	8800 4000 Lead	0 1 FIXED	IB Fixed_2 2			
Albacore	Santana 22 ODR	18325	237	1976	25.67 8.58	125	25.67 8.58	21.75 9.83	3.95 6.59	Yes	No	0 0	22 18.67 7.83 3.5	2600 1230 Iron	0 1 FIXED	OB None			

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps moveable blst		
								SL	SPL	SLU	ASA						
								SSMG SSF	SSA	SLE	ASMG						
Ballast Mat.	Keel Type																
Tequila Mockingbird	Express 27 ODR	18353	126	1985	28.5 9	155	32.5	28.5 10.416	4.22 7.03	Yes	Yes	18.85 450	27.25 23.75	2450 1100	No 1	OB None 0	(Mtg 4/23/15, switched to MH configuration, -3 sec/mi for increased spinnaker area)
			603 83	ALUMN FS			0 0	182	18.25 17.5	460	26.25 17.75	0 <input type="checkbox"/>	90	8.17 4.5	Lead FIXED		
Archimedes	Express 27 ODR	18355	129	1985	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	No	0	27.25 23.75	2450 1100	No 1	NONE None 0	
			611 83	ALUMN FS			0 0	182	17.333 17.6	420	<input checked="" type="checkbox"/>	0	8.17 4.5	Lead FIXED			
Peaches	Express 27 ODR	18364	129	1986	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	No	0	27.25 23.75	2450 1100	No 1	OB None 0	
			611 83	ALUMN FS			0 0	182	17.75 17.75	429	<input type="checkbox"/>	0	8.166 4.5	Lead FIXED			
Abigail Morgan	Express 27 ODR	18394	129	1985	28.5 9	150	28.5	28.5 10.416	4.22 7.03	Yes	No	0	27.25 23.75	2450 1100	No 1	OB None 0	
			612 83	ALUMN FS			0 0	182	17.75 17.4	421	<input type="checkbox"/>	0	8.166 4.5	Lead FIXED			
Mintaka 4	Farr 38	18441	81	1979	43.67 13.67	125	46.2	44.9 17.9	6.8 11.6	Yes	No	0	38.25 31.17	11850 4100	No 1	IB FOLD 2	(2002-removed dinette stbrd, add bench seat w/55 gal fuel tank, original was 12.5. Rudder replaced 12" longer, 4" narrower. Changes noted mtg 1/17/02, NCTR)(removed short pole, changed spinnakers, 4/12/04) (Mtg 1/24/12, new stbrd)
			578 178	ALUMN FS			0 0	478	26.07 24.6	948	<input type="checkbox"/>	0	12 6.33	Lead FIXED			
X TA C	Olson 29	18457	99	1986	34 11	155	36	32.42 11.42	4.59 7.66	Yes	No	0	29.67 27.5	3900 1900	No 1	OB None 0	RUDDER REPLACED W/MORE 30 - CHANGE NOTED NCTR.
			583 85	ALUMN MS			0 0	226	20.25 20.25	574	<input type="checkbox"/>	0	9.33 5.25	Lead FIXED			
Expeditious	Express 37	18478	72	1986	48.75 14.33	155	48.75	42 13.75	5.28 8.83	Yes	No	0	37.08 30.83	11000 4500	No 1	IB FOLD 2	INSTALED NEW CLASS-APPROVED CARBONFIBER RUDDER - MTG 6-12-2000 NCTR.
			577 171	ALUMN MS			0 0	344	25.5 25.4	1019	<input type="checkbox"/>	0	11.57 7.25	Lead FIXED			

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU SLE ASMUG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast		Traps/H. moveable blst				
								SL	SPL						SLU			ASA
								SSMG SSF	SSA						SLE			Spr
Double Down	Custom Schumacher 30	18480	123 1988	41.37 12.16 150	41.5	36.416 11.83 4.5	4.5	Yes	No	29.92	7854	No	IB	Rudder change, old rudder 85lbs new 65 lbs. Old alum/new carbon MTG 10/27/94 Noted- NCTR (MTG 1/9/97 Alum headsail removed and excess wires removed from mast- Noted NCTR)(Mtg 2/21/08, change custom rating from 126 to 123 after				
			645 203	ALUMN MS		0 0	257			26 10.65 6.17	3650 Lead	1 FIXED	FOLD 2					
Punk Dolphin	Custom Wylie 38	18481	72 1985	48 14.33 150	48	43 14	5.58 9.55	Yes	No	38 31	14000 5000	No 1	IB FOLD					
			581 214	ALUMN MS		0 0	369			11.6 6.75	Lead FIXED		2					
Golden Moon	Express 37	18488	72 1985	48.75 14.33 155	48.75	42 13.75	5.37 8.99	Yes	Yes	37 30.83	11000 4500	No 1	IB FOLD					
			577 171	ALUMN MS		0 0	347			11.57 7.25	Lead FIXED		2					
Eclipse	Express 37	18495	72 1985	48.75 14.33 155	48.75	42 13.75	5.28 8.83	Yes	No	37.08 30.83	11000 4500	0 1	IB FOLD	Rudder modification noted, no change to rating. (Actural weight from yard 11200 - 9500 was design displacement. No mods from standard express 27.) 3/26/01				
			577 171	MS		0 0	344			11.57 7.25	Lead FIXED		2					
Grey Wulff	Olson 25	18517	159 1984	32 9.6 155	32	28 10	3.8 6.4	Yes	No	25 21.25	3300 1300	0 1	OB None					
			671 156	ALUMN MS			166			9 4.5	Lead FIXED							
Topgallant	Tartan 10	18608	129 1978	35 11.75 125	35	40.25 13.75	5.34 8.96	Yes	No	33.16 27	6700 3340	No 1	IB FOLD	(4/25/02 Installed Running Backstay)				
			623 155	ALUMN FS		0 0	332			9.25 5.83	Lead FIXED		2					
Flyer	Peterson 33 (CHITA)	18620	144 1979	42.5 13.9 155	42.5	36.66 9.91	3.66 6.21	Yes	No	32.67 26.58	9480 4960	0 1	IB FOLD					
			644 229	ALUMN MS			213			10.5 6.08	Lead FIXED		2					

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications											
			Built	J	Max Headsail	ISP	P	MGU	E	MGM	Yes/No		SLU	ASF	LOA	Ttl Disp.	Traps/H.	Strps		IB or OB										
											DW Rating	Mast Material									PY	MSA	SL	SPL	SLE	Sprit Lngth	Max Beam	Ballast	moveable blst	Prop Type
Breakout	Santana 35	18679	114	1982	39	155	39	42	5.51	Yes	No	35	8500	No		IB														
			630		12.85			14.25	9.26			26.5	3300	1		FOLD														
			208		ALUMN				358		<input type="checkbox"/>	11.92	Lead	FIXED	2															
					FS							6.25																		
Quila	Santa Cruz 27	18723	141	1976	32.583	155	32.583	28.25	3.68	Yes	No	27	3000	No		OB														
			620		10.75			8.583	6.1			24	1500	1		None														
			99		ALUMN			0	154		<input type="checkbox"/>	8	Lead	FIXED	0															
					MS			0	0			4.5																		
Crazy Rhythm	Santa Cruz 27	18771	144	1978	32.58	125	32.58	28.166	3.68	Yes	No	27	3200	No		OB	(Outboard Removed)													
			621		10.75			8.583	6.06			24	1600	1		None														
			105		ALUMN			0	153		<input type="checkbox"/>	8	Lead	FIXED	0															
					MS			0	0			4.5																		
Finn	Capo 26 IB	18782	162	1985	34.6	155		30	4.1	Yes	No	26	4300	0		IB														
			673		10.56			10	6.8			22	1900	1		Fold														
			184		ALUMN				185		<input type="checkbox"/>	9.25	Lead	FIXED																
					MS							4.58																		
Joie De Vivre	C&C 33	18797	159		43	110	43	37.25	4.4	No	Yes	32.9	10100	0		IB														
			659		14			10.75	6.33		43.25	26.42	3975	1		FOLD														
			249		ALUMN			0	235		38.33	10.54	Lead	FIXED																
					MS			0	0		21.33	5.5																		
											<input checked="" type="checkbox"/>																			
Summertime Dream	Custom Schumacher 26	18859	186	1979	26.28	150	26.28	29.58	4.33	Yes	No	26.08	3300	0		OB	Boat has previously been called "War"													
			705		8.07		8.07	10.76	7.23			20	1360	1		None														
			187		ALUMN			0	195		<input type="checkbox"/>	9.08	Lead	FIXED	0															
					FS			0	0			5.08																		
Cadenza	Moore 24	18878	150	1977	26.25	150	26.25	25	4.01	Yes	No	23.75	2050	No		OB														
			636		9.75			9.5	6.54			21.75	1025	1		None														
			91		FS			0	148		<input type="checkbox"/>	7.17	Lead	FIXED	0															
								0	0			4.083																		

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
			Built	DW Rating	I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp. Traps/H. Strps		IB or OB Prop Type # of blades			
									SL	SPL	SLU	ASA		Ballast	moveable blst				
																	SSMG	SSA	
Disp/WL Ratio																			
Moore Fun	Moore 24	18884	153	1979	26.25 9.75	125	26.25	25 9.5 0 0	3.91 6.5 147	Yes	27 9.75	No	36.4 0	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0		
Horizon	Santa Cruz 50	18926	-15	1982	61.7 18.43	145	61.7 20.3	55.2 19	7.15 12.05 618	No	66 59.6 35.8	Yes	36.4 1880 0 90	50.23 46.906 12.02 7.988	18844 8000 Lead	0 1 FIXED	IB FOLD 2	(Mtg 6/16/08, -6 sec/mi for oversized spinnaker, -3 sec/mi for oversized main)	
Mojo	J 35	18935	72	1983	46.4 14.7	150	46.3 14.7	41.75 14.98	5.21 8.77 353	Yes	46 14.7	No	0	35.42 30 11.8 6.9	10500 4400 Lead	No 1 FIXED	IB Feath 2		
Joyicity	Custom Davidson 26	20746	156	1975	27 9.1	150	31.15 10	28.75 11.5 0 0	5.1 8.1 210	Yes	31.12 10 18 18	No	0	26.42 22.5 8.25 5.25	3000 1450 Lead	No 1 FIXED	IB FOLD 2	Removed IOR Bump infilled w/Divinacell w/fiberglass skin/faired; Installed Melges rig w/mod for Spinnaker; shortened boom; increased "P" increased "J", Code zero type furler used above deck; Helard on luff side of sail; 10 # spin	
Peregrine	J 120 Carbon	25487	45	2001	50.5 14.5	150	52	46.5 17.8	6.76 11.57 493	No		Yes	35.1 1776 7 0	40 35 12 7	13900 6000 Lead	0 1 FIXED	IB Fold 2		
Liquid Asset	Ranger 33	27707	150	1970	41.5 13.7	150	41.5 13.67	35 13.75 0 0	4.93 8.67 280	Yes	41.5 13.7 24.6 24.6	No	0 0	33.17 26.25 9.58 5.17	10500 4500 Lead	0 1 FIXED	IB Fold		
Take Five	Express 27 ODR	28031	129	1982	28.5 9	155	28.5	28.5 10.416	4.22 7.03 182	Yes	29 9.833	No	0 0	27.25 23.75 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0		

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:		ISP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull	Displacement/Keel		Engine/Prop	Modifications	
			Max Headsail		I	J	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB			
			DW Rating		Mast Material	ISP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type			
			Disp/WL Ratio		Rig Type	JSP	PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades			
El Raton	Express 27 ODR	28050	129	1985	28.5	155	28.5	28.5	4.22	Yes	No			27.25	2450	No	OB		
					9		10.416	7.03		29	9.833			23.75	1100	1	None		
			611		ALUMN		0	182		17.75	429		0	8.17	Lead	FIXED	0		
			83		FS		0	0		17.75			<input type="checkbox"/>	4.5					
Mudshark	Express 37	28052	72	1986	48.75	155	48.75	42	5.28	Yes	No			37.08	11000	No	IB		
					14.33		13.75	8.83		48	14.33			30.83	4500	1	FOLD		
			577		MS		0	344					0	11.57	Lead	FIXED	2		
			171				0	0					<input type="checkbox"/>	7.25					
Moonlight	Express 27 ODR	28059	129	1986	28.5	155	28.5	28.5	4.22	Yes	No			27.25	2450	No	OB		
					9		10.416	7.03		29	9.833			23.75	1100	1	None		
			610		ALUMN		0	182		16.5	404		0	8.17	Lead	FIXED	0		
			83		FS		0	0		17.6			<input type="checkbox"/>	4.5					
Surprise	Custom Schumacher 46	28098	6	1997	57	160	63	57	7.5	Yes	Yes	37.23		46	18300	No	IB	(MTG 4/9/98)(mtg 2/20/04)	
					17		19.75	12.8		62.4	18.7	65.06	1681	40.63	8000	1	FOLD		
			510		CARBON		0	670		33.6	1747	60.17	0	12.92	Lead	FIXED	2		
			124		FS		0	0		33.6		30.97	<input type="checkbox"/>	7.75					
Redux	Olson 911S	28106	126	1987	41.5	155	41.5	35.5	4.5	Yes	No			29.9	7200	No	IB		
					12.33		11.83	7.7		41	12.166			25	3200	1	FOLD		
			648		ALUMN		0	251		21.9	748		0	10.33	Lead	FIXED	2		
			209		MS		0	0		21.9			<input type="checkbox"/>	5.416					
Bandido	Merit 25	28125	168	1983	28.75	150	28.75	28	4.25	Yes	No			24.5	3000	No	OB		
					9.66		9.75	6.69		29	9.66			20.5	1050	1	None		
			693		ALUMN		0	172		17.39	420		0	8	Lead	FIXED	3		
			158		FS		0	0		17.39			<input type="checkbox"/>	4					
Motorcycle Irene	Express 27 ODR	28137	129	1982	28.5	155	28.5	28.5	4.22	Yes	No			27.25	2450	No	OB		
					9		10.416	7.03		29	9.833			23.75	1100	1	None		
			611		ALUMN		0	182		17.7	428		0	8.17	Lead	FIXED	0		
			83		FS		0	0		17.7			<input type="checkbox"/>	4.5					

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
			ISP		I	J	ISP	P	MGU	Yes/No	Yes/No	ASF		Ttl Disp.	Traps/H. Strps	IB or OB	
			JSP		Max Headsail	Mast Material	E	MGM	SL	SPL	SLU	ASA		Ballast	moveable blst	Prop Type	
					Disp/WL Ratio	Rig Type	PY	MSA	SSMG	SSA	SLE	Sprit Lngth		Ballast Mat.	Keel Type	# of blades	
								SSF	ASMG	Fixed or _o							
Moxie	CAL 28-2	28217	183	1988	39.9 11.4	90	39.9 11.4	34.17 10.33	4.28 7.11	Yes		No	28 23 10.8 5.3	7200	0 1 FIXED	IB FOLD 2	
			691 269		ALUMN MS				219			<input type="checkbox"/>	0 0				
Pony Express	Express 34	28234	99	1988	44.25 12.92	155	44.25	38.5 12.83	4.87 8.46	Yes		No	34 28.33 10.5 6	7500 3700 Lead	No 1 FIXED	IB FOLD 2	
			613 150		ALUMN MS			0 0	296			<input type="checkbox"/>	0				
Red Sky	Ericson 34 Olson SM	28340	105	1989	44 12.95	150	44 12.95	38.7 12.95	5.1 8.5	Yes		Yes	21.98 587	10855 3500 Lead	No 1 FIXED	IB FOLD 2	MTG 12/11/97(RUDDER REPLACED 8" DEEPER ADN 3" NARROWER.)
			627 225		ALUMN MS			0 0	302			<input type="checkbox"/>	0				
Hera	Beneteau Farr First 36.7	28372	81	2002	46.4 13.1	150	46.4 13.1	45.4 15.6	5.92 12.49	Yes		No	36 30.3 11.6 7.2	12495 3748 Lead	No 1 FIXED	IB FOLD 2	
			602 204		ALUMN FS			0 0	458			<input type="checkbox"/>	0				
Mistral	Beneteau Farr First 36.7	28394	81	2002	46.4 13.1	155	46.4 13.1	45.4 15.6	5.92 12.49	Yes		No	35 30.3 11.6 7.2	12495 4034 Iron	No 1 FIXED	IB FOLD 2	
			602 204		ALUMN FS			0 0	458			<input type="checkbox"/>	0				
Akialoa	J 35	28435	75	1989	46.33 14.58	120	46.3	41.42 14	5.43 9.11	No		No	35.42 30 11.67 6.75	10500 4400 Lead	No 1 FIXED	IB FOLD 2	
			177		ALUMN MS			0 0	347			<input type="checkbox"/>	0				
Gavilan	Custom Wylie 39	28439	93	1996	49 14.5	122	49	43 15.5	5.73 9.75	Yes		Yes	24.6 783	17900 5920 Lead	No 1 FIXED	IB FEATH 3	(mtg 4/28/11, change custom rating from 84 to 96 after review of rating appeal)(Mtg 1/26/12, -3 sec/mi for sprit)
			604 254		ALUMN MS			0 0	390			<input checked="" type="checkbox"/>	1.17				

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications										
			Built	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB											
										DW Rating	Mast Material									PY	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type
Twist	J 120 ALUM	28442	48	2000	50.5	150	52	46.5	6.75	No	Yes	34.1	40	13900	No	IB													
					14.5		21.5	17.8	11.5		64	1764	35	6000	1	FOLD													
			541		ALUMN		0	492			50.6	7	12	Lead	FIXED	2													
			147		FS		0				37.65	<input checked="" type="checkbox"/>	0																
New Sinsation	Santana 20	28449	222	1978	24.5	150	24.5	24.5	3.16	Yes	No		20.2	1350	0	OB													
					8.16			7	4.92			8.16	16	550	1	None													
			719		ALUMN				110			0	8	Lead	FIXED														
			150		FS							<input type="checkbox"/>	0																
For Pete's Sake	Ultimate 24 ODR	28469	111	2003	28.04	102	30.8	31	5.5	No	Yes	22.2	24.38	2040	No	OB													
					7.82		14.5	11.5	8.8		36	587	21.17	750	1	None													
			582		CARBON			0	238		30.6	6.7	8.48	lead	FIXED														
			98		FS			0			20.9	<input checked="" type="checkbox"/>	0																
Chance	J 120 ALUM	28484	51	2001	50.5	100	52	46.3	6.7	No	Yes	34.1	40	13900	No	IB													
					14.5		21.5	17.8	11.5		64.1	1765	35	6000	1	FOLD													
			541		ALUMN			0	489		50.6	7	12	Lead	FIXED	2													
			147		FS			0			37.65	<input type="checkbox"/>																	
Saetta	J 120 ALUM	28486	48	1999	50.5	153	52	46.5	6.75	No	Yes	37.6	40	13900	No	IB													
					14.5		21.5	17.8	11.5		65.61	1793	35	6000	1	FOLD													
			540		ALUMN			0	492		51.8	7	12	Lead	FIXED	2													
			147		FS			0			36.42	<input checked="" type="checkbox"/>	0																
Jarlen	J 35	28528	72	1990	46.333	150	46.3	41.416	5.43	Yes	No		35.42	10500	No	IB													
					14.583			14	9.11			14.583	30	4400	1	FOLD													
			585		ALUMN			0	347		26	997	11.67	Lead	FIXED	2													
			177		MS			0			26		6.75																
Bandicoot	Wyliecat 30 IB	28530	132	2000	0		29	39.75	7.87	No	No	18.8	30.5	5500	0	IB													
					0		10	20.5	13.46		29	10	25	3050	1	FEATH													
			653		CARBON			0	488		17.75	429	9.5	Lead	FIXED	2													
			160		CATBOAT			0			17.75		5.25				(mtg 5/20/10, -21 sec/mi for added spinnakers)(9/5/12, removed spinnaker, back to standard configuration)												

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications					
			Built	J	Max Headsail	ISP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp. Traps/H. Strps		IB or OB								
									JSP	E				MGM	SL		SPL	SLU		ASA	LWL	Ballast	moveable blst	# of blades
Disp/WL Ratio	Mast Material	Rig Type	EY	SSFF	ASMG	Fixed or _o	Max Draft																	
Catalyst	Wyliecat 30 IB	28571	132	2004				40	7.87	No	No			30.42	5800	No	IB	Must have a YC card before registering for 2005 and clear YC for 2004						
			652		CARBON		20.67	13.46					25	3000	1	Feath								
			169		CAT		0	493			<input type="checkbox"/>	0	9.42	Lead	FIXED	2								
							0						5.25											
Friday Harbor	Beneteau 323 DK	28580	147	2004	42.67	116		38.9	5	No	Yes	19.91		32	8448	No	IB							
			633		11.06		13.17	8.56			45.4	661		29.17	2258	1	FOLD							
			155		ALUMN						41.34	0		10.67	Iron	FIXED	2							
					MS			306			17.9	<input checked="" type="checkbox"/>	0	5.92										
Sail La Vie	Beneteau 411	28597	105	1999	46.67	140		41.5	4.872	No	No			41.67	17196	No	IB							
					16.25		14.83	8.77						36.09	5500	1	FEATH							
					ALUMN							0	344	13	Steel	FIXED	3							
			166		MS			0			<input type="checkbox"/>		0	5.58										
Uno	Wyliecat 30 IB	28632	129	1995	35.8			39.66	9.31	No	Yes	19.68		30.5	5800	0	IB	(mtg 2/21/08, penalty for oversized main -3 sec/mi)(Mtg 5/22/08, -24 for asymmetric spinnaker flown on 12' pole)(1/24/16, not using spinnaker +24 sec/mi)						
			607		5.5		19.75	13.05		12	37.02	550		25	3000	1	FOLD							
			169		CARBON						32.8	0		9.5	Lead	FIXED	2							
					CAT			493			18.7	<input type="checkbox"/>	90	5.25										
Mirth	Catalina 34 1&2	28634	150	2005	44	125		38.5	4.17	No	Yes	22.02		35.67	11950	No	IB							
					13.5		12	7.33			42.23	693		29.83	5000	1	FEATH							
			646		ALUMN						38.63	0		11.75	Lead	FIXED	3							
			205		MS			265			20.21	<input checked="" type="checkbox"/>	0	5.58										
Quiver	Custom Nelson Marek 36	28669	45	1999	43.85	105	51.9	45.75	6.56	Yes	Yes	26.24		35.6	7725	No	IB	(mtg 6/15/10, added lead shoe to keel, -3 sec/mi, change custom rating from 48 to 45)(Mtg 2/29/12, added sprit equal to SPL, NCTR)						
					12.5		14.57	16.47	10.66		50.39	14.57		29.32	3255	1	FOLD							
			542		CARBON						26.21	1101		10.3	Lead	FIXED	2							
			139		FS			453			26.21			7.6										
White Cloud	Yamaha 33 IK SM	28688	162	1979	42.8	150	42.8	37.42	4.38	Yes	No			33.25	10582	0	IB							
					13.78			10.67	7.27					26.92	4409	1	Fixed_2							
			648		ALUMN						44	13.78		11	Iron	FIXED								
			247		MS				247		24		880	6.2										

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
			Built	DW Rating	J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Ballast Mat.	Strps moveable blst Keel Type		IB or OB Prop Type # of blades
										SL	SPL								
										SSMG SSF	SSA								
French Kiss	Beneteau 350 Oceanis	28713	144	1989	41.47 12.8	140	41.47	35.7 11.6	4.2 7.3	Yes	No	33.83 29.83 11.17 5.17	10580 3525 Lead	0 1 FIXED	IB FOLD 2	Above deck Roller Furler			
			633 181		ALUMN MS		0 0	242		22.5 22.5	741	0 <input type="checkbox"/>							
Blade Runner	Santa Cruz 27	28727	141	1979	32.7 10.9	150	32.7 10.9	28.2 8.7	3.27 5.64	Yes	Yes	27 24.08 8 4.5	3000 1600 Lead	0 1 FIXED	OB None				
			631 98		ALUMN MS			146		32.74 19.6 19.6	10.9 535	34.05 31.27 19.58	19.58 <input type="checkbox"/>	533 0 90					
Lucky Duck	Custom Santa Cruz 52	28729	-30	2001	64.14 18.95	155	64.6 22.5	57.5 21	8.76 14.22	Yes	Yes	53 46.25 14 9	22544 8000 Lead	0 1 FIXED	IB Fold 2	(Mtg 8/23/12, Custom Rating Assigned, -21 as sailed)(Mtg 5/23/13, weighed displacement added)(Mtg 3/27/14, New Rudder, -3 sec/mi for OSP, -6 sec/mi for 10%+ increase in spinnaker area. No penalty for keel/displacement			
			471 104		CARBON MS			745		67.29 40.55 38.74	22.5 2254	67.72 61.68 40.55	40.91 2190 2 90						
Relentless	Sydney 32	28732	81	2002	40.6 12.2	110	40.6 13.1	39.7 14.75	5.6 9.59	Yes	No	31.9 28.4 10.6 6.9	6850 2860 Lead	No 1 FIXED	IB FOLD 2	-3 Sec/mi for OSP			
			589 136		ALUMN FS			349		40.29 23.4 23.4	13.1 786		0 <input type="checkbox"/>						
Galaxsea	Custom Nauticat 43.5	28743	180	1985	51 20	104	20.6	45 13.6	4.3 7.9	Yes	Yes	43.6 37.7 12.2 5.9	34000 11000 Lead	No 1 FIXED	IB FEATH 3	Stay sail measurements foot=1', Luff=34'6", Leach=30'2", LP=132"			
			629 288		ALUMN KTCH			338		50.98 33.43 35.6	20 1439	52 50 25.6	29.2 1119 4.9						
Kelika	Hunter 33.5	28815	150	1991	39.166 11.666	150	39.116	43.166 13.5	5.2 8.9	Yes	No	33.33 26.83 11 4.5	10800 4500 Iron	No 1 FIXED	IB FEATH 2				
			657 254		ALUMN FS			350		39 21.15 21.15	11.75 687		0 <input type="checkbox"/>						
Phantom	J 44	28844	21	1990	60.606 17.08	120	60.416	53.53 19.41	7.3 12.5	Yes	Yes	44.75 38.58 13.67 8.14	23838 9000 Lead	No 1 FIXED	IB Feath 3				
			550 189		ALUMN MS			615		59.65 30.7 30.7	17.08 1526	63.8 55.9 27.8	27 1379 0						

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
				J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp. Traps/H. Strps		IB or OB Prop Type # of blades		
									SL	SPL	SLU	ASA		Ballast	moveable blst			
																	SSMG	
Disp/WL Ratio	Mast Material Rig Type																	
Ganesha	Sabre 36-2	28862	111	1996	48.5 13.46	155	52 21.55	41.6 5.66 14.83 9.63	No	No	36.17 30.42 12 6.5	13800 5520 Lead	No 1 FIXED	IB FOLD 2	Adjustable back stays			
Alchera	J 120 Mod	28870	51	2001	50.5 14.5	125	52 21.55	46.5 6 17.57 10.57	No	Yes	40 35 12 7	13900 6000 Lead	No 1 FIXED	IB FOLD 2	Modifications for offshore singlehanded: Smaller spinnaker and main, 2 extra winches at helm, 3 additional gel batteries, dodger boss widened and all control lines led to cockpit, radar pole, veltran MHN jib. (MTG 2/21/09 - 12 sec/mi for small)			
Princess	Sabre 40-2	28876	75	1996	53.5 15.5	110	53.5 20.5	47.8 6.27 17 10.7	No	Yes	40.17 35.25 13.25 6.25	19500 7000 Lead	No 1 FIXED	IB FOLD 2	base rtg changed frm 69 to 72 MTG 4/8/03.			
Crazy Eights	Moore 24	28888	150	1978	26 9.8	150	26.3 9.75	25 3.91 9.5 6.5	Yes	No	23.75 21.75 7.16 4.083	2050 1000 Lead	0 1 FIXED	OB None 0				
Nancy	Wyliecat 30 OB	28890	126	1995				39.66 8.71 19.75 13.46	No	No	30.5 25 9.5 5.25	5500 3050 Lead	No 1 FIXED	OB None 0	(-3 sec/mi for square top main)			
Q	Custom Schumacher 40	28901	54	2001	47 14.67	105	47	47.5 6.75 18.35 11.75	Yes	No	40 31.5 11 7.6	10166 4528 Lead	No 1 FIXED	IB FOLD 2				
Godot	J 105 ODR w/ 5'BS	28905	78	1992	40.6 13.5	95	42.1 19.07	41.5 5.5 14.6 9.4	No	Yes	34.5 29.5 11 6.5	7750 3400 Lead	No 1 FIXED	IB FOLD 2				

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications		
			ISP		I	J	Max	Headsail	ISP	P	MGU	Yes/No	Yes/No		ASF	Ttl Disp.	Traps/H.		Strps	IB or OB
			JSP		Mast	Material	Material	Material	E	MGM	SL	SPL	SLU		ASA	Ballast	moveable blst		Prop Type	
			Disp/WL Ratio		Rig Type	PY	MSA	SSMG	SSA	SLE	Sprit	Lngrh	Max Beam		Ballast Mat.	Keel Type	# of blades			
Tule Lost	Ericson 911S Olson	28911	132	1988	41.5	155	41.5	35.5	4.73	Yes	No		29.92	8680	No	IB	MUST HAVE YACHT CLUB MEMBERSHIP CARD WITH ENTRY FORM FOR 2006 RACING			
				12.33			11.083	7.69				25	3200	1	FOLD					
			663	ALUMN			0	247	21.9		0	10.33	Lead	FIXED	0					
			253	MS			0		21.9		<input type="checkbox"/>	5.42								
Abracadabra	Antrim 27 CM ODR	28927	75	1996	28.69	116	37.25	33.75	7.5	No	Yes	25.1	27.83	2900	No	OB	BOWSPRINT IS ARTICULATING			
				8.17		15	14	10.9				23.75	1050	1	None					
			555	CARBON			0	327	38		6.83	9.25	Lead	FIXED	0					
			98	FS			0		20.1	<input type="checkbox"/>	13	6								
Oxymoron	Moore 24	28993	150	1981	26.25	150	26.2	25	3.91	Yes	No		23.75	2050	0	OB				
				9.75			9.5	6.5				21.75	1025	1	None					
			639	ALUMN			0	147	17.55		0	7.16	Lead	FIXED	0					
			91	FS			0		17.55		<input type="checkbox"/>	4.25								
Kira	Cal 33-2	28999	132	1986	46	125	46	40.5	4.82	No	Yes	21.86	33	10800	No	IB	(Mtg 1/26/12, -3 sec/mi for increased "e" & MSA)			
				13.25		13.25	12.75	8.23				27.5	4475	1	FOLD					
			655	ALUMN			0	307	39.5		0	11.33	Lead	FIXED	2					
			236	MS			0		19.68	<input type="checkbox"/>		6.12								
Sweet Okole	Custom Farr 36	29000	78	1976	42.049	155	42.049	44.54	5.9	Yes	No		36	9696	No	IB	(78 MTG 1/28/93) (81 MTG 3/18/93)(Mtg 5/22/08, +3 sec/mi for switching to smaller headsail, +3 sec/mi for removing 250# shoe from keel, change custom rating from 81 to 87)(6/7/10, change headsail to 155% - 2 sec/mi change rating			
				12.35			16	10				31.33	3750	1	FOLD					
			585	ALUMN			0	416	22.23		0	11.88	Lead	FIXED	2					
			143	FS			0		22.23		<input type="checkbox"/>	7								
Bessie's Girl	Bristol 45.5	30088	114	1980	57	130	57	47.25	4.66	Yes	Yes	33	45.5	40000	No	IB	(mtg 2/18/10, -3 sec/mi for dual spinnakers/ability to use asym on squared back pole)			
				18.83		18.83	15.2	8.56				37.25	15000	1	FEATH					
			594	ALUMN			30.25	390	33		1353	13.2	Lead	CNTRBRD	3					
			352	KTCH			8.25		33		0	11								
Ahi	Santana 35	30980	114	1981	39	155	39	42	5.51	Yes	No		35	8500	0	IB	(Mtg 6/27/13, new rudder noted, NCTR)			
				12.85			14.25	9.26				26.5	3300	1	Fold					
			628	ALUMN				358	23.13		0	11.92	Lead	FIXED	2					
			208	FS					23.13		<input type="checkbox"/>	6.25								

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications	
			ISP		I	J	Max Headsail	ISP	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB		
			JSP		J	J		E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type			
					Mast Material			PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades			
			Disp/WL Ratio		Rig Type	EY		ASM	Fixed or _o	Max Draft										
Six Brothers	Columbia C 30-2	32006	57	2013	36.67	103	42	38	7.77	No	Yes	31.5	32	4500	0	IB				
					12.67		17.67	14.67	10.64		50	1145	27	1900	1			None		
			529		ALUMN						42.05	0	10.13	Lead	FIXED					
			104		FS				29.43		<input checked="" type="checkbox"/>	0	7.42							
Stink Eye	Laser 28 ODR MOD	33562	126		31.73	110	33.2	33.14	5.2	Yes	Yes	19	28.42	4050	No	OB	(Mtg 3/27/14, -3 sec/mi for oversized mainsail girths, -3 sec/mi for OB motor)			
					9.65			12.3	8.3		32.5	11.3	37	546	23.62			1500	1	FOLD
			635		ALUMN			0	252		19.5	528	32	0.92	9.48			Lead	FIXED	2
			140		MS			0			19.5		19	<input checked="" type="checkbox"/>	5					
Expression	Express 37 MOD	33985	75	1984	48.75	150	48.75	42	5.3	Yes	No	19	37.1	9500	0	IB	(mtg 1/21/10, +3 sec/mi for modified keel, -3 sec/mi for dual spinnaker/ability to fly asym on squared back pole)(1/19/11, removed asym, only using symmetric spinnaker, +3 sec/mi)			
					14.33			13.75	9		48.16	14.33	48	705	30.83			4500	1	Fold
			590		ALUMN						23.2	931	45	0	11.5			Lead	FIXED	2
			147		MS				23.2			18	<input type="checkbox"/>	90	6					
Zsa-Zsa	1D 35	35017	36	1999	42.49	110	44.78	44.46	7.55	Yes	No		35	6500	No	IB				
					12.52			18.58	12		50	14.76			31.5			2600	1	Feath
			520		CARBON			0	498		26.5	1104		0	10.75			lead	FIXED	2
			95		FS			0			26.5		<input type="checkbox"/>		7.6					
Dark & Stormy	1D 35	35018	30	1998	42	110	44.8	44	7.5	No	Yes	31.4	35	6550	0	IB	Fixed bow sprit, using Asymmetrical spinnaker(mtg 3/20/08, -9 sec/mi for oversized spinnaker, +3 sec mi for not being able to articulate pole, as sailed: 30)			
					12.47		17.39	19	12		51.8	1236	31.5	2660	1			FOLD		
			518		CARBON						46.62	4.92	10.9	Lead	FIXED			2		
			95		FS			497	29.83		<input checked="" type="checkbox"/>	0	7.58							
Alpha Puppy	1D 35	35024	30	1999	42.49	110	44.78	44.46	7.5	No	Yes	31.4	35	6500	No	IB	6/13/11, boat now in same configuration as B-Line. Added 4.9' bowsprit and oversized spinnaker. -9 sec/mi for oversized asymmetric spinnaker, +3 sec/mi for inability to articulate sprit			
					12.52			18.58	12		45.11	14.76	51.8	1238	31.5			2600	1	FOLD
			517		CARBON			0	497		26.25	987	46.6	4.9	10.75			lead	FIXED	2
			95		FS			0			26.25		29.9	<input checked="" type="checkbox"/>				7.6		
Wildcard	Santa Cruz 37	37005	27	2009	47.1	107	52.17	47	6.4	No	Yes	33.3	37	8662	0	IB	(Mtg 1/26/16, new keel box & rudder noted, NCTR)			
					13.4		19	17	11		59.7	1534	34.75	3730	1			FOLD		
			507		CARBON						50.85	5.6	10.64	Lead	FIXED			2		
			94		FS			474	33.3		<input checked="" type="checkbox"/>	0	7.5							

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications		
			ISP		I	J	Max	Head	Sail	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl	Disp.	Traps/H.		Strps	IB or OB
			JSP		Headsail	Material	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable	blst	Prop Type				
			ISP		Material	P	MSA	SSMG	SSA	SLE	Sprit	Lngrh	Max	Beam	Ballast	Mat.	Keel	Type		# of blades	
			Disp/WL Ratio				Material	Material	Material	Material	Material	Material	Material	Material	Material	Material	Material	Material			
Spirit of Freedom	J 124	38006	27	2006	49	155	54.7	48.4	5.86	Yes	Yes	32.6	40.7	12600	No	IB	(mtg 4/22/10, -3 sec/mi for OSP, -3 sec/mi for ability to square back pole)				
			535		14		15.4	17	10.03		53.9	15.4	36.2	5000	1	FOLD					
			121								27.7	1244	11.3	Lead	FIXED	2					
											27.7		6.9								
Sapphire	Synergy 1000	38008	48	2004	40.8	125	45.75	42	5.86	No	Yes	28	32.83	4400	No	IB	(Mtg 10/22/15, +3 sec/mi for smaller than class mainsail)				
			532		12		16.4	15.5	10.03		52	1172	29.17	1850	1	FOLD					
			81								46.2	4.3	9.75	Lead	FIXED	2					
											28.8		7								
Escapade	Sabre 40-2	38011	75	1997	54	110	54	47.5	5.6	Yes	Yes	23.5	40.2	19760	0	IB					
			599		15.5		16	17	9.9		51.25	15.5	34	7500	1	FEATH					
			229								27.3	1151	13.3	Lead	FIXED	3					
											25.6		7.5								
Sea Star	CAL 39-2/3	38022	114	1977	50	150	50	44	4.5	Yes	Yes	34	39	17000	0	IB	Roller Furler				
			611		16.7			13.8	8		48	16.7	32	7000	1	FEATH					
			236								30	1192	12	Lead	FIXED	3					
											29		6.7								
Ohana	Beneteau 45F5	38023	63	1991	53.15	100	55.15	55.4	7.06	Yes	No		44.11	26500	0	IB	(Mtg 12/1/11, -6 sec/mi for new keel)				
			580		15.08		16	18.58	12.08		52.49	15.08	36.9	8500	1	FEATH					
			240								27.14	1187	14.1	Lead	FIXED	3					
											27.14		7.9								
Bustin Loose	Sydney 38 MH	38044	21	2002	54	104	52.03	50.53	6.85	Yes	Yes	27.69	38.6	12250	0	IB					
			533		14.9		14.77	18.046	11.73		56.7	15.9	35.3	5140	1	FOLD					
			127					0	543		30.12	1422	12.4	Lead	FIXED	2					
								0			30		8.8								
Bombora	Express 27 ODR	38047	129		28.5	155	28.5	28.5	4.22	Yes	No	0	27.25	2450	0	OB					
			611		9			10.42	7.03		28.5	9.83	23.8	1100	1	None					
			83								17.7	420	8.17	Lead	FIXED	0					
											17.7		4.5								

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications						
			Built	J	Max Headsail	ISP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp. Traps/H. Strps		IB or OB									
									DW Rating	Mast Material				E	MGM		SL	SPL		SLU	ASA	LWL	Ballast	moveable blst	# of blades
EY	SSF	ASM	G	Max Draft																					
					Iolani	Hughes 48	38048	120	1972	54.3	135	20.2	48.2	5.9	Yes		Yes	32.76	48	32000	0	IB			
								599		18.2			19	10.4			40.32	18.2	35.1	14300	1	FEATH			
			336		ALUMN			23	493			32.76	1101	11.1	Lead	FIXED	3								
					YAWL			10				32.76		6											
Raven	Benteau First 35	38073	75	2001	47.24	108	51.48	45.93	5.98	Yes		No		36.32	12125	0	IB								
			586		13.12			14.75	10.23				14.73	30.6	3681	1	Fold								
			192		ALUMN				419			26.25	1116	12.76	Iron	FIXED									
					FS			25.46				<input type="checkbox"/>	0	7.25											
Aquadisiac	Newport 30-3	38075	174	1985	40	155	40	34	3.8	No		No		30.5	8500	0	IB								
					12.5			10.25	6.6					26.5	2600	1	Fold								
					ALUMN				206			<input type="checkbox"/>	0	10.67	Lead	FIXED	2								
			208		MS								0	5.17											
Domino	Wilderness 30 MOD	38081	126	1985	36	155	36	31.5	4.11	Yes		No		30	5450	0	IB	(Mtg 3/28/13, +6 sec/mi for small rig)							
			608		12.25		12.25	10.83	6.93					27.75	2150	1	Fold								
			116		ALUMN				203			22.05	655	8.8	Lead	FIXED									
					MS			20.5				<input type="checkbox"/>	0	5.5											
Allora	Morris 36	38082	120	2007	38.66	95	44.3	41.25	5.1	No		Yes	21.4	36.1	8900	0	IB								
					12.75			15.08	9.43			39.2	452	25	3850	1	Fold								
			652		CARBON				357			34.3	0	10.1	Lead	FIXED									
			259		FS							13.1	<input checked="" type="checkbox"/>	0											
Kynntana	Freedom 38	38086	141	1988	33.34	100	33.34	45.5	6.25	No		No		38.42	14370	0	IB								
					11.5		11.5	16.57	10.7					30.58	6500	1	Fold								
					CARBON				447			<input type="checkbox"/>	0	12.5	Lead	FIXED									
			228		FS								0	5.6											
Blue Ribbon II	Catalina 270 IB	38087	207	1994	33.58	135	33.58	28.42	4.67	No		No		27	6400	0	IB								
					9.25			11.5	7.61					23.75	2000	1	Fixed_2								
					ALUMN				199			<input type="checkbox"/>	0	9.83	Lead	FIXED	2								
			217		MS								0	5											

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications		
			ISP		I	J	P	MGU	Yes/No	Yes/No	ASF	Ttl Disp.		Traps/H.	Strps	IB or OB			
			JSP		Max	Headsail	E	MGM	SL	SPL	SLU	ASA		Ballast	moveable blst	Prop Type			
					Mast	Material	PY	MSA	SSMG	SSA	SLE	Sprit Lngth		Ballast Mat.	Keel Type	# of blades			
	Disp/WL Ratio	Rig Type	EY			SSF	ASM	G	Fixed or _o										
Invictus	Hunter 41 DS	38093	129	2007	51.6 13	110	50.8 19.6	6 10.11	No	No			40.4 35.6 13.3 6.6	19400 6506 Lead	0 1 FIXED	IB Fixed_3 3	(Mtg 4/25/13, +3 sec/mi for in-mast furling main)		
Scraft	Hunter 36	38096	156	2005	44.83 13.17	125	44.92 16	6 10.3	No	No			35.5 30.58 12 5.42	13900 5023 Lead	0 1 FIXED	IB Fixed_3	Roller Furler, In-mast Furling Mainsail		
Althea	Cavalier 39	38101	129 608 234	1981	48.5 14.83	120	42 12	4.55 7.79	No		16.13	Yes 48.75 42.41 26.82	28.23 1029 0 90	38.98 29.49 11.22 5.97	13228 7513 Lead	0 1 FIXED	IB Fixed_3	(Mtg 4/28/16, -3 sec/mi for oversized spinnaker pole, -3 sec/mi for oversized spinnaker)	
Wasabi	JPK 1080	38103	63 550 166		46.66 14.17	100	51.51 19.09	46.2 15.48	5.84 9.61	No		15.32	Yes	0 90	35.43 30.84 11.98 7.22	10692 4740 Steel	0 1 FIXED	IB Fold	
Kira	Aerodyne 38 SD	38104	45 634 135	2003	50.82 14.5	105	57.25 20.83	51.75 16.5	6.25 10.6	No	Yes		39.5 2062	37.66 34.21 13 6	11850 4150 Lead	0 1 FIXED	IB Fold		
Wimm	Jeanneau Sun Odyssey 349	38105	141	2016	43.6 12.37	112	40.68 13.62	4.9 8.2	No	No			33.92 30.84 11.29 6.86	11770 3483 Cast Iron	0 1 FIXED	IB Fold			
Raven	C&C 115	38108	69 587 149	2004	52.17 14.5	106	52.17 14.5	6.2 8.6	No	Yes		24.7 962	37.75 33 11.92 6.67	11800 4200 Lead	0 1 FIXED	IB Fold 2			

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
				J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp. Traps/H. Strps		IB or OB Prop Type # of blades		
									SL	SPL	SLU	ASA		Ballast	moveable blst			
																	SSMG	
SSF	SSA	ASM	ASF	Fixed or _o														
Puffin	Alden 44	38144	117 1978	54.1 19.5	100	47.08 14.75	5.7 9.6	No	Yes	33 1369	44.17 34.08	24500	0 1	IB Feath				
		595 281		ALUMN CTR			416		49 32	0 0	12.5 8.75	Lead	CNTRBRD					
Irie	Beneteau 393 Oceanis SD	38200	150	46 14.5	110	40.2 15.1	4.63 8.12	No	Yes	24 755	38.12 35.1	21700	0 1	IB Fold				
		633 228		ALUMN MS			324		39.5 20.8	0 0	13 5.1	Cast Iron	FIXED	3				
Willow	Wauquiez 40s Centurion	38300	69 2004	51.5 14.17	110	49.21 19.3	7.3 12.5	Yes	Yes	28.54 1155	41.17 36.4	18960	No 1	IB FEATH	(mtg 3/18/10, -3 sec/mi for oversized a-sail.)(mtg 1/27/11, - 3 sec/mi for added sprit)			
		573 179		ALUMN FS			564		50.73 25.54 25.54	14.17 1080	12.66 7.75	6085 Lead	FIXED	3				
Siento El Viento	C&C 29	38311	174 1977	39.5 12.8	155	33.5 10.1		Yes	No		29.5 23.6	7500	No 1	IB Fold				
		693 259		ALUMN MS					39 22 22	12.8 715	10.5 5.25	2700 Lead	FIXED	2				
Freedom	Beneteau 523	38333	54 2006	65.22 20.77	105	59.09 18.53	6.39 11.04	No	Yes	35.519 1854	53.08 47.92	32800	No 1	IB FOLD	Bow Thruster, in-mast furling, above deck jib furler; (Mtg 8/17/06 - +6 s/m for small girth main); electric winches added 1/29/07 (Mtg 3/28/13, +3 secmi for 8% decrease in mainsail area)			
		512 135		ALUMN FS			620		66.974 58.269 35.519	2 0	16 7.5	10935 Iron	FIXED	3				
Tiki Blue	Beneteau 423	38423	105 2005	48.65 16.52	125	43.44 14.83	5.49 9.6	Yes	No		41.67 38.58	20224	No 1	IB FOLD				
		580 160		ALUMN MS			381		48.76 29.7 28.69	16.5 1199	12.92 6.92	5569 Iron	FIXED	3				
Soiree	Beneteau Oceanis 49 SD	38776	87 2005	59.75 18.42	135	51.67 18.33	4.7 9.3	No	Yes	29.41 1210	49.5 43.67	30517	0 1	IB Feath	Electric Winches (Mtg 10/27/16, +3 sec/mi for In-mast furling mainsail)			
		551 167		ALUMN FS			480		50.72 26.75	0 0	14.75 5.75	480 Iron	FIXED					

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop		Modifications			
			Built	DW Rating	J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			Ttl Disp.	Traps/H.	IB or OB	# of blades				
										SL	SPL	SLU	ASA							Ballast	moveable blst	IB or OB
ASF	Fixed or _o	Max Draft	Keel Type	Prop Type																		
Alchimiste	Archambault 27	38973	78	2013	34.25 10.83	100	39.08 15.98	34.78 12.63	4.75 8.16	No	Yes	26.9 872	27.4 22.7	4894 1814	0 1	IB Fold	(Mtg 10/22/15, Custom rating assigned. Includes -9 sec/mi penalty for 22% oversized ASA & +3 sec/mi credit for non-articulating sprit. As sailed: 78)					
			616 190		ALUMN FS			261			0 0	9.7 5.7	9.7 5.7	Lead	FIXED							
Chance	Farr 395	39528	27	2002	51.25 14	105	56.33 20.36	50 18.42	7.54 12.53	No	Yes	33.46 1617	39.33 34.5	12500 4600	No 1	IB FOLD						
			528 138		CARBON FS			0 0	567		6.36 0	12.08 7.83	12.08 7.83	Lead	FIXED	2						
Wind Speed	J 30	39963	141	1980	34.19 11.5	155	34.2	37.5 12.5	4.9 8.1	Yes	No	0	29.83 25	6700 2100	No 1	IB FOLD	+6 sec/mi for J length pole (mtg 11/16/01)					
			657 195		ALUMN FS			0 0	281		0	11.18 5.25	11.18 5.25	Lead	FIXED	2						
Twisted	Farr 40 ODR MH	40046	0	1999	53.15 15.45	105	50.04 17.06	54.8 19.36	8.49 13.77	Yes	No	0	40.7 35.3	10902 4960	0 1	IB FOLD	(Mtg 12/1/11, interior mods for IRC, smaller mainsail: NCTR)(Mtg 5/24/12, switching to MH ODR configuration)					
			498 113		CARBON FS			674			0 0	8.53	8.53	Lead	FIXED	2						
Astra	Farr 40 ODR MH	40079	0	2000	53.2 15.5	105	53.12	54.8 19.4	7.29 12.47	Yes	No	0	40.75 35.27	10917 5079	No 1	IB FOLD						
			502 113		CARBON MS			0 0	629		0	8.53	8.53	Lead	FIXED	2						
Bullet	Express 37	40311	72	1985	48.75 14.33	155	48.75	42 13.75	5.3 8.83	Yes	No	0	37.08 30.83	11000 4600	No 1	IB FOLD						
			581 171		ALUMN MS			0 0	344		0	7.25	7.25	Lead	FIXED	2						
Ergo	Express 27 ODR	40428	129		28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	No	0	27.25 23.75	2450 1100	0 1	OB None						
			611 83		ALUMN FS			182			0 0	4.5	4.5	Lead	FIXED	0						

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
			Rating		I	J	ISP	P	MGU	Yes/No		Yes/No	ASF		Ttl Disp.	Traps/H. Strps	IB or OB		
			DW Rating		Max Headsail	Mast Material	JSP	E	MGM	SL	SPL	SLU	ASA		Ballast	moveable blst	Prop Type		
			Disp/WL Ratio		Rig Type		PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam		Ballast Mat.	Keel Type	# of blades		
							SSF	ASMG	Fixed or _o										
Jeannette	Custom Frers 40 IOR 1 Tonner	40646	66	1986	47.2 13.7	100	13.7	51.48 18.76	7.13 12.19	Yes		No		39.5 33 12.6 8.1	12900 6000 Lead	0 1 FIXED	IB FOLD 2	(mtg 5/31/07 custom rating changed from 63 to 60 based on performance data)(Mtg 8/27/15, change custom rating back to 63 after review of race results)	
Vento	Swan 391	40841	99		53.5 16.25	95	53.5 16.25	47.25 14	5.5 9.2	Yes		Yes	26 1014	39.9 33.1 12.4 7.2	18900 6800 Lead	0 1 FIXED	IB Fold		
Catapult	Santa Cruz 70	41005	-84	1989	73.34 22.19	155	73.74 25.26	66.11 24.67	9.3 15.75	No		Yes	39.1 2348	68 59.7 15.1 10	23847 9000 Lead	0 1 FIXED	IB Fold	(Mtg 5/25/17, Custom rating assigned. As Sailed: -84)	
Buona Sera	Santa Cruz 70	41104	-81	1986	73.15 22.52	155	73.63	65.49 25.39	9.12 15.72	No	25.5	Yes	40.06 2504	68.9 60.4 15.1 10.62	24905 8960 Lead	0 1 FIXED	IB Fold	(Mtg 8/27/15, New rudder noted, -9 sec/mi for new keel)(Mtg 3/23/17, -6 sec/mi for 13% increase in SPL, -3 sec/mi for increase in spinnaker area, +3 sec/mi for decrease in mainsail area)	
Heart of Gold	Olson 911S	41327	126	1987	41.5 12.33	155	41.5	35.5 11.83	4.5 7.7	Yes		No		29.9 25 10.3 5.5	7200 3200 Lead	No 1 FIXED	IB FOLD 2		
Baleineau	Ericson 34 Olson SM	42147	105	1988	44 13	155	44 44	38.8 13	4.88 8.25	Yes		No		34 28 10.83 6	10600 3650 Lead	No 1 FIXED	IB FOLD 2		
Ardea	Custom Nelson/Marek 50	42616	21	1989	59.92 17.59	100	59.92 17.59	65.19 24.08	9.35 15.98	Yes		Yes	31.6 1526	49.8 38.55 14.86 9.32	22145 12627 Lead	0 1 FIXED	IB Fold	(Mtg 8/28/15, custom rating of 21 assigned)	
			569 163		ALUMN FS				575				<input type="checkbox"/>	0 0					
			592 237		ALUMN MS				399				<input checked="" type="checkbox"/>	0					
			417 51		CARBON MS				963				<input checked="" type="checkbox"/>	0					
			423 51		CARBON MS				961				<input type="checkbox"/>	45					
			648 209		ALUMN MS				251				<input type="checkbox"/>	0					
			629 219		ALUMN MS				298				<input type="checkbox"/>	0					
			519 176		ALUMN FS				946				<input type="checkbox"/>	90					

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications							
			Built	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF		LOA	Ttl Disp.	Traps/H. Strps		IB or OB							
										DW Rating	Mast Material		E	MGM			SL	SPL			SLU	ASA	LWL	Ballast	moveable blst	Prop Type
EW	MSA	SSMG	SSA	ASMG	Fixed or _o	Max Draft	Ballast Mat.	Keel Type																		
La Viajera	J 109 ODR	46480	72	2004	46.5	105	49.6	43.25	5.89	No	Yes	27.75	35.25	10900	0	IB										
			583		13.3		18.8	15.5	10.07		56.33	1160	30.5	3900	1	Fold										
			175		ALUMN				399		45.63	5.5	11.5	Lead	FIXED	2										
			175		FS						27.2	<input checked="" type="checkbox"/>	0	7												
Family Hour, TNG	Henderson 30	46595	48	1997	37	155	42.3	38.2	6.74	Yes	Yes	31.9	30.83	3850	0	OB	Kelp Cutter									
			504		11		17.8	14	10.62		41.5	11	27.75	1750	1	None										
			82		CARBON				356		19.8	685	9.84	Lead	FIXED	0										
			82		FS						19.8		7													
Sweetspot	C&C 121 DK W/5' BS	46921	60	2000	57	135	57	51	6.19	No	Yes	36	40	14100	No	IB	Deep Keel-bowsprit, (Mtg 4/24/08, rating appeal submitted, change base rating for C&C 121 DK w/ 5' BS, aka C&C 121 XP, to 60)									
			549		15		20	16.386	10.6		63.8	1851	35.5	5500	1	FOLD										
			143		ALUMN			0	496		55.6	5	13.8	Lead	FIXED	2										
			143		MS			0			37.5	<input checked="" type="checkbox"/>	8													
Argo	Beneteau 40.7 First Farr	46933	54	1999	51.61	105	51.61	48.85	6.72	Yes	No		39.33	15211	0	IB										
			569		14.47		14.47	17.72	11.51		50.9	14.47	34.83	5950	1	Feath										
			164		ALUMN				515		26	1094	12.33	Lead	FIXED	2										
			164		FS						25		7.75													
FROLIC	Islander 36 TM	47462	141	1974	47	155	47	40.75	4.8	Yes	No		36.08	13450	0	IB										
			655		14.5		14.5	12.6	8.25		46.5	14.5	28.25	5450	1	Feath										
			271		ALUMN				307		25.8	990	11.17	Iron	FIXED	3										
			271		MS						24.6		6.08													
Gotcha	Santa Cruz 27	47911	141	1975	32.58	150	32.58	28.25	3.68	Yes	No		27	3200	0	OB										
			619		10.75			8.583	6.06		32.8	10.9	24	1600	1	None										
			105		ALUMN				154		19.6	536	8	Lead	FIXED											
			105		MS						19.6		4.5													
Bodacious +	1D 48	48005	-15	1996	57.7	155	68.3	61.3	9.84	Yes	Yes	30.1	48.3	19743	0	IB	Water ballast system not operational (mtg 8/19/08, custom rating assigned of -30, includes dual spinnakers)(Mtg 3/24/11, new smaller mainsail, smaller symmetrical, change cutom rating from 30 to 24VMTg 8/25/11)									
			490		16.7		16.7	22.5	14.66		66.7	16.7	40.2	8818	1	Fold										
			138		CARBON				848		33.1	1834	14.2	Lead	FIXED	2										
			138		FS						32.6		10.1													

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
			Max Headsail		I	J	P	MGU	Yes/No	Yes/No	ASF	Ttl Disp.		Traps/H. Strps			
			ISP		E	MGM	SL	SPL	SLU	ASA	Ballast	moveable blst					
			JSP		PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Ballast Mat.	Keel Type					
		DW Rating	Mast Material														
		Disp/WL Ratio	Rig Type														
Iniscaw	Martin 32	49143	126	1980	42.5	145	37.17	4.7	Yes		No		32.8	8200	0	IB	(Mtg 10/2/13, new rudder, NCTR)
					13.67		12	8		42.4	13.67		27	4100	1	FOLD	
			618		ALUMN					22.4	806		9.6	Lead	FIXED	2	
			189		MS					24.4		<input type="checkbox"/>	6.1				
Emily Carr	Santa Cruz 50	49211	-6	1981	61	150	55	6.4	Yes		No		53	15000	No	IB	3' SUGAR SCOOP ON TRANSOM IF STD 50FT LOA OF BOAT
					19		17	11		61	18.92		46.5	7500	1	FOLD	
			478		ALUMN		0	555		34	1718		12	Lead	FIXED	2	
			68		MS		0			33		<input type="checkbox"/>	8				
Bright Hour	Farr 40 ODR MH	50092	0	2001	53.15	0	54.8	8.49	Yes		No		40.7	10902	0	IB	
					15.45		19.36	13.77		60.69	17.06		35.3	4960	1	Fold	
			498		CARBON			674		34.39	1740		13.2	Lead	FIXED		
			113		FS					34.44		<input checked="" type="checkbox"/>	8.53				
Windswept Lady	X-362 Classic	50980	96	1998	46.6	125	40.6	5.05	Yes		Yes	26.7	35.1	12320	0	IB	
					12.9		14.1	8.86		46.13	12.9		30.4	5170	1	Fold	
			613		ALUMN			333		23.23	891		11.4	Lead	FIXED		
			199		MS					22.97		<input type="checkbox"/>	6.2				
Velvet Hammer	Schock 40	51507	-12	2000	42.5	104	44.4	7.2	No		Yes	33.92	40	7914	No	OB	(mtg 10/21/09, switched to 104% headsail, from 150%, smaller girths on mainsail. Change custom rating from -18 to -12)
					13.6		16.8	11.8		60	1459		35	1800	2	None	
			464		CARBON		0	470		49	7		10	Lead	MOVABL	0	
			84		FS		0			31.685	<input checked="" type="checkbox"/>	0	8				
Everlong	Beneteau 40.7 First Farr	51705	54	2002	51.61	104	48.85	6.73	Yes		Yes		39.33	15211	0	IB	
					14.47		17.72	11.51		50.92	14.47		34.83	5950	1	FOLD	
			569		ALUMN		0	515		26	1103		12.33	Lead	FIXED	2	
			164		MS		0			26		<input type="checkbox"/>	7.75				
Tyr	J 125	52125	-12	2000	49	155	46.5	6.79	No		Yes	39.3	41	8350	0	IB	
					14.8		18	11.65			23.4		37	4646	1	Fold	
			471		CARBON			497		52.49	0		10.6	Lead	FIXED	2	
			75		FS					38.09	<input checked="" type="checkbox"/>	0	7.9				

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications					
				JSP	I J Max Headsail Mast Material Rig Type	P E PY EY	MGU MGM MSA	Yes/No		SLU ASA Sprit Lngth Fixed or _o	SL SPL SSMG SSA	SLU ASA Sprit Lngth Fixed or _o		Ballast moveable blst	IB or OB Prop Type # of blades							
								ISP	JSP							SL		SPL	SLU	ASA	Ballast Mat.	Keel Type
Disp/WL Ratio	Disp/WL Ratio	Disp/WL Ratio	Disp/WL Ratio	Disp/WL Ratio	Disp/WL Ratio	Disp/WL Ratio	Disp/WL Ratio	Disp/WL Ratio	Disp/WL Ratio	Disp/WL Ratio												
Jaybird	J 133 CM	52443	24 2004	57 17.25 100	60.4 24	54 18.6	7 12	No	Yes			38.08 30.25 11.8 6.8	16900 6850 Iron	0 1 FIXED	IB Fixed_2							
Pressure Drop	Beneteau Farr First 36.7	52489	78 2006	46.4 13.1 155	46.4 14.35	45.4 15.6	5.92 12.49	Yes	No	23.29		36 30.3 11.4 7.3	12495 4034 Lead	0 1 FIXED	IB Fold 2	(12/2/16, -3 sec/mi for JSP)						
Mulan	Beneteau First 10R ODR	52659	81 2007	43.2 12.07 120	46.41 16.5	42.25 14.73	5.59 9.57	No	Yes	25.5		32.75 28.7 11 6.55	9715 3258 Lead	0 1 FIXED	IB Fold 2							
Curie	Beneteau 32S5	52868	138 1990	38.39 9.68 150	38.39 9.68	38.88 13.78	5.3 9.01	Yes	No	17.3		32.6 27.83 10.83 6	9260 2980 Cast Iron	0 1 FIXED	IB FOLD 2							
CruzSea Baby	Beneteau First 10R ODR	52878	81 2007	43.2 12.07 155	46.41 16.5	42.25 14.73	5.59 9.57	No	Yes	27.5		32.75 28.7 11 6.55	9715 3528 Lead	0 1 FIXED	IB Fold 2	(Rudder Modifications noted, smaller non-class spinnaker +3 sec/mi)						
Jamani	J 120 ALUM	52879	48 2002	50.5 14.5 155	52 21.5	46.5 17.8	6.7 11.5	No	Yes	34		40 35 12 7	13900 6000 Lead	0 1 FIXED	IB FOLD 2							
Mega Hurtz	Laser 28 ODR MOD	53470	129 1974	31.1 9.65 125	31.73	33.14 12.96	4.98 8.4	Yes	No			28.41 23.62 9.48 4.98	3950 1500 Lead	0 1 FIXED	OB None 2	(Mtg 2/27/14, switched to outboard motor, -3 sec/mi)						

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications						
			Built	J	Max Headsail	ISP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp. Traps/H. Strps		IB or OB									
									DW Rating	Mast Material				E	MGM		SL	SPL		SLU	ASA	LWL	Ballast	moveable blst	# of blades
EY	SSA	ASMG	Fixed or _o	Max Draft																					
Rhapsody	J 32	56303	120	2000	39.2	155	40.583	38.5	5.12	No	Yes	22.5	32.4	11500	0	IB	(Mtg 5/23/13, -3 sec/mi for sprit, -3 sec/mi for oversized spinnaker)								
			640		11		15.5	9.25			46.25	830	29	3840	1	Fold									
			214		ALUMN				335		41.55	2	11	Lead	FIXED	3									
					FS						22.75	<input checked="" type="checkbox"/>	0												
Music	Catalina 34 1&2	56583	147	2001	44	130		38.5	3.6	No	Yes	21.8	35.66	11950	0	IB									
			645		13.5		12	6.8			45	762	29.84	5000	1	FOLD									
			204		ALUMN				251		39.2	0	11.75	Lead	FIXED	2									
					MS						21.7	<input checked="" type="checkbox"/>	0												
Allegro	Beneteau Farr First 36.7	56657	78	2010	46.42	155	46.42	45.4	5.92	Yes	Yes	23.41	36	12939	0	IB	(Mtg 1/26/16, -3 sec/mi for increased JSP)								
			601		13.1		15.6	12.49			45.25	13.1	30.3	3993	1	Fold									
			211		ALUMN			458			23.58	889	43	Lead	FIXED	2									
					FS						23.5		21.83	<input type="checkbox"/>	90	7.3									
Brandy	Farr 30 1/2 Ton	57257	150	1979	31	145	31	34	4.5	Yes	No		30.33	4894	0	OB	(Mtg 4/24/15, -6 sec/mi for increased P)								
			654		9.6		12.9	7.11			31.4	9.8	23.5	1909	1	None									
			171		ALUMN			243			17	445	10	Lead	FIXED										
					FS						17		<input type="checkbox"/>	0	5.33										
Windwalker	Islander 36 ODR	57307	144	1976	45	150	45	39.25	4.8	Yes	No		36.08	13450	No	IB									
			648		14.48		12.75	8.2			45.25	15	28.25	5820	1	FOLD									
			271		ALUMN		0	297			23.3	889	11.17	Lead	FIXED	2									
					MS		0				24.7		<input type="checkbox"/>	0	6.08										
Passat	North Star 500	57313	240	1973	33	140		27.5	3.5	No	No		24.98	4298	0	IB									
			236		10.25		8.75	6.1					20.23	1710	1	Fixed_3									
					ALUMN			149					9	Lead	FIXED										
					MS								<input type="checkbox"/>	0	5										
Oscar	Santa Cruz 33	57663	117	1978	41	125	41	35.42	4.25	Yes	No		33	7000	No	IB									
			595		13.583		15	7.166			41	13.68	28	3000	1	FOLD									
			145		ALUMN			269			24.6	841	10.06	Lead	FIXED	2									
					MS						24.6		<input type="checkbox"/>	0	6										

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications		
				J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No	ASF		Ballast Ballast Mat.	Traps/H. moveable blst Keel Type				
									SL	SPL								SLU	ASA
Red Hawk	Hawkfarm 28 ODR	59024	162 1978	33 11	155	33.25 11.5	36 10.5	4.37 7.26	Yes	No	28 23.5 9.75 5.166	5700 2700 Lead	0 1 FIXED			IB FOLD 2			
			667 200	ALUMN FS			0 0	236			<input type="checkbox"/>								
Giant Slayer	Santa Cruz 27	59369	141 1979	32.583 10.9	155	32.583 10.9	28.25 8.7	3.7 6.3	Yes	Yes	27 24 8 4.5	3304 1800 Lead	No 1 FIXED	OB None 0	(Mtg 3/27/14, -3 sec/mi for 10% overized symmetrical spinnaker)				
			624 109	ALUMN MS			0 0	157			<input type="checkbox"/>								
Zwei Flying Fish	San Juan 33s	59733	129 1981	34.83 11.48	134	34.83	39.16 12.66	4.66 8.08	Yes	No	33.1 27.8 7.95 5.5	6000 3500 Lead	0 1 FIXED	IB Fold	(Mtg 5/28/15, +3 sec/mi for small rig)				
			606 127	ALUMN FS				292			<input type="checkbox"/>								
Wildcat of Loch Awe	S-2 7.9 FR DB	59838	165 1983	31.83 9.5	135	31.83	29.42 12.33	4.75 7.92	Yes	No	25.92 21.67 9 5	4250 1750 Lead	0 1 AGGERBF	OB None					
			685 190	ALUMN FS				216			<input type="checkbox"/>								
Void Star	Santa Cruz 40	59995	45 1982	52 16	135	52 18.67	45.5 14	5.2 8.58	No	Yes	40 36 12 7	12500 5000 Lead	0 1 FIXED	IB FEATH 2	(Mtg 10/22/15, -6 sec/mi for 20% increase in JSP)(4/6/16, +3 sec/mi for non-articulating spinnaker)				
			548 122	ALUMN MS				370			<input checked="" type="checkbox"/>								
Ebb Tide	Wauquiez 45s Centurion	60245	57 2003	55.77 17.72	100	55.77 17.72	51.84 19.32	6.51 11.68	Yes	Yes	45.92 40.25 13.67 8.17	23148 8488 Lead	0 1 FIXED	IB Fold 3	(Mtg 5/26/11, Increased "JSP" by 5.67' which equals a 30% increase. - 9 sec/mi per NCPHRF Rules & Guidelines.)(Mtg 3/29/12, JSP now same as J+9 sec/mi, Asymmetrical spinnaker still oversized, -3 sec/mi)				
			542 161	ALUMN FS				567			<input checked="" type="checkbox"/>								
Gratitude	Hylas 46	60373	102 2002	58.4 17.7	135	58.4 17.7	50.6 18	4.6 9.6	No	Yes	46.3 40 13.9 6.6	27777 12347 Lead	0 1 FIXED	IB Feath 3					
			573 197	ALUMN CTR				469			<input checked="" type="checkbox"/>								

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications					
				J	Max Headsail	ISP JSP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp. Traps/H. Strps		IB or OB							
									E	MGM				SL	SPL		SLU		ASA	LWL	Ballast	moveable blst	# of blades
Disp/WL Ratio	Mast Material	Rig Type	EY	MSA	SSMG	SSA	SLE	Fixed or _o	Max Draft	Ballast Mat.	Keel Type												
												Lenora	Hunter 33-2	60700	153 2004	37.42 10.83	115	38.42 10.83	36.46 15.83	4.83 8.33	No	Yes	18.5 531
			648 186	ALUMN FS				306			0 0	11.17 5.5	Lead	FIXED	3								
Anais	Hanse 505	61019	45 2014	64.16 19.16	100	65 20	58.6 20	6.55 11.87	No	Yes	38.52 2151	49 44.4	36000 8300	0 1	IB Feath								
			530 187	ALUMN FS				655			1.5 0	15.6 7.7	Lead	FIXED									
CaZan	DK 64	61046	-21 2001	61.94 17.85	126	70.54 19.849	63.55 21.95	8.2 14.21	Yes	No	33.56 1822	46.26 40.52	22439 9480	0 1	IB Fold	(Mtg 5/25/17, custom rating assigned. As Sailed: -21)							
			504 153	ALUMN MS				826			0 0	13.45 9.84	Lead	FIXED									
Blue	Swan 53-2	61522	30 2012	71.96 19.52	105	73.84 19.53	65.88 21.98	7.64 13.38	No	Yes	38.89 2214	54.07 47.24	54482 22400	0 1	IB Fold	(Mtg 3/23/17, -3 sec/mi for ability to fly a-sail on a squared back pole)							
			530 235	CARBON MS				826		19.43	0 90	15.58 12.14	Lead	CNTRBRD									
Enchante'	Beneteau 42 IK TM	63222	84 1985	55.43 16.73	155	55.71	49.2 14.6	4.8 8.5	No	No	0	43.67 36	20509 8700	No 1	IB FOLD								
			200	ALUMN MS			0 0	400			0	13.83 7.19	Iron	FIXED	2								
Warwhoop	Contessa 33	63336	141 1984	37.916 11.17	100	37.93	39.416 13.86	5.31 9	Yes	Yes	20.92 682	33 25.52	8375 3700	No 1	IB FOLD	(Mtg 1/26/17, -3 sec/mi for oversized asymmetric area)(Mtg 2/23/17, -3 sec/mi for oversized symmetric spinnaker area)							
			653 229	ALUMN FS			0 0	326			0	11.08 5.8	Lead	FIXED	2								
Califia	Islander 36 ODR	67074	144 1978	45 14.48	135	45	39.25 12.75	3.69 6.88	No	No	0 0	36.08 28.25	13450 5450	0 1	IB Feath								
			271	ALUMN MS				265			0 0	11.17 6.08	Lead	FIXED	2								

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications		
			Rating		I	J	ISP	P	MGU	Yes/No		Yes/No	ASF		Ttl Disp.	Traps/H.	IB or OB			
			DW Rating		Max Headsail	ISP	E	MGM	SL	SPL	SLU	ASA	Ballast						moveable blst	Prop Type
			Disp/WL Ratio		Mast Material	JSP	PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Ballast Mat.						Keel Type	# of blades
	Rig Type		EY		SSF		ASM	Fixed or _o												
Foxxfyre	Yamaha 33 IK SM	67248	159	1978	42.81	150	42.81	37.4	4.38	Yes	No		33.25	16000	No	IB	PER PHRF MTG 3/16/2000 - Weight Differencer from brochure is significant.			
					13.78		10.6	7.27	44	13.78		26.92	4410	1	FEATH					
			648		ALUMN		0	246	24.8	901	0	11	Iron	FIXED	2					
			373		MS		0		23.7		<input type="checkbox"/>	6.25								
Toypedo	Ranger 26-2	67341	189	1980	26.4	150	28	30.5	4	Yes	No		26	3000	0	OB	Fixed Keel, No daggerboard			
					9		9	11	7				20	1140	1	None				
			682		ALUMN				197			0	8	Lead	FIXED					
			170		FS				16.2		<input type="checkbox"/>	5								
Friction Loss	J 30	67425	141	1979	34	155	34.1	38	4.94	Yes	No	21.06	29.83	6500	0	IB				
					11.5		11.5	13	8.45		37.7	666	25	2100	1	FOLD				
			652		ALUMN			0	295		34.5	0	11.17	Lead	FIXED	2				
			189		FS		0		22		22.4	<input type="checkbox"/>	5.25							
Timber Wolf	Farr 38-1 C&B Marine	67519	75	1980	43.91	155	47.9	44.83	6.7	Yes	No		38.32	12000	0	IB	(REDUCED MGM, ADDED 6" TO RUDDER LENGTH -NOTED NCTR-2/15/01)(-3 sec/mi for oversized spinnaker)			
					13.36			17.91	11.6				30.9	4100	1	FOLD				
			579		ALUMN			0	476			0	11.97	Lead	FIXED	2				
			185		FS		0		26.4		<input type="checkbox"/>	6.39								
FUGU	Wilderness 30 SX FR IB	67967	120	1980	34.08	150	34.1	34.44	4.37	Yes	Yes	20.36	29.75	4200	0	OB	(Mtg 11/20/08, -6 sec/mi for replacing inboard with outboard engine)			
					11.75		11.8	11.5	7.48		37.61	603	27.75	1900	1	None				
			585		ALUMN				236		33.38	0	8.75	Lead	FIXED	0				
			89		FS				21.15		20.39	<input checked="" type="checkbox"/>	5.5							
Sea Ghost	Beneteau 42 IK	68222	90	1984	52.82	155	52.82	46.5	5.4	Yes	No		42.92	20900	0	IB	DOUBLE HEADRAIL, HYDRALIC BACKSTAY PER MTG 8/14/97			
					16.73			14.6	9.35				36.25	7920	1	FOLD				
			580		ALUMN			0	400			0	12.75	Iron	FIXED	2				
			199		MS			0			<input type="checkbox"/>	7.25								
Snafu	CS 30	68588	159	1988	42	125	42	36.416	3.95	NO	Yes	20.04	30	8000	0	IB				
					12.04		12.04	11.416	6.5		44	707	25.51	3440	1	FOLD				
			669		ALUMN			0	232		40.653	0	10.25	Lead	FIXED	2				
			219		MS			0			20.04	<input checked="" type="checkbox"/>	5.416							

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications		
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps moveable blst				
								SL	SPL	SLU	ASA							Ballast Mat.	Keel Type
								SSMG SSF	SSA	SLE ASMG	ASA								
Divine Wind	Olson 40	69069	45 1983	50 15.75 150 51.21 15.8	44 5.5 14.25 9.29	5.5 376	Yes	No	40.33 36 11.25 6.5	10500 5500 Lead	0 1 FIXED	IB Feath 2							
Hana Ho	Santa Cruz 50	77007	-12 1980	61.39 18.85 155 61.5 20.73	54.92 6.5 16.98 11.1	558	Yes	Yes	52 46 12 7.75	18000 8000 Lead	0 1 FIXED	IB Feath 3	(Mtg 5/26/11, +3 sec/mi for interior changes)(2/24/12, interior changes removed, boat is back to standard weight for a SC 50)(Mtg 5/25/17, New Rudder, NCTR. -3 sec/mi for OSP, -3 sec/mi for oversized spinnaker area)						
Borealis	Gulf 39 PH	77135	129 1980	50 16.17 128 ALUMN MS	42 4.83 13.75 8.58	334	No	No	38.83 33.67 12 5	17500 Iron	1 FIXED	IB Fold							
Imagine	Davidson 44 MOD	77220	57 1980	49.92 15.38 125 50.33	58.3 6.9 18.33 12.8	652	Yes	No	44 38.5 13 7.6	24410 7000 Lead	No 1 FIXED	IB FOLD 3	(Mtg 4/27/17, custom rating of 57 assigned)						
Eliana II	Morgan 38-2	77486	156 1981	46 16.25 110 46 16.25	40.5 4.69 14.5 8.34	324	Yes	No	38.33 30.5 12 6	17000 6800 Lead	0 1 FIXED	IB Fixed_3 3	(Mtg 1/26/17, -3 sec/mi for oversized symmetric spinnaker area)						
Dawn's Early Light	J 36	77549	87 1982	44.219 14 125 44.21 14	47 5.8 15 9.5	418	Yes	No	35.95 30.5 11.76 6.6	10570 4600 Lead	0 1 FIXED	IB Fold							
Captain Sluggo	Hobie 33	77870	54 1982	34.7 12.2 105 42.3	38.1 6 13.5 9.6	328	No	Yes	33 30.4 8 5.4	4532 1800 Lead	0 1 FIXED	OB None	(Meeting 4/27/17, Custom rating assigned: 54)						

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps moveable blst	IB or OB Prop Type # of blades	
								SL	SPL	SLU	ASA						
								SSMG SSF	SSA	SLE ASMG	ASA						
Serenity	Islander 36 ODR	82659	144	1973	45 14.48 135	45	39.25 3.69 12.75 6.88	45 6.88 27 265	Yes	No	0	36.08 28.25 11.17 6.083	13500 5450 Lead	0 1 FIXED	IB Feath		
Dragonsong	Olson 30 OB	87014	99	1982	36 11.75 155	35.9 11.67	31.5 4.364 10.75 7.268	0 208	Yes	No	0	30 27.5 9.33 5.08	3600 1800 Lead	No 1 FIXED	OB None 0		
Vitesse Too	Hobie 33 ODR	87112	90	1983	33.8 12.4 125	36.8	35 4.75 12.4 8	0 259	Yes	No	0	33 30.5 8 5.5	4000 1800 Lead	No 1 FIXED	OB None 0	Extended rudder 10", NCTR	
Nutmeg	Islander 36 ODR	87245	144		45 14.48 150	45	39.25 5.05 12.75 8.44	0 303	No	No	0	36.083 28.25 11.166 6.083	13450 5450 Lead	No 1 FIXED	IB FOLD 0		
Wayward Wind	Baltic 38 DP	87258	96	1983	52.25 15.82 155	52.25	46.25 4.53 13.75 8.2	357	Yes	No	0	38.08 31.5 12.34 7.25	14330 6512 Lead	0 1 FIXED	IB Fold		
Happy Daze	Santana 30-30 GP	87322	120	1984	40.83 11.67 150	40.83	36.17 5.25 11.08 8.5	0 267	Yes	No	0	29.92 25.42 10.25 5.5	6500 2435 Lead	No 1 FIXED	IB FOLD 2		
JouJou	Capo 30	87324	123	1984	41.7 12.75 120	41.5	36 4.37 11.5 7.47	247	Yes	No	0	30 25 10.33 5.43	7200 3000 Lead	0 1 FIXED	IB Fold 2	Roller Furler	

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications					
			Built	DW Rating	I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No		Yes/No	ASF		LOA LWL	Ttl Disp.	Traps/H. Strps		IB or OB Prop Type # of blades				
										PY	MSA		SL	SPL			SLU	ASA			Max Beam	Ballast	moveable blst
Disp/WL Ratio	Mast Material	Rig Type	SSSF	SSA	SLE	ASMG	Fixed or _o																
Whispering Winds	Lancer 36 MH	87374	141		42	125	41.9	37	4.8	No	Yes	26	36.17	10500	0	IB							
			621		16			12	7.9		42	932	29	4000	1	Fixed_3							
			196		ALUMN						39	0	11.75	Lead	FIXED								
					MS						28	<input checked="" type="checkbox"/>	6										
Turbo Camper	Hobie 33 ODR MOD	87574	84	1984	33.28	155	36.5	35	4.75	No	Yes	23	33	4200		OB	(Mtg 3/29/12, -3 sec/mi for displacement changes)						
			550		12.4		13.13	12.5	8.1		37	13.13	30.5	1900	1	None							
			67		ALUMN			0	261		23.6	728	8	Lead	FIXED	0							
					FS			0			23.6		5.42										
Flight Risk	Catalina 38	87586	117	1983	49.8	155	49.8	44	4.18	Yes	No		38.24	19489	No	IB	Roller Furler						
			622		15.5			11.5	7.12		49	15.5	30.45	6850	1	Fold							
			314		ALUMN				294		27.9	1139	11.12	Lead	FIXED	2							
					MS						27.9		6.1										
Elan	Express 37	87700	72	1985	48.75	155	48.75	42	5.28	Yes	No		37.083	11000	No	IB							
			581		14.33			13.75	8.83		48	14.33	30.833	4500	1	FOLD							
			171		ALUMN			0	344		25.79	1032	11.57	Lead	FIXED	2							
					MS			0			25.79		7.25										
Can't Touch This	J 125	93204	-12	1999	49	155	52.1	47	6.8	No	Yes	41	41	9330	0	IB	(Mtg 2/26/09, -3 sec/mi for oversized main girths)(3/9/09, corrected main girths, removed -3 sec/mi penalty)						
			468		15		23	18	11.6		61.3	1941	37	4646	1	FOLD							
			84		CARBON				502		52.3	8	10.6	Lead	FIXED	2							
					MS						41	<input type="checkbox"/>	7.9										
Traveler	Express 34	97089	99	1987	44.3	150	44.3	38.5	4.87	Yes	No		34	8500	0	IB	-6 FOR OVERSIZED SPINNAKER						
			616		13			12.83	8.46		42.7	13	28.3	3700	1	FOLD							
			170		ALUMN			0	296		22.2	787	10.5	Lead	FIXED	2							
					MS			0			21.8		6										
Deception	Santa Cruz 50	97263	-6	1987	61.8	155	61.8	55	7.1	Yes	Yes	32.9	50	17500	0	IB	ELPT Keel & OS/Spinnaker; Has a Code 0 headsail aboard - tacked to stem, no sprit (Mtg 5/26/16, -3 sec/mi for oversized mainsail)(Mtg 6/23/16, change rating back to -6)						
			482		18.3		18.3	18.4	12		61.7	18.3	46	8000	1	FOLD							
			82		ALUMN				605		34.2	1758	12	Lead	FIXED	2							
					MS						34.2		8										
											24.8	<input checked="" type="checkbox"/>	8										

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.		Traps/H. Strps moveable blst	IB or OB Prop Type # of blades			
								SL	SPL							Ballast		Keel Type
Carpe Vita	Olson 25	97399	159	1988	32 9.583	130	32	28 10	3.8 6.4	Yes	No	25 21.25 9 4.5	3300 1300 Lead	No 1 FIXED	OB None 0			
			671		ALUMN MS		0 0		166									
			156								<input type="checkbox"/>							
Bosporus II	Columbia 36	97415	156	1968	42.75 15	150	41.75 15	34.666 14	5.3 9.1	Yes	No	35.75 28.25 10.5 5.42	13000 5000 Lead	No 1 FIXED	IB Fold 2			
			639		ALUMN MS		0 0		289									
			262								<input type="checkbox"/>							
Razzberries	Ericson 34 Olson TM	97479	99	1988	46.77 12.95	155	47	40.9 12.95	5.1 8.5	Yes	No	33.88 28 10.8 6.085	10855 3500 Lead	No 1 FIXED	IB FOLD 2			
			625		ALUMN MS		0 0		320									
			225								<input type="checkbox"/>							
Acey Deucy	J 44	97659	21	1989	60.606 17.08	155	60.416	53.51 19.41	7.3 12.5	Yes	Yes	44.83 38.58 13.67 8.14	22770 9000 Lead	0 1 FIXED	IB FOLD 2	Electric Winches		
			547		ALUMN MS		0 0		615									
			180								<input checked="" type="checkbox"/>							
Plus Sixteen	Ericson 911S Olson	97707	135	1991	41.5 12.25	125	41.5 12.33	35.761 11.811	4.035 7.136	Yes	Yes	30 25 10.33 5.42	8500 3200 LeadSteel	No 1 FIXED	IB FEATH 2			
			662		ALUMN MS		0 0		240									
			247								<input type="checkbox"/>							
Daseins Den	Dana 24	924558	246	1987	34 12.25	120		28.25 10.75	3 5.85	No	No	24.16 21.42 8.58 3.83	7400 3100 Lead	0 1 FIXED	IB Fixed_2			
					ALUMN CTR				160									
			342								<input type="checkbox"/>							