

# NCPHRF - CURRENT FLEET ROSTER

This Roster represents the information on file for boats with a current NCPHRF certificate. If the boat you are looking for is not listed, their certificate is either not current or not yet updated to the list. You can contact the YRA office to verify a boat not found on this list at info@yra.org or via phone at 415.771.9500. This list is updated monthly.

As of: **8/24/2017**

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SPL SSMG SSF	Yes/No SLU ASA SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps moveable blst Ballast Mat. Keel Type		
Adagio	CAL 25-2 OB		<b>216</b> 1979	33 11	150	28 9.5	3.9 6.5	No	No			29.25 22 9 4.5	4500 2000 Lead	0 1 FIXED	OB None	
Blue Zephyr	Jeanneau Sun Odyssey 42 DS		<b>108</b> 2010	51.58 16.25	150	48.82 14.6	3.55 6.9	No	No			42.42 38 13.5 6.92	19676 5628 Iron	0 1 FIXED	IB Fixed_3	(mtg 4/27/17, +3sec/mi for in-mast furling, +3 sec/mi for MGM < 50% of E)
BZ	Sonar 23		<b>174</b>	23 8.25	100	27.5 11.17	1.23 7.3	No	No			23 19.92 7.8 3.92	2100 900 Lead	No 1 FIXED	NONE None	
Serenade	Sabre Spirit		<b>96</b> 2007	45.5 12.87	106	51.2 12.87	45.5 9.93	Yes	No	23		36.67 28.33 10.42 6.58	10500 3740 Lead	0 1 FIXED	IB Fold	
Christine Rose	Catalina 30 TM	0	<b>183</b> 1977	43 13.16	150	43 13.16	37 8	Yes	No			29.92 25 10.83 5.25	10200 4250 Lead	0 1 FIXED	IB Fixed_3 3	
Crane Wife	Fuji 32 KTH	0	<b>252</b> 1977	36.25 14.75	148	29.08 11.21	3.8 5.96	No	No			31.5 29 9.83 3.66	13115 4635 Iron	0 1 FIXED	IB Fixed_3	



Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications		
		Sail #	DW Rating		I	J	Max Headsail	ISP	JSP	P	MGU	Yes/No	Yes/No		ASF	Ttl Disp.			Traps/H. Strps	
										E	MGM	SL	SPL		SLU	ASA			Ballast	moveable blst
		Disp/WL Ratio			Mast Material					PY	MSA	SSMG	SSA		SLE	Sprit Lngth			Ballast Mat.	Keel Type
				Rig Type			EY		SSF		ASM	Fixed or _o								
Skye	Capo 30 MOD	0	114	1984	41.7	120	41.5	36	4.37	Yes	No			33	7500	0	IB	(Mtg 5/25/17, -9 sec/mi for increased LOA from added sugar scoop)		
					12.75		12.75	11.5	7.47					26	3000	1	Feath			
			629		ALUMN				247			0		10.33	Lead	FIXED				
			194		MS							0		5.42						
Sonrisa	Baba 40	0	147		50	100	50	46	5.3	No	Yes	30.5		39.83	29000	0	IB			
					21		21	14.75	9		52	1196		34.5	12000	1	Feath			
			631		ALUMN				391		46	0		12.83	Iron	FIXED				
			321		CTR						29	0		6						
Spartan	Dufour 1300	0	195	1975	31.17	110	9.18	27.89	3.54	No	No			23.88	2866	0	OB			
								8.2	5.91					18.04	1257	1	None			
					ALUMN				146			0		8.66	Iron	FIXED				
			222		MS							0		4.76						
Wild Spirit	Wylie 36	0	141	1970	44.67	100	14.75	40.75	5.3	No	Yes	23.5		36.5	13720	0	IB	(Mtg 3/24/16, same hull as "Alert", +3 sec/mi for small "I", +3 sec/mi for no spinnaker articulation)		
								14	9.1		45	815		30	5575	1	Fixed_2			
			642		ALUMN				340		39.66	0		10.9	Lead	FIXED				
			231		CTR						23	0		6						
Xtasea	Catalina 30	0	186	1985	41	110	11.5	35.5	4.63	Yes	No			29.92	10200	0	IB			
								11.5	7.72					25	4250	1	Fixed_2			
			685		ALUMN				250		40.45	11.5		10.83	Lead	FIXED	2			
			297		MS						20.7	698		5.25						
Azure	Catalina 275 Sport	1	168	2013	34.42	106	8.99	31.5	5.33	No	Yes	22		27.5	5000	0	IB			
							11.83	11.48	8.17		37.5	665		26.57	2040	1	Fixed_2			
			629		ALUMN				233		35	0		8.5	Lead	FIXED				
			121		FS						22	0		5.2						
Gentoo	Soto 30	1	36	2012	38.25	102	12.25	38.67	5.83	No	Yes	26.25		30	3800	0	OB	(Mtg 9/16, -3 sec/mi for larger mainsail)		
							19.83	13.58	8.83		49.83	968		28.75	1415	1	None			
			516		CARBON				322		40	7.7		9.58	Lead	FIXED				
			73		MS						25.75	0		6.5						

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications			
					J	Max Headsail	ISP JSP	P	MGU	Yes/No		SLU	ASA		Ttl Disp.	Traps/H.	IB or OB				
										SL	SPL								Ballast	moveable blst	Strps
EY	MSA	ASM	Fixed or _o																		
Get Happy!!	Express 27 ODR	1	129	1981	28.5 9	155	28.5	28.5	4.22	Yes	No	27.25 23.75 8.166 4.5	2450 1100 Lead	No 1 FIXED	OB None 0						
Picante	Islander Bahama 28 SM	1	210	1981	33.8 11.75	150	11.75	28	3.58	No	Yes	27.9 23 9.8 5.5	7000 3000 Lead	0 1 FIXED	IB Fixed_3 3						
Max	Ultimate 24 ODR	2	108	2002	28.04 7.82	110	30.8 14.5	31	6.81	No	Yes	24.38 21.17 8.48 5.52	2040 750 Lead	0 1 FIXED	OB None						
Checkered Past	Custom Wyliecat 39	3	102	2002				52	10.2	No	No	38.83 32 11.5 6.6	12000 6200 Lead	0 1 FIXED	IB FOLD 2	Boat has been modified for handicapped sailing					
Jacqueline	Freedom 30 SD	3	174	1986	28.4 9.8			35.2	5.25	Yes	No	30 25.42 10.8 4.5	7660 3150 Lead	0 1 FIXED	IB Fixed_2						
Makanani	Ultimate 24 ODR	3	111	2003	28.04 7.82	110	30.8 14.5	31	6.35	No	Yes	24.38 21.17 8.48 5.52	2040 750 Lead	0 1 FIXED	OB None						
Marrakesh	Express 34	3	102	1987	44.25 13	125	44.25	38.5	4.87	Yes	No	34 28.33 10.33 6.11	9245 3800 Lead	No 1 FIXED	IB FOLD 2						

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications		
				J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU SLE ASM	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps				
									SL	SPL								SLU	ASA
									SSMG	SSA								SSG	SSA
Disp/WL Ratio	Mast Material	Rig Type							Ballast Mat.	moveable blst Keel Type									
Samba Pa Ti	J 22	3	<b>186</b> 1982	24.8 8.8	125	24.8 8.8	26.1 9	3.78 6.27	Yes	No	22.5 19 8 3.8	1790 700 Lead	0 1 FIXED	OB None					
			<b>674</b> 119	ALUMN FS				147		8.8 320	<input type="checkbox"/>	0 0							
Wicked Sister	Farr 36 ODR	3	<b>9</b> 2004	46.78 13.19	110	54.82 21.06	49.93 18.63	8.53 12.96	No	Yes	36.1 32.8 11.72 8.5	6745 3076 Lead	0 1 FIXED	IB Fold					
			<b>473</b> 87	CARBON FS				592		36.28 1751 7.36 0	<input checked="" type="checkbox"/>								
Javelin	J 100 ODR	4	<b>81</b> 2004	38.5 11.5	95	43 12.7	38 13.5	5.13 8.77	No	Yes	32.8 29 9.3 5.8	6500 2500 Lead	No 1 FIXED	IB FOLD 2					
			<b>590</b> 121	CARBON FS				306		24.34 899 0	<input type="checkbox"/>								
Polecat	Wyliecat 30 IB	5	<b>132</b> 1997			29.5 12	40 20	7.35 12.66	No	No	30.5 25 9.416 5.25	5500 3050 Lead	No 1 FIXED	IB FOLD 2	(Articulating Sprint and Pole added for asym spinniker, added asymmetrical, -21 sec/mi)(5/22/14, removed Asymmetric, +21 sec/mi)(Mtg 8/25/16, New rudder installed, NCTR)				
			<b>620</b> 160	CARBON CAT				468 0		21.6 493 8 15	<input type="checkbox"/>								
Isle Of Skye	Tartan 33 7/8 RIG	6	<b>159</b> 1979	36.42 12.42	100	36.42	41.58 14.42	4.6 8.1	No	No	33.67 28.08 10.92 4.42	10000 4400 Lead	No 1 FIXED	IB FEATH 3					
			<b>205</b>	ALUMN FS				328 0			<input type="checkbox"/>								
Racer X	Farr 36 ODR	6	<b>9</b> 2006	46.78 13.19	110	54.82 21.06	49.93 18.63	8.53 12.965	No	Yes	36.1 32.8 11.72 8.5	6744 3078 Lead	No 1 FIXED	IB FOLD 2					
			<b>473</b> 87	CARBON FS				592		36.279 1751 7.35 0	<input checked="" type="checkbox"/>								
Tinker	Wilderness 21	6	<b>225</b> 1977	25 8.67	125	25	25 8	2.83 4.66	Yes	No	20.5 17.8 7.25 4	1870 1070 Lead	No 1 FIXED	OB None	Added roller furler				
			<b>718</b> 151	ALUMN MS				113		8.67 325	<input type="checkbox"/>								

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
			Built	J Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		SLU ASA Sprit Lngth Fixed or _o	Ballast Ballast Mat.		Traps/H. moveable blst				
								DW Rating	Mast Material	SL SSMG SSF	SPL SSA					SLU SLE ASM			ASA Sprit Lngth Fixed or _o
Lilith	Custom Wyliecat 39	7	102	1992			50.75	10.45	No	No			38.83	12000	No	IB	HULL DESIGN IS VERY SIMILAR TO WYLIECAT 30.NO JIB, NO SPINNAKER, NO SPANKER,NO REACHER, NO VANG,NO TWEEKER,NO STAYS ETC., AS SAILED RATING 102 PER MTG 6/2/10?		
			596		CARBON		26.5	17.5					32	6200	1	FOLD			
			166		CAT		0	811			<input type="checkbox"/>	0	11.83	Lead	FIXED	2			
							0						6.67						
Vip	Farallone Clipper FR	7	159	1957	36.82	155	36.82	40.5	6.16	Yes	No			38	19000	No	IB		
			673		14		18.5	10.979			36.76	14	28.75	7000	1	Fixed_3			
			363		WOOD		0	420			25.195	770	9.5	Iron	FIXED	3			
					FS		0				24.86		5.6						
Ex Indigo	Custom Diva 39	8	87	1987	41.73	125	41.73	46.75	5.72	Yes	No			38.75	9920	No	IB	Back Stay Crane	
			591		12.8		14.75	9.6			41.4	12.8	30.83	4575	1	FOLD			
			154		ALUMN		0	413			22.6	780	9.83	Lead	FIXED	2			
					FS		0				22.6		5.75						
Mottley	Catalina 34	8	147	1986	44	130	44	38.5	4.7	No	No			34.5	11950	No	IB		
			205		13.5		12	8.05					29.833	5000	1	Fold			
					ALUMN		0	281					11.75	Lead	FIXED	2			
					MS		0						5.583						
Inconceivable	J 88	9	81	2013	38.67	104	46	36.82	5.44	No	Yes	29	29.19	4990	0	IB			
			561		11.28		12	8.4			47.83	1022	26.84	1840	1	Fold			
			117		CARBON			282			40.84	5.25	9.5	Lead	FIXED				
					FS						27.32	<input checked="" type="checkbox"/>	0						
Grunion	Catalina 425	11	87	2017	55.75	125	17.34	52	5.04	No	No		41.67	17500	0	IB	(Mtg 1/26/17, need to submit spinnaker measurements when available)		
			133		15.67		18	9.58					39.08	7000	1	Fold			
					ALUMN			490					13.67	Lead	FIXED				
					MS							<input checked="" type="checkbox"/>	0						
Tiburon	C&C 30 Mills	11	36	2014	40.8	105	46.74	41.8	7	No	Yes	31.5	30	3995	0	IB			
			495		11.28		14.2	10			52.9	1284	28.7	1579	1	Fold			
			77		CARBON			387			46.16	7	9.8	Lead	FIXED				
					FS						31	<input checked="" type="checkbox"/>	0						

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
				DW Rating Disp/WL Ratio	J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast	Traps/H. moveable blst		IB or OB Prop Type # of blades
									SL	SPL	SLU	ASA						
									SSMG SSF	SSA	SLE ASM	SA						
Wile E Coyote	Express 27 ODR	11	<b>129</b> 1981	28.5 9	155	28.5	28.5	4.22	10.416	7.03	29	9.833	No	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 3	
Dream	Sceptre 41	12	<b>129</b> 1983	53 17.67	90	53	47	5.24	13	8.73	53	17.67	No	41 36 12.67 6.08	21500 8700 Lead	0 1 FIXED	IB Fold	
Invictus	Jeanneau Sunfast 3600	12	<b>63</b> 2015	46.58 13.83	105	48 17.67	44.25	6.49	15.08	9.91			No	35.42 31.25 11.67 7	10362 4850 Lead	0 1 FIXED	IB Feath	
Keala	Wylie Wabbit ODR W/Trap	12	<b>126</b> 1982	20.5 6.5	150	20.5	23.75	4.03	10	6.72	22	8.5	No	23.75 20 5.58 3.5	975 440 Lead	Yes 3 FIXED	OB None 0	Hiking straps and single trapeze
Iseult	Wyliecat 30 IB	13	<b>132</b> 2001		0		39.75	7.87	20.8	13.46			No	30.5 25 9.42 9.25	5500 3050 Lead	0 1 FIXED	IB Fold 2	
Albion	J 124	14	<b>27</b> 2007	49 14	145	54.7 19.43	48.4	6.4	17	11			No	40.7 36.2 11.33 7	12600 5000 Lead	0 1 FIXED	IB Fold	(Mtg 2/23/17, -6 sec/mi for asymmetric spinnaker modifications)
Centomiglia	Flying Tiger 10 Meter	15	<b>57</b> 2006	39.284 12.126	105	45.282 19.134	40.167	5.25	14.895	9.12			No	32.68 30.31 9.12 7.61	4376 1918 Lead	No 1 FIXED	OB None 3	(3/7/11, new class rudder installed, NCTR)(Mtg 8/24/17, +3 sec/mi for small girth mainsail)





Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
				DW Rating Disp/WL Ratio	I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			SLU ASA Sprit Lngth Fixed or _o	Ballast Ballast Mat.	Traps/H. moveable blst Keel Type		IB or OB Prop Type # of blades
									SL	SPL	SLU	ASA						
									SSMG SSF	SSA	SLE ASMG	Fixed or _o						
White Wabbit	Wylie Wabbit ODR W/Trap	19	<b>126</b> 1982	20.5 6.6	110	26.1	23.75 10	4.03 6.72	Yes	No	21.6 8.6	23.75 20 5.58 3.5	975 440 Lead	Yes 1 FIXED	OB None 0			
Another Girl	Alerion Express 38-2	20	<b>90</b> 2011	42.98 12.99	90		47.5 18.25	9.58 13.45	No	No		38.3 30.1 10.3 5.92	13000 5000 Lead	0 1 FIXED	IB Feath 2	(mtg 4/28/11, Custom rating of 90 assigned)		
Juno	J 88	20	<b>81</b> 2014	38.67 11.28	105	46 18.05	36.82 12	5.44 8.4	No	Yes	29 1022	29.19 26.84 9.5 6.5	4990 1840 Lead	0 1 FIXED	IB Feath			
Catch 22	Custom Zenrich 20	22	<b>189</b> 1979	25.5 8	155	25.5	25.5 8.67	3.67 5.08	Yes	No	8	20 18 7.79 4	1800 400 Lead	0 1 FIXED	OB None	(Mtg 1/26/12, Custom rating of 189 assigned)		
Peabody	Ultimate 20	22	<b>144</b> 2014	25.08 6.97	110	27.58 12.79	27.5 10.25	5.5 7.96	No	Yes	19.2 448	20.94 18 8.33 5.03	1350 450 Lead	0 1 CNTRBRD	OB None			
The Jackal	Moore 24	22	<b>150</b> 1977	26.25 9.75	150	26.25 9.75	25 9.5	3.91 6.5	Yes	No	9.75	23.75 21.75 7.16 4.08	2050 1025 Lead	0 1 FIXED	OB None			
White Shadow	J 88	23	<b>81</b> 2014	38.67 11.28	104	46 18.05	36.82 12	5.44 8.4	No	Yes	29 1022	29.19 26.84 9.5 6.5	4990 1840 Lead	0 1 FIXED	IB Fold			

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications						
				DW Rating Disp/WL Ratio	J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SL SPL SSMG SSF	SPL SSA		Yes/No SLU SLE ASMUG	ASF			Ttl Disp. Ballast	Traps/H. moveable blst Keel Type	IB or OB Prop Type # of blades			
									104	42.75 12.42					42.75	7 11					41 20.1 20.5	13.5 689	0 0
Dr Feelgood	Olson 29	24	99	1986	34 11	155	36	32.5 11.5	4.36 7.48	Yes	No	29.67 27.5 9.33 5.58	3600 1950 Lead	0 1 FIXED	OB None								
Kwazy	Wylie Wabbit ODR W/Trap	26	126	1982	20.416 6.416	150	20.5	23 10 0 0	4.02 6.71 141	Yes	No	23.58 20 5.42 3.41	975 440 Lead	Yes 3 FIXED	NONE None 0								
Hot Socks	Figaro II	27	48	2004	42.75 12.42	104	42.75	42.67 15.42	7 11	Yes	No	32.18 32 11.33 6.5	6724 2425 LeadWater	0 1 FIXED	IB Fold								
Nina	Olson 29	27	99	1987	34 11	155	36	32.5 11.5 0 0	4.5 7.27 222	Yes	No	29.67 27.5 9.33 5.58	3700 1950 Lead	0 1 FIXED	OB None 0								
Prime Number	J 70 ODR	29	114	2012	26.77 7.68	100	30.15 13.5	26.16 9.44	4.71 6.93	No	Yes	22.78 20.47 7.38 4.92	1750 630 Lead	0 1 MVBL	OB None								
Wind Blown Hare	Wylie Wabbit ODR W/Trap	29	126	1982	20.5 6.5	150	20.5	23.75 10 0 0	4.03 6.72 145	Yes	No	23.75 20 5.583 3.5	975 440 Lead	1 3 FIXED	OB None 0								
Divine Wind	Flying Tiger 10 Meter ODR	30	54	2007	39.28 12.12	105	45.28 19.134	40.16 14.89	6.463 10.5	No	Yes	32.65 30.31 9.15 7.62	4900 1918 Lead	0 1 FIXED	OB None 0								

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
				DW Rating Disp/WL Ratio	J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			SLU ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast	Traps/H. moveable blst		IB or OB Prop Type # of blades
									SL	SPL	SLU	ASA						
									SSMG SSF	SSA	SLE ASMG	Fixed or _o						
Ballast Mat.	Keel Type																	
Vanga	Alberg 30	30	<b>231</b> 1965	36.75 10.5	100	36	31 4.49 14.25 8.2	4.49 8.2	Yes	No	30.25 21.67 8.75 4.5	9000 3300 Iron	0 1 FIXED	IB Fixed_3 3	Roller Furler			
Wings	Columbia 5.5 M ODR	31	<b>177</b> 1965	29.125 8.25	96	30	34 4.59 11.416 7.65	4.59 7.65	Yes	No	32.416 25 6.25 4.33	4400 2800 Lead	No 1 FIXED	NA None 0				
Bad Hare Day	Wylie Wabbit ODR W/Trap	35	<b>126</b> 1982	20.75 6.5	150	20.5	23.75 4.03 10 6.72	4.03 6.72	Yes	No	23.75 20 5.583 3.5	975 440 Lead	Yes 3 FIXED	OB None 0				
Windtrip Infinity	J 92s	35	<b>96</b> 2006	40.68 11.48	107	44.08 16.67	38.88 5.42 13.95 9	5.42 9	No	Yes	23.25 48.67 39.67 24	0 878 5.17 0	30 26.7 10 6.24	5610 2317 Lead	0 1 FIXED	IB Fold		
Apogee	Islander 36 Freeport	36	<b>162</b> 1978	46.75 16.75	150		42 5 12.75 8.4	5 8.4	No	No	35.9 27.6 12 5.3	17000 7030 Lead	0 1 FIXED	IB Fold				
Ciao Bella	Beneteau 37	38	<b>117</b> 2009	45.833 15	105		43.5 12.9		No	No	37.666 34.75 12.833 6.25	14008 3902 Iron	0 1 FIXED	IB FOLD 3				
Yeti	Express 27 ODR	38	<b>129</b> 1983	28.5 9	155	28.5	28.5 4.22 10.4 7.03	4.22 7.03	Yes	No	27.25 23.75 8.16 4.5	2450 1100 Lead	0 1 FIXED	OB None				

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop		Modifications				
				J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.	Traps/H.	IB or OB		# of blades			
									SL	SPL	SLU	ASA								Ballast	moveable blst	Prop Type
									SSMG SSF	SSA	SLE ASMG	Fixed or _o										
Dare Dare	Jeanneau Sun Fast 3200	39	<b>81</b> 2008	41.92 12.58	102	43.77 13.61	38.67 13.68	5.28 8.46	Yes	Yes	24.41 887	33.1 28	7916 2866	0 1	IB Fold							
			<b>598</b> 164	ALUMN FS				311			1 0	11.5 6.2	Lead	FIXED	2							
Lonestar	Beneteau First 10R ODR MOD	40	<b>84</b> 2007	43.2 12.07	100	46.41 16.5	42.25 14.73	5.59 9.57	No	Yes	25.5 1078	32.75 28.7	9715 3528	0 1	IB FOLD	(Mtg 5/20/10, +3 sec/mi for non-class smaller kite)(Mtg 9/23/10, rudder modifications noted, NCTR)(Mtg 4/26/12, new rudder noted, NCTR)						
			<b>601</b> 187	CARBON FS				371			4.43 0	11 6.55	Lead	FIXED	2							
Wild 1	Flying Tiger 10 Meter ODR	41	<b>54</b> 2007	39.284 12.126	105	45.282 19.134	40.167 14.895	6.463 10.499	No	Yes	27.493 1087	32.68 30.31	4376 1918	0 1	OB None							
			<b>517</b> 71	CARBON FS				378			7.008 0	9.12 7.61	Lead	FIXED	3							
Hokulani	J 120 ALUM	43	<b>48</b> 1996	50.42 14.42	155	50.42 21.42	46.42 17.67	6.58 11.42	No	Yes	37.8 1777	40 35	13900 6000	0 1	IB Fold							
			<b>538</b> 147	ALUMN FS				486			0 0	12 7	Lead	FIXED								
Maxine	Yankee 30-1 SM	43	<b>186</b> 1971	37.5 12.75	125	37.5 12.75	32.5 9.7	2.4 4.8	No	No	20.75 600	30.13 23	8700 4130	0 1	IB FOLD	+3 sec/mi for MGM less than 50% of E						
			<b>325</b>	ALUMN MS				158			0 0	9 5	Lead	FIXED	2							
Tijd	Beneteau First 30	45	<b>102</b> 2011	41.66 13.78	105	42.16 15.7	40.2 14.25	6.24 9.38	No	Yes	25.5 866	31.7 27.5	8267 2403	0 1	IB Fold	(Mtg 8/27/15, -3 sec/mi for OSP, +6 sec/mi for small spinnaker)						
			<b>602</b> 181	ALUMN FS				354		15	1 90	10.5 6.25	Cast Iron	FIXED								
Elan	Beneteau 37	46	<b>114</b> 2012	45.83 15	105	48	43.5 12.83	6.16 8.83	No	Yes	26.6 915	37.8 34.08	14359 3901	0 1	IB Fold							
			<b>596</b> 165	ALUMN FS				359			0 0	12.83 6.25	Iron	FIXED								

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
			Built	ISP	I	J	Max Headsail	ISP	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB	
			DW Rating	JSP	Mast	Material		E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst		Prop Type	
			Disp/WL Ratio		Rig Type		PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades			
Riff Rider	Cal 40	46	<b>114</b>	1965	46.2	155	46.2	40	6.5	Yes	No	39.3	15000	0		IB			
					15.1			17.5	11.3			30.3	6000	1		Fold			
			<b>615</b>		ALUMN				414			11	Lead	FIXED					
			245		MS						<input type="checkbox"/>	5.6							
Kraken	Knarr ODR	47	<b>198</b>		33.583	125	33.583	31	4.47	No	No	30.333	4360	No		OB			
					6.583			11.166	7.46			20.333	2866	1		None			
					WOOD			0	211			7	Cast Iron	FIXED		0			
					FS			0			<input type="checkbox"/>	4.25							
Fatuity	Moore 24	48	<b>150</b>	1980	26.25	150	26.25	25	3.91	Yes	No	23.75	2050	No		OB			
					9.75			9.5	6.5			21.75	1025	1		None			
			<b>635</b>		ALUMN			0	147			7.16	Lead	FIXED		0			
			91		FS			0			<input type="checkbox"/>	4.083							
Hang 20	Express 27 ODR	48	<b>129</b>	1982	28.5	125	28.5	28.5	4.22	Yes	No	27.3	2450	0		OB			
					9			10.42	7.03			23.8	1100	1		None			
			<b>612</b>		ALUMN				182			8.17	Lead	FIXED		0			
			83		FS						<input type="checkbox"/>	4.5							
Color Blind	Moore 24	49	<b>150</b>	1979	26.25	150	26.25	25	3.91	Yes	No	23.75	2050	No		OB			
					9.75			9.5	6.5			21.75	1025	1		None			
			<b>635</b>		ALUMN			0	147			7.16	Lead	FIXED		0			
			91		FS			0			<input type="checkbox"/>	4.083							
Hylite	Hylas 49 SM	49	<b>111</b>	2007	57.42	130	57.42	51	4.5	No	Yes	48.83	35000	0		IB	(Mtg 1/26/17, Custom rating of 111 assigned)		
					19.5			18.5	9.17		28.67	39.5	14500	1		Fold			
			<b>580</b>		ALUMN				470		60	14.25	Lead	FIXED					
			258		CTR						28.67	6							
											1214								
											0								
											<input checked="" type="checkbox"/>	0							
Wet Spot	Moore 24	51	<b>150</b>	1979	26.25	150	26.25	25	3.91	Yes	No	23.75	2050	No		OB			
					9.75			9.5	6.5			21.75	1025	1		None			
			<b>636</b>					0	147			7.16	Lead	FIXED		0			
			91		FS			0			<input type="checkbox"/>	4.08							

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop		Modifications				
				J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU SLE ASMG	SPL SSA		Yes/No	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.	Traps/H. Ballast Mat.		Strps moveable blst Keel Type	IB or OB Prop Type # of blades		
									DW Rating	Mast Material											SL	SPL
Frequent Flyer	Mumm/Farr 30	52	<b>54</b> 1996	38.2 10.9	104	44.9 13.58	40.5 14.6	6.42 10.4	Yes		Yes	25.25	30.9	4561	0	IB						
			<b>540</b> 99	CARBON FS									27.6	1997	1	Fold						
													10.1	Lead	FIXED							
													6.9									
Current Affair	Express 27 ODR	56	<b>129</b> 1983	28.5 9	155	28.5	28.5 10.42	4.22 7.03	Yes		No		27.25	2450	0	OB						
			<b>611</b> 83	ALUMN FS									23.75	1100	1	None						
													8.17	Lead	FIXED							
													4.5									
Salty Hotel	Express 27 ODR	60	<b>129</b> 1983	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes		No		27.25	2450	0	OB						
			<b>611</b> 83	ALUMN FS									23.75	1100	1	None						
													8.17	Lead	FIXED	0						
													4.5									
Ventus	J 88	60	<b>81</b> 2015	38.67 11.28	104	46 18.05	36.82 12	5.44 8.4	No		Yes	29	29.19	4990	0	IB						
			<b>561</b> 117	CARBON FS									26.84	1840	1	Fold						
													9.5	Lead	FIXED							
													6.5									
Wuvulu	Islander Bahama 30	61	<b>180</b> 1979	40 12.75	150	38.416	33.75 11.5	4.75 8.125	Yes		No		30	8600	No	IB						
			<b>674</b> 263	ALUMN MS									24.58	3500	1	FOLD						
													10	Lead	FIXED	2						
													5									
Firefly	Moore 24	64	<b>150</b> 1980	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes		No		23.75	2050	No	OB						
			<b>635</b> 91	ALUMN FS									21.75	1025	1	None						
													7.16	Lead	FIXED	0						
													4.083									
La Dolce Vita	J 32	64	<b>120</b> 2001	39.2 11	155	40.5 13	38.5 15.5	5.1 9.2	No		Yes	19.7	32.4	10000	0	IB	(Mtg 8/22/13, -6 sec/mi for sprit)					
			<b>635</b> 186	ALUMN FS									29	3840	1	Feath						
													11	Lead	FIXED	3						
													6									

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
				DW Rating Disp/WL Ratio	I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast	Traps/H. moveable blst		IB or OB Prop Type # of blades
									SL	SPL	SLU	ASA						
									SSMG SSF	SSA	SLE	ASMG						
UHOO!	Ultimate 20	64	144	1996	22.8 7	100	27.58 13	27.5 10.33	5.3 7.96	No	Yes	19.2 446 6 17.6	20.8 18 8.166 5	1100 450 Lead	No 1 CENTER	OB None 0		
Rare Bird	Moore 24	67	141		26.58 9.75	100	28.31 11.65	25 9.5	3.91 6.5	Yes	Yes	17.22 464 0 0	23.75 21.75 7.16 4.083	2050 1025 Lead	0 1 FIXED	OB None	(Mtg 10/27/16, -6 sec/mi for OSP, -6 sec/mi for increased spinnaker area)	
Shenanigans	Express 27 ODR	67	129	1983	28.5 9	155	28.5	28.5 10.42	4.22 7.03	Yes	No	0 0 0	27.25 23.75 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0		
Cordon Rouge	J 30	68	144	1979	34 11.5	125	34	38 13	5.1 8.4	Yes	No	0 0 0	29.83 25 11.2 5.25	6700 2100 Lead	No 1 FIXED	IB FOLD 3		
Gruntled	Moore 24	68	150	1980	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No	0 0 0	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0		
Synchronicity	Olson 25	68	159	1985	32 9.583	155	32 9.6	28 10	3.8 6.4	Yes	No	0 0 0	25 21.25 9 4.5	3300 1300 Lead	No 1 FIXED	OB None 0		
Wetsu	Express 27 w/J length pole	70	129	1983	28.5 9	155	28.5	28.5 10.42	4.22 7.03	Yes	No	0 0 0	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0	-6 Sec/mi OSP	

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
		Sail #	DW Rating		I	J	Max	ISP	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	IB or OB		
					Headsail	Material	JSP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type		
		Disp/WL Ratio			Rig Type		MSA	SSMG	SSA	SLE	Sprit	Lngrh	Max Beam	Ballast Mat.	Keel Type	# of blades			
					MSA	SSMG	SSA	ASF	Fixed or _o	Max Draft									
Leda	Lapworth 36	71	150	1965	40.5	150	40.5	35.5	6.23	Yes	No	36	13500	No	IB				
					13.5		13.5	17.5	8.85			29	4500	1	FOLD				
					632	ALUMN		0			0	9.5	Lead	FIXED	0				
					252	MS		0				5.43							
Rustler	Esse 850	71	75		32.8	105	37.72	34.4	6.23	No	Yes	28	3000	0	IB	Outboard replaced with inboard saildrive (Mtg 2/28/13, custom rating assigned, as sailed: 75)			
					10		16.2	11.97	8.85		Yes	28	1540	1	Fold				
					535	ALUMN			277		43.5	7.25	Lead	FIXED					
					62	FS					36.9	6.6							
											23	0							
Andale	Express 27 ODR	72	129	1985	28.5	155	28.5	28.5	4.22	Yes	No	27.25	2450	0	None				
					9			10.42	7.03			23.75	1100	1					
					611	ALUMN			182			8.17	Lead	FIXED					
					83	FS						4.5							
Azure	CAL 40	72	114	1966	46	150	46	40	6.65	Yes	No	39.3	15500	0	IB				
					15.17			17.5	11.37			30.5	6000	1	FEATH				
					623	ALUMN		0	417			11	Lead	FIXED	2				
					248	MS		0				5.5							
M Squared	J 88	75	81		38.67	104	46	36.82	5.44	No	Yes	29.19	4990	0	IB				
					11.28		18.05	12	8.4			26.84	1840	1	Fold				
					561	CARBON			282			9.5	Lead	FIXED					
					117	FS						6.5							
Paramour	Moore 24	75	150	1980	26.25	150	26.25	25	3.91	Yes	No	23.75	2050	No	OB				
					9.75			9.5	6.5			21.75	1025	1	None				
					635	ALUMN		0	147			7.16	Lead	FIXED	0				
					91	FS		0				4.083							
JR	Moore 24	76	150	1980	26.25	155	26.25	25	3.91	Yes	No	23.75	2050	No	OB				
					9.75			9.5	6.5			21.75	1025	1	None				
					635	ALUMN		0	147			7.16	Lead	FIXED	0				
					91	FS		0				4.08							



Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications			
		Sail #	DW Rating		I	J	P	MGU	Yes/No	Yes/No	ASF	Ttl Disp.		Traps/H. Strps						
					Max	Headsail	E	MGM	SL	SPL	SLU	ASA		Ballast	moveable blst					
		Disp/WL Ratio			Material	Rig Type	PY	MSA	SSMG	SSA	SLE	Sprit Lngth		Ballast Mat.	Keel Type					
				ISP	JSP	SSF	SSA	ASM	Fixed or _o											
USA 76	IACC	76	-78	2002	83.99 27.17	100	CARBON FS	99.18 30.19	14.12 20.33	1892	No	No	82.6 61.6 11.9 13.45	52910 39683 Lead	No 1 FIXED	IB Fold	(mtg 12/5/13, custom rating of -78 assigned)			
Courageous	J 88	77	81	2015	38.67 11.28	104	CARBON FS	46 18.05	36.82 12	5.44 8.4	282	No	Yes	29 1022 5.25 0	29.19 26.84 9.5 6.5	4990 1840 Lead	0 1 FIXED	IB Fold		
Levitation II	Express 27 ODR	77	129	1984	28.5 9	150	ALUMN FS	28.5 10.416	4.22 7.03	0 182	0	Yes	No	29 9.833 423	27.25 23.75 8.166 4.5	2450 1100 Lead	No 1 FIXED	OB None 0		
Split Water	J 88	78	81	2015	38.67 11.28	104	CARBON FS	46 18.05	36.82 12	5.44 8.4	282	No	Yes	29 1022 5.25 0	29.19 26.84 9.5 6.5	4990 1840 Lead	0 1 FIXED	IB Fold		
White Trash	Moore 24	78	150	1979	26.25 9.75	150	ALUMN FS	26.25 9.5	3.91 6.5	147	26.6 17.55 17.55	9.75 389	No	Yes	17.83 722 0 0	23.75 21.75 7.16 4.08	2050 1025 Lead	0 1 FIXED	OB None 0	
Paradigm	J 32	79	126	2002	39.166 11	150	ALUMN FS	40.583 11.916	38.42 15.42	5.5 9.58	343	No	Yes	17.83 722 0 0	32.4 29 11 6	11500 3840 Lead	No 1 FIXED	IB FOLD 2		
WooHoo	Moore 24	80	150	1980	26.25 9.8	150	ALUMN FS	26.25 9.5	3.91 6.5	147	27 17.55 17.55	9.75 395	No	Yes	17.83 722 0 0	23.75 21.75 7.16 4.083	2050 1025 Lead	0 1 FIXED	OB None 0	

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
				DW Rating Disp/WL Ratio	I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU ASA Sprit Lngth Fixed or _o	SL SPL SSMG SSA		SLU ASA Sprit Lngth Fixed or _o	Ballast Ballast Mat.			Traps/H. moveable blst Keel Type
									30 15 15	8.416 375								
Youngster	IOD ODR	82	156	1937	29.25 8.33	103	41 10.67	38.83 16.25	6.12 10.47	Yes	No	33.42 21.42 6.75 5.333	7100 4100 Lead	No 1 FIXED	NONE None 0	(mtg 1/21/10, switched to Masthead Spinnaker, -12 sec/mi for 40% increase in ISP, -6 sec/mi for oversized spinnaker girths)(138 rating valid for PHRF Races, not valid for IOD Class races. Boat must be in class configuration to sail.		
Advantage 3	J 105 ODR w/ 5'BS	84	78	1994	40.6 13.5	100	42.1 19.07	41.5 14.5	5.5 9.4	No	Yes	34.5 29.5 11 6.5	7750 3400 Lead	No 1 FIXED	IB FOLD 2			
Orca	Moore 24	85	150	1981	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.083	2050 1025 Lead	0 1 FIXED	OB None 0			
Russian Roulette	J 105 ODR w/ 5'BS	85	78	1995	40.6 13.5	100	42.1 19.07	41.5 14.5	5.5 9.4	No	Yes	34.5 29.5 11 6.5	7750 3400 Lead	0 1 FIXED	IB Fold 2			
Scarlett	Moore 24	86	150	1980	26.25 9.75	150	26.25	25 9.5	3.89 6.45	Yes	No	24 21.75 7.17 4.08	2050 1000 Lead	No 1 FIXED	OB None			
Dulcinea	Catalina 38	88	117	1981	49.83 15.5	130	49.8 15.5	44 11.5	4.37 7.6	No	No	38.17 30.25 11.83 6.75	15900 6850 Lead	0 1 FIXED	IB Fold 2			
Mooretician	Moore 24	89	150	1981	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.08	2050 1025 Lead	No 1 FIXED	OB None 0			

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
				J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps Ballast moveable blst Ballast Mat. Keel Type	IB or OB Prop Type # of blades	
									SL	SPL							
									SSMG SSF	SSA							
Hijinks	J 92	90	<b>108</b> 1996	37 11.5	97	38.5 17	37.66 13.22	5 8.6	No	Yes	26.51 868	30 26.5 10 5.9	5500 2275 Lead	0 1 FIXED	IB Fold 2		
Jam Jam	Yankee 30-1 SM	90	<b>192</b> 1972	37.5 12.75	125	37.5	34.5 9.75	2.45 4.91	Yes	No	0	30 23 9 5.1	8900 4180 Lead	0 1 FIXED	IB Fixed_3 3	(mtg 4/28/11, +3 sec/mi for engine modifications)	
Make Me Smile	Express 27 ODR	91	<b>129</b>	28.5 9	155	28.5	28.5 10.42	4.22 7.03	Yes	No	0	27.25 23.8 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0		
Shadowfax	Olson 25	91	<b>159</b> 1986	32 9.6	155	32	28 10	3.8 6.4	Yes	No	0	25 21.25 9 4.5	3300 1300 Lead	No 1 FIXED	OB None 0		
Symmetry	J 111	91	<b>36</b> 2013	48.37 13.85	105	51.4 20.08	45.17 14.45	6.16 10.1	No	Yes	31.1 1399	36.5 32.7 10.8 7.2	9300 3500 LeadSteel	0 1 FIXED	IB Fold		
Skinny Love	11 Metre ODR	92	<b>69</b> 1996	32.53 10.166	95	41	36.08 13.583	5.23 8.82	Yes	No	0	33.67 26.92 8.67 5.42	3600 1600 Lead	No 1 FIXED	OB None 0	MTG 4/9/98. Sail number 90, using sail # 246 for Vallejo 2008	
Relentless	J 92	93	<b>105</b> 1997	37 11.5	155	38.5 17.5	38 13.5	5.2 8.7	No	Yes	26.4 915	30 26.5 10 5.9	5500 2275 Lead	0 1 FIXED	IB Fold 2		

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications					
				JSP	I J	Max Headsail	P E PY EY	MGU MGM MSA	Yes/No		SLU SLE ASMG	SPL SSA		Yes/No	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.		Traps/H. Strps		IB or OB Prop Type # of blades		
									ISP	Mast Material								SSMG	SSA		Ballast	moveable blst
California Condor	Class 40	94	<b>6</b> 2010	53.9 15.65	104	58.6 23.85	53.21 18.81	11.71 14.38	No	Yes	39.7 1623	40 39.17 14.7 9.84	12225 4710 Lead	0 1 FIXED	IB Fold 2	Short-Handed Bay Configuration						
Slight Disorder	Moore 24	98	<b>150</b> 1981	26.25 9.75	150	26.25 9.75	25 9.5 0 0	3.91 6.5 147	Yes	No	0	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0							
Red Cloud	Farr 36 Mod	99	<b>87</b> 1976	38.3 12.16	108	46.3 12.16	41 16.75 0 0	6.4 10.9 410	Yes	No	0	36 31.33 11.92 6.16	10430 3950 Lead	No 1 FIXED	IB Fold 2	(550# ADDED TO KEEL 300# TO FILL MIDDLE WINDOW+250# TO BOTTOM)(Mtg 1/26/12, -3 sec/mi for new mainsail)(mtg 3/29/12, +3 sec/mi after review of rating appeal, as sailed: 87)						
Archaeopteryx	Hotfoot 20	101	<b>177</b> 1986	25 7	105	26.08 7.67	27.08 10.08	4.05 6.6 166	Yes	No	0 0	20 18 8.5 5	1000 400 Lead	0 1 CNTRBRD	OB None							
Elise	Express 27 ODR	101	<b>129</b> 1986	28.5 9	155	28.5	28.5 10.416	4.22 7.03 182	Yes	No	0 0	27.25 23.75 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0							
Swift Ness	J 111	101	<b>36</b> 2014	48.37 13.85	105	51.4 20.08	45.17 14.5	6.1 10.1 410	No	Yes	31.8 1404 6.3 0	36.5 32.7 10.8 7.2	9300 3500 LeadSteel	0 1 FIXED	IB Fold							
Absinthe	Moore 24	102	<b>150</b> 1981	26.25 9.75	150	26.25	25 9.5 0 0	3.91 6.5 147	Yes	No	0	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0							

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications													
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU SLE ASMG	SPL SSA	Yes/No		ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.	Traps/H. Ballast Mat.		Strps moveable blst Keel Type	IB or OB Prop Type # of blades											
								DW Rating	Mast Material											Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	SL SSMG SSF	SPL SSA	SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.	Traps/H. Ballast Mat.	Strps moveable blst Keel Type
Bad Dog	J 111	103	<b>36</b> 2011	48.37 13.85	105	51.4 20.08	45.7 14.5	6.1 10.1	No	Yes	31.86 1433	36.5 32.7	9300 3500	0 1	IB Fold															
			<b>532</b> 121	CARBON FS				414			6.3 0	10.8 7.2	LeadSteel	FIXED																
Geodesic III	Optima 101	103	<b>138</b> 1985	38.71 12	145	38.71 12	38.39 13.45	4.9 8.2	Yes	Yes	19.6 586	32.84 29.25	8511 3968	0 1	IB Fixed_2	(Mtg 4/27/17, added 2' retractable bowsprit, -3 sec/mi)														
			<b>621</b> 155	ALUMN FS				298			2 0	11.15 4.76	Iron	FIXED																
Wet Corvette	Melges 30	103	<b>36</b> 1994	36.85 10.59	150	36.85 18.96	38 15.49		No	Yes		30 28.6	3800 1750	0 1	IB FOLD															
			<b>507</b> 74	CARBON FS							8.4 90	9.1 7	Lead	MVBL	2															
Ala Moana	Beneteau First 30	104	<b>99</b> 2012	41.66 13.78	105	42.16 15.78	40.3 14.25	6.28 9.38	No	Yes	28.82 1049	31.7 27.6	8267 2403	0 1	IB Fold															
			<b>602</b> 179	ALUMN FS				356			2 0	10.5 6.25	Cast Iron	FIXED	2															
Rocket Science	Moore 24	104	<b>150</b>	26.25 9.75	155	26.25 9.76	25 9.5	3.91 6.5	Yes	No		23.75 21.75	2050 1025	0 1	OB None															
			<b>635</b> 91	ALUMN FS				147			0 0	7.16 4.08	Lead	FIXED	3															
Sweet Tea	Moore 24	105	<b>150</b> 1981	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No		23.75 21.75	2050 1025	0 1	OB None															
			<b>635</b> 91	ALUMN FS				147			0 0	7.16 4.08	Lead	FIXED																
Blue Angel	Moore 24	106	<b>150</b> 1982	26.25 9.75	155	26.25	25 9.5	3.91 6.5	Yes	No		23.75 21.75	2050 1025	No 1	OB None															
			<b>635</b> 91	ALUMN FS			0 0	147			0	7.16 4.083	Lead	FIXED	0															

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps moveable blst	IB or OB Prop Type # of blades		
								SL SSMG SSF	SPL SSA	SLU SLE ASMG	Ballast Mat.							Keel Type
Neverland	Tartan 3700 SD 5.0'	106	<b>114</b> 2006	51.75 15	135	51.75 15	45.25 5.7 15	9.68	No	Yes	25.4 1025	37 32.5 12.6 5	17780 6200 Lead	0 1 FIXED	IB Fold 2			
			<b>616</b> 235	CARBON MS			404				<input checked="" type="checkbox"/>							
Sea Spirit	Catalina 34 1&2	108	<b>147</b> 1986	44 13.5	130	44 13.5	38.5 12	4.36 7.54	Yes	No		34.5 29.83 11.75 5.58	11950 5000 Lead	No 1 FIXED	IB FOLD 2			
			<b>636</b> 205	ALUMN MS			270				<input type="checkbox"/>							
Thea	Folkboat	108	<b>252</b> 1984	21.988 6.562	100	10.166	28.707 11.154	4.416 7.333	No	No		25.079 19.822 7.261 3.916	4640 2315 Iron	No 1 FIXED	OB None 0			
			<b>271</b>	WOOD MS			0 0	194			<input type="checkbox"/>							
Lucky Mud	Pearson 323	110	<b>189</b> 1978	41 13.81	100		36 10.75	3 5.2	No	No		32.3 27.5 10 4.5	12800 4500 Lead	0 1 FIXED	IB Fixed_3			
			<b>280</b>	ALUMN MS				197			<input type="checkbox"/>							
Moxy	Moore 24	110	<b>150</b> 1982	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No		23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0			
			<b>635</b> 91	ALUMN FS			0 0	147			<input type="checkbox"/>							
Wood Eye	Catalina 38	111	<b>123</b> 1981	49.83 15.5	110	49.83 15.5	44 11.5	4.7 7.9	Yes	No		38.17 30.25 11.83 6.75	15900 6850 Lead	0 1 FIXED	IB Fixed_2 2			
			<b>625</b> 261	ALUMN MS				313			<input type="checkbox"/>							
High and Dry	Santana 22	114	<b>234</b> 1967	26 8.5	150	26	21.75 9.83	3.95 6.59	Yes	No		22 18.67 7.83 3.5	2600 1230 Cast Iron	0 1 FIXED	OB None			
			<b>737</b> 182	ALUMN MS				131			<input type="checkbox"/>							

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications					
				J	Max Headsail	ISP JSP	P	MGU	Yes/No		SLU	ASA	LWA	Ttl Disp.	Traps/H.	IB or OB							
									E	MGM							SL		SPL	Ballast	moveable blst	Strps	Prop Type
Disp/WL Ratio	Mast Material	Rig Type	EY	SSFF	ASMG	Fixed or _o	Max Draft	Ballast Mat.	Keel Type														
Ecco	CAL 39-2/3	115	<b>117</b> 1980	50 16.7	125	50	44 13.75	5 8.5	No	No	39 32.1 12.15 6.7	17000 7000 Lead	0 1 FIXED	IB Feath									
First Light	Beneteau 35S5	115	<b>126</b> 1991	41.66 11.15	98		42.65 15.09	5.25 9.042	Yes	No	35.42 29.33 11.83 6	11460 4190 Lead	No 1 FIXED	IB Fixed_2 2									
Pork Chop Express	Express 27 ODR	115	<b>129</b> 1986	28.5 9	130	32.5	28.5 10.4	4.2 7	Yes	No	19.55 27.25 23.75 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None	(Mtg 1/26/17, -3sec/mi for switching to MH configuration. New Rudder, NCTR)(08/11/17, switching back to OD config)								
E-Ticket	Moorings 38 SD	119	<b>117</b> 1990	47.5 13.9	155	47.5 13.9	41.7 15	5.69 9.45	Yes	No	38.4 31.33 12.5 4.8	13700 5400 Steel	0 1 FIXED	IB Fold 2	Shoal Draft (Mtg 10/27/16, -3 sec/mi for oversized spinnaker area)								
Snafu	Moore 24	121	<b>150</b> 1982	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.08	2050 1000 Lead	0 1 FIXED	OB None									
Harizon	Dufour 310	122	<b>159</b> 2016	40.35 10.82	95		38.25 14.57	5.54 9.47	No	No	31.72 28.54 10.88 6.23	10802 2932 Iron	0 1 FIXED	IB Fold									
Ga	Knarr ODR	123	<b>198</b> 1980	33.583 6.583	125	33.583	31 11.166	4.47 7.46	No	No	30.333 20.333 7 4.25	4630 2866 Lead	No 1 FIXED	OB None 0									

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications		
				DW Rating Disp/WL Ratio	I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast			Traps/H. moveable blst	
									SL	SPL	SLU	ASA							
									SSMG SSF	SSA	SLE ASMG	Fixed or _o							
Ballast Mat.	Keel Type																		
Circlesea	Folkboat	125	<b>252</b>		21.99 6.56 WOOD MS	100	10.17	28.71 11.15	4.42 7.33	194		No	No		25.08 19.82 7.26 3.92	4640 2315 Iron	0 1 FIXED	OB None 0	
Carmelita	Catalina 42-1/2	131	<b>105</b>	1990	53 16.42 ALUMN MS	125	53	46.75 15.5 0 0	4.98 8.85 399			Yes	Yes	27.75 1131 0	41.83 36 13.83 6.66	22000 8300 Lead	No 1 FIXED	IB FEATH 3	
Problen Child	Melges 20	134	<b>111</b>	2009	23.19 7.05 CARBON FS	110	27.2 10.95	24.25 9.84	3.83 7.42	152		No	Yes	18.8 417 3.9 0	20 19.4 7 4.5	1105 415 Lead	0 1 FIXED	OB None	
Incognito	Moore 24	136	<b>150</b>	1984	26.25 9.75 ALUMN FS	150	26.25	25 9.5 0 0	3.91 6.5 147			Yes	No		23.75 21.75 7.16 4.08	2050 1025 Lead	No 1 FIXED	OB None 0	
Mas!	Moore 24	138	<b>150</b>	1983	26.25 9.75 ALUMN FS	150	26.25	25 9.5	3.91 6.5	147		Yes	Yes	17.6 387 0 90	23.75 21.75 7.16 4.08	2050 1025 Lead	0 1 FIXED	OB None	
Hasta Nunca	Moore 24	142	<b>150</b>		26.25 9.75 ALUMN FS	150	26.25	25 9.5	3.91 6.5	147		Yes	No		23.75 21.75 7.16 4.08	2050 1025 Lead	0 1 FIXED	OB None 0	
Zara	Beneteau 310	144	<b>135</b>	1993	37.04 10.83 ALUMN FS	135	37.04 10.82	37.8 12.9	5.2 8.9	301		No	Yes	21.6 528 0 0	31.2 27.7 10.5 4.3	7054 2160 Lead	0 1 FIXED	IB Fixed_2	





Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications		
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		SLU ASA SLE Sprit Lngth Fixed or _o		ASF	Ttl Disp.	Traps/H. Strps		IB or OB Prop Type # of blades	
								SL	SPL	SLU	ASA					Ballast			moveable blst
SSF	SSA	ASM	SMG	SSA	SSF	SSA	SSA	SSA	SSA	SSA	SSA	SSA							
Junkyard Dog	J 109 ODR	168	<b>72</b> 2004	46.5 13.3 105	49 18.83	43.25 5.88 15.5 10	0 398	No	Yes	27.75 1160	35.25 30.5 11.5 7	10900 3900 Lead	No 1 FIXED	IB FOLD 2					
Rufless	Melges 32 MOD	174	<b>30</b> 2007	40.86 10.7 105	48.3 18.7	44.05 6.95 15.49 11.14	0 438	No	Yes	31.3 1203	31.84 28.5 9.83 7	4200 1600 Lead	No 1 FIXED	OB None	(mtg 2/23/17, no longer using the class spinnaker. +3 sec/mi for small asymmetric)				
Strange Magic	Islander Bahama 30	179	<b>180</b> 1981	40 12.75 150	40 12.75	33.75 4.37 11.5 7.47	0 232	No	No	0 0	29.92 24.58 10 5	8230 3130 Lead	0 1 FIXED	IB Fold					
Breakaway	Ultimate 20 CM	180	<b>144</b> 2002	26.08 6.97 114	27.58 12.79	27.33 5.5 10.17 7.96	193	No	Yes	19.167 441	20.83 18 8.33 5	1350 450 Lead	No 1 FIXED	OB Fixed_3 3					
Vuja Star	J 105 ODR w/ 5'BS	181	<b>78</b> 1998	40.6 13.5 100	42.1 19.07	41.5 5.5 14.5 9.4	358	No	Yes	29.5 958	34.5 29.5 11 6.5	8733 3400 Lead	0 1 FIXED	IB Fold 2					
Some Assembly Required	Holder 20	183	<b>192</b> 1984	22.6 7.25 155	22.6 13.05	24.04 3.84 9.33 6.58	141	Yes	No	7.25	20.33 18.42 7.83 3.58	1160 335 Lead	4 1 MVBL	OB None	(Mtg 8/24/17, added 4 soft hiking straps to seats, NCTR)				
Big Air	Open 5.7 ODR	189	<b>138</b> 2006	21.52 7.3 117	21.6 12.3	25.33 5.7 10.24 8.2	183	No	Yes	17.6 345	18.75 18.7 8.3 5.74	992 405 Lead	0 1 FIXED	OB None					

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:		ISP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull	Displacement/Keel		Engine/Prop	Modifications	
			Max Headsail		I	J	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB			
			DW Rating		Mast Material	JSP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type			
			Disp/WL Ratio		Rig Type	MS	PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades			
Trois Amis	Screamer 12 Meter MOD	194	<b>36</b>	1985	44.58 15.75	140	44.58	41 14.2	5.3 9.2	Yes	No	39.37 32.5 10.33 7.67	6000 1350 Lead	0 1 FIXED	OB None	(mtg 3/23/17, custom rating of 36 assigned)			
			<b>506</b> 79		ALUMN MS				345			<input type="checkbox"/>	0 0						
Lindo	J 109	195	<b>69</b>	2005	46.5 13.3	155	49 18.8	43.3 15.5	5.89 10.07	No	Yes	35.25 30.5 11.5 7	10900 3900 Lead	0 1 FIXED	IB FOLD 2				
			<b>580</b> 175		ALUMN FS				400				<input checked="" type="checkbox"/>	27.75 1160 5.5 0					
Sweet Pea	Islander 30-2	195	<b>186</b>	1971	38.5 12.58	155	38.42	32.5 11.58	4.75 8.125	Yes	No	30 24.58 10 5	8600 3500 Lead	0 1 FIXED	IB FOLD 2				
			<b>677</b> 263		ALUMN MS			0 0	235				<input type="checkbox"/>	0					
Warpath	Olson 30 OB	198	<b>99</b>	1982	36 11.75	150	35.9 11.67	31.5 10.75	4.364 7.268	Yes	No	30 27.5 9.33 5.08	3600 1800 Lead	No 1 FIXED	OB None 0				
			<b>584</b> 79		MS			0 0	208				<input type="checkbox"/>	0					
Quiet Thing	Ranger 22	200	<b>216</b>	1978	25.75 8.5	155	25.75	26 7.4	2.8 4.8	Yes	No	22.5 17.5 7.8 4.3	2200 900 Lead	0 1 FIXED	OB None				
			<b>732</b> 187		ALUMN FS				115				<input type="checkbox"/>	0 0					
Tortuga	Westsail 32	207	<b>216</b>	1974	31.2 18.4	150		38.3 15.1		No	No	32 27.6 11 5	19500 7000 Lead	0 1 FIXED	IB FOLD 3				
			<b>694</b> 422		ALUMN CTR								<input type="checkbox"/>	0 0					
Short Bus	Hunter 35 Legend	210	<b>138</b>	1990	42 12.17	110		44.08 14.25	5.5 9.2	No	Yes	35.58 29.75 11.75 6.5	12600 5000 Lead	0 1 FIXED	IB Fixed_2				
			<b>628</b> 218		ALUMN MS				375				<input type="checkbox"/>	24.6 957 0 0					

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications										
			Built	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB											
										DW Rating	Mast Material									PY	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type
Max Draft	Ballast Mat.	Keel Type	# of blades																										
Kuai	Melges 32 ODR	211	<b>27</b>	2006	40.86	105	48.3	44.05	6.95	No	Yes	31.82	31.84	4200	0	OB													
					10.7		18.7	15.49	11.14		55.75	1344	28.5	1600	1	None													
			<b>475</b>		CARBON				438		46.9	8	9.83	Lead	FIXED														
			82		FS						31.31	<input checked="" type="checkbox"/>	0	7															
Arby	Colgate 26	212	<b>159</b>	2004	27.75	105	27.75	29.75	4.3	No	No		25.7	2600	0	OB	Non Spinnaker configuration												
					8.25			11.2	7.3			8.25	20	1040	1	Fixed_3													
					ALUMN				200		14.85	347	8.5	Lead	FIXED	3													
			<b>148</b>		FS						14.85		4.5																
Penny Pincher	J 70 ODR	215	<b>114</b>	2014	26.77	100	30.15	26.16	4.71	No	Yes	18.7	22.78	1750	0	OB													
					7.68		13.5	9.44	6.93		35.43	491	20.47	630	1	None													
			<b>607</b>		CARBON				164		28.87	5.1	7.38	Lead	MVBL														
			93		FS						18.24	<input checked="" type="checkbox"/>	0	4.92															
Firefly	Harbor 20	226	<b>213</b>	2006	25.75	90	25.75	26	3.6	No	No		20	1800	0	OB													
					7		7	10	6.25				17.17	900	1	None													
					ALUMN				151			0	7	Lead	FIXED														
			<b>162</b>		FS							<input type="checkbox"/>	0	3.5															
Seaya	Catalina 380	252	<b>120</b>	2000	50.916	135		44.833	5.2	No	No		38.42	19000	No	IB													
					14.667			15.667	10				32.42	6800	1	FEATH													
					ALUMN				405			0	12.33	Lead	FIXED	3													
			<b>253</b>		MS							<input type="checkbox"/>	7.17																
Mamaluc	J 105 ODR w/ 5'BS	265	<b>78</b>	1999	40.6	100	42.1	41.5	5.5	No	Yes	25.9	34.5	7750	No	IB													
					13.5		19.07	14.5	9.4		49.42	962	29.5	3400	1	FOLD													
			<b>581</b>		ALUMN			0	358		39.76	5	11	Lead	FIXED	2													
			137		FS			0			25.88	<input checked="" type="checkbox"/>	6.5																
Endless Summer	Catalina 36	271	<b>150</b>	1984	44.75	95	44.75	39	4.33	No	Yes	23.33	36.33	13500	0	IB													
					14.33		14.33	12	8.01		43.75	850	30.25	6000	1	Fixed_3													
			<b>655</b>		ALUMN				279		38.08	0	11.92	Lead	FIXED	3													
			222		MS						25.33	<input checked="" type="checkbox"/>	0	5.83															

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications	
		Sail #	DW Rating		I	J	Max Headsail	ISP	JSP	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps		IB or OB
										E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst		Prop Type
		Disp/WL Ratio			Mast Material					PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type		# of blades
							EY		SSF		ASM	Fixed or _o	Max Draft							
No Name	swift	274	219	1978	25.9	125	25.9	26	3.3	Yes		No		22.5	2183	0	OB	Roller Furler		
					8.5		8.6	7.5	5.5		25.9	8.3		17.58	900	1	None			
									126		15.3	332		7.83	Lead	FIXED				
											15.6		<input type="checkbox"/>	4.3						
Spirit	Alerion Express 28 ODR	275	168		30	90	30	33	4.8	No		No		28.25	5700	0	IB			
					9.75		9.75	12.5	7.6					22.83	2200	1	Fold			
									241					8.2	Lead	FIXED	2			
												<input type="checkbox"/>	0	4.5						
Makani	Nonsuch 30	278	174	1985		0		44.9	8	No		No		30.33	11500	0	IB			
								23.9	14.5					28.75	4500	1	Feath			
									607					11.83	Lead	FIXED				
												<input type="checkbox"/>	0	5						
Pearl	Ranger 33 SM	278	165	1977	38	125	38	31.5	4.43	Yes		No		33.17	10500	0	IB			
					13.9			11	7.39		38.36	13.67		26.25	4800	1	Fixed_2			
									212		24.61	780		9.583	Lead	FIXED	2			
											23.62		<input type="checkbox"/>	5.166						
Frisky	Open 5.7 ODR	281	138	2009	21.52	117	27.9	25.33	5.7	No		Yes	17.5	18.7	992	0	NONE			
					7.3		12.3	10.24	8.2			25.8	338	18.7	405	1	None			
									183			20.6	5	8.3	Lead	FIXED				
												17.5	<input checked="" type="checkbox"/>	5.7						
Kiwa	Ericson 32-2	285	183	1973	36	155	36	31.5	4.9	No		No		32	9400	0	IB			
					18			13	8.4					24	4400	1	Fixed_2			
									243					9.67	Lead	FIXED	2			
												<input type="checkbox"/>	0	4.91						
Obsession	Harbor 20	299	207	2010	25.75	95	26.38	26	3.25	Yes		No		20	1800	0	OB	(Mth 5/25/17, -6 sec/mi for OSP)		
					7		8.16	10	6.05		25.9	8		17.2	900	1	None			
									147		13.7	295		7	Lead	FIXED				
											13.6		<input type="checkbox"/>	3.5						

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
			Built	DW Rating	I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp. Traps/H. Strps		IB or OB Prop Type # of blades			
									SL	SPL	SLU	ASA		Ballast	moveable blst				
																	SSMG	SSA	
Disp/WL Ratio																			
Nightmare	Custom Wilderness 30 SX FR OB	305	<b>111</b>	1980	34 11.75	125	34.4 11.5	4.59 7	Yes	No	29.75 27.75 8.83 5.92	4700 1650 Lead	No 1 FIXED	OB None 0	(-3 sec/mi for change from IB to OB, -6 sec/mi for keel change.)(mtg 2/26/15, -9 sec/mi for oversized spinnaker)				
Capo Gatto	Nonsuch 30	308	<b>174</b>	1985			45 24	7.9 14.3	No	No	30.33 28.75 11.1 5	11500 4500 Lead	0 1 FIXED	IB Fold 2					
Boudicca	Elan 310	310	<b>129</b>	2010	40.19 11.74	106	42.55 14.87	39.53 13.55	5.28 8.92	No	Yes	25.91 906 28.58 10.5 6.23	10141 2292 Iron	0 1 FIXED	IB Fold				
Lightwave	J 105 ODR w/ 5'BS	319	<b>78</b>	2000	40.6 13.5	100	42.1 19.07	41.5 14.5	5.5 9.4	No	Yes	22.9 947 29.5 11 6.5	7750 3400 Lead	No 1 FIXED	IB FOLD 2				
Roxanne	Tartan 4100 SD TM	322	<b>90</b>		57 15	135	57 15	50.1 18	6.8 11.5	No	Yes	27 1285 35.9 13.6 5.4	20400 8000 Lead	0 1 FIXED	IB Feath				
Shanti	Ericson 911S Olson	326	<b>132</b>	1989	41.5 12.33	150	41.5 12.33	35.5 11.83	4.73 7.69	Yes	No	29.92 25 10.33 5.42	8700 3200 Lead	0 1 FIXED	IB FOLD 2	CHANGE TO RUDDER NOTED, NCTR			
Scilla	J 70 ODR	327	<b>114</b>	2012	26.77 7.68	100	30.15 13.5	26.16 9.44	4.71 6.93	No	Yes	18.7 491 20.47 7.38 4.92	1750 630 Lead	0 1 MVBL	OB None				

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications		
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		Ttl Disp.		Traps/H.	IB or OB				
								SL	SPL	SLU	ASA					Ballast		moveable blst	IB or OB
Disp/WL Ratio				SSF	SSA	ASM	Fixed or_o												
Popstar	Catalina 400	331	<b>108</b> 2005	52.5 15.5	135	52.5 16.5	46.9 4.02 17 8.27	No	Yes	27.9	41.54	20500	0	IB	(+3 sec/mi for in-mast furling mainsail, +3 sec/mi for MGM <50% of E)				
			<b>599</b> 192	ALUMN MS			393		52.16	1225	36.5	8300	1	Fold					
									50	0	13.5	Lead	FIXED	3					
Farriage	Catalina 42-1/2	336	<b>102</b> 1992	53 16.42	130	53 16.42	46.75 5.75 16.42 9.83	No	Yes	27.08	41.83	20600	0	IB					
			<b>604</b> 201	ALUMN MS			437		53	1042	36	8300	1	Feath					
									47.37	0	13.83	Lead	FIXED	3					
Blue Ribbon	Catalina 27 IB	343	<b>213</b> 1975	34.5 11.25	120		28.7 3.5 10.5 6.3	No	No		26.83	6850	0	IB					
				ALUMN MS			170				21.75	2650	1	Fixed_3					
			<b>303</b>							0	8.83	Lead	FIXED	3					
Allons-Y	J 70 ODR	346	<b>114</b> 2014	26.77 7.68	100	30.15 13.5	26.16 4.71 9.44 6.93	No	Yes	18.7	22.75	1750	0	OB					
			<b>607</b> 93	CARBON FS			164		35.43	491	20.47	630	1	None					
									28.87	5.1	7.38	Lead	MVBL						
Constance	Tartan 34 CB	346	<b>165</b> 1974	41 14	125	41	35.5 4 10.5 6.9	No	Yes	20.3	34.3	11200	0	IB	Roller Furler				
			<b>683</b> 326	ALUMN MS			224		43.6	742	25	5000	1	Fold					
									24.5	836	10.2	Lead	CNTRBRD	2					
Sprite	Cal 20	347	<b>273</b> 1964	22 7.33	125	22 7.33	23 3.67 9.83 6.5	Yes	No		20	1950	0	OB					
			<b>748</b> 150	ALUMN FS			135		22	7.33	18.08	900	1	None					
									13.2	242	7	Iron	FIXED						
Kabunza	Pearson 36-2	362	<b>132</b> 1986	47.1 15.4	110		41 3.65 14.5 7.3	No	No		36.5	15000	0	IB					
				ALUMN MS			300				29.5	5800	1	Fixed_2					
			<b>266</b>								12.3	Lead	FIXED	2					

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps moveable blst	IB or OB Prop Type # of blades	
								SL	SPL	SLU	ASA						
								SSMG SSF	SSA	SLE	ASMG						
Post Time	Catalina 42-1/2	362	<b>102</b> 1993	53 16.42 135 53 16.42	53 16.42	46.75 5 15.5 9	5 9	No	No	No	0 0	41.83 36 13.83 6	24000 8300 Lead	0 1 FIXED	IB Feath 3	In-Boom Furling Mast, Electric Halyard Winch	
Hangover	Islander 36 ODR	367	<b>147</b> 1976	45 14.48 135 45	45	39.25 5.05 12.75 8.44	5.05 8.44	No	No	No	0 0	36.8 28.25 11.17 6.08	13450 5820 Lead	0 1 FIXED	IB Fixed_2		
Sacagawea	Catalina 34 1&2	375	<b>156</b> 1987	44 13.5 95 44 13.48	44 13.48	38.5 4.7 11.75 7.54	4.7 7.54	No	No	No	0 0	34.5 29.83 11.75 5.6	11950 5000 Lead	0 1 FIXED	IB Fixed_3 3		
Javelin	J 105 ODR w/ 5'BS	394	<b>78</b> 2001	40.6 13.5 100 42.1 19.07	42.1 19.07	41.5 5.5 14.5 9.4	5.5 9.4	No	Yes	25.5 49 38.6 26.4	5 957 5 0	34.5 29.5 11 6.5	8697 3400 Lead	0 1 FIXED	IB Fold		
Joker	J 35	400	<b>75</b> 1986	46.4 14.7 125 46.4	46.4	41.5 5.43 14 9.11	5.43 9.11	Yes	No	46 14.7 26.4 1012 26.4	0	35.42 30 11.8 6.75	10500 4400 Lead	0 1 FIXED	IB FOLD 2		
Ariadne	Beneteau Farr First 36.7	403	<b>84</b> 2009	46.4 13.1 125 46.4 13.1	46.4 13.1	46.4 5.92 15.6 12.49	5.92 12.49	Yes	No	45.8 13.1 23.5 897 23.5	0 0	36 30.3 11.4 7.3	12495 4034 Lead	No 1 FIXED	IB Fold 2		
Sobrante	Alerion Express 28 ODR	406	<b>168</b> 2009	30 9.75 90 30 9.75	30 9.75	33 4.8 12.5 7.6	4.8 7.6	No	No	No	0 0	28.25 22.83 8.2 4.5	5700 2200 Lead	0 1 FIXED	IB Fold 2		



Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications					
			Built	J	Max Headsail	ISP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp. Traps/H. Strps		IB or OB								
									JSP	E				MGM	SL		SPL	SLU		ASA	LWL	Ballast	moveable blst	# of blades
Disp/WL Ratio	Mast Material	SSSF	SSA	SLE	Fixed or _o	Max Draft	Ballast Mat.	Keel Type																
Nantucket Sleighride	J 105 ODR w/ 5'BS	414	<b>78</b>	2001	40.6	100	42.1	41.5	5.5	No	Yes	25	34.5	7750	0	IB								
			<b>585</b>		13.5		19.07	14.5	9.4		48.9	863	29.5	3400	1	Fold								
			<b>137</b>		ALUMN				358		38.7	5	11	Lead	FIXED	2								
			<b>137</b>		FS						23.3	<input checked="" type="checkbox"/>	0	6.5										
Luna Sea	Islander 36 ODR	420	<b>144</b>	1980	45	135	45	39.25	5.05	Yes	No		36.08	18000	No	IB								
			<b>655</b>		14.48			12.75	8.44				28.25	5450	1	Feath								
			<b>363</b>		ALUMN			0	303			0	11.17	Lead	FIXED	3								
			<b>363</b>		MS			0				<input type="checkbox"/>	6.08											
White Bear	Nonsuch 30	431	<b>174</b>	1987				45	8.68	No	No		30.33	11500	0	IB								
			<b>666</b>					24	15.12				28.75	4500	1	Fold								
			<b>220</b>		ALUMN				629			0	11.9	Lead	FIXED	3								
			<b>220</b>		CAT							<input type="checkbox"/>	5											
Kapai	Islander 36 ODR	438	<b>147</b>	1977	45	125	45	39.25	5.05	No	No		36.08	13450	0	IB								
			<b>271</b>		14.48			12.75	8.44				28.25	5500	1	FOLD								
			<b>271</b>		ALUMN			0	303			0	11.17	Lead	FIXED	2								
			<b>271</b>		MS			0				<input type="checkbox"/>	6											
Rufless	Melges 24	445	<b>84</b>	1999	27.85	100	31.85	28.9	3.83	No	Yes	20.67	24	1783	0	OB								
			<b>577</b>		7.95		12	12.45	7.09		38	577	22	650	1	None								
			<b>76</b>		CARBON				196		32.9	0	8.17	Lead	CNTRBRD	0								
			<b>76</b>		FS						19.23	<input checked="" type="checkbox"/>	0	5.25										
Zenith	Islander 36 NCPHRF	472	<b>147</b>	1978	45	135	45	39.25	5.05	No	No		36.08	13450	No	IB								
			<b>271</b>		14.48		14.8	12.75	8.44				28.25	5820	1	Fold								
			<b>271</b>		ALUMN			0	303			0	11.166	Lead	FIXED	2								
			<b>271</b>		MS			0				<input type="checkbox"/>	6.083											
Auggie	Santana 22 ODR	476	<b>237</b>	1969	26	125	26	21.75	3.95	Yes	No		22	2600	No	OB								
			<b>737</b>		8.5			9.833	6.59				18.666	1230	1	None								
			<b>182</b>		ALUMN			0	131			0	7.833	Cast Iron	FIXED	0								
			<b>182</b>		MS			0				<input type="checkbox"/>	3.5											

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		SLU SLE ASMG		ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast	Traps/H. moveable blst Keel Type		IB or OB Prop Type # of blades
								SL	SPL	SLU	ASA							
Zingara	Islander 36 NCPHRF	484	<b>150</b> 1978	45 14.48 ALUMN MS	125 45 14.8	39.25 4.8 12.75 8.29 0 298 0	No	No			36.1 28.25 11.17 6.08	13450 5820 Lead	No 1 FIXED	IB Fold 2	Roller Furler			
Alpha	Sonar 23	498	<b>174</b> 1990	23 8.25 ALUMN MS	100	27.5 1.23 11.17 7.3 156	No	No			23 19.92 7.8 3.92	2100 900 Lead	n 1 FIXED	OB None				
Shut Up & Drive	J 24 ODR	513	<b>168</b> 1990	26.25 9.5 ALUMN FS	150 26.25	28 3.7 9.75 6.37 0 163 0	Yes	No	26.5 9.5 17 375 16.8	0	24 20 8.916 4	3100 965 Lead	No 1 FIXED	OB None 0				
All Hail	Catalina 34 TM	524	<b>144</b> 1988	46 13.5 ALUMN MS	130 45.9 13.5	40.5 4.8 12 8 296	No	No			35.66 29.84 11.75 5.56	12000 5000 Lead	0 1 FIXED	IB Fold				
The Mighty Windsong	International Folkboat OB	567	<b>228</b> 1969	26 8.3 ALUMN MS	155 26 8.3	28.8 4.44 11.2 7.34 195	Yes	No	27.13 8.36 14.89 292 4.92	0	25.75 19.75 7.5 4	5000 2750 Iron	0 1 FIXED	OB None				
Crackers	J 105 ODR w/ 5'BS	581	<b>78</b> 2002	40.6 13.5 ALUMN FS	100 42.1 19.07	41.5 5.5 14.5 9.4 358	No	Yes	26.2 859 5 0		34.5 29.5 11 6.5	8664 3400 Lead	0 1 FIXED	IB Fold				
Rampage	J 70 ODR	582	<b>114</b> 2014	26.77 7.68 CARBON FS	100 30.15 13.5	26.16 4.71 9.44 6.93 164	No	Yes	18.7 491 5.1 0		22.75 20.47 7.38 4.92	1750 630 Lead	0 1 MVBL	OB None				

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications							
			Built	J	Max Headsail	ISP	P	MGU	Yes/No		Yes/No		LOA	LWL	Ttl Disp.	Traps/H.	Strps	IB or OB	Prop Type	Modifications						
									JSP	E	MGM	SL									SPL	SLU	ASA	Ballast	moveable blst	# of blades
Disp/WL Ratio	Mast Material	Rig Type	EY	SSSF	ASMG	Fixed or_o	Max Draft	Ballast Mat.	Keel Type	# of blades																
Wingman Racing	J 70 ODR	584	<b>114</b>	2014	26.77	100	30.15	26.16	4.71	No	Yes	18.7	22.75	1750	0	OB										
					7.68		13.5	9.44	6.93		35.43	491	20.47	630	1	None										
			<b>607</b>		CARBON				164		28.87	5.1	7.38	Lead	MVBL											
			93		FS						18.21	<input checked="" type="checkbox"/>	4.95													
Queimada	Catalina 34 1&2	611	<b>147</b>	1988	44	150	44	38.5	4.2	Yes	No		34.5	11950	0	IB										
					13.5		13.5	12	7.2		42.5	13.5	29.83	5000	1	Fold										
			<b>637</b>		ALUMN				263		23.35	825	11.75	Lead	FIXED	2										
			205		MS						23		5.58													
Wild-Type	Ericson 32-2	614	<b>186</b>	1975	38	155		31.5	4.53	No	Yes	22.23	31.58	8800	0	IB	Roller Furler									
					13		13	13	8.19		39.55	639	24	4000	1	Fixed_3										
			<b>707</b>		ALUMN				237		35.38	0	8.67	Lead	FIXED	3										
			289		MS						20.01	<input checked="" type="checkbox"/>	4.92													
Dura Mater	CAL 27-2 IB	616	<b>213</b>	1979	36	120		30.83	4.21	Yes	No		26.58	6700	0	IB										
					12		10.25	7			32.8	11.8	22.08	3100	1	Fixed_3										
			<b>721</b>		ALUMN				195		18.4	518	9.25	Lead	FIXED	3										
			283		MS						21.1		4.25													
Can O' Whoopass	CAL 20	624	<b>273</b>	1965	22	115	22	23	4	Yes	No		20	2000	0	OB	(mtg 4/24/08, -18 sec/mi for adding single trapeze wire) (10/2/08 - removed trapeze, now racing as a standard cal 20 -18 sec/mi penalty removed)(3/5/09 added single trapeze back, -18 sec/mi)(8/26/09, switching back to standard Cal 20)									
					7.33		7.33	10	6.7		22	7.33	18.1	900	1	None										
			<b>746</b>		ALUMN				140		13.2	242	7	Iron	FIXED	2										
			153		FS						13.2		3.33													
TESA	Catalina 42-1/2	642	<b>102</b>	1999	53	155	53	46.75	5.91	Yes	Yes	31	41.83	25500	0	IB	Added one electric main halyard winch									
					16.41		23	15.416	10		48.833	16	36	8300	1	FEATH										
			<b>595</b>		ALUMN			0	430		28	1134	13.83	Lead	FIXED	3										
			248		MS			0			27.333		6.8													
Flight Risk	Thompson 650	650	<b>102</b>	2000	26.67	100	28.25	28.29	5.7	No	Yes	20.58	22.3	1692	Yes	OB	(mtg 1/21/10, weighed displacement of 1692lbs updated, NCTR)(Mtg 3/18/10, change custom rating from 108 to 99)(Mtg 8/18/10, submitted appeal, rating changed from 99 to 102)									
					8.86		14.86	10.4	8		37.79	586	19.8	660	3	None										
			<b>570</b>		CARBON				204		33.6	7.87	8.16	Lead	FIXED											
			99		FS						19.5	<input checked="" type="checkbox"/>	5.9													

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		Ttl Disp. Ballast		Traps/H. moveable blst	IB or OB Prop Type # of blades		
								SL	SPL	SLU	ASA						
								SSMG SSF	SSA	SLE ASMG	Sprit Lngth Fixed or _o					Ballast Mat.	
Disp/WL Ratio																	
Boomer	Melges 20	676	111	2009	23.19 7.05	110	27.2 10.95	24.25 9.84	3.83 7.42	No	Yes	18.8 417 3.9 0	20 19.4 7 4.5	1105 415 Lead	0 1 FIXED	OB None 0	
Endless Summer	Catalina 42-1/2 WK	688	111	2000	53 16.5	155		46.75 15.5	5.08 9.16	No	No	0 0	41.83 36 13.83 4.83	28000 8300 Lead	0 1 FIXED	IB Feath 3	
Revelry	Catalina 42-1/2	703	105	1999	53 16.416	125	53 16.416	46.75 15.416	5.75 9.833	No	Yes	27.5 1097 0	41.833 36 13.833 6.83	20500 8300 Lead	No 1 FIXED	IB FEATH 3	ASYM SPIN NOTED NCTR.
Zeehond	Newport 30-2	707	174	1976	39.5 12.125	150	39.5	34 10.25	3.6 6.33	Yes	No	0	30 25 10.5 4.75	8500 2600 Lead	No 1 FIXED	IB FOLD 2	
Imagine	Ericson 32-3	716	159	1987	42 13.8	135		36.4 11.8	4.18 7.28	No	No	0 0	32.5 25.83 10.83 6	9800 4200 Lead	0 1 FIXED	IB Fixed_2 2	
Insolent Minx	Melges 24	725	84	2008	27.85 7.98	100	31.85 12	28.75 12.42	3.83 7.09	No	Yes	20.67 577 0 0	24 22 8.2 5.25	1750 650 Lead	0 1 CNTRBRD	OB None	
Nessie	Catalina 34 1&2	734	156	1988	44 1.5	100	44 13.48	38.5 12	4.7 7.54	No	No	0 0	34.5 29.83 11.75 5.58	11950 5000 Lead	0 1 FIXED	IB Fixed_3 3	

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications			
				J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.			Traps/H. Strps		
									SL	SPL	SLU	ASA							Ballast	moveable blst
Amandla	Catalina 34 1&2	796	<b>147</b> 1988	46 13.5	130	38.5 12		No	No			35.75 29.8 11.75 5.6	11950 5000 Lead	0 1 FIXED	IB FOLD 3					
Byte Size	Santana 22	801	<b>237</b> 2001	26 8.5	90	26 8.5	21.75 3.95 9.833 6.59	Yes	No			22 18.67 7.83 3.5	2600 1230 Iron	No 1 FIXED	OB None 0					
			<b>737</b> 182	ALUMN MS		0 0	131	15.44 15.44		0	<input type="checkbox"/>									
Sea Breeze	Catalina 320	850	<b>156</b> 2001	43.58 12.33	135	43.58	38 5.168 13.25 8.661	No	No			32.5 28 11.75 6	11300 4000 Lead	0 1 FIXED	IB Fold 2					
			<b>234</b>	ALUMN MS			303			0	<input type="checkbox"/>									
Benny	J 70 ODR	897	<b>114</b> 2015	26.77 7.68	100	30.15 13.5	26.16 4.71 9.44 6.93	No	Yes	18.7		22.75 20.47 7.38 4.92	1750 630 Lead	0 1 MVBL	OB None					
			<b>607</b> 93	CARBON FS			164			5.1	<input checked="" type="checkbox"/>	0								
White Jacket	Etchells 22 ODR	901	<b>120</b> 1991	27.27 8.22	90		32.49 11.57	Yes	No			30.5 22 6.83 4.5	3337 2105 Lead	0 1 FIXED	OB None 0					
			<b>648</b> 142	ALUMN FS			0 0			0	<input type="checkbox"/>									
Ada Helen	ace	922	<b>96</b> 2005	53 16.5	155	53 16.5	46.75 15.5	No	Yes	29.7		43.8 36 13.1 6	24400 8300 Lead	No 1 FIXED	IB FOLD 3	(Mtg 3/20/08 -6/sec/mi for OSP)(mtg 6/19/08, new larger a-sail, correct size for J, NCTR)				
			<b>588</b> 238	ALUMN MS						1303										
			<b>238</b>							0	<input type="checkbox"/>	90								
Lioness	Bermuda 40	981	<b>174</b> 1962	42.5 15.58	160		36.6 17.2	No	No			40.75 28.8 11.75 4.25	20000 5600 Lead	0 1 CNTRBRD	IB Fixed_3 3	(Mtg 5/22/08, +6 secmi for 3-blade fixed prop, no penalty for headsail larger than 155%, no credit for sonar transducer, custom rating of 174 assigned)				
			<b>381</b>	ALUMN YAWL			17.7 8.5			0	<input type="checkbox"/>	0								



Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
			Rating		I	J	ISP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp. Traps/H. Strps		IB or OB		
			DW Rating		Max	Headsail	JSP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type		
			Disp/WL Ratio		Mast	Material		PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades		
Pegasus - Motion X	J 100 ODR MOD	1197	<b>69</b>	2005	38	95	43	38	5.32	No	Yes	23.3	32.8	7250	No	IB	(Mtg 2/26/09, -3 sec/mi for adding sprit)(mtg 1/21/10, additional -3 sec/mi for lengthening sprit to 4.13')(Mtg 1/27/11, -6 sec/mi for increased "e")(Mtg 1/26/11, shortened J, boat rigged for overhauled sailing. NCTBY4/22/17		
			<b>579</b>		12.7		15.63	15.3	9.32		47.8	861	29	2500	1	FOLD			
			<b>135</b>		CARBON				332		39.1	4.13	9.3	Lead	FIXED	2			
					FS						23.9	<input checked="" type="checkbox"/>	5.8						
Goose	Catalina 30	1210	<b>180</b>	1979	41	155	41	35	4.63	Yes	No		29.92	10200	No	IB			
			<b>683</b>		11.416			11.5	7.72	40	11.5		25	4200	1	FOLD			
			<b>297</b>		ALUMN			0	246	20.7	690	<input type="checkbox"/>	10.83	Lead	FIXED	2			
					MS			0		20.7			5.25						
Oshun	Catalina 27 OB	1216	<b>201</b>	1974	34	95		28.67	4.24	No	No		26.83	6850	0	OB			
					11.25			10.5	7.08				21.75	2750	1	None			
			<b>303</b>		ALUMN				185			<input type="checkbox"/>	8.83	Lead	FIXED				
					MS								4						
Alte Liebe	Albin Ballad 30	1266	<b>183</b>	1978	37.083	155	37.8	31.916	3.33	Yes	No		29.916	7276	No	IB	The J measurement in all Ballad documents & Sailmaker plans is 12.27 however the actual J= 11.3" (MTG 8/25/94), standard SPL is 12.27 (mtg 3/20/08)		
			<b>698</b>		11.249			9.333	5.58				22.583	3417	1	FOLD			
			<b>287</b>		ALUMN			0	171			<input type="checkbox"/>	9.666	Lead	FIXED	2			
					MS			0		21.83			5.09						
Sterling	Catalina 34 1&2	1269	<b>153</b>	1994	44	125		38.5	3.6	No	No		35.66	11950	0	IB			
					13.5			12	6.8				29.84	5000	1	Fixed_2			
			<b>204</b>		ALUMN				251			<input type="checkbox"/>	11.75	Lead	FIXED				
					MS								5.56						
Crews Nest	Catalina 34 1&2	1383	<b>147</b>	1997	44	130	44	38.5	3.6	Yes	No		35.67	11950	No	IB			
					13.5		13.5	12	6.8	42	13.5		29.83	5000	1	FEATH			
			<b>634</b>		ALUMN			0	251	24	837	<input checked="" type="checkbox"/>	11.75	Lead	FIXED	3			
			<b>205</b>		MS			0		23.5			5.58						
Sparky	Catalina 25 FK	1498	<b>222</b>	1979	29	145	29	24.66	3.68	Yes	Yes	17.9	25	4550	0	OB			
					10.5		10.5	9.58	1.45				22.16	1900	1	None			
			<b>720</b>		ALUMN				102				8	Cast Iron	FIXED	0			
			<b>190</b>		MS					16.41		<input checked="" type="checkbox"/>	4						

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications			
				DW Rating <i>Disp/WL Ratio</i>	J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.		Traps/H. Ballast Mat.	Strps moveable blst Keel Type	IB or OB Prop Type # of blades
									SL	SPL	SLU	ASA								
									SSMG SSF	SSA	SLE	Spr								
Sailor Dog	Catalina 34 1&2	1798	<b>162</b> 2007	44 13.5 110 44 13.5	44 13.5	38.5 2.8 12 5.9	2.8 5.9	No	Yes	20.5 723	34.5 29.8 11.7 5.6	11950 5000 Lead	0 1 FIXED	IB Fixed_3 3	In-Mast furling main +3 sec/mi, MGM less than 50% of E +3 sec/mi					
TASHI	Catalina 30	2010	<b>189</b> 1976	41 11.5 110 41	41	35 4.63 11.5 7.72	4.63 7.72	No	No	0 0	29.92 25 10.83 5.25	10200 4250 Lead	0 1 FIXED	IB Fixed_3 3						
Lawless	Catalina 36-2	2056	<b>147</b> 2002	44.75 14.42 155 44.9	44.9	39 4.83 12 8.05	4.83 8.05	No	No	0 0	36.42 30.33 11.92 5.83	13500 6042 Lead	0 1 FIXED	IB Fixed_3						
Aerie	CS 36	2160	<b>123</b> 1980	49 15 155 49	49	42.75 4.33 12.75 7.58	4.33 7.58	Yes	No	15 1034	36.5 29.25 11.5 6.25	15500 6500 Lead	0 1 FIXED	IB Fold						
Andiamo	Catalina 36-2	2168	<b>153</b> 2004	44.75 14.33 115 44.9	44.9	39 3.04 13 6.16	3.04 6.16	No	Yes	29 833	36 30.25 11.9 5.8	14200 6000 Lead	0 1 FIXED	IB Fixed_3 3	In-Mast Furling Mainsail, +3 sec/mi					
Irish Blessing	J 24 ODR	2184	<b>168</b> 1981	26.25 9.5 150 26.25	26.25	28 3.7 9.75 6.37	3.7 6.37	Yes	No	9.5 375	24 20 8.92 4	3100 965 Lead	0 1 FIXED	OB None 0						
Downtown Uproar	J 24 ODR	2394	<b>168</b> 1981	26.25 9.5 150 26.25	26.25	28 3.7 9.75 6.37	3.7 6.37	Yes	No	9.5 375	24 20 9.2 4.1	3125 965 Lead	0 1 FIXED	OB None 0						



Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
			Built		I	J	ISP	P	MGU	Yes/No	Yes/No	ASF	Ttl Disp.		Traps/H.	IB or OB		
			Max Headsail		Max	Head	JSP	E	MGM	SL	SPL	SLU	ASA		Ballast	moveable blst	Prop Type	
			ISP		PY	MSA	SSMG	SSA	SLE	Sprit	Lngrh	Max Beam	Ballast Mat.		Keel Type	# of blades		
			Disp/WL Ratio															
Leglus	Ohashi 52	2480	-6	1986	49.26	149	62	57.578	8.103	No	Yes	34.8	52.5	15017	0	IB	(mtg 10/21/09 assigned custom rating of -39)(Mtg 3/24/16, +3 sec/mi for no spinnaker articulation, change custom rating from -36 to -6)	
					16.387		21.92	21.325	13.517		70.6	50.06	5.952	1	FOLD			
			439		ALUMN			39.37	2076		63.6	12.6	Lead	FIXED	2			
			54		FS			38.188			38	11.36						
SLOWMO!	Catalina 22-1 OB SK	2482	270	1973	25.93	150		21	3.47	No	No		21.6	2250	0	OB		
					8			9.66	5.96			19.4	550	1	None			
					ALUMN				118		0	7.8	Iron	MVBL	3			
			140		MS						0	5						
Arcadia	Custom Nash 28.5	3113	123	1969	33	120	34	32.5	4.92	No	Yes	24.606	28.5	4327	No	IB	(Weighed Displacement as of 4/4/2009)(mtg 2/28/13, change custom rating from 135 to 123 after review of race results and structural modifications) 3	
					10		11	13	8.41		38.8	25.5	1200	1	FOLD			
			589		ALUMN			0	251		34.908	9	Lead	FIXED	2			
			119		FS			0			24.606	6.5						
Loya	Ericson 34 Olson SM	3246	105	1989	44.5	154	44	38.84	4.69	Yes	Yes	23.8	34	10600	0	IB		
					13.25		13.25	12.9	8.38		44	13.25	28	3650	1	Fold		
			627		ALUMN				296		23.6	864	10.83	Lead	FIXED	2		
			219		MS			23.35			23.8	6						
Encore	Sydney 36 CR	3632	57	2006	45.6	104		44.36	6.1	No	Yes	28.9	36.06	12897	No	IB	(Australian IRC Rating 1.052)(Mtg 8/23/12, change custom rating from 54 to 57)	
					14			16.4	10.6		55.7	1283	31.04	4850	1	FOLD		
			565		ALUMN				431		48	1.4	11.32	Lead	FIXED	2		
			196		FS			27.2			29.9	90	7.55					
Zamazaan	Custom Farr 52	3883	21	1978	70.4	135	70.4	65.2	8.82	Yes	No		52.19	25391	No	IB	RTG W/USYRU AGE ALLOWANCE IOR RTG W/USYRU AGE ALLOWANCE R=44.9 (1987) 18/24 AS PER PHRF MTG 4/20/95. SHORTENED MAST 6.15 FEET FROM TOP, REDUCED MAINSAIL AREA FROM 24/97 MTG 8/10/05	
					18.51		18.51	23.2	15.08		69.78	21.9	47.26	9679	1	FOLD		
			492		ALUMN			0	900		39.44	2293	15.45	Lead	FIXED	2		
			109		MS			0			39.44		8.79					
Happiness	Cal 27-2 OB	3893	201		36	95	36	30.67	3.25	Yes	No		26.58	6700	0	OB		
					12		12	10.25	6.5			12	22.08	3100	1	None		
			700		ALUMN				180		21.6	648	9.25	Lead	FIXED			
			283		MS			21.6			21.6		4.25					

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications		
			Built	DW Rating	I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp.	Traps/H. Strps		IB or OB Prop Type # of blades			
										Mast Material	Rig Type	SL	SPL			SLU	ASA			Ballast	moveable blst
Disp/WL Ratio							ASF														
Danger Zone	Taylor 32	4128	<b>-24</b>	1994	40 10.7	100	19.4	37.1 14.3	9.5 11.6	No	Yes	26.52	32	1962		OB					
			<b>443</b>		ALUMN						43.35	829	28.9	551	1	None					
			<b>37</b>		MS				395		36.3	0	14.8	Lead	CNTRBRD						
											24.6	<input checked="" type="checkbox"/>	5.6								
Green Dragon	Cal 20	4188	<b>273</b>	1965	22 7.33	125	22	23 9.84	3.84 6.5	Yes	No		20	1950	0	OB					
			<b>748</b>		ALUMN			0	137			0	18.08	900	1	None					
			<b>150</b>		FS			0				<input type="checkbox"/>	7	Steel	FIXED	0					
													3.33								
Elusive	Swan 42 Club	4216	<b>9</b>	2007	59.07 16.44	106	62.99 19.05	56.56 19	7.1 12.5	Yes	Yes	34.8	42.59	17158	0	IB					
			<b>513</b>		CARBON				641		65	1808	38.15	6988	1	Fold					
			<b>140</b>		FS						59.1	2.6	12.8	Lead	FIXED	2	(Mtg 2/25/16, +3 sec/mi for decrease in Spinnaker Area, +6 sec/mi for decreased JSP, -3 sec/mi for articulation, -3 sec/mi for switch to larger headsail)(06/09/17, switching back to stock configuration)				
											35	<input checked="" type="checkbox"/>	9								
Highlander	Cal 40	4590	<b>117</b>	1968	46.2 15.2	150	46.2	39.5 17.5	6.65 11.37	Yes	No		39.25	15000	0	IB					
			<b>617</b>		ALUMN				412		46.5	15.17	30.25	6000	1	Fixed_2					
			<b>246</b>		MS						27.3	1056	11	Lead	FIXED	2					
											27		5.58								
Miss Kate	Catalina 27 IB	4630	<b>210</b>	1980	34.5 11.25	125	34.5 11.25	28.66 10.5	3.99 6.83	No	Yes	20.35	26.85	6850	0	IB					
			<b>738</b>		ALUMN				180		34.35	515	21.75	2700	1	Fixed_2					
			<b>303</b>		MS						31.85	0	8.85	Lead	FIXED						
											18.25	<input checked="" type="checkbox"/>	4								
Gygax	Hinckley Pilot 35 TM	4802	<b>192</b>	1975	44.36 13.8	155	44.36 13.8	41.83 15.81	5.5 9.97	Yes	No		35.5	13500	0	IB					
			<b>672</b>		ALUMN				383		42	13.8	25	4200	1	Feath					
			<b>393</b>		MS						24.8	868	9.5	Lead	FIXED						
											24.8		5								
Ross's Dream	Catalina 30	4895	<b>180</b>	1987	41 11.42	150	41	35 11.5	4.63 7.72	Yes	No		29.92	10200	0	IB					
			<b>696</b>		ALUMN				246		40.45	11.5	25	4200	1	Fold					
			<b>297</b>		MS						20.7	698	10.83	Lead	FIXED	2					
											20.7		5.25								

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
			Rating		I	J		P	MGU	Yes/No	Yes/No	ASF	Ttl Disp.		Traps/H. Strps			
			DW Rating		Max Headsail	Max Headsail		E	MGM	SL	SPL	SLU	ASA		Ballast	moveable blst		
			Disp/WL Ratio		Mast Material	Mast Material		PY	MSA	SSMG	SSA	SLE	Sprit Lngth		Ballast Mat.	Keel Type		
					Rig Type		EY			Fixed or _o								
The Belafonte	Santana 22 ODR	5000	<b>237</b>	1970	26	110	26	21.75	3.95	Yes	No		22	2600	No	OB		
					8.5			9.833	6.59				18.67	1230	1	None		
			<b>737</b>		ALUMN			0	131			0	7.833	Iron	FIXED	0		
			<b>182</b>		MS			0			<input type="checkbox"/>		3.5					
Zingaro	Santana 22	5050	<b>237</b>	1971	26	125	26	21.75	3.95	Yes	No		22	2600	0	OB		
					8.5			9.83	6.59				18.67	1260	1	None		
			<b>737</b>		ALUMN				131			0	7.833	Iron	FIXED	0		
			<b>182</b>		MS			15.44			<input type="checkbox"/>	0	3.5					
Anapos	Santana 22	5158	<b>237</b>	1966	26	120	26	21.75	3.95	Yes	No		22	2600	No	OB		
					8.5			9.833	6.59				18.666	1230	1	None		
			<b>737</b>		ALUMN			0	131			0	7.833	Iron	FIXED	0		
			<b>182</b>		MS			0			<input type="checkbox"/>		3.5					
Meliki	Santana 22	5194	<b>237</b>	1967	26	125	26	21.75	3.95	Yes	No		22	2600	No	OB		
					8.5			9.833	6.59				18.67	1230	1	None		
			<b>737</b>		ALUMN			0	131			0	7.83	Iron	FIXED	0		
			<b>182</b>		MS			0			<input type="checkbox"/>		3.5					
Invisible Hand	Pac 52	5202	<b>-102</b>	2016	66	101	76	69.23	10.96	No	Yes	44.7	52	15700	0	IB		
					20.5		29.5	22.98	15.76			2970	50	8360	1	None		
			<b>402</b>		CARBON				1017			0	14.5	Lead	FIXED			
			<b>57</b>		FS						<input type="checkbox"/>	90	11.8					
Nepenthe	Hawkfarm 28	6122	<b>174</b>	1976	33.3	115	33	36	4.3	No	No		28	5700	0	IB		
					11			10.5	7.2				23.5	2700	1	Fixed_2		
					ALUMN				234			0	9.75	Lead	FIXED	2		
			<b>200</b>		FS						<input type="checkbox"/>	0	5.5					
Avalon	Catalina 30	6138	<b>183</b>	1992	41	120	41	35	4.63	No	No		29.92	10200	0	IB		
					11.416			11.5	7.72				25	4200	1	Fold		
					ALUMN			0	246			0	10.83	Lead	FIXED	2		
			<b>297</b>		MS			0			<input type="checkbox"/>		5.25					

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
				ISP JSP	I J Max Headsail Mast Material Rig Type	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. moveable blst	IB or OB Prop Type # of blades	
								SL	SPL	SLU	ASA						
								SSMG SSF	SSA	SLE ASM	SA						
Antares	Islander 30-2	6237	186	1971	38.5 12.58 155	38.416	32.5 4.75 11.58 8.125 0 235 0	4.75 8.125 235	Yes	No	30 24.58 10 5	8600 3600 Lead	No 1 FIXED	IB FOLD 2			
Evenstar	Ranger 23	6404	216	1974	27.54 9.75 155	27.5 9.7	24 3.3 9.2 5.4 126	3.3 5.4	Yes	No	23.67 20 7.92 3.9	3400 1500 Lead	0 1 FIXED	OB None			
Serendipity	CAL 29-1 IB	6601	180	1974	37.833 12.333 155	37.833 12.67	31.666 4.332 12.166 7.573 0 223 0	4.332 7.573	Yes	No	29.25 24.17 9.25 4.75	8000 3350 Lead	No 1 FIXED	IB FOLD 2			
Cassiopeia	Islander 36 ODR	6763	144	1971	45 14.48 150	45	39.25 4.8 12.75 8.29 298	4.8 8.29	Yes	No	36.08 28.25 11.17 6	13947 5450 Lead	No 1 FIXED	IB FOLD 2	(mtg 2/18/10, - 6 sec/mi for 10% OSP)(8/2/11, boat returned to ODR Configuration)		
Achates	Newport 30-2	6847	174	1974	39.5 12.5 155	39.5	34 3.8 10.25 6.6 0 206 0	3.8 6.6	Yes	No	30 25 10.67 5.17	8500 3000 Lead	No 1 FIXED	IB FOLD 2			
Now and Zen	Newport 30-2	6883	174	1978	39.5 12.125 150		34 3.25 10.25 5.7 0 190 0	3.25 5.7	Yes	No	30 25 10.5 4.75	8000 2600 Lead	No 1 FIXED	IB Fold 2			
Lil Angel	Newport 30-2	6884	174	1979	39.5 12.1 150	39.5	34 4.26 10.25 7.07 0 217 0	4.26 7.07	Yes	No	30 25 10.5 4.75	8500 2500 Lead	0 1 FIXED	IB FOLD 2			

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
				DW Rating <i>Disp/WL Ratio</i>	I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast	Traps/H. moveable blst		IB or OB Prop Type # of blades
									SL	SPL	SLU	ASA						
									SSMG SSF	SSA	SLE ASMG	ASA						
Harry	Newport 30-2	6889	174	1974	39.5 12.125 150	39.5	34 10.25 4.2	4.2 7	Yes	No	30 25 10.5 4.75	8500 2500 Lead	No 1 FIXED	IB FOLD 2				
Blue Passion	tartan 3400	7134	114	2006	46 13.67 95 CARBON FS	49.67 13.67	43 14.5	4.58 8.2 341	No	No	34.42 30.42 11.92 6.5	10800 3500 Lead	0 1 FIXED	IB Fold				
Neja	Dasher 32	7325	174	1961	38.01 12.59 155	38.01	33.22 14.6	5.12 8.86	Yes	No	31.75 26.75 8.9 5.75	11323 3600 Lead	0 1 FIXED	IB Fold	500 pounds less lead in keel than the Dasher Easom Boat Works built			
Redhead	Cal 40	7817	114	1964	46 15.17 155	46.36	40 17.5	6.5 11.3	Yes	No	39.5 30 10.92 5.75	16500 6000 Lead	No 1 FIXED	IB Feath 2				
Lady Jane	Jeanneau 39i Sun Odyssey	7913	93	2008	48.1 13.1 122	48.1	46.3 14.6	5.42 9.28	No	Yes	38.1 35.2 12.9 6.7	16163 5026 Cast Iron	0 1 FIXED	IB Feath 3				
Low-Down	Santa Cruz 27	8027	141	1979	32.7 10.9 140		28.25 8.58	3.68 6.06	Yes	No	27 24 8 4.5	3300 1500 Lead	0 1 FIXED	OB None				
QE 3	Tartan 10	8049	129	1978	35 12 125	35 0	40.25 13.75	5.34 8.96	Yes	No	33.16 27 9.25 5.83	6700 3340 Lead	0 1 FIXED	IB FOLD 2				

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:		ISP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull	Displacement/Keel		Engine/Prop	Modifications	
			Max Headsail		J	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	IB or OB					
			DW Rating		Mast Material	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type				
			Disp/WL Ratio		Rig Type	PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades				
						JSP													
TAZ!!	Express 27 ODR	8100	<b>132</b>	1981	28.5	125	28.5	28.5	4.23	Yes	No			27.3	2450	0	NONE		
					9		10.42	7.04						23.8	1100	1	None		
			<b>620</b>		ALUMN				182			0		8.17	Lead	FIXED			
			83		FS						<input type="checkbox"/>			4.5					
Abba-Zaba	Tartan 10	8112	<b>129</b>	1979	35	125	35	40.25	5.34	Yes	No			33.16	6700	0	IB	(+3 sec/mi credit for 125% or smaller headsail)	
					12		13.75	8.86						27	3340	1	FOLD		
			<b>623</b>		ALUMN		0	331				0		9.25	Lead	FIXED	2		
			155		FS		0				<input type="checkbox"/>			5.83					
Basic Instinct	Custom Elliott 10.50	8123	<b>72</b>	1993	41	125	45.6	44.2	8.5	No	Yes	29.4		34.42	10220	No	IB	(mtg 3/19/09, changed to smaller headsail, +3 sec/mi, & larger mainsail, -6 sec/mi, change rating from 66 to 63)(Mtg 10/21/09, new smaller headsail, still with large headboard. Change mainsail penalty from 6 sec/mi to 2 sec/mi)	
					12.5		13.9	17.5	12		51.49	1192		31.83	3000	1	FOLD		
			<b>570</b>		ALUMN		0	497			45.82	0		12.08	Lead	FIXED	2		
			144		FS		0				29.4	<input checked="" type="checkbox"/>		7					
Ad Lib	Aphrodite 101	8161	<b>144</b>	1979	36.83	100	32.23	39.33	4.5	Yes	No			32.75	6160	No	IB		
					11.81			11.48	6.1					26.33	3527	1	FOLD		
			<b>645</b>		ALUMN			0	253			0		7.92	Lead	FIXED	2		
			153		FS			0			<input type="checkbox"/>			5.42					
Don Wan	Santana 28	8191	<b>186</b>	1978	36	155	36	31	3.6	Yes	No			28.25	7500	No	IB		
					12			9.416	6.1					23	2550	1	Fold		
			<b>704</b>		ALUMN			0	175			0		9.17	Lead	FIXED	2		
			280		MS			0			<input type="checkbox"/>			5					
Nicole	Orion 35	8210	<b>150</b>	1979	44	150	44	39.5	4.42	Yes	No			34.58	13000	0	IB	Displacement Obtained by actual weight on scale, Rudder is new design and new build.	
					14			10.5	7.319					28.75	4700	1	FOLD		
			<b>650</b>		ALUMN		0	260				0		10.83	Lead	FIXED	2		
			249		MS			0			<input type="checkbox"/>			6					
Ouessant	Farallone Clipper FR	8214	<b>159</b>	1957	35.69	150	35.69	40.34	7	Yes	No			37.833	18344	No	IB		
					13.87			18.79	12.1					28.25	7200	1	Fixed_2		
			<b>673</b>		WOOD			0	448			0		9.5	Iron	FIXED	2		
			370		FS			0			<input type="checkbox"/>			5.916					

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications												
			Built	J	Max Headsail	ISP	P	MGU	Yes/No	SPL	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB	Prop Type	Modifications												
																				DW Rating	Mast Material	E	MGM	SL	SSA	SLU	ASA	LWL	Ballast	moveable blst	# of blades
Max Draft	Max Draft	Max Draft	Max Draft	Max Draft	Max Draft	Max Draft	Max Draft	Max Draft	Max Draft	Max Draft	Max Draft	Max Draft	Max Draft	Max Draft	Max Draft	Max Draft	Max Draft														
Boogie Woogie	Ranger 33 MOD	8262	<b>153</b>	1976	41.5	150	41.5	31.5	4.43	Yes	No	33.17	10500	No	IB	(Mtg 8/24/17, +3 sec/mi for short "E")															
			<b>660</b>		13.87			11	7.39			26.25	4800	1	FOLD																
			<b>264</b>		ALUMN			0	212		<input type="checkbox"/>	9.58	Lead	FIXED	2																
					MS			0				5.17																			
Tortuga	Pyramid 660 ODR MOD	8375	<b>174</b>	1981	21.82	104	28	25.7	4	Yes	No	21.8	850	2	OB	(Mtg 5/20/10, removed trapeze +18 sec/mi, hiking straps still allowed)(1/24/13, added upper spreaders & stays, NCTR)															
			<b>598</b>		6.8			10.5	6.8			18.1	400	1	None																
			<b>65</b>		ALUMN				161		<input type="checkbox"/>	6.2	Lead	FIXED	2																
					FS							3.9																			
Mr McGregor	Wylie Wabbit ODR W/Trap	8426	<b>126</b>	1982	20.5	150	20.5	23.75	4.03	Yes	No	23.75	975	1	OB	INCLUDES HIKING STRAPS AND SINGLE TRAPEZE.															
			<b>602</b>		6.5			10	6.72			20	440	3	None																
			<b>55</b>		ALUMN			0	145		<input type="checkbox"/>	5.58	Lead	FIXED	0																
					FS			0				3.5																			
Swamp Donkey	Express 27 ODR	8444	<b>129</b>	1981	28.5	155	28.5	28.5	4.22	Yes	No	27.25	2450	No	OB																
			<b>611</b>		9			10.416	7.03			23.75	1100	1	None																
			<b>83</b>		ALUMN			0	182		<input type="checkbox"/>	8.166	Lead	FIXED	0																
					FS			0				4.5																			
Double Agent	Merit 25	8465	<b>168</b>	1981	28.75	155	28.75	28	4.25	Yes	No	24.5	3000	No	OB																
			<b>693</b>		9.66			9.75	6.69			20.5	1050	1	None																
			<b>158</b>		ALUMN			0	172		<input type="checkbox"/>	8	Lead	FIXED	0																
					FS			0				4																			
Green Buffalo	CAL 40	8538	<b>114</b>	1967	46.7	155	46.7	39.8	6.65	Yes	No	39.3	15148	0	IB	Schumacher designed rudder - same as original															
			<b>622</b>		15.2			17.6	11.37			30	6000	1	FEATH																
			<b>255</b>		ALUMN			0	416		<input type="checkbox"/>	10.9	Lead	FIXED	3																
					MS			0				5.8																			
Starbuck	Custom Black Soo 30	8666	<b>144</b>	1968	30	125	29.5	25	4.9	Yes	No	31	4500	0	OB	(Mtg 1/17/02, added scoop, custom rating changed from 144 to 141)(mtg 1/11/13, Added A-sail, -9 sec/mi, rating changed from 141 to 132)(Mtg 5/13/14, removed A-Sail, +9 sec/mi, change custom rating from 132 to 141, +3 sec/mi for small headsail)															
			<b>600</b>		13			11.73	7.5			27.5	1800	1	None																
			<b>98</b>		ALUMN			0	178		<input type="checkbox"/>	6.8	Iron	FIXED	0																
					MS			0				6.4																			

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop		Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		SLU SLE ASMG		ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast	Traps/H. moveable blst	IB or OB Prop Type # of blades	
								SL	SPL	SLU	ASA							
								SSMG SSF	SSA	SLE	Spr							
OAXACA	Santa Cruz 50	8927	-12 1982	61.48 18.88 155	61.22 20.65	54.75 16.98	6.08 10.67	Yes	No	36.5 1889	50.23 46.67 12 7.91	17374 8000 Lead	0 1 FIXED	IB Fold	(Mtg 5/26/16, -6 sec/mi for oversized ASA)			
Merlin	Custom Lee 68	8955	-87 1977	71.96 22.5 146	74.35 30.4	66.87 27.5	11 18	No	Yes	48.05 3097	68.6 64 12.17 10.65	24363 10484 Lead	0 1 FIXED	IB FOLD 2	(Mtg 4/27/17, custom rating assigned: -81)(Mtg 5/25/17, -3 sec/mi for larger headsail, -3 sec/mi for increased J. New custom rating: -87 as sailed)			
lone	J 30	8994	141 1981	34.19 11.041 140		38 13	4.83 8.21	Yes	No		29.83 25 11.2 5.25	6500 2100 Lead	0 1 FIXED	IB FOLD 2				
Jet Stream	Custom JS 9000	9045	60 2003	27.08 9.5 87	30.25 15.5	30.84 10.171	6.07 8.17	No	Yes	21.8 561	29.9 27.9 5.7 6.8	2425 1543 Lead	0 1 FIXED	OB None 0	(Mtg 1/22/09, custom rating of 78 assigned)(Mtg 8/19/10, -9 sec/mi for adding 3' sprit, -3 sec/mi for increased spinnaker area, Original rating of 78 contained a 3 sec error, rating should have been 75, change custom rating to 62)(7/27/17 New			
Lonesome Dove	Elite 29	9066	165 1984	35.833 11.083 130		30.333 10.333	2.6 5.1	Yes	No		28.67 24.42 10.5 5.58	6160 2310 Iron	No 1 FIXED	IB Fixed_2 2				
un-named	Catalina 22-2 OB FK	15622	255 2006	25.8 8 135	25.83 8	21 9.67	3.5 6.08	Yes	No		21.5 19.33 7.67 5	2250 550 Lead	0 1 CNTRBRD	OB None				
Lelo Too	Tartan 30	16354	180 1975	39 13 155	39	34 11.416	4.61 7.69	Yes	No		29.92 24.25 10 4.916	8750 3700 Lead	0 1 FIXED	IB FOLD 0				



Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
			Rating		I	J	ISP	P	MGU	Yes/No		Yes/No	ASF		Ttl Disp.	Traps/H. Strps	IB or OB		
			DW Rating		Max Headsail	Max Headsail	JSP	E	MGM	SL	SPL	SLU	ASA		Ballast	moveable blst	Prop Type		
			Disp/WL Ratio		Mast Material	Mast Material		PY	MSA	SSMG	SSA	SLE	Sprit Lngth		Ballast Mat.	Keel Type	# of blades		
					Rig Type			ASMG	Fixed or _o										
Harp	Catalina 38	18003	<b>117</b>	1983	50.7 15.43	155	50.9 15.43	44 11.5	4.8 7.97	Yes		No		38.17 30.25 11.83 6.79	19489 6850 Lead	No 1 FIXED	IB FOLD 2	DEC 93 - 7X19 STND RIG/ W/ROD RIG & SHRTN UPR SPREADERS 2 IN. NO CHNG RTNG ( MTG 1/27/94)	
			<b>622</b> 320		ALUMN MS			0 0	316			<input type="checkbox"/>	0						
Escapade	Express 37	18051	<b>72</b>	1985	48.75 14.33	155	48.75	42 13.75	5.28 8.83	Yes		No		37.08 30.83 11.57 7.25	11000 4500 Lead	No 1 FIXED	IB FOLD 2		
			<b>577</b> 171		ALUMN MS			0 0	344			<input type="checkbox"/>	0						
Double Espresso	Olson 30 OB	18069	<b>99</b>	1982	36 11.75	155	35.9 11.75	31.5 10.75	4.36 7.26	Yes		No		30 27.5 9.33 5.08	3600 1800 Lead	0 1 FIXED	OB None		
			<b>591</b> 79		ALUMN MS				208			<input type="checkbox"/>	0 0						
Simply Irresistible	Express 27 ODR	18070	<b>129</b>	1983	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes		No		27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0		
			<b>612</b> 83		ALUMN FS			0 0	182			<input type="checkbox"/>	0						
Gig	Humboldt 30 IB	18112	<b>108</b>	1983	37.5 11.5	149	37.5	41.5 13.75	5.13 8.83	Yes		No		30 26.66 10.5 5.75	5400 2222 Lead	No 1 FIXED	IB FOLD 2		
			<b>603</b> 130		ALUMN FS			0 0	338			<input type="checkbox"/>	0						
Xtreme	Hobie 33 ODR	18170	<b>90</b>	1984	33.83 12.4	125	36.25	35 12.5	4.75 8	Yes		No		33 30.5 8 5.42	4000 1800 Lead	No 1 FIXED	OB None 0		
			<b>553</b> 64		ALUMN FS			0 0	260			<input type="checkbox"/>	0						
Tule Fog	Express 27 ODR	18178	<b>129</b>	1984	29 9	155	28.5	29 10	4.22 7.03	Yes		No		27.3 23.8 8.166 4.5	2450 1100 Lead	n 1 FIXED	OB None 0		
			<b>610</b> 83		ALUMN FS				182			<input type="checkbox"/>	0 0						

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications				
			Rating		I	J	ISP	P	MGU	Yes/No		Yes/No	ASF		Ttl Disp.	Traps/H. Strps	IB or OB					
			DW Rating		Max Headsail	Mast Material	JSP	E	MGM	SL	SPL	SLU	ASA		Ballast	moveable blst	Prop Type					
			Disp/WL Ratio		Rig Type		PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam		Ballast Mat.	Keel Type	# of blades					
Shark-On-Bluegrass	Olson 25	18201	159	1984	32	155	32	28	3.8	Yes		No		25	3300	No	OB					
					9.583			10	6.4	32	9.583			21.25					1300	1	None	
			671		ALUMN			0	166	17.25	459		0	9					Lead	FIXED	0	
			156		MS			0		17		<input type="checkbox"/>		4.5								
Freedom	Worth 40	18230	96	1984	54	155	16	47	5.5	Yes		No		40	21000	0	IB					
					16			14	9.2	52	16			34.25					7800	1	FOLD	
			594		ALUMN			0	397	28.8	1248		0	12.5					Lead	FIXED	2	
			238		MS			0		28.8		<input type="checkbox"/>		7.25								
Mirthmaker	A 35	18250	69	2007	44.22	90	51.06	44.94	5.42	Yes		Yes		24.2	9810	0	IB	(Mtg 5/20/10, custom rating of 60 assigned, would like a copy of ORR Certificate)(mtg 6/15/10, change custom rating from 60 to 63 based on further clarification of boats configuration)(Mtg 10/27/16, change custom rating from 62 to 60 after				
					13.45			14.66	8.88	50.32	14.1			58					996	4367	1	Fold
			574		CARBON				381	25.38	1064	46.7	1.5	11.6					Lead	FIXED	2	
			158		FS					25.38		22.5	<input type="checkbox"/>	6.88								
Alchemy	Olson 25	18252	159	1984	32	155	32	28	3.8	Yes		No		25	3300	No	OB					
					9.583			10	6.4	32	9.583			21.25					1300	1	None	
			671		ALUMN			0	166	17.25	459		0	9					Lead	FIXED	0	
			156		MS			0		17		<input type="checkbox"/>		4.5								
Phat Jack	Express 37	18257	72	1985	48.75	150	48.75	42	5.25	Yes		No		37.08	11000	0	IB					
					14.33			13.75	8.83	48	14.33			30.83					4500	1	FEATH	
			577		ALUMN				343	25.7	1028		0	11.57					Lead	FIXED	2	
			171		MS					25.7		<input type="checkbox"/>	0	7.25								
Drop Beer	Beneteau Class 10	18277	90	1984	37.8	150	38.6	39.7	4	Yes		No		34.2	7000	0	IB	NEW RUDDER 3/4/95, NCTR (MTG 3/36/95)				
					12.6			13.9	8.7	36.11	12.6			29.6					2200	1	FOLD	
			588		ALUMN			0	308	22.1	665		0	9.9					Iron	FIXED	0	
			123		FS			0		22.1		<input type="checkbox"/>		6.8								
Stewball	Express 37	18278	72	1985	48.75	150	48.75	42	5.28	Yes		No		37.083	11000	0	IB					
					14.33			13.75	8.83	48	14.33			30.833					4500	1	FOLD	
			577		ALUMN			0	344	25.7	1020		0	11.57					Lead	FIXED	2	
			171		MS			0		24.76		<input type="checkbox"/>		7.25								

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:		ISP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull	Displacement/Keel		Engine/Prop	Modifications	
			Rating		I	J	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB			
			DW Rating		Max	Head	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type			
			Disp/WL Ratio		sail	sail	YE	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades			
							JSP												
Verve	Express 27 ODR	18283	<b>129</b>	1981	28.5	155	28.5	28.5	4.22	Yes	No			27.25	2450	No	OB		
					9		10.416	7.03		29	9.833			23.75	1100	1	None		
			<b>611</b>		ALUMN		0	182		17.5	425		0	8.17	Lead	FIXED	0		
			83		FS		0			17.9			<input type="checkbox"/>	4.5					
Friday's Eagle	Catalina 30	18294	<b>180</b>	1981	41	155	41	35	4.63	Yes	No			29.916	10200	No	IB		
					11.416		11.5	7.72		40	11.5			25	4200	1	FOLD		
			<b>685</b>		ALUMN		0	246		20	667		0	10.833	Lead	FIXED	2		
			297		MS		0			20			<input type="checkbox"/>	5.25					
Sirena	Ericson 32-2	18319	<b>186</b>	1972	35	110	35	31	4.9	Yes	No			31	8800	0	IB		
					13		13	8.4		37	13			24	4000	1	Fixed_2		
			<b>685</b>		ALUMN			239		23.1	705		0	9.8	Lead	FIXED	2		
			289		MS					21.9			<input type="checkbox"/>	5					
Albacore	Santana 22 ODR	18325	<b>237</b>	1976	25.67	125	25.67	21.75	3.95	Yes	No			22	2600	0	OB		
					8.58		9.83	6.59		26	8.58			18.67	1230	1	None		
			<b>737</b>		ALUMN			131		15.44	335		0	7.83	Iron	FIXED			
			182		MS					15.44			<input type="checkbox"/>	3.5					
Tequila Mockingbird	Express 27 ODR	18353	<b>126</b>		28.5	155	32.5	28.5	4.22	Yes	Yes	18.85		27.25	2450	No	OB	(Mtg 4/23/15, switched to MH configuration, -3 sec/mi for increased spinnaker area)	
					9		10.416	7.03		30.5	9.833	33.85	450	23.75	1100	1	None		
			<b>603</b>		ALUMN		0	182		18.25	460	26.25	0	8.17	Lead	FIXED	0		
			83		FS		0			17.5		17.75	<input type="checkbox"/>	90					
Archimedes	Express 27 ODR	18355	<b>129</b>	1985	28.5	155	28.5	28.5	4.22	Yes	No			27.25	2450	No	NONE		
					9		10.416	7.03		29	9.833			23.75	1100	1	None		
			<b>611</b>		ALUMN		0	182		17.333	420		0	8.17	Lead	FIXED	0		
			83		FS		0			17.6			<input checked="" type="checkbox"/>	4.5					
Peaches	Express 27 ODR	18364	<b>129</b>	1986	28.5	155	28.5	28.5	4.22	Yes	No			27.25	2450	No	OB		
					9		10.416	7.03		29	9.833			23.75	1100	1	None		
			<b>611</b>		ALUMN		0	182		17.75	429		0	8.166	Lead	FIXED	0		
			83		FS		0			17.75			<input type="checkbox"/>	4.5					

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
			Max Headsail		I	J		P	MGU	Yes/No	Yes/No	ASF	Ttl Disp.		Traps/H. Strps			
			DW Rating		Mast Material	E		MGM	SL	SPL	SLU	ASA	Ballast		moveable blst			
			Disp/WL Ratio		Rig Type	PY		MSA	SSMG	SSA	SLE	Sprit Lngth	Ballast Mat.		Keel Type			
							SPF	ASMG	Fixed or _o									
Abigail Morgan	Express 27 ODR	18394	<b>129</b>	1985	28.5 9	150	28.5	28.5	4.22	Yes	No			27.25 23.75 8.166 4.5	2450 1100 Lead	No 1 FIXED	OB None 0	
Mintaka 4	Farr 38	18441	<b>81</b>	1979	43.67 13.67	125	46.2	44.9 17.9	6.8 11.6	Yes	No			38.25 31.17 12 6.33	11850 4100 Lead	No 1 FIXED	IB FOLD 2	(2002-removed dinette stbrd, add bench seat w/55 gal fuel tank, original was 12.5. Rudder replaced 12" longer, 4" narrower. Changes noted mtg 1/17/02, NCTR)(removed short pole, changed spinnakers, 4/12/04) (Mtg 1/24/12, new stem
X TA C	Olson 29	18457	<b>99</b>	1986	34 11	155	36	32.42 11.42	4.59 7.66	Yes	No			29.67 27.5 9.33 5.25	3900 1900 Lead	No 1 FIXED	OB None 0	RUDDER REPLACED W/MORE 30 - CHANGE NOTED NCTR.
Expeditious	Express 37	18478	<b>72</b>	1986	48.75 14.33	155	48.75	42 13.75	5.28 8.83	Yes	No			37.08 30.83 11.57 7.25	11000 4500 Lead	No 1 FIXED	IB FOLD 2	INSTALED NEW CLASS-APPROVED CARBONFIBER RUDDER - MTG 6-12-2000 NCTR.
Double Down	Custom Schumacher 30	18480	<b>123</b>	1988	41.37 12.16	150	41.5	36.416 11.83	4.5 7.69	Yes	No			29.92 26 10.65 6.17	7854 3650 Lead	No 1 FIXED	IB FOLD 2	Rudder change, old rudder 85lbs new 65 lbs. Old alum/new carbon MTG 10/27/94 Noted- NCTR (MTG 1/9/97 Alum headsail removed and excess wires removed from mast- Noted NCTR)(Mtg 2/21/08, change custom rating from 126 to 123 after
Punk Dolphin	Custom Wylie 38	18481	<b>72</b>	1985	48 14.33	150	48	43 14	5.58 9.55	Yes	No			38 31 11.6 6.75	14000 5000 Lead	No 1 FIXED	IB FOLD 2	
Golden Moon	Express 37	18488	<b>72</b>	1985	48.75 14.33	155	48.75	42 13.75	5.37 8.99	Yes	Yes	29.5		37 30.83 11.57 7.25	11000 4500 Lead	No 1 FIXED	IB FOLD 2	

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
			Built	I	J	ISP	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	IB or OB				
			Max Headsail	Max	Head	JSP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type			
			ISP	Material	Material	Material	PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades			
			Disp/WL Ratio	Rig Type	Material	Material	Material	Material	Material	Material	Material	Material	Material	Material	Material	Material	Material	Material	
Eclipse	Express 37	18495	72	1985	48.75	155	48.75	42	5.28	Yes	No			37.08	11000	0	IB	Rudder modification noted, no change to rating. (Actual weight from yard 11200 - 9500 was design displacement. No mods from standard express 27.) 3/26/01	
			577		14.33			13.75	8.83					30.83	4500	1	FOLD		
			171		MS			0	344			<input type="checkbox"/>	0	11.57	Lead	FIXED	2		
								0						7.25					
Grey Wulff	Olson 25	18517	159	1984	32	155	32	28	3.8	Yes	No			25	3300	0	OB		
			671		9.6			10	6.4					21.25	1300	1	None		
			156		ALUMN				166			<input type="checkbox"/>	0	9	Lead	FIXED			
					MS								0	4.5					
Topgallant	Tartan 10	18608	129	1978	35	125	35	40.25	5.34	Yes	No			33.16	6700	No	IB	(4/25/02 Installed Running Backstay)	
			623		11.75			13.75	8.96					27	3340	1	FOLD		
			155		ALUMN			0	332			<input type="checkbox"/>	0	9.25	Lead	FIXED	2		
					FS			0						5.83					
Flyer	Peterson 33 (CHITA)	18620	144	1979	42.5	155	42.5	36.66	3.66	Yes	No			32.67	9480	0	IB		
			644		13.9			9.91	6.21					26.58	4960	1	FOLD		
			229		ALUMN				213			<input type="checkbox"/>	0	10.5	Lead	FIXED	2		
					MS								0	6.08					
Breakout	Santana 35	18679	114	1982	39	155	39	42	5.51	Yes	No			35	8500	No	IB		
			630		12.85			14.25	9.26					26.5	3300	1	FOLD		
			208		ALUMN				358			<input type="checkbox"/>	0	11.92	Lead	FIXED	2		
					FS									6.25					
Quila	Santa Cruz 27	18723	141	1976	32.583	155	32.583	28.25	3.68	Yes	No			27	3000	No	OB		
			620		10.75			8.583	6.1					24	1500	1	None		
			99		ALUMN			0	154			<input type="checkbox"/>	0	8	Lead	FIXED	0		
					MS			0						4.5					
Crazy Rhythm	Santa Cruz 27	18771	144	1978	32.58	125	32.58	28.166	3.68	Yes	No			27	3200	No	OB	(Outboard Removed)	
			621		10.75			8.583	6.06					24	1600	1	None		
			105		ALUMN			0	153			<input type="checkbox"/>	0	8	Lead	FIXED	0		
					MS			0						4.5					

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
				J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp.	Traps/H. Strps		IB or OB Prop Type # of blades	
									SL	SPL	SLU	ASA			Ballast	moveable blst		
Disp/WL Ratio	Mast Material Rig Type																	
Finn	Capo 26 IB	18782	<b>162</b> 1985	34.6 10.56	155	39.83	30 10	4.1 6.8	185	Yes	No	26 22 9.25 4.58	4300 1900 Lead	0 1 FIXED	IB Fold			
The Shadow	Custom Mull 32	18787	<b>150</b> 1974	39.833 13.25	125	39.83	35.166 9.75	3.45 6.2	200	Yes	No	32.166 26.666 10 5	10600 4500 Lead	No 1 FIXED	IB FOLD 2	RMVD Foam Bumps from both sides of hull, Red Beam by approx 7" Replaced Rudder and Skeg Design w/balanced Rudder Depth same, area increased approx 8 sqft. Hull dry rot, Crsnfg Accom, Ref, Head Stars Cnv. Changed MTC 10/6/07		
Joie De Vivre	C&C 33	18797	<b>159</b>	43 14	110	43	37.25 10.75	4.4 6.33	235	No	Yes	32.9 26.42 10.54 5.5	21.42 726 0	10100 3975 Lead	0 1 FIXED	IB FOLD		
Summertime Dream	Custom Schumacher 26	18859	<b>186</b> 1979	26.28 8.07	150	26.28 8.07	29.58 10.76	4.33 7.23	195	Yes	No	26.08 20 9.08 5.08	3300 1360 Lead	0 1 FIXED	OB None 0	Boat has previously been called "War"		
Cadenza	Moore 24	18878	<b>150</b> 1977	26.25 9.75	150	26.25	25 9.5	4.01 6.54	148	Yes	No	23.75 21.75 7.17 4.083	2050 1025 Lead	No 1 FIXED	OB None 0			
Moore Fun	Moore 24	18884	<b>153</b> 1979	26.25 9.75	125	26.25	25 9.5	3.91 6.5	147	Yes	No	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0			
Horizon	Santa Cruz 50	18926	<b>-15</b> 1982	61.7 18.43	145	61.7 20.3	55.2 19	7.15 12.05	618	No	Yes	50.23 46.906 12.02 7.988	18844 8000 Lead	0 1 FIXED	IB FOLD 2	(Mtg 6/16/08, -6 sec/mi for oversized spinnaker, -3 sec/mi for oversized main)		

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
			DW Rating		I	J	Max Headsail	ISP	P	MGU	Yes/No	Yes/No	ASF		Ttl Disp.	Traps/H. Strps	IB or OB	
			Disp/WL Ratio		Mast Material	JSP	E	MGM	SL	SPL	SLU	ASA	Ballast		moveable blst	Prop Type		
					Rig Type	PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.		Keel Type	# of blades		
Mojo	J 35	18935	<b>72</b>	1983	46.4 14.7	150	46.3 14.7	41.75 14.98	5.21 8.77	Yes 46	14.7	No 26.25	0	35.42 30 11.8 6.9	10500 4400 Lead	No 1 FIXED	IB Feath 2	
Joyicity	Custom Davidson 26	20746	<b>156</b>	1975	27 9.1	150	31.15 10	28.75 11.5	5.1 8.1	Yes 31.12	10	No 18	0	26.42 22.5 8.25 5.25	3000 1450 Lead	No 1 FIXED	IB FOLD 2	Removed IOR Bump infilled w/Divinacell w/fiberglass skin/faired; Installed Melges rig w/mod for Spinnaker; shortened boom; increased "P" increased "J", Code zero type furler used above deck; Handed on left side of coil 10 # rope
Peregrine	J 120 Carbon	25487	<b>45</b>	2001	50.5 14.5	150	52	46.5 17.8	6.76 11.57	No		Yes 64 52.5 36.96	35.1 1776 7 0	40 35 12 7	13900 6000 Lead	0 1 FIXED	IB Fold 2	
Liquid Asset	Ranger 33	27707	<b>150</b>	1970	41.5 13.7	150	41.5 13.67	35 13.75	4.93 8.67	Yes 41.5	13.7	No 24.6	0	33.17 26.25 9.58 5.17	10500 4500 Lead	0 1 FIXED	IB Fold	
Take Five	Express 27 ODR	28031	<b>129</b>	1982	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes 29	9.833	No 17.75	0	27.25 23.75 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0	
El Raton	Express 27 ODR	28050	<b>129</b>	1985	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes 29	9.833	No 17.75	0	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0	
Mudshark	Express 37	28052	<b>72</b>	1986	48.75 14.33	155	48.75	42 13.75	5.28 8.83	Yes 48	14.33	No 0	0	37.08 30.83 11.57 7.25	11000 4500 Lead	No 1 FIXED	IB FOLD 2	

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications											
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU ASA Sprit Lngth Fixed or _o	SL SPL SSMG SSA	SLE ASF Fixed or _o		Ttl Disp. Ballast Mat.	Traps/H. moveable blst Keel Type	IB or OB Prop Type # of blades												
								DW Rating	Disp/WL Ratio									9	155	28.5	4.22	29	9.833	No	27.25	2450	No	OB
610 83	ALUMN FS	0 0	182	16.5 17.6	404	0	8.17	4.5	Lead	FIXED	0																	
												Moonlight	Express 27 ODR	28059	129	1986	28.5	155	28.5	28.5	4.22	Yes	No	27.25	2450	No	OB	
			610		9		10.416	7.03	29	9.833		23.75	1100	1	None													
			83		ALUMN		0	182	16.5	404		8.17	Lead	FIXED	0													
			83		FS		0	0	17.6			4.5																
Surprise	Custom Schumacher 46	28098	6	1997	57	160	63	57	7.5	Yes	Yes	37.23	46	18300	No	IB	(MTG 4/9/98)(mtg 2/20/04)											
			510		17		19.75	12.8	62.4	18.7	Yes	65.06	40.63	8000	1	FOLD												
			124		CARBON		0	670	33.6	1747		60.17	12.92	Lead	FIXED	2												
			124		FS		0	0	33.6			30.97	7.75															
			124				0	0	33.6			90																
Redux	Olson 911S	28106	126	1987	41.5	155	41.5	35.5	4.5	Yes	No	29.9	7200	No	IB													
			648		12.33		11.83	7.7	41	12.166		25	3200	1	FOLD													
			209		ALUMN		0	251	21.9	748		10.33	Lead	FIXED	2													
			209		MS		0	0	21.9			5.416																
Bandido	Merit 25	28125	168	1983	28.75	150	28.75	28	4.25	Yes	No	24.5	3000	No	OB													
			693		9.66		9.75	6.69	29	9.66		20.5	1050	1	None													
			158		ALUMN		0	172	17.39	420		8	Lead	FIXED	3													
			158		FS		0	0	17.39			4																
Motorcycle Irene	Express 27 ODR	28137	129	1982	28.5	155	28.5	28.5	4.22	Yes	No	27.25	2450	No	OB													
			611		9		10.416	7.03	29	9.833		23.75	1100	1	None													
			83		ALUMN		0	182	17.7	428		8.17	Lead	FIXED	0													
			83		FS		0	0	17.7			4.5																
Moxie	CAL 28-2	28217	183	1988	39.9	90	39.9	34.17	4.28	Yes	No	28	7200	0	IB													
			691		11.4		10.33	7.11	39.26	11.4		23		1	FOLD													
			269		ALUMN			219	20.39	667		10.8	Lead	FIXED	2													
			269		MS				20.39			5.3																
Pony Express	Express 34	28234	99	1988	44.25	155	44.25	38.5	4.87	Yes	No	34	7500	No	IB													
			613		12.92		12.83	8.46	44	12.89		28.33	3700	1	FOLD													
			150		ALUMN		0	296	23.4	858		10.5	Lead	FIXED	2													
			150		MS		0	0	23.4			6																



Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications											
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU ASA Sprit Lngth Fixed or _o	SL SPL SSMG SSA	SLE ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst			Strps Keel Type										
								44 12.95 ALUMN MS	44 12.95										38.7 5.1 12.95 8.5 0 302 0	45.4 5.92 15.6 12.49 0 458 0	Yes No	42 12.95 23.4 816 23	Yes No	21.98 587 0	33.88 28 10.8 6.08	10855 3500 Lead	No 1 FIXED	IB FOLD 2
46.33 14.58 ALUMN MS	46.3 13.1	41.42 5.43 14 9.11 0 347 0	45.4 5.92 15.6 12.49 0 458 0	Yes No	45.8 13.1	No 0	35 30.3 11.6 7.2	12495 4034 Iron	No 1 FIXED	IB FOLD 2																		
Red Sky	Ericson 34 Olson SM	28340	<b>105</b> 1989	44 12.95 ALUMN MS	44 12.95	38.7 5.1 12.95 8.5 0 302 0	45.4 5.92 15.6 12.49 0 458 0	Yes	42 12.95 23.4 816 23	Yes	21.98 587 0	33.88 28 10.8 6.08	10855 3500 Lead	No 1 FIXED	IB FOLD 2	MTG 12/11/97(RUDDER REPLACED 8" DEEPER ADN 3" NARROWER.)												
Hera	Beneteau Farr First 36.7	28372	<b>81</b> 2002	46.4 13.1 ALUMN FS	46.4 13.1	45.4 5.92 15.6 12.49 0 458 0	Yes	45.8 13.1	No	0	36 30.3 11.6 7.2	12495 3748 Lead	No 1 FIXED	IB FOLD 2														
Mistral	Beneteau Farr First 36.7	28394	<b>81</b> 2002	46.4 13.1 ALUMN FS	46.4 13.1	45.4 5.92 15.6 12.49 0 458 0	Yes	45.8 13.1	No	0	35 30.3 11.6 7.2	12495 4034 Iron	No 1 FIXED	IB FOLD 2														
Akialoa	J 35	28435	<b>75</b> 1989	46.33 14.58 ALUMN MS	46.3 13.1	41.42 5.43 14 9.11 0 347 0	No		No	0	35.42 30 11.67 6.75	10500 4400 Lead	No 1 FIXED	IB FOLD 2														
Gavilan	Custom Wylie 39	28439	<b>93</b> 1996	49 14.5 ALUMN MS	49	43 5.73 15.5 9.75 0 390 0	Yes	48.64 14.5	Yes	24.6 783 1.17	41.5 31.75 11.5 6.77	17900 5920 Lead	No 1 FIXED	IB FEATH 3	(mtg 4/28/11, change custom rating from 84 to 96 after review of rating appeal)(Mtg 1/26/12, -3 sec/mi for sprit)													
Twist	J 120 ALUM	28442	<b>48</b> 2000	50.5 14.5 ALUMN FS	52 21.5	46.5 6.75 17.8 11.5 0 492 0	No		Yes	34.1 1764 7 0	40 35 12 7	13900 6000 Lead	No 1 FIXED	IB FOLD 2														
New Sinsation	Santana 20	28449	<b>222</b> 1978	24.5 8.16 ALUMN FS	24.5	24.5 3.16 7 4.92 110	Yes	23.75 8.16	No	0 0	20.2 16 8 4	1350 550 Lead	0 1 FIXED	OB None														

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications		
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		Ttl Disp.		Traps/H.	Strps	IB or OB Prop Type # of blades			
								SL	SPL	SLU	ASA							Ballast	moveable blst
Disp/WL Ratio																			
For Pete's Sake	Ultimate 24 ODR	28469	<b>111</b> 2003	28.04 7.82	102	30.8 14.5	31 11.5	5.5 8.8	No	Yes	22.2 587	24.38 21.17	2040 750	No 1	OB None				
			<b>582</b> 98	CARBON FS			0 0	238			6.7 0	8.48 5.52	lead FIXED						
Chance	J 120 ALUM	28484	<b>51</b> 2001	50.5 14.5	100	52 21.5	46.3 17.8	6.7 11.5	No	Yes	34.1 1765	40 35	13900 6000	No 1	IB FOLD				
			<b>541</b> 147	ALUMN FS			0 0	489			7	12 7	Lead FIXED		2				
Saetta	J 120 ALUM	28486	<b>48</b> 1999	50.5 14.5	153	52 21.5	46.5 17.8	6.75 11.5	No	Yes	37.6 1793	40 35	13900 6000	No 1	IB FOLD				
			<b>540</b> 147	ALUMN FS			0 0	492			7 0	12 7	Lead FIXED		2				
Jarlen	J 35	28528	<b>72</b> 1990	46.333 14.583	150	46.3	41.416 14	5.43 9.11	Yes	No	14.583	35.42 30	10500 4400	No 1	IB FOLD				
			<b>585</b> 177	ALUMN MS			0 0	347			0	11.67 6.75	Lead FIXED		2				
Bandicoot	Wyliecat 30 IB	28530	<b>132</b> 2000	0 0		29 10	39.75 20.5	7.87 13.46	No	No	18.8 512	30.5 25	5500 3050	0 1	IB FEATH	(mtg 5/20/10, -21 sec/mi for added spinnakers)(9/5/12, removed spinnaker, back to standard configuration)			
			<b>653</b> 160	CARBON CATBOAT			0 0	488			0	9.5 5.25	Lead FIXED	2					
Catalyst	Wyliecat 30 IB	28571	<b>132</b> 2004				40 20.67	7.87 13.46	No	No	0	30.42 25	5800 3000	No 1	IB Feath	Must have a YC card before registering for 2005 and clear YC for 2004			
			<b>652</b> 169	CARBON CAT			0 0	493			0	9.42 5.25	Lead FIXED	2					
Friday Harbor	Beneteau 323 DK	28580	<b>147</b> 2004	42.67 11.06	116		38.9 13.17	5 8.56	No	Yes	19.91 661	32 29.17	8448 2258	No 1	IB FOLD				
			<b>633</b> 155	ALUMN MS				306			0 0	10.67 5.92	Iron FIXED		2				

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		SLU ASA Sprit Lngth Fixed or _o		Ballast Ballast Mat.	Traps/H. moveable blst Keel Type		
								SL	SPL	SLU	ASA						
								SSMG SSF	SSA	SLE ASMG	Fixed or _o						
Sail La Vie	Beneteau 411	28597	<b>105</b> 1999	46.67 16.25 ALUMN MS	140	41.5 14.83 0 0	4.872 8.77 344	No	No			41.67 36.09 13 5.58	17196 5500 Steel	No 1 FIXED	IB FEATH 3		
Uno	Wyliecat 30 IB	28632	<b>129</b> 1995	35.8 5.5 CARBON CAT		35.8 12	39.66 9.31 19.75 13.05 493	No	Yes	19.68 550 0 90		30.5 25 9.5 5.25	5800 3000 Lead	0 1 FIXED	IB FOLD 2	(mtg 2/21/08, penalty for oversized main -3 sec/mi)(Mtg 5/22/08, -24 for asymmetric spinnaker flown on 12' pole)(1/24/16, not using spinnaker +24 sec/mi)	
Mirth	Catalina 34 1&2	28634	<b>150</b> 2005	44 13.5 ALUMN MS	125		38.5 4.17 12 7.33 265	No	Yes	22.02 693 0 0		35.67 29.83 11.75 5.58	11950 5000 Lead	No 1 FIXED	IB FEATH 3		
Quiver	Custom Nelson Marek 36	28669	<b>45</b> 1999	43.85 12.5 CARBON FS	105	51.9 14.57	45.75 6.56 16.47 10.66 453	Yes	Yes	26.24 1221 1.5 0		35.6 29.32 10.3 7.6	7725 3255 Lead	No 1 FIXED	IB FOLD 2	(mtg 6/15/10, added lead shoe to keel, -3 sec/mi, change custom rating from 48 to 45)(Mtg 2/29/12, added sprit equal to SPL, NCTR)	
White Cloud	Yamaha 33 IK SM	28688	<b>162</b> 1979	42.8 13.78 ALUMN MS	150	42.8	37.42 4.38 10.67 7.27 247	Yes	No			33.25 26.92 11 6.2	10582 4409 Iron	0 1 FIXED	IB Fixed_2		
French Kiss	Beneteau 350 Oceanis	28713	<b>144</b> 1989	41.47 12.8 ALUMN MS	140	41.47	35.7 4.2 11.6 7.3 0 242 0	Yes	No			33.83 29.83 11.17 5.17	10580 3525 Lead	0 1 FIXED	IB FOLD 2	Above deck Roller Furler	
Blade Runner	Santa Cruz 27	28727	<b>141</b> 1979	32.7 10.9 ALUMN MS	150	32.7 10.9	28.2 3.27 8.7 5.64 146	Yes	Yes	19.58 533 0 90		27 24.08 8 4.5	3000 1600 Lead	0 1 FIXED	OB None		

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
			ISP		I	J	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp. Traps/H. Strps		IB or OB			
			JSP		Max	Headsail	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type		
					Mast	Material	PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades		
	DW Rating	Rig Type	EY			SSF	ASM	G Fixed or _o	Max Draft									
	Disp/WL Ratio																	
Lucky Duck	Custom Santa Cruz 52	28729	<b>-30</b>	2001	64.14 18.95	155	64.6 22.5	57.5 21	8.76 14.22	Yes	Yes	40.91 2190	53 46.25	22544 8000	0 1	IB Fold	(Mtg 8/23/12, Custom Rating Assigned, -21 as sailed)(Mtg 5/23/13, weighed displacement added)(Mtg 3/27/14, New Rudder, -3 sec/mi for OSP, -6 sec/mi for 10%+ increase in spinnaker area. No results for keel/displacement	
			<b>471</b> 104		CARBON MS			745			<input type="checkbox"/>	90	14 9	Lead FIXED		2		
Relentless	Sydney 32	28732	<b>81</b>	2002	40.6 12.2	110	40.6 13.1	39.7 14.75	5.6 9.59	Yes	No		31.9 28.4	6850 2860	No 1	IB FOLD	-3 Sec/mi for OSP	
			<b>589</b> 136		ALUMN FS			0 0	349		<input type="checkbox"/>	0	10.6 6.9	Lead FIXED		2		
Savoir Faire	Beneteau 42 IK	28735	<b>90</b>	1984	52.82 16.73	145	52.82	46.59 14.6	5.4 9.35	Yes	No		42.92 36	20900 7920	No 1	IB FEATH	PER MTG 8/14/97	
			<b>581</b> 204		ALUMN MS			0 0	401		<input type="checkbox"/>	0	12.75 7.25	Iron FIXED		2		
Galaxsea	Custom Nauticat 43.5	28743	<b>180</b>	1985	51 20	104	20.6	45 13.6	4.3 7.9	Yes	Yes	29.2 1119	43.6 37.7	34000 11000	No 1	IB FEATH	Stay sail measurements foot=1', Luff=34'6", Leach=30'2", LP=132"	
			<b>629</b> 288		ALUMN KTCH			32.4 8.5	338		<input checked="" type="checkbox"/>	4.9	12.2 5.9	Lead FIXED		3		
Kelika	Hunter 33.5	28815	<b>150</b>	1991	39.166 11.666	150	39.116	43.166 13.5	5.2 8.9	Yes	No		33.33 26.83	10800 4500	No 1	IB FEATH		
			<b>657</b> 254		ALUMN FS			0 0	350		<input type="checkbox"/>	0	11 4.5	Iron FIXED		2		
Phantom	J 44	28844	<b>21</b>	1990	60.606 17.08	120	60.416	53.53 19.41	7.3 12.5	Yes	Yes	27 1379	44.75 38.58	23838 9000	No 1	IB Feath		
			<b>550</b> 189		ALUMN MS			0 0	615		<input checked="" type="checkbox"/>	0	13.67 8.14	Lead FIXED		3		
Ganasha	Sabre 36-2	28862	<b>111</b>	1996	48.5 13.46	155		41.6 14.83	5.66 9.63	No	No		36.17 30.42	13800 5520	No 1	IB FOLD	Adjustable back stays	
					ALUMN MS			0 0	368		<input checked="" type="checkbox"/>	0	12 6.5	Lead FIXED		2		

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications									
			Built	J	Max	Head	ISP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB										
										JSP	E									MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type
Disp/WL Ratio	Mast Material	SSSF	SSA	SLE	Fixed or _o	Max Draft																						
Alchera	J 120 Mod	28870	<b>51</b>	2001	50.5	125	52	46.5	6	No	Yes	34	40	13900	No	IB	Modifications for offshore singlehanding: Smaller spinnaker and main, 2 extra winches at helm, 3 additional gel batteries, dodger boss widened and all control lines led to cockpit, radar pole, veltran MHN jib. <del>1/4" 2/24/08 +2 cc/mi for small</del>											
			<b>554</b>		14.5		21.55	17.57	10.57		57.96	1407	35	6000	1	FOLD												
			<b>147</b>		CARBON		0	463			49.99	7	12	Lead	FIXED	2												
					FS		0	0			30.6	<input checked="" type="checkbox"/>	7															
Princess	Sabre 40-2	28876	<b>75</b>	1996	53.5	110	53.5	47.8	6.27	No	Yes	26.75	40.17	19500	No	IB	base rtg changed frm 69 to 72 MTG 4/8/03.											
			<b>588</b>		15.5		20.5	17	10.7		57.94	1205	35.25	7000	1	FOLD												
			<b>202</b>		ALUMN		0	476			46.65	5	13.25	Lead	FIXED	2												
					MS		0	0			27.88	<input type="checkbox"/>	6.25															
Crazy Eights	Moore 24	28888	<b>150</b>	1978	26	150	26.3	25	3.91	Yes	No		23.75	2050	0	OB												
			<b>636</b>		9.8		9.75	9.5	6.5				21.75	1000	1	None												
			<b>91</b>		ALUMN				147			0	7.16	Lead	FIXED	0												
					FS							<input type="checkbox"/>	4.083															
Nancy	Wyliecat 30 OB	28890	<b>126</b>	1995				39.66	8.71	No	No		30.5	5500	No	OB	(-3 sec/mi for square top main)											
			<b>650</b>					19.75	13.46				25	3050	1	None												
			<b>160</b>		CARBON		0	491				0	9.5	Lead	FIXED	0												
					CAT		0	0				<input type="checkbox"/>	5.25															
Q	Custom Schumacher 40	28901	<b>54</b>	2001	47	105	47	47.5	6.75	Yes	No		40	10166	No	IB												
			<b>554</b>		14.67			18.35	11.75				31.5	4528	1	FOLD												
			<b>148</b>		CARBON		0	513				0	11	Lead	FIXED	2												
					FS		0	0				<input type="checkbox"/>	7.6															
Godot	J 105 ODR w/ 5'BS	28905	<b>78</b>	1992	40.6	95	42.1	41.5	5.5	No	Yes	23.29	34.5	7750	No	IB												
			<b>581</b>		13.5		19.07	14.6	9.4		49.54	958	29.5	3400	1	FOLD												
			<b>137</b>		ALUMN		0	359			38.55	5	11	Lead	FIXED	2												
					FS		0	0			26.8	<input checked="" type="checkbox"/>	6.5															
Tule Lost	Ericson 911S Olson	28911	<b>132</b>	1988	41.5	155	41.5	35.5	4.73	Yes	No		29.92	8680	No	IB	MUST HAVE YACHT CLUB MEMBERSHIP CARD WITH ENTRY FORM FOR 2006 RACING											
			<b>663</b>		12.33			11.083	7.69				25	3200	1	FOLD												
			<b>253</b>		ALUMN		0	247				0	10.33	Lead	FIXED	0												
					MS		0	0				<input type="checkbox"/>	5.42															

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
			Rating		I	J	Max	ISP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp. Traps/H. Strps		IB or OB	
			DW Rating		Mast	Material	JSP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type		
			Disp/WL Ratio		Rig Type		PY	MSA	SSMG	SSA	SLE	Sprit	Lngrh	Max Beam	Ballast Mat.	Keel Type	# of blades		
					EY		ASF	Fixed or _o	Max Draft										
Abracadabra	Antrim 27 CM ODR	28927	<b>75</b>	1996	28.69 8.17	116	37.25 15	33.75 14	7.5 10.9	No	Yes	25.1 723	27.83 23.75	2900 1050	No 1	OB None	BOWSPRINT IS ARTICULATING		
			<b>555</b>		CARBON		0				6.83	9.25	Lead	FIXED	0				
			98		FS		0				<input type="checkbox"/>	13	6						
Oxymoron	Moore 24	28993	<b>150</b>	1981	26.25 9.75	150	26.2	25 9.5	3.91 6.5	Yes	No		23.75 21.75	2050 1025	0 1	OB None			
			<b>639</b>		ALUMN		0		147			0	7.16	Lead	FIXED	0			
			91		FS		0				<input type="checkbox"/>		4.25						
Kira	Cal 33-2	28999	<b>132</b>	1986	46 13.25	125	46 13.25	40.5 12.75	4.82 8.23	No	Yes	21.86 697	33 27.5	10800 4475	No 1	IB FOLD	(Mtg 1/26/12, -3 sec/mi for increased "e" & MSA)		
			<b>655</b>		ALUMN		0		307			0	11.33	Lead	FIXED	2			
			236		MS		0				<input type="checkbox"/>		6.12						
Sweet Okole	Custom Farr 36	29000	<b>78</b>	1976	42.049 12.35	155	42.049	44.54 16	5.9 10	Yes	No		36 31.33	9696 3750	No 1	IB FOLD	(78 MTG 1/28/93) (81 MTG 3/18/93)(Mtg 5/22/08, +3 sec/mi for switching to smaller headsail, +3 sec/mi for removing 250# shoe from keel, change custom rating from 81 to 87)(6/7/10, change headsail to 155# - 2 sec/mi, change rating		
			<b>585</b>		ALUMN		0		416			0	11.88	Lead	FIXED	2			
			143		FS		0				<input type="checkbox"/>		7						
Don't Panic	C&C 30 Mills	30026	<b>36</b>	2016	40.8 11.28	105	46.74 18.6	41.7 14.2	7 10	No	Yes	31.5 1283	30 28.7	3995 1579	0 1	IB Fold			
			<b>495</b>		CARBON				386			7	9.8	Lead	FIXED				
			77		FS						<input checked="" type="checkbox"/>	0	7.5						
Bessie's Girl	Bristol 45.5	30088	<b>114</b>	1980	57 18.83	130	57 18.83	47.25 15.2	4.66 8.56	Yes	Yes	33 1353	45.5 37.25	40000 15000	No 1	IB FEATH	(mtg 2/18/10, -3 sec/mi for dual spinnakers/ability to use asym on squared back pole)		
			<b>594</b>		ALUMN		30.25		390			0	13.2	Lead	CNTRBRD	3			
			352		KTCH		8.25				<input checked="" type="checkbox"/>	0	11						
Ahi	Santana 35	30980	<b>114</b>	1981	39 12.85	155	39	42 14.25	5.51 9.26	Yes	No		35 26.5	8500 3300	0 1	IB Fold	(Mtg 6/27/13, new rudder noted, NCTR)		
			<b>628</b>		ALUMN				358			0	11.92	Lead	FIXED	2			
			208		FS						<input type="checkbox"/>	0	6.25						

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
			Built	DW Rating	I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp.	Traps/H. Strps		IB or OB Prop Type # of blades		
									SL	SPL	SLU	ASA			Ballast	moveable blst			
																		SSMG	
Six Brothers	Columbia C 30-2	32006	<b>57</b>	2013	36.67 12.67	103	42 17.67	38 14.67	7.77 10.64	No	Yes	31.5 1145	32 27	4500 1900	0 1	IB None			
			<b>529</b> 104		ALUMN FS				374		42.05 29.43	0 <input checked="" type="checkbox"/>	10.13 7.42	Lead	FIXED				
Yellow Brick Road	Jeanneau Sun Odyssey 40	33300	<b>90</b>	1999	50 13.75	125	50 13.8	43.25 15.67	5.7 9.89	No	Yes	25.59 1095	40 33.33	16094 5291	0 1	IB FEATH			
			<b>601</b> 198		ALUMN MS			0 0	396		45.37 27.23	0 <input checked="" type="checkbox"/>	12.92 6.33	Iron	FIXED	3			
Stink Eye	Laser 28 ODR MOD	33562	<b>126</b>		31.73 9.65	110	33.2	33.14 12.3	5.2 8.3	Yes	Yes	19 546	28.42 23.62	4050 1500	No 1	OB FOLD	(Mtg 3/27/14, -3 sec/mi for oversized mainsail girths, -3 sec/mi for OB motor)		
			<b>635</b> 140		ALUMN MS			0 0	252		19.5 19	0.92 <input checked="" type="checkbox"/>	9.48 5	Lead	FIXED	2			
Expression	Express 37 MOD	33985	<b>75</b>	1984	48.75 14.33	150	48.75	42 13.75	5.3 9	Yes	No	19 705	37.1 30.83	9500 4500	0 1	IB Fold	(mtg 1/21/10, +3 sec/mi for modified keel, -3 sec/mi for dual spinnaker/ability to fly asym on squared back pole)(1/19/11, removed asym, only using symmetric spinnaker, +3 sec/mi)		
			<b>590</b> 147		ALUMN MS				346		45 18	0 <input type="checkbox"/>	11.5 6	Lead	FIXED	2			
Zsa-Zsa	1D 35	35017	<b>36</b>	1999	42.49 12.52	110	44.78	44.46 18.58	7.55 12	Yes	No	0	35 31.5	6500 2600	No 1	IB Feath			
			<b>520</b> 95		CARBON FS			0 0	498		26.5 26.5	<input type="checkbox"/>	10.75 7.6	lead	FIXED	2			
Dark & Stormy	1D 35	35018	<b>30</b>	1998	42 12.47	110	44.8 17.39	44 19	7.5 12	No	Yes	31.4 1236	35 31.5	6550 2660	0 1	IB FOLD	Fixed bow sprit, using Asymmetrical spinnaker(mtg 3/20/08, -9 sec/mi for oversized spinnaker, +3 sec mi for not being able to articulate pole, as sailed: 30)		
			<b>518</b> 95		CARBON FS				497		46.62 29.83	4.92 <input checked="" type="checkbox"/>	10.9 7.58	Lead	FIXED	2			
Alpha Puppy	1D 35	35024	<b>30</b>	1999	42.49 12.52	110	44.78	44.46 18.58	7.5 12	No	Yes	31.4 1238	35 31.5	6500 2600	No 1	IB FOLD	6/13/11, boat now in same configuration as B-Line. Added 4.9' bowsprit and oversized spinnaker. -9 sec/mi for oversized asymmetric spinnaker, +3 sec/mi for inability to articulate sprit		
			<b>517</b> 95		CARBON FS			0 0	497		46.6 29.9	4.9 <input checked="" type="checkbox"/>	10.75 7.6	lead	FIXED	2			

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications											
			Built	DW Rating	I J	Max	Headsail	ISP JSP	P E	MGU MGM	Yes/No		Yes/No	ASF	LOA	LWL	Ttl Disp.	Traps/H.		Strps	IB or OB									
											Mast Material	PY										MSA	SL	SPL	SLU	ASA	Max Beam	Ballast	moveable blst	IB or OB
Disp/WL Ratio										Fixed or _o																				
Wildcard	Santa Cruz 37	37005	27	2009	47.1	107	52.17	47	6.4	No	Yes	33.3	37	8662	0		IB	(Mtg 1/26/16, new keel box & rudder noted, NCTR)												
					13.4		19	17	11		59.7	34.75	3730	1		FOLD														
			507		CARBON				474		50.85	10.64	Lead	FIXED		2														
			94		FS						33.3	7.5																		
Spirit of Freedom	J 124	38006	27	2006	49	155	54.7	48.4		Yes	Yes	32.6	40.7	12600	No		IB	(mtg 4/22/10, -3 sec/mi for OSP, -3 sec/mi for ability to square back pole)												
					14		15.4	17			53.9	36.2	5000	1		FOLD														
			535		CARBON				1244		55.1	11.3	Lead	FIXED		2														
			121		FS						27.7	6.9																		
Sapphire	Synergy 1000	38008	48	2004	40.8	125	45.75	42	5.86	No	Yes	28	32.83	4400	No		IB	(Mtg 10/22/15, +3 sec/mi for smaller than class mainsail)												
					12		16.4	15.5	10.03		52	29.17	1850	1		FOLD														
			532		CARBON				387		46.2	9.75	Lead	FIXED		2														
			81		FS						28.8	7																		
Escapade	Sabre 40-2	38011	75	1997	54	110	54	47.5	5.6	Yes	Yes	23.5	40.2	19760	0		IB													
					15.5		16	17	9.9		51.25	34	7500	1		FEATH														
			599		ALUMN				449		27.3	13.3	Lead	FIXED		3														
			229		MS						25.6	7.5																		
Sea Star	CAL 39-2/3	38022	114	1977	50	150	50	44	4.5	Yes	Yes	34	39	17000	0		IB	Roller Furler												
					16.7			13.8	8		48	32	7000	1		FEATH														
			611		ALUMN				337		30	12	Lead	FIXED		3														
			236		MS						29	6.7																		
Ohana	Beneteau 45F5	38023	63	1991	53.15	100	55.15	55.4	7.06	Yes	No		44.11	26500	0		IB	(Mtg 12/1/11, -6 sec/mi for new keel)												
					15.08		16	18.58	12.08				36.9	8500	1		FEATH													
			580		ALUMN				613		27.14	14.1	Lead	FIXED		3														
			240		FS						27.14	7.9																		
Bustin Loose	Sydney 38 MH	38044	21	2002	54	104	52.03	50.53	6.85	Yes	Yes	27.69	38.6	12250	0		IB													
					14.9		14.77	18.046	11.73		56.7	35.3	5140	1		FOLD														
			533		ALUMN			0	543		30.12	12.4	Lead	FIXED		2														
			127		FS			0			30	8.8																		



Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications								
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	SL SPL SSMG SSF	SPL SSA	Yes/No	Yes/No	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H.	Strps		IB or OB Prop Type # of blades							
																			DW Rating	Disp/WL Ratio	4.22 7.03 182	4.11 6.93 203	21.4 452 0 0	Ballast	moveable blst
Bombora	Express 27 ODR	38047	<b>129</b>	1972	28.5 9 155	28.5	28.5 10.42 7.03	4.22 7.03	182	Yes	No	0	27.25 23.8 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0									
Iolani	Hughes 48	38048	<b>120</b>	1972	54.3 18.2 135	20.2	48.2 19 10.4	5.9 10.4	40.32 18.2	Yes	Yes	32.76 1400	48 35.1 11.1 6	32000 14300 Lead	0 1 FIXED	IB FEATH 3									
Raven	Benteau First 35	38073	<b>75</b>	2001	47.24 13.12 108	51.48	45.93 14.75 10.23	5.98 10.23	51.31 14.73	Yes	No	0	36.32 30.6 12.76 7.25	12125 3681 Iron	0 1 FIXED	IB Fold									
Aquadisiac	Newport 30-3	38075	<b>174</b>	1985	40 12.5 155	40	34 10.25 6.6	3.8 6.6	206	No	No	0 0	30.5 26.5 10.67 5.17	8500 2600 Lead	0 1 FIXED	IB Fold 2									
Domino	Wilderness 30 MOD	38081	<b>126</b>	1985	36 12.25 155	36 12.25	31.5 10.83 6.93	4.11 6.93	203	Yes	No	0 0	30 27.75 8.8 5.5	5450 2150 Lead	0 1 FIXED	IB Fold	(Mtg 3/28/13, +6 sec/mi for small rig)								
Allora	Morris 36	38082	<b>120</b>	2007	38.66 12.75 95	44.3	41.25 15.08 9.43	5.1 9.43	357	No	Yes	21.4 452 0 0	36.1 25 10.1 5.3	8900 3850 Lead	0 1 FIXED	IB Fold									
Kynntana	Freedom 38	38086	<b>141</b>	1988	33.34 11.5 100	33.34 11.5	45.5 16.57 10.7	6.25 10.7	447	No	No	0 0	38.42 30.58 12.5 5.6	14370 6500 Lead	0 1 FIXED	IB Fold									

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp.	Traps/H. Strps		IB or OB Prop Type # of blades		
								SL	SPL	SLU	ASA			Ballast	moveable blst			
								SSMG SSF	SSA	SLE ASMG	Sprit Lngth Fixed or _o			Ballast Mat.	Keel Type			
Blue Ribbon II	Catalina 270 IB	38087	<b>207</b> 1994	33.58 9.25 ALUMN MS	135	33.58	28.42 4.67 11.5 7.61	199	No	No	27 23.75 9.83 5	6400 0 2000 1 Lead FIXED	IB Fixed_2 2					
Invictus	Hunter 41 DS	38093	<b>129</b> 2007	51.6 13 ALUMN FS	110		50.8 6 19.6 10.11	524	No	No	40.4 35.6 13.3 6.6	19400 0 6506 1 Lead FIXED	IB Fixed_3 3	(Mtg 4/25/13, +3 sec/mi for in-mast furling main)				
Scraft	Hunter 36	38096	<b>156</b> 2005	44.83 13.17 ALUMN MS	125		44.92 6 16 10.3	426	No	No	35.5 30.58 12 5.42	13900 0 5023 1 Lead FIXED	IB Fixed_3	Roller Furler, In-mast Furling Mainsail				
Althea	Cavalier 39	38101	<b>129</b> 1981	48.5 14.83 ALUMN MS	120	46 16.13	42 4.55 12 7.79	301	No	16.13	28.23 48.75 1029 42.41 0 26.82 <input type="checkbox"/> 90	38.98 29.49 11.22 5.97	13228 0 7513 1 Lead FIXED	IB Fixed_3	(Mtg 4/28/16, -3 sec/mi for oversized spinnaker pole, -3 sec/mi for oversized spinnaker)			
Wasabi	JPK 1080	38103	<b>63</b> <b>550</b> 166	46.66 14.17 CARBON FS	100	51.51 19.09	46.2 5.84 15.48 9.61	419	No	15.32	35.43 30.84 11.98 7.22	10692 0 4740 1 Steel FIXED	IB Fold					
Kira	Aerodyne 38 SD	38104	<b>45</b> <b>634</b> 135	50.82 14.5 ALUMN FS	105	57.25 20.83	51.75 6.25 16.5 10.6	506	No		39.5 65.5 2062 34.21 58.5 13 40 <input checked="" type="checkbox"/> 0	37.66 34.21 6	11850 0 4150 1 Lead FIXED	IB Fold				
Wimm	Jeanneau Sun Odyssey 349	38105	<b>141</b> 2016	43.6 12.37 ALUMN MS	112		40.68 4.9 13.62 8.2	318	No	No	33.92 30.84 11.29 6.86	11770 0 3483 1 Cast Iron FIXED	IB Fold					

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications		
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		SLU SLE ASMG		ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.	Traps/H. Ballast Mat.		Strps moveable blst Keel Type	IB or OB Prop Type # of blades
								SL	SPL	SLU	ASA								
								SSMG	SSA	SSMG	SSA								
Prime Number	Tartan 4100 SD	38107	<b>96</b> 2004	57 15 106 57 15	47.75 17.22	5.64 10.08		No	No			41.25 35.75 13.5 5.33	20400 8000 Lead	0 1 FIXED	IB Fold				
Raven	C&C 115	38108	<b>69</b> 2004	52.17 14.5 106 52.17 14.5	49.33 16.33	6.2 8.6		No	Yes	24.7 962		37.75 33 11.92 6.67	11800 4200 Lead	0 1 FIXED	IB Fold 2				
Puffin	Alden 44	38144	<b>117</b> 1978	54.1 19.5 100 54.1 19.5	47.08 14.75	5.7 9.6		No	Yes	33 1369		44.17 34.08 12.5 8.75	24500 Lead	0 1 CNTRBRD	IB Feath				
Irie	Beneteau 393 Oceanis SD	38200	<b>150</b>	46 14.5 110 46 14.5	40.2 15.1	4.63 8.12		No	Yes	24 755		38.12 35.1 13 5.1	21700 5357 Cast Iron	0 1 FIXED	IB Fold 3				
Willow	Wauquiez 40s Centurion	38300	<b>69</b> 2004	51.5 14.17 110 51.5	49.21 19.3	7.3 12.5		Yes	Yes	28.54 1155		41.17 36.4 12.66 7.75	18960 6085 Lead	No 1 FIXED	IB FEATH 3	(mtg 3/18/10, -3 sec/mi for oversized a-sail.)(mtg 1/27/11, - 3 sec/mi for added sprit)			
Siento El Viento	C&C 29	38311	<b>174</b> 1977	39.5 12.8 155 39.5 12.8	33.5 10.1			Yes	No	12.8 715		29.5 23.6 10.5 5.25	7500 2700 Lead	No 1 FIXED	IB Fold 2				
Freedom	Beneteau 523	38333	<b>54</b> 2006	65.22 20.77 105 65.22 20.77	59.09 18.53	6.39 11.04		No	Yes	35.519 1854		53.08 47.92 16 7.5	32800 10935 Iron	No 1 FIXED	IB FOLD 3	Bow Thruster, in-mast furling, above deck jib furler; (Mtg 8/17/06 - +6 s/m for small girth main); electric winches added 1/29/07 (Mtg 3/28/13, +3 secmi for 8% decrease in mainsail area)			

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications							
			Built	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF		LOA	Ttl Disp.	Traps/H. Strps		IB or OB							
										DW Rating	Mast Material		E	MGM			SL	SPL			SLU	ASA	LWL	Ballast	moveable blst	# of blades
EY	SSF	ASM	G	Fixed or _o	Max Draft																					
						Tiki Blue	Beneteau 423	38423	105	2005	48.65	125	48.65	43.44	5.49	Yes	No	41.67	20224	No	IB					
									580		16.52		16.52	14.83	9.6			38.58	5569	1	FOLD					
			160		ALUMN				381			12.92	Iron	FIXED	3											
					MS							6.92														
Soiree	Beneteau Oceanis 49 SD	38776	87		59.75	135	59.75	51.67	4.7	No	Yes	29.41	49.5	30517	0	IB	Electric Winches (Mtg 10/27/16, +3 sec/mi for In-mast furling mainsail)									
			551		18.42		18.42	18.33	9.3			1210	43.67	480	1	Feath										
			167		ALUMN				480			0	14.75	Iron	FIXED											
					FS							0	5.75													
Alchimiste	Archambault 27	38973	78	2013	34.25	100	39.08	34.78	4.75	No	Yes	26.9	27.4	4894	0	IB	(Mtg 10/22/15, Custom rating assigned. Includes -9 sec/mi penalty for 22% oversized ASA & +3 sec/mi credit for non-articulating sprit. As sailed: 78)									
			616		10.83		15.98	12.63	8.16			872	22.7	1814	1	Fold										
			190		ALUMN				261			0	9.7	Lead	FIXED											
					FS							0	5.7													
Chance	Farr 395	39528	27	2002	51.25	105	56.33	50	7.54	No	Yes	33.46	39.33	12500	No	IB										
			528		14		20.36	18.42	12.53			1617	34.5	4600	1	FOLD										
			138		CARBON			0	567			6.36	12.08	Lead	FIXED	2										
					FS			0	0			33.79	7.83													
Wind Speed	J 30	39963	141	1980	34.19	155	34.2	37.5	4.9	Yes	No		29.83	6700	No	IB	+6 sec/mi for J length pole (mtg 11/16/01)									
			657		11.5			12.5	8.1				25	2100	1	FOLD										
			195		ALUMN			0	281			0	11.18	Lead	FIXED	2										
					FS			0	0			0	5.25													
Twisted	Farr 40 ODR MH	40046	0	1999	53.15	105	50.04	54.8	8.49	Yes	No		40.7	10902	0	IB	(Mtg 12/1/11, interior mods for IRC, smaller mainsail: NCTR)(Mtg 5/24/12, switching to MH ODR configuration)									
			498		15.45		17.06	19.36	13.77				35.3	4960	1	FOLD										
			113		CARBON				674			0	13.2	Lead	FIXED	2										
					FS							0	8.53													
Astra	Farr 40 ODR MH	40079	0	2000	53.2	105	53.12	54.8	7.29	Yes	No		40.75	10917	No	IB										
			502		15.5			19.4	12.47				35.27	5079	1	FOLD										
			113		CARBON			0	629			0	13.22	Lead	FIXED	2										
					MS			0	0			0	8.53													

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
					I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast		Traps/H. moveable blst				
									SL	SPL						Yes			No
									SSMG SSF	SSA									
Bullet	Express 37	40311	72	1985	48.75 14.33 155	48.75	42 13.75 8.83	5.3 8.83	Yes	No	48 14.33	0	37.08 30.83 11.57 7.25	11000 4600 Lead	No 1 FIXED	IB FOLD 2			
Ergo	Express 27 ODR	40428	129		28.5 9 155	28.5	28.5 10.416 7.03	4.22 7.03	Yes	No	29 9.833	0	27.25 23.75 8.075 4.5	2450 1100 Lead	0 1 FIXED	OB None 0			
Jeannette	Custom Frers 40 IOR 1 Tonner	40646	66	1986	47.2 13.7 100	13.7	51.48 18.76 12.19	7.13 12.19	Yes	No	46.69 13.7	0	39.5 33 12.6 8.1	12900 6000 Lead	0 1 FIXED	IB FOLD 2	(Mtg 5/31/07 custom rating changed from 63 to 60 based on performance data)(Mtg 8/27/15, change custom rating back to 63 after review of race results)		
Vento	Swan 391	40841	99		53.5 16.25 95	53.5 16.25	47.25 14 9.2	5.5 9.2	Yes	Yes	51.83 16.25	26 1014	39.9 33.1 12.4 7.2	18900 6800 Lead	0 1 FIXED	IB Fold			
Catapult	Santa Cruz 70	41005	-84	1989	73.34 22.19 155	73.74 25.26	66.11 24.67 15.75	9.3 15.75	No	Yes	39.1 2348	0	68 59.7 15.1 10	23847 9000 Lead	0 1 FIXED	IB Fold	(Mtg 5/25/17, Custom rating assigned. As Sailed: -84)		
Buona Sera	Santa Cruz 70	41104	-81	1986	73.15 22.52 155	73.63	65.49 25.39 15.72	9.12 15.72	No	Yes	40.06 2504	0	68.9 60.4 15.1 10.62	24905 8960 Lead	0 1 FIXED	IB Fold	(Mtg 8/27/15, New rudder noted, -9 sec/mi for new keel)(Mtg 3/23/17, -6 sec/mi for 13% increase in SPL, -3 sec/mi for increase in spinnaker area, +3 sec/mi for decrease in mainsail area)		
Heart of Gold	Olson 911S	41327	129	1987	41.5 12.33 125	41.5	35.5 11.83 7.7	4.5 7.7	Yes	No	41.1 12.16	0	29.9 25 10.3 5.5	7200 3200 Lead	No 1 FIXED	IB FOLD 2			

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
			Built	DW Rating	I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps	IB or OB Prop Type # of blades		
									SL SPL SSMG SSF	SPL SSA SSA	SLU SLE ASMGM	ASA				Ballast			moveable blst
Baleineau	Ericson 34 Olson SM	42147	<b>105</b>	1988	44 13 155 44	44 44	38.8 4.88 13 8.25 0 298 0	4.88 8.25 298	Yes	No	43.5 12.96 23.25 843 23.25	23.25	34 28 10.83 6	10600 3650 Lead	No 1 FIXED	IB FOLD 2			
Ardea	Custom Nelson/Marek 50	42616	<b>21</b>	1989	59.92 17.59 100 59.92 17.59	59.92 17.59	65.19 9.35 24.08 15.98	9.35 15.98	Yes	Yes	59.2 17.59 62.2 1526 31.1 1527 30.4	31.6 1526 0 90	49.8 38.55 14.86 9.32	22145 12627 Lead	0 1 FIXED	IB Fold	(Mtg 8/28/15, custom rating of 21 assigned)		
Angel	J 130 DK AM	46079	<b>15</b>	1993	57 16.5 155 58.5 23.5	58.5 23.5	52.5 7.03 18.5 12.02	7.03 12.02	No	Yes	59.05 7 40	39.5 2195 7 0	42.6 38.17 12.67 8.5	15500 6450 Lead	0 1 FIXED	IB Feath			
La Viajera	J 109 ODR	46480	<b>72</b>	2004	46.5 13.3 105 49.6 18.8	49.6 18.8	43.25 5.89 15.5 10.07	5.89 10.07	No	Yes	45.63 5.5 27.2	27.75 1160 5.5 0	35.25 30.5 11.5 7	10900 3900 Lead	0 1 FIXED	IB Fold 2			
Family Hour, TNG	Henderson 30	46595	<b>48</b>	1997	37 11 155 42.3 17.8	42.3 17.8	38.2 6.74 14 10.62	6.74 10.62	Yes	Yes	41.5 11 19.8 685 19.8	31.9 1223 6.2 15	30.83 27.75 9.84 7	3850 1750 Lead	0 1 FIXED	OB None 0	Kelp Cutter		
Fast Lane	Olson 25	46657	<b>159</b>	1985	32 9.6 155 32	32	28 3.8 10 6.4	3.8 6.4	Yes	No	32 9.6 17.25 459 17	0 0	25 21.25 9 4.5	3300 1300 Lead	0 1 FIXED	OB None			
Sweetspot	C&C 121 DK W/5' BS	46921	<b>60</b>	2000	57 15 135 57 20	57 20	51 6.19 16.386 10.6	6.19 10.6	No	Yes	55.6 5 37.5	36 1851 5	40 35.5 13.8 8	14100 5500 Lead	No 1 FIXED	IB FOLD 2	Deep Keel-bowsprit, (Mtg 4/24/08, rating appeal submitted, change base rating for C&C 121 DK w/ 5' BS, aka C&C 121 XP, to 60)		

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
			ISP		I	J	Max Headsail	ISP	P	MGU	Yes/No	Yes/No	ASF		Ttl Disp.	Traps/H.	IB or OB		
			JSP		J			JSP	E	MGM	SL	SPL	SLU		ASA	Ballast	moveable blst		Prop Type
					Mast Material				PY	MSA	SSMG	SSA	SLE		Sprit Lngth	Ballast Mat.	Keel Type		# of blades
		Disp/WL Ratio	Rig Type		EY		SSF		ASM	Fixed or _o									
Argo	Beneteau 40.7 First Farr	46933	<b>54</b>	1999	51.61 14.47	105	51.61 14.47	48.85 17.72	6.72 11.51	Yes	No		39.33 34.83 12.33 7.75	15211 5950 Lead	0 1 FIXED	IB Feath 2			
			<b>569</b> 164		ALUMN FS				515		<input type="checkbox"/>	0 0							
FROLIC	Islander 36 TM	47462	<b>141</b>	1974	47 14.5	155	47 14.5	40.75 12.6	4.8 8.25	Yes	No		36.08 28.25 11.17 6.08	13450 5450 Iron	0 1 FIXED	IB Feath 3			
			<b>655</b> 271		ALUMN MS				307		<input type="checkbox"/>	0 0							
Gotcha	Santa Cruz 27	47911	<b>141</b>	1975	32.58 10.75	150	32.58	28.25 8.583	3.68 6.06	Yes	No		27 24 8 4.5	3200 1600 Lead	0 1 FIXED	OB None			
			<b>619</b> 105		ALUMN MS				154		<input type="checkbox"/>	0 0							
Bodacious +	1D 48	48005	<b>-15</b>	1996	57.7 16.7	155	68.3 16.7	61.3 22.5	9.84 14.66	Yes	Yes	30.1 1673	48.3 40.2 14.2 10.1	19743 8818 Lead	0 1 FIXED	IB Fold 2	Water ballast system not operational (mtg 8/19/08, custom rating assigned of -30, includes dual spinnakers)(Mtg 3/24/11, new smaller mainsail, smaller symmetrical, change cutom rating from 30 to 24)(Mtg 8/25/11		
			<b>490</b> 138		CARBON FS				848		<input checked="" type="checkbox"/>	0 0							
Iniscaw	Martin 32	49143	<b>126</b>	1980	42.5 13.67	145		37.17 12	4.7 8	Yes	No		32.8 27 9.6 6.1	8200 4100 Lead	0 1 FIXED	IB FOLD 2	(Mtg 10/2/13, new rudder, NCTR)		
			<b>618</b> 189		ALUMN MS				270		<input type="checkbox"/>	0							
Emily Carr	Santa Cruz 50	49211	<b>-6</b>	1981	61 19	150	61	55 17	6.4 11	Yes	No		53 46.5 12 8	15000 7500 Lead	No 1 FIXED	IB FOLD 2	3' SUGAR SCOOP ON TRANSOM IF STD 50FT LOA OF BOAT		
			<b>478</b> 68		ALUMN MS				555		<input type="checkbox"/>	0							
Bright Hour	Farr 40 ODR MH	50092	<b>0</b>	2001	53.15 15.45	0	50.04 17.06	54.8 19.36	8.49 13.77	Yes	No		40.7 35.3 13.2 8.53	10902 4960 Lead	0 1 FIXED	IB Fold			
			<b>498</b> 113		CARBON FS				674		<input checked="" type="checkbox"/>	0 0							

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
			DW Rating		I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No	Yes/No	ASF	Ttl Disp.		Traps/H. Strps	IB or OB		
			Disp/WL Ratio		Mast Material	PY	MSA	SSMG	SSA	SLU	ASA	Ballast	moveable blst		Prop Type			
			Rig Type		EY	SSF	ASMG	Sprit Lngth	Ballast Mat.	Keel Type	# of blades							
Windswept Lady	X-362 Classic	50980	<b>96</b>	1998	46.6 12.9	125	46.6 12.9	40.6 14.1	5.05 8.86	Yes	Yes	26.7 878	35.1 30.4 11.4 6.2	12320 5170 Lead	0 1 FIXED	IB Fold		
			<b>613</b> 199		ALUMN MS			333				<input type="checkbox"/>						
Velvet Hammer	Schock 40	51507	<b>-12</b>	2000	42.5 13.6	104	49.5 20.58	44.4 16.8	7.2 11.8	No	Yes	33.92 1459	40 35 10 8	7914 1800 Lead	No 2 MOVABL	OB None 0	(mtg 10/21/09, switched to 104% headsail, from 150%, smaller girths on mainsail. Change custom rating from -18 to -12)	
			<b>464</b> 84		CARBON FS			0 0	470		60 49 31.685	7 0						
Everlong	Beneteau 40.7 First Farr	51705	<b>54</b>	2002	51.61 14.47	104	51.61 14.47	48.85 17.72	6.73 11.51	Yes	Yes		39.33 34.83 12.33 7.75	15211 5950 Lead	0 1 FIXED	IB FOLD 2		
			<b>569</b> 164		ALUMN MS			0 0	515			0						
Tyr	J 125	52125	<b>-12</b>	2000	49 14.8	155	52 23.4	46.5 18	6.79 11.65	No	Yes	39.3 1831	41 37 10.6 7.9	8350 4646 Lead	0 1 FIXED	IB Fold 2		
			<b>471</b> 75		CARBON FS				497		62.17 52.49 38.09	0 0						
Jaybird	J 133 CM	52443	<b>24</b>	2004	57 17.25	100	60.4 24	54 18.6	7 12	No	Yes		38.08 30.25 11.8 6.8	16900 6850 Iron	0 1 FIXED	IB Fixed_2		
			<b>574</b> 278		CARBON FS				595			0 0						
Pressure Drop	Beneteau Farr First 36.7	52489	<b>78</b>	2006	46.4 13.1	155	46.4 14.35	45.4 15.6	5.92 12.49	Yes	No	23.29 867	36 30.3 11.4 7.3	12495 4034 Lead	0 1 FIXED	IB Fold 2	(12/2/16, -3 sec/mi for JSP)	
			<b>602</b> 204		ALUMN FS				458		45.8 23.5 23.5	13.1 897						
Mulan	Beneteau First 10R ODR	52659	<b>84</b>	2007	43.2 12.07	100	46.41 16.5	42.25 14.73	5.59 9.57	No	Yes	25.5 1078	32.75 28.7 11 6.55	9715 3258 Lead	0 1 FIXED	IB Fold 2	(mtg 9/23/10, +3 sec/mi for non-class smaller kite)	
			<b>601</b> 187		CARBON FS				371		45.8 26.4	4.43 0						



Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
				J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.	Traps/H. Ballast moveable blst		IB or OB Prop Type # of blades
									SL	SPL	SLU	ASA						
									SSMG SSF	SSA	SLE ASMG	Fixed						
Curie	Beneteau 32S5	52868	<b>138</b> 1990	38.39 9.68	150	38.39 9.68	38.88 13.78	5.3 9.01	Yes	No	17.3 519	32.6 27.83 10.83 6	9260 2980 Cast Iron	0 1 FIXED	IB FOLD 2			
			<b>652</b> 195	ALUMN FS				321			17.3 576							
CruzSea Baby	Beneteau First 10R ODR	52878	<b>81</b> 2007	43.2 12.07	155	46.41 16.5	42.25 14.73	5.59 9.57	No	Yes	27.5 1055	32.75 28.7 11 6.55	9715 3528 Lead	0 1 FIXED	IB Fold 2	(Rudder Modifications noted, smaller non-class spinnaker +3 sec/mi)		
			<b>603</b> 187	CARBON FS				371			4.43 0							
Jamani	J 120 ALUM	52879	<b>48</b> 2002	50.5 14.5	155	52 21.5	46.5 17.8	6.7 11.5	No	Yes	34 1729	40 35 12 7	13900 6000 Lead	0 1 FIXED	IB FOLD 2			
			<b>542</b> 147	ALUMN FS				491			7 0							
Mega Hurtz	Laser 28 ODR MOD	53470	<b>129</b> 1974	31.1 9.65	125	31.73	33.14 12.96	4.98 8.4	Yes	No	0	28.41 23.62 9.48 4.98	3950 1500 Lead	0 1 FIXED	OB None 2	(Mtg 2/27/14, switched to outboard motor, -3 sec/mi)		
			<b>631</b> 136	ALUMN FS				257			0 0							
Rhapsody	J 32	56303	<b>120</b> 2000	39.2 11	155	40.583 13	38.5 15.5	5.12 9.25	No	Yes	22.5 830	32.4 29 11 6	11500 3840 Lead	0 1 FIXED	IB Fold 3	(Mtg 5/23/13, -3 sec/mi for sprit, -3 sec/mi for oversized spinnaker)		
			<b>640</b> 214	ALUMN FS				335			2 0							
Music	Catalina 34 1&2	56583	<b>147</b> 2001	44 13.5	130		38.5 12	3.6 6.8	No	Yes	21.8 762	35.66 29.84 11.75 5.56	11950 5000 Lead	0 1 FIXED	IB FOLD 2			
			<b>645</b> 204	ALUMN MS				251			0 0							
Allegro	Beneteau Farr First 36.7	56657	<b>78</b> 2010	46.42 13.1	155	46.42 14.35	45.4 15.6	5.92 12.49	Yes	Yes	23.41 834	36 30.3 11.4 7.3	12939 3993 Lead	0 1 FIXED	IB Fold 2	(Mtg 1/26/16, -3 sec/mi for increased JSP)		
			<b>601</b> 211	ALUMN FS				458			0 90							

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H.	Strps		IB or OB Prop Type # of blades
								SL	SPL	SLU	ASA							
								SSMG SSF	SSA	SLE	ASMG							
Brandy	Farr 30 1/2 Ton	57257	150	1979	31 9.6 145	31	34 12.9	4.5 7.11	Yes	No	30.33 23.5 10 5.33	4894 1909 Lead	0 1 FIXED	OB None	(Mtg 4/24/15, -6 sec/mi for increased P)			
Windwalker	Islander 36 ODR	57307	144	1976	45 14.48 150	45	39.25 12.75	4.8 8.2	Yes	No	36.08 28.25 11.17 6.08	13450 5820 Lead	No 1 FIXED	IB FOLD 2				
Passat	North Star 500	57313	240	1973	33 10.25 140		27.5 8.75	3.5 6.1	No	No	24.98 20.23 9 5	4298 1710 Lead	0 1 FIXED	IB Fixed_3				
Oscar	Santa Cruz 33	57663	117	1978	41 13.583 125	41	35.42 15	4.25 7.166	Yes	No	33 28 10.06 6	7000 3000 Lead	No 1 FIXED	IB FOLD 2				
Red Hawk	Hawkfarm 28 ODR	59024	162	1978	33 11 155	33.25 11.5	36 10.5	4.37 7.26	Yes	No	28 23.5 9.75 5.166	5700 2700 Lead	0 1 FIXED	IB FOLD 2				
Giant Slayer	Santa Cruz 27	59369	141	1979	32.583 10.9 155	32.583 10.9	28.25 8.7	3.7 6.3	Yes	Yes	17.67 372 8 4.5	3304 1800 Lead	No 1 FIXED	OB None 0	(Mtg 3/27/14, -3 sec/mi for 10% overized symmetrical spinnaker)			
Zwei Flying Fish	San Juan 33s	59733	129	1981	34.83 11.48 134	34.83	39.16 12.66	4.66 8.08	Yes	No	33.1 27.8 7.95 5.5	6000 3500 Lead	0 1 FIXED	IB Fold	(Mtg 5/28/15, +3 sec/mi for small rig)			
			654 171		ALUMN FS			243			<input type="checkbox"/>	0 0						
			648 271		ALUMN MS			297			<input type="checkbox"/>	0						
			236		ALUMN MS			149			<input type="checkbox"/>	0 0						
			145		ALUMN MS			269			<input type="checkbox"/>	0						

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
			ISP		I	J	Max Headsail	ISP	P	MGU	Yes/No	Yes/No	ASF		Ttl Disp.	Traps/H. Strps	IB or OB		
			JSP		J	J		JSP	E	MGM	SL	SPL	SLU		ASA	Ballast	moveable blst		Prop Type
					Mast Material	Rig Type	PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam		Ballast Mat.	Keel Type	# of blades		
		Disp/WL Ratio					EY		SSF	ASMG	Fixed or _o								
Wildcat of Loch Awe	S-2 7.9 FR DB	59838	165	1983	31.83	135	31.83	29.42	4.75	Yes	No	0	25.92	4250	0	OB			
			685		9.5		12.33	7.92	30.33									9.5	21.67
			190		ALUMN							0	9	Lead	AGGERBR				
			FS		216		17.08	432	17.08									0	5
Void Star	Santa Cruz 40	59995	45	1982	52	135	52	45.5	5.2	No	Yes	33.62	40	12500	0	IB	(Mtg 10/22/15, -6 sec/mi for 20% increase in JSP)(4/6/16, +3 sec/mi for non-articulating spinnaker)		
			548		16		18.67	14	8.58									50	16
			122		ALUMN							0	12	Lead	FIXED	2			
			MS		370		28.33	1178	48.32									0	7
Ebb Tide	Wauquiez 45s Centurion	60245	57	2003	55.77	100	55.77	51.84	6.51	Yes	Yes	32.25	45.92	23148	0	IB	(Mtg 5/26/11, Increased "JSP" by 5.67' which equals a 30% increase. - 9 sec/mi per NCPHRF Rules & Guidelines.)(Mtg 3/29/12, JSP now same as J+9 sec/mi, Asymmetrical spinnaker still oversized, -3 sec/mi)		
			542		17.72		17.72	19.32	11.68									55.59	17.72
			161		ALUMN							0	13.67	Lead	FIXED	3			
			FS		567		30.62	1466	52.39									0	8.17
Gratitude	Hylas 46	60373	102	2002	58.4	135	58.4	50.6	4.6	No	Yes	25.5	46.3	27777	0	IB			
			573		17.7		17.7	18	9.6									54.6	1309
			197		ALUMN							0	6.6	Lead	FIXED	3			
			CTR		469		30.6	0	30.6									0	
Nymph	S&S 30	60602	144	2013	38	90	43.58	40	5.35	No	Yes	16.7	30.5	6500	0	IB			
			629		9.5			14	8.96									43.2	537
			142		ALUMN							0	5.5	Lead	FIXED				
			FS		332		15.8	0	15.8									0	
Lenora	Hunter 33-2	60700	153	2004	37.42	115	38.42	36.46	4.83	No	Yes	18.5	33.5	10400	0	IB			
			648		10.83		10.83	15.83	8.33									39.33	531
			186		ALUMN							0	5.5	Lead	FIXED	3			
			FS		306		16.67	0	16.67									0	
Anais	Hanse 505	61019	45	2014	64.16	100	65	58.6	6.55	No	Yes	38.52	49	36000	0	IB			
			530		19.16		20	20	11.87									70.41	2151
			187		ALUMN							0	7.7	Lead	FIXED				
			FS		655		38.35	0	38.35									0	



Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications			
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H.	Strps		IB or OB Prop Type # of blades		
								SL	SPL	SLU	ASA								Ballast	moveable blst
								SSMG	SSA	SLE	ASM									
Friction Loss	J 30	67425	141	1979	34 11.5	155	34.1 11.5	38 13 0 0	4.94 8.45 295	Yes	No	21.06 666 0	29.83 25 11.17 5.25	6500 2100 Lead	0 1 FIXED	IB FOLD 2				
Timber Wolf	Farr 38-1 C&B Marine	67519	75	1980	43.91 13.36	155	47.9	44.83 17.91 0 0	6.7 11.6 476	Yes	No	0	38.32 30.9 11.97 6.39	12000 4100 Lead	0 1 FIXED	IB FOLD 2	(REDUCED MGM, ADDED 6" TO RUDDER LENGTH -NOTED NCTR- 2/15/01)(-3 sec/mi for oversized spinnaker)			
Hot Betty	Olson 30 OB	67537	99	1979	36 11.75	155	35.9 11.67	31.5 10.75 0 0	4.364 7.268 208	Yes	Yes	21 630 0	30 27.5 9.33 5.08	3600 1800 Lead	No 1 FIXED	OB None 0				
FUGU	Wilderness 30 SX FR IB	67967	120	1980	34.08 11.75	150	34.1 11.8	34.44 11.5 236	4.37 7.48	Yes	Yes	20.36 603 0 0	29.75 27.75 8.75 5.5	4200 1900 Lead	0 1 FIXED	OB None 0	(Mtg 11/20/08, -6 sec/mi for replacing inboard with outboard engine)			
Sea Ghost	Beneteau 42 IK	68222	90	1984	52.82 16.73	155	52.82	46.5 14.6 0 0	5.4 9.35 400	Yes	No	0	42.92 36.25 12.75 7.25	20900 7920 Iron	0 1 FIXED	IB FOLD 2	DOUBLE HEADRAIL, HYDRALIC BACKSTAY PER MTG 8/14/97			
Snafu	CS 30	68588	159	1988	42 12.04	125	42 12.04	36.416 11.416 0 0	3.95 6.5 232	NO	Yes	20.04 707 0 0	30 25.51 10.25 5.416	8000 3440 Lead	0 1 FIXED	IB FOLD 2				
Zephyrus	Riechel/Pugh Turbo 77	69011	-99	1997	85.37 35	128	94.94 35	87.34 30.5	11.5 19.2 1563	No	Yes	56.1 4518 0 0	77.67 65.2 14.78 14.12	31939 12300 Lead	0 1 FIXED	IB FOLD 2	(mtg 8/27/09, -6 sec/mi for new oversized jib. Changed custom rating from -126 to -132)(Mtg 4/26/12, New pintop mainsail, change custom rating from -132 to 129)(Mtg 8/23/12, change custom rating from -126 to -99 after review)			

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications		
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps moveable blst				
								SL	SPL	SLU	ASA							Ballast Mat.	Keel Type
								SSMG SSF	SSA	SLE ASMG	ASA								
Divine Wind	Olson 40	69069	45	1983	50 15.75	150	51.21 15.8	44 14.25	5.5 9.29	Yes	No	40.33 36 11.25 6.5	10500 5500 Lead	0 1 FIXED	IB Feath 2				
			540 102		ALUMN MS				376										
Hana Ho	Santa Cruz 50	77007	-12	1980	61.39 18.85	155	61.5 20.73	54.92 16.98	6.5 11.1	Yes	Yes	52 46 12 7.75	18000 8000 Lead	0 1 FIXED	IB Feath 3	(Mtg 5/26/11, +3 sec/mi for interior changes)(2/24/12, interior changes removed, boat is back to standard weight for a SC 50)(Mtg 5/25/17, New Rudder, NCTR. -3 sec/mi for OSP, -3 sec/mi for oversized spinnaker area)			
			478 84		ALUMN MS			0 0	558										
Borealis	Gulf 39 PH	77135	129		50 16.17	128		42 13.75	4.83 8.58	No	No	38.83 33.67 12 5	17500 Iron	1 FIXED	IB Fold				
					ALUMN MS				334										
Imagine	Davidson 44 MOD	77220	57	1980	49.92 15.38	125	50.33	58.3 18.33	6.9 12.8	Yes	No	44 38.5 13 7.6	24410 7000 Lead	No 1 FIXED	IB FOLD 3	(Mtg 4/27/17, custom rating of 57 assigned)			
			568 194		ALUMN FS			0 0	652										
Eliana II	Morgan 38-2	77486	156	1981	46 16.25	110	46 16.25	40.5 14.5	4.69 8.34	Yes	No	38.33 30.5 12 6	17000 6800 Lead	0 1 FIXED	IB Fixed_3 3	(Mtg 1/26/17, -3 sec/mi for oversized symmetric spinnaker area)			
			632 272		ALUMN MS				324										
Dawn's Early Light	J 36	77549	87	1982	44.219 14	125	44.21 14	47 15	5.8 9.5	Yes	No	35.95 30.5 11.76 6.6	10570 4600 Lead	0 1 FIXED	IB Fold				
			590 169		ALUMN FS				418										
Captain Sluggo	Hobie 33	77870	54	1982	34.7 12.2	105	42.3	38.1 13.5	6 9.6	No	Yes	33 30.4 8 5.4	4532 1800 Lead	0 1 FIXED	OB None	(Meeting 4/27/17, Custom rating assigned: 54)			
			524 73		CARBON MS				328										

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
			ISP		I	J	Max Headsail	ISP	P	MGU	Yes/No	Yes/No	ASF		Ttl Disp.	Traps/H. Strps	IB or OB	
			JSP		J			E	MGM	SL	SPL	SLU	ASA		Ballast	moveable blst	Prop Type	
					Mast Material			PY	MSA	SSMG	SSA	SLE	Sprit Lngth		Ballast Mat.	Keel Type	# of blades	
			Disp/WL Ratio		Rig Type	EY		ASM	Fixed or _o									
Serenity	Islander 36 ODR	82659	<b>144</b>	1973	45 14.48	135	45	39.25 12.75	3.69 6.88	Yes	No	36.08 28.25 11.17 6.083	13500 5450 Lead	0 1 FIXED	IB Feath			
			<b>648</b> 272		ALUMN MS			265			<input checked="" type="checkbox"/>	0 0						
Dragonsong	Olson 30 OB	87014	<b>99</b>	1982	36 11.75	155	35.9 11.67	31.5 10.75	4.364 7.268	Yes	No	30 27.5 9.33 5.08	3600 1800 Lead	No 1 FIXED	OB None 0			
			<b>584</b> 79		ALUMN MS			0 0	208		<input type="checkbox"/>	0						
Vitesse Too	Hobie 33 ODR	87112	<b>90</b>	1983	33.8 12.4	125	36.8	35 12.4	4.75 8	Yes	No	33 30.5 8 5.5	4000 1800 Lead	No 1 FIXED	OB None 0	Extended rudder 10", NCTR		
			<b>552</b> 64		ALUMN FS			0 0	259		<input type="checkbox"/>	0						
Nutmeg	Islander 36 ODR	87245	<b>144</b>		45 14.48	150	45	39.25 12.75	5.05 8.44	No	No	36.083 28.25 11.166 6.083	13450 5450 Lead	No 1 FIXED	IB FOLD 0			
			<b>669</b> 271		ALUMN MS			0 0	303		<input type="checkbox"/>	0						
Wayward Wind	Baltic 38 DP	87258	<b>96</b>	1983	52.25 15.82	155	52.25	46.25 13.75	4.53 8.2	Yes	No	38.08 31.5 12.34 7.25	14330 6512 Lead	0 1 FIXED	IB Fold			
			<b>578</b> 208		ALUMN MS				357		<input type="checkbox"/>	0 0						
Happy Daze	Santana 30-30 GP	87322	<b>120</b>	1984	40.83 11.67	150	40.83	36.17 11.08	5.25 8.5	Yes	No	29.92 25.42 10.25 5.5	6500 2435 Lead	No 1 FIXED	IB FOLD 2			
			<b>641</b> 180		ALUMN MS			0 0	267		<input type="checkbox"/>	0						
JouJou	Capo 30	87324	<b>123</b>	1984	41.7 12.75	120	41.5	36 11.5	4.37 7.47	Yes	No	30 25 10.33 5.43	7200 3000 Lead	0 1 FIXED	IB Fold 2	Roller Furler		
			<b>648</b> 209		ALUMN MS				247		<input type="checkbox"/>	0						

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:		ISP		Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
			Rating		I	J	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp. Traps/H. Strps		IB or OB				
			DW Rating		Max Headsail	ISP JSP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type				
			Disp/WL Ratio		Mast Material	PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades					
Whispering Winds	Lancer 36 MH	87374	<b>141</b>		42	125	41.9	37	4.8		No	Yes	26	36.17	10500	0	IB			
					16			12	7.9			42	29	4000	1	Fixed_3				
			<b>621</b>		ALUMN							39	11.75	Lead	FIXED					
			<i>196</i>		MS							28	6							
												<input checked="" type="checkbox"/>	0							
Turbo Camper	Hobie 33 ODR MOD	87574	<b>84</b>	1984	33.28	155	36.5	35	4.75		No	Yes	23	33	4200		OB			
					12.4		13.13	12.5	8.1	37	13.13	Yes	702	30.5	1900	1	None	(Mtg 3/29/12, -3 sec/mi for displacement changes)		
			<b>550</b>		ALUMN			0	261	23.6	728	34.2	0.6	8	Lead	FIXED	0			
			<i>67</i>		FS			0		23.6		23	90	5.42						
												<input type="checkbox"/>								
Flight Risk	Catalina 38	87586	<b>117</b>	1983	49.8	155	49.8	44	4.18		Yes	No		38.24	19489	No	IB	Roller Furler		
					15.5			11.5	7.12	49	15.5			30.45	6850	1	Fold			
			<b>622</b>		ALUMN					27.9	1139		0	11.12	Lead	FIXED	2			
			<i>314</i>		MS					27.9			0	6.1						
												<input type="checkbox"/>								
Elan	Express 37	87700	<b>72</b>	1985	48.75	155	48.75	42	5.28		Yes	No		37.083	11000	No	IB			
					14.33			13.75	8.83	48	14.33			30.833	4500	1	FOLD			
			<b>581</b>		ALUMN			0	344	25.79	1032		0	11.57	Lead	FIXED	2			
			<i>171</i>		MS			0		25.79				7.25						
												<input type="checkbox"/>								
Make My Day	Olson 25	87742	<b>159</b>	1985	32	155	32	28	3.96		Yes	No		25	3300	No	OB	increased purchase in outhaul and backstay added boomkicker		
					9.583			10	6.4	32	9.583			21.25	1300	1	None			
			<b>670</b>		ALUMN			0	168	17.29	460		0	9	Lead	FIXED	0			
			<i>156</i>		MS			0		17				4.5						
												<input type="checkbox"/>								
Can't Touch This	J 125	93204	<b>-12</b>	1999	49	155	52.1	47	6.8		No	Yes	41	41	9330	0	IB	(Mtg 2/26/09, -3 sec/mi for oversized main girths)(3/9/09, corrected main girths, removed -3 sec/mi penalty)		
					15		23	18	11.6			Yes	1941	37	4646	1	FOLD			
			<b>468</b>		CARBON					52.3		52.3	8	10.6	Lead	FIXED	2			
			<i>84</i>		MS					41		41	0	7.9						
												<input type="checkbox"/>								
Traveler	Express 34	97089	<b>99</b>	1987	44.3	150	44.3	38.5	4.87		Yes	No		34	8500	0	IB	-6 FOR OVERSIZED SPINNAKER		
					13			12.83	8.46	42.7	13			28.3	3700	1	FOLD			
			<b>616</b>		ALUMN			0	296	22.2	787		0	10.5	Lead	FIXED	2			
			<i>170</i>		MS			0		21.8				6						
												<input type="checkbox"/>								



Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop		Modifications	
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps	IB or OB Prop Type # of blades			
								SL	SPL	SLU	ASA						Ballast		moveable blst
								SSMG SSF	SSA	SLE	ASMG								
Deception	Santa Cruz 50	97263	-6	1987	61.8 18.3	155	61.8 18.3	55 18.4	7.1 12	Yes	Yes	32.9 1335	50 46 12 8	17500 8000 Lead	0 1 FIXED	IB FOLD 2	ELPT Keel & OS/Spinnaker; Has a Code 0 headsail aboard - tacked to stem, no sprit (Mtg 5/26/16, -3 sec/mi for oversized mainsail)(Mtg 6/23/16, change rating back to -6)		
Carpe Vita	Olson 25	97399	159	1988	32 9.583	130	32	28 10 0 0	3.8 6.4 166	Yes	No	9.583 459	25 21.25 9 4.5	3300 1300 Lead	No 1 FIXED	OB None 0			
Bosporus II	Columbia 36	97415	156	1968	42.75 15	150	41.75 15	34.666 14 0 0	5.3 9.1 289	Yes	No	15 894	35.75 28.25 10.5 5.42	13000 5000 Lead	No 1 FIXED	IB Fold 2			
Razzberries	Ericson 34 Olson TM	97479	99	1988	46.77 12.95	155	47	40.9 12.95 0 0	5.1 8.5 320	Yes	No	12.95 888	33.88 28 10.8 6.085	10855 3500 Lead	No 1 FIXED	IB FOLD 2			
Acey Deucy	J 44	97659	21	1989	60.606 17.08	155	60.416	53.51 19.41 0 0	7.3 12.5 615	Yes	Yes	27 1379	44.83 38.58 13.67 8.14	22770 9000 Lead	0 1 FIXED	IB FOLD 2	Electric Winches		
Plus Sixteen	Ericson 911S Olson	97707	135	1991	41.5 12.25	125	41.5 12.33	35.761 11.811 0 0	4.035 7.136 240	Yes	Yes	20.932 698	30 25 10.33 5.42	8500 3200 LeadSteel	No 1 FIXED	IB FEATH 2			
Daseins Den	Dana 24	924558	246	1987	34 12.25	120		28.25 10.75	3 5.85 160	No	No	0 0	24.16 21.42 8.58 3.83	7400 3100 Lead	0 1 FIXED	IB Fixed_2			