

NCPHRF - CURRENT FLEET ROSTER

This Roster represents the information on file for boats with a current NCPHRF certificate. If the boat you are looking for is not listed, their certificate is either not current or not yet updated to the list. You can contact the YRA office to verify a boat not found on this list at info@yra.org or via phone at 415.771.9500. This list is updated monthly.

As of: **4/27/2017**

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SPL SSMG SSF	Yes/No SLU ASA SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst Keel Type		
Adagio	CAL 25-2 OB		216 1979	33 11	150	28 9.5	3.9 6.5	No	No			29.25 22 9 4.5	4500 2000 Lead	0 1 FIXED	OB None	
Blue Zephyr	Jeanneau Sun Odyssey 42 DS		108 2010	51.58 16.25	150	48.82 14.6	3.55 6.9	No	No			42.42 38 13.5 6.92	19676 5628 Iron	0 1 FIXED	IB Fixed_3	(mtg 4/27/17, +3sec/mi for in-mast furling, +3 sec/mi for MGM < 50% of E)
BZ	Sonar 23		174	23 8.25	100	27.5 11.17	1.23 7.3	No	No			23 19.92 7.8 3.92	2100 900 Lead	No 1 FIXED	NONE None	
Serenade	Sabre Spirit		96 2007	45.5 12.87	106	51.2 12.87	45.5 9.93	Yes	No	23		36.67 28.33 10.42 6.58	10500 3740 Lead	0 1 FIXED	IB Fold	
Christine Rose	Catalina 30 TM	0	183 1977	43 13.16	150	43 13.16	37 8	Yes	No			29.92 25 10.83 5.25	10200 4250 Lead	0 1 FIXED	IB Fixed_3 3	
Crane Wife	Fuji 32 KTH	0	252 1977	36.25 14.75	148	29.08 11.21	3.8 5.96	No	No			31.5 29 9.83 3.66	13115 4635 Iron	0 1 FIXED	IB Fixed_3	

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
				DW Rating Disp/WL Ratio	J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast	Traps/H. moveable blst		IB or OB Prop Type # of blades
									SL	SPL	SLU	ASA						
									SSMG SSF	SSA	SLE ASMG	Fixed or _o						
Dianne	Express 27 ODR	0	129 1981	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	No	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0				
Envolee	Figaro II	0	54 2012	42.75 12.42	104	42.75	42.67 15.42	6.5 10.63	Yes	No	32.18 32 11.33 6.5	6724 2425 LeadWater	0 1 FIXED	IB Fold	(mtg 4/27/17, water ballast disabled, +6 sec/mi)			
Imagination	Bavaria 40	0	108 2001	47.25 14.58	111	48	44.46 15.58	5 9.21	No	Yes	40.94 35.93 13.1 6.4	17417 6283 Lead	0 1 FIXED	IB Fold				
Nadja Delphine	X-41	0	15 2009	55.9 16.11	106	58.63	53.31 18.04	6.82 11.61	Yes	No	40.52 35.07 11.94 8.2	14109 6019 Lead	0 1 FIXED	IB Fold	Electronic winches			
Wild Spirit	Wylie 36	0	141 1970	44.67 14.75	100	44.67 14.75	40.75 14	5.3 9.1	No	Yes	36.5 30 10.9 6	13720 5575 Lead	0 1 FIXED	IB Fixed_2	(Mtg 3/24/16, same hull as "Alert", +3 sec/mi for small "I", +3 sec/mi for no spinnaker articulation)			
Xtasea	Catalina 30	0	186 1985	41 11.5	110	41	35.5 11.5	4.63 7.72	Yes	No	29.92 25 10.83 5.25	10200 4250 Lead	0 1 FIXED	IB Fixed_2 2				
Azure	Catalina 275 Sport	1	156 2013	34.42 8.99	106	11.83	31.5 11.48	5.33 8.17	No	Yes	27.5 26.57 8.5 5.2	5000 2040 Lead	0 1 FIXED	IB Fixed_2				

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
				DW Rating	J Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.	Traps/H. Strps Ballast moveable blst Ballast Mat. Keel Type		IB or OB Prop Type # of blades
									SL SPL SSMG SSF	SPL SSA SSA	SLU SLE ASMG	ASA Sprit Lngth Fixed or _o						
Get Happy!!	Express 27 ODR	1	129	1981	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	No	27.25 23.75 8.166 4.5	2450 1100 Lead	No 1 FIXED	OB None 0			
Picante	Islander Bahama 28 SM	1	210	1981	33.8 11.75	150	11.75	28 8.2	3.58 5.75	No	Yes	20 23 9.8 5.5	7000 3000 Lead	0 1 FIXED	IB Fixed_3 3			
Max	Ultimate 24 ODR	2	108	2002	28.04 7.82	110	30.8 14.5	31 11.35	6.81 9.18	No	Yes	21.3 562 6.7 0	24.38 21.17 8.48 5.52	2040 750 Lead	0 1 FIXED	OB None		
Checkered Past	Custom Wyliecat 39	3	102	2002				52 26.6	10.2 17.4	No	No	0 0	38.83 32 11.5 6.6	12000 6200 Lead	0 1 FIXED	IB FOLD 2	Boat has been modified for handicapped sailing	
Jacqueline	Freedom 30 SD	3	174	1986	28.4 9.8			35.2 13.9	5.25 9	Yes	No	0 0	30 25.42 10.8 4.5	7660 3150 Lead	0 1 FIXED	IB Fixed_2		
Makanani	Ultimate 24 ODR	3	111	2003	28.04 7.82	110	30.8 14.5	31 11.35	6.35 9.18	No	Yes	21.3 566 6.7 0	24.38 21.17 8.48 5.52	2040 750 Lead	0 1 FIXED	OB None		
Marrakesh	Express 34	3	102	1987	44.25 13	125	44.25	38.5 12.83	4.87 8.46	Yes	No	0	34 28.33 10.33 6.11	9245 3800 Lead	No 1 FIXED	IB FOLD 2		

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications			
			Built	J	Max Headsail	ISP	P	MGU	Yes/No		SLU	ASA	LOA	Ttl Disp. Traps/H. Strps		IB or OB						
									JSP	E				MGM	SL		SPL	LWL		Ballast	moveable blst	# of blades
Disp/WL Ratio	Mast Material	SPF	SSA	ASMG	Fixed or _o	Max Draft	Ballast Mat.	Keel Type														
Samba Pa Ti	J 22	3	186	1982	24.8	125	24.8	26.1	3.78	Yes	No	22.5	1790	0	OB							
			674		8.8		8.8	9	6.27			19	700	1	None							
			119		ALUMN				147			8	Lead	FIXED								
					FS							3.8										
Wicked Sister	Farr 36 ODR	3	9	2004	46.78	110	54.82	49.93	8.53	No	Yes	36.28	6745	0	IB							
			473		13.19		21.06	18.63	12.96			32.8	3076	1	Fold							
			87		CARBON				592			11.72	Lead	FIXED								
					FS							8.5										
Polecat	Wyliecat 30 IB	5	132	1997			29.5	40	7.35	No	No	21.6	5500	No	IB	(Articulating Sprint and Pole added for asym spinniker, added asymmetrical, -21 sec/mi)(5/22/14, removed Asymetric, +21 sec/mi)(Mtg 8/25/16, New rudder installed, NCTR)						
			620				12	20	12.66			493	3050	1	FOLD							
			160		CARBON			0	468			8	Lead	FIXED	2							
					CAT			0				15										
Isle Of Skye	Tartan 33 7/8 RIG	6	159	1979	36.42	100	36.42	41.58	4.6	No	No	33.67	10000	No	IB							
					12.42			14.42	8.1			28.08	4400	1	FEATH							
			205		ALUMN			0	328			10.92	Lead	FIXED	3							
					FS			0				4.42										
Tinker	Wilderness 21	6	225	1977	25	125	25	25	2.83	Yes	No	20.5	1870	No	OB	Added roller furler						
			718		8.67			8	4.66			17.8	1070	1	None							
			151		ALUMN			0	113			7.25	Lead	FIXED								
					MS			0				4										
Vip	Farallone Clipper FR	7	159	1957	36.82	155	36.82	40.5	6.16	Yes	No	38	19000	No	IB							
					14			18.5	10.979			28.75	7000	1	Fixed_3							
			673		WOOD			0	420			9.5	Iron	FIXED	3							
			363		FS			0				5.6										
Mottley	Catalina 34	8	147	1986	44	130	44	38.5	4.7	No	No	34.5	11950	No	IB							
					13.5		14	12	8.05			29.833	5000	1	Fold							
			205		ALUMN			0	281			11.75	Lead	FIXED	2							
					MS			0				5.583										

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications										
			Built	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB											
										DW Rating	Mast Material									E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type
EY	SSSF	ASM	G	Fixed or _o	Max Draft																								
						Inconceivable	J 88	9	81	2013	38.67	104	46	36.82	5.44	No	Yes	29	29.19	4990	0	IB							
					11.28		18.05	12	8.4		47.83	1022	26.84	1840	1	Fold													
			561		CARBON				282		40.84	5.25	9.5	Lead	FIXED														
			117		FS						27.32	<input checked="" type="checkbox"/>	0																
Grunion	Catalina 425	11	87	2017	55.75	125	17.34	52	5.04	No	No		41.67	17500	0	IB	(Mtg 1/26/17, need to submit spinnaker measurements when available)												
					15.67			18	9.58			0	39.08	7000	1	Fold													
					ALUMN				490		<input checked="" type="checkbox"/>	0	13.67	Lead	FIXED														
			133		MS								6.67																
Tiburon	C&C 30 Mills	11	36	2014	40.8	105	46.74	41.8	7	No	Yes	31.5	30	3995	0	IB													
					11.28		18.6	14.2	10		52.9	1284	28.7	1579	1	Fold													
			495		CARBON				387		46.16	7	9.8	Lead	FIXED														
			77		FS						31	<input checked="" type="checkbox"/>	0																
Invictus	Jeanneau Sunfast 3600	12	63	2015	46.58	105	48	44.25	6.49	No	Yes	27.8	35.42	10362	0	IB													
					13.83		17.67	15.08	9.91		55.77	1192	31.25	4850	1	Feath													
			572		ALUMN				411		46.59	0	11.67	Lead	FIXED														
			154		FS						28	<input checked="" type="checkbox"/>	0																
Keala	Wylie Wabbit ODR W/Trap	12	126	1982	20.5	150	20.5	23.75	4.03	Yes	No		23.75	975	Yes	OB	Hiking straps and single trapeze												
					6.5			10	6.72		22	8.5	20	440	3	None													
			602		ALUMN			0	145		13.9	254	5.58	Lead	FIXED	0													
			55		FS			0			13.7		3.5																
Iseult	Wyliecat 30 IB	13	132	2001		0		39.75	7.87	No	No		30.5	5500	0	IB													
								20.8	13.46				25	3050	1	Fold													
			653		CARBON				491			0	9.42	Lead	FIXED	2													
			160		CAT						<input type="checkbox"/>	0	9.25																
Albion	J 124	14	27	2007	49	145	54.7	48.4	6.4	No	Yes	32.74	40.7	12600	0	IB	(Mtg 2/23/17, -6 sec/mi for asymmetric spinnaker modifications)												
					14		19.43	17	11		60.53	1528	36.2	5000	1	Fold													
			522		CARBON				488		51.51	3.83	11.33	Lead	FIXED														
			121		FS						32.74	<input checked="" type="checkbox"/>	0																

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications						
			Built	DW Rating	I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No		Yes/No	ASF		LOA LWL	Ttl Disp.	Traps/H. Strps			IB or OB Prop Type # of blades					
										Mast Material	Rig Type		PY EY	MSA			SL SSMG SSF	SPL SSA			SLU SLE ASMG	ASA Sprit Lngth Fixed or _o	Max Beam Max Draft	Ballast	moveable blst Keel Type
Crinan II	Wyliecat 30 IB	15	132	2002				39.75 20.5	7.79 13.32	No	No		30.5 25 9.5 5.25	5500 3050 Lead	No 1 FIXED	IB FOLD 2									
			653 160		ALUMN CATBOAT		0 0	485				0 <input type="checkbox"/>													
Akula	J 105 ODR w/ 5'BS	16	78	1992	40.6 13.5	100	42.1 19.07	41.5 14.6	5.5 9.4	No	Yes	25 854 5 23	34.5 29.5 11 6.5	7750 3400 Lead	No 1 FIXED	IB FOLD 2									
			585 137		ALUMN FS		0 0	359				38.7 23 <input checked="" type="checkbox"/>													
Stratocaster	J 32	16	126	1996	39.2 11	155	40.68	38.5 15.5	5.88 10.07	Yes	Yes	23.95 831 0	32.5 28.67 11 5.75	10000 3840 Lead	No 1 FIXED	IB FOLD 2									
			633 193		ALUMN FS		0 0	355				20.4 19.75 <input checked="" type="checkbox"/>													
Lepus	Wylie Wabbit ODR W/Trap	18	126	1982	20.5 6.5	150	20.5	23.75 10	4.03 6.72	Yes	No		23.75 20 5.58 3.5	975 440 Lead	1 3 FIXED	OB None 0	Hiking Straps & Trapeze per class rules								
			602 55		ALUMN FS		0 0	145				8.5 254 <input type="checkbox"/>													
Ragtime!	J 92	18	105	1993	37 11.5	155	38.5 17	38 13.5	4.7 8.2	No	Yes	29.75 1019 5.5 28.4	30 25.8 10 5.9	5500 2275 Lead	No 1 FIXED	IB FOLD 2	(changes noted 3-11-03, NCTR)(2/14/06 - Spinnaker based on 1019 sq feet/94.67 meters)(Mtg 01/16/14, -3 sec/mi for flying asymmetric off squared back pole)(Mtg 4/24/14, New Rudder noted NCTR - Shortened pole/sprit								
			593 146		ALUMN FS		0 0	293				<input checked="" type="checkbox"/>													
Salt Peanuts	Custom Dees GP 26	18	78	2008	29.35 8.07	130	36.43 14.32	32.42 12.63	5.58 8.69	No	Yes	20.41 626 6.23 0	25.72 21.22 8 6.04	2340 1100 Lead	0 1 FIXED	OB None 0	(mtg 2/18/10, change custom rating from 75 to 78)(3/28/12, New Rudder Noted)								
			562 111		CARBON FS			258				<input checked="" type="checkbox"/>													
Sweet Grapes	Ericson 36 Holland	19	108	1981	47.75 14.5	147	47.75	42 12	3.5 7.2	Yes	No		35.58 29 11.83 6.25	11600 5230 Lead	0 1 FIXED	IB FOLD 2									
			621 216		ALUMN MS			278				0 0 <input type="checkbox"/>													

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications		
				J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps moveable blst				
									SL	SPL								Ballast	Keel Type
									SSMG SSF	SSA								Ballast Mat.	Keel Type
Disp/WL Ratio	Mast Material Rig Type																		
White Wabbit	Wylie Wabbit ODR W/Trap	19	126 1982	20.5 6.6	110	26.1	23.75 4.03 10 6.72	4.03 6.72	Yes	No	23.75 20 5.58 3.5	975 440 Lead	Yes 1 FIXED	OB None 0					
Another Girl	Alerion Express 38-2	20	90 2011	42.98 12.99	90		47.5 9.58 18.25 13.45	9.58 13.45	No	No	38.3 30.1 10.3 5.92	13000 5000 Lead	0 1 FIXED	IB Feath 2	(mtg 4/28/11, Custom rating of 90 assigned)				
Juno	J 88	20	81 2014	38.67 11.28	105	46 18.05	36.82 5.44 12 8.4	5.44 8.4	No	Yes	29 1022 5.25 0	4990 1840 Lead	0 1 FIXED	IB Feath					
Peabody	Ultimate 20	22	144 2014	25.08 6.97	110	27.58 12.79	27.5 5.5 10.25 7.96	5.5 7.96	No	Yes	19.2 448 6 0	20.94 18 8.33 5.03	1350 450 Lead	0 1 CNTRBRD	OB None				
The Jackal	Moore 24	22	150 1977	26.25 9.75	150	26.25 9.75	25 3.91 9.5 6.5	3.91 6.5	Yes	No	29 1022 5.25 0	23.75 21.75 7.16 4.08	2050 1025 Lead	0 1 FIXED	OB None				
White Shadow	J 88	23	81 2014	38.67 11.28	104	46 18.05	36.82 5.44 12 8.4	5.44 8.4	No	Yes	29 1022 5.25 0	29.19 26.84 9.5 6.5	4990 1840 Lead	0 1 FIXED	IB Fold				
Dr Feelgood	Olson 29	24	99 1986	34 11	155	36	32.5 4.36 11.5 7.48	4.36 7.48	Yes	No	0 0	29.67 27.5 9.33 5.58	3600 1950 Lead	0 1 FIXED	OB None				

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
				DW Rating Disp/WL Ratio	J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast Mat.	Traps/H. moveable blst Keel Type		IB or OB Prop Type # of blades
									SL	SPL	SLU	ASA						
									SSMG SSF	SSA	SLE	ASMG						
Kwazy	Wylie Wabbit ODR W/Trap	26	126 1982	20.416 6.416 150	20.5	23 10 0 0	4.02 6.71 141	22 14 14	8.5 257	No	<input type="checkbox"/>	0	23.58 20 5.42 3.41	975 440 Lead	Yes 3 FIXED	NONE None 0		
Hot Socks	Figaro II	27	48 2004	42.75 12.42 104	42.75	42.67 15.42	7 11 422	41 20.1 20.5	13.5 689	No	<input type="checkbox"/>	0	32.18 32 11.33 6.5	6724 2425 LeadWater	0 1 FIXED	IB Fold		
Nina	Olson 29	27	99 1987	34 11 155	36	32.5 11.5 0 0	4.5 7.27 222	34 20.25 20.25	11.25 574	No	<input type="checkbox"/>	0	29.67 27.5 9.33 5.58	3700 1950 Lead	0 1 FIXED	OB None 0		
Prime Number	J 70 ODR	29	114 2012	26.77 7.68 100	30.15 13.5	26.16 9.44	4.71 6.93 164	No		Yes	<input checked="" type="checkbox"/>	18.7 491 5.1 0	22.78 20.47 7.38 4.92	1750 630 Lead	0 1 MVBL	OB None		
Wind Blown Hare	Wylie Wabbit ODR W/Trap	29	126 1982	20.5 6.5 150	20.5	23.75 10 0 0	4.03 6.72 145	22 13.9 13.7	8.5 254	No	<input type="checkbox"/>	0	23.75 20 5.583 3.5	975 440 Lead	1 3 FIXED	OB None 0		
Wings	Columbia 5.5 M ODR	31	177 1965	29.125 8.25 96	30	34 11.416 0 0	4.59 7.65 237	29 24 24	8.25 580	No	<input type="checkbox"/>	0	32.416 25 6.25 4.33	4400 2800 Lead	No 1 FIXED	NA None 0		
Bad Hare Day	Wylie Wabbit ODR W/Trap	35	126 1982	20.75 6.5 150	20.5	23.75 10 0 0	4.03 6.72 145	21.6 14 14	8.5 252	No	<input type="checkbox"/>	0	23.75 20 5.583 3.5	975 440 Lead	Yes 3 FIXED	OB None 0		

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
				DW Rating Disp/WL Ratio	I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast Mat.			Traps/H. moveable blst Keel Type
									SL	SPL	SLU	ASA						
									SSMG SSF	SSA	SLE ASMG	Fixed or _o						
Windtrip Infinity	J 92s	35	96 2006	40.68 11.48 587 134	107	44.08 16.67	38.88 13.95	5.42 9 324	No	Yes	23.25 878 5.17 0	30 26.7 10 6.24	5610 2317 Lead	0 1 FIXED	IB Fold			
Apogee	Islander 36 Freeport	36	162 1978	46.75 16.75 ALUMN MS	150		42 12.75	5 8.4 323	No	No	0 0	35.9 27.6 12 5.3	17000 7030 Lead	0 1 FIXED	IB Fold			
Yeti	Express 27 ODR	38	129 1983	28.5 9 ALUMN FS	155	28.5	28.5 10.4	4.22 7.03 182	Yes	No	9.83 422	27.25 23.75 8.16 4.5	2450 1100 Lead	0 1 FIXED	OB None			
Dare Dare	Jeanneau Sun Fast 3200	39	81 2008	41.92 12.58 ALUMN FS	102	43.77 13.61	38.67 13.68	5.28 8.46 311	Yes	Yes	24.41 887 1 0	33.1 28 11.5 6.2	7916 2866 Lead	0 1 FIXED	IB Fold 2			
Lonestar	Beneteau First 10R ODR MOD	40	84 2007	43.2 12.07 CARBON FS	100	46.41 16.5	42.25 14.73	5.59 9.57 371	No	Yes	25.5 1078 4.43 0	32.75 28.7 11 6.55	9715 3528 Lead	0 1 FIXED	IB FOLD 2	(Mtg 5/20/10, +3 sec/mi for non-class smaller kite)(Mtg 9/23/10, rudder modifications noted, NCTR)(Mtg 4/26/12, new rudder noted, NCTR)		
Wild 1	Flying Tiger 10 Meter ODR	41	54 2007	39.284 12.126 CARBON FS	105	45.282 19.134	40.167 14.895	6.463 10.499 378	No	Yes	27.493 1087 7.008 0	32.68 30.31 9.12 7.61	4376 1918 Lead	0 1 FIXED	OB None 3			
Hokulani	J 120 ALUM	43	48 1996	50.42 14.42 ALUMN FS	155	50.42 21.42	46.42 17.67	6.58 11.42 486	No	Yes	37.8 1777 0 0	40 35 12 7	13900 6000 Lead	0 1 FIXED	IB Fold			

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
				DW Rating Disp/WL Ratio	J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast Mat.	Traps/H. moveable blst Keel Type		IB or OB Prop Type # of blades
									SL	SPL	SLU	ASA						
									SSMG SSF	SSA	SLE ASMG	Fixed or _o						
Tijd	Beneteau First 30	45	102 2011	41.66 13.78 105	42.16 15.7	40.2 6.24 14.25 9.38	6.24 9.38	No	15	Yes	25.5 866 1 90	31.7 27.5 10.5 6.25	8267 2403 Cast Iron	0 1 FIXED	IB Fold	(Mtg 8/27/15, -3 sec/mi for OSP, +6 sec/mi for small spinnaker)		
Elan	Beneteau 37	46	114 2012	45.83 15 105	48	43.5 6.16 12.83 8.83	6.16 8.83	No		Yes	26.6 915 0 0	37.8 34.08 12.83 6.25	14359 3901 Iron	0 1 FIXED	IB Fold			
Riff Rider	Cal 40	46	114 1965	46.2 15.1 155	46.2	40 6.5 17.5 11.3	6.5 11.3	Yes	15.1	No	0 0	39.3 30.3 11 5.6	15000 6000 Lead	0 1 FIXED	IB Fold			
Hang 20	Express 27 ODR	48	129 1982	28.5 9 125	28.5	28.5 4.22 10.42 7.03	4.22 7.03	Yes	9.83	No	0 0	27.3 23.8 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0			
Color Blind	Moore 24	49	150 1979	26.25 9.75 150	26.25	25 3.91 9.5 6.5	3.91 6.5	Yes	9.75	No	0 0	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0			
Hylite	Hylas 49 SM	49	111 2007	57.42 19.5 130	57.42 19.5	51 4.5 18.5 9.17	4.5 9.17	No		Yes	28.67 1214 0 0	48.83 39.5 14.25 6	35000 14500 Lead	0 1 FIXED	IB Fold	(Mtg 1/26/17, Custom rating of 111 assigned)		
Frequent Flyer	Mumm/Farr 30	52	54 1996	38.2 10.9 104	44.9 13.58	40.5 6.42 14.6 10.4	6.42 10.4	Yes	13.58	Yes	25.25 882 0 0	30.9 27.6 10.1 6.9	4561 1997 Lead	0 1 FIXED	IB Fold			

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications											
			Built	J	Max	Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps		IB or OB										
											DW Rating	Mast Material									PY	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type
Fixed or _o	Max Draft	Ballast Mat.	Keel Type	# of blades																										
Current Affair	Express 27 ODR	56	129	1983	28.5	155	28.5	28.5	4.22	Yes	No	27.25	2450	0		OB														
					9		10.42	7.03		29	9.83	23.75	1100	1		None														
			611		ALUMN			182				8.17	Lead	FIXED																
			83		FS						<input type="checkbox"/>	4.5																		
Salty Hotel	Express 27 ODR	60	129	1983	28.5	155	28.5	28.5	4.22	Yes	No	27.25	2450	0		OB														
					9		10.416	7.03		29	9.83	23.75	1100	1		None														
			611		ALUMN			182				8.17	Lead	FIXED		0														
			83		FS						<input type="checkbox"/>	4.5																		
Ventus	J 88	60	81	2015	38.67	104	46	36.82	5.44	No	Yes	29	4990	0		IB														
					11.28		18.05	12	8.4		47.83	1022	1840	1		Fold														
			561		CARBON				282		40.84	5.25	Lead	FIXED																
			117		FS						27.32	<input checked="" type="checkbox"/>	6.5																	
Wuvulu	Islander Bahama 30	61	180	1979	40	150	38.416	33.75	4.75	Yes	No	30	8600	No		IB														
					12.75			11.5	8.125		38.5	12.416	3500	1		FOLD														
			674		ALUMN			0	243		22.44	722	Lead	FIXED		2														
			263		MS			0			22.75																			
Firefly	Moore 24	64	150	1980	26.25	150	26.25	25	3.91	Yes	No	23.75	2050	No		OB														
					9.75			9.5	6.5		27	9.75	1025	1		None														
			635		ALUMN			0	147		17.55	395	Lead	FIXED		0														
			91		FS			0			17.55																			
La Dolce Vita	J 32	64	120	2001	39.2	155	40.5	38.5	5.1	No	Yes	19.7	10000	0		IB	(Mtg 8/22/13, -6 sec/mi for sprit)													
					11		13	15.5	9.2		43	677	3840	1		Feath														
			635		ALUMN				334		39.5	2.5	Lead	FIXED		3														
			186		FS						19.7	<input checked="" type="checkbox"/>	6																	
UHOO!	Ultimate 20	64	144	1996	22.8	100	27.58	27.5	5.3	No	Yes	19.2	1100	No		OB														
					7		13	10.33	7.96		31.3	446	450	1		None														
			614		ALUMN			0	194		28.4	6	Lead	CENTER		0														
			86		FS			0			17.6	<input checked="" type="checkbox"/>	5																	

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
				DW Rating Disp/WL Ratio	I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast	Traps/H. moveable blst		IB or OB Prop Type # of blades
									SL SPL SSMG SSF	SPL SSA SSA	SLU SLE ASMG	ASA Sprit Lngth Fixed or _o						
Azure	CAL 40	72	114 1966	46 15.17 150	46	40 17.5 0 0	6.65 11.37 417	Yes	No	46.5 15.17 27.3 27	0	39.3 30.5 11 5.5	15500 6000 Lead	0 1 FIXED	IB FEATH 2			
Paramour	Moore 24	75	150 1980	26.25 9.75 150	26.25	25 9.5 0 0	3.91 6.5 147	Yes	No	27 9.75 17.55 17.55	0	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0			
JR	Moore 24	76	150 1980	26.25 9.75 155	26.25	25 9.5 0 0	3.91 6.5 147	Yes	No	27 9.75 17.55 17.55	0	23.75 21.75 7.16 4.08	2050 1025 Lead	No 1 FIXED	OB None 0			
USA 76	IACC	76	-78 2002	83.99 27.17 100 CARBON FS	103	99.18 30.19	14.12 20.33 1892	No	No		0 0	82.6 61.6 11.9 13.45	52910 39683 Lead	No 1 FIXED	IB Fold	(mtg 12/5/13, custom rating of -78 assigned)		
Courageous	J 88	77	81 2015	38.67 11.28 104 CARBON FS	46 18.05	36.82 12	5.44 8.4 282	No	Yes	47.83 40.84 27.32	29 1022 5.25 0	29.19 26.84 9.5 6.5	4990 1840 Lead	0 1 FIXED	IB Fold			
White Trash	Moore 24	78	150 1979	26.25 9.75 150	26.25	25 9.5	3.91 6.5 147	Yes	No	26.6 17.55 17.55	9.75 389	23.75 21.75 7.16 4.08	2050 1025 Lead	0 1 FIXED	OB None 0			
Paradigm	J 32	79	126 2002	39.166 11 150 ALUMN FS	40.583 11.916	38.42 15.42	5.5 9.58 343	No	Yes	42.09 39.25 22.17	17.83 722 0 0	32.4 29 11 6	11500 3840 Lead	No 1 FIXED	IB FOLD 2			

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
				DW Rating Disp/WL Ratio	J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast			Traps/H. moveable blst
									SL	SPL	SLU	ASA						
									SSMG SSF	SSA	SLE ASMG	Fixed or _o						
WooHoo	Moore 24	80	150 1980	26.25 9.8	150	26.25	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.083	2050 1025 Lead	0 1 FIXED	OB None 0				
Youngster	IOD ODR	82	156 1937	29.25 8.33	103	41 10.67	38.83 16.25	6.12 10.47	Yes	No	33.42 21.42 6.75 5.333	7100 4100 Lead	No 1 FIXED	NONE None 0	(mtg 1/21/10, switched to Masthead Spinnaker, -12 sec/mi for 40% increase in ISP, -6 sec/mi for oversized spinnaker girths)(138 rating valid for PHRF Races, not valid for IOD Class races. Boat must be in close configuration to sail			
Advantage 3	J 105 ODR w/ 5'BS	84	78 1994	40.6 13.5	100	42.1 19.07	41.5 14.5	5.5 9.4	No	Yes	34.5 29.5 11 6.5	7750 3400 Lead	No 1 FIXED	IB FOLD 2				
Orca	Moore 24	85	150 1981	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.083	2050 1025 Lead	0 1 FIXED	OB None 0				
Russian Roulette	J 105 ODR w/ 5'BS	85	78 1995	40.6 13.5	100	42.1 19.07	41.5 14.5	5.5 9.4	No	Yes	34.5 29.5 11 6.5	7750 3400 Lead	0 1 FIXED	IB Fold 2				
Scarlett	Moore 24	86	150 1980	26.25 9.75	150	26.25	25 9.5	3.89 6.45	Yes	No	24 21.75 7.17 4.08	2050 1000 Lead	No 1 FIXED	OB None				
Dulcinea	Catalina 38	88	117 1981	49.83 15.5	130	49.8 15.5	44 11.5	4.37 7.6	No	No	38.17 30.25 11.83 6.75	15900 6850 Lead	0 1 FIXED	IB Fold 2				

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
				J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp. Traps/H. Strps		IB or OB Prop Type # of blades		
									SL	SPL	SLU	ASA		Ballast	moveable blst			
																	SSMG	
Disp/WL Ratio	Mast Material Rig Type																	
Mooretician	Moore 24	89	150 1981	26.25 9.75	150	26.25	25 9.5 0 0	3.91 6.5 147	Yes	No	23.75 21.75 7.16 4.08	2050 1025 Lead	No 1 FIXED	OB None 0				
Hijinks	J 92	90	108 1996	37 11.5	97	38.5 17	37.66 13.22	5 8.6 297	No	Yes	30 26.5 10 5.9	5500 2275 Lead	0 1 FIXED	IB Fold 2				
Jam Jam	Yankee 30-1 SM	90	192 1972	37.5 12.75	125	37.5	34.5 9.75	2.45 4.91 170	Yes	No	30 23 9 5.1	8900 4180 Lead	0 1 FIXED	IB Fixed_3 3	(mtg 4/28/11, +3 sec/mi for engine modifications)			
Make Me Smile	Express 27 ODR	91	129	28.5 9	155	28.5	28.5 10.42	4.22 7.03 182	Yes	No	27.25 23.8 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0				
Skinny Love	11 Metre ODR	92	69 1996	32.53 10.166	95	41	36.08 13.583	5.23 8.82 293	Yes	No	33.67 26.92 8.67 5.42	3600 1600 Lead	No 1 FIXED	OB None 0	MTG 4/9/98. Sail number 90, using sail # 246 for Vallejo 2008			
Relentless	J 92	93	105 1997	37 11.5	155	38.5 17.5	38 13.5	5.2 8.7 306	No	Yes	30 26.5 10 5.9	5500 2275 Lead	0 1 FIXED	IB Fold 2				
California Condor	Class 40	94	0 2010	53.9 15.65	104	58.6 23.85	53.21 18.81	11.71 14.38 715	No	Yes	40 39.17 14.7 9.84	12225 4710 Lead	0 1 FIXED	IB Fold 2	Full Crew Configuration			

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
				DW Rating Disp/WL Ratio	I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Ballast Mat.			Strps moveable blst Keel Type
									SL	SPL								
									SSMG SSF	SSA								
Slight Disorder	Moore 24	98	150 1981	26.25 9.75	150	26.25 9.75	25 9.5 0 0	3.91 6.5 147	Yes	No	26.6 9.8 17.5 388 17.5	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0			
Red Cloud	Farr 36 Mod	99	87 1976	38.3 12.16	108	46.3 12.16	41 16.75 0 0	6.4 10.9 410	Yes	No	45.4 12.16 21.8 825 21.8	36 31.33 11.92 6.16	10430 3950 Lead	No 1 FIXED	IB Fold 2	(550# ADDED TO KEEL 300# TO FILL MIDDLE WINDOW+250# TO BOTTOM)(Mtg 1/26/12, -3 sec/mi for new mainsail)(mtg 3/29/12, +3 sec/mi after review of rating appeal, as sailed: 87)		
Archaeopteryx	Hotfoot 20	101	177 1986	25 7	105	26.08 7.67	27.08 10.08	4.05 6.6 166	Yes	No	26.97 7.67 13.86 309 13.3	20 18 8.5 5	1000 400 Lead	0 1 CNTRBRD	OB None			
Elise	Express 27 ODR	101	129 1986	28.5 9	155	28.5	28.5 10.416	4.22 7.03 182	Yes	No	28.6 9.8 17.75 423 17.75	27.25 23.75 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0			
Swift Ness	J 111	101	36 2014	48.37 13.85	105	51.4 20.08	45.17 14.5	6.1 10.1 410	No	Yes	31.8 1404 6.3 0 31.8	36.5 32.7 10.8 7.2	9300 3500 LeadSteel	0 1 FIXED	IB Fold			
Absinthe	Moore 24	102	150 1981	26.25 9.75	150	26.25	25 9.5 0 0	3.91 6.5 147	Yes	No	27 9.75 17.55 395 17.55	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0			
Bad Dog	J 111	103	36 2011	48.37 13.85	105	51.4 20.08	45.7 14.5	6.1 10.1 414	No	Yes	31.86 1433 6.3 0 31.86	36.5 32.7 10.8 7.2	9300 3500 LeadSteel	0 1 FIXED	IB Fold			

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
				DW Rating Disp/WL Ratio	I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast Mat.			Traps/H. moveable blst Keel Type
									SL	SPL	SLU	ASA						
									SSMG SSF	SSA	SLE ASMG	Fixed or _o						
Geodesic III	Optima 101	103	141 1985	38.71 12	125	38.71 12	38.39 13.45	4.9 8.2	Yes	Yes	19.6 586 2	32.84 29.25 11.15 4.76	8511 3968 Iron	0 1 FIXED	IB Fixed_2	(Mtg 4/27/17, added 2' retractable bowsprit, -3 sec/mi)		
Wet Corvette	Melges 30	103	36 1994	36.85 10.59	150	36.85 18.96	38 15.49		No	Yes	8.4 90	30 28.6 9.1 7	3800 1750 Lead	0 1 MVBL	IB FOLD 2			
Ala Moana	Beneteau First 30	104	99 2012	41.66 13.78	105	42.16 15.78	40.3 14.25	6.28 9.38	No	Yes	28.82 1049 2 0	31.7 27.6 10.5 6.25	8267 2403 Cast Iron	0 1 FIXED	IB Fold 2			
Rocket Science	Moore 24	104	150 1981	26.25 9.75	155	26.25 9.76	25 9.5	3.91 6.5	Yes	No	0 0	23.75 21.75 7.16 4.08	2050 1025 Lead	0 1 FIXED	OB None 3			
Sweet Tea	Moore 24	105	150 1981	26.25 9.75	150	26.25 9.76	25 9.5	3.91 6.5	Yes	No	0 0	23.75 21.75 7.16 4.08	2050 1025 Lead	0 1 FIXED	OB None			
Neverland	Tartan 3700 SD 5.0'	106	114 2006	51.75 15	135	51.75 15	45.25 15	5.7 9.68	No	Yes	25.4 1025 0 0	37 32.5 12.6 5	17780 6200 Lead	0 1 FIXED	IB Fold 2			
Sea Spirit	Catalina 34 1&2	108	147 1986	44 13.5	130	44 13.5	38.5 12	4.36 7.54	Yes	No	0 0	34.5 29.83 11.75 5.58	11950 5000 Lead	No 1 FIXED	IB FOLD 2			

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
				DW Rating Disp/WL Ratio	J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast Mat.	Traps/H. moveable blst Keel Type		IB or OB Prop Type # of blades
									SL	SPL	SLU	ASA						
									SSMG SSF	SSA	SLE ASMG	ASA Fixed or _o						
Moxy	Moore 24	110	150	1982	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0			
Wood Eye	Catalina 38	111	123	1981	49.83 15.5	110	49.83 15.5	44 11.5	4.7 7.9	Yes	No	38.17 30.25 11.83 6.75	15900 6850 Lead	0 1 FIXED	IB Fixed_2 2			
High and Dry	Santana 22	114	234	1967	26 8.5	150	26	21.75 9.83	3.95 6.59	Yes	No	22 18.67 7.83 3.5	2600 1230 Cast Iron	0 1 FIXED	OB None			
Ecco	CAL 39-2/3	115	117	1980	50 16.7	125	50	44 13.75	5 8.5	No	No	39 32.1 12.15 6.7	17000 7000 Lead	0 1 FIXED	IB Feath			
First Light	Beneteau 35S5	115	126	1991	41.66 11.15	98		42.65 15.09	5.25 9.042	Yes	No	35.42 29.33 11.83 6	11460 4190 Lead	No 1 FIXED	IB Fixed_2 2			
Pork Chop Express	Express 27 ODR MOD	115	129	1986	28.5 9	130	32.5	28.5 10.4	4.2 7	Yes	Yes	19.55 23.75 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None	(Mtg 1/26/17, -3sec/mi for switching to MH configuration. New Rudder, NCTR)(3/22/17, back to OD configuration, +3 sec/mi)		
E-Ticket	Moorings 38 SD	119	117	1990	47.5 13.9	155	47.5 13.9	41.7 15	5.69 9.45	Yes	No	38.4 31.33 12.5 4.8	13700 5400 Steel	0 1 FIXED	IB Fold 2	Shoal Draft (Mtg 10/27/16, -3 sec/mi for oversized spinnaker area)		

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
				DW Rating <i>Disp/WL Ratio</i>	I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast	Traps/H. moveable blst		IB or OB Prop Type # of blades
									SL	SPL	SLU	ASA						
									SSMG SSF	SSA	SLE ASMG	Fixed or _o						
Snafu	Moore 24	121	150 1982	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No	27 9.75	23.75 21.75 7.16 4.08	2050 1000 Lead	0 1 FIXED	OB None			
			647 91	ALUMN FS				147			0 0							
Harizon	Dufour 310	122	159 2016	40.35 10.82	95		38.25 14.57	5.54 9.47	No	No		31.72 28.54 10.88 6.23	10802 2932 Iron	0 1 FIXED	IB Fold			
			211	ALUMN FS				332			0 0							
Ga	Knarr ODR	123	198	33.583 6.583	125	33.583	31 11.166	4.47 7.46	No	No		30.333 20.333 7 4.25	4630 2866 Lead	No 1 FIXED	OB None 0			
			250	WOOD FS			0 0	211			0							
Circlesea	Folkboat	125	252	21.99 6.56	100	10.17	28.71 11.15	4.42 7.33	No	No		25.08 19.82 7.26 3.92	4640 2315 Iron	0 1 FIXED	OB None 0			
			271	WOOD MS				194			0 0							
Carmelita	Catalina 42-1/2	131	105 1990	53 16.42	125	53	46.75 15.5	4.98 8.85	Yes	Yes	27.75 1131	41.83 36 13.83 6.66	22000 8300 Lead	No 1 FIXED	IB FEATH 3			
			595 214	ALUMN MS			0 0	399			0 0							
Incognito	Moore 24	136	150 1984	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No	27 9.75	23.75 21.75 7.16 4.08	2050 1025 Lead	No 1 FIXED	OB None 0			
			635 91	ALUMN FS			0 0	147			0							
Mas!	Moore 24	138	150 1983	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	Yes	17.6 387	23.75 21.75 7.16 4.08	2050 1025 Lead	0 1 FIXED	OB None			
			642 91	ALUMN FS				147			0 90							

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications				
			Built	J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			Ttl Disp.	Traps/H. Strps						
									DW Rating	Mast Material	SL	SPL						SLU	ASA	Ballast	moveable blst
Disp/WL Ratio	Rig Type	SSF	SSA	ASM	ASG	Fixed or _o	Max Draft	Keel Type	# of blades												
Hasta Nunca	Moore 24	142	150		26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.08	2050 1025 Lead	0 1 FIXED	OB None 0						
Zara	Beneteau 310	144	135	1993	37.04 10.83	135	37.04 10.82	37.8 12.9	5.2 8.9	No	Yes	31.2 27.7 10.5 4.3	7054 2160 Lead	0 1 FIXED	IB Fixed_2						
Coquelicot	Ranger 33	148	153	1975	41.5 13.87	120	43.75 13.87	35 13.75	4.6 8.1	Yes	No	33 26.3 9.6 5	10500 4500 Lead	No 1 FIXED	IB FOLD 2	Double Spreader rig, water supply 41 gallons, below v berth, 26 gallon bladder tank starboard, rudder 9 inches deeper, group 31 batteries, 15 hsp one cyl diesel replaced by 29 hsp Perkins 3 cylendar engine. (NOTE) (MTC 2 21 02)					
Nemesis	Pearson 26 Commander	151	258	1964	31.5 9.5	155		26 11.5	3.3 5.75	Yes	Yes	25.7 18.5 8 3.7	5200 2500 Lead	0 1 FIXED	OB None						
Kookaburra	J 120 ALUM	153	48	2001	50.5 14.5	155	52 21.5	46.5 17.8	6.2 10.7	No	Yes	40 35 12 7	13900 6000 Lead	No 1 FIXED	IB FOLD 2						
U Decide	Ultimate 20	155	144	2001	26.08 6.97	114	27.58 12.79	27.33 10.17	5.5 7.96	No	Yes	20.83 18 8.33 5	1350 450 Lead	0 1 FIXED	OB None 0						
Sir Leansalot	Hunter 40	161	105	1986	53.9 17	125	53.9 17	48 13.9	5.2 9	Yes	No	39.7 32.5 13.5 6.5	17400 6000 Iron	0 1 FIXED	IB Fold 2						

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications		
				J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps	IB or OB Prop Type # of blades			
									SL	SPL								Ballast	moveable blst
									SSMG SSF	SSA								Ballast Mat.	Keel Type
Nozomi	CAL 40	164	114 1970	46.2 15.2	155	46.2	39.9 6.6 17.6 11.37	6.6 11.37	Yes	No	39.5 30 11 5.6	15500 6000 Lead	0 1 FIXED	IB FEATH 3					
Junkyard Dog	J 109 ODR	168	72 2004	46.5 13.3	105	49 18.83	43.25 5.88 15.5 10	5.88 10	No	Yes	35.25 30.5 11.5 7	10900 3900 Lead	No 1 FIXED	IB FOLD 2					
Rufless	Melges 32 MOD	174	30 2007	40.86 10.7	105	48.3 18.7	44.05 6.95 15.49 11.14	6.95 11.14	No	Yes	31.84 28.5 9.83 7	4200 1600 Lead	1 FIXED	OB None	(mtg 2/23/17, no longer using the class spinnaker. +3 sec/mi for small asymmetric)				
Strange Magic	Islander Bahama 30	179	180 1981	40 12.75	150	40 12.75	33.75 4.37 11.5 7.47	4.37 7.47	No	No	29.92 24.58 10 5	8230 3130 Lead	0 1 FIXED	IB Fold					
Breakaway	Ultimate 20 CM	180	144 2002	26.08 6.97	114	27.58 12.79	27.33 5.5 10.17 7.96	5.5 7.96	No	Yes	20.83 18 8.33 5	1350 450 Lead	No 1 FIXED	OB Fixed_3 3					
Vuja Star	J 105 ODR w/ 5'BS	181	78 1998	40.6 13.5	100	42.1 19.07	41.5 5.5 14.5 9.4	5.5 9.4	No	Yes	34.5 29.5 11 6.5	8733 3400 Lead	0 1 FIXED	IB Fold 2					
Big Air	Open 5.7 ODR	189	138 2006	21.52 7.3	117	21.6 12.3	25.33 5.7 10.24 8.2	5.7 8.2	No	Yes	18.75 18.7 8.3 5.74	992 405 Lead	0 1 FIXED	OB None					

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications					
			Built	J	Max	IS	P	MGU	Yes/No		SLU	ASA	LOA	Ttl Disp.	Traps/H.	IB or OB								
									ISP	MGM							SL	SPL		LWL	Ballast	moveable blst	Strps	Prop Type
DW Rating	Mast Material	SP	MG	ASF	Max Draft	Ballast Mat.	Keel Type																	
Trois Amis	Screamer 12 Meter MOD	194	36	1985	44.58	140	44.58	41	5.3	Yes	No	39.37	6000	0	OB	(mtg 3/23/17, custom rating of 36 assigned)								
					15.75			14.2	9.2			32.5	1350	1	None									
			506		ALUMN				345			10.33	Lead	FIXED										
			79		MS							7.67												
Lindo	J 109	195	69	2005	46.5	155	49	43.3	5.89	No	Yes	35.25	10900	0	IB									
					13.3		18.8	15.5	10.07			30.5	3900	1	FOLD									
			580		ALUMN				400			11.5	Lead	FIXED	2									
			175		FS							7												
Sweet Pea	Islander 30-2	195	186	1971	38.5	155	38.42	32.5	4.75	Yes	No	30	8600	0	IB									
					12.58			11.58	8.125			24.58	3500	1	FOLD									
			677		ALUMN			0	235			10	Lead	FIXED	2									
			263		MS			0				5												
Warpath	Olson 30 OB	198	99	1982	36	150	35.9	31.5	4.364	Yes	No	30	3600	No	OB									
					11.75		11.67	10.75	7.268			27.5	1800	1	None									
			584		MS			0	208			9.33	Lead	FIXED	0									
			79					0				5.08												
Quiet Thing	Ranger 22	200	216	1978	25.75	155	25.75	26	2.8	Yes	No	22.5	2200	0	OB									
					8.5			7.4	4.8			17.5	900	1	None									
			732		ALUMN				115			7.8	Lead	FIXED										
			187		FS			14.7	311			4.3												
Tortuga	Westsail 32	207	216	1974	31.2	150		38.3		No	No	32	19500	0	IB									
					18.4			15.1				27.6	7000	1	FOLD									
			694		ALUMN							11	Lead	FIXED	3									
			422		CTR							5												
Short Bus	Hunter 35 Legend	210	138	1990	42	110		44.08	5.5	No	Yes	35.58	12600	0	IB									
					12.17			14.25	9.2			29.75	5000	1	Fixed_2									
			628		ALUMN				375			11.75	Lead	FIXED										
			218		MS							6.5												

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications		
				J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps moveable blst	IB or OB Prop Type # of blades			
									SL	SPL								Ballast Mat.	Keel Type
Arby	Colgate 26	212	159	2004	27.75 8.25	105	27.75	29.75 11.2	4.3 7.3	No	No	25.7 20 8.5 4.5	2600 1040 Lead	0 1 FIXED	OB Fixed_3 3	Non Spinnaker configuration			
Penny Pincher	J 70 ODR	215	114	2014	26.77 7.68	100	30.15 13.5	26.16 9.44	4.71 6.93	No	Yes	22.78 20.47 7.38 4.92	1750 630 Lead	0 1 MVBL	OB None				
Firefly	Harbor 20	226	213	2006	25.75 7	90	25.75 7	26 10	3.6 6.25	No	No	20 17.17 7 3.5	1800 900 Lead	0 1 FIXED	OB None				
Seaya	Catalina 380	252	120	2000	50.916 14.667	135		44.833 15.667	5.2 10	No	No	38.42 32.42 12.33 7.17	19000 6800 Lead	No 1 FIXED	IB FEATH 3				
Mamaluc	J 105 ODR w/ 5'BS	265	78	1999	40.6 13.5	100	42.1 19.07	41.5 14.5	5.5 9.4	No	Yes	34.5 29.5 11 6.5	7750 3400 Lead	No 1 FIXED	IB FOLD 2				
Endless Summer	Catalina 36	271	150	1984	44.75 14.33	95	44.75 14.33	39 12	4.33 8.01	No	Yes	36.33 30.25 11.92 5.83	13500 6000 Lead	0 1 FIXED	IB Fixed_3 3				
Makani	Nonsuch 30	278	174	1985		0		44.9 23.9	8 14.5	No	No	30.33 28.75 11.83 5	11500 4500 Lead	0 1 FIXED	IB Feath				

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
				DW Rating Disp/WL Ratio	I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.	Traps/H. Strps moveable blst		IB or OB Prop Type # of blades
									SL	SPL	SLU	ASA						
									SSMG SSF	SSA	SLE ASMG	Fixed or _o						
Pearl	Ranger 33 SM	278	165	1977	38 13.9	125	38	31.5 11	4.43 7.39	Yes	No	33.17 26.25 9.583 5.166	10500 4800 Lead	0 1 FIXED	IB Fixed_2 2			
Frisky	Open 5.7 ODR	281	138	2009	21.52 7.3	117	27.9 12.3	25.33 10.24	5.7 8.2	No	Yes	18.7 18.7 8.3 5.7	992 405 Lead	0 1 FIXED	NONE None			
Kiwa	Ericson 32-2	285	183	1973	36 18	155	36	31.5 13	4.9 8.4	No	No	32 24 9.67 4.91	9400 4400 Lead	0 1 FIXED	IB Fixed_2 2			
Nightmare	Custom Wilderness 30 SX FR OB	305	111	1980	34 11.75	125		34.4 11.5 0 0	4.59 7 233	Yes	No	29.75 27.75 8.83 5.92	4700 1650 Lead	No 1 FIXED	OB None 0	(-3 sec/mi for change from IB to OB, -6 sec/mi for keel change.)(mtg 2/26/15, -9 sec/mi for oversized spinnaker)		
Capo Gatto	Nonsuch 30	308	174	1985				45 24	7.9 14.3	No	No	30.33 28.75 11.1 5	11500 4500 Lead	0 1 FIXED	IB Fold 2			
Boudicca	Elan 310	310	129	2010	40.19 11.74	106	42.55 14.87	39.53 13.55	5.28 8.92	No	Yes	30.3 28.58 10.5 6.23	10141 2292 Iron	0 1 FIXED	IB Fold			
Lightwave	J 105 ODR w/ 5'BS	319	78	2000	40.6 13.5	100	42.1 19.07	41.5 14.5	5.5 9.4	No	Yes	34.5 29.5 11 6.5	7750 3400 Lead	No 1 FIXED	IB FOLD 2			

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications							
			Built	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF		LOA	Ttl Disp.	Traps/H. Strps		IB or OB							
										DW Rating	Mast Material		E	MGM			SL	SPL			SLU	ASA	LWL	Ballast	moveable blst	Prop Type
EY	SSF	ASM	G	Fixed or _o	Max Draft																					
						Roxanne	Tartan 4100 SD TM	322	90		57	135	57	50.1	6.8	No	Yes	27	41.3	20400	0	IB				
											15		15	18	11.5		58.9	1285	35.9	8000	1	Feath				
			579	ALUMN							53	0	13.6	Lead	FIXED											
			200	MS							27.7	<input checked="" type="checkbox"/>	0	5.4												
Shanti	Ericson 911S Olson	326	132	1989	41.5	150	41.5	35.5	4.73	Yes	No		29.92	8700	0	IB	CHANGE TO RUDDER NOTED, NCTR									
					12.33		12.33	11.83	7.69				25	3200	1	FOLD										
			662	ALUMN				0	253			0	10.33	Lead	FIXED	2										
			253	MS				0			21.7	<input type="checkbox"/>	5.42													
Scilla	J 70 ODR	327	114	2012	26.77	100	30.15	26.16	4.71	No	Yes	18.7	22.78	1750	0	OB										
					7.68		13.5	9.44	6.93		35.43	491	20.47	630	1	None										
			607	CARBON							28.87	5.1	7.38	Lead	MVBL											
			93	FS							18.24	<input checked="" type="checkbox"/>	0	4.92												
Popstar	Catalina 400	331	108	2005	52.5	135	52.5	46.9	4.02	No	Yes	27.9	41.54	20500	0	IB	(+3 sec/mi for in-mast furling mainsail, +3 sec/mi for MGM <50% of E)									
					15.5		16.5	17	8.27		52.16	1225	36.5	8300	1	Fold										
			599	ALUMN							50	0	13.5	Lead	FIXED	3										
			192	MS							29	<input checked="" type="checkbox"/>	0	6.92												
Farriage	Catalina 42-1/2	336	102	1992	53	130	53	46.75	5.75	No	Yes	27.08	41.83	20600	0	IB										
					16.42		16.42	16.42	9.83		53	1042	36	8300	1	Feath										
			604	ALUMN							47.37	0	13.83	Lead	FIXED	3										
			201	MS							24.37	<input checked="" type="checkbox"/>	0	6.83												
Allons-Y	J 70 ODR	346	114	2014	26.77	100	30.15	26.16	4.71	No	Yes	18.7	22.75	1750	0	OB										
					7.68		13.5	9.44	6.93		35.43	491	20.47	630	1	None										
			607	CARBON							28.87	5.1	7.38	Lead	MVBL											
			93	FS							18.24	<input checked="" type="checkbox"/>	0	4.92												
Constance	Tartan 34 CB	346	165	1974	41	125	41	35.5	4	No	Yes	20.3	34.3	11200	0	IB	Roller Furler									
					14			10.5	6.9		41	14	25	5000	1	Fold										
			683	ALUMN							24.5	836	10.2	Lead	CNTRBRD	2										
			326	MS							24.3		8.3													

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
			ISP		I	J	P	MGU	Yes/No	Yes/No	ASF	Ttl Disp.		Traps/H. Strps	IB or OB		
			JSP		Max	Head	E	MGM	SL	SPL	SLU	ASA		Ballast	moveable blst	Prop Type	
			Ratio		Sail	Material	PY	MSA	SSMG	SSA	SLE	Sprit Lngth		Ballast Mat.	Keel Type	# of blades	
			Disp/WL														
Kabunza	Pearson 36-2	362	132	1986	47.1 15.4	110	41 14.5	3.65 7.3	No	No			36.5 29.5 12.3 6.5	15000 5800 Lead	0 1 FIXED	IB Fixed_2 2	
Post Time	Catalina 42-1/2	362	102	1993	53 16.42	135	53 16.42	46.75 15.5	5 9	No	No		41.83 36 13.83 6	24000 8300 Lead	0 1 FIXED	IB Feath 3	In-Boom Furling Mast, Electric Halyard Winch
Hangover	Islander 36 ODR	367	147	1976	45 14.48	135	45	39.25 12.75	5.05 8.44	No	No		36.8 28.25 11.17 6.08	13450 5820 Lead	0 1 FIXED	IB Fixed_2	
Sacagawea	Catalina 34 1&2	375	156	1987	44 13.5	95	44 13.48	38.5 11.75	4.7 7.54	No	No		34.5 29.83 11.75 5.6	11950 5000 Lead	0 1 FIXED	IB Fixed_3 3	
Ariadne	Beneteau Farr First 36.7	403	84 601 204		46.4 13.1	125	46.4 13.1	46.4 15.6 0 0	5.92 12.49 468	Yes	No		36 30.3 11.4 7.3	12495 4034 Lead	No 1 FIXED	IB Fold 2	
Sobrante	Alerion Express 28 ODR	406	168	2009	30 9.75	90	30 9.75	33 12.5	4.8 7.6	No	No		28.25 22.83 8.2 4.5	5700 2200 Lead	0 1 FIXED	IB Fold 2	
Nantucket Sleighride	J 105 ODR w/ 5'BS	414	78 585 137	2001	40.6 13.5	100	42.1 19.07	41.5 14.5	5.5 9.4	No	Yes	25 863 5 0	34.5 29.5 11 6.5	7750 3400 Lead	0 1 FIXED	IB Fold 2	

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications			
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H.	Strps		IB or OB Prop Type # of blades		
								SL	SPL	SLU	ASA								Ballast	moveable blst
								SSMG SSF	SSA	SLE	ASM								Ballast Mat.	Keel Type
Luna Sea	Islander 36 ODR	420	144 1980	45 14.48 135	45	39.25 5.05 12.75 8.44	0 303	45 15 27 1013	Yes	No	0	36.08 28.25 11.17 6.08	18000 5450 Lead	No 1 FIXED	IB Feath 3					
White Bear	Nonsuch 30	431	174 1987	ALUMN CAT		45 8.68 24 15.12	629		No	No	0 0	30.33 28.75 11.9 5	11500 4500 Lead	0 1 FIXED	IB Fold 3					
Kapai	Islander 36 ODR	438	147 1977	45 14.48 125	45	39.25 5.05 12.75 8.44	0 303		No	No	0	36.08 28.25 11.17 6	13450 5500 Lead	0 1 FIXED	IB FOLD 2					
Rufless	Melges 24	445	84 1999	27.85 7.95 100	31.85 12	28.9 3.83 12.45 7.09	196		No	Yes	20.67 577 0 0	24 22 8.17 5.25	1783 650 Lead	0 1 CNTRBRD	OB None 0					
Zenith	Islander 36 NCPHRF	472	147 1978	45 14.48 135	45 14.8	39.25 5.05 12.75 8.44	0 303		No	No	0	36.08 28.25 11.166 6.083	13450 5820 Lead	No 1 FIXED	IB Fold 2					
Auggie	Santana 22 ODR	476	237 1969	26 8.5 125	26	21.75 3.95 9.833 6.59	0 131	26 8.583 15.44 335	Yes	No	0	22 18.666 7.833 3.5	2600 1230 Cast Iron	No 1 FIXED	OB None 0					
Zingara	Islander 36 NCPHRF	484	150 1978	45 14.48 125	45 14.8	39.25 4.8 12.75 8.29	0 298		No	No	0	36.1 28.25 11.17 6.08	13450 5820 Lead	No 1 FIXED	IB Fold 2	Roller Furler				

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
				DW Rating Disp/WL Ratio	J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast	Traps/H. moveable blst		IB or OB Prop Type # of blades
									SL	SPL	SLU	ASA						
									SSMG SSF	SSA	SLE ASMG	ASA						
Alpha	Sonar 23	498	174	1990	23 8.25 100 ALUMN MS	27.5 11.17	1.23 7.3 156	No	No			23 19.92 7.8 3.92	2100 900 Lead	n 1 FIXED	OB None			
Shut Up & Drive	J 24 ODR	513	168		26.25 9.5 150 ALUMN FS	26.25 9.75	3.7 6.37 163	Yes	No			24 20 8.916 4	3100 965 Lead	No 1 FIXED	OB None 0			
All Hail	Catalina 34 TM	524	144	1988	46 13.5 130 ALUMN MS	45.9 13.5	4.8 8 296	No	No			35.66 29.84 11.75 5.56	12000 5000 Lead	0 1 FIXED	IB Fold			
The Mighty Windsong	International Folkboat OB	567	228	1969	26 8.3 155 ALUMN MS	26 8.3	4.44 7.34 195	Yes	No			25.75 19.75 7.5 4	5000 2750 Iron	0 1 FIXED	OB None			
Rampage	J 70 ODR	582	114	2014	26.77 7.68 100 CARBON FS	30.15 13.5	4.71 6.93 164	No	Yes			18.7 35.43 28.87 18.24	491 5.1 0	0 1 MVBL	OB None			
Wingman Racing	J 70 ODR	584	114	2014	26.77 7.68 100 CARBON FS	30.15 13.5	4.71 6.93 164	No	Yes			18.7 35.43 28.87 18.21	491 5.1 0	0 1 MVBL	OB None			
Queimada	Catalina 34 1&2	611	147	1988	44 13.5 150 ALUMN MS	44 13.5	4.2 7.2 263	Yes	No			34.5 29.83 11.75 5.58	11950 5000 Lead	0 1 FIXED	IB Fold 2			

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
				DW Rating Disp/WL Ratio	J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Ballast Mat.			Strps moveable blst Keel Type
									SL	SPL								
									SSMG SSF	SSA								
Wild-Type	Ericson 32-2	614	186 1975	38 13 155 13	ALUMN MS	31.5 4.53 13 8.19	237	No	Yes	22.23 639 0 0	31.58 24 8.67 4.92	8800 4000 Lead	0 1 FIXED	IB Fixed_3 3	Roller Furler			
Dura Mater	CAL 27-2 IB	616	213 1979	36 12 120	ALUMN MS	30.83 4.21 10.25 7	195	Yes	No	11.8 518 0 0	26.58 22.08 9.25 4.25	6700 3100 Lead	0 1 FIXED	IB Fixed_3 3				
Can O' Whoopass	CAL 20	624	273 1965	22 7.33 115 7.33	ALUMN FS	23 4 10 6.7	140	Yes	No	7.33 242 0 0	20 18.1 7 3.33	2000 900 Iron	0 1 FIXED	OB None 2	(mtg 4/24/08, -18 sec/mi for adding single trapeze wire) (10/2/08 - removed trapeze, now racing as a standard cal 20 -18 sec/mi penalty removed)(3/5/09 added single trapeze back, -18 sec/mi)(8/26/09, switching back to standard Cal 20)			
TESA	Catalina 42-1/2	642	102 1999	53 16.41 155 23	ALUMN MS	46.75 5.91 15.416 10	430	Yes	Yes	31 1275 0 0	41.83 36 13.83 6.8	25500 8300 Lead	0 1 FIXED	IB FEATH 3	Added one electric main halyard winch			
Flight Risk	Thompson 650	650	102 2000	26.67 8.86 100 14.86	CARBON FS	28.29 5.7 10.4 8	204	No	Yes	20.58 586 7.87 0	22.3 19.8 8.16 5.9	1692 660 Lead	Yes 3 FIXED	OB None	(mtg 1/21/10, weighed displacement of 1692lbs updated, NCTR)(Mtg 3/18/10, change custom rating from 108 to 99)(Mtg 8/18/10, submitted appeal, rating changed from 99 to 102)			
Boomer	Melges 20	676	111 2009	23.19 7.05 110 10.95	CARBON FS	24.25 3.83 9.84 7.42	152	No	Yes	18.8 417 3.9 0	20 19.4 7 4.5	1105 415 Lead	0 1 FIXED	OB None 0				
Endless Summer	Catalina 42-1/2 WK	688	111 2000	53 16.5 155	ALUMN MS	46.75 5.08 15.5 9.16	405	No	No	0 0	41.83 36 13.83 4.83	28000 8300 Lead	0 1 FIXED	IB Feath 3				

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		Ttl Disp. Ballast		Traps/H. moveable blst				
								SL SSMG SSF	SPL SSA	SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o				Ballast Mat.			Keel Type
Revelry	Catalina 42-1/2	703	105 1999	53 16.416 125 53 16.416		46.75 5.75 15.416 9.833		No	Yes	27.5 1097	41.833 36 13.833 6.83	20500 8300 Lead	No 1 FIXED	IB FEATH 3	ASYM SPIN NOTED NCTR.			
			608 200	ALUMN MS		0 425 0				0 <input type="checkbox"/>								
Zeehond	Newport 30-2	707	174 1976	39.5 12.125 150 39.5		34 3.6 10.25 6.33		Yes	No		30 25 10.5 4.75	8500 2600 Lead	No 1 FIXED	IB FOLD 2				
			671 247	ALUMN MS		0 201 0				0 <input type="checkbox"/>								
Imagine	Ericson 32-3	716	159 1987	42 13.8 135		36.4 4.18 11.8 7.28		No	No		32.5 25.83 10.83 6	9800 4200 Lead	0 1 FIXED	IB Fixed_2 2				
			258	ALUMN MS						0 <input type="checkbox"/>								
Insolent Minx	Melges 24	725	84 2008	27.85 7.98 100 31.85 12		28.75 3.83 12.42 7.09		No	Yes	20.67 577	24 22 8.2 5.25	1750 650 Lead	0 1 CNTRBRD	OB None				
			578 75	CARBON FS						0 0 19.23 <input checked="" type="checkbox"/>								
Nessie	Catalina 34 1&2	734	156 1988	44 1.5 100 44 13.48		38.5 4.7 12 7.54		No	No		34.5 29.83 11.75 5.58	11950 5000 Lead	0 1 FIXED	IB Fixed_3 3				
			205	ALUMN MS						0 <input type="checkbox"/>								
Amandla	Catalina 34 1&2	796	147 1988	46 13.5 130		38.5 12		No	No		35.75 29.8 11.75 5.6	11950 5000 Lead	0 1 FIXED	IB FOLD 3				
			205	ALUMN MS						0 <input type="checkbox"/>								
Byte Size	Santana 22	801	237 2001	26 8.5 90 26 8.5		21.75 3.95 9.833 6.59		Yes	No		22 18.67 7.83 3.5	2600 1230 Iron	No 1 FIXED	OB None 0				
			737 182	ALUMN MS		0 131 0				26 8.583 15.44 335 15.44								
										0 <input type="checkbox"/>								

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications		
				J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No	ASF		Ballast Ballast Mat.	Traps/H. moveable blst Keel Type				
									SL	SPL								SLU	ASA
Sea Breeze	Catalina 320	850	156	2001	43.58 12.33	135	43.58	38 13.25	5.168 8.661	No	No	32.5 28 11.75 6	11300 4000 Lead			0 1 FIXED	IB Fold 2		
Benny	J 70 ODR	897	114	2015	26.77 7.68	100	30.15 13.5	26.16 9.44	4.71 6.93	No	Yes	18.7 22.75 20.47 7.38 4.92	1750 630 Lead	0 1 MVBL	OB None				
White Jacket	Etchells 22 ODR	901	120	1991	27.27 8.22	90		32.49 11.57		Yes	No	30.5 22 6.83 4.5	3337 2105 Lead	0 1 FIXED	OB None 0				
Ada Helen	ace	922	96	2005	53 16.5	155	53 16.5	46.75 15.5		No	Yes	29.7 43.8 36 13.1 6	24400 8300 Lead	No 1 FIXED	IB FOLD 3	(Mtg 3/20/08 -6/sec/mi for OSP)(mtg 6/19/08, new larger a-sail, correct size for J, NCTR)			
Lioness	Bermuda 40	981	174	1962	42.5 15.58	160		36.6 17.2 17.7 8.5		No	No	40.75 28.8 11.75 4.25	20000 5600 Lead	0 1 CNTRBRD	IB Fixed_3 3	(Mtg 5/22/08, +6 sec/mi for 3-blade fixed prop, no penalty for headsail larger than 155%, no credit for sonar transducer, custom rating of 174 assigned)			
Vita E Bella	Catalina 42-1/2	989	99	2007	53 16.5	155	16.5	46.9 15.6	5.2 9.5	No	Yes	27.3 41.83 36 13.1 6.8	24400 3765 Lead	0 1 FIXED	IB FOLD 3	(mtg 3/28/13, -3 sec/mi for added sprit)			
Outsider	Azzura 310	1000	57	1996	35.35 11.55	110	43.33 21.57	38.75 13.25	6.68 10.5	No	Yes	30.1 30.75 27.4 10 7.2	4850 2100 Lead	No 1 FIXED	OB Fixed_3 3	6 FT ARTIC. RETRAC BOWSPRIT. MTG 3/28/96 (RATED 66) (CHNG NOTED 4/18/96-NO CHNGE RTNG. (2/13/96 FM 66 TO 60.)(MTG 11/13/97 FM 60 TO 57)MTG 2/12/98 FM 57 TO 63 (MTG 4/9/98) Inboard SailDrive removed and replaced with			

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications							
			Built	J	Max	Head	Sail	ISP	P	MGU	Yes/No		Yes/No		LOA	Ttl Disp.	Traps/H.	IB or OB								
											JSP	E	MGM	SL						SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type
Disp/WL Ratio	Mast Material	Rig Type	EY		ASM	Fixed or _o	Max Draft	Keel Type	# of blades																	
Afterburner	Synergy 1000	1001	45	1999	40.75	110	45.75	42	6.99	No	Yes	26	32.83	4600	0	IB										
			538		12		16.4	15.5	11.03		51	1089	29.17	1850	1	Feath										
			84		CARBON				417		43.7	4.3	9.75	Lead	FIXED	2										
					FS						28	<input checked="" type="checkbox"/>	7													
Vera Cruz	Sunsail F40 ODR	1003	42	2012	52.69	105	56.54	51.15	6.53	No	Yes	30.32	40.15	17437	0	IB										
			571		15.09		17.06	17.65	11.42		58.07	1200	35	6609	1	Fold										
			185		ALUMN				534		49.5	1.98	12.76	Lead	FIXED	2										
					FS						25.9	<input checked="" type="checkbox"/>	8.04													
Itinerant	Hunter 34	1025	150	1986	47.42	105		41	4.02	No	No		34.42	11820	0	IB										
					13.75			11.75	6.87				28.25	5366	1	Fixed_2										
					ALUMN				271			0	11.5	Steel	FIXED											
			238		MS						<input type="checkbox"/>	0	5.5													
SF	CAL 25-1 OB	1062	225	1969	29.75	120	29.75	25	4.17	No	No		25	4000	0	OB										
					10			11	7				20	1700	1	None										
					ALUMN				163			0	8	Lead	FIXED											
			227		MS						<input type="checkbox"/>	0	4													
Pegasus - Motion X	J 100 ODR MOD	1197	69	2005	38	95	43	38	5.32	No	Yes	23.3	32.8	7250	No	IB	(Mtg 2/26/09, -3 sec/mi for adding sprit)(mtg 1/21/10, additional -3 sec/mi for lengthening sprit to 4.13')(Mtg 1/27/11, -6 sec/mi for increased "e")(Mtg 1/26/11, shortened J, boat rigged for overhead sailing. NCTBY4/22/17									
			579		12.7		15.63	15.3	9.32		47.8	861	29	2500	1	FOLD										
			135		CARBON				332		39.1	4.13	9.3	Lead	FIXED	2										
					FS						23.9	<input checked="" type="checkbox"/>	5.8													
Oshun	Catalina 27 OB	1216	201	1974	34	95		28.67	4.24	No	No		26.83	6850	0	OB										
					11.25			10.5	7.08				21.75	2750	1	None										
					ALUMN				185			0	8.83	Lead	FIXED											
			303		MS						<input type="checkbox"/>	0	4													
Alte Liebe	Albin Ballad 30	1266	183	1978	37.083	155	37.8	31.916	3.33	Yes	No		29.916	7276	No	IB	The J measurement in all Ballad documents & Sailmaker plans is 12.27 however the actual J= 11.3" (MTG 8/25/94), standard SPL is 12.27 (mtg 3/20/08)									
					11.249			9.333	5.58				22.583	3417	1	FOLD										
			698		ALUMN			0	171			0	9.666	Lead	FIXED	2										
			287		MS			0				<input type="checkbox"/>	5.09													

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
				DW Rating <i>Disp/WL Ratio</i>	I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			SLU ASA Sprit Lngth Fixed or _o	Ballast Ballast Mat.	Traps/H. moveable blst Keel Type		IB or OB Prop Type # of blades
									SL	SPL	SLU	ASA						
									SSMG SSF	SSA	SLE ASMG	Fixed or _o						
Sterling	Catalina 34 1&2	1269	153 1994	44 13.5 125 ALUMN MS	44 13.5	38.5 3.6 12 6.8 251	No	No			35.66 29.84 11.75 5.56	11950 5000 Lead	0 1 FIXED	IB Fixed_2				
Crews Nest	Catalina 34 1&2	1383	147 1997	44 13.5 130 ALUMN MS	44 13.5	38.5 3.6 12 6.8 0 251 0	Yes	No	42 13.5 24 837 23.5	0	35.67 29.83 11.75 5.58	11950 5000 Lead	No 1 FIXED	IB FEATH 3				
Sparky	Catalina 25 FK	1498	222 1979	29 10.5 145 ALUMN MS	29 10.5	24.66 3.68 9.58 1.45 102	Yes	Yes	17.9 369 25.5 0 15.5 0	0	25 22.16 8 4	4550 1900 Cast Iron	0 1 FIXED	OB None 0				
Sailor Dog	Catalina 34 1&2	1798	162 2007	44 13.5 110 ALUMN MS	44 13.5	38.5 2.8 12 5.9 229	No	Yes	20.5 723 38 0 22.5 0	0	34.5 29.8 11.7 5.6	11950 5000 Lead	0 1 FIXED	IB Fixed_3 3	In-Mast furling main +3 sec/mi, MGM less than 50% of E +3 sec/mi			
TASHI	Catalina 30	2010	189 1976	41 11.5 110 ALUMN MS	41	35 4.63 11.5 7.72 246	No	No		0 0	29.92 25 10.83 5.25	10200 4250 Lead	0 1 FIXED	IB Fixed_3 3				
Lawless	Catalina 36-2	2056	147 2002	44.75 14.42 155 ALUMN MS	44.9	39 4.83 12 8.05 286	No	No		0 0	36.42 30.33 11.92 5.83	13500 6042 Lead	0 1 FIXED	IB Fixed_3				
Aerie	CS 36	2160	123 1980	49 15 155 ALUMN MS	49	42.75 4.33 12.75 7.58 308	Yes	No	48.65 15 25.5 1034 25.5	0 0	36.5 29.25 11.5 6.25	15500 6500 Lead	0 1 FIXED	IB Fold				

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
			Built	DW Rating	I J Max Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps			IB or OB Prop Type # of blades
									SL	SPL	SLU	ASA				Ballast	moveable blst		
SSF	SSA	ASM	ASF	Max Beam	Keel Type														
Andiamo	Catalina 36-2	2168	153	2004	44.75 14.33	115	39 13	3.04 6.16	No	Yes	29 833	36 30.25 11.9 5.8	14200 6000 Lead	0 1 FIXED	IB Fixed_3 3	In-Mast Furling Mainsail, +3 sec/mi			
Irish Blessing	J 24 ODR	2184	168		26.25 9.5	150	28 9.75	3.7 6.37	Yes	No		24 20 8.92 4	3100 965 Lead	0 1 FIXED	OB None 0				
SLOWMO!	Catalina 22-1 OB SK	2482	270	1973	25.93 8	150	21 9.66	3.47 5.96	No	No		21.6 19.4 7.8 5	2250 550 Iron	0 1 MVBL	OB None 3				
Arcadia	Custom Nash 28.5	3113	123	1969	33 10	120	32.5 13 0 0	4.92 8.41 251	No	Yes	24.606 756 4 100	28.5 25.5 9 6.5	4327 1200 Lead	No 1 FIXED	IB FOLD 2	(Weighed Displacement as of 4/4/2009)(mtg 2/28/13, change custom rating from 135 to 123 after review of race results and structural modifications) 3			
Loya	Ericson 34 Olson SM	3246	105	1989	44.5 13.25	154	38.84 12.9	4.69 8.38	Yes	Yes	23.8 886 0 0	34 28 10.83 6	10600 3650 Lead	0 1 FIXED	IB Fold 2				
Encore	Sydney 36 CR	3632	57	2006	45.6 14	104	44.36 16.4	6.1 10.6	No	Yes	28.9 1283 1.4 90	36.06 31.04 11.32 7.55	12897 4850 Lead	No 1 FIXED	IB FOLD 2	(Australian IRC Rating 1.052)(Mtg 8/23/12, change custom rating from 54 to 57)			
Zamazaan	Custom Farr 52	3883	21	1978	70.4 18.51	135	65.2 23.2	8.82 15.08	Yes	No		52.19 47.26 15.45 8.79	25391 9679 Lead	No 1 FIXED	IB FOLD 2	RTG W/USYRU AGE ALLOWANCE IOR RTG W/USYRU AGE ALLOWANCE R=44.9 (1987) 18/24 AS PER PHRF MTG 4/20/95. SHORTENED MAST 6.15 FEET FROM TOP, REDUCED MAINSAIL AREA FROM 24/27 MTC 8/10/95			

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications		
				DW Rating Disp/WL Ratio	I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. moveable blst				
									SL	SPL								Ballast Mat.	Keel Type
Happiness	Cal 27-2 OB	3893	201	1994	36 12 95 36 12	30.67 10.25	3.25 6.5	Yes	No	26.58 22.08 9.25 4.25	6700 3100 Lead	0 1 FIXED	OB None						
Danger Zone	Taylor 32	4128	-24	1994	40 10.7 100 19.4	37.1 14.3	9.5 11.6	No	Yes	32 28.9 14.8 5.6	1962 551 Lead	0 1 CNTRBRD	OB None						
Green Dragon	Cal 20	4188	273	1965	22 7.33 125 22	23 9.84	3.84 6.5	Yes	No	20 18.08 7 3.33	1950 900 Steel	0 1 FIXED	OB None 0						
Elusive	Swan 42 Club	4216	9	2007	59.07 16.44 106 62.99 19.05	56.56 19	7.1 12.5	Yes	Yes	42.59 38.15 12.8 9	17158 6988 Lead	0 1 FIXED	IB Fold 2	(Mtg 2/25/16, +3 sec/mi for decrease in Spinnaker Area, +6 sec/mi for decreased JSP, -3 sec/mi for articulation, -3 sec/mi for switch to larger headsail)(04/05/17, Switching back to stock configuration. As called: 0)					
Highlander	Cal 40	4590	117	1968	46.2 15.2 150 46.2	39.5 17.5	6.65 11.37	Yes	No	39.25 30.25 11 5.58	15000 6000 Lead	0 1 FIXED	IB Fixed_2 2						
Miss Kate	Catalina 27 IB	4630	210	1980	34.5 11.25 125 34.5 11.25	28.66 10.5	3.99 6.83	No	Yes	26.85 21.75 8.85 4	6850 2700 Lead	0 1 FIXED	IB Fixed_2						
Gygax	Hinckley Pilot 35 TM	4802	192	1975	44.36 13.8 155 44.36 13.8	41.83 15.81	5.5 9.97	Yes	No	35.5 25 9.5 5	13500 4200 Lead	0 1 FIXED	IB Feath						

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
				DW Rating <i>Disp/WL Ratio</i>	I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast			Traps/H. moveable blst
									SL	SPL	SLU	ASA						
									SSMG SSF	SSA	SLE	ASMG						
Ballast Mat.	Keel Type																	
Ross's Dream	Catalina 30	4895	180	1987	41 11.42	150	41	35 11.5	4.63 7.72	Yes	No	29.92 25 10.83 5.25	10200 4200 Lead	0 1 FIXED	IB Fold 2			
The Belafonte	Santana 22 ODR	5000	237	1970	26 8.5	110	26	21.75 9.833	3.95 6.59	Yes	No	22 18.67 7.833 3.5	2600 1230 Iron	No 1 FIXED	OB None 0			
Zingaro	Santana 22	5050	237	1971	26 8.5	125	26	21.75 9.83	3.95 6.59	Yes	No	22 18.67 7.833 3.5	2600 1260 Iron	0 1 FIXED	OB None 0			
Anapos	Santana 22	5158	237	1966	26 8.5	120	26	21.75 9.833	3.95 6.59	Yes	No	22 18.666 7.833 3.5	2600 1230 Iron	No 1 FIXED	OB None 0			
Meliki	Santana 22	5194	237	1967	26 8.5	125	26	21.75 9.833	3.95 6.59	Yes	No	22 18.67 7.83 3.5	2600 1230 Iron	No 1 FIXED	OB None 0			
Invisible Hand	Pac 52	5202	-102	2016	66 20.5	101	76 29.5	69.23 22.98	10.96 15.76	No	Yes	52 50 14.5 11.8	15700 8360 Lead	0 1 FIXED	IB None			
Nepenthe	Hawkfarm 28	6122	174	1976	33.3 11	115	33	36 10.5	4.3 7.2	No	No	28 23.5 9.75 5.5	5700 2700 Lead	0 1 FIXED	IB Fixed_2 2			

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications			
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H.	Strps		IB or OB Prop Type # of blades		
								SL SPL SSMG SSF	SPL SSA	SLU SLE ASMG	ASA Sprit Lngth Fixed or _o								Ballast	moveable blst
Disp/WL Ratio	Mast Material Rig Type	ISP JSP	MGU MGM MSA	SL SPL SSMG SSF	SPL SSA	SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ballast	moveable blst	Strps	IB or OB Prop Type # of blades									
Avalon	Catalina 30	6138	183 1992	41 11.416 ALUMN MS	120	41	35 11.5 0 0	4.63 7.72 246	No	No		29.92 25 10.83 5.25	10200 4200 Lead	0 1 FIXED	IB Fold 2					
Antares	Islander 30-2	6237	186 1971	38.5 12.58 ALUMN MS	155	38.416	32.5 11.58 0 0	4.75 8.125 235	Yes	No		30 24.58 10 5	8600 3600 Lead	No 1 FIXED	IB FOLD 2					
Evenstar	Ranger 23	6404	216 1974	27.54 9.75 ALUMN MS	155	27.5 9.7	24 9.2	3.3 5.4 126	Yes	No		23.67 20 7.92 3.9	3400 1500 Lead	0 1 FIXED	OB None					
Serendipity	CAL 29-1 IB	6601	180 1974	37.833 12.333 ALUMN MS	155	37.833 12.67	31.666 12.166 0 0	4.332 7.573 223	Yes	No		29.25 24.17 9.25 4.75	8000 3350 Lead	No 1 FIXED	IB FOLD 2					
Cassiopeia	Islander 36 ODR	6763	144 1971	45 14.48 ALUMN MS	150	45	39.25 12.75	4.8 8.29 298	Yes	No		36.08 28.25 11.17 6	13947 5450 Lead	No 1 FIXED	IB FOLD 2	(mtg 2/18/10, - 6 sec/mi for 10% OSP)(8/2/11, boat returned to ODR Configuration)				
Achates	Newport 30-2	6847	174 1974	39.5 12.5 ALUMN MS	155	39.5	34 10.25 0 0	3.8 6.6 206	Yes	No		30 25 10.67 5.17	8500 3000 Lead	No 1 FIXED	IB FOLD 2					
Now and Zen	Newport 30-2	6883	174 1978	39.5 12.125 ALUMN MS	150		34 10.25 0 0	3.25 5.7 190	Yes	No		30 25 10.5 4.75	8000 2600 Lead	No 1 FIXED	IB Fold 2					

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
				DW Rating Disp/WL Ratio	J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast	Traps/H. moveable blst		IB or OB Prop Type # of blades
									SL	SPL	SLU	ASA						
									SSMG SSF	SSA	SLE ASMG	ASA						
Lil Angel	Newport 30-2	6884	174	1979	39.5 12.1 150	39.5	34 10.25 7.07	4.26 7.07	Yes	No	30 25 10.5 4.75	8500 2500 Lead	0 1 FIXED	IB FOLD 2				
Blue Passion	tartan 3400	7134	114	2006	46 13.67 95 CARBON FS	49.67 13.67	43 14.5	4.58 8.2 341	No	No	34.42 30.42 11.92 6.5	10800 3500 Lead	0 1 FIXED	IB Fold				
Neja	Dasher 32	7325	174	1961	38.01 12.59 155	38.01	33.22 14.6 8.86	5.12 8.86	Yes	No	31.75 26.75 8.9 5.75	11323 3600 Lead	0 1 FIXED	IB Fold	500 pounds less lead in keel than the Dasher Easom Boat Works built			
Redhead	Cal 40	7817	114	1964	46 15.17 155	46.36	40 17.5 11.3	6.5 11.3	Yes	No	39.5 30 10.92 5.75	16500 6000 Lead	No 1 FIXED	IB Feath 2				
Lady Jane	Jeanneau 39i Sun Odyssey	7913	93	2008	48.1 13.1 122	48.1	46.3 14.6 9.28	5.42 9.28	No	Yes	27.46 1012 12.9 6.7	16163 5026 Cast Iron	0 1 FIXED	IB Feath 3				
Low-Down	Santa Cruz 27	8027	141	1979	32.7 10.9 140		28.25 8.58 6.06	3.68 6.06	Yes	No	27 24 8 4.5	3300 1500 Lead	0 1 FIXED	OB None				
TAZI!!	Express 27 ODR	8100	132	1981	28.5 9 125	28.5	28.5 10.42 7.04	4.23 7.04	Yes	No	27.3 23.8 8.17 4.5	2450 1100 Lead	0 1 FIXED	NONE None				

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull	Displacement/Keel		Engine/Prop	Modifications	
			ISP		I	J	Max Headsail	ISP	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps		IB or OB
			JSP		J	J	Material	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type		
			JSP		J	J	Rig Type	PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades		
			Disp/WL Ratio					EY		ASM	Fixed or _o	Max Draft							
Abba-Zaba	Tartan 10	8112	129	1979	35	125	35	40.25	5.34	Yes	No	33.16	6700	0	IB	(+3 sec/mi credit for 125% or smaller headsail)			
			623		12		13.75	8.86	35	12	27	3340	1	FOLD					
			155		ALUMN		0	331	21.6	630	9.25	Lead	FIXED	2					
					FS		0		21.6		<input type="checkbox"/>	5.83							
Basic Instinct	Custom Elliott 10.50	8123	72	1993	41	125	45.6	44.2	8.5	No	Yes	34.42	10220	No	IB	(mtg 3/19/09, changed to smaller headsail, +3 sec/mi, & larger mainsail, -6 sec/mi, change rating from 66 to 63)(Mtg 10/21/09, new smaller headsail, still with large headboard. Change mainsail penalty from 6 sec/mi to 2 sec/mi)			
			570		12.5		17.5	12	48	1198	31.83	3000	1	FOLD					
			144		ALUMN		0	497	30		12.08	Lead	FIXED	2					
					FS		0		29.75		29.4	7							
Ad Lib	Aphrodite 101	8161	144	1979	36.83	100	32.23	39.33	4.5	Yes	No	32.75	6160	No	IB				
			645		11.81		11.48	6.1	35.6	11.9	26.33	3527	1	FOLD					
			153		ALUMN		0	253	21.3	622	7.92	Lead	FIXED	2					
					FS		0		19.6		<input type="checkbox"/>	5.42							
Nicole	Orion 35	8210	150	1979	44	150	44	39.5	4.42	Yes	No	34.58	13000	0	IB	Displacement Obtained by actual weight on scale, Rudder is new design and new build.			
			650		14		10.5	7.319	43.667	14.125	28.75	4700	1	FOLD					
			249		ALUMN		0	260	25.2	917	10.83	Lead	FIXED	2					
					MS		0		25.2		<input type="checkbox"/>	6							
Ouessant	Farallone Clipper FR	8214	159	1957	35.69	150	35.69	40.34	7	Yes	No	37.833	18344	No	IB				
			673		13.87		18.79	12.1	35.38	13.833	28.25	7200	1	Fixed_2					
			370		WOOD		0	448	24.41	715	9.5	Iron	FIXED	2					
					FS		0		23.58		<input type="checkbox"/>	5.916							
Tortuga	Pyramid 660 ODR MOD	8375	174	1981	21.82	104	28	25.7	4	Yes	No	21.8	850	2	OB	(Mtg 5/20/10, removed trapeze +18 sec/mi, hiking straps still allowed)(1/24/13, added upper spreaders & stays, NCTR)			
			598		6.8		10.5	6.8	25.9	8	18.1	400	1	None					
			65		ALUMN			161	14	299	6.2	Lead	FIXED	2					
					FS				13.3		<input type="checkbox"/>	3.9							
Mr McGregor	Wylie Wabbit ODR W/Trap	8426	126	1982	20.5	150	20.5	23.75	4.03	Yes	No	23.75	975	1	OB	INCLUDES HIKING STRAPS AND SINGLE TRAPEZE.			
			602		6.5		10	6.72	22	8.5	20	440	3	None					
			55		ALUMN		0	145	13.9	254	5.58	Lead	FIXED	0					
					FS		0		13.7		<input type="checkbox"/>	3.5							

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop		Modifications					
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU ASA Sprit Lngth Fixed or _o	SL SPL SSMG SSA	SLE ASF		Ttl Disp.	Traps/H.	IB or OB Prop Type # of blades							
								DW Rating	Mast Material								SSMG		SSA	SLU	ASF	Ballast	moveable blst
Swamp Donkey	Express 27 ODR	8444	129 1981	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	No	27.25 23.75 8.166 4.5	2450 1100 Lead	No 1 FIXED	OB None 0									
Double Agent	Merit 25	8465	168 1981	28.75 9.66	155	28.75	28 9.75	4.25 6.69	Yes	No	24.5 20.5 8 4	3000 1050 Lead	No 1 FIXED	OB None 0									
Green Buffalo	CAL 40	8538	114 1967	46.7 15.2	155	46.7	39.8 17.6	6.65 11.37	Yes	No	39.3 30 10.9 5.8	15148 6000 Lead	0 1 FIXED	IB FEATH 3	Schumacher designed rudder - same as original								
Starbuck	Custom Black Soo 30	8666	144 1968	30 13	125	29.5 13	25 11.73	4.9 7.5	Yes	No	31 27.5 6.8 6.4	4500 1800 Iron	0 1 FIXED	OB None 0	(Mtg 1/17/02, added scoop, custom rating changed from 144 to 141)(mtg 1/11/13, Added A-sail, -9 sec/mi, rating changed from 141 to 132)(Mtg 5/13/14, removed A-Sail, +9 sec/mi, change custom rating from 132 to 141, +2 sec/mi for small headsail)								
OAXACA	Santa Cruz 50	8927	-12 1982	61.48 18.88	155	61.22 20.65	54.75 16.98	6.08 10.67	Yes	No	50.23 46.67 12 7.91	17374 8000 Lead	0 1 FIXED	IB Fold	(Mtg 5/26/16, -6 sec/mi for oversized ASA)								
Merlin	Custom Lee 68	8955	-81 1977	71.96 21	103	74.35	66.87 27.5	11 18	No	Yes	68.6 64 12.17 10.65	24363 10484 Lead	0 1 FIXED	IB FOLD 2	(Mtg 4/27/17, custom rating assigned: -81)								
Ione	J 30	8994	141 1981	34.19 11.041	140		38 13	4.83 8.21	Yes	No	29.83 25 11.2 5.25	6500 2100 Lead	0 1 FIXED	IB FOLD 2									

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications											
			Built	J	Max Headsail	ISP	P	MGU	Yes/No	SPL	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB													
																		DW Rating		Mast Material	E	MGM	SL	SSA	SLU	ASA	LWL	Ballast	moveable blst	Prop Type
EY	SSF	ASMG	Fixed or _o	Max Draft	Ballast Mat.	Keel Type	# of blades																							
Lonesome Dove	Elite 29	9066	165	1984	35.833 11.083	130	30.333 10.333	2.6 5.1	Yes	33.083 10.416	No	28.67 24.42	6160 2310	No 1	IB Fixed_2															
			676		ALUMN MS		0 0	157		20.083 20.416	<input type="checkbox"/>	10.5 5.58	Iron	FIXED	2															
Lelo Too	Tartan 30	16354	180	1975	39 13	155	34 11.416	4.61 7.69	Yes	37 13	No	29.92 24.25	8750 3700	0 1	IB FOLD															
			687		ALUMN MS		0 0	238		21.666 10.833	<input type="checkbox"/>	10 4.916	Lead	FIXED	0															
Harp	Catalina 38	18003	117	1983	50.7 15.43	155	44 11.5	4.8 7.97	Yes	49.2 15.42	No	38.17 30.25	19489 6850	No 1	IB FOLD	DEC 93 - 7X19 STND RIG/ W/ROD RIG & SHR TN UPR SPREADERS 2 IN. NO CHNG RTNG (MTG 1/27/94)														
			622		ALUMN MS		0 0	316		27.3 27.5	<input type="checkbox"/>	11.83 6.79	Lead	FIXED	2															
Escapade	Express 37	18051	72	1985	48.75 14.33	155	42 13.75	5.28 8.83	Yes	48 14.33	No	37.08 30.83	11000 4500	No 1	IB FOLD															
			577		ALUMN MS		0 0	344		25.58 25.42	<input type="checkbox"/>	11.57 7.25	Lead	FIXED	2															
Double Espresso	Olson 30 OB	18069	99	1982	36 11.75	155	31.5 10.75	4.36 7.26	Yes	36 11.75	No	30 27.5	3600 1800	0 1	OB None															
			591		ALUMN MS			208		21.16 21.16	<input type="checkbox"/>	9.33 5.08	Lead	FIXED																
Simply Irresistible	Express 27 ODR	18070	129	1983	28.5 9	155	28.5 10.416	4.22 7.03	Yes	28.6 9.8	No	27.25 23.75	2450 1100	No 1	OB None															
			612		ALUMN FS		0 0	182		17.75 17.5	<input type="checkbox"/>	8.17 4.5	Lead	FIXED	0															
Gig	Humboldt 30 IB	18112	108	1983	37.5 11.5	149	41.5 13.75	5.13 8.83	Yes	37 11.5	No	30 26.66	5400 2222	No 1	IB FOLD															
			603		ALUMN FS		0 0	338		20.7 20.2	<input type="checkbox"/>	10.5 5.75	Lead	FIXED	2															

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications			
				DW Rating Disp/WL Ratio	I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU SLE ASMG	SPL SSA		Yes/No	ASF ASA Sprit Lngth Fixed or _o			Ttl Disp.	Traps/H. Ballast Mat.	Strps moveable blst Keel Type
									SL	SPL										
									SSMG	SSA										
Xtreme	Hobie 33 ODR	18170	90 1984	33.83 12.4	125	36.25	35 12.5	4.75 8	Yes	No	33 30.5 8 5.42	4000 1800 Lead	No 1 FIXED	OB None 0						
Tule Fog	Express 27 ODR	18178	129 1984	29 9	155	28.5	29 10	4.22 7.03	Yes	No	27.3 23.8 8.166 4.5	2450 1100 Lead	n 1 FIXED	OB None 0						
Freedom	Worth 40	18230	96 1984	54 16	155	16	47 14	5.5 9.2	Yes	No	40 34.25 12.5 7.25	21000 7800 Lead	0 1 FIXED	IB FOLD 2						
Mirthmaker	A 35	18250	69 2007	44.22 13.45	90	51.06	44.94 14.66	5.42 8.88	Yes	Yes	34.7 30.47 11.6 6.88	9810 4367 Lead	0 1 FIXED	IB Fold 2	(Mtg 5/20/10, custom rating of 60 assigned, would like a copy of ORR Certificate)(mtg 6/15/10, change custom rating from 60 to 63 based on further clarification of boats configuration)(Mtg 10/27/16, change custom rating from 63 to 60 after					
Phat Jack	Express 37	18257	72 1985	48.75 14.33	150	48.75	42 13.75	5.25 8.83	Yes	No	37.08 30.83 11.57 7.25	11000 4500 Lead	0 1 FIXED	IB FEATH 2						
Drop Beer	Beneteau Class 10	18277	90 1984	37.8 12.6	150	38.6	39.7 13.9	4 8.7	Yes	No	34.2 29.6 9.9 6.8	7000 2200 Iron	0 1 FIXED	IB FOLD 0	NEW RUDDER 3/4/95, NCTR (MTG 3/36/95)					
Stewball	Express 37	18278	72 1985	48.75 14.33	150	48.75	42 13.75	5.28 8.83	Yes	No	37.083 30.833 11.57 7.25	11000 4500 Lead	0 1 FIXED	IB FOLD 2						

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications								
				DW Rating Disp/WL Ratio	J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SL SPL SSMG SSF	SPL SSA		Yes/No	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast		Traps/H. moveable blst	IB or OB Prop Type # of blades						
									28.5 10.416	4.22 7.03										29 9.833	No	27.25 23.75	2450 1100	No 1	OB None
Verve	Express 27 ODR	18283	129 1981	28.5 9	155	28.5	28.5 10.416	4.22 7.03	29 9.833	Yes	No	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0										
Sirena	Ericson 32-2	18319	186 1972	35 13	110	35	31 13	4.9 8.4	37 13	Yes	No	31 24 9.8 5	8800 4000 Lead	0 1 FIXED	IB Fixed_2 2										
Albacore	Santana 22 ODR	18325	237 1976	25.67 8.58	125	25.67 8.58	21.75 9.83	3.95 6.59	26 8.58	Yes	No	22 18.67 7.83 3.5	2600 1230 Iron	0 1 FIXED	OB None										
Tequila Mockingbird	Express 27 ODR	18353	126	28.5 9	155	32.5	28.5 10.416	4.22 7.03	30.5 9.833	Yes	Yes	18.85 450	2450 1100 Lead	No 1 FIXED	OB None 0	(Mtg 4/23/15, switched to MH configuration, -3 sec/mi for increased spinnaker area)									
Archimedes	Express 27 ODR	18355	129 1985	28.5 9	155	28.5	28.5 10.416	4.22 7.03	29 9.833	Yes	No	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	NONE None 0										
Peaches	Express 27 ODR	18364	129 1986	28.5 9	155	28.5	28.5 10.416	4.22 7.03	29 9.833	Yes	No	27.25 23.75 8.166 4.5	2450 1100 Lead	No 1 FIXED	OB None 0										
Abigail Morgan	Express 27 ODR	18394	129 1985	28.5 9	150	28.5	28.5 10.416	4.22 7.03	28.562 9.833	Yes	No	27.25 23.75 8.166 4.5	2450 1100 Lead	No 1 FIXED	OB None 0										

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications		
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU ASA Sprit Lngth Fixed or _o	SL SPL SSMG SSA	SLE ASMG		ASF	Ttl Disp. Ballast			Traps/H. moveable blst	Strps Keel Type
								SL	SPL										
								SSMG	SSA										
Mintaka 4	Farr 38	18441	81 1979	43.67 13.67 125	46.2	44.9 17.9 0 0	6.8 11.6 478	Yes	No	38.25 31.17 12 6.33	11850 4100 Lead	No 1 FIXED	IB FOLD 2	(2002-removed dinette stbrd, add bench seat w/55 gal fuel tank, original was 12.5. Rudder replaced 12" longer, 4" narrower. Changes noted mtg 1/17/02, NCTR)(removed short pole, changed spinnakers, 4/12/04) (Mtg 1/24/12, new stem					
X TA C	Olson 29	18457	99 1986	34 11 155	36	32.42 11.42 0 0	4.59 7.66 226	Yes	No	29.67 27.5 9.33 5.25	3900 1900 Lead	No 1 FIXED	OB None 0	RUDDER REPLACED W/MORE 30 - CHANGE NOTED NCTR.					
Expeditious	Express 37	18478	72 1986	48.75 14.33 155	48.75	42 13.75 0 0	5.28 8.83 344	Yes	No	37.08 30.83 11.57 7.25	11000 4500 Lead	No 1 FIXED	IB FOLD 2	INSTALED NEW CLASS-APPROVED CARBONFIBER RUDDER - MTG 6-12-2000 NCTR.					
Double Down	Custom Schumacher 30	18480	123 1988	41.37 12.16 150	41.5	36.416 11.83 0 0	4.5 7.69 257	Yes	No	29.92 26 10.65 6.17	7854 3650 Lead	No 1 FIXED	IB FOLD 2	Rudder change, old rudder 85lbs new 65 lbs. Old alum/new carbon MTG 10/27/94 Noted- NCTR (MTG 1/9/97 Alum headsail removed and excess wires removed from mast- Noted NCTR)(Mtg 2/21/08, change custom rigging from 126 to 123 after					
Punk Dolphin	Custom Wylie 38	18481	72 1985	48 14.33 150	48	43 14 0 0	5.58 9.55 369	Yes	No	38 31 11.6 6.75	14000 5000 Lead	No 1 FIXED	IB FOLD 2						
Golden Moon	Express 37	18488	72 1985	48.75 14.33 155	48.75	42 13.75 0 0	5.37 8.99 347	Yes	Yes	37 30.83 11.57 7.25	11000 4500 Lead	No 1 FIXED	IB FOLD 2						
Eclipse	Express 37	18495	72 1985	48.75 14.33 155	48.75	42 13.75 0 0	5.28 8.83 344	Yes	No	37.08 30.83 11.57 7.25	11000 4500 Lead	0 1 FIXED	IB FOLD 2	Rudder modification noted, no change to rating. (Actual weight from yard 11200 - 9500 was design displacement. No mods from standard express 27.) 3/26/01					

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications		
			ISP		I	J	Max	Head	Sail	P	MGU	Yes/No	Yes/No		ASF	Ttl Disp.	Traps/H.		Strps	IB or OB
			JSP		Max	Material	E	MGM	SL	SPL	SLU	ASA	Ballast		moveable blst	Prop Type				
			ISP		Material	Material	Material	Material	Material	Material	Material	Material	Material		Material	Material	# of blades			
			Disp/WL Ratio																	
Grey Wulff	Olson 25	18517	159	1984	32	155	32	28	3.8	Yes	No		25	3300	0	OB				
					9.6			10	6.4			21.25	1300	1	None					
			671		ALUMN				166			9	Lead	FIXED						
			156		MS						<input type="checkbox"/>	4.5								
Topgallant	Tartan 10	18608	129	1978	35	125	35	40.25	5.34	Yes	No		33.16	6700	No	IB	(4/25/02 Installed Running Backstay)			
					11.75			13.75	8.96			27	3340	1	FOLD					
			623		ALUMN			0	332			9.25	Lead	FIXED	2					
			155		FS			0			<input type="checkbox"/>	5.83								
Flyer	Peterson 33 (CHITA)	18620	144	1979	42.5	155	42.5	36.66	3.66	Yes	No		32.67	9480	0	IB				
					13.9			9.91	6.21			26.58	4960	1	FOLD					
			644		ALUMN				213			10.5	Lead	FIXED	2					
			229		MS						<input type="checkbox"/>	6.08								
Breakout	Santana 35	18679	114	1982	39	155	39	42	5.51	Yes	No		35	8500	No	IB				
					12.85			14.25	9.26			26.5	3300	1	FOLD					
			630		ALUMN				358			11.92	Lead	FIXED	2					
			208		FS						<input type="checkbox"/>	6.25								
Quila	Santa Cruz 27	18723	141	1976	32.583	155	32.583	28.25	3.68	Yes	No		27	3000	No	OB				
					10.75			8.583	6.1			24	1500	1	None					
			620		ALUMN			0	154			8	Lead	FIXED	0					
			99		MS			0			<input type="checkbox"/>	4.5								
Finn	Capo 26 IB	18782	162	1985	34.6	155		30	4.1	Yes	No		26	4300	0	IB				
					10.56			10	6.8			22	1900	1	Fold					
			673		ALUMN				185			9.25	Lead	FIXED						
			184		MS						<input type="checkbox"/>	4.58								
Joie De Vivre	C&C 33	18797	159		43	110	43	37.25	4.4	No	Yes	21.42	32.9	10100	0	IB				
					14			10.75	6.33			726	26.42	3975	1	FOLD				
			659		ALUMN			0	235			0	10.54	Lead	FIXED					
			249		MS			0			<input checked="" type="checkbox"/>	5.5								

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications					
			Built	J	Max Headsail	ISP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp. Traps/H. Strps		IB or OB								
									JSP	E				MGM	SL		SPL	SLU		ASA	LWL	Ballast	moveable blst	# of blades
Disp/WL Ratio	Mast Material	Rig Type	EY	SSF	ASMG	Fixed or _o	Max Draft																	
Summertime Dream	Custom Schumacher 26	18859	186	1979	26.28	150	26.28	29.58	4.33	Yes	No	26.08	3300	0	OB	Boat has previously been called "War"								
			705		8.07		8.07	10.76	7.23	25.67		8	20	1360			1	None						
			187		ALUMN		0	195	14.52	308		0	9.08	Lead			FIXED	0						
Cadenza	Moore 24	18878	150	1977	26.25	150	26.25	25	4.01	Yes	No	23.75	2050	No	OB									
			636		9.75		9.75	9.5	6.54	27		9.75	21.75	1025			1	None						
			91		FS		0	148	0	0		0	7.17	Lead			FIXED	0						
Moore Fun	Moore 24	18884	153	1979	26.25	125	26.25	25	3.91	Yes	No	23.75	2050	No	OB									
			636		9.75		9.75	9.5	6.5	27		9.75	21.75	1025			1	None						
			91		ALUMN		0	147	17.55	395		0	7.16	Lead			FIXED	0						
Joyicity	Custom Davidson 26	20746	156	1975	27	150	31.15	28.75	5.1	Yes	No	26.42	3000	No	IB	Removed IOR Bump infilled w/Divinicell w/fiberglass skin/faired; Installed Melges rig w/mod for Spinnaker; shortened boom; increased "P" increased "J", Code zero type furler used above deck; Helard on buff side of sail; 10 # pins								
			633		9.1		10	11.5	8.1	31.12		10	22.5	1450			1	FOLD						
			120		CARBON		0	210	18	467		0	8.25	Lead			FIXED	2						
Peregrine	J 120 Carbon	25487	45	2001	50.5	150	52	46.5	6.76	No	Yes	40	13900	0	IB									
			540		14.5		11.57	17.8	11.57	64		1776	35	6000			1	Fold						
			147		CARBON		493	36.96	7	0		7	Lead	FIXED			2							
Liquid Asset	Ranger 33	27707	150	1970	41.5	150	41.5	35	4.93	Yes	No	33.17	10500	0	IB									
			649		13.7		13.67	13.75	8.67	41.5		13.7	26.25	4500			1	Fold						
			264		ALUMN		280	24.6	851	0		9.58	Lead	FIXED										
Take Five	Express 27 ODR	28031	129	1982	28.5	155	28.5	28.5	4.22	Yes	No	27.25	2450	0	OB									
			611		9		7.03	10.416	7.03	29		9.833	23.75	1100			1	None						
			83		ALUMN		182	17.75	429	0		8.17	Lead	FIXED			0							

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
				DW Rating <i>Disp/WL Ratio</i>	J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast	Traps/H. moveable blst		IB or OB Prop Type # of blades
									SL	SPL	SLU	ASA						
									SSMG SSF	SSA	SLE ASMG	Fixed or _o						
El Raton	Express 27 ODR	28050	129 1985	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	No	29 9.833	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0			
Mudshark	Express 37	28052	72 1986	48.75 14.33	155	48.75	42 13.75	5.28 8.83	Yes	No	48 14.33	37.08 30.83 11.57 7.25	11000 4500 Lead	No 1 FIXED	IB FOLD 2			
Moonlight	Express 27 ODR	28059	129 1986	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	No	29 9.833	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0			
Surprise	Custom Schumacher 46	28098	6 1997	57 17	160	63	57 19.75	7.5 12.8	Yes	Yes	37.23 1681	46 40.63 12.92 7.75	18300 8000 Lead	No 1 FIXED	IB FOLD 2	(MTG 4/9/98)(mtg 2/20/04)		
Redux	Olson 911S	28106	126 1987	41.5 12.33	155	41.5	35.5 11.83	4.5 7.7	Yes	No	41 12.166	29.9 25 10.33 5.416	7200 3200 Lead	No 1 FIXED	IB FOLD 2			
Bandido	Merit 25	28125	168 1983	28.75 9.66	150	28.75	28 9.75	4.25 6.69	Yes	No	29 9.66	24.5 20.5 8 4	3000 1050 Lead	No 1 FIXED	OB None 3			
Motorcycle Irene	Express 27 ODR	28137	129 1982	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	No	29 9.833	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0			

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications												
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU ASA Sprit Lngth Fixed or _o	SL SPL SSMG SSA	SLE ASMG		ASF	Ballast Ballast Mat.			Traps/H. moveable blst Keel Type											
								42.25 12.92	44.25										38.5 12.83	4.87 8.46	Yes	No	44 23.4 23.4	12.89 858	0 0	34 28.33 10.5 6	7500 3700 Lead	No 1 FIXED	IB FOLD 2
46.4 13.1	46.4 13.1	45.4 15.6	5.92 12.49	Yes	No	45.8 23.01 22.1	13.1 871	0 0	36 30.3 11.6 7.2	12495 3748 Lead	No 1 FIXED	IB FOLD 2																	
Moxie	CAL 28-2	28217	183 1988	39.9 11.4	90	39.9 11.4	34.17 10.33	4.28 7.11	Yes	No	39.26 20.39 20.39	11.4 667	0 0	28 23 10.8 5.3	7200 Lead	0 1 FIXED	IB FOLD 2												
Pony Express	Express 34	28234	99 1988	44.25 12.92	155	44.25	38.5 12.83	4.87 8.46	Yes	No	44 23.4 23.4	12.89 858	0 0	34 28.33 10.5 6	7500 3700 Lead	No 1 FIXED	IB FOLD 2												
Red Sky	Ericson 34 Olson SM	28340	105 1989	44 12.95	150	44 12.95	38.7 12.95	5.1 8.5	Yes	Yes	42 23.4 23	12.95 816	21.98 587 0	33.88 28 10.8 6.08	10855 3500 Lead	No 1 FIXED	IB FOLD 2	MTG 12/11/97(RUDDER REPLACED 8" DEEPER ADN 3" NARROWER.)											
Hera	Beneteau Farr First 36.7	28372	81 2002	46.4 13.1	150	46.4 13.1	45.4 15.6	5.92 12.49	Yes	No	45.8 23.01 22.1	13.1 871	0 0	36 30.3 11.6 7.2	12495 3748 Lead	No 1 FIXED	IB FOLD 2												
Akialoa	J 35	28435	75 1989	46.33 14.58	120	46.3	41.42 14	5.43 9.11	No	No	0 0	347	0	35.42 30 11.67 6.75	10500 4400 Lead	No 1 FIXED	IB FOLD 2												
Gavilan	Custom Wylie 39	28439	93 1996	49 14.5	122	49	43 15.5	5.73 9.75	Yes	Yes	48.64 26.6 26.6	14.5 1078	24.6 783 1.17	41.5 31.75 11.5 6.77	17900 5920 Lead	No 1 FIXED	IB FEATH 3	(mtg 4/28/11, change custom rating from 84 to 96 after review of rating appeal)(Mtg 1/26/12, -3 sec/mi for sprit)											
Twist	J 120 ALUM	28442	48 2000	50.5 14.5	150	52 21.5	46.5 17.8	6.75 11.5	No	Yes	50.6 37.65	492	34.1 1764 7 0	40 35 12 7	13900 6000 Lead	No 1 FIXED	IB FOLD 2												

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		Ttl Disp.		Traps/H. Strps	IB or OB Prop Type # of blades			
								SL	SPL	SLU	ASA					Ballast		moveable blst
								SSMG	SSA	SLE	Sprit Lngth Fixed or _o							
New Sinsation	Santana 20	28449	222 1978	24.5 8.16 150	24.5	24.5 7	3.16 4.92	23.75 13.67 13.67	8.16 271	No	0	20.2 16 8 4	1350 550 Lead	0 1 FIXED	OB None			
For Pete's Sake	Ultimate 24 ODR	28469	111 2003	28.04 7.82 102	30.8 14.5	31 11.5 0 0	5.5 8.8 238			No	22.2 587 6.7 0	24.38 21.17 8.48 5.52	2040 750 lead	No 1 FIXED	OB None			
Saetta	J 120 ALUM	28486	48 1999	50.5 14.5 153	52 21.5	46.5 17.8 0 0	6.75 11.5 492			No	37.6 1793 7 0	40 35 12 7	13900 6000 Lead	No 1 FIXED	IB FOLD 2			
Bandicoot	Wyliecat 30 IB	28530	132 2000	0 0 CARBON CATBOAT	29 10	39.75 20.5 0 0	7.87 13.46 488	29 17.75 17.75	10 429	No	18.8 512 0 0	30.5 25 9.5 5.25	5500 3050 Lead	0 1 FIXED	IB FEATH 2	(mtg 5/20/10, -21 sec/mi for added spinnakers)(9/5/12, removed spinnaker, back to standard configuration)		
Catalyst	Wyliecat 30 IB	28571	132 2004	CARBON CAT		40 20.67 0 0	7.87 13.46 493			No	0	30.42 25 9.42 5.25	5800 3000 Lead	No 1 FIXED	IB Feath 2	Must have a YC card before registering for 2005 and clear YC for 2004		
Friday Harbor	Beneteau 323 DK	28580	147 2004	42.67 11.06 116		38.9 13.17	5 8.56 306			No	19.91 661 0 0	32 29.17 10.67 5.92	8448 2258 Iron	No 1 FIXED	IB FOLD 2			
Sail La Vie	Beneteau 411	28597	105 1999	46.67 16.25 140		41.5 14.83 0 0	4.872 8.77 344			No	0	41.67 36.09 13 5.58	17196 5500 Steel	No 1 FIXED	IB FEATH 3			

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications											
			Built	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps		IB or OB										
										DW Rating	Mast Material									PY	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type
Max Draft																													
Uno	Wyliecat 30 IB	28632	129	1995	35.8		35.8	39.66	9.31	No		Yes	19.68	30.5					(mtg 2/21/08, penalty for oversized main -3 sec/mi)(Mtg 5/22/08, -24 for asymmetric spinnaker flown on 12' pole)(1/24/16, not using spinnaker +24 sec/mi)										
			607		5.5		12	19.75	13.05		12	37.02	550	25	5800	0	IB												
			169		CARBON				493			32.8	0	9.5	3000	1	FOLD												
					CAT							18.7	<input type="checkbox"/>	90	Lead	FIXED	2												
Mirth	Catalina 34 1&2	28634	150	2005	44			38.5	4.17	No		Yes	22.02	35.67															
			646		13.5	125		12	7.33			42.23	693	29.83	11950	No	IB												
			205		ALUMN				265			38.63	0	11.75	5000	1	FEATH												
					MS							20.21	<input checked="" type="checkbox"/>	0	Lead	FIXED	3												
Quiver	Custom Nelson Marek 36	28669	45	1999	43.85			45.75	6.56	Yes		Yes	26.24	35.6															
			542		12.5	105	14.57	16.47	10.66		50.39	14.57	57.4	1221	7725	No	IB												
			139		CARBON				453		26.21	1101	47.57	1.5	3255	1	FOLD												
					FS						26.21		28.34	<input checked="" type="checkbox"/>	Lead	FIXED	2	(mtg 6/15/10, added lead shoe to keel, -3 sec/mi, change custom rating from 48 to 45)(Mtg 2/29/12, added sprit equal to SPL, NCTR)											
White Cloud	Yamaha 33 IK SM	28688	162	1979	42.8			37.42	4.38	Yes		No		33.25															
			648		13.78	150	42.8	10.67	7.27		44	13.78		26.92	10582	0	IB												
			247		ALUMN				247		24	880		11	4409	1	Fixed_2												
					MS						24		<input checked="" type="checkbox"/>	0	Iron	FIXED													
French Kiss	Beneteau 350 Oceanis	28713	144	1989	41.47			35.7	4.2	Yes		No		33.83															
			633		12.8	140	41.47	11.6	7.3		39.5	12.52		29.83	10580	0	IB												
			181		ALUMN			0	242		22.5	741		11.17	3525	1	FOLD												
					MS			0			22.5		<input type="checkbox"/>	0	Lead	FIXED	2	Above deck Roller Furler											
Blade Runner	Santa Cruz 27	28727	141	1979	32.7			28.2	3.27	Yes		Yes	19.58	27															
			631		10.9	150	32.7	8.7	5.64		32.74	10.9	34.05	533	3000	0	OB												
			98		ALUMN				146		19.6	535	31.27	0	1600	1	None												
					MS						19.6		19.58	<input type="checkbox"/>	Lead	FIXED													
Lucky Duck	Custom Santa Cruz 52	28729	-30	2001	64.14			57.5	8.76	Yes		Yes	40.91	53															
			471		18.95	155	22.5	21	14.22		67.29	22.5	67.72	2190	22544	0	IB												
			104		CARBON				745		40.55	2254	61.68	2	8000	1	Fold												
					MS						38.74		40.55	<input type="checkbox"/>	Lead	FIXED	2	(Mtg 8/23/12, Custom Rating Assigned, -21 as sailed)(Mtg 5/23/13, weighed displacement added)(Mtg 3/27/14, New Rudder, -3 sec/mi for OSP, -6 sec/mi for 10%+ increase in spinnaker area. No penalty for keel/displacement											

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications									
			Built	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF		Ttl Disp.	Traps/H.			Strps								
										DW Rating	Mast Material									PY	MGM	SL	SPL	SLU	ASA	Ballast	moveable blst
																						SSMG	SSA	SLE	Sprit Lngth		
Disp/WL Ratio	Rig Type	EY	MSA	SSG	SSA	SLU	Fixed or _o																				
Relentless	Sydney 32	28732	81	2002	40.6 12.2	110	40.6 13.1	39.7 14.75	5.6 9.59	Yes	No	31.9 28.4 10.6 6.9	6850 2860 Lead	No 1 FIXED	IB FOLD 2	-3 Sec/mi for OSP											
Galaxsea	Custom Nauticat 43.5	28743	180	1985	51 20	104	20.6	45 13.6	4.3 7.9	Yes	Yes	43.6 37.7 12.2 5.9	34000 11000 Lead	No 1 FIXED	IB FEATH 3	Stay sail measurements foot=1', Luff=34'6", Leach=30'2", LP=132"											
Kelika	Hunter 33.5	28815	150	1991	39.166 11.666	150	39.116	43.166 13.5	5.2 8.9	Yes	No	33.33 26.83 11 4.5	10800 4500 Iron	No 1 FIXED	IB FEATH 2												
Phantom	J 44	28844	21	1990	60.606 17.08	120	60.416	53.53 19.41	7.3 12.5	Yes	Yes	44.75 38.58 13.67 8.14	23838 9000 Lead	No 1 FIXED	IB Feath 3												
Alchera	J 120 Mod	28870	51	2001	50.5 14.5	125	52 21.55	46.5 17.57	6 10.57	No	Yes	40 35 12 7	13900 6000 Lead	No 1 FIXED	IB FOLD 2	Modifications for offshore singlehanded: Smaller spinnaker and main, 2 extra winches at helm, 3 additional gel batteries, dodger boss widened and all control lines led to cockpit, radar pole, veltran MHN jib. 1/11/03 2/21/03 +2 sec/mi for small											
Princess	Sabre 40-2	28876	75	1996	53.5 15.5	110	53.5 20.5	47.8 17	6.27 10.7	No	Yes	40.17 35.25 13.25 6.25	19500 7000 Lead	No 1 FIXED	IB FOLD 2	base rtg changed frm 69 to 72 MTG 4/8/03.											
Crazy Eights	Moore 24	28888	150	1978	26 9.8	150	26.3 9.75	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.083	2050 1000 Lead	0 1 FIXED	OB None 0												

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications						
			Built	J	Max	ISP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp. Traps/H. Strps		IB or OB									
									DW Rating	Mast Material				E	MGM		SL	SPL		SLU	ASA	LWL	Ballast	moveable blst	# of blades
EY	SSA	ASMG	Fixed or _o	Max Draft																					
Nancy	Wyliecat 30 OB	28890	126	1995				39.66	8.71	No	No	30.5	5500	No	OB	(-3 sec/mi for square top main)									
			650		CARBON		19.75	13.46			25	3050	1	None											
			160		CAT		0	491			9.5	Lead	FIXED	0											
							0	0			5.25														
Q	Custom Schumacher 40	28901	54	2001	47	105	47	47.5	6.75	Yes	No	40	10166	No	IB										
			554		CARBON		18.35	11.75	46.8	14.67	31.5	4528	1	FOLD											
			148		FS		0	513	26.41	1030	11	Lead	FIXED	2											
							0	0	26.41		7.6														
Godot	J 105 ODR w/ 5'BS	28905	78	1992	40.6	95	42.1	41.5	5.5	No	Yes	23.29	34.5	7750	No	IB									
			581		13.5		19.07	14.6	9.4		49.54	958	29.5	3400	1	FOLD									
			137		ALUMN		0	359			38.55	5	11	Lead	FIXED	2									
					FS		0	0			26.8	<input checked="" type="checkbox"/>	6.5												
Tule Lost	Ericson 911S Olson	28911	132	1988	41.5	155	41.5	35.5	4.73	Yes	No	29.92	8680	No	IB	MUST HAVE YACHT CLUB MEMBERSHIP CARD WITH ENTRY FORM FOR 2006 RACING									
			663		12.33		11.083	7.69	42	12.33	25	3200	1	FOLD											
			253		ALUMN		0	247	21.9	767	10.33	Lead	FIXED	0											
					MS		0	0	21.9		5.42														
Abracadabra	Antrim 27 CM ODR	28927	75	1996	28.69	116	37.25	33.75	7.5	No	Yes	25.1	27.83	2900	No	OB	BOWSPRINT IS ARTICULATING								
			555		8.17		15	14	10.9		44.2	723	23.75	1050	1	None									
			98		CARBON		0	327			38	6.83	9.25	Lead	FIXED	0									
					FS		0	0			20.1	<input type="checkbox"/>	13	6											
Oxymoron	Moore 24	28993	150	1981	26.25	150	26.2	25	3.91	Yes	No	23.75	2050	0	OB										
			639		9.75		9.5	6.5	26.6	9.75	21.75	1025	1	None											
			91		ALUMN		0	147	17.55	389	7.16	Lead	FIXED	0											
					FS		0	0	17.55		4.25														
Kira	Cal 33-2	28999	132	1986	46	125	46	40.5	4.82	No	Yes	21.86	33	10800	No	IB	(Mtg 1/26/12, -3 sec/mi for increased "e" & MSA)								
			655		13.25		13.25	12.75	8.23		43.6	697	27.5	4475	1	FOLD									
			236		ALUMN		0	307			39.5	0	11.33	Lead	FIXED	2									
					MS		0	0			19.68	<input type="checkbox"/>	6.12												

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.		Traps/H. Strps moveable blst				
								SL	SPL						Yes			No
								SSMG SSF	SSA						SLU			ASA
Sweet Okole	Custom Farr 36	29000	78 1976	42.049 12.35 155	42.049	44.54 16 0 0	5.9 10 416	Yes	No	36 31.33 11.88 7	9696 3750 Lead	No 1 FIXED	IB FOLD 2	(78 MTG 1/28/93) (81 MTG 3/18/93)(Mtg 5/22/08, +3 sec/mi for switching to smaller headsail, +3 sec/mi for removing 250# shoe from keel, change custom rating from 81 to 87)(6/7/10, change headsail to 45% 2 sec/mi change rating				
Bessie's Girl	Bristol 45.5	30088	114 1980	57 18.83 130	57 18.83	47.25 15.2 30.25 8.25	4.66 8.56 390	Yes	Yes	45.5 37.25 13.2 11	40000 15000 Lead	No 1 CNTRBRD	IB FEATH 3	(mtg 2/18/10, -3 sec/mi for dual spinnakers/ability to use asym on squared back pole)				
Ahi	Santana 35	30980	114 1981	39 12.85 155	39	42 14.25	5.51 9.26 358	Yes	No	35 26.5 11.92 6.25	8500 3300 Lead	0 1 FIXED	IB Fold 2	(Mtg 6/27/13, new rudder noted, NCTR)				
Six Brothers	Columbia C 30-2	32006	57 2013	36.67 12.67 103	42 17.67	38 14.67	7.77 10.64 374	No	Yes	32 27 10.13 7.42	4500 1900 Lead	0 1 FIXED	IB None					
Stink Eye	Laser 28 ODR MOD	33562	126 1984	31.73 9.65 110	33.2	33.14 12.3 0 0	5.2 8.3 252	Yes	Yes	28.42 23.62 9.48 5	4050 1500 Lead	No 1 FIXED	OB FOLD 2	(Mtg 3/27/14, -3 sec/mi for oversized mainsail girths, -3 sec/mi for OB motor)				
Expression	Express 37 MOD	33985	75 1984	48.75 14.33 150	48.75	42 13.75	5.3 9 346	Yes	No	37.1 30.83 11.5 6	9500 4500 Lead	0 1 FIXED	IB Fold 2	(mtg 1/21/10, +3 sec/mi for modified keel, -3 sec/mi for dual spinnaker/ability to fly asym on squared back pole)(1/19/11, removed asym, only using symmetric spinnaker, +3 sec/mi)				
Zsa-Zsa	1D 35	35017	36 1999	42.49 12.52 110	44.78	44.46 18.58 0 0	7.55 12 498	Yes	No	35 31.5 10.75 7.6	6500 2600 lead	No 1 FIXED	IB Feath 2					

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications		
				ISP JSP	I J	Max Headsail	P E PY EY	MGU MGM MSA	Yes/No		SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps				
									SL	SPL								Ballast	moveable blst
									SSMG SSF	SSA								Ballast Mat.	Keel Type
Dark & Stormy	1D 35	35018	30 1998	42 12.47	110	44.8 17.39	44 19	7.5 12	No	Yes	31.4 1236	35 31.5 10.9 7.58	6550 2660 Lead	0 1 FIXED	IB FOLD 2	Fixed bow sprit, using Asymmetrical spinnaker(mtg 3/20/08, -9 sec/mi for oversized spinnaker, +3 sec mi for not being able to articulate pole, as sailed: 30)			
Wildcard	Santa Cruz 37	37005	27 2009	47.1 13.4	107	52.17 19	47 17	6.4 11	No	Yes	33.3 1534	37 34.75 10.64 7.5	8662 3730 Lead	0 1 FIXED	IB FOLD 2	(Mtg 1/26/16, new keel box & rudder noted, NCTR)			
Spirit of Freedom	J 124	38006	27 2006	49 14	155	54.7 15.4	48.4 17		Yes	Yes	32.6 1243	40.7 36.2 11.3 6.9	12600 5000 Lead	No 1 FIXED	IB FOLD 2	(mtg 4/22/10, -3 sec/mi for OSP, -3 sec/mi for ability to square back pole)			
Sapphire	Synergy 1000	38008	48 2004	40.8 12	125	45.75 16.4	42 15.5	5.86 10.03	No	Yes	28 1172	32.83 29.17 9.75 7	4400 1850 Lead	No 1 FIXED	IB FOLD 2	(Mtg 10/22/15, +3 sec/mi for smaller than class mainsail)			
Escapade	Sabre 40-2	38011	75 1997	54 15.5	110	54 16	47.5 17	5.6 9.9	Yes	Yes	23.5 1001	40.2 34 13.3 7.5	19760 7500 Lead	0 1 FIXED	IB FEATH 3				
Sea Star	CAL 39-2/3	38022	114 1977	50 16.7	150	50	44 13.8	4.5 8	Yes	Yes	34 1181	39 32 12 6.7	17000 7000 Lead	0 1 FIXED	IB FEATH 3	Roller Furler			
Ohana	Beneteau 45F5	38023	63 1991	53.15 15.08	100	55.15 16	55.4 18.58	7.06 12.08	Yes	No		44.11 36.9 14.1 7.9	26500 8500 Lead	0 1 FIXED	IB FEATH 3	(Mtg 12/1/11, -6 sec/mi for new keel)			

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications		
			Built	J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp.	Traps/H. Strps		IB or OB Prop Type # of blades			
									DW Rating	Mast Material	SL	SPL			SLU	ASA			Ballast	moveable blst
ASF	ASA	Max Beam	Ballast	moveable blst	Keel Type	IB or OB	Prop Type	# of blades												
Bombora	Express 27 ODR	38047	129		28.5 9	155	28.5	28.5 10.42	4.22 7.03	Yes	No	0	27.25 23.8 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0				
Iolani	Hughes 48	38048	120	1972	54.3 18.2	135	20.2	48.2 19	5.9 10.4	Yes	Yes	32.76	48 35.1 11.1 6	32000 14300 Lead	0 1 FIXED	IB FEATH 3				
Raven	Benteau First 35	38073	75	2001	47.24 13.12	108	51.48	45.93 14.75	5.98 10.23	Yes	No	0	36.32 30.6 12.76 7.25	12125 3681 Iron	0 1 FIXED	IB Fold				
Aquadisiac	Newport 30-3	38075	174	1985	40 12.5	155	40	34 10.25	3.8 6.6	No	No	0	30.5 26.5 10.67 5.17	8500 2600 Lead	0 1 FIXED	IB Fold 2				
Domino	Wilderness 30 MOD	38081	126	1985	36 12.25	155	36 12.25	31.5 10.83	4.11 6.93	Yes	No	0	30 27.75 8.8 5.5	5450 2150 Lead	0 1 FIXED	IB Fold	(Mtg 3/28/13, +6 sec/mi for small rig)			
Kynntana	Freedom 38	38086	141	1988	33.34 11.5	100	33.34 11.5	45.5 16.57	6.25 10.7	No	No	0	38.42 30.58 12.5 5.6	14370 6500 Lead	0 1 FIXED	IB Fold				
Invictus	Hunter 41 DS	38093	129	2007	51.6 13	110	50.8 19.6	6 10.11		No	No	0	40.4 35.6 13.3 6.6	19400 6506 Lead	0 1 FIXED	IB Fixed_3 3	(Mtg 4/25/13, +3 sec/mi for in-mast furling main)			

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications									
			Built	J	Max Headsail	ISP	P	MGU	Yes/No		Yes/No	ASF		LOA	Ttl Disp.	Traps/H.	Strps		IB or OB								
									DW Rating	Mast Material		E	MGM							SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type
EY		SSF	ASM	G	Fixed or _o	Max Draft																					
Scraft	Hunter 36	38096	156	2005	44.83 13.17	125	44.92 16	6 10.3	No	No		35.5 30.58 12 5.42	13900 5023 Lead	0 1 FIXED	IB Fixed_3	Roller Furler, In-mast Furling Mainsail											
Kira	Aerodyne 38 SD	38104	45 634 135	2003	50.82 14.5	105	51.75 16.5	6.25 10.6 506	No	Yes	39.5 2062	37.66 34.21 13 6	11850 4150 Lead	0 1 FIXED	IB Fold												
Wimm	Jeanneau Sun Odyssey 349	38105	141	2016	43.6 12.37	112	40.68 13.62	4.9 8.2 318	No	No		33.92 30.84 11.29 6.86	11770 3483 Cast Iron	0 1 FIXED	IB Fold												
Puffin	Alden 44	38144	117 595 281	1978	54.1 19.5	100	47.08 14.75	5.7 9.6 416	No	Yes	33 1369	44.17 34.08 12.5 8.75	24500 Lead	0 1 CNTRBRD	IB Feath												
Irie	Beneteau 393 Oceanis SD	38200	150 633 228		46 14.5	110	40.2 15.1	4.63 8.12 324	No	Yes	24 755	38.12 35.1 13 5.1	21700 5357 Cast Iron	0 1 FIXED	IB Fold 3												
Willow	Wauquiez 40s Centurion	38300	69 573 179	2004	51.5 14.17	110	49.21 19.3	7.3 12.5 564	Yes	Yes	28.54 1155	41.17 36.4 12.66 7.75	18960 6085 Lead	No 1 FIXED	IB FEATH 3	(mtg 3/18/10, -3 sec/mi for oversized a-sail.)(mtg 1/27/11, - 3 sec/mi for added sprit)											
Siento El Viento	C&C 29	38311	174 693 259	1977	39.5 12.8	155	33.5 10.1		Yes	No		29.5 23.6 10.5 5.25	7500 2700 Lead	No 1 FIXED	IB Fold 2												

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications					
			Built	J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No	ASF			Ttl Disp.	Traps/H.	Strps		IB or OB Prop Type # of blades				
									DW Rating	Mast Material		SL	SPL							SLU	ASA	Ballast	moveable blst
Bullet	Express 37	40311	72	1985	48.75 14.33	155	48.75	42	5.3	Yes		No		37.08	11000	No	IB						
			581		ALUMN			13.75	8.83		48	14.33		30.83	4600	1	FOLD						
			171		MS			0	344		25.79	1032	<input type="checkbox"/>	11.57	Lead	FIXED	2						
								0			25.79			7.25									
Ergo	Express 27 ODR	40428	129		28.5 9	155	28.5	28.5	4.22	Yes		No	0	27.25	2450	0	OB						
			611		ALUMN			10.416	7.03		29	9.833		23.75	1100	1	None						
			83		FS				182		17.7	428	<input type="checkbox"/>	8.075	Lead	FIXED	0						
								17.7			17.7			4.5									
Jeannette	Custom Frers 40 IOR 1 Tonner	40646	66	1986	47.2 13.7	100	13.7	51.48	7.13	Yes		No		39.5	12900	0	IB	(mtg 5/31/07 custom rating changed from 63 to 60 based on performance data)(Mtg 8/27/15, change custom rating back to 63 after review of race results)					
			569		ALUMN			18.76	12.19		46.69	13.7		33	6000	1	FOLD						
			163		FS				575		24.66	959	<input type="checkbox"/>	12.6	Lead	FIXED	2						
								24.66			24.66			8.1									
Vento	Swan 391	40841	99		53.5 16.25	95	53.5	47.25	5.5	Yes		Yes	26	39.9	18900	0	IB						
			592		ALUMN			14	9.2		51.83	16.25		33.1	6800	1	Fold						
			237		MS				399		29.3	1266		12.4	Lead	FIXED							
								29.3			29.3		<input checked="" type="checkbox"/>	7.2									
Buona Sera	Santa Cruz 70	41104	-81	1986	73.15 22.52	155	73.63	65.49	9.12	No		Yes	40.06	68.9	24905	0	IB	(Mtg 8/27/15, New rudder noted, -9 sec/mi for new keel)(Mtg 3/23/17, -6 sec/mi for 13% increase in SPL, -3 sec/mi for increase in spinnaker area, +3 sec/mi for decrease in mainsail area)					
			423		CARBON			25.39	15.72			25.5		60.4	8960	1	Fold						
			51		MS				961		68.31	0		15.1	Lead	FIXED							
								40.95			40.95		<input type="checkbox"/>	10.62									
Heart of Gold	Olson 911S	41327	126	1987	41.5 12.33	155	41.5	35.5	4.5	Yes		No		29.9	7200	No	IB						
			648		ALUMN			11.83	7.7		41.1	12.16		25	3200	1	FOLD						
			209		MS			0	251		22.19	760	<input type="checkbox"/>	10.3	Lead	FIXED	2						
								0			22.19			5.5									
Baleineau	Ericson 34 Olson SM	42147	105	1988	44 13	155	44	38.8	4.88	Yes		No		34	10600	No	IB						
			629		ALUMN			13	8.25		43.5	12.96		28	3650	1	FOLD						
			219		MS			0	298		23.25	843	<input type="checkbox"/>	10.83	Lead	FIXED	2						
								0			23.25			6									

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications									
			Built	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF		LOA	Ttl Disp.	Traps/H.	Strps		IB or OB								
										DW Rating	Mast Material		E	MGM							SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type
EY	SSA	ASMG	Fixed or _o	Max Draft																								
Ardea	Custom Nelson/Marek 50	42616	21	1989	59.92	100	59.92	65.19	9.35	Yes	Yes	31.6	49.8	22145	0	IB	(Mtg 8/28/15, custom rating of 21 assigned)											
					17.59		17.59	24.08	15.98		62.2	38.55	12627	1	Fold													
			519		ALUMN				946		55.8	14.86	Lead	FIXED														
			176		FS						30.9	9.32																
La Viajera	J 109 ODR	46480	72	2004	46.5	105	49.6	43.25	5.89	No	Yes	27.75	35.25	10900	0	IB												
					13.3		18.8	15.5	10.07		56.33	30.5	3900	1	Fold													
			583		ALUMN				399		45.63	11.5	Lead	FIXED	2													
			175		FS						27.2	7																
Family Hour, TNG	Henderson 30	46595	48	1997	37	155	42.3	38.2	6.74	Yes	Yes	31.9	30.83	3850	0	OB	Kelp Cutter											
					11		17.8	14	10.62		49.99	1223	27.75	1750	1	None												
			504		CARBON				356		41.99	6.2	9.84	Lead	FIXED	0												
			82		FS						31.9	15	7															
Sweetspot	C&C 121 DK W/5' BS	46921	60	2000	57	135	57	51	6.19	No	Yes	36	40	14100	No	IB	Deep Keel-bowsprit, (Mtg 4/24/08, rating appeal submitted, change base rating for C&C 121 DK w/ 5' BS, aka C&C 121 XP, to 60)											
					15		20	16.386	10.6		63.8	1851	35.5	5500	1	FOLD												
			549		ALUMN			0	496		55.6	5	13.8	Lead	FIXED	2												
			143		MS			0			37.5		8															
Argo	Beneteau 40.7 First Farr	46933	54	1999	51.61	105	51.61	48.85	6.72	Yes	No		39.33	15211	0	IB												
					14.47		14.47	17.72	11.51		50.9	14.47	34.83	5950	1	Feath												
			569		ALUMN				515		26	1094	12.33	Lead	FIXED	2												
			164		FS						25		7.75															
FROLIC	Islander 36 TM	47462	141	1974	47	155	47	40.75	4.8	Yes	No		36.08	13450	0	IB												
					14.5		14.5	12.6	8.25		46.5	14.5	28.25	5450	1	Feath												
			655		ALUMN				307		25.8	990	11.17	Iron	FIXED	3												
			271		MS						24.6		6.08															
Gotcha	Santa Cruz 27	47911	141	1975	32.58	150	32.58	28.25	3.68	Yes	No		27	3200	0	OB												
					10.75			8.583	6.06		32.8	10.9	24	1600	1	None												
			619		ALUMN				154		19.6	536	8	Lead	FIXED													
			105		MS						19.6		4.5															

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
			Rating		I	J	ISP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp. Traps/H. Strps		IB or OB		
			DW Rating		Max Headsail	Max Headsail	JSP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type		
			Disp/WL Ratio		Mast Material	Mast Material		PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades		
											Max Draft								
Bodacious +	1D 48	48005	-15	1996	57.7	155	68.3	61.3	9.84	Yes	Yes	30.1	48.3	19743	0	IB	Water ballast system not operational (mtg 8/19/08, custom rating assigned of -30, includes dual spinnakers)(Mtg 3/24/11, new smaller mainsail, smaller symmetrical, change custom rating from -30 to -24)(Mtg 9/25/11)		
					16.7		16.7	22.5	14.66		66.7	16.7	40.2	8818	1	Fold			
			490		CARBON				848		33.1	1834	14.2	Lead	FIXED	2			
			138		FS						32.6		10.1						
Iniscaw	Martin 32	49143	126	1980	42.5	145		37.17	4.7	Yes	No		32.8	8200	0	IB	(Mtg 10/2/13, new rudder, NCTR)		
					13.67			12	8		42.4	13.67	27	4100	1	FOLD			
			618		ALUMN				270		22.4	806	9.6	Lead	FIXED	2			
			189		MS						24.4		6.1						
Emily Carr	Santa Cruz 50	49211	-6	1981	61	150	61	55	6.4	Yes	No		53	15000	No	IB	3' SUGAR SCOOP ON TRANSOM IF STD 50FT LOA OF BOAT		
					19			17	11		61	18.92	46.5	7500	1	FOLD			
			478		ALUMN			0	555		34	1718	12	Lead	FIXED	2			
			68		MS			0			33		8						
Windswept Lady	X-362 Classic	50980	96	1998	46.6	125	46.6	40.6	5.05	Yes	Yes	26.7	35.1	12320	0	IB			
					12.9		12.9	14.1	8.86		46.13	12.9	30.4	5170	1	Fold			
			613		ALUMN				333		23.23	891	11.4	Lead	FIXED				
			199		MS						22.97		6.2						
Velvet Hammer	Schock 40	51507	-12	2000	42.5	104	49.5	44.4	7.2	No	Yes	33.92	40	7914	No	OB	(mtg 10/21/09, switched to 104% headsail, from 150%, smaller girths on mainsail. Change custom rating from -18 to -12)		
					13.6		20.58	16.8	11.8		60	1459	35	1800	2	None			
			464		CARBON			0	470		49	7	10	Lead	MOVABL	0			
			84		FS			0			31.685	0	8						
Everlong	Beneteau 40.7 First Farr	51705	54	2002	51.61	104	51.61	48.85	6.73	Yes	Yes		39.33	15211	0	IB			
					14.47		14.47	17.72	11.51		50.92	14.47	34.83	5950	1	FOLD			
			569		ALUMN			0	515		26	1103	12.33	Lead	FIXED	2			
			164		MS			0			26		7.75						
Tyr	J 125	52125	-12	2000	49	155	52	46.5	6.79	No	Yes	39.3	41	8350	0	IB			
					14.8		23.4	18	11.65		62.17	1831	37	4646	1	Fold			
			471		CARBON				497		52.49	0	10.6	Lead	FIXED	2			
			75		FS						38.09	0	7.9						

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications			
				J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU ASA Sprit Lngth Fixed or _o	SL SPL SSMG SSA		SLU ASA Sprit Lngth Fixed or _o	Ballast Ballast Mat.			Traps/H. moveable blst Keel Type		
									Mast Material	Rig Type									SSMG SSA	SLU ASA Sprit Lngth Fixed or _o
Jaybird	J 133 CM	52443	24 2004	57 17.25	100	60.4 24	54 18.6	7 12	No	Yes	0 0	38.08 30.25 11.8 6.8	16900 6850 Iron	0 1 FIXED	IB Fixed_2					
Pressure Drop	Beneteau Farr First 36.7	52489	78 2006	46.4 13.1	155	46.4 14.35	45.4 15.6	5.92 12.49	Yes	No	23.29 867 0 90	36 30.3 11.4 7.3	12495 4034 Lead	0 1 FIXED	IB Fold 2	(12/2/16, -3 sec/mi for JSP)				
Mulan	Beneteau First 10R ODR	52659	81 2007	43.2 12.07	120	46.41 16.5	42.25 14.73	5.59 9.57	No	Yes	25.5 1075 4.43 0	32.75 28.7 11 6.55	9715 3258 Lead	0 1 FIXED	IB Fold 2					
Curie	Beneteau 32S5	52868	138 1990	38.39 9.68	150	38.39 9.68	38.88 13.78	5.3 9.01	Yes	No	17.3 519 0 0	32.6 27.83 10.83 6	9260 2980 Cast Iron	0 1 FIXED	IB FOLD 2					
CruzSea Baby	Beneteau First 10R ODR	52878	81 2007	43.2 12.07	155	46.41 16.5	42.25 14.73	5.59 9.57	No	Yes	27.5 1055 4.43 0	32.75 28.7 11 6.55	9715 3528 Lead	0 1 FIXED	IB Fold 2	(Rudder Modifications noted, smaller non-class spinnaker +3 sec/mi)				
Jamani	J 120 ALUM	52879	48 2002	50.5 14.5	155	52 21.5	46.5 17.8	6.7 11.5	No	Yes	34 1729 7 0	40 35 12 7	13900 6000 Lead	0 1 FIXED	IB FOLD 2					
Mega Hurtz	Laser 28 ODR MOD	53470	129 1974	31.1 9.65	125	31.73	33.14 12.96	4.98 8.4	Yes	No	0 0	28.41 23.62 9.48 4.98	3950 1500 Lead	0 1 FIXED	OB None 2	(Mtg 2/27/14, switched to outboard motor, -3 sec/mi)				

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
			Rating		I	J	ISP	P	MGU	Yes/No	Yes/No	ASF	Ttl Disp.		Traps/H. Strps	IB or OB		
			DW Rating		Max Headsail	ISP	E	MGM	SL	SPL	SLU	ASA	Ballast		moveable blst	Prop Type		
			Disp/WL Ratio		Mast Material	JSP	PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Ballast Mat.		Keel Type	# of blades		
Rhapsody	J 32	56303	120	2000	39.2 11	155	40.583 13	38.5 15.5	5.12 9.25	No	Yes	22.5 830	32.4 29 11 6	11500 3840 Lead	0 1 FIXED	IB Fold 3	(Mtg 5/23/13, -3 sec/mi for sprit, -3 sec/mi for oversized spinnaker)	
Music	Catalina 34 1&2	56583	147	2001	44 13.5	130		38.5 12	3.6 6.8	No	Yes	21.8 762	35.66 29.84 11.75 5.56	11950 5000 Lead	0 1 FIXED	IB FOLD 2		
Brandy	Farr 30 1/2 Ton	57257	150	1979	31 9.6	145	31	34 12.9	4.5 7.11	Yes	No		30.33 23.5 10 5.33	4894 1909 Lead	0 1 FIXED	OB None	(Mtg 4/24/15, -6 sec/mi for increased P)	
Windwalker	Islander 36 ODR	57307	144	1976	45 14.48	150	45	39.25 12.75	4.8 8.2	Yes	No		36.08 28.25 11.17 6.08	13450 5820 Lead	No 1 FIXED	IB FOLD 2		
Oscar	Santa Cruz 33	57663	117	1978	41 13.583	125	41	35.42 15	4.25 7.166	Yes	No		33 28 10.06 6	7000 3000 Lead	No 1 FIXED	IB FOLD 2		
Red Hawk	Hawkfarm 28 ODR	59024	162	1978	33 11	155	33.25 11.5	36 10.5	4.37 7.26	Yes	No		28 23.5 9.75 5.166	5700 2700 Lead	0 1 FIXED	IB FOLD 2		
Giant Slayer	Santa Cruz 27	59369	141	1979	32.583 10.9	155	32.583 10.9	28.25 8.7	3.7 6.3	Yes	Yes	17.67 372	27 24 8 4.5	3304 1800 Lead	No 1 FIXED	OB None 0	(Mtg 3/27/14, -3 sec/mi for 10% overized symmetrical spinnaker)	
			640 214		ALUMN FS				335		46.25 41.55 22.75	2 0						
			645 204		ALUMN MS				251		45 39.2 21.7	762 0 0						
			654 171		ALUMN FS				243		31.4 17 17	9.8 445						
			648 271		ALUMN MS				297		45.25 23.3 24.7	15 889						
			595 145		ALUMN MS				269		41 24.6 24.6	13.68 841						
			667 200		ALUMN FS				236		33 20.7 20.7	11.5 569						

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:		ISP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull	Displacement/Keel		Engine/Prop	Modifications
			Max Headsail		J	E	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H. Strps	IB or OB				
			DW Rating		Mast Material	PY	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type			
			Disp/WL Ratio		Rig Type	EY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades			
Zwei Flying Fish	San Juan 33s	59733	129	1981	34.83 11.48	134	34.83	39.16 12.66	4.66 8.08	Yes	No		33.1 27.8 7.95 5.5	6000 3500 Lead	0 1 FIXED	IB Fold	(Mtg 5/28/15, +3 sec/mi for small rig)	
			606 127		ALUMN FS			292				<input type="checkbox"/>	0 0					
Wildcat of Loch Awe	S-2 7.9 FR DB	59838	165	1983	31.83 9.5	135	31.83	29.42 12.33	4.75 7.92	Yes	No		25.92 21.67 9 5	4250 1750 Lead	0 1 AGGERBRF	OB None		
			685 190		ALUMN FS			216				<input type="checkbox"/>	0 0					
Void Star	Santa Cruz 40	59995	45	1982	52 16	135	52 18.67	45.5 14	5.2 8.58	No	Yes	33.62	40 36 12 7	12500 5000 Lead	0 1 FIXED	IB FEATH 2	(Mtg 10/22/15, -6 sec/mi for 20% increase in JSP)(4/6/16, +3 sec/mi for non-articulating spinnaker)	
			548 122		ALUMN MS			370				<input checked="" type="checkbox"/>	0					
Ebb Tide	Wauquiez 45s Centurion	60245	57	2003	55.77 17.72	100	55.77 17.72	51.84 19.32	6.51 11.68	Yes	Yes	32.25	45.92 40.25 13.67 8.17	23148 8488 Lead	0 1 FIXED	IB Fold 3	(Mtg 5/26/11, Increased "JSP" by 5.67' which equals a 30% increase. - 9 sec/mi per NCPHRF Rules & Guidelines.)(Mtg 3/29/12, JSP now same as J+9 sec/mi, Asymmetrical spinnaker still oversized, -3 sec/mi)	
			542 161		ALUMN FS			567				<input checked="" type="checkbox"/>	0					
Gratitude	Hylas 46	60373	102	2002	58.4 17.7	135	58.4 17.7	50.6 18	4.6 9.6	No	Yes	25.5	46.3 40 13.9 6.6	27777 12347 Lead	0 1 FIXED	IB Feath 3		
			573 197		ALUMN CTR			469				<input checked="" type="checkbox"/>	0					
Lenora	Hunter 33-2	60700	153	2004	37.42 10.83	115	38.42 10.83	36.46 15.83	4.83 8.33	No	Yes	18.5	33.5 29.42 11.17 5.5	10400 3459 Lead	0 1 FIXED	IB Fold 3		
			648 186		ALUMN FS			306				<input checked="" type="checkbox"/>	0					
Blue	Swan 53-2	61522	30	2012	71.96 19.52	105	73.84 19.53	65.88 21.98	7.64 13.38	No	Yes	38.89	54.07 47.24 15.58 12.14	54482 22400 Lead	0 1 CNTRBRD	IB Fold	(Mtg 3/23/17, -3 sec/mi for ability to fly a-sail on a squared back pole)	
			530 235		CARBON MS			826				<input type="checkbox"/>	90					

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications		
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst				
								SL	SPL	SLU	ASA								
								SSMG SSF	SSA	SLE ASMG	ASA								
Enchante'	Beneteau 42 IK TM	63222	84	1985	55.43 16.73 ALUMN MS	155	55.71	49.2 14.6 0 0	4.8 8.5 400	No	No	43.67 36 13.83 7.19	20509 8700 Iron	No 1 FIXED	IB FOLD 2				
Warwhoop	Contessa 33	63336	141	1984	37.916 11.17 ALUMN FS	100	37.93	39.416 13.86 0 0	5.31 9 326	Yes	Yes	20.92 682 0 21.17	33 25.52 11.08 5.8	8375 3700 Lead	No 1 FIXED	IB FOLD 2	(Mtg 1/26/17, -3 sec/mi for oversized asymmetric area)(Mtg 2/23/17, -3 sec/mi for oversized symmetric spinnaker area)		
Califia	Islander 36 ODR	67074	144	1978	45 14.48 ALUMN MS	135	45	39.25 12.75	3.69 6.88 265	No	No	36.08 28.25 11.17 6.08	13450 5450 Lead	0 1 FIXED	IB Feath 2				
Foxxfyre	Yamaha 33 IK SM	67248	159	1978	42.81 13.78 ALUMN MS	150	42.81	37.4 10.6 0 0	4.38 7.27 246	Yes	No	44 24.8 23.7	13.78 901	0 0	33.25 26.92 11 6.25	16000 4410 Iron	No 1 FIXED	IB FEATH 2	PER PHRF MTG 3/16/2000 - Weight Differencer from brochure is significant.
Toypedo	Ranger 26-2	67341	189	1980	26.4 9 ALUMN FS	150	28 9	30.5 11	4 7 197	Yes	No	26.5 16.2 16.2	9 358	0 0	26 20 8 5	3000 1140 Lead	0 1 FIXED	OB None	Fixed Keel, No daggerboard
Friction Loss	J 30	67425	141	1979	34 11.5 ALUMN FS	155	34.1 11.5	38 13 0 0	4.94 8.45 295	Yes	No	34.4 22.2 22	11.5 635	21.06 666 0 22.4	29.83 25 11.17 5.25	6500 2100 Lead	0 1 FIXED	IB FOLD 2	
Timber Wolf	Farr 38-1 C&B Marine	67519	75	1980	43.91 13.36 ALUMN FS	155	47.9	44.83 17.91 0 0	6.7 11.6 476	Yes	No	48 26.4 26.4	14.67 1056	0 0	38.32 30.9 11.97 6.39	12000 4100 Lead	0 1 FIXED	IB FOLD 2	(REDUCED MGM, ADDED 6" TO RUDDER LENGTH -NOTED NCTR-2/15/01)(-3 sec/mi for oversized spinnaker)

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
			ISP		I	J	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB		
			JSP		Max	Headsail	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type		
					Mast	Material	PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades		
			Disp/WL Ratio		Rig Type	EY		ASM	Fixed or _o	Max Draft								
FUGU	Wilderness 30 SX FR IB	67967	120	1980	34.08 11.75	150	34.1 11.8	34.44 11.5	4.37 7.48	Yes	Yes	20.36 603	29.75 27.75	4200 1900	0 1	OB None	(Mtg 11/20/08, -6 sec/mi for replacing inboard with outboard engine)	
			585 89		ALUMN FS				236			8.75 5.5	Lead	FIXED	0			
Divine Wind	Olson 40	69069	45	1983	50 15.75	150	51.21 15.8	44 14.25	5.5 9.29	Yes	No	0 0	40.33 36	10500 5500	0 1	IB Feath		
			540 102		ALUMN MS				376			11.25 6.5	Lead	FIXED	2			
Borealis	Gulf 39 PH	77135	129		50 16.17	128		42 13.75	4.83 8.58	No	No	0 0	38.83 33.67	17500	1	IB Fold		
					ALUMN MS				334			12 5	Iron	FIXED				
Imagine	Davidson 44 MOD	77220	57	1980	49.92 15.38	125	50.33	58.3 18.33	6.9 12.8	Yes	No	0 0	44 38.5	24410 7000	No 1	IB FOLD	(Mtg 4/27/17, custom rating of 57 assigned)	
			568 194		ALUMN FS			0 0	652			13 7.6	Lead	FIXED	3			
Eliana II	Morgan 38-2	77486	156	1981	46 16.25	110	46 16.25	40.5 14.5	4.69 8.34	Yes	No	0 0	38.33 30.5	17000 6800	0 1	IB Fixed_3	(Mtg 1/26/17, -3 sec/mi for oversized symmetric spinnaker area)	
			632 272		ALUMN MS				324			12 6	Lead	FIXED	3			
Dawn's Early Light	J 36	77549	87	1982	44.219 14	97	44.21 14	47 15	5.8 9.5	Yes	No	0 0	35.95 30.5	10570 4600	0 1	IB Fold		
			590 169		ALUMN FS				418			11.76 6.6	Lead	FIXED				
Captain Sluggo	Hobie 33	77870	54	1982	34.7 12.2	105	42.3	38.1 13.5	6 9.6	No	Yes	25.6 928	33 30.4	4532 1800	0 1	OB None	(Meeting 4/27/17, Custom rating assigned: 54)	
			524 73		CARBON MS				328			0 90	8 5.4	Lead	FIXED			

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
				DW Rating <i>Disp/WL Ratio</i>	I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ballast Ballast Mat.	Traps/H. moveable blst Keel Type		IB or OB Prop Type # of blades
									SL	SPL	SLU	ASA						
									SSMG SSF	SSA	SLE ASMG	ASA						
Serenity	Islander 36 ODR	82659	144 1973	45 14.48 135	45	39.25 3.69 12.75 6.88	45 15 27 1013	Yes	No	0 0	36.08 28.25 11.17 6.083	13500 5450 Lead	0 1 FIXED	IB Feath				
Dragonsong	Olson 30 OB	87014	99 1982	36 11.75 155	35.9 11.67	31.5 4.364 10.75 7.268	36 11.75 21.15 635	Yes	No	0	30 27.5 9.33 5.08	3600 1800 Lead	No 1 FIXED	OB None 0				
Vitesse Too	Hobie 33 ODR	87112	90 1983	33.8 12.4 125	36.8	35 4.75 12.4 8	36.2 13.25 23.4 694	Yes	No	0	33 30.5 8 5.5	4000 1800 Lead	No 1 FIXED	OB None 0	Extended rudder 10", NCTR			
Nutmeg	Islander 36 ODR	87245	144	45 14.48 150	45	39.25 5.05 12.75 8.44	0 303 0	No	No	0	36.083 28.25 11.166 6.083	13450 5450 Lead	No 1 FIXED	IB FOLD 0				
Happy Daze	Santana 30-30 GP	87322	120 1984	40.83 11.67 150	40.83	36.17 5.25 11.08 8.5	0 267 0	Yes	No	0	29.92 25.42 10.25 5.5	6500 2435 Lead	No 1 FIXED	IB FOLD 2				
JouJou	Capo 30	87324	123 1984	41.7 12.75 120	41.5	36 4.37 11.5 7.47	41.5 12 21.5 740	Yes	No	0	30 25 10.33 5.43	7200 3000 Lead	0 1 FIXED	IB Fold 2	Roller Furler			
Turbo Camper	Hobie 33 ODR MOD	87574	84 1984	33.28 12.4 155	36.5 13.13	35 4.75 12.5 8.1	37 13.13 23.6 728	No	Yes	23 702	33 30.5 8 5.42	4200 1900 Lead	1 FIXED	OB None 0	(Mtg 3/29/12, -3 sec/mi for displacement changes)			

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications					
			Built	J	Max Headsail	ISP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp. Traps/H. Strps		IB or OB								
									JSP	E				MGM	SL			SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type
Disp/WL Ratio	Mast Material	Rig Type	EY		ASMG	Fixed or _o	Max Draft																	
Flight Risk	Catalina 38	87586	117	1983	49.8	155	49.8	44	4.18	Yes	No	38.24	19489	No	IB	Roller Furler								
			622		15.5			11.5	7.12			30.45	6850	1	Fold									
			314		ALUMN				294			11.12	Lead	FIXED	2									
					MS						<input type="checkbox"/>	6.1												
Elan	Express 37	87700	72	1985	48.75	155	48.75	42	5.28	Yes	No	37.083	11000	No	IB									
			581		14.33			13.75	8.83			30.833	4500	1	FOLD									
			171		ALUMN			0	344			11.57	Lead	FIXED	2									
					MS			0			<input type="checkbox"/>	7.25												
Can't Touch This	J 125	93204	-12	1999	49	155	52.1	47	6.8	No	Yes	41	9330	0	IB	(Mtg 2/26/09, -3 sec/mi for oversized main girths)(3/9/09, corrected main girths, removed -3 sec/mi penalty)								
			468		15		23	18	11.6		61.3	1941	4646	1	FOLD									
			84		CARBON				502		52.3	8	Lead	FIXED	2									
					MS						41	<input type="checkbox"/>	7.9											
Traveler	Express 34	97089	99	1987	44.3	150	44.3	38.5	4.87	Yes	No	34	8500	0	IB	-6 FOR OVERSIZED SPINNAKER								
			616		13			12.83	8.46			42.7	3700	1	FOLD									
			170		ALUMN			0	296			22.2	Lead	FIXED	2									
					MS			0			<input type="checkbox"/>	6												
Deception	Santa Cruz 50	97263	-6	1987	61.8	155	61.8	55	7.1	Yes	Yes	32.9	17500	0	IB	ELPT Keel & OS/Spinnaker; Has a Code 0 headsail aboard - tacked to stem, no sprit (Mtg 5/26/16, -3 sec/mi for oversized mainsail)(Mtg 6/23/16, change rating back to -6)								
			482		18.3		18.3	18.4	12		61.7	18.3	8000	1	FOLD									
			82		ALUMN				605		34.2	1758	Lead	FIXED	2									
					MS						24.8	<input checked="" type="checkbox"/>	8											
Carpe Vita	Olson 25	97399	159	1988	32	130	32	28	3.8	Yes	No	25	3300	No	OB									
			671		9.583			10	6.4			32	1300	1	None									
			156		ALUMN			0	166			17.25	Lead	FIXED	0									
					MS			0			<input type="checkbox"/>	4.5												
Bosporus II	Columbia 36	97415	156	1968	42.75	150	41.75	34.666	5.3	Yes	No	35.75	13000	No	IB									
			639		15		15	14	9.1			41.5	5000	1	Fold									
			262		ALUMN			0	289			25.8	Lead	FIXED	2									
					MS			0			<input type="checkbox"/>	5.42												

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps moveable blst		
								SL	SPL	SLU	ASA						
								SSMG SSF	SSA	SLE	ASMG						
Acey Deucy	J 44	97659	21 1989	60.606 17.08	155	60.416	53.51 19.41	7.3 12.5	Yes	Yes	27 1379	44.83 38.58 13.67 8.14	22770 9000 Lead	0 1 FIXED	IB FOLD 2	Electric Winches	
Plus Sixteen	Ericson 911S Olson	97707	135 1991	41.5 12.25	125	41.5 12.33	35.761 11.811	4.035 7.136	Yes	Yes	20.932 698	30 25 10.33 5.42	8500 3200 LeadSteel	No 1 FIXED	IB FEATH 2		
Daseins Den	Dana 24	924558	246 1987	34 12.25	120		28.25 10.75	3 5.85	No	No	0 0	24.16 21.42 8.58 3.83	7400 3100 Lead	0 1 FIXED	IB Fixed_2		