

# NCPHRF - CURRENT FLEET ROSTER

This Roster represents the information on file for boats with a current NCPHRF certificate. If the boat you are looking for is not listed, their certificate is either not current or not yet updated to the list. You can contact the YRA office to verify a boat not found on this list at info@yra.org or via phone at 415.771.9500. This list is updated monthly.

As of: 7/13/2017

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SPL SSMG SSF	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst Keel Type		
Adagio	CAL 25-2 OB		<b>216</b> 1979	33 11	150	28 9.5	3.9 6.5	No	No			29.25 22 9 4.5	4500 2000 Lead	0 1 FIXED	OB None	
Blue Zephyr	Jeanneau Sun Odyssey 42 DS		<b>108</b> 2010	51.58 16.25	150	48.82 14.6	3.55 6.9	No	No			42.42 38 13.5 6.92	19676 5628 Iron	0 1 FIXED	IB Fixed_3	(mtg 4/27/17, +3sec/mi for in-mast furling, +3 sec/mi for MGM < 50% of E)
BZ	Sonar 23		<b>174</b> 2007	23 8.25	100	27.5 11.17	1.23 7.3	No	No			23 19.92 7.8 3.92	2100 900 Lead	No 1 FIXED	NONE None	
Serenade	Sabre Spirit		<b>96</b> 2007	45.5 12.87	106	51.2 12.87	45.5 9.93	Yes	No	23		36.67 28.33 10.42 6.58	10500 3740 Lead	0 1 FIXED	IB Fold	
Christine Rose	Catalina 30 TM	0	<b>183</b> 1977	43 13.16	150	43 13.16	37 8	Yes	No			29.92 25 10.83 5.25	10200 4250 Lead	0 1 FIXED	IB Fixed_3 3	
Crane Wife	Fuji 32 KTH	0	<b>252</b> 1977	36.25 14.75	148	29.08 11.21	3.8 5.96	No	No			31.5 29 9.83 3.66	13115 4635 Iron	0 1 FIXED	IB Fixed_3	

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop		Modifications				
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU ASA Sprit Lngth Fixed or _o	SL SPL SSMG SSA	SLE ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast Mat.	Traps/H. moveable blst Keel Type	IB or OB Prop Type # of blades						
								DW Rating	Mast Material								ISP JSP		MGU MGM MSA	Yes/No	SL SPL SSMG SSA	SLE ASA Sprit Lngth Fixed or _o
Dianne	Express 27 ODR	0	<b>129</b> 1981	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	No	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0								
Envolee	Figaro II	0	<b>54</b> 2012	42.75 12.42	104	42.75	42.67 15.42	6.5 10.63	Yes	No	32.18 32 11.33 6.5	6724 2425 LeadWater	0 1 FIXED	IB Fold	(mtg 4/27/17, water ballast disabled, +6 sec/mi)							
Imagination	Bavaria 40	0	<b>108</b> 2001	47.25 14.58	111	48	44.46 15.58	5 9.21	No	Yes	40.94 35.93 13.1 6.4	17417 6283 Lead	0 1 FIXED	IB Fold								
Kai Ola	Jeanneau Sun Odyssey 379	0	<b>105</b> 2011	46.67 13.58	132	46.67	44.58 13.92	5.4 9.1	Yes	No	37.17 36 12.33 6.33	14771 3914 Steel	0 1 FIXED	IB Fixed_3	(Mtg 5/25/17, -3 sec/mi for oversized spinnaker)							
Nadja Delphine	X-41	0	<b>15</b> 2009	55.9 16.11	106	58.63	53.31 18.04	6.82 11.61	Yes	No	40.52 35.07 11.94 8.2	14109 6019 Lead	0 1 FIXED	IB Fold	Electronic winches							
Skye	Capo 30 MOD	0	<b>114</b> 1984	41.7 12.75	120	41.5 12.75	36 11.5	4.37 7.47	Yes	No	33 26 10.33 5.42	7500 3000 Lead	0 1 FIXED	IB Feath	(Mtg 5/25/17, -9 sec/mi for increased LOA from added sugar scoop)							
Sonrisa	Baba 40	0	<b>147</b> 2011	50 21	100	50 21	46 14.75	5.3 9	No	Yes	39.83 34.5 12.83 6	29000 12000 Iron	0 1 FIXED	IB Feath								



Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
			Built	DW Rating	J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		Ttl Disp.		Traps/H. Ballast Mat.	Strps moveable blst Keel Type	IB or OB Prop Type # of blades	
									SL	SPL	SLU	ASA						
									SSMG SSF	SSA	SLE ASMG	Sprit Lngth Fixed or _o						
Checkedred Past	Custom Wyliecat 39	3	<b>102</b>	2002				52 26.6	10.2 17.4		No	No	38.83 32 11.5 6.6	12000 6200 Lead	0 1 FIXED	IB FOLD 2	Boat has been modified for handicapped sailing	
Jacqueline	Freedom 30 SD	3	<b>174</b>	1986	28.4 9.8			35.2 13.9	5.25 9	Yes	No	30 25.42 10.8 4.5	7660 3150 Lead	0 1 FIXED	IB Fixed_2			
Makanani	Ultimate 24 ODR	3	<b>111</b>	2003	28.04 7.82 110			31 11.35	6.35 9.18	No	Yes	21.3 36 27.8 21.3	566 6.7 0	24.38 21.17 8.48 5.52	2040 750 Lead	0 1 FIXED	OB None	
Marrakesh	Express 34	3	<b>102</b>	1987	44.25 13 125			38.5 12.83 0 0	4.87 8.46 296	Yes	No	34 28.33 10.33 6.11	9245 3800 Lead	No 1 FIXED	IB FOLD 2			
Samba Pa Ti	J 22	3	<b>186</b>	1982	24.8 8.8 125			26.1 9	3.78 6.27	Yes	No	22.5 19 8 3.8	1790 700 Lead	0 1 FIXED	OB None			
Wicked Sister	Farr 36 ODR	3	<b>9</b>	2004	46.78 13.19 110			49.93 18.63	8.53 12.96	No	Yes	36.28 61.38 55.05 36.05	1751 7.36 0	36.1 32.8 11.72 8.5	6745 3076 Lead	0 1 FIXED	IB Fold	
Javelin	J 100 ODR	4	<b>81</b>	2004	38.5 11.5 95			43 12.7		No	Yes	24.34 49.93 38.71 24.34	899 0	32.8 29 9.3 5.8	6500 2500 Lead	No 1 FIXED	IB FOLD 2	



Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications						
		Sail #	DW Rating		I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No		Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB							
										SL	SPL									SLU	ASA	LWL	Ballast	moveable blst	IB or OB
Disp/WL Ratio	Mast Material	Rig Type	SSMG	SSA	ASM	Fixed or _o	Max Draft	# of blades																	
Inconceivable	J 88	9	81	2013	38.67 11.28	104	46 18.05	36.82 12	5.44 8.4	No	Yes	29 1022	29.19 26.84	4990 1840	0 1	IB Fold									
			561 117		CARBON FS				282		40.84 27.32	5.25 <input checked="" type="checkbox"/> 0	9.5 6.5	Lead	FIXED										
Grunion	Catalina 425	11	87	2017	55.75 15.67	125	17.34	52 18	5.04 9.58	No	No	0 0	41.67 39.08 13.67	17500 7000	0 1	IB Fold	(Mtg 1/26/17, need to submit spinnaker measurements when available)								
			133		ALUMN MS				490		<input checked="" type="checkbox"/>	0	6.67	Lead	FIXED										
Tiburon	C&C 30 Mills	11	36	2014	40.8 11.28	105	46.74 18.6	41.8 14.2	7 10	No	Yes	31.5 1284	30 28.7	3995 1579	0 1	IB Fold									
			495 77		CARBON FS				387		46.16 31	7 <input checked="" type="checkbox"/> 0	9.8 7.5	Lead	FIXED										
Wile E Coyote	Express 27 ODR	11	129	1981	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	No	0	27.25 23.75	2450 1100	No 1	OB None									
			611 83		ALUMN FS			0 0	182	29 17.7	9.833 428	<input type="checkbox"/>	8.17 4.5	Lead	FIXED	3									
Dream	Sceptre 41	12	129	1983	53 17.67	90	53	47 13	5.24 8.73	Yes	No	28 1038	41 36	21500 8700	0 1	IB Fold									
			581 209		ALUMN MS				374	29.5 28	1290	45.17 26.17	0 <input checked="" type="checkbox"/> 0	12.67 6.08	Lead	FIXED									
Invictus	Jeanneau Sunfast 3600	12	63	2015	46.58 13.83	105	48 17.67	44.25 15.08	6.49 9.91	No	Yes	27.8 1192	35.42 31.25	10362 4850	0 1	IB Feath									
			572 154		ALUMN FS				411			46.59 28	0 <input checked="" type="checkbox"/> 0	11.67 7	Lead	FIXED									
Keala	Wylie Wabbit ODR W/Trap	12	126	1982	20.5 6.5	150	20.5	23.75 10	4.03 6.72	Yes	No	0	23.75 20	975 440	Yes 3	OB None	Hiking straps and single trapeze								
			602 55		ALUMN FS			0 0	145	22 13.9 13.7	8.5 254	<input type="checkbox"/>	5.58 3.5	Lead	FIXED	0									



Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications								
				J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU ASA Sprit Lngth Fixed or _o	SL SPL SSMG SSA SSF		SLU ASA Sprit Lngth Fixed or _o	Max Beam Max Draft			Ttl Disp.	Traps/H. Strps moveable blst						
									Mast Material	Rig Type										SSMG	SSA	SLU	ASA	Sprit Lngth	Fixed or _o
Ragtime!	J 92	18	<b>105</b> 1993	37 11.5	155	38.5 17	38 13.5 0 0	4.7 8.2 293	No	Yes	29.75 1019 5.5 <input checked="" type="checkbox"/>	30 25.8 10 5.9	5500 2275 Lead	No 1 FIXED	IB FOLD 2	(changes noted 3-11-03, NCTR)(2/14/06 - Spinnaker based on 1019 sq feet/94.67 meters)(Mtg 01/16/14, -3 sec/mi for flying asymmetric off squared back pole)(Mtg 4/24/14, New Rudder noted, NCTR, Shortened pole/sprit)									
Salt Peanuts	Custom Dees GP 26	18	<b>78</b> 2008	29.35 8.07	130	36.43 14.32	32.42 12.63	5.58 8.69 258	No	Yes	20.41 626 6.23 0 <input checked="" type="checkbox"/>	25.72 21.22 8 6.04	2340 1100 Lead	0 1 FIXED	OB None 0	(mtg 2/18/10, change custom rating from 75 to 78)(3/28/12, New Rudder Noted)									
Sweet Grapes	Ericson 36 Holland	19	<b>108</b> 1981	47.75 14.5	147	47.75	42 12	3.5 7.2 278	Yes	No	0 0 0 <input type="checkbox"/>	35.58 29 11.83 6.25	11600 5230 Lead	0 1 FIXED	IB FOLD 2										
White Wabbit	Wylie Wabbit ODR W/Trap	19	<b>126</b> 1982	20.5 6.6	110	26.1	23.75 10 0 0	4.03 6.72 145	Yes	No	0 0 0 <input type="checkbox"/>	23.75 20 5.58 3.5	975 440 Lead	Yes 1 FIXED	OB None 0										
Another Girl	Alerion Express 38-2	20	<b>90</b> 2011	42.98 12.99	90		47.5 18.25	9.58 13.45 583	No	No	0 0 0 <input type="checkbox"/>	38.3 30.1 10.3 5.92	13000 5000 Lead	0 1 FIXED	IB Feath 2	(mtg 4/28/11, Custom rating of 90 assigned)									
Juno	J 88	20	<b>81</b> 2014	38.67 11.28	105	46 18.05	36.82 12	5.44 8.4 282	No	Yes	29 1022 5.25 0 <input checked="" type="checkbox"/>	29.19 26.84 9.5 6.5	4990 1840 Lead	0 1 FIXED	IB Feath										
Peabody	Ultimate 20	22	<b>144</b> 2014	25.08 6.97	110	27.58 12.79	27.5 10.25	5.5 7.96 195	No	Yes	19.2 448 6 0 <input checked="" type="checkbox"/>	20.94 18 8.33 5.03	1350 450 Lead	0 1 CNTRBRD	OB None										



Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications		
				DW Rating <i>Disp/WL Ratio</i>	I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU SLE ASMG	SPL SSA		Yes/No	ASF ASA Sprit Lngth Fixed or _o			Ttl Disp. Ballast Mat.	Traps/H. moveable blst Keel Type
									SL	SPL									
									SSMG	SSA									
The Jackal	Moore 24	22	<b>150</b> 1977	26.25 9.75	150	26.25 9.75	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.08	2050 1025 Lead	0 1 FIXED	OB None					
White Shadow	J 88	23	<b>81</b> 2014	38.67 11.28	104	46 18.05	36.82 12	5.44 8.4	No	Yes	29.19 26.84 9.5 6.5	4990 1840 Lead	0 1 FIXED	IB Fold					
Dr Feelgood	Olson 29	24	<b>99</b> 1986	34 11	155	36	32.5 11.5	4.36 7.48	Yes	No	29.67 27.5 9.33 5.58	3600 1950 Lead	0 1 FIXED	OB None					
Kwazy	Wylie Wabbit ODR W/Trap	26	<b>126</b> 1982	20.416 6.416	150	20.5	23 10 0 0	4.02 6.71 141	Yes	No	23.58 20 5.42 3.41	975 440 Lead	Yes 3 FIXED	NONE None 0					
Hot Socks	Figaro II	27	<b>48</b> 2004	42.75 12.42	104	42.75	42.67 15.42	7 11	Yes	No	32.18 32 11.33 6.5	6724 2425 LeadWater	0 1 FIXED	IB Fold					
Nina	Olson 29	27	<b>99</b> 1987	34 11	155	36	32.5 11.5	4.5 7.27	Yes	No	29.67 27.5 9.33 5.58	3700 1950 Lead	0 1 FIXED	OB None 0					
Prime Number	J 70 ODR	29	<b>114</b> 2012	26.77 7.68	100	30.15 13.5	26.16 9.44	4.71 6.93	No	Yes	22.78 20.47 7.38 4.92	1750 630 Lead	0 1 MVBL	OB None					

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications					
			Built	J	Max Headsail	ISP	P	MGU	Yes/No		SLU	ASA	LWA	Ttl Disp.	Traps/H.	IB or OB	# of blades							
									DW Rating	Mast Material								E	MGM	SPL	ASF	Ballast	moveable blst	Prop Type
EY	SSA	ASMG	Fixed or _o	Max Draft																				
					Wind Blown Hare	Wylie Wabbit ODR W/Trap	29	<b>126</b>	1982	20.5	150	20.5	23.75	4.03	Yes	No	23.75	975	1	OB				
			<b>602</b>		6.5			10	6.72			20	440	3	None									
			<b>55</b>		ALUMN			0	145			5.583	Lead	FIXED	0									
					FS			0			<input type="checkbox"/>	3.5												
Divine Wind	Flying Tiger 10 Meter ODR	30	<b>54</b>	2007	39.28	105	45.28	40.16	6.463	No	Yes	27.49	4900	0	OB									
			<b>514</b>		12.12		19.134	14.89	10.5		51.54	1087	1918	1	None									
			<b>80</b>		CARBON				378		42.65	7	Lead	FIXED	0									
					FS						27.76	<input checked="" type="checkbox"/>	0											
Vanga	Alberg 30	30	<b>231</b>	1965	36.75	100	36	31	4.49	Yes	No	30.25	9000	0	IB	Roller Furler								
			<b>732</b>		10.5			14.25	8.2			21.67	3300	1	Fixed_3									
			<b>402</b>		ALUMN				243			8.75	Iron	FIXED	3									
					MS						<input type="checkbox"/>	4.5												
Wings	Columbia 5.5 M ODR	31	<b>177</b>	1965	29.125	96	30	34	4.59	Yes	No	32.416	4400	No	NA									
			<b>619</b>		8.25			11.416	7.65			25	2800	1	None									
			<b>128</b>		ALUMN			0	237			6.25	Lead	FIXED	0									
					FS			0			<input type="checkbox"/>	4.33												
Bad Hare Day	Wylie Wabbit ODR W/Trap	35	<b>126</b>	1982	20.75	150	20.5	23.75	4.03	Yes	No	23.75	975	Yes	OB									
			<b>603</b>		6.5			10	6.72			20	440	3	None									
			<b>55</b>		ALUMN			0	145			5.583	Lead	FIXED	0									
					FS			0			<input type="checkbox"/>	3.5												
Windtrip Infinity	J 92s	35	<b>96</b>	2006	40.68	107	44.08	38.88	5.42	No	Yes	23.25	5610	0	IB									
			<b>587</b>		11.48		16.67	13.95	9		48.67	878	2317	1	Fold									
			<b>134</b>		ALUMN				324		39.67	5.17	Lead	FIXED										
					FS						24	<input checked="" type="checkbox"/>	0											
Apogee	Islander 36 Freeport	36	<b>162</b>	1978	46.75	150		42	5	No	No	35.9	17000	0	IB									
					16.75			12.75	8.4			27.6	7030	1	Fold									
					ALUMN				323			12	Lead	FIXED										
			<b>368</b>		MS						<input type="checkbox"/>	5.3												

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications		
				I J Max Headsail Mast Material Rig Type	P E PY EY		MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps moveable blst				
								SL SPL SSMG SSF	SPL SSA SSA	SLU SLE ASM	ASA Sprit Lngth Fixed or _o							Ballast Mat.	Keel Type
Ciao Bella	Beneteau 37	38	117	2009	45.833 15	105	43.5 12.9		No	No		37.666 34.75 12.833 6.25	14008 3902 Iron	0 1 FIXED	IB FOLD 3				
Yeti	Express 27 ODR	38	129	1983	28.5 9	155	28.5 10.4	4.22 7.03	Yes	No		27.25 23.75 8.16 4.5	2450 1100 Lead	0 1 FIXED	OB None				
Dare Dare	Jeanneau Sun Fast 3200	39	81	2008	41.92 12.58	102	43.77 13.61	5.28 8.46	Yes	Yes	24.41 887	33.1 28 11.5 6.2	7916 2866 Lead	0 1 FIXED	IB Fold 2				
Lonestar	Beneteau First 10R ODR MOD	40	84	2007	43.2 12.07	100	46.41 16.5	5.59 9.57	No	Yes	25.5 1078 4.43 0	32.75 28.7 11 6.55	9715 3528 Lead	0 1 FIXED	IB FOLD 2	(Mtg 5/20/10, +3 sec/mi for non-class smaller kite)(Mtg 9/23/10, rudder modifications noted, NCTR)(Mtg 4/26/12, new rudder noted, NCTR)			
Wild 1	Flying Tiger 10 Meter ODR	41	54	2007	39.284 12.126	105	45.282 19.134	6.463 10.499	No	Yes	27.493 1087 7.008 0	32.68 30.31 9.12 7.61	4376 1918 Lead	0 1 FIXED	OB None 3				
Hokulani	J 120 ALUM	43	48	1996	50.42 14.42	155	50.42 21.42	6.58 11.42	No	Yes	37.8 1777 0 0	40 35 12 7	13900 6000 Lead	0 1 FIXED	IB Fold				
Maxine	Yankee 30-1 SM	43	186	1971	37.5 12.75	125	37.5 12.75	2.4 4.8	No	No	20.75 600 0 0	30.13 23 9 5	8700 4130 Lead	0 1 FIXED	IB FOLD 2	+3 sec/mi for MGM less than 50% of E			

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications		
				DW Rating Disp/WL Ratio	I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.	Traps/H. Strps		IB or OB Prop Type # of blades	
									SL	SPL	SLU	ASA				Ballast			moveable blst
									SSMG SSF	SSA	SLE	ASMG				Ballast Mat.			Keel Type
Tijd	Beneteau First 30	45	<b>102</b> 2011	41.66 13.78 105	42.16 15.7	40.2 6.24 14.25 9.38	6.24 9.38	No	15	Yes	25.5 866 1 90	31.7 27.5 10.5 6.25	8267 2403 Cast Iron	0 1 FIXED	IB Fold	(Mtg 8/27/15, -3 sec/mi for OSP, +6 sec/mi for small spinnaker)			
Elan	Beneteau 37	46	<b>114</b> 2012	45.83 15 105	48	43.5 6.16 12.83 8.83	6.16 8.83	No		Yes	26.6 915 0 0	37.8 34.08 12.83 6.25	14359 3901 Iron	0 1 FIXED	IB Fold				
Riff Rider	Cal 40	46	<b>114</b> 1965	46.2 15.1 155	46.2	40 6.5 17.5 11.3	6.5 11.3	Yes		No	0 0 0	39.3 30.3 11 5.6	15000 6000 Lead	0 1 FIXED	IB Fold				
Kraken	Knarr ODR	47	<b>198</b>	33.583 6.583 125	33.583	31 4.47 11.166 7.46	4.47 7.46	No	6.583	No	0 0	30.333 20.333 7 4.25	4360 2866 Cast Iron	No 1 FIXED	OB None 0				
Fatuity	Moore 24	48	<b>150</b> 1980	26.25 9.75 150	26.25	25 3.91 9.5 6.5	3.91 6.5	Yes		No	0 0	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0				
Hang 20	Express 27 ODR	48	<b>129</b> 1982	28.5 9 125	28.5	28.5 4.22 10.42 7.03	4.22 7.03	Yes		No	0 0	27.3 23.8 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0				
Color Blind	Moore 24	49	<b>150</b> 1979	26.25 9.75 150	26.25	25 3.91 9.5 6.5	3.91 6.5	Yes		No	0 0	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0				

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications		
				J	Max Headsail	ISP JSP	P	MGU	Yes/No		SLU	ASF	LOA	Ttl Disp. Traps/H. Strps		IB or OB				
									E	MGM				SL	SPL		Ballast		moveable blst	# of blades
Disp/WL Ratio	Mast Material	Rig Type	EY	SSSF	ASMG	Fixed or_o	Max Draft													
Hylite	Hylas 49 SM	49	<b>111</b> 2007	57.42 19.5	130	57.42 19.5	51 18.5	4.5 9.17	No	Yes	28.67 1214	48.83 39.5	35000 14500	0 1	IB Fold	(Mtg 1/26/17, Custom rating of 111 assigned)				
			<b>580</b> 258	ALUMN CTR				470		60 55.33 24.42	0 0	14.25 6	Lead	FIXED						
Wet Spot	Moore 24	51	<b>150</b> 1979	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No		23.75 21.75	2050 1025	No 1	OB None					
			<b>636</b> 91	FS			0 0	147		17.55 17.55	389	7.16 4.08	Lead	FIXED	0					
Frequent Flyer	Mumm/Farr 30	52	<b>54</b> 1996	38.2 10.9	104	44.9 13.58	40.5 14.6	6.42 10.4	Yes	Yes	25.25 882	30.9 27.6	4561 1997	0 1	IB Fold					
			<b>540</b> 99	CARBON FS				377		25.25 24.67	934	41.33 23.67	10.1 6.9	Lead	FIXED					
Current Affair	Express 27 ODR	56	<b>129</b> 1983	28.5 9	155	28.5	28.5 10.42	4.22 7.03	Yes	No		27.25 23.75	2450 1100	0 1	OB None					
			<b>611</b> 83	ALUMN FS				182		17.75 17.75	429	8.17 4.5	Lead	FIXED	0					
Salty Hotel	Express 27 ODR	60	<b>129</b> 1983	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	No		27.25 23.75	2450 1100	0 1	OB None					
			<b>611</b> 83	ALUMN FS				182		17.75 17.75	429	8.17 4.5	Lead	FIXED	0					
Ventus	J 88	60	<b>81</b> 2015	38.67 11.28	104	46 18.05	36.82 12	5.44 8.4	No	Yes	29 1022	29.19 26.84	4990 1840	0 1	IB Fold					
			<b>561</b> 117	CARBON FS				282		40.84 27.32	5.25 0	9.5 6.5	Lead	FIXED						
Wuvulu	Islander Bahama 30	61	<b>180</b> 1979	40 12.75	150	38.416	33.75 11.5	4.75 8.125	Yes	No		30 24.58	8600 3500	No 1	IB FOLD					
			<b>674</b> 263	ALUMN MS			0 0	243		22.44 22.75	722	10 5	Lead	FIXED	2					



Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
				J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. moveable blst	IB or OB Prop Type # of blades	
									SL	SPL							
									SSMG SSF	SSA							
Synchronicity	Olson 25	68	159	1985	32 9.583	155	32 9.6	28 10	3.8 6.4	Yes	No	25 21.25 9 4.5	3300 1300 Lead	No 1 FIXED	OB None 0		
			671		ALUMN MS		0 0	166			<input type="checkbox"/>						
			156														
Wetsu	Express 27 w/J length pole	70	129	1983	28.5 9	155	28.5	28.5 10.42	4.22 7.03	Yes	No	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0	-6 Sec/mi OSP	
			611		ALUMN FS		0 0	182			<input type="checkbox"/>						
			83														
Leda	Lapworth 36	71	150	1965	40.5 13.5	150	40.5 13.5	35.5 17.5		Yes	No	36 29 9.5 5.43	13500 4500 Lead	No 1 FIXED	IB FOLD 0		
			632		ALUMN MS		0 0				<input type="checkbox"/>						
			252														
Rustler	Esse 850	71	75		32.8 10	105	37.72 16.2	34.4 11.97	6.23 8.85	No	Yes	28 28 7.25 6.6	3000 1540 Lead	0 1 FIXED	IB Fold	Outboard replaced with inboard saildrive (Mtg 2/28/13, custom rating assigned, as sailed: 75)	
			535		ALUMN FS				277		24.3 779 6.05 0						
			62								<input checked="" type="checkbox"/>						
Andale	Express 27 ODR	72	129	1985	28.5 9	155	28.5	28.5 10.42	4.22 7.03	Yes	No	27.25 23.75 8.17 4.5	2450 1100 Lead	0 1 FIXED	None		
			611		ALUMN FS				182		<input type="checkbox"/>						
			83														
Azure	CAL 40	72	114	1966	46 15.17	150	46	40 17.5	6.65 11.37	Yes	No	39.3 30.5 11 5.5	15500 6000 Lead	0 1 FIXED	IB FEATH 2		
			623		ALUMN MS			0 0	417		<input type="checkbox"/>						
			248														
M Squared	J 88	75	81		38.67 11.28	104	46 18.05	36.82 12	5.44 8.4	No	Yes	29 29.19 26.84 9.5 6.5	4990 1840 Lead	0 1 FIXED	IB Fold		
			561		CARBON FS				282		29 1022 5.25 0						
			117								<input checked="" type="checkbox"/>						

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
				DW Rating Disp/WL Ratio	J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast Mat.	Traps/H. moveable blst Keel Type		IB or OB Prop Type # of blades
									SL	SPL	SLU	ASA						
									SSMG SSF	SSA	SLE ASMG	Fixed or _o						
Paramour	Moore 24	75	150	1980	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0			
JR	Moore 24	76	150	1980	26.25 9.75	155	26.25	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.08	2050 1025 Lead	No 1 FIXED	OB None 0			
USA 76	IACC	76	-78	2002	83.99 27.17	100		99.18 30.19	14.12 20.33	No	No	82.6 61.6 11.9 13.45	52910 39683 Lead	No 1 FIXED	IB Fold	(mtg 12/5/13, custom rating of -78 assigned)		
Courageous	J 88	77	81	2015	38.67 11.28	104	46 18.05	36.82 12	5.44 8.4	No	Yes	29 1022 5.25 0	29.19 26.84 9.5 6.5	4990 1840 Lead	0 1 FIXED	IB Fold		
Levitation II	Express 27 ODR	77	129	1984	28.5 9	150	28.5	28.5 10.416	4.22 7.03	Yes	No	27.25 23.75 8.166 4.5	2450 1100 Lead	No 1 FIXED	OB None 0			
White Trash	Moore 24	78	150	1979	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.08	2050 1025 Lead	0 1 FIXED	OB None 0			
Paradigm	J 32	79	126	2002	39.166 11	150	40.583 11.916	38.42 15.42	5.5 9.58	No	Yes	17.83 722 0 0	32.4 29 11 6	11500 3840 Lead	No 1 FIXED	IB FOLD 2		



Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
				DW Rating Disp/WL Ratio	I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast			Traps/H. moveable blst
									SL	SPL	SLU	ASA						
									SSMG SSF	SSA	SLE ASMG	ASA						
WooHoo	Moore 24	80	<b>150</b> 1980	26.25 9.8	150	26.25	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.083	2050 1025 Lead	0 1 FIXED	OB None 0				
Youngster	IOD ODR	82	<b>156</b> 1937	29.25 8.33	103	41 10.67	38.83 16.25 0 0	6.12 10.47 374	Yes	No	33.42 21.42 6.75 5.333	7100 4100 Lead	No 1 FIXED	NONE None 0	(mtg 1/21/10, switched to Masthead Spinnaker, -12 sec/mi for 40% increase in ISP, -6 sec/mi for oversized spinnaker girths)(138 rating valid for PHRF Races, not valid for IOD Class races. Boat must be in close configuration to sail			
Advantage 3	J 105 ODR w/ 5'BS	84	<b>78</b> 1994	40.6 13.5	100	42.1 19.07	41.5 14.5 0 0	5.5 9.4 358	No	Yes	34.5 29.5 11 6.5	7750 3400 Lead	No 1 FIXED	IB FOLD 2				
Orca	Moore 24	85	<b>150</b> 1981	26.25 9.75	150	26.25	25 9.5 0 0	3.91 6.5 147	Yes	No	23.75 21.75 7.16 4.083	2050 1025 Lead	0 1 FIXED	OB None 0				
Russian Roulette	J 105 ODR w/ 5'BS	85	<b>78</b> 1995	40.6 13.5	100	42.1 19.07	41.5 14.5	5.5 9.4 358	No	Yes	34.5 29.5 11 6.5	7750 3400 Lead	0 1 FIXED	IB Fold 2				
Scarlett	Moore 24	86	<b>150</b> 1980	26.25 9.75	150	26.25	25 9.5	3.89 6.45	Yes	No	24 21.75 7.17 4.08	2050 1000 Lead	No 1 FIXED	OB None				
Dulcinea	Catalina 38	88	<b>117</b> 1981	49.83 15.5	130	49.8 15.5	44 11.5	4.37 7.6 304	No	No	38.17 30.25 11.83 6.75	15900 6850 Lead	0 1 FIXED	IB Fold 2				



Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications		
				J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps				
									SL	SPL								Ballast	moveable blst
									SSMG SSF	SSA								Ballast Mat.	Keel Type
Relentless	J 92	93	<b>105</b> 1997	37 11.5	155	38.5 17.5	38 13.5	5.2 8.7	No	Yes	26.4 915	30 26.5 10 5.9	5500 2275 Lead	0 1 FIXED	IB Fold 2				
			<b>590</b> 134	ALUMN FS				306		40.6 25.4	5.5 0								
California Condor	Class 40	94	<b>6</b> 2010	53.9 15.65	104	58.6 23.85	53.21 18.81	11.71 14.38	No	Yes	39.7 1623	40 39.17 14.7 9.84	12225 4710 Lead	0 1 FIXED	IB Fold 2	Short-Handed Bay Configuration			
			<b>481</b> 92	CARBON FS				715		55.77 30.54	8.2 0								
Slight Disorder	Moore 24	98	<b>150</b> 1981	26.25 9.75	150	26.25 9.75	25 9.5	3.91 6.5	Yes	No		23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0				
			<b>636</b> 91	ALUMN FS			0 0	147		26.6 17.5 17.5	9.8 388								
Red Cloud	Farr 36 Mod	99	<b>87</b> 1976	38.3 12.16	108	46.3 12.16	41 16.75	6.4 10.9	Yes	No		36 31.33 11.92 6.16	10430 3950 Lead	No 1 FIXED	IB Fold 2	(550# ADDED TO KEEL 300# TO FILL MIDDLE WINDOW+250# TO BOTTOM)(Mtg 1/26/12, -3 sec/mi for new mainsail)(mtg 3/29/12, +3 sec/mi after review of rating appeal, as sailed: 87)			
			<b>584</b> 154	ALUMN FS			0 0	410		45.4 21.8 21.8	12.16 825								
Archaeopteryx	Hotfoot 20	101	<b>177</b> 1986	25 7	105	26.08 7.67	27.08 10.08	4.05 6.6	Yes	No		20 18 8.5 5	1000 400 Lead	0 1 CNTRBRD	OB None				
			<b>628</b> 78	ALUMN FS				166		26.97 13.86 13.3	7.67 309								
Elise	Express 27 ODR	101	<b>129</b> 1986	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	No		27.25 23.75 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0				
			<b>612</b> 83	ALUMN FS				182		28.6 17.75 17.75	9.8 423								
Swift Ness	J 111	101	<b>36</b> 2014	48.37 13.85	105	51.4 20.08	45.17 14.5	6.1 10.1	No	Yes	31.8 1404	36.5 32.7 10.8 7.2	9300 3500 LeadSteel	0 1 FIXED	IB Fold				
			<b>534</b> 121	CARBON FS				410		46.88 31.8	6.3 0								

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
				DW Rating Disp/WL Ratio	I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast Mat.	Traps/H. moveable blst Keel Type		IB or OB Prop Type # of blades
									SL	SPL	SLU	ASA						
									SSMG SSF	SSA	SLE ASMG	Fixed or _o						
Absinthe	Moore 24	102	150 1981	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0				
Bad Dog	J 111	103	36 2011	48.37 13.85	105	51.4 20.08	45.7 14.5	6.1 10.1	No	Yes	36.5 32.7 10.8 7.2	9300 3500 LeadSteel	0 1 FIXED	IB Fold				
Geodesic III	Optima 101	103	141 1985	38.71 12	125	38.71 12	38.39 13.45	4.9 8.2	Yes	Yes	32.84 29.25 11.15 4.76	8511 3968 Iron	0 1 FIXED	IB Fixed_2	(Mtg 4/27/17, added 2' retractable bowsprit, -3 sec/mi)			
Wet Corvette	Melges 30	103	36 1994	36.85 10.59	150	36.85 18.96	38 15.49		No	Yes	30 28.6 9.1 7	3800 1750 Lead	0 1 MVBL	IB FOLD 2				
Ala Moana	Beneteau First 30	104	99 2012	41.66 13.78	105	42.16 15.78	40.3 14.25	6.28 9.38	No	Yes	31.7 27.6 10.5 6.25	8267 2403 Cast Iron	0 1 FIXED	IB Fold 2				
Rocket Science	Moore 24	104	150 1981	26.25 9.75	155	26.25 9.76	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.08	2050 1025 Lead	0 1 FIXED	OB None 3				
Sweet Tea	Moore 24	105	150 1981	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.08	2050 1025 Lead	0 1 FIXED	OB None				

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications		
				DW Rating <i>Disp/WL Ratio</i>	I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast	Traps/H. moveable blst		IB or OB Prop Type # of blades	
									SL SSMG SSF	SPL SSA	SLU SLE ASMG	Ballast Mat.							Keel Type
Neverland	Tartan 3700 SD 5.0'	106	<b>114</b> 2006	51.75 15	135	51.75 15	45.25 15	5.7 9.68	No	Yes	25.4 1025	37 32.5 12.6 5	17780 6200 Lead	0 1 FIXED	IB Fold 2				
Sea Spirit	Catalina 34 1&2	108	<b>147</b> 1986	44 13.5	130	44 13.5	38.5 12	4.36 7.54	Yes	No		34.5 29.83 11.75 5.58	11950 5000 Lead	No 1 FIXED	IB FOLD 2				
Thea	Folkboat	108	<b>252</b> 1984	21.988 6.562	100	10.166	28.707 11.154	4.416 7.333	No	No		25.079 19.822 7.261 3.916	4640 2315 Iron	No 1 FIXED	OB None 0				
Lucky Mud	Pearson 323	110	<b>189</b> 1978	41 13.81	100		36 10.75	3 5.2	No	No		32.3 27.5 10 4.5	12800 4500 Lead	0 1 FIXED	IB Fixed_3				
Moxy	Moore 24	110	<b>150</b> 1982	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No		23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0				
Wood Eye	Catalina 38	111	<b>123</b> 1981	49.83 15.5	110	49.83 15.5	44 11.5	4.7 7.9	Yes	No		38.17 30.25 11.83 6.75	15900 6850 Lead	0 1 FIXED	IB Fixed_2 2				
High and Dry	Santana 22	114	<b>234</b> 1967	26 8.5	150	26	21.75 9.83	3.95 6.59	Yes	No		22 18.67 7.83 3.5	2600 1230 Cast Iron	0 1 FIXED	OB None				

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications							
				DW Rating	J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No		Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps		IB or OB						
										SL	SPL									SLU	ASA	LWL	Ballast	moveable blst	IB or OB
Disp/WL Ratio	Mast Material	Rig Type	PY EY	MSA	SSSF	ASA	Fixed or _o	Max Draft																	
Ecco	CAL 39-2/3	115	<b>117</b> 1980	50 16.7	125	50	44 13.75	5 8.5	No	No	39 32.1 12.15 6.7	17000 7000 Lead	0 1 FIXED	IB Feath											
First Light	Beneteau 35S5	115	<b>126</b> 1991	41.66 11.15	98		42.65 15.09	5.25 9.042	Yes	No	35.42 29.33 11.83 6	11460 4190 Lead	No 1 FIXED	IB Fixed_2 2											
Pork Chop Express	Express 27 ODR MOD	115	<b>126</b> 1986	28.5 9	130	32.5	28.5 10.4	4.2 7	Yes	Yes	19.55 27.25 23.75 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None	(Mtg 1/26/17, -3sec/mi for switching to MH configuration. New Rudder, NCTR)										
E-Ticket	Moorings 38 SD	119	<b>117</b> 1990	47.5 13.9	155	47.5 13.9	41.7 15	5.69 9.45	Yes	No	38.4 31.33 12.5 4.8	13700 5400 Steel	0 1 FIXED	IB Fold 2	Shoal Draft (Mtg 10/27/16, -3 sec/mi for oversized spinnaker area)										
Snafu	Moore 24	121	<b>150</b> 1982	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.08	2050 1000 Lead	0 1 FIXED	OB None											
Harizon	Dufour 310	122	<b>159</b> 2016	40.35 10.82	95		38.25 14.57	5.54 9.47	No	No	31.72 28.54 10.88 6.23	10802 2932 Iron	0 1 FIXED	IB Fold											
Ga	Knarr ODR	123	<b>198</b>	33.583 6.583	125	33.583	31 11.166	4.47 7.46	No	No	30.333 20.333 7 4.25	4630 2866 Lead	No 1 FIXED	OB None 0											

Boat Name	Boat Model (Type)	Rating Sail #	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications			
				DW Rating Disp/WL Ratio	I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast			Traps/H. moveable blst		
									SL	SPL	SLU	ASA							Ballast Mat.	Keel Type
Circlesea	Folkboat	125		252	1990	21.99 6.56 WOOD MS	10.17	28.71 11.15	4.42 7.33	194	No	No	25.08 19.82 7.26 3.92	4640 2315 Iron	0 1 FIXED	OB None 0				
Carmelita	Catalina 42-1/2	131		105	1990	53 16.42 ALUMN MS	53	46.75 15.5 0 0	4.98 8.85 399		Yes	Yes	27.75 36 13.83 6.66	22000 8300 Lead	No 1 FIXED	IB FEATH 3				
Problen Child	Melges 20	134		111	2009	23.19 7.05 CARBON FS	27.2 10.95	24.25 9.84	3.83 7.42 152		No	Yes	18.8 417 3.9 0	20 19.4 7 4.5	1105 415 Lead	0 1 FIXED	OB None			
Incognito	Moore 24	136		150	1984	26.25 9.75 ALUMN FS	26.25	25 9.5 0 0	3.91 6.5 147		Yes	No	23.75 21.75 7.16 4.08	2050 1025 Lead	No 1 FIXED	OB None 0				
Mas!	Moore 24	138		150	1983	26.25 9.75 ALUMN FS	26.25	25 9.5	3.91 6.5 147		Yes	Yes	17.6 387 0 90	23.75 21.75 7.16 4.08	2050 1025 Lead	0 1 FIXED	OB None			
Hasta Nunca	Moore 24	142		150		26.25 9.75 ALUMN FS	26.25	25 9.5	3.91 6.5 147		Yes	No	23.75 21.75 7.16 4.08	2050 1025 Lead	0 1 FIXED	OB None 0				
Zara	Beneteau 310	144		135	1993	37.04 10.83 ALUMN FS	37.04 10.82	37.8 12.9	5.2 8.9 301		No	Yes	21.6 528 0 0	31.2 27.7 10.5 4.3	7054 2160 Lead	0 1 FIXED	IB Fixed_2			

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
			Rating		I	J	ISP	P	MGU	Yes/No	Yes/No	ASF	Ttl Disp.		Traps/H. Strps	IB or OB		
			DW Rating		Max Headsail	Mast Material	JSP	E	MGM	SL	SPL	SLU	ASA		Ballast	moveable blst	Prop Type	
			Disp/WL Ratio		Rig Type		PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam		Ballast Mat.	Keel Type	# of blades	
							SSF	ASM	G	Fixed or _o								
Anna Banana	Moore 24	146	<b>150</b>	1984	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.08	2050 1025 Lead	No 1 FIXED	OB None			
			<b>636</b> 91		ALUMN FS				147			<input type="checkbox"/>	0 0					
Coquelicot	Ranger 33	148	<b>153</b>	1975	41.5 13.87	120	43.75 13.87	35 13.75	4.6 8.1	Yes	No	33 26.3 9.6 5	10500 4500 Lead	No 1 FIXED	IB FOLD 2	Double Spreader rig, water supply 41 gallons, below v berth, 26 gallon bladder tank starboard, rudder 9 inches deeper, group 31 batteries, 15 hsp one cyl diesel replaced by 29 hsp Perkins 3 cylendar engine. (NOTE) (MTC 2 21 02)		
			<b>644</b> 262		ALUMN MS			0 0	270			<input type="checkbox"/>	0					
Nemesis	Pearson 26 Commander	151	<b>258</b>	1964	31.5 9.5	155		26 11.5	3.3 5.75	Yes	Yes	21.06 18.5 8 3.7	5200 2500 Lead	0 1 FIXED	OB None			
			<b>774</b> 373		ALUMN MS				154			<input checked="" type="checkbox"/>	0					
Kookaburra	J 120 ALUM	153	<b>48</b>	2001	50.5 14.5	155	52 21.5	46.5 17.8	6.2 10.7	No	Yes	30.3 60.8 50.6 26.5	13900 6000 Lead	No 1 FIXED	IB FOLD 2			
			<b>556</b> 147		ALUMN FS			0 0	471			<input checked="" type="checkbox"/>	7					
U Decide	Ultimate 20	155	<b>144</b>	2001	26.08 6.97	114	27.58 12.79	27.33 10.17	5.5 7.96	No	Yes	17.7 30.42 28.42 17.67	1350 450 Lead	0 1 FIXED	OB None 0			
			<b>616</b> 105		ALUMN FS				193			<input checked="" type="checkbox"/>	0					
Sir Leansalot	Hunter 40	161	<b>108</b>	1986	53.9 17	125	53.9 17	48 13.9	5.2 9	Yes	No	39.7 32.5 13.5 6.5	17400 6000 Iron	0 1 FIXED	IB Fixed_2 2			
			<b>610</b> 230		ALUMN MS			0 0	396			<input type="checkbox"/>	0					
Nozomi	CAL 40	164	<b>114</b>	1970	46.2 15.2	155	46.2	39.9 17.6	6.6 11.37	Yes	No	39.5 30 11 5.6	15500 6000 Lead	0 1 FIXED	IB FEATH 3			
			<b>622</b> 261		ALUMN MS				416			<input type="checkbox"/>	0 0					



Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU ASA SLE ASMG	ASF Sprit Lngth Fixed or_o	Ttl Disp.		Traps/H. Strps		IB or OB Prop Type # of blades	
								SL	SPL					Ballast	moveable blst		
Junkyard Dog	J 109 ODR	168	<b>72</b> 2004	46.5 13.3 105	49 18.83	43.25 5.88 15.5 10	0 398	No	Yes	27.75 1160	35.25 30.5 11.5 7	10900 3900 Lead	No 1 FIXED	IB FOLD 2			
Rufless	Melges 32 MOD	174	<b>30</b> 2007	40.86 10.7 105	48.3 18.7	44.05 6.95 15.49 11.14	0 438	No	Yes	31.3 1203	31.84 28.5 9.83 7	4200 1600 Lead	No 1 FIXED	OB None	(mtg 2/23/17, no longer using the class spinnaker. +3 sec/mi for small asymmetric)		
Strange Magic	Islander Bahama 30	179	<b>180</b> 1981	40 12.75 150	40 12.75	33.75 4.37 11.5 7.47	0 232	No	No	0 0	29.92 24.58 10 5	8230 3130 Lead	0 1 FIXED	IB Fold			
Breakaway	Ultimate 20 CM	180	<b>144</b> 2002	26.08 6.97 114	27.58 12.79	27.33 5.5 10.17 7.96	0 193	No	Yes	19.167 441	20.83 18 8.33 5	1350 450 Lead	No 1 FIXED	OB Fixed_3 3			
Vuja Star	J 105 ODR w/ 5'BS	181	<b>78</b> 1998	40.6 13.5 100	42.1 19.07	41.5 5.5 14.5 9.4	0 358	No	Yes	29.5 958	34.5 29.5 11 6.5	8733 3400 Lead	0 1 FIXED	IB Fold 2			
Big Air	Open 5.7 ODR	189	<b>138</b> 2006	21.52 7.3 117	21.6 12.3	25.33 5.7 10.24 8.2	0 183	No	Yes	17.6 345	18.75 18.7 8.3 5.74	992 405 Lead	0 1 FIXED	OB None			
Trois Amis	Screamer 12 Meter MOD	194	<b>36</b> 1985	44.58 15.75 140	44.58	41 5.3 14.2 9.2	0 345	Yes	No	0 1116	39.37 32.5 10.33 7.67	6000 1350 Lead	0 1 FIXED	OB None	(mtg 3/23/17, custom rating of 36 assigned)		

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
			Rating		I	J	Max Headsail	ISP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp. Traps/H. Strps		IB or OB	
			DW Rating		Mast Material	JSP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type			
			Disp/WL Ratio		Rig Type	PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades				
						EY		SSF	ASMG	Fixed or _o	Max Draft								
Lindo	J 109	195	<b>69</b>	2005	46.5 13.3	155	49 18.8	43.3 15.5	5.89 10.07	No	Yes	27.75 1160	35.25 30.5	10900 3900	0 1	IB FOLD			
			<b>580</b>		ALUMN				400			5.5	11.5	Lead	FIXED	2			
			175		FS						<input checked="" type="checkbox"/>	0	7						
Sweet Pea	Islander 30-2	195	<b>186</b>	1971	38.5 12.58	155	38.42	32.5 11.58	4.75 8.125	Yes	No		30 24.58	8600 3500	0 1	IB FOLD			
			<b>677</b>		ALUMN			0	235			0	10	Lead	FIXED	2			
			263		MS			0	0			<input type="checkbox"/>	5						
Warpath	Olson 30 OB	198	<b>99</b>	1982	36 11.75	150	35.9 11.67	31.5 10.75	4.364 7.268	Yes	No		30 27.5	3600 1800	No 1	OB None			
			<b>584</b>					0	208			0	9.33	Lead	FIXED	0			
			79		MS			0	0			<input type="checkbox"/>	5.08						
Quiet Thing	Ranger 22	200	<b>216</b>	1978	25.75 8.5	155	25.75	26 7.4	2.8 4.8	Yes	No		22.5 17.5	2200 900	0 1	OB None			
			<b>732</b>		ALUMN				115			0	7.8	Lead	FIXED				
			187		FS			14.7				<input type="checkbox"/>	4.3						
Tortuga	Westsail 32	207	<b>216</b>	1974	31.2 18.4	150		38.3 15.1		No	No		32 27.6	19500 7000	0 1	IB FOLD			
			<b>694</b>		ALUMN							0	11	Lead	FIXED	3			
			422		CTR							<input type="checkbox"/>	5						
Short Bus	Hunter 35 Legend	210	<b>138</b>	1990	42 12.17	110		44.08 14.25	5.5 9.2	No	Yes	24.6 957	35.58 29.75	12600 5000	0 1	IB Fixed_2			
			<b>628</b>		ALUMN				375			0	11.75	Lead	FIXED				
			218		MS							<input type="checkbox"/>	6.5						
Kuai	Melges 32 ODR	211	<b>27</b>	2006	40.86 10.7	105	48.3 18.7	44.05 15.49	6.95 11.14	No	Yes	31.82 1344	31.84 28.5	4200 1600	0 1	OB None			
			<b>475</b>		CARBON				438			8	9.83	Lead	FIXED				
			82		FS							<input checked="" type="checkbox"/>	7						

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications		
				DW Rating	I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.	Traps/H. Strps moveable blst		IB or OB Prop Type # of blades	
									SL SPL SSMG SSF	SPL SSA	SLU SLE ASMG	Ballast Mat.							Keel Type
Arby	Colgate 26	212	159	2004	27.75 8.25 ALUMN FS	105	27.75	29.75 11.2	4.3 7.3	200	No	No	25.7 20 8.5 4.5	2600 1040 Lead	0 1 FIXED	OB Fixed_3 3	Non Spinnaker configuration		
Penny Pincher	J 70 ODR	215	114	2014	26.77 7.68 CARBON FS	100	30.15 13.5	26.16 9.44	4.71 6.93	164	No	Yes	22.78 20.47 7.38 4.92	1750 630 Lead	0 1 MVBL	OB None			
Firefly	Harbor 20	226	213	2006	25.75 7 ALUMN FS	90	25.75 7	26 10	3.6 6.25	151	No	No	20 17.17 7 3.5	1800 900 Lead	0 1 FIXED	OB None			
Seaya	Catalina 380	252	120	2000	50.916 14.667 ALUMN MS	135	44.833 15.667	5.2 10	405		No	No	38.42 32.42 12.33 7.17	19000 6800 Lead	No 1 FIXED	IB FEATH 3			
Mamaluc	J 105 ODR w/ 5'BS	265	78	1999	40.6 13.5 ALUMN FS	100	42.1 19.07	41.5 14.5	5.5 9.4	358	No	Yes	34.5 29.5 11 6.5	7750 3400 Lead	No 1 FIXED	IB FOLD 2			
Endless Summer	Catalina 36	271	150	1984	44.75 14.33 ALUMN MS	95	44.75 14.33	39 12	4.33 8.01	279	No	Yes	36.33 30.25 11.92 5.83	13500 6000 Lead	0 1 FIXED	IB Fixed_3 3			
No Name	swift	274	219	1978	25.9 8.5 ALUMN FS	125	25.9 8.6	26 7.5	3.3 5.5	126	Yes	No	22.5 17.58 7.83 4.3	2183 900 Lead	0 1 FIXED	OB None	Roller Furler		

Boat Name	Boat Model (Type)	Sail #	Rating Built DW Rating Disp/WL Ratio	Foretriangle:		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications		
				I J Max Headsail Mast Material Rig Type	P E PY EY		MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps moveable blst				
								SL SPL SSMG SSF	SPL SSA SSA	SLU SLU SLE ASMG	ASA ASA Sprit Lngth Fixed or _o							Ballast Mat.	Keel Type
Spirit	Alerion Express 28 ODR	275	<b>168</b>	1985	30 9.75	90	30 9.75	33 12.5	4.8 7.6	No	No		28.25 22.83 8.2 4.5	5700 2200 Lead	0 1 FIXED	IB Fold 2			
Makani	Nonsuch 30	278	<b>174</b>	1985		0		44.9 23.9	8 14.5	No	No		30.33 28.75 11.83 5	11500 4500 Lead	0 1 FIXED	IB Feath			
Pearl	Ranger 33 SM	278	<b>165</b>	1977	38 13.9	125	38	31.5 11	4.43 7.39	Yes	No		33.17 26.25 9.583 5.166	10500 4800 Lead	0 1 FIXED	IB Fixed_2 2			
Frisky	Open 5.7 ODR	281	<b>138</b>	2009	21.52 7.3	117	27.9 12.3	25.33 10.24	5.7 8.2	No	Yes		18.7 18.7 8.3 5.7	992 405 Lead	0 1 FIXED	NONE None			
Kiwa	Ericson 32-2	285	<b>183</b>	1973	36 18	155	36	31.5 13	4.9 8.4	No	No		32 24 9.67 4.91	9400 4400 Lead	0 1 FIXED	IB Fixed_2 2			
Obsession	Harbor 20	299	<b>207</b>	2010	25.75 7	95	26.38 8.16	26 10	3.25 6.05	Yes	No		20 17.2 7 3.5	1800 900 Lead	0 1 FIXED	OB None	(Mth 5/25/17, -6 sec/mi for OSP)		
Nightmare	Custom Wilderness 30 SX FR OB	305	<b>111</b>	1980	34 11.75	125		34.4 11.5	4.59 7	Yes	No		29.75 27.75 8.83 5.92	4700 1650 Lead	No 1 FIXED	OB None 0	(-3 sec/mi for change from IB to OB, -6 sec/mi for keel change.)(mtg 2/26/15, -9 sec/mi for oversized spinnaker)		

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
			Built	I	J	ISP	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	IB or OB				
			DW Rating	Max Headsail	Mast Material	JSP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type			
			Disp/WL Ratio	Rig Type		PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades				
								SSA	ASA	Max Draft									
Capo Gatto	Nonsuch 30	308	<b>174</b>	1985				45	7.9	No	No			30.33	11500	0	IB		
							24	14.3						28.75	4500	1	Fold		
			<b>668</b>		ALUMN							0		11.1	Lead	FIXED	2		
			220		CAT				605			<input type="checkbox"/>	0	5					
Boudicca	Elan 310	310	<b>129</b>	2010	40.19		42.55	39.53	5.28	No	Yes	25.91		30.3	10141	0	IB		
					11.74	106	14.87	13.55	8.92		Yes	906		28.58	2292	1	Fold		
			<b>630</b>		ALUMN						42.02	3		10.5	Iron	FIXED			
			197		FS				323		24.18	<input checked="" type="checkbox"/>	0	6.23					
Lightwave	J 105 ODR w/ 5'BS	319	<b>78</b>	2000	40.6		42.1	41.5	5.5	No	Yes	22.9		34.5	7750	No	IB		
					13.5	100	19.07	14.5	9.4		Yes	947		29.5	3400	1	FOLD		
			<b>581</b>		ALUMN			0	358		38.5	5		11	Lead	FIXED	2		
			137		FS			0			26.6	<input checked="" type="checkbox"/>		6.5					
Roxanne	Tartan 4100 SD TM	322	<b>90</b>		57		57	50.1	6.8	No	Yes	27		41.3	20400	0	IB		
					15	135	15	18	11.5		Yes	1285		35.9	8000	1	Feath		
			<b>579</b>		ALUMN						53	0		13.6	Lead	FIXED			
			200		MS				533		27.7	<input checked="" type="checkbox"/>	0	5.4					
Shanti	Ericson 911S Olson	326	<b>132</b>	1989	41.5		41.5	35.5	4.73	Yes	No			29.92	8700	0	IB	CHANGE TO RUDDER NOTED, NCTR	
					12.33	150	12.33	11.83	7.69					25	3200	1	FOLD		
			<b>662</b>		ALUMN			0	253				0	10.33	Lead	FIXED	2		
			253		MS			0			21.7	<input type="checkbox"/>		5.42					
Scilla	J 70 ODR	327	<b>114</b>	2012	26.77		30.15	26.16	4.71	No	Yes	18.7		22.78	1750	0	OB		
					7.68	100	13.5	9.44	6.93		Yes	491		20.47	630	1	None		
			<b>607</b>		CARBON						28.87	5.1		7.38	Lead	MVBL			
			93		FS				164		18.24	<input checked="" type="checkbox"/>	0	4.92					
Popstar	Catalina 400	331	<b>108</b>	2005	52.5		52.5	46.9	4.02	No	Yes	27.9		41.54	20500	0	IB	(+3 sec/mi for in-mast furling mainsail, +3 sec/mi for MGM <50% of E)	
					15.5	135	16.5	17	8.27		Yes	1225		36.5	8300	1	Fold		
			<b>599</b>		ALUMN						50	0		13.5	Lead	FIXED	3		
			192		MS				393		29	<input checked="" type="checkbox"/>	0	6.92					

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Keel		Engine/Prop	Modifications									
					J	Max Headsail	ISP JSP	P	MGU	Yes/No		Yes/No	ASF		LWL	Ttl Disp.			Traps/H. Strps	IB or OB							
										E	MGM										SL	SPL	SLU	ASA	Ballast	moveable blst	Prop Type
EY		SSF		ASM	Fixed or_o	Max Draft						# of blades															
Farriage	Catalina 42-1/2	336	102	1992	53 16.42	130	53 16.42	46.75 16.42	5.75 9.83	No	Yes	27.08	41.83	20600	0	IB											
			604		ALUMN						53	36	8300	1	Feath												
			201		MS				437		47.37	13.83	Lead	FIXED	3												
											24.37	6.83															
Blue Ribbon	Catalina 27 IB	343	213	1975	34.5 11.25	120		28.7 10.5	3.5 6.3	No	No		26.83	6850	0	IB											
					ALUMN							8.83	2650	1	Fixed_3												
			303		MS				170		<input type="checkbox"/>	4	Lead	FIXED	3												
Allons-Y	J 70 ODR	346	114	2014	26.77 7.68	100	30.15 13.5	26.16 9.44	4.71 6.93	No	Yes	18.7	22.75	1750	0	OB											
			607		CARBON						35.43	20.47	630	1	None												
			93		FS				164		28.87	7.38	Lead	MVBL													
											18.24	4.92															
Constance	Tartan 34 CB	346	165	1974	41 14	125	41	35.5 10.5	4 6.9	No	Yes	20.3	34.3	11200	0	IB	Roller Furler										
			683		ALUMN						43.6	25	5000	1	Fold												
			326		MS				224		24.5	10.2	Lead	CNTRBRD	2												
											24.3	8.3															
Kabunza	Pearson 36-2	362	132	1986	47.1 15.4	110		41 14.5	3.65 7.3	No	No		36.5	15000	0	IB											
					ALUMN							29.5	5800	1	Fixed_2												
			266		MS				300		<input type="checkbox"/>	12.3	Lead	FIXED	2												
												6.5															
Post Time	Catalina 42-1/2	362	102	1993	53 16.42	135	53 16.42	46.75 15.5	5 9	No	No		41.83	24000	0	IB	In-Boom Furling Mast, Electric Halyard Winch										
					ALUMN							36	8300	1	Feath												
			234		MS				401		<input type="checkbox"/>	13.83	Lead	FIXED	3												
												6															
Hangover	Islander 36 ODR	367	147	1976	45 14.48	135	45	39.25 12.75	5.05 8.44	No	No		36.8	13450	0	IB											
					ALUMN							28.25	5820	1	Fixed_2												
			271		MS				303		<input type="checkbox"/>	11.17	Lead	FIXED													
												6.08															

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications		
				J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No	ASF		Ballast Ballast Mat.	Traps/H. moveable blst Keel Type				
									SL	SPL								SLU	ASA
Sacagawea	Catalina 34 1&2	375	156	1987	44 13.5	95	44 13.48	38.5 4.7 11.75	4.7 7.54	No	No	34.5 29.83 11.75 5.6	11950 5000 Lead			0 1 FIXED	IB Fixed_3 3		
Javelin	J 105 ODR w/ 5'BS	394	78	2001	40.6 13.5	100	42.1 19.07	41.5 14.5	5.5 9.4	No	Yes	34.5 29.5 11 6.5	8697 3400 Lead	0 1 FIXED	IB Fold				
Joker	J 35	400	75	1986	46.4 14.7	125	46.4	41.5 14	5.43 9.11	Yes	No	35.42 30 11.8 6.75	10500 4400 Lead	0 1 FIXED	IB FOLD 2				
Ariadne	Beneteau Farr First 36.7	403	84		46.4 13.1	125	46.4 13.1	46.4 15.6	5.92 12.49	Yes	No	36 30.3 11.4 7.3	12495 4034 Lead	No 1 FIXED	IB Fold 2				
Sobrante	Alerion Express 28 ODR	406	168	2009	30 9.75	90	30 9.75	33 12.5	4.8 7.6	No	No	28.25 22.83 8.2 4.5	5700 2200 Lead	0 1 FIXED	IB Fold 2				
Nantucket Sleighride	J 105 ODR w/ 5'BS	414	78	2001	40.6 13.5	100	42.1 19.07	41.5 14.5	5.5 9.4	No	Yes	34.5 29.5 11 6.5	7750 3400 Lead	0 1 FIXED	IB Fold 2				
Luna Sea	Islander 36 ODR	420	144	1980	45 14.48	135	45	39.25 12.75	5.05 8.44	Yes	No	36.08 28.25 11.17 6.08	18000 5450 Lead	No 1 FIXED	IB Feath 3				

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications							
			Built	DW Rating	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps		IB or OB						
											SL	SPL									SLU	ASA	LWL	Ballast	moveable blst	IB or OB
Disp/WL Ratio	Mast Material	Rig Type	EY	MSA	SSF	SSA	ASMG	Fixed or _o	Max Draft																	
White Bear	Nonsuch 30	431	<b>174</b>	1987				45	8.68	No	No		30.33	11500	0		IB									
							24	15.12					28.75	4500	1		Fold									
			<b>666</b>		ALUMN				629				11.9	Lead	FIXED		3									
			220		CAT								5													
Kapai	Islander 36 ODR	438	<b>147</b>	1977	45	125	45	39.25	5.05	No	No		36.08	13450	0		IB									
					14.48			12.75	8.44				28.25	5500	1		FOLD									
					ALUMN			0	303				11.17	Lead	FIXED		2									
			271		MS			0					6													
Rufless	Melges 24	445	<b>84</b>	1999	27.85	100	31.85	28.9	3.83	No	Yes	20.67	24	1783	0		OB									
					7.95		12	12.45	7.09		38	577	22	650	1		None									
			<b>577</b>		CARBON				196		32.9	0	8.17	Lead	CNTRBRD		0									
			76		FS						19.23	<input checked="" type="checkbox"/>	5.25													
Zenith	Islander 36 NCPHRF	472	<b>147</b>	1978	45	135	45	39.25	5.05	No	No		36.08	13450	No		IB									
					14.48		14.8	12.75	8.44				28.25	5820	1		Fold									
					ALUMN			0	303				11.166	Lead	FIXED		2									
			271		MS			0					6.083													
Auggie	Santana 22 ODR	476	<b>237</b>	1969	26	125	26	21.75	3.95	Yes	No		22	2600	No		OB									
					8.5			9.833	6.59	26	8.583		18.666	1230	1		None									
			<b>737</b>		ALUMN			0	131	15.44			7.833	Cast Iron	FIXED		0									
			182		MS			0		15.44			3.5													
Zingara	Islander 36 NCPHRF	484	<b>150</b>	1978	45	125	45	39.25	4.8	No	No		36.1	13450	No		IB	Roller Furler								
					14.48		14.8	12.75	8.29				28.25	5820	1		Fold									
					ALUMN			0	298				11.17	Lead	FIXED		2									
			271		MS			0					6.08													
Alpha	Sonar 23	498	<b>174</b>	1990	23	100		27.5	1.23	No	No		23	2100	n		OB									
					8.25			11.17	7.3				19.92	900	1		None									
					ALUMN				156				7.8	Lead	FIXED											
			121		MS								3.92													



Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications		
			Built	DW Rating	J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.	Traps/H. Strps		IB or OB Prop Type # of blades	
									SL	SPL	SLU	ASA				Ballast			moveable blst
Shut Up & Drive	J 24 ODR	513	<b>168</b>	1988	26.25 9.5	150	26.25	28 9.75	3.7 6.37	Yes	No	24 20 8.916 4	3100 965 Lead	No 1 FIXED	OB None 0				
			<b>693</b> 176		ALUMN FS			0 0	163			<input type="checkbox"/>							
All Hail	Catalina 34 TM	524	<b>144</b>	1988	46 13.5	130	45.9 13.5	40.5 12	4.8 8	No	No	35.66 29.84 11.75 5.56	12000 5000 Lead	0 1 FIXED	IB Fold				
			<b>205</b>		ALUMN MS				296			<input type="checkbox"/>							
The Mighty Windsong	International Folkboat OB	567	<b>228</b>	1969	26 8.3	155	26 8.3	28.8 11.2	4.44 7.34	Yes	No	25.75 19.75 7.5 4	5000 2750 Iron	0 1 FIXED	OB None				
			<b>817</b> 295		ALUMN MS				195			<input type="checkbox"/>							
Crackers	J 105 ODR w/ 5'BS	581	<b>78</b>	2002	40.6 13.5	100	42.1 19.07	41.5 14.5	5.5 9.4	No	Yes	26.2 859 5 0	34.5 29.5 11 6.5	8664 3400 Lead	0 1 FIXED	IB Fold			
			<b>585</b> 153		ALUMN FS				358			<input checked="" type="checkbox"/>							
Rampage	J 70 ODR	582	<b>114</b>	2014	26.77 7.68	100	30.15 13.5	26.16 9.44	4.71 6.93	No	Yes	18.7 491 5.1 0	22.75 20.47 7.38 4.92	1750 630 Lead	0 1 MVBL	OB None			
			<b>607</b> 93		CARBON FS				164			<input checked="" type="checkbox"/>							
Wingman Racing	J 70 ODR	584	<b>114</b>	2014	26.77 7.68	100	30.15 13.5	26.16 9.44	4.71 6.93	No	Yes	18.7 491 5.1 0	22.75 20.47 7.38 4.95	1750 630 Lead	0 1 MVBL	OB None			
			<b>607</b> 93		CARBON FS				164			<input checked="" type="checkbox"/>							
Queimada	Catalina 34 1&2	611	<b>147</b>	1988	44 13.5	150	44 13.5	38.5 12	4.2 7.2	Yes	No	34.5 29.83 11.75 5.58	11950 5000 Lead	0 1 FIXED	IB Fold 2				
			<b>637</b> 205		ALUMN MS				263			<input type="checkbox"/>							

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.		Traps/H. Strps moveable blst				
								SL	SPL						Ballast			Keel Type
								SSMG SSF	SSA						Ballast Mat.			Keel Type
Wild-Type	Ericson 32-2	614	<b>186</b> 1975	38 13 155 13		31.5 4.53 13 8.19	4.53 237	No	Yes	22.23 639 0 0	31.58 24 8.67 4.92	8800 4000 Lead	0 1 FIXED	IB Fixed_3 3	Roller Furler			
Dura Mater	CAL 27-2 IB	616	<b>213</b> 1979	36 12 120		30.83 4.21 10.25 7	4.21 195	Yes	No	11.8 518 0 0	26.58 22.08 9.25 4.25	6700 3100 Lead	0 1 FIXED	IB Fixed_3 3				
Can O' Whoopass	CAL 20	624	<b>273</b> 1965	22 7.33 115 7.33		23 4 10 6.7	4 140	Yes	No	7.33 242 0 0	20 18.1 7 3.33	2000 900 Iron	0 1 FIXED	OB None 2	(mtg 4/24/08, -18 sec/mi for adding single trapeze wire) (10/2/08 - removed trapeze, now racing as a standard cal 20 -18 sec/mi penalty removed)(3/5/09 added single trapeze back, -18 sec/mi)(8/26/09, switching back to standard Cal 20)			
TESA	Catalina 42-1/2	642	<b>102</b> 1999	53 16.41 155 23		46.75 5.91 15.416 10	5.91 430	Yes	Yes	31 1275 0 0	41.83 36 13.83 6.8	25500 8300 Lead	0 1 FIXED	IB FEATH 3	Added one electric main halyard winch			
Flight Risk	Thompson 650	650	<b>102</b> 2000	26.67 8.86 100 14.86		28.29 5.7 10.4 8	5.7 204	No	Yes	20.58 586 7.87 0	22.3 19.8 8.16 5.9	1692 660 Lead	Yes 3 FIXED	OB None	(mtg 1/21/10, weighed displacement of 1692lbs updated, NCTR)(Mtg 3/18/10, change custom rating from 108 to 99)(Mtg 8/18/10, submitted appeal, rating changed from 99 to 102)			
Boomer	Melges 20	676	<b>111</b> 2009	23.19 7.05 110 10.95		24.25 3.83 9.84 7.42	3.83 152	No	Yes	18.8 417 3.9 0	20 19.4 7 4.5	1105 415 Lead	0 1 FIXED	OB None 0				
Endless Summer	Catalina 42-1/2 WK	688	<b>111</b> 2000	53 16.5 155		46.75 5.08 15.5 9.16	5.08 405	No	No	0 0	41.83 36 13.83 4.83	28000 8300 Lead	0 1 FIXED	IB Feath 3				

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		Ttl Disp. Ballast		Traps/H. moveable blst				
								SL SSMG SSF	SPL SSA	SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o				Ballast Mat.			Keel Type
Revelry	Catalina 42-1/2	703	<b>105</b> 1999	53 16.416 125 53 16.416		46.75 5.75 15.416 9.833		No	Yes	27.5 1097	41.833 36 13.833 6.83	20500 8300 Lead	No 1 FIXED	IB FEATH 3	ASYM SPIN NOTED NCTR.			
			<b>608</b> 200	ALUMN MS		0 425 0				<input type="checkbox"/>								
Zeehond	Newport 30-2	707	<b>174</b> 1976	39.5 12.125 150 39.5		34 3.6 10.25 6.33		Yes	No		30 25 10.5 4.75	8500 2600 Lead	No 1 FIXED	IB FOLD 2				
			<b>671</b> 247	ALUMN MS		0 201 0				<input type="checkbox"/>								
Imagine	Ericson 32-3	716	<b>159</b> 1987	42 13.8 135		36.4 4.18 11.8 7.28		No	No		32.5 25.83 10.83 6	9800 4200 Lead	0 1 FIXED	IB Fixed_2 2				
			<b>258</b>	ALUMN MS						<input type="checkbox"/>	0 0							
Insolent Minx	Melges 24	725	<b>84</b> 2008	27.85 7.98 100 31.85 12		28.75 3.83 12.42 7.09		No	Yes	20.67 577	24 22 8.2 5.25	1750 650 Lead	0 1 CNTRBRD	OB None				
			<b>578</b> 75	CARBON FS			195			32.9 19.23 <input checked="" type="checkbox"/>	0 0							
Nessie	Catalina 34 1&2	734	<b>156</b> 1988	44 1.5 100 44 13.48		38.5 4.7 12 7.54		No	No		34.5 29.83 11.75 5.58	11950 5000 Lead	0 1 FIXED	IB Fixed_3 3				
			<b>205</b>	ALUMN MS			274			<input type="checkbox"/>	0 0							
Amandla	Catalina 34 1&2	796	<b>147</b> 1988	46 13.5 130		38.5 12		No	No		35.75 29.8 11.75 5.6	11950 5000 Lead	0 1 FIXED	IB FOLD 3				
			<b>205</b>	ALUMN MS						<input type="checkbox"/>	0							
Byte Size	Santana 22	801	<b>237</b> 2001	26 8.5 90 26 8.5		21.75 3.95 9.833 6.59		Yes	No		22 18.67 7.83 3.5	2600 1230 Iron	No 1 FIXED	OB None 0				
			<b>737</b> 182	ALUMN MS		0 131 0				26 8.583 15.44 335 15.44	0							
										<input type="checkbox"/>	0							



Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications		
			ISP		I	J	Max	Head	Sail	P	MGU	Yes/No	Yes/No		ASF	Ttl Disp.	Traps/H.		Strps	IB or OB
			JSP		Head	Sail	Sail	Sail	E	MGM	SL	SPL	SLU		ASA	Ballast	moveable blst		Prop Type	
			ISP		Head	Sail	Sail	Sail	PY	MSA	SSMG	SSA	SLE		Sprit Lngth	Ballast Mat.	Keel Type		# of blades	
			Disp/WL Ratio					SSM	SSA	ASMG	Fixed or _o									
Afterburner	Synergy 1000	1001	45	1999	40.75 12	110	45.75 16.4	42 15.5	6.99 11.03	No	Yes	26 1089	32.83 29.17	4600 1850	0 1	IB Feath				
			538 84		CARBON FS		417				4.3 0	9.75 7	Lead FIXED	2						
Vera Cruz	Sunsail F40 ODR	1003	42	2012	52.69 15.09	105	56.54 17.06	51.15 17.65	6.53 11.42	No	Yes	30.32 1200	40.15 35	17437 6609	0 1	IB Fold				
			571 185		ALUMN FS		534				1.98 0	12.76 8.04	Lead FIXED	2						
Itinerant	Hunter 34	1025	150	1986	47.42 13.75	105		41 11.75	4.02 6.87	No	No		34.42 28.25	11820 5366	0 1	IB Fixed_2				
			238		ALUMN MS		271				0 0	11.5 5.5	Steel FIXED							
SF	CAL 25-1 OB	1062	225	1969	29.75 10	120	29.75	25 11	4.17 7	No	No		25 20	4000 1700	0 1	OB None				
			227		ALUMN MS		163				0 0	8 4	Lead FIXED							
Pegasus - Motion X	J 100 ODR MOD	1197	69	2005	38 12.7	95	43 15.63	38 15.3	5.32 9.32	No	Yes	23.3 861	32.8 29	7250 2500	No 1	IB FOLD	(Mtg 2/26/09, -3 sec/mi for adding sprit)(mtg 1/21/10, additional -3 sec/mi for lengthening sprit to 4.13')(Mtg 1/27/11, -6 sec/mi for increased "e")(Mtg 1/26/11, shortened J, boat rigged for short-headed sailing. NCTBY4/22/17			
			579 135		CARBON FS		332				4.13 0	9.3 5.8	Lead FIXED	2						
Goose	Catalina 30	1210	180	1979	41 11.416	155	41	35 11.5	4.63 7.72	Yes	No		29.92 25	10200 4200	No 1	IB FOLD				
			683 297		ALUMN MS		246	0 0		40 20.7 20.7	11.5 690	0	10.83 5.25	Lead FIXED	2					
Oshun	Catalina 27 OB	1216	201	1974	34 11.25	95		28.67 10.5	4.24 7.08	No	No		26.83 21.75	6850 2750	0 1	OB None				
			303		ALUMN MS		185				0 0	8.83 4	Lead FIXED							

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications		
				J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU SLE ASMUG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps	IB or OB Prop Type # of blades			
									SL	SPL					Ballast			moveable blst	
																			SSMG
Disp/WL Ratio	Mast Material	Rig Type																	
Alte Liebe	Albin Ballad 30	1266	<b>183</b> 1978	37.083 11.249	155	37.8	31.916 9.333 0 0	3.33 5.58 171	Yes	No	36.83 22.2 21.83	12.27 679	<input type="checkbox"/>	0	29.916 22.583 9.666 5.09	7276 3417 Lead	No 1 FIXED	IB FOLD 2	The J measurement in all Ballad documents & Sailmaker plans is 12.27 however the actual J= 11.3" (MTG 8/25/94), standard SPL is 12.27 (mtg 3/20/08)
Sterling	Catalina 34 1&2	1269	<b>153</b> 1994	44 13.5	125		38.5 12	3.6 6.8 251	No	No			<input type="checkbox"/>	0 0	35.66 29.84 11.75 5.56	11950 5000 Lead	0 1 FIXED	IB Fixed_2	
Crews Nest	Catalina 34 1&2	1383	<b>147</b> 1997	44 13.5	130	44 13.5	38.5 12 0 0	3.6 6.8 251	Yes	No	42 24 23.5	13.5 837	<input checked="" type="checkbox"/>	0	35.67 29.83 11.75 5.58	11950 5000 Lead	No 1 FIXED	IB FEATH 3	
Sparky	Catalina 25 FK	1498	<b>222</b> 1979	29 10.5	145	29 10.5	24.66 9.58	3.68 1.45 102	Yes	Yes	28.66 16.5 16.41	10.5 394	17.9 369 0 0	<input checked="" type="checkbox"/>	25 22.16 8 4	4550 1900 Cast Iron	0 1 FIXED	OB None 0	
Sailor Dog	Catalina 34 1&2	1798	<b>162</b> 2007	44 13.5	110	44 13.5	38.5 12	2.8 5.9 229	No	Yes	40.5 38 22.5	20.5 723 0 0	<input type="checkbox"/>	0	34.5 29.8 11.7 5.6	11950 5000 Lead	0 1 FIXED	IB Fixed_3 3	In-Mast furling main +3 sec/mi, MGM less than 50% of E +3 sec/mi
TASHI	Catalina 30	2010	<b>189</b> 1976	41 11.5	110	41	35 11.5	4.63 7.72 246	No	No			<input type="checkbox"/>	0 0	29.92 25 10.83 5.25	10200 4250 Lead	0 1 FIXED	IB Fixed_3 3	
Lawless	Catalina 36-2	2056	<b>147</b> 2002	44.75 14.42	155	44.9	39 12	4.83 8.05 286	No	No			<input type="checkbox"/>	0 0	36.42 30.33 11.92 5.83	13500 6042 Lead	0 1 FIXED	IB Fixed_3	

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
				DW Rating <i>Disp/WL Ratio</i>	J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast	Traps/H. moveable blst		IB or OB Prop Type # of blades
									SL	SPL	SLU	ASA						
									SSMG SSF	SSA	SLE ASMG	Fixed or _o						
Aerie	CS 36	2160	<b>123</b> 1980	49 15	155	49	42.75 12.75	4.33 7.58	Yes	No	36.5 29.25 11.5 6.25	15500 6500 Lead	0 1 FIXED	IB Fold				
Andiamo	Catalina 36-2	2168	<b>153</b> 2004	44.75 14.33	115		39 13	3.04 6.16	No	Yes	36 30.25 11.9 5.8	14200 6000 Lead	0 1 FIXED	IB Fixed_3 3	In-Mast Furling Mainsail, +3 sec/mi			
Irish Blessing	J 24 ODR	2184	<b>168</b>	26.25 9.5	150	26.25	28 9.75	3.7 6.37	Yes	No	24 20 8.92 4	3100 965 Lead	0 1 FIXED	OB None 0				
Downtown Upoar	J 24 ODR	2394	<b>168</b> 1981	26.25 9.5	150	26.25	28 9.75	3.7 6.37	Yes	No	24 20 9.2 4.1	3125 965 Lead	0 1 FIXED	OB None 0				
Leglus	Ohashi 52	2480	<b>-6</b> 1986	49.26 16.387	149	62 21.92	57.578 21.325	8.103 13.517	No	Yes	52.5 50.06 12.6 11.36	15017 5.952 Lead	0 1 FIXED	IB FOLD 2	(mtg 10/21/09 assigned custom rating of -39)(Mtg 3/24/16, +3 sec/mi for no spinnaker articulation, change custom rating from -36 to -6)			
SLOWMO!	Catalina 22-1 OB SK	2482	<b>270</b> 1973	25.93 8	150		21 9.66	3.47 5.96	No	No	21.6 19.4 7.8 5	2250 550 Iron	0 1 MVBL	OB None 3				
Arcadia	Custom Nash 28.5	3113	<b>123</b> 1969	33 10	120	34 11	32.5 13	4.92 8.41	No	Yes	28.5 25.5 9 6.5	4327 1200 Lead	No 1 FIXED	IB FOLD 2	(Weighed Displacement as of 4/4/2009)(mtg 2/28/13, change custom rating from 135 to 123 after review of race results and structural modifications) 3			

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
				DW Rating Disp/WL Ratio	I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast			Traps/H. moveable blst
									SL	SPL	SLU	ASA						
									SSMG SSF	SSA	SLE ASMG	Fixed						
Loya	Ericson 34 Olson SM	3246	105 1989	44.5 13.25 154 44 13.25	ALUMN MS	38.84 4.69 12.9 8.38	296	44 13.25	Yes	Yes	23.8 886 0 0	34 28 10.83 6	10600 3650 Lead	0 1 FIXED	IB Fold 2			
Encore	Sydney 36 CR	3632	57 2006	45.6 14 104	ALUMN FS	44.36 6.1 16.4 10.6	431	49.9 15.4	No	Yes	28.9 1283 1.4 90	36.06 31.04 11.32 7.55	12897 4850 Lead	No 1 FIXED	IB FOLD 2	(Australian IRC Rating 1.052)(Mtg 8/23/12, change custom rating from 54 to 57)		
Zamazaan	Custom Farr 52	3883	21 1978	70.4 18.51 135 70.4 18.51	ALUMN MS	65.2 8.82 23.2 15.08	900	69.78 21.9	Yes	No	0	52.19 47.26 15.45 8.79	25391 9679 Lead	No 1 FIXED	IB FOLD 2	RTG W/USYRU AGE ALLOWANCE IOR RTG W/USYRU AGE ALLOWANCE R=44.9 (1987) 18/24 AS PER PHRF MTG 4/20/95. SHORTENED MAST 6.15 FEET FROM TOP, REDUCED MAINSAIL AREA FROM 24/27 MTC 8/10/95		
Happiness	Cal 27-2 OB	3893	201 1978	36 12 95 36 12	ALUMN MS	30.67 3.25 10.25 6.5	180	36 12	Yes	No	0 0	26.58 22.08 9.25 4.25	6700 3100 Lead	0 1 FIXED	OB None			
Danger Zone	Taylor 32	4128	-24 1994	40 10.7 100 19.4	ALUMN MS	37.1 9.5 14.3 11.6	395		No	Yes	26.52 829 0 0	32 28.9 14.8 5.6	1962 551 Lead	1 CNTRBRD	OB None			
Green Dragon	Cal 20	4188	273 1965	22 7.33 125 22	ALUMN FS	23 3.84 9.84 6.5	137	22 7.33	Yes	No	0	20 18.08 7 3.33	1950 900 Steel	0 1 FIXED	OB None 0			
Elusive	Swan 42 Club	4216	9 2007	59.07 16.44 106 62.99 19.05	CARBON FS	56.56 7.1 19 12.5	641	62 19.05	Yes	Yes	34.8 1808 2.6 0	42.59 38.15 12.8 9	17158 6988 Lead	0 1 FIXED	IB Fold 2	(Mtg 2/25/16, +3 sec/mi for decrease in Spinnaker Area, +6 sec/mi for decreased JSP, -3 sec/mi for articulation, -3 sec/mi for switch to larger headsail)(06/09/17, switching back to stock configuration)		



Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:		ISP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull	Displacement/Keel		Engine/Prop	Modifications	
			Max Headsail		J	Max Headsail	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB			
			DW Rating		Mast Material	JSP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type			
			Disp/WL Ratio		Rig Type	MS	PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades			
Highlander	Cal 40	4590	<b>117</b>	1968	46.2	150	46.2	39.5	6.65	Yes	No			39.25	15000	0	IB		
					15.2			17.5	11.37					30.25	6000	1	Fixed_2		
			<b>617</b>		ALUMN				412			0		11	Lead	FIXED	2		
			<b>246</b>		MS							0		5.58					
Miss Kate	Catalina 27 IB	4630	<b>210</b>	1980	34.5	125	34.5	28.66	3.99	No	Yes	20.35		26.85	6850	0	IB		
					11.25		11.25	10.5	6.83			515		21.75	2700	1	Fixed_2		
			<b>738</b>		ALUMN				180			0		8.85	Lead	FIXED			
			<b>303</b>		MS							0		4					
Gygax	Hinckley Pilot 35 TM	4802	<b>192</b>	1975	44.36	155	44.36	41.83	5.5	Yes	No			35.5	13500	0	IB		
					13.8		13.8	15.81	9.97					25	4200	1	Feath		
			<b>672</b>		ALUMN				383			0		9.5	Lead	FIXED			
			<b>393</b>		MS							0		5					
Ross's Dream	Catalina 30	4895	<b>180</b>	1987	41	150	41	35	4.63	Yes	No			29.92	10200	0	IB		
					11.42			11.5	7.72					25	4200	1	Fold		
			<b>696</b>		ALUMN				246			0		10.83	Lead	FIXED	2		
			<b>297</b>		MS							0		5.25					
The Belafonte	Santana 22 ODR	5000	<b>237</b>	1970	26	110	26	21.75	3.95	Yes	No			22	2600	No	OB		
					8.5			9.833	6.59					18.67	1230	1	None		
			<b>737</b>		ALUMN			0	131			0		7.833	Iron	FIXED	0		
			<b>182</b>		MS			0				0		3.5					
Zingaro	Santana 22	5050	<b>237</b>	1971	26	125	26	21.75	3.95	Yes	No			22	2600	0	OB		
					8.5			9.83	6.59					18.67	1260	1	None		
			<b>737</b>		ALUMN				131			0		7.833	Iron	FIXED	0		
			<b>182</b>		MS			15.44				0		3.5					
Anapos	Santana 22	5158	<b>237</b>	1966	26	120	26	21.75	3.95	Yes	No			22	2600	No	OB		
					8.5			9.833	6.59					18.666	1230	1	None		
			<b>737</b>		ALUMN			0	131			0		7.833	Iron	FIXED	0		
			<b>182</b>		MS			0				0		3.5					

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
			Max Headsail		I	J		P	MGU	Yes/No	Yes/No	ASF	Ttl Disp.		Traps/H. Strps			
			DW Rating		Mast Material	E		MGM	SL	SPL	SLU	ASA	Ballast		moveable blst			
			Disp/WL Ratio		Rig Type	PY		MSA	SSMG	SSA	SLE	Sprit Lngth	Ballast Mat.		Keel Type			
						EY		SSF	ASM	Fixed or _o								
Meliki	Santana 22	5194	<b>237</b>	1967	26 8.5	125	26	21.75 9.833	3.95 6.59	Yes	No	22 18.67 7.83 3.5	2600 1230 Iron	No 1 FIXED	OB None 0			
			<b>737</b> 182		ALUMN MS		0 0	131	15.44 335		<input type="checkbox"/>	0						
Invisible Hand	Pac 52	5202	<b>-102</b>	2016	66 20.5	101	76 29.5	69.23 22.98	10.96 15.76	No	Yes	52 50 14.5 11.8	15700 8360 Lead	0 1 FIXED	IB None			
			<b>402</b> 57		CARBON FS			1017	29.5		85.5 71.7 45.5	44.7 2970 0 90						
Nepenthe	Hawkfarm 28	6122	<b>174</b>	1976	33.3 11	115	33	36 10.5	4.3 7.2	No	No	28 23.5 9.75 5.5	5700 2700 Lead	0 1 FIXED	IB Fixed_2 2			
			<b>200</b>		ALUMN FS			234				0 0						
Avalon	Catalina 30	6138	<b>183</b>	1992	41 11.416	120	41	35 11.5	4.63 7.72	No	No	29.92 25 10.83 5.25	10200 4200 Lead	0 1 FIXED	IB Fold 2			
			<b>297</b>		ALUMN MS			246 0				0						
Antares	Islander 30-2	6237	<b>186</b>	1971	38.5 12.58	155	38.416	32.5 11.58	4.75 8.125	Yes	No	30 24.58 10 5	8600 3600 Lead	No 1 FIXED	IB FOLD 2			
			<b>677</b> 263		ALUMN MS			0 0	235			0						
Evenstar	Ranger 23	6404	<b>216</b>	1974	27.54 9.75	155	27.5 9.7	24 9.2	3.3 5.4	Yes	No	23.67 20 7.92 3.9	3400 1500 Lead	0 1 FIXED	OB None			
			<b>724</b> 193		ALUMN MS			126				0 0						
Serendipity	CAL 29-1 IB	6601	<b>180</b>	1974	37.833 12.333	155	37.833 12.67	31.666 12.166	4.332 7.573	Yes	No	29.25 24.17 9.25 4.75	8000 3350 Lead	No 1 FIXED	IB FOLD 2			
			<b>687</b> 258		ALUMN MS			0 0	223			0						

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		Ttl Disp. Ballast		Traps/H. moveable blst				
								SL	SPL	SLU	ASA				Ballast Mat.			Keel Type
								SSMG SSF	SSA	SLE ASMG	Sprit Lngth Fixed or _o							
Cassiopeia	Islander 36 ODR	6763	<b>144</b> 1971	45 14.48 150	45	39.25 4.8 12.75 8.29	4.8 8.29	Yes	No	45.34 15 27 1020	0	36.08 28.25 11.17 6	13947 5450 Lead	No 1 FIXED	IB FOLD 2	(mtg 2/18/10, - 6 sec/mi for 10% OSP)(8/2/11, boat returned to ODR Configuration)		
Achates	Newport 30-2	6847	<b>174</b> 1974	39.5 12.5 155	39.5	34 10.25 6.6	3.8 6.6	Yes	No	40 12.5 22.5 750	0	30 25 10.67 5.17	8500 3000 Lead	No 1 FIXED	IB FOLD 2			
Now and Zen	Newport 30-2	6883	<b>174</b> 1978	39.5 12.125 150		34 10.25 5.7	3.25 5.7	Yes	No		0	30 25 10.5 4.75	8000 2600 Lead	No 1 FIXED	IB Fold 2			
Lil Angel	Newport 30-2	6884	<b>174</b> 1979	39.5 12.1 150	39.5	34 10.25 7.07	4.26 7.07	Yes	No	39 12.1 21.75 707	0	30 25 10.5 4.75	8500 2500 Lead	0 1 FIXED	IB FOLD 2			
Harry	Newport 30-2	6889	<b>174</b> 1974	39.5 12.125 150	39.5	34 10.25 7	4.2 7	Yes	No	39.24 12.1 21.78 712	0	30 25 10.5 4.75	8500 2500 Lead	No 1 FIXED	IB FOLD 2			
Blue Passion	tartan 3400	7134	<b>114</b> 2006	46 13.67 95	49.67 13.67	43 14.5	4.58 8.2	No	No		0	34.42 30.42 11.92 6.5	10800 3500 Lead	0 1 FIXED	IB Fold			
Neja	Dasher 32	7325	<b>174</b> 1961	38.01 12.59 155	38.01	33.22 5.12 14.6 8.86	5.12 8.86	Yes	No	37.78 12.5 21.94 691	0	31.75 26.75 8.9 5.75	11323 3600 Lead	0 1 FIXED	IB Fold	500 pounds less lead in keel than the Dasher Easom Boat Works built		

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
			DW Rating		I J	Max Headsail		P E	MGU MGM	Yes/No	Yes/No	ASF	Ttl Disp.		Traps/H. Strps	IB or OB		
			Disp/WL Ratio		Mast Material	PY		MSA	SL	SPL	SLU	ASA	Ballast		moveable blst	Prop Type		
					Rig Type	EY			SSMG	SSA	SLE	Sprit Lngth	Ballast Mat.		Keel Type	# of blades		
Redhead	Cal 40	7817	<b>114</b>	1964	46 15.17	155	46.36	40 17.5	6.5 11.3	Yes	No		39.5 30 10.92 5.75	16500 6000 Lead	No 1 FIXED	IB Feath 2		
			<b>622</b> 278		ALUMN MS			0 0	414			<input type="checkbox"/>						
Lady Jane	Jeanneau 39i Sun Odyssey	7913	<b>93</b>	2008	48.1 13.1	122	48.1	46.3 14.6	5.42 9.28	No	Yes		38.1 35.2 12.9 6.7	16163 5026 Cast Iron	0 1 FIXED	IB Feath 3		
			<b>594</b> 168		ALUMN FS				398			<input checked="" type="checkbox"/>						
Low-Down	Santa Cruz 27	8027	<b>141</b>	1979	32.7 10.9	140		28.25 8.58	3.68 6.06	Yes	No		27 24 8 4.5	3300 1500 Lead	0 1 FIXED	OB None		
			<b>635</b> 109		ALUMN MS				153			<input type="checkbox"/>						
QE 3	Tartan 10	8049	<b>129</b>	1978	35 12	125	35 0	40.25 13.75	5.34 8.96	Yes	No		33.16 27 9.25 5.83	6700 3340 Lead	0 1 FIXED	IB FOLD 2		
			<b>623</b> 155		ALUMN FS			0 0	332			<input type="checkbox"/>						
TAZI!	Express 27 ODR	8100	<b>132</b>	1981	28.5 9	125	28.5	28.5 10.42	4.23 7.04	Yes	No		27.3 23.8 8.17 4.5	2450 1100 Lead	0 1 FIXED	NONE None		
			<b>620</b> 83		ALUMN FS				182			<input type="checkbox"/>						
Abba-Zaba	Tartan 10	8112	<b>129</b>	1979	35 12	125	35	40.25 13.75	5.34 8.86	Yes	No		33.16 27 9.25 5.83	6700 3340 Lead	0 1 FIXED	IB FOLD 2	(+3 sec/mi credit for 125% or smaller headsail)	
			<b>623</b> 155		ALUMN FS			0 0	331			<input type="checkbox"/>						
Basic Instinct	Custom Elliott 10.50	8123	<b>72</b>	1993	41 12.5	125	45.6 13.9	44.2 17.5	8.5 12	No	Yes		34.42 31.83 12.08 7	10220 3000 Lead	No 1 FIXED	IB FOLD 2	(mtg 3/19/09, changed to smaller headsail, +3 sec/mi, & larger mainsail, -6 sec/mi, change rating from 66 to 63)(Mtg 10/21/09, new smaller headsail, still with large headboard. Change mainsail penalty from 6 sec/mi to 2 sec/mi)	
			<b>570</b> 144		ALUMN FS			0 0	497			<input checked="" type="checkbox"/>						

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop		Modifications						
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SL SPL SSMG SSF	SPL SSA	Yes/No		ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast	Traps/H. moveable blst	IB or OB Prop Type # of blades							
								Disp/WL Ratio	Mast Material			Rig Type							ISP JSP	P E PY EY	MGU MGM MSA	SL SPL SSMG SSF	SPL SSA	ASF ASA Sprit Lngth Fixed or _o
Ad Lib	Aphrodite 101	8161	<b>144</b> 1979	36.83 11.81	100	32.23	39.33 11.48	4.5 6.1	Yes	No		32.75 26.33 7.92 5.42	6160 3527 Lead	No 1 FIXED	IB FOLD 2									
			<b>645</b> 153	ALUMN FS			0 0	253			<input type="checkbox"/>													
Don Wan	Santana 28	8191	<b>186</b> 1978	36 12	155	36	31 9.416	3.6 6.1	Yes	No		28.25 23 9.17 5	7500 2550 Lead	No 1 FIXED	IB Fold 2									
			<b>704</b> 280	ALUMN MS			0 0	175			<input type="checkbox"/>													
Nicole	Orion 35	8210	<b>150</b> 1979	44 14	150	44	39.5 10.5	4.42 7.319	Yes	No		34.58 28.75 10.83 6	13000 4700 Lead	0 1 FIXED	IB FOLD 2	Displacement Obtained by actual weight on scale, Rudder is new design and new build.								
			<b>650</b> 249	ALUMN MS			0 0	260			<input type="checkbox"/>													
Ouessant	Farallone Clipper FR	8214	<b>159</b> 1957	35.69 13.87	150	35.69	40.34 18.79	7 12.1	Yes	No		37.833 28.25 9.5 5.916	18344 7200 Iron	No 1 FIXED	IB Fixed_2 2									
			<b>673</b> 370	WOOD FS			0 0	448			<input type="checkbox"/>													
Tortuga	Pyramid 660 ODR MOD	8375	<b>174</b> 1981	21.82 6.8	104	28 7	25.7 10.5	4 6.8	Yes	No		21.8 18.1 6.2 3.9	850 400 Lead	2 1 FIXED	OB None 2	(Mtg 5/20/10, removed trapeze +18 sec/mi, hiking straps still allowed)(1/24/13, added upper spreaders & stays, NCTR)								
			<b>598</b> 65	ALUMN FS				161			<input type="checkbox"/>													
Mr McGregor	Wylie Wabbit ODR W/Trap	8426	<b>126</b> 1982	20.5 6.5	150	20.5	23.75 10	4.03 6.72	Yes	No		23.75 20 5.58 3.5	975 440 Lead	1 3 FIXED	OB None 0	INCLUDES HIKING STRAPS AND SINGLE TRAPEZE.								
			<b>602</b> 55	ALUMN FS			0 0	145			<input type="checkbox"/>													
Swamp Donkey	Express 27 ODR	8444	<b>129</b> 1981	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	No		27.25 23.75 8.166 4.5	2450 1100 Lead	No 1 FIXED	OB None 0									
			<b>611</b> 83	ALUMN FS			0 0	182			<input type="checkbox"/>													

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications			
				J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No	ASF		Ballast Ballast Mat.	Traps/H. moveable blst Keel Type					
									SL	SPL								SLU	ASA	
																				SSMG
SSF	SSA	ASM	ASG																	
Double Agent	Merit 25	8465	168	1981	28.75 9.66	155	28.75	28	4.25	9.75	6.69	29	9.66	No		24.5	3000	No	OB	
			693		ALUMN			0	172	17.39	420		0		<input type="checkbox"/>	20.5	1050	1	None	
			158		FS			0		17.39						8	Lead	FIXED	0	
Green Buffalo	CAL 40	8538	114	1967	46.7 15.2	155	46.7	39.8	6.65	17.6	11.37	46.01	15.2	No		39.3	15148	0	IB	Schumacher designed rudder - same as original
			622		ALUMN			0	416	27.3	1047		0		<input type="checkbox"/>	30	6000	1	FEATH	
			255		MS			0		27.3						10.9	Lead	FIXED	3	
Starbuck	Custom Black Soo 30	8666	144	1968	30 13	125	29.5 13	25	4.9	11.73	7.5	31	13	No	20.4	31	4500	0	OB	(Mtg 1/17/02, added scoop, custom rating changed from 144 to 141)(mtg 1/11/13, Added A-sail, -9 sec/mi, rating changed from 141 to 132)(Mtg 5/13/14, removed A-Sail, +9 sec/mi, change custom rating from 132 to 141, +2 sec/mi for small headsail)
			600		ALUMN			0	178	22.1	577				<input type="checkbox"/>	27.5	1800	1	None	
			98		MS			0		23.2						6.8	Iron	FIXED	0	
OAXACA	Santa Cruz 50	8927	-12	1982	61.48 18.88	155	61.22 20.65	54.75	6.08	16.98	10.67	61.2	20.65	No	36.5	50.23	17374	0	IB	(Mtg 5/26/16, -6 sec/mi for oversized ASA)
			480		ALUMN				540	36.6	1867				<input type="checkbox"/>	46.67	8000	1	Fold	
			78		FS			36.6		36.6						12	Lead	FIXED		
Merlin	Custom Lee 68	8955	-87	1977	71.96 22.5	146	74.35 30.4	66.87	11	27.5	18		30.4	Yes	48.05	68.6	24363	0	IB	(Mtg 4/27/17, custom rating assigned: -81)(Mtg 5/25/17, -3 sec/mi for larger headsail, -3 sec/mi for increased J. New custom rating: -87 as sailed)
			392		CARBON			0	1109	0					<input type="checkbox"/>	64	10484	1	FOLD	
			42		MS			0		42.34						12.17	Lead	FIXED	2	
lone	J 30	8994	141	1981	34.19 11.041	140		38	4.83	13	8.21	34.5	11.04	No		29.83	6500	0	IB	
			657		ALUMN					20	581					25	2100	1	FOLD	
			189		FS			0	290	21						11.2	Lead	FIXED	2	
Jet Stream	Custom JS 9000	9045	63	2003	27.08 9.5	87	30.25 15.5	31	5.6	8.73	7			Yes	21.8	29.9	2425	0	OB	(Mtg 1/22/09, custom rating of 78 assigned)(Mtg 8/19/10, -9 sec/mi for adding 3' sprit, -3 sec/mi for increased spinnaker area, Original rating of 78 contained a 3 sec error, rating should have been 75, change custom rating to 62)
			544		CARBON				199							27.9	1543	1	None	
			51		FS					20.1					<input checked="" type="checkbox"/>	5.7	Lead	FIXED	0	
																6.8				

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
			Built	DW Rating	I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp. Ballast	Traps/H. moveable blst	IB or OB Prop Type # of blades			
									SL	SPL	SLU	ASA							
									SSMG SSF	SSA	SLE ASM	Sprit Lngth Fixed or _o							
Ballast Mat.	Keel Type																		
Lonesome Dove	Elite 29	9066	<b>165</b>	1984	35.833 11.083	130	30.333 10.333	2.6 5.1	Yes	No	28.67 24.42	6160 2310	No 1	IB Fixed_2					
			<b>676</b> 192		ALUMN MS	0 0	157	20.083 20.416	556	<input type="checkbox"/>	0	10.5 5.58	Iron FIXED	2					
un-named	Catalina 22-2 OB FK	15622	<b>255</b>	2006	25.8 8	135	25.83 8	9.67 6.08	Yes	No	21.5 19.33	2250 550	0 1	OB None					
			<b>716</b> 142		ALUMN FS		119	14.4 14.4	300	<input checked="" type="checkbox"/>	0	7.67 5	Lead CNTRBRD						
Lelo Too	Tartan 30	16354	<b>180</b>	1975	39 13	155	39	34 11.416	4.61 7.69	Yes	No	29.92 24.25	8750 3700	0 1	IB FOLD				
			<b>687</b> 279		ALUMN MS	0 0	238	21.666 10.833	601	<input type="checkbox"/>	0	10 4.916	Lead FIXED	0					
Harp	Catalina 38	18003	<b>117</b>	1983	50.7 15.43	155	50.9 15.43	44 11.5	4.8 7.97	Yes	No	38.17 30.25	19489 6850	No 1	IB FOLD	DEC 93 - 7X19 STND RIG/ W/ROD RIG & SHRTN UPR SPREADERS 2 IN. NO CHNG RTNG ( MTG 1/27/94)			
			<b>622</b> 320		ALUMN MS	0 0	316	49.2 27.3 27.5	15.42 1121	<input type="checkbox"/>	0	11.83 6.79	Lead FIXED	2					
Escapade	Express 37	18051	<b>72</b>	1985	48.75 14.33	155	48.75	42 13.75	5.28 8.83	Yes	No	37.08 30.83	11000 4500	No 1	IB FOLD				
			<b>577</b> 171		ALUMN MS	0 0	344	25.58 25.42	1022	<input type="checkbox"/>	0	11.57 7.25	Lead FIXED	2					
Double Espresso	Olson 30 OB	18069	<b>99</b>	1982	36 11.75	155	35.9 11.75	31.5 10.75	4.36 7.26	Yes	No	30 27.5	3600 1800	0 1	OB None				
			<b>591</b> 79		ALUMN MS		208	21.16 21.16	635	<input type="checkbox"/>	0 0	9.33 5.08	Lead FIXED						
Simply Irresistible	Express 27 ODR	18070	<b>129</b>	1983	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	No	27.25 23.75	2450 1100	No 1	OB None				
			<b>612</b> 83		ALUMN FS	0 0	182	17.75 17.5	422	<input type="checkbox"/>	0	8.17 4.5	Lead FIXED	0					

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
			Built	DW Rating	I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU SLE ASM	ASF ASA Sprit Lngth Fixed or _o	LOA LWL Max Beam Max Draft	Ttl Disp.	Traps/H. Strps		IB or OB Prop Type # of blades		
									Ballast	moveable blst					Ballast Mat.	Keel Type			
																		SSMG	
Gig	Humboldt 30 IB	18112	<b>108</b>	1983	37.5 11.5	149	37.5	41.5 13.75	5.13 8.83	Yes	No	30 26.66 10.5 5.75	5400 2222 Lead	No 1 FIXED	IB FOLD 2				
			<b>603</b> 130		ALUMN FS		0 0	338			<input type="checkbox"/>	0							
Xtreme	Hobie 33 ODR	18170	<b>90</b>	1984	33.83 12.4	125	36.25	35 12.5	4.75 8	Yes	No	33 30.5 8 5.42	4000 1800 Lead	No 1 FIXED	OB None 0				
			<b>553</b> 64		ALUMN FS		0 0	260			<input type="checkbox"/>	0							
Tule Fog	Express 27 ODR	18178	<b>129</b>	1984	29 9	155	28.5	29 10	4.22 7.03	Yes	No	27.3 23.8 8.166 4.5	2450 1100 Lead	n 1 FIXED	OB None 0				
			<b>610</b> 83		ALUMN FS			182			<input type="checkbox"/>	0 0							
Shark-On-Bluegrass	Olson 25	18201	<b>159</b>	1984	32 9.583	155	32	28 10	3.8 6.4	Yes	No	25 21.25 9 4.5	3300 1300 Lead	No 1 FIXED	OB None 0				
			<b>671</b> 156		ALUMN MS			166			<input type="checkbox"/>	0							
Freedom	Worth 40	18230	<b>96</b>	1984	54 16	155	16	47 14	5.5 9.2	Yes	No	40 34.25 12.5 7.25	21000 7800 Lead	0 1 FIXED	IB FOLD 2				
			<b>594</b> 238		ALUMN MS			397			<input type="checkbox"/>	0							
Mirthmaker	A 35	18250	<b>69</b>	2007	44.22 13.45	90	51.06	44.94 14.66	5.42 8.88	Yes	Yes	34.7 30.47 11.6 6.88	9810 4367 Lead	0 1 FIXED	IB Fold 2	(Mtg 5/20/10, custom rating of 60 assigned, would like a copy of ORR Certificate)(mtg 6/15/10, change custom rating from 60 to 63 based on further clarification of boats configuration)(Mtg 10/27/16, change custom rating from 63 to 60 after			
			<b>574</b> 158		CARBON FS			381			<input type="checkbox"/>	1.5							
Alchemy	Olson 25	18252	<b>159</b>	1984	32 9.583	155	32	28 10	3.8 6.4	Yes	No	25 21.25 9 4.5	3300 1300 Lead	No 1 FIXED	OB None 0				
			<b>671</b> 156		ALUMN MS			166			<input type="checkbox"/>	0							



Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
			Rating		I	J	ISP	P	MGU	Yes/No		Yes/No		ASF	Ttl Disp.	Traps/H.		IB or OB
			DW Rating		Max Headsail	ISP	E	MGM	SL	SPL	SLU	ASA		Ballast	moveable blst	Prop Type		
			Disp/WL Ratio		Mast Material	JSP	PY	MSA	SSMG	SSA	SLE	Sprit Lngth		Ballast Mat.	Keel Type	# of blades		
					Rig Type		EY	SSF	ASMG	Fixed or _o								
Phat Jack	Express 37	18257	<b>72</b>	1985	48.75 14.33	150	48.75	42	5.25	Yes		No		37.08	11000	0	IB	
			<b>577</b>		ALUMN			13.75	8.83					30.83	4500	1	FEATH	
			<b>171</b>		MS							<input type="checkbox"/>	0	11.57	Lead	FIXED	2	
								25.7	1028					7.25				
Drop Beer	Beneteau Class 10	18277	<b>90</b>	1984	37.8 12.6	150	38.6	39.7	4	Yes		No		34.2	7000	0	IB	NEW RUDDER 3/4/95, NCTR (MTG 3/36/95)
			<b>588</b>		ALUMN			13.9	8.7					29.6	2200	1	FOLD	
			<b>123</b>		FS			0	308			<input type="checkbox"/>	0	9.9	Iron	FIXED	0	
								0						6.8				
Stewball	Express 37	18278	<b>72</b>	1985	48.75 14.33	150	48.75	42	5.28	Yes		No		37.083	11000	0	IB	
			<b>577</b>		ALUMN			13.75	8.83					30.833	4500	1	FOLD	
			<b>171</b>		MS			0	344			<input type="checkbox"/>	0	11.57	Lead	FIXED	2	
								0						7.25				
Verve	Express 27 ODR	18283	<b>129</b>	1981	28.5 9	155	28.5	28.5	4.22	Yes		No		27.25	2450	No	OB	
			<b>611</b>		ALUMN			10.416	7.03					23.75	1100	1	None	
			<b>83</b>		FS			0	182			<input type="checkbox"/>	0	8.17	Lead	FIXED	0	
								0						4.5				
Sirena	Ericson 32-2	18319	<b>186</b>	1972	35 13	110	35	31	4.9	Yes		No		31	8800	0	IB	
			<b>685</b>		ALUMN			13	8.4					24	4000	1	Fixed_2	
			<b>289</b>		MS				239			<input type="checkbox"/>	0	9.8	Lead	FIXED	2	
								21.9						5				
Albacore	Santana 22 ODR	18325	<b>237</b>	1976	25.67 8.58	125	25.67	21.75	3.95	Yes		No		22	2600	0	OB	
			<b>737</b>		ALUMN			9.83	6.59					18.67	1230	1	None	
			<b>182</b>		MS				131			<input type="checkbox"/>	0	7.83	Iron	FIXED		
								15.44						3.5				
Tequila Mockingbird	Express 27 ODR	18353	<b>126</b>		28.5 9	155	32.5	28.5	4.22	Yes		Yes	18.85	27.25	2450	No	OB	(Mtg 4/23/15, switched to MH configuration, -3 sec/mi for increased spinnaker area)
			<b>603</b>		ALUMN			10.416	7.03					23.75	1100	1	None	
			<b>83</b>		FS			0	182			<input type="checkbox"/>	90	8.17	Lead	FIXED	0	
								0						4.5				

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J Max Headsail Mast Material Rig Type	P E PY EY		MGU MGM MSA	Yes/No		Yes/No		Ttl Disp. Ballast Ballast Mat.		Traps/H. moveable blst Keel Type			
								SL SPL SSMG SSF	SPL SSA	SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o						
															SL		
Archimedes	Express 27 ODR	18355	<b>129</b> 1985	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	No	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	NONE None 0			
Peaches	Express 27 ODR	18364	<b>129</b> 1986	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	No	27.25 23.75 8.166 4.5	2450 1100 Lead	No 1 FIXED	OB None 0			
Abigail Morgan	Express 27 ODR	18394	<b>129</b> 1985	28.5 9	150	28.5	28.5 10.416	4.22 7.03	Yes	No	27.25 23.75 8.166 4.5	2450 1100 Lead	No 1 FIXED	OB None 0			
Mintaka 4	Farr 38	18441	<b>81</b> 1979	43.67 13.67	125	46.2	44.9 17.9	6.8 11.6	Yes	No	38.25 31.17 12 6.33	11850 4100 Lead	No 1 FIXED	IB FOLD 2	(2002-removed dinette stbrd, add bench seat w/55 gal fuel tank, original was 12.5. Rudder replaced 12" longer, 4" narrower. Changes noted mtg 1/17/02, NCTR)(removed short pole, changed spinnakers, 1/12/04) / Mtg 1/24/12 new stem		
X T A C	Olson 29	18457	<b>99</b> 1986	34 11	155	36	32.42 11.42	4.59 7.66	Yes	No	29.67 27.5 9.33 5.25	3900 1900 Lead	No 1 FIXED	OB None 0	RUDDER REPLACED W/MORE 30 - CHANGE NOTED NCTR.		
Expeditious	Express 37	18478	<b>72</b> 1986	48.75 14.33	155	48.75	42 13.75	5.28 8.83	Yes	No	37.08 30.83 11.57 7.25	11000 4500 Lead	No 1 FIXED	IB FOLD 2	INSTALED NEW CLASS-APPROVED CARBONFIBER RUDDER - MTG 6-12-2000 NCTR.		
Double Down	Custom Schumacher 30	18480	<b>123</b> 1988	41.37 12.16	150	41.5	36.416 11.83	4.5 7.69	Yes	No	29.92 26 10.65 6.17	7854 3650 Lead	No 1 FIXED	IB FOLD 2	Rudder change, old rudder 85lbs new 65 lbs. Old alum/new carbon MTG 10/27/94 Noted- NCTR (MTG 1/9/97 Alum headsail removed and excess wires removed from mast- Noted NCTR)(Mtg 2/21/08, change custom rating from 126 to 123 after		

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull	Displacement/Keel		Engine/Prop	Modifications	
			Rating		I	J	ISP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps		IB or OB
			DW Rating		Max	Head	JSP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type		
			Disp/WL Ratio		sail	sail		PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades		
								SSF	Fixed or _o	Max Draft									
Punk Dolphin	Custom Wylie 38	18481	<b>72</b>	1985	48	150	48	43	5.58	Yes	No		38	14000	No	IB			
					14.33			14	9.55			31	5000	1	FOLD				
			<b>581</b>		ALUMN		0	369			0	11.6	Lead	FIXED	2				
			<b>214</b>		MS		0				<input type="checkbox"/>	6.75							
Golden Moon	Express 37	18488	<b>72</b>	1985	48.75	155	48.75	42	5.37	Yes	Yes	29.5	37	11000	No	IB			
					14.33			13.75	8.99		49.8	1034	30.83	4500	1	FOLD			
			<b>577</b>		ALUMN		0	347			46	0	11.57	Lead	FIXED	2			
			<b>171</b>		MS		0				25	<input type="checkbox"/>	7.25						
Eclipse	Express 37	18495	<b>72</b>	1985	48.75	155	48.75	42	5.28	Yes	No		37.08	11000	0	IB	Rudder modification noted, no change to rating. (Actual weight from yard 11200 - 9500 was design displacement. No mods from standard express 27.) 3/26/01		
					14.33			13.75	8.83			14.33	30.83	4500	1	FOLD			
			<b>577</b>				0	344				0	11.57	Lead	FIXED	2			
			<b>171</b>		MS		0				<input type="checkbox"/>	7.25							
Grey Wulff	Olson 25	18517	<b>159</b>	1984	32	155	32	28	3.8	Yes	No		25	3300	0	OB			
					9.6			10	6.4				21.25	1300	1	None			
			<b>671</b>		ALUMN				166			0	9	Lead	FIXED				
			<b>156</b>		MS						<input type="checkbox"/>	0	4.5						
Topgallant	Tartan 10	18608	<b>129</b>	1978	35	125	35	40.25	5.34	Yes	No		33.16	6700	No	IB	(4/25/02 Installed Running Backstay)		
					11.75			13.75	8.96			12	27	3340	1	FOLD			
			<b>623</b>		ALUMN		0	332				0	9.25	Lead	FIXED	2			
			<b>155</b>		FS		0				<input type="checkbox"/>	5.83							
Flyer	Peterson 33 (CHITA)	18620	<b>144</b>	1979	42.5	155	42.5	36.66	3.66	Yes	No		32.67	9480	0	IB			
					13.9			9.91	6.21			13.75	26.58	4960	1	FOLD			
			<b>644</b>		ALUMN				213			0	10.5	Lead	FIXED	2			
			<b>229</b>		MS						<input type="checkbox"/>	0	6.08						
Breakout	Santana 35	18679	<b>114</b>	1982	39	155	39	42	5.51	Yes	No		35	8500	No	IB			
					12.85			14.25	9.26			12.85	26.5	3300	1	FOLD			
			<b>630</b>		ALUMN				358			0	11.92	Lead	FIXED	2			
			<b>208</b>		FS						<input type="checkbox"/>		6.25						

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
			ISP		I	J	P	MGU	Yes/No	Yes/No	ASF	Ttl Disp.		Traps/H. Strps	IB or OB		
			JSP		Max Headsail	ISP	E	MGM	SL	SPL	SLU	ASA		Ballast	moveable blst	Prop Type	
			DW Rating		Mast Material	PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Ballast Mat.		Keel Type	# of blades		
Disp/WL Ratio	Rig Type	EY	SSF	ASMG	Fixed or _o												
Quila	Santa Cruz 27	18723	<b>141</b>	1976	32.583	155	32.583	28.25	3.68	Yes	No		27	3000	No	OB	
					10.75			8.583	6.1				24	1500	1	None	
			<b>620</b>		ALUMN			0	154			0	8	Lead	FIXED	0	
			99		MS			0			<input type="checkbox"/>		4.5				
Crazy Rhythm	Santa Cruz 27	18771	<b>144</b>	1978	32.58	125	32.58	28.166	3.68	Yes	No		27	3200	No	OB	(Outboard Removed)
					10.75			8.583	6.06				24	1600	1	None	
			<b>621</b>		ALUMN			0	153			0	8	Lead	FIXED	0	
			105		MS			0			<input type="checkbox"/>		4.5				
Finn	Capo 26 IB	18782	<b>162</b>	1985	34.6	155		30	4.1	Yes	No		26	4300	0	IB	
					10.56			10	6.8				22	1900	1	Fold	
			<b>673</b>		ALUMN				185			0	9.25	Lead	FIXED		
			184		MS						<input type="checkbox"/>	0	4.58				
The Shadow	Custom Mull 32	18787	<b>150</b>	1974	39.833	125	39.83	35.166	3.45	Yes	No		32.166	10600	No	IB	RMVD Foam Bumps from both sides of hull, Red Beam by approx 7" Replaced Rudder and Skeg Design w/balanced Rudder Depth same, area increased approx 8 sqft. Hull dry rot, Crsnfg Accom, Ref, Head Stars Cov. Changed MTC 10/6/07
					13.25			9.75	6.2				26.666	4500	1	FOLD	
			<b>661</b>		ALUMN			0	200			0	10	Lead	FIXED	2	
			254		MS			0			<input type="checkbox"/>		5				
Joie De Vivre	C&C 33	18797	<b>159</b>		43	110	43	37.25	4.4	No	Yes	21.42	32.9	10100	0	IB	
					14			10.75	6.33		43.25	726	26.42	3975	1	FOLD	
			<b>659</b>		ALUMN			0	235		38.33	0	10.54	Lead	FIXED		
			249		MS			0			21.33	<input checked="" type="checkbox"/>	5.5				
Summertime Dream	Custom Schumacher 26	18859	<b>186</b>	1979	26.28	150	26.28	29.58	4.33	Yes	No		26.08	3300	0	OB	Boat has previously been called "War"
					8.07		8.07	10.76	7.23				20	1360	1	None	
			<b>705</b>		ALUMN			0	195			0	9.08	Lead	FIXED	0	
			187		FS			0			14		5.08				
Cadenza	Moore 24	18878	<b>150</b>	1977	26.25	150	26.25	25	4.01	Yes	No		23.75	2050	No	OB	
					9.75			9.5	6.54				21.75	1025	1	None	
			<b>636</b>					0	148			0	7.17	Lead	FIXED	0	
			91		FS			0				<input type="checkbox"/>	4.083				

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications							
			Built	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF		LOA	Ttl Disp.	Traps/H. Strps		IB or OB							
										DW Rating	Mast Material		E	MGM			SL	SPL			SLU	ASA	LWL	Ballast	moveable blst	Prop Type
0	1	0	0	0	0	0	0	0	0	0																
Moore Fun	Moore 24	18884	<b>153</b>	1979	26.25	125	26.25	25	3.91	Yes	No		23.75	2050	No	OB										
					9.75			9.5	6.5			27	21.75	1025	1	None										
			<b>636</b>		ALUMN			0	147			17.55	7.16	Lead	FIXED	0										
			<b>91</b>		FS			0				17.55	4.083													
Horizon	Santa Cruz 50	18926	<b>-15</b>	1982	61.7	145	61.7	55.2	7.15	No	Yes	36.4	50.23	18844	0	IB	(Mtg 6/16/08, -6 sec/mi for oversized spinnaker, -3 sec/mi for oversized main)									
					18.43		20.3	19	12.05		66	1880	46.906	8000	1	FOLD										
			<b>475</b>		ALUMN				618		59.6	0	12.02	Lead	FIXED	2										
			<b>83</b>		MS						35.8	90	7.988													
Mojo	J 35	18935	<b>72</b>	1983	46.4	150	46.3	41.75	5.21	Yes	No		35.42	10500	No	IB										
					14.7		14.7	14.98	8.77				30	4400	1	Feath										
			<b>587</b>		ALUMN				353			26.25	11.8	Lead	FIXED	2										
			<b>177</b>		MS							26.25	6.9													
Joyicity	Custom Davidson 26	20746	<b>156</b>	1975	27	150	31.15	28.75	5.1	Yes	No		26.42	3000	No	IB	Removed IOR Bump infilled w/Divinacell w/fiberglass skin/faired; Installed Melges rig w/mod for Spinnaker; shortened boom; increased "P" increased "J", Code zero type furler used above deck; Helard on luff side of sail; 10 # spin									
					9.1		10	11.5	8.1			31.12	22.5	1450	1	FOLD										
			<b>633</b>		CARBON			0	210			18	8.25	Lead	FIXED	2										
			<b>120</b>		FS			0				18	5.25													
Peregrine	J 120 Carbon	25487	<b>45</b>	2001	50.5	150	52	46.5	6.76	No	Yes	35.1	40	13900	0	IB										
					14.5			17.8	11.57		64	1776	35	6000	1	Fold										
			<b>540</b>		CARBON				493		52.5	7	12	Lead	FIXED	2										
			<b>147</b>		FS						36.96	0	7													
Liquid Asset	Ranger 33	27707	<b>150</b>	1970	41.5	150	41.5	35	4.93	Yes	No		33.17	10500	0	IB										
					13.7		13.67	13.75	8.67				26.25	4500	1	Fold										
			<b>649</b>		ALUMN				280			24.6	9.58	Lead	FIXED											
			<b>264</b>		MS							24.6	5.17													
Take Five	Express 27 ODR	28031	<b>129</b>	1982	28.5	155	28.5	28.5	4.22	Yes	No		27.25	2450	0	OB										
					9			10.416	7.03				23.75	1100	1	None										
			<b>611</b>		ALUMN				182			17.75	8.17	Lead	FIXED	0										
			<b>83</b>		FS							17.75	4.5													

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst	IB or OB Prop Type # of blades	
								SL	SPL	SLU	ASA						
								SSMG SSF	SSA	SLE ASMUG	ASA						
El Raton	Express 27 ODR	28050	<b>129</b> 1985	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	No	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0			
Mudshark	Express 37	28052	<b>72</b> 1986	48.75 14.33	155	48.75	42 13.75 0 0	5.28 8.83 344	Yes	No	37.08 30.83 11.57 7.25	11000 4500 Lead	No 1 FIXED	IB FOLD 2			
Moonlight	Express 27 ODR	28059	<b>129</b> 1986	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	No	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0			
Surprise	Custom Schumacher 46	28098	<b>6</b> 1997	57 17	160	63	57 19.75 0 0	7.5 12.8 670	Yes	Yes	37.23 46 40.63 12.92 7.75	18300 8000 Lead	No 1 FIXED	IB FOLD 2	(MTG 4/9/98)(mtg 2/20/04)		
Redux	Olson 911S	28106	<b>126</b> 1987	41.5 12.33	155	41.5	35.5 11.83 0 0	4.5 7.7 251	Yes	No	29.9 25 10.33 5.416	7200 3200 Lead	No 1 FIXED	IB FOLD 2			
Bandido	Merit 25	28125	<b>168</b> 1983	28.75 9.66	150	28.75	28 9.75 0 0	4.25 6.69 172	Yes	No	24.5 20.5 8 4	3000 1050 Lead	No 1 FIXED	OB None 3			
Motorcycle Irene	Express 27 ODR	28137	<b>129</b> 1982	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	No	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0			

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications		
			ISP		I	J	Max	Head	Sail	P	MGU	Yes/No	Yes/No		ASF	Ttl Disp.	Traps/H.		Strps	IB or OB
			JSP		Head	Sail	Sail	Sail	E	MGM	SL	SPL	SLU		ASA	Ballast	moveable blst		Prop Type	
			ISP		Head	Sail	Sail	Sail	PY	MSA	SSMG	SSA	SLE		Sprit Lngth	Ballast Mat.	Keel Type		# of blades	
			Disp/WL Ratio																	
Moxie	CAL 28-2	28217	<b>183</b>	1988	39.9	90	39.9	34.17	4.28	Yes	No		28	7200	0	IB				
					11.4		11.4	10.33	7.11			23			1	FOLD				
			<b>691</b>		ALUMN							10.8			1	FOLD				
			<b>269</b>		MS				219			5.3	Lead	FIXED		2				
Pony Express	Express 34	28234	<b>99</b>	1988	44.25	155	44.25	38.5	4.87	Yes	No		34	7500	No	IB				
					12.92			12.83	8.46			28.33			1	FOLD				
			<b>613</b>		ALUMN			0	296			10.5			1	FOLD				
			<b>150</b>		MS			0				6	Lead	FIXED		2				
Red Sky	Ericson 34 Olson SM	28340	<b>105</b>	1989	44	150	44	38.7	5.1	Yes	Yes	21.98	33.88	10855	No	IB	MTG 12/11/97(RUDDER REPLACED 8" DEEPER ADN 3" NARROWER.)			
					12.95		12.95	12.95	8.5		41.5	587	28	3500	1	FOLD				
			<b>627</b>		ALUMN			0	302		33.77	0	10.8		1	FOLD				
			<b>225</b>		MS			0			17.91	<input type="checkbox"/>	6.08	Lead	FIXED	2				
Hera	Beneteau Farr First 36.7	28372	<b>81</b>	2002	46.4	150	46.4	45.4	5.92	Yes	No		36	12495	No	IB				
					13.1		13.1	15.6	12.49				30.3		1	FOLD				
			<b>602</b>		ALUMN			0	458			0	11.6		1	FOLD				
			<b>204</b>		FS			0				<input type="checkbox"/>	7.2	Lead	FIXED	2				
Mistral	Beneteau Farr First 36.7	28394	<b>81</b>	2002	46.4	155	46.4	45.4	5.92	Yes	No		35	12495	No	IB				
					13.1		13.1	15.6	12.49				30.3		1	FOLD				
			<b>602</b>		ALUMN			0	458			0	11.6		1	FOLD				
			<b>204</b>		FS			0				<input type="checkbox"/>	7.2	Iron	FIXED	2				
Akialoa	J 35	28435	<b>75</b>	1989	46.33	120	46.3	41.42	5.43	No	No		35.42	10500	No	IB				
					14.58			14	9.11				30		1	FOLD				
					ALUMN			0	347			0	11.67		1	FOLD				
			<b>177</b>		MS			0				<input type="checkbox"/>	6.75	Lead	FIXED	2				
Gavilan	Custom Wylie 39	28439	<b>93</b>	1996	49	122	49	43	5.73	Yes	Yes	24.6	41.5	17900	No	IB	(mtg 4/28/11, change custom rating from 84 to 96 after review of rating appeal)(Mtg 1/26/12, -3 sec/mi for sprit)			
					14.5			15.5	9.75				31.75		1	FEATH				
			<b>604</b>		ALUMN			0	390				11.5		1	FEATH				
			<b>254</b>		MS			0				<input checked="" type="checkbox"/>	6.77	Lead	FIXED	3				

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications					
			Built	J	Max Headsail	ISP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp. Traps/H. Strps		IB or OB								
									JSP	E				MGM	SL		SPL	SLU		ASA	LWL	Ballast	moveable blst	# of blades
Disp/WL Ratio	Mast Material	Rig Type	EY	SSF	ASMG	Fixed or _o	Max Draft																	
Twist	J 120 ALUM	28442	<b>48</b>	2000	50.5	150	52	46.5	6.75	No	Yes	34.1	40	13900	No	IB								
					14.5		21.5	17.8	11.5		64	1764	35	6000	1	FOLD								
			<b>541</b>		ALUMN		0	492			50.6	7	12	Lead	FIXED	2								
			<b>147</b>		FS		0				37.65	<input checked="" type="checkbox"/>	0											
New Sinsation	Santana 20	28449	<b>222</b>	1978	24.5	150	24.5	24.5	3.16	Yes	No		20.2	1350	0	OB								
					8.16			7	4.92			8.16	16	550	1	None								
			<b>719</b>		ALUMN				110			0	8	Lead	FIXED									
			<b>150</b>		FS							<input type="checkbox"/>	0											
For Pete's Sake	Ultimate 24 ODR	28469	<b>111</b>	2003	28.04	102	30.8	31	5.5	No	Yes	22.2	24.38	2040	No	OB								
					7.82		14.5	11.5	8.8		36	587	21.17	750	1	None								
			<b>582</b>		CARBON			0	238		30.6	6.7	8.48	lead	FIXED									
			<b>98</b>		FS			0			20.9	<input checked="" type="checkbox"/>	0											
Chance	J 120 ALUM	28484	<b>51</b>	2001	50.5	100	52	46.3	6.7	No	Yes	34.1	40	13900	No	IB								
					14.5		21.5	17.8	11.5		64.1	1765	35	6000	1	FOLD								
			<b>541</b>		ALUMN			0	489		50.6	7	12	Lead	FIXED	2								
			<b>147</b>		FS			0			37.65	<input type="checkbox"/>												
Saetta	J 120 ALUM	28486	<b>48</b>	1999	50.5	153	52	46.5	6.75	No	Yes	37.6	40	13900	No	IB								
					14.5		21.5	17.8	11.5		65.61	1793	35	6000	1	FOLD								
			<b>540</b>		ALUMN			0	492		51.8	7	12	Lead	FIXED	2								
			<b>147</b>		FS			0			36.42	<input checked="" type="checkbox"/>	0											
Jarlen	J 35	28528	<b>72</b>	1990	46.333	150	46.3	41.416	5.43	Yes	No		35.42	10500	No	IB								
					14.583			14	9.11			14.583	30	4400	1	FOLD								
			<b>585</b>		ALUMN			0	347		26	997	11.67	Lead	FIXED	2								
			<b>177</b>		MS			0			26		6.75											
Bandicoot	Wyliecat 30 IB	28530	<b>132</b>	2000	0		29	39.75	7.87	No	No	18.8	30.5	5500	0	IB								
					0		10	20.5	13.46		29	10	25	3050	1	FEATH								
			<b>653</b>		CARBON			0	488		17.75	429	9.5	Lead	FIXED	2								
			<b>160</b>		CATBOAT			0			17.75		5.25				(mtg 5/20/10, -21 sec/mi for added spinnakers)(9/5/12, removed spinnaker, back to standard configuration)							



Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications					
			Built	J	Max Headsail	ISP JSP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp. Traps/H. Strps		IB or OB Prop Type								
									DW Rating	Mast Material				E	MGM		SL	SPL		SLU	ASA	LWL	Ballast	moveable blst
EY	SSSF	ASMG	Fixed or _o	Max Draft	Ballast Mat.	Keel Type	# of blades																	
Catalyst	Wyliecat 30 IB	28571	<b>132</b>	2004				40	7.87	No	No	30.42	5800	No	IB	Must have a YC card before registering for 2005 and clear YC for 2004								
			<b>652</b>		CARBON		20.67	13.46				25	3000	1	Feath									
			<b>169</b>		CAT		0	493			<input type="checkbox"/>	9.42	Lead	FIXED	2									
							0					5.25												
Friday Harbor	Beneteau 323 DK	28580	<b>147</b>	2004	42.67	116		38.9	5	No	Yes	19.91	8448	No	IB									
			<b>633</b>		11.06		13.17	8.56			45.4	661	2258	1	FOLD									
			<b>155</b>		ALUMN				306		41.34	0	Iron	FIXED	2									
					MS						17.9	<input checked="" type="checkbox"/>	0											
Sail La Vie	Beneteau 411	28597	<b>105</b>	1999	46.67	140		41.5	4.872	No	No		41.67	No	IB									
					16.25		14.83	8.77				0	5500	1	FEATH									
			<b>166</b>		ALUMN		0	344			<input type="checkbox"/>	0	13	FIXED	3									
					MS		0						5.58											
Uno	Wyliecat 30 IB	28632	<b>129</b>	1995	35.8			39.66	9.31	No	Yes	19.68	5800	0	IB	(mtg 2/21/08, penalty for oversized main -3 sec/mi)(Mtg 5/22/08, -24 for asymmetric spinnaker flown on 12' pole)(1/24/16, not using spinnaker +24 sec/mi)								
			<b>607</b>		5.5		19.75	13.05		12	37.02	550	3000	1	FOLD									
			<b>169</b>		CARBON			493			32.8	0	Lead	FIXED	2									
					CAT						18.7	<input type="checkbox"/>	90											
Mirth	Catalina 34 1&2	28634	<b>150</b>	2005	44	125		38.5	4.17	No	Yes	22.02	11950	No	IB									
			<b>646</b>		13.5		12	7.33			42.23	693	5000	1	FEATH									
			<b>205</b>		ALUMN			265			38.63	0	Lead	FIXED	3									
					MS						20.21	<input checked="" type="checkbox"/>	0											
Quiver	Custom Nelson Marek 36	28669	<b>45</b>	1999	43.85	105	51.9	45.75	6.56	Yes	Yes	26.24	7725	No	IB	(mtg 6/15/10, added lead shoe to keel, -3 sec/mi, change custom rating from 48 to 45)(Mtg 2/29/12, added sprit equal to SPL, NCTR)								
			<b>542</b>		12.5		16.47	10.66			50.39	14.57	3255	1	FOLD									
			<b>139</b>		CARBON			453			26.21	1101	Lead	FIXED	2									
					FS						26.21													
White Cloud	Yamaha 33 IK SM	28688	<b>162</b>	1979	42.8	150	42.8	37.42	4.38	Yes	No		33.25	0	IB									
			<b>648</b>		13.78		10.67	7.27			44	13.78	10582	1	Fixed_2									
			<b>247</b>		ALUMN			247			24	880	4409	1										
					MS						24		Iron	FIXED										

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
			Rating		I	J		P	MGU	Yes/No	Yes/No	ASF	Ttl Disp.		Traps/H. Strps			
			DW Rating		Max Headsail	Mast Material		E	MGM	SL	SPL	SLU	ASA		Ballast	moveable blst		
			Disp/WL Ratio		Rig Type	MS		PY	MSA	SSMG	SSA	SLE	Sprit Lngth		Ballast Mat.	Keel Type		
							SPF	SSA	ASM	Fixed or _o								
French Kiss	Beneteau 350 Oceanis	28713	<b>144</b>	1989	41.47 12.8	140	41.47	35.7 11.6	4.2 7.3	Yes	No			33.83 29.83 11.17 5.17	10580 3525 Lead	0 1 FIXED	IB FOLD 2	Above deck Roller Furler
			<b>633</b> 181		ALUMN MS		0 0	242		22.5 22.5	12.52 741		0 <input type="checkbox"/>					
Blade Runner	Santa Cruz 27	28727	<b>141</b>	1979	32.7 10.9	150	32.7 10.9	28.2 8.7	3.27 5.64	Yes	Yes	19.58		27 24.08 8 4.5	3000 1600 Lead	0 1 FIXED	OB None	
			<b>631</b> 98		ALUMN MS			146		32.74 19.6 19.6	10.9 535	34.05 31.27 19.58	533 0 <input type="checkbox"/> 90					
Lucky Duck	Custom Santa Cruz 52	28729	<b>-30</b>	2001	64.14 18.95	155	64.6 22.5	57.5 21	8.76 14.22	Yes	Yes	40.91		53 46.25 14 9	22544 8000 Lead	0 1 FIXED	IB Fold 2	(Mtg 8/23/12, Custom Rating Assigned, -21 as sailed)(Mtg 5/23/13, weighed displacement added)(Mtg 3/27/14, New Rudder, -3 sec/mi for OSP, -6 sec/mi for 10%+ increase in spinnaker area. No penalty for keel/displacement
			<b>471</b> 104		CARBON MS			745		67.29 40.55 38.74	22.5 2254	67.72 61.68 40.55	2190 2 <input type="checkbox"/> 90					
Relentless	Sydney 32	28732	<b>81</b>	2002	40.6 12.2	110	40.6 13.1	39.7 14.75	5.6 9.59	Yes	No			31.9 28.4 10.6 6.9	6850 2860 Lead	No 1 FIXED	IB FOLD 2	-3 Sec/mi for OSP
			<b>589</b> 136		ALUMN FS			349		40.29 23.4 23.4	13.1 786		0 <input type="checkbox"/>					
Savoir Faire	Beneteau 42 IK	28735	<b>90</b>	1984	52.82 16.73	145	52.82	46.59 14.6	5.4 9.35	Yes	No			42.92 36 12.75 7.25	20900 7920 Iron	No 1 FIXED	IB FEATH 2	PER MTG 8/14/97
			<b>581</b> 204		ALUMN MS			401		53 30.183 32.677	16.73 1355		0 <input type="checkbox"/>					
Galaxsea	Custom Nauticat 43.5	28743	<b>180</b>	1985	51 20	104	20.6	45 13.6	4.3 7.9	Yes	Yes	29.2		43.6 37.7 12.2 5.9	34000 11000 Lead	No 1 FIXED	IB FEATH 3	Stay sail measurements foot=1', Luff=34'6", Leach=30'2", LP=132"
			<b>629</b> 288		ALUMN KTCH			338		50.98 33.43 35.6	20 1439	52 50 25.6	1119 4.9 <input checked="" type="checkbox"/>					
Kelika	Hunter 33.5	28815	<b>150</b>	1991	39.166 11.666	150	39.116	43.166 13.5	5.2 8.9	Yes	No			33.33 26.83 11 4.5	10800 4500 Iron	No 1 FIXED	IB FEATH 2	
			<b>657</b> 254		ALUMN FS			350		39 21.15 21.15	11.75 687		0 <input type="checkbox"/>					

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
			ISP		I	J	Max	IS	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB	
			JSP		Headsail	Material	Material	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type		
			Disp/WL Ratio		Rig Type	PY	MSA	SSMG	SSA	SLE	Sprit	Lngrh	Max Beam	Ballast Mat.	Keel Type	# of blades			
								SSF	ASM	Fixed or _o	Max Draft								
Phantom	J 44	28844	<b>21</b>	1990	60.606 17.08	120	60.416	53.53 19.41	7.3 12.5	Yes		Yes	27 1379	44.75 38.58	23838 9000	No 1	IB Feath		
			<b>550</b> 189		ALUMN MS			0 0	615			30.7 30.7	1526	55.9 27.8	0 <input checked="" type="checkbox"/>		8.14	Lead FIXED	3
Ganesha	Sabre 36-2	28862	<b>111</b>	1996	48.5 13.46	155		41.6 14.83	5.66 9.63	No		No		36.17 30.42	13800 5520	No 1	IB FOLD	Adjustable back stays	
					ALUMN MS			0 0	368			<input checked="" type="checkbox"/>	0 0	12 6.5	Lead FIXED		2		
Alchera	J 120 Mod	28870	<b>51</b>	2001	50.5 14.5	125	52 21.55	46.5 17.57	6 10.57	No		Yes	34 1407	40 35	13900 6000	No 1	IB FOLD	Modifications for offshore singlehanding: Smaller spinnaker and main, 2 extra winches at helm, 3 additional gel batteries, dodger boss widened and all control lines led to cockpit, radar pole, veltran MHN jib. 1/11/03 2/21/08 +2 coils for small	
			<b>554</b> 147		CARBON FS			0 0	463			49.99 30.6	7 <input checked="" type="checkbox"/>	12 7	Lead FIXED		2		
Princess	Sabre 40-2	28876	<b>75</b>	1996	53.5 15.5	110	53.5 20.5	47.8 17	6.27 10.7	No		Yes	26.75 1205	40.17 35.25	19500 7000	No 1	IB FOLD	base rtg changed frm 69 to 72 MTG 4/8/03.	
			<b>588</b> 202		ALUMN MS			0 0	476			46.65 27.88	5 <input type="checkbox"/>	13.25 6.25	Lead FIXED		2		
Crazy Eights	Moore 24	28888	<b>150</b>	1978	26 9.8	150	26.3 9.75	25 9.5	3.91 6.5	Yes		No		23.75 21.75	2050 1000	0 1	OB None		
			<b>636</b> 91		ALUMN FS				147			17.55 17.55	389	7.16 4.083	Lead FIXED		0		
Nancy	Wyliecat 30 OB	28890	<b>126</b>	1995				39.66 19.75	8.71 13.46	No		No		30.5 25	5500 3050	No 1	OB None	(-3 sec/mi for square top main)	
			<b>650</b> 160		CARBON CAT			0 0	491			<input type="checkbox"/>	0	9.5 5.25	Lead FIXED		0		
Q	Custom Schumacher 40	28901	<b>54</b>	2001	47 14.67	105	47	47.5 18.35	6.75 11.75	Yes		No		40 31.5	10166 4528	No 1	IB FOLD		
			<b>554</b> 148		CARBON FS			0 0	513			26.41 26.41	1030	11 7.6	Lead FIXED		2		

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications							
			Built	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF		LOA	Ttl Disp.	Traps/H. Strps			IB or OB						
										DW Rating	Mast Material		E	MGM			SL	SPL			SLU	ASA	LWL	Ballast	moveable blst	Prop Type
EY	SSF	ASM	Fixed or_o	Max Draft																						
Godot	J 105 ODR w/ 5'BS	28905	<b>78</b>	1992	40.6	95	42.1	41.5	5.5	No	Yes	23.29	34.5	7750	No	IB										
			<b>581</b>		13.5		19.07	14.6	9.4		49.54	958	29.5	3400	1	FOLD										
			<b>137</b>		ALUMN			0	359		38.55	5	11	Lead	FIXED	2										
					FS			0			26.8	<input checked="" type="checkbox"/>	6.5													
Tule Lost	Ericson 911S Olson	28911	<b>132</b>	1988	41.5	155	41.5	35.5	4.73	Yes	No		29.92	8680	No	IB	MUST HAVE YACHT CLUB MEMBERSHIP CARD WITH ENTRY FORM FOR 2006 RACING									
			<b>663</b>		12.33			11.083	7.69		42	12.33	25	3200	1	FOLD										
			<b>253</b>		ALUMN			0	247		21.9	767	10.33	Lead	FIXED	0										
					MS			0			21.9		5.42													
Abracadabra	Antrim 27 CM ODR	28927	<b>75</b>	1996	28.69	116	37.25	33.75	7.5	No	Yes	25.1	27.83	2900	No	OB	BOWSPRINT IS ARTICULATING									
			<b>555</b>		8.17		15	14	10.9		44.2	723	23.75	1050	1	None										
			<b>98</b>		CARBON			0	327		38	6.83	9.25	Lead	FIXED	0										
					FS			0			20.1	<input type="checkbox"/>	6													
Oxymoron	Moore 24	28993	<b>150</b>	1981	26.25	150	26.2	25	3.91	Yes	No		23.75	2050	0	OB										
			<b>639</b>		9.75			9.5	6.5		26.6	9.75	21.75	1025	1	None										
			<b>91</b>		ALUMN			0	147		17.55	389	7.16	Lead	FIXED	0										
					FS			0			17.55		4.25													
Kira	Cal 33-2	28999	<b>132</b>	1986	46	125	46	40.5	4.82	No	Yes	21.86	33	10800	No	IB	(Mtg 1/26/12, -3 sec/mi for increased "e" & MSA)									
			<b>655</b>		13.25		13.25	12.75	8.23		43.6	697	27.5	4475	1	FOLD										
			<b>236</b>		ALUMN			0	307		39.5	0	11.33	Lead	FIXED	2										
					MS			0			19.68	<input type="checkbox"/>	6.12													
Sweet Okole	Custom Farr 36	29000	<b>78</b>	1976	42.049	155	42.049	44.54	5.9	Yes	No		36	9696	No	IB	(78 MTG 1/28/93) (81 MTG 3/18/93)(Mtg 5/22/08, +3 sec/mi for switching to smaller headsail, +3 sec/mi for removing 250# shoe from keel, change custom rating from 81 to 87)(6/7/10, change headsail to 155% - 2 sec/mi change rating									
			<b>585</b>		12.35			16	10		43.82	12.35	31.33	3750	1	FOLD										
			<b>143</b>		ALUMN			0	416		22.23	812	11.88	Lead	FIXED	2										
					FS			0			22.23		7													
Bessie's Girl	Bristol 45.5	30088	<b>114</b>	1980	57	130	57	47.25	4.66	Yes	Yes	33	45.5	40000	No	IB	(mtg 2/18/10, -3 sec/mi for dual spinnakers/ability to use asym on squared back pole)									
			<b>594</b>		18.83		18.83	15.2	8.56		56	1353	37.25	15000	1	FEATH										
			<b>352</b>		ALUMN			30.25	390		33	1540	13.2	Lead	CNTRBRD	3										
					KTCH			8.25			33		11													

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
			ISP		I	J	Max Headsail	ISP	P	MGU	Yes/No	Yes/No	ASF		Ttl Disp.	Traps/H.	Strps		IB or OB
			JSP		J	J		JSP	E	MGM	SL	SPL	SLU		ASA	Ballast	moveable blst		Prop Type
			JSP		J	J		JSP	P	MSA	SSMG	SSA	SLE		Sprit Lngth	Ballast Mat.	Keel Type		# of blades
			Disp/WL Ratio																
Ahi	Santana 35	30980	<b>114</b>	1981	39	155	39	42	5.51	Yes	No		35	8500	0	IB	(Mtg 6/27/13, new rudder noted, NCTR)		
			<b>628</b>		12.85			14.25	9.26			26.5	3300	1	Fold				
			<b>208</b>		ALUMN						0	11.92	Lead	FIXED	2				
					FS						<input type="checkbox"/>	6.25							
Six Brothers	Columbia C 30-2	32006	<b>57</b>	2013	36.67	103	42	38	7.77	No	Yes	31.5	32	4500	0	IB			
			<b>529</b>		12.67			14.67	10.64		50	1145	27	1900	1	None			
			<b>104</b>		ALUMN						42.05	0	10.13	Lead	FIXED				
					FS						29.43	<input checked="" type="checkbox"/>	7.42						
Yellow Brick Road	Jeanneau Sun Odyssey 40	33300	<b>90</b>	1999	50	125	50	43.25	5.7	No	Yes	25.59	40	16094	0	IB			
			<b>601</b>		13.75			15.67	9.89		52.33	1095	33.33	5291	1	FEATH			
			<b>198</b>		ALUMN			0	396		45.37	0	12.92	Iron	FIXED	3			
					MS			0			27.23	<input checked="" type="checkbox"/>	6.33						
Stink Eye	Laser 28 ODR MOD	33562	<b>126</b>		31.73	110	33.2	33.14	5.2	Yes	Yes	19	28.42	4050	No	OB	(Mtg 3/27/14, -3 sec/mi for oversized mainsail girths, -3 sec/mi for OB motor)		
			<b>635</b>		9.65			12.3	8.3		37	546	23.62	1500	1	FOLD			
			<b>140</b>		ALUMN			0	252		32	0.92	9.48	Lead	FIXED	2			
					MS			0			19	<input checked="" type="checkbox"/>	5						
Expression	Express 37 MOD	33985	<b>75</b>	1984	48.75	150	48.75	42	5.3	Yes	No	19	37.1	9500	0	IB	(mtg 1/21/10, +3 sec/mi for modified keel, -3 sec/mi for dual spinnaker/ability to fly asym on squared back pole)(1/19/11, removed asym, only using symmetric spinnaker, +3 sec/mi)		
			<b>590</b>		14.33			13.75	9		48	705	30.83	4500	1	Fold			
			<b>147</b>		ALUMN						45	0	11.5	Lead	FIXED	2			
					MS						18	<input type="checkbox"/>	6						
Zsa-Zsa	1D 35	35017	<b>36</b>	1999	42.49	110	44.78	44.46	7.55	Yes	No		35	6500	No	IB			
			<b>520</b>		12.52			18.58	12		50	14.76	31.5	2600	1	Feath			
			<b>95</b>		CARBON			0	498		26.5	1104	10.75	lead	FIXED	2			
					FS			0			26.5		7.6						
Dark & Stormy	1D 35	35018	<b>30</b>	1998	42	110	44.8	44	7.5	No	Yes	31.4	35	6550	0	IB	Fixed bow sprit, using Asymmetrical spinnaker(mtg 3/20/08, -9 sec/mi for oversized spinnaker, +3 sec mi for not being able to articulate pole, as sailed: 30)		
			<b>518</b>		12.47			19	12		51.8	1236	31.5	2660	1	FOLD			
			<b>95</b>		CARBON						46.62	4.92	10.9	Lead	FIXED	2			
					FS						29.83	<input checked="" type="checkbox"/>	7.58						

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications					
			Built	DW Rating	I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No		Yes/No		LOA	LWL	Ttl Disp.	Traps/H.	Strps		IB or OB				
										SL	SPL	SLU	ASA								Max Beam	Ballast	moveable blst	IB or OB
Disp/WL Ratio	Mast Material	PY	MSA	SSMG	SSA	SLE	ASMG	Fixed or _o	Max Draft	Ballast Mat.	Keel Type	# of blades												
Alpha Puppy	1D 35	35024	<b>30</b>	1999	42.49 12.52	110	44.78	44.46 18.58	7.5 12	No	Yes	31.4 1238	35 31.5	6500 2600	No 1		IB FOLD	6/13/11, boat now in same configuration as B-Line. Added 4.9' bowsprit and oversized spinnaker. -9 sec/mi for oversized asymmetric spinnaker, +3 sec/mi for inability to articulate sprit						
			<b>517</b> 95		CARBON FS		0 0	497				4.9 <input checked="" type="checkbox"/>	10.75 7.6	lead FIXED			2							
Wildcard	Santa Cruz 37	37005	<b>27</b>	2009	47.1 13.4	107	52.17 19	47 17	6.4 11	No	Yes	33.3 1534	37 34.75	8662 3730	0 1		IB FOLD	(Mtg 1/26/16, new keel box & rudder noted, NCTR)						
			<b>507</b> 94		CARBON FS			474				5.6 <input checked="" type="checkbox"/>	10.64 7.5	Lead FIXED			2							
Spirit of Freedom	J 124	38006	<b>27</b>	2006	49 14	155	54.7 15.4	48.4 17		Yes	Yes	32.6 1243	40.7 36.2	12600 5000	No 1		IB FOLD	(mtg 4/22/10, -3 sec/mi for OSP, -3 sec/mi for ability to square back pole)						
			<b>535</b> 121		CARBON FS							0 <input checked="" type="checkbox"/>	11.3 6.9	Lead FIXED			2							
Sapphire	Synergy 1000	38008	<b>48</b>	2004	40.8 12	125	45.75 16.4	42 15.5	5.86 10.03	No	Yes	28 1172	32.83 29.17	4400 1850	No 1		IB FOLD	(Mtg 10/22/15, +3 sec/mi for smaller than class mainsail)						
			<b>532</b> 81		CARBON FS			387				4.3 <input type="checkbox"/>	9.75 7	Lead FIXED			2							
Escapade	Sabre 40-2	38011	<b>75</b>	1997	54 15.5	110	54 16	47.5 17	5.6 9.9	Yes	Yes	23.5 1001	40.2 34	19760 7500	0 1		IB FEATH							
			<b>599</b> 229		ALUMN MS			449				0 <input checked="" type="checkbox"/>	13.3 7.5	Lead FIXED			3							
Sea Star	CAL 39-2/3	38022	<b>114</b>	1977	50 16.7	150	50	44 13.8	4.5 8	Yes	Yes	34 1181	39 32	17000 7000	0 1		IB FEATH	Roller Furler						
			<b>611</b> 236		ALUMN MS			337				0 <input checked="" type="checkbox"/>	12 6.7	Lead FIXED			3							
Ohana	Beneteau 45F5	38023	<b>63</b>	1991	53.15 15.08	100	55.15 16	55.4 18.58	7.06 12.08	Yes	No		44.11 36.9	26500 8500	0 1		IB FEATH	(Mtg 12/1/11, -6 sec/mi for new keel)						
			<b>580</b> 240		ALUMN FS			613				0 <input type="checkbox"/>	14.1 7.9	Lead FIXED			3							

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps moveable blst	IB or OB Prop Type # of blades	
								SL	SPL	SLU	ASA						
								SSMG SSF	SSA	SLE ASMG	ASA						
Bustin Loose	Sydney 38 MH	38044	21 2002	54 14.9 104	52.03 14.77	50.53 18.046 6.85 11.73	8.85 543	Yes	Yes	27.69 1116 0	38.6 35.3 12.4 8.8	12250 5140 Lead	0 1 FIXED	IB FOLD 2			
Bombora	Express 27 ODR	38047	129 2002	28.5 9 155	28.5	28.5 10.42 4.22 7.03	182	Yes	No	0 0	27.25 23.8 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0			
Iolani	Hughes 48	38048	120 1972	54.3 18.2 135	20.2	48.2 19 10.4	5.9 493	Yes	Yes	32.76 1400 0	48 35.1 11.1 6	32000 14300 Lead	0 1 FIXED	IB FEATH 3			
Raven	Benteau First 35	38073	75 2001	47.24 13.12 108	51.48	45.93 14.75 5.98 10.23	419	Yes	No	0 0	36.32 30.6 12.76 7.25	12125 3681 Iron	0 1 FIXED	IB Fold			
Aquadisiac	Newport 30-3	38075	174 1985	40 12.5 155	40	34 10.25 3.8 6.6	206	No	No	0 0	30.5 26.5 10.67 5.17	8500 2600 Lead	0 1 FIXED	IB Fold 2			
Domino	Wilderness 30 MOD	38081	126 1985	36 12.25 155	36 12.25	31.5 10.83 4.11 6.93	203	Yes	No	0 0	30 27.75 8.8 5.5	5450 2150 Lead	0 1 FIXED	IB Fold	(Mtg 3/28/13, +6 sec/mi for small rig)		
Allora	Morris 36	38082	120 2007	38.66 12.75 95	44.3	41.25 15.08 5.1 9.43	357	No	Yes	21.4 452 0 0	36.1 25 10.1 5.3	8900 3850 Lead	0 1 FIXED	IB Fold			

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications									
			Built	J	Max Headsail	ISP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB											
									DW Rating	Mast Material								E		MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type
228	CARBON FS	447																										
Kynntana	Freedom 38	38086	<b>141</b>	1988	33.34 11.5	100	33.34 11.5	45.5 16.57	6.25 10.7	No	No			38.42 30.58 12.5 5.6	14370 6500 Lead	0 1 FIXED	IB Fold											
Blue Ribbon II	Catalina 270 IB	38087	<b>207</b>	1994	33.58 9.25	135	33.58	28.42 11.5	4.67 7.61	No	No			27 23.75 9.83 5	6400 2000 Lead	0 1 FIXED	IB Fixed_2 2											
Invictus	Hunter 41 DS	38093	<b>129</b>	2007	51.6 13	110		50.8 19.6	6 10.11	No	No			40.4 35.6 13.3 6.6	19400 6506 Lead	0 1 FIXED	IB Fixed_3 3	(Mtg 4/25/13, +3 sec/mi for in-mast furling main)										
Scraft	Hunter 36	38096	<b>156</b>	2005	44.83 13.17	125		44.92 16	6 10.3	No	No			35.5 30.58 12 5.42	13900 5023 Lead	0 1 FIXED	IB Fixed_3	Roller Furler, In-mast Furling Mainsail										
Althea	Cavalier 39	38101	<b>129</b> <b>608</b> 234	1981	48.5 14.83	120	46 16.13	42 12	4.55 7.79	No	Yes	28.23 16.13	48.75 1029 42.41 26.82	0 0 90	38.98 29.49 11.22 5.97	13228 7513 Lead	0 1 FIXED	IB Fixed_3	(Mtg 4/28/16, -3 sec/mi for oversized spinnaker pole, -3 sec/mi for oversized spinnaker)									
Wasabi	JPK 1080	38103	<b>63</b> <b>550</b> 166		46.66 14.17	100	51.51 19.09	46.2 15.48	5.84 9.61	No	Yes	15.32		0 90	35.43 30.84 11.98 7.22	10692 4740 Steel	0 1 FIXED	IB Fold										
Kira	Aerodyne 38 SD	38104	<b>45</b> <b>634</b> 135	2003	50.82 14.5	105	57.25 20.83	51.75 16.5	6.25 10.6	No	Yes		39.5 2062 58.5 40	0 0 0	37.66 34.21 13 6	11850 4150 Lead	0 1 FIXED	IB Fold										



Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications		
			Built	DW Rating	I J Max Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.	Traps/H. Strps		IB or OB Prop Type # of blades	
									SL	SPL	SLU	ASA				Ballast			moveable blst
Wimm	Jeanneau Sun Odyssey 349	38105	141	2016	43.6 12.37	112	40.68 13.62	4.9 8.2	No	No		33.92 30.84 11.29 6.86	11770 3483 Cast Iron	0 1 FIXED	IB Fold				
Raven	C&C 115	38108	69 587 149	2004	52.17 14.5	106	52.17 14.5	49.33 16.33	6.2 8.6	No	Yes	24.7 962 0 0	37.75 33 11.92 6.67	11800 4200 Lead	0 1 FIXED	IB Fold 2			
Puffin	Alden 44	38144	117 595 281	1978	54.1 19.5	100	47.08 14.75	5.7 9.6	No	Yes	33 1369 0 0	44.17 34.08 12.5 8.75	24500 Lead	0 1 CNTRBRD	IB Feath				
Irie	Beneteau 393 Oceanis SD	38200	150 633 228		46 14.5	110	46 14.5	40.2 15.1	4.63 8.12	No	Yes	24 755 0 0	38.12 35.1 13 5.1	21700 5357 Cast Iron	0 1 FIXED	IB Fold 3			
Willow	Wauquiez 40s Centurion	38300	69 573 179	2004	51.5 14.17	110	51.5	49.21 19.3	7.3 12.5	Yes	Yes	28.54 1155 2.4 0	41.17 36.4 12.66 7.75	18960 6085 Lead	No 1 FIXED	IB FEATH 3	(mtg 3/18/10, -3 sec/mi for oversized a-sail.)(mtg 1/27/11, - 3 sec/mi for added sprit)		
Siento El Viento	C&C 29	38311	174 693 259	1977	39.5 12.8	155	33.5 10.1		Yes	No	12.8 715 0	29.5 23.6 10.5 5.25	7500 2700 Lead	No 1 FIXED	IB Fold 2				
Freedom	Beneteau 523	38333	54 512 135	2006	65.22 20.77	105	59.09 18.53	6.39 11.04	No	Yes	35.519 1854 2 0	53.08 47.92 16 7.5	32800 10935 Iron	No 1 FIXED	IB FOLD 3	Bow Thruster, in-mast furling, above deck jib furler; (Mtg 8/17/06 - +6 s/m for small girth main); electric winches added 1/29/07 (Mtg 3/28/13, +3 secmi for 8% decrease in mainsail area)			



Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
			Rating		I	J	ISP	P	MGU	Yes/No		Yes/No		ASF	Ttl Disp.	Traps/H. Strps		IB or OB
			DW Rating		Max	Head	JSP	E	MGM	SL	SPL	SLU		ASA	Ballast	moveable blst		Prop Type
			Disp/WL Ratio		Mast	Material		PY	MSA	SSMG	SSA	SLE		Sprit Lngth	Ballast Mat.	Keel Type		# of blades
Bullet	Express 37	40311	72	1985	48.75	155	48.75	42	5.3	Yes	No		37.08	11000	No	IB		
					14.33			13.75	8.83				30.83	4600	1	FOLD		
			581		ALUMN			0	344			0	11.57	Lead	FIXED	2		
			171		MS			0					7.25					
Ergo	Express 27 ODR	40428	129		28.5	155	28.5	28.5	4.22	Yes	No	0	27.25	2450	0	OB		
					9			10.416	7.03				23.75	1100	1	None		
			611		ALUMN				182			0	8.075	Lead	FIXED	0		
			83		FS			17.7				0	4.5					
Jeannette	Custom Frers 40 IOR 1 Tonner	40646	66	1986	47.2	100	13.7	51.48	7.13	Yes	No		39.5	12900	0	IB	(Mtg 5/31/07 custom rating changed from 63 to 60 based on performance data)(Mtg 8/27/15, change custom rating back to 63 after review of race results)	
					13.7			18.76	12.19				33	6000	1	FOLD		
			569		ALUMN				575			0	12.6	Lead	FIXED	2		
			163		FS			24.66	959			0	8.1					
Vento	Swan 391	40841	99		53.5	95	53.5	47.25	5.5	Yes	Yes	26	39.9	18900	0	IB		
					16.25		16.25	14	9.2				33.1	6800	1	Fold		
			592		ALUMN				399			0	12.4	Lead	FIXED			
			237		MS			51.83	16.25		Yes	1014	7.2					
								29.3	1266		49	0						
								29.3			23.67	0						
Catapult	Santa Cruz 70	41005	-84	1989	73.34	155	73.74	66.11	9.3	No	Yes	39.1	68	23847	0	IB	(Mtg 5/25/17, Custom rating assigned. As Sailed: -84)	
					22.19		25.26	24.67	15.75				59.7	9000	1	Fold		
			417		CARBON				963			0	15.1	Lead	FIXED			
			51		MS			67.9			38.9	0	10					
Buona Sera	Santa Cruz 70	41104	-81	1986	73.15	155	73.63	65.49	9.12	No	Yes	40.06	68.9	24905	0	IB	(Mtg 8/27/15, New rudder noted, -9 sec/mi for new keel)(Mtg 3/23/17, -6 sec/mi for 13% increase in SPL, -3 sec/mi for increase in spinnaker area, +3 sec/mi for decrease in mainsail area)	
					22.52			25.39	15.72				60.4	8960	1	Fold		
			423		CARBON				961			0	15.1	Lead	FIXED			
			51		MS			40.95				45	10.62					
Heart of Gold	Olson 911S	41327	126	1987	41.5	155	41.5	35.5	4.5	Yes	No		29.9	7200	No	IB		
					12.33			11.83	7.7				25	3200	1	FOLD		
			648		ALUMN			0	251			0	10.3	Lead	FIXED	2		
			209		MS			0					5.5					

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications		
			ISP		I	J	Max	Head	Sail	P	MGU	Yes/No	Yes/No		ASF	Ttl Disp.	Traps/H.		Strps	IB or OB
			JSP		Material	Rig	Type	E	MGM	SL	SPL	SLU	ASA		Ballast	moveable	blst		Prop Type	
			Disp/WL Ratio		Material	Rig	Type	PY	MSA	SSMG	SSA	SLE	Sprit		Lnth	Ballast Mat.	Keel Type		# of blades	
Baleineau	Ericson 34 Olson SM	42147	<b>105</b>  <b>629</b> 219	1988	44 13	155	44 44	38.8 13	4.88 8.25	Yes	No	43.5 23.25 23.25	12.96 843	34 28 10.83 6	10600 3650 Lead	No 1 FIXED	IB FOLD 2			
Ardea	Custom Nelson/Marek 50	42616	<b>21</b>  <b>519</b> 176	1989	59.92 17.59	100	59.92 17.59	65.19 24.08	9.35 15.98	Yes	Yes	59.2 31.1 30.4	17.59 1527	49.8 38.55 14.86 9.32	22145 12627 Lead	0 1 FIXED	IB Fold	(Mtg 8/28/15, custom rating of 21 assigned)		
La Viajera	J 109 ODR	46480	<b>72</b>  <b>583</b> 175	2004	46.5 13.3	105	49.6 18.8	43.25 15.5	5.89 10.07	No	Yes	45.63 27.2	399	35.25 30.5 11.5 7	10900 3900 Lead	0 1 FIXED	IB Fold 2			
Family Hour, TNG	Henderson 30	46595	<b>48</b>  <b>504</b> 82	1997	37 11	155	42.3 17.8	38.2 14	6.74 10.62	Yes	Yes	41.5 19.8 19.8	11 685	30.83 27.75 9.84 7	3850 1750 Lead	0 1 FIXED	OB None 0	Kelp Cutter		
Fast Lane	Olson 25	46657	<b>159</b>  <b>671</b> 156	1985	32 9.6	155	32	28 10	3.8 6.4	Yes	No	32 17.25 17	9.6 459	25 21.25 9 4.5	3300 1300 Lead	0 1 FIXED	OB None			
Sweetspot	C&C 121 DK W/5' BS	46921	<b>60</b>  <b>549</b> 143	2000	57 15	135	57 20	51 16.386	6.19 10.6	No	Yes	55.6 37.5	5	40 35.5 13.8 8	14100 5500 Lead	No 1 FIXED	IB FOLD 2	Deep Keel-bowsprit, (Mtg 4/24/08, rating appeal submitted, change base rating for C&C 121 DK w/ 5' BS, aka C&C 121 XP, to 60)		
Argo	Beneteau 40.7 First Farr	46933	<b>54</b>  <b>569</b> 164	1999	51.61 14.47	105	51.61 14.47	48.85 17.72	6.72 11.51	Yes	No	50.9 26 25	14.47 1094	39.33 34.83 12.33 7.75	15211 5950 Lead	0 1 FIXED	IB Feath 2			

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
			Rating		I	J	ISP	P	MGU	Yes/No	Yes/No	ASF	Ttl Disp.		Traps/H. Strps	IB or OB			
			DW Rating		Max Headsail	ISP	E	MGM	SL	SPL	SLU	ASA	Ballast		moveable blst	Prop Type			
			Disp/WL Ratio		Mast Material	JSP	PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Ballast Mat.		Keel Type	# of blades			
					Rig Type	EY		ASM	Fixed or _o										
FROLIC	Islander 36 TM	47462	<b>141</b>	1974	47 14.5	155	47 14.5	40.75 12.6	4.8 8.25	Yes		No		36.08 28.25 11.17 6.08	13450 5450 Iron	0 1 FIXED	IB Feath 3		
			<b>655</b> 271		ALUMN MS				307				<input type="checkbox"/>	0 0					
Gotcha	Santa Cruz 27	47911	<b>141</b>	1975	32.58 10.75	150	32.58	28.25 8.583	3.68 6.06	Yes		No		27 24 8 4.5	3200 1600 Lead	0 1 FIXED	OB None		
			<b>619</b> 105		ALUMN MS				154				<input type="checkbox"/>	0 0					
Bodacious +	1D 48	48005	<b>-15</b>	1996	57.7 16.7	155	68.3 16.7	61.3 22.5	9.84 14.66	Yes		Yes		48.3 40.2 14.2 10.1	19743 8818 Lead	0 1 FIXED	IB Fold 2	Water ballast system not operational (mtg 8/19/08, custom rating assigned of -30, includes dual spinnakers)(Mtg 3/24/11, new smaller mainsail, smaller symmetrical, change cutom rating from 30 to 24VMS 8/25/11	
			<b>490</b> 138		CARBON FS				848				<input checked="" type="checkbox"/>	0 0					
Iniscaw	Martin 32	49143	<b>126</b>	1980	42.5 13.67	145		37.17 12	4.7 8	Yes		No		32.8 27 9.6 6.1	8200 4100 Lead	0 1 FIXED	IB FOLD 2	(Mtg 10/2/13, new rudder, NCTR)	
			<b>618</b> 189		ALUMN MS				270				<input type="checkbox"/>	0					
Emily Carr	Santa Cruz 50	49211	<b>-6</b>	1981	61 19	150	61	55 17	6.4 11	Yes		No		53 46.5 12 8	15000 7500 Lead	No 1 FIXED	IB FOLD 2	3' SUGAR SCOOP ON TRANSOM IF STD 50FT LOA OF BOAT	
			<b>478</b> 68		ALUMN MS				555				<input type="checkbox"/>	0					
Bright Hour	Farr 40 ODR MH	50092	<b>0</b>	2001	53.15 15.45	0	50.04 17.06	54.8 19.36	8.49 13.77	Yes		No		40.7 35.3 13.2 8.53	10902 4960 Lead	0 1 FIXED	IB Fold		
			<b>498</b> 113		CARBON FS				674				<input checked="" type="checkbox"/>	0 0					
Windswept Lady	X-362 Classic	50980	<b>96</b>	1998	46.6 12.9	125	46.6 12.9	40.6 14.1	5.05 8.86	Yes		Yes		35.1 30.4 11.4 6.2	12320 5170 Lead	0 1 FIXED	IB Fold		
			<b>613</b> 199		ALUMN MS				333				<input type="checkbox"/>	0					

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications										
			Built	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB											
										DW Rating	Mast Material									PY	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type
Max Draft	Max Draft	Max Draft	Max Draft	Max Draft	Max Draft	Max Draft	Max Draft	Max Draft	Max Draft	Max Draft	Max Draft	Max Draft	Max Draft	Max Draft	Max Draft	Max Draft													
Velvet Hammer	Schock 40	51507	-12	2000	42.5	104	49.5	44.4	7.2	No	Yes	33.92	40	7914	No	OB	(mtg 10/21/09, switched to 104% headsail, from 150%, smaller girths on mainsail. Change custom rating from -18 to -12)												
					13.6		20.58	16.8	11.8		60	1459	35	1800	2	None													
			464		CARBON		0	470			49	7	10	Lead	MOVABL	0													
			84		FS		0	0			31.685	<input checked="" type="checkbox"/>	0																
Everlong	Beneteau 40.7 First Farr	51705	54	2002	51.61	104	51.61	48.85	6.73	Yes	Yes		39.33	15211	0	IB													
					14.47		14.47	17.72	11.51				34.83	5950	1	FOLD													
			569		ALUMN		0	515			26	1103	12.33	Lead	FIXED	2													
			164		MS		0	0			26		7.75																
Tyr	J 125	52125	-12	2000	49	155	52	46.5	6.79	No	Yes	39.3	41	8350	0	IB													
					14.8		23.4	18	11.65		62.17	1831	37	4646	1	Fold													
			471		CARBON			497			52.49	0	10.6	Lead	FIXED	2													
			75		FS						38.09	<input checked="" type="checkbox"/>	0																
Jaybird	J 133 CM	52443	24	2004	57	100	60.4	54	7	No	Yes		38.08	16900	0	IB													
					17.25		24	18.6	12				30.25	6850	1	Fixed_2													
			574		CARBON			595				0	11.8	Iron	FIXED														
			278		FS							<input type="checkbox"/>	0																
Pressure Drop	Beneteau Farr First 36.7	52489	78	2006	46.4	155	46.4	45.4	5.92	Yes	No	23.29	36	12495	0	IB	(12/2/16, -3 sec/mi for JSP)												
					13.1		14.35	15.6	12.49		46.25	867	30.3	4034	1	Fold													
			602		ALUMN			458			43.63	0	11.4	Lead	FIXED	2													
			204		FS						23.13	<input type="checkbox"/>	90																
Mulan	Beneteau First 10R ODR	52659	81	2007	43.2	120	46.41	42.25	5.59	No	Yes	25.5	32.75	9715	0	IB													
					12.07		16.5	14.73	9.57		52.59	1075	28.7	3258	1	Fold													
			601		CARBON			371			45.8	4.43	11	Lead	FIXED	2													
			187		FS						26.4	<input checked="" type="checkbox"/>	0																
Curie	Beneteau 32S5	52868	138	1990	38.39	150	38.39	38.88	5.3	Yes	No	17.3	32.6	9260	0	IB													
					9.68		9.68	13.78	9.01		35.75	519	27.83	2980	1	FOLD													
			652		ALUMN			321			32.75	0	10.83	Cast Iron	FIXED	2													
			195		FS						17.3	<input checked="" type="checkbox"/>	0																

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications						
			Built	J	Max	ISP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp. Traps/H. Strps		IB or OB									
									DW Rating	Mast Material				E	MGM		SL	SPL		SLU	ASA	LWL	Ballast	moveable blst	# of blades
EY	SSF	ASM	Fixed or _o	Max Draft																					
CruzSea Baby	Beneteau First 10R ODR	52878	81	2007	43.2	155	46.41	42.25	5.59	No	Yes	27.5	32.75	9715	0	IB	(Rudder Modifications noted, smaller non-class spinnaker +3 sec/mi)								
			603		12.07		16.5	14.73	9.57		49.5	28.7	3528	1	Fold										
			187		CARBON				371		41.5	11	Lead	FIXED	2										
					FS						27.9	6.55													
Jamani	J 120 ALUM	52879	48	2002	50.5	155	52	46.5	6.7	No	Yes	34	40	13900	0	IB									
			542		14.5		21.5	17.8	11.5		64	35	6000	1	FOLD										
			147		ALUMN				491		50	12	Lead	FIXED	2										
					FS						37	7													
Mega Hurtz	Laser 28 ODR MOD	53470	129	1974	31.1	125	31.73	33.14	4.98	Yes	No		28.41	3950	0	OB	(Mtg 2/27/14, switched to outboard motor, -3 sec/mi)								
			631		9.65			12.96	8.4		33	11.32	23.62	1500	1	None									
			136		ALUMN				257		20.37	552	9.48	Lead	FIXED	2									
					FS						18.92		4.98												
Rhapsody	J 32	56303	120	2000	39.2	155	40.583	38.5	5.12	No	Yes	22.5	32.4	11500	0	IB	(Mtg 5/23/13, -3 sec/mi for sprit, -3 sec/mi for oversized spinnaker)								
			640		11		13	15.5	9.25		46.25	830	29	3840	1	Fold									
			214		ALUMN				335		41.55	2	11	Lead	FIXED	3									
					FS						22.75	0	6												
Music	Catalina 34 1&2	56583	147	2001	44	130		38.5	3.6	No	Yes	21.8	35.66	11950	0	IB									
			645		13.5			12	6.8		45	762	29.84	5000	1	FOLD									
			204		ALUMN				251		39.2	0	11.75	Lead	FIXED	2									
					MS						21.7	0	5.56												
Allegro	Beneteau Farr First 36.7	56657	78	2010	46.42	155	46.42	45.4	5.92	Yes	Yes	23.41	36	12939	0	IB	(Mtg 1/26/16, -3 sec/mi for increased JSP)								
			601		13.1		14.35	15.6	12.49		47.33	834	30.3	3993	1	Fold									
			211		ALUMN				458		23.58	889	11.4	Lead	FIXED	2									
					FS						23.5		7.3												
Brandy	Farr 30 1/2 Ton	57257	150	1979	31	145	31	34	4.5	Yes	No		30.33	4894	0	OB	(Mtg 4/24/15, -6 sec/mi for increased P)								
			654		9.6			12.9	7.11		31.4	9.8	23.5	1909	1	None									
			171		ALUMN				243		17	445	10	Lead	FIXED										
					FS						17		5.33												

Boat Name	Boat Model (Type)	Sail #	Rating Built DW Rating Disp/WL Ratio	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications		
				I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps moveable blst	IB or OB Prop Type # of blades			
								SL SPL SSMG SSF	SPL SSA	SLU SLE ASMG	ASA Sprit Lngth Fixed or _o							Ballast Mat.	Keel Type
Windwalker	Islander 36 ODR	57307	<b>144</b> 1976 <b>648</b> 271	45 14.48 150 45	ALUMN MS	39.25 4.8 12.75 8.2 45.25 15 23.3 889 24.7	Yes	No	<input type="checkbox"/>	0	36.08 28.25 11.17 6.08	13450 5820 Lead	No 1 FIXED	IB FOLD 2					
Passat	North Star 500	57313	<b>240</b> 1973  236	33 10.25 140 ALUMN MS	27.5 3.5 8.75 6.1 149	No	No	<input type="checkbox"/>	0 0	24.98 20.23 9 5	4298 1710 Lead	0 1 FIXED	IB Fixed_3						
Oscar	Santa Cruz 33	57663	<b>117</b> 1978 <b>595</b> 145	41 13.583 125 ALUMN MS	35.42 4.25 15 7.166 269	Yes	No	<input type="checkbox"/>	0	33 28 10.06 6	7000 3000 Lead	No 1 FIXED	IB FOLD 2						
Red Hawk	Hawkfarm 28 ODR	59024	<b>162</b> 1978 <b>667</b> 200	33 11 155 ALUMN FS	33.25 11.5 36 4.37 10.5 7.26 0 236 0	Yes	No	<input type="checkbox"/>	0	28 23.5 9.75 5.166	5700 2700 Lead	0 1 FIXED	IB FOLD 2						
Giant Slayer	Santa Cruz 27	59369	<b>141</b> 1979 <b>624</b> 109	32.583 10.9 155 ALUMN MS	32.583 10.9 28.25 3.7 8.7 6.3 0 157 0	Yes	Yes	<input type="checkbox"/>	17.67 372 0 90	27 24 8 4.5	3304 1800 Lead	No 1 FIXED	OB None 0	(Mtg 3/27/14, -3 sec/mi for 10% overized symmetrical spinnaker)					
Zwei Flying Fish	San Juan 33s	59733	<b>129</b> 1981 <b>606</b> 127	34.83 11.48 134 ALUMN FS	34.83 39.16 4.66 12.66 8.08 33.7 11.833 19.75 555 19.75	Yes	No	<input type="checkbox"/>	0 0	33.1 27.8 7.95 5.5	6000 3500 Lead	0 1 FIXED	IB Fold	(Mtg 5/28/15, +3 sec/mi for small rig)					
Wildcat of Loch Awe	S-2 7.9 FR DB	59838	<b>165</b> 1983 <b>685</b> 190	31.83 9.5 135 ALUMN FS	31.83 29.42 4.75 12.33 7.92 30.33 9.5 17.08 432 17.08	Yes	No	<input type="checkbox"/>	0 0	25.92 21.67 9 5	4250 1750 Lead	0 1 AGGERBF	OB None						



Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
			Rating		I	J	ISP	P	MGU	Yes/No		Yes/No	ASF		Ttl Disp.	Traps/H. Strps	IB or OB	
			DW Rating		Max Headsail	Mast Material	JSP	E	MGM	SL	SPL	SLU	ASA		Ballast	moveable blst	Prop Type	
			Disp/WL Ratio		Rig Type		PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam		Ballast Mat.	Keel Type	# of blades	
							SSF	ASMG	Fixed or_o									
Void Star	Santa Cruz 40	59995	<b>45</b>	1982	52 16	135	52 18.67	45.5 14	5.2 8.58	No	Yes	33.62 1238	40 36	12500 5000	0 1	IB FEATH	(Mtg 10/22/15, -6 sec/mi for 20% increase in JSP)(4/6/16, +3 sec/mi for non-articulating spinnaker)	
			<b>548</b> 122		ALUMN MS				370			28.33 1178	48.32 0	12	Lead FIXED	2		
Ebb Tide	Wauquiez 45s Centurion	60245	<b>57</b>	2003	55.77 17.72	100	55.77 17.72	51.84 19.32	6.51 11.68	Yes	Yes	32.25 1541	45.92 40.25	23148 8488	0 1	IB Fold	(Mtg 5/26/11, Increased "JSP" by 5.67' which equals a 30% increase. - 9 sec/mi per NCPHRF Rules & Guidelines.)(Mtg 3/29/12, JSP now same as J+9 sec/mi, Asymmetrical spinnaker still oversized, -3 sec/mi)	
			<b>542</b> 161		ALUMN FS				567			31.9 1466	52.39 0	13.67	Lead FIXED	3		
Gratitude	Hylas 46	60373	<b>102</b>	2002	58.4 17.7	135	58.4 17.7	50.6 18	4.6 9.6	No	Yes	25.5 1309	46.3 40	27777 12347	0 1	IB Feath		
			<b>573</b> 197		ALUMN CTR				469			51.6 0	13.9	Lead FIXED	3			
Lenora	Hunter 33-2	60700	<b>153</b>	2004	37.42 10.83	115	38.42 10.83	36.46 15.83	4.83 8.33	No	Yes	18.5 531	33.5 29.42	10400 3459	0 1	IB Fold		
			<b>648</b> 186		ALUMN FS				306			35.5 0	11.17	Lead FIXED	3			
Anais	Hanse 505	61019	<b>45</b>	2014	64.16 19.16	100	65 20	58.6 20	6.55 11.87	No	Yes	38.52 2151	49 44.4	36000 8300	0 1	IB Feath		
			<b>530</b> 187		ALUMN FS				655			64.11 1.5	15.6	Lead FIXED				
CaZan	DK 46	61046	<b>-21</b>	2001	61.94 17.85	126	70.54 19.849	63.55 21.95	8.2 14.21	Yes	No	33.56 1822	46.26 40.52	22439 9480	0 1	IB Fold	(Mtg 5/25/17, custom rating assigned. As Sailed: -21)	
			<b>504</b> 153		ALUMN MS				826			63.33 0	13.45	Lead FIXED				
Blue	Swan 53-2	61522	<b>30</b>	2012	71.96 19.52	105	73.84 19.53	65.88 21.98	7.64 13.38	No	Yes	38.89 2214	54.07 47.24	54482 22400	0 1	IB Fold	(Mtg 3/23/17, -3 sec/mi for ability to fly a-sail on a squared back pole)	
			<b>530</b> 235		CARBON MS				826			67.09 0	15.58	Lead CNTRBRD				
												36.72 <input type="checkbox"/>	90					

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst		
								SL	SPL	SLU	ASA						
								SSMG SSF	SSA	SLE	ASMG						
Enchante'	Beneteau 42 IK TM	63222	<b>84</b> 1985	55.43 16.73 ALUMN MS	155	55.71	49.2 14.6 0 0	4.8 8.5 400	No	No		43.67 36 13.83 7.19	20509 8700 Iron	No 1 FIXED	IB FOLD 2		
Warwhoop	Contessa 33	63336	<b>141</b> 1984	37.916 11.17 ALUMN FS	100	37.93	39.416 13.86 0 0	5.31 9 326	Yes 36.1	Yes 40 37.5 21.17	20.92 682 0	33 25.52 11.08 5.8	8375 3700 Lead	No 1 FIXED	IB FOLD 2	(Mtg 1/26/17, -3 sec/mi for oversized asymmetric area)(Mtg 2/23/17, -3 sec/mi for oversized symmetric spinnaker area)	
Califia	Islander 36 ODR	67074	<b>144</b> 1978	45 14.48 ALUMN MS	135	45	39.25 12.75	3.69 6.88 265	No	No		36.08 28.25 11.17 6.08	13450 5450 Lead	0 1 FIXED	IB Feath 2		
Foxxfyre	Yamaha 33 IK SM	67248	<b>159</b> 1978	42.81 13.78 ALUMN MS	150	42.81	37.4 10.6 0 0	4.38 7.27 246	Yes 44	No 13.78		33.25 26.92 11 6.25	16000 4410 Iron	No 1 FIXED	IB FEATH 2	PER PHRF MTG 3/16/2000 - Weight Differencer from brochure is significant.	
Toypedo	Ranger 26-2	67341	<b>189</b> 1980	26.4 9 ALUMN FS	150	28 9	30.5 11	4 7 197	Yes 26.5	No 9		26 20 8 5	3000 1140 Lead	0 1 FIXED	OB None	Fixed Keel, No daggerboard	
Friction Loss	J 30	67425	<b>141</b> 1979	34 11.5 ALUMN FS	155	34.1 11.5	38 13 0 0	4.94 8.45 295	Yes 34.4	No 11.5	21.06 666 0	29.83 25 11.17 5.25	6500 2100 Lead	0 1 FIXED	IB FOLD 2		
Timber Wolf	Farr 38-1 C&B Marine	67519	<b>75</b> 1980	43.91 13.36 ALUMN FS	155	47.9	44.83 17.91 0 0	6.7 11.6 476	Yes 48	No 14.67		38.32 30.9 11.97 6.39	12000 4100 Lead	0 1 FIXED	IB FOLD 2	(REDUCED MGM, ADDED 6" TO RUDDER LENGTH -NOTED NCTR-2/15/01)(-3 sec/mi for oversized spinnaker)	

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications		
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps moveable blst				
								SL	SPL	SLU	ASA							Ballast Mat.	Keel Type
								SSMG SSF	SSA	SLE ASMG	ASA								
Hot Betty	Olson 30 OB	67537	<b>99</b> 1979	36 11.75 155 35.9 11.67	31.5 4.364 10.75 7.268	Yes	Yes	21 30	3600 No	OB	(Mtg 11/20/08, -6 sec/mi for replacing inboard with outboard engine)								
			<b>584</b> 79	ALUMN MS	0 208			630 0 21.1	1800 1 FIXED	None 0									
FUGU	Wilderness 30 SX FR IB	67967	<b>120</b> 1980	34.08 11.75 150 34.1 11.8	34.44 4.37 11.5 7.48	Yes	Yes	20.36 29.75	4200 0	OB									
			<b>585</b> 89	ALUMN FS	236			603 0 0	1900 1 FIXED	None 0									
Sea Ghost	Beneteau 42 IK	68222	<b>90</b> 1984	52.82 16.73 155 52.82	46.5 5.4 14.6 9.35	Yes	No	0 42.92	20900 0	IB	DOUBLE HEADRAIL, HYDRALIC BACKSTAY PER MTG 8/14/97								
			<b>580</b> 199	ALUMN MS	400			0 36.25 12.75 7.25	7920 1 FIXED	FOLD 2									
Snafu	CS 30	68588	<b>159</b> 1988	42 12.04 125 42 12.04	36.416 3.95 11.416 6.5	NO	Yes	20.04 30	8000 0	IB									
			<b>669</b> 219	ALUMN MS	232			707 25.51 10.25 5.416	3440 1 FIXED	FOLD 2									
Zephyrus	Riechel/Pugh Turbo 77	69011	<b>-99</b> 1997	85.37 35 128 94.94 35	87.34 11.5 30.5 19.2	No	Yes	56.1 77.67	31939 0	IB	(mtg 8/27/09, -6 sec/mi for new oversized jib. Changed custom rating from -126 to -132)(Mtg 4/26/12, New pintop mainsail, change custom rating from -132 to 129)(Mtg 8/23/12, change custom rating from -126 to -99 after review)								
			<b>409</b> 52	CARBON FS	1563			4518 65.2 14.78 14.12	12300 1 FIXED	FOLD 2									
Divine Wind	Olson 40	69069	<b>45</b> 1983	50 15.75 150 51.21 15.8	44 5.5 14.25 9.29	Yes	No	0 40.33	10500 0	IB									
			<b>540</b> 102	ALUMN MS	376			0 36 11.25 6.5	5500 1 FIXED	Feath 2									
Hana Ho	Santa Cruz 50	77007	<b>-12</b> 1980	61.39 18.85 155 61.5 20.73	54.92 6.5 16.98 11.1	Yes	Yes	35.9 52	18000 0	IB									
			<b>478</b> 84	ALUMN MS	558			1847 46 12 7.75	8000 1 FIXED	Feath 3	(Mtg 5/26/11, +3 sec/mi for interior changes)(2/24/12, interior changes removed, boat is back to standard weight for a SC 50)(Mtg 5/25/17, New Rudder, NCTR. -3 sec/mi for OSP, -3 sec/mi for oversized spinnaker area)								

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
			Rating		I	J	P	MGU	Yes/No		Yes/No	ASF		Ttl Disp.	Traps/H. Strps	IB or OB	
			DW Rating		Max	Head	E	MGM	SL	SPL	SLU	ASA		Ballast	moveable blst	Prop Type	
			Disp/WL Ratio		sail	sail	PY	MSA	SSMG	SSA	SLE	Sprit Lngth		Ballast Mat.	Keel Type	# of blades	
			JSP					SSF	Fixed or _o								
Borealis	Gulf 39 PH	77135	<b>129</b>		50 16.17	128	42 13.75	4.83 8.58	No	No			38.83 33.67 12 5	17500	1 FIXED	IB Fold	
Imagine	Davidson 44 MOD	77220	<b>57</b> <b>568</b> 194	1980	49.92 15.38	125	50.33 18.33	6.9 12.8	Yes	No			44 38.5 13 7.6	24410 7000 Lead	No 1 FIXED	IB FOLD 3	(Mtg 4/27/17, custom rating of 57 assigned)
Eliana II	Morgan 38-2	77486	<b>156</b> <b>632</b> 272	1981	46 16.25	110	46 16.25	4.69 8.34	Yes	No			38.33 30.5 12 6	17000 6800 Lead	0 1 FIXED	IB Fixed_3 3	(Mtg 1/26/17, -3 sec/mi for oversized symmetric spinnaker area)
Dawn's Early Light	J 36	77549	<b>87</b> <b>590</b> 169	1982	44.219 14	125	44.21 14	5.8 9.5 418	Yes	No			35.95 30.5 11.76 6.6	10570 4600 Lead	0 1 FIXED	IB Fold	
Captain Sluggo	Hobie 33	77870	<b>54</b> <b>524</b> 73	1982	34.7 12.2	105	42.3	6 9.6 328	No	Yes	25.6 928		33 30.4 8 5.4	4532 1800 Lead	0 1 FIXED	OB None	(Meeting 4/27/17, Custom rating assigned: 54)
Serenity	Islander 36 ODR	82659	<b>144</b> <b>648</b> 272	1973	45 14.48	135	45	3.69 6.88 265	Yes	No			36.08 28.25 11.17 6.083	13500 5450 Lead	0 1 FIXED	IB Feath	
Dragonsong	Olson 30 OB	87014	<b>99</b> <b>584</b> 79	1982	36 11.75	155	35.9 11.67	4.364 7.268	Yes	No			30 27.5 9.33 5.08	3600 1800 Lead	No 1 FIXED	OB None 0	

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications			
					DW Rating	J Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			Ttl Disp.	Traps/H. Strps	IB or OB				
										SL	SPL	SLU	ASA						Ballast	moveable blst	IB or OB
Disp/WL Ratio	Mast Material	Rig Type	MSA	SSMG	SSA	SLE	Sprit Lngth	Ballast Mat.	Keel Type	# of blades											
Vitesse Too	Hobie 33 ODR	87112	90	1983	33.8 12.4	125	36.8	35 12.4	4.75 8	Yes	No	33 30.5 8 5.5	4000 1800 Lead	No 1 FIXED	OB None 0	Extended rudder 10", NCTR					
Nutmeg	Islander 36 ODR	87245	144		45 14.48	150	45	39.25 12.75	5.05 8.44	No	No	36.083 28.25 11.166 6.083	13450 5450 Lead	No 1 FIXED	IB FOLD 0						
Wayward Wind	Baltic 38 DP	87258	96	1983	52.25 15.82	155	52.25	46.25 13.75	4.53 8.2	Yes	No	38.08 31.5 12.34 7.25	14330 6512 Lead	0 1 FIXED	IB Fold						
Happy Daze	Santana 30-30 GP	87322	120	1984	40.83 11.67	150	40.83	36.17 11.08	5.25 8.5	Yes	No	29.92 25.42 10.25 5.5	6500 2435 Lead	No 1 FIXED	IB FOLD 2						
JouJou	Capo 30	87324	123	1984	41.7 12.75	120	41.5	36 11.5	4.37 7.47	Yes	No	30 25 10.33 5.43	7200 3000 Lead	0 1 FIXED	IB Fold 2	Roller Furler					
Whispering Winds	Lancer 36 MH	87374	141		42 16	125	41.9	37 12	4.8 7.9	No	Yes	36.17 29 11.75 6	10500 4000 Lead	0 1 FIXED	IB Fixed_3						
Turbo Camper	Hobie 33 ODR MOD	87574	84	1984	33.28 12.4	155	36.5 13.13	35 12.5	4.75 8.1	No	Yes	33 30.5 8 5.42	4200 1900 Lead	1 FIXED	OB None 0	(Mtg 3/29/12, -3 sec/mi for displacement changes)					

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications					
			Built	J	Max Headsail	ISP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp. Traps/H. Strps		IB or OB								
									JSP	E				MGM	SL		SPL	SLU		ASA	LWL	Ballast	moveable blst	# of blades
Disp/WL Ratio	Mast Material	Rig Type	EY	SSF	ASMG	Fixed or _o	Max Draft																	
Flight Risk	Catalina 38	87586	<b>117</b>	1983	49.8	155	49.8	44	4.18	Yes	No	38.24	19489	No	IB	Roller Furler								
			<b>622</b>		15.5			11.5	7.12			30.45	6850	1	Fold									
			<b>314</b>		ALUMN				294			11.12	Lead	FIXED	2									
					MS						<input type="checkbox"/>	6.1												
Elan	Express 37	87700	<b>72</b>	1985	48.75	155	48.75	42	5.28	Yes	No	37.083	11000	No	IB									
			<b>581</b>		14.33			13.75	8.83			30.833	4500	1	FOLD									
			<b>171</b>		ALUMN			0	344			11.57	Lead	FIXED	2									
					MS			0			<input type="checkbox"/>	7.25												
Can't Touch This	J 125	93204	<b>-12</b>	1999	49	155	52.1	47	6.8	No	Yes	41	9330	0	IB	(Mtg 2/26/09, -3 sec/mi for oversized main girths)(3/9/09, corrected main girths, removed -3 sec/mi penalty)								
			<b>468</b>		15		23	18	11.6		61.3	1941	4646	1	FOLD									
			<b>84</b>		CARBON				502		52.3	8	Lead	FIXED	2									
					MS						41	<input type="checkbox"/>	7.9											
Traveler	Express 34	97089	<b>99</b>	1987	44.3	150	44.3	38.5	4.87	Yes	No	34	8500	0	IB	-6 FOR OVERSIZED SPINNAKER								
			<b>616</b>		13			12.83	8.46			42.7	3700	1	FOLD									
			<b>170</b>		ALUMN			0	296			22.2	Lead	FIXED	2									
					MS			0			<input type="checkbox"/>	6												
Deception	Santa Cruz 50	97263	<b>-6</b>	1987	61.8	155	61.8	55	7.1	Yes	Yes	32.9	17500	0	IB	ELPT Keel & OS/Spinnaker; Has a Code 0 headsail aboard - tacked to stem, no sprit (Mtg 5/26/16, -3 sec/mi for oversized mainsail)(Mtg 6/23/16, change rating back to -6)								
			<b>482</b>		18.3		18.3	18.4	12		61.7	18.3	8000	1	FOLD									
			<b>82</b>		ALUMN				605		34.2	1758	Lead	FIXED	2									
					MS						24.8	<input checked="" type="checkbox"/>	8											
Carpe Vita	Olson 25	97399	<b>159</b>	1988	32	130	32	28	3.8	Yes	No	25	3300	No	OB									
			<b>671</b>		9.583			10	6.4			32	1300	1	None									
			<b>156</b>		ALUMN			0	166			17.25	Lead	FIXED	0									
					MS			0			<input type="checkbox"/>	4.5												
Bosporus II	Columbia 36	97415	<b>156</b>	1968	42.75	150	41.75	34.666	5.3	Yes	No	35.75	13000	No	IB									
			<b>639</b>		15		15	14	9.1			41.5	5000	1	Fold									
			<b>262</b>		ALUMN			0	289			25.8	Lead	FIXED	2									
					MS			0			<input type="checkbox"/>	5.42												

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps	IB or OB Prop Type # of blades	
								SL	SPL	SLU	ASA						
								SSMG SSF	SSA	SLE	ASMG						
Razzberries	Ericson 34 Olson TM	97479	<b>99</b> 1988	46.77 12.95	155	47	40.9 12.95	5.1 8.5	Yes	No		33.88 28 10.8 6.085	10855 3500 Lead	No 1 FIXED	IB FOLD 2		
			<b>625</b> 225	ALUMN MS			0 0	320			<input type="checkbox"/>						
Acey Deucy	J 44	97659	<b>21</b> 1989	60.606 17.08	155	60.416	53.51 19.41	7.3 12.5	Yes	Yes	27 1379	44.83 38.58 13.67 8.14	22770 9000 Lead	0 1 FIXED	IB FOLD 2	Electric Winches	
			<b>547</b> 180	ALUMN MS			0 0	615			<input checked="" type="checkbox"/>						
Plus Sixteen	Ericson 911S Olson	97707	<b>135</b> 1991	41.5 12.25	125	41.5 12.33	35.761 11.811	4.035 7.136	Yes	Yes	20.932 698	30 25 10.33 5.42	8500 3200 LeadSteel	No 1 FIXED	IB FEATH 2		
			<b>662</b> 247	ALUMN MS			0 0	240			<input type="checkbox"/>						
Daseins Den	Dana 24	924558	<b>246</b> 1987	34 12.25	120		28.25 10.75	3 5.85	No	No		24.16 21.42 8.58 3.83	7400 3100 Lead	0 1 FIXED	IB Fixed_2		
			<b>342</b>	ALUMN CTR				160			<input type="checkbox"/>						