

# NCPHRF - CURRENT FLEET ROSTER

This Roster represents the information on file for boats with a current NCPHRF certificate. If the boat you are looking for is not listed, their certificate is either not current or not yet updated to the list. You can contact the YRA office to verify a boat not found on this list at info@yra.org or via phone at 415.771.9500. This list is updated monthly.

As of: 1/27/2012

Boat Name	Boat Model (Type)	Sail #	Rating Built DW Rating	Foretriangle			Main:			Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast Ballast Mat.		Traps/H. moveable blst Keel Type			
Zsa-Zsa	1D 35	35017	<b>36</b> 1999 <b>9</b>	42.49 12.52 CARBON FS	110	44.78	44.46 18.58 0 0	7.55 12 498	Yes 50 26.5 26.5	14.76 1104	No	0 <input type="checkbox"/>	35 31.5 10.75 7.6	6500 2600 lead	No 1 FIXED	IB Feath 2		
Bodacious +	1D 48	48005	<b>-12</b> 1996 <b>-21</b>	57.7 16.7 CARBON FS	155	68.3 16.7	61.3 22.5	9.84 14.66 848	Yes 66.7 30.1 30.1	16.7 1673	Yes 67.7 65.7 30.1	30.1 1673 0 <input checked="" type="checkbox"/>	48.3 40.2 14.2 10.1	19743 8818 Lead	0 1 FIXED	IB Fold 2	Water ballast system not operational (mtg 8/19/08, custom rating assigned of -30, includes dual spinnakers)(Mtg 3/24/11, new smaller mainsail, smaller symmetrical, change cutom rating from 20 to 24)(Mtg 8/25/11	
Dream	ALERION EXPRESS 28 ODR	222	<b>168</b> 2003	30 9.75 ALUMN FS	90		33 12.5 0 0	4.58 7.9 242	No		No	0 <input type="checkbox"/>	28.25 22.83 8.17 4.5	5700 2200 Lead	No 1 FIXED	IB FOLD 2		
E T	Antrim 27 CM ODR	19	<b>75</b> 1999 <b>63</b>	28.69 8.17 CARBON FS	116	37.25 15	33.75 14 0 0	7.5 10.9 327	No		Yes 42.65 38 20.1	25.1 709 6.83 13 <input type="checkbox"/>	27.83 23.75 9.25 6	3450 1050 Lead	No 1 FIXED	OB None 0	(Mtg 1/26/12, weighed displacement updated, NCTR)	
Ad Lib	Aphrodite 101	8161	<b>144</b> 1979 <b>129</b>	36.83 11.81 ALUMN FS	100	32.23	39.33 11.48 0 0	4.5 6.1 253	Yes 35.6 21.3 19.6	11.9 622	No	0 <input type="checkbox"/>	32.75 26.33 7.92 5.42	6160 3527 Lead	No 1 FIXED	IB FOLD 2		
Outsider	Azzura 310	1000	<b>57</b> 1996 <b>21</b>	35.35 11.55 CARBON FS	110	43.33 21.57	38.75 13.25 0 0	6.68 10.5 352	No		Yes 47.01 39.7 32.7	30.1 1163 6 <input type="checkbox"/>	30.75 27.4 10 7.2	4850 2100 Lead	No 1 FIXED	OB Fixed_3 3	6 FT ARTIC, RETRAC BOWSPRIT. MTG 3/28/96 (RATED 66) (CHNG NOTED 4/18/96-NO CHNGE RTNG. (2/13/96 FM 66 TO 60.)( MTG 11/13/97 FM 60 TO 57)MTG 2/12/98 FM 57 TO 63 (MTC 4/9/98) Inboard SailDrive	

Boat Name	Boat Model (Type)	Sail #	Rating DW Rating	Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Kee		Engine/Prop IB or OB Prop Type # of blades	Modifications
					I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst Keel Type		
B Mer	B 25 ODR	48	135	1995	28	155	28	4.37	Yes	No			25	2000	No	OB		
			108		8.5		11	7.31		28	9.5		21.25	800	1	None		
					ALUMN FS		0	187				<input type="checkbox"/>	8.33	Lead	CNTRBD	0		
							0						5					
Friday Harbor	Beneteau 323 DK	28580	147	2004	42.67	116	38.9	5	No	Yes	19.91		32	8448	No	IB		
			117		11.06		13.17	8.56		45.4	661		29.17	2258	1	FOLD		
					ALUMN MS			306		41.34	0		10.67	Iron	FIXED	2		
										17.9	<input checked="" type="checkbox"/>	0	5.92					
Slider	Beneteau 323 DK	41	147	2006	42.6666	116	38.91	4.19	No	Yes	18.9		32.83	9235	No	IB		
			111		11.083		13.166	7.6		41.8	611		31.08	2258	1	Fold		
					ALUMN MS			283		37.1	0		10.75	Iron	FIXED	2		
										18.5	<input checked="" type="checkbox"/>	0	5.91					
French Kiss	Beneteau 350 Oceanis	28713	144	1989	41.47	140	35.7	4.2	Yes	No			33.83	10580	0	IB	Above deck Roller Furler	
			117		12.8		11.6	7.3		39.5	12.52		29.83	3525	1	FOLD		
					ALUMN MS		0	242		22.5	741		11.17	Lead	FIXED	2		
							0			22.5		<input type="checkbox"/>	5.17					
Simcha	Beneteau 361 Oceanis	0	147	2002	45.21	140	38.39	3.93	No	No			36.5	12790	0	IB	(+3 sec/mi for in-mast mainsail furler)	
					13.94		14.44	7.68					31.1	4156	1	Fixed_3		
					ALUMN MS			289				<input type="checkbox"/>	12.6	Cast Iron	FIXED	3		
												0	5					
Coyote	Beneteau 42 IK TM	28776	84	1985	55.43	155	49.2	4.8	Yes	No			44.58	23560	No	IB	(mtg 5/21/09, added 15" scoop to transom, NCTR)	
			66		16.73		14.6	8.5			16.73		36	9500	1	FOLD		
					MS		0	400		30.11	1380		13.2	Iron	FIXED	2		
							0			30.11		<input type="checkbox"/>	7.25					
Made Easy	Beneteau 42 IK TM	53202	84	1984	55.43	145	49.2	5.5	Yes	No			42.8	22857	No	IB	(8/27/10, boat weight, discplacment is 22857 not 18600)	
			66		16.73		14.6	9.5			16.73		36.25	8700	1	FEATH		
					ALUMN MS		0	428		30.1	1380		13.17	Iron	FIXED	3		
							0			30.1		<input type="checkbox"/>	7.25					

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Keel		Engine/Prop	Modifications	
					I J Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No	SL SPL SSMG SSF	Yes/No	ASF ASA Sprit Lngth Fixed or_o	Max Beam		Ttl Disp. Traps/H. Strps	IB or OB Prop Type # of blades			
		DW Rating			Mast Material								LWL	Ballast	moveable blst				
					Rig Type								Max Draft	Ballast Mat.	Keel Type				
Red Sky	Beneteau Farr First 36.7	52316	81	2005	46.41	155	46.4	45.4	5.92	Yes		21.3	35			IB			
					13.1		13.1	15.6	12.5		45.9	13.1	47.6	854	30.3		4034	0	Fold
			93		ALUMN FS			458		23.5	899	42.8	0	11.4	Lead		FIXED		
CruzSea Baby	Beneteau First 10R ODR	52878	84	2007	43.2	105	46.41	42.25	5.59	No		27.5	32.75			IB	(Rudder Modifications noted, smaller non-class spinnaker +3 sec/mi)		
					12.07		16.5	14.73	9.57		49.5	1055	28.7	3528	0			Fold	
			87		CARBON FS			371		41.5	4.43	11	Lead	FIXED	2				
Rum Tum Tugger	Beneteau First 10R ODR MOD	39	84	2007	43.2	105	46.41	42.25	5.59	No		25.5	32.75			IB	(mtg 9/23/10, +3 sec/mi for non-class smaller kite)		
					12.07		16.5	14.73	9.57		52.59	1075	28.7	3528	0			FOLD	
			87		CARBON FS			371		45.8	4.43	11	Lead	FIXED	2				
Split Water	Beneteau First 10R ODR MOD	40	84	2007	43.2	105	46.41	42.25	5.59	No		25.5	32.75			IB	(Mtg 5/20/10, +3 sec/mi for non-class smaller kite)(Mtg 9/23/10, rudder modifications noted, NCTR)		
					12.07		16.5	14.73	9.57		52.9	1078	28.7	3528	0			FOLD	
			87		CARBON FS			371		45.8	4.43	11	Lead	FIXED	2				
Sans Souci	Beneteau Oceanis 321	28591	168	2000	42	140		35.25	2.97	No	No		32.58			IB	Roller Furling Main		
					12.33			13.58	6.19			0	11.25	9700	No			Fold	
					ALUMN MS			229				0	4.25	3274	2			3	
Alcyone	BENETEAU OCEANIS 350	990	144	1990	41.47	130	41.47	35.7	3.1	No		23.5	33.8			IB			
					12.8		12.8	11.4	6.2		40	605	29.1	10582	0			Feath	
			135		ALUMN MS			214		36	0	11.3	3968	1					
Raven	Benteau First 35	38073	75	2001	47.24	108	51.48	45.93	5.98	Yes			36.32			IB			
					13.12			14.75	10.23				30.6	12125	0			Fold	
			72		ALUMN FS			419		26.25	1116		12.76	3681	1				
									25.46			7.25	Iron	FIXED					

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Kee		Engine/Prop	Modifications		
					I J Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No	SL SPL SSMG SSF	Yes/No	ASF ASA Sprit Lngth Fixed or _o	Max Beam		LWL	Ttl Disp. Ballast Mat.			Traps/H. Strps moveable blst Keel Type	IB or OB Prop Type # of blades
Avion	Bianca 414	30345	<b>84</b> <b>78</b>	1980	50.14 15.61	150	50.14	51.17 17.3 0 0	6.64 11.37 531	Yes	50 28.1 28.1	15.61 1171	No	<input checked="" type="checkbox"/>	0	41.27 32.81 9.58 7.61	19953 8624 Lead	No 1 FIXED	IB Fixed_2 2	(MTG 4/8/99 1360 LBS SHAVED OFF SIDES OF KEEL, 925 LBS ADDED TO BOTTOM OF KEEL - 3 FOR KEEL MODS)(New Rudder, NCTR, 2/15/01)
Curlew	Bird ODR	2	<b>168</b>	1922	20.25 9.5	155	20.25	31.5 20.25 0 0	7 12.5 366	No	22 17 16.5	9.5 310	No	<input type="checkbox"/>	0	30.08 24.25 7.67 5.25	8900 3620 Lead	0 1 FIXED	OB None 0	
Hot Ice	C&C 110	38110	<b>90</b>	2004	51 14	98	51	45 15.5 0 0	5.8 9.9 412	No			No	<input type="checkbox"/>	0	36.36 31.5 12 6.5	10900 4200 Lead	No 1 FIXED	IB FOLD 2	carbon mast noted (standard on C & C 110) NCTR PHRF Mtg 3/16/06;
Windrose	C&C 25 OB	283	<b>216</b> <b>189</b>	1973	31.5 11.6	150	31.5	26.5 9.4	2.4 4.6 125	Yes	32.1 17.8 14.5	11.6 458	No	<input type="checkbox"/>	0 0	25.1 20.6 8.8 3.8	4100 1888 Lead	0 1 FIXED	OB None 0	
Siento El Viento	C&C 29	38311	<b>174</b> <b>180</b>	1977	39.5 12.8	155		33.5 10.1		Yes	39 22 22	12.8 715	No	<input type="checkbox"/>	0	29.5 23.6 10.5 5.25	7500 2700 Lead	No 1 FIXED	IB Fold 2	
Meritime	C&C 30	276	<b>180</b>	1976	39 13.5	120		34 11.5	3.8 7 222	No			No	<input type="checkbox"/>	0	30 24.75 10 5	7900 3650 Lead	0 1 FIXED	IB Fixed_2 2	
Maggie	C&C 37/40R	43728	<b>72</b> <b>69</b>	1990	53.5 16	150		47.25 15.5	6 10 437	Yes	53.25 28.75 27.75	15.5 1267	No	<input type="checkbox"/>	0 0	39.5 31.75 12.5 7.4	16000 6300 Lead	0 1 FIXED	IB Feath 3	



Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle		Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Kee		Engine/Prop	Modifications	
					I J Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No	SL SPL SSMG SSF	Yes/No	ASF ASA Sprit Lngth Fixed or _o		LWL	Ttl Disp. Ballast Mat.			Traps/H. Strps moveable blst Keel Type
Spindrift	Cal 39-2/3 TM	67799	117	1980	54.33 16.7	110	47.51 13.06	4.91 8.36	No		No		39 32.1 12 6.8	17000 7000 Lead	0 1 FIXED	IB Feath 3	(Mtg Dec '10, +3 sec/mi for small headsail, E & P Must be black-banded.)	
Azure	CAL 40	72	114	1966	46 15.17	150	40 17.5	4.4 8.8	Yes	46.5 27.3 27	15.17 1056	No		39.5 30.5 11 5.5	15500 6000 Lead	No 1 FIXED	IB FEATH 2	
Green Buffalo	CAL 40	8538	114	1967	46.7 15.2	155	39.8 17.6	6.65 11.37	Yes	46.01 27.3 27.3	15.2 1047	No		39.2 30 10.9 5.8	17500 6000 Lead	0 1 FIXED	IB FEATH 3	Schumacher designed rudder - same as original
Henry Hannah	CAL 40	59	114	1967	46 15.17	150	40 17.5	6.5 10.7	Yes	45 27 25.4	15.16 1001	No		39.33 30.33 11 5.58	15500 6000 Lead	0 1 FIXED	IB FEATH 2	
Shaman	CAL 40	5166	114	1966	46 15.17	155	40 17.5	6.07 10.7	Yes	45.7 27.1 26.4	15.1 1027	No		39.5 30.3 11 5.5	15500 6000 Lead	No 1 FIXED	IB FEATH 2	
Wahoo	Capo 30	87304	120	1983	41.7 12.75	150	36 11.5	4.37 7.47	Yes	41.5 21.5 21	12 740	No		30 25 10.3 5.43	7200 3000 Lead	0 1 FIXED	IB None 2	
Cloud 9	Cascade 36	89	162	1989	45.1 14.7	130	37.75 14.5	3.68 7.27	No		24.33 748 0	Yes		38.5 30.5 10 6.6	16500 4600 Iron	0 1 FIXED	IB Fixed_3 3	

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Kee		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst Keel Type		
SLOWMO!	Catalina 22-1 OB SK	2482	<b>270</b> 1973	25.93 8	150		21 9.66	3.47 5.96	No	No		21.6 19.4 7.8 5	2250 550 Iron	0 1 MVBL	OB None 3		
Miss Kate	Catalina 27 IB	4630	<b>210</b> 1980	34.5 11.25	125		28.66 10.5	3.99 6.83	No	Yes	20.35 515	26.85 21.75 8.85 4	6850 2700 Lead	0 1 FIXED	IB Fixed_2		
Impulse	Catalina 30	38279	<b>180</b> 1976	41 11.416	155	41	35 11.5	4.63 7.72	Yes	No		29.92 25 10.83 5.25	10200 4200 Lead	No 1 FIXED	IB FOLD 2		
Southernaire	Catalina 309 WK	129	<b>189</b> 2007	42.75 12	155	44.5 12.5	38.75 13.75	3.44 6.88	No	Yes	22.5 802	32.75 26.5 11.5 4.33	10200 4400 Lead	0 1 FIXED	IB Fixed_3 3	(mtg 5/20/10, -3 sec/mi for in-mast furling mainsail, -3 sec/mi for MGM < 50% of E)	
Stargazer	Catalina 310	255	<b>183</b> 2003	42.9 11.9	110	11.9	37.3 13	3.3 6.6	No	Yes	21.11 635	31 26.6 11.6 6.3	10300 4000 Lead	0 1 FIXED	IB Fixed_3 3	In-Mast Furling Main- + 3 sec/mi, MGM < 50% of E- +3 sec/mi	
Amandla	Catalina 34 1&2	796	<b>147</b> 1988	46 13.5	130		38.5 12		No	No		35.75 29.8 11.75 5.6	11950 5000 Lead	0 1 FIXED	IB FOLD 3		
Imi Loa	Catalina 34 1&2	582	<b>150</b> 1988	44 13.5	120	44 14	38.5 12	4.7 8.05	No	Yes	23.09 761	34.5 29.83 11.75 5.58	11950 5000 Lead	No 1 FIXED	IB FEATH 3		

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Kee		Engine/Prop	Modifications			
					I J Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No	SL SPL SSMG SSF	Yes/No	ASF ASA Sprit Lngth Fixed or_o	Max Beam		Ttl Disp. Traps/H. Strps	IB or OB Prop Type # of blades					
		DW Rating			Mast Material								LWL	Ballast	moveable blst						
					Rig Type								Max Draft	Ballast Mat.	Keel Type						
Jet Lag	Catalina 34 1&2	1130	<b>138</b>	1991	44 13.67	155	44 15.67	38.5 13.75	5.1 8.8	Yes	42 24 23.5	13.5 837	Yes	23 718 2			34.6 29.1 11.9 5.6	11950 5000 Lead	0 1 FIXED	IB FOLD 2	Added 2' bowsprit for asymmetrical sail. Will use spin ple on asym sail to pull back tack approx 40 degrees (Mtg 4/28/09, -3 sec/mi ability to fly A-sail on squared back pole, -3 sec/mi for sprit)(Mtg 8/27/09, -3 sec/mi for increased mainsail area)
Sirius	Catalina 34 1&2	38730	<b>153</b>	2005	44 13.5	135	44 48	38.5 12	2.965 5.896	No			No	0			35.67 29.8 11.75 5.58	11950 5000 Lead	0 1 FIXED	IB FEATH 3	In-mast furling main, no battens- +3 sec/mi, +3 sec/mi for MGM < 50% of E; Roller Furler
Harp	Catalina 38	18003	<b>117</b>	1983	50.7 15.43	155	50.9 15.43	44 11.5	4.8 7.97	Yes	49.2 27.3 27.5	15.42 1121	No	0			38.17 30.25 11.83 6.79	19489 6850 Lead	No 1 FIXED	IB FOLD 2	DEC 93 - 7X19 STND RIG/ W/ROD RIG & SHRTN UPR SPREADERS 2 IN. NO CHNG RTNG ( MTG 1/27/94)
Seaya	Catalina 380	252	<b>120</b>	2000	50.916 14.667	135		44.833 15.667	5.2 10	No			No	0			38.42 32.42 12.33 7.17	19000 6800 Lead	No 1 FIXED	IB FEATH 3	
Carmelita	Catalina 42-1/2	131	<b>105</b>	1990	53 16.42	125	53	46.75 15.5	4.98 8.85	Yes	49 23.2 29.8	16.42 1001	Yes	27.75 1131 0			41.83 36 13.83 6.66	22000 8300 Lead	No 1 FIXED	IB FEATH 3	
Endless Summer	Catalina 42-1/2 WK	688	<b>111</b>	2000	53 16.5	155		46.75 15.5	5.08 9.16	No			No	0 0			41.83 36 13.83 4.83	28000 8300 Lead	0 1 FIXED	IB Feath 3	
Agave Azul	Catalina 470	127	<b>93</b>	2011	58.23 17	110	58.23 17	50.5 20	6.5 11.5	No			Yes	29.07 1285 0 0			47.9 42 14 7.8	27270 9020 Lead	0 1 FIXED	IB Fold	

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
			Built	DW Rating	I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No	SL SPL SSMG SSF	SPL SSA	Yes/No	ASF ASA Sprit Lngth Fixed or _o	LOA LWL Max Beam Max Draft	Ttl Disp.	Traps/H. Strps Ballast moveable blst Ballast Mat. Keel Type	IB or OB Prop Type # of blades	
Dora	Catalina Morgan 381 MOD	41	<b>132</b>	1994	50.5 14.67	150	50.5 14.67	42.17 15.67	5.8 10.1	No	Yes	28 971	38.42 32.82	19000 6800	0 1	IB Feath	Roller Furler		
			<b>105</b>		ALUMN MS				390		46 24	0 <input checked="" type="checkbox"/>	12.33 7	Lead	FIXED				
California Condor	Class 40	94	<b>3</b>	2010	58.6 15.65	104	58.6 23.85	53.21 18.81	12.93 15.55	No	Yes	44.88 2054	40 39.17	12142 4710	0 4	IB Fold	(mtg 4/22/10, custom rating of -9 assigned)(Mtg 1/27/11, water ballast disabled. Change custom rating from -9 to 0[zero], DW Rating changes from -60 to -45)(Mtg 5/26/11, enabling water ballast. Custom rating reverts back to 0/		
			<b>-51</b>		CARBON FS				758		59.55 37.2	6 <input checked="" type="checkbox"/>	14.7 9.84	Lead	fixd&water	2			
Risque'	Coronado 25	14678	<b>228</b>	1969	31.333 8.916	155	31.333	27.75 11.916	4.48 6.64	Yes	No		25 20	5060 2150	0 1	OB None	(Adjustible Backstay - forward lowers; Internal Halyards; Main has full length top batton and long battens for rest. Modifications noted no change to rating mtg 8-13-02)		
			<b>231</b>		ALUMN MS			0 0	187			0 <input type="checkbox"/>	8 3.666	Lead	FIXED	0			
Summertime Dream	Custom Schumacher 26	18859	<b>186</b>	1979	26.28 8.07	150	26.28 8.07	29.58 10.76	4.33 7.23	Yes	No		26.08 20	3300 1360	0 1	OB None	Boat has previously been called "War"		
			<b>189</b>		ALUMN FS			0 0	195			0 <input type="checkbox"/>	9.08 5.08	Lead	FIXED	0			
Shoofly	Custom Barnett Offshore 41	87978	<b>54</b>	1986	53 14.75	98	17.4	47 15.75	4.87 8.93	No	Yes	28 1260	41.5 35	14000 6955	0 1	IB FOLD	(Mtg 1/26/12, Custom rating of 54 assigned)		
			<b>42</b>		ALUMN CTR			0 0	403			2.7 <input checked="" type="checkbox"/>	11 7.6	Lead	FIXED	0			
Mirage	Custom Black Soo 30	8500	<b>141</b>	1968	30 10	155	34	30 12	4.4 7.6	Yes	No		31.1 28	4600 1900	No 1	OB None	Moved location of keel and sail area. Weight did not change. Changed to custom boat rating of 138(1/18.96)MTG 1/9/97 -6 SEC/MI. for masthead spinnaker)(mtg 1/17/02 changed from 138 to 144)(hdsail change to 150 2		
			<b>90</b>		ALUMN MS			0 0	211			0 <input type="checkbox"/>	6.2 6.6	Iron	FIXED	0			
Arowana	Custom Diva 39	8	<b>87</b>	1987	41.73 12.8	125	41.73 12.8	46.75 14.75	5.72 9.6	Yes	No		38.75 30.83	9920 4575	No 1	IB FOLD	Back Stay Crane		
			<b>75</b>		ALUMN FS			0 0	413			0 <input type="checkbox"/>	9.83 5.75	Lead	FIXED	2			

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Kee		Engine/Prop	Modifications
					I	J	Max Headsail	ISP	JP	P	MGU	SL	SPL	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H. Strps
		DW Rating			Mast Material			PE	MGM	SSMG	SSA	SLU	ASA	LWL	Ballast	moveable blst	Prop Type		
					Rig Type			PY	MSA	SSF		SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades		
								EY				ASM	Fixed or _o	Max Draft					
Basic Instinct	Custom Elliott 10.50	8123	69	1993	41 12.5	125	45.6	44.2 17.5	8.5 12	Yes		No	26.5 801	34.42 31.83	10220 3000	No 1	IB FOLD	(mtg 3/19/09, changed to smaller headsail, +3 sec/mi, & larger mainsail, -6 sec/mi, change rating from 66 to 63)(Mtg 10/21/09, new smaller headsail, still with large headboard. Change mainsail penalty from 6 sec/mi to 3 sec/mi)	
			48		ALUMN FS			0 0	497	30 29.75	1198	41 21	0 <input type="checkbox"/>	12.08 7	Lead FIXED		2		
Bodacious	Custom Farr 40 1/T	41001	66	1985	47.274 13.818	155	47.3	50.909 18.346	6.92 11.84	Yes		No		40 31.46	17036 6620	No 1	IB FEATH	FARR 40 DESIGN #158 (MTG 5/14/98 - -3 SEC/MI FOR FILLING IN STERN CREASE); All displacement in IRC measured Trim (totally empty); Measurement changes noted, NCTR PHRF Mtg 2/16/09.	
			63		ALUMN FS			0 0	554	24.86 24.86	969		0 <input type="checkbox"/>	13.11 7.5	Lead FIXED		2		
Jet Stream	Custom JS 9000	9045	63	2003	27.08 9.5	82	30.25 15.5	31 8.73	5.6 7	No		Yes	21.8 561	29.9 27.9	2425 1543	0 1	OB None	(Mtg 1/22/09, custom rating of 78 assigned)(Mtg 8/19/10, -9 sec/mi for adding 3' sprit, -3 sec/mi for increased spinnaker area, Original rating of 78 contained a 3 sec error, rating should have been 75, change custom rating to 75)	
			30		CARBON FS				199			30.1 20.1	3 0	5.7 6.8	Lead FIXED		0		
Pocket Rocket	Custom Mull 22	8422	174	1981	27 8	150	27 8	29 10	4.22 7.03	Yes		No		22 20.041	2194 1000	0 1	OB None	RACING DECK, STANDARD INTERIOR/ NO WEIGHT DEFERENCE FROM STANDARD BOAT (ROCKET 22)(Mtg 10/18/07 - Using Merit 25 Spinnaker & Pole - 15 sec/mi penalty, change custom rating to 150)(2/11/08, went back to 174)	
			168		ALUMN FS			0 0	182	14 13.3	289		0 <input type="checkbox"/>	9.5 5	Lead FIXED		3		
Tiger Beetle	Custom N/M 45	77985	42	1983	59.1 17.5	155	59.1	52.1 16	5.8 10.1	Yes		No		45 37.7	21000 10000	No 1	IB FOLD	PIPE BERTH INTERIOR, 1400 LBS LEAD SET IN BILGE ABOVE KEEL REINSTALLED. (MTG 4/9/98) RTG CHANGED FM 45 TO 42 W/NOTED CHANGES TO BALLAST, INTERROR AND LWL. MTG 2/15/2009	
			33		ALUMN MS			0 0	487	31.1	1512		0 <input type="checkbox"/>	13.4 7.9	Lead FIXED		2		
Arcadia	Custom Nash 28.5	3113	135	1969	33 10	120	34 11	32.5 13	4.92 8.41	No		Yes	24.606 756	28.5 25.5	4327 1200	No 1	IB FOLD	(Weighed Displacement as of 4/4/2009)	
			75		ALUMN FS			0 0	251			34.908 24.606	4 100	9 6.5	Lead FIXED		2		
Galaxsea	Custom Nauticat 43.5	28743	180	1985	51 20	104	20.6	45 13.6	4.3 7.9	No		Yes	29.2 1119	43.6 37.7	34000 11000	No 1	IB FEATH	Stay sail measurements foot=1', Luff=34'6", Leach=30'2", LP=132"	
			120		ALUMN KTCH			32.4 8.5	338			50 25.6	4.9 <input checked="" type="checkbox"/>	12.2 5.9	Lead FIXED		3		

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SPL SSMG SSF	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast		Traps/H. moveable blst Keel Type			
Westerly	Custom Perry 39	11	<b>135</b> 1979	55 15.75	125	55 15.75	48.83 14.5	4.83 8.66	Yes 54.35	15.75	No 28.35	38.71 32.83	21300 8400	No 1	IB Feath 3	DESIGNED AS A 50/50 MOTORSAILER, HAS BEEN RE-RIGED AS A 70/30 NOWK HAS 1500 FT WRKING SAIL (OFF WIND) CAN CARY MIZZEN SS AT 250. STOCK HULL #1 W/ORIG RIG	
Juanita	Custom Phoenix 38	28272	<b>156</b> 1972	44.33 14.58	147		37.33 12.46	4.9 8.2	Yes 39.4	13.66	No 26.2	37.17 31	21000 8500	No 1	IB Fixed_3 3		
Medusa	Custom Santa Cruz 52 TM	69910	<b>-33</b> 1993	67.08 18.9	155	67.29 21.67	60.47 20.82	7.25 14.63	No 21.67		Yes 68.2 65	38.71 2147	53 46.5	24265 9100	0 1	IB Feath 3	(Mtg 1/26/12, -6 sec/mi for OSP, -6 sec/mi for oversized asymmetrical, -3 sec/mi for oversized mainsail girths, custom rating of -33 assigned)
Sunda	Custom Seaborn 35	17024	<b>195</b> 1941	39 12.42	125	39	36.67 16	6 10.27	Yes 38.25	11.8	No 0	35 25	13900 5100	No 1	IB Fixed_2 2	NEW SAIL PLAN 1/99	
Moonshadow	Custom Wylie 31	8675	<b>138</b> 1973	41.5 12.75	150	40.25	37 12.42	4.66 8	Yes 40	12.75	No 23.2	30.8 26.42	7200 3500	0 1	IB FOLD 0	(mtg 9/23/10, -3 sec/mi for increased I & P, due to new mast. Change custom rating from 141 to 138)	
Gavilan	Custom Wylie 39	28439	<b>93</b> 1996	49 14.5	122	49	43 15.5	5.73 9.75	Yes 48.64	14.5	Yes 48.39	24.6 783	41.5 31.75	17900 5920	No 1	IB FEATH 3	(mtg 4/28/11, change custom rating from 84 to 96 after review of rating appeal)(Mtg 1/26/12, -3 sec/mi for sprit)
Encore	Custom Wylie Gemini 30	8592	<b>126</b> 1976	33.33 11.75	125	33.5	39 14	5.3 9.1	Yes 34.1	13	No 23.4	30.95 26.5	6000 3000	No 1	IB FOLD 2	MAST IS APPROX 3' SHORTER THAN STOCK GEMINI; Change rating from 135 to 126 PHRF Mtg 3/16/06;	

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst Keel Type		
Checkedred Past	Custom Wyliecat 39	3	<b>102</b> 2002				52 26.6	10.2 17.4	No	No		38.83 32 11.5 6.6	12000 6200 Lead	0 1 FIXED	IB FOLD 2	Boat has been modified for handicapped sailing	
Lilith	Custom Wyliecat 39	7	<b>102</b> 1992				50.75 26.5 0 0	10.45 17.5 811	No	No		38.83 32 11.83 6.67	12000 6200 Lead	No 1 FIXED	IB FOLD 2	HULL DESIGN IS VERY SIMILAR TO WYLIECAT 30.NO JIB, NO SPINNAKER, NO SPANKER,NO REACHER, NO VANG,NO TWECKER,NO STAYS ETC., AS SAILED RATING 102 PER MTG 8/13/02	
Catch 22	Custom Zenrich 20	22	<b>189</b> 1979	25.5 8	155	25.5	25.5 8.67	3.67 5.08	Yes	No		20 18 7.79 4	1800 400 Lead	0 1 FIXED	OB None	(Mtg 1/26/12, Custom rating of 189 assigned)	
Tupelo Honey	Elan 40	28908	<b>69</b> 2004	48.89 14.21	105	50.05 14.21	48.82 17.23 0 0	5.58 10.09 467	Yes	No		39.04 34.07 12.55 7.87	17600 5621 LeadSteel	No 1 FIXED	IB FOLD 2		
Compromise	Elite 37	360276	<b>96</b> 1984	48.5 14.75	155	48.5 14.75	42 13.25 0 0	5.23 8.74 336	Yes	Yes	32.2 1127	37.08 31.58 12.08 5.91	12787 5291 Iron	No 1 FIXED	IB FEATH 3	(Mtg 8/13/02, -6 sec/mi for oversized asymmetric)	
Timmy	Elliott 6.5	3574	<b>117</b> 1996	23.11 8.2	100	22.63 13.5	25.48 12.36 0 0	5.31 8.66 198	Yes	Yes	17 420	21.05 19.6 7.94 4	1550 495 Lead	0 1 FIXED	OB None 0	(Mtg 1/27/11, custom rating of 111 assigned, includes 100% headsail)(Mtg 1/26/12, rating appealed, custom rating changed from 111 to 117)	
Synergizer	Ericson 28-2	28091	<b>183</b> 1988	36 12	150	12 13.416	35.5 11 0 0	4.5 7.481 241	Yes	No		28 23.33 10 5.5	7500 3200 Lead	No 1 FIXED	IB FOLD 2		

Boat Name	Boat Model (Type)	Sail #	Rating Built DW Rating	Foretriangle		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail Material Rig Type		P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast Ballast Mat.	Traps/H. moveable blst Keel Type		
Kiwa	Ericson 32-2	285	<b>183</b> 1973	36 18	155	36	31.5 4.9 13 8.4	4.9 8.4	No	No		32 24 9.67 4.91	9400 4400 Lead	0 1 FIXED	IB Fixed_2 2		
Sirena	Ericson 32-2	18319	<b>186</b> 1972	35 13	110	35	31 13 8.4	8.4	Yes	No		31 24 9.8 5	8800 4000 Lead	0 1 FIXED	IB Fixed_2 2		
Imagine	Ericson 32-3	716	<b>159</b> 1987	42 13.8	135		36.4 11.8 7.28	4.18	No	No		32.5 25.83 10.83 6	9800 4200 Lead	0 1 FIXED	IB Fixed_2 2		
Razzberries	Ericson 34 Olson TM	97479	<b>99</b> 1988	46.77 12.95	155	47	40.9 12.95 8.5	5.1	Yes	No		33.88 28 10.8 6.085	10855 3500 Lead	No 1 FIXED	IB FOLD 2		
Ergo	Ericson 35-2 SM	97050	<b>156</b> 1970	40 14	150	40 14	32.67 4.45 13 7.45	4.45	Yes	Yes	19.6 673	34.67 25.83 10.04 4.49	11600 5000 Lead	No 1 FIXED	IB FOLD 2	(new rudder noted mgt 6-8-04; NCTR).	
Krissy	Ericson 35-3	195	<b>132</b> 1984	46 15.83	125	46 15.83	39 12 5.8	3.79	Yes	Yes		35.5 28.83 11.33 6.17	13000 5200 Lead	Yes 3 FIXED	IB Fixed_2 2		
Wayward Whale	Ericson 38	75	<b>120</b> 1982	50 16.25	105		43.25 5.46 14 9.16	5.46	No	No		37.8 30.6 12 6.6	14900 6300 Lead	0 1 FIXED	IB Fixed_2 2		

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Keel		Engine/Prop	Modifications	
					I J Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No	SL SPL SSMG SSF	Yes/No	ASF ASA Sprit Lngth Fixed or _o	Max Beam		Ttl Disp. Traps/H. Strps	IB or OB Prop Type # of blades			
			DW Rating		Mast Material								LWL	Ballast	moveable blst				
					Rig Type								Max Draft	Ballast Mat.	Keel Type				
Plus Sixteen	Ericson 911S Olson	97707	<b>129</b>	1991	42 12.25	150	42 12.5	35.761 11.811	4.035 7.136	Yes	43.5	12.25	Yes	20.932 698	30 25	8500 3200	No 1	IB FEATH 2	(Mtg 4/13/06 -3 Sec for Dual Spinnakers. Due to dual spinnakers, pole can be pulled back when using assymetrical spinnaker.)
			<b>129</b>		ALUMN MS			0 0	240		22.605 22.605	819	35.761 21.702	12.25	<input checked="" type="checkbox"/>	10.33 5.42	LeadSteel FIXED		
Mirage	Express 27 ODR	8477	<b>129</b>	1981	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	28.8	9.833	No	0	27.25 23.75	2450 1100	No 1	OB None 0	
			<b>96</b>		ALUMN FS			0 0	182		17.5 17.9	422	<input type="checkbox"/>	0	8.17 4.5	Lead FIXED			
Take Five	Express 27 ODR	28031	<b>129</b>	1982	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	29	9.833	No	0	27.25 23.75	2450 1100	0 1	OB None 0	
			<b>96</b>		ALUMN FS			0 0	182		17.75 17.75	429	<input type="checkbox"/>	0 0	8.17 4.5	Lead FIXED			
Verve	Express 27 ODR	18283	<b>129</b>	1981	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	29	9.833	No	0	27.25 23.75	2450 1100	No 1	OB None 0	
			<b>96</b>		ALUMN FS			0 0	182		17.5 17.9	425	<input type="checkbox"/>	0	8.17 4.5	Lead FIXED			
Witchy Woman	Express 27 ODR	116	<b>129</b>	1986	28.5 9	150	28.5	28.5 10.416	4.22 7.03	Yes	29	9.833	No	0	27.25 23.75	2450 1100	No 1	OB None 0	
			<b>96</b>		ALUMN FS			0 0	182		17.75 17.75	429	<input type="checkbox"/>	0	8.166 4.5	Lead FIXED			
Escapade	Express 37	18051	<b>72</b>	1985	48.75 14.33	155	48.75	42 13.75	5.28 8.83	Yes	48	14.33	No	0	37.08 30.83	11000 4500	No 1	IB FOLD 2	
			<b>72</b>		ALUMN MS			0 0	344		25.58 25.42	1022	<input type="checkbox"/>	0	11.57 7.25	Lead FIXED			
Golden Moon	Express 37	18488	<b>72</b>	1985	48.75 14.33	155	48.75	42 13.75	5.37 8.99	Yes	48.27	14.33	No	0	37 30.83	11000 4500	No 1	IB FOLD 2	
			<b>72</b>		ALUMN MS			0 0	347		25.79 25.79	1037	<input type="checkbox"/>	0	11.57 7.25	Lead FIXED			

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Keel		Engine/Prop	Modifications	
					I	J	Max Headsail	ISP	JP	P	MGU	Yes/No	Yes/No		ASF	Ttl Disp.			Traps/H. Strps
		DW Rating			Mast Material			E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type		
					Rig Type			PY	MSA	SSMG	SSA	SLE	Sprit Length	Max Beam	Ballast Mat.	Keel Type	# of blades		
								EY		SSF		ASM	Fixed or _o	Max Draft					
Mudshark	Express 37	28052	72	1986	48.75 14.33	155	48.75	42 13.75	5.28 8.83	Yes	48	14.33	No		37.08 30.83 11.57 7.25	11000 4500 Lead	No 1 FIXED	IB FOLD 2	
One Eyes Jack	Express 37	18334	72	1986	48.75 14.33	150	48.75	42 13.75	5.28 8.83	Yes	48	14.33	No		37.3 30.8 11.57 7.3	11000 4500 Lead	0 1 FIXED	IB FOLD 2	
Antipodiste	Farr 30 1/2 Ton	18845	156 114	1978	30.14 9.61	155	30.14	31.95 12.92	5 8.45	Yes	30.05	9.61	No		30.1 25.63 9.9 5.48	4500 1850 Lead	No 1 FIXED	NONE None	Inboard motor removed as well as shaft/strut and prop.
Red Cloud	Farr 36 Mod	99	84 72	1976	38.3 12.16	108	46.3 12.16	41 16.75	6.4 10.9	Yes	45.4	12.16	No		36 32 11.92 6.16	10430 3950 Lead	No 1 FIXED	IB Fold 2	(550# ADDED TO KEEL 300# TO FILL MIDDLE WINDOW+250# TO BOTTOM)(Mtg 1/26/12, -3 sec/mi for new mainsail)
Mintaka 4	Farr 38	18441	84 81	1979	43.67 13.45	155	44.5	44.9 17.9	6.8 11.6	Yes	44.13	14.5	No		38.25 31.17 12 6.33	11850 4100 Lead	No 1 FIXED	IB FOLD 2	(base=84)(2002-removed dinette stbrd, add bench seat w/55 gal fuel tank, original was 12.5. Rudder replaced 12" longer, 4" narrower. Changes noted mtg 1/17/02, NCTR)(removed short pole, chopped spinnaker 1/13/04)
Astra	Farr 40 ODR FR	40079	9 6	2000	53.2 15.5	105	53.12	54.8 19.4	7.29 12.47	Yes	52.59	15.44	No		40.75 35.27 13.22 8.53	10917 5079 Lead	No 1 FIXED	IB FOLD 2	
No Ka Oi	Gibsea 42	28668	123 87	2000	46.5 16.57	150	46.5 18.5	42.1 16.6	3.65 7.73	No		18.5	Yes	33 1264	42 35.8 13.11 6	24000 Iron	0 1 FIXED	IB FEATH 3	In-mast furling main with no battens (Mtg. 3/15/07 +3 sec/mi for in-mast furling main, +3 sec/mi for MGM less than 50% of E)(Mtg 4/24/08, -3 sec/mi for ability to square back a-sail on pole)(Mtg 6/19/08, -3 sec/mi for channing to mainsail with

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Keel		Engine/Prop	Modifications
					I J	Max Headsail	ISP JSP	P E	MGU MGM	SL	SPL	Yes/No	Yes/No		ASF	Max Beam		
		DW Rating			Mast Material		PY	MSA	SSMG	SSA	SLU	ASA	LWL	Ballast	moveable blst	Prop Type		
					Rig Type		EY		SSF		SLE	Sprit Length	Max Draft	Ballast Mat.	Keel Type	# of blades		
Iliohale	Hanse 341/342	60128	141	2004	46 12.2 ALUMN FS	125	42 15	5.58 9.37		No	No		34 29.2 11.2 5.9	11353 3395 Iron	0 1 FIXED	IB FOLD 2		
MinFlicka	Hanse 370	38028	102  93	2008	49.3 13.7 ALUMN FS	150	47.3 16.1	6 10 445		No	Yes	24.5 1024 0.75	36.11 33 12.4 6.5	16500 5045 Lead	0 1 FIXED	IB FOLD 2	Roller Furler	
Warhawk	Hawkfarm 28	57846	168  156	1975	33 11 FS	155	36 10.416 0 0	4.37 7.25 235		Yes	No		28 23.5 9.75 5.5	5700 2700 Lead	No 1 FIXED	IB FOLD 2	SPINNAKER & POLS HAVE BEEN REDUCED TO "J", SMALLER THAN CLASS	
Eyrie	Hawkfarm 28 ODR	6100	165  153	1976	33 11 ALUMN FS	125	33.25 11.5 0 0	4.37 7.26 236		Yes	No		28 23.5 9.75 5.17	5700 2700 Lead	No 1 FIXED	IB FOLD 2	Rudder changes noted NCTR mtg 4/20/04)	
Buzz Off	Henderson 30	111	48  3	1997	37.9 11 CARBON FS	125	42.3 18.8 38.3 14.3	5.45 9.25 326		No	Yes	32 1044 7.71	30.83 27.75 9.8 7	3850 1750 Lead	0 1 FIXED	OB None 0		
Tahitienne	Hinckley 42 SW	42015	105  84	1983	55 17.5 ALUMN MS	145	55 20.7 47.25 15.25	5.85 9.9 430		No	Yes	34.45 1548 3.2 80	42 31.25 12.5 8	24000 8500 Lead	0 1 CNTRBRD	IB FEATH 3	(In-mast furling, electric primary winches)(Mtg 1/26/12, -3 sec/mi for articulating sprit)	
Espresso	Hobie 33 ODR	77981	90  42	1982	33.28 12.4 ALUMN FS	125	36.28 12.5 0 0	4.75 8 260		Yes	No		33 30.5 8 5.416	4000 1800 Lead	No 1 FIXED	OB None 0	Standard rig, with longer elliptical rudder. Boat is an ODR boat with a short spinnaker pole, but Spinnaker is standard ODR size.	

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SPL SSMG SSF	SLU ASA SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast		Traps/H. moveable blst Keel Type				
Vitesse Too	Hobie 33 ODR	87112	<b>90</b> 1983	33.8 12.4	125	36.8	35 12.4	4.75 8	Yes	36.2 23.4 21.4	13.25 694	No	0	33 30.5 8 5.5	4000 1800 Lead	No 1 FIXED	OB None 0	Extended rudder 10", NCTR
Akyla	Hobie 33 ODR MOD	163	<b>78</b> 1985	33.6 12.4	150	36.5 16.2	35.3 12.5	4.75 8	No	36 23 23	13.12 690	Yes	25.7 830 3.8 0	33 30.5 8 5.5	4260 1800 Lead	0 1 FIXED	OB None	(mtg 8/19/10, -3 sec/mi for sprit, -12 sec/mi for 20% oversized asymmetrical spinnaker)
Iolani	Hughes 48	38048	<b>120</b> 1972	54.3 18.2	135	20.2	48.2 19	5.9 10.4	Yes	40.32 32.76 32.76	18.2 1101	Yes	32.76 1400	48 35.1 11.1 6	32000 14300 Lead	0 1 FIXED	IB FEATH 3	
Gig	Humboldt 30 IB	18112	<b>108</b> 1983	37.5 11.5	149	37.5	41.5 13.75	4.84 12.67	Yes	37 20.7 20.2	11.5 635	No	0	30 26.66 10.5 5.75	5400 2222 Lead	No 1 FIXED	IB FOLD 2	
Bon Chance	Hunter 30-1	28938	<b>189</b> 1989	36.83 9.75	105		40.58 12.5	4.81 8	No			No	0 0	30.06 25.83 11 4.25	9500 3800 Cast Iron	0 1 FIXED	IB Fixed_3 3	
Kelika	Hunter 33.5	28815	<b>150</b> 1991	39.166 11.666	150	39.116	43.166 13.5	5.2 8.9	Yes	39 21.15 21.15	11.75 687	No	0	33.33 26.83 11 4.5	10800 4500 Iron	No 1 FIXED	IB FEATH 2	
Sir Leansalot	Hunter 40	161	<b>105</b> 1986	53.9 17	125	53.9 17	48 13.9	5.2 9	Yes	52.5 29.2 29	17 1276	No	0	39.7 32.5 13.5 6.5	17400 6000 Iron	0 1 FIXED	IB Fold 2	

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Kee		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail		P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst Keel Type		
The Other Woman	Hunter 41	41	<b>126</b> 2007	51.6 13	110		50.8 19.6	6 10.11	No		No		40.4 35.6 13.3 6.6	19400 6506 Lead	0 1 FIXED	IB Fixed_2 2	+ 3 sec/mi for in-mast furling mainsail
Stark Terror	IOD ODR	75	<b>156</b> <b>195</b>	29.25 8.33	100	30	38.83 16.25 0 0	6.12 10.47 374	Yes 30 15 15	8.416 375	No		33.42 21.42 6.75 5.333	7100 4100 Lead	No 1 FIXED	OB None 0	
Sagitta	Islander 28 SM	6332	<b>198</b> <b>180</b>	34.75 11.75	150	34.75	29 10.75 0 0	3.16 5.333 161	Yes 36.65 21 21	11.75 641	Yes 36 33 16	19 477 0 <input checked="" type="checkbox"/>	27.92 23.08 9.87 5	7000 3000 Lead	No 1 FIXED	IB FOLD 2	-3 SEC/MI FOR INCREASED "E" (mtg 3/15/07: -3 sec/m for dual spinnakers, ok to square pole to 90 deg)
Sweet Pea	Islander 30-2	195	<b>186</b> <b>162</b>	38.5 12.6	155	38.5	32.5 12.5 0 0	4.75 8.13 242	Yes 38.6 22.5 22.5	12.6 724	No		30 24.58 10 5	8600 3500 Lead	0 1 FIXED	IB FOLD 2	
The Irish Rogue	Islander 36 NCPHRF	553	<b>156</b>	45 14.48	125	45 14.48	39.25 12.75	5.05 8.44	No		No	0 0 0	36.08 28.25 11.17 6.08	13450 5820 Lead	0 1 FIXED	IB Fixed_3 3	
Zingara	Islander 36 NCPHRF	484	<b>150</b>	45 14.48	125	45 14.8	39.25 12.75 0 0	4.8 8.29 298	No		No	0 0	36.1 28.25 11.17 6.08	13450 5820 Lead	No 1 FIXED	IB Fold 2	Roller Furler
Califia	Islander 36 ODR	67074	<b>144</b>	45 14.48	135	45	39.25 12.75	3.69 6.88	No		No	0 0	36.08 28.25 11.17 6.08	13450 5450 Lead	0 1 FIXED	IB Feath 2	

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Kee		Engine/Prop	Modifications
					I J	Max Headsail	ISP JSP	P E	MGU MGM	SL	SPL	Yes/No	Yes/No		ASF	Ttl Disp.		
			DW Rating		Mast Material		PY	MSA	SSMG	SSA	SLU	ASA	LWL	Ballast	moveable blst	Prop Type		
					Rig Type		EY		SSF		ASMG	Sprit Length	Max Beam	Ballast Mat.	Keel Type	# of blades		
											Fixed or _o		Max Draft					
Kapai	Islander 36 ODR	438	144	1977	45 14.48 ALUMN MS	135	45	39.25 12.75 0 0	5.05 8.44 303	No	No	0	36.08 28.25 11.17 6	13450 5500 Lead	0 1 FIXED	IB FOLD 2		
Luna Sea	Islander 36 ODR	420	144	1980	45 14.48 ALUMN MS	135	45	39.25 12.75 0 0	5.05 8.44 303	Yes	No	0	36.08 28.25 11.17 6.08	18000 5450 Lead	No 1 FIXED	IB Feath 3		
Orion	Islander 36 ODR	211	144	1974	45 14.48 ALUMN MS	135	45	39.25 12.75 0 0	5.05 8.44 303	No	No	0	36.08 28.25 11.17 6.08	13450 5450 Lead	0 1 FIXED	IB None		
Petite Sirah	Islander 36 ODR	6799	144	1979	45 14.48 ALUMN MS	150	45	39.25 12.75 0 0	5.05 8.44 303	Yes	No	0	36.08 28.25 11.17 6.08	13450 5820 Lead	0 1 FIXED	IB Fold		
Wuvulu	Islander Bahama 30	61	180	1979	40 12.75 ALUMN MS	150	38.416	33.75 11.5 0 0	4.75 8.125 243	Yes	No	0	30 24.58 10 5	8600 3500 Lead	No 1 FIXED	IB FOLD 2		
Flying Baby	J 100 ODR	138	81	2007	38.48 11.48 CARBON FS	100	42.98 11.48	38 13.48	5.11 8.76	No	Yes	21.65 723 0 0	32.8 29 9.3 5.8	6500 2500 Lead	0 1 FIXED	IB FOLD 2		
Pegasus - Motion X	J 100 ODR MOD	678	69	2005	38 12.7 CARBON FS	95	43 15.63	38 15.3	5.32 9.32	No	Yes	23.3 861 4.13 0	32.8 29 9.3 5.8	7250 2500 Lead	No 1 FIXED	IB FOLD 2	(Mtg 2/26/09, -3 sec/mi for adding sprit)(mtg 1/21/10, additional -3 sec/mi for lengthening sprit to 4.13')(Mtg 1/27/11, -6 sec/mi for increased "e")(Mtg 1/26/11, shortened J, boat rigged for short-headed sailing. NCTB)	

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Keel		Engine/Prop	Modifications
					I	J	Max Headsail	ISP	JP	P	MGU	Yes/No	Yes/No		ASF	Ttl Disp.		
		DW Rating			Mast Material			E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type	
					Rig Type			PY	MSA	SSMG	SSA	SLE	Sprit Length	Max Beam	Ballast Mat.	Keel Type	# of blades	
								EY		SSF		ASM	Fixed or _o	Max Draft				
Akula	J 105 ODR w/ 5'BS	16	78	1992	40.6 13.5	100	42.1 19.07	41.5 14.6	5.5 9.4	No		Yes	25 854	34.5 29.5	7750 3400	No 1	IB FOLD	
			72		ALUMN FS			0 0	359			38.7 23	5 <input checked="" type="checkbox"/>	11 6.5	Lead	FIXED	2	
Moonshine	J 105 ODR w/ 5'BS	405	78	2001	40.6 13.5	100	42.1 18.5	41.5 14.5	5.5 9.4	No		Yes	26.2 859	34.5 29.5	7750 3400	No 1	IB FOLD	
			72		ALUMN FS			0 0	358			39.8 22.3	5 <input checked="" type="checkbox"/>	11 6.5	Lead	FIXED	2	
Nirvana	J 105 ODR w/ 5'BS	342	78	2000	40.6 13.5	100	42.1 19.07	41.5 14.5	5.5 9.4	No		Yes	25 854	34.5 29.5	7750 3400	No 1	IB FOLD	
			72		ALUMN FS			0 0	358			38.7 23	5 <input type="checkbox"/>	11 6.5	Lead	FIXED	2	
Racer X	J 105 ODR w/ 5'BS	375	78	1996	40.6 13.5	100	42.1 19.07	41.5 14.5	5.5 9.4	No		Yes	25 854	34.5 29.5	7750 3400	No 1	IB FOLD	
			72		ALUMN FS			0 0	358			38.7 23	5 <input checked="" type="checkbox"/>	11 6.5	Lead	FIXED	2	
Joyride	J 109 ODR	47	69	2003	46.5 13.3	155	49 18.8	43.25 15.5	5.89 10.07	No		Yes	27.75 1160	35.25 30.5	10900 3900	No 1	IB FOLD	-3 sec/mi for 155% headsail
			66		ALUMN FS			0 0	399			45.63 27.2	5.5 <input checked="" type="checkbox"/> 0	11.5 7	Lead	FIXED	2	
MAD MEN	J 111	17	36	2011	48.37 13.84	105	54.41 20.08	45.17 14.5	5.18 10.1	No		Yes	31.79 1404	36.5 32.7	9300 3500	0 1	IB Fold	
			15		CARBON FS				396			46.91 31.79	8 <input checked="" type="checkbox"/> 0	10.8 7.2	LeadSteel	FIXED	2	
Twist	J 120 ALUM	28442	48	2000	50.5 14.5	150	52 21.5	46.5 17.8	6.75 11.5	No		Yes	34.1 1764	40 35	13900 6000	No 1	IB FOLD	
			30		ALUMN FS			0 0	492			50.6 37.65	7 <input checked="" type="checkbox"/> 0	12 7	Lead	FIXED	2	

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle				Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Kee		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast		Traps/H. moveable blst Keel Type			
DoubleTrouble	J 125	93204	-12 1999	49 15	155	23	47 18	6.8 11.6	No	Yes	41 1941	41 37	9330 4646 Lead	0 1 FIXED	IB FOLD 2	(Mtg 2/26/09, -3 sec/mi for oversized main girths)(3/9/09, corrected main girths, removed -3 sec/mi penalty)		
RAM	J 130 CM SD	29	24 1995	57 16.5	120	58.5 23.5	52.5 18.5	7 12	No	Yes	37.9 1993	42.58 38.17	18000 6750 Lead	No 1 FIXED	IB FOLD 2			
On Belay	J 24 ODR	1036	168 1979	26.25 9.5	150	26.25	28 9.75	3.7 6.37	Yes	No		24 20	3100 965 Lead	No 1 FIXED	OB None 0			
Audacious	J 29 7/8 OB	18917	123 1984	35 11.416	150	35	38.666 13	4.94 8.45	Yes	No		29.5 25	6000 2100 Lead	0 1 FIXED	OB None 0			
Ione	J 30	8994	141 1981	34.19 11.041	140		38 13	4.83 8.21	Yes	No		29.83 25	6500 2100 Lead	0 1 FIXED	IB FOLD 2			
Prime Mover	J 30	18675	141 1980	34.19 11.5	155		38 13	4.83 8.21	Yes	No		29.83 25	6700 2100 Lead	0 1 FIXED	IB FOLD 2	W/J BASED POLE AND SPINNAKER SHORTENED.		
Jarlen	J 35	28528	72 1990	46.333 14.583	150	46.3	41.416 14	5.43 9.11	Yes	No		35.42 30	10500 4400 Lead	No 1 FIXED	IB FOLD 2			

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Kee		Engine/Prop	Modifications
					I J Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No	SL SPL SSMG SSF	Yes/No	ASF ASA Sprit Lngth Fixed or _o	Max Beam		Ttl Disp. Traps/H. Strps	IB or OB Prop Type		
		DW Rating			Mast Material								LWL	Ballast	moveable blst			
					Rig Type								Max Draft	Ballast Mat.	Keel Type			
Pegasus	J 35	28390	72	1993	46.333 14.583	155	46.3	41.416 14	5.43 9.11	Yes	46	14.583	No	35.42 30	10500 4400	0 1	IB FOLD	
			75		ALUMN MS			0 0	347		26.3 25.4	1001	<input type="checkbox"/>	0	11.67 6.75	Lead FIXED	2	
Brainwaves	J 35C	43533	90	1990	46.2 13.2	155		40.8 15.5	5.87 10.07	Yes	45	13	No	35.2 30	11800 4300	0 1	IB FOLD	(mtg 2/18/10, interior changes for Pacific Cup, NCTR)
			96		ALUMN MS				377		23.8 23.8	893	<input type="checkbox"/>	0	11.1 6.4	Lead FIXED	2	
Tiki J	J 42 SD	33	81	1999	50.5 14.7	150		46.5 18	5.64 10.27	Yes	51.35 26.47 26.47	14.69	No	42 35.1	21275 7000	0 1	IB FEATH	
			75		CARBON FS				458		44.5 23.1	1133	<input checked="" type="checkbox"/>	14.6	12.2 5.5	Lead FIXED	3	
Pain Killer	J 80 ODR MOD	369	114	2001	30 9.415	139		30 12.416	4.7 8.1	No			Yes	26.3 22	2900 1400	0 1	OB Fixed_2	
			99		ALUMN MS			0 0	222		31.996 23.156		<input checked="" type="checkbox"/>	6.25	8.3 4.9	Lead FIXED	2	
Ragtime	J 90 MOD	50090	48	1998	35.6 10.5	125		38.85 14.5	5.91 9.74	No			Yes	30 27	3400 1595	No 1	OB FOLD	(Mtg 4/28/11, Switched to larger Mainsail & smaller Asymmetrical, - 3 sec/mi for oversized main girths, -3 sec/mi for increased "P", + 3 sec/mi for smaller asymmetrical)(Mtg 1/26/12, removed saildrive, added DP 2 sec/mi)
			3		CARBON FR			0 0	345		40.5 26.2		<input checked="" type="checkbox"/>	7.5 0	8.5 6.5	Lead FIXED	2	
Relentless	J 92	93	105	1997	37 11.5	155		38 13.5	5.2 8.7	No			Yes	30 26.5	5500 2275	0 1	IB Fold	
			78		ALUMN FS				306		40.6 25.4		<input checked="" type="checkbox"/>	5.5 0	10 5.9	Lead FIXED	2	
Dare Dare	Jeanneau Sun Fast 3200	39	75	2008	41.92 12.58	112		38.67 13.92	5.28 9.06	Yes	44.91 24.08 23.39	13.58	Yes	33.1 28	7496 2866	0 1	IB Fold	
			75		ALUMN FS				321		40.06 18.41	896	<input checked="" type="checkbox"/>	1 0	11.5 6.2	Lead FIXED	2	

Boat Name	Boat Model (Type)	Sail #	Rating DW Rating	Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
					I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst Keel Type			
Relentless	Jeanneau Sun Fast 3200	60171	75	2009	41.92 12.58	112	45.94 13.61	38.67 13.92	5.28 9.06	Yes	44.91 24.08 23.39	13.58 896	Yes	24.48 681 1 0	33.1 28 11.5 6.2	7496 2866 Lead	0 1 FIXED	IB Fold 2	
Nalu	Jeanneau Sun Odyssey 35	38019	123 102	2002	43.5 13.25	130	16.25	38.33 12.66	4.31 7.71	No	47.9 42.5 22.3	844 3 0	Yes	22.9 844 3 0	35.25 31.92 11.42 6	11464 3285 Lead	0 1 FIXED	IB Fixed_3 3	(mtg 1/21/10, -3 sec/mi for sprit)
Huttetu	Knarr ODR	100	198	1960	33.583 6.583	125	33.583	31 11.166	4.47 7.46	No	0 0	211	No	0	30.333 20.333 7 4.25	4630 2866 Cast Iron	No 1 FIXED	OB None 0	
Sandpiper	LaFitte 44	52	120 75	1985	56 19.5	135	56 19.5	51.25 16.35	4.6 8.6	Yes	53.6 33.7 32.2	19.5 1492	No	0 0	44.33 35.5 12.8 6.33	28000 11000 Lead	0 1 FIXED	IB Feath	
Firebolt	Laser 28	18228	144 129	1984	31.1 9.65	125	31.73	33.14 12.96	4 8.125	Yes	31.5 20.25 20	9.65 530	No	0	28.41 23.62 9.48 4.98	3950 1500 Lead	0 1 FIXED	IB FOLD 2	
Solar Wind	Martin 32	49143	126 102	1980	42.5 13.67	145		37.17 12	4.7 8	Yes	42.4 22.4 24.4	13.67 806	No	0	32.8 27 9.6 6.1	8200 4100 Lead	0 1 FIXED	IB FOLD 2	
Imagine	Merit 22 CB	224	219 186	1984	28 8.25	155	28	23 9.6	3.9 6.5	Yes	28 14.85 14.5	8.25 345	No	0 0	22 18 8 4.2	2000 600 Lead	0 1 CNTRBRC	OB None	Repairs and reinforced keel trunk and hull at trunk/hull junction. Repairs lowered keel ~2 inches and increased draft ~2 inches from "stock" Merit 22 (Mtg 8/19/10, NCTR for Keel modifications/repairs)

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Kee		Engine/Prop	Modifications
					I J	Max Headsail	ISP JSP	P E	MGU MGM	SL SPL	Yes/No	Yes/No	ASF		Max Beam	Ttl Disp.		
		DW Rating			Mast Material		PY	MSA	SSMG	SSA	SLU	ASA	LWL	Ballast	moveable blst	Prop Type		
					Rig Type		EY		SSF		ASMG	Sprit Length	Max Draft	Ballast Mat.	Keel Type	# of blades		
Bewitched	Merit 25	8177	168	1979	28.75 9.66	155	28 9.75	4.025 6.69	29	9.66	No		24.5 20.5	3000 1050	No 1	OB None		
			177		ALUMN FS		0 0	169	17.39 17.39	420	<input type="checkbox"/>	0	8 4	Lead	FIXED	0		
Chesapeake	Merit 25	18245	168	1984	28.75 9.66	155	28 9.75	4.25 6.69	29	9.66	No		24.5 20.5	3000 1050	No 1	OB None		
			177		ALUMN FS		0 0	172	17	410	<input type="checkbox"/>	0	8 4	Lead	FIXED	0		
Daisy Cutter	Mini Transat 6.5 Type Zero	530	102	2004	31.7 8.75	135	30.5 10.8	7.83 9.5			No	Yes	21.3 21.3	2350 950	0 1	OB None	Production Aluminum mast, boom & sprit replaced with Carbon Fiber (mtg 1/21/10, custom rating of 102 assigned)	
			69		CARBON FS			260				30.1 772	9.8 5.25	Lead	FIXED	3		
TEAM OPEN SAILING	Mini Transat 6.5 Type Zero	806	105	2010	29.5 8.4	141	30 11.1	6.85 8.3			No	Yes	21.3 21.3	2215 948	0 1	OB None	(Mtg 4/25/11, custom rating of 105 assigned)	
			72		ALUMN FS			236				24.9	7.6 10	LeadIron	FIXED			
Banditos	Moore 24	118	150	1982	26.25 9.75	150	25 9.5	3.91 6.5	26.6	9.75	No		23.75 21.75	2050 1025	0 1	OB None		
			123		ALUMN FS			147	17.55 17.55	389	<input type="checkbox"/>	0 0	7.16 4.083	Lead	FIXED	0		
Brick House	Moore 24	91	150	1981	26.25 9.75	150	25 9.5	3.91 6.5	26.6	9.75	No		23.75 21.75	2050 1025	No 1	OB None		
			123		ALUMN FS		0 0	147	17.55 17.55	389	<input type="checkbox"/>	0	7.14 4.84	Lead	FIXED	0		
Claire de Lune	Moore 24	80	150	1980	26.25 9.8	150	25 9.5	3.91 6.5	27	9.75	No		23.75 21.75	2050 1025	0 1	OB None		
			123		ALUMN FS			147	17.55 17.55	395	<input type="checkbox"/>	0 0	7.16 4.083	Lead	FIXED	0		

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Kee		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst Keel Type		
Cookie Jar	Moore 24	98	<b>153</b> 1981	26.25 9.75	125	26.25 9.75	25 9.5 0 0	3.91 6.5 147	Yes 30.6 17.5 17.5	9.8 446	No  <input type="checkbox"/>	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0		
Fatuity	Moore 24	48	<b>150</b> 1980	26.25 9.75	150	26.25	25 9.5 0 0	3.91 6.5 147	Yes 27 17.55 17.55	9.75 395	No  <input type="checkbox"/>	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0		
Mercedes	Moore 24	55	<b>150</b> 1980	26.25 9.75	150	26.25	25 9.5 0 0	3.91 6.5 147	Yes 27 17.55 17.55	9.75 395	No  <input type="checkbox"/>	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0		
Mooretician	Moore 24	89	<b>150</b> 1981	26.25 9.75	150	26.25	25 9.5 0 0	3.91 6.5 147	Yes 26.6 17.55 17.55	9.75 389	No  <input type="checkbox"/>	23.75 21.75 7.16 4.08	2050 1025 Lead	No 1 FIXED	OB None 0		
Sunshine	Moore 24	54	<b>150</b> 1980	26.25 9.75	150	26.25	25 9.5 0 0	3.91 6.5 147	Yes 27 17.55 17.55	9.75 395	No  <input type="checkbox"/>	23.75 21.75 7.16 4.08	2050 1025 Lead	No 1 FIXED	OB None 0		
Coast Starlight Ltd	Morgan 38-2	8238	<b>156</b> 1978	46 16.25	125	46	40.5 14.5 0 0	5.66 9.83 358	Yes 46 28.5 27.5	16.25 1085	No  <input type="checkbox"/>	38.33 30.5 12 6	19000 7500 Lead	No 1 FIXED	IB Fixed_2 2		
Easom Riggin/Eight Ball	Mumm/Farr 30	57	<b>54</b> 1996	38.3 10.89	104	44.9 13.5	40.52 14.56	6.42 10.4 376	Yes 44.7 25.1 23.3	13.58 922	Yes 46.33 42.05 25.1	24.6 921 0 90	30.9 27.5 10.16 6.89	4500 2060 Lead	0 1 FIXED	IB Fold 2	

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Kee		Engine/Prop	Modifications
			Built	DW Rating	I	J	Max Headsail	ISP	JSP	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	
								E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst			
								PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type			
								EY		SSF		ASM	Fixed or _o	Max Draft					
Frequent Flyer	Mumm/Farr 30	52	<b>54</b>	1996	38.2	104	44.9	40.5	6.42	Yes		Yes	25.25	30.9	4561	0	IB		
			<b>24</b>		10.9		13.58	14.6	10.4		44.58	13.58	46.92	27.6	1997	1	Fold		
					CARBON						25.25	934	41.33	10.1	Lead	FIXED			
					FS					24.67			23.67	6.9					
Now and Zen	Newport 30-2	6883	<b>174</b>	1978	39.5	150		34	3.25	Yes		No		30	8000	No	IB		
			<b>156</b>		12.125			10.25	5.7					25	2600	1	Fold		
					ALUMN			0	190				0	10.5	Lead	FIXED	2		
					MS			0						4.75					
Blueberry	Nonsuch 22	48	<b>246</b>	1987				34	7.3	No		No		22	4600	0	OB	Mark Ellis designed, Mars Metal built 450 lb split bulb torpedo bolted and faired into bottom 4 inches of keel so as not to increase draft, but to add stability in case of knock down. Original lead was 1800 lb. Total lead now 2250 lbs.	
								19.25	12.5					20.5	1800	1	None		
									389				0	8.5	Lead	FIXED	2		
					ALUMN								0	3.66					
					CAT														
Simple	Nonsuch 22	261	<b>246</b>	1986				33.5	6.84	No		No		22	5000	0	OB		
								18	11.7					20.5	1800	1	None		
								0	359				0	8.5	Lead	FIXED	0		
					ALUMN			0						3.7					
					CAT														
Top Cat	Nonsuch 30	308	<b>177</b>	1985				45	7.9	No		No		30.33	11500	0	IB		
			<b>156</b>					24	14.3					28.75	4500	1	Fixed_2		
									605				0	11.1	Lead	FIXED	2		
					ALUMN								0	5					
					CAT														
Nanaimo	Nonsuch 30 Ultra	0	<b>168</b>	368		0		45	9.12	No		No		30.5	11500	0	IB	1' added to LWL due to swimstep (mtg 4/22/10, -6 sec/mi for LWL modification)	
			<b>135</b>					24	15.6					29.8	4500	1	Feath		
									643				0	11.8	Lead	FIXED	3		
					ALUMN								0	5					
					CAT														
American Standard	Olson 25	18517	<b>159</b>	1984	32	155	32	28	3.8	Yes		No		25	3300	0	OB		
					9.6			10	6.4		31.7	9.6		21.25	1300	1	None		
			<b>156</b>						166		17.28	456		9	Lead	FIXED			
					ALUMN								0	4.5					
					MS								0						

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Kee		Engine/Prop	Modifications
					I J	Max Headsail	ISP JSP	P E	MGU MGM	SL SPL	Yes/No	Yes/No	ASF		Max Beam	Ttl Disp.		
		DW Rating			Mast Material		PY	MSA	SSMG	SSA	SLU	ASA	LWL	Ballast	moveable blst	Prop Type		
					Rig Type		EY		SSF		SLE	Sprit Length	Max Draft	Ballast Mat.	Keel Type	# of blades		
Balein	Olson 25	74	159	1985	32 9.583 ALUMN MS	155	32	28 10 0 0	3.8 6.4 166	Yes 31.7 17.28 17.28	9.583 456	No	0	25 21.25 9 4.5	3300 1300 Lead	No 1 FIXED	OB None 0	
Samba	Olson 25	28047	159	1985	32 9.583 ALUMN MS	155	32	28 10 0 0	3.8 6.4 166	Yes 32 17.25 17.25	9.583 460	No	0	25 21.25 9 4.5	3300 1300 Lead	No 1 FIXED	OB None 0	
Shark-On-Bluegrass	Olson 25	18201	159	1984	32 9.583 ALUMN MS	155	32	28 10 0 0	3.8 6.4 166	Yes 32 17.25 17	9.583 459	No	0	25 21.25 9 4.5	3300 1300 Lead	No 1 FIXED	OB None 0	
Nina	Olson 29	27	99	1987	34 11 ALUMN FS	155	36	32.5 11.5 0 0	4.5 7.27 222	Yes 34 20.25 20.25	11.25 574	No	0	29.67 27.5 9.33 5.58	3700 1950 Lead	0 1 FIXED	OB None 0	
Dragonsong	Olson 30 OB	87014	99	1982	36 11.75 ALUMN MS	155	35.9 11.67	31.5 10.75 0 0	4.364 7.268 208	Yes 36 21.15 21.15	11.75 635	No	0	30 27.5 9.33 5.08	3600 1800 Lead	No 1 FIXED	OB None 0	
Hellion	Olson 30 OB	28775	99	1981	36 11.75 ALUMN MS	155	35.9 11.67	31.5 10.75 0 0	4.36 7.27 208	Yes 36 21.1 21.1	11.75 633	No	0 0	30 27.5 9.33 5.08	3600 1800 Lead	0 1 FIXED	OB None	Roller Furler
Weatherly	Olson 30 OB	18225	99	1982	36 11.75 ALUMN MS	155	35.9 11.67	31.5 10.75 0 0	4.364 7.268 208	Yes 35.8 21.1 20.5	11.75 626	No	0	30 27.5 9.33 5.08	3600 1800 Lead	0 1 FIXED	OB None 0	

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst Keel Type		
Temerity	Olson 34	28134	<b>99</b> 1986	44.8 13.25	155	44.8 13.25	38.84 12.9	5 8.4	Yes 44	No 13.25		34 28 10.83 6	9540 3600 Lead	0 1 FIXED	IB FOLD 2		
			<b>102</b>	ALUMN MS			0 0	300	23.6 20	839	<input type="checkbox"/>						
Spellbound	Olson 40	18983	<b>45</b> 1983	51.21 15.75	155	51.21	44.21 14.3	5.5 9.2	Yes 49.8	No 15.75		40.33 36 11.33 6.5	10350 5500 Lead	0 1 FIXED	IB FOLD 2	MTG 4/9/98	
			<b>27</b>	ALUMN MS			0 0	377	28.35 28.35	1177	<input type="checkbox"/>						
Boracic	Open 5.7 ODR	186	<b>138</b> 2006	21.52 7.3	117	21.6 12.3	25.33 10.24	5.34 7.12	No	Yes 25.8 20.6 17.9	17.6 345 5 0	18.7 18.7 8.3 5.7	1020 396 Lead	0 1 FIXED	OB None 2		
Truth	Open 50	101	<b>-123</b> 2003	73.4 23.88	131	75.13 35.17	73.16 24.7	14.17 18.56	No	Yes 85.3 74.48 48.56	48.56 3233 9.84 0	50 50 15.09 13.5	13972 5972 LeadWater	0 4 MVBL	IB FOLD 2	6612 lb in water ballast (Mtg 4/24/08 custom rating assigned of -114)(Mtg 5/22/08, taller rig & deeper keel added, change custom rating from -114 to -144)(Mtg 1/26/12, change custom rating from -144 to -123 after review of rating appeal)	
			<b>-147</b>	CARBON MS				1253			<input checked="" type="checkbox"/>						
Nicole	Orion 35	8210	<b>150</b> 1979	44 14	150	44	39.5 10.5	4.42 7.32	Yes 43.667	No 14.125		34.58 28.75 10.83 6	13000 4700 Lead	0 1 FIXED	IB FOLD 2	Displacement Obtained by actual weight on scale, Rudder is new design and new build.	
			<b>123</b>	ALUMN MS			0 0	260	25.2 25.2	917	<input type="checkbox"/>						
Beverlee	Pacific Seacraft 31	126	<b>201</b> 2006	38.7 14.6	100		32.5 12.58	4.89 8.2	No	No		31.83 24.17 9.83 4.92	11000 4400 Lead	0 1 FIXED	IB Fixed_3 3		
				ALUMN CTR				245			<input type="checkbox"/>						
Krissy 2	Passport 40	97552	<b>141</b> 1987	50.6 15.6	125	50.6 15.6	45.9 16	6 10.3	No	No		39.4 33.42 12.67 5.75	22771 8600 Steel	0 1 FIXED	IB Fixed_3		
				ALUMN MS				435			<input type="checkbox"/>						

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Kee		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail		P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst Keel Type		
Windhover	Pearson 10M	47126	<b>147</b> 1974	44 14.2	150		38.5 11	3.833 6.666	Yes	45 14.17	No		33.05 28.33 11 5.93	12441 5445 Lead	No 1 FIXED	IB FOLD 2	above deck roller furling jib
			<b>132</b>	ALUMN MS			0 0	242		25.5 956		<input type="checkbox"/>					
Mephisto Cat	Pearson 26 Commander	155	<b>261</b> 1964	31.5 9.5	100		26 11.5	3.3 5.75	No		No		25.7 18.5 8 3.7	5200 2800 Lead	0 1 FIXED	OB None 3	
Nemesis	Pearson 26 Commander	151	<b>261</b> 1964	31.5 9.5	100		26 11.5	3.3 5.75	No		No		25.7 18.5 8 3.7	5200 2500 Lead	0 1 FIXED	OB None	
				ALUMN MS				154				<input type="checkbox"/>					
Darwind	Pearson 28 Triton FR	107	<b>237</b> 1961	30.3 9.8	130	30.3 9.8	33 13	5 8.4	Yes	28.3 10	No		28.5 20.5 8.25 4.5	8000 3019 Lead	0 1 FIXED	OB Fixed_3 0	(Mtg 5/26/11, OSP, -3 sec/mi)(Mtg 8/25/11, +6 sec/mi for offshore modifications)
			<b>249</b>	ALUMN FS				256		18 425		<input type="checkbox"/>					
Rascall II	Pearson 28 Triton FR	150	<b>231</b> 1960	30.3 10	155	30.3	32 14.2	4.72 8.04	Yes	30 10	No		28.6 21.6 8.33 4	8000 3000 Lead	0 1 FIXED	OB Fixed_2 2	
			<b>234</b>	ALUMN FS				251		18 450		<input type="checkbox"/>					
Blue Mist	Pearson 33 Vanguard	335	<b>228</b> 1965	37.5 12.25	150		32.5 14.75	4.42 8	Yes	36.33 12.25	No		32.5 22.35 9.25 4.5	12600 4250 Lead	0 1 FIXED	IB Fixed_3	
			<b>207</b>	ALUMN MS				256		21.33 650		<input type="checkbox"/>					
Kabunza	Pearson 36-2	362	<b>132</b> 1986	47.1 15.4	110		41 14.5	3.65 7.3	No		No		36.5 29.5 12.3 6.5	15000 5800 Lead	0 1 FIXED	IB Fixed_2 2	
				ALUMN MS				300				<input type="checkbox"/>					

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Kee		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SPL SSMG SSF	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast		Traps/H. moveable blst Keel Type			
Tortuga	Pyramid 660 ODR MOD	8375	<b>174</b> 1981	21.82 6.8	104	22.96	25.7 10.5	4 6.8	Yes	20.9 12 11.5	8 207	No	21.8 18.1 6.2 3.9	850 400 Lead	2 1 FIXED	OB None 2	(Mtg 5/20/10, removed trapeze +18 sec/mi, hiking straps still allowed)
Patience	Ranger 23 TM	37987	<b>210</b> 1974	30 9.7	155	30	25.75 9.17 0 0	3.83 6.35 147	Yes	29.95 17.46 17.46	9.7 436	Yes	17.38 417 0 17.19	3400 1500 Lead	No 1 FIXED	OB None 0	
Mull's Magic	Ranger 26-1 SM	28152	<b>201</b> 1972	31 11.33	110	31	25.5 10 0 0	4.05 6.75 157	Yes	31.41 20.4 20.5	10.5 534	No	26.25 21.75 8.67 4.33	5800 2050 Iron	No 1 FIXED	OB None 0	
Star Ranger	Ranger 26-1 SM	5843	<b>201</b> 1970	31 11.333	110	31	25.5 10 0 0	4.05 6.75 157	Yes	31 20.5 21	11 532	No	26.25 21.75 8.67 4.33	5800 2050 Iron	No 1 FIXED	OB None 0	
Jackal	Ranger 33	67733	<b>156</b> 1978	41.5 13.87	155		35 13.8	3.5 7 245	Yes	41 23.5 23	13.67 800	No	33 26.3 9.6 5	10500 4500 Lead	No 1 FIXED	IB Fixed_3 3	
Dragonfly	Rhodes 19 OSP	702	<b>258</b> 1967	19.5 6.5	100	19.5 6.5	24 9.7	3.9 6.5 142	Yes	20 15.8 15.8	6.75 263	No	19.24 17.9 7 3.3	1325 415 Lead	0 1 FIXED	OB None	
Ganesha	Sabre 36-2	28862	<b>111</b> 1996	48.5 13.46	155		41.6 14.83 0 0	5.66 9.63 368	No	No		No	36.17 30.42 12 6.5	13800 5520 Lead	No 1 FIXED	IB FOLD 2	Adjustable back stays

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Keel		Engine/Prop	Modifications
					I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No	Yes/No	ASF	Ttl Disp.		Traps/H. Strps	IB or OB		
			DW Rating		Mast Material		PY EY	MSA	SL SSMG SSF	SPL SSA	SLU SLE ASMG	ASA Sprit Lngth Fixed or _o	LWL	Ballast	moveable blst	Prop Type		
					Rig Type								Max Beam	Ballast Mat.	Keel Type	# of blades		
Escapade	Sabre 40-2	38011	75	1997	54	110	54	5.6	Yes		23.5		40.2					
			84		15.5		16	17	9.9	51.25	15.5	53.5	1001	34	19760	0	IB	
					ALUMN			449	27.3	1151	47	0	13.3	7500	1	FEATH		
					MS				25.6		24	<input checked="" type="checkbox"/>	7.5	Lead	FIXED	3		
Crazy Rhythm	Santa Cruz 27	18771	141	1978	32.58	150	32.58	3.68	Yes				27					
			99		10.75			8.583	6.06	32.74	10.75	No		24	3200	No	OB	
					ALUMN			0	153	19.4	529	0	8	1600	1	None		
					MS			0		19.4		<input type="checkbox"/>	4.5	Lead	FIXED	0		
Mirage	Santa Cruz 27	8027	144	1979	32.7	125		3.68	Yes				27					
			102		10.9			8.58	6.06	32.15	10.81	No		24	3300	0	OB	
					ALUMN			153		19.15	494	0	8	1500	1	None		
					MS					15.55		<input type="checkbox"/>	4.5	Lead	FIXED			
Quila	Santa Cruz 27	18723	141	1976	32.583	155	32.583	3.68	Yes				27					
			99		10.75			8.583	6.1	32.74	10.75	No		24	3000	No	OB	
					ALUMN			0	154	19.4	529	0	8	1500	1	None		
					MS			0		19.4		<input type="checkbox"/>	4.5	Lead	FIXED	0		
Vitesse	Santa Cruz 27	18711	141	1977	32.583	150	32.583	3.38	Yes				27					
			102		10.75			8.583	6.3	32.583	10.75	No		24	3300	No	OB	
					ALUMN			0	153	19.333	519	0	8	1500	1	None		
					MS			0		18.249		<input type="checkbox"/>	4.5	Lead	FIXED	0		
Yellow Jack	Santa Cruz 27	57313	141	1976	32.583	155	32.583	3.68	Yes				27					
			102		10.75			8.583	5.9	32.1	10.8	No		24	3300	0	0	
					ALUMN			152		18.3	488	0	8	1500	1	None		
					MS					18.1		<input type="checkbox"/>	4.5	Lead	FIXED	0		
Tiburon	Santa Cruz 37	38042	27	2008	47	105	52.17	6.46	No				37					
			6		13.5		19	47	11.05	Yes		33.3		34.75	9882	0	IB	
					CARBON			476		59.7	1541		10.64	3730	1	FOLD		
					MS					51.5	5.5	0	7.5	Lead	FIXED	2		
										33.25	<input checked="" type="checkbox"/>							

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Keel		Engine/Prop	Modifications
					I J	Max Headsail	ISP JSP	P E	MGU MGM	SL SPL	Yes/No	Yes/No	ASF		Max Beam	Ttl Disp.		
		DW Rating			Mast Material		PY EY	MSA	SSMG	SSA	SLU SLE	ASA	LWL	Ballast	moveable blst	Prop Type		
					Rig Type				SSF		ASMG	Sprit Length	Max Draft	Ballast Mat.	Keel Type	# of blades		
Void Star	Santa Cruz 40	59995	48	1982	52 16	142	52	45.5 5.2	14 8.58	50 16	Yes	No	40 36 12 7	12500 5000 Lead	0 1 FIXED	IB FEATH 2		
			33		ALUMN MS			370	28.33 28	1178		0 0						
Deception	Santa Cruz 50	97263	-9	1987	61.8 18.3	155	61.8 18.3	55 7.1	18.4 12	61.7 18.3	Yes	Yes	50 46 12 8	17500 8000 Lead	0 1 FIXED	IB FOLD 2	ELPT Keel & OS/Spinnaker; Has a Code 0 headsail aboard - tacked to stem, no sprit (Mtg 3/19/09, -3 sec/mi for dual spinnakers)	
			-33		ALUMN MS			605	34.2 34.2	1758		32.9 1335 0 0						
Auggie	Santana 22	476	234	1969	26 8.5	150	26	21.75 3.95	9.833 6.59	26 8.583	Yes	No	22 18.666 7.833 3.5	2600 1230 Cast Iron	No 1 FIXED	OB None 0		
			222		ALUMN MS			131	0 0	335		0						
Zingaro	Santana 22	5050	237	1971	26 8.5	125	26	21.75 3.95	9.83 6.59	26 8.58	No	No	22 18.67 7.833 3.5	2600 1260 Iron	0 1 FIXED	OB None 0		
					ALUMN MS			131	15.44 15.44	335		0 0						
Ahi	Santana 35	30980	114	1981	39 12.85	155	39	42 5.51	14.25 9.26	39 12.85	Yes	No	35 26.5 11.92 6.25	8500 3300 Lead	0 1 FIXED	IB Fold 2		
			114		ALUMN FS			358	23.13 23.13	752		0 0						
Breakout	Santana 35	18679	114	1982	39 12.85	155	39	42 5.51	14.25 9.26	39 12.85	Yes	No	35 26.5 11.92 6.25	8500 3300 Lead	No 1 FIXED	IB FOLD 2		
			114		ALUMN FS			358	23.13 18.6	722		0						
Spirit-Of-Elvis	Santana 35	67630	114	1979	39 12.85	155	39	42 5.51	14.25 9.26	39 12.85	Yes	No	35.1 26.5 11.92 6.25	8500 3300 Lead	No 1 FIXED	IB FOLD 2		
			114		ALUMN FS			358	0 0	740		0						

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Kee		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst Keel Type		
Magic Cloud	Swan 48 FRERS CR MH	28481	<b>18</b> 2001	65.45 56.59	125	64.96 21.49	57.91 19.03	7.23 12.4	No	Yes	23 1212 1.666	48.65 41.01 14.17 7.9	34400 12100 Lead	No 1 FIXED	IB FEATH 2		
Encore	Sydney 36 CR	3632	<b>54</b> 2006	45.6 14	104		44.36 16.4	6.1 10.6	No	Yes	30 1297 3	36.06 31.04 11.32 7.55	11244 4850 Lead	No 1 FIXED	IB FOLD 2	Autralian IRC Rating 1.052	
Sapphire	Synergy 1000	38008	<b>45</b> 2004	40.8 12	125	45.75 16.4	42 15.5	6.99 11.08	No	Yes	28 1172 4.3	32.83 29.17 9.75 7	4400 1850 Lead	No 1 FIXED	IB FOLD 2		
Abba-Zaba	Tartan 10	8112	<b>126</b> 1979	35 12	155	35	40.25 13.75	5.34 8.86	Yes	No	0	33.1 27 9.25 5.83	6700 3340 Lead	0 1 FIXED	IB FOLD 2	Roller Furler	
Lazy Lightning	Tartan 10	860	<b>126</b> 1979	35 12	150	35	40.25 13.75	5.34 8.96	Yes	No	0	33.16 27 9.25 8.833	6700 3340 Lead	No 1 FIXED	IB FOLD 2		
Spindrifter	Tartan 30	77658	<b>180</b> 1971	39 13	155	39 13	34 11.416	3.833 6.833	No	No	0	29.92 24.25 10 4.92	8750 3700 Lead	0 1 FIXED	IB FEATH 2		
Isle Of Skye	Tartan 33 7/8 RIG	6	<b>159</b> 1979	36.42 12.42	100	36.42	41.58 14.42	4.6 8.1	No	No	0	33.67 28.08 10.92 4.42	10000 4400 Lead	No 1 FIXED	IB FEATH 3		

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Keel		Engine/Prop	Modifications
					I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No	Yes/No	ASF	Ttl Disp.		Traps/H. Strps	IB or OB		
		DW Rating			Mast Material		PY	MSA	SL SSMG	SPL SSA	SLU ASA	ASF	Max Beam	Ballast	moveable blst	Prop Type		
					Rig Type		EY		SSF		ASMG	Sprit Lngth Fixed or _o	Max Draft	Ballast Mat.	Keel Type	# of blades		
Breakaway	Ultimate 20 CM	180	144	2002	26.08 6.97	114	27.58 12.79	27.33 10.17	5.5 7.96	No	Yes	19.167	20.83	1350	No	OB		
			108		CARBON FS				193	0 0	30.42 28.417 17.7	441 6 0	18 8.33 5	450 Lead	1 FIXED	Fixed_3 3		
For Pete's Sake	Ultimate 24 ODR	28469	111	2003	28.04 7.82	102	30.8 14.5	31 11.5	5.5 8.8	No	Yes	22.2	24.38	2040	No	OB		
			69		CARBON FS			0 0	238		36 30.6 20.9	587 6.7 0	21.17 8.48 5.52	750 lead	1 FIXED	None		
Max	Ultimate 24 ODR	2	108	2002	28.04 7.82	110	30.8 14.5	31 11.35	6.81 9.18	No	Yes	21.3	24.38	2040	0	OB		
			69		CARBON FS				254		35.5 27.8 21.3	562 6.7 0	21.17 8.48 5.52	750 Lead	1 FIXED	None		
Vuja De	Ultimate 24 ODR	28978	111	2003	28.04 7.82	110	30.8 14.5	31 11.35	6.35 9.5	No	Yes	22.2	24.38	2080	No	OB		
			69		CARBON FS			0 0	253		36 30.8 21	591 6.7 0	21.17 8.5 5.5	750 Iron	1 CNTRBRC	None		
Willow	Wauquiez 40s Centurion	38300	69	2004	51.5 14.17	110	51.5	49.21 19.3	7.3 12.5	Yes	Yes	28.54	41.17	18960	No	IB	(mtg 3/18/10, -3 sec/mi for oversized a-sail.)(mtg 1/27/11, - 3 sec/mi for added sprit)	
			57		ALUMN FS				564	50.73 25.54 25.54	14.17 1080	1155 2.4	36.4 12.66 7.75	6085 Lead	1 FIXED	FEATH 3		
Cape Farewell	Westsail 32	38408	225	1975	42.25 20	110		38.25 14.25	4.06 8.12	No	No		32	19500	0	IB		
					ALUMN CTR			0 0	293			0	11 5	7000 Lead	1 FIXED	Fixed_3 3		
Lucky Duck	Wylie 34	18709	123	1979	38.6 11.3	125	38.6 11.3	41 14.3	5.5 9.3	Yes	Yes	21.36	33.75	8026	0	IB		
			120		ALUMN FS			0 0	351	38 21.6 21.4	12 683	567 0	25.75 10.83 6	3100 Lead	1 FIXED	FOLD 2		

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Kee		Engine/Prop	Modifications
					I	J	Max Headsail	ISP	PE	MGU	SL	SPL	Yes/No		Yes/No	ASF		
		DW Rating			Mast Material		JSP	PY	MGM	SSMG	SSA	SLU	ASA	LWL	Ballast Mat.	moveable blst	Prop Type	
					Rig Type			EY	MSA	SSF		SLE	Sprit Length	Max Beam	Keel Type		# of blades	
Furrari	Wylie Wabbit ODR W/Trap	47	<b>126</b>	1983	20.5 6.5	150	20.5	23.75 10	4.03 6.72	Yes	22	8.5	No	23.75 20	975 440	1 3	OB None	INCLUDES HIKING STRAPS AND SINGLE TRAPEZE.
			<b>87</b>		ALUMN FS			0 0	145	13.9 13.7	254		0 <input type="checkbox"/>	5.583 3.5	Lead FIXED		0	
Mr McGregor	Wylie Wabbit ODR W/Trap	8426	<b>126</b>	1982	20.5 6.5	150	20.5	23.75 10	4.03 6.72	Yes	22	8.5	No	23.75 20	975 440	1 3	OB None	INCLUDES HIKING STRAPS AND SINGLE TRAPEZE.
			<b>87</b>		ALUMN FS			0 0	145	13.9 13.7	254		0 <input type="checkbox"/>	5.58 3.5	Lead FIXED		0	
Bandicoot	Wyliecat 30 IB	28530	<b>111</b>	2000	0 0		29 10	39.75 20.5	7.87 13.46	No	29	10	Yes	30.5 25	5500 3050	0 1	IB FEATH	(mtg 5/20/10, -21 sec/mi for added spinnakers)
			<b>105</b>		CARBON CATBOAT			0 0	488	17.75 17.75	429		25 22.5 <input type="checkbox"/>	9.5 5.25	Lead FIXED		2	
Crinan II	Wyliecat 30 IB	15	<b>132</b>	2002				39.75 20.5	7.79 13.32	No			No	30.5 25	5500 3050	No 1	IB FOLD	
			<b>138</b>		ALUMN CATBOAT			0 0	485				0 <input type="checkbox"/>	9.5 5.25	Lead FIXED		2	
Dazzler	Wyliecat 30 IB	28259	<b>132</b>	1997				40 20.7	7.87 13.46	No			No	30.5 25	5700 3050	0 1	IB FOLD	INSTALLED IB ENGINE JAN 99
			<b>138</b>		CARBON CT			0 0	493				0 <input type="checkbox"/>	9.5 5.25	Lead FIXED		2	
Uno	Wyliecat 30 IB	28632	<b>129</b>	1995	35.8 5.5		35.8 12	39.66 19.75	9.31 13.05	No		12	No	30.5 25	5800 3000	0 1	IB FOLD	(mtg 2/21/08, penalty for oversized main -3 sec/mi)(Mtg 5/22/08, -24 for asymmetric spinnaker flown on 12' pole)(6/11/08, removed asymmetric spinnaker +24 sec/mi)
			<b>138</b>		CARBON CAT				493				0 <input type="checkbox"/>	9.5 5.25	Lead FIXED		2	
Whirlwind	Wyliecat 30 IB	38068	<b>132</b>	2009		0		39.75 20.56	7.87 13.46	No			No	30.56 25	5500 3050	0 1	IB Fold	
			<b>138</b>		CARBON CAT				489				0 <input type="checkbox"/>	9.42 5.25	Lead FIXED		2	

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Kee		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail		P E PY EY	MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps moveable blst Keel Type		
Life is Good	Wyliecat 30 OB	38349	<b>129</b> 2007		0		40 21	7.67 13.46	No	No			30.5 25 9.5 5.25	5500 3050 Lead	0 1 FIXED	OB None 3	
			<b>135</b>		CARBON CAT		493				<input type="checkbox"/>	0 0					
Surf	X-332-Sport	38415	<b>120</b> 2003	43.22 11.68	120		42 14.5	5.643 9.711	No	No			33.8 28.9 10.8 7.1	9038 3086 LeadIron	No 1 FIXED	IB FOLD 2	
				ALUMN FS			369				<input type="checkbox"/>	0					
Foxxfyre	Yamaha 33 IK SM	67248	<b>159</b> 1978	42.81 13.78	150	42.81	37.4 10.6	4.38 7.27	Yes	No			33.25 26.92 11 6.25	16000 4410 Iron	No 1 FIXED	IB FEATH 2	PER PHRF MTG 3/16/2000 - Weight Differencer from brochure is significant.
			<b>162</b>	ALUMN MS			0 0	246			<input type="checkbox"/>	0					
Sea Witch	Yankee 30-1 SM	8855	<b>186</b> 1971	37.5 12.75	125	37.5	32.5 9.83	2.45 4.91	Yes	No			30 23 9 5	8700 4180 Lead	No 1 FIXED	IB FOLD 2	mtg 2/10/04 - short "E" = +3 sec/mi.
			<b>195</b>	ALUMN MS			0 0	161			<input type="checkbox"/>	0					
Emerald	Yankee 30-2	37894	<b>177</b> 1971	40.5 12.75	125	40.5	34.92 11	4.18 7.15	Yes	No			30 23 9 5	8700 4170 Lead	No 1 FIXED	IB FOLD 2	
			<b>168</b>	ALUMN MS			0 0	229			<input type="checkbox"/>	0					