

NCPHRF - CURRENT FLEET ROSTER

This Roster represents the information on file for boats with a current NCPHRF certificate. If the boat you are looking for is not listed, their certificate is either not current or not yet updated to the list. You can contact the YRA office to verify a boat not found on this list at info@yra.org or via phone at 415.771.9500. This list is updated monthly.

As of: 5/25/2017

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SPL SSMG SSF	Yes/No SLU ASA SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.		Traps/H. Strps Ballast moveable blst Ballast Mat. Keel Type			
Skinny Love	11 Metre ODR	92	69 1996	32.53 10.166	95	41	36.08 13.583	5.23 8.82	Yes 41	No 13.17		33.67 26.92 8.67 5.42	3600 1600 Lead	No 1 FIXED	OB None 0	MTG 4/9/98. Sail number 90, using sail # 246 for Vallejo 2008	
			536 84	ALUMN FS			0 0	293	23.62 23.62	807	<input type="checkbox"/>	0					
Alpha Puppy	1D 35	35024	30 1999	42.49 12.52	110	44.78	44.46 18.58	7.5 12	No 45.11	Yes 14.76	31.4 1238	35 31.5 10.75 7.6	6500 2600 lead	No 1 FIXED	IB FOLD 2	6/13/11, boat now in same configuration as B-Line. Added 4.9' bowsprit and oversized spinnaker. -9 sec/mi for oversized asymmetric spinnaker, +3 sec/mi for inability to articulate sprit	
			517 95	CARBON FS			0 0	497	26.25 26.25	987	46.6 29.9	4.9 <input checked="" type="checkbox"/>					
Dark & Stormy	1D 35	35018	30 1998	42 12.47	110	44.8 17.39	44 19	7.5 12	No	Yes	31.4 1236	35 31.5 10.9 7.58	6550 2660 Lead	0 1 FIXED	IB FOLD 2	Fixed bow sprit, using Asymmetrical spinnaker(mtg 3/20/08, -9 sec/mi for oversized spinnaker, +3 sec mi for not being able to articulate pole, as sailed: 30)	
			518 95	CARBON FS			497				4.92 0	<input checked="" type="checkbox"/>					
Zsa-Zsa	1D 35	35017	36 1999	42.49 12.52	110	44.78	44.46 18.58	7.55 12	Yes 50	No 14.76		35 31.5 10.75 7.6	6500 2600 lead	No 1 FIXED	IB Feath 2		
			520 95	CARBON FS			0 0	498	26.5 26.5	1104	0	<input type="checkbox"/>					
Bodacious +	1D 48	48005	-15 1996	57.7 16.7	155	68.3 16.7	61.3 22.5	9.84 14.66	Yes	Yes	30.1 1673	48.3 40.2 14.2 10.1	19743 8818 Lead	0 1 FIXED	IB Fold 2	Water ballast system not operational (mtg 8/19/08, custom rating assigned of -30, includes dual spinnakers)(Mtg 3/24/11, new smaller mainsail, smaller symmetrical, change custom rating from 30 to 24)(Mtg 8/25/11)	
			490 138	CARBON FS			848		66.7 33.1 32.6	16.7 1834	67.7 65.7 30.1	0 0 <input checked="" type="checkbox"/>					
Mirthmaker	A 35	18250	69 2007	44.22 13.45	90	51.06	44.94 14.66	5.42 8.88	Yes	Yes	24.2 996	34.7 30.47 11.6 6.88	9810 4367 Lead	0 1 FIXED	IB Fold 2	(Mtg 5/20/10, custom rating of 60 assigned, would like a copy of ORR Certificate)(mtg 6/15/10, change custom rating from 60 to 63 based on further clarification of boats configuration)(Mtg 10/27/16, change custom rating from 63 to 60 after	
			574 158	CARBON FS			381		50.32 25.38 25.38	14.1 1064	58 46.7 22.5	1.5 <input type="checkbox"/>					

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications					
			Built	J	Max Headsail	ISP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp. Traps/H. Strps		IB or OB								
									JSP	E				MGM	SL		SPL	SLU		ASA	LWL	Ballast	moveable blst	# of blades
Disp/WL ratio	Mast Material	SSSF	SSA	SLE	Fixed or _o	Max Draft	Ballast Mat.	Keel Type																
Ada Helen	ace	922	96	2005	53	155	53	46.75	6.25	No	Yes	29.7	43.8	24400	No	IB	(Mtg 3/20/08 -6/sec/mi for OSP)(mtg 6/19/08, new larger a-sail, correct size for J, NCTR)							
			588		16.5		16.5	15.5	18		54.76	1303	36	8300	1	FOLD								
			238		ALUMN						50.5	0	13.1	Lead	FIXED	3								
					MS						29.7	<input type="checkbox"/>	90											
Kira	Aerodyne 38 SD	38104	45	2003	50.82	105	57.25	51.75	6.25	No	Yes	39.5	37.66	11850	0	IB								
			634		14.5		20.83	16.5	10.6		65.5	2062	34.21	4150	1	Fold								
			135		ALUMN				506		58.5		13	Lead	FIXED									
					FS						40	<input checked="" type="checkbox"/>	0											
Vanga	Alberg 30	30	231	1965	36.75	100	36	31	4.49	Yes	No		30.25	9000	0	IB	Roller Furler							
			732		10.5			14.25	8.2		36.5	10.5	21.67	3300	1	Fixed_3								
			402		ALUMN				243		18.9	575	8.75	Iron	FIXED	3								
					MS						18.9		0											
Alte Liebe	Albin Ballad 30	1266	183	1978	37.083	155	37.8	31.916	3.33	Yes	No		29.916	7276	No	IB	The J measurement in all Ballad documents & Sailmaker plans is 12.27 however the actual J= 11.3" (MTG 8/25/94), standard SPL is 12.27 (mtg 3/20/08)							
			698		11.249			9.333	5.58		36.83	12.27	22.583	3417	1	FOLD								
			287		ALUMN			0	171		22.2	679	9.666	Lead	FIXED	2								
					MS			0			21.83		5.09											
Puffin	Alden 44	38144	117	1978	54.1	100		47.08	5.7	No	Yes	33	44.17	24500	0	IB								
			595		19.5			14.75	9.6		53	1369	34.08		1	Feath								
			281		ALUMN				416		49	0	12.5	Lead	CNTRBRD									
					CTR						32	<input type="checkbox"/>	0											
Sobrante	Alerion Express 28 ODR	406	168	2009	30	90	30	33	4.8	No	No		28.25	5700	0	IB								
			218		9.75		9.75	12.5	7.6				22.83	2200	1	Fold								
					ALUMN				241				8.2	Lead	FIXED	2								
					FS								4.5											
Another Girl	Alerion Express 38-2	20	90	2011	42.98	90		47.5	9.58	No	No		38.3	13000	0	IB	(mtg 4/28/11, Custom rating of 90 assigned)							
			616		12.99			18.25	13.45				30.1	5000	1	Feath								
			217		CARBON				583				10.3	Lead	FIXED	2								
					MS								5.92											

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
			Rating		I	J	ISP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp. Traps/H. Strps		IB or OB		
			DW Rating		Max Headsail	ISP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type			
			Disp/WL ratio		Mast Material	JSP	PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades			
					Rig Type		EY			ASMG	Fixed or _o	Max Draft							
Abracadabra	Antrim 27 CM ODR	28927	75	1996	28.69 8.17	116	37.25 15	33.75 14	7.5 10.9	No	Yes	25.1 723	27.83 23.75	2900 1050	No 1	OB None	BOWSPRINT IS ARTICULATING		
			555 98		CARBON FS		0 0	327			6.83 13	9.25 6	Lead	FIXED	0				
Ad Lib	Aphrodite 101	8161	144	1979	36.83 11.81	100	32.23	39.33 11.48	4.5 6.1	Yes	No		32.75 26.33	6160 3527	No 1	IB FOLD			
			645 153		ALUMN FS		0 0	253			0	7.92 5.42	Lead	FIXED	2				
Alchimiste	Archambault 27	38973	78	2013	34.25 10.83	100	39.08 15.98	34.78 12.63	4.75 8.16	No	Yes	26.9 872	27.4 22.7	4894 1814	0 1	IB Fold	(Mtg 10/22/15, Custom rating assigned. Includes -9 sec/mi penalty for 22% oversized ASA & +3 sec/mi credit for non-articulating sprit. As sailed: 78)		
			616 190		ALUMN FS			261			0	9.7 5.7	Lead	FIXED					
Outsider	Azzura 310	1000	57	1996	35.35 11.55	110	43.33 21.57	38.75 13.25	6.68 10.5	No	Yes	30.1 1163	30.75 27.4	4850 2100	No 1	OB Fixed_3	6 FT ARTIC, RETRAC BOWSPRIT. MTG 3/28/96 (RATED 66) (CHNG NOTED 4/18/96-NO CHNGE RTNG. (2/13/96 FM 66 TO 60.)(MTG 11/13/97 FM 60 TO 57)MTG 2/12/98 FM 57 TO 63 (MTG 4/9/98) Inboard Sail Drive removed and replaced with		
			525 107		CARBON FS		0 0	352			6	10 7.2	Lead	FIXED	3				
Wayward Wind	Baltic 38 DP	87258	96	1983	52.25 15.82	155	52.25	46.25 13.75	4.53 8.2	Yes	No		38.08 31.5	14330 6512	0 1	IB Fold			
			578 208		ALUMN MS			357			0	12.34 7.25	Lead	FIXED					
Imagination	Bavaria 40	0	108	2001	47.25 14.58	111	48	44.46 15.58	5 9.21	No	Yes	20 828	40.94 35.93	17417 6283	0 1	IB Fold			
			594 171		ALUMN FS			386			0	13.1 6.4	Lead	FIXED					
Zara	Beneteau 310	144	135	1993	37.04 10.83	135	37.04 10.82	37.8 12.9	5.2 8.9	No	Yes	21.6 528	31.2 27.7	7054 2160	0 1	IB Fixed_2			
			645 151		ALUMN FS			301			0	10.5 4.3	Lead	FIXED					

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
			Rating		I	J	P	MGU	Yes/No	Yes/No	ASF	Ttl Disp.		Traps/H. Strps	IB or OB		
			DW Rating		Max Headsail	ISP	E	MGM	SL	SPL	SLU	ASA		Ballast	moveable blst	Prop Type	
			Disp/WL ratio		Mast Material	JSP	PY	MSA	SSMG	SSA	SLE	Sprit Lngth		Ballast Mat.	Keel Type	# of blades	
					Rig Type	EY		SSSF	ASMG	Fixed or _o							
Friday Harbor	Beneteau 323 DK	28580	147	2004	42.67 11.06	116	38.9 13.17	5 8.56	No	Yes	19.91	32	8448	No	IB		
			633		ALUMN					45.4	661	29.17	2258	1	FOLD		
			155		MS		306			41.34	0	10.67	Iron	FIXED	2		
										17.9	<input checked="" type="checkbox"/>	5.92					
Curie	Beneteau 32S5	52868	138	1990	38.39 9.68	150	38.39 9.68	38.88 13.78	5.3 9.01	Yes	No	17.3	9260	0	IB		
			652		ALUMN			39.98	9.6	No	17.3	27.83	2980	1	FOLD		
			195		FS		321	17.3	576	35.75	519	10.83	Cast Iron	FIXED	2		
								17.3		18.4	<input checked="" type="checkbox"/>	6					
French Kiss	Beneteau 350 Oceanis	28713	144	1989	41.47 12.8	140	41.47	35.7 11.6	4.2 7.3	Yes	No	33.83	10580	0	IB	Above deck Roller Furler	
			633		ALUMN			39.5	12.52	No		29.83	3525	1	FOLD		
			181		MS		0	22.5	741		0	11.17	Lead	FIXED	2		
								22.5			<input type="checkbox"/>	5.17					
First Light	Beneteau 35S5	115	126	1991	41.66 11.15	98		42.65 15.09	5.25 9.042	Yes	No	35.42	11460	No	IB		
			630		ALUMN			42.7	11.15	No		29.33	4190	1	Fixed_2		
			206		FS		0	20.5	729		0	11.83	Lead	FIXED	2		
							0	20.5			<input type="checkbox"/>	6					
Ciao Bella	Beneteau 37	38	117	2009	45.833 15	105		43.5 12.9	6.16	No	No	37.666	14008	0	IB		
					ALUMN					No		34.75	3902	1	FOLD		
			152		FS						0	12.833	Iron	FIXED	3		
											<input type="checkbox"/>	6.25					
Elan	Beneteau 37	46	114	2012	45.83 15	105	48	43.5 12.83	6.16 8.83	No	Yes	26.6	14359	0	IB		
			596		ALUMN					Yes	26.6	34.08	3901	1	Fold		
			165		FS		359			45.94	915	12.83	Iron	FIXED			
										39.17	0	6.25					
										25.6	<input checked="" type="checkbox"/>						
Irie	Beneteau 393 Oceanis SD	38200	150		46 14.5	110	46 14.5	40.2 15.1	4.63 8.12	No	Yes	24	21700	0	IB		
			633		ALUMN					Yes	24	35.1	5357	1	Fold		
			228		MS		324			45	755	13	Cast Iron	FIXED	3		
										39.5	0	5.1					
										20.8	<input type="checkbox"/>						

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications						
			Built	J	Max Headsail	ISP JSP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp. Traps/H. Strps		IB or OB									
									DW Rating	Mast Material				E	MGM		SL	SPL		SLU	ASA	LWL	Ballast	moveable blst	# of blades
EY	SSA	ASMG	Fixed or _o	Max Draft																					
Freedom	Beneteau 523	38333	54	2006	65.22 20.77	105	59.09 18.53	6.39 11.04	No	Yes	35.519	53.08	32800	No	IB	Bow Thruster, in-mast furling, above deck jib furler; (Mtg 8/17/06 - +6 s/m for small girth main); electric winches added 1/29/07 (Mtg 3/28/13, +3 secmi for 8% decrease in mainsail area)									
			512		ALUMN					66.974	1854	47.92	10935	1	FOLD										
			135		FS		620			58.269	2	16	Iron	FIXED	3										
										35.519	<input type="checkbox"/>	0	7.5												
Drop Beer	Beneteau Class 10	18277	90	1984	37.8 12.6	150	39.7 13.9	4 8.7	Yes	No		34.2	7000	0	IB	NEW RUDDER 3/4/95, NCTR (MTG 3/36/95)									
			588		ALUMN		0	308		36.11	12.6	29.6	2200	1	FOLD										
			123		FS		0	0		22.1		9.9	Iron	FIXED	0										
							0			22.1		6.8													
Allegro	Beneteau Farr First 36.7	56657	78	2010	46.42 13.1	155	45.4 15.6	5.92 12.49	Yes	Yes	23.41	36	12939	0	IB	(Mtg 1/26/16, -3 sec/mi for increased JSP)									
			601		ALUMN			458		45.25	13.1	30.3	3993	1	Fold										
			211		FS					23.58	889	11.4	Lead	FIXED	2										
										23.5		7.3													
Ariadne	Beneteau Farr First 36.7	403	84		46.4 13.1	125	46.4 15.6	5.92 12.49	Yes	No		36	12495	No	IB										
			601		ALUMN		0	468		45.8	13.1	30.3	4034	1	Fold										
			204		FS		0	0		23.5		11.4	Lead	FIXED	2										
							0			23.5		7.3													
Hera	Beneteau Farr First 36.7	28372	81	2002	46.4 13.1	150	45.4 15.6	5.92 12.49	Yes	No		36	12495	No	IB										
			602		ALUMN		0	458		45.8	13.1	30.3	3748	1	FOLD										
			204		FS		0	0		23.01		11.6	Lead	FIXED	2										
							0			22.1		7.2													
Mistral	Beneteau Farr First 36.7	28394	81	2002	46.4 13.1	155	45.4 15.6	5.92 12.49	Yes	No		35	12495	No	IB										
			602		ALUMN		0	458		45.8	13.1	30.3	4034	1	FOLD										
			204		FS		0	0		23.47		11.6	Iron	FIXED	2										
							0			22.07		7.2													
Pressure Drop	Beneteau Farr First 36.7	52489	78	2006	46.4 13.1	155	45.4 15.6	5.92 12.49	Yes	No	23.29	36	12495	0	IB	(12/2/16, -3 sec/mi for JSP)									
			602		ALUMN			458		46.25	867	30.3	4034	1	Fold										
			204		FS					23.5	897	11.4	Lead	FIXED	2										
										23.5		7.3													

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications		
				DW Rating	J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.			Traps/H. Strps moveable blst Ballast Mat.	Keel Type
									SL	SPL	SLU	ASA							
									SSMG SSF	SSA	SLE	ASMG							
Can O' Whoopass	CAL 20	624	273 1965	22 7.33 115	22 7.33	23 10	4 6.7	22 13.2 13.2	Yes	No	0 0	20 18.1 7 3.33	2000 900 Iron	0 1 FIXED	OB None 2	(mtg 4/24/08, -18 sec/mi for adding single trapeze wire) (10/2/08 - removed trapeze, now racing as a standard cal 20 -18 sec/mi penalty removed)(3/5/09 added single trapeze back, -18 sec/mi)(8/26/09, switching back to standard Cal 20)			
Green Dragon	Cal 20	4188	273 1965	22 7.33 125	22	23 9.84 0 0	3.84 6.5 137	22 13 13	Yes	No	0 0	20 18.08 7 3.33	1950 900 Steel	0 1 FIXED	OB None 0				
SF	CAL 25-1 OB	1062	225 1969	29.75 10 120	29.75	25 11	4.17 7 163	No	No	0 0	25 20 8 4	4000 1700 Lead	0 1 FIXED	OB None					
Adagio	CAL 25-2 OB	216	1979	33 11 150		28 9.5	3.9 6.5 165	No	No	0 0	29.25 22 9 4.5	4500 2000 Lead	0 1 FIXED	OB None					
Happiness	Cal 27-2 OB	3893	201	36 12 95	36 12	30.67 10.25	3.25 6.5 180	Yes	No	0 0	26.58 22.08 9.25 4.25	6700 3100 Lead	0 1 FIXED	OB None					
Dura Mater	CAL 27-2 IB	616	213 1979	36 12 120		30.83 10.25	4.21 7 195	Yes	No	0 0	26.58 22.08 9.25 4.25	6700 3100 Lead	0 1 FIXED	IB Fixed_3 3					
Moxie	CAL 28-2	28217	183 1988	39.9 11.4 90	39.9 11.4	34.17 10.33	4.28 7.11 219	Yes	No	0 0	28 23 10.8 5.3	7200 Lead	0 1 FIXED	IB FOLD 2					

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications			
				DW Rating Disp/WL ratio	I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast	Traps/H. moveable blst		IB or OB Prop Type # of blades		
									SL SPL SSMG SSF	SPL SSA	SLU SLE ASMGM	ASA Sprit Lngth Fixed or _o							Ballast Mat.	Keel Type
Serendipity	CAL 29-1 IB	6601	180 1974	37.833 12.333 155 37.833 12.67	31.666 4.332 12.166 7.573	Yes	No	29.25 24.17 9.25 4.75	8000 3350 Lead	No 1 FIXED	IB FOLD 2									
Kira	Cal 33-2	28999	132 1986	46 13.25 125 46 13.25	40.5 4.82 12.75 8.23	No	Yes	33 27.5 11.33 6.12	10800 4475 Lead	No 1 FIXED	IB FOLD 2	(Mtg 1/26/12, -3 sec/mi for increased "e" & MSA)								
Ecco	CAL 39-2/3	115	117 1980	50 16.7 125 50	44 5 13.75 8.5	No	No	39 32.1 12.15 6.7	17000 7000 Lead	0 1 FIXED	IB Feath									
Sea Star	CAL 39-2/3	38022	114 1977	50 16.7 150 50	44 4.5 13.8 8	Yes	Yes	39 32 12 6.7	17000 7000 Lead	0 1 FIXED	IB FEATH 3	Roller Furler								
Azure	CAL 40	72	114 1966	46 15.17 150 46	40 6.65 17.5 11.37	Yes	No	39.3 30.5 11 5.5	15500 6000 Lead	0 1 FIXED	IB FEATH 2									
Green Buffalo	CAL 40	8538	114 1967	46.7 15.2 155 46.7	39.8 6.65 17.6 11.37	Yes	No	39.3 30 10.9 5.8	15148 6000 Lead	0 1 FIXED	IB FEATH 3	Schumacher designed rudder - same as original								
Highlander	Cal 40	4590	117 1968	46.2 15.2 150 46.2	39.5 6.65 17.5 11.37	Yes	No	39.25 30.25 11 5.58	15000 6000 Lead	0 1 FIXED	IB Fixed_2 2									

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		Ttl Disp. Ballast		Traps/H. moveable blst	IB or OB Prop Type # of blades		
								SL	SPL	SLU	ASA						
								SSMG SSF	SSA	SLE	Sprit Lngth Fixed or _o					Ballast Mat.	
Disp/WL ratio																	
Nozomi	CAL 40	164	114 1970	46.2 15.2 155	46.2	39.9 17.6	6.6 11.37	416	Yes	No	39.5 30 11 5.6	15500 6000 Lead	0 1 FIXED	IB FEATH 3			
Redhead	Cal 40	7817	114 1964	46 15.17 155	46.36	40 17.5	6.5 11.3	414	Yes	No	39.5 30 10.92 5.75	16500 6000 Lead	No 1 FIXED	IB Feath 2			
Riff Rider	Cal 40	46	114 1965	46.2 15.1 155	46.2	40 17.5	6.5 11.3	414	Yes	No	39.3 30.3 11 5.6	15000 6000 Lead	0 1 FIXED	IB Fold			
Finn	Capo 26 IB	18782	162 1985	34.6 10.56 155		30 10	4.1 6.8	185	Yes	No	26 22 9.25 4.58	4300 1900 Lead	0 1 FIXED	IB Fold			
JouJou	Capo 30	87324	123 1984	41.7 12.75 120	41.5	36 11.5	4.37 7.47	247	Yes	No	30 25 10.33 5.43	7200 3000 Lead	0 1 FIXED	IB Fold 2	Roller Furler		
Skye	Capo 30 MOD	0	114 1984	41.7 12.75 120	41.5 12.75	36 11.5	4.37 7.47	247	Yes	No	33 26 10.33 5.42	7500 3000 Lead	0 1 FIXED	IB Feath	(Mtg 5/25/17, -9 sec/mi for increased LOA from added sugar scoop)		
SLOWMO!	Catalina 22-1 OB SK	2482	270 1973	25.93 8 150		21 9.66	3.47 5.96	118	No	No	21.6 19.4 7.8 5	2250 550 Iron	0 1 MVBL	OB None 3			

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
			Build		I	J	ISP	P	MGU	Yes/No	Yes/No	ASF	Ttl Disp.		Traps/H. Strps	IB or OB		
			DW Rating		Max Headsail	ISP	E	MGM	SL	SPL	SLU	ASA	Ballast		moveable blst	Prop Type		
			Disp/WL ratio		Mast Material	JSP	PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Ballast Mat.		Keel Type	# of blades		
					Rig Type	EY			ASM	Fixed or _o								
un-named	Catalina 22-2 OB FK	15622	255	2006	25.8 8	135	25.83 8	21 9.67	3.5 6.08	Yes	No	21.5 19.33 7.67 5	2250 550 Lead	0 1 CNTRBRD	OB None			
Sparky	Catalina 25 FK	1498	222	1979	29 10.5	145	29 10.5	24.66 9.58	3.68 1.45	Yes	Yes	17.9 22.16 8 4	4550 1900 Cast Iron	0 1 FIXED	OB None 0			
Blue Ribbon	Catalina 27 IB	343	213	1975	34.5 11.25	120		28.7 10.5	3.5 6.3	No	No	26.83 21.75 8.83 4	6850 2650 Lead	0 1 FIXED	IB Fixed_3 3			
Miss Kate	Catalina 27 IB	4630	210	1980	34.5 11.25	125	34.5 11.25	28.66 10.5	3.99 6.83	No	Yes	20.35 21.75 8.85 4	6850 2700 Lead	0 1 FIXED	IB Fixed_2			
Oshun	Catalina 27 OB	1216	201	1974	34 11.25	95		28.67 10.5	4.24 7.08	No	No	26.83 21.75 8.83 4	6850 2750 Lead	0 1 FIXED	OB None			
Blue Ribbon II	Catalina 270 IB	38087	207	1994	33.58 9.25	135	33.58	28.42 11.5	4.67 7.61	No	No	27 23.75 9.83 5	6400 2000 Lead	0 1 FIXED	IB Fixed_2 2			
Azure	Catalina 275 Sport	1	156	2013	34.42 8.99	106	11.83	31.5 11.48	5.33 8.17	No	Yes	27.5 26.57 8.5 5.2	5000 2040 Lead	0 1 FIXED	IB Fixed_2			

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications			
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H.	Strps		IB or OB Prop Type # of blades		
								SL	SPL	SLU	ASA								Ballast	moveable blst
								SSMG SSF	SSA	SLE	ASMG									
Avalon	Catalina 30	6138	183 1992	41 11.416 ALUMN MS	120	41	35 11.5 0 0	4.63 7.72 246	No	No	0	29.92 25 10.83 5.25	10200 4200 Lead	0 1 FIXED	IB Fold 2					
Goose	Catalina 30	1210	180 1979	41 11.416 ALUMN MS	155	41	35 11.5 0 0	4.63 7.72 246	Yes 40 20.7 20.7	No 11.5 690	0	29.92 25 10.83 5.25	10200 4200 Lead	No 1 FIXED	IB FOLD 2					
Ross's Dream	Catalina 30	4895	180 1987	41 11.42 ALUMN MS	150	41	35 11.5 0 0	4.63 7.72 246	Yes 40.45 20.7 20.7	No 11.5 698	0 0	29.92 25 10.83 5.25	10200 4200 Lead	0 1 FIXED	IB Fold 2					
TASHI	Catalina 30	2010	189 1976	41 11.5 ALUMN MS	110	41	35 11.5 0 0	4.63 7.72 246	No	No	0 0	29.92 25 10.83 5.25	10200 4250 Lead	0 1 FIXED	IB Fixed_3 3					
Xtasea	Catalina 30	0	186 1985	41 11.5 ALUMN MS	110	41	35.5 11.5 0 0	4.63 7.72 250	Yes 40.45 20.7 20.7	No 11.5 698	0 0	29.92 25 10.83 5.25	10200 4250 Lead	0 1 FIXED	IB Fixed_2 2					
Christine Rose	Catalina 30 TM	0	183 1977	43 13.16 ALUMN MS	150	43 13.16	37 12 0 0	4.8 8 270	Yes 43.08 23.6 23.6	No 13.16 847	0 0	29.92 25 10.83 5.25	10200 4250 Lead	0 1 FIXED	IB Fixed_3 3					
Sea Breeze	Catalina 320	850	156 2001	43.58 12.33 ALUMN MS	135	43.58	38 13.25 0 0	5.168 8.661 303	No	No	0 0	32.5 28 11.75 6	11300 4000 Lead	0 1 FIXED	IB Fold 2					

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
				J Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp.	Traps/H. Strps		IB or OB Prop Type # of blades		
								SL SSMG SSF	SPL SSA	SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o			Ballast	moveable blst			
																	Keel Type	
Disp/WL ratio	Mast Material Rig Type	205	205	205	205	205	205	205	205	205	205	205						
Mottley	Catalina 34	8	147	1986	44 13.5	130	44 14	38.5 4.7 12 8.05	0 281	No	No	34.5 29.833 11.75 5.583	11950 5000 Lead	No 1 FIXED	IB Fold 2			
Amandla	Catalina 34 1&2	796	147	1988	46 13.5	130		38.5 12		No	No	35.75 29.8 11.75 5.6	11950 5000 Lead	0 1 FIXED	IB FOLD 3			
Crews Nest	Catalina 34 1&2	1383	147	1997	44 13.5	130	44 13.5	38.5 3.6 12 6.8	0 251	Yes 42 24 23.5	13.5 837	No 11.75 5.58	11950 5000 Lead	No 1 FIXED	IB FEATH 3			
Mirth	Catalina 34 1&2	28634	150	2005	44 13.5	125		38.5 4.17 12 7.33	265	No	Yes 42.23 38.63 20.21	22.02 693 0 0	11950 5000 Lead	No 1 FIXED	IB FEATH 3			
Music	Catalina 34 1&2	56583	147	2001	44 13.5	130		38.5 3.6 12 6.8	251	No	Yes 45 39.2 21.7	21.8 762 0 0	11950 5000 Lead	0 1 FIXED	IB FOLD 2			
Nessie	Catalina 34 1&2	734	156	1988	44 1.5	100	44 13.48	38.5 4.7 12 7.54	274	No	No	34.5 29.83 11.75 5.58	11950 5000 Lead	0 1 FIXED	IB Fixed_3 3			
Queimada	Catalina 34 1&2	611	147	1988	44 13.5	150	44 13.5	38.5 4.2 12 7.2	263	Yes 42.5 23.35 23	13.5 825	No 11.75 5.58	11950 5000 Lead	0 1 FIXED	IB Fold 2			

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
				J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp. Traps/H. Strps		IB or OB Prop Type # of blades		
									SL	SPL	SLU	ASA		Ballast	moveable blst			
																	SSMG	
SSF	SSA	ASM	Fixed or _o															
Sacagawea	Catalina 34 1&2	375	156	1987	44 13.5	95	44 13.48	38.5 4.7 11.75	4.7 7.54	No	No	34.5 29.83 11.75 5.6	11950 5000 Lead	0 1 FIXED	IB Fixed_3 3			
Sailor Dog	Catalina 34 1&2	1798	162	2007	44 13.5	110	44 13.5	38.5 12	2.8 5.9	No	Yes	34.5 29.8 11.7 5.6	11950 5000 Lead	0 1 FIXED	IB Fixed_3 3	In-Mast furling main +3 sec/mi, MGM less than 50% of E +3 sec/mi		
Sea Spirit	Catalina 34 1&2	108	147	1986	44 13.5	130	44 13.5	38.5 12	4.36 7.54	Yes	No	34.5 29.83 11.75 5.58	11950 5000 Lead	No 1 FIXED	IB FOLD 2			
Sterling	Catalina 34 1&2	1269	153	1994	44 13.5	125		38.5 12	3.6 6.8	No	No	35.66 29.84 11.75 5.56	11950 5000 Lead	0 1 FIXED	IB Fixed_2			
All Hail	Catalina 34 TM	524	144	1988	46 13.5	130	45.9 13.5	40.5 12	4.8 8	No	No	35.66 29.84 11.75 5.56	12000 5000 Lead	0 1 FIXED	IB Fold			
Endless Summer	Catalina 36	271	150	1984	44.75 14.33	95	44.75 14.33	39 12	4.33 8.01	No	Yes	36.33 30.25 11.92 5.83	13500 6000 Lead	0 1 FIXED	IB Fixed_3 3			
Andiamo	Catalina 36-2	2168	153	2004	44.75 14.33	115		39 13	3.04 6.16	No	Yes	36 30.25 11.9 5.8	14200 6000 Lead	0 1 FIXED	IB Fixed_3 3	In-Mast Furling Mainsail, +3 sec/mi		

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		Ttl Disp.		Traps/H. Strps moveable blst				
								SL	SPL	SLU	ASA				Ballast Mat.			Keel Type
								SSMG SSF	SSA	SLE ASMG	Sprit Lngth Fixed or _o							
Lawless	Catalina 36-2	2056	147 2002	44.75 14.42 ALUMN MS	155	44.9	39 12	4.83 8.05	286	No	No	36.42 30.33 11.92 5.83	13500 6042 Lead	0 1 FIXED	IB Fixed_3			
Dulcinea	Catalina 38	88	117 1981	49.83 15.5 ALUMN MS	130	49.8 15.5	44 11.5	4.37 7.6	304	No	No	38.17 30.25 11.83 6.75	15900 6850 Lead	0 1 FIXED	IB Fold 2			
Flight Risk	Catalina 38	87586	117 1983	49.8 15.5 ALUMN MS	155	49.8	44 11.5	4.18 7.12	294	Yes	No	38.24 30.45 11.12 6.1	19489 6850 Lead	No 1 FIXED	IB Fold 2	Roller Furler		
Harp	Catalina 38	18003	117 1983	50.7 15.43 ALUMN MS	155	50.9 15.43	44 11.5 0 0	4.8 7.97 316	0	Yes	No	38.17 30.25 11.83 6.79	19489 6850 Lead	No 1 FIXED	IB FOLD 2	DEC 93 - 7X19 STND RIG/ W/ROD RIG & SHRTN UPR SPREADERS 2 IN. NO CHNG RTNG (MTG 1/27/94)		
Wood Eye	Catalina 38	111	123 1981	49.83 15.5 ALUMN MS	110	49.83 15.5	44 11.5	4.7 7.9	313	Yes	No	38.17 30.25 11.83 6.75	15900 6850 Lead	0 1 FIXED	IB Fixed_2 2			
Seaya	Catalina 380	252	120 2000	50.916 14.667 ALUMN MS	135	44.833 15.667	5.2 10	405	No	No	38.42 32.42 12.33 7.17	19000 6800 Lead	No 1 FIXED	IB FEATH 3				
Popstar	Catalina 400	331	108 2005	52.5 15.5 ALUMN MS	135	52.5 16.5	46.9 17	4.02 8.27	393	No	Yes	41.54 36.5 13.5 6.92	20500 8300 Lead	0 1 FIXED	IB Fold 3	(+3 sec/mi for in-mast furling mainsail, +3 sec/mi for MGM <50% of E)		

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		SLU ASA Sprit Lngth Fixed or _o		Ballast moveable blst	IB or OB Prop Type # of blades		
								SL	SPL	SLU	ASA						
								SSMG SSF	SSA	SLE ASMG	ASA						
Disp/WL ratio									Ballast Mat.	Keel Type							
Carmelita	Catalina 42-1/2	131	105 1990	53 16.42 125	53	46.75 4.98 15.5 8.85 49 16.42 57 1131 51.25 0 24.42	53	53	Yes	Yes	27.75	41.83	22000 8300 Lead	No 1 FIXED	IB FEATH 3		
Fariage	Catalina 42-1/2	336	102 1992	53 16.42 130	53 16.42	46.75 5.75 16.42 9.83 437	53	53	No	Yes	27.08	41.83	20600 8300 Lead	0 1 FIXED	IB Feath 3		
Post Time	Catalina 42-1/2	362	102 1993	53 16.42 135	53 16.42	46.75 5 15.5 9 401	53	53	No	No	0 0	41.83 36 13.83 6	24000 8300 Lead	0 1 FIXED	IB Feath 3	In-Boom Furling Mast, Electric Halyard Winch	
Revelry	Catalina 42-1/2	703	105 1999	53 16.416 125	53 16.416	46.75 5.75 15.416 9.833 0 425 0	53	53	No	Yes	27.5 1097 0	41.833 36 13.833 6.83	20500 8300 Lead	No 1 FIXED	IB FEATH 3	ASYM SPIN NOTED NCTR.	
TESA	Catalina 42-1/2	642	102 1999	53 16.41 155	53 23	46.75 5.91 15.416 10 0 430 0	53	53	Yes	Yes	31 1275 0 32	41.83 36 13.83 6.8	25500 8300 Lead	0 1 FIXED	IB FEATH 3	Added one electric main halyard winch	
Vita E Bella	Catalina 42-1/2	989	99 2007	53 16.5 155	53 16.5	46.9 5.2 15.6 9.5 415	53	53	No	Yes	27.3 1105 3.67 0	41.83 36 13.1 6.8	24400 3765 Lead	0 1 FIXED	IB FOLD 3	(mtg 3/28/13, -3 sec/mi for added sprit)	
Endless Summer	Catalina 42-1/2 WK	688	111 2000	53 16.5 155	53	46.75 5.08 15.5 9.16 405	53	53	No	No	0 0	41.83 36 13.83 4.83	28000 8300 Lead	0 1 FIXED	IB Feath 3		

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications									
			Built	J	Max Headsail	ISP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB											
									DW Rating	Mast Material								E		MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type
EY		SSF	ASM	G	Fixed or _o	Max Draft																						
Grunion	Catalina 425	11	87	2017	55.75 15.67	125	17.34	52 18	5.04 9.58	No	No	41.67 39.08 13.67 6.67	17500 7000 Lead	0 1 FIXED	IB Fold	(Mtg 1/26/17, need to submit spinnaker measurements when available)												
Althea	Cavalier 39	38101	129	1981	48.5 14.83	120	16.13	42 12	4.55 7.79	No	Yes 16.13	38.98 29.49 11.22 5.97	13228 7513 Lead	0 1 FIXED	IB Fixed_3	(Mtg 4/28/16, -3 sec/mi for oversized spinnaker pole, -3 sec/mi for oversized spinnaker)												
California Condor	Class 40	94	6	2010	53.9 15.65	104	58.6 23.85	53.21 18.81	11.71 14.38	No	Yes	40 39.17 14.7 9.84	12225 4710 Lead	0 1 FIXED	IB Fold 2	Short-Handed Bay Configuration												
Arby	Colgate 26	212	159	2004	27.75 8.25	105	27.75	29.75 11.2	4.3 7.3	No	No	25.7 20 8.5 4.5	2600 1040 Lead	0 1 FIXED	OB Fixed_3 3	Non Spinnaker configuration												
Bosporus II	Columbia 36	97415	156	1968	42.75 15	150	41.75 15	34.666 14	5.3 9.1	Yes	No	35.75 28.25 10.5 5.42	13000 5000 Lead	No 1 FIXED	IB Fold 2													
Wings	Columbia 5.5 M ODR	31	177	1965	29.125 8.25	96	30	34 11.416	4.59 7.65	Yes	No	32.416 25 6.25 4.33	4400 2800 Lead	No 1 FIXED	NA None 0													
Six Brothers	Columbia C 30-2	32006	57	2013	36.67 12.67	103	42 17.67	38 14.67	7.77 10.64	No	Yes	32 27 10.13 7.42	4500 1900 Lead	0 1 FIXED	IB None													

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications							
			Built	J	Max Headsail	ISP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp. Traps/H. Strps		IB or OB										
									JSP	E				MGM	SL		SPL	SLU		ASA	LWL	Ballast	moveable blst	# of blades		
																									PY	MSA
Disp/WL ratio	Mast Material	Rig Type	EY	SSA	ASM	G	Fixed or _o	Max Draft																		
									Warwhoop	Contessa 33	63336	141	1984	37.916	100	37.93	39.416	5.31	Yes	Yes	20.92	33	8375	No		
												653		11.17		13.86	9			682	25.52	3700	1	FOLD		
			229		ALUMN		0	326	21.5	647	37.5	11.08	Lead	FIXED	2											
					FS		0		21.6		21.17	5.8														
Snafu	CS 30	68588	159	1988	42	125	42	36.416	3.95	NO	Yes	20.04	30	8000	0	IB										
			669		12.04		12.04	11.416	6.5			707	25.51	3440	1	FOLD										
			219		ALUMN		0	232	40.653		20.04	10.25	Lead	FIXED	2											
					MS		0		20.04			5.416														
Aerie	CS 36	2160	123	1980	49	155	49	42.75	4.33	Yes	No		36.5	15500	0	IB										
			634		15		12.75	7.58	48.65	15		29.25	6500	1	Fold											
			282		ALUMN			308	25.5	1034		11.5	Lead	FIXED												
					MS				25.5			6.25														
Summertime Dream	Custom Schumacher 26	18859	186	1979	26.28	150	26.28	29.58	4.33	Yes	No		26.08	3300	0	OB	Boat has previously been called "War"									
			705		8.07		8.07	10.76	7.23			20	1360	1	None											
			187		ALUMN		0	195	14.52	308		9.08	Lead	FIXED	0											
					FS		0		14			5.08														
Starbuck	Custom Black Soo 30	8666	144	1968	30	125	29.5	25	4.9	Yes	No	20.4	31	4500	0	OB	(Mtg 1/17/02, added scoop, custom rating changed from 144 to 141)(mtg 1/11/13, Added A-sail, -9 sec/mi, rating changed from 141 to 132)(Mtg 5/13/14, removed A-Sail, +9 sec/mi, change custom rating from 132 to 141, +2 sec/mi for small headsail)									
			600		13		13	11.73	7.5			565	27.5	1800	1	None										
			98		ALUMN		0	178	22.1	577		6.8	Iron	FIXED	0											
					MS		0		23.2			6.4														
Joyicity	Custom Davidson 26	20746	156	1975	27	150	31.15	28.75	5.1	Yes	No		26.42	3000	No	IB	Removed IOR Bump infilled w/Divinicell w/fiberglass skin/faired; Installed Melges rig w/mod for Spinnaker; shortened boom; increased "P" increased "J"; Code zero type furler used above deck; Handed on left side of sail; 10 # spin									
			633		9.1		10	11.5	8.1			22.5	1450	1	FOLD											
			120		CARBON		0	210	18	467		8.25	Lead	FIXED	2											
					FS		0		18			5.25														
Salt Peanuts	Custom Dees GP 26	18	78	2008	29.35	130	36.43	32.42	5.58	No	Yes	20.41	25.72	2340	0	OB	(mtg 2/18/10, change custom rating from 75 to 78)(3/28/12, New Rudder Noted)									
			562		8.07		14.32	12.63	8.69			626	21.22	1100	1	None										
			111		CARBON				258			6.23	8	Lead	FIXED	0										
					FS							0	6.04													

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications		
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU ASA Sprit Lngth Fixed or _o	SL SPL SSMG SSA	SLU ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast Mat.	Traps/H. moveable blst Keel Type				
								SL	SPL									SLU	ASA
Ex Indigo	Custom Diva 39	8	87	1987	41.73 12.8	125	41.73 12.8	46.75 14.75	5.72 9.6	Yes	No	38.75 30.83 9.83 5.75	9920 4575 Lead	No 1 FIXED	IB FOLD 2	Back Stay Crane			
			591 154		ALUMN FS		0 0	413			<input type="checkbox"/>								
Basic Instinct	Custom Elliott 10.50	8123	72	1993	41 12.5	125	45.6 13.9	44.2 17.5	8.5 12	No	Yes	34.42 31.83 12.08 7	10220 3000 Lead	No 1 FIXED	IB FOLD 2	(mtg 3/19/09, changed to smaller headsail, +3 sec/mi, & larger mainsail, -6 sec/mi, change rating from 66 to 63)(Mtg 10/21/09, new smaller headsail, still with large headboard. Change mainsail penalty from 6 sec/mi to 3 sec/mi)			
			570 144		ALUMN FS		0 0	497			<input type="checkbox"/>								
Sweet Okole	Custom Farr 36	29000	78	1976	42.049 12.35	155	42.049	44.54 16	5.9 10	Yes	No	36 31.33 11.88 7	9696 3750 Lead	No 1 FIXED	IB FOLD 2	(78 MTG 1/28/93) (81 MTG 3/18/93)(Mtg 5/22/08, +3 sec/mi for switching to smaller headsail, +3 sec/mi for removing 250# shoe from keel, change custom rating from 81 to 87)(6/7/10, change headsail to 155# 2 sec/mi change rating			
			585 143		ALUMN FS		0 0	416			<input type="checkbox"/>								
Zamazaan	Custom Farr 52	3883	21	1978	70.4 18.51	135	70.4 18.51	65.2 23.2	8.82 15.08	Yes	No	52.19 47.26 15.45 8.79	25391 9679 Lead	No 1 FIXED	IB FOLD 2	RTG W/USYRU AGE ALLOWANCE IOR RTG W/USYRU AGE ALLOWANCE R=44.9 (1987) 18/24 AS PER PHRF MTG 4/20/95. SHORTENED MAST 6.15 FEET FROM TOP, REDUCED MAINSAIL AREA FROM 24/27 MTG 8/10/95			
			492 109		ALUMN MS		0 0	900			<input type="checkbox"/>								
Jeannette	Custom Frers 40 IOR 1 Tonner	40646	66	1986	47.2 13.7	100	13.7	51.48 18.76	7.13 12.19	Yes	No	39.5 33 12.6 8.1	12900 6000 Lead	0 1 FIXED	IB FOLD 2	(mtg 5/31/07 custom rating changed from 63 to 60 based on performance data)(Mtg 8/27/15, change custom rating back to 63 after review of race results)			
			569 163		ALUMN FS			575			<input type="checkbox"/>								
Jet Stream	Custom JS 9000	9045	63	2003	27.08 9.5	87	30.25 15.5	31 8.73	5.6 7	No	Yes	29.9 27.9 5.7 6.8	2425 1543 Lead	0 1 FIXED	OB None 0	(Mtg 1/22/09, custom rating of 78 assigned)(Mtg 8/19/10, -9 sec/mi for adding 3' sprit, -3 sec/mi for increased spinnaker area. Original rating of 78 contained a 3 sec error, rating should have been 75, change custom rating to 62)			
			544 51		CARBON FS			199			<input checked="" type="checkbox"/>								
Merlin	Custom Lee 68	8955	-87	1977	71.96 22.5	146	74.35 30.4	66.87 27.5	11 18	No	Yes	68.6 64 12.17 10.65	24363 10484 Lead	0 1 FIXED	IB FOLD 2	(Mtg 4/27/17, custom rating assigned: -81)(Mtg 5/25/17, -3 sec/mi for larger headsail, -3 sec/mi for increased J. New custom rating: -87 as sailed)			
			392 42		CARBON MS			1109			<input type="checkbox"/>								

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
			Rating		I	J	Max Headsail	ISP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp. Traps/H. Strps		IB or OB	
			DW Rating		Mast Material	JSP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type			
			Disp/WL ratio		Rig Type	PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades				
Arcadia	Custom Nash 28.5	3113	123	1969	33	120	34	32.5	4.92	No		Yes	24.606	28.5	4327	No	IB	(Weighed Displacement as of 4/4/2009)(mtg 2/28/13, change custom rating from 135 to 123 after review of race results and structural modifications) 3	
				10		11	13	8.41			38.8	756	25.5	1200	1	FOLD			
			589	ALUMN			0	251			34.908	4	9	Lead	FIXED	2			
			119	FS			0				24.606	<input type="checkbox"/>	100						
Galaxsea	Custom Nauticat 43.5	28743	180	1985	51	104	20.6	45	4.3	Yes		Yes	29.2	43.6	34000	No	IB	Stay sail measurements foot=1', Luff=34'6", Leach=30'2", LP=132"	
				20			13.6	7.9	50.98	20	52	1119	37.7	11000	1	FEATH			
			629	ALUMN			32.4	338	33.43	1439	50	4.9	12.2	Lead	FIXED	3			
			288	KTCH			8.5		35.6		25.6	<input checked="" type="checkbox"/>	5.9						
Quiver	Custom Nelson Marek 36	28669	45	1999	43.85	105	51.9	45.75	6.56	Yes		Yes	26.24	35.6	7725	No	IB	(mtg 6/15/10, added lead shoe to keel, -3 sec/mi, change custom rating from 48 to 45)(Mtg 2/29/12, added sprit equal to SPL, NCTR)	
				12.5		14.57	16.47	10.66	50.39	14.57	57.4	1221	29.32	3255	1	FOLD			
			542	CARBON				453	26.21	1101	47.57	1.5	10.3	Lead	FIXED	2			
			139	FS					26.21		28.34	<input checked="" type="checkbox"/>	7.6						
Ardea	Custom Nelson/Marek 50	42616	21	1989	59.92	100	59.92	65.19	9.35	Yes		Yes	31.6	49.8	22145	0	IB	(Mtg 8/28/15, custom rating of 21 assigned)	
				17.59		17.59	24.08	15.98	59.2	17.59	62.2	1526	38.55	12627	1	Fold			
			519	ALUMN				946	31.1	1527	55.8	0	14.86	Lead	FIXED				
			176	FS					30.4		30.9	<input type="checkbox"/>	90						
Lucky Duck	Custom Santa Cruz 52	28729	-30	2001	64.14	155	64.6	57.5	8.76	Yes		Yes	40.91	53	22544	0	IB	(Mtg 8/23/12, Custom Rating Assigned, -21 as sailed)(Mtg 5/23/13, weighed displacement added)(Mtg 3/27/14, New Rudder, -3 sec/mi for OSP, -6 sec/mi for 10%+ increase in spinnaker area. No results for keel/displacement)	
				18.95		22.5	21	14.22	67.29	22.5	67.72	2190	46.25	8000	1	Fold			
			471	CARBON				745	40.55	2254	61.68	2	14	Lead	FIXED	2			
			104	MS					38.74		40.55	<input type="checkbox"/>	90						
Double Down	Custom Schumacher 30	18480	123	1988	41.37	150	41.5	36.416	4.5	Yes		No		29.92	7854	No	IB	Rudder change, old rudder 85lbs new 65 lbs. Old alum/new carbon MTG 10/27/94 Noted- NCTR (MTG 1/9/97 Alum headsail removed and excess wires removed from mast- Noted NCTR)(Mtg 2/21/08, change custom rating from 126 to 123 after	
				12.16			11.83	7.69	40.75	12.08			26	3650	1	FOLD			
			645	ALUMN			0	257	21.75	736		0	10.65	Lead	FIXED	2			
			203	MS			0		21.35			<input type="checkbox"/>	6.17						
Q	Custom Schumacher 40	28901	54	2001	47	105	47	47.5	6.75	Yes		No		40	10166	No	IB		
				14.67			18.35	11.75	46.8	14.67			31.5	4528	1	FOLD			
			554	CARBON			0	513	26.41	1030		0	11	Lead	FIXED	2			
			148	FS			0		26.41			<input type="checkbox"/>	7.6						

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull	Displacement/Keel		Engine/Prop	Modifications
			Rating		I	J	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB	
			DW Rating		Max	Head	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type	
			Disp/WL ratio		sail	sail	PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades	
Surprise	Custom Schumacher 46	28098	6	1997	57	160	63	57	7.5	Yes		37.23	46	18300	No	IB	(MTG 4/9/98)(mtg 2/20/04)
			510		17			19.75	12.8			65.06	40.63	8000	1	FOLD	
			124		CARBON			0	670			60.17	12.92	Lead	FIXED	2	
					FS			0				30.97	7.75				
Nightmare	Custom Wilderness 30 SX FR OB	305	111	1980	34	125		34.4	4.59	Yes			29.75	4700	No	OB	(-3 sec/mi for change from IB to OB, -6 sec/mi for keel change.)(mtg 2/26/15, -9 sec/mi for oversized spinnaker)
			588		11.75			11.5	7				27.75	1650	1	None	
			100		FS			0	233			0	8.83	Lead	FIXED	0	
								0					5.92				
Punk Dolphin	Custom Wylie 38	18481	72	1985	48	150	48	43	5.58	Yes			38	14000	No	IB	
			581		14.33			14	9.55				31	5000	1	FOLD	
			214		ALUMN			0	369			0	11.6	Lead	FIXED	2	
					MS			0					6.75				
Gavilan	Custom Wylie 39	28439	93	1996	49	122	49	43	5.73	Yes		24.6	41.5	17900	No	IB	(mtg 4/28/11, change custom rating from 84 to 96 after review of rating appeal)(Mtg 1/26/12, -3 sec/mi for sprit)
			604		14.5			15.5	9.75			783	31.75	5920	1	FEATH	
			254		ALUMN			0	390			1.17	11.5	Lead	FIXED	3	
					MS			0				18.47	6.77				
Checkered Past	Custom Wyliecat 39	3	102	2002				52	10.2	No			38.83	12000	0	IB	Boat has been modified for handicapped sailing
			595					26.6	17.4				32	6200	1	FOLD	
			166		CARBON							0	11.5	Lead	FIXED	2	
					CAT							0	6.6				
Daseins Den	Dana 24	324558	246	1987	34	120		28.25	3	No			24.16	7400	0	IB	
					12.25			10.75	5.85				21.42	3100	1	Fixed_2	
			342		ALUMN							0	8.58	Lead	FIXED		
					CTR				160			0	3.83				
Neja	Dasher 32	7325	174	1961	38.01	155	38.01	33.22	5.12	Yes			31.75	11323	0	IB	500 pounds less lead in keel than the Dasher Easom Boat Works built
			668		12.59			14.6	8.86				26.75	3600	1	Fold	
			269		ALUMN							0	8.9	Lead	FIXED		
					MS				277			0	5.75				

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
			Rating		I	J	ISP	P	MGU	Yes/No	Yes/No	ASF	Ttl Disp.		Traps/H. Strps	IB or OB		
			DW Rating		Max Headsail	Max Headsail	JSP	E	MGM	SL	SPL	SLU	ASA		Ballast	moveable blst	Prop Type	
			Disp/WL ratio		Mast Material	Mast Material		PY	MSA	SSMG	SSA	SLE	Sprit Lngth		Ballast Mat.	Keel Type	# of blades	
Imagine	Davidson 44 MOD	77220	57	1980	49.92 15.38	125	50.33	58.3 18.33	6.9 12.8	Yes	No		44 38.5 13 7.6	24410 7000 Lead	No 1 FIXED	IB FOLD 3	(Mtg 4/27/17, custom rating of 57 assigned)	
			568 194		ALUMN FS			0 0	652			0 <input type="checkbox"/>						
CaZan	DK 64	61046	-21	2001	61.94 17.85	126	70.54 19.849	63.55 21.95	8.2 14.21	Yes	No	33.56 1822	46.26 40.52 13.45 9.84	22439 9480 Lead	0 1 FIXED	IB Fold	(Mtg 5/25/17, custom rating assigned. As Sailed: -21)	
			504 153		ALUMN MS				826			0 0 <input checked="" type="checkbox"/>						
Harizon	Dufour 310	122	159	2016	40.35 10.82	95		38.25 14.57	5.54 9.47	No	No		31.72 28.54 10.88 6.23	10802 2932 Iron	0 1 FIXED	IB Fold		
					ALUMN FS				332			0 0 <input type="checkbox"/>						
Boudicca	Elan 310	310	129	2010	40.19 11.74	106	42.55 14.87	39.53 13.55	5.28 8.92	No	Yes	25.91 906	30.3 28.58 10.5 6.23	10141 2292 Iron	0 1 FIXED	IB Fold		
			630 197		ALUMN FS				323			3 0 <input checked="" type="checkbox"/>						
Lonesome Dove	Elite 29	9066	165	1984	35.833 11.083	130		30.333 10.333	2.6 5.1	Yes	No		28.67 24.42 10.5 5.58	6160 2310 Iron	No 1 FIXED	IB Fixed_2 2		
			676 192		ALUMN MS			0 0	157			0 0 <input type="checkbox"/>						
Kiwa	Ericson 32-2	285	183	1973	36 18	155	36	31.5 13	4.9 8.4	No	No		32 24 9.67 4.91	9400 4400 Lead	0 1 FIXED	IB Fixed_2 2		
					ALUMN MS				243			0 0 <input type="checkbox"/>						
Sirena	Ericson 32-2	18319	186	1972	35 13	110	35	31 13	4.9 8.4	Yes	No		31 24 9.8 5	8800 4000 Lead	0 1 FIXED	IB Fixed_2 2		
			685 289		ALUMN MS				239			0 0 <input type="checkbox"/>						

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU SLE ASM	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.		Traps/H. Strps moveable blst				
								SL	SPL						Ballast			Keel Type
								SSMG SSF	SSA						Ballast Mat.			Keel Type
Wild-Type	Ericson 32-2	614	186	1975	38 13	155	13	31.5 4.53 13	4.53 8.19	No	Yes	22.23	31.58	8800	0	IB	Roller Furler	
			707		ALUMN								24	4000	1	Fixed_3		
			289		MS				237				8.67	Lead	FIXED	3		
			Disp/WL ratio										4.92					
Imagine	Ericson 32-3	716	159	1987	42 13.8	135		36.4 11.8	4.18 7.28	No	No		32.5	9800	0	IB		
					ALUMN								25.83	4200	1	Fixed_2		
			258		MS				248				10.83	Lead	FIXED	2		
			Disp/WL ratio										6					
Baleineau	Ericson 34 Olson SM	42147	105	1988	44 13	155	44 44	38.8 13	4.88 8.25	Yes	No		34	10600	No	IB		
			629		ALUMN								28	3650	1	FOLD		
			219		MS				298				10.83	Lead	FIXED	2		
			Disp/WL ratio						0				6					
Loya	Ericson 34 Olson SM	3246	105	1989	44.5 13.25	154	44 13.25	38.84 12.9	4.69 8.38	Yes	Yes	23.8	34	10600	0	IB		
			627		ALUMN								28	3650	1	Fold		
			219		MS				296				10.83	Lead	FIXED	2		
			Disp/WL ratio										6					
Red Sky	Ericson 34 Olson SM	28340	105	1989	44 12.95	150	44 12.95	38.7 12.95	5.1 8.5	Yes	Yes	21.98	33.88	10855	No	IB	MTG 12/11/97(RUDDER REPLACED 8" DEEPER ADN 3" NARROWER.)	
			627		ALUMN								28	3500	1	FOLD		
			225		MS				302				10.8	Lead	FIXED	2		
			Disp/WL ratio										6.08					
Razzberries	Ericson 34 Olson TM	97479	99	1988	46.77 12.95	155	47	40.9 12.95	5.1 8.5	Yes	No		33.88	10855	No	IB		
			625		ALUMN								28	3500	1	FOLD		
			225		MS				320				10.8	Lead	FIXED	2		
			Disp/WL ratio										6.085					
Sweet Grapes	Ericson 36 Holland	19	108	1981	47.75 14.5	147	47.75	42 12	3.5 7.2	Yes	No		35.58	11600	0	IB		
			621		ALUMN								29	5230	1	FOLD		
			216		MS				278				11.83	Lead	FIXED	2		
			Disp/WL ratio										6.25					

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU SLE ASMUG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast		Traps/H. moveable blst				
								SL	SPL						Yes			No
								SSMG SSF	SSA						SLU			ASA
Plus Sixteen	Ericson 911S Olson	97707	135 1991	41.5 12.25 125 41.5 12.33	35.761 4.035 11.811 7.136	4.035 7.136	Yes	Yes	20.932	30	8500	No	IB					
			662 247	ALUMN MS	0 240 0			43.5 12.25 22.605 819 22.605	41.995 698 35.761 0 21.702	25 10.33 5.42	3200 LeadSteel	1 FIXED	FEATH 2					
Shanti	Ericson 911S Olson	326	132 1989	41.5 12.33 150 41.5 12.33	35.5 4.73 11.83 7.69	4.73 7.69	Yes	No		29.92	8700	0	IB	CHANGE TO RUDDER NOTED, NCTR				
			662 253	ALUMN MS	0 253 0			42 12.17 22 768 21.7	0 0	10.33 5.42	3200 Lead	1 FIXED	FOLD 2					
Tule Lost	Ericson 911S Olson	28911	132 1988	41.5 12.33 155 41.5 12.33	35.5 4.73 11.083 7.69	4.73 7.69	Yes	No		29.92	8680	No	IB	MUST HAVE YACHT CLUB MEMBERSHIP CARD WITH ENTRY FORM FOR 2006 RACING				
			663 253	ALUMN MS	0 247 0			42 12.33 21.9 767 21.9	0 0	10.33 5.42	3200 Lead	1 FIXED	FOLD 0					
Rustler	Esse 850	71	75	32.8 10 105 37.72 16.2	34.4 6.23 11.97 8.85	6.23 8.85	No	Yes	24.3	28	3000	0	IB	Outboard replaced with inboard saildrive (Mtg 2/28/13, custom rating assigned, as sailed: 75)				
			535 62	ALUMN FS				43.5 779 36.9 6.05 23	0 0	7.25 6.6	1540 Lead	1 FIXED	Fold					
White Jacket	Ethells 22 ODR	901	120 1991	27.27 8.22 90	32.49 4.22 11.57	4.22	Yes	No		30.5	3337	0	OB					
			648 142	ALUMN FS	0 0			8.22	0	6.83 4.5	2105 Lead	1 FIXED	None 0					
Abigail Morgan	Express 27 ODR	18394	129 1985	28.5 9 150 28.5	28.5 4.22 10.416 7.03	4.22 7.03	Yes	No		27.25	2450	No	OB					
			612 83	ALUMN FS	0 182 0			28.562 9.833 17.75 421 17.4	0	8.166 4.5	1100 Lead	1 FIXED	None 0					
Andale	Express 27 ODR	72	129 1985	28.5 9 155 28.5	28.5 4.22 10.42 7.03	4.22 7.03	Yes	No		27.25	2450	0	None					
			611 83	ALUMN FS				29 9.83 17.7 428 17.7	0 0	8.17 4.5	1100 Lead	1 FIXED	None					

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications			
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		Ttl Disp. Ballast		Traps/H. moveable blst	IB or OB Prop Type # of blades					
								SL SSMG SSF	SPL SSA	SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o					Ballast Mat.		Keel Type		
																			29	9.833
Archimedes	Express 27 ODR	18355	129	1985	28.5 9	155	28.5	28.5	4.22	10.416	7.03	29	9.833	No	0	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	NONE None 0	
Bombora	Express 27 ODR	38047	129		28.5 9	155	28.5	28.5	4.22	10.42	7.03	28.5	9.83	No	0	27.25 23.8 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0	
Current Affair	Express 27 ODR	56	129	1983	28.5 9	155	28.5	28.5	4.22	10.42	7.03	29	9.83	No	0	27.25 23.75 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None	
Dianne	Express 27 ODR	0	129	1981	28.5 9	155	28.5	28.5	4.22	10.416	7.03	29	9.833	No	0	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0	
El Raton	Express 27 ODR	28050	129	1985	28.5 9	155	28.5	28.5	4.22	10.416	7.03	29	9.833	No	0	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0	
Elise	Express 27 ODR	101	129	1986	28.5 9	155	28.5	28.5	4.22	10.416	7.03	28.6	9.8	No	0	27.25 23.75 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0	
Ergo	Express 27 ODR	40428	129		28.5 9	155	28.5	28.5	4.22	10.416	7.03	29	9.833	No	0	27.25 23.75 8.075 4.5	2450 1100 Lead	0 1 FIXED	OB None 0	

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst	IB or OB Prop Type # of blades	
								SL	SPL	SLU	ASA						
								SSMG SSF	SSA	SLE	ASMG						
Get Happy!!	Express 27 ODR	1	129	1981	28.5 9	155	28.5	28.5	4.22	Yes	No	27.25 23.75 8.166 4.5	2450 1100 Lead	No 1 FIXED	OB None 0		
Hang 20	Express 27 ODR	48	129	1982	28.5 9	125	28.5	28.5	4.22	Yes	No	27.3 23.8 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0		
Make Me Smile	Express 27 ODR	91	129		28.5 9	155	28.5	28.5	4.22	Yes	No	27.25 23.8 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0		
Moonlight	Express 27 ODR	28059	129	1986	28.5 9	155	28.5	28.5	4.22	Yes	No	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0		
Motorcycle Irene	Express 27 ODR	28137	129	1982	28.5 9	155	28.5	28.5	4.22	Yes	No	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0		
Peaches	Express 27 ODR	18364	129	1986	28.5 9	155	28.5	28.5	4.22	Yes	No	27.25 23.75 8.166 4.5	2450 1100 Lead	No 1 FIXED	OB None 0		
Salty Hotel	Express 27 ODR	60	129	1983	28.5 9	155	28.5	28.5	4.22	Yes	No	27.25 23.75 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0		

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications		
				I J Max Headsail Mast Material Rig Type	P E PY EY		MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst				
								SL SPL SSMG SSF	SPL SSA	SLU SLE ASMG	ASA Sprit Lngth Fixed or _o							Ballast Mat.	Keel Type
Shenanigans	Express 27 ODR	67	129	1983	28.5 9	155	28.5	28.5	4.22	Yes	No		27.25 23.75 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0			
			609		ALUMN FS		0 0	182				<input type="checkbox"/>							
		18070	129	1983	28.5 9	155	28.5	28.5	4.22	Yes	No		27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0			
			612		ALUMN FS		0 0	182				<input type="checkbox"/>							
Swamp Donkey	Express 27 ODR	8444	129	1981	28.5 9	155	28.5	28.5	4.22	Yes	No		27.25 23.75 8.166 4.5	2450 1100 Lead	No 1 FIXED	OB None 0			
			611		ALUMN FS		0 0	182				<input type="checkbox"/>							
Take Five	Express 27 ODR	28031	129	1982	28.5 9	155	28.5	28.5	4.22	Yes	No		27.25 23.75 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0			
			611		ALUMN FS			182				<input type="checkbox"/>							
TAZ!!	Express 27 ODR	8100	132	1981	28.5 9	125	28.5	28.5	4.23	Yes	No		27.3 23.8 8.17 4.5	2450 1100 Lead	0 1 FIXED	NONE None			
			620		ALUMN FS		10.42	7.04				<input type="checkbox"/>							
Tequila Mockingbird	Express 27 ODR	18353	126		28.5 9	155	32.5	28.5	4.22	Yes	Yes	18.85	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0	(Mtg 4/23/15, switched to MH configuration, -3 sec/mi for increased spinnaker area)		
			603		ALUMN FS		0 0	182				<input type="checkbox"/>							
Tule Fog	Express 27 ODR	18178	129	1984	29 9	155	28.5	29	4.22	Yes	No		27.3 23.8 8.166 4.5	2450 1100 Lead	n 1 FIXED	OB None 0			
			610		ALUMN FS		10	7.03				<input type="checkbox"/>							

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop		Modifications			
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H.	IB or OB	# of blades				
								SL	SPL	SLU	ASA								Ballast	moveable blst	Prop Type
								SSMG SSF	SSA	SLE	ASMG								Ballast Mat.	Keel Type	
Verve	Express 27 ODR	18283	129 1981	28.5 9	155	28.5	28.5 4.22 10.416 7.03	Yes	No	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0								
Wile E Coyote	Express 27 ODR	11	129 1981	28.5 9	155	28.5	28.5 4.22 10.416 7.03	Yes	No	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 3								
Yeti	Express 27 ODR	38	129 1983	28.5 9	155	28.5	28.5 4.22 10.4 7.03	Yes	No	27.25 23.75 8.16 4.5	2450 1100 Lead	0 1 FIXED	OB None								
Pork Chop Express	Express 27 ODR MOD	115	126 1986	28.5 9	130	32.5	28.5 4.2 10.4 7	Yes	Yes	27.25 23.75 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None	(Mtg 1/26/17, -3sec/mi for switching to MH configuration. New Rudder, NCTR)							
Wetsu	Express 27 w/J length pole	70	129 1983	28.5 9	155	28.5	28.5 4.22 10.42 7.03	Yes	No	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0	-6 Sec/mi OSP							
Marrakesh	Express 34	3	102 1987	44.25 13	125	44.25	38.5 4.87 12.83 8.46	Yes	No	34 28.33 10.33 6.11	9245 3800 Lead	No 1 FIXED	IB FOLD 2								
Pony Express	Express 34	28234	99 1988	44.25 12.92	155	44.25	38.5 4.87 12.83 8.46	Yes	No	34 28.33 10.5 6	7500 3700 Lead	No 1 FIXED	IB FOLD 2								

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull	Displacement/Keel		Engine/Prop	Modifications	
			Rating		I	J	ISP	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps		IB or OB
			DW Rating		Max	Headsail	JSP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst		Prop Type
			Disp/WL ratio		Mast	Material		PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type		# of blades
Traveler	Express 34	97089	99	1987	44.3	150	44.3	38.5	4.87	Yes	No		34	8500	0	IB	-6 FOR OVERSIZED SPINNAKER	
					13			12.83	8.46				28.3	3700	1	FOLD		
			616		ALUMN			0	296			<input type="checkbox"/>	10.5	Lead	FIXED	2		
			170		MS			0					6					
Bullet	Express 37	40311	72	1985	48.75	155	48.75	42	5.3	Yes	No		37.08	11000	No	IB		
					14.33			13.75	8.83				30.83	4600	1	FOLD		
			581		ALUMN			0	344			<input type="checkbox"/>	11.57	Lead	FIXED	2		
			171		MS			0					7.25					
Eclipse	Express 37	18495	72	1985	48.75	155	48.75	42	5.28	Yes	No		37.08	11000	0	IB	Rudder modification noted, no change to rating. (Actural weight from yard 11200 - 9500 was design displacement. No mods from standard express 27.) 3/26/01	
					14.33			13.75	8.83				30.83	4500	1	FOLD		
			577					0	344			<input type="checkbox"/>	11.57	Lead	FIXED	2		
			171		MS			0					7.25					
Elan	Express 37	87700	72	1985	48.75	155	48.75	42	5.28	Yes	No		37.083	11000	No	IB		
					14.33			13.75	8.83				30.833	4500	1	FOLD		
			581		ALUMN			0	344			<input type="checkbox"/>	11.57	Lead	FIXED	2		
			171		MS			0					7.25					
Escapade	Express 37	18051	72	1985	48.75	155	48.75	42	5.28	Yes	No		37.08	11000	No	IB		
					14.33			13.75	8.83				30.83	4500	1	FOLD		
			577		ALUMN			0	344			<input type="checkbox"/>	11.57	Lead	FIXED	2		
			171		MS			0					7.25					
Expeditious	Express 37	18478	72	1986	48.75	155	48.75	42	5.28	Yes	No		37.08	11000	No	IB	INSTALED NEW CLASS-APPROVED CARBONFIBER RUDDER - MTG 6-12-2000 NCTR.	
					14.33			13.75	8.83				30.83	4500	1	FOLD		
			577		ALUMN			0	344			<input type="checkbox"/>	11.57	Lead	FIXED	2		
			171		MS			0					7.25					
Golden Moon	Express 37	18488	72	1985	48.75	155	48.75	42	5.37	Yes	Yes	29.5	37	11000	No	IB		
					14.33			13.75	8.99		49.8	1034	30.83	4500	1	FOLD		
			577		ALUMN			0	347		46	0	11.57	Lead	FIXED	2		
			171		MS			0			25	<input type="checkbox"/>	90					

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:		ISP		Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
			Build		I	J	P	MGU	Yes/No	Yes/No	ASF	Ttl Disp.	Traps/H.	IB or OB					
			DW Rating		Max Headsail	ISP	E	MGM	SPL	SLU	ASA	Ballast	moveable blst	Prop Type					
			Disp/WL ratio		Mast Material	JSP	PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Ballast Mat.	Keel Type		# of blades			
					Rig Type		EY		SSMG	SSA	ASMG	Fixed or _o							
Mudshark	Express 37	28052	72	1986	48.75 14.33	155	48.75	42 13.75 0 0	5.28 8.83 344	Yes	48	14.33	No		37.08 30.83 11.57 7.25	11000 4500 Lead	No 1 FIXED	IB FOLD 2	
Phat Jack	Express 37	18257	72	1985	48.75 14.33	150	48.75	42 13.75 0 0	5.25 8.83 343	Yes	48	14.33 25.7 25.7	No		37.08 30.83 11.57 7.25	11000 4500 Lead	0 1 FIXED	IB FEATH 2	
Stewball	Express 37	18278	72	1985	48.75 14.33	150	48.75	42 13.75 0 0	5.28 8.83 344	Yes	48	14.33 1020	No		37.083 30.833 11.57 7.25	11000 4500 Lead	0 1 FIXED	IB FOLD 2	
Expression	Express 37 MOD	33985	75	1984	48.75 14.33	150	48.75	42 13.75 0 147	5.3 9 346	Yes	48.16 23.2 23.2	14.33 931	No 48 45 18	19 705 0 90	37.1 30.83 11.5 6	9500 4500 Lead	0 1 FIXED	IB Fold 2	(mtg 1/21/10, +3 sec/mi for modified keel, -3 sec/mi for dual spinnaker/ability to fly asym on squared back pole)(1/19/11, removed asym, only using symmetric spinnaker, +3 sec/mi)
Ouessant	Farallone Clipper FR	8214	159	1957	35.69 13.87	150	35.69	40.34 18.79 0 0	7 12.1 448	Yes	35.38 24.41 23.58	13.833 715	No		37.833 28.25 9.5 5.916	18344 7200 Iron	No 1 FIXED	IB Fixed_2 2	
Vip	Farallone Clipper FR	7	159	1957	36.82 14	155	36.82	40.5 18.5 0 0	6.16 10.979 420	Yes	36.76 25.195 24.86	14 770	No		38 28.75 9.5 5.6	19000 7000 Iron	No 1 FIXED	IB Fixed_3 3	
Brandy	Farr 30 1/2 Ton	57257	150	1979	31 9.6	145	31	34 12.9 0 171	4.5 7.11 243	Yes	31.4 17 17	9.8 445	No		30.33 23.5 10 5.33	4894 1909 Lead	0 1 FIXED	OB None	(Mtg 4/24/15, -6 sec/mi for increased P)

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications					
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU ASA Sprit Lngth Fixed or _o	SL SPL SSMG SSF	SSA		ASF	ASA			Ttl Disp. Ballast	Traps/H. moveable blst	Strps Keel Type		
								SL	SPL												SLU	ASA
Red Cloud	Farr 36 Mod	99	87	1976	38.3 12.16	108	46.3 12.16	41 16.75	6.4 10.9	Yes	No	36 31.33 11.92 6.16	10430 3950 Lead	No 1 FIXED	IB Fold 2	(550# ADDED TO KEEL 300# TO FILL MIDDLE WINDOW+250# TO BOTTOM)(Mtg 1/26/12, -3 sec/mi for new mainsail)(mtg 3/29/12, +3 sec/mi after review of rating appeal, as sailed: 87)						
Wicked Sister	Farr 36 ODR	3	9	2004	46.78 13.19	110	54.82 21.06	49.93 18.63	8.53 12.96	No	Yes	36.28 32.8 11.72 8.5	6745 3076 Lead	0 1 FIXED	IB Fold							
Mintaka 4	Farr 38	18441	81	1979	43.67 13.67	125	46.2	44.9 17.9	6.8 11.6	Yes	No	38.25 31.17 12 6.33	11850 4100 Lead	No 1 FIXED	IB FOLD 2	(2002-removed dinette stbrd, add bench seat w/55 gal fuel tank, original was 12.5. Rudder replaced 12" longer, 4" narrower. Changes noted mtg 1/17/02, NCTR)(removed short pole, changed spinnakers, 1/12/04) (Mtg 1/24/12, new stem)						
Timber Wolf	Farr 38-1 C&B Marine	67519	75	1980	43.91 13.36	155	47.9	44.83 17.91	6.7 11.6	Yes	No	38.32 30.9 11.97 6.39	12000 4100 Lead	0 1 FIXED	IB FOLD 2	(REDUCED MGM, ADDED 6" TO RUDDER LENGTH -NOTED NCTR-2/15/01)(-3 sec/mi for oversized spinnaker)						
Chance	Farr 395	39528	27	2002	51.25 14	105	56.33 20.36	50 18.42	7.54 12.53	No	Yes	33.46 34.5 12.08 7.83	12500 4600 Lead	No 1 FIXED	IB FOLD 2							
Astra	Farr 40 ODR MH	40079	0	2000	53.2 15.5	105	53.12	54.8 19.4	7.29 12.47	Yes	No	40.75 35.27 13.22 8.53	10917 5079 Lead	No 1 FIXED	IB FOLD 2							
Bright Hour	Farr 40 ODR MH	50092	0	2001	53.15 15.45	0	50.04 17.06	54.8 19.36	8.49 13.77	Yes	No	40.7 35.3 13.2 8.53	10902 4960 Lead	0 1 FIXED	IB Fold							

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop		Modifications											
			Built	J	Max	ISP	P	MGU	SL	SPL	Yes/No	Yes/No	ASF		Ttl Disp.	Traps/H.	IB or OB	Strps												
																				DW Rating	Mast Material	E	MGM	SSMG	SSA	SLU	ASA	Ballast	moveable blst	IB or OB
EY		Fixed or _o	Max Draft	# of blades																										
Twisted	Farr 40 ODR MH	40046	0	1999	53.15 15.45	105	50.04 17.06	54.8 19.36	8.49 13.77	Yes	No	60.69 34.39 34.44	17.06 1740	40.7 35.3 13.2 8.53	10902 4960 Lead	0 1 FIXED	IB FOLD 2	(Mtg 12/1/11, interior mods for IRC, smaller mainsail: NCTR)(Mtg 5/24/12, switching to MH ODR configuration)												
Envolee	Figaro II	0	54	2012	42.75 12.42	104	42.75	42.67 15.42	6.5 10.63	Yes	No	43.96 23.62 23.63	13.85 865	32.18 32 11.33 6.5	6724 2425 LeadWater	0 1 FIXED	IB Fold	(mtg 4/27/17, water ballast disabled, +6 sec/mi)												
Hot Socks	Figaro II	27	48	2004	42.75 12.42	104	42.75	42.67 15.42	7 11	Yes	No	41 20.1 20.5	13.5 689	32.18 32 11.33 6.5	6724 2425 LeadWater	0 1 FIXED	IB Fold													
CentoMiglia	Flying Tiger 10 Meter ODR	15	54	2006	39.284 12.126	105	45.282 19.134	40.167 14.895	6.463 10.499	No	Yes	27.493 51.541 42.651 27.76	1087 7.008 0	32.68 30.31 9.12 7.61	4376 1918 Lead	No 1 FIXED	OB None 3	(3/7/11, new class rudder installed, NCTR)												
Wild 1	Flying Tiger 10 Meter ODR	41	54	2007	39.284 12.126	105	45.282 19.134	40.167 14.895	6.463 10.499	No	Yes	27.493 51.541 42.651 27.76	1087 7.008 0	32.68 30.31 9.12 7.61	4376 1918 Lead	0 1 FIXED	OB None 3													
Circlesea	Folkboat	125	252		21.99 6.56	100	10.17	28.71 11.15	4.42 7.33	No	No			25.08 19.82 7.26 3.92	4640 2315 Iron	0 1 FIXED	OB None 0													
Thea	Folkboat	108	252	1984	21.988 6.562	100	10.166	28.707 11.154	4.416 7.333	No	No			25.079 19.822 7.261 3.916	4640 2315 Iron	No 1 FIXED	OB None 0													

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications		
			Built	J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU SLE ASMUG	SPL SSA	Yes/No	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast Mat.	Traps/H. moveable blst Keel Type	IB or OB Prop Type # of blades			
								DW Rating	Disp/WL ratio										SSMG SSF	SSA
Jacqueline	Freedom 30 SD	3	174	1986	28.4 9.8		33.34	35.2 13.9	5.25 9	Yes	No	30 25.42 10.8 4.5	7660 3150 Lead	0 1 FIXED	IB Fixed_2					
Kynntana	Freedom 38	38086	141	1988	33.34 11.5	100	33.34 11.5	45.5 16.57	6.25 10.7	No	No	38.42 30.58 12.5 5.6	14370 6500 Lead	0 1 FIXED	IB Fold					
Crane Wife	Fuji 32 KTH	0	252	1977	36.25 14.75	148		29.08 11.21	3.8 5.96	No	No	31.5 29 9.83 3.66	13115 4635 Iron	0 1 FIXED	IB Fixed_3					
Borealis	Gulf 39 PH	77135	129		50 16.17	128		42 13.75	4.83 8.58	No	No	38.83 33.67 12 5	17500 Iron	1 FIXED	IB Fold					
Anais	Hanse 505	61019	45	2014	64.16 19.16	100	65 20	58.6 20	6.55 11.87	No	Yes	49 44.4 15.6 7.7	36000 8300 Lead	0 1 FIXED	IB Feath					
Firefly	Harbor 20	226	213	2006	25.75 7	90	25.75 7	26 10	3.6 6.25	No	No	20 17.17 7 3.5	1800 900 Lead	0 1 FIXED	OB None					
Obsession	Harbor 20	299	207	2010	25.75 7	95	26.38 8.16	26 10	3.25 6.05	Yes	No	20 17.2 7 3.5	1800 900 Lead	0 1 FIXED	OB None	(Mth 5/25/17, -6 sec/mi for OSP)				

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
				DW Rating Disp/WL ratio	I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast	Traps/H. moveable blst		IB or OB Prop Type # of blades
									SL	SPL	SLU	ASA						
									SSMG SSF	SSA	SLE	ASMG						
Ballast Mat.	Keel Type	# of blades																
Nepenthe	Hawkfarm 28	6122	174 1976	33.3 11	115	33	36 10.5	4.3 7.2	No	No		28 23.5 9.75 5.5	5700 2700 Lead	0 1 FIXED	IB Fixed_2 2			
Red Hawk	Hawkfarm 28 ODR	59024	162 1978	33 11	155	33.25 11.5	36 10.5	4.37 7.26	Yes	No		28 23.5 9.75 5.166	5700 2700 Lead	0 1 FIXED	IB FOLD 2			
Family Hour, TNG	Henderson 30	46595	48 1997	37 11	155	42.3 17.8	38.2 14	6.74 10.62	Yes	Yes	31.9 1223	30.83 27.75 9.84 7	3850 1750 Lead	0 1 FIXED	OB None 0	Kelp Cutter		
Gygax	Hinckley Pilot 35 TM	4802	192 1975	44.36 13.8	155	44.36 13.8	41.83 15.81	5.5 9.97	Yes	No		35.5 25 9.5 5	13500 4200 Lead	0 1 FIXED	IB Feath			
Captain Sluggo	Hobie 33	77870	54 1982	34.7 12.2	105	42.3	38.1 13.5	6 9.6	No	Yes	25.6 928	33 30.4 8 5.4	4532 1800 Lead	0 1 FIXED	OB None	(Meeting 4/27/17, Custom rating assigned: 54)		
Vitesse Too	Hobie 33 ODR	87112	90 1983	33.8 12.4	125	36.8	35 12.4	4.75 8	Yes	No		33 30.5 8 5.5	4000 1800 Lead	No 1 FIXED	OB None 0	Extended rudder 10", NCTR		
Xtreme	Hobie 33 ODR	18170	90 1984	33.83 12.4	125	36.25	35 12.5	4.75 8	Yes	No		33 30.5 8 5.42	4000 1800 Lead	No 1 FIXED	OB None 0			

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
				J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp. Traps/H. Strps		IB or OB Prop Type # of blades		
									SL	SPL	SLU	ASA		Ballast	moveable blst			
																	SSMG	
Disp/WL ratio	Mast Material Rig Type																	
Short Bus	Hunter 35 Legend	210	138 1990	42 12.17	110	44.08 14.25	5.5 9.2	No	Yes	24.6 957	35.58 29.75	12600 5000	0 1	IB Fixed_2				
			628 218	ALUMN MS			375		39.8 26	0 <input type="checkbox"/>	11.75 6.5	Lead	FIXED					
Scraft	Hunter 36	38096	156 2005	44.83 13.17	125	44.92 16	6 10.3	No	No	0 0	35.5 30.58	13900 5023	0 1	IB Fixed_3	Roller Furler, In-mast Furling Mainsail			
			221	ALUMN MS			426		<input type="checkbox"/>	0	12 5.42	Lead	FIXED					
Sir Leansalot	Hunter 40	161	105 1986	53.9 17	125	48 13.9	5.2 9	Yes	No	17	39.7 32.5	17400 6000	0 1	IB Fold				
			608 230	ALUMN MS		0 0	396	52.5 29.2 29	1276	0 <input type="checkbox"/>	13.5 6.5	Iron	FIXED	2				
Invictus	Hunter 41 DS	38093	129 2007	51.6 13	110	50.8 19.6	6 10.11	No	No	0 0	40.4 35.6	19400 6506	0 1	IB Fixed_3	(Mtg 4/25/13, +3 sec/mi for in-mast furling main)			
			195	ALUMN FS			524		<input type="checkbox"/>	0	13.3 6.6	Lead	FIXED	3				
Gratitude	Hylas 46	60373	102 2002	58.4 17.7	135	50.6 18	4.6 9.6	No	Yes	25.5 1309	46.3 40	27777 12347	0 1	IB Feath				
			573 197	ALUMN CTR			469	51.6 30.6	0 <input checked="" type="checkbox"/>	0	13.9 6.6	Lead	FIXED	3				
Hylite	Hylas 49 SM	49	111 2007	57.42 19.5	130	51 18.5	4.5 9.17	No	Yes	28.67 1214	48.83 39.5	35000 14500	0 1	IB Fold	(Mtg 1/26/17, Custom rating of 111 assigned)			
			580 258	ALUMN CTR			470	55.33 24.42	0 <input checked="" type="checkbox"/>	0	14.25 6	Lead	FIXED					
USA 76	IACC	76	-78 2002	83.99 27.17	100	99.18 30.19	14.12 20.33	No	No	0 0	82.6 61.6	52910 39683	No 1	IB Fold	(mtg 12/5/13, custom rating of -78 assigned)			
			103	CARBON FS			1892		<input checked="" type="checkbox"/>	0	11.9 13.45	Lead	FIXED					

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
			Rating		I	J	P	MGU	Yes/No	Yes/No	ASF	Ttl Disp.		Traps/H.	IB or OB		
			DW Rating		Max	Head	E	MGM	SL	SPL	SLU	ASA		Ballast	moveable blst	Prop Type	
			Disp/WL ratio		sail	sail	PY	MSA	SSMG	SSA	SLE	Sprit Lngth		Ballast Mat.	Keel Type	# of blades	
			ISP														
			JSP														
The Mighty Windsong	International Folkboat OB	567	228	1969	26	155	26	28.8	4.44	Yes	No		25.75	5000	0	OB	
					8.3		8.3	11.2	7.34				19.75	2750	1	None	
			817		ALUMN				195			0	7.5	Iron	FIXED		
			295		MS						<input type="checkbox"/>	0	4				
Youngster	IOD ODR	82	156	1937	29.25	103	41	38.83	6.12	Yes	No		33.42	7100	No	NONE	(mtg 1/21/10, switched to Masthead Spinnaker, -12 sec/mi for 40% increase in ISP, -6 sec/mi for oversized spinnaker girths)(138 rating valid for PHRF Races, not valid for IOD Class races. Boat must be in class configuration to sail)
					8.33		10.67	16.25	10.47				21.42	4100	1	None	
			699		ALUMN			0	374			0	6.75	Lead	FIXED	0	
			328		MS			0			<input type="checkbox"/>		5.333				
Antares	Islander 30-2	6237	186	1971	38.5	155	38.416	32.5	4.75	Yes	No		30	8600	No	IB	
					12.58			11.58	8.125				24.58	3600	1	FOLD	
			677		ALUMN			0	235			0	10	Lead	FIXED	2	
			263		MS			0			<input type="checkbox"/>		5				
Sweet Pea	Islander 30-2	195	186	1971	38.5	155	38.42	32.5	4.75	Yes	No		30	8600	0	IB	
					12.58			11.58	8.125				24.58	3500	1	FOLD	
			677		ALUMN			0	235			0	10	Lead	FIXED	2	
			263		MS			0			<input type="checkbox"/>		5				
Apogee	Islander 36 Freeport	36	162	1978	46.75	150		42	5	No	No		35.9	17000	0	IB	
					16.75			12.75	8.4				27.6	7030	1	Fold	
					ALUMN				323			0	12	Lead	FIXED		
			368		MS						<input type="checkbox"/>	0	5.3				
Zenith	Islander 36 NCPHRF	472	147	1978	45	135	45	39.25	5.05	No	No		36.08	13450	No	IB	
					14.48		14.8	12.75	8.44				28.25	5820	1	Fold	
					ALUMN			0	303			0	11.166	Lead	FIXED	2	
			271		MS			0			<input type="checkbox"/>		6.083				
Zingara	Islander 36 NCPHRF	484	150	1978	45	125	45	39.25	4.8	No	No		36.1	13450	No	IB	Roller Furler
					14.48		14.8	12.75	8.29				28.25	5820	1	Fold	
					ALUMN			0	298			0	11.17	Lead	FIXED	2	
			271		MS			0			<input type="checkbox"/>		6.08				

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications					
			Built	J	Max Headsail	ISP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp. Traps/H. Strps		IB or OB								
									JSP	E				MGM	SL		SPL	SLU		ASA	LWL	Ballast	moveable blst	# of blades
Disp/WL ratio	Mast Material	Rig Type	EY	SSF	ASMG	Fixed or _o	Max Draft																	
Windwalker	Islander 36 ODR	57307	144	1976	45	150	45	39.25	4.8	Yes		No		36.08	13450	No	IB							
			648		14.48			12.75	8.2					28.25	5820	1	FOLD							
			271		ALUMN		0		297			<input type="checkbox"/>	0	11.17	Lead	FIXED	2							
			271		MS		0							6.08										
FROLIC	Islander 36 TM	47462	141	1974	47	155	47	40.75	4.8	Yes		No		36.08	13450	0	IB							
			655		14.5		14.5	12.6	8.25					28.25	5450	1	Feath							
			271		ALUMN				307			<input type="checkbox"/>	0	11.17	Iron	FIXED	3							
			271		MS			24.6						6.08										
Picante	Islander Bahama 28 SM	1	210	1981	33.8	150	11.75	28	3.58	No		Yes	20	27.9	7000	0	IB							
			726		11.75		11.75	8.2	5.75			33	478	23	3000	1	Fixed_3							
			262		ALUMN				146			29.4	0	9.8	Lead	FIXED	3							
			262		MS							18	<input checked="" type="checkbox"/>	0										
Strange Magic	Islander Bahama 30	179	180	1981	40	150	40	33.75	4.37	No		No		29.92	8230	0	IB							
			180		12.75		12.75	11.5	7.47					24.58	3130	1	Fold							
			252		ALUMN				232			<input type="checkbox"/>	0	10	Lead	FIXED								
			252		MS									5										
Wuvulu	Islander Bahama 30	61	180	1979	40	150	38.416	33.75	4.75	Yes		No		30	8600	No	IB							
			674		12.75			11.5	8.125					24.58	3500	1	FOLD							
			263		ALUMN			0	243			<input type="checkbox"/>	0	10	Lead	FIXED	2							
			263		MS			0						5										
Javelin	J 100 ODR	4	81	2004	38.5	95	43	38	5.13	No		Yes	24.34	32.8	6500	No	IB							
			590		11.5		12.7	13.5	8.77			49.93	899	29	2500	1	FOLD							
			121		CARBON				306			38.71	0	9.3	Lead	FIXED	2							
			121		FS							24.34	<input type="checkbox"/>	5.8										
Pegasus - Motion X	J 100 ODR MOD	1197	69	2005	38	95	43	38	5.32	No		Yes	23.3	32.8	7250	No	IB							
			579		12.7		15.63	15.3	9.32			47.8	861	29	2500	1	FOLD							
			135		CARBON				332			39.1	4.13	9.3	Lead	FIXED	2							
			135		FS							23.9	<input checked="" type="checkbox"/>	5.8										

(Mtg 2/26/09, -3 sec/mi for adding sprit)(mtg 1/21/10, additional -3 sec/mi for lengthening sprit to 4.13')(Mtg 1/27/11, -6 sec/mi for increased "e")(Mtg 1/26/11, shortened J, boat rigged for shorthanded sailing. NCTBY1/22/17

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications	
			Built	DW Rating	I J Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp.	Traps/H. Strps		IB or OB Prop Type # of blades			
									Mast Material	Rig Type	SL	SPL			SLU	ASA		Ballast		moveable blst
Disp/WL ratio							ASF	Fixed or _o												
Advantage 3	J 105 ODR w/ 5'BS	84	78	1994	40.6 13.5	100	42.1 19.07	41.5 14.5	5.5 9.4	No	Yes	25.5 49 38.6 26.4	25.5 957 5	34.5 29.5 11 6.5	7750 3400 Lead	No 1 FIXED	IB FOLD 2			
Akula	J 105 ODR w/ 5'BS	16	78	1992	40.6 13.5	100	42.1 19.07	41.5 14.6	5.5 9.4	No	Yes	25 48.9 38.7 23	25 854 5	34.5 29.5 11 6.5	7750 3400 Lead	No 1 FIXED	IB FOLD 2			
Crackers	J 105 ODR w/ 5'BS	581	78	2002	40.6 13.5	100	42.1 19.07	41.5 14.5	5.5 9.4	No	Yes	26.2 49.5 39.8 22.3	26.2 859 5 0	34.5 29.5 11 6.5	8664 3400 Lead	0 1 FIXED	IB Fold			
Godot	J 105 ODR w/ 5'BS	28905	78	1992	40.6 13.5	95	42.1 19.07	41.5 14.6	5.5 9.4	No	Yes	23.29 49.54 38.55 26.8	23.29 958 5	34.5 29.5 11 6.5	7750 3400 Lead	No 1 FIXED	IB FOLD 2			
Javelin	J 105 ODR w/ 5'BS	394	78	2001	40.6 13.5	100	42.1 19.07	41.5 14.5	5.5 9.4	No	Yes	25.5 49 38.6 26.4	25.5 957 5 0	34.5 29.5 11 6.5	8697 3400 Lead	0 1 FIXED	IB Fold			
Lightwave	J 105 ODR w/ 5'BS	319	78	2000	40.6 13.5	100	42.1 19.07	41.5 14.5	5.5 9.4	No	Yes	22.9 49.4 38.5 26.6	22.9 947 5	34.5 29.5 11 6.5	7750 3400 Lead	No 1 FIXED	IB FOLD 2			
Mamaluc	J 105 ODR w/ 5'BS	265	78	1999	40.6 13.5	100	42.1 19.07	41.5 14.5	5.5 9.4	No	Yes	25.9 49.42 39.76 25.88	25.9 962 5	34.5 29.5 11 6.5	7750 3400 Lead	No 1 FIXED	IB FOLD 2			

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications							
			Rating		I	J	Max	ISP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps		IB or OB						
			DW Rating		J	Max	Headsail	JSP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type								
			Disp/WL ratio		J	Max	Rig Type	JSP	PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades								
Nantucket Sleighride	J 105 ODR w/ 5'BS	414	78	2001	40.6	100	42.1	41.5	5.5	No	Yes	25	34.5	7750	0	IB										
												13.5					ALUMN FS	19.07	14.5	9.4	48.9	863	29.5	3400	1	Fold
			585																		38.7	5	11	Lead	FIXED	2
			137																		23.3	<input checked="" type="checkbox"/>	0	6.5		
Russian Roulette	J 105 ODR w/ 5'BS	85	78	1995	40.6	100	42.1	41.5	5.5	No	Yes	25	34.5	7750	0	IB										
												13.5					ALUMN FS	19.07	14.5	9.4	48.9	854	29.5	3400	1	Fold
			585																		38.7	5.5	11	Lead	FIXED	2
			137																		23	<input checked="" type="checkbox"/>	0	6.5		
Vuja Star	J 105 ODR w/ 5'BS	181	78	1998	40.6	100	42.1	41.5	5.5	No	Yes	29.5	34.5	8733	0	IB										
												13.5					ALUMN FS	19.07	14.5	9.4	49.52	958	29.5	3400	1	Fold
			581																		39.8	5.5	11	Lead	FIXED	2
			155																		24.8	<input checked="" type="checkbox"/>	0	6.5		
Lindo	J 109	195	69	2005	46.5	155	49	43.3	5.89	No	Yes	27.75	35.25	10900	0	IB										
												13.3					ALUMN FS	18.8	15.5	10.07	56.33	1160	30.5	3900	1	FOLD
			580																		45.63	5.5	11.5	Lead	FIXED	2
			175																		27.2	<input checked="" type="checkbox"/>	0	7		
Junkyard Dog	J 109 ODR	168	72	2004	46.5	105	49	43.25	5.88	No	Yes	27.75	35.25	10900	No	IB										
												13.3					ALUMN FS	18.83	15.5	10	56.33	1160	30.5	3900	1	FOLD
			583																		45.63	5.5	11.5	Lead	FIXED	2
			175																		27.2	<input checked="" type="checkbox"/>	0	7		
La Viajera	J 109 ODR	46480	72	2004	46.5	105	49.6	43.25	5.89	No	Yes	27.75	35.25	10900	0	IB										
												13.3					ALUMN FS	18.8	15.5	10.07	56.33	1160	30.5	3900	1	Fold
			583																		45.63	5.5	11.5	Lead	FIXED	2
			175																		27.2	<input checked="" type="checkbox"/>	0	7		
Bad Dog	J 111	103	36	2011	48.37	105	51.4	45.7	6.1	No	Yes	31.86	36.5	9300	0	IB										
												13.85					CARBON FS	20.08	14.5	10.1	59.05	1433	32.7	3500	1	Fold
			532																		48.88	6.3	10.8	LeadSteel	FIXED	
			121																		31.86	<input checked="" type="checkbox"/>	0	7.2		

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications										
			Built	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB											
										DW Rating	Mast Material									PY	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type
Max Draft																													
Swift Ness	J 111	101	36	2014	48.37	105	51.4	45.17	6.1	No	Yes	31.8	36.5	9300	0	IB													
					13.85		20.08	14.5	10.1		59.05	1404	32.7	3500	1	Fold													
			534		CARBON				410		46.88	6.3	10.8	LeadSteel	FIXED														
			121		FS						31.8	<input checked="" type="checkbox"/>	0																
Symmetry	J 111	91	36	2013	48.37	105	51.4	45.17	6.16	No	Yes	31.1	36.5	9300	0	IB													
					13.85		20.08	14.45	10.1		59.05	1399	32.7	3500	1	Fold													
			534		CARBON				410		48.88	6.3	10.8	LeadSteel	FIXED														
			121		FS						31.1	<input checked="" type="checkbox"/>	0																
Alchera	J 120 Mod	28870	51	2001	50.5	125	52	46.5	6	No	Yes	34	40	13900	No	IB	Modifications for offshore singlehanding: Smaller spinnaker and main, 2 extra winches at helm, 3 additional gel batteries, dodger boss widened and all control lines led to cockpit, radar pole, veltran MHN jib. (M/M 2/21/08 - 12 ppl/10 for small)												
					14.5		21.55	17.57	10.57		57.96	1407	35	6000	1	FOLD													
			554		CARBON			0	463		49.99	7	12	Lead	FIXED	2													
			147		FS			0			30.6	<input checked="" type="checkbox"/>																	
Chance	J 120 ALUM	28484	51	2001	50.5	100	52	46.3	6.7	No	Yes	34.1	40	13900	No	IB													
					14.5		21.5	17.8	11.5		64.1	1765	35	6000	1	FOLD													
			541		ALUMN			0	489		50.6	7	12	Lead	FIXED	2													
			147		FS			0			37.65	<input type="checkbox"/>																	
Hokulani	J 120 ALUM	43	48	1996	50.42	155	50.42	46.42	6.58	No	Yes	37.8	40	13900	0	IB													
					14.42		21.42	17.67	11.42		62.5	1777	35	6000	1	Fold													
			538		ALUMN				486		51.5	0	12	Lead	FIXED														
			147		FS						37.3	<input checked="" type="checkbox"/>	0																
Jamani	J 120 ALUM	52879	48	2002	50.5	155	52	46.5	6.7	No	Yes	34	40	13900	0	IB													
					14.5		21.5	17.8	11.5		64	1729	35	6000	1	FOLD													
			542		ALUMN				491		50	7	12	Lead	FIXED	2													
			147		FS						37	<input checked="" type="checkbox"/>	0																
Kookaburra	J 120 ALUM	153	48	2001	50.5	155	52	46.5	6.2	No	Yes	30.3	40	13900	No	IB													
					14.5		21.5	17.8	10.7		60.8	1265	35	6000	1	FOLD													
			556		ALUMN			0	471		50.6	7	12	Lead	FIXED	2													
			147		FS			0			26.5	<input checked="" type="checkbox"/>																	

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications										
			Built	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB											
										DW Rating	Mast Material									E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type
EY	SSA	ASMG	Fixed or _o	Max Draft																									
Saetta	J 120 ALUM	28486	48	1999	50.5	153	52	46.5	6.75	No	Yes	37.6	40	13900	No	IB													
					14.5		21.5	17.8	11.5		65.61	1793	35	6000	1	FOLD													
			540		ALUMN		0	492			51.8	7	12	Lead	FIXED	2													
			147		FS		0				36.42	<input checked="" type="checkbox"/>	0																
Twist	J 120 ALUM	28442	48	2000	50.5	150	52	46.5	6.75	No	Yes	34.1	40	13900	No	IB													
					14.5		21.5	17.8	11.5		64	1764	35	6000	1	FOLD													
			541		ALUMN		0	492			50.6	7	12	Lead	FIXED	2													
			147		FS		0				37.65	<input checked="" type="checkbox"/>	0																
Peregrine	J 120 Carbon	25487	45	2001	50.5	150	52	46.5	6.76	No	Yes	35.1	40	13900	0	IB													
					14.5			17.8	11.57		64	1776	35	6000	1	Fold													
			540		CARBON				493		52.5	7	12	Lead	FIXED	2													
			147		FS						36.96	<input checked="" type="checkbox"/>	0																
Albion	J 124	14	27	2007	49	145	54.7	48.4	6.4	No	Yes	32.74	40.7	12600	0	IB	(Mtg 2/23/17, -6 sec/mi for asymmetric spinnaker modifications)												
					14		19.43	17	11		60.53	1528	36.2	5000	1	Fold													
			522		CARBON				488		51.51	3.83	11.33	Lead	FIXED														
			121		FS						32.74	<input checked="" type="checkbox"/>	0																
Spirit of Freedom	J 124	38006	27	2006	49	155	54.7	48.4	6.8	Yes	Yes	32.6	40.7	12600	No	IB	(mtg 4/22/10, -3 sec/mi for OSP, -3 sec/mi for ability to square back pole)												
					14		15.4	17		53.9	15.4	55.1	1243	5000	1	FOLD													
			535		CARBON					27.7	1244	51.9	0	Lead	FIXED	2													
			121		FS					27.7		26.7	<input checked="" type="checkbox"/>	6.9															
Can't Touch This	J 125	93204	-12	1999	49	155	52.1	47	6.8	No	Yes	41	41	9330	0	IB	(Mtg 2/26/09, -3 sec/mi for oversized main girths)(3/9/09, corrected main girths, removed -3 sec/mi penalty)												
					15		23	18	11.6		61.3	1941	37	4646	1	FOLD													
			468		CARBON				502		52.3	8	10.6	Lead	FIXED	2													
			84		MS						41	<input type="checkbox"/>	0																
Tyr	J 125	52125	-12	2000	49	155	52	46.5	6.79	No	Yes	39.3	41	8350	0	IB													
					14.8		23.4	18	11.65		62.17	1831	37	4646	1	Fold													
			471		CARBON				497		52.49	0	10.6	Lead	FIXED	2													
			75		FS						38.09	<input checked="" type="checkbox"/>	0																

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
			Built	J	Max	ISP	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	IB or OB				
			DW Rating	JSP	Headsail	JSP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type			
			Disp/WL ratio		Material		PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades			
				Rig Type	EY		SSF	ASM	Fixed or _o	Max Draft									
Jaybird	J 133 CM	52443	24	2004	57 17.25	100	60.4 24	54 18.6	7 12	No	Yes			38.08 30.25 11.8 6.8	16900 6850 Iron	0 1 FIXED	IB Fixed_2		
Samba Pa Ti	J 22	3	186	1982	24.8 8.8	125	24.8 8.8	26.1 9	3.78 6.27	Yes	No			22.5 19 8 3.8	1790 700 Lead	0 1 FIXED	OB None		
Downtown Upoar	J 24 ODR	2394	168	1981	26.25 9.5	150	26.25	28 9.75	3.7 6.37	Yes	No			24 20 9.2 4.1	3125 965 Lead	0 1 FIXED	OB None 0		
Irish Blessing	J 24 ODR	2184	168		26.25 9.5	150	26.25	28 9.75	3.7 6.37	Yes	No			24 20 8.92 4	3100 965 Lead	0 1 FIXED	OB None 0		
Shut Up & Drive	J 24 ODR	513	168		26.25 9.5	150	26.25	28 9.75	3.7 6.37	Yes	No			24 20 8.916 4	3100 965 Lead	No 1 FIXED	OB None 0		
Cordon Rouge	J 30	68	144	1979	34 11.5	125	34	38 13	5.1 8.4	Yes	No	0		29.83 25 11.2 5.25	6700 2100 Lead	No 1 FIXED	IB FOLD 3		
Friction Loss	J 30	67425	141	1979	34 11.5	155	34.1 11.5	38 13	4.94 8.45	Yes	No	21.06 666		29.83 25 11.17 5.25	6500 2100 Lead	0 1 FIXED	IB FOLD 2		

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications			
				DW Rating	I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.	Traps/H. Strps moveable blst		IB or OB Prop Type # of blades		
									SL	SPL	SLU	ASA							Ballast Mat.	Keel Type
Ione	J 30	8994	141	1981	34.19 11.041	140	38 13	4.83 8.21	Yes	No		29.83 25 11.2 5.25	6500 2100 Lead	0 1 FIXED	IB FOLD 2					
			657		ALUMN FS		0 0	290			<input type="checkbox"/>									
			189																	
Wind Speed	J 30	39963	141	1980	34.19 11.5	155	37.5 12.5	4.9 8.1	Yes	No		29.83 25 11.18 5.25	6700 2100 Lead	No 1 FIXED	IB FOLD 2	+6 sec/mi for J length pole (mtg 11/16/01)				
			657		ALUMN FS		0 0	281			<input type="checkbox"/>									
			195																	
La Dolce Vita	J 32	64	120	2001	39.2 11	155	40.5 13	38.5 15.5	5.1 9.2	No	Yes	19.7 43 39.5 19.7	677 2.5 0	32.4 29 11 6	10000 3840 Lead	0 1 FIXED	IB Feath 3	(Mtg 8/22/13, -6 sec/mi for sprit)		
			635		ALUMN FS			334			<input checked="" type="checkbox"/>									
			186																	
Paradigm	J 32	79	126	2002	39.166 11	150	40.583 11.916	38.42 15.42	5.5 9.58	No	Yes	17.83 42.09 39.25 22.17	722 0 0	32.4 29 11 6	11500 3840 Lead	No 1 FIXED	IB FOLD 2			
			647		ALUMN FS			343			<input checked="" type="checkbox"/>									
			214																	
Rhapsody	J 32	56303	120	2000	39.2 11	155	40.583 13	38.5 15.5	5.12 9.25	No	Yes	22.5 46.25 41.55 22.75	830 2 0	32.4 29 11 6	11500 3840 Lead	0 1 FIXED	IB Fold 3	(Mtg 5/23/13, -3 sec/mi for sprit, -3 sec/mi for oversized spinnaker)		
			640		ALUMN FS			335			<input checked="" type="checkbox"/>									
			214																	
Stratocaster	J 32	16	126	1996	39.2 11	155	40.68	38.5 15.5	5.88 10.07	Yes	Yes	23.95 44.92 38.38 23.95	831 0 0	32.5 28.67 11 5.75	10000 3840 Lead	No 1 FIXED	IB FOLD 2			
			633		ALUMN FS			355			<input checked="" type="checkbox"/>									
			193					0 0												
Akialoa	J 35	28435	75	1989	46.33 14.58	120	46.3	41.42 14	5.43 9.11	No	No		0	35.42 30 11.67 6.75	10500 4400 Lead	No 1 FIXED	IB FOLD 2			
			177		ALUMN MS			0 0	347		<input type="checkbox"/>									

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications			
			Rating		I	J	ISP	P	MGU	Yes/No		Yes/No	ASF		Ttl Disp.	Traps/H.	Strps		IB or OB		
			DW Rating		Max Headsail	ISP	E	MGM	SL	SPL	SLU	ASA	Ballast							moveable blst	Prop Type
			Disp/WL ratio		Mast Material	JSP	PY	MSA	SSMG	SSA	SLE	Sprit Lngth									
	Rig Type		EY		SSF		ASM	Fixed or _o													
Jarlen	J 35	28528	72	1990	46.333 14.583	150	46.3	41.416 14	5.43 9.11	Yes	46	14.583	No		0	35.42 30 11.67 6.75	10500 4400 Lead	No 1 FIXED	IB FOLD 2		
Joker	J 35	400	75	1986	46.4 14.7	125	46.4	41.5 14	5.43 9.11	Yes	46	14.7	No		0	35.42 30 11.8 6.75	10500 4400 Lead	0 1 FIXED	IB FOLD 2		
Mojo	J 35	18935	72	1983	46.4 14.7	150	46.3 14.7	41.75 14.98	5.21 8.77	Yes	46	14.7	No		0	35.42 30 11.8 6.9	10500 4400 Lead	No 1 FIXED	IB Feath 2		
Dawn's Early Light	J 36	77549	87	1982	44.219 14	125	44.21 14	47 15	5.8 9.5	Yes	44.25 25.26 24.12	14	No		0 0	35.95 30.5 11.76 6.6	10570 4600 Lead	0 1 FIXED	IB Fold		
Acey Deucy	J 44	97659	21	1989	60.606 17.08	155	60.416	53.51 19.41	7.3 12.5	Yes	59.8 30.8 30.8	17.085 1535	Yes	27 1379	1	44.83 38.58 13.67 8.14	22770 9000 Lead	0 1 FIXED	IB FOLD 2	Electric Winches	
Phantom	J 44	28844	21	1990	60.606 17.08	120	60.416	53.53 19.41	7.3 12.5	Yes	59.65 30.7 30.7	17.08 1526	Yes	27 1379	0	44.75 38.58 13.67 8.14	23838 9000 Lead	No 1 FIXED	IB Feath 3		
Allons-Y	J 70 ODR	346	114	2014	26.77 7.68	100	30.15 13.5	26.16 9.44	4.71 6.93	No			Yes	18.7 491	0	22.75 20.47 7.38 4.92	1750 630 Lead	0 1 MVBL	OB None		

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
				DW Rating	I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.	Traps/H. Strps moveable blst		IB or OB Prop Type # of blades
									SL SPL SSMG SSF	SPL SSA	SLU SLE ASMG	SLU SLE ASMG						
Benny	J 70 ODR	897	114	2015	26.77 7.68	100	30.15 13.5	26.16 9.44	4.71 6.93	No	Yes	18.7 491 5.1 0	22.75 20.47 7.38 4.92	1750 630 Lead	0 1 MVBL	OB None		
Penny Pincher	J 70 ODR	215	114	2014	26.77 7.68	100	30.15 13.5	26.16 9.44	4.71 6.93	No	Yes	18.7 491 5.1 0	22.78 20.47 7.38 4.92	1750 630 Lead	0 1 MVBL	OB None		
Prime Number	J 70 ODR	29	114	2012	26.77 7.68	100	30.15 13.5	26.16 9.44	4.71 6.93	No	Yes	18.7 491 5.1 0	22.78 20.47 7.38 4.92	1750 630 Lead	0 1 MVBL	OB None		
Rampage	J 70 ODR	582	114	2014	26.77 7.68	100	30.15 13.5	26.16 9.44	4.71 6.93	No	Yes	18.7 491 5.1 0	22.75 20.47 7.38 4.92	1750 630 Lead	0 1 MVBL	OB None		
Scilla	J 70 ODR	327	114	2012	26.77 7.68	100	30.15 13.5	26.16 9.44	4.71 6.93	No	Yes	18.7 491 5.1 0	22.78 20.47 7.38 4.92	1750 630 Lead	0 1 MVBL	OB None		
Wingman Racing	J 70 ODR	584	114	2014	26.77 7.68	100	30.15 13.5	26.16 9.44	4.71 6.93	No	Yes	18.7 491 5.1 0	22.75 20.47 7.38 4.95	1750 630 Lead	0 1 MVBL	OB None		
Courageous	J 88	77	81	2015	38.67 11.28	104	46 18.05	36.82 12	5.44 8.4	No	Yes	29 1022 5.25 0	29.19 26.84 9.5 6.5	4990 1840 Lead	0 1 FIXED	IB Fold		

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No	ASF		Ballast Ballast Mat.	Traps/H. moveable blst Keel Type		
									SL	SPL	SLU	ASA					
									SSMG SSF	SSA	SLE ASMG	Sprit Lngth Fixed or _o					
Inconceivable	J 88	9	81	2013	38.67 11.28	104	46 18.05	36.82 12	5.44 8.4	No	Yes	29	29.19	4990	0	IB	
			561		CARBON						47.83	1022	26.84	1840	1	Fold	
			117		FS				282		40.84	5.25	9.5	Lead	FIXED		
											27.32	<input checked="" type="checkbox"/>	0	6.5			
Juno	J 88	20	81	2014	38.67 11.28	105	46 18.05	36.82 12	5.44 8.4	No	Yes	29	29.19	4990	0	IB	
			561		CARBON						47.83	1022	26.84	1840	1	Feath	
			117		FS				282		40.84	5.25	9.5	Lead	FIXED		
											27.32	<input checked="" type="checkbox"/>	0	6.5			
M Squared	J 88	75	81		38.67 11.28	104	46 18.05	36.82 12	5.44 8.4	No	Yes	29	29.19	4990	0	IB	
			561		CARBON						47.83	1022	26.84	1840	1	Fold	
			117		FS				282		40.84	5.25	9.5	Lead	FIXED		
											27.32	<input checked="" type="checkbox"/>	0	6.5			
Ventus	J 88	60	81	2015	38.67 11.28	104	46 18.05	36.82 12	5.44 8.4	No	Yes	29	29.19	4990	0	IB	
			561		CARBON						47.83	1022	26.84	1840	1	Fold	
			117		FS				282		40.84	5.25	9.5	Lead	FIXED		
											27.32	<input checked="" type="checkbox"/>	0	6.5			
White Shadow	J 88	23	81	2014	38.67 11.28	104	46 18.05	36.82 12	5.44 8.4	No	Yes	29	29.19	4990	0	IB	
			561		CARBON						47.83	1022	26.84	1840	1	Fold	
			117		FS				282		40.84	5.25	9.5	Lead	FIXED		
											27.32	<input checked="" type="checkbox"/>	0	6.5			
Hijinks	J 92	90	108	1996	37 11.5	97	38.5 17	37.66 13.22	5 8.6	No	Yes	26.51	30	5500	0	IB	
			595		ALUMN						45.4	868	26.5	2275	1	Fold	
			134		FS				297		40.85	5.5	10	Lead	FIXED	2	
											23.55	<input checked="" type="checkbox"/>	0	5.9			
Ragtime!	J 92	18	105	1993	37 11.5	155	38.5 17	38 13.5	4.7 8.2	No	Yes	29.75	30	5500	No	IB	(changes noted 3-11-03, NCTR)(2/14/06 - Spinnaker based on 1019 sq feet/94.67 meters)(Mtg 01/16/14, -3 sec/mi for flying asymmetric off squared back pole)(Mtg 4/24/14, New Rudder noted NCTR. Shortened pole/sprit
			593		ALUMN						46.8	1019	25.8	2275	1	FOLD	
			146		FS			0	293		38.5	5.5	10	Lead	FIXED	2	
								0			28.4	<input checked="" type="checkbox"/>		5.9			

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications		
				DW Rating Disp/WL ratio	J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast Mat.		Traps/H. moveable blst Keel Type	IB or OB Prop Type # of blades
									SL	SPL	SLU	ASA							
									SSMG SSF	SSA	SLE	Spr							
Relentless	J 92	93	105 1997	37 11.5 155 38.5 17.5	ALUMN FS	38 5.2 13.5 8.7 306	No	Yes	26.4 45.2 915 26.5 40.6 5.5 10 25.4	<input checked="" type="checkbox"/>	0	30 5.9	5500 2275 Lead	0 1 FIXED	IB Fold 2				
Windtrip Infinity	J 92s	35	96 2006	40.68 11.48 107 44.08 16.67	ALUMN FS	38.88 5.42 13.95 9 324	No	Yes	23.25 48.67 878 26.7 39.67 5.17 10 24	<input checked="" type="checkbox"/>	0	30 6.24	5610 2317 Lead	0 1 FIXED	IB Fold				
Lady Jane	Jeanneau 39i Sun Odyssey	7913	93 2008	48.1 13.1 122 48.1	ALUMN FS	46.3 5.42 14.6 9.28 398	No	Yes	27.46 49.31 1012 35.2 42.81 1 12.9 26.08	<input checked="" type="checkbox"/>	0	38.1 6.7	16163 5026 Cast Iron	0 1 FIXED	IB Feath 3				
Dare Dare	Jeanneau Sun Fast 3200	39	81 2008	41.92 12.58 102 43.77 13.61	ALUMN FS	38.67 5.28 13.68 8.46 311	Yes	Yes	24.41 44.91 13.58 42.06 887 24.08 896 42.06 1 11.5 25.52 0 6.2	<input type="checkbox"/>	0	33.1 28 11.5 6.2	7916 2866 Lead	0 1 FIXED	IB Fold 2				
Wimm	Jeanneau Sun Odyssey 349	38105	141 2016	43.6 12.37 112 40.68 4.9 13.62 8.2 318	ALUMN MS	40.68 4.9 13.62 8.2 318	No	No	0 0 0	<input type="checkbox"/>	0	33.92 30.84 11.29 6.86	11770 3483 Cast Iron	0 1 FIXED	IB Fold				
Kai Ola	Jeanneau Sun Odyssey 379	0	105 2011	46.67 13.58 132 46.67	ALUMN MS	44.58 5.4 13.92 9.1 372	Yes	No	455 13.58 26 9820 25.5	<input type="checkbox"/>	0 0	37.17 36 12.33 6.33	14771 3914 Steel	0 1 FIXED	IB Fixed_3	(Mtg 5/25/17, -3 sec/mi for oversized spinnaker)			
Blue Zephyr	Jeanneau Sun Odyssey 42 DS		108 2010	51.58 16.25 150 48.82 3.55 14.6 6.9 350	ALUMN FS	48.82 3.55 14.6 6.9 350	No	No	0 0	<input type="checkbox"/>	0 0	42.42 38 13.5 6.92	19676 5628 Iron	0 1 FIXED	IB Fixed_3	(mtg 4/27/17, +3sec/mi for in-mast furling, +3 sec/mi for MGM < 50% of E)			

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.			Hull		Displacement/Keel		Engine/Prop	Modifications					
				J	Max Headsail	ISP JSP	P	MGU MGM	Yes/No		SLU	ASF ASA	LOA	LWL	Ttl Disp.	Traps/H.	Strps	IB or OB Prop Type						
									E	MGM										SL	SPL	Max Beam	Ballast	moveable blst
Disp/WL ratio	Mast Material	Rig Type	EY	SSA	ASMG	Fixed or _o																		
Invictus	Jeanneau Sunfast 3600	12	63 2015	46.58 13.83	105	48 17.67	44.25 15.08	6.49 9.91	No	Yes	27.8 1192	35.42 31.25	10362 4850	0 1	IB Feath									
			572 154	ALUMN FS				411		46.59 28	0 <input checked="" type="checkbox"/>	11.67 7	Lead	FIXED										
Wasabi	JPK 1080	38103	63	46.66 14.17	100	51.51 19.09	46.2 15.48	5.84 9.61	No	Yes		35.43 30.84	10692 4740	0 1	IB Fold									
			550 166	CARBON FS				419			0 90	11.98 7.22	Steel	FIXED										
Ga	Knarr ODR	123	198	33.583 6.583	125	33.583	31 11.166	4.47 7.46	No	No		30.333 20.333	4630 2866	No 1	OB None									
				WOOD FS			0 0	211			0	7 4.25	Lead	FIXED	0									
Kraken	Knarr ODR	47	198	33.583 6.583	125	33.583	31 11.166	4.47 7.46	No	No	6.583	30.333 20.333	4360 2866	No 1	OB None									
				WOOD FS			0 0	211			0	7 4.25	Cast Iron	FIXED	0									
Whispering Winds	Lancer 36 MH	87374	141	42 16	125	41.9	37 12	4.8 7.9	No	Yes	26 932	36.17 29	10500 4000	0 1	IB Fixed_3									
			621 196	ALUMN MS				269		39 28	0 <input checked="" type="checkbox"/>	11.75 6	Lead	FIXED										
Mega Hurtz	Laser 28 ODR MOD	53470	129 1974	31.1 9.65	125	31.73	33.14 12.96	4.98 8.4	Yes	No		28.41 23.62	3950 1500	0 1	OB None	(Mtg 2/27/14, switched to outboard motor, -3 sec/mi)								
			631 136	ALUMN FS				257		20.37 18.92	0 0	9.48 4.98	Lead	FIXED	2									
Stink Eye	Laser 28 ODR MOD	33562	126	31.73 9.65	110	33.2	33.14 12.3	5.2 8.3	Yes	Yes	19 546	28.42 23.62	4050 1500	No 1	OB FOLD	(Mtg 3/27/14, -3 sec/mi for oversized mainsail girths, -3 sec/mi for OB motor)								
			635 140	ALUMN MS			0 0	252		19.5 19.5	0.92 <input checked="" type="checkbox"/>	9.48 5	Lead	FIXED	2									

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications				
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU ASA Sprit Lngth Fixed or _o	SL SPL SSMG SSA	SLU ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst			Strps Keel Type			
								Disp/WL ratio	27.2 10.95										3.83 7.42	Yes No	18.8 417 3.9 0
Iniscaw	Martin 32	49143	126 1980	42.5 13.67 145	27.2 10.95	37.17 4.7 12 8	4.7 8	Yes	42.4 13.67 22.4 806 24.4	No	32.8 27 9.6 6.1	8200 0 4100 1 Lead FIXED	IB FOLD 2	(Mtg 10/2/13, new rudder, NCTR)							
Boomer	Melges 20	676	111 2009	23.19 7.05 110	27.2 10.95	24.25 9.84	3.83 7.42	No	26.25 17.65	Yes	18.8 417 3.9 0	20 19.4 7 4.5	1105 0 415 1 Lead FIXED	OB None 0							
Problen Child	Melges 20	134	111 2009	23.19 7.05 110	27.2 10.95	24.25 9.84	3.83 7.42	No	26.25 17.65	Yes	18.8 417 3.9 0	20 19.4 7 4.5	1105 0 415 1 Lead FIXED	OB None							
Insolent Minx	Melges 24	725	84 2008	27.85 7.98 100	31.85 12	28.75 12.42	3.83 7.09	No	19.23	Yes	20.67 577 0 0	24 22 8.2 5.25	1750 0 650 1 Lead CNTRBRD	OB None							
Rufless	Melges 24	445	84 1999	27.85 7.95 100	31.85 12	28.9 12.45	3.83 7.09	No	19.23	Yes	20.67 577 0 0	24 22 8.17 5.25	1783 0 650 1 Lead CNTRBRD	OB None 0							
Wet Corvette	Melges 30	103	36 1994	36.85 10.59 150	36.85 18.96	38 15.49		No		Yes	8.4 90	30 28.6 9.1 7	3800 0 1750 1 Lead MVBL	IB FOLD 2							
Rufless	Melges 32 MOD	174	30 2007	40.86 10.7 105	48.3 18.7	44.05 15.49	6.95 11.14	No	28.2	Yes	31.3 1203 8 0	31.84 28.5 9.83 7	4200 1600 1 Lead FIXED	OB None	(mtg 2/23/17, no longer using the class spinnaker. +3 sec/mi for small asymmetric)						

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications							
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU SLE ASMG	SPL SSA	SLU SLE ASMG		ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast Mat.	Traps/H. moveable blst Keel Type		IB or OB Prop Type # of blades						
								DW Rating	Mast Material										Rig Type	ISP JSP	MGU MGM MSA	SLU SLE ASMG	SPL SSA	ASF ASA Sprit Lngth Fixed or _o
Kuai	Melges 32 ODR	211	27 2006	40.86 10.7	105	48.3 18.7	44.05 15.49	6.95 11.14	No	Yes	31.82 1344	31.84 28.5 9.83 7	4200 1600 Lead	0 1 FIXED	OB None									
Bandido	Merit 25	28125	168 1983	28.75 9.66	150	28.75	28 9.75	4.25 6.69	Yes	No	9.66	24.5 20.5 8 4	3000 1050 Lead	No 1 FIXED	OB None 3									
Double Agent	Merit 25	8465	168 1981	28.75 9.66	155	28.75	28 9.75	4.25 6.69	Yes	No	9.66	24.5 20.5 8 4	3000 1050 Lead	No 1 FIXED	OB None 0									
Absinthe	Moore 24	102	150 1981	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No	9.75	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0									
Anna Banana	Moore 24	146	150 1984	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No	9.75	23.75 21.75 7.16 4.08	2050 1025 Lead	No 1 FIXED	OB None									
Cadenza	Moore 24	18878	150 1977	26.25 9.75	150	26.25	25 9.5	4.01 6.54	Yes	No	9.75	23.75 21.75 7.17 4.083	2050 1025 Lead	No 1 FIXED	OB None 0									
Color Blind	Moore 24	49	150 1979	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No	9.75	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0									

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications		
			Rating		I	J	P	MGU	Yes/No		Yes/No	ASF		Ttl Disp.	Traps/H.	IB or OB			
			DW Rating		Max Headsail	ISP	E	MGM	SL	SPL	SLU	ASA			Ballast			moveable blst	Prop Type
			Disp/WL ratio		Mast Material	JSP	PY	MSA	SSMG	SSA	SLE	Sprit Lngth		Ballast Mat.	Keel Type	# of blades			
	Rig Type		EY		SSF		ASMG	Fixed or _o											
Crazy Eights	Moore 24	28888	150	1978	26 9.8	150	26.3 9.75	25 9.5	3.91 6.5	Yes	26.6 17.55 17.55	9.75 389	No		0	23.75 21.75 7.16 4.083	2050 1000 Lead	0 1 FIXED	OB None 0
Firefly	Moore 24	64	150	1980	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	27 17.55 17.55	9.75 395	No		0	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0
Gruntled	Moore 24	68	150	1980	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	27 17.5 17.5	9.75 394	No		0	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0
Hasta Nunca	Moore 24	142	150		26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	26.6 17.55 17.55	9.75 389	No		0 0	23.75 21.75 7.16 4.08	2050 1025 Lead	0 1 FIXED	OB None 0
Incognito	Moore 24	136	150	1984	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	27 17.55 17.55	9.75 395	No		0	23.75 21.75 7.16 4.08	2050 1025 Lead	No 1 FIXED	OB None 0
JR	Moore 24	76	150	1980	26.25 9.75	155	26.25	25 9.5	3.91 6.5	Yes	27 17.55 17.55	9.75 395	No		0	23.75 21.75 7.16 4.08	2050 1025 Lead	No 1 FIXED	OB None 0
Mas!	Moore 24	138	150	1983	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	26.6 17 17.25	9.75 378	Yes	17.6 387 0 90		23.75 21.75 7.16 4.08	2050 1025 Lead	0 1 FIXED	OB None

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:		ISP		Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
			DW Rating		I	J	P	MGU	Yes/No	Yes/No	ASF	Ttl Disp.	Traps/H.	IB or OB						
			Disp/WL ratio		Max Headsail	Mast Material	E	MGM	SL	SPL	SLU	ASA	Ballast	moveable blst		Prop Type				
					Rig Type	FS	PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Ballast Mat.	Keel Type		# of blades				
							JSP													
Moore Fun	Moore 24	18884	153	1979	26.25 9.75	125	26.25	25 9.5	3.91 6.5	Yes	27 9.75	No		23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0			
			636 91		ALUMN FS			0 0	147		17.55 395		<input type="checkbox"/>							
Mooretician	Moore 24	89	150	1981	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	26.6 9.75	No		23.75 21.75 7.16 4.08	2050 1025 Lead	No 1 FIXED	OB None 0			
			636 91		ALUMN FS			0 0	147		17.55 389		<input type="checkbox"/>							
Moxy	Moore 24	110	150	1982	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	27 9.75	No		23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0			
			635 91		ALUMN FS			0 0	147		17.55 395		<input type="checkbox"/>							
Orca	Moore 24	85	150	1981	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	26 9.75	No		23.75 21.75 7.16 4.083	2050 1025 Lead	0 1 FIXED	OB None 0			
			638 91		ALUMN FS			0 0	147		17.55 380		<input type="checkbox"/>							
Oxymoron	Moore 24	28993	150	1981	26.25 9.75	150	26.2	25 9.5	3.91 6.5	Yes	26.6 9.75	No		23.75 21.75 7.16 4.25	2050 1025 Lead	0 1 FIXED	OB None 0			
			639 91		ALUMN FS			0 0	147		17.55 389		<input type="checkbox"/>							
Paramour	Moore 24	75	150	1980	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	27 9.75	No		23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0			
			635 91		ALUMN FS			0 0	147		17.55 395		<input type="checkbox"/>							
Rare Bird	Moore 24	67	141		26.58 9.75	100	28.31 11.65	25 9.5	3.91 6.5	Yes	27 11.65	Yes	17.22 464	23.75 21.75 7.16 4.083	2050 1025 Lead	0 1 FIXED	OB None	(Mtg 10/27/16, -6 sec/mi for OSP, -6 sec/mi for increased spinnaker area)		
			624 91		ALUMN FS				147		17.55 395		28.27 0 18.74							
													<input checked="" type="checkbox"/>							

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications		
			ISP		I	J	ISP	P	MGU	Yes/No	Yes/No	ASF		Ttl Disp.	Traps/H. Strps	IB or OB			
			JSP		Max Headsail	Max Headsail	E	MGM	SL	SPL	SLU	ASA		Ballast	moveable blst	Prop Type			
					Mast Material	Mast Material	PY	MSA	SSMG	SSA	SLE	Sprit Lngth		Ballast Mat.	Keel Type	# of blades			
		Disp/WL ratio	Rig Type		EY	SSF	ASM	G	Fixed or _o										
Rocket Science	Moore 24	104	150		26.25 9.75	155	26.25 9.76	25 9.5	3.91 6.5	Yes	27 17.55 17.55	9.75 395	No		23.75 21.75 7.16 4.08	2050 1025 Lead	0 1 FIXED	OB None 3	
Scarlett	Moore 24	86	150	1980	26.25 9.75	150	26.25	25 9.5	3.89 6.45	Yes	26.5 17.5 17.5	9.75 386	No		24 21.75 7.17 4.08	2050 1000 Lead	No 1 FIXED	OB None	
Slight Disorder	Moore 24	98	150	1981	26.25 9.75	150	26.25 9.75	25 9.5	3.91 6.5	Yes	26.6 17.5 17.5	9.8 388	No		23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0	
Snafu	Moore 24	121	150	1982	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	27 17.55 17.55	9.75 395	No		23.75 21.75 7.16 4.08	2050 1000 Lead	0 1 FIXED	OB None	
Sweet Tea	Moore 24	105	150	1981	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	27 17.55 17.55	9.75 395	No		23.75 21.75 7.16 4.08	2050 1025 Lead	0 1 FIXED	OB None	
The Jackal	Moore 24	22	150	1977	26.25 9.75	150	26.25 9.75	25 9.5	3.91 6.5	Yes	26.6 17.55 17.55	9.75 389	No		23.75 21.75 7.16 4.08	2050 1025 Lead	0 1 FIXED	OB None	
White Trash	Moore 24	78	150	1979	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	26.6 17.55 17.55	9.75 389	No		23.75 21.75 7.16 4.08	2050 1025 Lead	0 1 FIXED	OB None 0	

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.		Traps/H. Strps moveable blst			
								SL	SPL								
								SSMG	SSA								
Disp/WL ratio								Ballast Mat.	Keel Type								
WooHoo	Moore 24	80	150	1980	26.25 9.8	150	26.25	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.083	2050 1025 Lead	0 1 FIXED	OB None 0		
E-Ticket	Moorings 38 SD	119	117	1990	47.5 13.9	155	47.5 13.9	41.7 15	5.69 9.45	Yes	No	38.4 31.33 12.5 4.8	13700 5400 Steel	0 1 FIXED	IB Fold 2	Shoal Draft (Mtg 10/27/16, -3 sec/mi for oversized spinnaker area)	
Eliana II	Morgan 38-2	77486	156	1981	46 16.25	110	46 16.25	40.5 14.5	4.69 8.34	Yes	No	38.33 30.5 12 6	17000 6800 Lead	0 1 FIXED	IB Fixed_3 3	(Mtg 1/26/17, -3 sec/mi for oversized symmetric spinnaker area)	
Allora	Morris 36	38082	120	2007	38.66 12.75	95	44.3	41.25 15.08	5.1 9.43	No	Yes	36.1 25 10.1 5.3	8900 3850 Lead	0 1 FIXED	IB Fold		
Frequent Flyer	Mumm/Farr 30	52	54	1996	38.2 10.9	104	44.9 13.58	40.5 14.6	6.42 10.4	Yes	Yes	30.9 27.6 10.1 6.9	4561 1997 Lead	0 1 FIXED	IB Fold		
Achates	Newport 30-2	6847	174	1974	39.5 12.5	155	39.5	34 10.25 0 0	3.8 6.6 206	Yes	No	30 25 10.67 5.17	8500 3000 Lead	No 1 FIXED	IB FOLD 2		
Harry	Newport 30-2	6889	174	1974	39.5 12.125	150	39.5	34 10.25 0 0	4.2 7 215	Yes	No	30 25 10.5 4.75	8500 2500 Lead	No 1 FIXED	IB FOLD 2		

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:		ISP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull	Displacement/Keel		Engine/Prop	Modifications
			Max Headsail		I	J	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB		
			DW Rating		Mast	Material	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type		
			Disp/WL ratio		Rig Type	MS	PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades		
EY					SSF		ASM	G	Fixed or _o	Max Draft								
Lil Angel	Newport 30-2	6884	174	1979	39.5	150	39.5	34	4.26	Yes	No			30	8500	0	IB	
					12.1			10.25	7.07					25	2500	1	FOLD	
			675		ALUMN			0	217			0		10.5	Lead	FIXED	2	
			247		MS			0				<input type="checkbox"/>		4.75				
Now and Zen	Newport 30-2	6883	174	1978	39.5	150		34	3.25	Yes	No			30	8000	No	IB	
					12.125			10.25	5.7					25	2600	1	Fold	
			671		ALUMN			0	190			0		10.5	Lead	FIXED	2	
			233		MS			0				<input type="checkbox"/>		4.75				
Zeehond	Newport 30-2	707	174	1976	39.5	150	39.5	34	3.6	Yes	No			30	8500	No	IB	
					12.125			10.25	6.33					25	2600	1	FOLD	
			671		ALUMN			0	201			0		10.5	Lead	FIXED	2	
			247		MS			0				<input type="checkbox"/>		4.75				
Aquadisiac	Newport 30-3	38075	174	1985	40	155	40	34	3.8	No	No			30.5	8500	0	IB	
					12.5			10.25	6.6					26.5	2600	1	Fold	
			208		ALUMN				206			0		10.67	Lead	FIXED	2	
					MS							<input type="checkbox"/>	0	5.17				
Capo Gatto	Nonsuch 30	308	174	1985				45	7.9	No	No			30.33	11500	0	IB	
								24	14.3					28.75	4500	1	Fold	
			668		ALUMN				605			0		11.1	Lead	FIXED	2	
			220		CAT							<input type="checkbox"/>	0	5				
Makani	Nonsuch 30	278	174	1985		0		44.9	8	No	No			30.33	11500	0	IB	
								23.9	14.5					28.75	4500	1	Feath	
			220		ALUMN				607			0		11.83	Lead	FIXED		
					CAT							<input type="checkbox"/>	0	5				
White Bear	Nonsuch 30	431	174	1987				45	8.68	No	No			30.33	11500	0	IB	
								24	15.12					28.75	4500	1	Fold	
			666		ALUMN				629			0		11.9	Lead	FIXED	3	
			220		CAT							<input type="checkbox"/>	0	5				

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		Ttl Disp.		Traps/H. Strps moveable blst				
								SL SPL SSMG SSF	SPL SSA	SLU SLE ASMUG	ASA Sprit Lngth Fixed or _o				Ballast Mat.			Keel Type
Passat	North Star 500	57313	240 1973	33 10.25 ALUMN MS	140	27.5 8.75	3.5 6.1 149	No	No	24.98 20.23 9 5	4298 1710 Lead	0 1 FIXED	IB Fixed_3					
Leglus	Ohashi 52	2480	-6 1986	49.26 16.387 ALUMN FS	149	57.578 21.325	8.103 13.517 724	No	Yes	52.5 50.06 12.6 11.36	15017 5.952 Lead	0 1 FIXED	IB FOLD 2	(mtg 10/21/09 assigned custom rating of -39)(Mtg 3/24/16, +3 sec/mi for no spinnaker articulation, change custom rating from -36 to -6)				
Carpe Vita	Olson 25	97399	159 1988	32 9.583 ALUMN MS	130	28 10 0 0	3.8 6.4 166	Yes	No	25 21.25 9 4.5	3300 1300 Lead	No 1 FIXED	OB None 0					
Grey Wulff	Olson 25	18517	159 1984	32 9.6 ALUMN MS	155	28 10	3.8 6.4 166	Yes	No	25 21.25 9 4.5	3300 1300 Lead	0 1 FIXED	OB None					
Shark-On-Bluegrass	Olson 25	18201	159 1984	32 9.583 ALUMN MS	155	28 10 0 0	3.8 6.4 166	Yes	No	25 21.25 9 4.5	3300 1300 Lead	No 1 FIXED	OB None 0					
Dr Feelgood	Olson 29	24	99 1986	34 11 ALUMN FS	155	32.5 11.5	4.36 7.48 223	Yes	No	29.67 27.5 9.33 5.58	3600 1950 Lead	0 1 FIXED	OB None					
Nina	Olson 29	27	99 1987	34 11 ALUMN FS	155	32.5 11.5 0 0	4.5 7.27 222	Yes	No	29.67 27.5 9.33 5.58	3700 1950 Lead	0 1 FIXED	OB None 0					

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop		Modifications
			ISP		I	J	P	MGU	Yes/No	Yes/No	ASF	Ttl Disp.		Traps/H. Strps	IB or OB			
			JSP		Max Headsail	Mast Material	E	MGM	SL	SPL	SLU	ASA		Ballast	moveable blst	Prop Type		
			PY		MSA	Rig Type	EY	SSMG	SSA	SLE	Sprit Lngth	Ballast Mat.		Keel Type	# of blades			
DW Rating		Disp/WL ratio																
X TA C	Olson 29	18457	99	1986	34 11	155	36	32.42 11.42	4.59 7.66	Yes	No	29.67 27.5 9.33 5.25	3900 1900 Lead	No 1 FIXED	OB None 0	RUDDER REPLACED W/MORE 30 - CHANGE NOTED NCTR.		
Double Espresso	Olson 30 OB	18069	99	1982	36 11.75	155	35.9 11.75	31.5 10.75	4.36 7.26	Yes	No	30 27.5 9.33 5.08	3600 1800 Lead	0 1 FIXED	OB None			
Dragonsong	Olson 30 OB	87014	99	1982	36 11.75	155	35.9 11.67	31.5 10.75	4.364 7.268	Yes	No	30 27.5 9.33 5.08	3600 1800 Lead	No 1 FIXED	OB None 0			
Warpath	Olson 30 OB	198	99	1982	36 11.75	150	35.9 11.67	31.5 10.75	4.364 7.268	Yes	No	30 27.5 9.33 5.08	3600 1800 Lead	No 1 FIXED	OB None 0			
Divine Wind	Olson 40	69069	45	1983	50 15.75	150	51.21 15.8	44 14.25	5.5 9.29	Yes	No	40.33 36 11.25 6.5	10500 5500 Lead	0 1 FIXED	IB Feath 2			
Heart of Gold	Olson 911S	41327	126	1987	41.5 12.33	155	41.5	35.5 11.83	4.5 7.7	Yes	No	29.9 25 10.3 5.5	7200 3200 Lead	No 1 FIXED	IB FOLD 2			
Redux	Olson 911S	28106	126	1987	41.5 12.33	155	41.5	35.5 11.83	4.5 7.7	Yes	No	29.9 25 10.33 5.416	7200 3200 Lead	No 1 FIXED	IB FOLD 2			

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications		
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		SLU SLE ASMG		ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.	Traps/H. Strps		IB or OB Prop Type # of blades	
								DW Rating	Disp/WL ratio	SSMG SSF	SPL SSA					Ballast			moveable blst
Big Air	Open 5.7 ODR	189	138 2006	21.52 7.3	117	21.6 12.3	25.33 10.24	5.7 8.2	No	Yes	17.6 345 5 0	18.75 18.7 8.3 5.74	992 405 Lead	0 1 FIXED	OB None				
Frisky	Open 5.7 ODR	281	138 2009	21.52 7.3	117	27.9 12.3	25.33 10.24	5.7 8.2	No	Yes	17.5 338 5 0	18.7 18.7 8.3 5.7	992 405 Lead	0 1 FIXED	NONE None				
Geodesic III	Optima 101	103	141 1985	38.71 12	125	38.71 12	38.39 13.45	4.9 8.2	Yes	Yes	19.6 586 2 0	32.84 29.25 11.15 4.76	8511 3968 Iron	0 1 FIXED	IB Fixed_2	(Mtg 4/27/17, added 2' retractable bowsprit, -3 sec/mi)			
Nicole	Orion 35	8210	150 1979	44 14	150	44	39.5 10.5	4.42 7.319	Yes	No	0 0	34.58 28.75 10.83 6	13000 4700 Lead	0 1 FIXED	IB FOLD 2	Displacement Obtained by actual weight on scale, Rudder is new design and new build.			
Invisible Hand	Pac 52	5202	-102 2016	66 20.5	101	76 29.5	69.23 22.98	10.96 15.76	No	Yes	44.7 2970 0 90	52 50 14.5 11.8	15700 8360 Lead	0 1 FIXED	IB None				
Nemesis	Pearson 26 Commander	151	258 1964	31.5 9.5	155		26 11.5	3.3 5.75	Yes	Yes	21.06 444 0 0	25.7 18.5 8 3.7	5200 2500 Lead	0 1 FIXED	OB None				
Kabunza	Pearson 36-2	362	132 1986	47.1 15.4	110		41 14.5	3.65 7.3	No	No	0 0	36.5 29.5 12.3 6.5	15000 5800 Lead	0 1 FIXED	IB Fixed_2 2				

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
			ISP		I	J	P	MGU	Yes/No	Yes/No	ASF	Ttl Disp.		Traps/H. Strps			
			JSP		Max	Head	E	MGM	SL	SPL	SLU	ASA		Ballast	moveable blst		
			ISP		Sail	Sail	PY	MSA	SSMG	SSA	SLE	Sprit Lngth		Ballast Mat.	Keel Type		
			Disp/WL ratio		Rig Type		EY		ASF	Fixed or _o							
Flyer	Peterson 33 (CHITA)	18620	144	1979	42.5	155	42.5	36.66	3.66	Yes	No		32.67	9480	0	IB	
					13.9			9.91	6.21				26.58	4960	1	FOLD	
			644		ALUMN				213			10.5	Lead	FIXED	2		
			229		MS						<input type="checkbox"/>	0	6.08				
Tortuga	Pyramid 660 ODR MOD	8375	174	1981	21.82	104	28	25.7	4	Yes	No		21.8	850	2	OB	(Mtg 5/20/10, removed trapeze +18 sec/mi, hiking straps still allowed)(1/24/13, added upper spreaders & stays, NCTR)
					6.8		7	10.5	6.8				18.1	400	1	None	
			598		ALUMN				161			0	6.2	Lead	FIXED	2	
			65		FS						<input type="checkbox"/>	0	3.9				
Quiet Thing	Ranger 22	200	216	1978	25.75	155	25.75	26	2.8	Yes	No		22.5	2200	0	OB	
					8.5			7.4	4.8				17.5	900	1	None	
			732		ALUMN				115			0	7.8	Lead	FIXED		
			187		FS						<input type="checkbox"/>	0	4.3				
Evenstar	Ranger 23	6404	216	1974	27.54	155	27.5	24	3.3	Yes	No		23.67	3400	0	OB	
					9.75		9.7	9.2	5.4				20	1500	1	None	
			724		ALUMN				126			0	7.92	Lead	FIXED		
			193		MS						<input checked="" type="checkbox"/>	0	3.9				
Toypedo	Ranger 26-2	67341	189	1980	26.4	150	28	30.5	4	Yes	No		26	3000	0	OB	Fixed Keel, No daggerboard
					9		9	11	7				20	1140	1	None	
			682		ALUMN				197			0	8	Lead	FIXED		
			170		FS						<input type="checkbox"/>	0	5				
Coquelicot	Ranger 33	148	153	1975	41.5	120	43.75	35	4.6	Yes	No		33	10500	No	IB	Double Spreader rig, water supply 41 gallons, below v berth, 26 gallon bladder tank starboard, rudder 9 inches deeper, group 31 batteries, 15 hsp one cyl diesel replaced by 29 hsp Perkins 3 cylendar engine. (NOTE) (MTC 2 21 02)
					13.87		13.87	13.75	8.1				26.3	4500	1	FOLD	
			644		ALUMN			0	270			0	9.6	Lead	FIXED	2	
			262		MS			0			<input type="checkbox"/>		5				
Liquid Asset	Ranger 33	27707	150	1970	41.5	150	41.5	35	4.93	Yes	No		33.17	10500	0	IB	
					13.7		13.67	13.75	8.67				26.25	4500	1	Fold	
			649		ALUMN				280			0	9.58	Lead	FIXED		
			264		MS						<input type="checkbox"/>	0	5.17				

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
				J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp. Traps/H. Strps		IB or OB Prop Type # of blades		
									SL	SPL	SLU	ASA		Ballast	moveable blst			
																	SSMG	
Disp/WL ratio	Mast Material	Rig Type																
Pearl	Ranger 33 SM	278	165	1977	38 13.9	125	38	31.5 4.43 11 7.39	4.43 7.39	Yes	No	33.17 26.25 9.583 5.166	10500 4800 Lead	0 1 FIXED	IB Fixed_2 2			
Wildcat of Loch Awe	S-2 7.9 FR DB	59838	165	1983	31.83 9.5	135	31.83	29.42 4.75 12.33 7.92	4.75 7.92	Yes	No	25.92 21.67 9 5	4250 1750 Lead	0 1 AGGERBR	OB None			
Ganesha	Sabre 36-2	28862	111	1996	48.5 13.46	155		41.6 5.66 14.83 9.63	5.66 9.63	No	No	36.17 30.42 12 6.5	13800 5520 Lead	No 1 FIXED	IB FOLD 2	Adjustable back stays		
Escapade	Sabre 40-2	38011	75	1997	54 15.5	110	54 16	47.5 5.6 17 9.9	5.6 9.9	Yes	Yes	40.2 34 13.3 7.5	19760 7500 Lead	0 1 FIXED	IB FEATH 3			
Princess	Sabre 40-2	28876	75	1996	53.5 15.5	110	53.5 20.5	47.8 6.27 17 10.7	6.27 10.7	No	Yes	40.17 35.25 13.25 6.25	19500 7000 Lead	No 1 FIXED	IB FOLD 2	base rtg changed frm 69 to 72 MTG 4/8/03.		
Serenade	Sabre Spirit		96	2007	45.5 12.87	106	51.2 12.87	45.5 5.55 16.55 9.93	5.55 9.93	Yes	No	36.67 28.33 10.42 6.58	10500 3740 Lead	0 1 FIXED	IB Fold			
Zwei Flying Fish	San Juan 33s	59733	129	1981	34.83 11.48	134	34.83	39.16 4.66 12.66 8.08	4.66 8.08	Yes	No	33.1 27.8 7.95 5.5	6000 3500 Lead	0 1 FIXED	IB Fold	(Mtg 5/28/15, +3 sec/mi for small rig)		
			666		ALUMN													
			264		MS				212		<input type="checkbox"/>	0 0						
			685		ALUMN				216		<input type="checkbox"/>	0 0						
			190		FS						<input type="checkbox"/>	0 0						
			223		ALUMN				368		<input checked="" type="checkbox"/>	0 0						
			229		MS				449		<input checked="" type="checkbox"/>	0 0						
			202		MS				476		<input type="checkbox"/>							

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop		Modifications
			Rating		I	J	Max	ISP	P	MGU	Yes/No	Yes/No	ASF		Ttl Disp.	Traps/H.	IB or OB		
			DW Rating		Max	Head	Sail	JSP	E	MGM	SL	SPL	SLU		ASA	Ballast	moveable blst	Prop Type	
			Disp/WL ratio		Head	Sail	Material		PY	MSA	SSMG	SSA	SLE		Sprit Lngth	Ballast Mat.	Keel Type	# of blades	
			Rig Type		EY		SSF		ASM	Fixed or _o									
Blade Runner	Santa Cruz 27	28727	141	1979	32.7 10.9	150	32.7 10.9	28.2 8.7	3.27 5.64	Yes		Yes	19.58 533	27 24.08 8 4.5	3000 1600 Lead	0 1 FIXED	OB None		
			631 98		ALUMN MS				146										
Crazy Rhythm	Santa Cruz 27	18771	144	1978	32.58 10.75	125	32.58	28.166 8.583	3.68 6.06	Yes		No		27 24 8 4.5	3200 1600 Lead	No 1 FIXED	OB None 0	(Outboard Removed)	
			621 105		ALUMN MS			0 0	153			0							
Giant Slayer	Santa Cruz 27	59369	141	1979	32.583 10.9	155	32.583 10.9	28.25 8.7	3.7 6.3	Yes		Yes	17.67 372	27 24 8 4.5	3304 1800 Lead	No 1 FIXED	OB None 0	(Mtg 3/27/14, -3 sec/mi for 10% overized symmetrical spinnaker)	
			624 109		ALUMN MS			0 0	157			0 90							
Gotcha	Santa Cruz 27	47911	141	1975	32.58 10.75	150	32.58	28.25 8.583	3.68 6.06	Yes		No		27 24 8 4.5	3200 1600 Lead	0 1 FIXED	OB None		
			619 105		ALUMN MS				154			0 0							
Low-Down	Santa Cruz 27	8027	141	1979	32.7 10.9	140		28.25 8.58	3.68 6.06	Yes		No		27 24 8 4.5	3300 1500 Lead	0 1 FIXED	OB None		
			635 109		ALUMN MS				153			0 0							
Quila	Santa Cruz 27	18723	141	1976	32.583 10.75	155	32.583	28.25 8.583	3.68 6.1	Yes		No		27 24 8 4.5	3000 1500 Lead	No 1 FIXED	OB None 0		
			620 99		ALUMN MS			0 0	154			0							
Oscar	Santa Cruz 33	57663	117	1978	41 13.583	125	41	35.42 15	4.25 7.166	Yes		No		33 28 10.06 6	7000 3000 Lead	No 1 FIXED	IB FOLD 2		
			595 145		ALUMN MS				269			0							

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications	
			ISP		I	J	Max	Headsail	ISP	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps		IB or OB
			JSP		J	J			E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type		
					Mast	Material			PY	MSA	SSMG	SSA	SLE	Sprit	Lngrh	Max Beam	Ballast Mat.	Keel Type		# of blades
			Disp/WL ratio		Rig Type	EY		SSF	ASM	G	Fixed or _o	Max Draft								
Wildcard	Santa Cruz 37	37005	27	2009	47.1	107	52.17	47	6.4	No	Yes	33.3	37	8662	0	IB	(Mtg 1/26/16, new keel box & rudder noted, NCTR)			
			507		13.4		19	17	11		59.7	1534	34.75	3730	1	FOLD				
			94		CARBON				474		50.85	5.6	10.64	Lead	FIXED	2				
					FS						33.3	<input checked="" type="checkbox"/>	0							
Void Star	Santa Cruz 40	59995	45	1982	52	135	52	45.5	5.2	No	Yes	33.62	40	12500	0	IB	(Mtg 10/22/15, -6 sec/mi for 20% increase in JSP)(4/6/16, +3 sec/mi for non-articulating spinnaker)			
			548		16		18.67	14	8.58		56.2	1238	36	5000	1	FEATH				
			122		ALUMN				370		48.32	0	12	Lead	FIXED	2				
					MS						27.13	<input checked="" type="checkbox"/>	0							
Deception	Santa Cruz 50	97263	-6	1987	61.8	155	61.8	55	7.1	Yes	Yes	32.9	50	17500	0	IB	ELPT Keel & OS/Spinnaker; Has a Code 0 headsail aboard - tacked to stem, no sprit (Mtg 5/26/16, -3 sec/mi for oversized mainsail)(Mtg 6/23/16, change rating back to -6)			
			482		18.3		18.3	18.4	12		61.7	18.3	46	8000	1	FOLD				
			82		ALUMN				605		34.2	1758	12	Lead	FIXED	2				
					MS						34.2	0	8							
Emily Carr	Santa Cruz 50	49211	-6	1981	61	150	61	55	6.4	Yes	No		53	15000	No	IB	3' SUGAR SCOOP ON TRANSOM IF STD 50FT LOA OF BOAT			
			478		19			17	11		61	18.92	46.5	7500	1	FOLD				
			68		ALUMN			0	555		34	1718	12	Lead	FIXED	2				
					MS			0			33		8							
Hana Ho	Santa Cruz 50	77007	-12	1980	61.39	155	61.5	54.92	6.5	Yes	Yes	35.9	52	18000	0	IB	(Mtg 5/26/11, +3 sec/mi for interior changes)(2/24/12, interior changes removed, boat is back to standard weight for a SC 50)(Mtg 5/25/17, New Rudder, NCTR. -3 sec/mi for OSP, -3 sec/mi for oversized spinnaker area)			
			478		18.85		20.73	16.98	11.1		60.9	20.73	46	8000	1	Feath				
			84		ALUMN			0	558		33.75	1713	12	Lead	FIXED	3				
					MS			0			33.75		7.75							
Horizon	Santa Cruz 50	18926	-15	1982	61.7	145	61.7	55.2	7.15	No	Yes	36.4	50.23	18844	0	IB	(Mtg 6/16/08, -6 sec/mi for oversized spinnaker, -3 sec/mi for oversized main)			
			475		18.43		20.3	19	12.05		66	1880	46.906	8000	1	FOLD				
			83		ALUMN				618		59.6	0	12.02	Lead	FIXED	2				
					MS						35.8	<input type="checkbox"/>	90							
OAXACA	Santa Cruz 50	8927	-12	1982	61.48	155	61.22	54.75	6.08	Yes	No	36.5	50.23	17374	0	IB	(Mtg 5/26/16, -6 sec/mi for oversized ASA)			
			480		18.88		20.65	16.98	10.67		61.2	20.65	46.67	8000	1	Fold				
			78		ALUMN				540		36.6	1867	12	Lead	FIXED					
					FS						36.6		7.91							

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
			DW Rating		I	J	Max Headsail	ISP	P	MGU	Yes/No	Yes/No	ASF		Ttl Disp.	Traps/H. Strps	IB or OB	
			Disp/WL ratio		Mast Material	JSP	E	MGM	SL	SPL	SLU	ASA	Ballast		moveable blst	Prop Type		
					Rig Type	PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.		Keel Type	# of blades		
Buona Sera	Santa Cruz 70	41104	-81	1986	73.15 22.52	155	73.63	65.49 25.39	9.12 15.72	No	25.5	Yes	40.06 2504	68.9 60.4 15.1 10.62	24905 8960 Lead	0 1 FIXED	IB Fold	(Mtg 8/27/15, New rudder noted, -9 sec/mi for new keel)(Mtg 3/23/17, -6 sec/mi for 13% increase in SPL, -3 sec/mi for increase in spinnaker area, +3 sec/mi for decrease in mainsail area)
Catapult	Santa Cruz 70	41005	-84	1989	73.34 22.19	155	73.74 25.26	66.11 24.67	9.3 15.75	No		Yes	39.1 2348	68 59.7 15.1 10	23847 9000 Lead	0 1 FIXED	IB Fold	(Mtg 5/25/17, Custom rating assigned. As Sailed: -84)
New Sinsation	Santana 20	28449	222	1978	24.5 8.16	150	24.5	24.5 7	3.16 4.92	Yes	8.16	No		20.2 16 8 4	1350 550 Lead	0 1 FIXED	OB None	
Anapos	Santana 22	5158	237	1966	26 8.5	120	26	21.75 9.833	3.95 6.59	Yes	8.583	No		22 18.666 7.833 3.5	2600 1230 Iron	No 1 FIXED	OB None 0	
Byte Size	Santana 22	801	237	2001	26 8.5	90	26	21.75 9.833	3.95 6.59	Yes	8.583	No		22 18.67 7.83 3.5	2600 1230 Iron	No 1 FIXED	OB None 0	
High and Dry	Santana 22	114	234	1967	26 8.5	150	26	21.75 9.83	3.95 6.59	Yes	8.58	No		22 18.67 7.83 3.5	2600 1230 Cast Iron	0 1 FIXED	OB None	
Meliki	Santana 22	5194	237	1967	26 8.5	125	26	21.75 9.833	3.95 6.59	Yes	8.583	No		22 18.67 7.83 3.5	2600 1230 Iron	No 1 FIXED	OB None 0	

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications						
			Built	J	Max Headsail	ISP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp. Traps/H. Strps		IB or OB									
									DW Rating	Mast Material				E	MGM		SL	SPL		SLU	ASA	LWL	Ballast	moveable blst	Prop Type
EY	ASF	Max Draft	Ballast Mat.	Keel Type	# of blades																				
Zingaro	Santana 22	5050	237	1971	26	125	26	21.75	3.95	Yes	No	22	2600	0	OB										
					8.5			9.83	6.59			18.67	1260	1	None										
			737		ALUMN				131			7.833	Iron	FIXED	0										
			182		MS						<input type="checkbox"/>	3.5													
Albacore	Santana 22 ODR	18325	237	1976	25.67	125	25.67	21.75	3.95	Yes	No	22	2600	0	OB										
					8.58		8.58	9.83	6.59			18.67	1230	1	None										
			737		ALUMN				131			7.83	Iron	FIXED											
			182		MS						<input type="checkbox"/>	3.5													
Auggie	Santana 22 ODR	476	237	1969	26	125	26	21.75	3.95	Yes	No	22	2600	No	OB										
					8.5			9.833	6.59			18.666	1230	1	None										
			737		ALUMN			0	131			7.833	Cast Iron	FIXED	0										
			182		MS			0			<input type="checkbox"/>	3.5													
The Belafonte	Santana 22 ODR	5000	237	1970	26	110	26	21.75	3.95	Yes	No	22	2600	No	OB										
					8.5			9.833	6.59			18.67	1230	1	None										
			737		ALUMN			0	131			7.833	Iron	FIXED	0										
			182		MS			0			<input type="checkbox"/>	3.5													
Don Wan	Santana 28	8191	186	1978	36	155	36	31	3.6	Yes	No	28.25	7500	No	IB										
					12			9.416	6.1			23	2550	1	Fold										
			704		ALUMN			0	175			9.17	Lead	FIXED	2										
			280		MS			0			<input type="checkbox"/>	5													
Happy Daze	Santana 30-30 GP	87322	120	1984	40.83	150	40.83	36.17	5.25	Yes	No	29.92	6500	No	IB										
					11.67			11.08	8.5			25.42	2435	1	FOLD										
			641		ALUMN			0	267			10.25	Lead	FIXED	2										
			180		MS			0			<input type="checkbox"/>	5.5													
Ahi	Santana 35	30980	114	1981	39	155	39	42	5.51	Yes	No	35	8500	0	IB	(Mtg 6/27/13, new rudder noted, NCTR)									
					12.85			14.25	9.26			26.5	3300	1	Fold										
			628		ALUMN				358			11.92	Lead	FIXED	2										
			208		FS						<input type="checkbox"/>	6.25													

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
			Built	DW Rating	J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps	IB or OB Prop Type # of blades		
									SL	SPL	SLU	ASA				Ballast			moveable blst
Breakout	Santana 35	18679	114	1982	39 12.85	155	39	42 14.25	5.51 9.26	Yes	No	35 26.5 11.92 6.25	8500 3300 Lead	No 1 FIXED	IB FOLD 2				
			630 208		ALUMN FS			358				<input type="checkbox"/>	0						
Dream	Sceptre 41	12	129	1983	53 17.67	90	53	47 13	5.24 8.73	Yes	No	41 36 12.67 6.08	21500 8700 Lead	0 1 FIXED	IB Fold				
			581 209		ALUMN MS			374					28	28	<input checked="" type="checkbox"/>	0			
Velvet Hammer	Schock 40	51507	-12	2000	42.5 13.6	104	49.5 20.58	44.4 16.8	7.2 11.8	No	Yes	40 35 10 8	7914 1800 Lead	No 2 MOVABL	OB None 0	(mtg 10/21/09, switched to 104% headsail, from 150%, smaller girths on mainsail. Change custom rating from -18 to -12)			
			464 84		CARBON FS			0 0	470			33.92 1459 7 0							
Trois Amis	Screamer 12 Meter MOD	194	36	1985	44.58 15.75	140	44.58	41 14.2	5.3 9.2	Yes	No	39.37 32.5 10.33 7.67	6000 1350 Lead	0 1 FIXED	OB None	(mtg 3/23/17, custom rating of 36 assigned)			
			506 79		ALUMN MS			345				45.02 17 29.75 1116 29.75			<input type="checkbox"/>	0 0			
Alpha	Sonar 23	498	174	1990	23 8.25	100		27.5 11.17	1.23 7.3	No	No	23 19.92 7.8 3.92	2100 900 Lead	n 1 FIXED	OB None				
					ALUMN MS			156				<input type="checkbox"/>	0 0						
BZ	Sonar 23		174		23 8.25	100		27.5 11.17	1.23 7.3	No	No	23 19.92 7.8 3.92	2100 900 Lead	No 1 FIXED	NONE None				
					ALUMN FS			156				<input type="checkbox"/>	0 0						
Gentoo	Soto 30	1	36	2012	38.25 12.25	102	38.67 19.83	38.67 13.58	5.83 8.83	No	Yes	30 28.75 9.58 6.5	3800 1415 Lead	0 1 FIXED	OB None	(Mtg 9/16, -3 sec/mi for larger mainsail)			
			516 73		CARBON MS			322				26.25 968 7.7 0			<input checked="" type="checkbox"/>	0			

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications							
			Built	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF		LOA	Ttl Disp.	Traps/H. Strps			IB or OB						
										DW Rating	Mast Material		PY	MGM			SL	SPL			SLU	ASA	LWL	Ballast	moveable blst	# of blades
Max Draft	Ballast Mat.	Keel Type																								
			Vera Cruz	Sunsail F40 ODR	1003	42	2012	52.69	105	56.54	51.15	6.53	No	Yes	30.32	40.15	17437	0	IB							
			571		15.09		17.06	17.65	11.42		58.07	1200	35	6609	1	Fold										
			185		ALUMN						49.5	1.98	12.76	Lead	FIXED	2										
					FS						25.9	<input checked="" type="checkbox"/>	8.04													
Vento	Swan 391	40841	99		53.5	95	53.5	47.25	5.5	Yes	Yes	26	39.9	18900	0	IB										
			592		16.25		16.25	14	9.2		51.83	16.25	33.1	6800	1	Fold										
			237		ALUMN						29.3	1266	12.4	Lead	FIXED											
					MS						29.3		7.2													
Elusive	Swan 42 Club	4216	12	2007	59.07	106	62.99	56.56	7.1	Yes	Yes	34.8	42.59	17158	0	IB	(Mtg 2/25/16, +3 sec/mi for decrease in Spinnaker Area, +6 sec/mi for decreased JSP, -3 sec/mi for articulation, -3 sec/mi for switch to larger headsail)									
			513		16.44		19.05	19	12.5		62	19.05	38.15	6988	1	Fold										
			140		CARBON						34	1754	12.8	Lead	FIXED	2										
					FS						33.7		9													
Blue	Swan 53-2	61522	30	2012	71.96	105	73.84	65.88	7.64	No	Yes	38.89	54.07	54482	0	IB	(Mtg 3/23/17, -3 sec/mi for ability to fly a-sail on a squared back pole)									
			530		19.52		19.53	21.98	13.38		75.95	2214	47.24	22400	1	Fold										
			235		CARBON						67.09	0	15.58	Lead	CNTRBRD											
					MS						36.72	<input type="checkbox"/>	12.14													
Relentless	Sydney 32	28732	81	2002	40.6	110	40.6	39.7	5.6	Yes	No		31.9	6850	No	IB	-3 Sec/mi for OSP									
			589		12.2		13.1	14.75	9.59		40.29	13.1	28.4	2860	1	FOLD										
			136		ALUMN			0	349		23.4		10.6	Lead	FIXED	2										
					FS			0			23.4		6.9													
Encore	Sydney 36 CR	3632	57	2006	45.6	104		44.36	6.1	No	Yes	28.9	36.06	12897	No	IB	(Australian IRC Rating 1.052)(Mtg 8/23/12, change custom rating from 54 to 57)									
			565		14			16.4	10.6		49.9	15.4	31.04	4850	1	FOLD										
			196		ALUMN						28.6	1178	11.32	Lead	FIXED	2										
					FS						27.2		7.55													
Bustin Loose	Sydney 38 MH	38044	21	2002	54	104	52.03	50.53	6.85	Yes	Yes	27.69	38.6	12250	0	IB										
			533		14.9		14.77	18.046	11.73		56.7	15.9	35.3	5140	1	FOLD										
			127		ALUMN			0	543		30.12	1422	12.4	Lead	FIXED	2										
					FS			0			30		8.8													

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop		Modifications
			Rating		I	J	Max Headsail	ISP	P	MGU	Yes/No		Yes/No		ASF	Ttl Disp.	Traps/H. Strps	IB or OB	
			DW Rating		Mast Material	JSP	E	MGM	SL	SPL	SLU	ASA	Ballast		moveable blst	Prop Type			
			Disp/WL ratio		Rig Type	PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Ballast Mat.	Keel Type		# of blades				
Afterburner	Synergy 1000	1001	45	1999	40.75 12	110	45.75 16.4	42 15.5	6.99 11.03	No	Yes	26 1089	32.83 29.17 9.75 7	4600 1850 Lead	0 1 FIXED	IB Feath 2			
			538 84		CARBON FS				417										
Sapphire	Synergy 1000	38008	48	2004	40.8 12	125	45.75 16.4	42 15.5	5.86 10.03	No	Yes	28 1172	32.83 29.17 9.75 7	4400 1850 Lead	No 1 FIXED	IB FOLD 2	(Mtg 10/22/15, +3 sec/mi for smaller than class mainsail)		
			532 81		CARBON FS				387										
Abba-Zaba	Tartan 10	8112	129	1979	35 12	125	35	40.25 13.75	5.34 8.86	Yes	No		33.16 27 9.25 5.83	6700 3340 Lead	0 1 FIXED	IB FOLD 2	(+3 sec/mi credit for 125% or smaller headsail)		
			623 155		ALUMN FS			0 0	331			0							
QE 3	Tartan 10	8049	129	1978	35 12	125	35 0	40.25 13.75	5.34 8.96	Yes	No		33.16 27 9.25 5.83	6700 3340 Lead	0 1 FIXED	IB FOLD 2			
			623 155		ALUMN FS			0 0	332			0							
Topgallant	Tartan 10	18608	129	1978	35 11.75	125	35	40.25 13.75	5.34 8.96	Yes	No		33.16 27 9.25 5.83	6700 3340 Lead	No 1 FIXED	IB FOLD 2	(4/25/02 Installed Running Backstay)		
			623 155		ALUMN FS			0 0	332			0							
Lelo Too	Tartan 30	16354	180	1975	39 13	155	39	34 11.416	4.61 7.69	Yes	No		29.92 24.25 10 4.916	8750 3700 Lead	0 1 FIXED	IB FOLD 0			
			687 279		ALUMN MS			0 0	238			0							
Isle Of Skye	Tartan 33 7/8 RIG	6	159	1979	36.42 12.42	100	36.42	41.58 14.42	4.6 8.1	No	No		33.67 28.08 10.92 4.42	10000 4400 Lead	No 1 FIXED	IB FEATH 3			
			205		ALUMN FS			0 0	328			0							

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
				DW Rating <i>Disp/WL ratio</i>	I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.	Traps/H. Strps moveable blst		IB or OB Prop Type # of blades
									SL	SPL	SLU	ASA						
									SSMG SSF	SSA	SLE ASMG	Fixed						
Constance	Tartan 34 CB	346	1974	41 14 125	41	35.5 10.5	4	6.9	No	Yes	20.3	34.3	11200	0	IB	Roller Furler		
		683 326		ALUMN MS				224		43.6 37.4 22.4	742 0 0	25 10.2 8.3	5000 Lead	1 CNTRBRD	Fold 2			
Blue Passion	tartan 3400	7134	2006	46 13.67 95	49.67 13.67	43 14.5	4.58 8.2	341	No	No	0 0	34.42 30.42 11.92 6.5	10800 3500 Lead	0 1 FIXED	IB Fold			
Neverland	Tartan 3700 SD 5.0'	106	2006	51.75 15 135	51.75 15	45.25 15	5.7 9.68	404	No	Yes	25.4 1025	37 32.5 12.6 5	17780 6200 Lead	0 1 FIXED	IB Fold 2			
Roxanne	Tartan 4100 SD TM	322		57 15 135	57 15	50.1 18	6.8 11.5	533	No	Yes	27 1285	41.3 35.9 13.6 5.4	20400 8000 Lead	0 1 FIXED	IB Feath			
		579 200		ALUMN MS						53 27.7	0 0							
Danger Zone	Taylor 32	4128	1994	40 10.7 100	19.4	37.1 14.3	9.5 11.6	395	No	Yes	26.52 829	32 28.9 14.8 5.6	1962 551 Lead	1 CNTRBRD	OB None			
		443 37		ALUMN MS						43.35 36.3 24.6	0 0							
Flight Risk	Thompson 650	650	2000	26.67 8.86 100	28.25 14.86	28.29 10.4	5.7 8	204	No	Yes	20.58 586	22.3 19.8 8.16 5.9	1692 660 Lead	Yes 3 FIXED	OB None	(mtg 1/21/10, weighed displacement of 1692lbs updated, NCTR)(Mtg 3/18/10, change custom rating from 108 to 99)(Mtg 8/18/10, submitted appeal, rating changed from 99 to 102)		
		570 99		CARBON FS						33.6 19.5	7.87							
Peabody	Ultimate 20	22		25.08 6.97 110	27.58 12.79	27.5 10.25	5.5 7.96	195	No	Yes	19.2 448	20.94 18 8.33 5.03	1350 450 Lead	0 1 CNTRBRD	OB None			
		613 105		FS						31.3 28.4 17.7	6 0							

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		SLU SLE ASMG		ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast Mat.	Traps/H. moveable blst Keel Type		IB or OB Prop Type # of blades
								SL	SPL	SLU	ASA							
								SSMG SSF	SSA	SLE	Sprit Lngth Fixed or _o							
U Decide	Ultimate 20	155	144 2001	26.08 6.97 114	27.58 12.79	27.33 10.17	5.5 7.96	No	Yes	17.7 433 6 0	20.83 18 8.33 5	1350 450 Lead	0 1 FIXED	OB None 0				
UHOO!	Ultimate 20	64	144 1996	22.8 7 100	27.58 13	27.5 10.33	5.3 7.96	No	Yes	19.2 446 6 0	20.8 18 8.166 5	1100 450 Lead	No 1 CENTER	OB None 0				
Breakaway	Ultimate 20 CM	180	144 2002	26.08 6.97 114	27.58 12.79	27.33 10.17	5.5 7.96	No	Yes	19.167 441 6 0	20.83 18 8.33 5	1350 450 Lead	No 1 FIXED	OB Fixed_3 3				
For Pete's Sake	Ultimate 24 ODR	28469	111 2003	28.04 7.82 102	30.8 14.5	31 11.5	5.5 8.8	No	Yes	22.2 587 6.7 0	24.38 21.17 8.48 5.52	2040 750 lead	No 1 FIXED	OB None				
Makanani	Ultimate 24 ODR	3	111 2003	28.04 7.82 110	30.8 14.5	31 11.35	6.35 9.18	No	Yes	21.3 566 6.7 0	24.38 21.17 8.48 5.52	2040 750 Lead	0 1 FIXED	OB None				
Max	Ultimate 24 ODR	2	108 2002	28.04 7.82 110	30.8 14.5	31 11.35	6.81 9.18	No	Yes	21.3 562 6.7 0	24.38 21.17 8.48 5.52	2040 750 Lead	0 1 FIXED	OB None				
Willow	Wauquiez 40s Centurion	38300	69 2004	51.5 14.17 110	51.5	49.21 19.3	7.3 12.5	Yes	Yes	28.54 1155 2.4 0	41.17 36.4 12.66 7.75	18960 6085 Lead	No 1 FIXED	IB FEATH 3	(mtg 3/18/10, -3 sec/mi for oversized a-sail.)(mtg 1/27/11, - 3 sec/mi for added sprit)			

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
			Rating		I	J	Max Headsail	ISP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp. Traps/H. Strps		IB or OB	
			DW Rating		Mast Material	JSP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type			
			Disp/WL ratio		Rig Type	PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades				
					EY			SSF	ASMG	Fixed or _o	Max Draft								
Ebb Tide	Wauquiez 45s Centurion	60245	57	2003	55.77 17.72	100	55.77 17.72	51.84 19.32	6.51 11.68	Yes		Yes	32.25 1541	45.92 40.25	23148 8488	0 1	IB Fold	(Mtg 5/26/11, Increased "JSP" by 5.67" which equals a 30% increase. - 9 sec/mi per NCPHRF Rules & Guidelines.)(Mtg 3/29/12, JSP now same as J+9 sec/mi, Asymmetrical spinnaker still oversized, -3 sec/mi)	
			542		ALUMN							0	13.67	Lead	FIXED	3			
			161		FS			567			<input checked="" type="checkbox"/>		8.17						
Tortuga	Westsail 32	207	216	1974	31.2 18.4	150		38.3 15.1		No		No		32 27.6	19500 7000	0 1	IB FOLD		
			694		ALUMN							0	11	Lead	FIXED	3			
			422		CTR						<input type="checkbox"/>	0	5						
Tinker	Wilderness 21	6	225	1977	25 8.67	125	25	25 8	2.83 4.66	Yes		No		20.5 17.8	1870 1070	No 1	OB None	Added roller furler	
			718		ALUMN			0	113			0	7.25	Lead	FIXED				
			151		MS			0			<input type="checkbox"/>		4						
Domino	Wilderness 30 MOD	38081	126	1985	36 12.25	155	36 12.25	31.5 10.83	4.11 6.93	Yes		No		30 27.75	5450 2150	0 1	IB Fold	(Mtg 3/28/13, +6 sec/mi for small rig)	
			608		ALUMN				203			0	8.8	Lead	FIXED				
			116		MS			20.5			<input type="checkbox"/>	0	5.5						
FUGU	Wilderness 30 SX FR IB	67967	120	1980	34.08 11.75	150	34.1 11.8	34.44 11.5	4.37 7.48	Yes		Yes	20.36 603	29.75 27.75	4200 1900	0 1	OB None	(Mtg 11/20/08, -6 sec/mi for replacing inboard with outboard engine)	
			585		ALUMN				236			0	8.75	Lead	FIXED	0			
			89		FS			21.15			<input checked="" type="checkbox"/>	0	5.5						
Freedom	Worth 40	18230	96	1984	54 16	155	16	47 14	5.5 9.2	Yes		No		40 34.25	21000 7800	0 1	IB FOLD		
			594		ALUMN			0	397			0	12.5	Lead	FIXED	2			
			238		MS			0			<input type="checkbox"/>		7.25						
Wild Spirit	Wylie 36	0	141	1970	44.67 14.75	100	44.67 14.75	40.75 14	5.3 9.1	No		Yes	23.5 815	36.5 30	13720 5575	0 1	IB Fixed_2	(Mtg 3/24/16, same hull as "Alert", +3 sec/mi for small "I", +3 sec/mi for no spinnaker articulation)	
			642		ALUMN				340			0	10.9	Lead	FIXED				
			231		CTR						<input checked="" type="checkbox"/>	0	6						

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
				DW Rating Disp/WL ratio	J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp. Ballast Mat.	Traps/H. Strps moveable blst Keel Type		IB or OB Prop Type # of blades	
									SL	SPL	SLU	ASA						
									SSMG SSF	SSA	SLE ASMG	Sprit Lngth Fixed or _o						
Bad Hare Day	Wylie Wabbit ODR W/Trap	35	126 1982	20.75 6.5	150	20.5	23.75 10	4.03 6.72	Yes	No	23.75 20	975 440	Yes 3	OB None 0				
			603 55	ALUMN FS			0 0	145			5.583 3.5	Lead FIXED						
Keala	Wylie Wabbit ODR W/Trap	12	126 1982	20.5 6.5	150	20.5	23.75 10	4.03 6.72	Yes	No	23.75 20	975 440	Yes 3	OB None 0	Hiking straps and single trapeze			
			602 55	ALUMN FS			0 0	145			5.58 3.5	Lead FIXED						
Kwazy	Wylie Wabbit ODR W/Trap	26	126 1982	20.416 6.416	150	20.5	23 10	4.02 6.71	Yes	No	23.58 20	975 440	Yes 3	NONE None 0				
			604 55	ALUMN FS			0 0	141			5.42 3.41	Lead FIXED						
Lepus	Wylie Wabbit ODR W/Trap	18	126 1982	20.5 6.5	150	20.5	23.75 10	4.03 6.72	Yes	No	23.75 20	975 440	1 3	OB None 0	Hiking Straps & Trapeze per class rules			
			602 55	ALUMN FS			0 0	145			5.58 3.5	Lead FIXED						
Mr McGregor	Wylie Wabbit ODR W/Trap	8426	126 1982	20.5 6.5	150	20.5	23.75 10	4.03 6.72	Yes	No	23.75 20	975 440	1 3	OB None 0	INCLUDES HIKING STRAPS AND SINGLE TRAPEZE.			
			602 55	ALUMN FS			0 0	145			5.58 3.5	Lead FIXED						
White Wabbit	Wylie Wabbit ODR W/Trap	19	126 1982	20.5 6.6	110	26.1	23.75 10	4.03 6.72	Yes	No	23.75 20	975 440	Yes 1	OB None 0				
			601 55	ALUMN FS			0 0	145			5.58 3.5	Lead FIXED						
Wind Blown Hare	Wylie Wabbit ODR W/Trap	29	126 1982	20.5 6.5	150	20.5	23.75 10	4.03 6.72	Yes	No	23.75 20	975 440	1 3	OB None 0				
			602 55	ALUMN FS			0 0	145			5.583 3.5	Lead FIXED						

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Keel		Engine/Prop	Modifications
					I	J	P	MGU	Yes/No	Yes/No	ASF	Ttl Disp.		Traps/H. Strps	IB or OB		
		DW Rating			Max Headsail	ISP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type	
		Disp/WL ratio			Mast Material	JSP	PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades	
					Rig Type		EY		SSF		ASMG	Fixed or _o	Max Draft				
Bandicoot	Wyliecat 30 IB	28530	132	2000	0 0	29 10	39.75 20.5	7.87 13.46		No	No	18.8 512	30.5 25	5500 3050	0 1	IB FEATH	(mtg 5/20/10, -21 sec/mi for added spinnakers)(9/5/12, removed spinnaker, back to standard configuration)
			653 160		CARBON CATBOAT		0 0	488	17.75 17.75	10 429	25 22.5	0 <input checked="" type="checkbox"/>	9.5 5.25	Lead	FIXED	2	
Catalyst	Wyliecat 30 IB	28571	132	2004			40 20.67	7.87 13.46		No	No	0	30.42 25	5800 3000	No 1	IB Feath	Must have a YC card before registering for 2005 and clear YC for 2004
			652 169		CARBON CAT		0 0	493			<input type="checkbox"/>	0	9.42 5.25	Lead	FIXED	2	
Crinan II	Wyliecat 30 IB	15	132	2002			39.75 20.5	7.79 13.32		No	No	0	30.5 25	5500 3050	No 1	IB FOLD	
			653 160		ALUMN CATBOAT		0 0	485			<input type="checkbox"/>	0	9.5 5.25	Lead	FIXED	2	
Iseult	Wyliecat 30 IB	13	132	2001	0		39.75 20.8	7.87 13.46		No	No	0 0	30.5 25	5500 3050	0 1	IB Fold	
			653 160		CARBON CAT			491			<input type="checkbox"/>	0	9.42 9.25	Lead	FIXED	2	
Polecat	Wyliecat 30 IB	5	132	1997		29.5 12	40 20	7.35 12.66		No	No	21.6 493	30.5 25	5500 3050	No 1	IB FOLD	(Articulating Sprint and Pole added for asym spinnaker, added asymmetrical, -21 sec/mi)(5/22/14, removed Asymmetric, +21 sec/mi)(Mtg 8/25/16, New rudder installed, NCTR)
			620 160		CARBON CAT		0 0	468			18.4 <input type="checkbox"/>	8 15	9.416 5.25	Lead	FIXED	2	
Uno	Wyliecat 30 IB	28632	129	1995	35.8 5.5	35.8 12	39.66 19.75	9.31 13.05		No	Yes	19.68 550	30.5 25	5800 3000	0 1	IB FOLD	(mtg 2/21/08, penalty for oversized main -3 sec/mi)(Mtg 5/22/08, -24 for asymmetric spinnaker flown on 12' pole)(1/24/16, not using spinnaker +24 sec/mi)
			607 169		CARBON CAT			493		12	32.8 18.7	0 90	9.5 5.25	Lead	FIXED	2	
Nancy	Wyliecat 30 OB	28890	126	1995			39.66 19.75	8.71 13.46		No	No	0	30.5 25	5500 3050	No 1	OB None	(-3 sec/mi for square top main)
			650 160		CARBON CAT		0 0	491			<input type="checkbox"/>	0	9.5 5.25	Lead	FIXED	0	

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop		Modifications
			ISP		I	J	ISP	P	MGU	Yes/No	Yes/No	ASF		Ttl Disp.	Traps/H. Strps	IB or OB		
			JSP		Max	Headsail	E	MGM	SL	SPL	SLU	ASA		Ballast	moveable blst	Prop Type		
			PY		MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type		# of blades				
			Disp/WL ratio		Rig Type	EY		SSSF	ASMG	Fixed or _o	Max Draft							
Windswept Lady	X-362 Classic	50980	96	1998	46.6 12.9	125	46.6 12.9	40.6 14.1	5.05 8.86	Yes	Yes	26.7 878	35.1 30.4 11.4 6.2	12320 5170 Lead	0 1 FIXED	IB Fold		
			613 199		ALUMN MS			333			<input type="checkbox"/>							
Nadja Delphine	X-41	0	15	2009	55.9 16.11	106	58.63	53.31 18.04	6.82 11.61	Yes	No		40.52 35.07 11.94 8.2	14109 6019 Lead	0 1 FIXED	IB Fold	Electronic winches	
			537 149		CARBON FS			570			<input type="checkbox"/>	0 0						
Foxxfyre	Yamaha 33 IK SM	67248	159	1978	42.81 13.78	150	42.81	37.4 10.6	4.38 7.27	Yes	No		33.25 26.92 11 6.25	16000 4410 Iron	No 1 FIXED	IB FEATH 2	PER PHRF MTG 3/16/2000 - Weight Differencer from brochure is significant.	
			648 373		ALUMN MS			0 0	246		<input type="checkbox"/>	0						
White Cloud	Yamaha 33 IK SM	28688	162	1979	42.8 13.78	150	42.8	37.42 10.67	4.38 7.27	Yes	No		33.25 26.92 11 6.2	10582 4409 Iron	0 1 FIXED	IB Fixed_2		
			648 247		ALUMN MS			247			<input checked="" type="checkbox"/>	0 0						
Jam Jam	Yankee 30-1 SM	90	192	1972	37.5 12.75	125	37.5	34.5 9.75	2.45 4.91	Yes	No		30 23 9 5.1	8900 4180 Lead	0 1 FIXED	IB Fixed_3 3	(mtg 4/28/11, +3 sec/mi for engine modifications)	
			715 332		ALUMN MS			170			<input type="checkbox"/>	0 0						
Maxine	Yankee 30-1 SM	43	186	1971	37.5 12.75	125	37.5 12.75	32.5 9.7	2.4 4.8	No	No	20.75 600	30.13 23 9 5	8700 4130 Lead	0 1 FIXED	IB FOLD 2	+3 sec/mi for MGM less than 50% of E	
			325		ALUMN MS			158			<input checked="" type="checkbox"/>	0						