

NCPHRF - CURRENT FLEET ROSTER

This Roster represents the information on file for boats with a current NCPHRF certificate. If the boat you are looking for is not listed, their certificate is either not current or not yet updated to the list. You can contact the YRA office to verify a boat not found on this list at info@yra.org or via phone at 415.771.9500. This list is updated monthly.

As of: 7/13/2017

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SPL SSMG SSF	Yes/No SLU ASA SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.		Traps/H. Strps Ballast moveable blst Ballast Mat. Keel Type			
Skinny Love	11 Metre ODR	92	69 1996	32.53 10.166	95	41	36.08 13.583	5.23 8.82	Yes	No		33.67 26.92 8.67 5.42	3600 1600 Lead	No 1 FIXED	OB None 0	MTG 4/9/98. Sail number 90, using sail # 246 for Vallejo 2008	
			536 84	ALUMN FS			0 0	293			0 <input type="checkbox"/>						
Alpha Puppy	1D 35	35024	30 1999	42.49 12.52	110	44.78	44.46 18.58	7.5 12	No	Yes	31.4 1238	35 31.5 10.75 7.6	6500 2600 lead	No 1 FIXED	IB FOLD 2	6/13/11, boat now in same configuration as B-Line. Added 4.9' bowsprit and oversized spinnaker. -9 sec/mi for oversized asymmetric spinnaker, +3 sec/mi for inability to articulate sprit	
			517 95	CARBON FS			0 0	497			4.9 <input checked="" type="checkbox"/>						
Dark & Stormy	1D 35	35018	30 1998	42 12.47	110	44.8 17.39	44 19	7.5 12	No	Yes	31.4 1236	35 31.5 10.9 7.58	6550 2660 Lead	0 1 FIXED	IB FOLD 2	Fixed bow sprit, using Asymmetrical spinnaker(mtg 3/20/08, -9 sec/mi for oversized spinnaker, +3 sec mi for not being able to articulate pole, as sailed: 30)	
			518 95	CARBON FS				497			4.92 0 <input checked="" type="checkbox"/>						
Zsa-Zsa	1D 35	35017	36 1999	42.49 12.52	110	44.78	44.46 18.58	7.55 12	Yes	No		35 31.5 10.75 7.6	6500 2600 lead	No 1 FIXED	IB Feath 2		
			520 95	CARBON FS			0 0	498			0 <input type="checkbox"/>						
Bodacious +	1D 48	48005	-15 1996	57.7 16.7	155	68.3 16.7	61.3 22.5	9.84 14.66	Yes	Yes	30.1 1673	48.3 40.2 14.2 10.1	19743 8818 Lead	0 1 FIXED	IB Fold 2	Water ballast system not operational (mtg 8/19/08, custom rating assigned of -30, includes dual spinnakers)(Mtg 3/24/11, new smaller mainsail, smaller symmetrical, change custom rating from 30 to 24)(Mtg 8/25/11)	
			490 138	CARBON FS				848			0 <input checked="" type="checkbox"/>						
Mirthmaker	A 35	18250	69 2007	44.22 13.45	90	51.06	44.94 14.66	5.42 8.88	Yes	Yes	24.2 996	34.7 30.47 11.6 6.88	9810 4367 Lead	0 1 FIXED	IB Fold 2	(Mtg 5/20/10, custom rating of 60 assigned, would like a copy of ORR Certificate)(mtg 6/15/10, change custom rating from 60 to 63 based on further clarification of boats configuration)(Mtg 10/27/16, change custom rating from 63 to 60 after	
			574 158	CARBON FS				381			1.5 <input type="checkbox"/>						

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
			ISP		I	J	P	MGU	Yes/No	Yes/No	ASF	Ttl Disp.		Traps/H. Strps	IB or OB			
			JSP		Max	Head	E	MGM	SL	SPL	SLU	ASA		Ballast	moveable blst	Prop Type		
			ISP		sail	sail	PY	MSA	SSMG	SSA	SLE	Sprit Lngth		Ballast Mat.	Keel Type	# of blades		
			Disp/WL ratio		Rig Type		EY	SSF	ASM	Fixed or _o								
Ada Helen	ace	922	96	2005	53 16.5	155	53 16.5	46.75 15.5		No	18	Yes 54.76 50.5 29.7	29.7 1303 0 90	43.8 36 13.1 6	24400 8300 Lead	No 1 FIXED	IB FOLD 3	(Mtg 3/20/08 -6/sec/mi for OSP)(mtg 6/19/08, new larger a-sail, correct size for J, NCTR)
Kira	Aerodyne 38 SD	38104	45	2003	50.82 14.5	105	57.25 20.83	51.75 16.5	6.25 10.6	No		Yes 65.5 58.5 40	39.5 2062 0	37.66 34.21 13 6	11850 4150 Lead	0 1 FIXED	IB Fold	
Vanga	Alberg 30	30	231	1965	36.75 10.5	100	36	31 14.25	4.49 8.2	Yes	10.5	No		30.25 21.67 8.75 4.5	9000 3300 Iron	0 1 FIXED	IB Fixed_3 3	Roller Furler
Alte Liebe	Albin Ballad 30	1266	183	1978	37.083 11.249	155	37.8	31.916 9.333 0 0	3.33 5.58 171	Yes	12.27 679	No	0	29.916 22.583 9.666 5.09	7276 3417 Lead	No 1 FIXED	IB FOLD 2	The J measurement in all Ballad documents & Sailmaker plans is 12.27 however the actual J= 11.3" (MTG 8/25/94), standard SPL is 12.27 (mtg 3/20/08)
Puffin	Alden 44	38144	117	1978	54.1 19.5	100		47.08 14.75	5.7 9.6	No		Yes 53 49 32	33 1369 0 0	44.17 34.08 12.5 8.75	24500 Lead	0 1 CNTRBRD	IB Feath	
Sobrante	Alerion Express 28 ODR	406	168	2009	30 9.75	90	30 9.75	33 12.5	4.8 7.6	No		No	0 0	28.25 22.83 8.2 4.5	5700 2200 Lead	0 1 FIXED	IB Fold 2	
Spirit	Alerion Express 28 ODR	275	168		30 9.75	90	30 9.75	33 12.5	4.8 7.6	No		No	0 0	28.25 22.83 8.2 4.5	5700 2200 Lead	0 1 FIXED	IB Fold 2	

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
			Rating		I	J	P	MGU	Yes/No	Yes/No	ASF	Ttl Disp.		Traps/H.	IB or OB Prop Type # of blades			
			Rating		Max Headsail	ISP	E	MGM	SL	SPL	SLU	ASA		Ballast				moveable blst
			Disp/WL ratio		Mast Material	JSP	PY	MSA	SSMG	SSA	SLE	Sprit Lngth		Ballast Mat.				Keel Type
	Rig Type		EY		SSF		ASM	Fixed or _o										
Another Girl	Alerion Express 38-2	20	90	2011	42.98 12.99	90	47.5 18.25	9.58 13.45	No	No		38.3 30.1 10.3 5.92	13000 5000 Lead	0 1 FIXED	IB Feath 2	(mtg 4/28/11, Custom rating of 90 assigned)		
			616 217		CARBON MS		583				<input type="checkbox"/>	0 0						
Abacadabra	Antrim 27 CM ODR	28927	75	1996	28.69 8.17	116	37.25 15	33.75 7.5 14 10.9	No	Yes	25.1 723	27.83 23.75 9.25 6	2900 1050 Lead	No 1 FIXED	OB None 0	BOWSPRINT IS ARTICULATING		
			555 98		CARBON FS		0 327 0				<input type="checkbox"/>	6.83 13						
Ad Lib	Aphrodite 101	8161	144	1979	36.83 11.81	100	32.23	39.33 4.5 11.48 6.1	Yes	No		32.75 26.33 7.92 5.42	6160 3527 Lead	No 1 FIXED	IB FOLD 2			
			645 153		ALUMN FS		0 253 0				<input type="checkbox"/>	0						
Alchimiste	Archambault 27	38973	78	2013	34.25 10.83	100	39.08 15.98	34.78 4.75 12.63 8.16	No	Yes	26.9 872	27.4 22.7 9.7 5.7	4894 1814 Lead	0 1 FIXED	IB Fold	(Mtg 10/22/15, Custom rating assigned. Includes -9 sec/mi penalty for 22% oversized ASA & +3 sec/mi credit for non-articulating sprit. As sailed: 78)		
			616 190		ALUMN FS		261				<input checked="" type="checkbox"/>	0						
Outsider	Azzura 310	1000	57	1996	35.35 11.55	110	43.33 21.57	38.75 6.68 13.25 10.5	No	Yes	30.1 1163	30.75 27.4 10 7.2	4850 2100 Lead	No 1 FIXED	OB Fixed_3 3	6 FT ARTIC, RETRAC BOWSPRIT. MTG 3/28/96 (RATED 66) (CHNG NOTED 4/18/96-NO CHNGE RTNG. (2/13/96 FM 66 TO 60.)(MTG 11/13/97 FM 60 TO 57)MTG 2/12/98 FM 57 TO 63 (MTG 4/9/98) Inboard SailDrive removed and replaced with		
			525 107		CARBON FS		0 352 0				<input type="checkbox"/>	6						
Sonrisa	Baba 40	0	147		50 21	100	50 21	46 5.3 14.75 9	No	Yes	30.5 1196	39.83 34.5 12.83 6	29000 12000 Iron	0 1 FIXED	IB Feath			
			631 321		ALUMN CTR		391				<input type="checkbox"/>	0						
Wayward Wind	Baltic 38 DP	87258	96	1983	52.25 15.82	155	52.25	46.25 4.53 13.75 8.2	Yes	No		38.08 31.5 12.34 7.25	14330 6512 Lead	0 1 FIXED	IB Fold			
			578 208		ALUMN MS		357				<input type="checkbox"/>	0 0						

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications		
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		Ttl Disp.		Traps/H.	Strps	IB or OB Prop Type # of blades			
								SL	SPL	SLU	ASA							Ballast	moveable blst
Disp/WL ratio																			
Imagination	Bavaria 40	0	108 2001	47.25 14.58	111	48	44.46 15.58	5 9.21		No	Yes	20 828	40.94 35.93	17417 6283	0 1	IB Fold			
			594 171	ALUMN FS				386			44 22	0 <input checked="" type="checkbox"/>	13.1 6.4	Lead	FIXED				
Zara	Beneteau 310	144	135 1993	37.04 10.83	135	37.04 10.82	37.8 12.9	5.2 8.9		No	Yes	21.6 528	31.2 27.7	7054 2160	0 1	IB Fixed_2			
			645 151	ALUMN FS				301			35 16.6	0 <input checked="" type="checkbox"/>	10.5 4.3	Lead	FIXED				
Friday Harbor	Beneteau 323 DK	28580	147 2004	42.67 11.06	116		38.9 13.17	5 8.56		No	Yes	19.91 661	32 29.17	8448 2258	No 1	IB FOLD			
			633 155	ALUMN MS				306			41.34 17.9	0 <input checked="" type="checkbox"/>	10.67 5.92	Iron	FIXED	2			
Curie	Beneteau 32S5	52868	138 1990	38.39 9.68	150	38.39 9.68	38.88 13.78	5.3 9.01		Yes	No	17.3 519	32.6 27.83	9260 2980	0 1	IB FOLD			
			652 195	ALUMN FS				321			32.75 18.4	0 <input checked="" type="checkbox"/>	10.83 6	Cast Iron	FIXED	2			
French Kiss	Beneteau 350 Oceanis	28713	144 1989	41.47 12.8	140	41.47	35.7 11.6	4.2 7.3		Yes	No		33.83 29.83	10580 3525	0 1	IB FOLD	Above deck Roller Furler		
			633 181	ALUMN MS			0 0	242				0 <input type="checkbox"/>	11.17 5.17	Lead	FIXED	2			
First Light	Beneteau 35S5	115	126 1991	41.66 11.15	98		42.65 15.09	5.25 9.042		Yes	No		35.42 29.33	11460 4190	No 1	IB Fixed_2			
			630 206	ALUMN FS			0 0	366				0 <input type="checkbox"/>	11.83 6	Lead	FIXED	2			
Ciao Bella	Beneteau 37	38	117 2009	45.833 15	105		43.5 12.9			No	No		37.666 34.75	14008 3902	0 1	IB FOLD			
			152	ALUMN FS								0 <input type="checkbox"/>	12.833 6.25	Iron	FIXED	3			

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		Ttl Disp. Ballast		Traps/H. moveable blst				
								SL	SPL	SLU	ASA				Ballast Mat.			Keel Type
								SSMG SSF	SSA	SLE ASMGM	Sprit Lngth Fixed or _o							
Enchante'	Beneteau 42 IK TM	63222	84 1985	55.43 16.73 ALUMN MS	155	55.71	49.2 14.6 0 0	4.8 8.5 400	No	No	0	43.67 36 13.83 7.19	20509 8700 Iron	No 1 FIXED	IB FOLD 2			
Tiki Blue	Beneteau 423	38423	105 2005	48.65 16.52 ALUMN MS	125	48.65 16.52	43.44 14.83 0 0	5.49 9.6 381	Yes	No	0	41.67 38.58 12.92 6.92	20224 5569 Iron	No 1 FIXED	IB FOLD 3			
Ohana	Beneteau 45F5	38023	63 1991	53.15 15.08 ALUMN FS	100	55.15 16	55.4 18.58 0 0	7.06 12.08 613	Yes	No	0 0	44.11 36.9 14.1 7.9	26500 8500 Lead	0 1 FIXED	IB FEATH 3	(Mtg 12/1/11, -6 sec/mi for new keel)		
Freedom	Beneteau 523	38333	54 2006	65.22 20.77 ALUMN FS	105	59.09 18.53	6.39 11.04 620		No	Yes	35.519 1854 2 0	53.08 47.92 16 7.5	32800 10935 Iron	No 1 FIXED	IB FOLD 3	Bow Thruster, in-mast furling, above deck jib furler; (Mtg 8/17/06 - +6 s/m for small girth main); electric winches added 1/29/07 (Mtg 3/28/13, +3 secmi for 8% decrease in mainsail area)		
Drop Beer	Beneteau Class 10	18277	90 1984	37.8 12.6 ALUMN FS	150	38.6	39.7 13.9 0 0	4 8.7 308	Yes	No	0	34.2 29.6 9.9 6.8	7000 2200 Iron	0 1 FIXED	IB FOLD 0	NEW RUDDER 3/4/95, NCTR (MTG 3/36/95)		
Allegro	Beneteau Farr First 36.7	56657	78 2010	46.42 13.1 ALUMN FS	155	46.42 14.35	45.4 15.6	5.92 12.49 458	Yes	Yes	23.41 834 0 90	36 30.3 11.4 7.3	12939 3993 Lead	0 1 FIXED	IB Fold 2	(Mtg 1/26/16, -3 sec/mi for increased JSP)		
Ariadne	Beneteau Farr First 36.7	403	84 2010	46.4 13.1 ALUMN FS	125	46.4 13.1	46.4 15.6 0 0	5.92 12.49 468	Yes	No	0 0	36 30.3 11.4 7.3	12495 4034 Lead	No 1 FIXED	IB Fold 2			

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SPL SSMG SSF	SLU ASA SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.		Traps/H. Strps Ballast moveable blst Ballast Mat. Keel Type			
Hera	Beneteau Farr First 36.7	28372	81 2002	46.4 13.1	150	46.4 13.1	45.4 15.6	5.92 12.49	Yes	No		36 30.3 11.6 7.2	12495 3748 Lead	No 1 FIXED	IB FOLD 2		
			602 204	ALUMN FS			0 0	458		23.01 871	<input type="checkbox"/>	0					
Mistral	Beneteau Farr First 36.7	28394	81 2002	46.4 13.1	155	46.4 13.1	45.4 15.6	5.92 12.49	Yes	No		35 30.3 11.6 7.2	12495 4034 Iron	No 1 FIXED	IB FOLD 2		
			602 204	ALUMN FS			0 0	458		23.47 885	<input type="checkbox"/>	0					
Pressure Drop	Beneteau Farr First 36.7	52489	78 2006	46.4 13.1	155	46.4 14.35	45.4 15.6	5.92 12.49	Yes	No	23.29	36 30.3 11.4 7.3	12495 4034 Lead	0 1 FIXED	IB Fold 2	(12/2/16, -3 sec/mi for JSP)	
			602 204	ALUMN FS				458		45.8 13.1	46.25 867						
CruzSea Baby	Beneteau First 10R ODR	52878	81 2007	43.2 12.07	155	46.41 16.5	42.25 14.73	5.59 9.57	No	Yes	27.5	32.75 28.7 11 6.55	9715 3528 Lead	0 1 FIXED	IB Fold 2	(Rudder Modifications noted, smaller non-class spinnaker +3 sec/mi)	
			603 187	CARBON FS				371		49.5 41.5 27.9	1055 4.43 0						
Mulan	Beneteau First 10R ODR	52659	81 2007	43.2 12.07	120	46.41 16.5	42.25 14.73	5.59 9.57	No	Yes	25.5	32.75 28.7 11 6.55	9715 3258 Lead	0 1 FIXED	IB Fold 2		
			601 187	CARBON FS				371		52.59 45.8 26.4	1075 4.43 0						
Lonestar	Beneteau First 10R ODR MOD	40	84 2007	43.2 12.07	100	46.41 16.5	42.25 14.73	5.59 9.57	No	Yes	25.5	32.75 28.7 11 6.55	9715 3528 Lead	0 1 FIXED	IB FOLD 2	(Mtg 5/20/10, +3 sec/mi for non-class smaller kite)(Mtg 9/23/10, rudder modifications noted, NCTR)(Mtg 4/26/12, new rudder noted, NCTR)	
			601 187	CARBON FS				371		52.9 45.8 26.4	1078 4.43 0						
Ala Moana	Beneteau First 30	104	99 2012	41.66 13.78	105	42.16 15.78	40.3 14.25	6.28 9.38	No	Yes	28.82	31.7 27.6 10.5 6.25	8267 2403 Cast Iron	0 1 FIXED	IB Fold 2		
			602 179	ALUMN FS				356		48.6 43.7 26.9	1049 2 0						

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications								
			Built	J	Max Headsail	ISP	P	MGU	Yes/No		Yes/No		LOA	LWL	Ttl Disp.	Traps/H.	Strps	IB or OB	Prop Type	Modifications							
									JSP	E	MGM	SL									SPL	SLU	ASA	Max Beam	Ballast	moveable blst	# of blades
Disp/WL ratio	Mast Material	Rig Type	EY	SSFF	ASM	Fixed or _o																					
Tijd	Beneteau First 30	45	102	2011	41.66	105	42.16	40.2	6.24	No		25.5	31.7	8267	0		IB	(Mtg 8/27/15, -3 sec/mi for OSP, +6 sec/mi for small spinnaker)									
			602		13.78		15.7	14.25	9.38		15	45.6	27.5	2403	1		Fold										
			181		ALUMN							40.5	10.5	Cast Iron	FIXED												
			181		FS							23.8	6.25														
Soiree	Beneteau Oceanis 49 SD	38776	87		59.75	135	59.75	51.67	4.7	No		29.41	49.5	30517	0		IB	Electric Winches (Mtg 10/27/16, +3 sec/mi for In-mast furling mainsail)									
			551		18.42		18.42	18.33	9.3			1210	43.67	480	1		Feath										
			167		ALUMN							0	14.75	Iron	FIXED												
			167		FS							26.75	5.75														
Raven	Benteau First 35	38073	75	2001	47.24	108	51.48	45.93	5.98	Yes			36.32	12125	0		IB										
			586		13.12			14.75	10.23				30.6	3681	1		Fold										
			192		ALUMN							0	12.76	Iron	FIXED												
			192		FS							0	7.25														
Lioness	Bermuda 40	981	174	1962	42.5	160		36.6		No			40.75	20000	0		IB	(Mtg 5/22/08, +6 secmi for 3-blade fixed prop, no penalty for headsail larger than 155%, no credit for sonar transducer, custom rating of 174 assigned)									
			381		15.58			17.2					28.8	5600	1		Fixed_3										
			381		ALUMN			17.7				0	11.75	Lead	CNTRBRD		3										
			381		YAWL			8.5				0	4.25														
Bessie's Girl	Bristol 45.5	30088	114	1980	57	130	57	47.25	4.66	Yes		33	45.5	40000	No		IB	(mtg 2/18/10, -3 sec/mi for dual spinnakers/ability to use asym on squared back pole)									
			594		18.83		18.83	15.2	8.56			1353	37.25	15000	1		FEATH										
			352		ALUMN			30.25	390			0	13.2	Lead	CNTRBRD		3										
			352		KTCH			8.25				0	11														
Raven	C&C 115	38108	69	2004	52.17	106	52.17	49.33	6.2	No		24.7	37.75	11800	0		IB										
			587		14.5		14.5	16.33	8.6			962	33	4200	1		Fold										
			149		CARBON							0	11.92	Lead	FIXED		2										
			149		FS							0	6.67														
Sweetspot	C&C 121 DK W/5' BS	46921	60	2000	57	135	57	51	6.19	No		36	40	14100	No		IB	Deep Keel-bowsprit, (Mtg 4/24/08, rating appeal submitted, change base rating for C&C 121 DK w/ 5' BS, aka C&C 121 XP, to 60)									
			549		15		20	16.386	10.6			1851	35.5	5500	1		FOLD										
			143		ALUMN			0	496			5	13.8	Lead	FIXED		2										
			143		MS			0				0	8														

Boat Name	Boat Model (Type)	Sail #	Rating Built DW Rating Disp/WL ratio	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
				I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps moveable blst	IB or OB Prop Type # of blades	
								SL	SPL	SLU	ASA						
								SSMG SSF	SSA	SLE ASMG	ASA						
Happiness	Cal 27-2 OB	3893	201	36 12 95 36 12		30.67 10.25	3.25 6.5	Yes	No			26.58 22.08 9.25 4.25	6700 3100 Lead	0 1 FIXED	OB None		
Dura Mater	CAL 27-2 IB	616	213	1979 36 12 120		30.83 10.25	4.21 7	Yes	No			26.58 22.08 9.25 4.25	6700 3100 Lead	0 1 FIXED	IB Fixed_3 3		
Moxie	CAL 28-2	28217	183	1988 39.9 11.4 90 39.9 11.4		34.17 10.33	4.28 7.11	Yes	No			28 23 10.8 5.3	7200 Lead	0 1 FIXED	IB FOLD 2		
Serendipity	CAL 29-1 IB	6601	180	1974 37.833 12.333 155 37.833 12.67		31.666 12.166	4.332 7.573	Yes	No			29.25 24.17 9.25 4.75	8000 3350 Lead	No 1 FIXED	IB FOLD 2		
Kira	Cal 33-2	28999	132	1986 46 13.25 125 46 13.25		40.5 12.75	4.82 8.23	No	Yes	21.86 43.6 697		33 27.5 11.33 6.12	10800 4475 Lead	No 1 FIXED	IB FOLD 2	(Mtg 1/26/12, -3 sec/mi for increased "e" & MSA)	
Ecco	CAL 39-2/3	115	117	1980 50 16.7 125 50		44 13.75	5 8.5	No	No			39 32.1 12.15 6.7	17000 7000 Lead	0 1 FIXED	IB Feath		
Sea Star	CAL 39-2/3	38022	114	1977 50 16.7 150 50		44 13.8	4.5 8	Yes	Yes	34 1181		39 32 12 6.7	17000 7000 Lead	0 1 FIXED	IB FEATH 3	Roller Furler	

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications			
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		Ttl Disp. Ballast		Traps/H. moveable blst	IB or OB Prop Type # of blades					
								SL	SPL	SLU	ASA									
								SSMG SSF	SSA	SLE ASMG	Sprit Lngth Fixed or _o					Ballast Mat.		Keel Type		
Disp/WL ratio																				
Azure	CAL 40	72	114	1966	46 15.17	150	46	40 17.5	6.65 11.37	Yes	46.5	15.17	No		0	39.3 30.5 11 5.5	15500 6000 Lead	0 1 FIXED	IB FEATH 2	
Green Buffalo	CAL 40	8538	114	1967	46.7 15.2	155	46.7	39.8 17.6	6.65 11.37	Yes	46.01	15.2	No		0	39.3 30 10.9 5.8	15148 6000 Lead	0 1 FIXED	IB FEATH 3	Schumacher designed rudder - same as original
Highlander	Cal 40	4590	117	1968	46.2 15.2	150	46.2	39.5 17.5	6.65 11.37	Yes	46.5	15.17	No		0	39.25 30.25 11 5.58	15000 6000 Lead	0 1 FIXED	IB Fixed_2 2	
Nozomi	CAL 40	164	114	1970	46.2 15.2	155	46.2	39.9 17.6	6.6 11.37	Yes	46.2	15.2	No		0	39.5 30 11 5.6	15500 6000 Lead	0 1 FIXED	IB FEATH 3	
Redhead	Cal 40	7817	114	1964	46 15.17	155	46.36	40 17.5	6.5 11.3	Yes	46	15.17	No		0	39.5 30 10.92 5.75	16500 6000 Lead	No 1 FIXED	IB Feath 2	
Riff Rider	Cal 40	46	114	1965	46.2 15.1	155	46.2	40 17.5	6.5 11.3	Yes	46.2	15.1	No		0	39.3 30.3 11 5.6	15000 6000 Lead	0 1 FIXED	IB Fold	
Finn	Capo 26 IB	18782	162	1985	34.6 10.56	155		30 10	4.1 6.8	Yes	35	10.5	No		0	26 22 9.25 4.58	4300 1900 Lead	0 1 FIXED	IB Fold	

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
			DW Rating		I	J		P	MGU	Yes/No	Yes/No	ASF	Ttl Disp.		Traps/H.	IB or OB		
			Disp/WL ratio		Max Headsail	Mast Material		E	MGM	SL	SPL	SLU	ASA		Ballast	moveable blst	Prop Type	
					Rig Type	MS		PY	MSA	SSMG	SSA	SLE	Sprit Lngth		Ballast Mat.	Keel Type	# of blades	
							EY			ASF Fixed or _o								
JouJou	Capo 30	87324	123	1984	41.7	120	41.5	36	4.37	Yes	No			30	7200	0	IB	Roller Furler
					12.75			11.5	7.47					25	3000	1	Fold	
			648		ALUMN				247			0		10.33	Lead	FIXED	2	
			209		MS						<input type="checkbox"/>			5.43				
Skye	Capo 30 MOD	0	114	1984	41.7	120	41.5	36	4.37	Yes	No			33	7500	0	IB	(Mtg 5/25/17, -9 sec/mi for increased LOA from added sugar scoop)
					12.75			11.5	7.47					26	3000	1	Feath	
			629		ALUMN				247			0		10.33	Lead	FIXED		
			194		MS						<input type="checkbox"/>	0		5.42				
SLOWMO!	Catalina 22-1 OB SK	2482	270	1973	25.93	150		21	3.47	No	No			21.6	2250	0	OB	
					8			9.66	5.96					19.4	550	1	None	
					ALUMN				118			0		7.8	Iron	MVBL	3	
			140		MS						<input type="checkbox"/>	0		5				
un-named	Catalina 22-2 OB FK	15622	255	2006	25.8	135	25.83	21	3.5	Yes	No			21.5	2250	0	OB	
					8		8	9.67	6.08					19.33	550	1	None	
			716		ALUMN				119			0		7.67	Lead	CNTRBRD		
			142		FS						<input checked="" type="checkbox"/>	0		5				
Sparky	Catalina 25 FK	1498	222	1979	29	145	29	24.66	3.68	Yes	Yes	17.9		25	4550	0	OB	
					10.5		10.5	9.58	1.45			369		22.16	1900	1	None	
			720		ALUMN				102			0		8	Cast Iron	FIXED	0	
			190		MS						<input checked="" type="checkbox"/>	0		4				
Blue Ribbon	Catalina 27 IB	343	213	1975	34.5	120		28.7	3.5	No	No			26.83	6850	0	IB	
					11.25			10.5	6.3					21.75	2650	1	Fixed_3	
					ALUMN				170			0		8.83	Lead	FIXED	3	
			303		MS						<input type="checkbox"/>	0		4				
Miss Kate	Catalina 27 IB	4630	210	1980	34.5	125	34.5	28.66	3.99	No	Yes	20.35		26.85	6850	0	IB	
					11.25		11.25	10.5	6.83			515		21.75	2700	1	Fixed_2	
			738		ALUMN				180			0		8.85	Lead	FIXED		
			303		MS						<input checked="" type="checkbox"/>	0		4				

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		Ttl Disp. Ballast		Traps/H. moveable blst	IB or OB Prop Type # of blades		
								SL	SPL	SLU	ASA						
								SSMG SSF	SSA	SLE ASMG	Sprit Lngth Fixed or _o					Ballast Mat.	
Disp/WL ratio																	
Oshun	Catalina 27 OB	1216	201 1974	34 11.25 ALUMN MS	95	33.58	28.67 10.5	4.24 7.08	185	No	No	26.83 21.75 8.83 4	6850 2750 Lead	0 1 FIXED	OB None		
Blue Ribbon II	Catalina 270 IB	38087	207 1994	33.58 9.25 ALUMN MS	135	33.58	28.42 11.5	4.67 7.61	199	No	No	27 23.75 9.83 5	6400 2000 Lead	0 1 FIXED	IB Fixed_2 2		
Azure	Catalina 275 Sport	1	156 2013	34.42 8.99 ALUMN FS	106	11.83	31.5 11.48	5.33 8.17	233	No	Yes 37.5 35 22	22 665 0 0	27.5 26.57 8.5 5.2	5000 2040 Lead	0 1 FIXED	IB Fixed_2	
Avalon	Catalina 30	6138	183 1992	41 11.416 ALUMN MS	120	41	35 11.5 0 0	4.63 7.72	246	No	No	29.92 25 10.83 5.25	10200 4200 Lead	0 1 FIXED	IB Fold 2		
Goose	Catalina 30	1210	180 1979	41 11.416 ALUMN MS	155	41	35 11.5 0 0	4.63 7.72	246	Yes 40 20.7 20.7	No 11.5 690	0 0	29.92 25 10.83 5.25	10200 4200 Lead	No 1 FIXED	IB FOLD 2	
Ross's Dream	Catalina 30	4895	180 1987	41 11.42 ALUMN MS	150	41	35 11.5 20.7 20.7	4.63 7.72	246	Yes 40.45 20.7 20.7	No 11.5 698	0 0	29.92 25 10.83 5.25	10200 4200 Lead	0 1 FIXED	IB Fold 2	
TASHI	Catalina 30	2010	189 1976	41 11.5 ALUMN MS	110	41	35 11.5	4.63 7.72	246	No	No	29.92 25 10.83 5.25	10200 4250 Lead	0 1 FIXED	IB Fixed_3 3		

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst	IB or OB Prop Type # of blades	
								SL	SPL	SLU	ASA						
								SSMG SSF	SSA	SLE	ASMG						
Xtasea	Catalina 30	0	186 1985	41 11.5 110 41	35.5 4.63 11.5 7.72 40.45 11.5 20.7 698 20.7	Yes	No	29.92 25 10.83 5.25	10200 4250 Lead	0 1 FIXED	IB Fixed_2 2						
Christine Rose	Catalina 30 TM	0	183 1977	43 13.16 150 43 13.16	37 4.8 12 8 43.08 13.16 23.6 847 23.6	Yes	No	29.92 25 10.83 5.25	10200 4250 Lead	0 1 FIXED	IB Fixed_3 3						
Sea Breeze	Catalina 320	850	156 2001	43.58 12.33 135 43.58	38 5.168 13.25 8.661 303	No	No	32.5 28 11.75 6	11300 4000 Lead	0 1 FIXED	IB Fold 2						
Mottley	Catalina 34	8	147 1986	44 13.5 130 44 14	38.5 4.7 12 8.05 0 281 0	No	No	34.5 29.833 11.75 5.583	11950 5000 Lead	No 1 FIXED	IB Fold 2						
Amandla	Catalina 34 1&2	796	147 1988	46 13.5 130 46 13.5	38.5 3.6 12 6.8 0 251 0	No	No	35.75 29.8 11.75 5.6	11950 5000 Lead	0 1 FIXED	IB FOLD 3						
Crews Nest	Catalina 34 1&2	1383	147 1997	44 13.5 130 44 13.5	38.5 3.6 12 6.8 0 251 0	Yes	No	35.67 29.83 11.75 5.58	11950 5000 Lead	No 1 FIXED	IB FEATH 3						
Mirth	Catalina 34 1&2	28634	150 2005	44 13.5 125 44 13.5	38.5 4.17 12 7.33 265	No	Yes	22.02 693 0 0	35.67 29.83 11.75 5.58	11950 5000 Lead	No 1 FIXED	IB FEATH 3					

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp.	Traps/H. Strps		IB or OB Prop Type # of blades		
								SL	SPL	SLU	ASA			Ballast	moveable blst			
								SSMG SSF	SSA	SLE ASMG	Sprit Lngth Fixed or _o			Ballast Mat.	Keel Type			
Music	Catalina 34 1&2	56583	147 2001	44 13.5 130		38.5 12	3.6 6.8	No	Yes	21.8 762	35.66 29.84 11.75 5.56	11950 5000 Lead	0 1 FIXED	IB FOLD 2				
Nessie	Catalina 34 1&2	734	156 1988	44 1.5 100	44 13.48	38.5 12	4.7 7.54	No	No	0 0	34.5 29.83 11.75 5.58	11950 5000 Lead	0 1 FIXED	IB Fixed_3 3				
Queimada	Catalina 34 1&2	611	147 1988	44 13.5 150	44 13.5	38.5 12	4.2 7.2	Yes	No	13.5 825	34.5 29.83 11.75 5.58	11950 5000 Lead	0 1 FIXED	IB Fold 2				
Sacagawea	Catalina 34 1&2	375	156 1987	44 13.5 95	44 13.48	38.5 11.75	4.7 7.54	No	No	0 0	34.5 29.83 11.75 5.6	11950 5000 Lead	0 1 FIXED	IB Fixed_3 3				
Sailor Dog	Catalina 34 1&2	1798	162 2007	44 13.5 110	44 13.5	38.5 12	2.8 5.9	No	Yes	20.5 723	34.5 29.8 11.7 5.6	11950 5000 Lead	0 1 FIXED	IB Fixed_3 3	In-Mast furling main +3 sec/mi, MGM less than 50% of E +3 sec/mi			
Sea Spirit	Catalina 34 1&2	108	147 1986	44 13.5 130	44 13.5	38.5 12	4.36 7.54	Yes	No	13.5	34.5 29.83 11.75 5.58	11950 5000 Lead	No 1 FIXED	IB FOLD 2				
Sterling	Catalina 34 1&2	1269	153 1994	44 13.5 125		38.5 12	3.6 6.8	No	No	0 0	35.66 29.84 11.75 5.56	11950 5000 Lead	0 1 FIXED	IB Fixed_2				

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		Ttl Disp. Ballast		Traps/H. moveable blst	IB or OB Prop Type # of blades		
								SL	SPL	SLU	ASA						
								SSMG SSF	SSA	SLE ASMG	Sprit Lngth Fixed or _o					Ballast Mat.	
Disp/WL ratio																	
All Hail	Catalina 34 TM	524	144	1988	46 13.5 ALUMN MS	130	45.9 13.5	40.5 4.8 12 8 296	No	No		35.66 29.84 11.75 5.56	12000 5000 Lead	0 1 FIXED	IB Fold		
Endless Summer	Catalina 36	271	150	1984	44.75 14.33 ALUMN MS	95	44.75 14.33	39 4.33 12 8.01 279	No	Yes	23.33 850 0 0	36.33 30.25 11.92 5.83	13500 6000 Lead	0 1 FIXED	IB Fixed_3 3		
Andiamo	Catalina 36-2	2168	153	2004	44.75 14.33 ALUMN MS	115		39 3.04 13 6.16 248	No	Yes	29 833 0 0	36 30.25 11.9 5.8	14200 6000 Lead	0 1 FIXED	IB Fixed_3 3	In-Mast Furling Mainsail, +3 sec/mi	
Lawless	Catalina 36-2	2056	147	2002	44.75 14.42 ALUMN MS	155	44.9	39 4.83 12 8.05 286	No	No		36.42 30.33 11.92 5.83	13500 6042 Lead	0 1 FIXED	IB Fixed_3		
Dulcinea	Catalina 38	88	117	1981	49.83 15.5 ALUMN MS	130	49.8 15.5	44 4.37 11.5 7.6 304	No	No		38.17 30.25 11.83 6.75	15900 6850 Lead	0 1 FIXED	IB Fold 2		
Flight Risk	Catalina 38	87586	117	1983	49.8 15.5 ALUMN MS	155	49.8	44 4.18 11.5 7.12 294	Yes	No	15.5 1139 0 0	38.24 30.45 11.12 6.1	19489 6850 Lead	No 1 FIXED	IB Fold 2	Roller Furler	
Harp	Catalina 38	18003	117	1983	50.7 15.43 ALUMN MS	155	50.9 15.43	44 4.8 11.5 7.97 0 316 0	Yes	No	0 0	38.17 30.25 11.83 6.79	19489 6850 Lead	No 1 FIXED	IB FOLD 2	DEC 93 - 7X19 STND RIG/ W/ROD RIG & SHR TN UPR SPREADERS 2 IN. NO CHNG RTNG (MTG 1/27/94)	

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications		
				DW Rating Disp/WL ratio	J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast Mat.		Traps/H. moveable blst Keel Type	IB or OB Prop Type # of blades
									SL	SPL	SLU	ASA							
									SSMG SSF	SSA	SLE	Spr							
Wood Eye	Catalina 38	111	123 1981	49.83 15.5	110	49.83 15.5	44 11.5	4.7 7.9	Yes	No	49 27.9 27.9	15.42 1139	38.17 30.25 11.83 6.75	15900 6850 Lead	0 1 FIXED	IB Fixed_2 2			
Seaya	Catalina 380	252	120 2000	50.916 14.667	135	50.916 14.667	44.833 15.667	5.2 10	No	No			38.42 32.42 12.33 7.17	19000 6800 Lead	No 1 FIXED	IB FEATH 3			
Popstar	Catalina 400	331	108 2005	52.5 15.5	135	52.5 16.5	46.9 17	4.02 8.27	No	Yes	27.9 1225 0 0		41.54 36.5 13.5 6.92	20500 8300 Lead	0 1 FIXED	IB Fold 3	(+3 sec/mi for in-mast furling mainsail, +3 sec/mi for MGM <50% of E)		
Carmelita	Catalina 42-1/2	131	105 1990	53 16.42	125	53	46.75 15.5	4.98 8.85	Yes	Yes	27.75 1131 0		41.83 36 13.83 6.66	22000 8300 Lead	No 1 FIXED	IB FEATH 3			
Farriage	Catalina 42-1/2	336	102 1992	53 16.42	130	53 16.42	46.75 16.42	5.75 9.83	No	Yes	27.08 1042 0 0		41.83 36 13.83 6.83	20600 8300 Lead	0 1 FIXED	IB Feath 3			
Post Time	Catalina 42-1/2	362	102 1993	53 16.42	135	53 16.42	46.75 15.5	5 9	No	No			41.83 36 13.83 6	24000 8300 Lead	0 1 FIXED	IB Feath 3	In-Boom Furling Mast, Electric Halyard Winch		
Revelry	Catalina 42-1/2	703	105 1999	53 16.416	125	53 16.416	46.75 15.416	5.75 9.833	No	Yes	27.5 1097 0 0		41.833 36 13.833 6.83	20500 8300 Lead	No 1 FIXED	IB FEATH 3	ASYM SPIN NOTED NCTR.		

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications						
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU ASA Sprit Lngth Fixed or _o	SL SPL SSMG SSA	Yes/No		ASF	Ttl Disp.			Traps/H. Strps					
								Disp/WL ratio	46.75 5.91										48.833 16	52 1275	31	Ballast	moveable blst
53 16.41 155 53 23	46.75 5.91	48.833 16	52 1275	31																			
TESA	Catalina 42-1/2	642	102 1999	53 16.41 155 53 23	ALUMN MS	0 430	46.75 5.91 15.416 10 0 0	Yes	Yes	31 1275 0	41.83 36 13.83 6.8	25500 8300 Lead	0 1 FIXED	IB FEATH 3	Added one electric main halyard winch								
Vita E Bella	Catalina 42-1/2	989	99 2007	53 16.5 155 16.5	ALUMN MS	415	46.9 5.2 15.6 9.5	No	Yes	27.3 1105 3.67 0	41.83 36 13.1 6.8	24400 3765 Lead	0 1 FIXED	IB FOLD 3	(mtg 3/28/13, -3 sec/mi for added sprit)								
Endless Summer	Catalina 42-1/2 WK	688	111 2000	53 16.5 155	ALUMN MS		46.75 5.08 15.5 9.16	No	No	0 0	41.83 36 13.83 4.83	28000 8300 Lead	0 1 FIXED	IB Feath 3									
Grunion	Catalina 425	11	87 2017	55.75 15.67 125 17.34	ALUMN MS	490	52 5.04 18 9.58	No	No	0 0	41.67 39.08 13.67 6.67	17500 7000 Lead	0 1 FIXED	IB Fold	(Mtg 1/26/17, need to submit spinnaker measurements when available)								
Althea	Cavalier 39	38101	129 1981	48.5 14.83 120 46 16.13	ALUMN MS	301	42 4.55 12 7.79	No	Yes	28.23 1029 0 90	38.98 29.49 11.22 5.97	13228 7513 Lead	0 1 FIXED	IB Fixed_3	(Mtg 4/28/16, -3 sec/mi for oversized spinnaker pole, -3 sec/mi for oversized spinnaker)								
California Condor	Class 40	94	6 2010	53.9 15.65 104 58.6 23.85	CARBON FS	715	53.21 11.71 18.81 14.38	No	Yes	39.7 1623 8.2 0	40 39.17 14.7 9.84	12225 4710 Lead	0 1 FIXED	IB Fold 2	Short-Handed Bay Configuration								
Arby	Colgate 26	212	159 2004	27.75 8.25 105 27.75	ALUMN FS	200	29.75 4.3 11.2 7.3	No	No	0 0	25.7 20 8.5 4.5	2600 1040 Lead	0 1 FIXED	OB Fixed_3 3	Non Spinnaker configuration								

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
			Rating		I	J	ISP	P	MGU	Yes/No	Yes/No	ASF	Ttl Disp.		Traps/H. Strps	IB or OB		
			DW Rating		Max Headsail	ISP	E	MGM	SL	SPL	SLU	ASA	Ballast		moveable blst	Prop Type		
			Disp/WL ratio		Mast Material	JSP	PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Ballast Mat.		Keel Type	# of blades		
Bosporus II	Columbia 36	97415	156	1968	42.75 15	150	41.75 15	34.666 14	5.3 9.1	Yes	No	35.75 28.25 10.5 5.42	13000 5000 Lead	No 1 FIXED	IB Fold 2			
			639		ALUMN		0	289				<input type="checkbox"/>						
			262		MS		0											
Wings	Columbia 5.5 M ODR	31	177	1965	29.125 8.25	96	30	34 11.416	4.59 7.65	Yes	No	32.416 25 6.25 4.33	4400 2800 Lead	No 1 FIXED	NA None 0			
			619		ALUMN		0	237				<input type="checkbox"/>						
			128		FS		0											
Six Brothers	Columbia C 30-2	32006	57	2013	36.67 12.67	103	42 17.67	38 14.67	7.77 10.64	No	Yes	32 27 10.13 7.42	4500 1900 Lead	0 1 FIXED	IB None			
			529		ALUMN			374				31.5 1145 0 0						
			104		FS							<input checked="" type="checkbox"/>						
Warwhoop	Contessa 33	63336	141	1984	37.916 11.17	100	37.93	39.416 13.86	5.31 9	Yes	Yes	33 25.52 11.08 5.8	8375 3700 Lead	No 1 FIXED	IB FOLD 2	(Mtg 1/26/17, -3 sec/mi for oversized asymmetric area)(Mtg 2/23/17, -3 sec/mi for oversized symmetric spinnaker area)		
			653		ALUMN			326				20.92 682 0 0						
			229		FS			0				<input type="checkbox"/>						
Snafu	CS 30	68588	159	1988	42 12.04	125	42 12.04	36.416 11.416	3.95 6.5	NO	Yes	30 25.51 10.25 5.416	8000 3440 Lead	0 1 FIXED	IB FOLD 2			
			669		ALUMN			232				20.04 707 0 0						
			219		MS			0				<input checked="" type="checkbox"/>						
Aerie	CS 36	2160	123	1980	49 15	155	49	42.75 12.75	4.33 7.58	Yes	No	36.5 29.25 11.5 6.25	15500 6500 Lead	0 1 FIXED	IB Fold			
			634		ALUMN			308				0 0						
			282		MS							<input type="checkbox"/>						
Summertime Dream	Custom Schumacher 26	18859	186	1979	26.28 8.07	150	26.28 8.07	29.58 10.76	4.33 7.23	Yes	No	26.08 20 9.08 5.08	3300 1360 Lead	0 1 FIXED	OB None 0	Boat has previously been called "War"		
			705		ALUMN			195				0						
			187		FS			0				<input type="checkbox"/>						

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU ASA Sprit Lngth Fixed or _o	SL SPL SSMG SSA SSF	SLE ASMG		ASF	Ttl Disp. Ballast Mat.			Traps/H. moveable blst Keel Type
								SL	SPL									
								SSMG	SSA									
Starbuck	Custom Black Soo 30	8666	144	1968	30 13 125	29.5 13	25 4.9 11.73 7.5	4.9 7.5	Yes	No	20.4 565	31 27.5 6.8 6.4	4500 1800 Iron	0 1 FIXED	OB None 0	(Mtg 1/17/02, added scoop, custom rating changed from 144 to 141)(mtg 1/11/13, Added A-sail, -9 sec/mi, rating changed from 141 to 132)(Mtg 5/13/14, removed A-Sail, +9 sec/mi, change custom rating from 132 to 141, +2 sec/mi for small headsail)		
Joyicity	Custom Davidson 26	20746	156	1975	27 9.1 150	31.15 10	28.75 5.1 11.5 8.1	5.1 8.1	Yes	No	0	26.42 22.5 8.25 5.25	3000 1450 Lead	No 1 FIXED	IB FOLD 2	Removed IOR Bump infilled w/Divinacell w/fiberglass skin/faired; Installed Melges rig w/mod for Spinnaker; shortened boom; increased "P" increased "J", Code zero type furler used above deck; Handed on left side of sail; 10 # spin		
Salt Peanuts	Custom Dees GP 26	18	78	2008	29.35 8.07 130	36.43 14.32	32.42 5.58 12.63 8.69	5.58 8.69	No	Yes	20.41 626	25.72 21.22 8 6.04	2340 1100 Lead	0 1 FIXED	OB None 0	(mtg 2/18/10, change custom rating from 75 to 78)(3/28/12, New Rudder Noted)		
Ex Indigo	Custom Diva 39	8	87	1987	41.73 12.8 125	41.73 12.8	46.75 5.72 14.75 9.6	5.72 9.6	Yes	No	0	38.75 30.83 9.83 5.75	9920 4575 Lead	No 1 FIXED	IB FOLD 2	Back Stay Crane		
Basic Instinct	Custom Elliott 10.50	8123	72	1993	41 12.5 125	45.6 13.9	44.2 8.5 17.5 12	8.5 12	No	Yes	29.4 1192	34.42 31.83 12.08 7	10220 3000 Lead	No 1 FIXED	IB FOLD 2	(mtg 3/19/09, changed to smaller headsail, +3 sec/mi, & larger mainsail, -6 sec/mi, change rating from 66 to 63)(Mtg 10/21/09, new smaller headsail, still with large headboard. Change mainsail results from 8 sec/mi to 2 sec/mi)		
Sweet Okole	Custom Farr 36	29000	78	1976	42.049 12.35 155	42.049	44.54 5.9 16 10	5.9 10	Yes	No	0	36 31.33 11.88 7	9696 3750 Lead	No 1 FIXED	IB FOLD 2	(78 MTG 1/28/93) (81 MTG 3/18/93)(Mtg 5/22/08, +3 sec/mi for switching to smaller headsail, +3 sec/mi for removing 250# shoe from keel, change custom rating from 81 to 87)(6/7/10, change headsail to 155% 2 sec/mi change rating		
Zamazaan	Custom Farr 52	3883	21	1978	70.4 18.51 135	70.4 18.51	65.2 8.82 23.2 15.08	8.82 15.08	Yes	No	0	52.19 47.26 15.45 8.79	25391 9679 Lead	No 1 FIXED	IB FOLD 2	RTG W/USYRU AGE ALLOWANCE IOR RTG W/USYRU AGE ALLOWANCE R=44.9 (1987) 18/24 AS PER PHRF MTG 4/20/95. SHORTENED MAST 6.15 FEET FROM TOP, REDUCED MAINSAIL AREA FROM 24/27 MTG 8/10/95		

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications									
			Built	J	Max Headsail	ISP	P	MGU	Yes/No		SL	SPL	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB									
									DW Rating	Mast Material											E	MGM	SLU	ASA	LWL	Ballast	moveable blst	Prop Type
13.7	18.76	12.19	46.69	13.7	24.66	959	24.66	No	0	39.5	12900	0	IB															
Jeannette	Custom Frers 40 IOR 1 Tonner	40646	66	1986	47.2	100	13.7	51.48	7.13	Yes		No						IB	(mtg 5/31/07 custom rating changed from 63 to 60 based on performance data)(Mtg 8/27/15, change custom rating back to 63 after review of race results)									
			569		13.7			18.76	12.19									FOLD										
			163		ALUMN							0						2										
					FS							0																
												0																
Jet Stream	Custom JS 9000	9045	63	2003	27.08	87	30.25	31	5.6	No		Yes	21.8	29.9	2425	0	OB	(Mtg 1/22/09, custom rating of 78 assigned)(Mtg 8/19/10, -9 sec/mi for adding 3' sprit, -3 sec/mi for increased spinnaker area, Original rating of 78 contained a 3 sec error, rating should have been 75, change custom rating to 62)										
			544		9.5		15.5	8.73	7			Yes	561	27.9	1543	1	None											
			51		CARBON				199			30.1	3	5.7	Lead	FIXED	0											
					FS							20.1	0	6.8														
												0																
Merlin	Custom Lee 68	8955	-87	1977	71.96	146	74.35	66.87	11	No		Yes	48.05	68.6	24363	0	IB	(Mtg 4/27/17, custom rating assigned: -81)(Mtg 5/25/17, -3 sec/mi for larger headsail, -3 sec/mi for increased J. New custom rating: -87 as sailed)										
			392		22.5		30.4	27.5	18		30.4	87.51	3097	64	10484	1	FOLD											
			42		CARBON			0	1109			83.44	0	12.17	Lead	FIXED	2											
					MS			0				42.34	90	10.65														
The Shadow	Custom Mull 32	18787	150	1974	39.833	125	39.83	35.166	3.45	Yes		No		32.166	10600	No	IB	RMVD Foam Bumps from both sides of hull, Red Beam by approx 7" Replaced Rudder and Skeg Design w/balanced Rudder Depth same, area increased approx 8 sqft. Hull dry rot, Crsnfg Accom, Ref, Head Stars Cov. Changed. MTG 10/6/07										
			661		13.25			9.75	6.2					26.666	4500	1	FOLD											
			254		ALUMN			0	200				0	10	Lead	FIXED	2											
					MS			0						5														
Arcadia	Custom Nash 28.5	3113	123	1969	33	120	34	32.5	4.92	No		Yes	24.606	28.5	4327	No	IB	(Weighed Displacement as of 4/4/2009)(mtg 2/28/13, change custom rating from 135 to 123 after review of race results and structural modifications)										
			589		10		11	13	8.41			Yes	756	25.5	1200	1	FOLD	3										
			119		ALUMN			0	251			34.908	4	9	Lead	FIXED	2											
					FS			0				24.606	100	6.5														
Galaxsea	Custom Nauticat 43.5	28743	180	1985	51	104	20.6	45	4.3	Yes		Yes	29.2	43.6	34000	No	IB	Stay sail measurements foot=1', Luff=34'6", Leach=30'2", LP=132"										
			629		20			13.6	7.9			Yes	1119	37.7	11000	1	FEATH											
			288		ALUMN			32.4	338			50	4.9	12.2	Lead	FIXED	3											
					KTCH			8.5				25.6		5.9														
Quiver	Custom Nelson Marek 36	28669	45	1999	43.85	105	51.9	45.75	6.56	Yes		Yes	26.24	35.6	7725	No	IB	(mtg 6/15/10, added lead shoe to keel, -3 sec/mi, change custom rating from 48 to 45)(Mtg 2/29/12, added sprit equal to SPL, NCTR)										
			542		12.5		14.57	16.47	10.66			Yes	1221	29.32	3255	1	FOLD											
			139		CARBON				453			47.57	1.5	10.3	Lead	FIXED	2											
					FS							28.34		7.6														

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications									
			Built	J	Max Headsail	ISP	P	MGU	Yes/No		SLU	ASA	LWA	Ttl Disp.	Traps/H.	IB or OB	# of blades											
									DW Rating	Mast Material									E	MGM	SL	SPL	Yes/No	ASF	LWL	Ballast	moveable blst	Prop Type
EW	MSA	SSMG	SSA	ASMG	Fixed or _o	Max Draft	Ballast Mat.	Keel Type																				
Ardea	Custom Nelson/Marek 50	42616	21	1989	59.92	100	59.92	65.19	9.35	Yes	Yes	31.6	49.8	22145	0	IB	(Mtg 8/28/15, custom rating of 21 assigned)											
			519		17.59		17.59	24.08	15.98		62.2	38.55	12627	1	Fold													
			176		ALUMN				946		55.8	14.86	Lead	FIXED														
					FS						30.9	9.32																
Lucky Duck	Custom Santa Cruz 52	28729	-30	2001	64.14	155	64.6	57.5	8.76	Yes	Yes	40.91	53	22544	0	IB	(Mtg 8/23/12, Custom Rating Assigned, -21 as sailed)(Mtg 5/23/13, weighed displacement added)(Mtg 3/27/14, New Rudder, -3 sec/mi for OSP, -6 sec/mi for 10%+ increase in spinnaker area. No penalty for keel/displacement											
			471		18.95		22.5	21	14.22		67.72	46.25	8000	1	Fold													
			104		CARBON				745		61.68	14	Lead	FIXED	2													
					MS						40.55	9																
Double Down	Custom Schumacher 30	18480	123	1988	41.37	150	41.5	36.416	4.5	Yes	No		29.92	7854	No	IB	Rudder change, old rudder 85lbs new 65 lbs. Old alum/new carbon MTG 10/27/94 Noted- NCTR (MTG 1/9/97 Alum headsail removed and excess wires removed from mast- Noted NCTR)(Mtg 2/21/08, change custom rating from 126 to 123 after											
			645		12.16			11.83	7.69				26	3650	1	FOLD												
			203		ALUMN			0	257			10.65	Lead	FIXED	2													
					MS			0				6.17																
Q	Custom Schumacher 40	28901	54	2001	47	105	47	47.5	6.75	Yes	No		40	10166	No	IB												
			554		14.67			18.35	11.75				31.5	4528	1	FOLD												
			148		CARBON			0	513			11	Lead	FIXED	2													
					FS			0				7.6																
Surprise	Custom Schumacher 46	28098	6	1997	57	160	63	57	7.5	Yes	Yes	37.23	46	18300	No	IB	(MTG 4/9/98)(mtg 2/20/04)											
			510		17			19.75	12.8			1681	40.63	8000	1	FOLD												
			124		CARBON			0	670			0	12.92	Lead	FIXED	2												
					FS			0				90	7.75															
Nightmare	Custom Wilderness 30 SX FR OB	305	111	1980	34	125		34.4	4.59	Yes	No		29.75	4700	No	OB	(-3 sec/mi for change from IB to OB, -6 sec/mi for keel change.)(mtg 2/26/15, -9 sec/mi for oversized spinnaker)											
			588		11.75			11.5	7				27.75	1650	1	None												
			100		FS			0	233			0	8.83	Lead	FIXED	0												
								0					5.92															
Punk Dolphin	Custom Wylie 38	18481	72	1985	48	150	48	43	5.58	Yes	No		38	14000	No	IB												
			581		14.33			14	9.55				31	5000	1	FOLD												
			214		ALUMN			0	369			0	11.6	Lead	FIXED	2												
					MS			0					6.75															

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps moveable blst		
								SL	SPL	SLU	ASA						
								SSMG SSF	SSA	SLE ASMG	ASA						
Gavilan	Custom Wylie 39	28439	93 1996	49 14.5 122	49	43 15.5 0 0	5.73 9.75 390	Yes	Yes	24.6 783 1.17	41.5 31.75 11.5 6.77	17900 5920 Lead	No 1 FIXED	IB FEATH 3	(mtg 4/28/11, change custom rating from 84 to 96 after review of rating appeal)(Mtg 1/26/12, -3 sec/mi for sprit)		
Checkedred Past	Custom Wyliecat 39	3	102 2002			52 26.6	10.2 17.4 826	No	No	0 0	38.83 32 11.5 6.6	12000 6200 Lead	0 1 FIXED	IB FOLD 2	Boat has been modified for handicapped sailing		
Lilith	Custom Wyliecat 39	7	102 1992			50.75 26.5 0 0	10.45 17.5 811	No	No	0 0	38.83 32 11.83 6.67	12000 6200 Lead	No 1 FIXED	IB FOLD 2	HULL DESIGN IS VERY SIMILAR TO WYLIECAT 30.NO JIB, NO SPINNAKER, NO SPANKER,NO REACHER, NO VANG,NO TWECKER,NO STAYS ETC., AS SAILED RATING 102 PER MTG 6/15/02		
Daseins Den	Dana 24	324558	246 1987	34 12.25 120		28.25 10.75	3 5.85 160	No	No	0 0	24.16 21.42 8.58 3.83	7400 3100 Lead	0 1 FIXED	IB Fixed_2			
Neja	Dasher 32	7325	174 1961	38.01 12.59 155	38.01	33.22 14.6	5.12 8.86 277	Yes	No	0 0	31.75 26.75 8.9 5.75	11323 3600 Lead	0 1 FIXED	IB Fold	500 pounds less lead in keel than the Dasher Easom Boat Works built		
Imagine	Davidson 44 MOD	77220	57 1980	49.92 15.38 125	50.33	58.3 18.33 0 0	6.9 12.8 652	Yes	No	0	44 38.5 13 7.6	24410 7000 Lead	No 1 FIXED	IB FOLD 3	(Mtg 4/27/17, custom rating of 57 assigned)		
CaZan	DK 46	61046	-21 2001	61.94 17.85 126	70.54 19.849	63.55 21.95	8.2 14.21 826	Yes	No	33.56 1822 0 0	46.26 40.52 13.45 9.84	22439 9480 Lead	0 1 FIXED	IB Fold	(Mtg 5/25/17, custom rating assigned. As Sailed: -21)		

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		Ttl Disp. Ballast		Traps/H. moveable blst	IB or OB Prop Type # of blades		
								SL	SPL	SLU	ASA						
								SSMG SSF	SSA	SLE ASMG	Sprit Lngth Fixed or _o					Ballast Mat.	
Disp/WL ratio																	
Harizon	Dufour 310	122	159 2016	40.35 10.82 ALUMN FS	95	42.55 14.87	38.25 5.54 14.57 9.47 332	No	No			31.72 28.54 10.88 6.23	10802 2932 Iron	0 1 FIXED	IB Fold		
Boudicca	Elan 310	310	129 2010	40.19 11.74 ALUMN FS	106	42.55 14.87	39.53 5.28 13.55 8.92 323	No	Yes	25.91 906 3 0		30.3 28.58 10.5 6.23	10141 2292 Iron	0 1 FIXED	IB Fold		
Lonesome Dove	Elite 29	9066	165 1984	35.833 11.083 ALUMN MS	130		30.333 2.6 10.333 5.1 0 157 0	Yes	No			28.67 24.42 10.5 5.58	6160 2310 Iron	No 1 FIXED	IB Fixed_2 2		
Kiwa	Ericson 32-2	285	183 1973	36 18 ALUMN MS	155	36	31.5 4.9 13 8.4 243	No	No			32 24 9.67 4.91	9400 4400 Lead	0 1 FIXED	IB Fixed_2 2		
Sirena	Ericson 32-2	18319	186 1972	35 13 ALUMN MS	110	35	31 4.9 13 8.4 239	Yes	No	37 13 23.1 705 21.9		31 24 9.8 5	8800 4000 Lead	0 1 FIXED	IB Fixed_2 2		
Wild-Type	Ericson 32-2	614	186 1975	38 13 ALUMN MS	155	13	31.5 4.53 13 8.19 237	No	Yes	22.23 639 0 0		31.58 24 8.67 4.92	8800 4000 Lead	0 1 FIXED	IB Fixed_3 3	Roller Furler	
Imagine	Ericson 32-3	716	159 1987	42 13.8 ALUMN MS	135		36.4 4.18 11.8 7.28 248	No	No			32.5 25.83 10.83 6	9800 4200 Lead	0 1 FIXED	IB Fixed_2 2		

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast		Traps/H. moveable blst	IB or OB Prop Type # of blades		
								SL	SPL							Yes	
								Disp/WL ratio				SSMG		SSA			
Baleineau	Ericson 34 Olson SM	42147	105 1988	44 13 155 44	44 44	38.8 4.88 13 8.25 0 298 0	4.88 8.25 298	Yes 43.5 12.96 23.25 843 23.25	No	0	34 28 10.83 6	10600 3650 Lead	No 1 FIXED	IB FOLD 2			
Loya	Ericson 34 Olson SM	3246	105 1989	44.5 13.25 154 44	44 13.25	38.84 4.69 12.9 8.38 296	4.69 8.38	Yes 44 13.25 23.6 864 23.35	Yes 23.8 886 0 0	23.8	34 28 10.83 6	10600 3650 Lead	0 1 FIXED	IB Fold 2			
Red Sky	Ericson 34 Olson SM	28340	105 1989	44 12.95 150 44	44 12.95	38.7 5.1 12.95 8.5 0 302 0	5.1 8.5	Yes 42 12.95 23.4 816 23	Yes 41.5 587 0 0	21.98	33.88 28 10.8 6.08	10855 3500 Lead	No 1 FIXED	IB FOLD 2	MTG 12/11/97(RUDDER REPLACED 8" DEEPER ADN 3" NARROWER.)		
Razzberries	Ericson 34 Olson TM	97479	99 1988	46.77 12.95 155 47	47	40.9 5.1 12.95 8.5 0 320 0	5.1 8.5	Yes 45.7 12.95 23.31 888 23.31	No	0	33.88 28 10.8 6.085	10855 3500 Lead	No 1 FIXED	IB FOLD 2			
Sweet Grapes	Ericson 36 Holland	19	108 1981	47.75 14.5 147 47.75	47.75	42 3.5 12 7.2 278	3.5 7.2	Yes 47 14.5 25.83 1004 24.83	No	0 0	35.58 29 11.83 6.25	11600 5230 Lead	0 1 FIXED	IB FOLD 2			
Plus Sixteen	Ericson 911S Olson	97707	135 1991	41.5 12.25 125 41.5	41.5 12.33	35.761 4.035 11.811 7.136 0 240 0	4.035 7.136	Yes 43.5 12.25 22.605 819 22.605	Yes 20.932 698 0	20.932	30 25 10.33 5.42	8500 3200 LeadSteel	No 1 FIXED	IB FEATH 2			
Shanti	Ericson 911S Olson	326	132 1989	41.5 12.33 150 41.5	41.5 12.33	35.5 4.73 11.83 7.69 0 253 0	4.73 7.69	Yes 42 12.17 22 768 21.7	No	0	29.92 25 10.33 5.42	8700 3200 Lead	0 1 FIXED	IB FOLD 2	CHANGE TO RUDDER NOTED, NCTR		

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
			Rating		I	J	Max Headsail	ISP	P	MGU	Yes/No	Yes/No	ASF		Ttl Disp.	Traps/H.	Strps		IB or OB
			DW Rating		Mast	Material	JSP	E	MGM	SL	SPL	SLU	ASA		Ballast	moveable blst	Prop Type		
			Disp/WL ratio		Rig Type		PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam		Ballast Mat.	Keel Type	# of blades		
					EY		ASF Fixed or _o	Max Draft											
Tule Lost	Ericson 911S Olson	28911	132	1988	41.5	155	41.5	35.5	4.73	Yes	No		29.92	8680	No	IB	MUST HAVE YACHT CLUB MEMBERSHIP CARD WITH ENTRY FORM FOR 2006 RACING		
			663		12.33		11.083	7.69	42	12.33		25	3200	1	FOLD				
			253		ALUMN		0	247	21.9	767	<input type="checkbox"/>	10.33	Lead	FIXED	0				
					MS		0		21.9			5.42							
Rustler	Esse 850	71	75		32.8	105	37.72	34.4	6.23	No	Yes	24.3	28	3000	0	IB	Outboard replaced with inboard saildrive (Mtg 2/28/13, custom rating assigned, as sailed: 75)		
			535		10		11.97	8.85		43.5	779	28	1540	1	Fold				
			62		ALUMN			277		36.9	6.05	7.25	Lead	FIXED					
					FS					23	<input checked="" type="checkbox"/>	6.6							
White Jacket	Etchells 22 ODR	901	120	1991	27.27	90		32.49		Yes	No		30.5	3337	0	OB			
			648		8.22		11.57		8.22			22	2105	1	None				
			142		ALUMN		0				<input type="checkbox"/>	6.83	Lead	FIXED	0				
					FS		0					4.5							
Abigail Morgan	Express 27 ODR	18394	129	1985	28.5	150	28.5	28.5	4.22	Yes	No		27.25	2450	No	OB			
			612		9		10.416	7.03	28.562	9.833		23.75	1100	1	None				
			83		ALUMN		0	182	17.75	421	<input type="checkbox"/>	8.166	Lead	FIXED	0				
					FS		0		17.4			4.5							
Andale	Express 27 ODR	72	129	1985	28.5	155	28.5	28.5	4.22	Yes	No		27.25	2450	0	None			
			611		9		10.42	7.03	29	9.83		23.75	1100	1	None				
			83		ALUMN			182	17.7	428	<input type="checkbox"/>	8.17	Lead	FIXED					
					FS				17.7			4.5							
Archimedes	Express 27 ODR	18355	129	1985	28.5	155	28.5	28.5	4.22	Yes	No		27.25	2450	No	NONE			
			611		9		10.416	7.03	29	9.833		23.75	1100	1	None				
			83		ALUMN		0	182	17.333	420	<input checked="" type="checkbox"/>	8.17	Lead	FIXED	0				
					FS		0		17.6			4.5							
Bombora	Express 27 ODR	38047	129		28.5	155	28.5	28.5	4.22	Yes	No	0	27.25	2450	0	OB			
			611		9		10.42	7.03	28.5	9.83		23.8	1100	1	None				
			83		ALUMN			182	17.7	420	<input type="checkbox"/>	8.17	Lead	FIXED	0				
					FS				17.7			4.5							

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J Max Headsail Mast Material Rig Type	P E PY EY		MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst		
								SL	SPL	SLU	ASA						
								SSMG SSF	SSA	SLE	ASMG						
Current Affair	Express 27 ODR	56	129 1983	28.5 9	155	28.5	28.5 10.42	4.22 7.03	Yes	No		27.25 23.75 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None		
			611 83	ALUMN FS			182				<input type="checkbox"/>	0 0					
Dianne	Express 27 ODR	0	129 1981	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	No		27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0		
			611 83	ALUMN FS			0 0	182			<input type="checkbox"/>	0					
El Raton	Express 27 ODR	28050	129 1985	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	No		27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0		
			611 83	ALUMN FS			0 0	182			<input type="checkbox"/>	0					
Elise	Express 27 ODR	101	129 1986	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	No		27.25 23.75 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0		
			612 83	ALUMN FS				182			<input type="checkbox"/>	0 0					
Ergo	Express 27 ODR	40428	129	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	No	0	27.25 23.75 8.075 4.5	2450 1100 Lead	0 1 FIXED	OB None 0		
			611 83	ALUMN FS				182			<input type="checkbox"/>	0 0					
Get Happy!!	Express 27 ODR	1	129 1981	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	No		27.25 23.75 8.166 4.5	2450 1100 Lead	No 1 FIXED	OB None 0		
			611 83	ALUMN FS			0 0	182			<input type="checkbox"/>	0					
Hang 20	Express 27 ODR	48	129 1982	28.5 9	125	28.5	28.5 10.42	4.22 7.03	Yes	No		27.3 23.8 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0		
			612 83	ALUMN FS				182			<input type="checkbox"/>	0 0					

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps	IB or OB Prop Type # of blades	
								SL	SPL	SLU	ASA						
								SSMG SSF	SSA	SLE	ASMG						
Levitation II	Express 27 ODR	77	129 1984	28.5 9	150	28.5	28.5 10.416	4.22 7.03	Yes	No	27.25 23.75 8.166 4.5	2450 1100 Lead	No 1 FIXED	OB None 0			
Make Me Smile	Express 27 ODR	91	129 1984	28.5 9	155	28.5	28.5 10.42	4.22 7.03	Yes	No	27.25 23.8 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0			
Moonlight	Express 27 ODR	28059	129 1986	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	No	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0			
Motorcycle Irene	Express 27 ODR	28137	129 1982	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	No	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0			
Peaches	Express 27 ODR	18364	129 1986	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	No	27.25 23.75 8.166 4.5	2450 1100 Lead	No 1 FIXED	OB None 0			
Salty Hotel	Express 27 ODR	60	129 1983	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	No	27.25 23.75 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0			
Shenanigans	Express 27 ODR	67	129 1983	28.5 9	155	28.5	28.5 10.42	4.22 7.03	Yes	No	27.25 23.75 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0			

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
				I J Max Headsail Mast Material Rig Type	P E PY EY		MGU MGM MSA	Yes/No		SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.		Traps/H. Strps moveable blst				
								SL	SPL						Ballast			Keel Type
								SSMG	SSA						Ballast Mat.			Keel Type
Simply Irresistible	Express 27 ODR	18070	129 1983	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	No	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0				
			612 83	ALUMN FS		0 0	182			<input type="checkbox"/>	0							
Swamp Donkey	Express 27 ODR	8444	129 1981	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	No	27.25 23.75 8.166 4.5	2450 1100 Lead	No 1 FIXED	OB None 0				
			611 83	ALUMN FS		0 0	182			<input type="checkbox"/>	0							
Take Five	Express 27 ODR	28031	129 1982	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	No	27.25 23.75 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0				
			611 83	ALUMN FS			182			<input type="checkbox"/>	0 0							
TAZ!!	Express 27 ODR	8100	132 1981	28.5 9	125	28.5	28.5 10.42	4.23 7.04	Yes	No	27.3 23.8 8.17 4.5	2450 1100 Lead	0 1 FIXED	NONE None				
			620 83	ALUMN FS			182			<input type="checkbox"/>	0							
Tequila Mockingbird	Express 27 ODR	18353	126	28.5 9	155	32.5	28.5 10.416	4.22 7.03	Yes	Yes	18.85 450 0 90	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0	(Mtg 4/23/15, switched to MH configuration, -3 sec/mi for increased spinnaker area)		
			603 83	ALUMN FS			182			<input type="checkbox"/>								
Tule Fog	Express 27 ODR	18178	129 1984	29 9	155	28.5	29 10	4.22 7.03	Yes	No	27.3 23.8 8.166 4.5	2450 1100 Lead	n 1 FIXED	OB None 0				
			610 83	ALUMN FS			182			<input type="checkbox"/>	0 0							
Verve	Express 27 ODR	18283	129 1981	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	No	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0				
			611 83	ALUMN FS			182			<input type="checkbox"/>	0							

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications										
					DW Rating	J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No		SLU		ASF ASA	Ttl Disp.	Traps/H.		Strps	IB or OB								
											Mast Material	PY									MSA	SL	SPL	SLE	Sprit Lngth	Ballast	moveable blst	Prop Type
Wile E Coyote	Express 27 ODR	11	129	1981	28.5 9	155	28.5	28.5	4.22	Yes	No	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 3													
Yeti	Express 27 ODR	38	129	1983	28.5 9	155	28.5	4.22	Yes	No	27.25 23.75 8.16 4.5	2450 1100 Lead	0 1 FIXED	OB None														
Pork Chop Express	Express 27 ODR MOD	115	126	1986	28.5 9	130	32.5	4.2	Yes	Yes	27.25 23.75 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None	(Mtg 1/26/17, -3sec/mi for switching to MH configuration. New Rudder, NCTR)													
Wetsu	Express 27 w/J length pole	70	129	1983	28.5 9	155	28.5	4.22	Yes	No	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0	-6 Sec/mi OSP													
Marrakesh	Express 34	3	102	1987	44.25 13	125	44.25	4.87	Yes	No	34 28.33 10.33 6.11	9245 3800 Lead	No 1 FIXED	IB FOLD 2														
Pony Express	Express 34	28234	99	1988	44.25 12.92	155	44.25	4.87	Yes	No	34 28.33 10.5 6	7500 3700 Lead	No 1 FIXED	IB FOLD 2														
Traveler	Express 34	97089	99	1987	44.3 13	150	44.3	4.87	Yes	No	34 28.3 10.5 6	8500 3700 Lead	0 1 FIXED	IB FOLD 2	-6 FOR OVERSIZED SPINNAKER													

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast		Traps/H. moveable blst				
								SL	SPL						SLU			ASA
								SSMG SSF	SSA						SLE			Spr
Bullet	Express 37	40311	72 1985	48.75 14.33 155	48.75	42 13.75 0 0	5.3 8.83 344	Yes 48 25.79 25.79	No 14.33 1032	<input type="checkbox"/>	0	37.08 30.83 11.57 7.25	11000 4600 Lead	No 1 FIXED	IB FOLD 2			
Eclipse	Express 37	18495	72 1985	48.75 14.33 155	48.75	42 13.75 0 0	5.28 8.83 344	Yes 48 25.79 25.79	No 14.33 1032	<input type="checkbox"/>	0	37.08 30.83 11.57 7.25	11000 4500 Lead	0 1 FIXED	IB FOLD 2	Rudder modification noted, no change to rating. (Actual weight from yard 11200 - 9500 was design displacement. No mods from standard express 27.) 3/26/01		
Elan	Express 37	87700	72 1985	48.75 14.33 155	48.75	42 13.75 0 0	5.28 8.83 344	Yes 48 25.79 25.79	No 14.33 1032	<input type="checkbox"/>	0	37.083 30.833 11.57 7.25	11000 4500 Lead	No 1 FIXED	IB FOLD 2			
Escapade	Express 37	18051	72 1985	48.75 14.33 155	48.75	42 13.75 0 0	5.28 8.83 344	Yes 48 25.58 25.42	No 14.33 1022	<input type="checkbox"/>	0	37.08 30.83 11.57 7.25	11000 4500 Lead	No 1 FIXED	IB FOLD 2			
Expeditious	Express 37	18478	72 1986	48.75 14.33 155	48.75	42 13.75 0 0	5.28 8.83 344	Yes 48 25.5 25.4	No 14.33 1019	<input type="checkbox"/>	0	37.08 30.83 11.57 7.25	11000 4500 Lead	No 1 FIXED	IB FOLD 2	INSTALED NEW CLASS-APPROVED CARBONFIBER RUDDER - MTG 6-12-2000 NCTR.		
Golden Moon	Express 37	18488	72 1985	48.75 14.33 155	48.75	42 13.75 0 0	5.37 8.99 347	Yes 48.27 25.79 25.79	Yes 14.33 1037	29.5 1034 46 25	<input type="checkbox"/>	90	37 30.83 11.57 7.25	11000 4500 Lead	No 1 FIXED	IB FOLD 2		
Mudshark	Express 37	28052	72 1986	48.75 14.33 155	48.75	42 13.75 0 0	5.28 8.83 344	Yes 48	No 14.33	<input type="checkbox"/>	0	37.08 30.83 11.57 7.25	11000 4500 Lead	No 1 FIXED	IB FOLD 2			

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications		
			Built	DW Rating	I J Max Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps moveable blst				
									SL	SPL	SLU	ASA							Ballast Mat.	Keel Type
Phat Jack	Express 37	18257	72	1985	48.75 14.33 150	48.75	42	5.25	Yes	No		37.08	11000	0	IB					
			577		ALUMN		13.75	8.83	48	14.33		30.83	4500	1	FEATH					
			171		MS				25.7	1028	<input type="checkbox"/>	11.57	Lead	FIXED	2					
			171		MS				25.7		<input type="checkbox"/>	7.25								
Stewball	Express 37	18278	72	1985	48.75 14.33 150	48.75	42	5.28	Yes	No		37.083	11000	0	IB					
			577		ALUMN		13.75	8.83	48	14.33		30.833	4500	1	FOLD					
			171		MS		0	344	25.7	1020	<input type="checkbox"/>	11.57	Lead	FIXED	2					
			171		MS		0	0	24.76		<input type="checkbox"/>	7.25								
Expression	Express 37 MOD	33985	75	1984	48.75 14.33 150	48.75	42	5.3	Yes	No	19	37.1	9500	0	IB	(mtg 1/21/10, +3 sec/mi for modified keel, -3 sec/mi for dual spinnaker/ability to fly asym on squared back pole)(1/19/11, removed asym, only using symmetric spinnaker, +3 sec/mi)				
			590		ALUMN		13.75	9	48.16	14.33	705	30.83	4500	1	Fold					
			147		MS			346	23.2	931	0	11.5	Lead	FIXED	2					
			147		MS				23.2		<input type="checkbox"/>	6								
Ouessant	Farallone Clipper FR	8214	159	1957	35.69 13.87 150	35.69	40.34	7	Yes	No		37.833	18344	No	IB					
			673		WOOD		18.79	12.1	35.38	13.833		28.25	7200	1	Fixed_2					
			370		FS		0	448	24.41	715	0	9.5	Iron	FIXED	2					
			370		FS		0	0	23.58		<input type="checkbox"/>	5.916								
Vip	Farallone Clipper FR	7	159	1957	36.82 14 155	36.82	40.5	6.16	Yes	No		38	19000	No	IB					
			673		WOOD		18.5	10.979	36.76	14		28.75	7000	1	Fixed_3					
			363		FS		0	420	25.195	770	0	9.5	Iron	FIXED	3					
			363		FS		0	0	24.86		<input type="checkbox"/>	5.6								
Brandy	Farr 30 1/2 Ton	57257	150	1979	31 9.6 145	31	34	4.5	Yes	No		30.33	4894	0	OB	(Mtg 4/24/15, -6 sec/mi for increased P)				
			654		ALUMN		12.9	7.11	31.4	9.8		23.5	1909	1	None					
			171		FS			243	17	445	0	10	Lead	FIXED						
			171		FS				17		<input type="checkbox"/>	5.33								
Red Cloud	Farr 36 Mod	99	87	1976	38.3 12.16 108	46.3	41	6.4	Yes	No		36	10430	No	IB	(550# ADDED TO KEEL 300# TO FILL MIDDLE WINDOW+250# TO BOTTOM)(Mtg 1/26/12, -3 sec/mi for new mainsail)(mtg 3/29/12, +3 sec/mi after review of rating appeal, as sailed: 87)				
			584		ALUMN		16.75	10.9	45.4	12.16		31.33	3950	1	Fold					
			154		FS		0	410	21.8	825	0	11.92	Lead	FIXED	2					
			154		FS		0	0	21.8		<input type="checkbox"/>	6.16								

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
			Built	I	J	Max Headsail	ISP	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB		
			DW Rating	Mast Material	JSP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type				
			Disp/WL ratio	Rig Type	PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades					
Wicked Sister	Farr 36 ODR	3	9	2004	46.78 13.19	110	54.82 21.06	49.93 18.63	8.53 12.96	No	Yes	36.28 1751	36.1 32.8	6745 3076	0 1	IB Fold			
			473 87		CARBON FS				592		55.05 36.05	7.36 <input checked="" type="checkbox"/> 0	11.72 8.5	Lead	FIXED				
Mintaka 4	Farr 38	18441	81	1979	43.67 13.67	125	46.2	44.9 17.9	6.8 11.6	Yes	No		38.25 31.17	11850 4100	No 1	IB FOLD	(2002-removed dinette stbrd, add bench seat w/55 gal fuel tank, original was 12.5. Rudder replaced 12" longer, 4" narrower. Changes noted mtg 1/17/02, NCTR)(removed short pole, changed spinnakers, 4/12/04)(Mtg 1/24/12, new stem		
			578 178		ALUMN FS			0 0	478		26.07 24.6	948 <input type="checkbox"/> 0	12 6.33	Lead	FIXED	2			
Timber Wolf	Farr 38-1 C&B Marine	67519	75	1980	43.91 13.36	155	47.9	44.83 17.91	6.7 11.6	Yes	No		38.32 30.9	12000 4100	0 1	IB FOLD	(REDUCED MGM, ADDED 6" TO RUDDER LENGTH -NOTED NCTR-2/15/01)(-3 sec/mi for oversized spinnaker)		
			579 185		ALUMN FS			0 0	476		26.4 26.4	1056 <input type="checkbox"/> 0	11.97 6.39	Lead	FIXED	2			
Chance	Farr 395	39528	27	2002	51.25 14	105	56.33 20.36	50 18.42	7.54 12.53	No	Yes	33.46 1617	39.33 34.5	12500 4600	No 1	IB FOLD			
			528 138		CARBON FS			0 0	567		52.49 33.79	6.36 <input checked="" type="checkbox"/>	12.08 7.83	Lead	FIXED	2			
Astra	Farr 40 ODR MH	40079	0	2000	53.2 15.5	105	53.12	54.8 19.4	7.29 12.47	Yes	No		40.75 35.27	10917 5079	No 1	IB FOLD			
			502 113		CARBON MS			0 0	629		60.69 34.39 34.44	17.06 1740 <input type="checkbox"/> 0	13.22 8.53	Lead	FIXED	2			
Bright Hour	Farr 40 ODR MH	50092	0	2001	53.15 15.45	0	50.04 17.06	54.8 19.36	8.49 13.77	Yes	No		40.7 35.3	10902 4960	0 1	IB Fold			
			498 113		CARBON FS				674		34.39 34.44	1740 <input checked="" type="checkbox"/> 0	13.2 8.53	Lead	FIXED				
Twisted	Farr 40 ODR MH	40046	0	1999	53.15 15.45	105	50.04 17.06	54.8 19.36	8.49 13.77	Yes	No		40.7 35.3	10902 4960	0 1	IB FOLD	(Mtg 12/1/11, interior mods for IRC, smaller mainsail: NCTR)(Mtg 5/24/12, switching to MH ODR configuration)		
			498 113		CARBON FS				674		34.39 34.44	1740 <input type="checkbox"/> 0	13.2 8.53	Lead	FIXED	2			

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
			Max Headsail		Mast Material Rig Type	P		MGU	Yes/No		Yes/No	ASF	Ttl Disp.		Traps/H. Strps	IB or OB		
			J			E		MGM	SL	SPL	SLU	ASA						
			ISP			PY		MSA	SSMG	SSA	SLE	Sprit Lngth	Ballast Mat.		Keel Type	# of blades		
Envolee	Figaro II	0	54	2012	42.75 12.42	104	42.75	42.67 15.42	6.5 10.63	Yes	No		32.18 32 11.33 6.5	6724 2425 LeadWater	0 1 FIXED	IB Fold	(mtg 4/27/17, water ballast disabled, +6 sec/mi)	
Hot Socks	Figaro II	27	48	2004	42.75 12.42	104	42.75	42.67 15.42	7 11	Yes	No	0	32.18 32 11.33 6.5	6724 2425 LeadWater	0 1 FIXED	IB Fold		
Centomiglia	Flying Tiger 10 Meter ODR	15	54	2006	39.284 12.126	105	45.282 19.134	40.167 14.895	6.463 10.499	No	Yes	27.493 1087	32.68 30.31 9.12 7.61	4376 1918 Lead	No 1 FIXED	OB None 3	(3/7/11, new class rudder installed, NCTR)	
Divine Wind	Flying Tiger 10 Meter ODR	30	54	2007	39.28 12.12	105	45.28 19.134	40.16 14.89	6.463 10.5	No	Yes	27.49 1087	32.65 30.31 9.15 7.62	4900 1918 Lead	0 1 FIXED	OB None 0		
Wild 1	Flying Tiger 10 Meter ODR	41	54	2007	39.284 12.126	105	45.282 19.134	40.167 14.895	6.463 10.499	No	Yes	27.493 1087	32.68 30.31 9.12 7.61	4376 1918 Lead	0 1 FIXED	OB None 3		
Circlesea	Folkboat	125	252		21.99 6.56	100	10.17	28.71 11.15	4.42 7.33	No	No	0	25.08 19.82 7.26 3.92	4640 2315 Iron	0 1 FIXED	OB None 0		
Thea	Folkboat	108	252	1984	21.988 6.562	100	10.166	28.707 11.154	4.416 7.333	No	No	0	25.079 19.822 7.261 3.916	4640 2315 Iron	No 1 FIXED	OB None 0		

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
			Built	J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU SLE ASMUG	ASF ASA Sprit Lngth Fixed or _o	Ballast Ballast Mat.		Traps/H. moveable blst Keel Type	IB or OB Prop Type # of blades			
									DW Rating	Mast Material							SSMG		SPL SSA
Jacqueline	Freedom 30 SD	3	174	1986	28.4 9.8		35.2 13.9	5.25 9	Yes	No	30 25.42 10.8 4.5	7660 3150 Lead	0 1 FIXED	IB Fixed_2					
Kynntana	Freedom 38	38086	141	1988	33.34 11.5 100	33.34 11.5	45.5 16.57	6.25 10.7	No	No	38.42 30.58 12.5 5.6	14370 6500 Lead	0 1 FIXED	IB Fold					
Crane Wife	Fuji 32 KTH	0	252	1977	36.25 14.75 148		29.08 11.21 18.25 8	3.8 5.96 177	No	No	31.5 29 9.83 3.66	13115 4635 Iron	0 1 FIXED	IB Fixed_3					
Borealis	Gulf 39 PH	77135	129		50 16.17 128		42 13.75	4.83 8.58	No	No	38.83 33.67 12 5	17500 Iron	1 FIXED	IB Fold					
Anais	Hanse 505	61019	45	2014	64.16 19.16 100	65 20	58.6 20	6.55 11.87	No	Yes	49 44.4 15.6 7.7	36000 8300 Lead	0 1 FIXED	IB Feath					
Firefly	Harbor 20	226	213	2006	25.75 7 90	25.75 7	26 10	3.6 6.25	No	No	20 17.17 7 3.5	1800 900 Lead	0 1 FIXED	OB None					
Obsession	Harbor 20	299	207	2010	25.75 7 95	26.38 8.16	26 10	3.25 6.05	Yes	No	20 17.2 7 3.5	1800 900 Lead	0 1 FIXED	OB None	(Mth 5/25/17, -6 sec/mi for OSP)				
			530		ALUMN FS		655			70.41 64.11 38.35	38.52 2151 1.5 0								
			213		ALUMN FS		151				0 0								
			207		ALUMN FS		147				0 0								

Boat Name	Boat Model (Type)	Sail #	Rating Built DW Rating Disp/WL ratio	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
				I	J	ISP	P	MGU	Yes/No		Yes/No	ASF		Ttl Disp.	Traps/H. Strps	IB or OB	
				Max	Head	JSP	E	MGM	SL	SPL	SLU	ASA					
				Mast	Material		PY	MSA	SSMG	SSA	SLE	Sprit		Lngrh	Ballast Mat.	Keel Type	
Rig Type		EY	SSF	ASM	G	F	Fixed	or _o									
Nepenthe	Hawkfarm 28	6122	174 1976 200	33.3 11 ALUMN FS	115	33	36 10.5	4.3 7.2	234	No	No	28 23.5 9.75 5.5	5700 2700 Lead	0 1 FIXED	IB Fixed_2 2		
Red Hawk	Hawkfarm 28 ODR	59024	162 1978 667 200	33 11 ALUMN FS	155	33.25 11.5	36 10.5 0 0	4.37 7.26	236	Yes 33	No 11.5	28 23.5 9.75 5.166	5700 2700 Lead	0 1 FIXED	IB FOLD 2		
Family Hour, TNG	Henderson 30	46595	48 1997 504 82	37 11 CARBON FS	155	42.3 17.8	38.2 14	6.74 10.62	356	Yes 41.5	Yes 11	31.9 1223 6.2 15	30.83 27.75 9.84 7	3850 1750 Lead	0 1 FIXED	OB None 0	Kelp Cutter
Gygax	Hinckley Pilot 35 TM	4802	192 1975 672 393	44.36 13.8 ALUMN MS	155	44.36 13.8	41.83 15.81	5.5 9.97	383	Yes 42	No 13.8	35.5 25 9.5 5	13500 4200 Lead	0 1 FIXED	IB Feath		
Captain Sluggo	Hobie 33	77870	54 1982 524 73	34.7 12.2 CARBON MS	105	42.3	38.1 13.5	6 9.6	328	No 14.32	Yes 44.6 42.4 25.6	25.6 928 0 90	33 30.4 8 5.4	4532 1800 Lead	0 1 FIXED	OB None	(Meeting 4/27/17, Custom rating assigned: 54)
Vitesse Too	Hobie 33 ODR	87112	90 1983 552 64	33.8 12.4 ALUMN FS	125	36.8	35 12.4 0 0	4.75 8	259	Yes 36.2	No 13.25	33 30.5 8 5.5	4000 1800 Lead	No 1 FIXED	OB None 0	Extended rudder 10", NCTR	
Xtreme	Hobie 33 ODR	18170	90 1984 553 64	33.83 12.4 ALUMN FS	125	36.25	35 12.5 0 0	4.75 8	260	Yes 36	No 13.125	33 30.5 8 5.42	4000 1800 Lead	No 1 FIXED	OB None 0		

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
			ISP		I	J	Max	IS	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB	
			JSP		Headsail	Material	Material	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type		
			Disp/WL ratio		Rig Type	PY	MSA	SSMG	SSA	SLE	Sprit	Lngrh	Max Beam	Ballast Mat.	Keel Type	# of blades			
Turbo Camper	Hobie 33 ODR MOD	87574	84	1984	33.28	155	36.5	35	4.75	No	Yes	23	33	4200		OB	(Mtg 3/29/12, -3 sec/mi for displacement changes)		
					12.4		13.13	12.5	8.1		39	702	30.5	1900	1	None			
			550		ALUMN			0	261		34.2	0.6	8	Lead	FIXED	0			
			67		FS			0			23	<input type="checkbox"/>	90						
Archaeopteryx	Hotfoot 20	101	177	1986	25	105	26.08	27.08	4.05	Yes	No		20	1000	0	OB			
					7		7.67	10.08	6.6				18	400	1	None			
			628		ALUMN				166			0	8.5	Lead	CNTRBRD				
			78		FS							<input type="checkbox"/>	0						
Iolani	Hughes 48	38048	120	1972	54.3	135	20.2	48.2	5.9	Yes	Yes	32.76	48	32000	0	IB			
					18.2			19	10.4		54	1400	35.1	14300	1	FEATH			
			599		ALUMN			23	493		48.6		11.1	Lead	FIXED	3			
			336		YAWL			10			32.76	<input checked="" type="checkbox"/>	0						
Gig	Humboldt 30 IB	18112	108	1983	37.5	149	37.5	41.5	5.13	Yes	No		30	5400	No	IB			
					11.5			13.75	8.83				26.66	2222	1	FOLD			
			603		ALUMN			0	338		20.7	635	10.5	Lead	FIXED	2			
			130		FS			0			20.2		5.75						
Kelika	Hunter 33.5	28815	150	1991	39.166	150	39.116	43.166	5.2	Yes	No		33.33	10800	No	IB			
					11.666			13.5	8.9				26.83	4500	1	FEATH			
			657		ALUMN			0	350		21.15	687	11	Iron	FIXED	2			
			254		FS			0			21.15		4.5						
Lenora	Hunter 33-2	60700	153	2004	37.42	115	38.42	36.46	4.83	No	Yes	18.5	33.5	10400	0	IB			
					10.83		10.83	15.83	8.33		39.33	531	29.42	3459	1	Fold			
			648		ALUMN				306		35.5	0	11.17	Lead	FIXED	3			
			186		FS						16.67	<input checked="" type="checkbox"/>	0						
Itinerant	Hunter 34	1025	150	1986	47.42	105		41	4.02	No	No		34.42	11820	0	IB			
					13.75			11.75	6.87				28.25	5366	1	Fixed_2			
					ALUMN				271			0	11.5						
			238		MS							<input type="checkbox"/>	0	Steel	FIXED				

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications												
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	SL SSMG SSF	SPL SSA	Yes/No	Yes/No	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H.	Strps		IB or OB Prop Type # of blades											
																			DW Rating	Mast Material	ISP JSP	MGU MGM MSA	SL SSMG SSF	SPL SSA	Yes/No	Yes/No	ASF ASA Sprit Lngth Fixed or _o	Ballast	moveable blst
Short Bus	Hunter 35 Legend	210	138 1990	42 12.17 110	ISP JSP	44.08 5.5 14.25 9.2	MGU MGM MSA	375	No	Yes	24.6 957 0 0	35.58 29.75 11.75 6.5	12600 5000 Lead	0 1 FIXED	IB Fixed_2														
Scraft	Hunter 36	38096	156 2005	44.83 13.17 125	ISP JSP	44.92 6 16 10.3	MGU MGM MSA	426	No	No	0 0	35.5 30.58 12 5.42	13900 5023 Lead	0 1 FIXED	IB Fixed_3	Roller Furler, In-mast Furling Mainsail													
Sir Leansalot	Hunter 40	161	108 1986	53.9 17 125	ISP JSP	53.9 17	48 5.2 13.9 9	396	Yes	No	17 0 0	39.7 32.5 13.5 6.5	17400 6000 Iron	0 1 FIXED	IB Fixed_2 2														
Invictus	Hunter 41 DS	38093	129 2007	51.6 13 110	ISP JSP	51.6 13 19.6 10.11	524	No	No	0 0	40.4 35.6 13.3 6.6	19400 6506 Lead	0 1 FIXED	IB Fixed_3 3	(Mtg 4/25/13, +3 sec/mi for in-mast furling main)														
Gratitude	Hylas 46	60373	102 2002	58.4 17.7 135	ISP JSP	58.4 17.7	50.6 4.6 18 9.6	469	No	Yes	25.5 1309 0 0	46.3 40 13.9 6.6	27777 12347 Lead	0 1 FIXED	IB Feath 3														
Hylite	Hylas 49 SM	49	111 2007	57.42 19.5 130	ISP JSP	57.42 19.5	51 4.5 18.5 9.17	470	No	Yes	28.67 1214 0 0	48.83 39.5 14.25 6	35000 14500 Lead	0 1 FIXED	IB Fold	(Mtg 1/26/17, Custom rating of 111 assigned)													
USA 76	IACC	76	-78 2002	83.99 27.17 100	ISP JSP	83.99 27.17	99.18 14.12 30.19 20.33	1892	No	No	0 0	82.6 61.6 11.9 13.45	52910 39683 Lead	No 1 FIXED	IB Fold	(mtg 12/5/13, custom rating of -78 assigned)													

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
			Rating		I	J	P	MGU	Yes/No	Yes/No	ASF	Ttl Disp.		Traps/H.	IB or OB		
			DW Rating		Max	Head	E	MGM	SL	SPL	SLU	ASA		Ballast	moveable blst	Prop Type	
			Disp/WL ratio		sail	sail	PY	MSA	SSMG	SSA	SLE	Sprit Lngth		Ballast Mat.	Keel Type	# of blades	
			ISP														
			JSP														
The Mighty Windsong	International Folkboat OB	567	228	1969	26	155	26	28.8	4.44	Yes	No		25.75	5000	0	OB	
					8.3		8.3	11.2	7.34				19.75	2750	1	None	
			817		ALUMN				195			0	7.5	Iron	FIXED		
			295		MS						<input type="checkbox"/>	0	4				
Youngster	IOD ODR	82	156	1937	29.25	103	41	38.83	6.12	Yes	No		33.42	7100	No	NONE	(mtg 1/21/10, switched to Masthead Spinnaker, -12 sec/mi for 40% increase in ISP, -6 sec/mi for oversized spinnaker girths)(138 rating valid for PHRF Races, not valid for IOD Class races. Boat must be in class configuration to sail)
					8.33		10.67	16.25	10.47				21.42	4100	1	None	
			699		ALUMN			0	374			0	6.75	Lead	FIXED	0	
			328		MS			0			<input type="checkbox"/>		5.333				
Antares	Islander 30-2	6237	186	1971	38.5	155	38.416	32.5	4.75	Yes	No		30	8600	No	IB	
					12.58			11.58	8.125				24.58	3600	1	FOLD	
			677		ALUMN			0	235			0	10	Lead	FIXED	2	
			263		MS			0			<input type="checkbox"/>		5				
Sweet Pea	Islander 30-2	195	186	1971	38.5	155	38.42	32.5	4.75	Yes	No		30	8600	0	IB	
					12.58			11.58	8.125				24.58	3500	1	FOLD	
			677		ALUMN			0	235			0	10	Lead	FIXED	2	
			263		MS			0			<input type="checkbox"/>		5				
Apogee	Islander 36 Freeport	36	162	1978	46.75	150		42	5	No	No		35.9	17000	0	IB	
					16.75			12.75	8.4				27.6	7030	1	Fold	
					ALUMN				323			0	12	Lead	FIXED		
			368		MS						<input type="checkbox"/>	0	5.3				
Zenith	Islander 36 NCPHRF	472	147	1978	45	135	45	39.25	5.05	No	No		36.08	13450	No	IB	
					14.48		14.8	12.75	8.44				28.25	5820	1	Fold	
					ALUMN			0	303			0	11.166	Lead	FIXED	2	
			271		MS			0			<input type="checkbox"/>		6.083				
Zingara	Islander 36 NCPHRF	484	150	1978	45	125	45	39.25	4.8	No	No		36.1	13450	No	IB	Roller Furler
					14.48		14.8	12.75	8.29				28.25	5820	1	Fold	
					ALUMN			0	298			0	11.17	Lead	FIXED	2	
			271		MS			0			<input type="checkbox"/>		6.08				

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications		
			DW Rating		I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No	ASF	Ballast Ballast Mat.		Traps/H. moveable blst Keel Type	IB or OB Prop Type # of blades				
									SL	SPL	SLU	ASA								
									SSMG SSF	SSA	SLE ASMG	Sprit Lngth Fixed or _o								
Califia	Islander 36 ODR	67074	144	1978	45 14.48	135	45	39.25 12.75	3.69 6.88	No	No			36.08 28.25 11.17 6.08	13450 5450 Lead	0 1 FIXED	IB Feath 2			
Cassiopeia	Islander 36 ODR	6763	144	1971	45 14.48	150	45	39.25 12.75	4.8 8.29	Yes	No	45.34 27 27	15 1020	No	0	36.08 28.25 11.17 6	13947 5450 Lead	No 1 FIXED	IB FOLD 2	(mtg 2/18/10, - 6 sec/mi for 10% OSP)(8/2/11, boat returned to ODR Configuration)
Hangover	Islander 36 ODR	367	147	1976	45 14.48	135	45	39.25 12.75	5.05 8.44	No	No			36.8 28.25 11.17 6.08	13450 5820 Lead	0 1 FIXED	IB Fixed_2			
Kapai	Islander 36 ODR	438	147	1977	45 14.48	125	45	39.25 12.75	5.05 8.44	No	No			36.08 28.25 11.17 6	13450 5500 Lead	0 1 FIXED	IB FOLD 2			
Luna Sea	Islander 36 ODR	420	144	1980	45 14.48	135	45	39.25 12.75	5.05 8.44	Yes	No	45 27 27	15 1013	No	0	36.08 28.25 11.17 6.08	18000 5450 Lead	No 1 FIXED	IB Feath 3	
Nutmeg	Islander 36 ODR	87245	144		45 14.48	150	45	39.25 12.75	5.05 8.44	No	No			36.083 28.25 11.166 6.083	13450 5450 Lead	No 1 FIXED	IB FOLD 0			
Serenity	Islander 36 ODR	82659	144	1973	45 14.48	135	45	39.25 12.75	3.69 6.88	Yes	No	45 27 27	15 1013	No	0 0	36.08 28.25 11.17 6.083	13500 5450 Lead	0 1 FIXED	IB Feath	

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications									
			Built	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF		LOA	Ttl Disp.	Traps/H.	Strps	IB or OB									
										DW Rating	Mast Material		E	MGM							SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type
EY	SSF	ASMG	Fixed or _o	Max Draft																								
Windwalker	Islander 36 ODR	57307	144	1976	45	150	45	39.25	4.8	Yes		No		36.08	13450	No	IB											
			648		14.48			12.75	8.2					28.25	5820	1	FOLD											
			271		ALUMN		0		297			<input type="checkbox"/>	0	11.17	Lead	FIXED	2											
			271		MS		0							6.08														
FROLIC	Islander 36 TM	47462	141	1974	47	155	47	40.75	4.8	Yes		No		36.08	13450	0	IB											
			655		14.5			12.6	8.25					28.25	5450	1	Feath											
			271		ALUMN				307			<input type="checkbox"/>	0	11.17	Iron	FIXED	3											
			271		MS									6.08														
Picante	Islander Bahama 28 SM	1	210	1981	33.8	150	11.75	28	3.58	No		Yes	20	27.9	7000	0	IB											
			726		11.75			8.2	5.75			33	478	23	3000	1	Fixed_3											
			262		ALUMN				146			29.4	0	9.8	Lead	FIXED	3											
			262		MS							18	<input checked="" type="checkbox"/>	0														
Strange Magic	Islander Bahama 30	179	180	1981	40	150	40	33.75	4.37	No		No		29.92	8230	0	IB											
			180		12.75			11.5	7.47					24.58	3130	1	Fold											
			252		ALUMN				232			<input type="checkbox"/>	0	10	Lead	FIXED												
			252		MS								0	5														
Wuvulu	Islander Bahama 30	61	180	1979	40	150	38.416	33.75	4.75	Yes		No		30	8600	No	IB											
			674		12.75			11.5	8.125					24.58	3500	1	FOLD											
			263		ALUMN			0	243			<input type="checkbox"/>	0	10	Lead	FIXED	2											
			263		MS			0						5														
Javelin	J 100 ODR	4	81	2004	38.5	95	43	38	5.13	No		Yes	24.34	32.8	6500	No	IB											
			590		11.5			13.5	8.77			49.93	899	29	2500	1	FOLD											
			121		CARBON				306			38.71	0	9.3	Lead	FIXED	2											
			121		FS							24.34	<input type="checkbox"/>	5.8														
Pegasus - Motion X	J 100 ODR MOD	1197	69	2005	38	95	43	38	5.32	No		Yes	23.3	32.8	7250	No	IB											
			579		12.7			15.3	9.32			47.8	861	29	2500	1	FOLD											
			135		CARBON				332			39.1	4.13	9.3	Lead	FIXED	2											
			135		FS							23.9	<input checked="" type="checkbox"/>	5.8														

(Mtg 2/26/09, -3 sec/mi for adding sprit)(mtg 1/21/10, additional -3 sec/mi for lengthening sprit to 4.13')(Mtg 1/27/11, -6 sec/mi for increased "e")(Mtg 1/26/11, shortened J, boat rigged for shorthanded sailing. NCTBY1/22/17

Boat Name	Boat Model (Type)	Rating		Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications	
		Sail #	DW Rating		I	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No		LOA	Ttl Disp.	Traps/H. Strps		IB or OB
										E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst		Prop Type
		Disp/WL ratio			Mast Material					PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type		# of blades
							EY		SSF		ASMG	Fixed or _o	Max Draft							
Advantage 3	J 105 ODR w/ 5'BS	84	78	1994	40.6	100	42.1	41.5	5.5	No	Yes	25.5	34.5	7750	No	IB				
					13.5		19.07	14.5	9.4		49	957	29.5	3400	1	FOLD				
			581		ALUMN			0	358		38.6	5	11	Lead	FIXED	2				
			137		FS			0			26.4	<input checked="" type="checkbox"/>	6.5							
Akula	J 105 ODR w/ 5'BS	16	78	1992	40.6	100	42.1	41.5	5.5	No	Yes	25	34.5	7750	No	IB				
					13.5		19.07	14.6	9.4		48.9	854	29.5	3400	1	FOLD				
			585		ALUMN			0	359		38.7	5	11	Lead	FIXED	2				
			137		FS			0			23	<input checked="" type="checkbox"/>	6.5							
Crackers	J 105 ODR w/ 5'BS	581	78	2002	40.6	100	42.1	41.5	5.5	No	Yes	26.2	34.5	8664	0	IB				
					13.5		19.07	14.5	9.4		49.5	859	29.5	3400	1	Fold				
			585		ALUMN				358		39.8	5	11	Lead	FIXED					
			153		FS						22.3	<input checked="" type="checkbox"/>	6.5							
Godot	J 105 ODR w/ 5'BS	28905	78	1992	40.6	95	42.1	41.5	5.5	No	Yes	23.29	34.5	7750	No	IB				
					13.5		19.07	14.6	9.4		49.54	958	29.5	3400	1	FOLD				
			581		ALUMN			0	359		38.55	5	11	Lead	FIXED	2				
			137		FS			0			26.8	<input checked="" type="checkbox"/>	6.5							
Javelin	J 105 ODR w/ 5'BS	394	78	2001	40.6	100	42.1	41.5	5.5	No	Yes	25.5	34.5	8697	0	IB				
					13.5		19.07	14.5	9.4		49	957	29.5	3400	1	Fold				
			584		ALUMN				358		38.6	5	11	Lead	FIXED					
			154		FS						26.4	<input checked="" type="checkbox"/>	6.5							
Lightwave	J 105 ODR w/ 5'BS	319	78	2000	40.6	100	42.1	41.5	5.5	No	Yes	22.9	34.5	7750	No	IB				
					13.5		19.07	14.5	9.4		49.4	947	29.5	3400	1	FOLD				
			581		ALUMN			0	358		38.5	5	11	Lead	FIXED	2				
			137		FS			0			26.6	<input checked="" type="checkbox"/>	6.5							
Mamaluc	J 105 ODR w/ 5'BS	265	78	1999	40.6	100	42.1	41.5	5.5	No	Yes	25.9	34.5	7750	No	IB				
					13.5		19.07	14.5	9.4		49.42	962	29.5	3400	1	FOLD				
			581		ALUMN			0	358		39.76	5	11	Lead	FIXED	2				
			137		FS			0			25.88	<input checked="" type="checkbox"/>	6.5							

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications							
			Rating		I	J	ISP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp. Traps/H. Strps		IB or OB									
			DW Rating		Max	Head	JSP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type									
			Disp/WL ratio		Mast	Material		PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades									
Nantucket Sleighride	J 105 ODR w/ 5'BS	414	78	2001	40.6	100	42.1	41.5	5.5	No	Yes	25	34.5	7750	0	IB										
																	13.5	19.07	14.5	9.4	48.9	863	29.5	3400	1	Fold
			585														ALUMN			38.7	5	11	Lead	FIXED	2	
			137														FS			23.3	<input checked="" type="checkbox"/>	0	6.5			
Russian Roulette	J 105 ODR w/ 5'BS	85	78	1995	40.6	100	42.1	41.5	5.5	No	Yes	25	34.5	7750	0	IB										
																	13.5	19.07	14.5	9.4	48.9	854	29.5	3400	1	Fold
			585														ALUMN			38.7	5.5	11	Lead	FIXED	2	
			137														FS			23	<input checked="" type="checkbox"/>	0	6.5			
Vuja Star	J 105 ODR w/ 5'BS	181	78	1998	40.6	100	42.1	41.5	5.5	No	Yes	29.5	34.5	8733	0	IB										
																	13.5	19.07	14.5	9.4	49.52	958	29.5	3400	1	Fold
			581														ALUMN			39.8	5.5	11	Lead	FIXED	2	
			155														FS			24.8	<input checked="" type="checkbox"/>	0	6.5			
Lindo	J 109	195	69	2005	46.5	155	49	43.3	5.89	No	Yes	27.75	35.25	10900	0	IB										
																	13.3	18.8	15.5	10.07	56.33	1160	30.5	3900	1	FOLD
			580														ALUMN			45.63	5.5	11.5	Lead	FIXED	2	
			175														FS			27.2	<input checked="" type="checkbox"/>	0	7			
Junkyard Dog	J 109 ODR	168	72	2004	46.5	105	49	43.25	5.88	No	Yes	27.75	35.25	10900	No	IB										
																	13.3	18.83	15.5	10	56.33	1160	30.5	3900	1	FOLD
			583														ALUMN			45.63	5.5	11.5	Lead	FIXED	2	
			175														FS			27.2	<input checked="" type="checkbox"/>	0	7			
La Viajera	J 109 ODR	46480	72	2004	46.5	105	49.6	43.25	5.89	No	Yes	27.75	35.25	10900	0	IB										
																	13.3	18.8	15.5	10.07	56.33	1160	30.5	3900	1	Fold
			583														ALUMN			45.63	5.5	11.5	Lead	FIXED	2	
			175														FS			27.2	<input checked="" type="checkbox"/>	0	7			
Bad Dog	J 111	103	36	2011	48.37	105	51.4	45.7	6.1	No	Yes	31.86	36.5	9300	0	IB										
																	13.85	20.08	14.5	10.1	59.05	1433	32.7	3500	1	Fold
			532														CARBON			48.88	6.3	10.8	LeadSteel	FIXED		
			121														FS			31.86	<input checked="" type="checkbox"/>	0	7.2			

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
				J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp. Traps/H. Strps		IB or OB Prop Type # of blades		
									SL	SPL	SLU	ASA		Ballast	moveable blst			
																	SSMG	
Disp/WL ratio	Mast Material Rig Type																	
Swift Ness	J 111	101	36 2014	48.37 13.85	105	51.4 20.08	45.17 14.5	6.1 10.1	No	Yes	31.8 1404	36.5 32.7	9300 3500	0 1	IB Fold			
			534 121	CARBON FS				410			6.3 0	10.8 7.2	LeadSteel	FIXED				
Symmetry	J 111	91	36 2013	48.37 13.85	105	51.4 20.08	45.17 14.45	6.16 10.1	No	Yes	31.1 1399	36.5 32.7	9300 3500	0 1	IB Fold			
			534 121	CARBON FS				410			6.3 0	10.8 7.2	LeadSteel	FIXED				
Alchera	J 120 Mod	28870	51 2001	50.5 14.5	125	52 21.55	46.5 17.57	6 10.57	No	Yes	34 1407	40 35	13900 6000	No 1	IB FOLD	Modifications for offshore singlehanding: Smaller spinnaker and main, 2 extra winches at helm, 3 additional gel batteries, dodger boss widened and all control lines led to cockpit, radar pole, veltran MHN jib. (M/M 2/21/08 - 12 ppl/10 for small)		
			554 147	CARBON FS			0 0	463			7	12 7	Lead	FIXED	2			
Chance	J 120 ALUM	28484	51 2001	50.5 14.5	100	52 21.5	46.3 17.8	6.7 11.5	No	Yes	34.1 1765	40 35	13900 6000	No 1	IB FOLD			
			541 147	ALUMN FS			0 0	489			7	12 7	Lead	FIXED	2			
Hokulani	J 120 ALUM	43	48 1996	50.42 14.42	155	50.42 21.42	46.42 17.67	6.58 11.42	No	Yes	37.8 1777	40 35	13900 6000	0 1	IB Fold			
			538 147	ALUMN FS				486			0 0	12 7	Lead	FIXED				
Jamani	J 120 ALUM	52879	48 2002	50.5 14.5	155	52 21.5	46.5 17.8	6.7 11.5	No	Yes	34 1729	40 35	13900 6000	0 1	IB FOLD			
			542 147	ALUMN FS				491			7 0	12 7	Lead	FIXED	2			
Kookaburra	J 120 ALUM	153	48 2001	50.5 14.5	155	52 21.5	46.5 17.8	6.2 10.7	No	Yes	30.3 1265	40 35	13900 6000	No 1	IB FOLD			
			556 147	ALUMN FS			0 0	471			7 0	12 7	Lead	FIXED	2			

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications										
			Built	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB											
										DW Rating	Mast Material									E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type
EY	SSA	ASMG	Fixed or _o	Max Draft																									
Saetta	J 120 ALUM	28486	48	1999	50.5	153	52	46.5	6.75	No	Yes	37.6	40	13900	No	IB													
					14.5		21.5	17.8	11.5		65.61	1793	35	6000	1	FOLD													
			540		ALUMN		0	492			51.8	7	12	Lead	FIXED	2													
			147		FS		0				36.42	<input checked="" type="checkbox"/>	0																
Twist	J 120 ALUM	28442	48	2000	50.5	150	52	46.5	6.75	No	Yes	34.1	40	13900	No	IB													
					14.5		21.5	17.8	11.5		64	1764	35	6000	1	FOLD													
			541		ALUMN		0	492			50.6	7	12	Lead	FIXED	2													
			147		FS		0				37.65	<input checked="" type="checkbox"/>	0																
Peregrine	J 120 Carbon	25487	45	2001	50.5	150	52	46.5	6.76	No	Yes	35.1	40	13900	0	IB													
					14.5			17.8	11.57		64	1776	35	6000	1	Fold													
			540		CARBON				493		52.5	7	12	Lead	FIXED	2													
			147		FS						36.96	<input checked="" type="checkbox"/>	0																
Albion	J 124	14	27	2007	49	145	54.7	48.4	6.4	No	Yes	32.74	40.7	12600	0	IB	(Mtg 2/23/17, -6 sec/mi for asymmetric spinnaker modifications)												
					14		19.43	17	11		60.53	1528	36.2	5000	1	Fold													
			522		CARBON				488		51.51	3.83	11.33	Lead	FIXED														
			121		FS						32.74	<input checked="" type="checkbox"/>	0																
Spirit of Freedom	J 124	38006	27	2006	49	155	54.7	48.4		Yes	Yes	32.6	40.7	12600	No	IB	(mtg 4/22/10, -3 sec/mi for OSP, -3 sec/mi for ability to square back pole)												
					14		15.4	17		53.9	15.4	55.1	1243	5000	1	FOLD													
			535		CARBON					27.7	1244	51.9	0	Lead	FIXED	2													
			121		FS					27.7		26.7	<input checked="" type="checkbox"/>	0															
Can't Touch This	J 125	93204	-12	1999	49	155	52.1	47	6.8	No	Yes	41	41	9330	0	IB	(Mtg 2/26/09, -3 sec/mi for oversized main girths)(3/9/09, corrected main girths, removed -3 sec/mi penalty)												
					15		23	18	11.6		61.3	1941	37	4646	1	FOLD													
			468		CARBON				502		52.3	8	10.6	Lead	FIXED	2													
			84		MS						41	<input type="checkbox"/>	0																
Tyr	J 125	52125	-12	2000	49	155	52	46.5	6.79	No	Yes	39.3	41	8350	0	IB													
					14.8		23.4	18	11.65		62.17	1831	37	4646	1	Fold													
			471		CARBON				497		52.49	0	10.6	Lead	FIXED	2													
			75		FS						38.09	<input checked="" type="checkbox"/>	0																

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
			Built	J	Max	ISP	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	IB or OB				
			DW Rating	JSP	Headsail	JSP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type			
			Disp/WL ratio		Material		PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades			
Jaybird	J 133 CM	52443	24	2004	57	100	60.4	54	7	No	Yes			38.08	16900	0	IB		
					17.25		24	18.6	12					30.25	6850	1	Fixed_2		
			574		CARBON				595				0	11.8	Iron	FIXED			
			278		FS								0	6.8					
Samba Pa Ti	J 22	3	186	1982	24.8	125	24.8	26.1	3.78	Yes	No			22.5	1790	0	OB		
					8.8		8.8	9	6.27					19	700	1	None		
			674		ALUMN				147				0	8	Lead	FIXED			
			119		FS								0	3.8					
Downtown Upoar	J 24 ODR	2394	168	1981	26.25	150	26.25	28	3.7	Yes	No			24	3125	0	OB		
					9.5			9.75	6.37					20	965	1	None		
			693		ALUMN			0	163				0	9.2	Lead	FIXED			
			178		FS			0					0	4.1					
Irish Blessing	J 24 ODR	2184	168		26.25	150	26.25	28	3.7	Yes	No			24	3100	0	OB		
					9.5			9.75	6.37					20	965	1	None		
			693		ALUMN				163				0	8.92	Lead	FIXED			
			176		FS			16.8					0	4					
Shut Up & Drive	J 24 ODR	513	168		26.25	150	26.25	28	3.7	Yes	No			24	3100	No	OB		
					9.5			9.75	6.37					20	965	1	None		
			693		ALUMN			0	163				0	8.916	Lead	FIXED			
			176		FS			0					0	4					
Cordon Rouge	J 30	68	144	1979	34	125	34	38	5.1	Yes	No		0	29.83	6700	No	IB		
					11.5			13	8.4					25	2100	1	FOLD		
			657		ALUMN				296				0	11.2	Lead	FIXED			
			195		FS								0	5.25					
Friction Loss	J 30	67425	141	1979	34	155	34.1	38	4.94	Yes	No		21.06	29.83	6500	0	IB		
					11.5		11.5	13	8.45				666	25	2100	1	FOLD		
			652		ALUMN			0	295				0	11.17	Lead	FIXED			
			189		FS			0					0	5.25					

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
				DW Rating	I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.	Traps/H. Strps moveable blst		IB or OB Prop Type # of blades
									SL	SPL	SLU	ASA						
									SSMG SSF	SSA	SLE	ASMG						
Ione	J 30	8994	141	1981	34.19 11.041	140	38 13	4.83 8.21	Yes	No	29.83 25 11.2 5.25	6500 2100 Lead	0 1 FIXED	IB FOLD 2				
Wind Speed	J 30	39963	141	1980	34.19 11.5	155	34.2 37.5 12.5	4.9 8.1	Yes	No	29.83 25 11.18 5.25	6700 2100 Lead	No 1 FIXED	IB FOLD 2	+6 sec/mi for J length pole (mtg 11/16/01)			
		64	120	2001	39.2 11	155	40.5 13	5.1 9.2	No	Yes	19.7 43 677 29	10000 3840 Lead	0 1 FIXED	IB Feath 3	(Mtg 8/22/13, -6 sec/mi for sprit)			
		635	186		ALUMN FS		334			39.5 19.7	2.5 0	11 6						
Paradigm	J 32	79	126	2002	39.166 11	150	40.583 11.916	5.5 9.58	No	Yes	17.83 42.09 722 29	11500 3840 Lead	No 1 FIXED	IB FOLD 2				
		647	214		ALUMN FS		343			39.25 22.17	0 0	11 6						
Rhapsody	J 32	56303	120	2000	39.2 11	155	40.583 13	5.12 9.25	No	Yes	22.5 46.25 830 29	11500 3840 Lead	0 1 FIXED	IB Fold 3	(Mtg 5/23/13, -3 sec/mi for sprit, -3 sec/mi for oversized spinnaker)			
		640	214		ALUMN FS		335			41.55 22.75	2 0	11 6						
Stratocaster	J 32	16	126	1996	39.2 11	155	40.68	5.88 10.07	Yes	Yes	23.95 44.92 831 28.67	10000 3840 Lead	No 1 FIXED	IB FOLD 2				
		633	193		ALUMN FS		355			38.38 23.95	0	11 5.75						
Akialoa	J 35	28435	75	1989	46.33 14.58	120	46.3	5.43 9.11	No	No	35.42 30 11.67 6.75	10500 4400 Lead	No 1 FIXED	IB FOLD 2				
		177			ALUMN MS		347				0							

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H.	Strps		IB or OB Prop Type # of blades
								SL	SPL	SLU	ASA							
								SSMG SSF	SSA	SLE ASM	ASG							
Jarlen	J 35	28528	72 1990	46.333 14.583 150	46.3	41.416 5.43 14 9.11 46 14.583 26 997 26	0	347	Yes	No	0	35.42 30 11.67 6.75	10500 4400 Lead	No 1 FIXED	IB FOLD 2			
Joker	J 35	400	75 1986	46.4 14.7 125	46.4	41.5 5.43 14 9.11 46 14.7 26.4 1012 26.4	0	348	Yes	No	0	35.42 30 11.8 6.75	10500 4400 Lead	0 1 FIXED	IB FOLD 2			
Mojo	J 35	18935	72 1983	46.4 14.7 150	46.3 14.7	41.75 5.21 14.98 8.77 46 14.7 26.25 1006 26.25	0	353	Yes	No	0	35.42 30 11.8 6.9	10500 4400 Lead	No 1 FIXED	IB Feath 2			
Dawn's Early Light	J 36	77549	87 1982	44.219 14 125	44.21 14	47 5.8 15 9.5 44.25 14 25.26 923 24.12	0	418	Yes	No	0 0	35.95 30.5 11.76 6.6	10570 4600 Lead	0 1 FIXED	IB Fold			
Acey Deucy	J 44	97659	21 1989	60.606 17.08 155	60.416	53.51 7.3 19.41 12.5 59.8 17.085 63.8 1379 30.8 1535 55.9 1 27.8 27.8	0	615	Yes	Yes	27 1379 1 <input checked="" type="checkbox"/>	44.83 38.58 13.67 8.14	22770 9000 Lead	0 1 FIXED	IB FOLD 2	Electric Winches		
Phantom	J 44	28844	21 1990	60.606 17.08 120	60.416	53.53 7.3 19.41 12.5 59.65 17.08 63.8 1379 30.7 1526 55.9 0 27.8 27.8	0	615	Yes	Yes	27 1379 0 <input checked="" type="checkbox"/>	44.75 38.58 13.67 8.14	23838 9000 Lead	No 1 FIXED	IB Feath 3			
Allons-Y	J 70 ODR	346	114 2014	26.77 7.68 100	30.15 13.5	26.16 4.71 9.44 6.93 28.87 164 18.24	0	164	No	Yes	18.7 491 5.1 0	22.75 20.47 7.38 4.92	1750 630 Lead	0 1 MVBL	OB None			

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications		
				DW Rating	I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.	Traps/H. Strps		IB or OB Prop Type # of blades	
									SSMG	SPL SSA	SLU SLE ASMG	Ballast							moveable blst
Benny	J 70 ODR	897	114	2015	26.77 7.68	100	30.15 13.5	26.16 9.44	4.71 6.93	No	Yes	18.7 491	22.75 20.47	1750 630	0 1	OB None			
			607 93		CARBON FS				164		28.87 18.24	5.1 <input checked="" type="checkbox"/>	7.38 4.92	Lead	MVBL				
Penny Pincher	J 70 ODR	215	114	2014	26.77 7.68	100	30.15 13.5	26.16 9.44	4.71 6.93	No	Yes	18.7 491	22.78 20.47	1750 630	0 1	OB None			
			607 93		CARBON FS				164		28.87 18.24	5.1 <input checked="" type="checkbox"/>	7.38 4.92	Lead	MVBL				
Prime Number	J 70 ODR	29	114	2012	26.77 7.68	100	30.15 13.5	26.16 9.44	4.71 6.93	No	Yes	18.7 491	22.78 20.47	1750 630	0 1	OB None			
			607 93		CARBON FS				164		28.87 18.24	5.1 <input checked="" type="checkbox"/>	7.38 4.92	Lead	MVBL				
Rampage	J 70 ODR	582	114	2014	26.77 7.68	100	30.15 13.5	26.16 9.44	4.71 6.93	No	Yes	18.7 491	22.75 20.47	1750 630	0 1	OB None			
			607 93		CARBON FS				164		28.87 18.24	5.1 <input checked="" type="checkbox"/>	7.38 4.92	Lead	MVBL				
Scilla	J 70 ODR	327	114	2012	26.77 7.68	100	30.15 13.5	26.16 9.44	4.71 6.93	No	Yes	18.7 491	22.78 20.47	1750 630	0 1	OB None			
			607 93		CARBON FS				164		28.87 18.24	5.1 <input checked="" type="checkbox"/>	7.38 4.92	Lead	MVBL				
Wingman Racing	J 70 ODR	584	114	2014	26.77 7.68	100	30.15 13.5	26.16 9.44	4.71 6.93	No	Yes	18.7 491	22.75 20.47	1750 630	0 1	OB None			
			607 93		CARBON FS				164		28.87 18.21	5.1 <input checked="" type="checkbox"/>	7.38 4.95	Lead	MVBL				
Courageous	J 88	77	81	2015	38.67 11.28	104	46 18.05	36.82 12	5.44 8.4	No	Yes	29 1022	29.19 26.84	4990 1840	0 1	IB Fold			
			561 117		CARBON FS				282		40.84 27.32	5.25 <input checked="" type="checkbox"/>	9.5 6.5	Lead	FIXED				

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications		
				ISP JSP	I J	Max Headsail	P E PY EY	MGU MGM MSA	Yes/No		Yes/No	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps				
									SL	SPL								SLU	ASA
									SSMG SSF	SSA								SLE	ASMG
Disp/WL ratio	Mast Material	Rig Type					Ballast Mat.	Keel Type											
Inconceivable	J 88	9	81	2013	38.67 11.28	104	46 18.05	36.82 12	5.44 8.4	No	Yes	29 1022	29.19 26.84	4990 1840	0 1	IB Fold			
			561 117		CARBON FS				282		40.84 27.32	5.25 <input checked="" type="checkbox"/> 0	9.5 6.5	Lead	FIXED				
Juno	J 88	20	81	2014	38.67 11.28	105	46 18.05	36.82 12	5.44 8.4	No	Yes	29 1022	29.19 26.84	4990 1840	0 1	IB Feath			
			561 117		CARBON FS				282		40.84 27.32	5.25 <input checked="" type="checkbox"/> 0	9.5 6.5	Lead	FIXED				
M Squared	J 88	75	81		38.67 11.28	104	46 18.05	36.82 12	5.44 8.4	No	Yes	29 1022	29.19 26.84	4990 1840	0 1	IB Fold			
			561 117		CARBON FS				282		40.84 27.32	5.25 <input checked="" type="checkbox"/> 0	9.5 6.5	Lead	FIXED				
Ventus	J 88	60	81	2015	38.67 11.28	104	46 18.05	36.82 12	5.44 8.4	No	Yes	29 1022	29.19 26.84	4990 1840	0 1	IB Fold			
			561 117		CARBON FS				282		40.84 27.32	5.25 <input checked="" type="checkbox"/> 0	9.5 6.5	Lead	FIXED				
White Shadow	J 88	23	81	2014	38.67 11.28	104	46 18.05	36.82 12	5.44 8.4	No	Yes	29 1022	29.19 26.84	4990 1840	0 1	IB Fold			
			561 117		CARBON FS				282		40.84 27.32	5.25 <input checked="" type="checkbox"/> 0	9.5 6.5	Lead	FIXED				
Hijinks	J 92	90	108	1996	37 11.5	97	38.5 17	37.66 13.22	5 8.6	No	Yes	26.51 868	30 26.5	5500 2275	0 1	IB Fold			
			595 134		ALUMN FS				297		40.85 23.55	5.5 <input checked="" type="checkbox"/> 0	10 5.9	Lead	FIXED	2			
Ragtime!	J 92	18	105	1993	37 11.5	155	38.5 17	38 13.5	4.7 8.2	No	Yes	29.75 1019	30 25.8	5500 2275	No 1	IB FOLD	(changes noted 3-11-03, NCTR)(2/14/06 - Spinnaker based on 1019 sq feet/94.67 meters)(Mtg 01/16/14, -3 sec/mi for flying asymmetric off squared back pole)(Mtg 4/24/14, New Rudder noted NCTR - Shortened pole/sprit		
			593 146		ALUMN FS			0 0	293		30.6 30.6	5.5 <input checked="" type="checkbox"/>	10 5.9	Lead	FIXED	2			

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications		
				DW Rating Disp/WL ratio	I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast		Traps/H. moveable blst	IB or OB Prop Type # of blades
									SL	SPL	SLU	ASA							
									SSMG	SSA	SLE	Spr							
Relentless	J 92	93	105 1997	37 11.5 155 38.5 17.5	38 13.5	5.2 8.7	No	Yes	26.4 45.2 915 26.5	30 26.5 10 5.9	5500 2275 Lead	0 1 FIXED	IB Fold 2						
Windtrip Infinity	J 92s	35	96 2006	40.68 11.48 107 44.08 16.67	38.88 13.95	5.42 9	No	Yes	23.25 878 5.17 0	30 26.7 10 6.24	5610 2317 Lead	0 1 FIXED	IB Fold						
Lady Jane	Jeanneau 39i Sun Odyssey	7913	93 2008	48.1 13.1 122 48.1	46.3 14.6	5.42 9.28	No	Yes	27.46 1012 1 0	38.1 35.2 12.9 6.7	16163 5026 Cast Iron	0 1 FIXED	IB Feath 3						
Dare Dare	Jeanneau Sun Fast 3200	39	81 2008	41.92 12.58 102 43.77 13.61	38.67 13.68	5.28 8.46	Yes	Yes	24.41 887 1 0	33.1 28 11.5 6.2	7916 2866 Lead	0 1 FIXED	IB Fold 2						
Wimm	Jeanneau Sun Odyssey 349	38105	141 2016	43.6 12.37 112 46.67 46.67	40.68 13.62	4.9 8.2	No	No	0 0	33.92 30.84 11.29 6.86	11770 3483 Cast Iron	0 1 FIXED	IB Fold						
Kai Ola	Jeanneau Sun Odyssey 379	0	105 2011	46.67 13.58 132 46.67	44.58 13.92	5.4 9.1	Yes	No	13.58 982 0 0	37.17 36 12.33 6.33	14771 3914 Steel	0 1 FIXED	IB Fixed_3	(Mtg 5/25/17, -3 sec/mi for oversized spinnaker)					
Yellow Brick Road	Jeanneau Sun Odyssey 40	33300	90 1999	50 13.75 125 50 13.8	43.25 15.67	5.7 9.89	No	Yes	25.59 1095 0 0	40 33.33 12.92 6.33	16094 5291 Iron	0 1 FIXED	IB FEATH 3						

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications								
				I J Max Headsail Mast Material Rig Type	P E PY EY		MGU MGM MSA	Yes/No SL SSMG SSF	SPL SPL SSA	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast		Traps/H. moveable blst	IB or OB Prop Type # of blades										
																		DW Rating Disp/WL ratio	48.82 14.6	3.55 6.9	No	No	42.42 38 13.5 6.92	19676 5628 Iron	0 1 FIXED
Blue Zephyr	Jeanneau Sun Odyssey 42 DS		2010	51.58 16.25 ALUMN FS	150	48.82 14.6	3.55 6.9 350	No	No	0 0	42.42 38 13.5 6.92	19676 5628 Iron	0 1 FIXED	IB Fixed_3	(mtg 4/27/17, +3sec/mi for in-mast furling, +3 sec/mi for MGM < 50% of E)										
Invictus	Jeanneau Sunfast 3600	12	2015	46.58 13.83 ALUMN FS	105	44.25 15.08	6.49 9.91 411	No	Yes	27.8 1192 0 0	35.42 31.25 11.67 7	10362 4850 Lead	0 1 FIXED	IB Feath											
Wasabi	JPK 1080	38103		46.66 14.17 CARBON FS	100	46.2 15.48	5.84 9.61 419	No	Yes	0 90	35.43 30.84 11.98 7.22	10692 4740 Steel	0 1 FIXED	IB Fold											
Ga	Knarr ODR	123		33.583 6.583 WOOD FS	125	31 11.166 0 0	4.47 7.46 211	No	No	0	30.333 20.333 7 4.25	4630 2866 Lead	No 1 FIXED	OB None 0											
Kraken	Knarr ODR	47		33.583 6.583 WOOD FS	125	31 11.166 0 0	4.47 7.46 211	No	No	0	30.333 20.333 7 4.25	4360 2866 Cast Iron	No 1 FIXED	OB None 0											
Whispering Winds	Lancer 36 MH	87374		42 16 ALUMN MS	125	37 12	4.8 7.9 269	No	Yes	26 932 0 0	36.17 29 11.75 6	10500 4000 Lead	0 1 FIXED	IB Fixed_3											
Leda	Lapworth 36	71	1965	40.5 13.5 ALUMN MS	150	35.5 17.5 0 0		Yes	No	0	36 29 9.5 5.43	13500 4500 Lead	No 1 FIXED	IB FOLD 0											

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
			ISP		I	J	P	MGU	Yes/No	Yes/No	ASF	Ttl Disp.		Traps/H. Strps	IB or OB		
			JSP		Max	Head	E	MGM	SL	SPL	SLU	ASA		Ballast	moveable blst	Prop Type	
			JSP		sail	sail	PY	MSA	SSMG	SSA	SLE	Sprit Lngth		Ballast Mat.	Keel Type	# of blades	
			Disp/WL ratio														
Mega Hurtz	Laser 28 ODR MOD	53470	129	1974	31.1 9.65	125	31.73	33.14 12.96	4.98 8.4	Yes	No	28.41 23.62 9.48 4.98	3950 1500 Lead	0 1 FIXED	OB None 2	(Mtg 2/27/14, switched to outboard motor, -3 sec/mi)	
			631 136		ALUMN FS			20.37 18.92	552		<input type="checkbox"/>	0 0					
Stink Eye	Laser 28 ODR MOD	33562	126		31.73 9.65	110	33.2	33.14 12.3	5.2 8.3	Yes	Yes	28.42 23.62 9.48 5	4050 1500 Lead	No 1 FIXED	OB FOLD 2	(Mtg 3/27/14, -3 sec/mi for oversized mainsail girths, -3 sec/mi for OB motor)	
			635 140		ALUMN MS			19.5 19.5	528		<input checked="" type="checkbox"/>	19 0.92					
Iniscaw	Martin 32	49143	126	1980	42.5 13.67	145		37.17 12	4.7 8	Yes	No	32.8 27 9.6 6.1	8200 4100 Lead	0 1 FIXED	IB FOLD 2	(Mtg 10/2/13, new rudder, NCTR)	
			618 189		ALUMN MS			22.4 24.4	806		<input type="checkbox"/>	0					
Boomer	Melges 20	676	111	2009	23.19 7.05	110	27.2 10.95	24.25 9.84	3.83 7.42	No	Yes	20 19.4 7 4.5	1105 415 Lead	0 1 FIXED	OB None 0		
			604 69		CARBON FS				152		<input checked="" type="checkbox"/>	18.8 417 3.9 0					
Proben Child	Melges 20	134	111	2009	23.19 7.05	110	27.2 10.95	24.25 9.84	3.83 7.42	No	Yes	20 19.4 7 4.5	1105 415 Lead	0 1 FIXED	OB None		
			604 69		CARBON FS				152		<input checked="" type="checkbox"/>	18.8 417 3.9 0					
Insolent Minx	Melges 24	725	84	2008	27.85 7.98	100	31.85 12	28.75 12.42	3.83 7.09	No	Yes	24 22 8.2 5.25	1750 650 Lead	0 1 CNTRBRD	OB None		
			578 75		CARBON FS				195		<input checked="" type="checkbox"/>	20.67 577 0 0					
Rufless	Melges 24	445	84	1999	27.85 7.95	100	31.85 12	28.9 12.45	3.83 7.09	No	Yes	24 22 8.17 5.25	1783 650 Lead	0 1 CNTRBRD	OB None 0		
			577 76		CARBON FS				196		<input checked="" type="checkbox"/>	20.67 577 0 0					

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		SLU SLE ASMG		ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast	Traps/H. moveable blst		IB or OB Prop Type # of blades
								SL	SPL	SLU	ASA							
								SSMG	SSA	SLE	Spr							
SSF	SSA	ASMG	Fixed	Ballast Mat.	Keel Type	# of blades												
Wet Corvette	Melges 30	103	36 1994	36.85 10.59 507 74	150	36.85 18.96	38 15.49		No	Yes	8.4 90	30 28.6 9.1 7	3800 1750 Lead	0 1 MVBL	IB FOLD 2			
Rufless	Melges 32 MOD	174	30 2007	40.86 10.7 481 82	105	48.3 18.7	44.05 6.95 15.49 11.14 438		No	Yes	31.3 1203 8 0	31.84 28.5 9.83 7	4200 1600 Lead	0 1 FIXED	OB None	(mtg 2/23/17, no longer using the class spinnaker. +3 sec/mi for small asymmetric)		
Kuai	Melges 32 ODR	211	27 2006	40.86 10.7 475 82	105	48.3 18.7	44.05 6.95 15.49 11.14 438		No	Yes	31.82 1344 8 0	31.84 28.5 9.83 7	4200 1600 Lead	0 1 FIXED	OB None			
Bandido	Merit 25	28125	168 1983	28.75 9.66 693 158	150	28.75	28 4.25 9.75 6.69 0 172 0	Yes	No	29 9.66 17.39 420 17.39	0	24.5 20.5 8 4	3000 1050 Lead	No 1 FIXED	OB None 3			
Double Agent	Merit 25	8465	168 1981	28.75 9.66 693 158	155	28.75	28 4.25 9.75 6.69 0 172 0	Yes	No	29 9.66 17.39 420 17.39	0	24.5 20.5 8 4	3000 1050 Lead	No 1 FIXED	OB None 0			
Absinthe	Moore 24	102	150 1981	26.25 9.75 650 91	150	26.25	25 3.91 9.5 6.5 0 147 0	Yes	No	27 9.75 17.55 395 17.55	0	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0			
Anna Banana	Moore 24	146	150 1984	26.25 9.75 636 91	150	26.25	25 3.91 9.5 6.5 147	Yes	No	26.6 9.75 17.55 389 17.55	0 0	23.75 21.75 7.16 4.08	2050 1025 Lead	No 1 FIXED	OB None			

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
			DW Rating		I J	Max Headsail		P E	MGU MGM	Yes/No	Yes/No	ASF	Ttl Disp.		Traps/H. Strps	IB or OB		
			Disp/WL ratio		Mast Material	PY		MSA	SSMG	SSA	SLU	ASA	Ballast		moveable blst	Prop Type		
																	Rig Type	
Cadenza	Moore 24	18878	150	1977	26.25 9.75	150	26.25	25 9.5	4.01 6.54	Yes 27	9.75	No		23.75 21.75 7.17 4.083	2050 1025 Lead	No 1 FIXED	OB None 0	
			636 91		FS			0 0	148			<input type="checkbox"/>	0					
Color Blind	Moore 24	49	150	1979	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes 27	9.75	No		23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0	
			635 91		ALUMN FS			0 0	147	17.55 17.55	395	<input type="checkbox"/>	0					
Crazy Eights	Moore 24	28888	150	1978	26 9.8	150	26.3 9.75	25 9.5	3.91 6.5	Yes 26.6	9.75	No		23.75 21.75 7.16 4.083	2050 1000 Lead	0 1 FIXED	OB None 0	
			636 91		ALUMN FS				147	17.55 17.55	389	<input type="checkbox"/>	0					
Fatuity	Moore 24	48	150	1980	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes 27	9.75	No		23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0	
			635 91		ALUMN FS			0 0	147	17.55 17.55	395	<input type="checkbox"/>	0					
Firefly	Moore 24	64	150	1980	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes 27	9.75	No		23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0	
			635 91		ALUMN FS			0 0	147	17.55 17.55	395	<input type="checkbox"/>	0					
Gruntled	Moore 24	68	150	1980	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes 27	9.75	No		23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0	
			635 91		ALUMN FS			0 0	147	17.5 17.5	394	<input type="checkbox"/>	0					
Hasta Nunca	Moore 24	142	150		26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes 26.6	9.75	No		23.75 21.75 7.16 4.08	2050 1025 Lead	0 1 FIXED	OB None 0	
			636 91		ALUMN FS				147	17.55 17.55	389	<input type="checkbox"/>	0 0					

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
				DW Rating	J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.	Traps/H. moveable blst		IB or OB Prop Type # of blades
									SL	SPL	SLU	ASA						
									SSMG SSF	SSA	SLE	ASMG						
Ballast Mat.	Keel Type																	
Incognito	Moore 24	136	150 1984	26.25 9.75	150	26.25	25 9.5 0 0	3.91 6.5 147	Yes 27 17.55 17.55	9.75 395	No	0	23.75 21.75 7.16 4.08	2050 1025 Lead	No 1 FIXED	OB None 0		
JR	Moore 24	76	150 1980	26.25 9.75	155	26.25	25 9.5 0 0	3.91 6.5 147	Yes 27 17.55 17.55	9.75 395	No	0	23.75 21.75 7.16 4.08	2050 1025 Lead	No 1 FIXED	OB None 0		
Mas!	Moore 24	138	150 1983	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes 26.6 17 17.25	9.75 378	Yes 28.4 25.1 17.3	17.6 387 0 90	23.75 21.75 7.16 4.08	2050 1025 Lead	0 1 FIXED	OB None		
Moore Fun	Moore 24	18884	153 1979	26.25 9.75	125	26.25	25 9.5 0 0	3.91 6.5 147	Yes 27 17.55 17.55	9.75 395	No	0	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0		
Mooretician	Moore 24	89	150 1981	26.25 9.75	150	26.25	25 9.5 0 0	3.91 6.5 147	Yes 26.6 17.55 17.55	9.75 389	No	0	23.75 21.75 7.16 4.08	2050 1025 Lead	No 1 FIXED	OB None 0		
Moxy	Moore 24	110	150 1982	26.25 9.75	150	26.25	25 9.5 0 0	3.91 6.5 147	Yes 27 17.55 17.55	9.75 395	No	0	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0		
Orca	Moore 24	85	150 1981	26.25 9.75	150	26.25	25 9.5 0 0	3.91 6.5 147	Yes 26 17.55 17.55	9.75 380	No	0	23.75 21.75 7.16 4.083	2050 1025 Lead	0 1 FIXED	OB None 0		

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
				DW Rating Disp/WL ratio	I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast Mat.	Traps/H. moveable blst Keel Type		IB or OB Prop Type # of blades
									SL	SPL	SLU	ASA						
									SSMG SSF	SSA	SLE ASMG	ASA						
Oxymoron	Moore 24	28993	150	1981	26.25 9.75	150	26.2	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.25	2050 1025 Lead	0 1 FIXED	OB None 0			
Paramour	Moore 24	75	150	1980	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0			
Rare Bird	Moore 24	67	141		26.58 9.75	100	28.31 11.65	25 9.5	3.91 6.5	Yes	Yes	23.75 21.75 7.16 4.083	2050 1025 Lead	0 1 FIXED	OB None	(Mtg 10/27/16, -6 sec/mi for OSP, -6 sec/mi for increased spinnaker area)		
Rocket Science	Moore 24	104	150		26.25 9.75	155	26.25 9.76	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.08	2050 1025 Lead	0 1 FIXED	OB None 3			
Scarlett	Moore 24	86	150	1980	26.25 9.75	150	26.25	25 9.5	3.89 6.45	Yes	No	24 21.75 7.17 4.08	2050 1000 Lead	No 1 FIXED	OB None			
Slight Disorder	Moore 24	98	150	1981	26.25 9.75	150	26.25 9.75	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0			
Snafu	Moore 24	121	150	1982	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.08	2050 1000 Lead	0 1 FIXED	OB None			

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
				DW Rating	J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.	Traps/H. Ballast moveable blst		IB or OB Prop Type # of blades
									SL	SPL	SLU	ASA						
									SSMG SSF	SSA	SLE	ASMG						
Sweet Tea	Moore 24	105	150	1981	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.08	2050 1025 Lead	0 1 FIXED	OB None			
The Jackal	Moore 24	22	150	1977	26.25 9.75	150	26.25 9.75	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.08	2050 1025 Lead	0 1 FIXED	OB None			
Wet Spot	Moore 24	51	150	1979	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.08	2050 1025 Lead	No 1 FIXED	OB None 0			
White Trash	Moore 24	78	150	1979	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.08	2050 1025 Lead	0 1 FIXED	OB None 0			
WooHoo	Moore 24	80	150	1980	26.25 9.8	150	26.25	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.083	2050 1025 Lead	0 1 FIXED	OB None 0			
E-Ticket	Moorings 38 SD	119	117	1990	47.5 13.9	155	47.5 13.9	41.7 15	5.69 9.45	Yes	No	38.4 31.33 12.5 4.8	13700 5400 Steel	0 1 FIXED	IB Fold 2	Shoal Draft (Mtg 10/27/16, -3 sec/mi for oversized spinnaker area)		
Eliana II	Morgan 38-2	77486	156	1981	46 16.25	110	46 16.25	40.5 14.5	4.69 8.34	Yes	No	38.33 30.5 12 6	17000 6800 Lead	0 1 FIXED	IB Fixed_3 3	(Mtg 1/26/17, -3 sec/mi for oversized symmetric spinnaker area)		

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:		ISP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull	Displacement/Keel		Engine/Prop	Modifications	
			Rating		I	J	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB		
			DW Rating		Max	Headsail	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type			
			Disp/WL ratio		Mast	Material	PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades			
							JSP												
Allora	Morris 36	38082	120	2007	38.66	95	44.3	41.25	5.1	No	Yes	21.4	36.1	8900	0	IB			
					12.75			15.08	9.43		39.2	452	25	3850	1	Fold			
			652		CARBON				357		34.3	0	10.1	Lead	FIXED				
			259		FS						13.1	<input checked="" type="checkbox"/>	0						
Frequent Flyer	Mumm/Farr 30	52	54	1996	38.2	104	44.9	40.5	6.42	Yes	Yes	25.25	30.9	4561	0	IB			
					10.9		13.58	14.6	10.4		46.92	882	27.6	1997	1	Fold			
			540		CARBON				377		41.33	0	10.1	Lead	FIXED				
			99		FS						24.67	<input checked="" type="checkbox"/>	0						
Achates	Newport 30-2	6847	174	1974	39.5	155	39.5	34	3.8	Yes	No		30	8500	No	IB			
					12.5			10.25	6.6		40	12.5	25	3000	1	FOLD			
			667		ALUMN			0	206		22.5	750	10.67	Lead	FIXED				
			247		MS			0			22.5		5.17			2			
Harry	Newport 30-2	6889	174	1974	39.5	150	39.5	34	4.2	Yes	No		30	8500	No	IB			
					12.125			10.25	7		39.24	12.1	25	2500	1	FOLD			
			669		ALUMN			0	215		21.78	712	10.5	Lead	FIXED				
			247		SL			0			21.78		4.75			2			
Lil Angel	Newport 30-2	6884	174	1979	39.5	150	39.5	34	4.26	Yes	No		30	8500	0	IB			
					12.1			10.25	7.07		39	12.1	25	2500	1	FOLD			
			675		ALUMN			0	217		21.75	707	10.5	Lead	FIXED				
			247		MS			0			21.75		4.75			2			
Now and Zen	Newport 30-2	6883	174	1978	39.5	150		34	3.25	Yes	No		30	8000	No	IB			
					12.125			10.25	5.7				25	2600	1	Fold			
			671		ALUMN			0	190				10.5	Lead	FIXED				
			233		MS			0					4.75			2			
Zeehond	Newport 30-2	707	174	1976	39.5	150	39.5	34	3.6	Yes	No		30	8500	No	IB			
					12.125			10.25	6.33		39.25	12.125	25	2600	1	FOLD			
			671		ALUMN			0	201		21.78	712	10.5	Lead	FIXED				
			247		MS			0			21.75		4.75			2			

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull	Displacement/Keel		Engine/Prop	Modifications	
			Rating		I	J	Max Headsail	ISP	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps		IB or OB
			DW Rating		Mast	Material	JSP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type		
			Disp/WL ratio		Rig Type		EY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades			
Carpe Vita	Olson 25	97399	159	1988	32	130	32	28	3.8	Yes	No		25	3300	No	OB			
					9.583		10	6.4	32	9.583		21.25	1300	1	None				
			671		ALUMN		0	166	17.25	459		9	Lead	FIXED	0				
			156		MS		0		17		<input type="checkbox"/>	4.5							
Fast Lane	Olson 25	46657	159	1985	32	155	32	28	3.8	Yes	No		25	3300	0	OB			
					9.6		10	6.4	32	9.6		21.25	1300	1	None				
			671		ALUMN			166	17.25	459		9	Lead	FIXED					
			156		MS				17		<input type="checkbox"/>	4.5							
Grey Wulff	Olson 25	18517	159	1984	32	155	32	28	3.8	Yes	No		25	3300	0	OB			
					9.6		10	6.4	31.7	9.6		21.25	1300	1	None				
			671		ALUMN			166	17.28	456		9	Lead	FIXED					
			156		MS				17.28		<input type="checkbox"/>	4.5							
Shadowfax	Olson 25	91	159	1986	32	155	32	28	3.8	Yes	No		25	3300	No	OB			
					9.6		10	6.4	31.7	9.583		21.25	1300	1	None				
			671		ALUMN		0	166	17.25	456		9	Lead	FIXED	0				
			156		MS		0		17.25		<input type="checkbox"/>	4.5							
Shark-On-Bluegrass	Olson 25	18201	159	1984	32	155	32	28	3.8	Yes	No		25	3300	No	OB			
					9.583		10	6.4	32	9.583		21.25	1300	1	None				
			671		ALUMN		0	166	17.25	459		9	Lead	FIXED	0				
			156		MS		0		17		<input type="checkbox"/>	4.5							
Synchronicity	Olson 25	68	159	1985	32	155	32	28	3.8	Yes	No		25	3300	No	OB			
					9.583		10	6.4	32	9.583		21.25	1300	1	None				
			671		ALUMN		0	166	17.28	461		9	Lead	FIXED	0				
			156		MS		0		17.28		<input type="checkbox"/>	4.5							
Dr Feelgood	Olson 29	24	99	1986	34	155	36	32.5	4.36	Yes	No		29.67	3600	0	OB			
					11		11.5	7.48	36	11.75		27.5	1950	1	None				
			571		ALUMN			223	21.15	635		9.33	Lead	FIXED					
			79		FS				21.15		<input type="checkbox"/>	5.58							

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop		Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU SLE ASMUG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast		Traps/H. moveable blst	IB or OB Prop Type # of blades			
								SL	SPL									
								SSMG SSF	SSA									
Nina	Olson 29	27	99 1987	34 11 155	36	32.5 11.5 0 0	4.5 7.27 222	Yes	No	34 11.25	29.67 27.5 9.33 5.58	3700 1950 Lead	0 1 FIXED	OB None 0				
X TA C	Olson 29	18457	99 1986	34 11 155	36	32.42 11.42 0 0	4.59 7.66 226	Yes	No	34 11.25	29.67 27.5 9.33 5.25	3900 1900 Lead	No 1 FIXED	OB None 0	RUDDER REPLACED W/MORE 30 - CHANGE NOTED NCTR.			
Double Espresso	Olson 30 OB	18069	99 1982	36 11.75 155	35.9 11.75	31.5 10.75	4.36 7.26 208	Yes	No	36 11.75	30 27.5 9.33 5.08	3600 1800 Lead	0 1 FIXED	OB None				
Dragonsong	Olson 30 OB	87014	99 1982	36 11.75 155	35.9 11.67	31.5 10.75 0 0	4.364 7.268 208	Yes	No	36 11.75	30 27.5 9.33 5.08	3600 1800 Lead	No 1 FIXED	OB None 0				
Hot Betty	Olson 30 OB	67537	99 1979	36 11.75 155	35.9 11.67	31.5 10.75 0 0	4.364 7.268 208	Yes	Yes	36 11.75	30 27.5 9.33 5.08	3600 1800 Lead	No 1 FIXED	OB None 0				
Warpath	Olson 30 OB	198	99 1982	36 11.75 150	35.9 11.67	31.5 10.75 0 0	4.364 7.268 208	Yes	No	36 11.75	30 27.5 9.33 5.08	3600 1800 Lead	No 1 FIXED	OB None 0				
Divine Wind	Olson 40	69069	45 1983	50 15.75 150	51.21 15.8	44 14.25	5.5 9.29 376	Yes	No	50.17 15.75	40.33 36 11.25 6.5	10500 5500 Lead	0 1 FIXED	IB Feath 2				

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop		Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		SLU ASA Sprit Lngth Fixed or _o		Ballast Ballast Mat.	Traps/H. moveable blst Keel Type	IB or OB Prop Type # of blades		
								SL	SPL	SLU	ASA							
								SSMG SSF	SSA	SLE ASMG	ASF Fixed or _o							
Heart of Gold	Olson 911S	41327	126 1987	41.5 12.33 155	41.5	35.5 11.83 0 0	4.5 7.7 251	Yes	No	41.1 12.16 22.19 760 22.19	0	29.9 25 10.3 5.5	7200 3200 Lead	No 1 FIXED	IB FOLD 2			
Redux	Olson 911S	28106	126 1987	41.5 12.33 155	41.5	35.5 11.83 0 0	4.5 7.7 251	Yes	No	41 12.166 21.9 748 21.9	0	29.9 25 10.33 5.416	7200 3200 Lead	No 1 FIXED	IB FOLD 2			
Big Air	Open 5.7 ODR	189	138 2006	21.52 7.3 117	21.6 12.3	25.33 10.24	5.7 8.2 183	No	Yes	17.6 345 5 0	17.9 <input checked="" type="checkbox"/>	18.75 18.7 8.3 5.74	992 405 Lead	0 1 FIXED	OB None			
Frisky	Open 5.7 ODR	281	138 2009	21.52 7.3 117	27.9 12.3	25.33 10.24	5.7 8.2 183	No	Yes	17.5 338 5 0	17.5 <input checked="" type="checkbox"/>	18.7 18.7 8.3 5.7	992 405 Lead	0 1 FIXED	NONE None			
Geodesic III	Optima 101	103	141 1985	38.71 12 125	38.71 12	38.39 13.45 298	4.9 8.2	Yes	Yes	19.6 586 2 0	19.6 <input type="checkbox"/>	32.84 29.25 11.15 4.76	8511 3968 Iron	0 1 FIXED	IB Fixed_2	(Mtg 4/27/17, added 2' retractable bowsprit, -3 sec/mi)		
Nicole	Orion 35	8210	150 1979	44 14 150	44	39.5 10.5 0 0	4.42 7.319 260	Yes	No	43.667 14.125 25.2 917 25.2	0	34.58 28.75 10.83 6	13000 4700 Lead	0 1 FIXED	IB FOLD 2	Displacement Obtained by actual weight on scale, Rudder is new design and new build.		
Invisible Hand	Pac 52	5202	-102 2016	66 20.5 101	76 29.5	69.23 22.98	10.96 15.76 1017	No	Yes	44.7 2970 0 90	45.5 <input type="checkbox"/>	52 50 14.5 11.8	15700 8360 Lead	0 1 FIXED	IB None			

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications															
				DW Rating <i>Disp/WL ratio</i>	I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	SL SPL SSMG SSF	SPL SSA	Yes/No	Yes/No		ASF	ASA	SLU SLE ASMG		Sprit Lngth Fixed or _o	Ttl Disp. Ballast Mat.	Traps/H. moveable blst Keel Type	IB or OB Prop Type # of blades											
																						28	7	25.7	4	Yes	No	21.06	25.7	5200	0	OB
Nemesis	Pearson 26 Commander	151	258 1964	31.5 9.5	155		26 11.5	3.3 5.75	Yes		Yes	21.06	25.7	5200	0	OB																
			774 373	ALUMN MS				154			33 29.19 16.17	444 0 0	18.5 8 3.7	2500 Lead	1 FIXED	None																
Lucky Mud	Pearson 323	110	189 1978	41 13.81	100		36 10.75	3 5.2	No		No		32.3 27.5	12800 4500	0 1	IB Fixed_3																
			280	ALUMN MS				197				0 0	10 4.5	Lead	FIXED																	
Kabunza	Pearson 36-2	362	132 1986	47.1 15.4	110		41 14.5	3.65 7.3	No		No		36.5 29.5	15000 5800	0 1	IB Fixed_2																
			266	ALUMN MS				300				0 0	12.3 6.5	Lead	FIXED	2																
Flyer	Peterson 33 (CHITA)	18620	144 1979	42.5 13.9	155	42.5	36.66 9.91	3.66 6.21	Yes		No		32.67 26.58	9480 4960	0 1	IB FOLD																
			644 229	ALUMN MS				213				0 0	10.5 6.08	Lead	FIXED	2																
Tortuga	Pyramid 660 ODR MOD	8375	174 1981	21.82 6.8	104	28 7	25.7 10.5	4 6.8	Yes		No		21.8 18.1	850 400	2 1	OB None	(Mtg 5/20/10, removed trapeze +18 sec/mi, hiking straps still allowed)(1/24/13, added upper spreaders & stays, NCTR)															
			598 65	ALUMN FS				161				0 0	6.2 3.9	Lead	FIXED	2																
Quiet Thing	Ranger 22	200	216 1978	25.75 8.5	155	25.75	26 7.4	2.8 4.8	Yes		No		22.5 17.5	2200 900	0 1	OB None																
			732 187	ALUMN FS				115				0 0	7.8 4.3	Lead	FIXED																	
Evenstar	Ranger 23	6404	216 1974	27.54 9.75	155	27.5 9.7	24 9.2	3.3 5.4	Yes		No		23.67 20	3400 1500	0 1	OB None																
			724 193	ALUMN MS				126				0 0	7.92 3.9	Lead	FIXED																	

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications	
			ISP		I	J	Max	Head	Sail	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps		IB or OB
			JSP		Headsail	Material	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type				
			Disp/WL ratio		Rig Type	PY	MSA	SSMG	SSA	SLE	Sprit	Lngrh	Max Beam	Ballast Mat.	Keel Type	# of blades				
						SPF		ASMG	Fixed or _o	Max Draft										
Toypedo	Ranger 26-2	67341	189	1980	26.4	150	28	30.5	4	Yes	No		26	3000	0	OB	Fixed Keel, No daggerboard			
					9		9	11	7	26.5		9			20					
			682		ALUMN				16.2	358		0		8						
			170		FS				16.2			<input type="checkbox"/>		0	5			Lead	FIXED	None
Coquelicot	Ranger 33	148	153	1975	41.5	120	43.75	35	4.6	Yes	No		33	10500	No	IB	Double Spreader rig, water supply 41 gallons, below v berth, 26 gallon bladder tank starboard, rudder 9 inches deeper, group 31 batteries, 15 hsp one cyl diesel replaced by 29 hsp Perkins 3 cylendar engine. (NOTE) (MTC 2 21 02)			
					13.87		13.87	13.75	8.1	45.51		13.87			26.3					
			644		ALUMN				0	270		0		9.6						
			262		MS				0			<input type="checkbox"/>			5			Lead	FIXED	FOLD
Liquid Asset	Ranger 33	27707	150	1970	41.5	150	41.5	35	4.93	Yes	No		33.17	10500	0	IB				
					13.7		13.67	13.75	8.67	41.5		13.7			26.25					
			649		ALUMN				24.6	851		0		9.58						
			264		MS				24.6			<input type="checkbox"/>		0	5.17			Lead	FIXED	Fold
Pearl	Ranger 33 SM	278	165	1977	38	125	38	31.5	4.43	Yes	No		33.17	10500	0	IB				
					13.9			11	7.39	38.36		13.67			26.25					
			666		ALUMN				24.61	780		0		9.583						
			264		MS				23.62			<input type="checkbox"/>		0	5.166			Lead	FIXED	Fixed_2
Zephyrus	Riechel/Pugh Turbo 77	69011	-99	1997	85.37	128	94.94	87.34	11.5	No	Yes	56.1	77.67	31939	0	IB	(mtg 8/27/09, -6 sec/mi for new oversized jib. Changed custom rating from -126 to -132)(Mtg 4/26/12, New pintop mainsail, change custom rating from -132 to 129)(Mtg 8/23/12, change custom rating from -120 to -99 after review)			
					35		35	30.5	19.2	103.41		35		4518	65.2					
			409		CARBON				88.35			0		14.78						
			52		FS				56.66	<input checked="" type="checkbox"/>		0		14.12	Lead			FIXED	2	
Wildcat of Loch Awe	S-2 7.9 FR DB	59838	165	1983	31.83	135	31.83	29.42	4.75	Yes	No		25.92	4250	0	OB				
					9.5			12.33	7.92	30.33		9.5			21.67					
			685		ALUMN				17.08	432		0		9						
			190		FS				17.08			<input type="checkbox"/>		0	5			Lead	AGGERBR	None
Ganesha	Sabre 36-2	28862	111	1996	48.5	155		41.6	5.66	No	No		36.17	13800	No	IB	Adjustable back stays			
					13.46			14.83	9.63					30.42						
					ALUMN				0	368		0		12						
			223		MS				0			<input checked="" type="checkbox"/>		0	6.5			Lead	FIXED	FOLD

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications			
			Rating		I	J	ISP	P	MGU	Yes/No		Yes/No	ASF		Ttl Disp.	Traps/H.	IB or OB				
			Built		Max	Headsail	JSP	E	MGM	SL	SPL	SLU	ASA						Ballast	moveable blst	Prop Type
			DW Rating		Mast	Material		PY	MSA	SSMG	SSA	SLE	Sprit Lngth						Ballast Mat.	Keel Type	# of blades
Disp/WL ratio	Rig Type		EY			SSF		ASM	Fixed or _o												
Escapade	Sabre 40-2	38011	75	1997	54	110	54	47.5	5.6	Yes	Yes	23.5	40.2	19760	0	IB					
					15.5		16	17	9.9		53.5	1001	34	7500	1	FEATH					
			599		ALUMN				449		47	0	13.3	Lead	FIXED	3					
			229		MS						24	<input checked="" type="checkbox"/>	7.5								
Princess	Sabre 40-2	28876	75	1996	53.5	110	53.5	47.8	6.27	No	Yes	26.75	40.17	19500	No	IB	base rtg changed frm 69 to 72 MTG 4/8/03.				
					15.5		20.5	17	10.7		57.94	1205	35.25	7000	1	FOLD					
			588		ALUMN			0	476		46.65	5	13.25	Lead	FIXED	2					
			202		MS			0			27.88	<input type="checkbox"/>	6.25								
Serenade	Sabre Spirit		96	2007	45.5	106	51.2	45.5	5.55	Yes	No	23	36.67	10500	0	IB					
					12.87		12.87	16.55	9.93		53.6	976	28.33	3740	1	Fold					
			601		CARBON				425		45.2	0	10.42	Lead	FIXED						
			210		FS						23.9	<input checked="" type="checkbox"/>	6.58								
Zwei Flying Fish	San Juan 33s	59733	129	1981	34.83	134	34.83	39.16	4.66	Yes	No		33.1	6000	0	IB	(Mtg 5/28/15, +3 sec/mi for small rig)				
					11.48			12.66	8.08				27.8	3500	1	Fold					
			606		ALUMN				292			0	7.95	Lead	FIXED						
			127		FS						19.75	<input type="checkbox"/>	5.5								
Blade Runner	Santa Cruz 27	28727	141	1979	32.7	150	32.7	28.2	3.27	Yes	Yes	19.58	27	3000	0	OB					
					10.9		10.9	8.7	5.64		34.05	533	24.08	1600	1	None					
			631		ALUMN				146		31.27	0	8	Lead	FIXED						
			98		MS						19.58	<input type="checkbox"/>	4.5								
Crazy Rhythm	Santa Cruz 27	18771	144	1978	32.58	125	32.58	28.166	3.68	Yes	No		27	3200	No	OB	(Outboard Removed)				
					10.75			8.583	6.06				24	1600	1	None					
			621		ALUMN			0	153		19.4	529	8	Lead	FIXED	0					
			105		MS			0			19.4	<input type="checkbox"/>	4.5								
Giant Slayer	Santa Cruz 27	59369	141	1979	32.583	155	32.583	28.25	3.7	Yes	Yes	17.67	27	3304	No	OB	(Mtg 3/27/14, -3 sec/mi for 10% overized symmetrical spinnaker)				
					10.9		10.9	8.7	6.3		30.02	372	24	1800	1	None					
			624		ALUMN			0	157		32.58	0	8	Lead	FIXED	0					
			109		MS			0			13.42	<input type="checkbox"/>	4.5								

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications		
			ISP		I	J	Max	Headsail	ISP	P	MGU	Yes/No	Yes/No		ASF	Ttl Disp.	Traps/H.		Strps	IB or OB
			JSP		J	J	Headsail	Material	JSP	E	MGM	SL	SPL		SLU	ASA	Ballast		moveable blst	Prop Type
			JSP		J	J	Headsail	Material	JSP	E	MGM	SSMG	SSA		SLE	Sprit Lngth	Ballast Mat.		Keel Type	# of blades
			Disp/WL ratio																	
Gotcha	Santa Cruz 27	47911	141	1975	32.58 10.75	150	32.58	28.25 8.583	3.68 6.06	Yes	No		27 24 8 4.5	3200 1600 Lead	0 1 FIXED	OB None				
			619 105		ALUMN MS			154				<input type="checkbox"/>	0 0							
Low-Down	Santa Cruz 27	8027	141	1979	32.7 10.9	140		28.25 8.58	3.68 6.06	Yes	No		27 24 8 4.5	3300 1500 Lead	0 1 FIXED	OB None				
			635 109		ALUMN MS			153				<input type="checkbox"/>	0 0							
Quila	Santa Cruz 27	18723	141	1976	32.583 10.75	155	32.583	28.25 8.583	3.68 6.1	Yes	No		27 24 8 4.5	3000 1500 Lead	No 1 FIXED	OB None 0				
			620 99		ALUMN MS			0 0	154			<input type="checkbox"/>	0							
Oscar	Santa Cruz 33	57663	117	1978	41 13.583	125	41	35.42 15	4.25 7.166	Yes	No		33 28 10.06 6	7000 3000 Lead	No 1 FIXED	IB FOLD 2				
			595 145		ALUMN MS			269				<input type="checkbox"/>	0							
Wildcard	Santa Cruz 37	37005	27	2009	47.1 13.4	107	52.17 19	47 17	6.4 11	No	Yes	33.3 1534	37 34.75 10.64 7.5	8662 3730 Lead	0 1 FIXED	IB FOLD 2	(Mtg 1/26/16, new keel box & rudder noted, NCTR)			
			507 94		CARBON FS			474				<input checked="" type="checkbox"/>	5.6 0							
Void Star	Santa Cruz 40	59995	45	1982	52 16	135	52 18.67	45.5 14	5.2 8.58	No	Yes	33.62 1238	40 36 12 7	12500 5000 Lead	0 1 FIXED	IB FEATH 2	(Mtg 10/22/15, -6 sec/mi for 20% increase in JSP)(4/6/16, +3 sec/mi for non-articulating spinnaker)			
			548 122		ALUMN MS			370				<input checked="" type="checkbox"/>	0							
Deception	Santa Cruz 50	97263	-6	1987	61.8 18.3	155	61.8 18.3	55 18.4	7.1 12	Yes	Yes	32.9 1335	50 46 12 8	17500 8000 Lead	0 1 FIXED	IB FOLD 2	ELPT Keel & OS/Spinnaker; Has a Code 0 headsail aboard - tacked to stem, no sprit (Mtg 5/26/16, -3 sec/mi for oversized mainsail)(Mtg 6/23/16, change rating back to -6)			
			482 82		ALUMN MS			605				<input checked="" type="checkbox"/>	0							

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
			Built		I	J	Max Headsail	ISP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp. Traps/H. Strps		IB or OB	
			DW Rating		Mast Material	JSP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type			
			Disp/WL ratio		Rig Type	PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades				
								SSA	ASF	Max Draft									
Emily Carr	Santa Cruz 50	49211	-6	1981	61	150	61	55	6.4	Yes	No			53	15000	No	IB	3' SUGAR SCOOP ON TRANSOM IF STD 50FT LOA OF BOAT	
					19			17	11					46.5	7500	1	FOLD		
			478		ALUMN			0	555			0		12	Lead	FIXED	2		
			68		MS			0				<input type="checkbox"/>		8					
Hana Ho	Santa Cruz 50	77007	-12	1980	61.39	155	61.5	54.92	6.5	Yes	Yes	35.9		52	18000	0	IB	(Mtg 5/26/11, +3 sec/mi for interior changes)(2/24/12, interior changes removed, boat is back to standard weight for a SC 50)(Mtg 5/25/17, New Rudder, NCTR. -3 sec/mi for OSP, -3 sec/mi for oversized spinnaker area)	
					18.85		20.73	16.98	11.1			1847		46	8000	1	Feath		
			478		ALUMN			0	558			0		12	Lead	FIXED	3		
			84		MS			0				35.3	<input checked="" type="checkbox"/>	7.75					
Horizon	Santa Cruz 50	18926	-15	1982	61.7	145	61.7	55.2	7.15	No	Yes	36.4		50.23	18844	0	IB	(Mtg 6/16/08, -6 sec/mi for oversized spinnaker, -3 sec/mi for oversized main)	
					18.43		20.3	19	12.05			1880		46.906	8000	1	FOLD		
			475		ALUMN				618			0		12.02	Lead	FIXED	2		
			83		MS							35.8	<input type="checkbox"/>	90					
OAXACA	Santa Cruz 50	8927	-12	1982	61.48	155	61.22	54.75	6.08	Yes	No	36.5		50.23	17374	0	IB	(Mtg 5/26/16, -6 sec/mi for oversized ASA)	
					18.88		20.65	16.98	10.67			1889		46.67	8000	1	Fold		
			480		ALUMN				540			0		12	Lead	FIXED			
			78		FS							36.2	<input type="checkbox"/>	0					
Buona Sera	Santa Cruz 70	41104	-81	1986	73.15	155	73.63	65.49	9.12	No	Yes	40.06		68.9	24905	0	IB	(Mtg 8/27/15, New rudder noted, -9 sec/mi for new keel)(Mtg 3/23/17, -6 sec/mi for 13% increase in SPL, -3 sec/mi for increase in spinnaker area, +3 sec/mi for decrease in mainsail area)	
					22.52		73.63	25.39	15.72			2504		60.4	8960	1	Fold		
			423		CARBON				961			0		15.1	Lead	FIXED			
			51		MS							40.95	<input type="checkbox"/>	45					
Catapult	Santa Cruz 70	41005	-84	1989	73.34	155	73.74	66.11	9.3	No	Yes	39.1		68	23847	0	IB	(Mtg 5/25/17, Custom rating assigned. As Sailed: -84)	
					22.19		25.26	24.67	15.75			2348		59.7	9000	1	Fold		
			417		CARBON				963			0		15.1	Lead	FIXED			
			51		MS							38.9	<input checked="" type="checkbox"/>	0					
New Sinsation	Santana 20	28449	222	1978	24.5	150	24.5	24.5	3.16	Yes	No			20.2	1350	0	OB		
					8.16		24.5	7	4.92					16	550	1	None		
			719		ALUMN				110			0		8	Lead	FIXED			
			150		FS							0	<input type="checkbox"/>	0					

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
				DW Rating Disp/WL ratio	J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			Ttl Disp. Ballast	Traps/H. moveable blst	IB or OB Prop Type # of blades	
									SL	SPL	SLU	ASA					
									SSMG SSF	SSA	SLE	Sprit Lngth Fixed or _o					
Anapos	Santana 22	5158	237 1966	26 8.5	120	26	21.75 9.833	3.95 6.59	Yes	26	8.583	No	22 18.666 7.833 3.5	2600 1230 Iron	No 1 FIXED	OB None 0	
Byte Size	Santana 22	801	237 2001	26 8.5	90	26	21.75 9.833	3.95 6.59	Yes	26	8.583	No	22 18.67 7.83 3.5	2600 1230 Iron	No 1 FIXED	OB None 0	
High and Dry	Santana 22	114	234 1967	26 8.5	150	26	21.75 9.83	3.95 6.59	Yes	26	8.58	No	22 18.67 7.83 3.5	2600 1230 Cast Iron	0 1 FIXED	OB None	
Meliki	Santana 22	5194	237 1967	26 8.5	125	26	21.75 9.833	3.95 6.59	Yes	26	8.583	No	22 18.67 7.83 3.5	2600 1230 Iron	No 1 FIXED	OB None 0	
Zingaro	Santana 22	5050	237 1971	26 8.5	125	26	21.75 9.83	3.95 6.59	Yes	26	8.58	No	22 18.67 7.833 3.5	2600 1260 Iron	0 1 FIXED	OB None 0	
Albacore	Santana 22 ODR	18325	237 1976	25.67 8.58	125	25.67 8.58	21.75 9.83	3.95 6.59	Yes	26	8.58	No	22 18.67 7.83 3.5	2600 1230 Iron	0 1 FIXED	OB None	
Auggie	Santana 22 ODR	476	237 1969	26 8.5	125	26	21.75 9.833	3.95 6.59	Yes	26	8.583	No	22 18.666 7.833 3.5	2600 1230 Cast Iron	No 1 FIXED	OB None 0	

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst	IB or OB Prop Type # of blades	
								SL	SPL	SLU	ASA						
								SSMG SSF	SSA	SLE ASMG	Fixed or _o						
The Belafonte	Santana 22 ODR	5000	237 1970	26 8.5 110	26	21.75 9.833 0 0	3.95 6.59 131	Yes 26 15.44 15.44	8.583 335	No	0	22 18.67 7.833 3.5	2600 1230 Iron	No 1 FIXED	OB None 0		
Don Wan	Santana 28	8191	186 1978	36 12 155	36	31 9.416 0 0	3.6 6.1 175	Yes 36 21.6 21.6	12 648	No	0	28.25 23 9.17 5	7500 2550 Lead	No 1 FIXED	IB Fold 2		
Happy Daze	Santana 30-30 GP	87322	120 1984	40.83 11.67 150	40.83	36.17 11.08 0 0	5.25 8.5 267	Yes 40.25 19.5 18.6	11.75 648	No	0	29.92 25.42 10.25 5.5	6500 2435 Lead	No 1 FIXED	IB FOLD 2		
Ahi	Santana 35	30980	114 1981	39 12.85 155	39	42 14.25 358	5.51 9.26	Yes 39 23.13 23.13	12.85 752	No	0 0	35 26.5 11.92 6.25	8500 3300 Lead	0 1 FIXED	IB Fold 2	(Mtg 6/27/13, new rudder noted, NCTR)	
Breakout	Santana 35	18679	114 1982	39 12.85 155	39	42 14.25 358	5.51 9.26	Yes 39 23.13 18.6	12.85 722	No	0	35 26.5 11.92 6.25	8500 3300 Lead	No 1 FIXED	IB FOLD 2		
Dream	Sceptre 41	12	129 1983	53 17.67 90	53	47 13 374	5.24 8.73	Yes 53 29.5 28	17.67 1290	No	28 1038 0 0	41 36 12.67 6.08	21500 8700 Lead	0 1 FIXED	IB Fold		
Velvet Hammer	Schock 40	51507	-12 2000	42.5 13.6 104	49.5 20.58	44.4 16.8 0 0	7.2 11.8 470	No	Yes 60 49 31.685	33.92 1459 7 0	40 35 10 8	7914 1800 Lead	No 2 MOVABL	OB None 0	(mtg 10/21/09, switched to 104% headsail, from 150%, smaller girths on mainsail. Change custom rating from -18 to -12)		

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications							
			Built	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF		LOA	Ttl Disp.	Traps/H. Strps			IB or OB						
										DW Rating	Mast Material		PY	MGM			SL	SPL			SLU	ASA	LWL	Ballast	moveable blst	# of blades
Max Draft	Ballast Mat.	Keel Type																								
			Trois Amis	Screamer 12 Meter MOD	194	36	1985	44.58	140	44.58	41	5.3	Yes	No			39.37	6000	0	OB	(mtg 3/23/17, custom rating of 36 assigned)					
					15.75			14.2	9.2					32.5	1350	1	None									
			506		ALUMN				345			0		10.33	Lead	FIXED										
			79		MS							0		7.67												
Alpha	Sonar 23	498	174	1990	23	100		27.5	1.23	No	No			23	2100	n	OB									
					8.25			11.17	7.3					19.92	900	1	None									
					ALUMN				156			0		7.8	Lead	FIXED										
					MS							0		3.92												
BZ	Sonar 23		174		23	100		27.5	1.23	No	No			23	2100	No	NONE									
					8.25			11.17	7.3					19.92	900	1	None									
					ALUMN				156			0		7.8	Lead	FIXED										
					FS							0		3.92												
Gentoo	Soto 30	1	36	2012	38.25	102	38.67	38.67	5.83	No	Yes	26.25		30	3800	0	OB	(Mtg 9/16, -3 sec/mi for larger mainsail)								
					12.25		19.83	13.58	8.83		49.83	968		28.75	1415	1	None									
			516		CARBON				322		40	7.7		9.58	Lead	FIXED										
			73		MS						25.75	<input checked="" type="checkbox"/>	0	6.5												
Vera Cruz	Sunsail F40 ODR	1003	42	2012	52.69	105	56.54	51.15	6.53	No	Yes	30.32		40.15	17437	0	IB									
					15.09		17.06	17.65	11.42		58.07	1200		35	6609	1	Fold									
			571		ALUMN				534		49.5	1.98		12.76	Lead	FIXED	2									
			185		FS						25.9	<input checked="" type="checkbox"/>	0	8.04												
Vento	Swan 391	40841	99		53.5	95	53.5	47.25	5.5	Yes	Yes	26		39.9	18900	0	IB									
					16.25		16.25	14	9.2		51.83	16.25		33.1	6800	1	Fold									
			592		ALUMN				399		29.3	1266		12.4	Lead	FIXED										
			237		MS						29.3		<input checked="" type="checkbox"/>	0												
Elusive	Swan 42 Club	4216	9	2007	59.07	106	62.99	56.56	7.1	Yes	Yes	34.8		42.59	17158	0	IB	(Mtg 2/25/16, +3 sec/mi for decrease in Spinnaker Area, +6 sec/mi for decreased JSP, -3 sec/mi for articulation, -3 sec/mi for switch to larger headsail)(06/09/17, switching back to stock configuration)								
					16.44		19.05	19	12.5		65	1808		38.15	6988	1	Fold									
			513		CARBON				641		59.1	2.6		12.8	Lead	FIXED	2									
			140		FS						35	<input checked="" type="checkbox"/>	0	9												

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications		
			ISP		I	J	Max	Head	Sail	P	MGU	Yes/No	Yes/No		ASF	Ttl Disp.	Traps/H.		Strps	IB or OB
			JSP		Max	Material	E	MGM	SL	SPL	SLU	ASA	Ballast		moveable blst	Prop Type				
			ISP		Material	PY	MSA	SSMG	SSA	SLE	Sprit	Lngrh	Ballast Mat.		Keel Type	# of blades				
			Disp/WL ratio		Rig Type	EY			ASM	G	Fixed or _o									
Blue	Swan 53-2	61522	30	2012	71.96 19.52	105	73.84 19.53	65.88 21.98	7.64 13.38	No	19.43	Yes	38.89 2214	54.07 47.24	54482 22400	0 1	IB Fold	(Mtg 3/23/17, -3 sec/mi for ability to fly a-sail on a squared back pole)		
			530 235		CARBON MS				826			67.09 36.72	0 <input type="checkbox"/>	15.58 12.14	Lead CNTRBRD					
No Name	swift	274	219	1978	25.9 8.5	125	25.9 8.6	26 7.5	3.3 5.5	Yes	8.3	No	0 0	22.5 17.58	2183 900	0 1	OB None	Roller Furler		
			724 183		ALUMN FS				126			15.3 15.6	<input type="checkbox"/>	7.83 4.3	Lead FIXED					
Relentless	Sydney 32	28732	81	2002	40.6 12.2	110	40.6 13.1	39.7 14.75	5.6 9.59	Yes	13.1	No	0 0	31.9 28.4	6850 2860	No 1	IB FOLD	-3 Sec/mi for OSP		
			589 136		ALUMN FS			0 0	349			23.4 23.4	<input type="checkbox"/>	10.6 6.9	Lead FIXED	2				
Encore	Sydney 36 CR	3632	57	2006	45.6 14	104		44.36 16.4	6.1 10.6	No	15.4	Yes	28.9 1283	36.06 31.04	12897 4850	No 1	IB FOLD	(Australian IRC Rating 1.052)(Mtg 8/23/12, change custom rating from 54 to 57)		
			565 196		ALUMN FS				431			28.6 27.2	<input type="checkbox"/>	11.32 7.55	Lead FIXED	2				
Bustin Loose	Sydney 38 MH	38044	21	2002	54 14.9	104	52.03 14.77	50.53 18.046	6.85 11.73	Yes	15.9	Yes	27.69 1116	38.6 35.3	12250 5140	0 1	IB FOLD			
			533 127		ALUMN FS			0 0	543			48.33 25.49	0 <input checked="" type="checkbox"/>	12.4 8.8	Lead FIXED	2				
Afterburner	Synergy 1000	1001	45	1999	40.75 12	110	45.75 16.4	42 15.5	6.99 11.03	No		Yes	26 1089	32.83 29.17	4600 1850	0 1	IB Feath			
			538 84		CARBON FS				417			43.7 28	4.3 <input checked="" type="checkbox"/>	9.75 7	Lead FIXED	2				
Sapphire	Synergy 1000	38008	48	2004	40.8 12	125	45.75 16.4	42 15.5	5.86 10.03	No		Yes	28 1172	32.83 29.17	4400 1850	No 1	IB FOLD	(Mtg 10/22/15, +3 sec/mi for smaller than class mainsail)		
			532 81		CARBON FS				387			46.2 28.8	4.3 <input type="checkbox"/>	9.75 7	Lead FIXED	2				

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU ASA Sprit Lngth Fixed or _o	SPL SSA SSA SSA	Ttl Disp. Ballast Ballast Mat.		Traps/H. moveable blst Keel Type				
								SL	SPL						SLU			ASA
Abba-Zaba	Tartan 10	8112	129	1979	35 12	125	35	40.25 13.75	5.34 8.86	Yes	No	33.16 27	6700 3340	0 1	IB FOLD	(+3 sec/mi credit for 125% or smaller headsail)		
			623	ALUMN FS	0 0	331	21.6 21.6	12 630		<input type="checkbox"/>	0	9.25 5.83	Lead FIXED	2				
QE 3	Tartan 10	8049	129	1978	35 12	125	35 0	40.25 13.75	5.34 8.96	Yes	No	33.16 27	6700 3340	0 1	IB FOLD			
			623	ALUMN FS	0 0	332	21.6 21.6	12 630		<input type="checkbox"/>	0	9.25 5.83	Lead FIXED	2				
Topgallant	Tartan 10	18608	129	1978	35 11.75	125	35	40.25 13.75	5.34 8.96	Yes	No	33.16 27	6700 3340	No 1	IB FOLD	(4/25/02 Installed Running Backstay)		
			623	ALUMN FS	0 0	332	21.6 20.3	12 622		<input type="checkbox"/>	0	9.25 5.83	Lead FIXED	2				
Lelo Too	Tartan 30	16354	180	1975	39 13	155	39	34 11.416	4.61 7.69	Yes	No	29.92 24.25	8750 3700	0 1	IB FOLD			
			687	ALUMN MS	0 0	238	21.666 10.833	13 601		<input type="checkbox"/>	0	10 4.916	Lead FIXED	0				
Isle Of Skye	Tartan 33 7/8 RIG	6	159	1979	36.42 12.42	100	36.42	41.58 14.42	4.6 8.1	No	No	33.67 28.08	10000 4400	No 1	IB FEATH			
			205	ALUMN FS	0 0	328				<input type="checkbox"/>	0	10.92 4.42	Lead FIXED	3				
Constance	Tartan 34 CB	346	165	1974	41 14	125	41	35.5 10.5	4 6.9	No	Yes	34.3 25	11200 5000	0 1	IB Fold	Roller Furler		
			683	ALUMN MS		224	24.5 24.3	836	37.4 22.4	<input checked="" type="checkbox"/>	0	10.2 8.3	Lead CNTRBRD	2				
Blue Passion	tartan 3400	7134	114	2006	46 13.67	95	49.67 13.67	43 14.5	4.58 8.2	No	No	34.42 30.42	10800 3500	0 1	IB Fold			
			174	CARBON FS		341				<input checked="" type="checkbox"/>	0	11.92 6.5	Lead FIXED					

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications										
			Built	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB											
										DW Rating	Mast Material									PY	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type
Max Draft																													
Neverland	Tartan 3700 SD 5.0'	106	114	2006	51.75	135	51.75	45.25	5.7	No	Yes	25.4	37	17780	0	IB													
			616		15		15	15	9.68		53.83	1025	32.5	6200	1	Fold													
			235		CARBON				404		46.8	0	12.6	Lead	FIXED	2													
					MS						24.21	<input checked="" type="checkbox"/>	0	5															
Roxanne	Tartan 4100 SD TM	322	90		57	135	57	50.1	6.8	No	Yes	27	41.3	20400	0	IB													
			579		15		15	18	11.5		58.9	1285	35.9	8000	1	Feath													
			200		ALUMN				533		53	0	13.6	Lead	FIXED														
					MS						27.7	<input checked="" type="checkbox"/>	0	5.4															
Danger Zone	Taylor 32	4128	-24	1994	40	100	19.4	37.1	9.5	No	Yes	26.52	32	1962		OB													
			443		10.7			14.3	11.6		43.35	829	28.9	551	1	None													
			37		ALUMN				395		36.3	0	14.8	Lead	CNTRBRD														
					MS						24.6	<input checked="" type="checkbox"/>	0	5.6															
Flight Risk	Thompson 650	650	102	2000	26.67	100	28.25	28.29	5.7	No	Yes	20.58	22.3	1692	Yes	OB	(mtg 1/21/10, weighed displacement of 1692lbs updated, NCTR)(Mtg 3/18/10, change custom rating from 108 to 99)(Mtg 8/18/10, submitted appeal, rating changed from 99 to 102)												
			570		8.86		14.86	10.4	8		37.79	586	19.8	660	3	None													
			99		CARBON				204		33.6	7.87	8.16	Lead	FIXED														
					FS						19.5	<input checked="" type="checkbox"/>	5.9																
Peabody	Ultimate 20	22	144		25.08	110	27.58	27.5	5.5	No	Yes	19.2	20.94	1350	0	OB													
			613		6.97		12.79	10.25	7.96		31.3	448	18	450	1	None													
			105		FS				195		28.4	6	8.33	Lead	CNTRBRD														
											17.7	<input checked="" type="checkbox"/>	0	5.03															
U Decide	Ultimate 20	155	144	2001	26.08	114	27.58	27.33	5.5	No	Yes	17.7	20.83	1350	0	OB													
			616		6.97		12.79	10.17	7.96		30.42	433	18	450	1	None													
			105		ALUMN				193		28.42	6	8.33	Lead	FIXED	0													
					FS						17.67	<input checked="" type="checkbox"/>	0	5															
UHOO!	Ultimate 20	64	144	1996	22.8	100	27.58	27.5	5.3	No	Yes	19.2	20.8	1100	No	OB													
			614		7		13	10.33	7.96		31.3	446	18	450	1	None													
			86		ALUMN			0	194		28.4	6	8.166	Lead	CENTER	0													
					FS			0			17.6	<input checked="" type="checkbox"/>	5																

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications									
			Built	JSP	I Max	J Head	ISP	P E	MGU MGM	Yes/No		Yes/No		LOA	LWL	Ttl Disp.	Traps/H.	Strps	IB or OB	Prop Type								
										DW Rating	Mast Material	PY	MSA								SSMG	SSA	SLU	ASA	Max Beam	Ballast	moveable blst	# of blades
ASF	Fixed or _o																											
Breakaway	Ultimate 20 CM	180	144	2002	26.08 6.97	114	27.58 12.79	27.33 10.17	5.5 7.96	No	Yes	19.167	20.83	1350	No		OB											
			622		CARBON				193	0	30.42	441	18	450	1		Fixed_3											
			105		FS					0	28.417	6	8.33	Lead	FIXED		3											
										0	17.7	<input checked="" type="checkbox"/>	0	5														
For Pete's Sake	Ultimate 24 ODR	28469	111	2003	28.04 7.82	102	30.8 14.5	31 11.5	5.5 8.8	No	Yes	22.2	24.38	2040	No		OB											
			582		CARBON			0	238		36	587	21.17	750	1		None											
			98		FS			0			30.6	6.7	8.48	lead	FIXED													
								0			20.9	<input checked="" type="checkbox"/>	0	5.52														
Makanani	Ultimate 24 ODR	3	111	2003	28.04 7.82	110	30.8 14.5	31 11.35	6.35 9.18	No	Yes	21.3	24.38	2040	0		OB											
			583		CARBON				250		36	566	21.17	750	1		None											
			98		FS						27.8	6.7	8.48	Lead	FIXED													
											21.3	<input checked="" type="checkbox"/>	0	5.52														
Max	Ultimate 24 ODR	2	108	2002	28.04 7.82	110	30.8 14.5	31 11.35	6.81 9.18	No	Yes	21.3	24.38	2040	0		OB											
			583		CARBON				254		35.5	562	21.17	750	1		None											
			98		FS						27.8	6.7	8.48	Lead	FIXED													
											21.3	<input checked="" type="checkbox"/>	0	5.52														
Willow	Wauquiez 40s Centurion	38300	69	2004	51.5 14.17	110	51.5	49.21 19.3	7.3 12.5	Yes	Yes	28.54	41.17	18960	No		IB	(mtg 3/18/10, -3 sec/mi for oversized a-sail.)(mtg 1/27/11, - 3 sec/mi for added sprit)										
			573		ALUMN				564		50.73	14.17	36.4	6085	1		FEATH											
			179		FS						25.54	1080	12.66	Lead	FIXED		3											
											27.66	<input checked="" type="checkbox"/>	7.75															
Ebb Tide	Wauquiez 45s Centurion	60245	57	2003	55.77 17.72	100	55.77 17.72	51.84 19.32	6.51 11.68	Yes	Yes	32.25	45.92	23148	0		IB	(Mtg 5/26/11, Increased "JSP" by 5.67' which equals a 30% increase. - 9 sec/mi per NCPHRF Rules & Guidelines.)(Mtg 3/29/12, JSP now same as J+9 sec/mi, Asymmetrical spinnaker still oversized, -3 sec/mi)										
			542		ALUMN				567		55.59	17.72	40.25	8488	1		Fold											
			161		FS						31.9	1466	13.67	Lead	FIXED		3											
											30.62	<input checked="" type="checkbox"/>	8.17															
Tortuga	Westsail 32	207	216	1974	31.2 18.4	150		38.3 15.1		No	No		32	19500	0		IB											
			694		ALUMN								27.6	7000	1		FOLD											
			422		CTR								11	Lead	FIXED		3											
												<input type="checkbox"/>	0	5														
													0															

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
			Built	ISP	I	J	Max Headsail	ISP	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB	
			DW Rating	JSP	Mast Material			E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst		Prop Type	
			Disp/WL ratio		Rig Type			PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type		# of blades	
						EY		SSF		ASMG	Fixed or _o	Max Draft							
Tinker	Wilderness 21	6	225	1977	25	25	25	2.83	Yes	No		20.5	1870	No		OB	Added roller furler		
					8.67	125	8	4.66	25	8.67	17.8	1070	1		None				
			718		ALUMN		0	113	15.6	325		7.25							
			151		MS		0		15.6		<input type="checkbox"/>	4	Lead	FIXED					
Domino	Wilderness 30 MOD	38081	126	1985	36	36	31.5	4.11	Yes	No		30	5450	0		IB	(Mtg 3/28/13, +6 sec/mi for small rig)		
					12.25	155	10.83	6.93	36.15	12.25	27.75	2150	1		Fold				
			608		ALUMN			203	22.05	655		8.8							
			116		MS				20.5		<input type="checkbox"/>	5.5	Lead	FIXED					
FUGU	Wilderness 30 SX FR IB	67967	120	1980	34.08	34.1	34.44	4.37	Yes	Yes	20.36	29.75	4200	0		OB	(Mtg 11/20/08, -6 sec/mi for replacing inboard with outboard engine)		
					11.75	150	11.5	7.48	34.28	11.75	37.61	27.75	1900	1		None			
			585		ALUMN			236	21.15	604	33.38	8.75							
			89		FS				21.15		20.39	5.5	Lead	FIXED	0				
Freedom	Worth 40	18230	96	1984	54	16	47	5.5	Yes	No		40	21000	0		IB			
					155	16	14	9.2	52	16		34.25	7800	1		FOLD			
			594		ALUMN		0	397	28.8	1248		12.5							
			238		MS		0		28.8		<input type="checkbox"/>	7.25	Lead	FIXED	2				
Wild Spirit	Wylie 36	0	141	1970	44.67	44.67	40.75	5.3	No	Yes	23.5	36.5	13720	0		IB	(Mtg 3/24/16, same hull as "Alert", +3 sec/mi for small "I", +3 sec/mi for no spinnaker articulation)		
					14.75	100	14	9.1		45	815	30	5575	1		Fixed_2			
			642		ALUMN			340	39.66	0	23	10.9							
			231		CTR				23	<input checked="" type="checkbox"/>	0	6	Lead	FIXED					
Bad Hare Day	Wylie Wabbit ODR W/Trap	35	126	1982	20.75	20.5	23.75	4.03	Yes	No		23.75	975	Yes		OB			
					6.5	150	10	6.72	21.6	8.5		20	440	3		None			
			603		ALUMN		0	145	14	252		5.583							
			55		FS		0		14		<input type="checkbox"/>	3.5	Lead	FIXED	0				
Keala	Wylie Wabbit ODR W/Trap	12	126	1982	20.5	20.5	23.75	4.03	Yes	No		23.75	975	Yes		OB	Hiking straps and single trapeze		
					6.5	150	10	6.72	22	8.5		20	440	3		None			
			602		ALUMN		0	145	13.9	254		5.58							
			55		FS		0		13.7		<input type="checkbox"/>	3.5	Lead	FIXED	0				

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
			Built	DW Rating	I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	LOA LWL Max Beam Max Draft	Ttl Disp. Ballast Mat.	Traps/H. moveable blst Keel Type	IB or OB Prop Type # of blades			
									SL	SPL									
									SSMG	SSA									
Kwazy	Wylie Wabbit ODR W/Trap	26	126	1982	20.416 6.416	150	20.5	23 10 0 0	4.02 6.71 141	Yes 22 14 14	8.5 257	No	<input type="checkbox"/>	0	23.58 20 5.42 3.41	975 440 Lead	Yes 3 FIXED	NONE None 0	
Lepus	Wylie Wabbit ODR W/Trap	18	126	1982	20.5 6.5	150	20.5	23.75 10 0 0	4.03 6.72 145	Yes 22 13.9 13.7	8.5 254	No	<input type="checkbox"/>	0	23.75 20 5.58 3.5	975 440 Lead	1 3 FIXED	OB None 0	Hiking Straps & Trapeze per class rules
Mr McGregor	Wylie Wabbit ODR W/Trap	8426	126	1982	20.5 6.5	150	20.5	23.75 10 0 0	4.03 6.72 145	Yes 22 13.9 13.7	8.5 254	No	<input type="checkbox"/>	0	23.75 20 5.58 3.5	975 440 Lead	1 3 FIXED	OB None 0	INCLUDES HIKING STRAPS AND SINGLE TRAPEZE.
White Wabbit	Wylie Wabbit ODR W/Trap	19	126	1982	20.5 6.6	110	26.1	23.75 10 0 0	4.03 6.72 145	Yes 21.6 14 14	8.6 252	No	<input type="checkbox"/>	0	23.75 20 5.58 3.5	975 440 Lead	Yes 1 FIXED	OB None 0	
Wind Blown Hare	Wylie Wabbit ODR W/Trap	29	126	1982	20.5 6.5	150	20.5	23.75 10 0 0	4.03 6.72 145	Yes 22 13.9 13.7	8.5 254	No	<input type="checkbox"/>	0	23.75 20 5.583 3.5	975 440 Lead	1 3 FIXED	OB None 0	
Bandicoot	Wyliecat 30 IB	28530	132	2000	0 0		29 10	39.75 20.5 0 0	7.87 13.46 488	No 29 17.75 17.75	10 429	No	<input type="checkbox"/>	18.8 512 0 <input checked="" type="checkbox"/>	30.5 25 9.5 5.25	5500 3050 Lead	0 1 FIXED	IB FEATH 2	(mtg 5/20/10, -21 sec/mi for added spinnakers)(9/5/12, removed spinnaker, back to standard configuration)
Catalyst	Wyliecat 30 IB	28571	132	2004				40 20.67 0 0	7.87 13.46 493	No		No	<input type="checkbox"/>	0	30.42 25 9.42 5.25	5800 3000 Lead	No 1 FIXED	IB Feath 2	Must have a YC card before registering for 2005 and clear YC for 2004

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications			
			Built	J	Max Headsail	ISP	P	MGU	Yes/No		Yes/No		LOA	Ttl Disp. Traps/H. Strps		IB or OB						
									JSP	E	MGM	SL		SPL	SLU		ASA	LWL		Ballast	moveable blst	# of blades
Disp/WL ratio	Mast Material	Rig Type	EY	SSA	ASMG	Fixed or _o	Max Draft															
Crinan II	Wyliecat 30 IB	15	132	2002				39.75	7.79	No	No	30.5	5500	No	IB							
							20.5	13.32			25	3050	1	FOLD								
			653		ALUMN		0	485			9.5	Lead	FIXED	2								
			160		CATBOAT		0			<input type="checkbox"/>	0	5.25										
Iseult	Wyliecat 30 IB	13	132	2001		0		39.75	7.87	No	No	30.5	5500	0	IB							
							20.8	13.46			25	3050	1	Fold								
			653		CARBON						9.42	Lead	FIXED	2								
			160		CAT					<input type="checkbox"/>	0	9.25										
Polecat	Wyliecat 30 IB	5	132	1997			29.5	7.35	No	No	21.6	30.5	5500	No	IB	(Articulating Sprint and Pole added for asym spinnaker, added asymmetrical, -21 sec/mi)(5/22/14, removed Asymmetric, +21 sec/mi)(Mtg 8/25/16, New rudder installed, NCTR)						
							12	12.66			493	25	3050	1	FOLD							
			620		CARBON		0	468			8	9.416	Lead	FIXED	2							
			160		CAT		0			<input type="checkbox"/>	15	5.25										
Uno	Wyliecat 30 IB	28632	129	1995	35.8		35.8	39.66	9.31	No	Yes	19.68	30.5	5800	0	IB	(mtg 2/21/08, penalty for oversized main -3 sec/mi)(Mtg 5/22/08, -24 for asymmetric spinnaker flown on 12' pole)(1/24/16, not using spinnaker +24 sec/mi)					
					5.5		12	19.75	13.05		12	37.02	25	3000	1	FOLD						
			607		CARBON				493			32.8	9.5	Lead	FIXED	2						
			169		CAT					<input type="checkbox"/>	90	5.25										
Nancy	Wyliecat 30 OB	28890	126	1995				39.66	8.71	No	No	30.5	5500	No	OB	(-3 sec/mi for square top main)						
								19.75	13.46			25	3050	1	None							
			650		CARBON			0	491			9.5	Lead	FIXED	0							
			160		CAT			0		<input type="checkbox"/>	0	5.25										
Windswept Lady	X-362 Classic	50980	96	1998	46.6	125	46.6	40.6	5.05	Yes	Yes	26.7	35.1	12320	0	IB						
					12.9		12.9	14.1	8.86			878	30.4	5170	1	Fold						
			613		ALUMN				333			42.3	11.4	Lead	FIXED							
			199		MS			22.97			<input type="checkbox"/>	0	6.2									
Nadja Delphine	X-41	0	15	2009	55.9	106	58.63	53.31	6.82	Yes	No		40.52	14109	0	IB	Electronic winches					
					16.11			18.04	11.61				35.07	6019	1	Fold						
			537		CARBON				570			0	11.94	Lead	FIXED							
			149		FS			27.79			<input type="checkbox"/>	0	8.2									

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop		Modifications
			ISP		I	J	Max Headsail	ISP	P	MGU	Yes/No	Yes/No	ASF		Ttl Disp.	Traps/H. Strps	IB or OB		
			JSP		J	J		E	MGM	SL	SPL	SLU	ASA		Ballast	moveable blst	Prop Type		
					Mast Material			PY	MSA	SSMG	SSA	SLE	Sprit Lngth		Ballast Mat.	Keel Type	# of blades		
			Disp/WL ratio		Rig Type	EY		ASM	Fixed or _o										
Foxxfyre	Yamaha 33 IK SM	67248	159	1978	42.81 13.78	150	42.81	37.4 10.6	4.38 7.27	Yes	No		33.25 26.92 11 6.25	16000 4410 Iron	No 1 FIXED	IB FEATH 2	PER PHRF MTG 3/16/2000 - Weight Differencer from brochure is significant.		
			648		ALUMN MS			0 0	246			<input type="checkbox"/>							
White Cloud	Yamaha 33 IK SM	28688	162	1979	42.8 13.78	150	42.8	37.42 10.67	4.38 7.27	Yes	No		33.25 26.92 11 6.2	10582 4409 Iron	0 1 FIXED	IB Fixed_2			
			648		ALUMN MS				247			<input checked="" type="checkbox"/>							
Jam Jam	Yankee 30-1 SM	90	192	1972	37.5 12.75	125	37.5	34.5 9.75	2.45 4.91	Yes	No		30 23 9 5.1	8900 4180 Lead	0 1 FIXED	IB Fixed_3 3	(mtg 4/28/11, +3 sec/mi for engine modifications)		
			715		ALUMN MS				170			<input type="checkbox"/>							
Maxine	Yankee 30-1 SM	43	186	1971	37.5 12.75	125	37.5 12.75	32.5 9.7	2.4 4.8	No	No	20.75	30.13 23 9 5	8700 4130 Lead	0 1 FIXED	IB FOLD 2	+3 sec/mi for MGM less than 50% of E		
					ALUMN MS				158			<input checked="" type="checkbox"/>							