

# NCPHRF - CURRENT FLEET ROSTER

This Roster represents the information on file for boats with a current NCPHRF certificate. If the boat you are looking for is not listed, their certificate is either not current or not yet updated to the list. You can contact the YRA office to verify a boat not found on this list at [info@yra.org](mailto:info@yra.org) or via phone at 415.771.9500. This list is updated monthly.

As of: 8/24/2017

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Keel		Engine/Prop	Modifications
					I J	Max Headsail	ISP JSP	P E	MGU MGM	SL SSMG	SPL SSA	SLU SLE	ASF ASA		Yes/No	Yes/No		
			DW Rating		Mast Material		PY	MSA	SSMG	SSA	SLU	ASF	LWL	Ballast	moveable blst	# of blades		
			Disp/WL ratio		Rig Type		EY		SSF		ASMG	Fixed or _o	Max Beam	Ballast Mat.	Keel Type			
Skinny Love	11 Metre ODR	92	69	1996	32.53 10.166	95	41	36.08 5.23	13.583 8.82	41	13.17	No	33.67	3600	No	OB	MTG 4/9/98. Sail number 90, using sail # 246 for Vallejo 2008	
			536 84		ALUMN FS		0 0	293	23.62 23.62	807		0 <input type="checkbox"/>	26.92 8.67 5.42	1600 Lead	1 FIXED	None 0		
Alpha Puppy	1D 35	35024	30	1999	42.49 12.52	110	44.78	44.46 7.5	18.58 12	45.11	14.76	Yes	35	6500	No	IB	6/13/11, boat now in same configuration as B-Line. Added 4.9' bowsprit and oversized spinnaker. -9 sec/mi for oversized asymmetric spinnaker, +3 sec/mi for inability to articulate sprit	
			517 95		CARBON FS		0 0	497	26.25 26.25	987		31.4 1238 4.9 <input checked="" type="checkbox"/>	31.5 10.75 7.6	2600 lead	1 FIXED	FOLD 2		
Dark & Stormy	1D 35	35018	30	1998	42 12.47	110	44.8 17.39	44 7.5	19 12	46.62	1236	Yes	35	6550	0	IB	Fixed bow sprit, using Asymmetrical spinnaker(mtg 3/20/08, -9 sec/mi for oversized spinnaker, +3 sec mi for not being able to articulate pole, as sailed: 30)	
			518 95		CARBON FS			497		29.83	4.92 0	<input checked="" type="checkbox"/>	31.5 10.9 7.58	2660 Lead	1 FIXED	FOLD 2		
Zsa-Zsa	1D 35	35017	36	1999	42.49 12.52	110	44.78	44.46 7.55	18.58 12	50	14.76	No	35	6500	No	IB		
			520 95		CARBON FS		0 0	498	26.5 26.5	1104		0 <input type="checkbox"/>	31.5 10.75 7.6	2600 lead	1 FIXED	Feath 2		
Bodacious +	1D 48	48005	-15	1996	57.7 16.7	155	68.3 16.7	61.3 9.84	22.5 14.66	66.7	16.7	Yes	48.3	19743	0	IB	Water ballast system not operational (mtg 8/19/08, custom rating assigned of -30, includes dual spinnakers)(Mtg 3/24/11, new smaller mainsail, smaller symmetrical, change custom rating from 30 to 24)(Mtg 8/25/11	
			490 138		CARBON FS			848	33.1 32.6	1834		67.7 1673 0 <input checked="" type="checkbox"/>	40.2 14.2 10.1	8818 Lead	1 FIXED	Fold 2		
Mirthmaker	A 35	18250	69	2007	44.22 13.45	90	51.06	44.94 5.42	14.66 8.88	50.32	14.1	Yes	34.7	9810	0	IB	(Mtg 5/20/10, custom rating of 60 assigned, would like a copy of ORR Certificate)(mtg 6/15/10, change custom rating from 60 to 63 based on further clarification of boats configuration)(Mtg 10/27/16, change custom rating from 63 to 60 after	
			574 158		CARBON FS			381	25.38 25.38	1064		58 46.7 22.5 <input type="checkbox"/>	30.47 11.6 6.88	4367 Lead	1 FIXED	Fold 2		

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications										
			Built	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB											
										DW Rating	Mast Material									E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type
EY	SSF	ASM	Fixed or _o	Max Draft																									
Ada Helen	ace	922	<b>96</b>	2005	53	155	53	46.75	15.5	No	18	Yes	29.7	43.8	24400	No	IB	(Mtg 3/20/08 -6/sec/mi for OSP)(mtg 6/19/08, new larger a-sail, correct size for J, NCTR)											
			<b>588</b>		16.5							54.76	1303	36	8300	1	FOLD												
			<b>238</b>		ALUMN							50.5	0	13.1	Lead	FIXED	3												
					MS							29.7	<input type="checkbox"/>	90															
Kira	Aerodyne 38 SD	38104	<b>45</b>	2003	50.82	105	57.25	51.75	6.25	No		Yes	39.5	37.66	11850	0	IB												
			<b>634</b>		14.5		20.83	16.5	10.6			65.5	2062	34.21	4150	1	Fold												
			<b>135</b>		ALUMN				506			58.5		13	Lead	FIXED													
					FS							40	<input checked="" type="checkbox"/>	0															
Vanga	Alberg 30	30	<b>231</b>	1965	36.75	100	36	31	4.49	Yes		No		30.25	9000	0	IB	Roller Furler											
			<b>732</b>		10.5			14.25	8.2					21.67	3300	1	Fixed_3												
			<b>402</b>		ALUMN				243					8.75	Iron	FIXED	3												
					MS									4.5															
Alte Liebe	Albin Ballad 30	1266	<b>183</b>	1978	37.083	155	37.8	31.916	3.33	Yes		No		29.916	7276	No	IB	The J measurement in all Ballad documents & Sailmaker plans is 12.27 however the actual J= 11.3" (MTG 8/25/94), standard SPL is 12.27 (mtg 3/20/08)											
			<b>698</b>		11.249			9.333	5.58					22.583	3417	1	FOLD												
			<b>287</b>		ALUMN			0	171					9.666	Lead	FIXED	2												
					MS			0						5.09															
Puffin	Alden 44	38144	<b>117</b>	1978	54.1	100		47.08	5.7	No		Yes	33	44.17	24500	0	IB												
			<b>595</b>		19.5			14.75	9.6			53	1369	34.08		1	Feath												
			<b>281</b>		ALUMN				416			49	0	12.5	Lead	CNTRBRD													
					CTR							32	<input type="checkbox"/>	0															
Sobrante	Alerion Express 28 ODR	406	<b>168</b>	2009	30	90	30	33	4.8	No		No		28.25	5700	0	IB												
			<b>218</b>		9.75		9.75	12.5	7.6					22.83	2200	1	Fold												
					ALUMN				241					8.2	Lead	FIXED	2												
					FS									4.5															
Spirit	Alerion Express 28 ODR	275	<b>168</b>		30	90	30	33	4.8	No		No		28.25	5700	0	IB												
			<b>218</b>		9.75		9.75	12.5	7.6					22.83	2200	1	Fold												
					ALUMN				241					8.2	Lead	FIXED	2												
					FS									4.5															



Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
				DW Rating Disp/WL ratio	I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast	Traps/H. moveable blst		IB or OB Prop Type # of blades
									SL	SPL	SLU	ASA						
									SSMG SSF	SSA	SLE ASMG	Fixed or _o						
Imagination	Bavaria 40	0	<b>108</b> 2001	47.25 14.58 <b>594</b> 171	111	48	44.46 15.58	5 9.21 386	No	Yes	20 828 0 0	40.94 35.93 13.1 6.4	17417 6283 Lead	0 1 FIXED	IB Fold			
Zara	Beneteau 310	144	<b>135</b> 1993	37.04 10.83 <b>645</b> 151	135	37.04 10.82	37.8 12.9	5.2 8.9 301	No	Yes	21.6 528 0 0	31.2 27.7 10.5 4.3	7054 2160 Lead	0 1 FIXED	IB Fixed_2			
Friday Harbor	Beneteau 323 DK	28580	<b>147</b> 2004	42.67 11.06 <b>633</b> 155	116		38.9 13.17	5 8.56 306	No	Yes	19.91 661 0 0	32 29.17 10.67 5.92	8448 2258 Iron	No 1 FIXED	IB FOLD 2			
Curie	Beneteau 32S5	52868	<b>138</b> 1990	38.39 9.68 <b>652</b> 195	150	38.39 9.68	38.88 13.78	5.3 9.01 321	Yes	No	17.3 519 0 0	32.6 27.83 10.83 6	9260 2980 Cast Iron	0 1 FIXED	IB FOLD 2			
French Kiss	Beneteau 350 Oceanis	28713	<b>144</b> 1989	41.47 12.8 <b>633</b> 181	140	41.47	35.7 11.6 0 0	4.2 7.3 242	Yes	No	0 0	33.83 29.83 11.17 5.17	10580 3525 Lead	0 1 FIXED	IB FOLD 2	Above deck Roller Furler		
First Light	Beneteau 35S5	115	<b>126</b> 1991	41.66 11.15 <b>630</b> 206	98		42.65 15.09 0 0	5.25 9.042 366	Yes	No	0 0	35.42 29.33 11.83 6	11460 4190 Lead	No 1 FIXED	IB Fixed_2 2			
Ciao Bella	Beneteau 37	38	<b>117</b> 2009	45.833 15 <b>152</b>	105		43.5 12.9		No	No	0 0	37.666 34.75 12.833 6.25	14008 3902 Iron	0 1 FIXED	IB FOLD 3			



Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications			
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H.	Strps		IB or OB Prop Type # of blades		
								SL	SPL	SLU	ASA								Ballast	moveable blst
								SSMG SSF	SSA	SLE	ASM								Ballast Mat.	Keel Type
Sea Ghost	Beneteau 42 IK	68222	<b>90</b> 1984	52.82 16.73 155	52.82	46.5 14.6 0 0	5.4 9.35 400	Yes	No	53 16.73 30.1 32.6	1352	<input type="checkbox"/>	0	42.92 36.25 12.75 7.25	20900 7920 Iron	0 1 FIXED	IB FOLD 2	DOUBLE HEADRAIL, HYDRALIC BACKSTAY PER MTG 8/14/97		
Enchante'	Beneteau 42 IK TM	63222	<b>84</b> 1985	55.43 16.73 155	55.71	49.2 14.6 0 0	4.8 8.5 400	No	No			<input type="checkbox"/>	0	43.67 36 13.83 7.19	20509 8700 Iron	No 1 FIXED	IB FOLD 2			
Tiki Blue	Beneteau 423	38423	<b>105</b> 2005	48.65 16.52 125	48.65 16.52	43.44 14.83	5.49 9.6 381	Yes	No	48.76 29.7 28.69	16.5 1199	<input checked="" type="checkbox"/>	0 0	41.67 38.58 12.92 6.92	20224 5569 Iron	No 1 FIXED	IB FOLD 3			
Ohana	Beneteau 45F5	38023	<b>63</b> 1991	53.15 15.08 100	55.15 16	55.4 18.58	7.06 12.08 613	Yes	No	52.49 27.14 27.14	15.08 1187	<input type="checkbox"/>	0 0	44.11 36.9 14.1 7.9	26500 8500 Lead	0 1 FIXED	IB FEATH 3	(Mtg 12/1/11, -6 sec/mi for new keel)		
Freedom	Beneteau 523	38333	<b>54</b> 2006	65.22 20.77 105		59.09 18.53	6.39 11.04 620	No	Yes	66.974 58.269 35.519	35.519 1854 2 0	<input type="checkbox"/>	0	53.08 47.92 16 7.5	32800 10935 Iron	No 1 FIXED	IB FOLD 3	Bow Thruster, in-mast furling, above deck jib furler; (Mtg 8/17/06 - +6 s/m for small girth main); electric winches added 1/29/07 (Mtg 3/28/13, +3 secmi for 8% decrease in mainsail area)		
Drop Beer	Beneteau Class 10	18277	<b>90</b> 1984	37.8 12.6 150	38.6	39.7 13.9 0 0	4 8.7 308	Yes	No	36.11 22.1 22.1	12.6 665	<input type="checkbox"/>	0	34.2 29.6 9.9 6.8	7000 2200 Iron	0 1 FIXED	IB FOLD 0	NEW RUDDER 3/4/95, NCTR (MTG 3/36/95)		
Allegro	Beneteau Farr First 36.7	56657	<b>78</b> 2010	46.42 13.1 155	46.42 14.35	45.4 15.6	5.92 12.49 458	Yes	Yes	45.25 23.58 23.5	13.1 889	<input type="checkbox"/>	23.41 834 0 90	36 30.3 11.4 7.3	12939 3993 Lead	0 1 FIXED	IB Fold 2	(Mtg 1/26/16, -3 sec/mi for increased JSP)		

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications										
			Built	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF		LOA	Ttl Disp.	Traps/H.		Strps	IB or OB								
										DW Rating	Mast Material		E	MGM							SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type
EY																												
Ariadne	Beneteau Farr First 36.7	403	<b>84</b>		46.4	125	46.4	46.4	5.92	Yes		No		36	12495	No	IB											
			<b>601</b>		13.1		13.1	15.6	12.49					30.3	4034	1	Fold											
			<b>204</b>		ALUMN			0	468					11.4	Lead	FIXED	2											
					FS			0				<input type="checkbox"/>	0	7.3														
Hera	Beneteau Farr First 36.7	28372	<b>81</b>	2002	46.4	150	46.4	45.4	5.92	Yes		No		36	12495	No	IB											
			<b>602</b>		13.1		13.1	15.6	12.49					30.3	3748	1	FOLD											
			<b>204</b>		ALUMN			0	458					11.6	Lead	FIXED	2											
					FS			0				<input type="checkbox"/>	0	7.2														
Mistral	Beneteau Farr First 36.7	28394	<b>81</b>	2002	46.4	155	46.4	45.4	5.92	Yes		No		35	12495	No	IB											
			<b>602</b>		13.1		13.1	15.6	12.49					30.3	4034	1	FOLD											
			<b>204</b>		ALUMN			0	458					11.6	Iron	FIXED	2											
					FS			0				<input type="checkbox"/>	0	7.2														
Pressure Drop	Beneteau Farr First 36.7	52489	<b>78</b>	2006	46.4	155	46.4	45.4	5.92	Yes		No	23.29	36	12495	0	IB	(12/2/16, -3 sec/mi for JSP)										
			<b>602</b>		13.1		14.35	15.6	12.49					30.3	4034	1	Fold											
			<b>204</b>		ALUMN				458					11.4	Lead	FIXED	2											
					FS			23.5				<input type="checkbox"/>	90	7.3														
CruzSea Baby	Beneteau First 10R ODR	52878	<b>81</b>	2007	43.2	155	46.41	42.25	5.59	No		Yes	27.5	32.75	9715	0	IB	(Rudder Modifications noted, smaller non-class spinnaker +3 sec/mi)										
			<b>603</b>		12.07		16.5	14.73	9.57					28.7	3528	1	Fold											
			<b>187</b>		CARBON				371					11	Lead	FIXED	2											
					FS							<input checked="" type="checkbox"/>	0	6.55														
Mulan	Beneteau First 10R ODR	52659	<b>84</b>	2007	43.2	100	46.41	42.25	5.59	No		Yes	25.5	32.75	9715	0	IB	(mtg 9/23/10, +3 sec/mi for non-class smaller kite)										
			<b>601</b>		12.07		16.5	14.73	9.57					28.7	3258	1	Fold											
			<b>187</b>		CARBON				371					11	Lead	FIXED	2											
					FS							<input checked="" type="checkbox"/>	0	6.55														
Lonestar	Beneteau First 10R ODR MOD	40	<b>84</b>	2007	43.2	100	46.41	42.25	5.59	No		Yes	25.5	32.75	9715	0	IB	(Mtg 5/20/10, +3 sec/mi for non-class smaller kite)(Mtg 9/23/10, rudder modifications noted, NCTR)(Mtg 4/26/12, new rudder noted, NCTR)										
			<b>601</b>		12.07		16.5	14.73	9.57					28.7	3528	1	FOLD											
			<b>187</b>		CARBON				371					11	Lead	FIXED	2											
					FS							<input checked="" type="checkbox"/>	0	6.55														

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications		
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		SLU SLE ASMG		ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.	Traps/H. Ballast Mat.		Strps moveable blst Keel Type	IB or OB Prop Type # of blades
								SL	SPL	SLU	ASA								
								SSMG	SSA	SLE	Sprit Lngth								
Ala Moana	Beneteau First 30	104	<b>99</b> 2012	41.66 13.78 105	42.16 15.78	40.3 6.28 14.25 9.38	6.28 9.38	No	Yes	28.82 1049	31.7 27.6 10.5 6.25	8267 2403 Cast Iron	0 1 FIXED	IB Fold 2					
Tijd	Beneteau First 30	45	<b>102</b> 2011	41.66 13.78 105	42.16 15.7	40.2 6.24 14.25 9.38	6.24 9.38	No	Yes	25.5 866	31.7 27.5 10.5 6.25	8267 2403 Cast Iron	0 1 FIXED	IB Fold	(Mtg 8/27/15, -3 sec/mi for OSP, +6 sec/mi for small spinnaker)				
Soiree	Beneteau Oceanis 49 SD	38776	<b>87</b> 2011	59.75 18.42 135	59.75 18.42	51.67 4.7 18.33 9.3	4.7 9.3	No	Yes	29.41 1210	49.5 43.67 14.75 5.75	30517 480 Iron	0 1 FIXED	IB Feath	Electric Winches (Mtg 10/27/16, +3 sec/mi for In-mast furling mainsail)				
Raven	Benteau First 35	38073	<b>75</b> 2001	47.24 13.12 108	51.48	45.93 5.98 14.75 10.23	5.98 10.23	Yes	No	14.73 1116	36.32 30.6 12.76 7.25	12125 3681 Iron	0 1 FIXED	IB Fold					
Lioness	Bermuda 40	981	<b>174</b> 1962	42.5 15.58 160		36.6 17.2 17.7 8.5		No	No		40.75 28.8 11.75 4.25	20000 5600 Lead	0 1 CNTRBRD	IB Fixed_3 3	(Mtg 5/22/08, +6 secmi for 3-blade fixed prop, no penalty for headsail larger than 155%, no credit for sonar transducer, custom rating of 174 assigned)				
Bessie's Girl	Bristol 45.5	30088	<b>114</b> 1980	57 18.83 130	57 18.83	47.25 4.66 15.2 8.56	4.66 8.56	Yes	Yes	33 1353	45.5 37.25 13.2 11	40000 15000 Lead	No 1 CNTRBRD	IB FEATH 3	(mtg 2/18/10, -3 sec/mi for dual spinnakers/ability to use asym on squared back pole)				
Raven	C&C 115	38108	<b>69</b> 2004	52.17 14.5 106	52.17 14.5	49.33 6.2 16.33 8.6	6.2 8.6	No	Yes	24.7 962	37.75 33 11.92 6.67	11800 4200 Lead	0 1 FIXED	IB Fold 2					



Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
			ISP		I	J	Max Headsail	ISP	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB	
			JSP		J	J		E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type		
					Mast Material			PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades		
			Disp/WL ratio		Rig Type	EY		ASM	Fixed or _o	Max Draft									
Sweetspot	C&C 121 DK W/5' BS	46921	<b>60</b>	2000	57	135	57	51	6.19	No	Yes	36	40	14100	No	IB	Deep Keel-bowsprit, (Mtg 4/24/08, rating appeal submitted, change base rating for C&C 121 DK w/ 5' BS, aka C&C 121 XP, to 60)		
			<b>549</b>		ALUMN		16.386	10.6			63.8	35.5	5500	1	FOLD				
			<b>143</b>		MS		0	496			55.6	13.8	Lead	FIXED	2				
							0				37.5	8							
Siento El Viento	C&C 29	38311	<b>174</b>	1977	39.5	155		33.5		Yes	No	29.5	7500	No	IB				
			<b>693</b>		12.8		10.1				23.6	2700	1	Fold					
			<b>259</b>		ALUMN						10.5	Lead	FIXED	2					
					MS						5.25								
Don't Panic	C&C 30 Mills	30026	<b>36</b>	2016	40.8	105	46.74	41.7	7	No	Yes	31.5	30	3995	0	IB			
			<b>495</b>		11.28		18.6	14.2	10		52.9	1283	28.7	1579	1	Fold			
			<b>77</b>		CARBON				386		46.1	7	9.8	Lead	FIXED				
					FS						31	0	7.5						
Tiburón	C&C 30 Mills	11	<b>36</b>	2014	40.8	105	46.74	41.8	7	No	Yes	31.5	30	3995	0	IB			
			<b>495</b>		11.28		18.6	14.2	10		52.9	1284	28.7	1579	1	Fold			
			<b>77</b>		CARBON				387		46.16	7	9.8	Lead	FIXED				
					FS						31	0	7.5						
Joie De Vivre	C&C 33	18797	<b>159</b>		43	110	43	37.25	4.4	No	Yes	21.42	32.9	10100	0	IB			
			<b>659</b>		14		10.75	6.33			43.25	726	26.42	3975	1	FOLD			
			<b>249</b>		ALUMN			0	235		38.33	0	10.54	Lead	FIXED				
					MS			0			21.33	0	5.5						
Can O' Whoopass	CAL 20	624	<b>273</b>	1965	22	115	22	23	4	Yes	No		20	2000	0	OB	(mtg 4/24/08, -18 sec/mi for adding single trapeze wire) (10/2/08 - removed trapeze, now racing as a standard cal 20 -18 sec/mi penalty removed)(3/5/09 added single trapeze back, -18 sec/mi)(8/26/09, switching back to standard Cal 20)		
			<b>746</b>		7.33		7.33	10	6.7				18.1	900	1	None			
			<b>153</b>		ALUMN				140			0	7	Iron	FIXED	2			
					FS							0	3.33						
Green Dragon	Cal 20	4188	<b>273</b>	1965	22	125	22	23	3.84	Yes	No		20	1950	0	OB			
			<b>748</b>		7.33			9.84	6.5				18.08	900	1	None			
			<b>150</b>		ALUMN			0	137			0	7	Steel	FIXED	0			
					FS			0				0	3.33						

Boat Name	Boat Model (Type)	Sail #	Rating Built DW Rating Disp/WL ratio	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
				I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst	IB or OB Prop Type # of blades	
								SL	SPL	SLU	ASA						
								SSMG SSF	SSA	SLE ASMG	ASA						
Sprite	Cal 20	347	723	1964	22 7.33 125 22 7.33	23 9.83	3.67 6.5 135	Yes	No	22 7.33 13.2 242 13.2	No	20 18.08 7 3.33	1950 900 Iron	0 1 FIXED	OB None		
SF	CAL 25-1 OB	1062	225	1969	29.75 10 120 29.75	25 11	4.17 7 163	No	No	25 20 8 4	No	25 20 8 4	4000 1700 Lead	0 1 FIXED	OB None		
Adagio	CAL 25-2 OB		216	1979	33 11 150	28 9.5	3.9 6.5 165	No	No	29.25 22 9 4.5	No	29.25 22 9 4.5	4500 2000 Lead	0 1 FIXED	OB None		
Happiness	Cal 27-2 OB	3893	201		36 12 95 36 12	30.67 10.25	3.25 6.5 180	Yes	No	36 12 21.6 648 21.6	No	26.58 22.08 9.25 4.25	6700 3100 Lead	0 1 FIXED	OB None		
Dura Mater	CAL 27-2 IB	616	213	1979	36 12 120	30.83 10.25	4.21 7 195	Yes	No	32.8 11.8 18.4 518 21.1	No	26.58 22.08 9.25 4.25	6700 3100 Lead	0 1 FIXED	IB Fixed_3 3		
Moxie	CAL 28-2	28217	183	1988	39.9 11.4 90 39.9 11.4	34.17 10.33	4.28 7.11 219	Yes	No	39.26 11.4 20.39 667 20.39	No	28 23 10.8 5.3	7200 Lead	0 1 FIXED	IB FOLD 2		
Serendipity	CAL 29-1 IB	6601	180	1974	37.833 12.333 155 37.833 12.67	31.666 12.166	4.332 7.573	Yes	No	37 12.16 22 678 22	No	29.25 24.17 9.25 4.75	8000 3350 Lead	No 1 FIXED	IB FOLD 2		

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
			Rating		I	J	ISP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp. Traps/H. Strps		IB or OB		
			DW Rating		Max	Head	JSP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type		
			Disp/WL ratio		Sail	Sail		PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades		
Kira	Cal 33-2	28999	<b>132</b>	1986	46	125	46	40.5	4.82	No	Yes	21.86	33	10800	No	IB	(Mtg 1/26/12, -3 sec/mi for increased "e" & MSA)		
					13.25		13.25	12.75	8.23		43.6	697	27.5	4475	1	FOLD			
			<b>655</b>		ALUMN			0	307		39.5	0	11.33	Lead	FIXED	2			
			236		MS			0			19.68	<input type="checkbox"/>	6.12						
Ecco	CAL 39-2/3	115	<b>117</b>	1980	50	125	50	44	5	No	No		39	17000	0	IB			
					16.7			13.75	8.5				32.1	7000	1	Feath			
					ALUMN				351			0	12.15	Lead	FIXED				
			234		MS						<input type="checkbox"/>	0	6.7						
Sea Star	CAL 39-2/3	38022	<b>114</b>	1977	50	150	50	44	4.5	Yes	Yes	34	39	17000	0	IB	Roller Furler		
					16.7			13.8	8		48	16.7	32	7000	1	FEATH			
			<b>611</b>		ALUMN				337		30	1192	12	Lead	FIXED	3			
			236		MS			29			30	<input checked="" type="checkbox"/>	0						
Azure	CAL 40	72	<b>114</b>	1966	46	150	46	40	6.65	Yes	No		39.3	15500	0	IB			
					15.17			17.5	11.37		46.5	15.17	30.5	6000	1	FEATH			
			<b>623</b>		ALUMN			0	417		27.3	1056	11	Lead	FIXED	2			
			248		MS			0			27		5.5						
Green Buffalo	CAL 40	8538	<b>114</b>	1967	46.7	155	46.7	39.8	6.65	Yes	No		39.3	15148	0	IB	Schumacher designed rudder - same as original		
					15.2			17.6	11.37		46.01	15.2	30	6000	1	FEATH			
			<b>622</b>		ALUMN			0	416		27.3	1047	10.9	Lead	FIXED	3			
			255		MS			0			27.3		5.8						
Highlander	Cal 40	4590	<b>117</b>	1968	46.2	150	46.2	39.5	6.65	Yes	No		39.25	15000	0	IB			
					15.2			17.5	11.37		46.5	15.17	30.25	6000	1	Fixed_2			
			<b>617</b>		ALUMN				412		27.3	1056	11	Lead	FIXED	2			
			246		MS			27			27		5.58						
Nozomi	CAL 40	164	<b>114</b>	1970	46.2	155	46.2	39.9	6.6	Yes	No		39.5	15500	0	IB			
					15.2			17.6	11.37		46.2	15.2	30	6000	1	FEATH			
			<b>622</b>		ALUMN				416		27.3	1051	11	Lead	FIXED	3			
			261		MS			27.3			27.3		5.6						

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications		
				DW Rating <i>Disp/WL ratio</i>	J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast Mat.	Traps/H. moveable blst Keel Type	IB or OB Prop Type # of blades			
									SL	SPL								SLU	ASA
									SSMG SSF	SSA								SSMG SSF	SSA
Redhead	Cal 40	7817	<b>114</b> 1964	46 15.17 155	46.36	40 17.5 0 0	6.5 11.3 414	Yes 46 27.3 26.2	No 15.17 1038			39.5 30 10.92 5.75	16500 6000 Lead	No 1 FIXED	IB Feath 2				
Riff Rider	Cal 40	46	<b>114</b> 1965	46.2 15.1 155	46.2	40 17.5	6.5 11.3 414	Yes 46.2 27.2 27.2	No 15.1 1047			39.3 30.3 11 5.6	15000 6000 Lead	0 1 FIXED	IB Fold				
Finn	Capo 26 IB	18782	<b>162</b> 1985	34.6 10.56 155		30 10	4.1 6.8 185	Yes 35 18.8 18.3	No 10.5 545			26 22 9.25 4.58	4300 1900 Lead	0 1 FIXED	IB Fold				
JouJou	Capo 30	87324	<b>123</b> 1984	41.7 12.75 120	41.5	36 11.5	4.37 7.47 247	Yes 41.5 21.5 21	No 12 740			30 25 10.33 5.43	7200 3000 Lead	0 1 FIXED	IB Fold 2	Roller Furler			
Skye	Capo 30 MOD	0	<b>114</b> 1984	41.7 12.75 120	41.5 12.75	36 11.5	4.37 7.47 247	Yes 41.5 21.5 21	No 12 740			33 26 10.33 5.42	7500 3000 Lead	0 1 FIXED	IB Feath	(Mtg 5/25/17, -9 sec/mi for increased LOA from added sugar scoop)			
SLOWMO!	Catalina 22-1 OB SK	2482	<b>270</b> 1973	25.93 8 150		21 9.66	3.47 5.96 118	No	No			21.6 19.4 7.8 5	2250 550 Iron	0 1 MVBL	OB None 3				
un-named	Catalina 22-2 OB FK	15622	<b>255</b> 2006	25.8 8 135	25.83 8	21 9.67	3.5 6.08 119	Yes 25 14.4 14.4	No 8 300			21.5 19.33 7.67 5	2250 550 Lead	0 1 CNTRBRD	OB None				

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop		Modifications	
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps	IB or OB Prop Type # of blades			
								SL	SPL	SLU	ASA						Ballast		moveable blst
								SSMG SSF	SSA	SLE ASM	SA						Ballast Mat.		Keel Type
Sparky	Catalina 25 FK	1498	<b>222</b> 1979	29 10.5	145	29 10.5	24.66 9.58	3.68 1.45	Yes	Yes	17.9 369	25 22.16	4550 1900	0 1	OB None				
			<b>720</b> 190	ALUMN MS				102			0 0	8 4	Cast Iron	FIXED	0				
Blue Ribbon	Catalina 27 IB	343	<b>213</b> 1975	34.5 11.25	120		28.7 10.5	3.5 6.3	No	No		26.83 21.75	6850 2650	0 1	IB Fixed_3				
			<b>303</b>	ALUMN MS				170			0 0	8.83 4	Lead	FIXED	3				
Miss Kate	Catalina 27 IB	4630	<b>210</b> 1980	34.5 11.25	125	34.5 11.25	28.66 10.5	3.99 6.83	No	Yes	20.35 515	26.85 21.75	6850 2700	0 1	IB Fixed_2				
			<b>738</b> 303	ALUMN MS				180			0 0	8.85 4	Lead	FIXED					
Oshun	Catalina 27 OB	1216	<b>201</b> 1974	34 11.25	95		28.67 10.5	4.24 7.08	No	No		26.83 21.75	6850 2750	0 1	OB None				
			<b>303</b>	ALUMN MS				185			0 0	8.83 4	Lead	FIXED					
Blue Ribbon II	Catalina 270 IB	38087	<b>207</b> 1994	33.58 9.25	135	33.58	28.42 11.5	4.67 7.61	No	No		27 23.75	6400 2000	0 1	IB Fixed_2				
			<b>217</b>	ALUMN MS				199			0 0	9.83 5	Lead	FIXED	2				
Azure	Catalina 275 Sport	1	<b>168</b> 2013	34.42 8.99	106	11.83	31.5 11.48	5.33 8.17	No	Yes	22 665	27.5 26.57	5000 2040	0 1	IB Fixed_2				
			<b>629</b> 121	ALUMN FS				233			0 0	8.5 5.2	Lead	FIXED					
Avalon	Catalina 30	6138	<b>183</b> 1992	41 11.416	120	41	35 11.5	4.63 7.72	No	No		29.92 25	10200 4200	0 1	IB Fold				
			<b>297</b>	ALUMN MS				246			0	10.83 5.25	Lead	FIXED	2				



Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp. Ballast	Traps/H. moveable blst	IB or OB Prop Type # of blades			
								SL	SPL	SLU	ASA							
								SSMG SSF	SSA	SLE ASMG	Sprit Lngth Fixed or _o							
Ballast Mat.	Keel Type																	
Mottley	Catalina 34	8	<b>147</b> 1986	44 13.5 130 44 14	ALUMN MS	38.5 4.7 12 8.05 0 281 0	No	No	34.5 29.833 11.75 5.583	11950 5000 Lead	No 1 FIXED	IB Fold 2						
Amandla	Catalina 34 1&2	796	<b>147</b> 1988	46 13.5 130	ALUMN MS	38.5 12	No	No	35.75 29.8 11.75 5.6	11950 5000 Lead	0 1 FIXED	IB FOLD 3						
Crews Nest	Catalina 34 1&2	1383	<b>147</b> 1997	44 13.5 130 44 13.5	ALUMN MS	38.5 3.6 12 6.8 0 251 0	Yes	No	35.67 29.83 11.75 5.58	11950 5000 Lead	No 1 FIXED	IB FEATH 3						
Mirth	Catalina 34 1&2	28634	<b>150</b> 2005	44 13.5 125	ALUMN MS	38.5 4.17 12 7.33 265	No	Yes	35.67 29.83 11.75 5.58	11950 5000 Lead	No 1 FIXED	IB FEATH 3						
Music	Catalina 34 1&2	56583	<b>147</b> 2001	44 13.5 130	ALUMN MS	38.5 3.6 12 6.8 251	No	Yes	35.66 29.84 11.75 5.56	11950 5000 Lead	0 1 FIXED	IB FOLD 2						
Nessie	Catalina 34 1&2	734	<b>156</b> 1988	44 1.5 100 44 13.48	ALUMN MS	38.5 4.7 12 7.54 274	No	No	34.5 29.83 11.75 5.58	11950 5000 Lead	0 1 FIXED	IB Fixed_3 3						
Queimada	Catalina 34 1&2	611	<b>147</b> 1988	44 13.5 150 44 13.5	ALUMN MS	38.5 4.2 12 7.2 263	Yes	No	34.5 29.83 11.75 5.58	11950 5000 Lead	0 1 FIXED	IB Fold 2						

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp.	Traps/H. Strps		IB or OB Prop Type # of blades		
								SL	SPL	SLU	ASA			Ballast	moveable blst			
								SSMG SSF	SSA	SLE	Sprit Lngth Fixed or _o			Ballast Mat.	Keel Type			
Sacagawea	Catalina 34 1&2	375	156	1987	44 13.5 ALUMN MS	44 13.48	38.5 4.7 11.75 7.54	4.7 7.54	No	No	34.5 29.83 11.75 5.6	11950 5000 Lead	0 1 FIXED	IB Fixed_3 3				
Sailor Dog	Catalina 34 1&2	1798	162	2007	44 13.5 ALUMN MS	44 13.5	38.5 2.8 12 5.9	2.8 5.9	No	Yes	34.5 29.8 11.7 5.6	11950 5000 Lead	0 1 FIXED	IB Fixed_3 3	In-Mast furling main +3 sec/mi, MGM less than 50% of E +3 sec/mi			
Sea Spirit	Catalina 34 1&2	108	147	1986	44 13.5 ALUMN MS	44 13.5	38.5 4.36 12 7.54	4.36 7.54	Yes	No	34.5 29.83 11.75 5.58	11950 5000 Lead	No 1 FIXED	IB FOLD 2				
Sterling	Catalina 34 1&2	1269	153	1994	44 13.5 ALUMN MS	125	38.5 3.6 12 6.8	3.6 6.8	No	No	35.66 29.84 11.75 5.56	11950 5000 Lead	0 1 FIXED	IB Fixed_2				
All Hail	Catalina 34 TM	524	144	1988	46 13.5 ALUMN MS	130	40.5 4.8 12 8	4.8 8	No	No	35.66 29.84 11.75 5.56	12000 5000 Lead	0 1 FIXED	IB Fold				
Endless Summer	Catalina 36	271	150	1984	44.75 14.33 ALUMN MS	95	44.75 14.33	44.75 14.33	No	Yes	36.33 30.25 11.92 5.83	13500 6000 Lead	0 1 FIXED	IB Fixed_3 3				
Andiamo	Catalina 36-2	2168	153	2004	44.75 14.33 ALUMN MS	115	39 3.04 13 6.16	3.04 6.16	No	Yes	36 30.25 11.9 5.8	14200 6000 Lead	0 1 FIXED	IB Fixed_3 3	In-Mast Furling Mainsail, +3 sec/mi			



Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications		
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps moveable blst				
								SL	SPL	SLU	ASA							Ballast Mat.	Keel Type
								SSMG SSF	SSA	SLE ASMG	Fixed or _o								
Lawless	Catalina 36-2	2056	<b>147</b> 2002	44.75 14.42 ALUMN MS	155	44.9	39 12	4.83 8.05	286	No	No	36.42 30.33 11.92 5.83	13500 6042 Lead	0 1 FIXED	IB Fixed_3				
Dulcinea	Catalina 38	88	<b>117</b> 1981	49.83 15.5 ALUMN MS	130	49.8 15.5	44 11.5	4.37 7.6	304	No	No	38.17 30.25 11.83 6.75	15900 6850 Lead	0 1 FIXED	IB Fold 2				
Flight Risk	Catalina 38	87586	<b>117</b> 1983	49.8 15.5 ALUMN MS	155	49.8	44 11.5	4.18 7.12	294	Yes	No	38.24 30.45 11.12 6.1	19489 6850 Lead	No 1 FIXED	IB Fold 2	Roller Furler			
Harp	Catalina 38	18003	<b>117</b> 1983	50.7 15.43 ALUMN MS	155	50.9 15.43	44 11.5 0 0	4.8 7.97 316	0	Yes	No	38.17 30.25 11.83 6.79	19489 6850 Lead	No 1 FIXED	IB FOLD 2	DEC 93 - 7X19 STND RIG/ W/ROD RIG & SHRTN UPR SPREADERS 2 IN. NO CHNG RTNG ( MTG 1/27/94)			
Wood Eye	Catalina 38	111	<b>123</b> 1981	49.83 15.5 ALUMN MS	110	49.83 15.5	44 11.5	4.7 7.9	313	Yes	No	38.17 30.25 11.83 6.75	15900 6850 Lead	0 1 FIXED	IB Fixed_2 2				
Seaya	Catalina 380	252	<b>120</b> 2000	50.916 14.667 ALUMN MS	135	44.833 15.667	5.2 10	405	No	No	38.42 32.42 12.33 7.17	19000 6800 Lead	No 1 FIXED	IB FEATH 3					
Popstar	Catalina 400	331	<b>108</b> 2005	52.5 15.5 ALUMN MS	135	52.5 16.5	46.9 17	4.02 8.27	393	No	Yes	41.54 36.5 13.5 6.92	20500 8300 Lead	0 1 FIXED	IB Fold 3	(+3 sec/mi for in-mast furling mainsail, +3 sec/mi for MGM <50% of E)			

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
				DW Rating Disp/WL ratio	I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast	Traps/H. moveable blst		IB or OB Prop Type # of blades
									SL	SPL	SLU	ASA						
									SSMG SSF	SSA	SLE ASMG	ASA						
Carmelita	Catalina 42-1/2	131	<b>105</b> 1990	53 16.42 125	53 16.42	53 16.42	46.75 4.98 15.5 8.85	4.98 8.85	Yes	Yes	27.75 1131 0	41.83 36 13.83 6.66	22000 8300 Lead	No 1 FIXED	IB FEATH 3			
Fariage	Catalina 42-1/2	336	<b>102</b> 1992	53 16.42 130	53 16.42	53 16.42	46.75 5.75 16.42 9.83	5.75 9.83	No	Yes	27.08 1042 0	41.83 36 13.83 6.83	20600 8300 Lead	0 1 FIXED	IB Feath 3			
Post Time	Catalina 42-1/2	362	<b>102</b> 1993	53 16.42 135	53 16.42	53 16.42	46.75 5 15.5 9	5 9	No	No	0 0	41.83 36 13.83 6	24000 8300 Lead	0 1 FIXED	IB Feath 3	In-Boom Furling Mast, Electric Halyard Winch		
Revelry	Catalina 42-1/2	703	<b>105</b> 1999	53 16.416 125	53 16.416	53 16.416	46.75 5.75 15.416 9.833	5.75 9.833	No	Yes	27.5 1097 0	41.833 36 13.833 6.83	20500 8300 Lead	No 1 FIXED	IB FEATH 3	ASYM SPIN NOTED NCTR.		
TESA	Catalina 42-1/2	642	<b>102</b> 1999	53 16.41 155	53 23	53 23	46.75 5.91 15.416 10	5.91 10	Yes	Yes	31 1275 0	41.83 36 13.83 6.8	25500 8300 Lead	0 1 FIXED	IB FEATH 3	Added one electric main halyard winch		
Vita E Bella	Catalina 42-1/2	989	<b>99</b> 2007	53 16.5 155	53 16.5	53 16.5	46.9 5.2 15.6 9.5	5.2 9.5	No	Yes	27.3 1105 3.67 0	41.83 36 13.1 6.8	24400 3765 Lead	0 1 FIXED	IB FOLD 3	(mtg 3/28/13, -3 sec/mi for added sprit)		
Endless Summer	Catalina 42-1/2 WK	688	<b>111</b> 2000	53 16.5 155	53 16.5	53 16.5	46.75 5.08 15.5 9.16	5.08 9.16	No	No	0 0	41.83 36 13.83 4.83	28000 8300 Lead	0 1 FIXED	IB Feath 3			

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications									
			Built	J	Max Headsail	ISP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB											
									DW Rating	Mast Material								E		MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type
EY	SSA	SSMG	SSA	ASMG	Fixed or _o	Max Draft	Ballast Mat.	Keel Type	# of blades																			
Grunion	Catalina 425	11	<b>87</b>	2017	55.75 15.67	125	17.34	52 18	5.04 9.58	No	No	41.67 39.08 13.67 6.67	17500 7000 Lead	0 1 FIXED	IB Fold	(Mtg 1/26/17, need to submit spinnaker measurements when available)												
Althea	Cavalier 39	38101	<b>129</b>	1981	48.5 14.83	120	46 16.13	42 12	4.55 7.79	No	Yes 16.13	38.98 29.49 11.22 5.97	13228 7513 Lead	0 1 FIXED	IB Fixed_3	(Mtg 4/28/16, -3 sec/mi for oversized spinnaker pole, -3 sec/mi for oversized spinnaker)												
California Condor	Class 40	94	<b>6</b>	2010	53.9 15.65	104	58.6 23.85	53.21 18.81	11.71 14.38	No	Yes	40 39.17 14.7 9.84	12225 4710 Lead	0 1 FIXED	IB Fold 2	Short-Handed Bay Configuration												
Arby	Colgate 26	212	<b>159</b>	2004	27.75 8.25	105	27.75	29.75 11.2	4.3 7.3	No	No	25.7 20 8.5 4.5	2600 1040 Lead	0 1 FIXED	OB Fixed_3 3	Non Spinnaker configuration												
Bosporus II	Columbia 36	97415	<b>156</b>	1968	42.75 15	150	41.75 15	34.666 14	5.3 9.1	Yes	No	35.75 28.25 10.5 5.42	13000 5000 Lead	No 1 FIXED	IB Fold 2													
Wings	Columbia 5.5 M ODR	31	<b>177</b>	1965	29.125 8.25	96	30	34 11.416	4.59 7.65	Yes	No	32.416 25 6.25 4.33	4400 2800 Lead	No 1 FIXED	NA None 0													
Six Brothers	Columbia C 30-2	32006	<b>57</b>	2013	36.67 12.67	103	42 17.67	38 14.67	7.77 10.64	No	Yes	32 27 10.13 7.42	4500 1900 Lead	0 1 FIXED	IB None													

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications					
			Built	J	Max Headsail	ISP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp. Traps/H. Strps		IB or OB								
									JSP	E				MGM	SL		SPL	SLU		ASA	LWL	Ballast	moveable blst	# of blades
Disp/WL ratio	Mast Material	SPF	SSA	SLE	Fixed or _o	Max Draft	Ballast Mat.	Keel Type																
Warwhoop	Contessa 33	63336	<b>141</b>	1984	37.916	100	37.93	39.416	5.31	Yes	Yes	20.92	33	8375	No	IB	(Mtg 1/26/17, -3 sec/mi for oversized asymmetric area)(Mtg 2/23/17, -3 sec/mi for oversized symmetric spinnaker area)							
			<b>653</b>		11.17		13.86	9			40	682	25.52	3700	1	FOLD								
			<b>229</b>		ALUMN		0	326			37.5	0	11.08	Lead	FIXED	2								
					FS		0				21.17	<input type="checkbox"/>	5.8											
Snafu	CS 30	68588	<b>159</b>	1988	42	125	42	36.416	3.95	NO	Yes	20.04	30	8000	0	IB								
			<b>669</b>		12.04		11.416	6.5			44	707	25.51	3440	1	FOLD								
			<b>219</b>		ALUMN		0	232			40.653	0	10.25	Lead	FIXED	2								
					MS		0				20.04	<input checked="" type="checkbox"/>	5.416											
Aerie	CS 36	2160	<b>123</b>	1980	49	155	49	42.75	4.33	Yes	No		36.5	15500	0	IB								
			<b>634</b>		15		12.75	7.58			48.65	15	29.25	6500	1	Fold								
			<b>282</b>		ALUMN			308			25.5	1034	11.5	Lead	FIXED									
					MS						25.5		6.25											
Summertime Dream	Custom Schumacher 26	18859	<b>186</b>	1979	26.28	150	26.28	29.58	4.33	Yes	No		26.08	3300	0	OB	Boat has previously been called "War"							
			<b>705</b>		8.07		10.76	7.23			25.67	8	20	1360	1	None								
			<b>187</b>		ALUMN		0	195			14.52	308	9.08	Lead	FIXED	0								
					FS		0				14		5.08											
Starbuck	Custom Black Soo 30	8666	<b>144</b>	1968	30	125	29.5	25	4.9	Yes	No	20.4	31	4500	0	OB	(Mtg 1/17/02, added scoop, custom rating changed from 144 to 141)(mtg 1/11/13, Added A-sail, -9 sec/mi, rating changed from 141 to 132)(Mtg 5/13/14, removed A-Sail, +9 sec/mi, change custom rating from 132 to 141, +2 sec/mi for small headsail)							
			<b>600</b>		13		11.73	7.5			31	13	27.5	1800	1	None								
			<b>98</b>		ALUMN		0	178			22.1	577	6.8	Iron	FIXED	0								
					MS		0				23.2		6.4											
Joyicity	Custom Davidson 26	20746	<b>156</b>	1975	27	150	31.15	28.75	5.1	Yes	No		26.42	3000	No	IB	Removed IOR Bump infilled w/Divinacell w/fiberglass skin/faired; Installed Melges rig w/mod for Spinnaker; shortened boom; increased "P" increased "J"; Code zero type furler used above deck; Handed on left side of sail; 10 # spin							
			<b>633</b>		9.1		11.5	8.1			31.12	10	22.5	1450	1	FOLD								
			<b>120</b>		CARBON		0	210			18	467	8.25	Lead	FIXED	2								
					FS		0				18		5.25											
Salt Peanuts	Custom Dees GP 26	18	<b>78</b>	2008	29.35	130	36.43	32.42	5.58	No	Yes	20.41	25.72	2340	0	OB	(mtg 2/18/10, change custom rating from 75 to 78)(3/28/12, New Rudder Noted)							
			<b>562</b>		8.07		12.63	8.69			43.5	626	21.22	1100	1	None								
			<b>111</b>		CARBON			258			31.76	6.23	8	Lead	FIXED	0								
					FS						19.85	<input checked="" type="checkbox"/>	6.04											

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications		
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU ASA Sprit Lngth Fixed or _o	SL SPL SSMG SSA SSF	Yes/No		ASF	Ttl Disp.			Traps/H. Strps	
								Ballast	moveable blst										IB or OB
DW Rating Disp/WL ratio																			
Ex Indigo	Custom Diva 39	8	<b>87</b> 1987	41.73 12.8	125	41.73 12.8	46.75 14.75	5.72 9.6	Yes	No	38.75 30.83 9.83 5.75	9920 4575 Lead	No 1 FIXED	IB FOLD 2	Back Stay Crane				
Basic Instinct	Custom Elliott 10.50	8123	<b>72</b> 1993	41 12.5	125	45.6 13.9	44.2 17.5	8.5 12	No	Yes	34.42 31.83 12.08 7	10220 3000 Lead	No 1 FIXED	IB FOLD 2	(mtg 3/19/09, changed to smaller headsail, +3 sec/mi, & larger mainsail, -6 sec/mi, change rating from 66 to 63)(Mtg 10/21/09, new smaller headsail, still with large headboard. Change mainsail penalty from 6 sec/mi to 2 sec/mi)				
Sweet Okole	Custom Farr 36	29000	<b>78</b> 1976	42.049 12.35	155	42.049	44.54 16	5.9 10	Yes	No	36 31.33 11.88 7	9696 3750 Lead	No 1 FIXED	IB FOLD 2	(78 MTG 1/28/93) (81 MTG 3/18/93)(Mtg 5/22/08, +3 sec/mi for switching to smaller headsail, +3 sec/mi for removing 250# shoe from keel, change custom rating from 81 to 87)(6/7/10, change headsail to 155/ 2 sec/mi change rating)				
Zamazaan	Custom Farr 52	3883	<b>21</b> 1978	70.4 18.51	135	70.4 18.51	65.2 23.2	8.82 15.08	Yes	No	52.19 47.26 15.45 8.79	25391 9679 Lead	No 1 FIXED	IB FOLD 2	RTG W/USYRU AGE ALLOWANCE IOR RTG W/USYRU AGE ALLOWANCE R=44.9 (1987) 18/24 AS PER PHRF MTG 4/20/95. SHORTENED MAST 6.15 FEET FROM TOP, REDUCED MAINSAIL AREA FROM 24/27 MTG 8/14/95				
Jeannette	Custom Frers 40 IOR 1 Tonner	40646	<b>66</b> 1986	47.2 13.7	100	13.7	51.48 18.76	7.13 12.19	Yes	No	39.5 33 12.6 8.1	12900 6000 Lead	0 1 FIXED	IB FOLD 2	(mtg 5/31/07 custom rating changed from 63 to 60 based on performance data)(Mtg 8/27/15, change custom rating back to 63 after review of race results)				
Jet Stream	Custom JS 9000	9045	<b>60</b> 2003	27.08 9.5	87	30.25 15.5	30.84 10.171	6.07 8.17	No	Yes	29.9 27.9 5.7 6.8	2425 1543 Lead	0 1 FIXED	OB None 0	(Mtg 1/22/09, custom rating of 78 assigned)(Mtg 8/19/10, -9 sec/mi for adding 3' sprit, -3 sec/mi for increased spinnaker area. Original rating of 78 contained a 3 sec error, rating should have been 75, change custom rating to 62/7/07/17. New				
Merlin	Custom Lee 68	8955	<b>-87</b> 1977	71.96 22.5	146	74.35 30.4	66.87 27.5	11 18	No	Yes	68.6 64 12.17 10.65	24363 10484 Lead	0 1 FIXED	IB FOLD 2	(Mtg 4/27/17, custom rating assigned: -81)(Mtg 5/25/17, -3 sec/mi for larger headsail, -3 sec/mi for increased J. New custom rating: -87 as sailed)				

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications	
			ISP		I	J	Max	Head	Sail	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB	
			JSP		Head	Sail	Sail	Head	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type		
			ISP		Head	Sail	Head	Sail	P	MSA	SSMG	SSA	SLE	Sprit	Ln	Max Beam	Ballast Mat.	Keel Type	# of blades	
ISP	Head	Sail	Head	Sail	P	MSA	SSMG	SSA	SLE	Sprit	Ln	Max Beam	Ballast Mat.	Keel Type	# of blades					
			Disp/WL ratio																	
The Shadow	Custom Mull 32	18787	<b>150</b>	1974	39.833	125	39.83	35.166	3.45	Yes	No		32.166	10600	No	IB	RMVD Foam Bumps from both sides of hull, Red Beam by approx 7" Replaced Rudder and Skeg Design w/balanced Rudder Depth same, area increased approx 8 sqft. Hull dry rot. Crsnfg Accom. Ref. Head Stars Cov. Chopped. MTC 10/8/07			
			<b>661</b>		13.25		9.75	6.2				26.666	4500	1	FOLD					
			<b>254</b>		ALUMN		0	200			0	10	Lead	FIXED	2					
					MS		0				<input type="checkbox"/>	5								
Arcadia	Custom Nash 28.5	3113	<b>123</b>	1969	33	120	34	32.5	4.92	No	Yes	24.606	28.5	4327	No	IB	(Weighed Displacement as of 4/4/2009)(mtg 2/28/13, change custom rating from 135 to 123 after review of race results and structural modifications) 3			
			<b>589</b>		10		11	13	8.41		38.8	756	25.5	1200	1	FOLD				
			<b>119</b>		ALUMN		0	251			34.908	4	9	Lead	FIXED	2				
					FS		0				24.606	<input type="checkbox"/>	100							
Galaxsea	Custom Nauticat 43.5	28743	<b>180</b>	1985	51	104	20.6	45	4.3	Yes	Yes	29.2	43.6	34000	No	IB	Stay sail measurements foot=1', Luff=34'6", Leach=30'2", LP=132"			
			<b>629</b>		20		20.6	13.6	7.9		50.98	20	37.7	11000	1	FEATH				
			<b>288</b>		ALUMN		32.4	338			33.43	1439	12.2	Lead	FIXED	3				
					KTCH		8.5				25.6	<input checked="" type="checkbox"/>	5.9							
Quiver	Custom Nelson Marek 36	28669	<b>45</b>	1999	43.85	105	51.9	45.75	6.56	Yes	Yes	26.24	35.6	7725	No	IB	(mtg 6/15/10, added lead shoe to keel, -3 sec/mi, change custom rating from 48 to 45)(Mtg 2/29/12, added sprit equal to SPL, NCTR)			
			<b>542</b>		12.5		14.57	16.47	10.66		50.39	14.57	29.32	3255	1	FOLD				
			<b>139</b>		CARBON				453		26.21	1101	10.3	Lead	FIXED	2				
					FS						26.21		7.6							
Ardea	Custom Nelson/Marek 50	42616	<b>21</b>	1989	59.92	100	59.92	65.19	9.35	Yes	Yes	31.6	49.8	22145	0	IB	(Mtg 8/28/15, custom rating of 21 assigned)			
			<b>519</b>		17.59		17.59	24.08	15.98		59.2	17.59	38.55	12627	1	Fold				
			<b>176</b>		ALUMN				946		31.1	1527	14.86	Lead	FIXED					
					FS						30.4		9.32							
Lucky Duck	Custom Santa Cruz 52	28729	<b>-30</b>	2001	64.14	155	64.6	57.5	8.76	Yes	Yes	40.91	53	22544	0	IB	(Mtg 8/23/12, Custom Rating Assigned, -21 as sailed)(Mtg 5/23/13, weighed displacement added)(Mtg 3/27/14, New Rudder, -3 sec/mi for OSP, -6 sec/mi for 10%+ increase in spinnaker area. No penalty for keel/displacement)			
			<b>471</b>		18.95		22.5	21	14.22		67.29	22.5	46.25	8000	1	Fold				
			<b>104</b>		CARBON				745		40.55	2254	14	Lead	FIXED	2				
					MS						38.74		9							
Double Down	Custom Schumacher 30	18480	<b>123</b>	1988	41.37	150	41.5	36.416	4.5	Yes	No		29.92	7854	No	IB	Rudder change, old rudder 85lbs new 65 lbs. Old alum/new carbon MTG 10/27/94 Noted- NCTR (MTG 1/9/97 Alum headsail removed and excess wires removed from mast- Noted NCTR)(Mtg 2/21/08, change custom rating from 126 to 123 after			
			<b>645</b>		12.16		41.5	11.83	7.69		40.75	12.08	26	3650	1	FOLD				
			<b>203</b>		ALUMN			0	257		21.75	736	10.65	Lead	FIXED	2				
					MS			0			21.35		6.17							

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications						
			Built	J	Max Headsail	ISP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp. Traps/H. Strps		IB or OB									
									DW Rating	Mast Material				E	MGM		SL	SPL		SLU	ASA	LWL	Ballast	moveable blst	Prop Type
EY	SSF	ASM	Fixed or _o	Max Draft																					
Q	Custom Schumacher 40	28901	54	2001	47	105	47	47.5	6.75	Yes		No		40	10166	No	IB								
			554		14.67			18.35	11.75					31.5	4528	1	FOLD								
			148		CARBON		0	513	26.41			0		11	Lead	FIXED	2								
					FS		0		26.41			<input type="checkbox"/>		7.6											
Surprise	Custom Schumacher 46	28098	6	1997	57	160	63	57	7.5	Yes		Yes	37.23	46	18300	No	IB	(MTG 4/9/98)(mtg 2/20/04)							
			510		17			19.75	12.8					40.63	8000	1	FOLD								
			124		CARBON		0	670	33.6			60.17	0	12.92	Lead	FIXED	2								
					FS		0		33.6			30.97	<input type="checkbox"/>	90	7.75										
Nightmare	Custom Wilderness 30 SX FR OB	305	111	1980	34	125		34.4	4.59	Yes		No		29.75	4700	No	OB	(-3 sec/mi for change from IB to OB, -6 sec/mi for keel change.)(mtg 2/26/15, -9 sec/mi for oversized spinnaker)							
			588		11.75			11.5	7					27.75	1650	1	None								
			100		FS		0	233	23.25			0		8.83	Lead	FIXED	0								
							0		23.25			<input type="checkbox"/>		5.92											
Punk Dolphin	Custom Wylie 38	18481	72	1985	48	150	48	43	5.58	Yes		No		38	14000	No	IB								
			581		14.33			14	9.55					31	5000	1	FOLD								
			214		ALUMN		0	369	25.8			0		11.6	Lead	FIXED	2								
					MS		0		25			<input type="checkbox"/>		6.75											
Gavilan	Custom Wylie 39	28439	93	1996	49	122	49	43	5.73	Yes		Yes	24.6	41.5	17900	No	IB	(mtg 4/28/11, change custom rating from 84 to 96 after review of rating appeal)(Mtg 1/26/12, -3 sec/mi for sprit)							
			604		14.5			15.5	9.75			48.64	14.5	31.75	5920	1	FEATH								
			254		ALUMN		0	390	26.6			47.08	1078	11.5	Lead	FIXED	3								
					MS		0		26.6			18.47	<input checked="" type="checkbox"/>	1.17	6.77										
Checkered Past	Custom Wyliecat 39	3	102	2002				52	10.2	No		No		38.83	12000	0	IB	Boat has been modified for handicapped sailing							
			595					26.6	17.4					32	6200	1	FOLD								
			166		CARBON				826			0		11.5	Lead	FIXED	2								
					CAT							<input type="checkbox"/>	0	6.6											
Lilith	Custom Wyliecat 39	7	102	1992				50.75	10.45	No		No		38.83	12000	No	IB	HULL DESIGN IS VERY SIMILAR TO WYLIECAT 30.NO JIB, NO SPINNAKER, NO SPANKER,NO REACHER, NO VANG,NO TWECKER,NO STAYS ETC., AS SAILED RATING 102 PER MTG 6/15/02							
			596					26.5	17.5					32	6200	1	FOLD								
			166		CARBON		0	811				0		11.83	Lead	FIXED	2								
					CAT		0					<input type="checkbox"/>		6.67											

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		Ttl Disp.		Traps/H. Strps moveable blst				
								SL SPL SSMG SSF	SPL SSA	SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o				Ballast Mat.			Keel Type
Catch 22	Custom Zenrich 20	22	189	1979	25.5 8	155	25.5	25.5 3.67 8.67 5.08	3.67 5.08	Yes	No	20 18 7.79 4	1800 400 Lead	0 1 FIXED	OB None	(Mtg 1/26/12, Custom rating of 189 assigned)		
Daseins Den	Dana 24	324558	246	1987	34 12.25	120	28.25 10.75	3 5.85	5.85	No	No	24.16 21.42 8.58 3.83	7400 3100 Lead	0 1 FIXED	IB Fixed_2			
Neja	Dasher 32	7325	174	1961	38.01 12.59	155	38.01	33.22 14.6 8.86	5.12 8.86	Yes	No	31.75 26.75 8.9 5.75	11323 3600 Lead	0 1 FIXED	IB Fold	500 pounds less lead in keel than the Dasher Easom Boat Works built		
Imagine	Davidson 44 MOD	77220	57	1980	49.92 15.38	125	50.33	58.3 18.33 12.8	6.9 12.8	Yes	No	44 38.5 13 7.6	24410 7000 Lead	No 1 FIXED	IB FOLD 3	(Mtg 4/27/17, custom rating of 57 assigned)		
CaZan	DK 46	61046	-21	2001	61.94 17.85	126	70.54 19.849	63.55 21.95 14.21	8.2 14.21	Yes	No	33.56 1822 0 0	46.26 40.52 13.45 9.84	22439 9480 Lead	0 1 FIXED	IB Fold	(Mtg 5/25/17, custom rating assigned. As Sailed: -21)	
Spartan	Dufour 1300	0	195	1975	31.17 9.18	110		27.89 8.2 5.91	3.54 5.91	No	No	23.88 18.04 8.66 4.76	2866 1257 Iron	0 1 FIXED	OB None			
Harizon	Dufour 310	122	159	2016	40.35 10.82	95		38.25 14.57 9.47	5.54 9.47	No	No	31.72 28.54 10.88 6.23	10802 2932 Iron	0 1 FIXED	IB Fold			



Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
			Rating		I	J	ISP	P	MGU	Yes/No		Yes/No	ASF		Ttl Disp.	Traps/H. Strps	IB or OB	
			DW Rating		Max Headsail	ISP	E	MGM	SL	SPL	SLU	ASA	Ballast		moveable blst	Prop Type		
			Disp/WL ratio		Mast Material	JSP	PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Ballast Mat.		Keel Type	# of blades		
					Rig Type	EY		ASM	Fixed or _o									
Boudicca	Elan 310	310	<b>129</b>	2010	40.19 11.74	106	42.55 14.87	39.53 13.55	5.28 8.92	No	Yes	25.91	30.3	10141	0	IB		
			<b>630</b>		ALUMN						906	28.58	2292	1	Fold			
			<b>197</b>		FS						3	10.5	Iron	FIXED				
										<input checked="" type="checkbox"/>	0	6.23						
Lonesome Dove	Elite 29	9066	<b>165</b>	1984	35.833 11.083	130		30.333 10.333	2.6 5.1	Yes	No		28.67	6160	No	IB		
			<b>676</b>		ALUMN			0	157			24.42	2310	1	Fixed_2			
			<b>192</b>		MS			0			0	10.5	Iron	FIXED	2			
								0			<input type="checkbox"/>	5.58						
Kiwa	Ericson 32-2	285	<b>183</b>	1973	36 18	155	36	31.5 13	4.9 8.4	No	No		32	9400	0	IB		
					ALUMN							24	4400	1	Fixed_2			
			<b>309</b>		MS						0	9.67	Lead	FIXED	2			
											<input type="checkbox"/>	4.91						
Sirena	Ericson 32-2	18319	<b>186</b>	1972	35 13	110	35	31 13	4.9 8.4	Yes	No		31	8800	0	IB		
			<b>685</b>		ALUMN			23.1	705			24	4000	1	Fixed_2			
			<b>289</b>		MS			21.9			0	9.8	Lead	FIXED	2			
											<input type="checkbox"/>	5						
Wild-Type	Ericson 32-2	614	<b>186</b>	1975	38 13	155	13	31.5 13	4.53 8.19	No	Yes	22.23	31.58	8800	0	IB	Roller Furler	
			<b>707</b>		ALUMN							24	4000	1	Fixed_3			
			<b>289</b>		MS				237		0	8.67	Lead	FIXED	3			
											<input checked="" type="checkbox"/>	4.92						
Imagine	Ericson 32-3	716	<b>159</b>	1987	42 13.8	135		36.4 11.8	4.18 7.28	No	No		32.5	9800	0	IB		
					ALUMN							25.83	4200	1	Fixed_2			
			<b>258</b>		MS				248		0	10.83	Lead	FIXED	2			
											<input type="checkbox"/>	6						
Baleineau	Ericson 34 Olson SM	42147	<b>105</b>	1988	44 13	155	44	38.8 13	4.88 8.25	Yes	No		34	10600	No	IB		
			<b>629</b>		ALUMN			0	298			28	3650	1	FOLD			
			<b>219</b>		MS			0			0	10.83	Lead	FIXED	2			
											<input type="checkbox"/>	6						

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop		Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst	IB or OB Prop Type # of blades		
								SL	SPL	SLU	ASA							
								SSMG SSF	SSA	SLE	ASMG						Ballast Mat.	
Loya	Ericson 34 Olson SM	3246	<b>105</b> 1989	44.5 13.25 154 44	44 13.25	38.84 4.69 12.9 8.38	4.69 8.38	Yes	Yes	23.8	34	10600	0	IB				
			<b>627</b> 219	ALUMN MS			296			886 0 0	28 10.83 6	3650 Lead	1 FIXED	Fold 2				
Red Sky	Ericson 34 Olson SM	28340	<b>105</b> 1989	44 12.95 150 44	44 12.95	38.7 5.1 12.95 8.5	5.1 8.5	Yes	Yes	21.98	33.88	10855	No	IB	MTG 12/11/97(RUDDER REPLACED 8" DEEPER ADN 3" NARROWER.)			
			<b>627</b> 225	ALUMN MS		0 302 0				587 0 0	28 10.8 6.08	3500 Lead	1 FIXED	FOLD 2				
Razzberries	Ericson 34 Olson TM	97479	<b>99</b> 1988	46.77 12.95 155 47	47	40.9 5.1 12.95 8.5	5.1 8.5	Yes	No		33.88	10855	No	IB				
			<b>625</b> 225	ALUMN MS		0 320 0				0	28 10.8 6.085	3500 Lead	1 FIXED	FOLD 2				
Sweet Grapes	Ericson 36 Holland	19	<b>108</b> 1981	47.75 14.5 147 47.75	47.75	42 3.5 12 7.2	3.5 7.2	Yes	No		35.58	11600	0	IB				
			<b>621</b> 216	ALUMN MS			278			0 0	29 11.83 6.25	5230 Lead	1 FIXED	FOLD 2				
Plus Sixteen	Ericson 911S Olson	97707	<b>135</b> 1991	41.5 12.25 125 41.5	41.5 12.33	35.761 4.035 11.811 7.136	4.035 7.136	Yes	Yes	20.932	30	8500	No	IB				
			<b>662</b> 247	ALUMN MS		0 240 0				698 0	25 10.33 5.42	3200 LeadSteel	1 FIXED	FEATH 2				
Shanti	Ericson 911S Olson	326	<b>132</b> 1989	41.5 12.33 150 41.5	41.5 12.33	35.5 4.73 11.83 7.69	4.73 7.69	Yes	No		29.92	8700	0	IB	CHANGE TO RUDDER NOTED, NCTR			
			<b>662</b> 253	ALUMN MS		0 253 0				0	25 10.33 5.42	3200 Lead	1 FIXED	FOLD 2				
Tule Lost	Ericson 911S Olson	28911	<b>132</b> 1988	41.5 12.33 155 41.5	41.5	35.5 4.73 11.083 7.69	4.73 7.69	Yes	No		29.92	8680	No	IB	MUST HAVE YACHT CLUB MEMBERSHIP CARD WITH ENTRY FORM FOR 2006 RACING			
			<b>663</b> 253	ALUMN MS		0 247 0				0	25 10.33 5.42	3200 Lead	1 FIXED	FOLD 0				

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop		Modifications
			ISP		I	J	P	MGU	Yes/No	Yes/No	ASF	Ttl Disp.		Traps/H.	IB or OB			
			JSP		Max	Head	E	MGM	SL	SPL	SLU	ASA		Ballast	moveable blst	Prop Type		
					sail	sail	PY	MSA	SSMG	SSA	SLE	Sprit Lngth		Ballast Mat.	Keel Type	# of blades		
			Disp/WL ratio					SSF	ASMG	Fixed or _o								
Rustler	Esse 850	71	75		32.8	105	37.72	34.4	6.23	No	Yes	24.3	28	3000	0	IB	Outboard replaced with inboard saildrive (Mtg 2/28/13, custom rating assigned, as sailed: 75)	
					10		16.2	11.97	8.85		43.5	28	1540	1	Fold			
			535		ALUMN						36.9	7.25	Lead	FIXED				
			62		FS				277		23	6.6						
White Jacket	Etchells 22 ODR	901	120	1991	27.27	90		32.49		Yes	No		30.5	3337	0	OB		
					8.22			11.57				8.22	22	2105	1	None		
			648		ALUMN			0				0	6.83	Lead	FIXED	0		
			142		FS			0					4.5					
Abigail Morgan	Express 27 ODR	18394	129	1985	28.5	150	28.5	28.5	4.22	Yes	No		27.25	2450	No	OB		
					9			10.416	7.03			9.833	23.75	1100	1	None		
			612		ALUMN			0	182			0	8.166	Lead	FIXED	0		
			83		FS			0					4.5					
Andale	Express 27 ODR	72	129	1985	28.5	155	28.5	28.5	4.22	Yes	No		27.25	2450	0	None		
					9			10.42	7.03			9.83	23.75	1100	1	None		
			611		ALUMN				182			0	8.17	Lead	FIXED			
			83		FS			17.7				0	4.5					
Archimedes	Express 27 ODR	18355	129	1985	28.5	155	28.5	28.5	4.22	Yes	No		27.25	2450	No	NONE		
					9			10.416	7.03			9.833	23.75	1100	1	None		
			611		ALUMN			0	182			0	8.17	Lead	FIXED	0		
			83		FS			0					4.5					
Bombora	Express 27 ODR	38047	129		28.5	155	28.5	28.5	4.22	Yes	No	0	27.25	2450	0	OB		
					9			10.42	7.03			9.83	23.8	1100	1	None		
			611		ALUMN				182			0	8.17	Lead	FIXED	0		
			83		FS			17.7				0	4.5					
Current Affair	Express 27 ODR	56	129	1983	28.5	155	28.5	28.5	4.22	Yes	No		27.25	2450	0	OB		
					9			10.42	7.03			9.83	23.75	1100	1	None		
			611		ALUMN				182			0	8.17	Lead	FIXED			
			83		FS			17.75				0	4.5					

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
				I J Max Headsail Mast Material Rig Type	P E PY EY		MGU MGM MSA	Yes/No		Yes/No		Ttl Disp. Ballast		Traps/H. moveable blst				
								SL SPL SSMG SSF	SPL SSA	SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o				Ballast Mat.			Keel Type
Dianne	Express 27 ODR	0	<b>129</b>	1981	28.5 9	155	28.5	28.5	4.22	Yes	No	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0			
El Raton	Express 27 ODR	28050	<b>129</b>	1985	28.5 9	155	28.5	28.5	4.22	Yes	No	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0			
Elise	Express 27 ODR	101	<b>129</b>	1986	28.5 9	155	28.5	28.5	4.22	Yes	No	27.25 23.75 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0			
Ergo	Express 27 ODR	40428	<b>129</b>		28.5 9	155	28.5	28.5	4.22	Yes	No	27.25 23.75 8.075 4.5	2450 1100 Lead	0 1 FIXED	OB None 0			
Get Happy!!	Express 27 ODR	1	<b>129</b>	1981	28.5 9	155	28.5	28.5	4.22	Yes	No	27.25 23.75 8.166 4.5	2450 1100 Lead	No 1 FIXED	OB None 0			
Hang 20	Express 27 ODR	48	<b>129</b>	1982	28.5 9	125	28.5	28.5	4.22	Yes	No	27.3 23.8 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0			
Levitation II	Express 27 ODR	77	<b>129</b>	1984	28.5 9	150	28.5	28.5	4.22	Yes	No	27.25 23.75 8.166 4.5	2450 1100 Lead	No 1 FIXED	OB None 0			

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications					
				I J Max Headsail Mast Material Rig Type	P E PY EY		MGU MGM MSA	Yes/No SL SPL SSMG SSF	Yes/No SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast	Traps/H. moveable blst										
														28.5 9 155	4.22 7.03			28.5 9.83	No	27.25 23.8 8.17 4.5	2450 1100 Lead	0 1 FIXED
Disp/WL ratio	Material	SSMG	SSA	ASA	Keel Type																	
Make Me Smile	Express 27 ODR	91	<b>129</b>	1986	28.5 9 155	28.5	28.5 10.42 7.03	4.22 7.03	Yes	No	0	27.25 23.8 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0							
Moonlight	Express 27 ODR	28059	<b>129</b>	1986	28.5 9 155	28.5	28.5 10.416 7.03	4.22 7.03	Yes	No	0	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0							
Motorcycle Irene	Express 27 ODR	28137	<b>129</b>	1982	28.5 9 155	28.5	28.5 10.416 7.03	4.22 7.03	Yes	No	0	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0							
Peaches	Express 27 ODR	18364	<b>129</b>	1986	28.5 9 155	28.5	28.5 10.416 7.03	4.22 7.03	Yes	No	0	27.25 23.75 8.166 4.5	2450 1100 Lead	No 1 FIXED	OB None 0							
Pork Chop Express	Express 27 ODR	115	<b>129</b>	1986	28.5 9 130	32.5	28.5 10.4 7	4.2 7	Yes	No	19.55 425 0 90	27.25 23.75 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None	(Mtg 1/26/17, -3sec/mi for switching to MH configuration. New Rudder, NCTR)(08/11/17, switching back to OD config)						
Salty Hotel	Express 27 ODR	60	<b>129</b>	1983	28.5 9 155	28.5	28.5 10.416 7.03	4.22 7.03	Yes	No	0 0	27.25 23.75 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0							
Shenanigans	Express 27 ODR	67	<b>129</b>	1983	28.5 9 155	28.5	28.5 10.42 7.03	4.22 7.03	Yes	No	0	27.25 23.75 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0							

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications		
				I J Max Headsail Mast Material Rig Type	P E PY EY		MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps moveable blst				
								SL SPL SSMG SSF	SPL SSA	SLU SLE ASMG	ASA							Ballast Mat.	Keel Type
Simply Irresistible	Express 27 ODR	18070	<b>129</b> 1983	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	No		27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0				
			<b>612</b> 83	ALUMN FS		0 0	182				<input type="checkbox"/>								
Swamp Donkey	Express 27 ODR	8444	<b>129</b> 1981	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	No		27.25 23.75 8.166 4.5	2450 1100 Lead	No 1 FIXED	OB None 0				
			<b>611</b> 83	ALUMN FS		0 0	182				<input type="checkbox"/>								
Take Five	Express 27 ODR	28031	<b>129</b> 1982	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	No		27.25 23.75 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0				
			<b>611</b> 83	ALUMN FS			182				<input type="checkbox"/>								
TAZ!!	Express 27 ODR	8100	<b>132</b> 1981	28.5 9	125	28.5	28.5 10.42	4.23 7.04	Yes	No		27.3 23.8 8.17 4.5	2450 1100 Lead	0 1 FIXED	NONE None				
			<b>620</b> 83	ALUMN FS			182				<input type="checkbox"/>								
Tequila Mockingbird	Express 27 ODR	18353	<b>126</b>	28.5 9	155	32.5	28.5 10.416	4.22 7.03	Yes	Yes	18.85 450	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0	(Mtg 4/23/15, switched to MH configuration, -3 sec/mi for increased spinnaker area)			
			<b>603</b> 83	ALUMN FS			182				<input type="checkbox"/>	90							
Tule Fog	Express 27 ODR	18178	<b>129</b> 1984	29 9	155	28.5	29 10	4.22 7.03	Yes	No		27.3 23.8 8.166 4.5	2450 1100 Lead	n 1 FIXED	OB None 0				
			<b>610</b> 83	ALUMN FS			182				<input type="checkbox"/>								
Verve	Express 27 ODR	18283	<b>129</b> 1981	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	No		27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0				
			<b>611</b> 83	ALUMN FS			182				<input type="checkbox"/>								

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications		
				DW Rating Disp/WL ratio	J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU SLE ASMG	SPL SSA		Yes/No	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast Mat.		Traps/H. moveable blst Keel Type	IB or OB Prop Type # of blades
									SL	SPL									
									SSMG	SSA									
Wile E Coyote	Express 27 ODR	11	<b>129</b> 1981	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	No	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 3					
Yeti	Express 27 ODR	38	<b>129</b> 1983	28.5 9	155	28.5	28.5 10.4	4.22 7.03	Yes	No	27.25 23.75 8.16 4.5	2450 1100 Lead	0 1 FIXED	OB None					
Wetsu	Express 27 w/J length pole	70	<b>129</b> 1983	28.5 9	155	28.5	28.5 10.42	4.22 7.03	Yes	No	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0	-6 Sec/mi OSP				
Marrakesh	Express 34	3	<b>102</b> 1987	44.25 13	125	44.25	38.5 12.83	4.87 8.46	Yes	No	34 28.33 10.33 6.11	9245 3800 Lead	No 1 FIXED	IB FOLD 2					
Pony Express	Express 34	28234	<b>99</b> 1988	44.25 12.92	155	44.25	38.5 12.83	4.87 8.46	Yes	No	34 28.33 10.5 6	7500 3700 Lead	No 1 FIXED	IB FOLD 2					
Traveler	Express 34	97089	<b>99</b> 1987	44.3 13	150	44.3	38.5 12.83	4.87 8.46	Yes	No	34 28.3 10.5 6	8500 3700 Lead	0 1 FIXED	IB FOLD 2	-6 FOR OVERSIZED SPINNAKER				
Bullet	Express 37	40311	<b>72</b> 1985	48.75 14.33	155	48.75	42 13.75	5.3 8.83	Yes	No	37.08 30.83 11.57 7.25	11000 4600 Lead	No 1 FIXED	IB FOLD 2					

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.		Traps/H. Strps moveable blst			
								SL	SPL								
								SSMG	SSA								
Disp/WL ratio								Ballast Mat.	Keel Type								
Eclipse	Express 37	18495	72 1985	48.75 14.33 155	48.75	42 5.28 13.75 8.83 0 0	5.28 8.83 344	Yes 48 14.33 25.79 1032 25.79	No	0	37.08 30.83 11.57 7.25	11000 4500 Lead	0 1 FIXED	IB FOLD 2	Rudder modification noted, no change to rating. (Actual weight from yard 11200 - 9500 was design displacement. No mods from standard express 27.) 3/26/01		
Elan	Express 37	87700	72 1985	48.75 14.33 155	48.75	42 5.28 13.75 8.83 0 0	5.28 8.83 344	Yes 48 14.33 25.79 1032 25.79	No	0	37.083 30.833 11.57 7.25	11000 4500 Lead	No 1 FIXED	IB FOLD 2			
Escapade	Express 37	18051	72 1985	48.75 14.33 155	48.75	42 5.28 13.75 8.83 0 0	5.28 8.83 344	Yes 48 14.33 25.58 1022 25.42	No	0	37.08 30.83 11.57 7.25	11000 4500 Lead	No 1 FIXED	IB FOLD 2			
Expeditious	Express 37	18478	72 1986	48.75 14.33 155	48.75	42 5.28 13.75 8.83 0 0	5.28 8.83 344	Yes 48 14.33 25.5 1019 25.4	No	0	37.08 30.83 11.57 7.25	11000 4500 Lead	No 1 FIXED	IB FOLD 2	INSTALED NEW CLASS-APPROVED CARBONFIBER RUDDER - MTG 6-12-2000 NCTR.		
Golden Moon	Express 37	18488	72 1985	48.75 14.33 155	48.75	42 5.37 13.75 8.99 0 0	5.37 8.99 347	Yes 48.27 14.33 25.79 1037 25.79	Yes 49.8 46 25	29.5 1034 0 90	37 30.83 11.57 7.25	11000 4500 Lead	No 1 FIXED	IB FOLD 2			
Mudshark	Express 37	28052	72 1986	48.75 14.33 155	48.75	42 5.28 13.75 8.83 0 0	5.28 8.83 344	Yes 48 14.33	No	0	37.08 30.83 11.57 7.25	11000 4500 Lead	No 1 FIXED	IB FOLD 2			
Phat Jack	Express 37	18257	72 1985	48.75 14.33 150	48.75	42 5.25 13.75 8.83 0 0	5.25 8.83 343	Yes 48 14.33 25.7 1028 25.7	No	0 0	37.08 30.83 11.57 7.25	11000 4500 Lead	0 1 FIXED	IB FEATH 2			



Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
			Built		I	J		P	MGU	Yes/No	Yes/No	ASF	Ttl Disp.		Traps/H.	IB or OB		
			Max Headsail		Max	Max		E	MGM	SL	SPL	SLU	ASA		Ballast	moveable blst	Prop Type	
			ISP		Material	Material		PY	MSA	SSMG	SSA	SLE	Sprit Lngth		Ballast Mat.	Keel Type	# of blades	
			Disp/WL ratio		Rig Type		EY			ASF	Fixed or _o							
Stewball	Express 37	18278	<b>72</b>	1985	48.75 14.33	150	48.75	42	5.28	Yes	No		37.083	11000	0	IB		
			<b>577</b>		ALUMN			13.75	8.83			14.33	30.833	4500	1	FOLD		
			<b>171</b>		MS			0	344		<input type="checkbox"/>	0	11.57	Lead	FIXED	2		
								0					7.25					
Expression	Express 37 MOD	33985	<b>75</b>	1984	48.75 14.33	150	48.75	42	5.3	Yes	No	19	37.1	9500	0	IB	(mtg 1/21/10, +3 sec/mi for modified keel, -3 sec/mi for dual spinnaker/ability to fly asym on squared back pole)(1/19/11, removed asym, only using symmetric spinnaker, +3 sec/mi)	
			<b>590</b>		ALUMN			13.75	9			705	30.83	4500	1	Fold		
			<b>147</b>		MS				346			0	11.5	Lead	FIXED	2		
								23.2	931		18	<input type="checkbox"/>	90	6				
Ouessant	Farallone Clipper FR	8214	<b>159</b>	1957	35.69 13.87	150	35.69	40.34	7	Yes	No		37.833	18344	No	IB		
			<b>673</b>		WOOD			18.79	12.1				28.25	7200	1	Fixed_2		
			<b>370</b>		FS			0	448		<input type="checkbox"/>	0	9.5	Iron	FIXED	2		
								0					5.916					
Vip	Farallone Clipper FR	7	<b>159</b>	1957	36.82 14	155	36.82	40.5	6.16	Yes	No		38	19000	No	IB		
			<b>673</b>		WOOD			18.5	10.979				28.75	7000	1	Fixed_3		
			<b>363</b>		FS			0	420		<input type="checkbox"/>	0	9.5	Iron	FIXED	3		
								0					5.6					
Brandy	Farr 30 1/2 Ton	57257	<b>150</b>	1979	31 9.6	145	31	34	4.5	Yes	No		30.33	4894	0	OB	(Mtg 4/24/15, -6 sec/mi for increased P)	
			<b>654</b>		ALUMN			12.9	7.11				23.5	1909	1	None		
			<b>171</b>		FS				243		<input type="checkbox"/>	0	10	Lead	FIXED			
								17	445				5.33					
Red Cloud	Farr 36 Mod	99	<b>87</b>	1976	38.3 12.16	108	46.3	41	6.4	Yes	No		36	10430	No	IB	(550# ADDED TO KEEL 300# TO FILL MIDDLE WINDOW+250# TO BOTTOM)(Mtg 1/26/12, -3 sec/mi for new mainsail)(mtg 3/29/12, +3 sec/mi after review of rating appeal, as sailed: 87)	
			<b>584</b>		ALUMN			16.75	10.9				31.33	3950	1	Fold		
			<b>154</b>		FS			0	410		<input type="checkbox"/>	0	11.92	Lead	FIXED	2		
								0					6.16					
Racer X	Farr 36 ODR	6	<b>9</b>	2006	46.78 13.19	110	54.82	49.93	8.53	No	Yes	36.279	36.1	6744	No	IB		
			<b>473</b>		CARBON			18.63	12.965			1751	32.8	3078	1	FOLD		
			<b>87</b>		FS				592		<input checked="" type="checkbox"/>	0	11.72	Lead	FIXED	2		
								0					8.5					

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
			Built	I	J	Max Headsail	ISP	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB		
			DW Rating	Mast Material	JSP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type				
			Disp/WL ratio	Rig Type	PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades					
Wicked Sister	Farr 36 ODR	3	<b>9</b>	2004	46.78 13.19	110	54.82 21.06	49.93 18.63	8.53 12.96	No	Yes	36.28 1751	36.1 32.8	6745 3076	0 1	IB Fold			
			<b>473</b> 87		CARBON FS				592		55.05 36.05	7.36 <input checked="" type="checkbox"/> 0	11.72 8.5	Lead	FIXED				
Mintaka 4	Farr 38	18441	<b>81</b>	1979	43.67 13.67	125	46.2	44.9 17.9	6.8 11.6	Yes	No		38.25 31.17	11850 4100	No 1	IB FOLD	(2002-removed dinette stbrd, add bench seat w/55 gal fuel tank, original was 12.5. Rudder replaced 12" longer, 4" narrower. Changes noted mtg 1/17/02, NCTR)(removed short pole, changed spinnakers, 4/12/04)(Mtg 1/24/12, new stem		
			<b>578</b> 178		ALUMN FS			0 0	478		26.07 24.6	948 <input type="checkbox"/> 0	12 6.33	Lead	FIXED	2			
Timber Wolf	Farr 38-1 C&B Marine	67519	<b>75</b>	1980	43.91 13.36	155	47.9	44.83 17.91	6.7 11.6	Yes	No		38.32 30.9	12000 4100	0 1	IB FOLD	(REDUCED MGM, ADDED 6" TO RUDDER LENGTH -NOTED NCTR-2/15/01)(-3 sec/mi for oversized spinnaker)		
			<b>579</b> 185		ALUMN FS			0 0	476		26.4 26.4	1056 <input type="checkbox"/> 0	11.97 6.39	Lead	FIXED	2			
Chance	Farr 395	39528	<b>27</b>	2002	51.25 14	105	56.33 20.36	50 18.42	7.54 12.53	No	Yes	33.46 1617	39.33 34.5	12500 4600	No 1	IB FOLD			
			<b>528</b> 138		CARBON FS			0 0	567		52.49 33.79	6.36 <input checked="" type="checkbox"/>	12.08 7.83	Lead	FIXED	2			
Astra	Farr 40 ODR MH	40079	<b>0</b>	2000	53.2 15.5	105	53.12	54.8 19.4	7.29 12.47	Yes	No		40.75 35.27	10917 5079	No 1	IB FOLD			
			<b>502</b> 113		CARBON MS			0 0	629		60.69 34.39 34.44	17.06 1740 <input type="checkbox"/> 0	13.22 8.53	Lead	FIXED	2			
Bright Hour	Farr 40 ODR MH	50092	<b>0</b>	2001	53.15 15.45	0	50.04 17.06	54.8 19.36	8.49 13.77	Yes	No		40.7 35.3	10902 4960	0 1	IB Fold			
			<b>498</b> 113		CARBON FS				674		34.39 34.44	1740 <input checked="" type="checkbox"/> 0	13.2 8.53	Lead	FIXED				
Twisted	Farr 40 ODR MH	40046	<b>0</b>	1999	53.15 15.45	105	50.04 17.06	54.8 19.36	8.49 13.77	Yes	No		40.7 35.3	10902 4960	0 1	IB FOLD	(Mtg 12/1/11, interior mods for IRC, smaller mainsail: NCTR)(Mtg 5/24/12, switching to MH ODR configuration)		
			<b>498</b> 113		CARBON FS				674		34.39 34.44	1740 <input type="checkbox"/> 0	13.2 8.53	Lead	FIXED	2			

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop		Modifications
			Built	DW Rating	J Max Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.		Traps/H. Strps moveable blst	IB or OB Prop Type # of blades			
									SL	SPL							Ballast Mat.	Keel Type	
Envolee	Figaro II	0	<b>54</b>	2012	42.75 12.42	104	42.75	42.67 15.42	6.5 10.63	Yes	No	32.18 32 11.33 6.5	6724 2425 LeadWater	0 1 FIXED	IB Fold	(mtg 4/27/17, water ballast disabled, +6 sec/mi)			
Hot Socks	Figaro II	27	<b>48</b>	2004	42.75 12.42	104	42.75	42.67 15.42	7 11	Yes	No	32.18 32 11.33 6.5	6724 2425 LeadWater	0 1 FIXED	IB Fold				
Centomiglia	Flying Tiger 10 Meter	15	<b>57</b>	2006	39.284 12.126	105	45.282 19.134	40.167 14.895	5.25 9.12	No	Yes	32.68 30.31 9.12 7.61	4376 1918 Lead	No 1 FIXED	OB None 3	(3/7/11, new class rudder installed, NCTR)(Mtg 8/24/17, +3 sec/mi for small girth mainsail)			
Divine Wind	Flying Tiger 10 Meter ODR	30	<b>54</b>	2007	39.28 12.12	105	45.28 19.134	40.16 14.89	6.463 10.5	No	Yes	32.65 30.31 9.15 7.62	4900 1918 Lead	0 1 FIXED	OB None 0				
Wild 1	Flying Tiger 10 Meter ODR	41	<b>54</b>	2007	39.284 12.126	105	45.282 19.134	40.167 14.895	6.463 10.499	No	Yes	32.68 30.31 9.12 7.61	4376 1918 Lead	0 1 FIXED	OB None 3				
Circlesea	Folkboat	125	<b>252</b>		21.99 6.56	100	10.17	28.71 11.15	4.42 7.33	No	No	25.08 19.82 7.26 3.92	4640 2315 Iron	0 1 FIXED	OB None 0				
Thea	Folkboat	108	<b>252</b>	1984	21.988 6.562	100	10.166	28.707 11.154	4.416 7.333	No	No	25.079 19.822 7.261 3.916	4640 2315 Iron	No 1 FIXED	OB None 0				

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications		
			Built	J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU SLE ASMUG	SPL SSA	Yes/No	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast Mat.	Traps/H. moveable blst Keel Type	IB or OB Prop Type # of blades			
								DW Rating	Disp/WL ratio										SSMG SSF	SSA
Jacqueline	Freedom 30 SD	3	<b>174</b>	1986	28.4 9.8			35.2 13.9	5.25 9 291	Yes	No	30 25.42 10.8 4.5	7660 3150 Lead	0 1 FIXED	IB Fixed_2					
Kynntana	Freedom 38	38086	<b>141</b>	1988	33.34 11.5	100	33.34 11.5	45.5 16.57	6.25 10.7 447	No	No	38.42 30.58 12.5 5.6	14370 6500 Lead	0 1 FIXED	IB Fold					
Crane Wife	Fuji 32 KTH	0	<b>252</b>	1977	36.25 14.75	148		29.08 11.21 18.25 8	3.8 5.96 177	No	No	31.5 29 9.83 3.66	13115 4635 Iron	0 1 FIXED	IB Fixed_3					
Borealis	Gulf 39 PH	77135	<b>129</b>		50 16.17	128		42 13.75	4.83 8.58 334	No	No	38.83 33.67 12 5	17500 Iron	1 FIXED	IB Fold					
Anais	Hanse 505	61019	<b>45</b>	2014	64.16 19.16	100	65 20	58.6 20	6.55 11.87 655	No	Yes	38.52 70.41 64.11 38.35	49 44.4 15.6 7.7	36000 8300 Lead	0 1 FIXED	IB Feath				
Firefly	Harbor 20	226	<b>213</b>	2006	25.75 7	90	25.75 7	26 10	3.6 6.25 151	No	No	20 17.17 7 3.5	1800 900 Lead	0 1 FIXED	OB None					
Obsession	Harbor 20	299	<b>207</b>	2010	25.75 7	95	26.38 8.16	26 10	3.25 6.05 147	Yes	No	20 17.2 7 3.5	1800 900 Lead	0 1 FIXED	OB None	(Mth 5/25/17, -6 sec/mi for OSP)				

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
			Built		I	J		P	MGU	Yes/No	Yes/No	ASF	Ttl Disp.		Traps/H.	Strps	IB or OB	
			DW Rating		Max	Head		E	MGM	SL	SPL	SLU	ASA		Ballast	moveable blst	Prop Type	
			Disp/WL ratio		Sail	Material		PY	MSA	SSMG	SSA	SLE	Sprit Lngth		Ballast Mat.	Keel Type	# of blades	
Nepenthe	Hawkfarm 28	6122	<b>174</b>	1976	33.3 11	115	33	36 10.5	4.3 7.2	No	No			28 23.5 9.75 5.5	5700 2700 Lead	0 1 FIXED	IB Fixed_2 2	
Red Hawk	Hawkfarm 28 ODR	59024	<b>162</b>	1978	33 11	155	33.25 11.5	36 10.5	4.37 7.26	Yes	No			28 23.5 9.75 5.166	5700 2700 Lead	0 1 FIXED	IB FOLD 2	
Family Hour, TNG	Henderson 30	46595	<b>48</b>	1997	37 11	155	42.3 17.8	38.2 14	6.74 10.62	Yes	Yes	31.9 1223		30.83 27.75 9.84 7	3850 1750 Lead	0 1 FIXED	OB None 0	Kelp Cutter
Gygax	Hinckley Pilot 35 TM	4802	<b>192</b>	1975	44.36 13.8	155	44.36 13.8	41.83 15.81	5.5 9.97	Yes	No			35.5 25 9.5 5	13500 4200 Lead	0 1 FIXED	IB Feath	
Captain Sluggo	Hobie 33	77870	<b>54</b>	1982	34.7 12.2	105	42.3	38.1 13.5	6 9.6	No	Yes	25.6 928		33 30.4 8 5.4	4532 1800 Lead	0 1 FIXED	OB None	(Meeting 4/27/17, Custom rating assigned: 54)
Vitesse Too	Hobie 33 ODR	87112	<b>90</b>	1983	33.8 12.4	125	36.8	35 12.4	4.75 8	Yes	No			33 30.5 8 5.5	4000 1800 Lead	No 1 FIXED	OB None 0	Extended rudder 10", NCTR
Xtreme	Hobie 33 ODR	18170	<b>90</b>	1984	33.83 12.4	125	36.25	35 12.5	4.75 8	Yes	No			33 30.5 8 5.42	4000 1800 Lead	No 1 FIXED	OB None 0	

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
			ISP		I	J	P	MGU	Yes/No	Yes/No	ASF	Ttl Disp.		Traps/H. Strps			
			JSP		Max Headsail	Mast Material	E	MGM	SL	SPL	SLU	ASA		Ballast	moveable blst		
					ISP		PY	MSA	SSMG	SSA	SLE	Sprit Lngth		Ballast Mat.	Keel Type		
		Disp/WL ratio					EY			ASF	Fixed or _o						
Turbo Camper	Hobie 33 ODR MOD	87574	<b>84</b>	1984	33.28 12.4	155	36.5 13.13	35 12.5	4.75 8.1	No	Yes	23 702	33 30.5	4200 1900		OB None	(Mtg 3/29/12, -3 sec/mi for displacement changes)
			<b>550</b> 67		ALUMN FS		0 0	261		23.6 23.6	728	34.2 23	0.6 90	8 5.42	Lead FIXED	0	
Some Assembly Required	Holder 20	183	<b>192</b>	1984	22.6 7.25	155	22.6 13.05	24.04 9.33	3.84 6.58	Yes	No		20.33 18.42	1160 335	4 1	OB None	(Mtg 8/24/17, added 4 soft hiking straps to seats, NCTR)
			<b>666</b> 84		ALUMN FS			141		12.92 11.88	239		0 0	7.83 3.58	Lead MVBL		
Archaeopteryx	Hotfoot 20	101	<b>177</b>	1986	25 7	105	26.08 7.67	27.08 10.08	4.05 6.6	Yes	No		20 18	1000 400	0 1	OB None	
			<b>628</b> 78		ALUMN FS			166		26.97 13.86 13.3	7.67 309		0 0	8.5 5	Lead CNTRBRD		
Iolani	Hughes 48	38048	<b>120</b>	1972	54.3 18.2	135	20.2	48.2 19	5.9 10.4	Yes	Yes	32.76 1400	48 35.1	32000 14300	0 1	IB FEATH	
			<b>599</b> 336		ALUMN YAWL			493		40.32 32.76 32.76	18.2 1101	54 48.6 32.76		11.1 6	Lead FIXED	3	
Gig	Humboldt 30 IB	18112	<b>108</b>	1983	37.5 11.5	149	37.5	41.5 13.75	5.13 8.83	Yes	No		30 26.66	5400 2222	No 1	IB FOLD	
			<b>603</b> 130		ALUMN FS			338		37 20.7 20.2	11.5 635		0	10.5 5.75	Lead FIXED	2	
Kelika	Hunter 33.5	28815	<b>150</b>	1991	39.166 11.666	150	39.116	43.166 13.5	5.2 8.9	Yes	No		33.33 26.83	10800 4500	No 1	IB FEATH	
			<b>657</b> 254		ALUMN FS			350		39 21.15 21.15	11.75 687		0	11 4.5	Iron FIXED	2	
Lenora	Hunter 33-2	60700	<b>153</b>	2004	37.42 10.83	115	38.42 10.83	36.46 15.83	4.83 8.33	No	Yes	18.5 531	33.5 29.42	10400 3459	0 1	IB Fold	
			<b>648</b> 186		ALUMN FS			306		35.5 16.67		0 0	11.17 5.5	Lead FIXED	3		

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications		
			Built	J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp.	Traps/H. Strps		IB or OB Prop Type # of blades			
									DW Rating	Mast Material	SL	SPL			SLU	ASA			Ballast	moveable blst
Disp/WL ratio	Rig Type	SSF	SSA	ASM	Fixed or _o															
Itinerant	Hunter 34	1025	<b>150</b>	1986	47.42 13.75	105	41 11.75	4.02 6.87	No	No		34.42 28.25 11.5 5.5	11820 5366 Steel	0 1 FIXED	IB Fixed_2					
Short Bus	Hunter 35 Legend	210	<b>138</b>	1990	42 12.17	110	44.08 14.25	5.5 9.2	No	Yes	24.6 957	35.58 29.75 11.75 6.5	12600 5000 Lead	0 1 FIXED	IB Fixed_2					
Scraft	Hunter 36	38096	<b>156</b>	2005	44.83 13.17	125	44.92 16	6 10.3	No	No		35.5 30.58 12 5.42	13900 5023 Lead	0 1 FIXED	IB Fixed_3	Roller Furler, In-mast Furling Mainsail				
Sir Leansalot	Hunter 40	161	<b>108</b>	1986	53.9 17	125	53.9 17	48 13.9	5.2 9	Yes	52.5 17	39.7 32.5 13.5 6.5	17400 6000 Iron	0 1 FIXED	IB Fixed_2 2					
Invictus	Hunter 41 DS	38093	<b>129</b>	2007	51.6 13	110	50.8 19.6	6 10.11	No	No		40.4 35.6 13.3 6.6	19400 6506 Lead	0 1 FIXED	IB Fixed_3 3	(Mtg 4/25/13, +3 sec/mi for in-mast furling main)				
Gratitude	Hylas 46	60373	<b>102</b>	2002	58.4 17.7	135	58.4 17.7	50.6 18	4.6 9.6	No	Yes	25.5 1309	46.3 40 13.9 6.6	27777 12347 Lead	0 1 FIXED	IB Feath 3				
Hylite	Hylas 49 SM	49	<b>111</b>	2007	57.42 19.5	130	57.42 19.5	51 18.5	4.5 9.17	No	Yes	28.67 1214	48.83 39.5 14.25 6	35000 14500 Lead	0 1 FIXED	IB Fold	(Mtg 1/26/17, Custom rating of 111 assigned)			

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications		
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps moveable blst				
								SL	SPL	SLU	ASA							Ballast Mat.	Keel Type
								SSMG SSF	SSA	SLE ASMG	ASA								
USA 76	IACC	76	<b>-78</b> 2002	83.99 27.17 100 CARBON FS		99.18 30.19	14.12 20.33 1892	No	No			82.6 61.6 11.9 13.45	52910 39683 Lead	No 1 FIXED	IB Fold	(mtg 12/5/13, custom rating of -78 assigned)			
The Mighty Windsong	International Folkboat OB	567	<b>228</b> 1969	26 8.3 155 ALUMN MS		26 8.3	28.8 4.44 11.2 7.34 195	Yes	No			25.75 19.75 7.5 4	5000 2750 Iron	0 1 FIXED	OB None				
Youngster	IOD ODR	82	<b>156</b> 1937	29.25 8.33 103 ALUMN MS		41 10.67	38.83 6.12 16.25 10.47 0 374 0	Yes	No			33.42 21.42 6.75 5.333	7100 4100 Lead	No 1 FIXED	NONE None 0	(mtg 1/21/10, switched to Masthead Spinnaker, -12 sec/mi for 40% increase in ISP, -6 sec/mi for oversized spinnaker girths)(138 rating valid for PHRF Races, not valid for IOD Class races. Boat must be in class configuration to sail)			
Antares	Islander 30-2	6237	<b>186</b> 1971	38.5 12.58 155 ALUMN MS		38.416	32.5 4.75 11.58 8.125 0 235 0	Yes	No			30 24.58 10 5	8600 3600 Lead	No 1 FIXED	IB FOLD 2				
Sweet Pea	Islander 30-2	195	<b>186</b> 1971	38.5 12.58 155 ALUMN MS		38.42	32.5 4.75 11.58 8.125 0 235 0	Yes	No			30 24.58 10 5	8600 3500 Lead	0 1 FIXED	IB FOLD 2				
Apogee	Islander 36 Freeport	36	<b>162</b> 1978	46.75 16.75 150 ALUMN MS			42 5 12.75 8.4 323	No	No			35.9 27.6 12 5.3	17000 7030 Lead	0 1 FIXED	IB Fold				
Zenith	Islander 36 NCPHRF	472	<b>147</b> 1978	45 14.48 135 ALUMN MS		45 14.8	39.25 5.05 12.75 8.44 0 303 0	No	No			36.08 28.25 11.166 6.083	13450 5820 Lead	No 1 FIXED	IB Fold 2				



Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
				J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp. Traps/H. Strps		IB or OB Prop Type # of blades		
									SL	SPL	SLU	ASA		Ballast	moveable blst			
																	SSMG	
Disp/WL ratio	Mast Material Rig Type							ASF Fixed or _o										
Zingara	Islander 36 NCPHRF	484	<b>150</b> 1978	45 14.48	125	45 14.8	39.25 12.75	4.8 8.29	No	No	36.1 28.25 11.17 6.08	13450 5820 Lead	No 1 FIXED	IB Fold 2	Roller Furler			
Califia	Islander 36 ODR	67074	<b>144</b> 1978	45 14.48	135	45	39.25 12.75	3.69 6.88	No	No	36.08 28.25 11.17 6.08	13450 5450 Lead	0 1 FIXED	IB Feath 2				
Cassiopeia	Islander 36 ODR	6763	<b>144</b> 1971	45 14.48	150	45	39.25 12.75	4.8 8.29	Yes 45.34	No	36.08 28.25 11.17 6	13947 5450 Lead	No 1 FIXED	IB FOLD 2	(mtg 2/18/10, - 6 sec/mi for 10% OSP)(8/2/11, boat returned to ODR Configuration)			
Hangover	Islander 36 ODR	367	<b>147</b> 1976	45 14.48	135	45	39.25 12.75	5.05 8.44	No	No	36.8 28.25 11.17 6.08	13450 5820 Lead	0 1 FIXED	IB Fixed_2				
Kapai	Islander 36 ODR	438	<b>147</b> 1977	45 14.48	125	45	39.25 12.75	5.05 8.44	No	No	36.08 28.25 11.17 6	13450 5500 Lead	0 1 FIXED	IB FOLD 2				
Luna Sea	Islander 36 ODR	420	<b>144</b> 1980	45 14.48	135	45	39.25 12.75	5.05 8.44	Yes 45	No	36.08 28.25 11.17 6.08	18000 5450 Lead	No 1 FIXED	IB Feath 3				
Nutmeg	Islander 36 ODR	87245	<b>144</b> 1977	45 14.48	150	45	39.25 12.75	5.05 8.44	No	No	36.083 28.25 11.166 6.083	13450 5450 Lead	No 1 FIXED	IB FOLD 0				

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
			ISP		I	J	Max Headsail	ISP	P	MGU	Yes/No	Yes/No	ASF		Ttl Disp.	Traps/H. Strps	IB or OB	
			JSP		J	J	Material	E	MGM	SL	SPL	SLU	ASA		Ballast	moveable blst	Prop Type	
			JSP		J	J	Rig Type	PY	MSA	SSMG	SSA	SLE	Sprit Lngth		Ballast Mat.	Keel Type	# of blades	
			Disp/WL ratio					EY		ASM	Fixed or _o							
Serenity	Islander 36 ODR	82659	<b>144</b>	1973	45 14.48	135	45	39.25 12.75	3.69 6.88	Yes	No		36.08 28.25 11.17 6.083	13500 5450 Lead	0 1 FIXED	IB Feath		
			<b>648</b> 272		ALUMN MS				265	27 27	15 1013	<input checked="" type="checkbox"/>	0 0					
Windwalker	Islander 36 ODR	57307	<b>144</b>	1976	45 14.48	150	45	39.25 12.75	4.8 8.2	Yes	No		36.08 28.25 11.17 6.08	13450 5820 Lead	No 1 FIXED	IB FOLD 2		
			<b>648</b> 271		ALUMN MS			0 0	297	23.3 24.7	889	<input type="checkbox"/>	0					
FROLIC	Islander 36 TM	47462	<b>141</b>	1974	47 14.5	155	47 14.5	40.75 12.6	4.8 8.25	Yes	No		36.08 28.25 11.17 6.08	13450 5450 Iron	0 1 FIXED	IB Feath 3		
			<b>655</b> 271		ALUMN MS				307	46.5 25.8 24.6	14.5 990	<input type="checkbox"/>	0 0					
Picante	Islander Bahama 28 SM	1	<b>210</b>	1981	33.8 11.75	150	11.75	28 8.2	3.58 5.75	No	Yes	20 478 0 0	27.9 23 9.8 5.5	7000 3000 Lead	0 1 FIXED	IB Fixed_3 3		
			<b>726</b> 262		ALUMN MS				146			<input checked="" type="checkbox"/>	0					
Strange Magic	Islander Bahama 30	179	<b>180</b>	1981	40 12.75	150	40 12.75	33.75 11.5	4.37 7.47	No	No		29.92 24.58 10 5	8230 3130 Lead	0 1 FIXED	IB Fold		
			<b>180</b> 252		ALUMN MS				232			<input type="checkbox"/>	0 0					
Wuvulu	Islander Bahama 30	61	<b>180</b>	1979	40 12.75	150	38.416	33.75 11.5	4.75 8.125	Yes	No		30 24.58 10 5	8600 3500 Lead	No 1 FIXED	IB FOLD 2		
			<b>674</b> 263		ALUMN MS			0 0	243	38.5 22.44 22.75	12.416 722	<input type="checkbox"/>	0					
Javelin	J 100 ODR	4	<b>81</b>	2004	38.5 11.5	95	43 12.7	38 13.5	5.13 8.77	No	Yes	24.34 899 0 0	32.8 29 9.3 5.8	6500 2500 Lead	No 1 FIXED	IB FOLD 2		
			<b>590</b> 121		CARBON FS				306			<input type="checkbox"/>						



Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
				J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No	ASF		Ttl Disp.	Traps/H.	IB or OB Prop Type # of blades		
									SL	SPL	SLU	ASA			Ballast			moveable blst
									SSMG SSF	SSA	SLE ASMG	Sprit Lngth Fixed or _o			Ballast Mat.			Keel Type
Mamaluc	J 105 ODR w/ 5'BS	265	<b>78</b> 1999	40.6 13.5	100	42.1 19.07	41.5 14.5	5.5 9.4	No	Yes	25.9 962	34.5 29.5	7750 3400	No 1	IB FOLD			
			<b>581</b> 137	ALUMN FS			0 0	358			5 <input checked="" type="checkbox"/>	11 6.5	Lead FIXED		2			
Nantucket Sleighride	J 105 ODR w/ 5'BS	414	<b>78</b> 2001	40.6 13.5	100	42.1 19.07	41.5 14.5	5.5 9.4	No	Yes	25 863	34.5 29.5	7750 3400	0 1	IB Fold			
			<b>585</b> 137	ALUMN FS				358			5 0 <input checked="" type="checkbox"/>	11 6.5	Lead FIXED		2			
Russian Roulette	J 105 ODR w/ 5'BS	85	<b>78</b> 1995	40.6 13.5	100	42.1 19.07	41.5 14.5	5.5 9.4	No	Yes	25 854	34.5 29.5	7750 3400	0 1	IB Fold			
			<b>585</b> 137	ALUMN FS				358			5.5 0 <input checked="" type="checkbox"/>	11 6.5	Lead FIXED		2			
Vuja Star	J 105 ODR w/ 5'BS	181	<b>78</b> 1998	40.6 13.5	100	42.1 19.07	41.5 14.5	5.5 9.4	No	Yes	29.5 958	34.5 29.5	8733 3400	0 1	IB Fold			
			<b>581</b> 155	ALUMN FS				358			5.5 0 <input checked="" type="checkbox"/>	11 6.5	Lead FIXED		2			
Lindo	J 109	195	<b>69</b> 2005	46.5 13.3	155	49 18.8	43.3 15.5	5.89 10.07	No	Yes	27.75 1160	35.25 30.5	10900 3900	0 1	IB FOLD			
			<b>580</b> 175	ALUMN FS				400			5.5 0 <input checked="" type="checkbox"/>	11.5 7	Lead FIXED		2			
Junkyard Dog	J 109 ODR	168	<b>72</b> 2004	46.5 13.3	105	49 18.83	43.25 15.5	5.88 10	No	Yes	27.75 1160	35.25 30.5	10900 3900	No 1	IB FOLD			
			<b>583</b> 175	ALUMN FS			0 0	398			5.5 0 <input checked="" type="checkbox"/>	11.5 7	Lead FIXED		2			
La Viajera	J 109 ODR	46480	<b>72</b> 2004	46.5 13.3	105	49.6 18.8	43.25 15.5	5.89 10.07	No	Yes	27.75 1160	35.25 30.5	10900 3900	0 1	IB Fold			
			<b>583</b> 175	ALUMN FS				399			5.5 0 <input checked="" type="checkbox"/>	11.5 7	Lead FIXED		2			

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications										
			Built	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB											
										DW Rating	Mast Material									PY	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type
Max Draft																													
Bad Dog	J 111	103	<b>36</b>	2011	48.37 13.85	105	51.4 20.08	45.7 14.5	6.1 10.1	No	Yes	31.86	36.5	9300	0	IB													
			<b>532</b>		CARBON								32.7	3500	1	Fold													
			<b>121</b>		FS				414				10.8	LeadSteel	FIXED														
											<input checked="" type="checkbox"/>	0	7.2																
Swift Ness	J 111	101	<b>36</b>	2014	48.37 13.85	105	51.4 20.08	45.17 14.5	6.1 10.1	No	Yes	31.8	36.5	9300	0	IB													
			<b>534</b>		CARBON								32.7	3500	1	Fold													
			<b>121</b>		FS				410				10.8	LeadSteel	FIXED														
											<input checked="" type="checkbox"/>	0	7.2																
Symmetry	J 111	91	<b>36</b>	2013	48.37 13.85	105	51.4 20.08	45.17 14.45	6.16 10.1	No	Yes	31.1	36.5	9300	0	IB													
			<b>534</b>		CARBON								32.7	3500	1	Fold													
			<b>121</b>		FS				410				10.8	LeadSteel	FIXED														
											<input checked="" type="checkbox"/>	0	7.2																
Alchera	J 120 Mod	28870	<b>51</b>	2001	50.5 14.5	125	52 21.55	46.5 17.57	6 10.57	No	Yes	34	40	13900	No	IB	Modifications for offshore singlehanded: Smaller spinnaker and main, 2 extra winches at helm, 3 additional gel batteries, dodger boss widened and all control lines led to cockpit, radar pole, veltran MHN jib. (Mts 2/21/08 - 12 ppl/mt for small)												
			<b>554</b>		CARBON								35	6000	1	FOLD													
			<b>147</b>		FS			0 0	463				12	Lead	FIXED	2													
											<input checked="" type="checkbox"/>	7	7																
Chance	J 120 ALUM	28484	<b>51</b>	2001	50.5 14.5	100	52 21.5	46.3 17.8	6.7 11.5	No	Yes	34.1	40	13900	No	IB													
			<b>541</b>		ALUMN								35	6000	1	FOLD													
			<b>147</b>		FS			0 0	489				12	Lead	FIXED	2													
											<input type="checkbox"/>		7																
Hokulani	J 120 ALUM	43	<b>48</b>	1996	50.42 14.42	155	50.42 21.42	46.42 17.67	6.58 11.42	No	Yes	37.8	40	13900	0	IB													
			<b>538</b>		ALUMN								35	6000	1	Fold													
			<b>147</b>		FS				486				12	Lead	FIXED														
											<input checked="" type="checkbox"/>	0	7																
Jamani	J 120 ALUM	52879	<b>48</b>	2002	50.5 14.5	155	52 21.5	46.5 17.8	6.7 11.5	No	Yes	34	40	13900	0	IB													
			<b>542</b>		ALUMN								35	6000	1	FOLD													
			<b>147</b>		FS				491				12	Lead	FIXED	2													
											<input checked="" type="checkbox"/>	0	7																

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
				J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			Ttl Disp.	Traps/H. Strps	IB or OB Prop Type # of blades	
									SL	SPL	SLU	ASA					
									SSMG SSF	SSA	SLE ASMG	Sprit Lngth Fixed or _o					
Disp/WL ratio	Mast Material	Rig Type					Ballast Mat.	Keel Type									
Kookaburra	J 120 ALUM	153	<b>48</b> 2001	50.5 14.5	155	52 21.5	46.5 6.2 17.8 10.7	No	Yes	30.3	40	13900	No	IB			
			<b>556</b> 147	ALUMN FS			0 471 0		60.8	1265	35	6000	1	FOLD			
									50.6	7	12	Lead	FIXED	2			
									26.5	<input checked="" type="checkbox"/>	7						
Saetta	J 120 ALUM	28486	<b>48</b> 1999	50.5 14.5	153	52 21.5	46.5 6.75 17.8 11.5	No	Yes	37.6	40	13900	No	IB			
			<b>540</b> 147	ALUMN FS			0 492 0		65.61	1793	35	6000	1	FOLD			
									51.8	7	12	Lead	FIXED	2			
									36.42	<input checked="" type="checkbox"/>	7						
Twist	J 120 ALUM	28442	<b>48</b> 2000	50.5 14.5	150	52 21.5	46.5 6.75 17.8 11.5	No	Yes	34.1	40	13900	No	IB			
			<b>541</b> 147	ALUMN FS			0 492 0		64	1764	35	6000	1	FOLD			
									50.6	7	12	Lead	FIXED	2			
									37.65	<input checked="" type="checkbox"/>	7						
Peregrine	J 120 Carbon	25487	<b>45</b> 2001	50.5 14.5	150	52	46.5 6.76 17.8 11.57	No	Yes	35.1	40	13900	0	IB			
			<b>540</b> 147	CARBON FS					64	1776	35	6000	1	Fold			
									52.5	7	12	Lead	FIXED	2			
									36.96	<input checked="" type="checkbox"/>	7						
Albion	J 124	14	<b>27</b> 2007	49 14	145	54.7 19.43	48.4 6.4 17 11	No	Yes	32.74	40.7	12600	0	IB	(Mtg 2/23/17, -6 sec/mi for asymmetric spinnaker modifications)		
			<b>522</b> 121	CARBON FS					60.53	1528	36.2	5000	1	Fold			
									51.51	3.83	11.33	Lead	FIXED				
									32.74	<input checked="" type="checkbox"/>	7						
Spirit of Freedom	J 124	38006	<b>27</b> 2006	49 14	155	54.7 15.4	48.4 6.8 17	Yes	Yes	32.6	40.7	12600	No	IB	(mtg 4/22/10, -3 sec/mi for OSP, -3 sec/mi for ability to square back pole)		
			<b>535</b> 121	CARBON FS				53.9	15.4	55.1	36.2	5000	1	FOLD			
								27.7	1244	51.9	11.3	Lead	FIXED	2			
									27.7	26.7	<input checked="" type="checkbox"/>	6.9					
Can't Touch This	J 125	93204	<b>-12</b> 1999	49 15	155	52.1 23	47 6.8 18 11.6	No	Yes	41	41	9330	0	IB	(Mtg 2/26/09, -3 sec/mi for oversized main girths)(3/9/09, corrected main girths, removed -3 sec/mi penalty)		
			<b>468</b> 84	CARBON MS					61.3	1941	37	4646	1	FOLD			
									52.3	8	10.6	Lead	FIXED	2			
									41	<input type="checkbox"/>	7.9						

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		Ttl Disp.		Traps/H. Strps	IB or OB Prop Type # of blades			
								SL	SPL	SLU	ASA					Ballast		moveable blst
								SSMG SSF	SSA	SLE	Sprit Lngth Fixed or _o							
Disp/WL ratio																		
Tyr	J 125	52125	<b>-12</b> 2000	49 14.8	155	52 23.4	46.5 6.79 18 11.65	7.03 12.02	No	23.4	Yes	39.3 1831	41 37 10.6 7.9	8350 4646 Lead	0 1 FIXED	IB Fold 2		
Angel	J 130 DK AM	46079	<b>15</b> 1993	57 16.5	155	58.5 23.5	52.5 7.03 18.5 12.02	7.03 12.02	No		Yes	39.5 2195	42.6 38.17 12.67 8.5	15500 6450 Lead	0 1 FIXED	IB Feath		
Jaybird	J 133 CM	52443	<b>24</b> 2004	57 17.25	100	60.4 24	54 7 18.6 12	7 12	No		Yes	0 0	38.08 30.25 11.8 6.8	16900 6850 Iron	0 1 FIXED	IB Fixed_2		
Samba Pa Ti	J 22	3	<b>186</b> 1982	24.8 8.8	125	24.8 8.8	26.1 3.78 9 6.27	3.78 6.27	Yes	8.8	No	0 0	22.5 19 8 3.8	1790 700 Lead	0 1 FIXED	OB None		
Downtown Uproar	J 24 ODR	2394	<b>168</b> 1981	26.25 9.5	150	26.25	28 3.7 9.75 6.37	3.7 6.37	Yes	9.5	No	0	24 20 9.2 4.1	3125 965 Lead	0 1 FIXED	OB None 0		
Irish Blessing	J 24 ODR	2184	<b>168</b> 1981	26.25 9.5	150	26.25	28 3.7 9.75 6.37	3.7 6.37	Yes	9.5	No	0 0	24 20 8.92 4	3100 965 Lead	0 1 FIXED	OB None 0		
Shut Up & Drive	J 24 ODR	513	<b>168</b> 1981	26.25 9.5	150	26.25	28 3.7 9.75 6.37	3.7 6.37	Yes	9.5	No	0	24 20 8.916 4	3100 965 Lead	No 1 FIXED	OB None 0		

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H.	Strps		IB or OB Prop Type # of blades
								SL	SPL	SLU	ASA							
								SSMG SSF	SSA	SLE	ASMG							
Cordon Rouge	J 30	68	144	1979	34 11.5 125	34	38 13	5.1 8.4	296	Yes	No	0	29.83 25 11.2 5.25	6700 2100 Lead	No 1 FIXED	IB FOLD 3		
Friction Loss	J 30	67425	141	1979	34 11.5 155	34.1 11.5	38 13	4.94 8.45	295	Yes	No	21.06	29.83 25 11.17 5.25	6500 2100 Lead	0 1 FIXED	IB FOLD 2		
Ione	J 30	8994	141	1981	34.19 11.041 140		38 13	4.83 8.21	290	Yes	No	0	29.83 25 11.2 5.25	6500 2100 Lead	0 1 FIXED	IB FOLD 2		
Wind Speed	J 30	39963	141	1980	34.19 11.5 155	34.2	37.5 12.5	4.9 8.1	281	Yes	No	0	29.83 25 11.18 5.25	6700 2100 Lead	No 1 FIXED	IB FOLD 2	+6 sec/mi for J length pole (mtg 11/16/01)	
La Dolce Vita	J 32	64	120	2001	39.2 11 155	40.5 13	38.5 15.5	5.1 9.2	334	No	Yes	19.7 43 677 39.5 2.5 19.7	32.4 29 11 6	10000 3840 Lead	0 1 FIXED	IB Feath 3	(Mtg 8/22/13, -6 sec/mi for sprit)	
Paradigm	J 32	79	126	2002	39.166 11 150	40.583 11.916	38.42 15.42	5.5 9.58	343	No	Yes	17.83 722 0 0	32.4 29 11 6	11500 3840 Lead	No 1 FIXED	IB FOLD 2		
Rhapsody	J 32	56303	120	2000	39.2 11 155	40.583 13	38.5 15.5	5.12 9.25	335	No	Yes	22.5 830 2 0	32.4 29 11 6	11500 3840 Lead	0 1 FIXED	IB Fold 3	(Mtg 5/23/13, -3 sec/mi for sprit, -3 sec/mi for oversized spinnaker)	



Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps	IB or OB Prop Type # of blades		
								SL SPL SSMG SSF	SPL SSA SSA	SLU SLE ASMG	Ballast							moveable blst
Stratocaster	J 32	16	126	1996	39.2 11	155	40.68	38.5 15.5	5.88 10.07	Yes	Yes	23.95	32.5	10000	No	IB		
			633		ALUMN			0	355			831	28.67	3840	1	FOLD		
			193		FS			0				0	11	Lead	FIXED	2		
Akialoa	J 35	28435	75	1989	46.33 14.58	120	46.3	41.42 14	5.43 9.11	No	No		35.42 30	10500	No	IB		
					ALUMN			0	347			0	11.67	4400	1	FOLD		
					MS			0					6.75	Lead	FIXED	2		
Jarlen	J 35	28528	72	1990	46.333 14.583	150	46.3	41.416 14	5.43 9.11	Yes	No		35.42 30	10500	No	IB		
					ALUMN			0	347			0	11.67	4400	1	FOLD		
					MS			0					6.75	Lead	FIXED	2		
Joker	J 35	400	75	1986	46.4 14.7	125	46.4	41.5 14	5.43 9.11	Yes	No		35.42 30	10500	0	IB		
					ALUMN			0	348			0	11.8	4400	1	FOLD		
					MS			0					6.75	Lead	FIXED	2		
Mojo	J 35	18935	72	1983	46.4 14.7	150	46.3	41.75 14.98	5.21 8.77	Yes	No		35.42 30	10500	No	IB		
					ALUMN				353			0	11.8	4400	1	Feath		
					MS			26.25	1006				6.9	Lead	FIXED	2		
Dawn's Early Light	J 36	77549	87	1982	44.219 14	125	44.21	47 15	5.8 9.5	Yes	No		35.95 30.5	10570	0	IB		
					ALUMN				418			0	11.76	4600	1	Fold		
					FS			24.12	923			0	6.6	Lead	FIXED			
Acey Deucy	J 44	97659	21	1989	60.606 17.08	155	60.416	53.51 19.41	7.3 12.5	Yes	Yes	27	44.83 38.58	22770	0	IB	Electric Winches	
					ALUMN			0	615			1379	13.67	9000	1	FOLD		
					MS			0				1	8.14	Lead	FIXED	2		

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		SLU ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst	IB or OB Prop Type # of blades	
								SL	SPL	SLU	ASA						
								SSMG SSF	SSA	SLE ASMG	Fixed or _o						
Phantom	J 44	28844	21 1990	60.606 17.08 120	60.416	53.53 19.41 0 0	7.3 12.5 615	Yes	Yes	27 1379 0	44.75 38.58 13.67 8.14	23838 9000 Lead	No 1 FIXED	IB Feath 3			
Allons-Y	J 70 ODR	346	114 2014	26.77 7.68 100	30.15 13.5	26.16 9.44	4.71 6.93 164	No	Yes	18.7 491 5.1 0	22.75 20.47 7.38 4.92	1750 630 Lead	0 1 MVBL	OB None			
Benny	J 70 ODR	897	114 2015	26.77 7.68 100	30.15 13.5	26.16 9.44	4.71 6.93 164	No	Yes	18.7 491 5.1 0	22.75 20.47 7.38 4.92	1750 630 Lead	0 1 MVBL	OB None			
Penny Pincher	J 70 ODR	215	114 2014	26.77 7.68 100	30.15 13.5	26.16 9.44	4.71 6.93 164	No	Yes	18.7 491 5.1 0	22.78 20.47 7.38 4.92	1750 630 Lead	0 1 MVBL	OB None			
Prime Number	J 70 ODR	29	114 2012	26.77 7.68 100	30.15 13.5	26.16 9.44	4.71 6.93 164	No	Yes	18.7 491 5.1 0	22.78 20.47 7.38 4.92	1750 630 Lead	0 1 MVBL	OB None			
Rampage	J 70 ODR	582	114 2014	26.77 7.68 100	30.15 13.5	26.16 9.44	4.71 6.93 164	No	Yes	18.7 491 5.1 0	22.75 20.47 7.38 4.92	1750 630 Lead	0 1 MVBL	OB None			
Scilla	J 70 ODR	327	114 2012	26.77 7.68 100	30.15 13.5	26.16 9.44	4.71 6.93 164	No	Yes	18.7 491 5.1 0	22.78 20.47 7.38 4.92	1750 630 Lead	0 1 MVBL	OB None			

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications							
			Built	J	Max Headsail	ISP	P	MGU	Yes/No		SLU	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB									
									DW Rating	Mast Material								E		MGM	SL	SPL	LWL	Ballast	moveable blst	Prop Type
EY	SSA	SLE	Sprit Lngth	Max Draft	Ballast Mat.	Keel Type	# of blades																			
								Wingman Racing	J 70 ODR	584	<b>114</b>	2014	26.77	100	30.15	26.16	4.71	No	Yes	18.7	22.75	1750	0	OB		
					7.68		13.5	9.44	6.93		35.43	491	20.47	630	1	None										
			<b>607</b>		CARBON				164		28.87	5.1	7.38	Lead	MVBL											
			93		FS						18.21	<input checked="" type="checkbox"/>	0													
Courageous	J 88	77	<b>81</b>	2015	38.67	104	46	36.82	5.44	No	Yes	29	29.19	4990	0	IB										
					11.28		18.05	12	8.4		47.83	1022	26.84	1840	1	Fold										
			<b>561</b>		CARBON				282		40.84	5.25	9.5	Lead	FIXED											
			117		FS						27.32	<input checked="" type="checkbox"/>	0													
Inconceivable	J 88	9	<b>81</b>	2013	38.67	104	46	36.82	5.44	No	Yes	29	29.19	4990	0	IB										
					11.28		18.05	12	8.4		47.83	1022	26.84	1840	1	Fold										
			<b>561</b>		CARBON				282		40.84	5.25	9.5	Lead	FIXED											
			117		FS						27.32	<input checked="" type="checkbox"/>	0													
Juno	J 88	20	<b>81</b>	2014	38.67	105	46	36.82	5.44	No	Yes	29	29.19	4990	0	IB										
					11.28		18.05	12	8.4		47.83	1022	26.84	1840	1	Feath										
			<b>561</b>		CARBON				282		40.84	5.25	9.5	Lead	FIXED											
			117		FS						27.32	<input checked="" type="checkbox"/>	0													
M Squared	J 88	75	<b>81</b>		38.67	104	46	36.82	5.44	No	Yes	29	29.19	4990	0	IB										
					11.28		18.05	12	8.4		47.83	1022	26.84	1840	1	Fold										
			<b>561</b>		CARBON				282		40.84	5.25	9.5	Lead	FIXED											
			117		FS						27.32	<input checked="" type="checkbox"/>	0													
Split Water	J 88	78	<b>81</b>	2015	38.67	104	46	36.82	5.44	No	Yes	29	29.19	4990	0	IB										
					11.28		18.05	12	8.4		47.83	1022	26.84	1840	1	Fold										
			<b>561</b>		CARBON				282		40.84	5.25	9.5	Lead	FIXED											
			117		FS						27.32	<input checked="" type="checkbox"/>	0													
Ventus	J 88	60	<b>81</b>	2015	38.67	104	46	36.82	5.44	No	Yes	29	29.19	4990	0	IB										
					11.28		18.05	12	8.4		47.83	1022	26.84	1840	1	Fold										
			<b>561</b>		CARBON				282		40.84	5.25	9.5	Lead	FIXED											
			117		FS						27.32	<input checked="" type="checkbox"/>	0													

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications										
			Built	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB											
										DW Rating	Mast Material									PY	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type
Max Draft																													
White Shadow	J 88	23	<b>81</b>	2014	38.67 11.28	104	46 18.05	36.82 12	5.44 8.4	No	Yes	29 1022	29.19 26.84	4990 1840	0 1	IB Fold													
			<b>561</b> 117		CARBON FS				282			5.25 0	9.5 6.5	Lead	FIXED														
Hijinks	J 92	90	<b>108</b>	1996	37 11.5	97	38.5 17	37.66 13.22	5 8.6	No	Yes	26.51 868	30 26.5	5500 2275	0 1	IB Fold													
			<b>595</b> 134		ALUMN FS				297			5.5 0	10 5.9	Lead	FIXED														
Ragtime!	J 92	18	<b>105</b>	1993	37 11.5	155	38.5 17	38 13.5	4.7 8.2	No	Yes	29.75 1019	30 25.8	5500 2275	No 1	IB FOLD	(changes noted 3-11-03, NCTR)(2/14/06 - Spinnaker based on 1019 sq feet/94.67 meters)(Mtg 01/16/14, -3 sec/mi for flying asymmetric off squared back pole)(Mtg 4/24/14, New Rudder noted NCTR - Shortened pole/sprit												
			<b>593</b> 146		ALUMN FS			0 0	293	39.98 30.6 30.6	14.5 1019	46.8 38.5 28.4	10 10 5.9	Lead	FIXED	2													
Relentless	J 92	93	<b>105</b>	1997	37 11.5	155	38.5 17.5	38 13.5	5.2 8.7	No	Yes	26.4 915	30 26.5	5500 2275	0 1	IB Fold													
			<b>590</b> 134		ALUMN FS				306			5.5 0	10 5.9	Lead	FIXED	2													
Windtrip Infinity	J 92s	35	<b>96</b>	2006	40.68 11.48	107	44.08 16.67	38.88 13.95	5.42 9	No	Yes	23.25 878	30 26.7	5610 2317	0 1	IB Fold													
			<b>587</b> 134		ALUMN FS				324			5.17 0	10 6.24	Lead	FIXED														
Lady Jane	Jeanneau 39i Sun Odyssey	7913	<b>93</b>	2008	48.1 13.1	122	48.1	46.3 14.6	5.42 9.28	No	Yes	27.46 1012	38.1 35.2	16163 5026	0 1	IB Feath													
			<b>594</b> 168		ALUMN FS				398			1 0	12.9 6.7	Cast Iron	FIXED	3													
Dare Dare	Jeanneau Sun Fast 3200	39	<b>81</b>	2008	41.92 12.58	102	43.77 13.61	38.67 13.68	5.28 8.46	Yes	Yes	24.41 887	33.1 28	7916 2866	0 1	IB Fold													
			<b>598</b> 164		ALUMN FS				311	44.91 24.08 23.39	13.58 896	42.06 42.06 25.52	11.5 6.2	Lead	FIXED	2													

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications							
			Built	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF		LOA	Ttl Disp.	Traps/H. Strps		IB or OB							
										DW Rating	Mast Material		E	MGM			SL	SPL			SLU	ASA	LWL	Ballast	moveable blst	# of blades
Disp/WL ratio	Rig Type	EY	SSF	ASM	Fixed or _o	Max Draft	Ballast Mat.	Keel Type																		
Wimm	Jeanneau Sun Odyssey 349	38105	<b>141</b>	2016	43.6 12.37	112	40.68 13.62	4.9 8.2	No	No			33.92 30.84 11.29 6.86	11770 3483 Cast Iron	0 1 FIXED	IB Fold										
Kai Ola	Jeanneau Sun Odyssey 379	0	<b>105</b>	2011	46.67 13.58	132	46.67 13.92	5.4 9.1	Yes	No			37.17 36 12.33 6.33	14771 3914 Steel	0 1 FIXED	IB Fixed_3	(Mtg 5/25/17, -3 sec/mi for oversized spinnaker)									
Yellow Brick Road	Jeanneau Sun Odyssey 40	33300	<b>90</b>	1999	50 13.75	125	50 13.8	43.25 15.67 0 0	5.7 9.89 396	No	Yes	25.59 1095 0 0	40 33.33 12.92 6.33	16094 5291 Iron	0 1 FIXED	IB FEATH 3										
Blue Zephyr	Jeanneau Sun Odyssey 42 DS		<b>108</b>	2010	51.58 16.25	150	48.82 14.6	3.55 6.9	No	No			42.42 38 13.5 6.92	19676 5628 Iron	0 1 FIXED	IB Fixed_3	(mtg 4/27/17, +3sec/mi for in-mast furling, +3 sec/mi for MGM < 50% of E)									
Invictus	Jeanneau Sunfast 3600	12	<b>63</b>	2015	46.58 13.83	105	48 17.67	44.25 15.08	6.49 9.91	No	Yes	27.8 1192 0 0	35.42 31.25 11.67 7	10362 4850 Lead	0 1 FIXED	IB Feath										
Wasabi	JPK 1080	38103	<b>63</b>		46.66 14.17	100	51.51 19.09	46.2 15.48	5.84 9.61	No	Yes		35.43 30.84 11.98 7.22	10692 4740 Steel	0 1 FIXED	IB Fold										
Ga	Knarr ODR	123	<b>198</b>		33.583 6.583	125	33.583	31 11.166	4.47 7.46	No	No		30.333 20.333 7 4.25	4630 2866 Lead	No 1 FIXED	OB None 0										

Boat Name	Boat Model (Type)	Sail #	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications			
			Rating	Built	I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		Ttl Disp.	Traps/H. Strps Ballast Ballast Mat.	IB or OB Prop Type # of blades				
			DW Rating						SL	SPL	SLU						ASA	moveable blst	
			Disp/WL ratio						SSMG SSF	SSA	SLE						Sprit Lngth Fixed or _o		Keel Type
Kraken	Knarr ODR	47	<b>198</b>	1965	33.583 6.583 WOOD FS	33.583	31 11.166 0 0	4.47 7.46 211	No	6.583	No	30.333 20.333 7 4.25	4360 2866 Cast Iron	No 1 FIXED	OB None 0				
Whispering Winds	Lancer 36 MH	87374	<b>141</b>	1974	42 16 ALUMN MS	125	41.9	37 12 269	4.8 7.9	No	Yes	26 932 0 0	36.17 29 11.75 6	10500 4000 Lead	0 1 FIXED	IB Fixed_3			
Leda	Lapworth 36	71	<b>150</b>	1965	40.5 13.5 ALUMN MS	150	40.5 13.5	35.5 17.5 0 0	4.98 8.4	Yes	No	33 20.37 18.92	11.32 552	0 0	36 29 9.5 5.43	13500 4500 Lead	No 1 FIXED	IB FOLD 0	
Mega Hurtz	Laser 28 ODR MOD	53470	<b>129</b>	1974	31.1 9.65 ALUMN FS	125	31.73	33.14 12.96 257	4.98 8.4	Yes	No	33 20.37 18.92	11.32 552	0 0	28.41 23.62 9.48 4.98	3950 1500 Lead	0 1 FIXED	OB None 2	(Mtg 2/27/14, switched to outboard motor, -3 sec/mi)
Stink Eye	Laser 28 ODR MOD	33562	<b>126</b>	1974	31.73 9.65 ALUMN MS	110	33.2	33.14 12.3 0 0	5.2 8.3 252	Yes	Yes	19 37 32 19	19 546 0.92	28.42 23.62 9.48 5	4050 1500 Lead	No 1 FIXED	OB FOLD 2	(Mtg 3/27/14, -3 sec/mi for oversized mainsail girths, -3 sec/mi for OB motor)	
Iniscaw	Martin 32	49143	<b>126</b>	1980	42.5 13.67 ALUMN MS	145	37.17 12	4.7 8 270	Yes	No	42.4 22.4 24.4	13.67 806	0	32.8 27 9.6 6.1	8200 4100 Lead	0 1 FIXED	IB FOLD 2	(Mtg 10/2/13, new rudder, NCTR)	
Boomer	Melges 20	676	<b>111</b>	2009	23.19 7.05 CARBON FS	110	27.2 10.95	24.25 9.84	3.83 7.42 152	No	Yes	18.8 417 3.9 0	20 19.4 7 4.5	1105 415 Lead	0 1 FIXED	OB None 0			

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications									
			Built	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No		LOA	Ttl Disp.	Traps/H.	Strps	IB or OB	Prop Type	Modifications								
										DW Rating	Mast Material	PY	MGM								SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	# of blades
Max Draft	Fixed or _o	Max Draft	Ballast Mat.	Keel Type	# of blades	Modifications																						
Proben Child	Melges 20	134	<b>111</b>	2009	23.19	110	27.2	24.25	3.83	No	Yes	18.8	20	1105	0	OB												
					7.05		10.95	9.84	7.42		29.78	417	19.4	415	1	None												
			<b>604</b>		CARBON				152		26.25	3.9	7	Lead	FIXED													
			69		FS						17.65	<input checked="" type="checkbox"/>	0															
Insolent Minx	Melges 24	725	<b>84</b>	2008	27.85	100	31.85	28.75	3.83	No	Yes	20.67	24	1750	0	OB												
					7.98		12	12.42	7.09		38	577	22	650	1	None												
			<b>578</b>		CARBON				195		32.9	0	8.2	Lead	CNTRBRD													
			75		FS						19.23	<input checked="" type="checkbox"/>	0															
Rufless	Melges 24	445	<b>84</b>	1999	27.85	100	31.85	28.9	3.83	No	Yes	20.67	24	1783	0	OB												
					7.95		12	12.45	7.09		38	577	22	650	1	None												
			<b>577</b>		CARBON				196		32.9	0	8.17	Lead	CNTRBRD													
			76		FS						19.23	<input checked="" type="checkbox"/>	0															
Wet Corvette	Melges 30	103	<b>36</b>	1994	36.85	150	36.85	38		No	Yes		30	3800	0	IB												
					10.59		18.96	15.49					28.6	1750	1	FOLD												
			<b>507</b>		CARBON							<input type="checkbox"/>	8.4	Lead	MVBL													
			74		FS								9.1															
													7															
Rufless	Melges 32 MOD	174	<b>30</b>	2007	40.86	105	48.3	44.05	6.95	No	Yes	31.3	31.84	4200		OB	(mtg 2/23/17, no longer using the class spinnaker. +3 sec/mi for small asymmetric)											
					10.7		18.7	15.49	11.14		54	1203	28.5	1600	1	None												
			<b>481</b>		CARBON				438		46.2	8	9.83	Lead	FIXED													
			82		FS						28.2	<input checked="" type="checkbox"/>	0															
Kuai	Melges 32 ODR	211	<b>27</b>	2006	40.86	105	48.3	44.05	6.95	No	Yes	31.82	31.84	4200	0	OB												
					10.7		18.7	15.49	11.14		55.75	1344	28.5	1600	1	None												
			<b>475</b>		CARBON				438		46.9	8	9.83	Lead	FIXED													
			82		FS						31.31	<input checked="" type="checkbox"/>	0															
Bandido	Merit 25	28125	<b>168</b>	1983	28.75	150	28.75	28	4.25	Yes	No		24.5	3000	No	OB												
					9.66			9.75	6.69		29	9.66	20.5	1050	1	None												
			<b>693</b>		ALUMN			0	172		17.39	420	8	Lead	FIXED													
			158		FS			0			17.39		4															

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications		
				DW Rating <i>Disp/WL ratio</i>	I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast Mat.		Traps/H. moveable blst Keel Type	IB or OB Prop Type # of blades
									SL	SPL	SLU	ASA							
									SSMG SSF	SSA	SSMG SSF	SSA							
Double Agent	Merit 25	8465	168	1981	28.75 9.66	155	28.75	28 9.75	4.25 6.69	Yes	No	24.5 20.5 8 4	3000 1050 Lead	No 1 FIXED	OB None 0				
Absinthe	Moore 24	102	150	1981	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0				
Anna Banana	Moore 24	146	150	1984	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.08	2050 1025 Lead	No 1 FIXED	OB None				
Blue Angel	Moore 24	106	150	1982	26.25 9.75	155	26.25	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0				
Cadenza	Moore 24	18878	150	1977	26.25 9.75	150	26.25	25 9.5	4.01 6.54	Yes	No	23.75 21.75 7.17 4.083	2050 1025 Lead	No 1 FIXED	OB None 0				
Color Blind	Moore 24	49	150	1979	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0				
Crazy Eights	Moore 24	28888	150	1978	26 9.8	150	26.3 9.75	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.083	2050 1000 Lead	0 1 FIXED	OB None 0				



Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications		
					J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. moveable blst	IB or OB Prop Type # of blades			
										SL	SPL								Ballast	Keel Type
Disp/WL ratio	Mast Material	Rig Type																		
Fatuity	Moore 24	48	150	1980	26.25 9.75	150	26.25	25 9.5 0 0	3.91 6.5 147	Yes	27 9.75	No		23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0			
Firefly	Moore 24	64	150	1980	26.25 9.75	150	26.25	25 9.5 0 0	3.91 6.5 147	Yes	27 9.75	No		23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0			
Gruntled	Moore 24	68	150	1980	26.25 9.75	150	26.25	25 9.5 0 0	3.91 6.5 147	Yes	27 9.75	No		23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0			
Hasta Nunca	Moore 24	142	150		26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	26.6 9.75	No		23.75 21.75 7.16 4.08	2050 1025 Lead	0 1 FIXED	OB None 0			
Incognito	Moore 24	136	150	1984	26.25 9.75	150	26.25	25 9.5 0 0	3.91 6.5 147	Yes	27 9.75	No		23.75 21.75 7.16 4.08	2050 1025 Lead	No 1 FIXED	OB None 0			
JR	Moore 24	76	150	1980	26.25 9.75	155	26.25	25 9.5 0 0	3.91 6.5 147	Yes	27 9.75	No		23.75 21.75 7.16 4.08	2050 1025 Lead	No 1 FIXED	OB None 0			
Mas!	Moore 24	138	150	1983	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	26.6 9.75	Yes	17.6 387	23.75 21.75 7.16 4.08	2050 1025 Lead	0 1 FIXED	OB None			

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:		ISP		Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
			DW Rating		I	J	P	MGU	Yes/No	Yes/No	ASF	Ttl Disp.	Traps/H.	IB or OB						
			Disp/WL ratio		Max Headsail	Mast Material	E	MGM	SL	SPL	SLU	ASA	Ballast	moveable blst		Prop Type				
					Rig Type	FS	PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Ballast Mat.	Keel Type		# of blades				
							ISP	JSP												
Moore Fun	Moore 24	18884	<b>153</b>	1979	26.25 9.75	125	26.25	25 9.5	3.91 6.5	Yes	27 9.75	No		23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0			
			<b>636</b> 91		ALUMN FS			0 0	147		17.55 395		<input type="checkbox"/>							
Mooretician	Moore 24	89	<b>150</b>	1981	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	26.6 9.75	No		23.75 21.75 7.16 4.08	2050 1025 Lead	No 1 FIXED	OB None 0			
			<b>636</b> 91		ALUMN FS			0 0	147		17.55 389		<input type="checkbox"/>							
Moxy	Moore 24	110	<b>150</b>	1982	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	27 9.75	No		23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0			
			<b>635</b> 91		ALUMN FS			0 0	147		17.55 395		<input type="checkbox"/>							
Orca	Moore 24	85	<b>150</b>	1981	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	26 9.75	No		23.75 21.75 7.16 4.083	2050 1025 Lead	0 1 FIXED	OB None 0			
			<b>638</b> 91		ALUMN FS			0 0	147		17.55 380		<input type="checkbox"/>							
Oxymoron	Moore 24	28993	<b>150</b>	1981	26.25 9.75	150	26.2	25 9.5	3.91 6.5	Yes	26.6 9.75	No		23.75 21.75 7.16 4.25	2050 1025 Lead	0 1 FIXED	OB None 0			
			<b>639</b> 91		ALUMN FS			0 0	147		17.55 389		<input type="checkbox"/>							
Paramour	Moore 24	75	<b>150</b>	1980	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	27 9.75	No		23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0			
			<b>635</b> 91		ALUMN FS			0 0	147		17.55 395		<input type="checkbox"/>							
Rare Bird	Moore 24	67	<b>141</b>		26.58 9.75	100	28.31 11.65	25 9.5	3.91 6.5	Yes	27 11.65	Yes	17.22 464	23.75 21.75 7.16 4.083	2050 1025 Lead	0 1 FIXED	OB None	(Mtg 10/27/16, -6 sec/mi for OSP, -6 sec/mi for increased spinnaker area)		
			<b>624</b> 91		ALUMN FS				147		17.55 395		28.27 0 18.74							
													<input checked="" type="checkbox"/>							

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications		
			ISP		I	J	ISP	P	MGU	Yes/No	Yes/No	ASF		Ttl Disp.	Traps/H.	IB or OB			
			JSP		Max Headsail	Max Headsail	E	MGM	SL	SPL	SLU	ASA		Ballast	moveable blst	Prop Type			
					Mast Material	Mast Material	PY	MSA	SSMG	SSA	SLE	Sprit Lngth		Ballast Mat.	Keel Type	# of blades			
			Disp/WL ratio	Rig Type			EY		ASMG	Fixed or _o									
Rocket Science	Moore 24	104	<b>150</b>		26.25 9.75	155	26.25 9.76	25 9.5	3.91 6.5	Yes	27 17.55 17.55	9.75 395	No		23.75 21.75 7.16 4.08	2050 1025 Lead	0 1 FIXED	OB None 3	
Scarlett	Moore 24	86	<b>150</b>	1980	26.25 9.75	150	26.25	25 9.5	3.89 6.45	Yes	26.5 17.5 17.5	9.75 386	No		24 21.75 7.17 4.08	2050 1000 Lead	No 1 FIXED	OB None	
Slight Disorder	Moore 24	98	<b>150</b>	1981	26.25 9.75	150	26.25 9.75	25 9.5	3.91 6.5	Yes	26.6 17.5 17.5	9.8 388	No		23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0	
Snafu	Moore 24	121	<b>150</b>	1982	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	27 17.55 17.55	9.75 395	No		23.75 21.75 7.16 4.08	2050 1000 Lead	0 1 FIXED	OB None	
Sweet Tea	Moore 24	105	<b>150</b>	1981	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	27 17.55 17.55	9.75 395	No		23.75 21.75 7.16 4.08	2050 1025 Lead	0 1 FIXED	OB None	
The Jackal	Moore 24	22	<b>150</b>	1977	26.25 9.75	150	26.25 9.75	25 9.5	3.91 6.5	Yes	26.6 17.55 17.55	9.75 389	No		23.75 21.75 7.16 4.08	2050 1025 Lead	0 1 FIXED	OB None	
Wet Spot	Moore 24	51	<b>150</b>	1979	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	26.6 17.55 17.55	9.75 389	No		23.75 21.75 7.16 4.08	2050 1025 Lead	No 1 FIXED	OB None 0	

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
			Built	I	J	ISP	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	IB or OB				
			Max Headsail	Max	Head	JSP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type			
			ISP	Material	Material	Material	Material	Material	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades			
Disp/WL ratio	Rig Type	Rig Type	Rig Type	Material	Material	SSMG	SSA	ASMG	Fixed or _o	Max Draft	Ballast Mat.	Keel Type	# of blades						
White Trash	Moore 24	78	150	1979	26.25	150	26.25	25	3.91	Yes	No			23.75	2050	0	OB		
					9.75			9.5	6.5					21.75	1025	1	None		
			636		ALUMN				147			0		7.16	Lead	FIXED	0		
			91		FS							0		4.08					
WooHoo	Moore 24	80	150	1980	26.25	150	26.25	25	3.91	Yes	No			23.75	2050	0	OB		
					9.8			9.5	6.5					21.75	1025	1	None		
			635		ALUMN				147			0		7.16	Lead	FIXED	0		
			91		FS							0		4.083					
E-Ticket	Moorings 38 SD	119	117	1990	47.5	155	47.5	41.7	5.69	Yes	No			38.4	13700	0	IB	Shoal Draft (Mtg 10/27/16, -3 sec/mi for oversized spinnaker area)	
					13.9		13.9	15	9.45					31.33	5400	1	Fold		
			599		ALUMN				369			0		12.5	Steel	FIXED	2		
			202		MS							0		4.8					
Eliana II	Morgan 38-2	77486	156	1981	46	110	46	40.5	4.69	Yes	No			38.33	17000	0	IB	(Mtg 1/26/17, -3 sec/mi for oversized symmetric spinnaker area)	
					16.25		16.25	14.5	8.34					30.5	6800	1	Fixed_3		
			632		ALUMN				324			0		12	Lead	FIXED	3		
			272		MS							0		6					
Allora	Morris 36	38082	120	2007	38.66	95	44.3	41.25	5.1	No	Yes	21.4		36.1	8900	0	IB		
					12.75			15.08	9.43		Yes	452		25	3850	1	Fold		
			652		CARBON				357		Yes	0		10.1	Lead	FIXED			
			259		FS						Yes	0		5.3					
Frequent Flyer	Mumm/Farr 30	52	54	1996	38.2	104	44.9	40.5	6.42	Yes	Yes	25.25		30.9	4561	0	IB		
					10.9		13.58	14.6	10.4		Yes	882		27.6	1997	1	Fold		
			540		CARBON				377		Yes	0		10.1	Lead	FIXED			
			99		FS						Yes	0		6.9					
											Yes	0							
Achates	Newport 30-2	6847	174	1974	39.5	155	39.5	34	3.8	Yes	No			30	8500	No	IB		
					12.5			10.25	6.6					25	3000	1	FOLD		
			667		ALUMN			0	206			0		10.67	Lead	FIXED	2		
			247		MS			0				0		5.17					

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		Ttl Disp. Ballast		Traps/H. moveable blst	IB or OB Prop Type # of blades		
								SL	SPL	SLU	ASA						
								SSMG SSF	SSA	SLE ASMG	Sprit Lngth Fixed or _o					Ballast Mat.	
Disp/WL ratio																	
Harry	Newport 30-2	6889	174	1974	39.5 12.125 150	39.5	34 10.25 0 0	4.2 7 215	Yes	No	30 25 10.5 4.75	8500 2500 Lead	No 1 FIXED	IB FOLD 2			
Lil Angel	Newport 30-2	6884	174	1979	39.5 12.1 150	39.5	34 10.25 0 0	4.26 7.07 217	Yes	No	30 25 10.5 4.75	8500 2500 Lead	0 1 FIXED	IB FOLD 2			
Now and Zen	Newport 30-2	6883	174	1978	39.5 12.125 150		34 10.25 0 0	3.25 5.7 190	Yes	No	30 25 10.5 4.75	8000 2600 Lead	No 1 FIXED	IB Fold 2			
Zeehond	Newport 30-2	707	174	1976	39.5 12.125 150	39.5	34 10.25 0 0	3.6 6.33 201	Yes	No	30 25 10.5 4.75	8500 2600 Lead	No 1 FIXED	IB FOLD 2			
Aquadisiac	Newport 30-3	38075	174	1985	40 12.5 155	40	34 10.25	3.8 6.6 206	No	No	30.5 26.5 10.67 5.17	8500 2600 Lead	0 1 FIXED	IB Fold 2			
Capo Gatto	Nonsuch 30	308	174	1985			45 24	7.9 14.3 605	No	No	30.33 28.75 11.1 5	11500 4500 Lead	0 1 FIXED	IB Fold 2			
Makani	Nonsuch 30	278	174	1985		0	44.9 23.9	8 14.5 607	No	No	30.33 28.75 11.83 5	11500 4500 Lead	0 1 FIXED	IB Feath			



Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.		Traps/H. Strps Ballast moveable blst Ballast Mat. Keel Type			
								SL	SPL								
								SSMG	SSA								
Make My Day	Olson 25	87742	159 1985	32 9.583 155	32	28 10 0 0	3.96 6.4 168	Yes 32 17.29 17	9.583 460	No	<input type="checkbox"/>	0	25 21.25 9 4.5	3300 1300 Lead	No 1 FIXED	OB None 0	increased purchase in outhaul and backstay added boomkicker
Shadowfax	Olson 25	91	159 1986	32 9.6 155	32	28 10 0 0	3.8 6.4 166	Yes 31.7 17.25 17.25	9.583 456	No	<input type="checkbox"/>	0	25 21.25 9 4.5	3300 1300 Lead	No 1 FIXED	OB None 0	
Shark-On-Bluegrass	Olson 25	18201	159 1984	32 9.583 155	32	28 10 0 0	3.8 6.4 166	Yes 32 17.25 17	9.583 459	No	<input type="checkbox"/>	0	25 21.25 9 4.5	3300 1300 Lead	No 1 FIXED	OB None 0	
Synchronicity	Olson 25	68	159 1985	32 9.583 155	32	28 10 0 0	3.8 6.4 166	Yes 32 17.28 17.28	9.583 461	No	<input type="checkbox"/>	0	25 21.25 9 4.5	3300 1300 Lead	No 1 FIXED	OB None 0	
Dr Feelgood	Olson 29	24	99 1986	34 11 155	36	32.5 11.5 0 0	4.36 7.48 223	Yes 36 21.15 21.15	11.75 635	No	<input type="checkbox"/>	0 0	29.67 27.5 9.33 5.58	3600 1950 Lead	0 1 FIXED	OB None	
Nina	Olson 29	27	99 1987	34 11 155	36	32.5 11.5 0 0	4.5 7.27 222	Yes 34 20.25 20.25	11.25 574	No	<input type="checkbox"/>	0	29.67 27.5 9.33 5.58	3700 1950 Lead	0 1 FIXED	OB None 0	
X TA C	Olson 29	18457	99 1986	34 11 155	36	32.42 11.42 0 0	4.59 7.66 226	Yes 34 20.25 20.25	11.25 574	No	<input type="checkbox"/>	0	29.67 27.5 9.33 5.25	3900 1900 Lead	No 1 FIXED	OB None 0	RUDDER REPLACED W/MORE 30 - CHANGE NOTED NCTR.

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
			ISP		I	J	P	MGU	Yes/No		Yes/No	ASF		Ttl Disp.	Traps/H. Strps	IB or OB	
			JSP		Max	Head	E	MGM	SL	SPL	SLU	ASA		Ballast	moveable blst	Prop Type	
			ISP		Mast	Material	PY	MSA	SSMG	SSA	SLE	Sprit Lngth		Ballast Mat.	Keel Type	# of blades	
			Disp/WL ratio		Rig Type			EY			Fixed or _o						
Double Espresso	Olson 30 OB	18069	<b>99</b>	1982	36	155	35.9	31.5	4.36	Yes	No		30	3600	0	OB	
					11.75		11.75	10.75	7.26				27.5	1800	1	None	
			<b>591</b>		ALUMN				208			0	9.33	Lead	FIXED		
			79		MS						<input type="checkbox"/>	0	5.08				
Dragonsong	Olson 30 OB	87014	<b>99</b>	1982	36	155	35.9	31.5	4.364	Yes	No		30	3600	No	OB	
					11.75		11.67	10.75	7.268				27.5	1800	1	None	
			<b>584</b>		ALUMN			0	208			0	9.33	Lead	FIXED	0	
			79		MS			0			<input type="checkbox"/>		5.08				
Hot Betty	Olson 30 OB	67537	<b>99</b>	1979	36	155	35.9	31.5	4.364	Yes	Yes	21	30	3600	No	OB	
					11.75		11.67	10.75	7.268		35.5	630	27.5	1800	1	None	
			<b>584</b>		ALUMN			0	208		36.2	0	9.33	Lead	FIXED	0	
			79		MS			0			21.1	<input checked="" type="checkbox"/>	5.08				
Warpath	Olson 30 OB	198	<b>99</b>	1982	36	150	35.9	31.5	4.364	Yes	No		30	3600	No	OB	
					11.75		11.67	10.75	7.268				27.5	1800	1	None	
			<b>584</b>					0	208			0	9.33	Lead	FIXED	0	
			79		MS			0			<input type="checkbox"/>		5.08				
Divine Wind	Olson 40	69069	<b>45</b>	1983	50	150	51.21	44	5.5	Yes	No		40.33	10500	0	IB	
					15.75		15.8	14.25	9.29				36	5500	1	Feath	
			<b>540</b>		ALUMN				376			0	11.25	Lead	FIXED	2	
			102		MS						<input type="checkbox"/>	0	6.5				
Heart of Gold	Olson 911S	41327	<b>129</b>	1987	41.5	125	41.5	35.5	4.5	Yes	No		29.9	7200	No	IB	
					12.33			11.83	7.7				25	3200	1	FOLD	
			<b>648</b>		ALUMN			0	251			0	10.3	Lead	FIXED	2	
			209		MS			0			<input type="checkbox"/>		5.5				
Redux	Olson 911S	28106	<b>126</b>	1987	41.5	155	41.5	35.5	4.5	Yes	No		29.9	7200	No	IB	
					12.33			11.83	7.7				25	3200	1	FOLD	
			<b>648</b>		ALUMN			0	251			0	10.33	Lead	FIXED	2	
			209		MS			0			<input type="checkbox"/>		5.416				



Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		SLU ASA SLU Sprit Lngth Fixed or _o		Ballast	Traps/H. moveable blst	IB or OB Prop Type # of blades	
								SL	SPL	SLU	ASA						
								SSMG SSF	SSA	SLE ASMG	ASA Fixed or _o						
Big Air	Open 5.7 ODR	189	<b>138</b> 2006	21.52 7.3 117	21.6 12.3	25.33 10.24	5.7 8.2	No	Yes	17.6 345 5 0	18.75 18.7 8.3 5.74	992 405 Lead	0 1 FIXED	OB None			
Frisky	Open 5.7 ODR	281	<b>138</b> 2009	21.52 7.3 117	27.9 12.3	25.33 10.24	5.7 8.2	No	Yes	17.5 338 5 0	18.7 18.7 8.3 5.7	992 405 Lead	0 1 FIXED	NONE None			
Geodesic III	Optima 101	103	<b>138</b> 1985	38.71 12 145	38.71 12	38.39 13.45	4.9 8.2	Yes	Yes	19.6 586 2 0	32.84 29.25 11.15 4.76	8511 3968 Iron	0 1 FIXED	IB Fixed_2	(Mtg 4/27/17, added 2' retractable bowsprit, -3 sec/mi)		
Nicole	Orion 35	8210	<b>150</b> 1979	44 14 150	44	39.5 10.5 0 0	4.42 7.319 260	Yes	No	0 0	34.58 28.75 10.83 6	13000 4700 Lead	0 1 FIXED	IB FOLD 2	Displacement Obtained by actual weight on scale, Rudder is new design and new build.		
Invisible Hand	Pac 52	5202	<b>-102</b> 2016	66 20.5 101	76 29.5	69.23 22.98	10.96 15.76	No	Yes	44.7 2970 0 90	52 50 14.5 11.8	15700 8360 Lead	0 1 FIXED	IB None			
Nemesis	Pearson 26 Commander	151	<b>258</b> 1964	31.5 9.5 155		26 11.5	3.3 5.75	Yes	Yes	21.06 444 0 0	25.7 18.5 8 3.7	5200 2500 Lead	0 1 FIXED	OB None			
Lucky Mud	Pearson 323	110	<b>189</b> 1978	41 13.81 100		36 10.75	3 5.2	No	No	0 0	32.3 27.5 10 4.5	12800 4500 Lead	0 1 FIXED	IB Fixed_3			

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
			ISP		I	J	P	MGU	Yes/No	Yes/No	ASF	Ttl Disp.		Traps/H.	IB or OB		
			JSP		Max	Head	E	MGM	SL	SPL	SLU	ASA		Ballast	moveable blst	Prop Type	
			ISP		sail	sail	PY	MSA	SSMG	SSA	SLE	Sprit Lngth		Ballast Mat.	Keel Type	# of blades	
			Disp/WL ratio														
Kabunza	Pearson 36-2	362	<b>132</b>	1986	47.1 15.4	110		41 14.5	3.65 7.3	No	No		36.5 29.5 12.3 6.5	15000 5800 Lead	0 1 FIXED	IB Fixed_2 2	
Flyer	Peterson 33 (CHITA)	18620	<b>144</b>	1979	42.5 13.9	155		36.66 9.91	3.66 6.21	Yes	No		32.67 26.58 10.5 6.08	9480 4960 Lead	0 1 FIXED	IB FOLD 2	
Tortuga	Pyramid 660 ODR MOD	8375	<b>174</b>	1981	21.82 6.8	104		25.7 10.5	4 6.8	Yes	No		21.8 18.1 6.2 3.9	850 400 Lead	2 1 FIXED	OB None 2	(Mtg 5/20/10, removed trapeze +18 sec/mi, hiking straps still allowed)(1/24/13, added upper spreaders & stays, NCTR)
Quiet Thing	Ranger 22	200	<b>216</b>	1978	25.75 8.5	155		26 7.4	2.8 4.8	Yes	No		22.5 17.5 7.8 4.3	2200 900 Lead	0 1 FIXED	OB None	
Evenstar	Ranger 23	6404	<b>216</b>	1974	27.54 9.75	155		24 9.2	3.3 5.4	Yes	No		23.67 20 7.92 3.9	3400 1500 Lead	0 1 FIXED	OB None	
Toypedo	Ranger 26-2	67341	<b>189</b>	1980	26.4 9	150		30.5 11	4 7	Yes	No		26 20 8 5	3000 1140 Lead	0 1 FIXED	OB None	Fixed Keel, No daggerboard
Coquelicot	Ranger 33	148	<b>153</b>	1975	41.5 13.87	120		35 13.75	4.6 8.1	Yes	No		33 26.3 9.6 5	10500 4500 Lead	No 1 FIXED	IB FOLD 2	Double Spreader rig, water supply 41 gallons, below v berth, 26 gallon bladder tank starboard, rudder 9 inches deeper, group 31 batteries, 15 hsp one cyl disel replaced by 29 hsp Perkins 3 cylendar engine. (NCTR) (MTC 2 21 02)

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
			Rating		I	J	ISP	P	MGU	Yes/No	Yes/No	ASF	Ttl Disp.		Traps/H. Strps	IB or OB		
			DW Rating		Max Headsail	ISP JSP	E	MGM	SL	SPL	SLU	ASA	Ballast		moveable blst	Prop Type		
			Disp/WL ratio		Mast Material		PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Ballast Mat.		Keel Type	# of blades		
Liquid Asset	Ranger 33	27707	150	1970	41.5	150	41.5	35	4.93	Yes	No		33.17	10500	0	IB		
					13.7		13.67	13.75	8.67				26.25	4500	1	Fold		
			649		ALUMN				280			0	9.58	Lead	FIXED			
			264		MS						<input type="checkbox"/>	0	5.17					
Boogie Woogie	Ranger 33 MOD	8262	153	1976	41.5	150	41.5	31.5	4.43	Yes	No		33.17	10500	No	IB	(Mtg 8/24/17, +3 sec/mi for short "E")	
					13.87			11	7.39				26.25	4800	1	FOLD		
			660		ALUMN			0	212			0	9.58	Lead	FIXED	2		
			264		MS			0			<input type="checkbox"/>		5.17					
Pearl	Ranger 33 SM	278	165	1977	38	125	38	31.5	4.43	Yes	No		33.17	10500	0	IB		
					13.9			11	7.39				26.25	4800	1	Fixed_2		
			666		ALUMN				212			0	9.583	Lead	FIXED	2		
			264		MS						<input type="checkbox"/>	0	5.166					
Zephyrus	Riechel/Pugh Turbo 77	69011	-99	1997	85.37	128	94.94	87.34	11.5	No	Yes	56.1	77.67	31939	0	IB	(mtg 8/27/09, -6 sec/mi for new oversized jib. Changed custom rating from -126 to -132)(Mtg 4/26/12, New pintop mainsail, change custom rating from -132 to 129)(Mtg 8/23/12, change custom rating from 129 to 90 after review)	
					35		35	30.5	19.2		103.41	4518	65.2	12300	1	FOLD		
			409		CARBON				1563		88.35	0	14.78	Lead	FIXED	2		
			52		FS						56.66	<input checked="" type="checkbox"/>	14.12					
Nymph	S&S 30	60602	144	2013	38	90	43.58	40	5.35	No	Yes	16.7	30.5	6500	0	IB		
					9.5			14	8.96		43.2	537	27.5	2400	1	Fold		
			629		ALUMN				332		37.5	0	8.25	Lead	FIXED			
			142		FS						15.8	<input checked="" type="checkbox"/>	5.5					
Wildcat of Loch Awe	S-2 7.9 FR DB	59838	165	1983	31.83	135	31.83	29.42	4.75	Yes	No		25.92	4250	0	OB		
					9.5			12.33	7.92				21.67	1750	1	None		
			685		ALUMN				216		17.08	432	9	Lead	AGGERBR			
			190		FS						17.08		5					
Ganesha	Sabre 36-2	28862	111	1996	48.5	155		41.6	5.66	No	No		36.17	13800	No	IB	Adjustable back stays	
					13.46			14.83	9.63				30.42	5520	1	FOLD		
					ALUMN			0	368			0	12	Lead	FIXED	2		
			223		MS			0			<input checked="" type="checkbox"/>	0	6.5					

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps	IB or OB Prop Type # of blades	
								SL SPL SSMG SSF	SPL SSA SSA	SLU SLE ASMG	Ballast				moveable blst		
Disp/WL ratio																	
Escapade	Sabre 40-2	38011	75 1997	54 15.5 110 54 16			47.5 5.6 17 9.9		Yes	Yes	23.5 1001 0 0	40.2 34 13.3 7.5	19760 7500 Lead	0 1 FIXED	IB FEATH 3		
Princess	Sabre 40-2	28876	75 1996	53.5 15.5 110 53.5 20.5			47.8 6.27 17 10.7		No	Yes	26.75 1205 5 0	40.17 35.25 13.25 6.25	19500 7000 Lead	No 1 FIXED	IB FOLD 2	base rtg changed frm 69 to 72 MTG 4/8/03.	
Serenade	Sabre Spirit		96 2007	45.5 12.87 106 51.2 12.87			45.5 5.55 16.55 9.93		Yes	No	23 976 0 0	36.67 28.33 10.42 6.58	10500 3740 Lead	0 1 FIXED	IB Fold		
Zwei Flying Fish	San Juan 33s	59733	129 1981	34.83 11.48 134 34.83			39.16 4.66 12.66 8.08		Yes	No	0 0 0	33.1 27.8 7.95 5.5	6000 3500 Lead	0 1 FIXED	IB Fold	(Mtg 5/28/15, +3 sec/mi for small rig)	
Blade Runner	Santa Cruz 27	28727	141 1979	32.7 10.9 150 32.7 10.9			28.2 3.27 8.7 5.64		Yes	Yes	19.58 533 0 90	27 24.08 8 4.5	3000 1600 Lead	0 1 FIXED	OB None		
Crazy Rhythm	Santa Cruz 27	18771	144 1978	32.58 10.75 125 32.58			28.166 3.68 8.583 6.06		Yes	No	0 0	27 24 8 4.5	3200 1600 Lead	No 1 FIXED	OB None 0	(Outboard Removed)	
Giant Slayer	Santa Cruz 27	59369	141 1979	32.583 10.9 155 32.583 10.9			28.25 3.7 8.7 6.3		Yes	Yes	17.67 372 0 90	27 24 8 4.5	3304 1800 Lead	No 1 FIXED	OB None 0	(Mtg 3/27/14, -3 sec/mi for 10% overized symmetrical spinnaker)	

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications		
				DW Rating <i>Disp/WL ratio</i>	J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast		Traps/H. moveable blst	IB or OB Prop Type # of blades
									SL	SPL	SLU	ASA							
									SSMG SSF	SSA	SLE	Sprit Lngth Fixed or _o							
Ballast Mat.	Keel Type																		
Gotcha	Santa Cruz 27	47911	<b>141</b> 1975	32.58 10.75	150	32.58	28.25 8.583	3.68 6.06	Yes	No	27 24 8 4.5	3200 1600 Lead	0 1 FIXED	OB None					
Low-Down	Santa Cruz 27	8027	<b>141</b> 1979	32.7 10.9	140		28.25 8.58	3.68 6.06	Yes	No	27 24 8 4.5	3300 1500 Lead	0 1 FIXED	OB None					
Quila	Santa Cruz 27	18723	<b>141</b> 1976	32.583 10.75	155	32.583	28.25 8.583	3.68 6.1	Yes	No	27 24 8 4.5	3000 1500 Lead	No 1 FIXED	OB None 0					
Oscar	Santa Cruz 33	57663	<b>117</b> 1978	41 13.583	125	41	35.42 15	4.25 7.166	Yes	No	33 28 10.06 6	7000 3000 Lead	No 1 FIXED	IB FOLD 2					
Wildcard	Santa Cruz 37	37005	<b>27</b> 2009	47.1 13.4	107	52.17 19	47 17	6.4 11	No	Yes	37 34.75 10.64 7.5	8662 3730 Lead	0 1 FIXED	IB FOLD 2	(Mtg 1/26/16, new keel box & rudder noted, NCTR)				
Void Star	Santa Cruz 40	59995	<b>45</b> 1982	52 16	135	52 18.67	45.5 14	5.2 8.58	No	Yes	40 36 12 7	12500 5000 Lead	0 1 FIXED	IB FEATH 2	(Mtg 10/22/15, -6 sec/mi for 20% increase in JSP)(4/6/16, +3 sec/mi for non-articulating spinnaker)				
Deception	Santa Cruz 50	97263	<b>-6</b> 1987	61.8 18.3	155	61.8 18.3	55 18.4	7.1 12	Yes	Yes	50 46 12 8	17500 8000 Lead	0 1 FIXED	IB FOLD 2	ELPT Keel & OS/Spinnaker; Has a Code 0 headsail aboard - tacked to stem, no sprit (Mtg 5/26/16, -3 sec/mi for oversized mainsail)(Mtg 6/23/16, change rating back to -6)				

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications	
			ISP		I	J	Max	Head	Sail	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps		IB or OB
			JSP		Headsail	Mast	Material	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type			
			Disp/WL ratio		Rig Type	PY	MSA	SSMG	SSA	SLE	Sprit	Lngrh	Max Beam	Ballast Mat.	Keel Type	# of blades				
						EY		SSF	ASMG	Fixed or _o	Max Draft									
Emily Carr	Santa Cruz 50	49211	-6	1981	61	150	61	55	6.4	Yes	No	53	15000	No	IB	3' SUGAR SCOOP ON TRANSOM IF STD 50FT LOA OF BOAT				
					19			17	11			46.5	7500	1	FOLD					
			478		ALUMN		0	555	34	1718	0	12	Lead	FIXED	2					
			68		MS		0		33		<input type="checkbox"/>	8								
Hana Ho	Santa Cruz 50	77007	-12	1980	61.39	155	61.5	54.92	6.5	Yes	Yes	52	18000	0	IB	(Mtg 5/26/11, +3 sec/mi for interior changes)(2/24/12, interior changes removed, boat is back to standard weight for a SC 50)(Mtg 5/25/17, New Rudder, NCTR. -3 sec/mi for OSP, -3 sec/mi for oversized spinnaker area)				
					18.85		20.73	16.98	11.1		Yes	46	8000	1	Feath					
			478		ALUMN		0	558	33.75	1713	59.68	0	12	Lead	FIXED		3			
			84		MS		0		33.75		35.3	<input checked="" type="checkbox"/>	7.75							
Horizon	Santa Cruz 50	18926	-15	1982	61.7	145	61.7	55.2	7.15	No	Yes	50.23	18844	0	IB	(Mtg 6/16/08, -6 sec/mi for oversized spinnaker, -3 sec/mi for oversized main)				
					18.43		20.3	19	12.05		66	1880	8000	1	FOLD					
			475		ALUMN				618		59.6	0	12.02	Lead	FIXED		2			
			83		MS						35.8	<input type="checkbox"/>	7.988							
OAXACA	Santa Cruz 50	8927	-12	1982	61.48	155	61.22	54.75	6.08	Yes	No	50.23	17374	0	IB	(Mtg 5/26/16, -6 sec/mi for oversized ASA)				
					18.88		20.65	16.98	10.67		61.2	20.65	46.67	8000	1		Fold			
			480		ALUMN				540		36.6	1867	12	Lead	FIXED					
			78		FS						36.6	<input type="checkbox"/>	7.91							
Buona Sera	Santa Cruz 70	41104	-81	1986	73.15	155	73.63	65.49	9.12	No	Yes	68.9	24905	0	IB	(Mtg 8/27/15, New rudder noted, -9 sec/mi for new keel)(Mtg 3/23/17, -6 sec/mi for 13% increase in SPL, -3 sec/mi for increase in spinnaker area, +3 sec/mi for decrease in mainsail area)				
					22.52		25.26	25.39	15.72		25.5	79.07	2504	8960	1		Fold			
			423		CARBON				961		68.31	0	15.1	Lead	FIXED					
			51		MS						40.95	<input type="checkbox"/>	10.62							
Catapult	Santa Cruz 70	41005	-84	1989	73.34	155	73.74	66.11	9.3	No	Yes	68	23847	0	IB	(Mtg 5/25/17, Custom rating assigned. As Sailed: -84)				
					22.19		25.26	24.67	15.75		76.8	2348	59.7	9000	1		Fold			
			417		CARBON				963		67.9	0	15.1	Lead	FIXED					
			51		MS						38.9	<input checked="" type="checkbox"/>	10							
New Sinsation	Santana 20	28449	222	1978	24.5	150	24.5	24.5	3.16	Yes	No	20.2	1350	0	OB					
					8.16			7	4.92				16	550	1		None			
			719		ALUMN				110		13.67	271	8	Lead	FIXED					
			150		FS						13.67		4							

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
			DW Rating		I	J		P	MGU	Yes/No	Yes/No	ASF	Ttl Disp.		Traps/H. Strps			
			Disp/WL ratio		Max Headsail	Mast Material		E	MGM	SL	SPL	SLU	ASA		Ballast	moveable blst		
					Rig Type	PY		MSA	SSMG	SSA	SLE	Sprit Lngth	Ballast Mat.		Keel Type			
						EY		SSF	ASM	Fixed or _o								
Anapos	Santana 22	5158	<b>237</b>	1966	26	120	26	21.75	3.95	Yes	No		22	2600	No	OB		
					8.5			9.833	6.59				18.666	1230	1	None		
			<b>737</b>		ALUMN			0	131			0	7.833	Iron	FIXED	0		
			182		MS			0			<input type="checkbox"/>		3.5					
Byte Size	Santana 22	801	<b>237</b>	2001	26	90	26	21.75	3.95	Yes	No		22	2600	No	OB		
					8.5			9.833	6.59				18.67	1230	1	None		
			<b>737</b>		ALUMN			0	131			0	7.83	Iron	FIXED	0		
			182		MS			0			<input type="checkbox"/>		3.5					
High and Dry	Santana 22	114	<b>234</b>	1967	26	150	26	21.75	3.95	Yes	No		22	2600	0	OB		
					8.5			9.83	6.59				18.67	1230	1	None		
			<b>737</b>		ALUMN				131			0	7.83	Cast Iron	FIXED			
			182		MS						<input type="checkbox"/>	0	3.5					
Meliki	Santana 22	5194	<b>237</b>	1967	26	125	26	21.75	3.95	Yes	No		22	2600	No	OB		
					8.5			9.833	6.59				18.67	1230	1	None		
			<b>737</b>		ALUMN			0	131			0	7.83	Iron	FIXED	0		
			182		MS			0			<input type="checkbox"/>		3.5					
Zingaro	Santana 22	5050	<b>237</b>	1971	26	125	26	21.75	3.95	Yes	No		22	2600	0	OB		
					8.5			9.83	6.59				18.67	1260	1	None		
			<b>737</b>		ALUMN				131			0	7.833	Iron	FIXED	0		
			182		MS						<input type="checkbox"/>	0	3.5					
Albacore	Santana 22 ODR	18325	<b>237</b>	1976	25.67	125	25.67	21.75	3.95	Yes	No		22	2600	0	OB		
					8.58		8.58	9.83	6.59				18.67	1230	1	None		
			<b>737</b>		ALUMN				131			0	7.83	Iron	FIXED			
			182		MS						<input type="checkbox"/>	0	3.5					
Auggie	Santana 22 ODR	476	<b>237</b>	1969	26	125	26	21.75	3.95	Yes	No		22	2600	No	OB		
					8.5			9.833	6.59				18.666	1230	1	None		
			<b>737</b>		ALUMN			0	131			0	7.833	Cast Iron	FIXED	0		
			182		MS			0			<input type="checkbox"/>		3.5					

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps Ballast moveable blst Ballast Mat. Keel Type	IB or OB Prop Type # of blades	
								SL	SPL	SLU	ASA						
								SSMG SSF	SSA	SLE	ASMG						
The Belafonte	Santana 22 ODR	5000	<b>237</b> 1970	26 8.5 110	26	21.75 9.833 0 0	3.95 6.59 131	Yes 26 15.44 15.44	8.583 335	No	0	22 18.67 7.833 3.5	2600 1230 Iron	No 1 FIXED	OB None 0		
Don Wan	Santana 28	8191	<b>186</b> 1978	36 12 155	36	31 9.416 0 0	3.6 6.1 175	Yes 36 21.6 21.6	12 648	No	0	28.25 23 9.17 5	7500 2550 Lead	No 1 FIXED	IB Fold 2		
Happy Daze	Santana 30-30 GP	87322	<b>120</b> 1984	40.83 11.67 150	40.83	36.17 11.08 0 0	5.25 8.5 267	Yes 40.25 19.5 18.6	11.75 648	No	0	29.92 25.42 10.25 5.5	6500 2435 Lead	No 1 FIXED	IB FOLD 2		
Ahi	Santana 35	30980	<b>114</b> 1981	39 12.85 155	39	42 14.25 358	5.51 9.26	Yes 39 23.13 23.13	12.85 752	No	0 0	35 26.5 11.92 6.25	8500 3300 Lead	0 1 FIXED	IB Fold 2	(Mtg 6/27/13, new rudder noted, NCTR)	
Breakout	Santana 35	18679	<b>114</b> 1982	39 12.85 155	39	42 14.25 358	5.51 9.26	Yes 39 23.13 18.6	12.85 722	No	0	35 26.5 11.92 6.25	8500 3300 Lead	No 1 FIXED	IB FOLD 2		
Dream	Sceptre 41	12	<b>129</b> 1983	53 17.67 90	53	47 13 374	5.24 8.73	Yes 53 29.5 28	17.67 1290	No	28 1038 0 0	41 36 12.67 6.08	21500 8700 Lead	0 1 FIXED	IB Fold		
Velvet Hammer	Schock 40	51507	<b>-12</b> 2000	42.5 13.6 104	49.5 20.58	44.4 16.8 0 0	7.2 11.8 470	No	Yes 60 49 31.685	33.92 1459 7 0	40 35 10 8	7914 1800 Lead	No 2 MOVABL	OB None 0	(mtg 10/21/09, switched to 104% headsail, from 150%, smaller girths on mainsail. Change custom rating from -18 to -12)		



Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications									
			Built	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF		LOA	Ttl Disp.	Traps/H.	Strps	IB or OB									
										DW Rating	Mast Material		E	MGM							SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	# of blades
EW	MSA	SSMG	SSA	ASMG	Fixed or _o	Max Draft																						
Trois Amis	Screamer 12 Meter MOD	194	<b>36</b>	1985	44.58	140	44.58	41	5.3	Yes	No			39.37	6000	0	OB	(mtg 3/23/17, custom rating of 36 assigned)										
					15.75			14.2	9.2					32.5	1350	1	None											
			<b>506</b>		ALUMN				345			0		10.33	Lead	FIXED												
			79		MS						<input type="checkbox"/>	0		7.67														
Alpha	Sonar 23	498	<b>174</b>	1990	23	100		27.5	1.23	No	No			23	2100	n	OB											
					8.25			11.17	7.3					19.92	900	1	None											
					ALUMN				156			0		7.8	Lead	FIXED												
			121		MS						<input type="checkbox"/>	0		3.92														
BZ	Sonar 23		<b>174</b>		23	100		27.5	1.23	No	No			23	2100	No	NONE											
					8.25			11.17	7.3					19.92	900	1	None											
					ALUMN				156			0		7.8	Lead	FIXED												
			121		FS						<input type="checkbox"/>	0		3.92														
Gentoo	Soto 30	1	<b>36</b>	2012	38.25	102	38.67	38.67	5.83	No	Yes	26.25		30	3800	0	OB	(Mtg 9/16, -3 sec/mi for larger mainsail)										
					12.25		19.83	13.58	8.83		49.83	968		28.75	1415	1	None											
			<b>516</b>		CARBON				322		40	7.7		9.58	Lead	FIXED												
			73		MS						25.75	<input checked="" type="checkbox"/>	0	6.5														
Vera Cruz	Sunsail F40 ODR	1003	<b>42</b>	2012	52.69	105	56.54	51.15	6.53	No	Yes	30.32		40.15	17437	0	IB											
					15.09		17.06	17.65	11.42		58.07	1200		35	6609	1	Fold											
			<b>571</b>		ALUMN				534		49.5	1.98		12.76	Lead	FIXED	2											
			185		FS						25.9	<input checked="" type="checkbox"/>	0	8.04														
Trex	Sunsail F40 ODR (Beneteau F40)	1007	<b>42</b>	2012	52.69	105	56.54	51.15	6.53	No	Yes	30.32		40.15	17437	0	IB											
					15.09		17.06	17.65	11.42		58.07	1200		35	6609	1	Fold											
			<b>571</b>		ALUMN				534		49.5	1.98		12.76	Lead	FIXED	2											
			185		FS						25.9	<input checked="" type="checkbox"/>	0	8.04														
Vento	Swan 391	40841	<b>99</b>		53.5	95	53.5	47.25	5.5	Yes	Yes	26		39.9	18900	0	IB											
					16.25		16.25	14	9.2		51.83	16.25		33.1	6800	1	Fold											
			<b>592</b>		ALUMN				399		29.3	1266		12.4	Lead	FIXED												
			237		MS						29.3			7.2														

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
			Max Headsail		I	J	ISP	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	IB or OB			
			DW Rating		Mast Material	JSP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type			
			Disp/WL ratio		Rig Type	PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades				
Elusive	Swan 42 Club	4216	9	2007	59.07 16.44	106	62.99 19.05	56.56 19	7.1 12.5	Yes	62 34 33.7	19.05 1754	Yes 65 59.1 35	34.8 1808 2.6 <input checked="" type="checkbox"/> 0	42.59 38.15 12.8 9	17158 6988 Lead	0 1 FIXED	IB Fold 2	(Mtg 2/25/16, +3 sec/mi for decrease in Spinnaker Area, +6 sec/mi for decreased JSP, -3 sec/mi for articulation, -3 sec/mi for switch to larger headsail)(06/09/17, switching back to stock configuration)
Blue	Swan 53-2	61522	30	2012	71.96 19.52	105	73.84 19.53	65.88 21.98	7.64 13.38	No		19.43	Yes 75.95 67.09 36.72	38.89 2214 0 90	54.07 47.24 15.58 12.14	54482 22400 Lead	0 1 CNTRBRD	IB Fold	(Mtg 3/23/17, -3 sec/mi for ability to fly a-sail on a squared back pole)
No Name	swift	274	219	1978	25.9 8.5	125	25.9 8.6	26 7.5	3.3 5.5	Yes	25.9 15.3 15.6	8.3 332	No	0 0	22.5 17.58 7.83 4.3	2183 900 Lead	0 1 FIXED	OB None	Roller Furler
Relentless	Sydney 32	28732	81	2002	40.6 12.2	110	40.6 13.1	39.7 14.75 0 0	5.6 9.59 349	Yes	40.29 23.4 23.4	13.1 786	No	0	31.9 28.4 10.6 6.9	6850 2860 Lead	No 1 FIXED	IB FOLD 2	-3 Sec/mi for OSP
Encore	Sydney 36 CR	3632	57	2006	45.6 14	104		44.36 16.4	6.1 10.6	No	49.9 28.6 27.2	15.4 1178	Yes 55.7 48 29.9	28.9 1283 1.4 90	36.06 31.04 11.32 7.55	12897 4850 Lead	No 1 FIXED	IB FOLD 2	(Australian IRC Rating 1.052)(Mtg 8/23/12, change custom rating from 54 to 57)
Bustin Loose	Sydney 38 MH	38044	21	2002	54 14.9	104	52.03 14.77	50.53 18.046 0 0	6.85 11.73 543	Yes	56.7 30.12 30	15.9 1422	Yes 54.92 48.33 25.49	27.69 1116 0 <input checked="" type="checkbox"/>	38.6 35.3 12.4 8.8	12250 5140 Lead	0 1 FIXED	IB FOLD 2	
Afterburner	Synergy 1000	1001	45	1999	40.75 12	110	45.75 16.4	42 15.5	6.99 11.03	No			Yes 51 43.7 28	26 1089 4.3 <input checked="" type="checkbox"/> 0	32.83 29.17 9.75 7	4600 1850 Lead	0 1 FIXED	IB Feath 2	

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
			Rating		I	J	Max Headsail	ISP	P	MGU	Yes/No	Yes/No	ASF		Ttl Disp.	Traps/H.	Strps		IB or OB
			DW Rating		Mast	Material	JSP	E	MGM	SL	SPL	SLU	ASA		Ballast	moveable blst	Prop Type		
			Disp/WL ratio		Rig Type		EY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam		Ballast Mat.	Keel Type	# of blades		
Sapphire	Synergy 1000	38008	<b>48</b>	2004	40.8	125	45.75	42	5.86	No	Yes	28	32.83	4400	No	IB	(Mtg 10/22/15, +3 sec/mi for smaller than class mainsail)		
					12	16.4	15.5	10.03		52	1172	29.17	1850	1	FOLD				
			<b>532</b>		CARBON					46.2	4.3	9.75	Lead	FIXED	2				
			81		FS					28.8	<input type="checkbox"/>	0	7						
Abba-Zaba	Tartan 10	8112	<b>129</b>	1979	35	125	35	40.25	5.34	Yes	No		33.16	6700	0	IB	(+3 sec/mi credit for 125% or smaller headsail)		
					12		13.75	8.86	35	12		27	3340	1	FOLD				
			<b>623</b>		ALUMN		0	331	21.6	630		9.25	Lead	FIXED	2				
			155		FS		0		21.6		<input type="checkbox"/>		5.83						
QE 3	Tartan 10	8049	<b>129</b>	1978	35	125	35	40.25	5.34	Yes	No		33.16	6700	0	IB			
					12		13.75	8.96	35	12		27	3340	1	FOLD				
			<b>623</b>		ALUMN		0	332	21.6	630		9.25	Lead	FIXED	2				
			155		FS		0		21.6		<input type="checkbox"/>		5.83						
Topgallant	Tartan 10	18608	<b>129</b>	1978	35	125	35	40.25	5.34	Yes	No		33.16	6700	No	IB	(4/25/02 Installed Running Backstay)		
					11.75		13.75	8.96	35	12		27	3340	1	FOLD				
			<b>623</b>		ALUMN		0	332	21.6	622		9.25	Lead	FIXED	2				
			155		FS		0		20.3		<input type="checkbox"/>		5.83						
Lelo Too	Tartan 30	16354	<b>180</b>	1975	39	155	39	34	4.61	Yes	No		29.92	8750	0	IB			
					13		11.416	7.69	37	13		24.25	3700	1	FOLD				
			<b>687</b>		ALUMN		0	238	21.666	601		10	Lead	FIXED	0				
			279		MS		0		10.833		<input type="checkbox"/>		4.916						
Isle Of Skye	Tartan 33 7/8 RIG	6	<b>159</b>	1979	36.42	100	36.42	41.58	4.6	No	No		33.67	10000	No	IB			
					12.42		14.42	8.1				28.08	4400	1	FEATH				
					ALUMN		0	328				10.92	Lead	FIXED	3				
			205		FS		0				<input type="checkbox"/>		4.42						
Constance	Tartan 34 CB	346	<b>165</b>	1974	41	125	41	35.5	4	No	Yes	20.3	34.3	11200	0	IB	Roller Furler		
					14		10.5	6.9	41	14		43.6	25	5000	1	Fold			
			<b>683</b>		ALUMN			224	24.5	836		37.4	10.2	Lead		2			
			326		MS				24.3		<input checked="" type="checkbox"/>	0	8.3	Lead	CNTRBRD				



Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications		
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		Ttl Disp.		Traps/H.	Strps	IB or OB Prop Type # of blades			
								SL	SPL	SLU	ASA							Ballast	moveable blst
								SSMG SSF	SSA	SLE ASMG	Sprit Lngth Fixed or _o								
Disp/WL ratio																			
U Decide	Ultimate 20	155	<b>144</b> 2001	26.08 6.97	114	27.58 12.79	27.33 10.17	5.5 7.96	No	Yes	17.7 433	20.83 18 8.33	1350 450 Lead	0 1 FIXED	OB None 0				
UHOO!	Ultimate 20	64	<b>144</b> 1996	22.8 7	100	27.58 13	27.5 10.33	5.3 7.96	No	Yes	19.2 446	20.8 18 8.166	1100 450 Lead	No 1 CENTER	OB None 0				
Breakaway	Ultimate 20 CM	180	<b>144</b> 2002	26.08 6.97	114	27.58 12.79	27.33 10.17	5.5 7.96	No	Yes	19.167 441	20.83 18 8.33	1350 450 Lead	No 1 FIXED	OB Fixed_3 3				
For Pete's Sake	Ultimate 24 ODR	28469	<b>111</b> 2003	28.04 7.82	102	30.8 14.5	31 11.5	5.5 8.8	No	Yes	22.2 587	24.38 21.17 8.48	2040 750 lead	No 1 FIXED	OB None				
Makanani	Ultimate 24 ODR	3	<b>111</b> 2003	28.04 7.82	110	30.8 14.5	31 11.35	6.35 9.18	No	Yes	21.3 566	24.38 21.17 8.48	2040 750 Lead	0 1 FIXED	OB None				
Max	Ultimate 24 ODR	2	<b>108</b> 2002	28.04 7.82	110	30.8 14.5	31 11.35	6.81 9.18	No	Yes	21.3 562	24.38 21.17 8.48	2040 750 Lead	0 1 FIXED	OB None				
Lotus	Vismara 50	0	<b>-39</b> 2008	65.5 17.95	106	72.01 23	65.62 20.34	7.32 13.67	No	Yes	35.6 1926	50.2 46.42 14.1	24912 9259 Lead	0 1 CNTRBRD	IB Fold	(Mtg 8/24/17, Custom rating assigned: -39)			

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications									
			Built	JSP	I Max	J Headsail	ISP	P E	MGU MGM	Yes/No		Yes/No	ASF		LOA	Ttl Disp.	Traps/H.	Strps		IB or OB								
										DW Rating	Mast Material		PY	MSA							SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type
Max Draft	Ballast Mat.	Keel Type	# of blades																									
Willow	Wauquiez 40s Centurion	38300	<b>69</b>	2004	51.5	110	51.5	49.21	7.3	Yes	Yes	28.54	41.17	18960	No		IB	(mtg 3/18/10, -3 sec/mi for oversized a-sail.)(mtg 1/27/11, - 3 sec/mi for added sprit)										
			<b>573</b>		14.17			19.3	12.5		52.8	1155	36.4	6085	1		FEATH											
			<b>179</b>		ALUMN				564		25.54	1080	12.66	Lead	FIXED		3											
					FS						27.66		7.75															
Ebb Tide	Wauquiez 45s Centurion	60245	<b>57</b>	2003	55.77	100	55.77	51.84	6.51	Yes	Yes	32.25	45.92	23148	0		IB	(Mtg 5/26/11, Increased "JSP" by 5.67' which equals a 30% increase. - 9 sec/mi per NCPHRF Rules & Guidelines.)(Mtg 3/29/12, JSP now same as J+9 sec/mi, Asymmetrical spinnaker still oversized, -3 sec/mi)										
			<b>542</b>		17.72		17.72	19.32	11.68		58.86	1541	40.25	8488	1		Fold											
			<b>161</b>		ALUMN				567		52.39	0	13.67	Lead	FIXED		3											
					FS						33.49		8.17															
Tortuga	Westsail 32	207	<b>216</b>	1974	31.2	150		38.3		No	No		32	19500	0		IB											
			<b>694</b>		18.4			15.1					27.6	7000	1		FOLD											
			<b>422</b>		ALUMN							0	11	Lead	FIXED		3											
					CTR							0	5															
Tinker	Wilderness 21	6	<b>225</b>	1977	25	125	25	25	2.83	Yes	No		20.5	1870	No		OB	Added roller furler										
			<b>718</b>		8.67			8	4.66				17.8	1070	1		None											
			<b>151</b>		ALUMN			0	113			0	7.25	Lead	FIXED													
					MS			0					4															
Domino	Wilderness 30 MOD	38081	<b>126</b>	1985	36	155	36	31.5	4.11	Yes	No		30	5450	0		IB	(Mtg 3/28/13, +6 sec/mi for small rig)										
			<b>608</b>		12.25		12.25	10.83	6.93				27.75	2150	1		Fold											
			<b>116</b>		ALUMN				203			0	8.8	Lead	FIXED													
					MS							0	5.5															
FUGU	Wilderness 30 SX FR IB	67967	<b>120</b>	1980	34.08	150	34.1	34.44	4.37	Yes	Yes	20.36	29.75	4200	0		OB	(Mtg 11/20/08, -6 sec/mi for replacing inboard with outboard engine)										
			<b>585</b>		11.75		11.8	11.5	7.48			603	27.75	1900	1		None											
			<b>89</b>		ALUMN				236			0	8.75	Lead	FIXED		0											
					FS							0	5.5															
Freedom	Worth 40	18230	<b>96</b>	1984	54	155	16	47	5.5	Yes	No		40	21000	0		IB											
			<b>594</b>		16		16	14	9.2				34.25	7800	1		FOLD											
			<b>238</b>		ALUMN			0	397			0	12.5	Lead	FIXED		2											
					MS			0					7.25															

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications				
			Built	J	Max Headsail	ISP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp. Traps/H. Strps		IB or OB							
									E	MGM				SL	SPL		SLU	ASA		LWL	Ballast	moveable blst	# of blades
Disp/WL ratio	Mast Material	Rig Type	EY		ASM	Fixed or _o	Max Draft	Ballast Mat.															
Wild Spirit	Wylie 36	0	<b>141</b>	1970	44.67	100	44.67	40.75	5.3	No	Yes	23.5	36.5	13720	0	IB	(Mtg 3/24/16, same hull as "Alert", +3 sec/mi for small "I", +3 sec/mi for no spinnaker articulation)						
			<b>642</b>		14.75		14.75	14	9.1		45	30	5575	1	Fixed_2								
			<b>231</b>		ALUMN						39.66	10.9	Lead	FIXED									
					CTR						23	6											
Bad Hare Day	Wylie Wabbit ODR W/Trap	35	<b>126</b>	1982	20.75	150	20.5	23.75	4.03	Yes	No		23.75	975	Yes	OB							
			<b>603</b>		6.5			10	6.72			20	440	3	None								
			<b>55</b>		ALUMN			0	145			5.583	Lead	FIXED	0								
					FS			0				3.5											
Keala	Wylie Wabbit ODR W/Trap	12	<b>126</b>	1982	20.5	150	20.5	23.75	4.03	Yes	No		23.75	975	Yes	OB	Hiking straps and single trapeze						
			<b>602</b>		6.5			10	6.72			20	440	3	None								
			<b>55</b>		ALUMN			0	145			5.58	Lead	FIXED	0								
					FS			0				3.5											
Kwazy	Wylie Wabbit ODR W/Trap	26	<b>126</b>	1982	20.416	150	20.5	23	4.02	Yes	No		23.58	975	Yes	NONE							
			<b>604</b>		6.416			10	6.71			20	440	3	None								
			<b>55</b>		ALUMN			0	141			5.42	Lead	FIXED	0								
					FS			0				3.41											
Lepus	Wylie Wabbit ODR W/Trap	18	<b>126</b>	1982	20.5	150	20.5	23.75	4.03	Yes	No		23.75	975	1	OB	Hiking Straps & Trapeze per class rules						
			<b>602</b>		6.5			10	6.72			20	440	3	None								
			<b>55</b>		ALUMN			0	145			5.58	Lead	FIXED	0								
					FS			0				3.5											
Mr McGregor	Wylie Wabbit ODR W/Trap	8426	<b>126</b>	1982	20.5	150	20.5	23.75	4.03	Yes	No		23.75	975	1	OB	INCLUDES HIKING STRAPS AND SINGLE TRAPEZE.						
			<b>602</b>		6.5			10	6.72			20	440	3	None								
			<b>55</b>		ALUMN			0	145			5.58	Lead	FIXED	0								
					FS			0				3.5											
White Wabbit	Wylie Wabbit ODR W/Trap	19	<b>126</b>	1982	20.5	110	26.1	23.75	4.03	Yes	No		23.75	975	Yes	OB							
			<b>601</b>		6.6			10	6.72			20	440	1	None								
			<b>55</b>		ALUMN			0	145			5.58	Lead	FIXED	0								
					FS			0				3.5											

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
			Built	J	Max Headsail	ISP	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB			
			DW Rating	Mast Material	JSP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type				
			Disp/WL ratio	Rig Type	PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades					
Wind Blown Hare	Wylie Wabbit ODR W/Trap	29	<b>126</b>	1982	20.5	150	20.5	23.75	4.03	Yes	No			23.75	975	1	OB		
			<b>602</b>		6.5			10	6.72			22	8.5	20	440	3	None		
			<b>55</b>		ALUMN			0	145			13.9	254	5.583	Lead	FIXED	0		
					FS			0				13.7		3.5					
Bandicoot	Wyliecat 30 IB	28530	<b>132</b>	2000	0		29	39.75	7.87	No	No	18.8		30.5	5500	0	IB	(mtg 5/20/10, -21 sec/mi for added spinnakers)(9/5/12, removed spinnaker, back to standard configuration)	
			<b>653</b>		0		10	20.5	13.46			512		25	3050	1	FEATH		
			<b>160</b>		CARBON			0	488			0		9.5	Lead	FIXED	2		
					CATBOAT			0				22.5	<input checked="" type="checkbox"/>	5.25					
Catalyst	Wyliecat 30 IB	28571	<b>132</b>	2004				40	7.87	No	No			30.42	5800	No	IB	Must have a YC card before registering for 2005 and clear YC for 2004	
			<b>652</b>					20.67	13.46			0		25	3000	1	Feath		
			<b>169</b>		CARBON			0	493			0		9.42	Lead	FIXED	2		
					CAT			0					<input type="checkbox"/>	5.25					
Crinan II	Wyliecat 30 IB	15	<b>132</b>	2002				39.75	7.79	No	No			30.5	5500	No	IB		
			<b>653</b>					20.5	13.32			0		25	3050	1	FOLD		
			<b>160</b>		ALUMN			0	485			0		9.5	Lead	FIXED	2		
					CATBOAT			0					<input type="checkbox"/>	5.25					
Iseult	Wyliecat 30 IB	13	<b>132</b>	2001		0		39.75	7.87	No	No			30.5	5500	0	IB		
			<b>653</b>					20.8	13.46			0		25	3050	1	Fold		
			<b>160</b>		CARBON				491			0		9.42	Lead	FIXED	2		
					CAT								<input type="checkbox"/>	9.25					
Polecat	Wyliecat 30 IB	5	<b>132</b>	1997			29.5	40	7.35	No	No	21.6		30.5	5500	No	IB	(Articulating Sprint and Pole added for asym spinnaker, added asymmetrical, -21 sec/mi)(5/22/14, removed Asymmetric, +21 sec/mi)(Mtg 8/25/16, New rudder installed, NCTR)	
			<b>620</b>				12	20	12.66			493		25	3050	1	FOLD		
			<b>160</b>		CARBON			0	468			8		9.416	Lead	FIXED	2		
					CAT			0				15		5.25					
Uno	Wyliecat 30 IB	28632	<b>129</b>	1995	35.8		35.8	39.66	9.31	No	Yes	19.68		30.5	5800	0	IB	(mtg 2/21/08, penalty for oversized main -3 sec/mi)(Mtg 5/22/08, -24 for asymmetric spinnaker flown on 12' pole)(1/24/16, not using spinnaker +24 sec/mi)	
			<b>607</b>		5.5		12	19.75	13.05			550		25	3000	1	FOLD		
			<b>169</b>		CARBON				493			0		9.5	Lead	FIXED	2		
					CAT							90		5.25					



Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
			Built	DW Rating	I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp.	Traps/H. Strps		IB or OB Prop Type # of blades	
										SL	SPL	SLU	ASA			Ballast	moveable blst		
ASF	Fixed or _o	SSF	SSA	ASMG	Fixed or _o	Keel Type													
Nancy	Wyliecat 30 OB	28890	<b>126</b>	1995				39.66 19.75	8.71 13.46	No	No		30.5 25 9.5 5.25	5500 3050 Lead	No 1 FIXED	OB None 0	(-3 sec/mi for square top main)		
			<b>650</b> 160		CARBON CAT		0 0	491			<input type="checkbox"/>	0							
Windswept Lady	X-362 Classic	50980	<b>96</b>	1998	46.6 12.9	125	46.6 12.9	40.6 14.1	5.05 8.86	Yes	Yes	26.7 878	35.1 30.4 11.4 6.2	12320 5170 Lead	0 1 FIXED	IB Fold			
			<b>613</b> 199		ALUMN MS			333				<input type="checkbox"/>							
Nadja Delphine	X-41	0	<b>15</b>	2009	55.9 16.11	106	58.63	53.31 18.04	6.82 11.61	Yes	No		40.52 35.07 11.94 8.2	14109 6019 Lead	0 1 FIXED	IB Fold	Electronic winches		
			<b>537</b> 149		CARBON FS			570				<input type="checkbox"/>	0 0						
Foxxfyre	Yamaha 33 IK SM	67248	<b>159</b>	1978	42.81 13.78	150	42.81	37.4 10.6	4.38 7.27	Yes	No		33.25 26.92 11 6.25	16000 4410 Iron	No 1 FIXED	IB FEATH 2	PER PHRF MTG 3/16/2000 - Weight Differencer from brochure is significant.		
			<b>648</b> 373		ALUMN MS			0 0	246			<input type="checkbox"/>	0						
White Cloud	Yamaha 33 IK SM	28688	<b>162</b>	1979	42.8 13.78	150	42.8	37.42 10.67	4.38 7.27	Yes	No		33.25 26.92 11 6.2	10582 4409 Iron	0 1 FIXED	IB Fixed_2			
			<b>648</b> 247		ALUMN MS			247				<input checked="" type="checkbox"/>	0 0						
Jam Jam	Yankee 30-1 SM	90	<b>192</b>	1972	37.5 12.75	125	37.5	34.5 9.75	2.45 4.91	Yes	No		30 23 9 5.1	8900 4180 Lead	0 1 FIXED	IB Fixed_3 3	(mtg 4/28/11, +3 sec/mi for engine modifications)		
			<b>715</b> 332		ALUMN MS			170				<input type="checkbox"/>	0 0						
Maxine	Yankee 30-1 SM	43	<b>186</b>	1971	37.5 12.75	125	37.5 12.75	32.5 9.7	2.4 4.8	No	No	20.75 600	30.13 23 9 5	8700 4130 Lead	0 1 FIXED	IB FOLD 2	+3 sec/mi for MGM less than 50% of E		
			<b>325</b>		ALUMN MS			158				<input checked="" type="checkbox"/>	0						