

NCPHRF - CURRENT FLEET ROSTER

This Roster represents the information on file for boats with a current NCPHRF certificate. If the boat you are looking for is not listed, their certificate is either not current or not yet updated to the list. You can contact the YRA office to verify a boat not found on this list at info@yra.org or via phone at 415.771.9500. This list is updated monthly.

As of: 4/27/2017

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				I J	Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No SL SPL SSMG SSF	Yes/No SLU ASA SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast		Traps/H. moveable blst Keel Type			
Skinny Love	11 Metre ODR	92	69 1996	32.53 10.166	95	41	36.08 13.583	5.23 8.82	Yes	No		33.67 26.92 8.67 5.42	3600 1600 Lead	No 1 FIXED	OB None 0	MTG 4/9/98. Sail number 90, using sail # 246 for Vallejo 2008	
			536 84	ALUMN FS			0 0	293			0 <input type="checkbox"/>						
Dark & Stormy	1D 35	35018	30 1998	42 12.47	110	44.8 17.39	44 19	7.5 12	No	Yes	31.4 1236	35 31.5 10.9 7.58	6550 2660 Lead	0 1 FIXED	IB FOLD 2	Fixed bow sprit, using Asymmetrical spinnaker(mtg 3/20/08, -9 sec/mi for oversized spinnaker, +3 sec mi for not being able to articulate pole, as sailed: 30)	
			518 95	CARBON FS			497			46.62 29.83	4.92 0 <input checked="" type="checkbox"/>						
Zsa-Zsa	1D 35	35017	36 1999	42.49 12.52	110	44.78	44.46 18.58	7.55 12	Yes	No		35 31.5 10.75 7.6	6500 2600 lead	No 1 FIXED	IB Feath 2		
			520 95	CARBON FS			0 0	498		50 26.5 26.5	14.76 1104						
Bodacious +	1D 48	48005	-15 1996	57.7 16.7	155	68.3 16.7	61.3 22.5	9.84 14.66	Yes	Yes	30.1 1673	48.3 40.2 14.2 10.1	19743 8818 Lead	0 1 FIXED	IB Fold 2	Water ballast system not operational (mtg 8/19/08, custom rating assigned of -30, includes dual spinnakers)(Mtg 3/24/11, new smaller mainsail, smaller symmetrical, change custom rating from 30 to 24)(Mtg 8/25/11)	
			490 138	CARBON FS			848			66.7 33.1 32.6	16.7 1834						
Mirthmaker	A 35	18250	69 2007	44.22 13.45	90	51.06	44.94 14.66	5.42 8.88	Yes	Yes	24.2 996	34.7 30.47 11.6 6.88	9810 4367 Lead	0 1 FIXED	IB Fold 2	(Mtg 5/20/10, custom rating of 60 assigned, would like a copy of ORR Certificate)(mtg 6/15/10, change custom rating from 60 to 63 based on further clarification of boats configuration)(Mtg 10/27/16, change custom rating from 63 to 60 after	
			574 158	CARBON FS			381			50.32 25.38 25.38	14.1 1064						
Ada Helen	ace	922	96 2005	53 16.5	155	53 16.5	46.75 15.5		No	Yes	29.7 1303	43.8 36 13.1 6	24400 8300 Lead	No 1 FIXED	IB FOLD 3	(Mtg 3/20/08 -6/sec/mi for OSP)(mtg 6/19/08, new larger a-sail, correct size for J, NCTR)	
			588 238	ALUMN MS						54.76 50.5 29.7							

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications					
			Built	J	Max	ISP	P	MGU	Yes/No		Yes/No		LOA	Ttl Disp.	Traps/H.	IB or OB								
									JSP	E	MGM	SL					SPL	SLU		ASA	LWL	Ballast	moveable blst	Prop Type
Disp/WL ratio	Mast Material	Rig Type	EY	SSA	ASMG	Fixed or _o	Max Draft	Keel Type	# of blades															
Kira	Aerodyne 38 SD	38104	45	2003	50.82	105	57.25	51.75	6.25	No	Yes	39.5	37.66	11850	0	IB								
			634		14.5		20.83	16.5	10.6		65.5	2062	34.21	4150	1	Fold								
			135		ALUMN				506		58.5		13	Lead	FIXED									
			135		FS						40	<input checked="" type="checkbox"/>	6											
Alte Liebe	Albin Ballad 30	1266	183	1978	37.083	155	37.8	31.916	3.33	Yes	No		29.916	7276	No	IB	The J measurement in all Ballad documents & Sailmaker plans is 12.27 however the actual J= 11.3" (MTG 8/25/94), standard SPL is 12.27 (mtg 3/20/08)							
			698		11.249			9.333	5.58				22.583	3417	1	FOLD								
			287		ALUMN			0	171			0	9.666	Lead	FIXED	2								
			287		MS			0			21.83	<input type="checkbox"/>	5.09											
Puffin	Alden 44	38144	117	1978	54.1	100		47.08	5.7	No	Yes	33	44.17	24500	0	IB								
			595		19.5			14.75	9.6		53	1369	34.08		1	Feath								
			281		ALUMN				416		49	0	12.5	Lead	CNTRBRD									
			281		CTR						32	<input type="checkbox"/>	8.75											
Sobrante	Alerion Express 28 ODR	406	168	2009	30	90	30	33	4.8	No	No		28.25	5700	0	IB								
			218		9.75		9.75	12.5	7.6				22.83	2200	1	Fold								
			218		ALUMN				241			0	8.2	Lead	FIXED	2								
			218		FS							<input type="checkbox"/>	4.5											
Another Girl	Alerion Express 38-2	20	90	2011	42.98	90		47.5	9.58	No	No		38.3	13000	0	IB	(mtg 4/28/11, Custom rating of 90 assigned)							
			616		12.99			18.25	13.45				30.1	5000	1	Feath								
			217		CARBON				583			0	10.3	Lead	FIXED	2								
			217		MS							<input type="checkbox"/>	5.92											
Abacadabra	Antrim 27 CM ODR	28927	75	1996	28.69	116	37.25	33.75	7.5	No	Yes	25.1	27.83	2900	No	OB	BOWSPRINT IS ARTICULATING							
			555		8.17		15	14	10.9		44.2	723	23.75	1050	1	None								
			98		CARBON			0	327		38	6.83	9.25	Lead	FIXED	0								
			98		FS			0			20.1	<input type="checkbox"/>	6											
Ad Lib	Aphrodite 101	8161	144	1979	36.83	100	32.23	39.33	4.5	Yes	No		32.75	6160	No	IB								
			645		11.81			11.48	6.1				26.33	3527	1	FOLD								
			153		ALUMN			0	253			0	7.92	Lead	FIXED	2								
			153		FS			0				<input type="checkbox"/>	5.42											

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
			Rating		I	J	ISP	P	MGU	Yes/No	Yes/No	ASF	Ttl Disp.		Traps/H. Strps	IB or OB		
			DW Rating		Max Headsail	Mast Material	JSP	E	MGM	SL	SPL	SLU	ASA		Ballast	moveable blst	Prop Type	
			Disp/WL ratio		Rig Type		PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam		Ballast Mat.	Keel Type	# of blades	
					EY		SSF	ASMG	Fixed or_o									
Alchimiste	Archambault 27	38973	78	2013	34.25 10.83	100	39.08 15.98	34.78 12.63	4.75 8.16	No	Yes	26.9 872	27.4 22.7	4894 1814	0 1	IB Fold	(Mtg 10/22/15, Custom rating assigned. Includes -9 sec/mi penalty for 22% oversized ASA & +3 sec/mi credit for non-articulating sprit. As sailed: 78)	
			616 190		ALUMN FS				261			38.71 24.93	0 0	9.7 5.7	FIXED			
Outsider	Azzura 310	1000	57	1996	35.35 11.55	110	43.33 21.57	38.75 13.25	6.68 10.5	No	Yes	30.1 1163	30.75 27.4	4850 2100	No 1	OB Fixed_3	6 FT ARTIC. RETRAC BOWSPRIT. MTG 3/28/96 (RATED 66) (CHNG NOTED 4/18/96-NO CHNGE RTNG. (2/13/96 FM 66 TO 60.)(MTG 11/13/97 FM 60 TO 57)MTG 2/12/98 FM 57 TO 63 (MTG 4/9/98) Inboard SailDrive removed and replaced with	
			525 107		CARBON FS			0 0	352			39.7 32.7	6 0	10 7.2	FIXED	3		
Imagination	Bavaria 40	0	108	2001	47.25 14.58	111	48	44.46 15.58	5 9.21	No	Yes	20 828	40.94 35.93	17417 6283	0 1	IB Fold		
			594 171		ALUMN FS				386			44 22	0 0	13.1 6.4	FIXED			
Zara	Beneteau 310	144	135	1993	37.04 10.83	135	37.04 10.82	37.8 12.9	5.2 8.9	No	Yes	21.6 528	31.2 27.7	7054 2160	0 1	IB Fixed_2		
			645 151		ALUMN FS				301			35 16.6	0 0	10.5 4.3	FIXED			
Friday Harbor	Beneteau 323 DK	28580	147	2004	42.67 11.06	116		38.9 13.17	5 8.56	No	Yes	19.91 661	32 29.17	8448 2258	No 1	IB FOLD		
			633 155		ALUMN MS				306			41.34 17.9	0 0	10.67 5.92	FIXED	2		
Curie	Beneteau 32S5	52868	138	1990	38.39 9.68	150	38.39 9.68	38.88 13.78	5.3 9.01	Yes	No	17.3 519	32.6 27.83	9260 2980	0 1	IB FOLD		
			652 195		ALUMN FS				321			32.75 18.4	0 0	10.83 6	FIXED	2		
French Kiss	Beneteau 350 Oceanis	28713	144	1989	41.47 12.8	140	41.47	35.7 11.6	4.2 7.3	Yes	No		33.83 29.83	10580 3525	0 1	IB FOLD	Above deck Roller Furler	
			633 181		ALUMN MS			0 0	242				0	11.17 5.17	FIXED	2		

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst	IB or OB Prop Type # of blades	
								SL	SPL	SLU	ASA						
								SSMG SSF	SSA	SLE ASMG	ASA						
First Light	Beneteau 35S5	115	126 1991	41.66 11.15 98		42.65 15.09 0 0	5.25 9.042 366	Yes	No			35.42 29.33 11.83 6	11460 4190 Lead	No 1 FIXED	IB Fixed_2 2		
Elan	Beneteau 37	46	114 2012	45.83 15 105	48	43.5 12.83	6.16 8.83 359	No	Yes	26.6 915		37.8 34.08 12.83 6.25	14359 3901 Iron	0 1 FIXED	IB Fold		
Irie	Beneteau 393 Oceanis SD	38200	150	46 14.5 110	46 14.5	40.2 15.1	4.63 8.12 324	No	Yes	24 755		38.12 35.1 13 5.1	21700 5357 Cast Iron	0 1 FIXED	IB Fold 3		
Argo	Beneteau 40.7 First Farr	46933	54 1999	51.61 14.47 105	51.61 14.47	48.85 17.72	6.72 11.51 515	Yes	No			39.33 34.83 12.33 7.75	15211 5950 Lead	0 1 FIXED	IB Feath 2		
Everlong	Beneteau 40.7 First Farr	51705	54 2002	51.61 14.47 104	51.61 14.47	48.85 17.72	6.73 11.51 515	Yes	Yes			39.33 34.83 12.33 7.75	15211 5950 Lead	0 1 FIXED	IB FOLD 2		
Sail La Vie	Beneteau 411	28597	105 1999	46.67 16.25 140		41.5 14.83	4.872 8.77 344	No	No			41.67 36.09 13 5.58	17196 5500 Steel	No 1 FIXED	IB FEATH 3		
Enchante'	Beneteau 42 IK TM	63222	84 1985	55.43 16.73 155	55.71	49.2 14.6	4.8 8.5 400	No	No			43.67 36 13.83 7.19	20509 8700 Iron	No 1 FIXED	IB FOLD 2		

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications		
				DW Rating Disp/WL ratio	J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast Mat.		Traps/H. moveable blst Keel Type	IB or OB Prop Type # of blades
									SL	SPL	SLU	ASA							
									SSMG SSF	SSA	SSMG SSF	SSA							
Tiki Blue	Beneteau 423	38423	105 2005	48.65 16.52 580 160	125	48.65 16.52	43.44 14.83	5.49 9.6 381	Yes	No	48.76 29.7 28.69	16.5 1199	<input type="checkbox"/>	0 0	41.67 38.58 12.92 6.92	20224 5569 Iron	No 1 FIXED	IB FOLD 3	
Ohana	Beneteau 45F5	38023	63 1991	53.15 15.08 580 240	100	55.15 16	55.4 18.58	7.06 12.08 613	Yes	No	52.49 27.14 27.14	15.08 1187	<input type="checkbox"/>	0 0	44.11 36.9 14.1 7.9	26500 8500 Lead	0 1 FIXED	IB FEATH 3	(Mtg 12/1/11, -6 sec/mi for new keel)
Freedom	Beneteau 523	38333	54 2006	65.22 20.77 512 135	105	59.09 18.53	6.39 11.04 620	No	Yes	66.974 58.269 35.519	35.519 1854 2 0	<input type="checkbox"/>	0	53.08 47.92 16 7.5	32800 10935 Iron	No 1 FIXED	IB FOLD 3	Bow Thruster, in-mast furling, above deck jib furler; (Mtg 8/17/06 - +6 s/m for small girth main); electric winches added 1/29/07 (Mtg 3/28/13, +3 secmi for 8% decrease in mainsail area)	
Drop Beer	Beneteau Class 10	18277	90 1984	37.8 12.6 588 123	150	38.6	39.7 13.9 0 0	4 8.7 308	Yes	No	36.11 22.1 22.1	12.6 665	<input type="checkbox"/>	0	34.2 29.6 9.9 6.8	7000 2200 Iron	0 1 FIXED	IB FOLD 0	NEW RUDDER 3/4/95, NCTR (MTG 3/36/95)
Ariadne	Beneteau Farr First 36.7	403	84 2006	46.4 13.1 601 204	125	46.4 13.1	46.4 15.6 0 0	5.92 12.49 468	Yes	No	45.8 23.5 23.5	13.1 897	<input type="checkbox"/>	0 0	36 30.3 11.4 7.3	12495 4034 Lead	No 1 FIXED	IB Fold 2	
Hera	Beneteau Farr First 36.7	28372	81 2002	46.4 13.1 602 204	150	46.4 13.1	45.4 15.6 0 0	5.92 12.49 458	Yes	No	45.8 23.01 22.1	13.1 871	<input type="checkbox"/>	0	36 30.3 11.6 7.2	12495 3748 Lead	No 1 FIXED	IB FOLD 2	
Pressure Drop	Beneteau Farr First 36.7	52489	78 2006	46.4 13.1 602 204	155	46.4 14.35	45.4 15.6	5.92 12.49 458	Yes	No	45.8 23.5 23.5	13.1 897	<input type="checkbox"/>	23.29 867 0 90	36 30.3 11.4 7.3	12495 4034 Lead	0 1 FIXED	IB Fold 2	(12/2/16, -3 sec/mi for JSP)

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
			ISP		I	J	Max	IS	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	IB or OB		
			JSP		Headsail	Mast	Material	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type		
					Rig Type	PY	MSA	SSMG	SSA	SLE	Sprit	Lngrh	Max Beam	Ballast Mat.	Keel Type	# of blades			
			Disp/WL ratio			EY		SSFF	ASMG	Fixed or _o	Max Draft								
CruzSea Baby	Beneteau First 10R ODR	52878	81	2007	43.2	155	46.41	42.25	5.59	No	Yes	27.5	32.75	9715	0	IB	(Rudder Modifications noted, smaller non-class spinnaker +3 sec/mi)		
					12.07		16.5	14.73	9.57		49.5	1055	28.7		3528			1	Fold
			603		CARBON				41.5		4.43	11	Lead		FIXED			2	
			187		FS				27.9		<input checked="" type="checkbox"/>	0	6.55						
Mulan	Beneteau First 10R ODR	52659	81	2007	43.2	120	46.41	42.25	5.59	No	Yes	25.5	32.75	9715	0	IB			
					12.07		16.5	14.73	9.57		52.59	1075	28.7		3258			1	Fold
			601		CARBON				45.8		4.43	11	Lead		FIXED			2	
			187		FS				26.4		<input checked="" type="checkbox"/>	0	6.55						
Lonestar	Beneteau First 10R ODR MOD	40	84	2007	43.2	100	46.41	42.25	5.59	No	Yes	25.5	32.75	9715	0	IB	(Mtg 5/20/10, +3 sec/mi for non-class smaller kite)(Mtg 9/23/10, rudder modifications noted, NCTR)(Mtg 4/26/12, new rudder noted, NCTR)		
					12.07		16.5	14.73	9.57		52.9	1078	28.7		3528			1	FOLD
			601		CARBON				45.8		4.43	11	Lead		FIXED			2	
			187		FS				26.4		<input checked="" type="checkbox"/>	0	6.55						
Ala Moana	Beneteau First 30	104	99	2012	41.66	105	42.16	40.3	6.28	No	Yes	28.82	31.7	8267	0	IB			
					13.78		15.78	14.25	9.38		48.6	1049	27.6		2403			1	Fold
			602		ALUMN				43.7		2	10.5	Cast Iron		FIXED			2	
			179		FS				26.9		<input checked="" type="checkbox"/>	0	6.25						
Tijd	Beneteau First 30	45	102	2011	41.66	105	42.16	40.2	6.24	No	Yes	25.5	31.7	8267	0	IB	(Mtg 8/27/15, +3 sec/mi for OSP, +6 sec/mi for small spinnaker)		
					13.78		15.7	14.25	9.38		45.6	866	27.5		2403			1	Fold
			602		ALUMN				40.5		1	10.5	Cast Iron		FIXED				
			181		FS				23.8		<input type="checkbox"/>	90	6.25						
Soiree	Beneteau Oceanis 49 SD	38776	87		59.75	135	59.75	51.67	4.7	No	Yes	29.41	49.5	30517	0	IB	Electric Winches (Mtg 10/27/16, +3 sec/mi for In-mast furling mainsail)		
					18.42		18.42	18.33	9.3		55.73	1210	43.67		480			1	Feath
			551		ALUMN				50.72		0	14.75	Iron		FIXED				
			167		FS				26.75		<input checked="" type="checkbox"/>	0	5.75						
Raven	Benteau First 35	38073	75	2001	47.24	108	51.48	45.93	5.98	Yes	No		36.32	12125	0	IB			
					13.12			14.75	10.23		51.31	14.73	30.6		3681			1	Fold
			586		ALUMN				26.25		1116		12.76		Iron			FIXED	
			192		FS				25.46				7.25						

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		Ttl Disp.		Traps/H. Strps moveable blst				
								SL	SPL	SLU	ASA				Ballast Mat.			Keel Type
								SSMG SSF	SSA	SLE ASM	Spric Lngth Fixed or _o							
Lioness	Bermuda 40	981	174	1962	42.5 15.58	160	36.6 17.2 17.7 8.5		No	No		40.75 28.8 11.75 4.25	20000 5600 Lead	0 1 CNTRBRD	IB Fixed_3 3	(Mtg 5/22/08, +6 secmi for 3-blade fixed prop, no penalty for headsail larger than 155%, no credit for sonar transducer, custom rating of 174 assigned)		
Bessie's Girl	Bristol 45.5	30088	114	1980	57 18.83	130	57 18.83	47.25 15.2	4.66 8.56	Yes	Yes	33 1353	45.5 37.25 13.2 11	40000 15000 Lead	No 1 CNTRBRD	IB FEATH 3	(mtg 2/18/10, -3 sec/mi for dual spinnakers/ability to use asym on squared back pole)	
Sweetspot	C&C 121 DK W/5' BS	46921	60	2000	57 15	135	57 20	51 16.386	6.19 10.6	No	Yes	36 1851	40 35.5 13.8 8	14100 5500 Lead	No 1 FIXED	IB FOLD 2	Deep Keel-bowsprit, (Mtg 4/24/08, rating appeal submitted, change base rating for C&C 121 DK w/ 5' BS, aka C&C 121 XP, to 60)	
Siento El Viento	C&C 29	38311	174	1977	39.5 12.8	155	33.5 10.1			Yes	No	12.8 715	29.5 23.6 10.5 5.25	7500 2700 Lead	No 1 FIXED	IB Fold 2		
Tiburón	C&C 30 Mills	11	36	2014	40.8 11.28	105	46.74 18.6	41.8 14.2	7 10	No	Yes	31.5 1284	30 28.7 9.8 7.5	3995 1579 Lead	0 1 FIXED	IB Fold		
Joie De Vivre	C&C 33	18797	159		43 14	110	43	37.25 10.75	4.4 6.33	No	Yes	21.42 726	32.9 26.42 10.54 5.5	10100 3975 Lead	0 1 FIXED	IB FOLD		
Can O' Whoopass	CAL 20	624	273	1965	22 7.33	115	22 7.33	23 10	4 6.7	Yes	No		20 18.1 7 3.33	2000 900 Iron	0 1 FIXED	OB None 2	(mtg 4/24/08, -18 sec/mi for adding single trapeze wire) (10/2/08 - removed trapeze, now racing as a standard cal 20 -18 sec/mi penalty removed)(3/5/09 added single trapeze back, -18 sec/mi)(8/26/09, switching back to standard Cal 20)	

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications						
			Built	J	Max Headsail	ISP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp. Traps/H. Strps		IB or OB									
									DW Rating	Mast Material				E	MGM		SL	SPL		SLU	ASA	LWL	Ballast	moveable blst	# of blades
																	SSMG	SSA		SLE	Sprit Lngth				
Disp/WL ratio	Rig Type	PY	MSA	SSG	SSA	ASM	Fixed or _o	Max Draft	Ballast Mat.	Keel Type															
Green Dragon	Cal 20	4188	273	1965	22	7.33	125	22	23	3.84	Yes	No	20	1950	0	OB									
			748						9.84	6.5			18.08	900	1	None									
			150		ALUMN				0	137		<input type="checkbox"/>	7	Steel	FIXED	0									
					FS				0				3.33												
SF	CAL 25-1 OB	1062	225	1969	29.75	10	120	29.75	25	4.17	No	No	25	4000	0	OB									
									11	7			20	1700	1	None									
					ALUMN					163		<input type="checkbox"/>	8	Lead	FIXED										
			227		MS								4												
Adagio	CAL 25-2 OB		216	1979	33	11	150		28	3.9	No	No	29.25	4500	0	OB									
									9.5	6.5			22	2000	1	None									
					ALUMN					165		<input type="checkbox"/>	9	Lead	FIXED										
			192		MS								4.5												
Happiness	Cal 27-2 OB	3893	201		36	12	95	36	30.67	3.25	Yes	No	26.58	6700	0	OB									
								12	10.25	6.5			22.08	3100	1	None									
			700		ALUMN					180		<input type="checkbox"/>	9.25	Lead	FIXED										
			283		MS								4.25												
Dura Mater	CAL 27-2 IB	616	213	1979	36	12	120		30.83	4.21	Yes	No	26.58	6700	0	IB									
									10.25	7			22.08	3100	1	Fixed_3									
			721		ALUMN					195		<input type="checkbox"/>	9.25	Lead	FIXED	3									
			283		MS								4.25												
Moxie	CAL 28-2	28217	183	1988	39.9	11.4	90	39.9	34.17	4.28	Yes	No	28	7200	0	IB									
								11.4	10.33	7.11			23		1	FOLD									
			691		ALUMN					219		<input type="checkbox"/>	10.8	Lead	FIXED	2									
			269		MS								5.3												
Serendipity	CAL 29-1 IB	6601	180	1974	37.833	12.333	155	37.833	31.666	4.332	Yes	No	29.25	8000	No	IB									
								12.67	12.166	7.573			24.17	3350	1	FOLD									
			687		ALUMN					223		<input type="checkbox"/>	9.25	Lead	FIXED	2									
			258		MS								4.75												

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU SLA SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.		Traps/H. Strps moveable blst				
								SL	SPL						Ballast			Keel Type
								SSMG SSF	SSA						Ballast Mat.			Keel Type
Kira	Cal 33-2	28999	132	1986	46 13.25	125	46 13.25	40.5 12.75	4.82 8.23	No	Yes	21.86 697	33 27.5 11.33 6.12	10800 4475 Lead	No 1 FIXED	IB FOLD 2	(Mtg 1/26/12, -3 sec/mi for increased "e" & MSA)	
Ecco	CAL 39-2/3	115	117	1980	50 16.7	125	50	44 13.75	5 8.5	No	No	0 0	39 32.1 12.15 6.7	17000 7000 Lead	0 1 FIXED	IB Feath		
Sea Star	CAL 39-2/3	38022	114	1977	50 16.7	150	50	44 13.8	4.5 8	Yes	Yes	34 1181 0 0	39 32 12 6.7	17000 7000 Lead	0 1 FIXED	IB FEATH 3	Roller Furler	
Azure	CAL 40	72	114	1966	46 15.17	150	46	40 17.5	6.65 11.37	Yes	No	0 0	39.3 30.5 11 5.5	15500 6000 Lead	0 1 FIXED	IB FEATH 2		
Green Buffalo	CAL 40	8538	114	1967	46.7 15.2	155	46.7	39.8 17.6	6.65 11.37	Yes	No	0 0	39.3 30 10.9 5.8	15148 6000 Lead	0 1 FIXED	IB FEATH 3	Schumacher designed rudder - same as original	
Highlander	Cal 40	4590	117	1968	46.2 15.2	150	46.2	39.5 17.5	6.65 11.37	Yes	No	0 0	39.25 30.25 11 5.58	15000 6000 Lead	0 1 FIXED	IB Fixed_2 2		
Nozomi	CAL 40	164	114	1970	46.2 15.2	155	46.2	39.9 17.6	6.6 11.37	Yes	No	0 0	39.5 30 11 5.6	15500 6000 Lead	0 1 FIXED	IB FEATH 3		

Boat Name	Boat Model (Type)	Sail #	Rating Built DW Rating Disp/WL ratio	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
				I	J	ISP	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp. Traps/H. Strps		IB or OB			
				Max Headsail	ISP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type			
				Mast Material	JSP	PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades			
				Rig Type		EY		SSF	ASMG	Fixed or _o	Max Draft							
Redhead	Cal 40	7817	114 1964	46 15.17 155	46.36	40 17.5 0 0	6.5 11.3 414	Yes	46 27.3 26.2	15.17 1038	No	<input type="checkbox"/>	0	39.5 30 10.92 5.75	16500 6000 Lead	No 1 FIXED	IB Feath 2	
Riff Rider	Cal 40	46	114 1965	46.2 15.1 155	46.2	40 17.5	6.5 11.3	Yes	46.2 27.2	15.1 1047	No	<input type="checkbox"/>	0 0	39.3 30.3 11 5.6	15000 6000 Lead	0 1 FIXED	IB Fold	
Finn	Capo 26 IB	18782	162 1985	34.6 10.56 155		30 10	4.1 6.8	Yes	35 18.8 18.3	10.5 545	No	<input type="checkbox"/>	0 0	26 22 9.25 4.58	4300 1900 Lead	0 1 FIXED	IB Fold	
JouJou	Capo 30	87324	123 1984	41.7 12.75 120	41.5	36 11.5	4.37 7.47	Yes	41.5 21.5 21	12 740	No	<input type="checkbox"/>	0	30 25 10.33 5.43	7200 3000 Lead	0 1 FIXED	IB Fold 2	Roller Furler
SLOWMO!	Catalina 22-1 OB SK	2482	270 1973	25.93 8 150		21 9.66	3.47 5.96	No			No	<input type="checkbox"/>	0 0	21.6 19.4 7.8 5	2250 550 Iron	0 1 MVBL	OB None 3	
Sparky	Catalina 25 FK	1498	222 1979	29 10.5 145	29 10.5	24.66 9.58	3.68 1.45	Yes	28.66 16.5 16.41	10.5 394	Yes	<input checked="" type="checkbox"/>	17.9 369 0 0	25 22.16 8 4	4550 1900 Cast Iron	0 1 FIXED	OB None 0	
Miss Kate	Catalina 27 IB	4630	210 1980	34.5 11.25 125	34.5 11.25	28.66 10.5	3.99 6.83	No			Yes	<input checked="" type="checkbox"/>	20.35 515 0 0	26.85 21.75 8.85 4	6850 2700 Lead	0 1 FIXED	IB Fixed_2	

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst	IB or OB Prop Type # of blades	
								SL	SPL	SLU	ASA						
								SSMG SSF	SSA	SLE ASMG	Fixed or _o						
Oshun	Catalina 27 OB	1216	201 1974	34 11.25 ALUMN MS	95	28.67 10.5	4.24 7.08 185	No	No			26.83 21.75 8.83 4	6850 2750 Lead	0 1 FIXED	OB None		
Azure	Catalina 275 Sport	1	156 2013	34.42 8.99 ALUMN FS	106	11.83	31.5 11.48 233	No	Yes	22 665 0 0		27.5 26.57 8.5 5.2	5000 2040 Lead	0 1 FIXED	IB Fixed_2		
Avalon	Catalina 30	6138	183 1992	41 11.416 ALUMN MS	120	41	35 11.5 0 0	4.63 7.72 246	No	No		29.92 25 10.83 5.25	10200 4200 Lead	0 1 FIXED	IB Fold 2		
Ross's Dream	Catalina 30	4895	180 1987	41 11.42 ALUMN MS	150	41	35 11.5 246	4.63 7.72	Yes	No	40.45 11.5 20.7 698 20.7	29.92 25 10.83 5.25	10200 4200 Lead	0 1 FIXED	IB Fold 2		
TASHI	Catalina 30	2010	189 1976	41 11.5 ALUMN MS	110	41	35 11.5 246	4.63 7.72	No	No		29.92 25 10.83 5.25	10200 4250 Lead	0 1 FIXED	IB Fixed_3 3		
Xtasea	Catalina 30	0	186 1985	41 11.5 ALUMN MS	110	41	35.5 11.5 250	4.63 7.72	Yes	No	40.45 11.5 20.7 698 20.7	29.92 25 10.83 5.25	10200 4250 Lead	0 1 FIXED	IB Fixed_2 2		
Christine Rose	Catalina 30 TM	0	183 1977	43 13.16 ALUMN MS	150	43 13.16	37 12 270	4.8	Yes	No	43.08 13.16 23.6 847 23.6	29.92 25 10.83 5.25	10200 4250 Lead	0 1 FIXED	IB Fixed_3 3		

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		Ttl Disp. Ballast		Traps/H. moveable blst	IB or OB Prop Type # of blades		
								SL	SPL	SLU	ASA						
								SSMG SSF	SSA	SLE ASMG	Sprit Lngth Fixed or _o					Ballast Mat.	
Disp/WL ratio																	
Sea Breeze	Catalina 320	850	156 2001	43.58 12.33 ALUMN MS	135	43.58	38 5.168 13.25 8.661		No	No		32.5 28 11.75 6	11300 4000 Lead	0 1 FIXED	IB Fold 2		
Mottley	Catalina 34	8	147 1986	44 13.5 ALUMN MS	130	44 14	38.5 4.7 12 8.05		No	No		34.5 29.833 11.75 5.583	11950 5000 Lead	No 1 FIXED	IB Fold 2		
Amandla	Catalina 34 1&2	796	147 1988	46 13.5 ALUMN MS	130		38.5 12		No	No		35.75 29.8 11.75 5.6	11950 5000 Lead	0 1 FIXED	IB FOLD 3		
Crews Nest	Catalina 34 1&2	1383	147 1997	44 13.5 ALUMN MS	130	44 13.5	38.5 3.6 12 6.8	42 13.5	Yes	No		35.67 29.83 11.75 5.58	11950 5000 Lead	No 1 FIXED	IB FEATH 3		
Mirth	Catalina 34 1&2	28634	150 2005	44 13.5 ALUMN MS	125		38.5 4.17 12 7.33		No	Yes	22.02 693	35.67 29.83 11.75 5.58	11950 5000 Lead	No 1 FIXED	IB FEATH 3		
Music	Catalina 34 1&2	56583	147 2001	44 13.5 ALUMN MS	130		38.5 3.6 12 6.8		No	Yes	21.8 762	35.66 29.84 11.75 5.56	11950 5000 Lead	0 1 FIXED	IB FOLD 2		
Nessie	Catalina 34 1&2	734	156 1988	44 1.5 ALUMN MS	100	44 13.48	38.5 4.7 12 7.54		No	No		34.5 29.83 11.75 5.58	11950 5000 Lead	0 1 FIXED	IB Fixed_3 3		

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications		
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps moveable blst				
								SL	SPL	SLU	ASA							Ballast Mat.	Keel Type
								SSMG SSF	SSA	SLE ASMG	ASA								
Queimada	Catalina 34 1&2	611	147	1988	44 13.5	150	44 13.5	38.5 4.2 12 7.2	4.2 7.2	Yes	No	34.5 29.83 11.75 5.58	11950 5000 Lead	0 1 FIXED	IB Fold 2				
			637 205		ALUMN MS			263	23.35 825		<input type="checkbox"/>	0 0							
Sacagawea	Catalina 34 1&2	375	156	1987	44 13.5	95	44 13.48	38.5 4.7 11.75 7.54	7.54	No	No	34.5 29.83 11.75 5.6	11950 5000 Lead	0 1 FIXED	IB Fixed_3 3				
			657 205		ALUMN MS			272			<input type="checkbox"/>	0 0							
Sailor Dog	Catalina 34 1&2	1798	162	2007	44 13.5	110	44 13.5	38.5 2.8 12 5.9	5.9	No	Yes	34.5 29.8 11.7 5.6	11950 5000 Lead	0 1 FIXED	IB Fixed_3 3	In-Mast furling main +3 sec/mi, MGM less than 50% of E +3 sec/mi			
			657 205		ALUMN MS			229			<input type="checkbox"/>	20.5 723 0 0							
Sea Spirit	Catalina 34 1&2	108	147	1986	44 13.5	130	44 13.5	38.5 4.36 12 7.54	7.54	Yes	No	34.5 29.83 11.75 5.58	11950 5000 Lead	No 1 FIXED	IB FOLD 2				
			636 205		ALUMN MS			270	42 13.5		<input type="checkbox"/>	0 0							
Sterling	Catalina 34 1&2	1269	153	1994	44 13.5	125	44 13.5	38.5 3.6 12 6.8	6.8	No	No	35.66 29.84 11.75 5.56	11950 5000 Lead	0 1 FIXED	IB Fixed_2				
			657 204		ALUMN MS			251			<input type="checkbox"/>	0 0							
All Hail	Catalina 34 TM	524	144	1988	46 13.5	130	45.9 13.5	40.5 4.8 12 8	8	No	No	35.66 29.84 11.75 5.56	12000 5000 Lead	0 1 FIXED	IB Fold				
			655 205		ALUMN MS			296			<input type="checkbox"/>	0 0							
Endless Summer	Catalina 36	271	150	1984	44.75 14.33	95	44.75 14.33	39 4.33 12 8.01	8.01	No	Yes	36.33 30.25 11.92 5.83	13500 6000 Lead	0 1 FIXED	IB Fixed_3 3				
			655 222		ALUMN MS			279			<input checked="" type="checkbox"/>	23.33 850 0 0							

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications							
			Built	DW Rating	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No		LOA	Ttl Disp.	Traps/H.	Strps		IB or OB						
											E	MGM	SL	SPL							SLU	ASA	LWL	Ballast	moveable blst	Prop Type
Disp/WL ratio	Mast Material	Rig Type	EY		ASF	Fixed or _o	Max Draft																			
Andiamo	Catalina 36-2	2168	153	2004	44.75 14.33	115		39 13	3.04 6.16	No	Yes	29 833	36 30.25 11.9 5.8	14200 6000 Lead	0 1 FIXED	IB Fixed_3 3	In-Mast Furling Mainsail, +3 sec/mi									
Lawless	Catalina 36-2	2056	147	2002	44.75 14.42	155	44.9	39 12	4.83 8.05	No	No	0 0	36.42 30.33 11.92 5.83	13500 6042 Lead	0 1 FIXED	IB Fixed_3										
Dulcinea	Catalina 38	88	117	1981	49.83 15.5	130	49.8 15.5	44 11.5	4.37 7.6	No	No	0 0	38.17 30.25 11.83 6.75	15900 6850 Lead	0 1 FIXED	IB Fold 2										
Flight Risk	Catalina 38	87586	117	1983	49.8 15.5	155	49.8	44 11.5	4.18 7.12	Yes	No	0 0	38.24 30.45 11.12 6.1	19489 6850 Lead	No 1 FIXED	IB Fold 2	Roller Furler									
Harp	Catalina 38	18003	117	1983	50.7 15.43	155	50.9 15.43	44 11.5	4.8 7.97	Yes	No	0 0	38.17 30.25 11.83 6.79	19489 6850 Lead	No 1 FIXED	IB FOLD 2	DEC 93 - 7X19 STND RIG/ W/ROD RIG & SHR TN UPR SPREADERS 2 IN. NO CHNG RTNG (MTG 1/27/94)									
Wood Eye	Catalina 38	111	123	1981	49.83 15.5	110	49.83 15.5	44 11.5	4.7 7.9	Yes	No	0 0	38.17 30.25 11.83 6.75	15900 6850 Lead	0 1 FIXED	IB Fixed_2 2										
Seaya	Catalina 380	252	120	2000	50.916 14.667	135		44.833 15.667	5.2 10	No	No	0	38.42 32.42 12.33 7.17	19000 6800 Lead	No 1 FIXED	IB FEATH 3										

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		Ttl Disp.		Traps/H. Strps moveable blst				
								SL	SPL	SLU	ASA				Ballast Mat.			Keel Type
								SSMG SSF	SSA	SLE ASMG	Sprit Lngth Fixed or _o							
Popstar	Catalina 400	331	108 2005	52.5 15.5	135	52.5 16.5	46.9 4.02 17 8.27	No	Yes	27.9	41.54	20500	0	IB	(+3 sec/mi for in-mast furling mainsail, +3 sec/mi for MGM <50% of E)			
			599 192	ALUMN MS		393		52.16	1225	36.5	8300	1	Fold					
								50	0	13.5	Lead	FIXED	3					
								29	<input checked="" type="checkbox"/>	0	6.92							
Carmelita	Catalina 42-1/2	131	105 1990	53 16.42	125	53	46.75 4.98 15.5 8.85	Yes	Yes	27.75	41.83	22000	No	IB				
			595 214	ALUMN MS			0 399 0	49 16.42	57 1131	36	8300	1	FEATH					
							29.55 1207	51.25	0	13.83	Lead	FIXED	3					
							29.55	24.42	<input checked="" type="checkbox"/>	0	6.66							
Farriage	Catalina 42-1/2	336	102 1992	53 16.42	130	53 16.42	46.75 5.75 16.42 9.83	No	Yes	27.08	41.83	20600	0	IB				
			604 201	ALUMN MS			437	53	1042	36	8300	1	Feath					
								47.37	0	13.83	Lead	FIXED	3					
								24.37	<input checked="" type="checkbox"/>	0	6.83							
Post Time	Catalina 42-1/2	362	102 1993	53 16.42	135	53 16.42	46.75 5 15.5 9	No	No		41.83	24000	0	IB	In-Boom Furling Mast, Electric Halyard Winch			
				ALUMN MS			401			0	36	8300	1	Feath				
										0	13.83	Lead	FIXED	3				
										<input type="checkbox"/>	6							
Revelry	Catalina 42-1/2	703	105 1999	53 16.416	125	53 16.416	46.75 5.75 15.416 9.833	No	Yes	27.5	41.833	20500	No	IB	ASYM SPIN NOTED NCTR.			
			608 200	ALUMN MS			0 425 0	52.7	1097	36	8300	1	FEATH					
								47.4	0	13.833	Lead	FIXED	3					
								26	<input type="checkbox"/>	0	6.83							
TESA	Catalina 42-1/2	642	102 1999	53 16.41	155	53 23	46.75 5.91 15.416 10	Yes	Yes	31	41.83	25500	0	IB	Added one electric main halyard winch			
			595 248	ALUMN MS			0 430 0	48.833	16	52	36	8300	1	FEATH				
								28	1134	44.2	13.83	Lead	FIXED	3				
								27.333		32	6.8							
Vita E Bella	Catalina 42-1/2	989	99 2007	53 16.5	155	16.5	46.9 5.2 15.6 9.5	No	Yes	27.3	41.83	24400	0	IB	(mtg 3/28/13, -3 sec/mi for added sprit)			
			595 238	ALUMN MS			415	53.8	1105	36	3765	1	FOLD					
								50.4	3.67	13.1	Lead	FIXED	3					
								25	<input checked="" type="checkbox"/>	0	6.8							

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications					
			Built	J	Max Headsail	ISP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp. Traps/H. Strps		IB or OB								
									JSP	E				MGM	SL			SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type
Disp/WL ratio	Mast Material	Rig Type	EY	ASF	Max Draft	Keel Type																		
Warwhoop	Contessa 33	63336	141	1984	37.916	100	37.93	39.416	5.31	Yes	Yes	20.92	33	8375	No	IB	(Mtg 1/26/17, -3 sec/mi for oversized asymmetric area)(Mtg 2/23/17, -3 sec/mi for oversized symmetric spinnaker area)							
			653		11.17		13.86	9	36.1	11.17	40	25.52	3700	1	FOLD									
			229		ALUMN		0	326	21.5	647	37.5	11.08	Lead	FIXED	2									
					FS		0		21.6		21.17	5.8												
Aerie	CS 36	2160	123	1980	49	155	49	42.75	4.33	Yes	No		36.5	15500	0	IB								
			634		15		12.75	7.58	48.65	15		29.25	6500	1	Fold									
			282		ALUMN			308	25.5	1034	0	11.5	Lead	FIXED										
					MS				25.5			6.25												
Summertime Dream	Custom Schumacher 26	18859	186	1979	26.28	150	26.28	29.58	4.33	Yes	No		26.08	3300	0	OB	Boat has previously been called "War"							
			705		8.07		10.76	7.23	25.67	8		20	1360	1	None									
			187		ALUMN		0	195	14.52	308	0	9.08	Lead	FIXED	0									
					FS		0		14			5.08												
Starbuck	Custom Black Soo 30	8666	144	1968	30	125	29.5	25	4.9	Yes	No	20.4	31	4500	0	OB	(Mtg 1/17/02, added scoop, custom rating changed from 144 to 141)(mtg 1/11/13, Added A-sail, -9 sec/mi, rating changed from 141 to 132)(Mtg 5/13/14, removed A-Sail, +9 sec/mi, change custom rating from 132 to 141, +2 sec/mi for small headsail)							
			600		13		11.73	7.5	31	13	37.4	27.5	1800	1	None									
			98		ALUMN		0	178	22.1	577	32.6	6.8	Iron	FIXED	0									
					MS		0		23.2		19.1	6.4												
Joyicity	Custom Davidson 26	20746	156	1975	27	150	31.15	28.75	5.1	Yes	No		26.42	3000	No	IB	Removed IOR Bump infilled w/Divinacell w/fiberglass skin/faired; Installed Melges rig w/mod for Spinnaker; shortened boom; increased "P" increased "J", Code zero type furler used above deck; Moved on left side of sail; 10 ft spin							
			633		9.1		11.5	8.1	31.12	10		22.5	1450	1	FOLD									
			120		CARBON		0	210	18	467	0	8.25	Lead	FIXED	2									
					FS		0		18			5.25												
Salt Peanuts	Custom Dees GP 26	18	78	2008	29.35	130	36.43	32.42	5.58	No	Yes	20.41	25.72	2340	0	OB	(mtg 2/18/10, change custom rating from 75 to 78)(3/28/12, New Rudder Noted)							
			562		8.07		12.63	8.69			43.5	21.22	1100	1	None									
			111		CARBON			258			31.76	8	Lead	FIXED	0									
					FS						19.85	6.04												
Basic Instinct	Custom Elliott 10.50	8123	72	1993	41	125	45.6	44.2	8.5	No	Yes	29.4	34.42	10220	No	IB	(mtg 3/19/09, changed to smaller headsail, +3 sec/mi, & larger mainsail, -6 sec/mi, change rating from 66 to 63)(Mtg 10/21/09, new smaller headsail, still with large headboard. Change mainsail penalty from 6 sec/mi to 2 sec/mi)							
			570		12.5		17.5	12	48		51.49	1192	31.83	3000	1	FOLD								
			144		ALUMN		0	497	30	1198	45.82	0	12.08	Lead	FIXED	2								
					FS		0		29.75		29.4	7												

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
			Rating		I	J	ISP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp. Traps/H. Strps		IB or OB		
			DW Rating		Max Headsail	Max Headsail	JSP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type		
			Disp/WL ratio		Mast Material	Mast Material		PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades		
					Rig Type	Rig Type		EY		ASM	Fixed or _o	Max Draft							
Sweet Okole	Custom Farr 36	29000	78	1976	42.049	155	42.049	44.54	5.9	Yes	No	36	9696	No	IB	(78 MTG 1/28/93) (81 MTG 3/18/93)(Mtg 5/22/08, +3 sec/mi for switching to smaller headsail, +3 sec/mi for removing 250# shoe from keel, change custom rating from 81 to 87)(6/7/10, change headsail to 455% 2 sec/mi change rating)			
					12.35			16	10	43.82	12.35	31.33	3750	1	FOLD				
			585		ALUMN			0	416	22.23	812	11.88	Lead	FIXED	2				
			143		FS			0		22.23		7							
Zamazaan	Custom Farr 52	3883	21	1978	70.4	135	70.4	65.2	8.82	Yes	No	52.19	25391	No	IB	RTG W/USYRU AGE ALLOWANCE IOR RTG W/USYRU AGE ALLOWANCE R=44.9 (1987) 18/24 AS PER PHRF MTG 4/20/95. SHORTENED MAST 6.15 FEET FROM TOP, REDUCED MAINSAIL AREA FROM 24/27 MTG 8/10/05			
					18.51		18.51	23.2	15.08	69.78	21.9	47.26	9679	1	FOLD				
			492		ALUMN			0	900	39.44	2293	15.45	Lead	FIXED	2				
			109		MS			0		39.44		8.79							
Jeannette	Custom Frers 40 IOR 1 Tonner	40646	66	1986	47.2	100	13.7	51.48	7.13	Yes	No	39.5	12900	0	IB	(mtg 5/31/07 custom rating changed from 63 to 60 based on performance data)(Mtg 8/27/15, change custom rating back to 63 after review of race results)			
					13.7			18.76	12.19	46.69	13.7	33	6000	1	FOLD				
			569		ALUMN				575	24.66	959	12.6	Lead	FIXED	2				
			163		FS			24.66		24.66		8.1							
Merlin	Custom Lee 68	8955	-81	1977	71.96	103	74.35	66.87	11	No	Yes	48.05	24363	0	IB	(Mtg 4/27/17, custom rating assigned: -81)			
					21			27.5	18		30.4	64	10484	1	FOLD				
			394		CARBON			0	1109	87.51	3097	12.17	Lead	FIXED	2				
			42		MS			0		83.44	0	10.65							
Arcadia	Custom Nash 28.5	3113	123	1969	33	120	34	32.5	4.92	No	Yes	24.606	4327	No	IB	(Weighed Displacement as of 4/4/2009)(mtg 2/28/13, change custom rating from 135 to 123 after review of race results and structural modifications) 3			
					10		11	13	8.41			25.5	1200	1	FOLD				
			589		ALUMN			0	251	38.8	756	9	Lead	FIXED	2				
			119		FS			0		34.908	4	6.5							
Galaxsea	Custom Nauticat 43.5	28743	180	1985	51	104	20.6	45	4.3	Yes	Yes	29.2	34000	No	IB	Stay sail measurements foot=1', Luff=34'6", Leach=30'2", LP=132"			
					20		20.6	13.6	7.9			37.7	11000	1	FEATH				
			629		ALUMN			32.4	338	50.98	20	12.2	Lead	FIXED	3				
			288		KTCH			8.5		33.43	1439	5.9							
Quiver	Custom Nelson Marek 36	28669	45	1999	43.85	105	51.9	45.75	6.56	Yes	Yes	26.24	7725	No	IB	(mtg 6/15/10, added lead shoe to keel, -3 sec/mi, change custom rating from 48 to 45)(Mtg 2/29/12, added sprit equal to SPL, NCTR)			
					12.5		14.57	16.47	10.66			29.32	3255	1	FOLD				
			542		CARBON				453	57.4	1221	10.3	Lead	FIXED	2				
			139		FS			26.21		28.34	1.5	7.6							

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications							
			Built	J	Max Headsail	ISP	P	MGU	Yes/No		SLU	ASA	LWA	Ttl Disp.	Traps/H.	IB or OB	Prop Type	# of blades								
									JSP	E									MGM	SL	SPL	Yes/No	ASF	LWL	Ballast	moveable blst
Disp/WL ratio	Mast Material	Rig Type	EY	SSA	ASMG	Fixed or _o	Max Draft	Ballast Mat.	Keel Type																	
Ardea	Custom Nelson/Marek 50	42616	21	1989	59.92	100	59.92	65.19	9.35	Yes	Yes	31.6	49.8	22145	0	IB	(Mtg 8/28/15, custom rating of 21 assigned)									
			519		17.59		17.59	24.08	15.98		62.2	38.55	12627	1	Fold											
			176		ALUMN				946		55.8	14.86	Lead	FIXED												
					FS						30.9	9.32														
Lucky Duck	Custom Santa Cruz 52	28729	-30	2001	64.14	155	64.6	57.5	8.76	Yes	Yes	40.91	53	22544	0	IB	(Mtg 8/23/12, Custom Rating Assigned, -21 as sailed)(Mtg 5/23/13, weighed displacement added)(Mtg 3/27/14, New Rudder, -3 sec/mi for OSP, -6 sec/mi for 10%+ increase in spinnaker area. No penalty for keel/displacement)									
			471		18.95		22.5	21	14.22		67.72	46.25	8000	1	Fold											
			104		CARBON				745		61.68	14	Lead	FIXED	2											
					MS						40.55	9														
Double Down	Custom Schumacher 30	18480	123	1988	41.37	150	41.5	36.416	4.5	Yes	No		29.92	7854	No	IB	Rudder change, old rudder 85lbs new 65 lbs. Old alum/new carbon MTG 10/27/94 Noted- NCTR (MTG 1/9/97 Alum headsail removed and excess wires removed from mast- Noted NCTR)(Mtg 2/21/08, change custom rating from 126 to 123 after									
			645		12.16			11.83	7.69		40.75	26	3650	1	FOLD											
			203		ALUMN			0	257		21.75	10.65	Lead	FIXED	2											
					MS			0			21.35	6.17														
Q	Custom Schumacher 40	28901	54	2001	47	105	47	47.5	6.75	Yes	No		40	10166	No	IB										
			554		14.67			18.35	11.75		46.8	31.5	4528	1	FOLD											
			148		CARBON			0	513		26.41	11	Lead	FIXED	2											
					FS			0			26.41	7.6														
Surprise	Custom Schumacher 46	28098	6	1997	57	160	63	57	7.5	Yes	Yes	37.23	46	18300	No	IB	(MTG 4/9/98)(mtg 2/20/04)									
			510		17			19.75	12.8		62.4	40.63	8000	1	FOLD											
			124		CARBON			0	670		33.6	12.92	Lead	FIXED	2											
					FS			0			33.6	7.75														
Nightmare	Custom Wilderness 30 SX FR OB	305	111	1980	34	125		34.4	4.59	Yes	No		29.75	4700	No	OB	(-3 sec/mi for change from IB to OB, -6 sec/mi for keel change.)(mtg 2/26/15, -9 sec/mi for oversized spinnaker)									
			588		11.75			11.5	7		38.75	27.75	1650	1	None											
			100		FS			0	233		23.25	8.83	Lead	FIXED	0											
								0			23.25	5.92														
Punk Dolphin	Custom Wylie 38	18481	72	1985	48	150	48	43	5.58	Yes	No		38	14000	No	IB										
			581		14.33			14	9.55		48	31	5000	1	FOLD											
			214		ALUMN			0	369		25.8	11.6	Lead	FIXED	2											
					MS			0			25	6.75														

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications		
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps moveable blst				
								SL SPL SSMG SSF	SPL SSA SSA	SLU SLE ASMG	ASA Sprit Lngth Fixed or _o							Ballast Mat.	Keel Type
Gavilan	Custom Wylie 39	28439	93 1996	49 14.5 122	49	43 15.5 9.75	5.73 9.75	Yes	Yes	24.6 783 1.17	41.5 31.75 11.5 6.77	17900 5920 Lead	No 1 FIXED	IB FEATH 3	(mtg 4/28/11, change custom rating from 84 to 96 after review of rating appeal)(Mtg 1/26/12, -3 sec/mi for sprit)				
Checkedred Past	Custom Wyliecat 39	3	102 2002	CARBON CAT		52 26.6	10.2 17.4 826	No	No	0 0	38.83 32 11.5 6.6	12000 6200 Lead	0 1 FIXED	IB FOLD 2	Boat has been modified for handicapped sailing				
Daseins Den	Dana 24	324558	246 1987	34 12.25 120		28.25 10.75	3 5.85 160	No	No	0 0	24.16 21.42 8.58 3.83	7400 3100 Lead	0 1 FIXED	IB Fixed_2					
Neja	Dasher 32	7325	174 1961	38.01 12.59 155	38.01	33.22 14.6	5.12 8.86 277	Yes	No	0 0	31.75 26.75 8.9 5.75	11323 3600 Lead	0 1 FIXED	IB Fold	500 pounds less lead in keel than the Dasher Easom Boat Works built				
Imagine	Davidson 44 MOD	77220	57 1980	49.92 15.38 125	50.33	58.3 18.33	6.9 12.8 652	Yes	No	0	44 38.5 13 7.6	24410 7000 Lead	No 1 FIXED	IB FOLD 3	(Mtg 4/27/17, custom rating of 57 assigned)				
Harizon	Dufour 310	122	159 2016	40.35 10.82 95		38.25 14.57	5.54 9.47 332	No	No	0 0	31.72 28.54 10.88 6.23	10802 2932 Iron	0 1 FIXED	IB Fold					
Boudicca	Elan 310	310	129 2010	40.19 11.74 106	42.55 14.87	39.53 13.55	5.28 8.92 323	No	Yes	25.91 906 3 0	30.3 28.58 10.5 6.23	10141 2292 Iron	0 1 FIXED	IB Fold					

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
			Max Headsail		Mast Material Rig Type	P		MGU	Yes/No		Yes/No	ASF	Ttl Disp.		Traps/H.	Strps	IB or OB Prop Type # of blades	
			DW Rating			E		MGM	SL	SPL	SLU	ASA						
			Disp/WL ratio			PY		MSA	SSMG	SSA	SLE	Sprit Lngth	Ballast Mat.		Keel Type			
EY			SSF	ASM	Fixed or _o													
Lonesome Dove	Elite 29	9066	165	1984	35.833 11.083	130		30.333 10.333	2.6 5.1	Yes	No			28.67 24.42 10.5 5.58	6160 2310 Iron	No 1 FIXED	IB Fixed_2 2	
			676 192		ALUMN MS		0 0	157				<input type="checkbox"/>	0					
Kiwa	Ericson 32-2	285	183	1973	36 18	155	36	31.5 13	4.9 8.4	No	No			32 24 9.67 4.91	9400 4400 Lead	0 1 FIXED	IB Fixed_2 2	
					ALUMN MS			243				<input type="checkbox"/>	0 0					
Sirena	Ericson 32-2	18319	186	1972	35 13	110	35	31 13	4.9 8.4	Yes	No			31 24 9.8 5	8800 4000 Lead	0 1 FIXED	IB Fixed_2 2	
			685 289		ALUMN MS			239				<input type="checkbox"/>	0 0					
Wild-Type	Ericson 32-2	614	186	1975	38 13	155	13	31.5 13	4.53 8.19	No	Yes	22.23		31.58 24 8.67 4.92	8800 4000 Lead	0 1 FIXED	IB Fixed_3 3	Roller Furler
			707 289		ALUMN MS			237				39.55 35.38 20.01	639 0 <input checked="" type="checkbox"/>					
Imagine	Ericson 32-3	716	159	1987	42 13.8	135		36.4 11.8	4.18 7.28	No	No			32.5 25.83 10.83 6	9800 4200 Lead	0 1 FIXED	IB Fixed_2 2	
					ALUMN MS			248				<input type="checkbox"/>	0 0					
Baleineau	Ericson 34 Olson SM	42147	105	1988	44 13	155	44	38.8 13	4.88 8.25	Yes	No			34 28 10.83 6	10600 3650 Lead	No 1 FIXED	IB FOLD 2	
			629 219		ALUMN MS			0 0	298			<input type="checkbox"/>	0					
Loya	Ericson 34 Olson SM	3246	105	1989	44.5 13.25	154	44	38.84 12.9	4.69 8.38	Yes	Yes	23.8		34 28 10.83 6	10600 3650 Lead	0 1 FIXED	IB Fold 2	
			627 219		ALUMN MS			296				47.2 42.1 23.8	886 0 <input checked="" type="checkbox"/>					

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications									
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU ASA Sprit Lngth Fixed or _o	SL SPL SSMG SSA	Yes/No		ASF	Ttl Disp.			Traps/H. Strps								
								DW Rating	Disp/WL ratio										42 12 35.761 11.811	3.5 7.2 4.035 7.136	42 47 25.83 24.83	12.95 14.5 12.25	12.95 14.5 12.25	33.88 28 10.8 6.08	Ballast	moveable blst
Red Sky	Ericson 34 Olson SM	28340	105 1989	44 12.95 150 44 12.95		38.7 5.1 12.95 8.5		Yes	Yes	21.98		33.88 28 10.8 6.08	10855 3500 Lead	No 1 FIXED	IB FOLD 2	MTG 12/11/97(RUDDER REPLACED 8" DEEPER ADN 3" NARROWER.)										
Sweet Grapes	Ericson 36 Holland	19	108 1981	47.75 14.5 147 47.75		42 12 35.761 11.811	3.5 7.2 4.035 7.136	Yes	No			35.58 29 11.83 6.25	11600 5230 Lead	0 1 FIXED	IB FOLD 2											
Plus Sixteen	Ericson 911S Olson	97707	135 1991	41.5 12.25 125 41.5 12.33		35.761 4.035 11.811 7.136		Yes	Yes	20.932		30 25 10.33 5.42	8500 3200 LeadSteel	No 1 FIXED	IB FEATH 2											
Shanti	Ericson 911S Olson	326	132 1989	41.5 12.33 150 41.5 12.33		35.5 4.73 11.83 7.69		Yes	No			29.92 25 10.33 5.42	8700 3200 Lead	0 1 FIXED	IB FOLD 2	CHANGE TO RUDDER NOTED, NCTR										
Tule Lost	Ericson 911S Olson	28911	132 1988	41.5 12.33 155 41.5		35.5 4.73 11.083 7.69		Yes	No			29.92 25 10.33 5.42	8680 3200 Lead	No 1 FIXED	IB FOLD 0	MUST HAVE YACHT CLUB MEMBERSHIP CARD WITH ENTRY FORM FOR 2006 RACING										
Rustler	Esse 850	71	75 1988	32.8 10 105 37.72 16.2		34.4 6.23 11.97 8.85		No	Yes	24.3		28 28 7.25 6.6	3000 1540 Lead	0 1 FIXED	IB Fold	Outboard replaced with inboard saildrive (Mtg 2/28/13, custom rating assigned, as sailed: 75)										
White Jacket	Etchells 22 ODR	901	120 1991	27.27 8.22 90 648 142		32.49 11.57 0 0		Yes	No			30.5 22 6.83 4.5	3337 2105 Lead	0 1 FIXED	OB None 0											

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
				I J Max Headsail Mast Material Rig Type	P E PY EY		MGU MGM MSA	Yes/No		Yes/No		Ttl Disp.		Traps/H. Strps				
								SL SPL SSMG SSF	SPL SSA	SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o				Ballast			moveable blst
Abigail Morgan	Express 27 ODR	18394	129 1985	28.5 9	150	28.5	28.5 10.416	4.22 7.03	Yes	No	27.25 23.75 8.166 4.5	2450 1100 Lead	No 1 FIXED	OB None 0				
Andale	Express 27 ODR	72	129 1985	28.5 9	155	28.5	28.5 10.42	4.22 7.03	Yes	No	27.25 23.75 8.17 4.5	2450 1100 Lead	0 1 FIXED	None				
Archimedes	Express 27 ODR	18355	129 1985	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	No	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	NONE None 0				
Bombora	Express 27 ODR	38047	129	28.5 9	155	28.5	28.5 10.42	4.22 7.03	Yes	No	27.25 23.8 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0				
Current Affair	Express 27 ODR	56	129 1983	28.5 9	155	28.5	28.5 10.42	4.22 7.03	Yes	No	27.25 23.75 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None				
Dianne	Express 27 ODR	0	129 1981	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	No	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0				
El Raton	Express 27 ODR	28050	129 1985	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	No	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0				

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst	IB or OB Prop Type # of blades	
								SL	SPL	SLU	ASA						
								SSMG SSF	SSA	SLE	ASMG						
Peaches	Express 27 ODR	18364	129 1986	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	No	27.25 23.75 8.166 4.5	2450 1100 Lead	No 1 FIXED	OB None 0			
Salty Hotel	Express 27 ODR	60	129 1983	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	No	27.25 23.75 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0			
Shenanigans	Express 27 ODR	67	129 1983	28.5 9	155	28.5	28.5 10.42	4.22 7.03	Yes	No	27.25 23.75 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0			
Simply Irresistible	Express 27 ODR	18070	129 1983	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	No	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0			
Swamp Donkey	Express 27 ODR	8444	129 1981	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	No	27.25 23.75 8.166 4.5	2450 1100 Lead	No 1 FIXED	OB None 0			
Take Five	Express 27 ODR	28031	129 1982	28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	No	27.25 23.75 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None 0			
TAZ!!	Express 27 ODR	8100	132 1981	28.5 9	125	28.5	28.5 10.42	4.23 7.04	Yes	No	27.3 23.8 8.17 4.5	2450 1100 Lead	0 1 FIXED	NONE None			

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications					
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU ASA Sprit Lngth Fixed or _o	SL SPL SSMG SSA	SLE ASA Sprit Lngth Fixed or _o		Ttl Disp. Ballast	Traps/H. moveable blst			Strps Keel Type				
								SL	SPL										SLU	ASA	SLE	Sprit Lngth Fixed or _o
Tequila Mockingbird	Express 27 ODR	18353	126	28.5 9	155	32.5	28.5 10.416	4.22 7.03	Yes	Yes	18.85 450	27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0	(Mtg 4/23/15, switched to MH configuration, -3 sec/mi for increased spinnaker area)						
			603 83	ALUMN FS			0 0	182	18.25 17.5	460	26.25 17.75	0 <input type="checkbox"/>	90									
Tule Fog	Express 27 ODR	18178	129	1984 29 9	155	28.5	29 10	4.22 7.03	Yes	No		27.3 23.8 8.166 4.5	2450 1100 Lead	n 1 FIXED	OB None 0							
			610 83	ALUMN FS				182	17.7 17.7	428	0 <input type="checkbox"/>	0										
Verve	Express 27 ODR	18283	129	1981 28.5 9	155	28.5	28.5 10.416	4.22 7.03	Yes	No		27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0							
			611 83	ALUMN FS			0 0	182	17.5 17.9	425	0 <input type="checkbox"/>	0										
Yeti	Express 27 ODR	38	129	1983 28.5 9	155	28.5	28.5 10.4	4.22 7.03	Yes	No		27.25 23.75 8.16 4.5	2450 1100 Lead	0 1 FIXED	OB None							
			612 83	ALUMN FS				182	17.7 17.7	422	0 <input type="checkbox"/>	0 0										
Pork Chop Express	Express 27 ODR MOD	115	129	1986 28.5 9	130	32.5	28.5 10.4	4.2 7	Yes	Yes	19.55 425	27.25 23.75 8.17 4.5	2450 1100 Lead	0 1 FIXED	OB None	(Mtg 1/26/17, -3sec/mi for switching to MH configuration. New Rudder, NCTR)(3/22/17, back to OD configuration, +3 sec/mi)						
			604 83	ALUMN MS				182	16.44 14.11	380	28.84 15.72	0 <input type="checkbox"/>	90									
Wetsu	Express 27 w/J length pole	70	129	1983 28.5 9	155	28.5	28.5 10.42	4.22 7.03	Yes	No		27.25 23.75 8.17 4.5	2450 1100 Lead	No 1 FIXED	OB None 0	-6 Sec/mi OSP						
			611 83	ALUMN FS			0 0	182	17.7 17.5	427	0 <input type="checkbox"/>	0										
Marrakesh	Express 34	3	102	1987 44.25 13	125	44.25	38.5 12.83	4.87 8.46	Yes	No		34 28.33 10.33 6.11	9245 3800 Lead	No 1 FIXED	IB FOLD 2							
			613 185	ALUMN MS			0 0	296	23.4 23.4	858	0 <input type="checkbox"/>	0										

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
				DW Rating Disp/WL ratio	I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast	Traps/H. moveable blst		IB or OB Prop Type # of blades
									SL	SPL	SLU	ASA						
									SSMG SSF	SSA	SLE ASM	SA						
Pony Express	Express 34	28234	99 1988	44.25 12.92 613 150	155	44.25	38.5 12.83 0 0	4.87 8.46 296	Yes 44 23.4 23.4	No 12.89 858	<input type="checkbox"/>	0	34 28.33 10.5 6	7500 3700 Lead	No 1 FIXED	IB FOLD 2		
Traveler	Express 34	97089	99 1987	44.3 13 616 170	150	44.3	38.5 12.83 0 0	4.87 8.46 296	Yes 42.7 22.2 21.8	No 13 787	<input type="checkbox"/>	0	34 28.3 10.5 6	8500 3700 Lead	0 1 FIXED	IB FOLD 2	-6 FOR OVERSIZED SPINNAKER	
Bullet	Express 37	40311	72 1985	48.75 14.33 581 171	155	48.75	42 13.75 0 0	5.3 8.83 344	Yes 48 25.79 25.79	No 14.33 1032	<input type="checkbox"/>	0	37.08 30.83 11.57 7.25	11000 4600 Lead	No 1 FIXED	IB FOLD 2		
Eclipse	Express 37	18495	72 1985	48.75 14.33 577 171	155	48.75	42 13.75 0 0	5.28 8.83 344	Yes 48 25.79 25.79	No 14.33 1032	<input type="checkbox"/>	0	37.08 30.83 11.57 7.25	11000 4500 Lead	0 1 FIXED	IB FOLD 2	Rudder modification noted, no change to rating. (Actual weight from yard 11200 - 9500 was design displacement. No mods from standard express 27.) 3/26/01	
Elan	Express 37	87700	72 1985	48.75 14.33 581 171	155	48.75	42 13.75 0 0	5.28 8.83 344	Yes 48 25.79 25.79	No 14.33 1032	<input type="checkbox"/>	0	37.083 30.833 11.57 7.25	11000 4500 Lead	No 1 FIXED	IB FOLD 2		
Escapade	Express 37	18051	72 1985	48.75 14.33 577 171	155	48.75	42 13.75 0 0	5.28 8.83 344	Yes 48 25.58 25.42	No 14.33 1022	<input type="checkbox"/>	0	37.08 30.83 11.57 7.25	11000 4500 Lead	No 1 FIXED	IB FOLD 2		
Expeditious	Express 37	18478	72 1986	48.75 14.33 577 171	155	48.75	42 13.75 0 0	5.28 8.83 344	Yes 48 25.5 25.4	No 14.33 1019	<input type="checkbox"/>	0	37.08 30.83 11.57 7.25	11000 4500 Lead	No 1 FIXED	IB FOLD 2	INSTALED NEW CLASS-APPROVED CARBONFIBER RUDDER - MTG 6-12-2000 NCTR.	

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA	Displacement/Keel		Engine/Prop	Modifications								
					I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No		Yes/No	ASF		LWL	Ttl Disp.			Traps/H.	Strps	IB or OB					
										SL	SPL											SLU	ASA	Ballast	moveable blst	IB or OB
MSA	SSA	ASMG	Fixed or _o	Max Beam	Max Draft																					
Golden Moon	Express 37	18488	72	1985	48.75 14.33	155	48.75	42	5.37	Yes		Yes	29.5	37	11000	No	IB									
			577		ALUMN			13.75	8.99			49.8	1034	30.83	4500	1	FOLD									
			171		MS			0	347			46	0	11.57	Lead	FIXED	2									
								0				25	<input type="checkbox"/>	90	7.25											
Mudshark	Express 37	28052	72	1986	48.75 14.33	155	48.75	42	5.28	Yes		No		37.08	11000	No	IB									
			577					13.75	8.83					30.83	4500	1	FOLD									
			171		MS			0	344				0	11.57	Lead	FIXED	2									
								0				<input type="checkbox"/>		7.25												
Phat Jack	Express 37	18257	72	1985	48.75 14.33	150	48.75	42	5.25	Yes		No		37.08	11000	0	IB									
			577		ALUMN			13.75	8.83					30.83	4500	1	FEATH									
			171		MS				343				0	11.57	Lead	FIXED	2									
								25.7	1028			<input type="checkbox"/>	0	7.25												
								25.7					0													
Stewball	Express 37	18278	72	1985	48.75 14.33	150	48.75	42	5.28	Yes		No		37.083	11000	0	IB									
			577		ALUMN			13.75	8.83					30.833	4500	1	FOLD									
			171		MS			0	344				0	11.57	Lead	FIXED	2									
								0				<input type="checkbox"/>		7.25												
Expression	Express 37 MOD	33985	75	1984	48.75 14.33	150	48.75	42	5.3	Yes		No	19	37.1	9500	0	IB	(mtg 1/21/10, +3 sec/mi for modified keel, -3 sec/mi for dual spinnaker/ability to fly asym on squared back pole)(1/19/11, removed asym, only using symmetric spinnaker, +3 sec/mi)								
			590		ALUMN			13.75	9			48	705	30.83	4500	1	Fold									
			147		MS				346			45	0	11.5	Lead	FIXED	2									
								23.2	931			18	<input type="checkbox"/>	90	6											
Ouessant	Farallone Clipper FR	8214	159	1957	35.69 13.87	150	35.69	40.34	7	Yes		No		37.833	18344	No	IB									
			673		WOOD			18.79	12.1					28.25	7200	1	Fixed_2									
			370		FS			0	448				0	9.5	Iron	FIXED	2									
								0				<input type="checkbox"/>		5.916												
Vip	Farallone Clipper FR	7	159	1957	36.82 14	155	36.82	40.5	6.16	Yes		No		38	19000	No	IB									
			673		WOOD			18.5	10.979					28.75	7000	1	Fixed_3									
			363		FS			0	420				0	9.5	Iron	FIXED	3									
								0				<input type="checkbox"/>		5.6												

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.		Traps/H. Strps moveable blst				
								SL	SPL						Yes			No
								SSMG SSF	SSA									
Brandy	Farr 30 1/2 Ton	57257	150 1979	31 9.6 145	31	34 12.9	4.5 7.11	Yes	No	31.4 17 17	9.8 445	0 0	30.33 23.5 10 5.33	4894 1909 Lead	0 1 FIXED	OB None	(Mtg 4/24/15, -6 sec/mi for increased P)	
Red Cloud	Farr 36 Mod	99	87 1976	38.3 12.16 108	46.3 12.16	41 16.75	6.4 10.9	Yes	No	45.4 21.8 21.8	12.16 825	0 0	36 31.33 11.92 6.16	10430 3950 Lead	No 1 FIXED	IB Fold 2	(550# ADDED TO KEEL 300# TO FILL MIDDLE WINDOW+250# TO BOTTOM)(Mtg 1/26/12, -3 sec/mi for new mainsail)(mtg 3/29/12, +3 sec/mi after review of rating appeal, as sailed: 87)	
Wicked Sister	Farr 36 ODR	3	9 2004	46.78 13.19 110	54.82 21.06	49.93 18.63	8.53 12.96	No	Yes		36.28 1751 7.36 0	36.1 32.8 11.72 8.5	6745 3076 Lead	0 1 FIXED	IB Fold			
Mintaka 4	Farr 38	18441	81 1979	43.67 13.67 125	46.2	44.9 17.9	6.8 11.6	Yes	No	44.13 26.07 24.6	14.5 948	0	38.25 31.17 12 6.33	11850 4100 Lead	No 1 FIXED	IB FOLD 2	(2002-removed dinette stbrd, add bench seat w/55 gal fuel tank, original was 12.5. Rudder replaced 12" longer, 4" narrower. Changes noted mtg 1/17/02, NCTR)(removed short pole, changed spinnakers, 11/2/04) (Mtg 1/24/12, new stow)	
Timber Wolf	Farr 38-1 C&B Marine	67519	75 1980	43.91 13.36 155	47.9	44.83 17.91	6.7 11.6	Yes	No	48 26.4 26.4	14.67 1056	0	38.32 30.9 11.97 6.39	12000 4100 Lead	0 1 FIXED	IB FOLD 2	(REDUCED MGM, ADDED 6" TO RUDDER LENGTH -NOTED NCTR-2/15/01)(-3 sec/mi for oversized spinnaker)	
Astra	Farr 40 ODR MH	40079	0 2000	53.2 15.5 105	53.12	54.8 19.4	7.29 12.47	Yes	No	60.69 34.39 34.44	17.06 1740	0	40.75 35.27 13.22 8.53	10917 5079 Lead	No 1 FIXED	IB FOLD 2		
Twisted	Farr 40 ODR MH	40046	0 1999	53.15 15.45 105	50.04 17.06	54.8 19.36	8.49 13.77	Yes	No	60.69 34.39 34.44	17.06 1740	0 0	40.7 35.3 13.2 8.53	10902 4960 Lead	0 1 FIXED	IB FOLD 2	(Mtg 12/1/11, interior mods for IRC, smaller mainsail: NCTR)(Mtg 5/24/12, switching to MH ODR configuration)	

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop		Modifications
			Built	J	I	Max	ISP	P	MGU	Yes/No	Yes/No	ASF	Ttl Disp.		Traps/H.	IB or OB			
			DW Rating	Max	Headsail	JSP	E	MGM	SL	SPL	SLU	ASA	Ballast		moveable blst	Prop Type			
			Disp/WL ratio	Material	Rig Type	PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Ballast Mat.	Keel Type		# of blades				
Envolee	Figaro II	0	54	2012	42.75	104	42.75	42.67	6.5	Yes	No		32.18	6724	0	IB	(mtg 4/27/17, water ballast disabled, +6 sec/mi)		
			558		12.42		15.42	10.63				32	2425	1	Fold				
			93		CARBON			410			<input type="checkbox"/>	0	11.33	LeadWater	FIXED				
					FS							0	6.5						
Hot Socks	Figaro II	27	48	2004	42.75	104	42.75	42.67	7	Yes	No	0	32.18	6724	0	IB			
			564		12.42		15.42	11				32	2425	1	Fold				
			93		CARBON			422			<input type="checkbox"/>	0	11.33	LeadWater	FIXED				
					FS							0	6.5						
Wild 1	Flying Tiger 10 Meter ODR	41	54	2007	39.284	105	45.282	40.167	6.463	No	Yes	27.493	32.68	4376	0	OB			
			517		12.126		19.134	14.895	10.499		51.541	1087	30.31	1918	1	None			
			71		CARBON				378		42.651	7.008	9.12	Lead	FIXED	3			
					FS						27.76	<input checked="" type="checkbox"/>	0	7.61					
Circlesea	Folkboat	125	252		21.99	100	10.17	28.71	4.42	No	No		25.08	4640	0	OB			
					6.56		11.15	7.33					19.82	2315	1	None			
					WOOD			194			<input type="checkbox"/>	0	7.26	Iron	FIXED	0			
			271		MS							0	3.92						
Jacqueline	Freedom 30 SD	3	174	1986	28.4			35.2	5.25	Yes	No		30	7660	0	IB			
			686		9.8		13.9	9					25.42	3150	1	Fixed_2			
			212		CARBON			291			<input type="checkbox"/>	0	10.8	Lead	FIXED				
					CAT							0	4.5						
Kynntana	Freedom 38	38086	141	1988	33.34	100	33.34	45.5	6.25	No	No		38.42	14370	0	IB			
					11.5		11.5	16.57	10.7				30.58	6500	1	Fold			
					CARBON				447		<input type="checkbox"/>	0	12.5	Lead	FIXED				
			228		FS							0	5.6						
Crane Wife	Fuji 32 KTH	0	252	1977	36.25	148		29.08	3.8	No	No		31.5	13115	0	IB			
					14.75		11.21	5.96					29	4635	1	Fixed_3			
					ALUMN		18.25	177			<input type="checkbox"/>	0	9.83	Iron	FIXED				
			244		KTCH		8					0	3.66						

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
			ISP		I	J	P	MGU	Yes/No	Yes/No	ASF	Ttl Disp.		Traps/H. Strps	IB or OB			
			JSP		Max	Head	E	MGM	SL	SPL	SLU	ASA		Ballast	moveable blst	Prop Type		
			ISP		sail	sail	PY	MSA	SSMG	SSA	SLE	Sprit Lngth		Ballast Mat.	Keel Type	# of blades		
			Disp/WL ratio															
Borealis	Gulf 39 PH	77135	129		50 16.17	128	42 13.75	4.83 8.58	No	No			38.83 33.67 12 5	17500		1 FIXED	IB Fold	
Firefly	Harbor 20	226	213	2006	25.75 7	90	25.75 7	26 10	3.6 6.25	No	No			20 17.17 7 3.5	1800 900 Lead	0 1 FIXED	OB None	
Nepenthe	Hawkfarm 28	6122	174	1976	33.3 11	115	33	36 10.5	4.3 7.2	No	No			28 23.5 9.75 5.5	5700 2700 Lead	0 1 FIXED	IB Fixed_2 2	
Red Hawk	Hawkfarm 28 ODR	59024	162	1978	33 11	155	33.25 11.5	36 10.5 0 0	4.37 7.26 236	Yes 33 20.7 20.7	No			28 23.5 9.75 5.166	5700 2700 Lead	0 1 FIXED	IB FOLD 2	
Family Hour, TNG	Henderson 30	46595	48	1997	37 11	155	42.3 17.8	38.2 14	6.74 10.62	Yes 41.5 19.8 19.8	Yes 49.99 41.99 31.9	31.9 1223 6.2 15	30.83 27.75 9.84 7	3850 1750 Lead	0 1 FIXED	OB None 0	Kelp Cutter	
Gygax	Hinckley Pilot 35 TM	4802	192	1975	44.36 13.8	155	44.36 13.8	41.83 15.81	5.5 9.97	Yes 42 24.8 24.8	No			35.5 25 9.5 5	13500 4200 Lead	0 1 FIXED	IB Feath	
Captain Sluggo	Hobie 33	77870	54	1982	34.7 12.2	105	42.3	38.1 13.5	6 9.6	No 14.32	Yes 44.6 42.4 25.6	25.6 928 0 90	33 30.4 8 5.4	4532 1800 Lead	0 1 FIXED	OB None	(Meeting 4/27/17, Custom rating assigned: 54)	

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
			Built	I	J	Max	ISP	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB		
			DW Rating	Mast	Material	JSP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type			
			Disp/WL ratio	Rig Type	FS	EY	MSA	SSMG	SSA	SLE	Sprit	Lngrh	Max Beam	Ballast Mat.	Keel Type	# of blades			
Vitesse Too	Hobie 33 ODR	87112	90	1983	33.8	125	36.8	35	4.75	Yes	No	33	4000	No	OB	Extended rudder 10", NCTR			
					12.4			12.4	8		30.5	1800	1	None					
			552		ALUMN			0	259		23.4	694			0				
			64		FS			0			21.4		Lead	FIXED					
Xtreme	Hobie 33 ODR	18170	90	1984	33.83	125	36.25	35	4.75	Yes	No	33	4000	No	OB				
					12.4			12.5	8		30.5	1800	1	None					
			553		ALUMN			0	260		23.4	690			0				
			64		FS			0			21.4		Lead	FIXED					
Turbo Camper	Hobie 33 ODR MOD	87574	84	1984	33.28	155	36.5	35	4.75	No	Yes	33	4200		OB	(Mtg 3/29/12, -3 sec/mi for displacement changes)			
					12.4		13.13	12.5	8.1		39	702	1900	1	None				
			550		ALUMN			0	261		34.2	0.6	8		0				
			67		FS			0			23	90	5.42	Lead	FIXED				
Archaeopteryx	Hotfoot 20	101	177	1986	25	105	26.08	27.08	4.05	Yes	No	20	1000	0	OB				
					7		7.67	10.08	6.6			18	400	1	None				
			628		ALUMN				166		13.86	309	8.5						
			78		FS						13.3		5	Lead	CNTRBRD				
Iolani	Hughes 48	38048	120	1972	54.3	135	20.2	48.2	5.9	Yes	Yes	48	32000	0	IB				
					18.2			19	10.4		54	1400	14300	1	FEATH				
			599		ALUMN			23	493		48.6		11.1		3				
			336		YAWL			10			32.76	0	6	Lead	FIXED				
Gig	Humboldt 30 IB	18112	108	1983	37.5	149	37.5	41.5	5.13	Yes	No	30	5400	No	IB				
					11.5			13.75	8.83			26.66	2222	1	FOLD				
			603		ALUMN			0	338		20.7	635	10.5		2				
			130		FS			0			20.2		5.75	Lead	FIXED				
Kelika	Hunter 33.5	28815	150	1991	39.166	150	39.116	43.166	5.2	Yes	No	33.33	10800	No	IB				
					11.666			13.5	8.9			26.83	4500	1	FEATH				
			657		ALUMN			0	350		21.15	687	11		2				
			254		FS			0			21.15		4.5	Iron	FIXED				

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications										
			Built	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB											
										DW Rating	Mast Material									E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type
EY	SSA	ASMG	Fixed or _o	Max Draft																									
Lenora	Hunter 33-2	60700	153	2004	37.42 10.83	115	38.42 10.83	36.46 15.83	4.83 8.33	No	Yes	18.5 531	33.5 29.42	10400 3459	0 1	IB Fold													
			648 186		ALUMN FS				306			0 0	11.17 5.5	Lead	FIXED	3													
Itinerant	Hunter 34	1025	150	1986	47.42 13.75	105		41 11.75	4.02 6.87	No	No		34.42 28.25	11820 5366	0 1	IB Fixed_2													
					ALUMN MS				271			0 0	11.5 5.5	Steel	FIXED														
Short Bus	Hunter 35 Legend	210	138	1990	42 12.17	110		44.08 14.25	5.5 9.2	No	Yes	24.6 957	35.58 29.75	12600 5000	0 1	IB Fixed_2													
			628 218		ALUMN MS				375			0 0	11.75 6.5	Lead	FIXED														
Scraft	Hunter 36	38096	156	2005	44.83 13.17	125		44.92 16	6 10.3	No	No		35.5 30.58	13900 5023	0 1	IB Fixed_3	Roller Furler, In-mast Furling Mainsail												
					ALUMN MS				426			0 0	12 5.42	Lead	FIXED														
Sir Leansalot	Hunter 40	161	105	1986	53.9 17	125	53.9 17	48 13.9	5.2 9	Yes	No		39.7 32.5	17400 6000	0 1	IB Fold													
			608 230		ALUMN MS			0 0	396			0	13.5 6.5	Iron	FIXED	2													
Invictus	Hunter 41 DS	38093	129	2007	51.6 13	110		50.8 19.6	6 10.11	No	No		40.4 35.6	19400 6506	0 1	IB Fixed_3	(Mtg 4/25/13, +3 sec/mi for in-mast furling main)												
					ALUMN FS				524			0 0	13.3 6.6	Lead	FIXED	3													
Gratitude	Hylas 46	60373	102	2002	58.4 17.7	135	58.4 17.7	50.6 18	4.6 9.6	No	Yes	25.5 1309	46.3 40	27777 12347	0 1	IB Feath													
			573 197		ALUMN CTR				469			0 0	13.9 6.6	Lead	FIXED	3													

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
			Built	ISP	I	J	Max Headsail	ISP	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB	
			Rating	JSP	Mast	Material	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type			
			DW Rating	JSP	Rig Type	PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades				
Disp/WL ratio	JSP	Rig Type	EY	MSA	SSF	SSA	ASM	Fixed or _o	Max Draft										
Hylite	Hylas 49 SM	49	111	2007	57.42 19.5	130	57.42 19.5	51 18.5	4.5 9.17	No	Yes	28.67 1214	48.83 39.5	35000 14500	0 1	IB Fold	(Mtg 1/26/17, Custom rating of 111 assigned)		
			580		ALUMN				470		60	0	14.25	Lead	FIXED				
			258		CTR						24.42	<input checked="" type="checkbox"/>	6						
USA 76	IACC	76	-78	2002	83.99 27.17	100		99.18 30.19	14.12 20.33	No	No		82.6 61.6	52910 39683	No 1	IB Fold	(mtg 12/5/13, custom rating of -78 assigned)		
					CARBON				1892			0	11.9	Lead	FIXED				
			103		FS						<input checked="" type="checkbox"/>	0	13.45						
The Mighty Windsong	International Folkboat OB	567	228	1969	26 8.3	155	26 8.3	28.8 11.2	4.44 7.34	Yes	No		25.75 19.75	5000 2750	0 1	OB None			
			817		ALUMN				195			0	7.5	Iron	FIXED				
			295		MS						<input type="checkbox"/>	0	4						
Youngster	IOD ODR	82	156	1937	29.25 8.33	103	41 10.67	38.83 16.25	6.12 10.47	Yes	No		33.42 21.42	7100 4100	No 1	NONE None	(mtg 1/21/10, switched to Masthead Spinnaker, -12 sec/mi for 40% increase in ISP, -6 sec/mi for oversized spinnaker girths)(138 rating valid for PHRF Races, not valid for IOD Class races. Boat must be in close configuration to sail)		
			699		ALUMN			0	374			0	6.75	Lead	FIXED	0			
			328		MS			0			<input type="checkbox"/>		5.333						
Antares	Islander 30-2	6237	186	1971	38.5 12.58	155	38.416	32.5 11.58	4.75 8.125	Yes	No		30 24.58	8600 3600	No 1	IB FOLD			
			677		ALUMN			0	235			0	10	Lead	FIXED	2			
			263		MS			0			<input type="checkbox"/>		5						
Sweet Pea	Islander 30-2	195	186	1971	38.5 12.58	155	38.42	32.5 11.58	4.75 8.125	Yes	No		30 24.58	8600 3500	0 1	IB FOLD			
			677		ALUMN			0	235			0	10	Lead	FIXED	2			
			263		MS			0			<input type="checkbox"/>		5						
Apogee	Islander 36 Freeport	36	162	1978	46.75 16.75	150		42 12.75	5 8.4	No	No		35.9 27.6	17000 7030	0 1	IB Fold			
					ALUMN				323			0	12	Lead	FIXED				
			368		MS						<input type="checkbox"/>	0	5.3						

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications		
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps	IB or OB Prop Type # of blades			
								SL	SPL	SLU	ASA							Ballast	moveable blst
								SSMG SSF	SSA	SLE ASMG	ASA								
Zenith	Islander 36 NCPHRF	472	147 1978	45 14.48 135 45	45 14.8	39.25 5.05 12.75 8.44	0 303	No	No	<input type="checkbox"/>	0	36.08 28.25 11.166 6.083	13450 5820 Lead	No 1 FIXED	IB Fold 2				
Zingara	Islander 36 NCPHRF	484	150 1978	45 14.48 125 45	45 14.8	39.25 4.8 12.75 8.29	0 298	No	No	<input type="checkbox"/>	0	36.1 28.25 11.17 6.08	13450 5820 Lead	No 1 FIXED	IB Fold 2	Roller Furler			
Califia	Islander 36 ODR	67074	144 1978	45 14.48 135 45	45	39.25 3.69 12.75 6.88	0 265	No	No	<input type="checkbox"/>	0 0	36.08 28.25 11.17 6.08	13450 5450 Lead	0 1 FIXED	IB Feath 2				
Cassiopeia	Islander 36 ODR	6763	144 1971	45 14.48 150 45	45	39.25 4.8 12.75 8.29	0 298	Yes	No	<input checked="" type="checkbox"/>	0	36.08 28.25 11.17 6	13947 5450 Lead	No 1 FIXED	IB FOLD 2	(mtg 2/18/10, - 6 sec/mi for 10% OSP)(8/2/11, boat returned to ODR Configuration)			
Hangover	Islander 36 ODR	367	147 1976	45 14.48 135 45	45	39.25 5.05 12.75 8.44	0 303	No	No	<input type="checkbox"/>	0 0	36.8 28.25 11.17 6.08	13450 5820 Lead	0 1 FIXED	IB Fixed_2				
Kapai	Islander 36 ODR	438	147 1977	45 14.48 125 45	45	39.25 5.05 12.75 8.44	0 303	No	No	<input type="checkbox"/>	0	36.08 28.25 11.17 6	13450 5500 Lead	0 1 FIXED	IB FOLD 2				
Luna Sea	Islander 36 ODR	420	144 1980	45 14.48 135 45	45	39.25 5.05 12.75 8.44	0 303	Yes	No	<input type="checkbox"/>	0	36.08 28.25 11.17 6.08	18000 5450 Lead	No 1 FIXED	IB Feath 3				

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications		
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		Ttl Disp.		Traps/H.	Strps	IB or OB Prop Type # of blades			
								SL	SPL	SLU	ASA							Ballast	moveable blst
Disp/WL ratio																			
Nutmeg	Islander 36 ODR	87245	144		45 14.48 ALUMN MS	150	45	39.25 12.75 0 0	5.05 8.44 303	No	No	36.083 28.25 11.166 6.083	13450 5450 Lead	No 1 FIXED	IB FOLD 0				
Serenity	Islander 36 ODR	82659	144	1973	45 14.48 ALUMN MS	135	45	39.25 12.75	3.69 6.88 265	Yes 45 27 27	No 15 1013	36.08 28.25 11.17 6.083	13500 5450 Lead	0 1 FIXED	IB Feath				
Windwalker	Islander 36 ODR	57307	144	1976	45 14.48 ALUMN MS	150	45	39.25 12.75 0 0	4.8 8.2 297	Yes 45.25 23.3 24.7	15 889	No 36.08 28.25 11.17 6.08	13450 5820 Lead	No 1 FIXED	IB FOLD 2				
FROLIC	Islander 36 TM	47462	141	1974	47 14.5 ALUMN MS	155	47 14.5	40.75 12.6	4.8 8.25 307	Yes 46.5 25.8 24.6	14.5 990	No 36.08 28.25 11.17 6.08	13450 5450 Iron	0 1 FIXED	IB Feath 3				
Picante	Islander Bahama 28 SM	1	210	1981	33.8 11.75 ALUMN MS	150	11.75	28 8.2	3.58 5.75 146	No	Yes 20 33 29.4 18	478 0 0	27.9 23 9.8 5.5	7000 3000 Lead	0 1 FIXED	IB Fixed_3 3			
Strange Magic	Islander Bahama 30	179	180	1981	40 12.75 ALUMN MS	150	40 12.75	33.75 11.5	4.37 7.47 232	No	No	29.92 24.58 10 5	8230 3130 Lead	0 1 FIXED	IB Fold				
Wuvulu	Islander Bahama 30	61	180	1979	40 12.75 ALUMN MS	150	38.416	33.75 11.5 0 0	4.75 8.125 243	Yes 38.5 22.44 22.75	12.416 722	No 30 24.58 10 5	8600 3500 Lead	No 1 FIXED	IB FOLD 2				

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
			Built	DW Rating	I J Max Headsail	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		LOA LWL Max Beam Max Draft	Ttl Disp. Traps/H. Strps		IB or OB Prop Type # of blades			
									Mast Material	Rig Type	SL SPL SSMG SSF	SPL SSA		SLU SLA SLE ASMG	ASF ASA Sprit Lngth Fixed or _o		Ballast	moveable blst Keel Type	
Pegasus - Motion X	J 100 ODR MOD	1197	69	2005	38 12.7	95	43 15.63	38 15.3	5.32 9.32	No	Yes	23.3 47.8 39.1 23.9	32.8 29 9.3 5.8	7250 2500 Lead	No 1 FIXED	IB FOLD 2	(Mtg 2/26/09, -3 sec/mi for adding sprit)(mtg 1/21/10, additional -3 sec/mi for lengthening sprit to 4.13')(Mtg 1/27/11, -6 sec/mi for increased "e")(Mtg 1/26/11, shortened J, boat rigged for overhauled sailing. NCTBY4/02/17		
Advantage 3	J 105 ODR w/ 5'BS	84	78	1994	40.6 13.5	100	42.1 19.07	41.5 14.5	5.5 9.4	No	Yes	25.5 49 38.6 26.4	34.5 29.5 11 6.5	7750 3400 Lead	No 1 FIXED	IB FOLD 2			
Akula	J 105 ODR w/ 5'BS	16	78	1992	40.6 13.5	100	42.1 19.07	41.5 14.6	5.5 9.4	No	Yes	25 48.9 38.7 23	34.5 29.5 11 6.5	7750 3400 Lead	No 1 FIXED	IB FOLD 2			
Godot	J 105 ODR w/ 5'BS	28905	78	1992	40.6 13.5	95	42.1 19.07	41.5 14.6	5.5 9.4	No	Yes	23.29 49.54 38.55 26.8	34.5 29.5 11 6.5	7750 3400 Lead	No 1 FIXED	IB FOLD 2			
Lightwave	J 105 ODR w/ 5'BS	319	78	2000	40.6 13.5	100	42.1 19.07	41.5 14.5	5.5 9.4	No	Yes	22.9 49.4 38.5 26.6	34.5 29.5 11 6.5	7750 3400 Lead	No 1 FIXED	IB FOLD 2			
Mamaluc	J 105 ODR w/ 5'BS	265	78	1999	40.6 13.5	100	42.1 19.07	41.5 14.5	5.5 9.4	No	Yes	25.9 49.42 39.76 25.88	34.5 29.5 11 6.5	7750 3400 Lead	No 1 FIXED	IB FOLD 2			
Nantucket Sleighride	J 105 ODR w/ 5'BS	414	78	2001	40.6 13.5	100	42.1 19.07	41.5 14.5	5.5 9.4	No	Yes	25 48.9 38.7 23.3	34.5 29.5 11 6.5	7750 3400 Lead	0 1 FIXED	IB Fold 2			

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		Ttl Disp.		Traps/H. Strps	IB or OB Prop Type # of blades			
								SL	SPL	SLU	ASA					Ballast		moveable blst
								SSMG SSF	SSA	SLE ASMG	Sprit Lngth Fixed or _o							
Disp/WL ratio																		
Russian Roulette	J 105 ODR w/ 5'BS	85	78 1995	40.6 13.5 100	42.1 19.07	41.5 14.5	5.5 9.4	No	Yes	25 854 5.5 0	34.5 29.5 11 6.5	7750 3400 Lead	0 1 FIXED	IB Fold 2				
Vuja Star	J 105 ODR w/ 5'BS	181	78 1998	40.6 13.5 100	42.1 19.07	41.5 14.5	5.5 9.4	No	Yes	29.5 958 5.5 0	34.5 29.5 11 6.5	8733 3400 Lead	0 1 FIXED	IB Fold 2				
Lindo	J 109	195	69 2005	46.5 13.3 155	49 18.8	43.3 15.5	5.89 10.07	No	Yes	27.75 1160 5.5 0	35.25 30.5 11.5 7	10900 3900 Lead	0 1 FIXED	IB FOLD 2				
Junkyard Dog	J 109 ODR	168	72 2004	46.5 13.3 105	49 18.83	43.25 15.5	5.88 10	No	Yes	27.75 1160 5.5 0	35.25 30.5 11.5 7	10900 3900 Lead	No 1 FIXED	IB FOLD 2				
La Viajera	J 109 ODR	46480	72 2004	46.5 13.3 105	49.6 18.8	43.25 15.5	5.89 10.07	No	Yes	27.75 1160 5.5 0	35.25 30.5 11.5 7	10900 3900 Lead	0 1 FIXED	IB Fold 2				
Bad Dog	J 111	103	36 2011	48.37 13.85 105	51.4 20.08	45.7 14.5	6.1 10.1	No	Yes	31.86 1433 6.3 0	36.5 32.7 10.8 7.2	9300 3500 LeadSteel	0 1 FIXED	IB Fold				
Swift Ness	J 111	101	36 2014	48.37 13.85 105	51.4 20.08	45.17 14.5	6.1 10.1	No	Yes	31.8 1404 6.3 0	36.5 32.7 10.8 7.2	9300 3500 LeadSteel	0 1 FIXED	IB Fold				

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
			Built	I	J	Max	ISP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp. Traps/H. Strps		IB or OB		
			DW Rating	Mast	Material	JSP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type			
			Disp/WL ratio	Rig Type	FS	FS	PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades			
				EY		SSF		ASM	Fixed or _o	Max Draft									
Alchera	J 120 Mod	28870	51	2001	50.5	125	52	46.5	6	No	Yes	34	40	13900	No	IB	Modifications for offshore singlehanded: Smaller spinnaker and main, 2 extra winches at helm, 3 additional gel batteries, dodger boss widened and all control lines led to cockpit, radar pole, veltran MHN jib. /Mts 2/24/08 +2 coils for small		
			554		14.5		21.55	17.57	10.57		57.96	1407	35	6000	1	FOLD			
			147		CARBON			0	463		49.99	7	12	Lead	FIXED	2			
					FS			0			30.6	<input checked="" type="checkbox"/>	7						
Hokulani	J 120 ALUM	43	48	1996	50.42	155	50.42	46.42	6.58	No	Yes	37.8	40	13900	0	IB			
			538		14.42		21.42	17.67	11.42		62.5	1777	35	6000	1	Fold			
			147		ALUMN				486		51.5	0	12	Lead	FIXED				
					FS						37.3	<input checked="" type="checkbox"/>	7						
Jamani	J 120 ALUM	52879	48	2002	50.5	155	52	46.5	6.7	No	Yes	34	40	13900	0	IB			
			542		14.5		21.5	17.8	11.5		64	1729	35	6000	1	FOLD			
			147		ALUMN				491		50	7	12	Lead	FIXED	2			
					FS						37	<input checked="" type="checkbox"/>	7						
Kookaburra	J 120 ALUM	153	48	2001	50.5	155	52	46.5	6.2	No	Yes	30.3	40	13900	No	IB			
			556		14.5		21.5	17.8	10.7		60.8	1265	35	6000	1	FOLD			
			147		ALUMN			0	471		50.6	7	12	Lead	FIXED	2			
					FS			0			26.5	<input checked="" type="checkbox"/>	7						
Saetta	J 120 ALUM	28486	48	1999	50.5	153	52	46.5	6.75	No	Yes	37.6	40	13900	No	IB			
			540		14.5		21.5	17.8	11.5		65.61	1793	35	6000	1	FOLD			
			147		ALUMN			0	492		51.8	7	12	Lead	FIXED	2			
					FS			0			36.42	<input checked="" type="checkbox"/>	7						
Twist	J 120 ALUM	28442	48	2000	50.5	150	52	46.5	6.75	No	Yes	34.1	40	13900	No	IB			
			541		14.5		21.5	17.8	11.5		64	1764	35	6000	1	FOLD			
			147		ALUMN			0	492		50.6	7	12	Lead	FIXED	2			
					FS			0			37.65	<input checked="" type="checkbox"/>	7						
Peregrine	J 120 Carbon	25487	45	2001	50.5	150	52	46.5	6.76	No	Yes	35.1	40	13900	0	IB			
			540		14.5			17.8	11.57		64	1776	35	6000	1	Fold			
			147		CARBON				493		52.5	7	12	Lead	FIXED	2			
					FS						36.96	<input checked="" type="checkbox"/>	7						

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications					
			Built	J	Max	IS	P	MGU	Yes/No		Yes/No		LOA	Ttl Disp.	Traps/H.	IB or OB	Modifications							
									JSP	E	MGM	SL						SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type
Head	Foot	ISP	JSP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type											
Albion	J 124	14	27	2007	49	145	54.7	48.4	6.4	No	Yes	32.74	40.7	12600	0	IB	(Mtg 2/23/17, -6 sec/mi for asymmetric spinnaker modifications)							
					14		19.43	17	11		60.53	1528	36.2	5000	1	Fold								
			522		CARBON				488		51.51	3.83	11.33	Lead	FIXED									
			121		FS						32.74	<input checked="" type="checkbox"/>	0	7										
Spirit of Freedom	J 124	38006	27	2006	49	155	54.7	48.4		Yes	Yes	32.6	40.7	12600	No	IB	(mtg 4/22/10, -3 sec/mi for OSP, -3 sec/mi for ability to square back pole)							
					14		15.4	17			53.9	15.4	36.2	5000	1	FOLD								
			535		CARBON						27.7	1244	11.3	Lead	FIXED	2								
			121		FS						27.7		6.9											
Can't Touch This	J 125	93204	-12	1999	49	155	52.1	47	6.8	No	Yes	41	41	9330	0	IB	(Mtg 2/26/09, -3 sec/mi for oversized main girths)(3/9/09, corrected main girths, removed -3 sec/mi penalty)							
					15		23	18	11.6		61.3	1941	37	4646	1	FOLD								
			468		CARBON				502		52.3	8	10.6	Lead	FIXED	2								
			84		MS						41	<input type="checkbox"/>	0	7.9										
Tyr	J 125	52125	-12	2000	49	155	52	46.5	6.79	No	Yes	39.3	41	8350	0	IB								
					14.8		23.4	18	11.65		62.17	1831	37	4646	1	Fold								
			471		CARBON				497		52.49	0	10.6	Lead	FIXED	2								
			75		FS						38.09	<input checked="" type="checkbox"/>	0	7.9										
Jaybird	J 133 CM	52443	24	2004	57	100	60.4	54	7	No	Yes		38.08	16900	0	IB								
					17.25		24	18.6	12				30.25	6850	1	Fixed_2								
			574		CARBON				595			0	11.8	Iron	FIXED									
			278		FS						<input type="checkbox"/>	0	6.8											
Samba Pa Ti	J 22	3	186	1982	24.8	125	24.8	26.1	3.78	Yes	No		22.5	1790	0	OB								
					8.8		8.8	9	6.27				19	700	1	None								
			674		ALUMN				147			0	8	Lead	FIXED									
			119		FS						<input type="checkbox"/>	0	3.8											
Irish Blessing	J 24 ODR	2184	168		26.25	150	26.25	28	3.7	Yes	No		24	3100	0	OB								
					9.5			9.75	6.37				20	965	1	None								
			693		ALUMN				163			0	8.92	Lead	FIXED	0								
			176		FS						<input type="checkbox"/>	0	4											

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications			
				DW Rating Disp/WL ratio	I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast	Traps/H. moveable blst		IB or OB Prop Type # of blades		
									SL SPL SSMG SSF	SPL SSA	SLU SLE ASMG	ASA Sprit Lngth Fixed or _o							Ballast Mat.	Keel Type
Shut Up & Drive	J 24 ODR	513	168	1979	26.25 9.5 150	26.25	28 9.75 0 0	3.7 6.37 163	Yes	No	24 20 8.916 4	3100 965 Lead	No 1 FIXED	OB None 0						
Cordon Rouge	J 30	68	144	1979	34 11.5 125	34	38 13	5.1 8.4 296	Yes	No	29.83 25 11.2 5.25	6700 2100 Lead	No 1 FIXED	IB FOLD 3						
Friction Loss	J 30	67425	141	1979	34 11.5 155	34.1 11.5	38 13 0 0	4.94 8.45 295	Yes	No	21.06 666 0 5.25	6500 2100 Lead	0 1 FIXED	IB FOLD 2						
Ione	J 30	8994	141	1981	34.19 11.041 140		38 13 0 0	4.83 8.21 290	Yes	No	29.83 25 11.2 5.25	6500 2100 Lead	0 1 FIXED	IB FOLD 2						
Wind Speed	J 30	39963	141	1980	34.19 11.5 155	34.2	37.5 12.5 0 0	4.9 8.1 281	Yes	No	29.83 25 11.18 5.25	6700 2100 Lead	No 1 FIXED	IB FOLD 2	+6 sec/mi for J length pole (mtg 11/16/01)					
La Dolce Vita	J 32	64	120	2001	39.2 11 155	40.5 13	38.5 15.5	5.1 9.2 334	No	Yes	19.7 677 2.5 0	32.4 29 11 6	10000 3840 Lead	0 1 FIXED	IB Feath 3	(Mtg 8/22/13, -6 sec/mi for sprit)				
Paradigm	J 32	79	126	2002	39.166 11 150	40.583 11.916	38.42 15.42	5.5 9.58 343	No	Yes	17.83 722 0 0	32.4 29 11 6	11500 3840 Lead	No 1 FIXED	IB FOLD 2					

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
			Rating		I	J	ISP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp. Traps/H. Strps		IB or OB		
			DW Rating		Max Headsail	Max Headsail	JSP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type		
			Disp/WL ratio		Mast Material	Mast Material		PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades		
Rhapsody	J 32	56303	120	2000	39.2 11	155	40.583 13	38.5 15.5	5.12 9.25	No	Yes	22.5 830	32.4 29	11500 3840	0 1	IB Fold	(Mtg 5/23/13, -3 sec/mi for sprit, -3 sec/mi for oversized spinnaker)		
			640 214		ALUMN FS				335		41.55 22.75	2 0	11 6	Lead FIXED	3				
Stratocaster	J 32	16	126	1996	39.2 11	155	40.68	38.5 15.5	5.88 10.07	Yes	Yes	23.95 831	32.5 28.67	10000 3840	No 1	IB FOLD			
			633 193		ALUMN FS			0 0	355	39 20.4 19.75	11 659	38.38 23.95	0 0	11 5.75	Lead FIXED	2			
Akialoa	J 35	28435	75	1989	46.33 14.58	120	46.3	41.42 14	5.43 9.11	No	No	0	35.42 30 11.67	10500 4400	No 1	IB FOLD			
					ALUMN MS			0 0	347			0	6.75	Lead FIXED	2				
Dawn's Early Light	J 36	77549	87	1982	44.219 14	97	44.21 14	47 15	5.8 9.5	Yes	No	0	35.95 30.5 11.76	10570 4600	0 1	IB Fold			
			590 169		ALUMN FS				418	44.25 25.26 24.12	14 923	0 0	6.6	Lead FIXED					
Acey Deucy	J 44	97659	21	1989	60.606 17.08	155	60.416	53.51 19.41	7.3 12.5	Yes	Yes	27 1379	44.83 38.58	22770 9000	0 1	IB FOLD	Electric Winches		
			547 180		ALUMN MS			0 0	615	59.8 30.8 30.8	17.085 1535	55.9 27.8	1 0	13.67 8.14	Lead FIXED	2			
Phantom	J 44	28844	21	1990	60.606 17.08	120	60.416	53.53 19.41	7.3 12.5	Yes	Yes	27 1379	44.75 38.58	23838 9000	No 1	IB Feath			
			550 189		ALUMN MS			0 0	615	59.65 30.7 30.7	17.08 1526	55.9 27.8	0 0	13.67 8.14	Lead FIXED	3			
Allons-Y	J 70 ODR	346	114	2014	26.77 7.68	100	30.15 13.5	26.16 9.44	4.71 6.93	No	Yes	18.7 491	22.75 20.47	1750 630	0 1	OB None			
			607 93		CARBON FS				164			5.1 0	7.38 4.92	Lead MVBL					

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications			
				DW Rating	I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.	Traps/H. Strps moveable blst		IB or OB Prop Type # of blades		
									SL	SPL	SLU	ASA							Ballast Mat.	Keel Type
Benny	J 70 ODR	897	114	2015	26.77 7.68	100	30.15 13.5	26.16 9.44	4.71 6.93	No	Yes	18.7 491	22.75 20.47	1750 630	0 1	OB None				
		607 93			CARBON FS				164		28.87 18.24	5.1 <input checked="" type="checkbox"/>	7.38 4.92	Lead	MVBL					
Penny Pincher	J 70 ODR	215	114	2014	26.77 7.68	100	30.15 13.5	26.16 9.44	4.71 6.93	No	Yes	18.7 491	22.78 20.47	1750 630	0 1	OB None				
		607 93			CARBON FS				164		28.87 18.24	5.1 <input checked="" type="checkbox"/>	7.38 4.92	Lead	MVBL					
Prime Number	J 70 ODR	29	114	2012	26.77 7.68	100	30.15 13.5	26.16 9.44	4.71 6.93	No	Yes	18.7 491	22.78 20.47	1750 630	0 1	OB None				
		607 93			CARBON FS				164		28.87 18.24	5.1 <input checked="" type="checkbox"/>	7.38 4.92	Lead	MVBL					
Rampage	J 70 ODR	582	114	2014	26.77 7.68	100	30.15 13.5	26.16 9.44	4.71 6.93	No	Yes	18.7 491	22.75 20.47	1750 630	0 1	OB None				
		607 93			CARBON FS				164		28.87 18.24	5.1 <input checked="" type="checkbox"/>	7.38 4.92	Lead	MVBL					
Scilla	J 70 ODR	327	114	2012	26.77 7.68	100	30.15 13.5	26.16 9.44	4.71 6.93	No	Yes	18.7 491	22.78 20.47	1750 630	0 1	OB None				
		607 93			CARBON FS				164		28.87 18.24	5.1 <input checked="" type="checkbox"/>	7.38 4.92	Lead	MVBL					
Wingman Racing	J 70 ODR	584	114	2014	26.77 7.68	100	30.15 13.5	26.16 9.44	4.71 6.93	No	Yes	18.7 491	22.75 20.47	1750 630	0 1	OB None				
		607 93			CARBON FS				164		28.87 18.21	5.1 <input checked="" type="checkbox"/>	7.38 4.95	Lead	MVBL					
Courageous	J 88	77	81	2015	38.67 11.28	104	46 18.05	36.82 12	5.44 8.4	No	Yes	29 1022	29.19 26.84	4990 1840	0 1	IB Fold				
		561 117			CARBON FS				282		40.84 27.32	5.25 <input checked="" type="checkbox"/>	9.5 6.5	Lead	FIXED					

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications										
				DW Rating	I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No		Yes/No		ASF	Ttl Disp.	Traps/H.		Strps	IB or OB								
										Mast Material	PY									MSA	SL	SPL	SLU	ASA	Ballast	moveable blst	Prop Type
Disp/WL ratio																											
Inconceivable	J 88	9	81 2013	38.67 11.28	104	46 18.05	36.82 12	5.44 8.4	No	Yes	29	29.19	4990	0	IB												
			561 117	CARBON FS				282		47.83	1022	26.84	1840	1	Fold												
										40.84	5.25	9.5	Lead	FIXED													
										27.32	<input checked="" type="checkbox"/>	0	6.5														
Juno	J 88	20	81 2014	38.67 11.28	105	46 18.05	36.82 12	5.44 8.4	No	Yes	29	29.19	4990	0	IB												
			561 117	CARBON FS				282		47.83	1022	26.84	1840	1	Feath												
										40.84	5.25	9.5	Lead	FIXED													
										27.32	<input checked="" type="checkbox"/>	0	6.5														
Ventus	J 88	60	81 2015	38.67 11.28	104	46 18.05	36.82 12	5.44 8.4	No	Yes	29	29.19	4990	0	IB												
			561 117	CARBON FS				282		47.83	1022	26.84	1840	1	Fold												
										40.84	5.25	9.5	Lead	FIXED													
										27.32	<input checked="" type="checkbox"/>	0	6.5														
White Shadow	J 88	23	81 2014	38.67 11.28	104	46 18.05	36.82 12	5.44 8.4	No	Yes	29	29.19	4990	0	IB												
			561 117	CARBON FS				282		47.83	1022	26.84	1840	1	Fold												
										40.84	5.25	9.5	Lead	FIXED													
										27.32	<input checked="" type="checkbox"/>	0	6.5														
Hijinks	J 92	90	108 1996	37 11.5	97	38.5 17	37.66 13.22	5 8.6	No	Yes	26.51	30	5500	0	IB												
			595 134	ALUMN FS				297		45.4	868	26.5	2275	1	Fold												
										40.85	5.5	10	Lead	FIXED	2												
										23.55	<input checked="" type="checkbox"/>	0	5.9														
Ragtime!	J 92	18	105 1993	37 11.5	155	38.5 17	38 13.5	4.7 8.2	No	Yes	29.75	30	5500	No	IB	(changes noted 3-11-03, NCTR)(2/14/06 - Spinnaker based on 1019 sq feet/94.67 meters)(Mtg 01/16/14, -3 sec/mi for flying asymmetric off squared back pole)(Mtg 4/24/14, New Rudder noted NCTR, Shortened pole/sprit											
			593 146	ALUMN FS				293		46.8	1019	25.8	2275	1	FOLD												
								0		38.5	5.5	10	Lead	FIXED	2												
								0		28.4	<input checked="" type="checkbox"/>	0	5.9														
Relentless	J 92	93	105 1997	37 11.5	155	38.5 17.5	38 13.5	5.2 8.7	No	Yes	26.4	30	5500	0	IB												
			590 134	ALUMN FS				306		45.2	915	26.5	2275	1	Fold												
										40.6	5.5	10	Lead	FIXED	2												
										25.4	<input checked="" type="checkbox"/>	0	5.9														

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications		
				DW Rating Disp/WL ratio	I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast Mat.		Traps/H. moveable blst Keel Type	IB or OB Prop Type # of blades
									SL	SPL	SLU	ASA							
									SSMG SSF	SSA	SLE	Fixed or _o							
Windtrip Infinity	J 92s	35	96 2006	40.68 11.48 587 134	107	44.08 16.67	38.88 13.95	5.42 9 324	No	Yes	23.25 878 5.17 0	30 26.7 10 6.24	5610 2317 Lead	0 1 FIXED	IB Fold				
Lady Jane	Jeanneau 39i Sun Odyssey	7913	93 2008	48.1 13.1 594 168	122	48.1	46.3 14.6	5.42 9.28 398	No	Yes	27.46 1012 1 0	38.1 35.2 12.9 6.7	16163 5026 Cast Iron	0 1 FIXED	IB Feath 3				
Dare Dare	Jeanneau Sun Fast 3200	39	81 2008	41.92 12.58 598 164	102	43.77 13.61	38.67 13.68	5.28 8.46 311	Yes	Yes	24.41 887 1 0	33.1 28 11.5 6.2	7916 2866 Lead	0 1 FIXED	IB Fold 2				
Wimm	Jeanneau Sun Odyssey 349	38105	141 2016	43.6 12.37 182	112		40.68 13.62	4.9 8.2 318	No	No	0 0	33.92 30.84 11.29 6.86	11770 3483 Cast Iron	0 1 FIXED	IB Fold				
Blue Zephyr	Jeanneau Sun Odyssey 42 DS		108 2010	51.58 16.25 163	150		48.82 14.6	3.55 6.9 350	No	No	0 0	42.42 38 13.5 6.92	19676 5628 Iron	0 1 FIXED	IB Fixed_3	(mtg 4/27/17, +3sec/mi for in-mast furling, +3 sec/mi for MGM < 50% of E)			
Invictus	Jeanneau Sunfast 3600	12	63 2015	46.58 13.83 572 154	105	48 17.67	44.25 15.08	6.49 9.91 411	No	Yes	27.8 1192 0 0	35.42 31.25 11.67 7	10362 4850 Lead	0 1 FIXED	IB Feath				
Ga	Knarr ODR	123	198	33.583 6.583 250	125	33.583	31 11.166 0 0	4.47 7.46 211	No	No	0	30.333 20.333 7 4.25	4630 2866 Lead	No 1 FIXED	OB None 0				

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop		Modifications
			DW Rating		I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No	Yes/No	ASF		Ttl Disp.	Traps/H. Strps	IB or OB		
			Disp/WL ratio		Mast Material			PY	MSA	SL	SPL	SLU		ASA	Ballast	moveable blst	Prop Type	
					Rig Type			EY		SSMG	SSA	SLE		Sprit Lngth	Ballast Mat.	Keel Type	# of blades	
Mega Hurtz	Laser 28 ODR MOD	53470	129	1974	31.1 9.65	125	31.73	33.14 12.96	4.98 8.4	Yes	No	28.41 23.62 9.48 4.98	3950 1500 Lead	0 1 FIXED	OB None 2	(Mtg 2/27/14, switched to outboard motor, -3 sec/mi)		
			631 136		ALUMN FS			20.37 18.92	552		0 0							
Stink Eye	Laser 28 ODR MOD	33562	126		31.73 9.65	110	33.2	33.14 12.3	5.2 8.3	Yes	Yes	28.42 23.62 9.48 5	4050 1500 Lead	No 1 FIXED	OB FOLD 2	(Mtg 3/27/14, -3 sec/mi for oversized mainsail girths, -3 sec/mi for OB motor)		
			635 140		ALUMN MS			19.5 19.5	528		19 546 0.92							
Iniscaw	Martin 32	49143	126	1980	42.5 13.67	145		37.17 12	4.7 8	Yes	No	32.8 27 9.6 6.1	8200 4100 Lead	0 1 FIXED	IB FOLD 2	(Mtg 10/2/13, new rudder, NCTR)		
			618 189		ALUMN MS			42.4 22.4 24.4	13.67 806		0							
Boomer	Melges 20	676	111	2009	23.19 7.05	110	27.2 10.95	24.25 9.84	3.83 7.42	No	Yes	20 19.4 7 4.5	1105 415 Lead	0 1 FIXED	OB None 0			
			604 69		CARBON FS				152		18.8 417 3.9 0							
Insolent Minx	Melges 24	725	84	2008	27.85 7.98	100	31.85 12	28.75 12.42	3.83 7.09	No	Yes	24 22 8.2 5.25	1750 650 Lead	0 1 CNTRBRD	OB None			
			578 75		CARBON FS				195		20.67 577 0 0							
Rufless	Melges 24	445	84	1999	27.85 7.95	100	31.85 12	28.9 12.45	3.83 7.09	No	Yes	24 22 8.17 5.25	1783 650 Lead	0 1 CNTRBRD	OB None 0			
			577 76		CARBON FS				196		20.67 577 0 0							
Wet Corvette	Melges 30	103	36	1994	36.85 10.59	150	36.85 18.96	38 15.49		No	Yes	30 28.6 9.1 7	3800 1750 Lead	0 1 MVBL	IB FOLD 2			
			507 74		CARBON FS						8.4 90							

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop		Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		SLU SLE ASMG		ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast	Traps/H. moveable blst	IB or OB Prop Type # of blades	
								SL	SPL	SLU	ASA							
								SSMG	SSA	SSF	SSA							
Rufless	Melges 32 MOD	174	30 2007	40.86 10.7 105	48.3 18.7	44.05 15.49 11.14	6.95	No	Yes	31.3 1203	31.84 28.5 9.83 7	4200 1600 Lead	1 FIXED	OB None	(mtg 2/23/17, no longer using the class spinnaker. +3 sec/mi for small asymmetric)			
Bandido	Merit 25	28125	168 1983	28.75 9.66 150	28.75	28 9.75 6.69	4.25	Yes	No	9.66	24.5 20.5 8 4	3000 1050 Lead	No 1 FIXED	OB None 3				
Double Agent	Merit 25	8465	168 1981	28.75 9.66 155	28.75	28 9.75 6.69	4.25	Yes	No	9.66	24.5 20.5 8 4	3000 1050 Lead	No 1 FIXED	OB None 0				
Absinthe	Moore 24	102	150 1981	26.25 9.75 150	26.25	25 9.5 6.5	3.91	Yes	No	9.75	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0				
Cadenza	Moore 24	18878	150 1977	26.25 9.75 150	26.25	25 9.5 6.54	4.01	Yes	No	9.75	23.75 21.75 7.17 4.083	2050 1025 Lead	No 1 FIXED	OB None 0				
Color Blind	Moore 24	49	150 1979	26.25 9.75 150	26.25	25 9.5 6.5	3.91	Yes	No	9.75	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0				
Crazy Eights	Moore 24	28888	150 1978	26 9.8 150	26.3 9.75	25 9.5 6.5	3.91	Yes	No	9.75	23.75 21.75 7.16 4.083	2050 1000 Lead	0 1 FIXED	OB None 0				

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
				DW Rating Disp/WL ratio	I J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No			ASF ASA Sprit Lngth Fixed or _o	Ttl Disp. Ballast Mat.	Traps/H. moveable blst Keel Type		IB or OB Prop Type # of blades
									SL	SPL	SLU	ASA						
									SSMG SSF	SSA	SLE ASMG	Fixed or _o						
Firefly	Moore 24	64	150	1980	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0			
Gruntled	Moore 24	68	150	1980	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0			
Hasta Nunca	Moore 24	142	150		26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.08	2050 1025 Lead	0 1 FIXED	OB None 0			
Incognito	Moore 24	136	150	1984	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.08	2050 1025 Lead	No 1 FIXED	OB None 0			
JR	Moore 24	76	150	1980	26.25 9.75	155	26.25	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.08	2050 1025 Lead	No 1 FIXED	OB None 0			
Mas!	Moore 24	138	150	1983	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	Yes	23.75 21.75 7.16 4.08	2050 1025 Lead	0 1 FIXED	OB None			
Moore Fun	Moore 24	18884	153	1979	26.25 9.75	125	26.25	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0			

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		SLU SLE ASMG	ASF ASA Sprit Lngth Fixed or _o	Ttl Disp.		Traps/H. Strps moveable blst			
								SL	SPL								
								SSMG	SSA								
Disp/WL ratio								Ballast Mat.	Keel Type								
Mooretician	Moore 24	89	150	1981	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.08	2050 1025 Lead	No 1 FIXED	OB None 0		
Moxy	Moore 24	110	150	1982	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0		
Orca	Moore 24	85	150	1981	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.083	2050 1025 Lead	0 1 FIXED	OB None 0		
Oxymoron	Moore 24	28993	150	1981	26.25 9.75	150	26.2	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.25	2050 1025 Lead	0 1 FIXED	OB None 0		
Paramour	Moore 24	75	150	1980	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0		
Rare Bird	Moore 24	67	141		26.58 9.75	100	28.31 11.65	25 9.5	3.91 6.5	Yes	Yes	23.75 21.75 7.16 4.083	2050 1025 Lead	0 1 FIXED	OB None	(Mtg 10/27/16, -6 sec/mi for OSP, -6 sec/mi for increased spinnaker area)	
Rocket Science	Moore 24	104	150		26.25 9.75	155	26.25 9.76	25 9.5	3.91 6.5	Yes	No	23.75 21.75 7.16 4.08	2050 1025 Lead	0 1 FIXED	OB None 3		

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
			DW Rating		I	J		P	MGU	Yes/No	Yes/No	ASF	Ttl Disp.		Traps/H.	IB or OB		
			Disp/WL ratio		Max	Max		E	MGM	SL	SPL	SLU	ASA		Ballast	moveable blst	Prop Type	
					Headsail	Headsail		PY	MSA	SSMG	SSA	SLE	Sprit Lngth		Ballast Mat.	Keel Type	# of blades	
							EY		SSF	ASM	Fixed or _o							
Scarlett	Moore 24	86	150	1980	26.25 9.75	150	26.25	25 9.5	3.89 6.45	Yes	No		24 21.75 7.17 4.08	2050 1000 Lead	No 1 FIXED	OB None		
			636 91		ALUMN FS				147			<input type="checkbox"/> 0 0						
Slight Disorder	Moore 24	98	150	1981	26.25 9.75	150	26.25 9.75	25 9.5	3.91 6.5	Yes	No		23.75 21.75 7.16 4.083	2050 1025 Lead	No 1 FIXED	OB None 0		
			636 91		ALUMN FS			0 0	147			<input type="checkbox"/> 0						
Snafu	Moore 24	121	150	1982	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No		23.75 21.75 7.16 4.08	2050 1000 Lead	0 1 FIXED	OB None		
			647 91		ALUMN FS				147			<input type="checkbox"/> 0 0						
Sweet Tea	Moore 24	105	150	1981	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No		23.75 21.75 7.16 4.08	2050 1025 Lead	0 1 FIXED	OB None		
			635 91		ALUMN FS				147			<input type="checkbox"/> 0 0						
The Jackal	Moore 24	22	150	1977	26.25 9.75	150	26.25 9.75	25 9.5	3.91 6.5	Yes	No		23.75 21.75 7.16 4.08	2050 1025 Lead	0 1 FIXED	OB None		
			636 91		ALUMN FS				147			<input type="checkbox"/> 0 0						
White Trash	Moore 24	78	150	1979	26.25 9.75	150	26.25	25 9.5	3.91 6.5	Yes	No		23.75 21.75 7.16 4.08	2050 1025 Lead	0 1 FIXED	OB None 0		
			636 91		ALUMN FS				147			<input type="checkbox"/> 0 0						
WooHoo	Moore 24	80	150	1980	26.25 9.8	150	26.25	25 9.5	3.91 6.5	Yes	No		23.75 21.75 7.16 4.083	2050 1025 Lead	0 1 FIXED	OB None 0		
			635 91		ALUMN FS				147			<input type="checkbox"/> 0 0						

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications										
			Built	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	Strps	IB or OB											
										DW Rating	Mast Material									E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type
EY	SSF	ASM	Fixed or _o	Max Draft																									
E-Ticket	Moorings 38 SD	119	117	1990	47.5	155	47.5	41.7	5.69	Yes	No	38.4	13700	0	IB	Shoal Draft (Mtg 10/27/16, -3 sec/mi for oversized spinnaker area)													
			599		13.9		13.9	15	9.45			31.33	5400	1	Fold														
			202		ALUMN				369			12.5	Steel	FIXED	2														
					MS							4.8																	
Eliana II	Morgan 38-2	77486	156	1981	46	110	46	40.5	4.69	Yes	No	38.33	17000	0	IB	(Mtg 1/26/17, -3 sec/mi for oversized symmetric spinnaker area)													
			632		16.25		16.25	14.5	8.34			30.5	6800	1	Fixed_3														
			272		ALUMN				324			12	Lead	FIXED	3														
					MS							6																	
Frequent Flyer	Mumm/Farr 30	52	54	1996	38.2	104	44.9	40.5	6.42	Yes	Yes	30.9	4561	0	IB														
			540		10.9		13.58	14.6	10.4		25.25	27.6	1997	1	Fold														
			99		CARBON				377		882	10.1	Lead	FIXED															
					FS						0	6.9																	
Achates	Newport 30-2	6847	174	1974	39.5	155	39.5	34	3.8	Yes	No	30	8500	No	IB														
			667		12.5			10.25	6.6			25	3000	1	FOLD														
			247		ALUMN			0	206		0	10.67	Lead	FIXED	2														
					MS			0				5.17																	
Lil Angel	Newport 30-2	6884	174	1979	39.5	150	39.5	34	4.26	Yes	No	30	8500	0	IB														
			675		12.1			10.25	7.07			25	2500	1	FOLD														
			247		ALUMN			0	217		0	10.5	Lead	FIXED	2														
					MS			0				4.75																	
Now and Zen	Newport 30-2	6883	174	1978	39.5	150		34	3.25	Yes	No	30	8000	No	IB														
			671		12.125			10.25	5.7			25	2600	1	Fold														
			233		ALUMN			0	190		0	10.5	Lead	FIXED	2														
					MS			0				4.75																	
Zeehond	Newport 30-2	707	174	1976	39.5	150	39.5	34	3.6	Yes	No	30	8500	No	IB														
			671		12.125			10.25	6.33			25	2600	1	FOLD														
			247		ALUMN			0	201		0	10.5	Lead	FIXED	2														
					MS			0				4.75																	

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
			Rating		I	J	Max Headsail	ISP	P	MGU	Yes/No	Yes/No	ASF		Ttl Disp.	Traps/H. Strps	IB or OB	
			DW Rating		Mast	Material	JSP	E	MGM	SL	SPL	SLU	ASA		Ballast	moveable blst	Prop Type	
			Disp/WL ratio		Rig Type		EY	PY	MSA	SSMG	SSA	SLE	Sprit Lngth		Ballast Mat.	Keel Type	# of blades	
Aquadisiac	Newport 30-3	38075	174	1985	40	12.5	155	40	34	3.8	No	No	30.5	8500	0	IB		
									10.25	6.6			26.5	2600	1	Fold		
					ALUMN								10.67	Lead	FIXED	2		
			208		MS								5.17					
Capo Gatto	Nonsuch 30	308	174	1985					45	7.9	No	No	30.33	11500	0	IB		
									24	14.3			28.75	4500	1	Fold		
			668		ALUMN								11.1	Lead	FIXED	2		
			220		CAT								5					
Makani	Nonsuch 30	278	174	1985			0		44.9	8	No	No	30.33	11500	0	IB		
									23.9	14.5			28.75	4500	1	Feath		
					ALUMN								11.83	Lead	FIXED			
			220		CAT								5					
White Bear	Nonsuch 30	431	174	1987					45	8.68	No	No	30.33	11500	0	IB		
									24	15.12			28.75	4500	1	Fold		
			666		ALUMN								11.9	Lead	FIXED	3		
			220		CAT								5					
Carpe Vita	Olson 25	97399	159	1988	32	9.583	130	32	28	3.8	Yes	No	25	3300	No	OB		
									10	6.4			21.25	1300	1	None		
			671		ALUMN				0	166			9	Lead	FIXED	0		
			156		MS				0				4.5					
Grey Wulff	Olson 25	18517	159	1984	32	9.6	155	32	28	3.8	Yes	No	25	3300	0	OB		
									10	6.4			21.25	1300	1	None		
			671		ALUMN								9	Lead	FIXED			
			156		MS					166			4.5					
Dr Feelgood	Olson 29	24	99	1986	34	11	155	36	32.5	4.36	Yes	No	29.67	3600	0	OB		
									11.5	7.48			27.5	1950	1	None		
			571		ALUMN								9.33	Lead	FIXED			
			79		FS					223			5.58					

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		ASF ASA Sprit Lngth Fixed or _o		Ttl Disp.	Traps/H. Strps	IB or OB Prop Type # of blades	
								SL	SPL	SLU	ASA						
								SSMG	SSA	SLE	ASMG						
Nina	Olson 29	27	99 1987	34 11	155	36	32.5 4.5 11.5 7.27	4.5 7.27	Yes	No	0	29.67 27.5 9.33 5.58	3700 1950 Lead	0 1 FIXED	OB None 0		
X TA C	Olson 29	18457	99 1986	34 11	155	36	32.42 4.59 11.42 7.66	4.59 7.66	Yes	No	0	29.67 27.5 9.33 5.25	3900 1900 Lead	No 1 FIXED	OB None 0	RUDDER REPLACED W/MORE 30 - CHANGE NOTED NCTR.	
Double Espresso	Olson 30 OB	18069	99 1982	36 11.75	155	35.9 11.75	31.5 4.36 10.75 7.26	4.36 7.26	Yes	No	0	30 27.5 9.33 5.08	3600 1800 Lead	0 1 FIXED	OB None		
Dragonsong	Olson 30 OB	87014	99 1982	36 11.75	155	35.9 11.67	31.5 4.364 10.75 7.268	4.364 7.268	Yes	No	0	30 27.5 9.33 5.08	3600 1800 Lead	No 1 FIXED	OB None 0		
Warpath	Olson 30 OB	198	99 1982	36 11.75	150	35.9 11.67	31.5 4.364 10.75 7.268	4.364 7.268	Yes	No	0	30 27.5 9.33 5.08	3600 1800 Lead	No 1 FIXED	OB None 0		
Divine Wind	Olson 40	69069	45 1983	50 15.75	150	51.21 15.8	44 5.5 14.25 9.29	5.5 9.29	Yes	No	0	40.33 36 11.25 6.5	10500 5500 Lead	0 1 FIXED	IB Feath 2		
Heart of Gold	Olson 911S	41327	126 1987	41.5 12.33	155	41.5	35.5 4.5 11.83 7.7	4.5 7.7	Yes	No	0	29.9 25 10.3 5.5	7200 3200 Lead	No 1 FIXED	IB FOLD 2		

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		Ttl Disp.		Traps/H. Strps	IB or OB Prop Type # of blades			
								SL	SPL	SLU	ASA					Ballast		moveable blst
								SSMG SSF	SSA	SLE	Sprit Lngth Fixed or _o							
Redux	Olson 911S	28106	126 1987	41.5 12.33 155	41.5	35.5 11.83 0 0	4.5 7.7 251	Yes	No	41 12.166 21.9 748 21.9	0	29.9 25 10.33 5.416	7200 3200 Lead	No 1 FIXED	IB FOLD 2			
Big Air	Open 5.7 ODR	189	138 2006	21.52 7.3 117	21.6 12.3	25.33 10.24	5.7 8.2 183	No	Yes	17.6 345 5 0	18.75 18.7 8.3 5.74	992 405 Lead	0 1 FIXED	OB None				
Frisky	Open 5.7 ODR	281	138 2009	21.52 7.3 117	27.9 12.3	25.33 10.24	5.7 8.2 183	No	Yes	17.5 338 5 0	18.7 18.7 8.3 5.7	992 405 Lead	0 1 FIXED	NONE None				
Geodesic III	Optima 101	103	141 1985	38.71 12 125	38.71 12	38.39 13.45 298	4.9 8.2	Yes	Yes	19.6 586 2 0	32.84 29.25 11.15 4.76	8511 3968 Iron	0 1 FIXED	IB Fixed_2	(Mtg 4/27/17, added 2' retractable bowsprit, -3 sec/mi)			
Nicole	Orion 35	8210	150 1979	44 14 150	44	39.5 10.5 0 0	4.42 7.319 260	Yes	No	43.667 14.125 25.2 917 25.2	34.58 28.75 10.83 6	13000 4700 Lead	0 1 FIXED	IB FOLD 2	Displacement Obtained by actual weight on scale, Rudder is new design and new build.			
Invisible Hand	Pac 52	5202	-102 2016	66 20.5 101	76 29.5	69.23 22.98	10.96 15.76 1017	No	Yes	44.7 2970 0 90	52 50 14.5 11.8	15700 8360 Lead	0 1 FIXED	IB None				
Nemesis	Pearson 26 Commander	151	258 1964	31.5 9.5 155		26 11.5	3.3 5.75 154	Yes	Yes	21.06 444 0 0	25.7 18.5 8 3.7	5200 2500 Lead	0 1 FIXED	OB None				

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications									
			Built	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No		LOA	Ttl Disp.	Traps/H.	Strps	IB or OB	Prop Type	Modifications								
										DW Rating	Mast Material	E	MGM								SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	# of blades
Disp/WL ratio	Rig Type	EY		ASF	Fixed or _o	Max Draft																						
Kabunza	Pearson 36-2	362	132	1986	47.1 15.4	110	41 14.5	3.65 7.3		No		No		36.5 29.5 12.3 6.5	15000 5800 Lead	0 1 FIXED	IB Fixed_2 2											
Flyer	Peterson 33 (CHITA)	18620	144	1979	42.5 13.9	155	42.5	36.66 9.91	3.66 6.21	Yes	41.91 24.83 24.67	13.75 866		No		32.67 26.58 10.5 6.08	9480 4960 Lead	0 1 FIXED	IB FOLD 2									
Tortuga	Pyramid 660 ODR MOD	8375	174	1981	21.82 6.8	104	28 7	25.7 10.5	4 6.8	Yes	25.9 14 13.3	8 299		No		21.8 18.1 6.2 3.9	850 400 Lead	2 1 FIXED	OB None 2	(Mtg 5/20/10, removed trapeze +18 sec/mi, hiking straps still allowed)(1/24/13, added upper spreaders & stays, NCTR)								
Quiet Thing	Ranger 22	200	216	1978	25.75 8.5	155	25.75	26 7.4	2.8 4.8	Yes	25.4 14.7 14.7	8.2 311		No		22.5 17.5 7.8 4.3	2200 900 Lead	0 1 FIXED	OB None									
Evenstar	Ranger 23	6404	216	1974	27.54 9.75	155	27.5 9.7	24 9.2	3.3 5.4	Yes	27.7 17.46 17.46	9.7 403		No		23.67 20 7.92 3.9	3400 1500 Lead	0 1 FIXED	OB None									
Toypedo	Ranger 26-2	67341	189	1980	26.4 9	150	28 9	30.5 11	4 7	Yes	26.5 16.2 16.2	9 358		No		26 20 8 5	3000 1140 Lead	0 1 FIXED	OB None	Fixed Keel, No daggerboard								
Coquelicot	Ranger 33	148	153	1975	41.5 13.87	120	43.75 13.87	35 13.75	4.6 8.1	Yes	45.51	13.87		No		33 26.3 9.6 5	10500 4500 Lead	No 1 FIXED	IB FOLD 2	Double Spreader rig, water supply 41 gallons, below v berth, 26 gallon bladder tank starboard, rudder 9 inches deeper, group 31 batteries, 15 hsp one cyl disel replaced by 29 hsp Perkins 3 cylendar engine. (NCTR) (MTC 2 21 02)								

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:		Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
			Built		I	J	P	MGU	Yes/No	Yes/No	ASF	Ttl Disp.		Traps/H. Strps	IB or OB		
			ISP		Max Headsail	ISP	E	MGM	SL	SPL	SLU	ASA		Ballast	moveable blst	Prop Type	
			JSP		Mast Material	JSP	PY	MSA	SSMG	SSA	SLE	Sprit Lngth		Ballast Mat.	Keel Type	# of blades	
			Disp/WL ratio		Rig Type		EY		ASM	Fixed or _o							
Liquid Asset	Ranger 33	27707	150	1970	41.5	150	41.5	35	4.93	Yes	No		33.17	10500	0	IB	
					13.7		13.67	13.75	8.67				26.25	4500	1	Fold	
			649		ALUMN							0	9.58	Lead	FIXED		
			264		MS				280			0	5.17				
Pearl	Ranger 33 SM	278	165	1977	38	125	38	31.5	4.43	Yes	No		33.17	10500	0	IB	
					13.9			11	7.39				26.25	4800	1	Fixed_2	
			666		ALUMN							0	9.583	Lead	FIXED	2	
			264		MS				212			0	5.166				
Wildcat of Loch Awe	S-2 7.9 FR DB	59838	165	1983	31.83	135	31.83	29.42	4.75	Yes	No		25.92	4250	0	OB	
					9.5			12.33	7.92				21.67	1750	1	None	
			685		ALUMN							0	9	Lead	AGGERBF		
			190		FS				216			0	5				
Escapade	Sabre 40-2	38011	75	1997	54	110	54	47.5	5.6	Yes	Yes	23.5	40.2	19760	0	IB	
					15.5		16	17	9.9				34	7500	1	FEATH	
			599		ALUMN							0	13.3	Lead	FIXED	3	
			229		MS				449			0	7.5				
Princess	Sabre 40-2	28876	75	1996	53.5	110	53.5	47.8	6.27	No	Yes	26.75	40.17	19500	No	IB	base rtg changed frm 69 to 72 MTG 4/8/03.
					15.5		20.5	17	10.7				35.25	7000	1	FOLD	
			588		ALUMN			0	476			5	13.25	Lead	FIXED	2	
			202		MS			0					6.25				
Serenade	Sabre Spirit		96	2007	45.5	106	51.2	45.5	5.55	Yes	No	23	36.67	10500	0	IB	
					12.87		12.87	16.55	9.93				28.33	3740	1	Fold	
			601		CARBON							0	10.42	Lead	FIXED		
			210		FS				425			0	6.58				
Zwei Flying Fish	San Juan 33s	59733	129	1981	34.83	134	34.83	39.16	4.66	Yes	No		33.1	6000	0	IB	(Mtg 5/28/15, +3 sec/mi for small rig)
					11.48			12.66	8.08				27.8	3500	1	Fold	
			606		ALUMN							0	7.95	Lead	FIXED		
			127		FS				292			0	5.5				

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications
			Rating		I	J	ISP	P	MGU	Yes/No	Yes/No	ASF	Ttl Disp.		Traps/H.	IB or OB		
			DW Rating		Max Headsail	Max Headsail	JSP	E	MGM	SL	SPL	SLU	ASA		Ballast	moveable blst	Prop Type	
			Disp/WL ratio		Mast Material	Mast Material		PY	MSA	SSMG	SSA	SLE	Sprit Lngth		Ballast Mat.	Keel Type	# of blades	
Void Star	Santa Cruz 40	59995	45	1982	52	135	52	45.5	5.2	No	Yes	33.62	40	12500	0	IB	(Mtg 10/22/15, -6 sec/mi for 20% increase in JSP)(4/6/16, +3 sec/mi for non-articulating spinnaker)	
			548		16		18.67	14	8.58		56.2	1238	36	5000	1	FEATH		
			122		ALUMN						48.32	0	12	Lead	FIXED	2		
					MS						27.13	<input checked="" type="checkbox"/>	7					
Deception	Santa Cruz 50	97263	-6	1987	61.8	155	61.8	55	7.1	Yes	Yes	32.9	50	17500	0	IB	ELPT Keel & OS/Spinnaker; Has a Code 0 headsail aboard - tacked to stem, no sprit (Mtg 5/26/16, -3 sec/mi for oversized mainsail)(Mtg 6/23/16, change rating back to -6)	
			482		18.3		18.3	18.4	12		62.83	1335	46	8000	1	FOLD		
			82		ALUMN						58.47	0	12	Lead	FIXED	2		
					MS						24.8	<input checked="" type="checkbox"/>	8					
Emily Carr	Santa Cruz 50	49211	-6	1981	61	150	61	55	6.4	Yes	No		53	15000	No	IB	3' SUGAR SCOOP ON TRANSOM IF STD 50FT LOA OF BOAT	
			478		19			17	11				46.5	7500	1	FOLD		
			68		ALUMN			0	555			0	12	Lead	FIXED	2		
					MS			0				<input type="checkbox"/>	8					
OAXACA	Santa Cruz 50	8927	-12	1982	61.48	155	61.22	54.75	6.08	Yes	No	36.5	50.23	17374	0	IB	(Mtg 5/26/16, -6 sec/mi for oversized ASA)	
			480		18.88		20.65	16.98	10.67		65.5	1889	46.67	8000	1	Fold		
			78		ALUMN						59.5	0	12	Lead	FIXED			
					FS						36.2	<input type="checkbox"/>	7.91					
Buona Sera	Santa Cruz 70	41104	-81	1986	73.15	155	73.63	65.49	9.12	No	Yes	40.06	68.9	24905	0	IB	(Mtg 8/27/15, New rudder noted, -9 sec/mi for new keel)(Mtg 3/23/17, -6 sec/mi for 13% increase in SPL, -3 sec/mi for increase in spinnaker area, +3 sec/mi for decrease in mainsail area)	
			423		22.52			25.39	15.72		79.07	2504	60.4	8960	1	Fold		
			51		CARBON						68.31	0	15.1	Lead	FIXED			
					MS						40.95	<input type="checkbox"/>	10.62					
New Sinsation	Santana 20	28449	222	1978	24.5	150	24.5	24.5	3.16	Yes	No		20.2	1350	0	OB		
			719		8.16			7	4.92				16	550	1	None		
			150		ALUMN						13.67	0	8	Lead	FIXED			
					FS						13.67	<input type="checkbox"/>	4					
Anapos	Santana 22	5158	237	1966	26	120	26	21.75	3.95	Yes	No		22	2600	No	OB		
			737		8.5			9.833	6.59				18.666	1230	1	None		
			182		ALUMN			0	131			0	7.833	Iron	FIXED	0		
					MS			0				<input type="checkbox"/>	3.5					

Boat Name	Boat Model (Type)	Sail #	Rating Built	Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop	Modifications	
				J Max Headsail Mast Material Rig Type	ISP JSP	P E PY EY	MGU MGM MSA	Yes/No		Yes/No		Ttl Disp. Ballast		Traps/H. moveable blst	IB or OB Prop Type # of blades			
								SL	SPL	SLU	ASA							
								SSMG SSF	SSA	SLE ASMG	Sprit Lngth Fixed or _o					Ballast Mat.		Keel Type
Disp/WL ratio																		
Byte Size	Santana 22	801	237 2001	26 8.5	90	26 8.5	21.75 9.833	3.95 6.59	Yes	26	8.583	No		22 18.67 7.83 3.5	2600 1230 Iron	No 1 FIXED	OB None 0	
			737 182	ALUMN MS		0 0	131			15.44 15.44	335	<input type="checkbox"/>	0					
High and Dry	Santana 22	114	234 1967	26 8.5	150	26	21.75 9.83	3.95 6.59	Yes	26	8.58	No		22 18.67 7.83 3.5	2600 1230 Cast Iron	0 1 FIXED	OB None	
			737 182	ALUMN MS				131		15.44 15.44	335	<input type="checkbox"/>	0 0					
Meliki	Santana 22	5194	237 1967	26 8.5	125	26	21.75 9.833	3.95 6.59	Yes	26	8.583	No		22 18.67 7.83 3.5	2600 1230 Iron	No 1 FIXED	OB None 0	
			737 182	ALUMN MS			0 0	131		15.44 15.44	335	<input type="checkbox"/>	0					
Zingaro	Santana 22	5050	237 1971	26 8.5	125	26	21.75 9.83	3.95 6.59	Yes	26	8.58	No		22 18.67 7.833 3.5	2600 1260 Iron	0 1 FIXED	OB None 0	
			737 182	ALUMN MS				131		15.44 15.44	335	<input type="checkbox"/>	0 0					
Albacore	Santana 22 ODR	18325	237 1976	25.67 8.58	125	25.67 8.58	21.75 9.83	3.95 6.59	Yes	26	8.58	No		22 18.67 7.83 3.5	2600 1230 Iron	0 1 FIXED	OB None	
			737 182	ALUMN MS				131		15.44 15.44	335	<input type="checkbox"/>	0 0					
Auggie	Santana 22 ODR	476	237 1969	26 8.5	125	26	21.75 9.833	3.95 6.59	Yes	26	8.583	No		22 18.666 7.833 3.5	2600 1230 Cast Iron	No 1 FIXED	OB None 0	
			737 182	ALUMN MS			0 0	131		15.44 15.44	335	<input type="checkbox"/>	0					
The Belafonte	Santana 22 ODR	5000	237 1970	26 8.5	110	26	21.75 9.833	3.95 6.59	Yes	26	8.583	No		22 18.67 7.833 3.5	2600 1230 Iron	No 1 FIXED	OB None 0	
			737 182	ALUMN MS			0 0	131		15.44 15.44	335	<input type="checkbox"/>	0					

Boat Name	Boat Model (Type)	Sail #	Rating	Built	Foretriangle:		ISP JSP	Main:		Symmetric Spin.		Asymmetric Spin.		Hull LOA LWL Max Beam Max Draft	Displacement/Keel		Engine/Prop IB or OB Prop Type # of blades	Modifications	
			Max Headsail		I	J		P	MGU	Yes/No	Yes/No	ASF	Ttl Disp.		Traps/H. Strps				
			DW Rating		Mast Material	E		MGM	SL	SPL	SLU	ASA	Ballast		moveable blst				
			Disp/WL ratio		Rig Type	PY		MSA	SSMG	SSA	SLE	Sprit Lngth	Ballast Mat.		Keel Type				
								SSF	ASA	Fixed or _o									
Happy Daze	Santana 30-30 GP	87322	120	1984	40.83 11.67	150	40.83	36.17 11.08	5.25 8.5	Yes	No			29.92 25.42 10.25 5.5	6500 2435 Lead	No 1 FIXED	IB FOLD 2		
			641 180		ALUMN MS		0 0	267				<input type="checkbox"/>	0						
Ahi	Santana 35	30980	114	1981	39 12.85	155	39	42 14.25	5.51 9.26	Yes	No			35 26.5 11.92 6.25	8500 3300 Lead	0 1 FIXED	IB Fold 2	(Mtg 6/27/13, new rudder noted, NCTR)	
			628 208		ALUMN FS			358				<input type="checkbox"/>	0 0						
Breakout	Santana 35	18679	114	1982	39 12.85	155	39	42 14.25	5.51 9.26	Yes	No			35 26.5 11.92 6.25	8500 3300 Lead	No 1 FIXED	IB FOLD 2		
			630 208		ALUMN FS			358				<input type="checkbox"/>	0						
Velvet Hammer	Schock 40	51507	-12	2000	42.5 13.6	104	49.5 20.58	44.4 16.8	7.2 11.8	No	Yes		33.92 1459	40 35 10 8	7914 1800 Lead	No 2 MOVABL	OB None 0	(mtg 10/21/09, switched to 104% headsail, from 150%, smaller girths on mainsail. Change custom rating from -18 to -12)	
			464 84		CARBON FS		0 0	470				<input checked="" type="checkbox"/>	7 0						
Trois Amis	Screamer 12 Meter MOD	194	36	1985	44.58 15.75	140	44.58	41 14.2	5.3 9.2	Yes	No			39.37 32.5 10.33 7.67	6000 1350 Lead	0 1 FIXED	OB None	(mtg 3/23/17, custom rating of 36 assigned)	
			506 79		ALUMN MS			345				<input type="checkbox"/>	0 0						
Alpha	Sonar 23	498	174	1990	23 8.25	100		27.5 11.17	1.23 7.3	No	No			23 19.92 7.8 3.92	2100 900 Lead	n 1 FIXED	OB None		
					ALUMN MS			156				<input type="checkbox"/>	0 0						
BZ	Sonar 23		174		23 8.25	100		27.5 11.17	1.23 7.3	No	No			23 19.92 7.8 3.92	2100 900 Lead	No 1 FIXED	NONE None		
					ALUMN FS			156				<input type="checkbox"/>	0 0						

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications							
			Built	J	Max Headsail	ISP	JSP	P	MGU	Yes/No		Yes/No	ASF		LOA	Ttl Disp.	Traps/H. Strps			IB or OB						
										DW Rating	Mast Material		E	MGM			SL	SPL			SLU	ASA	LWL	Ballast	moveable blst	# of blades
EW	MSA	SSMG	SSA	ASMG	Fixed or_o	Max Draft	Ballast Mat.	Keel Type																		
Vera Cruz	Sunsail F40 ODR	1003	42	2012	52.69 15.09	105	56.54 17.06	51.15 17.65	6.53 11.42	No	Yes	30.32 1200	40.15 35	17437 6609	0 1	IB Fold										
			571 185		ALUMN FS				534		49.5 25.9	1.98 <input checked="" type="checkbox"/> 0	12.76 8.04	Lead FIXED		2										
Vento	Swan 391	40841	99		53.5 16.25	95	53.5 16.25	47.25 14	5.5 9.2	Yes	Yes	26 1014	39.9 33.1	18900 6800	0 1	IB Fold										
			592 237		ALUMN MS				399		29.3 29.3	1266 23.67	12.4 7.2	Lead FIXED												
Elusive	Swan 42 Club	4216	9	2007	59.07 16.44	106	62.99 19.05	56.56 19	7.1 12.5	Yes	Yes	37.4 2010	42.59 38.15	17158 6988	0 1	IB Fold	(Mtg 2/25/16, +3 sec/mi for decrease in Spinnaker Area, +6 sec/mi for decreased JSP, -3 sec/mi for articulation, -3 sec/mi for switch to larger headsail)(04/05/17, Switching back to stock configuration. As called: 0)									
			504 140		CARBON FS				641		62 34 33.7	19.05 1754	12.8 9	Lead FIXED	2											
Blue	Swan 53-2	61522	30	2012	71.96 19.52	105	73.84 19.53	65.88 21.98	7.64 13.38	No	Yes	38.89 2214	54.07 47.24	54482 22400	0 1	IB Fold	(Mtg 3/23/17, -3 sec/mi for ability to fly a-sail on a squared back pole)									
			530 235		CARBON MS				826		75.95 67.09 36.72	19.43	15.58 12.14	Lead CNTRBRD												
Relentless	Sydney 32	28732	81	2002	40.6 12.2	110	40.6 13.1	39.7 14.75	5.6 9.59	Yes	No		31.9 28.4	6850 2860	No 1	IB FOLD	-3 Sec/mi for OSP									
			589 136		ALUMN FS				349		40.29 23.4 23.4	13.1 786	10.6 6.9	Lead FIXED	2											
Encore	Sydney 36 CR	3632	57	2006	45.6 14	104		44.36 16.4	6.1 10.6	No	Yes	28.9 1283	36.06 31.04	12897 4850	No 1	IB FOLD	(Australian IRC Rating 1.052)(Mtg 8/23/12, change custom rating from 54 to 57)									
			565 196		ALUMN FS				431		55.7 48 29.9	15.4 1178	11.32 7.55	Lead FIXED	2											
Afterburner	Synergy 1000	1001	45	1999	40.75 12	110	45.75 16.4	42 15.5	6.99 11.03	No	Yes	26 1089	32.83 29.17	4600 1850	0 1	IB Feath										
			538 84		CARBON FS				417		43.7 28	4.3 <input checked="" type="checkbox"/> 0	9.75 7	Lead FIXED	2											

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications			
			Built	J	Max	ISP	P	MGU	Yes/No		Yes/No		LOA	Ttl Disp. Traps/H. Strps		IB or OB						
									JSP	E	MGM	SL		SPL	SLU		ASA	LWL		Ballast	moveable blst	# of blades
Disp/WL ratio	Mast Material	IEY	MSA	SSMG	SSA	ASMG	Fixed or_o	Max Draft	Keel Type													
Breakaway	Ultimate 20 CM	180	144	2002	26.08 6.97	114	27.58 12.79	27.33 10.17	5.5 7.96	No	Yes	19.167	20.83	1350	No	OB						
			622		CARBON				193	0	30.42	441	18	450	1	Fixed_3						
			105		FS					0	28.417	6	8.33	Lead	FIXED	3						
For Pete's Sake	Ultimate 24 ODR	28469	111	2003	28.04 7.82	102	30.8 14.5	31 11.5	5.5 8.8	No	Yes	22.2	24.38	2040	No	OB						
			582		CARBON			0	238		36	587	21.17	750	1	None						
			98		FS			0			30.6	6.7	8.48	lead	FIXED							
											20.9	<input checked="" type="checkbox"/>	0	5.52								
Makanani	Ultimate 24 ODR	3	111	2003	28.04 7.82	110	30.8 14.5	31 11.35	6.35 9.18	No	Yes	21.3	24.38	2040	0	OB						
			583		CARBON				250		36	566	21.17	750	1	None						
			98		FS						27.8	6.7	8.48	Lead	FIXED							
											21.3	<input checked="" type="checkbox"/>	0	5.52								
Max	Ultimate 24 ODR	2	108	2002	28.04 7.82	110	30.8 14.5	31 11.35	6.81 9.18	No	Yes	21.3	24.38	2040	0	OB						
			583		CARBON				254		35.5	562	21.17	750	1	None						
			98		FS						27.8	6.7	8.48	Lead	FIXED							
											21.3	<input checked="" type="checkbox"/>	0	5.52								
Willow	Wauquiez 40s Centurion	38300	69	2004	51.5 14.17	110	51.5	49.21 19.3	7.3 12.5	Yes	Yes	28.54	41.17	18960	No	IB	(mtg 3/18/10, -3 sec/mi for oversized a-sail.)(mtg 1/27/11, - 3 sec/mi for added sprit)					
			573		ALUMN				564		50.73	14.17	36.4	6085	1	FEATH						
			179		FS						25.54	1080	12.66	Lead	FIXED	3						
											27.66	<input checked="" type="checkbox"/>	7.75									
Ebb Tide	Wauquiez 45s Centurion	60245	57	2003	55.77 17.72	100	55.77 17.72	51.84 19.32	6.51 11.68	Yes	Yes	32.25	45.92	23148	0	IB	(Mtg 5/26/11, Increased "JSP" by 5.67' which equals a 30% increase. - 9 sec/mi per NCPHRF Rules & Guidelines.)(Mtg 3/29/12, JSP now same as J+9 sec/mi, Asymmetrical spinnaker still oversized, -3 sec/mi)					
			542		ALUMN				567		55.59	17.72	40.25	8488	1	Fold						
			161		FS						31.9	1466	13.67	Lead	FIXED	3						
											30.62	<input checked="" type="checkbox"/>	8.17									
Tortuga	Westsail 32	207	216	1974	31.2 18.4	150		38.3 15.1		No	No		32	19500	0	IB						
			694		ALUMN							0	27.6	7000	1	FOLD						
			422		CTR							<input type="checkbox"/>	11	Lead	FIXED	3						
												0	5									

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications
			Built	J	Max	IS	P	MGU	Yes/No	Yes/No	ASF	LOA	Ttl Disp.	Traps/H.	IB or OB				
			DW Rating	Mast	Head	JSP	E	MGM	SL	SPL	SLU	ASA	LWL	Ballast	moveable blst	Prop Type			
			Disp/WL ratio	Material	sail		PY	MSA	SSMG	SSA	SLE	Sprit Lngth	Max Beam	Ballast Mat.	Keel Type	# of blades			
			Rig Type	EY		SSF		ASM	Fixed or _o	Max Draft									
Tinker	Wilderness 21	6	225	1977	25	125	25	2.83	Yes	No	20.5	1870	No	OB	Added roller furler				
					8.67		8	4.66			17.8	1070	1	None					
			718		ALUMN		0	113			7.25	Lead	FIXED						
			151		MS		0				4								
Domino	Wilderness 30 MOD	38081	126	1985	36	155	36	4.11	Yes	No	30	5450	0	IB	(Mtg 3/28/13, +6 sec/mi for small rig)				
					12.25		10.83	6.93			27.75	2150	1	Fold					
			608		ALUMN			203			8.8	Lead	FIXED						
			116		MS						5.5								
FUGU	Wilderness 30 SX FR IB	67967	120	1980	34.08	150	34.1	4.37	Yes	Yes	29.75	4200	0	OB	(Mtg 11/20/08, -6 sec/mi for replacing inboard with outboard engine)				
					11.75		11.5	7.48		20.36	27.75	1900	1	None					
			585		ALUMN			236		603	8.75	Lead	FIXED	0					
			89		FS					0	5.5								
Freedom	Worth 40	18230	96	1984	54	155	16	5.5	Yes	No	40	21000	0	IB					
					16		14	9.2			34.25	7800	1	FOLD					
			594		ALUMN		0	397		0	12.5	Lead	FIXED	2					
			238		MS		0				7.25								
Wild Spirit	Wylie 36	0	141	1970	44.67	100	44.67	5.3	No	Yes	36.5	13720	0	IB	(Mtg 3/24/16, same hull as "Alert", +3 sec/mi for small "I", +3 sec/mi for no spinnaker articulation)				
					14.75		14	9.1		23.5	30	5575	1	Fixed_2					
			642		ALUMN			340		815	10.9	Lead	FIXED						
			231		CTR					0	6								
Bad Hare Day	Wylie Wabbit ODR W/Trap	35	126	1982	20.75	150	20.5	4.03	Yes	No	23.75	975	Yes	OB					
					6.5		10	6.72			20	440	3	None					
			603		ALUMN		0	145		0	5.583	Lead	FIXED	0					
			55		FS		0				3.5								
Keala	Wylie Wabbit ODR W/Trap	12	126	1982	20.5	150	20.5	4.03	Yes	No	23.75	975	Yes	OB	Hiking straps and single trapeze				
					6.5		10	6.72			20	440	3	None					
			602		ALUMN		0	145		0	5.58	Lead	FIXED	0					
			55		FS		0				3.5								

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications		
			Built	DW Rating	I J	Max Headsail	ISP JSP	P E	MGU MGM	Yes/No		Yes/No	ASF		LOA LWL	Ttl Disp.	Traps/H. Strps		IB or OB Prop Type # of blades		
										Mast Material	SL		SPL	SLU			ASA	Ballast			moveable blst
Disp/WL ratio	PY EY	MSA	SSG	SSA	SLG	ASF	Max Draft	Ballast Mat.	Keel Type												
Kwazy	Wylie Wabbit ODR W/Trap	26	126	1982	20.416 6.416	150	20.5	23 10	4.02 6.71	Yes	22 14 14	8.5 257	No		0	23.58 20 5.42 3.41	975 440 Lead	Yes 3 FIXED	NONE None 0		
Lepus	Wylie Wabbit ODR W/Trap	18	126	1982	20.5 6.5	150	20.5	23.75 10	4.03 6.72	Yes	22 13.9 13.7	8.5 254	No		0	23.75 20 5.58 3.5	975 440 Lead	1 3 FIXED	OB None 0	Hiking Straps & Trapeze per class rules	
Mr McGregor	Wylie Wabbit ODR W/Trap	8426	126	1982	20.5 6.5	150	20.5	23.75 10	4.03 6.72	Yes	22 13.9 13.7	8.5 254	No		0	23.75 20 5.58 3.5	975 440 Lead	1 3 FIXED	OB None 0	INCLUDES HIKING STRAPS AND SINGLE TRAPEZE.	
White Wabbit	Wylie Wabbit ODR W/Trap	19	126	1982	20.5 6.6	110	26.1	23.75 10	4.03 6.72	Yes	21.6 14 14	8.6 252	No		0	23.75 20 5.58 3.5	975 440 Lead	Yes 1 FIXED	OB None 0		
Wind Blown Hare	Wylie Wabbit ODR W/Trap	29	126	1982	20.5 6.5	150	20.5	23.75 10	4.03 6.72	Yes	22 13.9 13.7	8.5 254	No		0	23.75 20 5.583 3.5	975 440 Lead	1 3 FIXED	OB None 0		
Bandicoot	Wyliecat 30 IB	28530	132	2000	0 0		29 10	39.75 20.5	7.87 13.46	No	29 17.75 17.75	10 429	No	18.8 512 0		30.5 25 9.5 5.25	5500 3050 Lead	0 1 FIXED	IB FEATH 2	(mtg 5/20/10, -21 sec/mi for added spinnakers)(9/5/12, removed spinnaker, back to standard configuration)	
Catalyst	Wyliecat 30 IB	28571	132	2004				40 20.67	7.87 13.46	No			No		0	30.42 25 9.42 5.25	5800 3000 Lead	No 1 FIXED	IB Feath 2	Must have a YC card before registering for 2005 and clear YC for 2004	

Boat Name	Boat Model (Type)	Sail #	Rating		Foretriangle:			Main:		Symmetric Spin.		Asymmetric Spin.		Hull		Displacement/Keel		Engine/Prop	Modifications						
			Built	J	Max Headsail	ISP	P	MGU	Yes/No		Yes/No	ASF	LOA	Ttl Disp. Traps/H. Strps		IB or OB									
									DW Rating	Mast Material				E	MGM		SL	SPL		SLU	ASA	LWL	Ballast	moveable blst	# of blades
EY	SSA	ASMG	Fixed or _o	Max Draft																					
Crinan II	Wyliecat 30 IB	15	132	2002				39.75	7.79	No	No			30.5	5500	No	IB								
							20.5	13.32						25	3050	1	FOLD								
			653		ALUMN		0	485				0		9.5	Lead	FIXED	2								
			160		CATBOAT		0				<input type="checkbox"/>			5.25											
Iseult	Wyliecat 30 IB	13	132	2001		0		39.75	7.87	No	No			30.5	5500	0	IB								
							20.8	13.46						25	3050	1	Fold								
			653		CARBON							0		9.42	Lead	FIXED	2								
			160		CAT						<input type="checkbox"/>	0		9.25											
Polecat	Wyliecat 30 IB	5	132	1997				29.5	7.35	No	No	21.6		30.5	5500	No	IB	(Articulating Sprint and Pole added for asym spinnaker, added asymmetrical, -21 sec/mi)(5/22/14, removed Asymmetric, +21 sec/mi)(Mtg 8/25/16, New rudder installed, NCTR)							
							20	12.66				493		25	3050	1	FOLD								
			620		CARBON		0	468				8		9.416	Lead	FIXED	2								
			160		CAT		0				<input type="checkbox"/>	15		5.25											
Uno	Wyliecat 30 IB	28632	129	1995	35.8			35.8	9.31	No	Yes	19.68		30.5	5800	0	IB	(mtg 2/21/08, penalty for oversized main -3 sec/mi)(Mtg 5/22/08, -24 for asymmetric spinnaker flown on 12' pole)(1/24/16, not using spinnaker +24 sec/mi)							
					5.5			12	13.05		12	550		25	3000	1	FOLD								
			607		CARBON				493			0		9.5	Lead	FIXED	2								
			169		CAT						<input type="checkbox"/>	90		5.25											
Nancy	Wyliecat 30 OB	28890	126	1995				39.66	8.71	No	No			30.5	5500	No	OB	(-3 sec/mi for square top main)							
							19.75	13.46						25	3050	1	None								
			650		CARBON		0	491				0		9.5	Lead	FIXED	0								
			160		CAT		0				<input type="checkbox"/>			5.25											
Windswept Lady	X-362 Classic	50980	96	1998	46.6	125		46.6	5.05	Yes	Yes	26.7		35.1	12320	0	IB								
					12.9			12.9	8.86			878		30.4	5170	1	Fold								
			613		ALUMN				333			0		11.4	Lead	FIXED									
			199		MS						<input type="checkbox"/>			6.2											
Nadja Delphine	X-41	0	15	2009	55.9	106		58.63	6.82	Yes	No			40.52	14109	0	IB	Electronic winches							
					16.11			11.61	11.61					35.07	6019	1	Fold								
			537		CARBON				570			0		11.94	Lead	FIXED									
			149		FS						<input type="checkbox"/>	0		8.2											

